Section A of Science Abstracts

SECTION A, PHYSICS: SECTION B, ELECTRICAL ENGINEERING

Q
1
S3
Sec. A
Vol. 58-62
1955-59
Author
Index
N/C
Science

Physics Abstracts

Cumulative Author Index

1955-1959

(VOLUMES 58-62).

Published by THE INSTITUTION OF ELECTRICAL ENGINEERS
Savoy Place, London, W.C. 2

In association with the Institute of Physics and the Physical Society
and the American Institute of Physics

FOREWORD

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written Vanvleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are appropriately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given. Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

The numbers printed after the entries are the serial numbers of the abstracts, and the respective volumes are indicated by the initial number, giving the last digit of the year; thus "8 = 1234" means "Abstract 1234 of the 1958 volume".

Aa, J. M. L. C. van der. See van der Aa, J. M. L. C.
Aagard, R. L. Convection free instrument for measuring infrared radiation in the atmosphere, 9=3242
Aamodt, L. C. and Fletcher, P. C. Spin, quadrupole moment, and mass of selenium-75, 5=7288. Magnetic moment and mass of chlorine-36, 5=7291
Aamodt, R. L. See Colgate, S. A., 8=5402
Aardenne, G. M. V. Van. See Van Aardenne, G. M. V.
Aarons, J. and Barron, W. R. Sudden absorption of atmospherics due to increase in cosmic ray intensity, 7=1811
Aarons, J., Barron, W. R. and Castelli, J. P. Radio astronomy measurements at v.h.f. and microwaves, 8=1426
Aarset, B., Cloud, R. W. and Trump, J. G. Electron emission from metals under high-energy hydrogen ion bombardment, 5=344
Aarts, J., Harting, D. and Bakker, C. J. Relative oscillator strengths for lines of Fe I, 5=2566
Aarts, W. H. The measurement of surface tension for the purpose of process control, 9=6581
Abadie, P., Charbonnière, R., Gidel, A., Girard, P. and Guilbot, A. Passing of the critical frequency of a hydroxyl group from the Hertzian region to the infrared vibration frequencies of O-H, 6=3628. Passing from the radiofrequency region to the infrared and from the infrared to the radiofrequency, 7=4307
Abarenkov, I. V. Potential of a crystal point lattice, 9=2902
Abashian, A. See also Cronin, J. W., 7=9867
Abashian, A., Adair, R. K., Cool, R., Erwin, A., Leipuner, L., Morris, T. W., Rahm, D. C., Rau, R. R., Thorndike, A. M., Whittemore, W. L. and Willis, W. J. Angular distributions of positrons from $\pi^+ - \mu^+ - e^+$ decays observed in a liquid hydrogen bubble chamber, 7=6605
Abashian, A., Cool, R., and Cronin, J. W. Neutron and proton distributions in Pb, 7=2526
Abashian, A. and Hafner, E. M. Experimental test of time-reversal invariance in strong interactions, 9=1059
Abashidze, K. A. See Shakhulov, O. A., 7=1646
Abaulina, É. I. See also Khaikin, M. S., 5=6869
Abaulina, É. I. and Zavaritskii, N. V. On the question of obtaining a metastable modification of thallium, 5=7491
Abaulina-Zavaritskaya, E. I. Electrical properties of Ge at very low temperatures, 7=1290
Abbasov, A. A. See Mirzadzhanzade, A. Kh., 6=8018
Abbate, M. J. See Blout, E. R., 6=1037
Abbitt, W. H. Device for the safe interchange of the lens and prism mounts of a Bausch & Lomb Littrow spectrograph, 7=9062
Abbott, N. B. and Elliott, A. Infrared spectrum and dichroism of crystalline acetanilide, 6=4322
Abbott, R. C. See also Russell, A. M., 8=7595
Abbott, R. C. and Berry, H. W. Measurement of the angular distribution of electrons ejected from tungsten by helium ions, 9=8212
Abbott, W. Study of the variation of absolute brightness in the corona with the solar cycle, 5=4307
Abbott, W. N. Variation of the absolute surface brightness in the corona with the solar cycle, 5=9371. Displacements of the radiant point during the auroral disturbance of September 22, 1957, 9=958. Seasonal illumination of a circumpolar earth satellite at its extreme-latitude orbit point, 9=3072
Abdel Aziz M'Hirsi and Noury, J. Velocity of ultrasonic waves in ethylene at pressures up to 100 atm, 7=6958
Abdel Fattah el Nadi. See Ortner, G., 5=10125
Abdel El-Fattah El-Nadi. See Salim, S., 9=4764
Abdel Kerim Ibrahim Ali. See Ali Abdel Kerim Ibrahim.
Abdel Monem I. Kabiel. See Ali Abdel Kerim Ibrahim, 5=1573, 8=7726
Abdrakhmanova, I. F. and Deryagin, B. V. Surface conductivity of quartz in the presence of adsorbed layers, 8=6964
Abdul Qayum. See Chaudhri, R. M., 6=452
Abdullaev, G. B. See also Akhundov, G. A., 8=7529. Aliev, G. M. 8=2273, 8=6903: Kuliev, A.A., 9=13807
Abdullaev, G. B. and Aliev, M. I. Effect of iodine on the thermal conductivity of selenium, 8=147
Abdullaev, G. B., Aliev, G. M. and Chetverikov, N. I. On the effect of the impurities gallium and iron on the thermal conductivity of germanium, 9=4513
Abdullaev, G. B. and Bashshaliev, A. A. The effect of bromine additions on the thermal conductivity of selenium, 8=2274
Abe, H. Manganese impurities in silver halides[AgCl, AgBr] studied by the paramagnetic resonance absorption, 7=8276. Paramagnetic resonance in copper propionate monohydrate, 9=9825. See also Kumagai, H., 5=8901. Ohtsuka, T., 9=6529. Oshima, K., 6=483. Simada, J., 6=3023. Tanaka, K., 5=7409
Abe, H., Nagano, H., Nagusa, M. and Oshima, K. Magnetic resonance absorption caused by additional paramagnetic impurities in alkali halides, 6=8872
Abe, H. and Ohtsuka, M. Paramagnetic resonance absorption in copper hexapyridine nitrate, 7=1489
Abe, H. and Ôno, K. Paramagnetic resonance spectra of some cupric salts. I, 7=1490
Abe, H., Ôno, K., Hayashi, I., Shimada, J. and Iwanaga, K. Paramagnetic resonance absorption in $K_2CuCl_4 \cdot 2H_2O$, 5=2880
Abe, H. and Shimada, J. Paramagnetic resonance in copper acetate monohydrate, 9=8339
Abe, M. See Kunitomi, N., 6=735
Abe, R. On ferroelectric Barkhausen pulses of Rochelle salt, 6=2064. Optical study on the resultant movement of many walls in Rochelle salt., 9=10232. Note on the cluster expansion theory of classical fluids. Watermelon approximation, 9=11894
Abe, Y. See Hagiwara, S., 9=9850. Kojima, S., 5=2949, 6=533, 7=628, 9=8372
Abel, J. L. See Chynoweth, A. G., 9=8070
Abele, M. and Meckbach, W. Design and performance of a hot cathode magnetically collimated arc discharge ion source, 9=8230
Abele, R. K., Zedler, R. E. and Roberts, L. D. Operation of a pulse ion chamber at 4. 2° K, 5=8038
Abeles, B. Thermal conductivity of germanium in the temperature range 300° -1080° K, 9=6826
Abeles, B. and Meiboom, S. Galvanomagnetic effects in bismuth, 6=1376
Abelès, F. The optical properties of isotropic and inhomogeneous thin metal layers, 5=4560. Resistivity and thermoelectric power of metals containing grain boundaries, 6=383. The use of thin films in interferometry, 6=4341. Remarks on the properties of inhomogeneous thin films, 6=6963. Optical properties of thin absorbing films, 7=6049. Some optical properties of symmetrically stratified layers, 9=7985
Abeles, F., and Mathieu, J. Calculation of the optical constants of ionic crystals in the infrared from the reflection spectrum, 8=5805
Abell, D. F., Bonner, N. A. and Goishi, W. Kinetics of complex isotopic exchange reactions, 7=9940
Abell, G. O. A model for the internal structure of the sun. 5=4308
Abel's, V. R. See Ya. S. Shur, 6=4495
Abgrall, C. Cell with fixed electrodes for the measurement of the dielectric constant of a liquid, 6=2851
Abhyankar, K.D. See also Das, A. K., 7=4993
Abhyankar, K.D. and Ramanathan, A.S. Equivalent widths of atomic lines in sunspot spectra, 5=5839
Ablekov, V.K. On the treatment of spectrograms obtained with a Fabry—Perot interferometer, 9=9390
Ablekov, V.K. and Fabelinskii, I.L. Spectral studies of light scattered by viscous liquids and amorphous solids, 9=9525
Ablova, M.S., Elpat'evskaya, O.D. and Regel', A.R. The electrical conductivity of Ge—Si alloys in the liquid state, 7=2224
Ablova, M.S. and Regel', A.R. Thermal e.m.f. close to the fusion point, 9=5747
Ablow, C.M. See Wise, H., 7=9941, 8=9173
Aboav, D., Gränicher, H. and Petter, W. Antiferroelectricity of deuterium diammonium orthoiodate, 5=9632
Abolin'sh, Ya.Ya. See Gross, E.F., 9=1230
Abotina, M.P., Grigor'ev, E.P., Zolotavin, A.V. and Kratsik, B. Study of Tb^{160}, 8=6246
Abou Hadid, L. See El Nadi, M., 9=1689
Aboud, A., Behring, W.E. and Rense, W.A. Emission-line intensities in the solar ultraviolet, 9=12962
Aboud, A.A., Curtis, J.P., Mercure, R. and Rense, W.A. Oxygen gas continuous absorption in the extreme ultraviolet, 5=9562
Abou-Hussein, M.S.M. Representation of nonlinear characteristics by linear elements, 6=8874. A trigonometric analogous computer using linear elements, 7=6807
Abov, Yu.G. See Lyaschenko, B.G., 7=9933, 9=12884
Abragam, A. Overhauser effect in nonmetals, 5=7255. A new method for polarization of atomic nuclei, 6=316. Influence of electrons on nuclear spin resonance in diamagnetic substances: chemical displacement and indirect interactions, 9=588. See also Borghini, M., 9=12489
Abragam, A. and Combrisson, J. Paramagnetic spin—lattice relaxation in a semiconductor, 7=2234. Paramagnetic

spin—spin relaxation in a semiconductor, 7=3282. Paramagnetic resonance of impurities in a semiconductor, 9=300

Abragam,A., Combrisson,J. and Solomon,I. Nuclear polarization by the Overhauser effect in solutions of paramagnetic ions, 8=2521. Dynamic polarization of Si^{29} nuclei in silicon, 8=5287. Dynamic polarization of Si^{29} nuclei in silicon at 4.2°K, 9=10019

Abragam,A., Horowitz,J. and Pryce,M.H.L. On the hyperfine structure of paramagnetic resonance: the s-electron effect, 5=6305

Abragam,A., Landesman,A. and Winter,J.M. Overhauser effect in coals and graphites, 9=5920

Abragam,A. and Proctor,W.G. Experiments on spin temperature, 7=6452. Identity of spin temperature and thermodynamic temperature, 8=1025. Spin temperature, 8=2523 A new method of dynamic polarization of atomic spins in solids, 8=7316

Abragam,A. and Winter,J.M. Proposal for source of polarized protons, 9=1534

Abrahám,A. The photoelectric properties of polycrystalline AlSb, 9=8147. See also Tauc,J. 5=3783, 8=7956

Abraham,B.M. See also Flotow,H.E., 9=3179, 9=12189. Weinstock,B., 9=2275

Abraham,B.M., Osborne,D.W. and Weinstock,B. Heat capacity and entropy of liquid He^3 from 0.23 to 20°K: nuclear alignment in liquid He^3, 5=6083

Abraham,G. The two-body spin-orbit force, 6=8315. See also Warke,C.S. 9=8499

Abraham,G., Cohen,L. and Roberts,A.S. The binding energies of ^{3}H and ^{4}He, 5=4862

Abraham,G. and Warke, C.S. F^{19} in the unified model, 9=1724

Abraham,M. See also Kedzie,R.W., 8=310

Abraham,M., Jeffries,C.D., Kedzie, R.W. and Wallmann,J.C. Paramagnetic resonance hyperfine structure of Np^{239}, 7=9334. Re-examination of the paramagnetic resonance of Np^{239}, 9=3817

Abraham,M., Kedzie,R.W. and Jeffries,C.D. γ-ray anisotropy of Co^{60} nuclei polarized by paramagnetic resonance saturation, 7=6454. Spin and magnetic moment of Eu^{152} and Eu^{154} by paramagnetic resonance, 8=311

Abraham,M., McCausland,M.A.H. and Robinson,F.N.H. Dynamic nuclear polarization, 9=11427

Abraham,R.J., Ovenall,D.W. and Whiffen,D.H. Electron resonance spectrometer for the investigation of organic free radicals, 9=741

Abraham,R.J. and Whiffen,D.H. Electron spin resonance spectra of some γ-irradiated polymers, 9=829

Abraham, E. Interaction between spin waves and conduction electrons in ferromagnetic metals, 5=5509. Donor electron spin relaxation in silicon, 8=1313. See also Weiss, P.R., 9=1863

Abrahams,S.C. The crystal and molecular structure of orthorhombic sulfur, 6=4107. See also Prince,E. 9=9920

Abrahams,S.C. and Calhoun,B.A. A magneto-X-ray study of magnetite at 78°K, 5=5750

Abrahamson,E.W. and Linschitz,H. Reversible flash bleaching of chlorophyll, 6=2508

Abrahamson,P.. Ben-Arieh,J., Yekutieli,G. and Alexander,G. Interaction of 4.2 GeV π^--mesons with nuclear emulsion, 9=7279

Abramets,L.P. See Makogon,M.B. 9=5199

Abramova,T.S. and Golant,V.E. The effect of diffusion on the onset of the high frequency impulse discharge in argon, 8=8001

Abramovich,G.P. On the universal system of units, 5=5208

Abramowitz,M. See also Stegun,I.A. 5=6773

Abramowitz,M., Cahill,W.F. and Wade,C. Jr. Heat transfer in laminar flow through a tube, 9=6822

Abramson,H.N. Flexural waves in elastic beams of circular cross section, 7=4048

Abrash,H. See Katcoff,S., 6=8942

Abribat,M., Pouradier,J. and Venet,A.-M. Evolution of atmospheric radioactivity in the Paris region, 5=9304

Abricossova,I.I. See Derjaguin,B.V. 5=8109

Abrikosov,A.A. On the infrared catastrophe in quantum electrodynamics, 6=4811. The Compton effect at high energies, 6=5373. Scattering of high energy electrons by electrons and positrons, 6=6704. On the magnetic properties of superconductors of the second type, 8=2337. See also Khalatnikov,I.M., 9=4617, 8=2898, 8=4928. See also Landau, L.D., 6=7966-9, 7=1049

Abrikosov,A.A. and Dzyaloshinskiĭ,I.E. Spin waves in a ferromagnetic metal, 9=2486

Abrikosov,A.A., Galanin,A.D., Gorkov,L.P., Landau,L.D., Pomeranchuk,I.Ya. and Ter-Martirosyan,K.A. Possibility of formulation of a theory of strongly interacting fermions, 8=6628

Abrikosov,A.A., Galanin,A.D., Joffe,B.L., Pomerančuk,I.Ya. and Halatnikov,I.M. Green's functions in meson theories, 8=8594

Abrikosov,A.A., Galanin,A.D. and Khalatnikov,I.M. Green's functions in the theory of mesons with a weak pseudoscalar coupling, 6=7970

Abrikosov,A.A. and Gor'kov,L.P. On the theory of superconducting alloys. I. The electrodynamics of alloys at absolute zero, 9=9659. Superconducting alloys at non-zero temperatures, 9=9660

Abrikosov,A.A., Gor'kov,L.P. and Dzyaloshinskii,I.E. On application of quantum field theory methods to problems of quantum statistics at finite temperatures, 9=13033

Abrikosov,A.A., Gor'kov,L.P. and Khalatnikov,I.M. Superconductor in a high-frequency field, 9=2356

Abrikosov,A.A. and Khalatnikov,I.M. Theory of kinetic phenomena in liquid He^3, 8=1652. A model of a non-ideal Fermi gas, 8=5666. Scattering of light in a Fermi liquid, 8=7850. The theory of a Fermi liquid. (The properties of liquid ^{3}He at low temperatures), 9=4527. Theory of the Fermi fluid (the properties of liquid He^3 at low temperatures). 9=13233

Abrikosov,N.Kh. Physico-chemical analysis of some semiconducting systems, 8=4967

Abrikosov,N.Kh. and Bankina,V.F. Thermoelectric properties of the compound CrSb$_2$, 7=416

Abrikosov,N.Kh., Vasserman,A.M. and Poretskaya,L.V. An investigation of the system SnTe—GeTe, 0=12818

Abrikosova,I.I. Measurement of the molecular attraction between different types of solid bodies, 8=2694. See also Deryagin,B.V., 6=8303, 7=571

Abrikosova,I.I. and Deryagin,B.V. Direct measurement of molecular attraction of solid bodies. II. Method of measurement of the gap. Experimental results. 7=572

Abrikossova,I.I. See Derjaguin,B.V., 9=1850

Abrol,M.L. Nature of "p" in Bonnor's unified field theory, 7=9516

Abrosimov,A.T., Bednyakov,A.A., Zatsepin,V.I., Nechin,Yu.A., Solov'eva,V.I., Khristiansen,G.B. and Chikin,P.S. Investigation of the structure of extensive air showers at sea level, 6=7502

Abrosimov,A.T., Dmitriev,V.A., Kulikov,G.V., Massel'skii.E.I., Solov'ev,K.I. and Khristiansen,G.B. High energy nuclear-active component in extensive air showers at sea level, 9=12432

Abrosimov,A.T., Goman'kov,V.I., Ivanovskaya,I.A. and Sarÿcheva,L.I. The angular distribution of the axes of extensive air showers at sea level, 8=6019

Abrosimov,A.T., Goryunov,N.N., Dmitriev,V.A., Solov'eva,V.I., Khrenov,B.A. and Khristiansen,G.B. Structure of extensive air showers at sea level, 8=8090

Abruzzo,J. Measurement of difference in loudness between typing noises, 5=6856

Absalom,R.M. See Rose,H., 7=7400

Abson,W. and Wade,F. Nuclear-reaction-control ionization chambers, 6=2959, 6=8252

Abson,W., Salmon,P.G. and Pyrah,S. Boron trifluoride proportional counters, 8=669, 8=5158. The design, performance and use of fission counters, 8=670, 8=5160.

Abt,H.A. The atmosphere of an RV Tauri variable, 5=7659

Abugov,D.I. Limits of stable flame propagation in gases of variable pressure, 7=4275

Abul Maksud Sayied. See Nag, B.D., 6=5152

Acampora,F.A., Tompa,A.S. and Smith,N.O. Homogenization of solid solutions. A proposed new technique, 6=8985

Accardo,C.A. Beryllium-7 extreme high temperature experiment, 9=2772. See also Kronenberg,S., 6=1993

Achari,R. See Roy,R.R., 7=9324

Achiezer,A.I. and Pomeranchuk,I.J. Diffraction phenomena in collisions of fast particles with nuclei, 9=12534

Anchor, W.T. See also Haynes, S.K. 5=9895

Achor,W.T., Phillips,W.E., Hopkins,J.I. and Haynes,S.K. Low-intensity conversion lines from Sm^{151} and Sn^{113}, 9=7325

Achterberg,H. and Michel,J. Some results on moving striations in neon glow discharge, 9=11075

Achyuta Rao,I. See Ramakrishna Rao,V. 5=5321; Suryanarayana,V., 8=3892

Ackerl,F. Refraction near the earth's surface and optical distance-measurement, 9=13048

Ackerman,E. See also Anthony,A., 6=847; Danner,P.A., 5=142; Fitzgerald,E.R., 7=4921; Holak,W., 7=9580

Ackerman,E. and Holak,W. Reciprocity calibrations, 8=550

Ackerman,M.E. See Hodgson,T.S., 8=8188

Ackermann,R.J., Gilles,P.W. and Thorn,R.J. High-temperature thermodynamic properties of uranium dioxide, 7=3220

Ackermann,R.J., Thorn,R.J. and Winslow,G.H. Visible and ultraviolet absorption properties of uranium dioxide films, 9=13161

Acloque,P. Optical method of measurement and separation of the constraints in plane elasticity, 5=2646. Method and apparatus for the immediate separation of the stress in oblique polarized light, 6=4353

Acquista,N. See Mann,D.E., 6=233; Plyler,E.K. 5=5975, 6=7283, 9=1326

Acrivos,A. See Chambré,P.L. 7=1706; Gose,E.E., 8=4915; Wilke,C.R., 9=5408

Acton,E.W.V. The space-charge limited flow of charged particles in planar, cylindrical and spherical diodes at relativistic velocities, 7=8682

Acton,E.W.V. and Milne,K.T.W. A high voltage electron injector gun for synchrotrons, 8=5052

Aczél, J. A solution of some problems of K.Borsuk and L. Jánossy, 5=7623

Adachi,K. See Hirone, T., 8=5114

Adair,R.K. Resonances in $Li^7(p;n)Be^7$, 5=1182. Angular distribution of Λ° and θ° decays, 6=4007. Production of strange particles by π—nucleon and photonucleon interactions near threshold, 9=2672. High-energy maxima in the π—p cross sections, 9=4942. See also Abashian,A., 7=6605; Leipuner,L.B., 8=1890

Adair,R.K., Darden,S.E. and Fields,R.E. Scattering of polarized neutrons from heavy nuclei, 5=510

Ádám,A., Jánossy,L. and Varga,P. Coincidences between photons contained in coherent light rays, 5=7803. Observations on coherent light with a photomultiplier, 6=171

Adam,G. A photoelectric method, for simultaneous measurements of life-time and mobility of injected charge carriers in semiconductors, 5=287. A flying light spot method for simultaneous determination of lifetime and mobility of injected current carriers, 5=3733. The influence of the gas atmosphere on the surface recombination of germanium, 9=5707

Ádám,J. See also Gergely,G., 9=2192

Adam,J., Coekelbergs,R., Frennet,A. and Gosselain,P.A. Elementary steps in catalytic exchange reactions, 6=7783

Ádám,J., Ettre,K., Gergely,G. and Váradi,P.F. The evaporation of oxide coated cathodes. I, 9=9689

Adam,J. and Martin,D.G. Measurements of unit cell and physical dimension changes of molybdenum after neutron irradiation, 9=10283

Adam,J. and Rich,J.B. The crystal structure of WAl_5, 5=7537

Adam,M.G. Interferometric measurements of wave-lengths. II. Measurements at 6500 A and a general discussion of the solar red shift, 7=43; III. A note on observational technique in the method of circular channels, 7=44; V. The radial current interpretation of solar red shifts, 9=1005

Adam,M.G. and Nichols,S. Interferometric measurements of wave-lengths. IV. The accuracy of measured wavelengths, 9=1004

Adam,N.K. Use of the term "Young's equation" for contact angles, 8=68

Adamczyk,B. See also Staszewski,W., 9=2183

Adamczyk,B. and Staszewski,W. On the longitudinal attraction and repulsion of spheres in vibrating air, 6=8041

Adamov,M.N. and Milevskaya,I.S. Calculation of π-electronic polarizability of polyenes and benzene using a "metallic" molecular model, 7=2482. Dispersion formula in the metallic model of a molecule with conjugated bonds, 7=9800

Adamovich,M.I. Investigation of the final states involved in the photoproduction of negative π-mesons on deuterium, 9=4932. See also Kharlamov,S.P. 9=13568

Adamovich,M.I., Kuz'micheva,G.V., Larionova,V.G. and Kharlamov,S.P. Photoproduction of negative π-mesons on deuterium near the threshold, 9=4931

Adams,A.,Jr. See Statz,H., 6=2874, 7=5336, 7=7869

Adams,C.E. See Nyborg,W.L., 9=7904; Schilb,T., 7=7696; Walker,C.T., 9=7905

Adams,C.H. and Taylor, J.R. Synthetic plastic insulation, 5=2700

Adams, C.Q. and Davis,C.M., Jr. Effect of hydrostatic pressure and temperature on the magnetic properties of a nickel—zinc ferrite, 8=5113

Adams,C.R. See Milligan,W.O. 5=2231

Adams,E.H. See Hearmon,R.F.S., 5=7762

Adams,E.N. Elastoresistance in p-type Ge and Si, 5=1821. Plasma oscillations in metals, 5=6341. Auxiliary conditions in the Bohm-Pines theory of the electron gas, 5=7120. Vasileff's calculation of electronic self-energy in semiconductors, 7=8610. Definition of energy bands in the presence of an external force field, 8=391. See also Argyres,P.N., 7=2195; Goldberg,C., 7=3278

Adams,E.N. and Argyres, P.N. Acceleration of electrons by an external force field, 6=5144

Adams,E.N. II.and Zitter,R. Electronic susceptibility in certain alloys, 5=1998

Adams,G.K. See Wyatt,R.M.H., 8=7580

Adams,I. See Wolff,G.A., 9=10854

Adams,J.B. The alternating gradient proton synchrotron, 5=9713

Adams,J.R. Fine measurements, 7=1091

Adams,K.B. See also Burns,K., 6=3605

Adams,K.B. and Burns,K. Vacuum interferometer and cadmium oven, 6=1128

Adams,M., Blois,M.S., Jr. and Sands,R.H. Paramagnetic resonance spectra of some semiquinone free radicals, 8=4388

Adams,M.A. and Cottrell,A.H. Effect of temperature on the flow stress of work-hardened copper crystals, 6=3317

Adams,N.I.,Jr. See Kovarik,A.F. 5=4890

Adams,R.M., Bernstein,R.B. and Katz,J.J. Kinetics of the isotope exchange reaction of fluorine with hydrogen fluoride, 5=10024

Adams,R.M. and Katz,J.J. New variable thickness infrared cell and the infrared spectra of HF, DF, H_2O and D_2O, 7=1173

Adamskii,V.B. Integration of a system of Lagrange equations in the problem of short-duration impact in a cold gas, 6=6430

Adamson,A.W. See Irani, R.R. 9=7839; Mills, R. 5=9471

Adawi,I. One-dimensional treatment of the effective mass in semiconductors, 7=3261. Penetration of electron beams into water below the critical energy, 7=9722. Lorentzian gas and hot electrons, 9=4011

Adcock,D.S. and McGlashan,M.L. Heats of mixing, 5=906

Adda,Y. and Kirianenko,A. Study of the self-diffusion of γ-phase uranium, 9=11586

Addamiano,A. On the fluorescence of self-activated zinc-sulphide, 5=9576. A new type of zinc sulphide crystals, 7=6692

Addario,M.M., Indovina. See Indovina Addario,M.M.

Addison, C.C., Addison,W.E. and Kerridge,D.H. Liquid metals. III. The influence of oxide films on the surface tension of liquid sodium, 6=3527

Addison,C.C., Addison,W.E., Kerridge,D.H. and Lewis,J. Liquid metals,II. The surface tension of liquid sodium: The drop-volume technique, 6=3526. IV. The wetting of zinc by liquid sodium: The significance of the critical wetting temperature, 6=7187

Addison,W.E. See Addison,C.C., 6=3526-7, 6=7187

Adel,A. See Epstein,E.S., 7=938

Adell,Ö. The transmission and reflection of X-rays in a thin calcite crystal, 5=2314. See also Brogren,G. 5=2313, 5=3279

Adelsberger, U. See also Scheibe,A., 6=4163

Adelsberger, U., Ohl,G. and Süss,R. A projection clock with a distinct system of time indication, 8=6610

Adel'son-Vel'skiĭ,G.M. See Gol'din,L.L., 9=2739

Adelstein,S.J. See Baker,M.R., 6=3610. Vallee,B.L., 5=3803

Adem,J. Matrix differential systems with a parameter in the boundary conditions and related vibration problems, 9=10695

Aden,A.L. See Faire,A.C., 8=8848

Ader,M. Energy spectrum of the neutrons emitted from polonium sources, 5=2219. Contribution to the study of rapidly evolving active deposits, 5=3038. Ionizing particles from an active deposit of actinium detected by photographic emulsion, 5=8181. Contribution to the study of the radiation emitted by the active deposit of thorium with the aid of photographic emulsions, 6=585. Long-range particles emitted by a source of plutonium 239, 6=3147. Long-range particles emitted by natural α radioelements, 7=1551. Remarks on the particles of great range emitted by radioelements, 7=2584. On the radiation of polonium 210, 8=3328. Anomalous radiations emitted by some radionuclides, 8=5293

Ader,M. and Cabannes,M.P. Study of a possible contamination by Al of Po sources and of their supports and screens, 7=6489.

Study of RaD sources using Ilford E_1 emulsions, 7=6490. Alpha and proton discrimination in D_1 and K_0 photographic emulsions, 9=4877. Remarks on particles with abnormal range from radioelements, 9=13625

Ader,M., Cabannes,M.P. and Conte,P. Spectra of the abnormally long [range] particles emitted by active deposits of Po^{210} and Pu^{239}, 8=1230

Adey,A.W. Diffraction of microwaves by long metal cylinders, 5=8933. Scattering of electromagnetic waves by coaxial cylinders, 6=6805. Field of a dielectric-loaded, infinite corner reflector, 8=4184

Adey,A.W. and Heikkila,W.J. Measurements of fluctuations of atmospheric temperature, 8=8553

Adgie,R. and Smith,F.G. The radio emission spectra of four discrete sources and of the background radiation, 7=1854

Adgie,R.L. and Hey,J.S. Intensity of the radio line of galactic deuterium, 7=5805

Adirovich,É.I. and Guro,G.M. Characteristic times of electron processes in semiconductors, 7=364

Adirovich,É.I., Guro,G.M. and Kuleshov,V.F. Dependence of the lifetime of non-equilibrium charge carriers in germanium on temperature and composition, 7=1291

Adirovich,É.I. and Kolotilova,V.G. On the theory of transport processes in semiconducting triodes, 7=365. Propagation of a short pulse in a semiconductor bounded by two hole-electron transitions, 7=368

Adirovich,É.I., Ryabinkin,Yu. S. and Temko,K.V. The equilibrium distribution of potential, field and carrier concentrations in alloyed junctions, 8=7005

Adirovitch,É.I. The Becquerel formula and the elementary decay law of luminescence, 7=4200

Aditya,P.K. A note on the trident process, 9=7246. On the possibility of neutrons producing secondary interactions in high energy showers, 9=11377. Possible example of an interaction in emulsion produced by a deuteron of $\sim 10^{13}$ eV, 9=12423. Electromagnetic processes at high energies. I. Anomalous showers, 9=13539

Adkins,J.E. Finite deformation of materials exhibiting curvilinear aeolotropy, 5=4396. Finite plane deformation of thin elastic sheets reinforced with inextensible cords, 6=7755. Dynamic properties of resilient materials: constitutive equations, 8=7560

Adkins,J.E. and Rivlin,R.S. Large elastic deformations of isotropic materials. X. Reinforcement by inextensible cords, 5=9993

Adkins,R. and Brennan,J.G. Intermediate coupling in odd-odd nuclei, 5=8160

Adlam,J.H. and Allen,J.E. The structure of strong collision-free hydromagnetic waves, 8=3263

Adlam,J.H. and Tayler,R.J. The diffusion of magnetic fields in a cylindrical conductor, 9=5957

Adler,F.P. Information required for missile guidance, 5=5904, Missile guidance by three-dimensional proportional navigation, 6=4856

Adler,F.T. Efficiency of control rods as a function of their position in a cylindrical pile in the one group picture, 7=6585

Adler,F.T. and Baroncini,D. Approximations for linear betatron oscillations, 7=2289

Adler,G. Amorphous and unoriented character of polymers formed in radiation induced solid state polymerization, 9=13764

Adler,H. and Stegmüller,F. On the luminescence of sodium chloride, 7=6014

Adler,H.E. See Brown,J.L., 7=5776; Herrick,R.M., 7=974

Adler,H.J. Device for the simultaneous observation and coaxial illumination of very narrow cavities, 9=9539

Adler,J. and Moiseiwitsch,B.L. Inelastic collisions between heavy particles. VI. The $2s^3S-2p$ and $3p^3P$ excitations of fast He atoms by H and Ne atoms, 7=4495

Adler,R. See Chidley,B., 8=8986

Adler,S. See Moser,H.M., 5=9514

Adler,S.E. See Caldecourt,V.J., 5=1978

Adley,F.E. and Einenacher,P.L. Electronic particle locating attachment for microscopes, 9=4866

Adloff,J.P. Development of α -activitv in a source of Actinium K(Fr^{223}), 5=7323 . See also Perey,M., 5=2291, 7=1546

Ado,Yu.M. A method of measuring the radial phase oscillations of electrons in a synchrotron, 7=4435

Ado,Yu. M. and Cherenkov,P.A. Distribution of energy in the spectrum of noncoherent radiation of electrons moving in a synchrotron, 7=5399

Adorni,N. See Silvestri,M., 6=6858, 7=5579, 7=8116

Adrian,F.J. Application of an approximate F-center wave function. Magnetic hyperfine interactions in KCl, 7=9458. Electronic g-factor and the structure of F-centers, 8=1331. Resonance in sterically hindered aromatic molecules, 8=3416. Zeeman quadrupole spectrum of cyanuric chloride, 9=5953. See also Gourary,B.S., 7=4897

Adrova,N.A., Koton,M.M., Panov,Yu.N. and Florinskii,F.S. Efficacy of the scintillation of carbo- and heterocyclic compounds in plastics, 9=10844

Advani,M.K. and Gatha, K.M. Nuclear scattering of high energy electrons by light elements. 6=5311

Advani,M.K., Harihar,P. and Gatha,K.M. Nuclear charge density distributions, 7=1500

Advani,M.K., Shah,G.Z. and Gatha,K.M. The elastic scattering of high energy electrons by beryllium, 6=4444

Aerts,E., Amelinckx,S. and Dekeyser,W. The surface hardening of X-irradiated NaCl, 9=4042

Aeschlimann,F. On the functional representation of corpuscles, 5=2399. Characterization of spectra by means of indicative functions [fonctions indicatrices], 7=4959

Afanas'ev,V.Ya. See Arkhangel'skiĭ,M.E. 8=4820

Afanas'eva,N.V. Solution of a problem on splitting of energy levels of rare-earth ions in the field of a crystal lattice, 9=7502. Calculation of the eigenfunctions of 4f-electrons and determination of the coefficients of operator equivalents, 9=10155

af Hällström,M. The thermodynamics of gas reactions, 9=10936

Afrikyan,L.M. Contribution to the theory of production and annihilation of antiprotons, 6=7149. Selection rules for the annihilation of antiprotons going into π- mesons, 7=1243. The generation of μ-meson pairs by γ-quanta on atomic nuclei, 7=4782. Shift of levels of μ-mesonic hydrogen and structure of the proton, 7=5571. Theory of production of electron—positron pairs in collisions of slow μ^--mesons with nuclei, 8=1836. Multiple production of pairs in quantum electrodynamics, 8=4222

Afrikyan,L.M. and Garibyan,G.M. On some electromagnetic effects involving strongly interacting particles, 8=1813

Afrosimov, V.V. See also Dukel'skiĭ,V.M. 6=7496; Fedorenko, N.V., 7=2367-8, 9=13761; Il'in,R.N., 9=11153

Afrosimov,V.V. and Fedorenko,N.V., An investigation of the energy of multi-charged ions produced by the ionization of gas atoms by positive ions, 9=5841

Afrosimov,V.V., Il'in,R.N. and Fedorenko,N.V. Ionization of molecular hydrogen by H$^+$, H$^+_2$ and H$^+_3$ ions, 8=8077. Ionization of argon with hydrogen ions, 9=8261

Afzal Farooqi. See Chaudhri,R.M., 6=452

Agafonova,F.N. and Kontorovich,N.P. Criteria for a semimetallic state of a substance on the many-electron model, 8=7910

Agar,A.W. The measurement of the thickness of thin carbon films, 7=6924. On the screen brightness required for high resolution operation of the electron microscope, 8=1092. See also Haine,M.E., 9=1525; Revell,R.S.M., 5=2239

Agar,A.W. and Revell,R.S.M. A study of the Formvar replica process, 6=2471

Agar,D.M. See under Simpson,D.M.

Agarbiceanu,I.I., Ionescu-Pallas, N. and Draganescu,V. On the hyperfine structure of the line Hg I λ 5461A, 8=109

Agarkova,V.N. See Klinger,M.I., 7=2208

Agarwal,B.K. A formula for the K- and L-absorption discontinuities, 5=2780. Pressure of the absorbing gas for optimum X-ray absorption rise, 6=2151. Specific heat and entropy of liquid He^3, 6=4370. The influence of ^{3}He on the lambda point, 6=5819. On the asymptotic theory of liquid He^3 — He^4 mixtures, 6=6570. Heat conductivity and viscosity of liquid ^{3}He, 6=8739. A macroscopic theory of He^3— He^4 mixtures, 6=8742. On the Bose—Einstein liquid model for ^{3}He—^{4}He solutions, 7=2131. The heat and specific heat of mixing of ^{3}He and ^{4}He solutions, 7=5280. Variation of secondary emission with primary electron energy, 8=4075

Agarwal,B.K. and Givens,M.P. Soft X-ray absorption by thin films of chromium, 7=7946. Soft X-ray absorption by thin films of vanadium, 8=2352. Soft X-ray absorption by manganese and manganese oxide, 9=8196

Agarwal,D.B. and Chaturvedi,K.C. Resolving power of an absorbing prism, 9=2193

Agarwal,S.P. See Pomerantz,M.A., 9=1569, 8=2383, 8=8099

Agarwala,K.S. Recent developments in meteorological instruments and techniques in India, 9=939

Agashe,V.V. See Dixit,K.R., 5=4989, 6=2532, 9=4062, 8103

Agashkin,O.V. On the nature of the photodielectric effect in phosphors ZnS:Cu and ZnS:Cu, Fe, 9=9586. See also Vergunas,F.I., 9=10946
Ageev,V.A. The determination of residual stresses with the help of X-rays. I, 9=10313; II, 9=10314
Ageeva,I.N. See Khansevarov,R.Yu., 8=4006
Ageeva,N.S. The measurement of acoustic parameters of materials at ultrasonic frequencies using an impulse tube, 6=4943
Agekian,T.A. The evolution of rotating systems of gravitating bodies, 9=12942
Ageno,M. Intensifying screens for autoradiography, 5=3379, 7=1829. Low-energy gamma radiation at great depths, 5=8064. See also Alberigi,A., 9=11143
Ageno,M., Alberigi,A., Amman,F., Bernardini,C., Bizzarri,U., Bologna,G., Corazza,G., Cortellessa,G., Diambrini,G., Ghigo,G., Massarotti,A., Moneti, G.C. Murtas,G., Persico, E., Pugliesi,M., Quercia,I.F., Querzoli,R., Sacerdoti,G., Salvini,G., Sanna,G., Toschi,R., and Turrin,A. The state of construction of the Italian 1200 MeV electron synchrotron and the research programme, 9=13383
Ageno,M., Cortellessa,G. and Querzoli,R. On the spectrum of low-energy gamma rays in cosmic radiation, 5=3863. Scintillation spectrometer for gamma rays, 7=1568. Scintillation spectrometer for coincident events, 7=1569. Low-energy Gamma-ray spectrum of cosmic radiation, 7=4510
Ager-Hanssen,H., Lönsjö,O.M. and Nordhagen,R. Gamma rays from excited levels in Al^{25}, 6=3959
Aggarwal,P.S. and Goswami, A. A new phase structure of molybdenum, 7=8305. Structures of bismuth oxides formed by heating bismuth film in air, 9=10381
Aggson,T.L., Fretter, W.B., Friesen,F.W., Hansen,L.F., Kepler,R.G. and Lagarrigue,A. Decay in flight of a negative and a positive meson, 6=4004
Aghajanian,H. See Jaswon,M.A., 5=7262
Agîrbiceanu,I., Ghiţă,C. and Ţopa,V. Action of argon on the spectrum of I$_2$ vapour, 9=10762
Agishev,E.I. and Ionov,N.I. A pulsed mass spectrograph, 7=468. Mass spectrometer with pulsed ion source, 9=2420
Aglintsev,K.K. On the work of I.I.Shteĭnbok "basic characteristics of ionization chambers", 7=480
Agnew,L., Elioff,T., Fowler. W.B., Gilly, L., Lander, R., Oswald,L., Powell,W., Segrè,E., Steiner,H., White,H., Wiegand,C. and Ypsilantis,T. p-p Elastic and charge exchange scattering at about 120 MeV, 8=6142
Agnew,L.E., Chamberlain, O., Keller,D.V., Mermod, R., Rogers, E.H., Steiner,H.M. and Weigand,C. Experiments on antiprotons: cross sections of complex nuclei, 8=8975
Agnew,L.E., Jr, Elioff,T., Fowler,W.B., Gilly,L., Lander,R., Oswald,L., Powell,W.M., Segrè,E., Steiner,H.M., White,H.S., Weigand,C. and Ypsilantis,T. Elastic scattering of antiprotons on carbon from 30-200 MeV, 8=7249
Agnew,W.G. See Donovan,R.E., 5=9553
Agobian,R. der. See der Agobian,R.
Agodi,A. On γ -polarization effects in photonuclear reactions, 7=8831. On high energy photoneutrons, 8=7382
Agodi,A. and Cini,M. Charge dependent corrections to dispersion relations. I, 7=8407; II, 8=514
Agodi,A., Cini,M. and Vitale, B. Corrections to dispersion relations, 7=9537
Agostinelli,C. Stationary solutions of the magneto-hydrodynamical equations of interest in cosmogony, 5=4326. Magnetohydrodynamic oscillations in a rotating ellipsoidal liquid mass of cosmic dimensions, 5=8088. Magnetohydrodynamic oscillations in a liquid cosmic mass, uniformly rotating within an axial and an equatorial magnetic field, 5=8089. Small motions in a gaseous stellar mass in adiabatic evolution. I, 6=5662. Small motions in a gaseous stellar mass in radiative equilibrium. II, 7=1035. Ellipsoidal equilibrium figure for an electrically conducting fluid mass rotating uniformly in a magnetic field which varies with time, 8=3261. On spherical vortices in magnetohydrodynamics, 8=6071. Axially symmetric magnetohydrodynamical motion. Case of small oscillations in a spheroidal fluid mass, 9=467. On some magnetohydrodynamical motions of cosmological interest in a rotating cylindrical fluid mass, 9=1597. Integrability of the Schrödinger wave-equation by separation of variables. 9=3148
Agostino,E. De. See De Agostino,E.
Agranovich,V.M. Theory of the natural optical activity of molecular crystals. I. Classical theory, 7=4252. Effect of the solvent on the optical activity of the solute molecules, 8=77. The theory of the natural optical activity of molecular crystals. II. Quantum theory. 8=1004. The concentration dependence of the quantum yield of luminescence of solid organic phosphors with admixtures, 9=9645. On the effect of re-absorption on the duration of fluorescence of molecular crystals, 9=9466
Agranovich,V.M. and Davўdov, A.S. An optical model of the interaction between nucleons and nuclei in the resonance region of the compound nucleus, 8=2582
Agranovich,V.M. and Konobeev,Yu.V. The mean free path of an exciton in a molecular crystal, 9=12794
Agranovich,V.M. and Rukhadze,A.A. Propagation of electromagnetic waves in a medium, taking account of spatial dispersion, 9=1625. Energy losses of electrons in media with spatial dispersion, 9=2577
Agranovich,V.M. and Stavinskiĭ,V.S. On the theory of photonuclear reactions, 8=8335
Agranovich,V.N., Pafomov,V.E. and Rukhadze,A.A. Cherenkov radiation of an electron moving in a medium with spatial dispersion, 9=9933
Agranovskaya,A.I. See Smolenskiĭ,G.A., 6=8167, 7=9157, 7=9159 9=1418, 9=1420
Agrawal,D.B. See Sodha,M.S., 8=7915
Agrest,M.M. Taking account of the finite thickness of the layer of emulsion in the investigation of nuclear processes by the aid of the photographic method, 6=3430. Determination of the fraction of radiation incident on a circular diaphragm from a surface source emitting according to the cosine law, 9=3244. See also Bene,A.A., 5=9338
Agrest,M.M., Maksimov,M.Z. and Khmelevskiĭ,A.N. Determination of the solid angle formed by a circular target relative to a point source, 9=3245
Agron,P.A. See Johnson,J.W., 5=7422; Levy,H.A., 9=8757
Agu,B.N.C., Burdett,R. and Matsukawa,E. Transmission of electrons through aluminium foils, 8=1166
Agu,B.N.C., Burdett,T.A. and Matsukawa,E. The transmission of electrons through metallic foils, 9=1532
Aguilar,J. See Catalá,J., 5=9085, 5=9104, 6=3221, 6=4641, 6=4677, 8=8270, 9=3902, 9=5046, 9=13549; Sement, F., 7=4463
Aguilar,M. On binocular summation, 6=856. See also Oliva,J., 6=8536; Otero, J.M., 5=3342; Solis,M., 6=4759
Aguilar,M. and Françon,M. Contribution to the study of parasitic light in microscopy, 5=6070
Agy,V. Ionospheric effects produced by solar flare radia- 6=5557
Ahamad,N. See Prakash,Y., 8=6107
Aharoni,A., Frei,E.H., Shtrikman,S. and Treves,D. The reversible susceptibility tensor of the Stoner—Wohlfarth model, 8=8107
Aharoni,A. and Shtrikman,S. Magnetization curve of the infinite cylinder, 8=2413
Aharoni,J. Spin functionals, 8=4757
Aharonov,Y. See also Bohm,D., 8=5614
Aharonov,Y. and Bohm,D. On the measurement of velocity of relativistic particles, 8=46. Significance of electromagnetic potentials in the quantum theory, 9=12997
Ahearn,A.J. and Law,J.T. Russell effect in silicon and germanium, 6=4765
Ahern,S.A. and Sucksmith,W. Saturation magnetization in copper—nickel alloys, 7=3452
Ahlers,N.H.E. and Freedman,H.P. A simple ratio-recording spectrometer, 5=2563
Ahlert,R.H. See Rittner,E.S., 7=5439, 8=4093, 8=6010
Ahluwalia,H.S. See Kane,R.P., 7=8692
Ahmad,N. and Saleem,M. A review on methods for soil moisture estimation "in situ", 9=1962
Ahmavaara,Y. and Jauho,P. Saturation of nuclear forces in the non-linear pseudoscalar meson theory with vector coupling, 5=6754
Ahmend,R. and Fatehchand,R. Effect of sample duration on the articulation of sounds in normal and clipped speech, 9=10470
Ahn Se Hee. See Se Hee Ahn.
Ahnlund,K. Magnetic analysis of the O^{17}(d, p)O^{18} reaction, 5=1197. Proton groups from deuteron bombardment of Ne^{20} by magnetic analysis. II, 5=4058. The position of the second excited level in C^{12}, 7=3531. Angular distributions with high energy resolution: Experimental method, 7=4716. Angular distributions with high energy resolution: long-range groups from 0^{18}(d, p)0^{19}, 7=4717. Energy levels in F^{18} from the O^{17}(p, α)N^{14} reaction, 7=5559. Reaction energy of O^{18}

(d, p)O^{19}, 7=6557. See also Mileikowsky,C. 5=1196; Pauli,R., 5=2179; Sjögren,B., 8=8323
Ahnlund,K. and Mileikowsky,C. Proton groups from the reaction O^{18}(d, p)O^{19}, 5=2178
Ahnlund,K., Thulin,S. and Pauli,R. The reaction energies of O^{17}(d, p)O^{18} and C^{13}(d, p)C^{14}, 5=4059. See also Agranovich,
Ahranovych,V.M., Kucherov,I.Ya. and Faĭdȳsh,O.M., Diffusion length of excitons in anthracene crystals, 8=6871
Ahrendt,M.E. See Mehler,A.H., 8=1594
Ahrens,L.H. Radioactive methods for determining geological age, 6=9057
Ahsanullah,A.K.M. and Qurashi,M.M. An investigation of the correction for peripheral heat-loss from thick samples in Lees and Chorlton's disc method of determining thermal conductivity, 9=3376
Ahsmann,G. and Oskam,H.J. Impedance and recovery time of glow discharges in mixtures of rare gases, 9=9679
Aiba,T. See Imaeda,K., 8=9002
Aidzu,K. A remark on the relation between pion-nucleon scattering and photomeson production, 5=9391
Aiello,W.P. See Cranberg,L., 7=3366
Aĭgler,G.G. The effect of the magnetic field on the electron density distribution in cadmium sulphide crystals, 9=8825
Aigrain,P. Measurement of the minority carrier lifetime in semiconductors, 5=1808. Light emission from injecting contacts on germanium in the 2μ to 6μ band, 5=3759. Theory of impurity bands with randomly distributed centres, 5=3913. Action of high-energy radiations on solids. The effect of radiations on semiconductors, 7=770*. Recombination processes in semiconductors, 9=299
Aigrain,P. and Benoit à la Guillaume,C. Infrared emission of germanium, 7=4337
Aigrain,P. and des Cloizeaux,J. Optical absorption edge and effective mass of electrons in indium antimonide, 6=2106
Aigrain,P., Rigaux,C. and Thuillier,J.M. Thermo-magneto-electric effects in indium antimonide, 6=4399
Aihara,E. Bending force constant of the carbon tetrafluoride molecule, 5=9797. Nuclear spin—spin coupling in hydrocarbons, 7=8060
Aihara,E. and Niira,K. The bond orbital approximation for π-electron system in benzene, 7=8075
Aikin,A.W. Neutron production by electrons in uranium and uranium—beryllium, 7=763
Ainslie,D.S. Demonstration of an explosion initiated by static electricity, 6=5063. Resistance in absolute units by a combination of bridge and resonant circuits, 7=3247. Demonstration experiments in electrostatics, 9=1400
Ainsworth,L. Single crystal bismuth telluride, 6=7010
Aĭrapetyants,A.V., Kogan,A.V., Reĭnov,N.M., Rȳvkin,S.M. and Sokolov,I.A. On the use of germanium n—p[junctions in] alpha-particle counters at low temperatures, 8=7965
Aĭrapetyants,A.V. and Rȳvkin,S.M. The characteristics and mechanism of operation of germanium electron—hole alpha-counters, 7=8677. On the mechanism of the influence of the illumination by visible light on the size of the pulses in cadmium sulphide α-counters, 7=9201
Aĭrapetyants,S.V. Thermo-electromotive force and additional thermal conductivity of a statistical mixture, 8=5934. Fluctuation of the carrier density in semiconductors, 9=4571. See also Ioffe,A.F. 6=8216
Aĭrapetyants,S.V. and Bresler,M.S. Thermoelectromotive force and additional heat conductivity of heterogeneous systems, 9=8174
Aĭrapetyants,S.V. and Efimova,B.A. Thermoelectric properties and bond character of the system Bi$_2$Te$_3$ + Sb$_2$Te$_3$, 9=3462
Aĭrapetyants,S.V., Efimova,B.A., Stavitskaya,T.S., Stil'bans,L.S., and Sȳsoeva,L.M. On the mobility of electrons and holes in solid solutions based on lead and bismuth tellurides, 9=4591
Airoldi,G. See also Tosi,M.P., 8=6412
Airoldi,G., Bacchella,G.L. and Germagnoli,E. Quenched-in lattice vacancies in copper, 9=6272
Airoldi,G. and Germagnoli,E. On self-diffusion in silver, 8=8453
Aitchison,G.J. Ionospheric demodulation of radio waves at vertical incidence, 8=246
Aitchison,G.J. and Goodwin,G.L. Ionospheric self-interaction of radio waves at vertical incidence, 5=7218
Aitchison,R.E. Semiconducting materials, 5=4643
Aitken,D. and Jennings,R.E. The microtron, 8=7097
Aitken,D.K. A means of avoiding the "electron rest mass" limitation in a microtron, 7=9713
Aitken,J.H. See also Dixon,W.R., 9=2388
Aitken,J.H. and Dixon,W.R. Analog approach to the problem of making resolution corrections, 9=3087
Aitken,K.L. See Palmer,G.H., 7=3565
Aitken,M.J. See Whitehead,C. 8=9057
Aitken,P.B., Boxall,H.L. and Cook,L.G. New design of a vacuum jacket precision combustion calorimeter, 5=259
Aĭvazyan,M.T. See Kocharyan,N.M., 5=371, 6=5194, 7=2621, 7=2635
Aiyama,Y. See also Iida,S., 6=1367, 9=8319
Aiyama,Y., Sekizawa,H. and Iida,S. Magnetic annealing effect in iron—nickel ferrites, 8=1133
Aĭzenberg,Ya.E. See Zil'berman,G.E. 8=4415
Aizenshtein,A. An electronic method of measuring the strength of an electrostatic field, 6=305
Aizu,H. See Minakawa,O., 9=12425
Aizu,K. General theory of particle mixtures, 8=1154
Ajzenberg,F. and Lauritsen,T. Energy levels of light nuclei. V, 5=7273
Ajzenberg-Selove,F. See also Rubin,A.G., 7=2652
Ajzenberg-Selove,F., Bullock,M.L. and Almqvist,E. Neutrons from the He^3 bombardment of B^{10}, 8=1966
Ajzenberg-Selove,F., Johnson,G.D., Rubin,A. and Mazari,M. Neutrons from the proton bombardment of B^{11}, 6=6899
Ajzenberg-Selove,F. and Lauritsen,T. Energy levels of light nuclei. VI, 9=10032
Akabane,K. Lunar radiation at 3000 Mc/s, 5=9365. A polarimeter in the microwave region, 8=1423. See also Hatanaka,T., 6=6303, 6=7106
Akabane,K. and Hatanaka,T. Polarization of solar radio outbursts, 8=3640
Akao,H. and Sasaki,T. Dielectric dispersion of Rochelle salt in the microwave region, 6=3707
Akao,Y. and Kobayashi,S. Radio-frequency [0.1-30 Mc/s] noise in hot-cathode gas discharge tubes, 9=7023
Akasofu,S. The helicoidal structures in the cosmical electrodynamics, 9=2521
Aked,A., Bruce,F.M. and Tedford,D.J. Time-lag data for spark discharges in uniform field gaps, 5=7985
Akelind,L. Rotational analysis of the singlet system B of zirconium oxide, 6=5767
Åkerlind,L. The rotational analysis of the singlet system B of zirconium oxide. The λ 8192 band-system, 7=4134. See also Uhler,U., 7=577
Åkerlind,L., Hartmann,B. and Wiedling,T. Angular correlation of gamma rays in 175 Lu, 5=5602
Åkerman,L. See Chance,B., 9=10771
Akhieser,A.I. and Sitenko,A.G. Diffractional scattering of fast deuterons by nuclei, 7=7383
Akhiezer,A., Akhiezer,N. and Lyubarskiĭ,G. Effective boundary condition at the surface of separation of a multiplying and a retarding medium, 8=2477
Akhiezer,A.I. Photon diffraction radiation by particles of spin $\frac{1}{2}$, 7=1892
Akhiezer,A.I., Bar'yakhtar,V.G. and Kaganov,M.I. On the problem of the width of ferromagnetic resonance lines, 9=9794
Akhiezer,A.I., Bar'yakhtar,V.G. and Peletminskiĭ,S.V. Coupled magnetoelastic waves in ferromagnetics and ferroacoustic resonance, 9=2156
Akhiezer,A.I., Kaganov,M.I. and Lyubarskiĭ,G.Ya. Ultrasonic absorption in metals, 8=4806
Akhiezer,A.I., Lyubarskiĭ,G.Ya. and Polovin,R.V. On the stability of shock waves in magnetohydrodynamics, 9=2524
Akhiezer,A.I. and Polovin,R.V. On the theory of wave motion of an electron plasma, 6=8223. Relativistic plasma oscillations, 7=4401
Akhiezer,A.I. and Pomeranchuk,I.Ya. Gamma radiation accompanying the absorption of fast protons by nuclei, 6=5959. Emission of a photon in the capture of a fast proton by a nucleus, 7=2634. The interaction between conductivity electrons in ferromagnetics, 9=9763
Akhiezer,A.I., Prokhoda,I.G. and Sitenko,A.G. On the scattering of electromagnetic waves in a plasma, 8=1796
Akhiezer,A.I., Rozentsveĭg,L.N. and Shmushkevich,I.M. On the scattering of electrons by protons, 8=1832
Akhiezer,A.I. and Shishkin,L.A. On the theory of thermal conductivity and absorption of sound in ferromagnetic dielectrics, 8=7856
Akhiezer,A.I. and Sitenko,A.G. Diffraction scattering of fast deuterons by nuclei, 6=5385. On plasma oscillations in an external electric field, 6=7437. Diffraction scattering of

fast deuterons by nuclei, 8=5363. Contribution to the theory of stripping at high energies, 8=7376. On the theory of excitation of hydromagnetic waves, 9=1608

Akhiezer,A.N. On the inclusion of the effect of the thickness of the screen in certain diffraction problems, 9=5963. See also Akhiezer,N.I., 7=1465

Akhiezer,N. See Akhiezer,A., 8=2477

Akhiezer,N.I. and Akhiezer,A.N. The problem of diffraction of electromagnetic waves at a circular aperture in a plane screen, 7=1465

Akhmanov,S.A., Gvozdover,S.D., Konstantinov,Yu.S. and Trofimenko,I.T. A three-centimetre autodyne radio-spectroscope for observing paramagnetic electron resonance, 9=9804

Akhmatova,N.A. See Zheludeva,G.A., 9=4686

Akhumov,E.I. and Rozen,B.Ya. The relationship between the composition of solutions and the deposit in the electrode-position of two-component alloys, 7=2772

Akhundov,G.A. and Abdullaev, G.B. Investigation of diffusion of the constituents of Tl_2Se by the method of labelled atoms, 8=7529

Akiba,T. See also Nakabayasi,K., 5=3440

Akiba,T. and Sawada,K. On the effective Hamiltonian for pseudoscalar meson with pseudoscalar coupling with nucleon, 5=737

Akimoto,S. See also Ishikawa,Y., 8=4130, 9=8289, 9=11594

Akimoto,S., Nagata,T. and Katsura,T. The $TiFe_2O_5-Ti_2FeO_5$ solid solutions series, 7=6745

Akimov,A.I. Suppression of cyanogen bands in the carbon arc spectrum, 7=6980. Excitation of arc and spark spectra of gadolinium, dysprosium, erbium and thulium in an a.c. arc, 8=4860

Akimov,E.M. See also Korolev,F.A., 7=5400

Akimov, E.M. and Malkov,I.P. Determination of the temperature of a spark in vacuum, 9=12182

Akimov,Yu.K., Savchenko,O.V. and Soroko,L.M. Investigation of the $p + p \to d + \pi^+$ reaction in a beam of polarized protons, 9=1767, 9=2788

Akishin,A.I. Secondary electron emission due to bombardment by 1-4 MeV deuterons, 8=8052. Radioactive ionization gauge for high vacuum, 9=9313

Akishin,P.A. and Spiridonov,V.P. Electron diffraction investigation of the molecular structure of halides of elements of group II of Mendeleev's periodic system, 8=3439

Akita,K. See Hirao,K. 9=4125, 9=4125, 9=11657

Akopyan,I.G. An oscillographic method of measurement of the distribution laws of random magnitudes, 9=12936

Akpinar,R. Meteorological effects on a cosmic ray counter tray, 6=444. See also Akpinar,S., 7=1808

Akpinar,S. Rapid method for dating nuclear explosions, 8=4358. Isomer simulator and the distortion of a delay analyzer, 8=9023. Anomalous discharge counters as detectors of cosmic ray nucleonic component, 9=3683

Akpinar,S. and Akpinar,R. Radioactive precipitations in Istanbul and Uludağ (Turkey), 7=1808

Akriche,J. Persistance of vibration and of rotation in the emission spectrum of the molecule C_2, 6=8091

Akriche,J. and Herman,L. Population of the vibrational levels of the electronic state $B^2\Sigma^+$ of the molecule CN excited in presence of active nitrogen, 7=7254

Akriche,J., Herman,L. and Grenat,H. Molecular emission and atom recombination in nitrogen, 9=5110

Aksenov,S.I., Vikin,B.P. and Vladimirskiĭ,K.V. The excitation of ultrasonic vibrations by ponderomotive forces, 6=7209

Akulov,N.S. Theory of the magnetostriction of Ni monocrystals, 6=4503. The theory of atomic magnetic moments in ferromagnetics, 7=1435. Theory of ferro-, para-, and ferrimagnetism, 7=1436. Apropos of the note by W.F. Brown, "The theory of magnetostriction of nickel single crystals" 7=6357. On the theory of explosive processes, 7=6656

Akulov,N.S. and Cheremushkina,A.V. On the theory of the Hall effect in ferromagnetics, 7=2435. The Hall effect at the Curie point, 9=13332

Akulov,N.S. and Galenko,P.P. Theory of plastic deformation of metals, 7=5685

Akutowicz,F. Mechanical behavior of viscoelastic fibers, 6=4682

Akutsu,J. On the hysteresis effect of mica end-window Geiger-Müller counter tubes, 8=6088

Alaby̆shev,A.F. and Morachevskiĭ,A.G. Thermodynamical properties of the sodium—cadmium system, 7=4021

Alaeva,T.I. See Vereshchagin,L.F., 6=8166

Alaga,G. New type of selection rules in β decay of strongly deformed nuclei, 6=1531. Selection rules for beta and gamma particle transitions in strongly deformed nuclei, 8=5311. β-decay matrix elements in strongly deformed nuclei, 9=10065

Alaga,G., Alder,K., Bohr,A. and Mottelson,B.R. Intensity rules for beta and gamma transitions to nuclear rotational states, 5=9869

Alaga,G. and Jakšić,B. Analysis of the beta spectrum and branching in Ho^{166}, 7=662. Calculation of the corrections for the analysis of the β-spectra and their application to Ho^{166}, 9=11443

Alaga,G., Šips,L. and Tadić,D. The influence of the pseudoscalar interaction in the decay of Pr^{144}, 8=5323. Calculation of some relativistic corrections to the allowed and 1-forbidden beta transitions, 8=6263. Calculation of some relativistic corrections to the allowed and 1-forbidden beta transitions, 6=6090

Alba,F. See Bonner,T.W., 5=4072, 6=8390. López,G., 9=10115. Mazari,M., 8=7386, 9=5981

Alba Andrade,F., Brody,T.A., Fernádez,A., Mazari,M., Serment, V. and Vásqyez, B.M. Study of the reactions ${}_6C^{12}(d, p){}_6C^{13}$ and ${}_8O^{16}(d, p){}_8O^{17}$, 6=8375, 8=7372

Alba Andrade,F., Diaz Losada,E., Fernández,A. and Gómez,I. A radiofrequency ionization chamber, 5=348

Albach,W. and Voss,G.A. A magnetically screened measuring chamber using magnetically biased transformer-sheet, 8=8105

Albasiny,E.L. The solution of non-linear heat-conduction problems on the pilot ace, 6=3669, 7338. See also Barnett,M.P., 6=8911

Alberigi,A. See also Ageno,M., 9=13383

Alberigi,A., Amman,F., Bernardini,C., Bizzari,U., Bologna,G., Corazza,G., Diambrini,G., Ghigo,G., Massarotti, A., Murtas, G.P., Puglisi, M., Quercia, I.F., Querzoli, R., Sacerdoti, G., Salvini, G., Sanna, G., Sona, P.G., Toschi, R., Turrin, A., Ageno, M. and Persico, E. Operation at 100MeV of the Frascati electrosynchrotron, 9=11143

Alberigi-Quaranta,A., Pieraccini,F. and Broadbent,D. On the mean life of μ^--mesons in elements of medium and high atomic number, 8=1179

Albers-Schönberg,H. and Heer,E. Delayed angular correlation experiments, 5=6437. Directional correlation measurements in superconducting metals, 5=8782

Albers-Schönberg,H., Heer,E., Novey,T.B. and Scherrer,P. The measurement of the nuclear quadrupole moment of the first excited state of Cd^{111} with the aid of γ-γ angular correlation, 5=2075

Albers-Schönberg,H., Heer,E. and Scherrer,P. The influence of the electric quadrupole interaction on the angular correlation of successive nuclear radiations (Cd^{111}), 5=2152

Albert,E.G. Inductive and capacitive reactance, 6=2881

Albert,L. On the effect of discrete energy losses of electrons on the structure of bremsstrahl isochromats, 6=2180

Albert,N. and Badger,R.M. Infrared absorption associated with strong hydrogen bonds, 9=3975

Albert,P. See Süe,P., 6=7003

Albert,P.A. Effect of sample thickness on the field annealing of 6.5% Si—Fe, 9=1585. See also Wiener, G., 8=8895

Albert,R.D. and Gaerttner,E.R. (η, γ) detector for study of low energy neutron resonances with a velocity selector, 5=8300

Albertoni,S. and Duimio,F. Hilbert spaces in quantum field theories, 8=875

Alberts,L. See also Shepstone,B.J., 9=8306

Alberts,L. and Shepstone,B.J. The initial magnetization of alpha-iron at high temperatures, 8=6060

Alberty,R.A. Mechanisms of enzyme action, 9=8956

Alberty,R.A. and Miller,W.G. Integrated rate equations for isotopic exchange in simple reversible reactions, 7=6657

Al'bitskaya,E.A. See Sokolov,Yu.L., 6=8326, 7=4617

Alblas,J.B. On the diffraction of sound waves in a viscous medium, 9=154

Albold,E., Elschner,B. and Wenzel,P. An apparatus for the investigation of paramagnetic electron resonance in crystals and liquids, 9=4815

Albouy,G. Use of nuclear track emulsions for detecting excited states of α-emittors, 5=7602. A contribution to the study of some excited states of heavy nuclei by means of emulsions sensitive to individual electron tracks, 6=5310

Albrecht,A.C. Random flight model in the theory of the second virial coefficient of polymer solutions, 8=2178. Intermolecular correlation in light scattering from dilute polymer solutions, 8=2261. Photo-orientation, 8=6480

Albrecht,A.C. and Green,M.E. Photoconductivity in a rigid glass, 9=9642

Albrecht,A.C. and Simpson,W.T. Low resolution electronic spectrum of crystalline para-dimethoxybenzene with application to benzene, 5=8612

Albrecht,H.J. A sensitive electronic tele-pyranometer with temperature-compensated capacitance bolometers, 5=8417. An electronic actinometer for measurements in narrow spectral ranges, 9=940

Albrecht,H.O. See also Mandeville,C.E. 5=2620

Albrecht,H.O. and Mandeville, C.E. The storage of energy in some activated alkali halide phosphors, 5=2618. Storage of energy in beryllium oxide, 6=4093. The nature of the photosensitivity of Geiger counters, 8=6087

Albrecht,R. The potential of doubly curved condensers, 6=6585

Albridge,R.G., Hubbs,J.C. and Marrus,R. Spin of neptunium-238, 9=2690

Albright,C.H. Parity of the K meson and the Λ beta-decay branching ratio, 9=11393. Hyperon beta decay, 9=13579

Albright,J.C. See also Nielsen,J.R., 7=7781

Albright,J.C. and Nielsen,J.R. Vibrational spectra of hexafluorobutadiene-1,3, 7=5195

Albuoy,G., Bernas,R., Gusakow,M., Poffé,N. and Teillac,J. Gold and mercury isotopes of mass number 190, 9=13629

Alburger,D.E. Gamma-ray pair spectroscopy with intermediate-image focusing, 5=2159. Intermediate-image pair spectrometer, 7=4447. Radioactive decays of Au^{194}, Au^{196}, and Au^{198}, 8=741. Electric monopole transitions in Ge^{70} and Zr^{90}, 9=617. Beta decay of N^{16}, 9=1736. See also Hatch, E.N., 9=602; Kistner, O.C., 7=4675; Scharff-Goldhaber,G., 9=2766; Toppel,B.J., 6=3208; Wilkinson,D.H., 6=2312, 9=5016

Alburger,D.E., Elwyn,A., Gallmann,A., Kane,J.V., Ofer,S. and Pixley,R.E. Search for an 80 msec activity in light nuclei, 9=6069

Alburger,D.E., Ofer,S. and Goldhaber,M. Positron spectra of Eu^{152} and Eu^{152m}, 9=3861

Alburger,D.E. and Sunyar,A.W. Decay of Bi^{207}, 5=8192

Alburger,D.E. and Toppel,B.J. Radioactive decays of Rh^{106} and Ag^{106}, 6=1523

Alburger,D.E. and Wilkinson,D.H. The properties of beryllium-11, 9=10049

Alder,B.J. Mixtures of rigid spherical molecules, 5=2492. See also Becker,E., 7=1959; Cook,M.W., 7=5106; Harris, 5=928; McLellan,A.G., 6=1901; Shoolery,J.N. 5=5921: Smith,E.B., 9=6548; Wainwright,T., 9=10625; Watts,H., 5=5264

Alder,B.J. and Christian,R.H. Metallic transition in ionic and molecular crystals, 7=2832*. Pressure-induced metallic transitions in insulators, 8=3992. The radial distribution function calculated by the Monte-Carlo method for a hard sphere fluid, 5=4411

Alder,B.J. and Pople,J.A. Third virial coefficient for intermolecular potentials with hard sphere cores, 7=4579

Alder,B.J. and Wainwright,T.E. Phase transition for a hard sphere system, 8=5699. Studies in molecular dynamics. I. General method, 9=10207

Alder,F. and Klepp,H. Thermal neutron distribution in the concrete shield of the JEEP, 5=1220

Alder,K. See also Alaga,G., 5=9869

Alder,K., Bohr,A., Huss,T., Mottelson,B. and Winther,A. Study of nuclear structure by electromagnetic excitation with accelerated ions, 7=6435

Alder,K., Stech,B. and Winther,A. Parity nonconservation in β decay, 7=8802

Alder,K. and Winther,A. Theory of Coulomb excitation, 5=2167. Matrix elements between states in the Coulomb field, 5=9440. On the exact evaluation of the Coulomb excitation, 7=1502. Tables of the classical orbital integrals in Coulomb excitation, 8=2090

Alderdice,D.S., Brown,R.J.C. and Iredale,T. Nuclear quadrupole resonance of some bromine and iodine compounds, 9=7203

Alderson,R.H. and Ashworth,F. Vacuum-deposited films of nickel—chromium alloys, 7=7452

Aldington,R.H. See Brannen, E., 5=7297

Aldrich,L.T. See also Wetherill,G.W., 6=8344

Aldrich,L.T., Wetherill,G.W., Tilton,G.R. and Davis,G.L. Half-life of Rb^{87}, 6=8945

Aleksandrov,A.N. and Nikitin,V.A. Choice of standards and methods of graduation of prism infrared spectrometers, 6=198

Aleksandrov,B.N. and Verkin,B.I. The mean free path of electrons in very pure tin, 8=8421

Aleksandrov.G.N. Calculation of A.C. corona characteristics, 6=5958

Aleksandrov,G.N. and Tikhodeev,N.N. A wrong hypothesis in the theory of the [discharge corona, 7=8645

Aleksandrov,I.V Relaxation processes in a coupled spin system, 8=4266. Calculation of the constant of nuclear magnetic screening, 8=7460. Calculation of the nuclear magnetic shielding constant for certain molecules, 9=742

Aleksandrov,I.V. and Sokolov,N.D. The hydrogen bond and proton magnetic resonance, 9=7196

Aleksandrov, K.S. A particular case of the propagation of elastic waves in crystals, 7=6956. Propagation of elastic waves in special directions in crystals, 7=7678. The propagation of elastic shear waves in a crystal twisted about a special direction, 8=88. See also Chumakov,A.A., 8=5860; Konstantinova, V.P., 9=13257; Shuvalov,L.A., 9=13259

Aleksandrov,K.S. and Khaimov-Mal'kov,V.Ya. Rotation of the plane of polarization of shear elastic waves, 7=6957

Aleksandrov,K.S. and Nosikov, O.V. Apparatus for measuring the elastic moduli of crystals, 7=3764

Aleksandrov,N.M. and Moskalev,V.V. Radiofrequency spectrograph for the quantitative study of [the shapes of] nuclear magnetic resonance lines in crystals, 9=5924

Aleksandrov,V.T. See Svechnikov,S.V. 8=4030

Aleksandrov,Yu.A. Small-angle scattering of fast neutrons by heavy nuclei, 8=1849. See also Barashenkov,V.S., 7=6582

Aleksandrov,Yu.A. and Bondarenko,I.I. Scattering of fast neutrons by the Coulomb field of the nucleus, 7=3673

Aleksandrov,Yu.A., Delone,N.B., Slovokhotov,L.I., Sokol,G.A. and Shtarkov,L.N. Photodisintegration of the deuteron at energies from 50 to 150 MeV, 8=1976*

Aleksanyan,A.S. See Kocharyan,N.M., 6=5194, 7=2621, 7=2635

Aleksanyan, V.T. See also Gonikberg,M.G., 9=12062

Aleksanyan,V.T. and Sterin,Kh.E. The intensities of lines in Raman spectra of standard substances, 8=968

Alekseev,A.I. Probability of annihilation of parapositronium with calculation of radiative corrections, 7=1578. Cross-section for photoproduction of positronium in an external field including radiative corrections, 7=6528. Covariant equation for two annihilating particles, 8=5167. Two-photon annihilation of positronium in the P-state, 8=8218

Alekseev,A.S. Some laws of propagation of waves in an homogeneous medium, 7=6955

Alekseev, N.V. and Gerasimov,Ya.I. Investigation of the structure of liquid Bi—Sn alloys, 9=9307

Alekseev,V.M. Exchange and capture in the problem of three bodies, 6=8582

Alekseeva,K.I., Brikker,S.I., Grigorov,N.L., Savin,F.D. and Shcherbakov,N.A. A determination of the flux of primary cosmic particles in the latitude of 31°N, 8=1748

Alekseeva,K.I. and Grigorov,N.L. Inelastic interactions of protons with energy greater than 7 BeV with carbon and hydrogen nuclei, 7=8154. Cross-section for inelastic proton—proton interaction for proton energies exceeding 7 BeV, 8=3216. Cross-section for inelastic interaction between protons with kinetic energy above 7 BeV and the nuclei of carbon atoms, 8=3366. Inelastic interaction of cosmic-ray protons of kinetic energies above 7 BeV with carbon and hydrogen nuclei, 9=2478

Alekseeva, N.E. See Yurkov,V.A., 7=1316

Alekseeva,V.G., Kalashnikov,S.G., Kalnach,L.P., Karpova,I.V. and Morozov,A.I. Influence of elements of the III and IV groups on the rate of recombination of electrons and holes in germanium, 9=1457

Alekseeva,V.G., Karpova,I.V. and Kalashnikov,S.G. Dependence of the electron and hole lifetimes in germanium on carrier density, 9=12265

Alekseeva,V.G., Zobnina,V.N. and Karpova,I.V. The influence of heating germanium by an electric current on the concentration of thermal acceptors, 7=9457

Alekseevskiĭ,N.E., and Brandt,N.B. Influence of high pressure on the galvano-magnetic effect in bismuth and its alloys. I., 5=8783

Alekseevskiĭ,N.E. Brandt,N.B. and Kostina,T.I. Investigation of the effect of pressure on the galvanomagnetic properties of tellurium at low temperatures, 7=3286. On the anomalous galvanomagnetic properties of metals at low temperatures 9=9668

Alekseevskiĭ,N.E. and Gaĭdukov,Yu.P. Investigation on bismuth alloys at very low temperatures, 5=962. The effect of pressure on the superconductivity of cadmium, 7=2258. Galvanomagnetic properties of gold, 7=3252. Hall effect and susceptibility of gold, 8=1777. Anisotropy of the electrical resistance of a gold monocrystal in a magnetic field at 4.2°K, 9=13334. Measurement of the electrical conductivity of metals in a magnetic field as a method for investigation of the Fermi surface, 9=13335

Alekseevskiĭ,N.E. and Lifanov,I.I. Influence of hydrostatic pressure on the superconducting properties of the α and β modifications of Bi_2Pd, 6=6655

Alekseevskiĭ,N.E. and Mikheeva,M.N. Critical currents in superconducting tin films, 7=3306

Alekseevskiĭ,N.E. and Potapov,E.V. Calorimetric method of determining optical constants of metals in the infrared region of the spectrum at low temperatures, 8=2253

Alekseevskiĭ,N.E., Prudkovskiĭ,G.P., Kosourov,G.I. and Filimonov,S.I. The application of an inhomogeneous magnetic field to the increase of resolving power of a mass spectrograph, 5=8837

Alekseevskiĭ,N.E., Zhdanov,G.S. and Zhuravlev,N.N. On the superconductivity of Bi_4Rh and Bi_2Rh, 5=6155

Alekseevskiĭ,N.E., Zhuravlev,N.N. and Lifanov,I.I. On the question of the superconductivity of Bi_2Pd, 5=302

Aleksić,T.Ž. Simple electronic extrapolations of sampled data, 5=6676

Aleksin,V.F. and Volkov,D.V. Radiation corrections to particle scattering in external field and to Compton effect in scalar quantum electrodynamics, 8=6646

Alemany,J. Catalá de. See Catalá de Alemany, J.

Alentsev,M.N. Dependence of the luminescence output of the phosphor ZnS—Cu upon the wavelength of the exciting light, 7=4167. On the relationship between the luminescence and absorption spectra of complex molecules, 9=9485

Alentsev,M.N., Antonov-Romanovskiĭ,V.V., Stepanov,B.I. and Fok,M.V. Yield of resonance luminescence of atoms, 5=6932

Alentsev,M.N. and Cherepnev,A.A. Relation of absorption and luminescence spectra of ZnS:Cu phosphors to concentration of copper, 5=3583

Alentsev,M.N. and Panasyuk,E.I. The absorption spectrum of ZnS monocrystals, 9=9428

Aléonard,R. See also Barbier,J.C., 6=3013

Aléonard,R. and Barbier,J.C. Paramagnetic study of the ferrites $5Fe_2O_3$, $3M_2O_3$ with M = Gd, Dy, Er, 7=9269

Aléonard,R., Barbier,J.C. and Pauthenet,R. Magnetic properties of yttrium ferrite $5\,Fe_2O_3.\,3\,Y_2O_3$ (garnet), 6=7520

Alers,G.A. Ultrasonic attenuation in zinc single crystals while undergoing plastic deformation, 5=3518. See also Neighbours,J.R., 9=1901

Alers,G.A. and Neighbours,J.R. Crystal stability and elastic constants, 8=7555. The elastic constants of zinc between 4.2° and 670°K, 9=8924. Comparison of the Debye θ determined from elastic constants and calorimetry, 9=12779

Alers,G.A., Neighbours,J.R. and Sato,H. Dependence of sound velocity and attenuation on magnetization direction in nickel at high fields, 9=9785

Alers,P.B. Thermal magnetoresistance of zinc at low temperatures, 6=2824. Structure of the intermediate state in superconducting lead, 7=3304. De Haas—van Alphen oscillations in the thermal and electrical magnetoresistance of tin, 8=238

Alexander,D.M. A calorimetric measurement of the heats of solution of the inert gases in water, 9=9565. The solubility of benzene in water, 9=11902

Alexander,E. See also Fraenkel,B.S., 7=4160; Halperin,A., 8=1624, Harnik,E., 6=3724; Many,A. 6=3723; Steinberger,I.T., 5=8635

Alexander,E., Low,W., Steinberger,I.T. and Weisz,S.Z. On the effect of continuous electric fields on the brightness of luminescent substances kept under excitation, 7=4202

Alexander,E., Margoninsky,J. and Lewin,M. Measurements of the electric potential gradient of the atmosphere, 5=9302

Alexander,G. See also Abrahamson,P., 9=7279; K-collaboration, 9=13575; Wataghin, A., 8=5237

Alexander,G., Astbury,J.P., Ballario,C., Bizzarri,R., Brunelli, B., De Marco,A., Michelini,A., Monetti,G.C., Zavattini,E. and Zichichi,A. A cloud chamber observation of a singly charged unstable fragment, 6=687

Alexander,G., Ballario,C., Bizzarri,R., Brunelli,B., Di Capua,E., Michelini,A., Moneti,G.C. and Zichichi,A. Λ^0- and θ^0-Particles produced in iron, 9=1686

Alexander,G. and Johnston,R.H.W. On the relation between blob-density and velocity of a singly charged particle in G-5 emulsion, 7=8347

Alexander,G., Johnston,R.H.W. and O'Ceallaigh,C. The relative frequencies of the decay modes of positive K-mesons and the decay spectra of modes $K_{\mu 3}$, t' and Kβ, 8=703

Alexander,G.E. See Eichholz,G.G. 8=674

Alexander,H. and Semjonow,V. Transmission of three incomplete polarizers in series, 9=3246

Alexander,J.M. See also Sugihara,T.T., 8=8353

Alexander,J.M. and Coryell,C.D. Nuclear charge distribution in the fission of uranium and thorium with 13.6 MeV deuterons, 8=8352

Alexander,J.M., Schindewolf,U. and Coryell,C.D. Short-lived isotopes of Pd and Ag of masses 113-117, 8=6235

Alexander,K.F. Contribution to the theory of thermal diffusion in liquids. I. On the connection between the kinetic and phenomenological theories of transport processes in continuous systems, 5=109; II. Diffusion and thermal diffusion in liquid binary mixtures and solutions, 5=110; III. Determination of Soret coefficients of dilute aqueous alkali halogenide solutions at mean temperatures of 30, 40, 50 and 60°C, 5=111; IV. Heat of transport and structure of aqueous electrolytes, 5=112; V. Kinetic theory of self-diffusion and thermal self-diffusion in water, 5=2468. On recent theories of thermal diffusion in liquids, 5=7746

Alexander,L. and Darin,S.R. X-ray diffraction study of four reinforcing carbon blacks, 5=5107

Alexander,L.E., Ohlberg,S. and Taylor,G.R. X-ray diffraction studies of crystallization in elastomers, 5=10015

Alexander, N.S. and Onwumechilli,C.A. Variation of the horizontal force near the magnetic equator, 7=9987

Alexander,P. See also Charlesby,A., 6=6235; Fox,M., 6=6236

Alexander,P., Black,R.M. and Charlesby,A. Radiation induced changes in the structure of polyisobutylene, 5=10038

Alexander,P. and Charlesby,A. Radiation protection in copolymers of isobutylene and styrene, 5=6581

Alexander,P. and Stacey,K.A. The light-scattering and non-Newtonien viscosity of high molecular weight polymethacrylic acid, 5=4157

Alexander,S. Relative signs of spin—spin interactions in nuclear magnetic resonance, 8=8389. See also Meiboom,S., 9=2979

Alexander,T.K. See Chadwick,G.B., 6=3965; Heiberg, S.A., 5=3073; Warren, J.B., 6=3201

Alexander,W.M. See Young,M.E., 9=9130

Alexandre,E. See Eberhard,P., 7=5627; Hara,E., 8=260

Alexandrov,A. The space-time of the theory of relativity, 7=6842

Alexeff,I. Easily remembered derivation of PV7=C for the student, 8=541. See also Jennings,B., 5=5639

Alexopoulos,K. and Euthymiou,P. The characteristic temperature of platinum from X-ray reflections, 5=1078

Alexopoulos,K.D. Formation and identification of thallium single crystals, 5=5079

Alfaro,V.De. See De Alfaro,V.

Alford,D. See Menefee,A., 6=9019

Alford,W.P. See also Preskitt,C.A. 9=13660; Slaus,I., 9=10113; Warner,R.E., 9=10097

Alford,W.P. and Gold,A. Laboratory measurement of the velocity of light, 9=1231

Alford,W.P. and Hamilton,D.R. Electron—neutrino angular correlation in the beta decay of Ne^{19}, 7=3696

Alfred,L.C.R. and March, N.H. Fields around impurity atoms in metals, 5=8387. Solute diffusion in metals, 6=8428. Impurity—vacancy interaction in a metal, 7=8738

Alfrey,G.F. Effect of temperature on the electroluminescence of ZnS single crystals of different composition, 7=4227. See also Holt,D.A., 8=1622

Alfrey,G.F. and Cooke,I. Electric contact to zinc sulphide crystals, 8=4949

Alfrey,G.F. and Taylor,J.B. Electroluminescence in single crystals of zinc sulphide, 6=253

Alfrey,G.F. and Taylor,K.N.R. Exhaustion barriers in zinc sulphide, 7=8530. The effect of electric fields on scintillations in crystalline zinc sulphide, 8=4894

Alfvén, A. Line currents in cosmic physics, 6=3847

Alfvén,H. On the origin of cosmic radiation, 5=2366. Magnetic storms and aurorae, 5=3296. Magneto-hydrodynamic waves and solar prominences, 5=6702. On the electric field theory of magnetic storms and aurorae, 5=7548. Magnetohydrodynamic waves in the atomic nucleus, 7=9808. On the theory of magnetic storms and aurorae, 8=4546. The sun's general magnetic field, 8=6592. Momentum spectrum of cosmic radiation, 9=7137

Alfvén,H.. and Åström,E. Energy spectrum of cosmic radiation, 8=4107

Alfvén,H. and Lehnert,B. The sun's general magnetic field, 7=1858

Alger,P.L. and Erdelyi,E. Calculation of the magnetic noise of polyphase induction motors, 7=4101

Alger,R.S. See also Meyer,R.A., 6=8795

Alger,R.S., Anderson,T.H. and Webb,L.A. Irradiation effects in simple organic solids, 9=7521

Alger,R.S. and Jordan,R.D. F centers in pure and hydride-containing alkali halide crystals, 5=3272

Algie,J.E. The effect of strain on the electrical resistance of keratin, 9=3516

Ali,I. See Hashmi,S.Z.R., 9=13121

Ali, M. Innas. See Innas,Ali M.

Alī Abdel Kerim Ibrahim. On the oscillating cylinder viscometer for elastic liquids. II, 7=7642. A graphical method for determining the coefficient of viscosity of Newtonian liquids using an oscillating cylinder viscometer, III, 7=7643. New method for measuring the two relaxation times of a viscoelastic liquid, 8=7725. A method for measuring the dynamic viscosity and dynamic rigidity of visco-elastic liquids, I, 9=4333, II, 9=13050

Ali Abdel Kerim Ibrahim and Abdel Monem I. Kabriel. The theory of an oscillating cylinder viscometer, 5=1573. Experimental and theoretical investigations on the oscillating cylinder viscometer for non-elastic liquids, 8=7726

Ali-Zade,S.A. See Nikol'skiĭ,B.A., 7=5611

Aliev,A.I. and Feĭnberg,E.L. Diffraction splitting of fast non-relativistic deuterons, 6=5387

Aliev,G.M. See also Abdullaev,G.B., 9=4513

Aliev,G.M. and Abdullaev,G.B. The influence of addition of chlorine on the thermal conductivity of selenium, 8=2273. The temperature dependence of the thermal conductivity of selenium with admixture of chlorine, 8=6903

Aliev,M.I. See Abdullaev,G.B., 8=147

Alikhanian,A.I. See also Alikhanyan,A.I.

Alikhanian,A.I. and Arutyunian,F.R. Scattering of μ-mesons in lead, 9=8470

Alikhanov,A.I. and Eliseev,G.P. On the mass spectra of cosmic ray particles at sea level, 5=358

Alikhanov,A.I., Eliseev,G.P., Kamalyan,V.Sh., Lyubimov,V.A., Moiseev,B.N. and Khrimyan,A.V. Investigation of the nature and spectra of particles produced by high-energy nucleons, 9=12440

Alikhanov,A.I., Eliseev,G.P. and Lyubimov,V.A. Measurement of the longitudinal polarization of electrons emitted in β-decay of Tm^{170}, Lu^{177}, Au^{198}, Sm^{153}, Re^{186}, Sr^{90}.and Y^{90}. II, 9=623

Alikhanov,A.I., Eliseev,G.P., Lyubimov,V.A. and Érshler,B.V. Polarization of electrons in β-decay, 8=2552. Electron polarization in β-decay, 8=7345

Alikhanov,A.I., Eliseiev,G.P., Lubimov,V.A. and Ershler,B.V. Polarization of electrons emitted in β-decay, 8=2553

Alikhanov,R.A. Heat of vaporization of oxygen in the temperature range 80-106°K, 7=1239

Alikhanov,S.G. A new pulse method of measuring the masses of ions, 7=5404

Alikhanyan,A.I. See also Alikhanian,A.I.

Alikhanyan,A.I. and Arutyunyan,F.R. Scattering of μ-mesons in lead, 9=12570

Alikhanyan,A.I., Daĭon,M.I., Shostakovich,N.V., Kirillov-Ugryumov,V.G. and Deryagin,B.N. On unstable charged particles heavier than protons, 6=6591

Alikhanyan,A.I., Kirillov-Ugryumov,V.G., Kotenko,L.P., Kuznetsov,E.P. and Popov,Yu.S. Angular distribution of positrons from $\eta^+-\mu^+-e^+$ decays in propane, 8=8234. Angular anisotropy in $\pi^+-\mu^+-e^+$-decay observed in a propane bubble chamber, 8=8236

Alikhanyan,A.I., Shostakovich,N.V., Dadayan,A.T., Fedorov,V.N. and Deryagin,B.N. On the mass spectrum of charged cosmic-ray particles, 7=3411

Alikhanyan,A.I. and Vaĭsenberg,A.O. Spectrum and positive excess of the hard component in the (9.3-17) × 10^9 eV/c momentum range at an altitude of 3250 m, 8=5088

Alimarin,I.P. See Malȳsheva,T.V., 9=2790

Alimov,R.Z. A certain stable shape of the free surface of a thin layer of heated liquid, 7=1107

Alimov,Yu.I. See Skrotskiĭ,G.V., 9=11231

Aline,P.G. Optical and electrical properties of silver chloride, 7=3297

Alique Page, M. See Garcia Santesmases,J. 5=7193, 5=8920

Aliverti,G., De Maio,A., Lovera,G. and Perilli-Fedeli,R. Autoradiography of atmospheric aerosols, 5=471. Alpha-tracks in nuclear emulsions exposed to air with high radon content, 7=4918

Aliverti,G., de Maio,A., Lovera,G., Fedeli,R.P. and Sacchetti, L. On the determination of the radon content in telluric air* by means of nuclear plates, 9=6385

Alkemade,C.T.J. See also Boers,A.L., 6=5764; Hollander,T., 7=1721; Milatz,J.M.W., 7=1245; Zijlstra,R.J.J., 7=397

Alkemade,C.T.J. and Milatz,J.M.W. A double-beam method of spectral selection with flames, 5=5303, 5=7484

Alkhazov,D.G., Andreev,D.S., Erokhina,K.I. and Lemberg,I.Kh. Coulomb excitation of separated isotopes of tin, 8=6314

Alkhazov,D.G., Andreev,D.S., Grinberg,A.P. and Lemberg,I.Kh. Experimental study of Coulomb excitation of nuclei by nitrogen ions, 6=7670

Alkhazov, D.G., Andreyev,D.S., Greenberg,A.P. and Lemberg, I.K. Investigation of Coulomb excitation of nuclei by nitrogen ions, 7=6433

Alkhazóv,D.G., Gangrskiĭ,Yu.P. and Lemberg,I.Kh. Nuclear reactions of N^{14} ions with Li^7 and C^{12}, 8=6317

Alkhazov,D.G., Grinberg,A.P., Gusinskii,G.M., Erokhina,K.I. and Lemberg,I.Kh. Coulomb excitation of high energy nuclear levels in even isotopes of tungsten, 9=12621

Alkhazov,D.G., Grinberg,A.P., Lemberg,I.Kh. and Rozhdestvenskiĭ,V.V. Coulomb excitation of neon, 9=7307

Allain,Y. A test of the interpretation of certain optical absorption bands in fluorite irradiated with X-rays, 9=8853

Allais,E. Study of the dynamic high-field polarization and the construction of an auto-oscillator of the maser type, 8=8159

Allan,A.H. An automatic instrument recording daytime ultraviolet, 9=3251

Allan,A.H. and Drummond,J.E. Doppler measurements on Soviet satellites, 9=1013

Allan,A.H. and Mc.Cree,K.J. Intergrating meters for comparing light intensities in plant growth studies, 6=1943

Allan, D.L. Inelastic scattering of 14-MeV neutrons by lithium-7, 5=1212. The energy distribution of protons from the reaction Cu(n, p) Ni at 14 MeV, 6=1591. Protons from the interaction of 14 MeV neutrons with medium weight nuclei, 7=3672. The energy and angular distribution of protons from 14 MeV protons from 14 MeV neutron reactions with Cu, 8=5388. The energy and angular distribution of protons from 14 MeV neutron reactions with Fe^{54}, 9=8637

Allan,D.L., Carey,J., McCahon,J.F. and Poole,M.J. The recovery of tritium used in ion accelerators, 5=9903

Allan,D.W. Reversals of the earth's magnetic field, 9=936. See also Jacobs,J.A., 6=1756; Russell,R.D., 7=928

Allan,D.W. and Bullard,E.C. Distortion of a toroidal field by convection, 9=1603

Allan,H.R. See also Sarma,N., 7=3655

Allan,H.R., Govindsee,M. and Sarma,N. Excitation curve for the reation $^{10}B(p,\alpha)^7Be$, 6=7681

Allan,H.R. and Sarma,N. A search for capture processes in alpha-particle and deuteron bombardments, 5=7358

Allanazarov,A. See Annaev,R.G., 8=4972

Allard,G. Spin-$\frac{1}{2}$ particles as semi-spinors of a six-dimensional space, and parity conservation, 9=7790

Allard,J.G. See Etzel,H.W., 9=11570; Schulman,J.H., 8=8703

Allcock,G.McK. Ionospheric absorption at vertical and oblique incidence, 5=404. Ionospheric absorption at low and medium frequencies, 5=6324. A study of the audio-frequency radio phenomenon known as "dawn chorus", 8=5557. See also Morgan,M.G., 6=3396

Allcock,G.McK. and Morgan,M.G. Solar activity and whistler dispersion, 9=6456

Allcock,G.R. Normalization of Bethe—Salpeter wave functions, 7=1928. On the polaron rest energy and effective mass, 7=7499

Allcock,G.R. and Hooton,D.J. Charge conservation in the Bethe—Salpeter equation, 8=5618

Allcock,G.R. and Kuper,C.G. 'Rotons' in quantum hydrodynamics, 5=8535

Allemand,C. and Rossel,J. Electronic conduction in dielectric crystals (diamond and silver halides), 5=1807

Allen,A.O. See Saldick,J., 5=491; Schuler,R.H., 6=1704, 6=2935; Schwarz,H.A., 5=1334, 5=5049

Allen,C.H. See also Beranek,L.L. 5=4482

Allen, C.H. and Watters,B.G. Siren design for producing controlled wave forms at high intensities, 9=4400. Siren design for producing controlled wave form with amplitude modulation, 9=6651

Allen,C.W. Solar sources of the ionospheric regions, 6=7062. A system of quantitative astronomical observations, 7=4975 Spectrophotometry of the outer corona, 9=2016. The variation of decimetre-wave radiation with solar activity, 9=3046. Absolute oscillator strength measurements in Mg, Ca and other atoms, 9=12003

Allen,C.W. and Asaad,A.S. Atomic oscillator strengths and excitation potentials, 7=239. Oscillator strengths from arc spectra of diluted copper alloys, 9=11999

Allen,E. Improved method of integrating curves obtained on a general electric type recording spectrophotometer, 6=4982. Mode of action of fluorescent whitening agents and measurement of their relative efficiency, 8=3890

Allen,F.G. Emissivity at 0.65 micron of silicon and germanium at high temperatures, 8=4843. Work function and emission studies on clean silicon surfaces, 9=6980. See also Bills,D.G., 5=7755

Allen,F.G., Eisinger,J., Hagstrum,H.D. and Law,J.T. Cleaning of silicon surfaces by heating in high vacuum, 9=13892

Allen,F.R. Propeller flowmeters with electronic indication, 9=10666

Allen,G. See also Barile,S., 5=1152; Bernstein,H.J., 5=4557; McCollum,R.L., 9=8867

Allen,G. and Bernstein,H.J. Intensity in the Raman effect,III. The effect of deuterium substitution on the intensity of Raman bands of benzene, 5=6944

Allen,G. and McDowell,C.A. Depolarization ratios of the Raman bands of thionyl chloride, 5=2625

Allen,G., Webeler,R. and Barile,S. Multiple scattering of low-energy alpha particles in a gas, 5=8198

Allen,H.C.,Jr. See also Plyler,E.K., 6=1978, 9=2202

Allen,H.C.,Jr, Blaine,L.R. and Plyler,E.K. Vibrational constants of acetylene-d_2, 6=8105. Infrared spectrum of carbonyl sulfide, 7=4152. Some infrared bands of deuterium sulfide, 9=201

Allen,H.C.,Jr, Blaine,L.R., Plyler,E.K. and Cross,P.C. Infrared spectrum of hydrogen sulfide from 2200-2800 cm^{-1}, 6=1977

Allen,H.C.,Jr, Naylor,R.E. and Plyler,E.K. The deuterium-sulfide band at 4,590 cm^{-1}, 5=3570

Allen,H.C.,Jr and Plyler,E.K. Infrared spectrum of hydrogen sulfide, 7=2031. ν_3 Band of methane, 7=6004

Allen,H.C.,Jr, Tidwell,E.D. and Plyler,E.K. Vibrational energy of deuterium cyanide, 5=8963. Infrared spectra of hydrogen cyanide and deuterium cyanide, 6=7293. The infrared spectrum of acetylene-d_1, 6=8104. Infrared spectrum of acetylene, 7=5199

Allen,H.H. Detection of inhomogeneities in transparent plastic sheet by a simple schlieren technique, 8=105

Allen,J.A. Van. See Van Allen,J.A.

Allen,J.E. An elementary theory of the transient pinched discharge, 7=3328. See also Adlam,J.H., 8=3263

Allen,J.E., Boyd,R.L.F. and Reynolds,P. The collection of positive ions by a probe immersed in a plasma, 7=4412

Allen, J.E. and Craggs, J.D. High current spark channels, 5=974

Allen,J.E. and Thonemann,P.C. Current limitation in the low-pressure mercury arc, 5=310

Allen,J.F. Theoretical physics, 6=2636

Allen,J.S. Determination of the beta-decay interaction from electron—neutrino angular correlation experiments, 9=12664. See also Burman,R.L., 9=5010; Hermannsfeldt,W.B., 7=9856, 8=8300; Maxson,D.R., 5=2140

Allen, J.W. The electrical properties of dislocations in germanium, 6=8188. On the mechanical properties of indium antimonide, 8=1347. On the delay time in plastic flow of indium antimonide, 9=6329. See also Mackintosh,I,M., 6=2107

Allen,J.W. and Mackintosh,I.M. Some implications of the small energy gap and small effective electron mass in InSb, 5=8763

Allen,J.W. and Smith, K.C.A. Electron microscopy of etched germanium surfaces, 6=6636

Allen,K.R. See also Phillips,K., 9=7020

Allen,K.R., Finlay,E.A., Lipsicas,M., Major,D. and Phillips,K. The scattering of fast charged particles. II. On the single scattering of 9.8 MeV positrons in xenon, 7=6535

Allen,K.R., Lipsicas,M.M., Major,D. and Phillips, K. The scattering of fast charged particles. 1. On the single scattering of 13.5 MeV electrons in xenon, 6=2929

Allen,K.R. and Phillips,K. Observations on overvolted uniform field spark gaps, 9=2369. Effect of humidity on the spark breakdown voltage, 9=3528. Effect of radiation on the breakdown of homogeneous field and sphere gaps, 9=4649. Automatic cloud chamber for gas discharge studies, 9=9418

Allen,K.R., Phillips,K. and Whittaker,F. The scattering of fast charged particles. III. On the single scattering of high energy positrons and electrons at small angles, 7=8149

Allen,K.W. See also Almqvist,E., 5=8173

Allen,K.W., Almqvist,E., Dewan,J.T. and Pepper,T.P. Disintegration of Li^6 and Li^7 by 0.24-MeV tritons, 5=1204

Allen,K.W., Collinge,B., Hird,B., Maglić,B.C. and Orman,P.R. The proton gamma angular correlations in the $^{28}Si(d, p\gamma)^{29}Si$ stripping reaction, 7=2655

Allen,L.,Jr. Photodisintegration of the deuteron by 95-MeV bremsstrahlung, 5=6466

Allen,L.,Jr, Biggers,W.A., Prestwood,R.J. and Smith,R.K. Cross sections for the $S^{32}(n, p)P^{32}$ and the $S^{34}(n, \alpha)Si^{31}$ reactions, 7=9890

Allen,L.C. Interpolation scheme for energy bands in solids, 5=6342. Electronic wave functions for polyatomic molecules, 9=12751. See also Karo,A.M., 9=2883

Allen,L.J. See Blackwell,J.H. 5=8439

Allen, N.L., Allibone, T.E., Chick, D.R., Hemmings, R.F., Hughes, T.P., Kaufman, S., Liley, B.S., Mack, J.G., Miles, H.T., Payne, R.M., Read, J.E., Ware, A.A., Wesson, J.A. and Williams, R.V. A stabilized high-current toroidal discharge producing high temperatures, 8=775

Allen,N.P., Hopkins,B.E. and McLennan,J.E. The tensile properties of single crystals of high-purity iron at temperatures from 100 to −253 °C, 6=4049

Allen,R.A. Verification of Bragg's law by the use of microwaves, 5=5745. The standardization of electron-capture isotopes, 9=11451

Allen,R.A., Burcham,W.E., Chackett,K.F., Munday,G.L. and Reasbeck,P. Electron capture in the decay of sodium 22, 5=9043

Allen,R.B. and Farnsworth,H.E. Effect of vacuum heating and ion bombardment of germanium on point contact rectification, 6=5103

Allen,R.C. Low-lying levels in U^{238} excited by inelastic neutron scattering, 7=4622. See also Czyzak,S.J., 5=616; Jarmie,N., 9=2805, 9=7341; Reynolds, D.C., 5=3593; Thomas, R.G., 6=1593

Allen,R.C. and Jarmie,N. Triton reaction cross sections, 9=2806

Allen,R.C., Walton,R.B., Perkins,R.B., Olson,R.A. and Taschek, R.F. Interaction of 0.5- and 1.0-MeV neutrons with some heavy elements, 7=2669

Allen,R.G., Stephenson,T.E., Stanford,C.P. and Bernstein,S. Slow neutron cross sections of gold, silver, indium, nickel, and nickel oxide, 5=1216

Allen,T.K. A spectroscopic study of plasma-electron oscillations, 5=8799. See also Emeleus,K.G., 6=501

Allen,T.K., Bailey,R.A. and Emeleus,K.G. The appearance of some oscillating discharges, 5=8796

Allen,T.K., Baker,W.R., Pyle,R.V. and Wilcox,J.M. Experimental generation of plasma Alfvèn waves, 9=12412

Allen,T.L. Bond energies of transition metal halides, 7=8038. Reciprocal mean as a measure of covalent bond energy, 8=1296. Interaction energies of next-nearest neighbors, 9=2888. See also Keffer,R.M., 7=2021

Allen,W.A. See also Goldsmith,W., 5=2510

Allen,W.A. and Goldsmith,W. Elastic description of a high-amplitude spherical pulse in steel, 5=1617

Allen,W.A., Mapes,J.M. and Mayfield,E.B. Shock waves in air produced by waves in a plate, 5=1619, 5=8563

Allen,W.A., Mayfield,E.B. and Morrison,H.L. Dynamics of a projectile penetrating sand, 7=5096. II, 8=2825

Allen,W.A., Morrison,H.L., Ray,D.B. and Rogers,J.W. Fluid mechanics of copper, 9=7824

Allen,W.D. Flux measurements with the BF_3 'long counter', 5=8852

Allen,W.D. and Ferguson,A.T.G. A fission counter with high fissile material density for fast neutron fission counting, 5=9721. Flux measurements of fast neutrons with a recoil counter in the energy range of 50-2000 KeV, 5=9978. Elastic scattering of 80 keV neutrons, 6=1601. The n-p cross section in the range 60-550 keV, 6=3195. The fission cross sections of ^{233}U, ^{235}U, ^{238}U and ^{239}Pu for neutrons in the energy range 0.030 MeV to 3.0 MeV, 7=8845. The measurement of fast neutron flux over the neutron energy range 0.03 MeV to 3.0 MeV, 7=8901

Allen,W.D., Ferguson,A.T.G. and Roberts,J. Neutron-deuteron scattering in the range 80-200 keV, 5=9156

Allen,W.T. and Bachman,C.H. Changes in trapping levels of zinc sulfide phosphors resulting from positive ion bombardment, 9=6287

Allenden,D. and Collip,I.W. A personal γ-radiation monitor with audible warning device, 6=3417

Aller,L.H. The empirical determination of line strengths from stellar emission lines, 5=7655. Gaseous nebulae, 6=5647. See also Doherty,L., 5=7646; Weston,E.B., 6=1791

Aller,L.H. and Chapman,S. Thermal diffusion in gaseous nebulae, 9=5328

Alles,W. Capture of negative K-mesons in complex nuclei, 9=6046

Alles,W., Biswas,N.N., Ceccarelli,M. and Crussard,J. Nuclear collisions of negative K-mesons, 8=1197

Alles,W., Biswas,N.N., Ceccarelli,M., Gessaroli,R., Quareni,G., Göing,H., Gottstein,K., Püschel,W., Tietge,J., Zorn,G.T., Crussard,J., Hennessy,J., Dascola,G. and Mora,S. An investigation of angular correlations in the decay of charged hyperons, 9=3800. On K^-—hydrogen interactions, 9=7284

Allewaert,J., Van de Walle,R. and Verhaeghe,J. Measurement of the primary specific ionization of electrons using a Wilson chamber, 8=2463

Alley,N.P. See Smith,R.R., 6=1599

Allgaier,R.S. Magnetoresistance in PbS, PbSe, and PbTe at 295°, 77.4°, and 4.2° K, 9=2330

Allgaier,R.S. and Scanlon,W.W. Mobility of electrons and holes in PbS, PbSe, and PbTe between room temperature and 4.2°K, 9=3479

Allibone,T.E. Fusion of heavy hydrogen, 9=7371. See also Allen,N.L., 8=775

Allibone,T.E. and Chick,D.R. The basic physics of thermonuclear processes, 9=5079

Alliluev,S.P. On the relation between "accidental" degeneration and "latent" symmetry of a system, 8=3727

Allin,E.J. See also Cho,C.W. 6=8670; Gush,H.P., 7=7748; Hare,W.F.J., 6=229

Allin,E.J., Feldman,T. and Welsh,H.L. Raman spectra of liquid and solid hydrogen, 7=279

Allin,E.J., Gush,H.P., Hare,W.F.J. and Welsh,H.L. The infrared spectrum of liquid and solid hydrogen, 9=6725

Allin,E.J., Hare,W.F.J. and MacDonald,R.E. Infrared absorption of liquid and solid hydrogen, 5=6005

Allinson,P.A. The velocity of sound in emulsions, 9=2163

Allinson,P.A. and Richardson,E.G. The propagation of ultrasonics in suspensions of liquid globules in another liquid, 9=1187

Allison,B. See Whetstone,A., 8=8959

Allison,B.A. See Fabricand,B.P., 7=1611; Scherrer,V.E., 5=523

Allison,F.E. See also Foner,S., 8=2024

Allison,F.E. and Pugh,E.M. Temperature dependence of the Hall coefficients in some copper nickel alloys, 6=5854. Temperature dependence of the Hall coefficients in some silver palladium alloys, 7=8598

Allison,H.W. See also Moore,G.E. 5=10045, 7=1424

Allison,H.W. and Moore,G.E. Diffusion of tungsten in nickel and reaction at interface with SrO, 9=840

Allison,H.W. and Samelson,H. Diffusion of aluminium, magnesium, silicon, and zirconium in nickel, 9=12815

Allison,J.W. Gamma-radiation absorption coefficients of air in the energy range 0.01 to 100 MeV, 9=2563

Allison,S.K. Double electron capture and loss by helium ions traversing gases, 8=8840. Electron loss cross sections for helium atoms in the kinetic energy range 100-450 keV, 9=721. Experimental results on charge-changing collisions of hydrogen and helium atoms and ions at kinetic energies above 0.2 keV, 9=3968. See also Anderson,H.L., 5=8458*

Allison,S.K., Cuevas,J. and Murphy,P.G. Experimental cross sections for charge-changing collisions of He^+ and He^{++} ions traversing gases, 6=5953

Allison,S.K. and Littlejohn, C.S. Stopping power of various gases for lithium ions of 100—450-keV kinetic energy, 7=2338

Allison,S.K., Murphy,P.G. and Norbeck,E.Jr. Mass of B^{13} from the nuclear reaction $Li^7(Li^7, p)B^{13}$, 6=5382

Allison,S.K. and Norbeck,E.Jr. Simplified radio-frequency ion source, 6=5162

Allkofer,O.C. See also Bagge,E., 9=8406*

Allkofer,O.C., Bagge,E., Henning,P.G. and Schmieder,L. The multiple scattering of cosmic-ray mesons in lead, 9=8469

Allred,J.C. and Newhouse,A. Applications of the Monte Carlo method to architectural acoustics, 8=1580. Applications of the Monte Carlo method to architectural acoustics. II, 9=1223

Allred,W.P., Paris,B. and Genser,M. Zone melting and crystal pulling experiments with AlSb, 8=3102

Allsopp,C.B. Physical methods in medical diagnosis, 8=3619

Allsopp,H.L. Decay effects in barium titanate ceramics, 7=9679

Allsopp,H.L. and Gibbs,D.F. A method of maintaining temperature control over a wide range, 9=1388

Allton,E.A. See Panofsky,W.K.H., 8=5231

Allum,F.R. See Spicer,B.M., 8=8331

Al-Mahdi,A.A.K. and Ubbelohde,A.R. Viscous flow in melts of "rigid anisotropic" molecules, 5=4589

Almazov,A.B. and Bochvar,D.A. Calculation of π-electron densities in molecules of monosubstituted benzene on the basis of a metallic model, 7=2483

Almeida,I.G. See Marquez,L., 8=1116, 9=5281, 9=7321. See also de Almeida,I.G.

Almén,O. See Arnell,S.E. 8=6232; Nijgh,G.J., 9=8555

Almenningen,A. and Bastiansen,O. Accuracy of the electron diffraction method for the determination of structure parameters in the gaseous state, 7=597

Almkvist,G. See Lagerqvist,A., 5=3566

Almond,M., Clegg,J.A. and Jaeger,J.C. Remanent magnetism of some dolerites, basalts and volcanic tuffs from Tasmania, 7=2853

Almqvist, E., See also Ajzenberg-Selove, F., 8=1966; Allen, K.W., 5=1204; Bromley, D.A., 7=3631, 7=9815, 9=10025, 9=13618; Ferguson, A.J., 9=2736; Gove, H.E., 7=668, 9=2779, 9=2786; Kuehner, J.A., 9=586, 9=10026; Litherland, A.E., 9=6117

Almqvist,E., Bromley,D.A., Ferguson,A.J., Gove,H.E. and Litherland,A.E. Study of some levels of C^{12} using the $B^{10}(He^3,p)C^{12*}$ reactions, 9=10037

Almqvist,E., Allen,K.W. and Sanders,J.H. Thermal diffusion for concentrating tritium in tritium-hydrogen mixtures, 5=8173

Al'mukhamedov,A.G. Pulse method of measuring tape speed fluctuation, 8=930

Alon,I., Arsac,J. and Steinberg,J.-L. Interferometric observations of solar radiation on 9350 Mc/s, 5=4292

Alon,I., Kundu,M.R. and Steinberg,J.-L. An interferometric system for the study of localized solar sources of centimetric radiation, 7=6825

Alonso,J.I. Fernández. See Fernández Alonso,J.I.

Alper,T. and Ebert,M. Influence of hydrogen ion concentration on radiation effects, 5=2280

Alperin,H.A. See Siegel,K.M., 5=4814

Al'perin,M.M. The coherence of the radiation of a system of identical particles, 8=6676

Alpern,M. Variability of accommodation during steady fixation at various levels of illuminance, 8=2078. See also Fry,G.A., 5=3539

Alpern,M. and Faris,J.J. Luminance—duration relationship in the electric response of the human retina, 7=1815

Alperovitch,E.A. and Miller,J.M. Occurrence of technetium-98 in nature, 5=9847

Alpers,V.V., Barkov,L.M., Gerasimova,R.I., Gurevich,I.I., Mishakova,A.P., Mukhin,K.N. and Nikol'skii,B.A. Production of slow $\pi^\pm$-mesons on photographic emulsion nuclei by 660 MeV protons, 6=8973

Alpers,V.V., Barkov,L.M., Gerasimova,R.I., Gurevich,I.I., Mukhin,K.N., Nikol'skiĭ,B.A. and Toporkova,E.P. Production of slow $\pi^\pm$-mesons in photographic emulsion nuclei by protons of 460 MeV energy and neutrons of 400 MeV effective energy, 6=8972

Alpers,V.V., Gurevich,I.I., Kutukova,V.M., Mishakova,A.P., Nikol'skiĭ,B.A. and Surkova,L.V. Study of explosive showers formed by cosmic particles of high energy, 7=6315

Alpers,V.V., Gurevich,I.I. and Mishakova,A.P. Observation of a positive hyperon decay and a singly charged hyperfragment, 6=8968

Alpers,V.V., Gurevich,I.I. and Surkova,L.V. Observation of the production and decay of unstable particles in an emulsion camera, 6=8970

Alpers,V.V. and Mishakova,A.P. Decay of τ-meson, 7=5644

Alpert,D. Experiments at very low pressures, 6=970

Alpert,M. See Nielsen,J.R. 5=2602

Alpert,N.L. See White,J.U., 5=2560, 7=5981, 8=4869, 8=5775 9=1276, 9=9411

Al'pert,Ya.L. Lightning and the propagation of audio frequency electromagnetic waves, 7=2451. Certain problems of ionospheric physics. I. Electron density fluctuations and radiowave scattering, 7=9284. Electron density fluctuations and scattering of radiowaves in the ionosphere, 8=4579

Al'pert,Ya,L., Dobryakova,F.F., Chudesenko,E.F. and Shapiro, B.S. Results of the determination of electron concentration in the outer region of the ionosphere from observations of the radio signals from the first Sputnik, 8=8543

Alpher,R.A. The Saha equation and the adiabatic exponent in shock wave calculations, 9=3229

Alpher,R.A. and Greyber,H.D. Calculation of shock Hugoniots and related quantities for nitrogen and oxygen, 8=5728

Alpher,R.A. and Herman,R. On nucleon—antinucleon symmetry in cosmology, 9=5300

Alpher,R.A. and White,D.R. Interferometric measurement of electron concentrations in plasmas, 9=2440. Optical refractivity of high-temperature gases. I. Effects resulting from dissociation of diatomic gases, 9=7932; II. Effects resulting from ionization of monatomic gases, 9=7933

Alphonce,R., Johansson,A., Taylor,A.E. and Tibell,G. Neutron attenuation measurements in heavy and light water at energies between 109 and 169 MeV, 5=4108

Alphonce,R., Johansson,A. and Tibell,G. The polarization of 155 MeV protons elastically and inelastically scattered from carbon, 7=9382. The asymmetry of 155 MeV protons elastically scattered from iron,nickel and copper, 8=5196. The asymmetry of 155 MeV protons elastically and inelastically scattered from carbon,oxygen, and calcium, 8=5343

Al-Salih,H.A. See Arnold,J.R., 5=6657

Alsop,L.E. See Giordmaine, J.A. 8=7516

Alston,M.H., Collinge,B., Evans,W.H., Newport,R.W. and Williams,P.R. A propane bubble chamber, 7=8681

Alston,M.H., Crewe,A.V., Evans,W.H. and von Gierke,G. A study of positive pion production in p—p collisions at 383 MeV, 7=1653

Alston,M.H., Evans,W.H., Fidecaro,M., Newport,R.W., von Gierke,G. and Williams,P.R. π^+—p scattering at 10—35 MeV in a diffusion cloud chamber, 7=1647

Alston,M.H., Evans,W.H., Morgan,T.D.N., Newport,R.W., Williams,P.R. and Kirk,A. Polarization of μ-mesons observed in a propane bubble chamber, 7=8854

Altaĭskiĭ,Yu.M. See Gozhenko,N.A., 6=5864

Altenhein,H.J. See Molière,K. 5=641

Alter,B.E.K. and Curtis,C.W. Effect of strain rate on the propagation of a plastic strain pulse along a lead bar, 6=8994

Alter, G. Interstellar dust, 7=3902

Alter, H.W. Gamma spectrometric assay of fission-product Kr^{85}, 9=12668

Alterman, Z. See Pekeris, C.L., 8=4793, 8=8165

Althoff, K. High-frequency transitions in the excited 7 $^2P_{3/2}$-state of caesium atoms and the determination of the quadrupole moment of the Cs^{133} nucleus, 5=6395

Althoff, K.-H. and Krüger, H. High-frequency transitions in the 7 P 3/2 term of the Cs atom and determination of the quadrupole moment of the Cs^{133} nucleus, 5=175

Altman, A. See also Schamp, H.W., Jr, 9=112

Altman, A.and MacDonald, W.M. Relativistic corrections to the Fermi matrix element, 9=3838

Al'tman, A.B. Dependence of the magnetic properties of sintered permanent magnets on porosity, 9=5893. Some regularities in the magnetic properties of manganese—bismuth permanent magnets, 9=9787

Altman, D. See also Gilbert, M., 6=9003

Altman, D., Farber, M. and Mason, D.M. Thermodynamic properties of the titanium chlorides, 6=8746

Altman, J.H. and Stultz, K.F. Microdensitometer for photographic research, 7=3882

Altman, M. Heat transfer in reactors cooled and moderated by water, 6=5397

Altman, R.L. See Wilkins, R.L. 9=10 937

Altmann, S.L. The self-consistent field for Zr^{4+}, 6=2327 Spherical harmonics with the symmetry of the close-packed hexagonal lattice, 6=4535

Altmann, S.L., and Cohan, N.V. On the screening constants in the hydrogen molecule, 5=2960. Cellular eigenvalues for titanium metal, 8=2023

Altmann, S.L., Coulson, C.A. and Hume-Rothery, W. On the relation between bond hybrids and the metallic structures, 7=8740

Altrichter, O. and Schäfer, G. The derivation of Gullstrand's basic equations for oblique ray bundles from the principal curvatures of the wave fronts, 6=6496

Al'tshuler, L.V., Bakanova, A.A. and Trunin, R.F. Phase changes occurring in water when compressed by strong shock waves, 9=1372

Al'tshuler, L.V., Krupnikov, K.K. and Brazhnik, M.I. Dynamical compressibility of metals under pressure from 400 000 to 4 million atmospheres, 8=7573

Al'tshuler, L.V., Krupnikov, K.K., Ledenev, B.N., Zhuchikhin, V.I., and Brazhnik, M.I. Dynamical compressibility and equation of state for iron under high pressure, 8=7478

Altshuler, S. Ingoing waves in the final state of ionization problems. 6=4212. Theory of low-energy electron scattering by polar molecules, 7=7955. Variational principles for the wave function in scattering theory, 8=2152

Al'tshuler, S.A. On the theory of paramagnetic resonance in rare earth metals, 5=1057. Resonance absorption of ultrasound in paramagnetic salts, 5=6306. On the theory of electron and nuclear paramagnetic resonance under the influence of ultrasound, 5=6307

Al'tshuler, S.A.and Valiev, K.A. Contribution to the theory of longitudinal relaxation of paramagnetic salt solutions, 9=2140

Altshuler, W.M. See Brubaker, R.S., 9=13125

Altshuller, A.P. Heat of formation of Nh(g) and the bond dissociation energy D (NH-H), 5=2688. Theoretical evaluation of atomic polarizations of diatomic molecules, 5=2976. Thermodynamic functions for silane, 5=6352. Lattice energies of the alkaline earth imides and the heat of formation of HN^{-2}, 5=9620. Entropies of hydration of gaseous oxy-anions, 6=8442. Lattice entropies—entropies of vaporization of ions from crystals, 7=4294. Entropies of some diatomic and polyatomic ions, 8=8440

Alväger, T. See also Johansson, B., 9=6068; Uhler, J. 9=6169

Alväger, T., Johansson, B. and Zuk, W. The magnetic dipole transitions in Xe^{129m} and Cs^{133}, 9=3849

Alväger, T. and Oelsner, G. On the systematics of transition probabilities of M4 transitions of the type $h_{11/2} \rightarrow d_{3/2}$. Decay of Te^{133m}, 8=6277

Alväger, T. and Uhler, J. Reconstruction of the isotope separator at the Nobel Institute of Physics, 8=5987

Alvarez, L.W., Bradner, H., Crawford, F.S., Jr, Crawford, J.A., Falk-Variant, P., Good, M.L., Gow, J.D., Rosenfeld, A.H., Solmitz, F., Stevenson, M.L., Ticho, H.K. and Tripp, R.D. Catalysis of nuclear reactions by μ mesons, 7=5651

Alvarez, L.W., Bradner, H., Falk-Vairant, P., Gow, J.D., Rosenfeld, A.H., Solmitz, F.T. and Tripp, R.D. K$^-$ interactions in hydrogen, 7=8881

Alvarez, L.W., Bradner, H., Franck, J.V., Gordon, H., Gow, J.D., Marshall, L.C., Oppenheimer, F., Panofsky, W.K.H. Richman, C. and Woodyard, J.R. Berkeley proton linear accelerator, 5=4732

Alvarez, L.W., Crawford, F.S., Good, M.L. and Stevenson, M.L. Lifetime of K mesons, 6=3269

Alvarez, L.W., Crawford, F.S., Jr, and Stevenson, M.L. Elastic scattering of 1.6 MeV gamma rays from H, Li, C, and Al nuclei, 9=7360

Alvarez, L.W., Eberhard, P., Good, M.L., Graziano, W., Ticho, H.K. and Wojcicki, S.G. Neutral cascade hyperon event, 9=12601

Alvarez, L.W. and Goldhaber, S. The lifetime of the τ-meson, 6/691*

Alvensleben, A. von. See von Alvensleben, A.

Alves, M.A.F. See Burcham, W.E. 9=3605

Alves, R.V. See Tochilin, E. 9=6145

Alvial, G. See also Davies, J.H., 6=3270*

Alvial, G., Bonetti, A., Dilworth, C., Ladu, M., Morgan, J. and Occhialini, G. Measurements of ionization, 8=1149

Alvial, G. and Stantic, S. Application of the Klausen micrometer to the measurements of multiple scattering of elementary particles in nuclear emulsions, 7=9413

Alvial C.G. Variation of the sensitivity of nuclear emulsions as a function of temperature, 5=682

Aly, H.H. and Waddington, C.J. The flux of primary cosmic-ray α - particles over Sardinia, 7=8697

Aly, M.K., Preliminary not on measures of coronal emission lines observed at the total solar eclipse, February 25, 1952, 6=5640

Alyea, E.D., Jr, Gallagher, L.R., Mullins, J.H and Teem, J.M., A WF bubble chamber, 8=1145

Amado, R.D. Weak collective effects in the nuclear shell model, 8=715. Correlations and the nuclear magnetic moment, 9=1711. Analysis of deuteron stripping experiments, 9=12677

Amado, R.D. amd Blin-Stoyle, R.J. Weak collective effects in the nuclear shell model, 7=8768

Amador, P.V. Olcina. See Olcina Amador, P.V.

Amaglobeli, N.S. and Kazarinov, Yu. M. Elastic scattering of 580 MeV neutrons by protons in the low-angle region, 8=7253

Amako, Y. Electronic structure of water molecule, 5=5568
Amaldi, E. Underground experiment in Europe, 5=9391. CERN, The European Council for Nuclear Research, 5=9817. On the measurement of the mean lifetime of strange particles, 6=1615. See also Barkas, W.H. 7=3225; See also Chamberlain, O., 6=3787, 6=4637, 6=5830, 6=6186
Amaldi, E., Baroni, G., Cortini, G., Franzinetti, C. and Manfredini, A. Contribution to the τ- meson investigation, 5=4954
Amaldi, E., Castagnoli, C., Cortini, G. and Franzinetti, C. Life time measurements of unstable charged particles of cosmic radiation using emulsions, 5=1233
Amaldi, E., Castagnoli, C., Cortini, G., Franzinetti, C. and Manfredini, A. Unusual event produced by cosmic rays, 5=3871
Amaldi, E., Castagnoli, C., Ferro-Luzzi, M., Franzinetti, C. and Manfredini, A. Further results on antiproton annihilation, 8=272
Amaldi, E., Castagnoli, C. and Franzinetti, C. An electronic scanner for nuclear emulsion, 7=3888
Amaldi, E., Cortini, G and Manfredini, A. Contribution to the K-meson investigation, 5=4959
Amaldi, E., Fabri, E., Hoang, T.F., Lock, W.O., Scarsi, L., Rouschek, B. and Vitale, B. Report of the Committee on τ- mesons, 5=8278
Amaldi, U., Jr. On the pulses produced by cosmic rays in photomultipliers, 8=5162. Focusing system for injection of electrons in the National Synchrotron, 9=5825
Amaldi, U., Jr, Bernardini, M., Brovetto, P. and Ferroni, S. Measurement of the circular polarization of the bremsstrahlung produced by electrons from ^{204}Tl, 9=5989. Measurement of the polarization of the external bremsstrahlung of Tl^{204}, 9=7243
Amamiya, A. See Fujiwara, S., 7=8206
Amand, P. St. See St Amand, P.
Amano, K. See Shionoya, S., 6=8691
Amar, H. New geometric representation of the Lorentz transformation, 6=47. On the width and energy of domain walls in small multi-domain particles, 8=224. Magnetization mechanism and domain structure of multidomain particles, 8=6027. Size dependence of the wall characteristics in a two-domain iron particle, 8=8929
Amat, G. Grating spectrographs in use at the P.C.B. infrared laboratory, 5=8527. Interactions of vibrational and rotational resonance, 7=6383
See also Goldsmith, M., 6=6050
See also Grenier-Besson, M.L. 9=5111. Maes, S., 9=1043; and Nielsen, H.H., 7=7259 .. Preliminary study of the spectrum of N_2O in thick layers between 1.5 and 2.5μ 5=2584
Amat, G. and Goldsmith, M. Theory of the Taylor-Benedict-Strong effect, 5=8118
Amat, G., Goldsmith, M. and Nielsen, H.H. On the commutator of two homogeneous polynomials. Application to the calculation of the vibrational energy of a polyatomic molecule, 6=1432. Influence of Fermi resonance on the centrifugal stretching constant of a linear molecule, 6=1434. Higher order rotation-vibration energies of polyatomic molecules II, 8=369
Amat, G. and Henry, L. Coefficients of interaction between vibration and rotation in polyatomic molecules. I, 9=3972
Amat, G. and Nielsen, H.H. Effect of rotational distortion on the vibration–rotation spectra of linear molecules, 7=8040. Higher order rotation-vibration energies of polyatomic molecules. III, 8=370; IV, 8=9088. Vibrational L-type doubling and L-type resonance in linear polyatomic molecules, 8=6375. Rotational distortion in linear molecules arising from l-type resonance, 8=6376
Amati, D. Indication for K, Λ, Σ relative parities from effective-range analysis of K$^+$p scattering, 9=7288
Amati, D., Galzenati, E. and Vitale, B. On the elastic scattering of low energy K$^-$on protons, 9=12594
Amati, D. and Vitale, B. On conservation laws in production and annihilation of antinucleons, 6=2654. On the pion annihilation of nucleon-antiproton pairs, 6=6583. Some considerations on the charge-exchange scattering of antinucleons on nucleons, 6=7139. Low energy K–nucleon interaction, 7=8409, 7=8991. Analysis of processes involving baryons, pions and heavy mesons, 8=1188. Dispersion relations for heavy meson–nucleon interaction in a fixed source theory, I. 8=1195; II. Effective range relations, 8=1196. Dispersion relations for momentum transfer heavy meson–nucleon scattering, 8=1201. K-meson photoproduction in a many field interaction, 8=1203. On the processes with participation of anti-hyperons, 8=4251. Information on the nature of heavy mesons from photoproduction experiments, 8=5236. Hyperon polarization in associated production and heavy meson parity, 9=557. On a possible test of symmetry in pion-baryon interactions, 9=2621
Amatuni, A. Ts. On the theory of antiferromagnetism. II, 8=4120, See also Tyablikov, S.V., 6=7512
Amba Rao, C.L. A new model material for photoelasticity, 5=8668. The suitability of Araldite D resin in photoelastic investigations, 6=6550
Ambach, W. A simple method of density measurement for air-containing ice specimens, 9=3178
Ambartsumian, V.A. On comet-like nebulae, 6=872*
Ambartsumyan, V.A. (Ed.) Theoretical astrophysics, 8=3634
Ambegaokar, V. Thermal resistance due to isotopes at high temperatures, 9=8024
Ambegaokar, V. and Kohn, W. Connection between true effective mass and optical absorption in insulators, 9=11568
Amble, E. See Fletcher, P.C., 8=4268; Sparstad, T., 7=9088
Ambler, E. See also Wu, C.S., 7=5593
Ambler, E., Hayward, R.W., Hoppes, D.D. and Hudson, R.P. Absence of interference effects in the β-decay of polarized Co^{56} and Co^{58} nuclei, 8=1243. Beta-gamma correlations from polarized manganese 52, 8=7339
Ambler, E., Hayward, R.W., Hoppes, D.D., Hudson, R.P., and Wu, C.S. Further experiments on β-decay of polarized nuclei, 7=9849
Ambler, E. and Hudson, R.P. Critical field phenomena in an isotropic paramagnetic crystal, 5=1059. Magnetic cooling, 5=8710. New materials for magnetic cooling and thermometry below 1° K.6=5821. An examination of the helium vapor-pressure scale of temperature using a magnetic thermometer, 6=6563. Spin–spin absorption in manganous chloride tetrahydrate, 7=3441. Spin–spin relaxation at very low temperatures in chromic methylammonium alum, 7=3450. An examination of the 1955 helium vapor-pressure scales of temperature, 7=5284. Spin–spin absorption in chromic methyl ammonium alum and manganous chloride tetrahydrate at very low temperatures, 7=9257. Absolute temperatures below 1°K: chromic methylammonium alum as a thermometric substance, 8=150 Ambler, E., Hudson, R.P. and Temmer, G.M. Alignment of cerium-141 and neodymium-147 nuclei, 5=3973. Alignment of three odd-a rare-earth nuclei, 6=3105
Ambrok, G.S. Approximate solution of equations for the thermal boundary layer with variations in boundary layer structure, structure, 9=4508
Ambrose, D. The triple point of carbon dioxide as a thermometric fixed point, 7=7066
Ambrose, D. and Bigg, P.H. Correction of millimetre mercury barometers, 6=3548
Ambrosen, J. and Kofoed-Hansen, O. Ionization chambers with high RC-values, 5=1938
Amdur, I. Comments on "Note on the He–He interaction potential and its determination from Amdur's scattering measurements, 8=6369
Amdur, I. and Mason, E.A. Scattering of high velocity neutral particles. V. Neon-neon, 5=4102. Scattering of high velocity neutral particles. VI. Krypton-krypton, 6=2452. Scattering of high velocity neutral particles. VII. Xenon–Xenon, 7=758; VIII. H–He, 7=759; IX. Ne–A; A–Ne, 7=760. Properties of gases at extremely high temperatures, 9=1168. Scattering of high velocity neutral particles. X. He–N_2; A–N_2. The N_2–N_2 interaction, 7=8742
Amdur, I. and Schatzki, T.F. Diffusion coefficients of the systems Xe–Xe and A–Xe, 8=2860. Composition dependence of the diffusion coefficient of the system A–Xe, 9=6602
Amelin, A.G. and Belyakov, M.I. On the deposition of droplets from a stream (of gas), 6=8020
Amelinckx, S. Growth features on crystals of long-chain compounds. I, 5=10060; II, 6=8462; III, 6=8463. The direct observation of dislocation nets in rock salt single crystals, 6=5527. The geometry of grain boundary junctions, 7=8943. Dislocation patterns in potassium chloride, 8=2033. Dislocations in caesium bromide, 8=2664. On whisker growth shapes, 8=4521. The growth of alkali halide whiskers from solution, 8=5518. The nucleation of dislocation loops during cleavage, 8=6429. Dislocations in ionic crystals, 9=799. Decoration of dislocations in alkali halide whiskers, 9=8809. See also Aerts, E., 9=4042. Bontinck, W., 7=5729
Amelinckx, S., Bontinck, W. and Dekeyser, W. Helical dislocations and spiral etch-pits, 8=1365
Amelinckx, S., Bontinck, W., Dekeyser, W and Seitz, F. On the

formation and properties of helical dislocations, 7=5730

Amelinckx, S., Bontinck, W. and Maenhout-van der Vorst, W. Helical dislocations in CaF_2 and NaCl crystals, 7=9456

Amelinckx, S. and Dekeyser, W. Movement of dislocation loops in lithium fluoride, 8=7507

Amelinckx, S., Maenhout–van der Vorst, W. and Dekeyser, W. Cavity formation in nitrate-doped alkali halides, 9=4016

Amelinckx, S. and Votava, E. Relation between evaporation spirals and the structure of grain boundaries, 5=3264

Amelung, E. and Lohmann, A. Microinterferometric measurements of small phase objects (blood corpuscles), 9=3365

Amemiya, A. See Shinohara, K. 9=11573

Amemiya, D. See Shirakawa, Y. 9=11066

Ament, W.S. and Rado, G.T. Electromagnetic effects of spin wave resonance in ferromagnetic metals, 5=4779

Amer, S. Non-linear theory of plasma oscillations and waves, 8=8068

Amerighi, M.C., Baldassare, F., Beniston, M., Bonetti, A., Davis, D.H., Di Corato, M., Dilworth, C., Ferreira, E., Frota-Pessoa, E., Lasich, W.B., Raina, N., Rene. M., Sacton, J. and Sichirollo, A.E. On the observation of π- mesons emitted in the interaction in emulsion of K^- -mesons, 9=9980

Amerongen, C. van. See van Amerongen, C.

Ames, J. Silicones and their applications, 8=4616

Ames, O. and Owen, G.E. Angular distributions of the $B^{11}(d, n)C^{12*}$ first excited state neutrons, 8=2567

Ames, O., Owen, G.E., and Swartz, C.D. Angular distributions of the $B^{11}(d, n)C^{12}$ ground-state neutrons, 7=6563

Amfiteatrova, T.A. See Ostrovskii, V.S., 9=13867. Yampol'skiĭ, B. Ya., 8=4489

Amick, J.A. and Goldstein, B. Delineation of junctions in semiconductors by electroscopic powders, 9=12248

Amiel, S. Properties of fermium-253, 7=5582. See also Stephens, F.S., Jr, 8=734

Amiel, S. and Porile, N.T. Cyclotron beam intensity measurements, 9=2428

Amiel, S., Chetham-Strode, A., Jr, Choppin, G.R., Ghiorso, A., Harvey, G.B., Holm, L.W. and Thompson, S.G. Production and properties of the nuclides fermium-250, 251 and 252, 7=6491

Amirkhanov, Kh.I., Bagduev, G.B. and Kazhlaev, M.A. The thermal conductivity of tellurium, 8=2272. Anisotropic thermal conductivity in tellurium single crystals, 9=12168

Amirkhanov, Kh. I., Bashirov, R.I., Daibov, A.Z. and Tsidil'kovskiĭ, I.M. The "drag" effect in the thermomagnetic properties of bismuth selenide, 8=3104

Amirkhanov, K.I., Daibov, A.Z. and Zhuze, V.P. The problem of the variation of the thermal conductivity of semiconductors in a magnetic field, 5=7036

Amirtha-Lingam, V. Chandran, D.V. and Padmanabhan, V.M. Unit cell and space group of uranyl acetate dihydrate, $UO_2(CH_3COO)_2$. $2H_2O$, 9=13943

Amis, E.S. Selective solvation and dielectric saturation as related to electron exchange reactions, 7=5696

Amman, F. See also Ageno, M., 9=13383. Alberigi, A., 9=11143

Amman, F. and Dadda, L. Design of the pole faces for circular particle accelerators with the electrolytic tank, 6=8783

Ammar, R., Friedman, J.I., Levi-Setti, R. and Telegdi, V.L. Nuclear interactions of long-lived neutral strange particles particles, 8=297

Amme, R. and Legvold, S. Energy excitation of vibrations in halomethane gases, 6=1429. Sound dispersion in halomethane mixtures, 7=5127. Temperature dependence of sound dispersion in halo-methane gases, 9=3225

Amminger-Schlager, R. See Holn, H., 7=6244

Ammiraju, P. and Lederman, L.M. A diffusion chamber study of very slow mesons. IV. Absorption of pions in light nuclei, 6=7720

Amoignon, J. Instruments for measuring the speed of vacuum pumps, 9=7858

Amoignon, J. and Mongodin, G. Analysis of residual gases remaining at very low pressures, 8=2866

Amoignon, J., Mongodin, G. and Moreau, J. The heating of diffusion pumps, 9=4355

Amoignon, J. and Rommel, G. A theoretical study of and ion-resonance spectrometer, 8=2867

Amphlett, C.B. and Williams, T.F. A cell for kinetic measurements of gas evolution from systems irradiated by fast electron beams, 6=1703

Amrehn, H. Energy distribution in the spectrum of X-ray bremsstrahlung of thin anodes in dependence on atomic number. II, 6=4449

Amrehn, H. and Kulenkampff, H. Energy distribution of the spectrum of X-ray bremsstrahlung of thin anodes in dependence on atomic number and voltage, 5=6216

Amsel, G. See Milman, B., 9=3919

Amsel, O. and Wittwer, G. A null method for the measurement of low vapour pressures, 6=4362

Amsler, H. On silver bromide photocells, 5=2760

Amster, H. Evaluation of the cross-section transformation matrices of Zweifel and Hurwitz, 6=6359. Zero-energy scattering of neutrons by optical models, 7=3518. Heavy moderator approximations in neutron transport theory, 8=4231

Amster, H.J. Optical model evidence for surface absorption of neutrons, 9=6051

An Min Chung, See Rosen, S., 6=3593

Anacker, F. and Mannkopff, R. The emissivity of carbon at the sublimination temperature, 9=12174

Anacker, W.F. and Mannkopff, R. The thermal conductivity of graphite in the vicinity of the sublimation temperature, 9=10898

Anand, V.D., See Lakhanpal, M.L., 6=943

Anan'eva, A.A. Non-directive ceramic sound receivers, 6=6458. A cylindrical radiator made of barium titanate ceramic, radiating along the axis of the cylinder, 7=3095. The design of a piston piezoelectric radiator neglecting internal losses, 9=5462. Displacement of the resonance frequencies of a plane piezoelectric generator on coupling to an active load, 9=7896. Mosaic transducer of barium titanate ceramic at ultrasonic frequencies, 9=13108

Anantharaman, T.R. and Christian, J.W. The measurement of growth and deformation faulting in hexagonal cobalt, 6=9026

Anastasevich, V.S. Theory of compensation of ion beams, 7=2324. On the derivation of the formula for the formation cross-section of high-energy neutrons in collisions of deuterons with nuclei, 7=9879

Anastassiades, M. and Ilias, D. On the anomalous rectification of cuprous sulphide detectors, 7=2240

Ancker, B., Hazlett, T.H. and Parker, E.R. Relationship between small-angle dislocation boundaries and creep, 6=4050

Ancker-Johnson, B. Magnetic fluxmeter probes, 9=9744

Ancmon, E.M. See Ballhausen, C.J., 9=11524

Andelfinger, C. See Fünfer, E., 9=4748. Herold, H. 9=13396

Anders, E. Neutron activation cross section of technetium 98, 9=690

Anders, E., Sen Sarma, R.N. and Kato, P.H. Search for technetium-98 by neutron activation analysis, 6=5511

Anders, H. The influence of thin films on the visibility of the borderline in total reflection, 6=5801

Anders, O.U. and Meinke, W.W. Beta gauge for localized measurements on thin films, 7=129. P^{32} half-life determination, 8=4289

Andersén, E. and Uhlhorn, U. Approach to the quantum mechanical many-body problem with strong two-particle interaction. I, 8=6652

Andersen, F.A., Bak, B., and Brodersen, S. Normal vibration frequencies of CH F and CD_3F from infrared and microwave spectra, 6=4552

Andersen, F.A., Bak, B., Brodersen, S., and Rastrup-Andersen, J. Infrared absorption spectra of monodeuterated pyridines, 5=6014

Andersen, S.L., Bö, H., Holtebekk, T., Lönsjö, O. and Tangen, R. Resonance energies and half-widths for proton capture in aluminium, 9=8578

Andersen, S.L., Gjötterud, K., Holtebekk, T. and Lönsjö, O Beams of different masses in electrostatic accelerators, 8=6290

Andersen, S.L., Holtebekk, T., Lönsjö, O. and Tangen, R. Two closely spaced resonances in the reaction $Al^{27}(p, \gamma)Si^{28}$, 8=4300

Andersen, W.H. See also Barsh, M.K., 8=8727

Andersen, W.H. and Hornig, D.F. Shock front thickness and bulk viscosity in polyatomic gases, 6=3570

Anderson, A. See O'Rourke, R.C. 5=9743

Anderson, A.B.C. Metastable jet-tone states of jets from sharp-edged, circular, pipe-like orifices, 5=2499. Structure and velocity of the periodic vortex-ring flow pattern of a primary Pfeifenton (pipe tone) jet, 6=989. Vortex-ring structure-transition in a jet emitting discrete acoustic frequencies, 7=172

Anderson, A.G., Garwin, R.L., Hahn, E.L., Horton, J.W.,

Tucker, G.L. and Walker, R.M., Spin echo serial storage memory, 6=4587
Anderson, A.R., and Waite, R.J. A calorimeter for measuring energy absorption from pile radiation, 6=2048
Anderson, C.D. See Clarke, F.R., 8=3832. Kadyk, J.A., 7=4760. McKinney, C.M., 5=1628. Sorrels, J.D., 6=2435
Anderson, C.E. See also Heydenburg, N.P., 8=759. Knox, W.J., 9=12683
Anderson C.E. and Ehlers, K.W. Ion source for the production of multiply charged heavy ions, 7=2344
Anderson, C.M. See McEwan, W.S., 5=4608
Anderson, D.E. See Peterson, R.W., 7=4504
Anderson, D.H. See Gutowsky, H.S., 9=8361; Karplus, M., 9=6200
Anderson, E.C. In vivo gamma measurements at very low levels with 4π liquid scintillation detectors, 9=2552. See also Van Dilla, M.A. 5=350
Anderson, E.C., Shuch, R.L., Perrings, J.D. and Langham, W.H. The Los Almos Human Counter, 6=5169
Anderson, E.C. and Van Dilla, M.A. Low-level gamma ray detection in humans, 9=6101
Anderson, E.L., Jr, Fuel reprocessing by aqueous methods, 8=5405
Anderson, E.W. See McCall, D.W. 9=3208, 9=6596, 9=9839
Anderson, F. See also Bhowmik, B., 7=8866, 8=704, 8=3310; Block, M. 9=12581; Davies, J.H., 6=3270*; Falla, D.F., 7=8887
Anderson, F., Keefe, D., Kernan, A. and Losty, J. A probable example of the reaction $K^+ + {}^{12}_{6}C \rightarrow K^+ + 3\,{}^{4}_{2}He$, 7=5610
Anderson, F., Lawlor, G. and Nevin, T.E. Mesonic decay of a singly charged fragment, 5=9943. Unusual decay of a χ-meson, 5=9958
Anderson, F.R. See Tenneray, V.J., 9=866
Anderson, G.M. See Barmat, M., 9=12316
Anderson, G.S. and Legvold, S. Conduction electron-magnetic ion interaction in rare earths, 9=4622
Anderson, G.S., Legvold, S. and Spedding, F.H. Superconductivity of lanthanum and some lanthanum alloys, 8=1710. Hall effect in Lu, Yb, Tm, and Sm, 9=2314
Anderson, H. See Neher, H.V., 8=2384
Anderson, H.L., Meson experiments with Enrico Fermi, 5=8458
Anderson, H.L. and Allison, S.K. From Professor Fermi's notebooks, 8458*
Anderson, H.L. and Davidon, W.C. Machine analysis of pion scattering by the maximum likelihood method, 7=8874
Anderson, H.L., Davidon, W.C., Glicksman, M. and Kruse, U.E. Scattering of positive pions by hydrogen at 189 MeV, 6=696 pion-proton scattering, 6=698
Anderson, H.L., Fujii, T., Miller, R.H. and Tau, L. Electron decay of the positive pion, 9=6020
Anderson, H.L. and Glicksman, M. Scattering of pions by hydrogen at 165 MeV, 6=695
Anderson, H.L. and Lattes, C.M.G. Search for the electronic decay of the positive pion, 8=1186
Anderson, H.R., Jr. See Debye, P., 8=6433
Anderson, J.C. and Donovan, B. On the complex permeability of iron-nickel alloys at high frequencies, 7=4543. Internal ferromagnetic resonance in nickel, 9=5902
Anderson, J.D. See also Nakada, M.P., 8=5353, 8=5392
Anderson, J.D., Gardner, C.C., McClure, J.W., Nakada, M.P. and Wong, C. Inelastic scattering of 14 MeV neutrons from carbon and beryllium, 9=691
Anderson, J.D., Gardner, C.C., Nakada, M.P., and Wong, C. Back-angle elastic scattering of 14.6 MeV neutrons, 8=9061
Anderson, J.D., Kenney, R.W. and McDonald, C.A. Jr. Total electron compton cross section at 319 MeV. 6=6137
Anderson, J.D., Kenney, R.W., McDonald, C.A. Jr and Post, R.F. Pair production in the field of orbital electrons by a total-absorption method at 319 MeV, 6=6141
Anderson, J.H. See also Holzman, G.R. 5=6303, 6=8900; Weil, J.A., 8=4440
Anderson, J.H. and Hutchison, C.A., Jr. Paramagnetic resonance absorption in praseodymium trichloride, 5=2005
Anderson, J.H. and Weil, J.A. Paramagnetic resonance of color centers in germanium-doped quartz, 9=10238
Anderson, J.L. Quantum restrictions on the measurability of fields in gravitational theory, 5=1492. Constraints in covariant field theories. II, 5=9410. Enumeration of the true observables in gauge-invariant theories, 8=4728. Reduction of primary constraints in generally covariant field theories, 8=1044. Superpotentials for a generally covariant field theory, 9=4262. Factor sequences in quantized general relativity, 9=9177
Anderson, J.L. and Merat, P. Conservation of charge in Einstein's generalization of gravitation theory, 6=43
Anderson, J.M. The nature of active nitrogen, 8=1079. Quenchine of the negative glow by microwaves in cold-cathode gaseous discharges, 8=2349. Emission of slow secondary electrons, 9=3563. See also Barrington, R.R., 9=2402; Blevis, B.C., 8=5418; Vasek, L.J., 9=7052
Anderson, J.M. and Goldstein, L. Interaction of electromagnetic waves of radio-frequency in isothermal plasmas: collision cross section of helium atoms and ions for electrons, 6=2262. Momentum transfer cross section and fractional energy loss in the collisions of slow electrons with nitrogen molecules, 6=3776. Variation with electron energy of the collision cross section of helium for slow electrons. 6=5148
Anderson, J.M., Kavadas, A.D. and McKay, R.W. The decay of the nitrogen afterglow, 8=1078
Anderson, J.R. Pressure gauge for corrosive gases in the micron and submicron region, 9=1160
Anderson, J.R., Brady, G.W., Merz, W.J. and Remeika, J.P. Effects of ambient atmosphere on the stability of barium titanate, 6=5080
Anderson, J.R. and Kemball, C. Catalysis on evaporated metal films. V. Reactions between cyclic hydrocarbons and deuterium, 5=1312
Anderson, K.A. Occurrence of soft radiation during the magnetic storm of 29 August 1957, 8=6020. Ionizing radiation associated with solar noise storm, 9=3051. Soft radiation events at high altitude during the magnetic storm of August 29-30, 1957, 9=4146. See also Winckler, J.R. 5=7127, 8=649
Anderson, K.C. See Harmer, D.E., 6=6233
Anderson, L.W., Pipkin, F.M., and Baird, J.C., Jr. Optical polarization of atomic hydrogen, 9=1814
Anderson, M.M. See Fleming, G., 9=5518
Anderson, O., Baker, W.R., Bratenahl, A., Furth, H.P. and Kunkel, W.B. Hydromagnetic capacitor, 9=6867
Anderson, O.A., Baker, W.R., Colgate, S.A., Furth, H.P., Ise, J. Jr, Pyle, R.V. and Wright, R.E. Neutron production in linear deuterium pinches, 8=2596
Anderson, O.A., Baker, W.R., Colgate, S.A., Ise, J., Jr and Pyle, R.V. Neutron production in linear deuterium pinches, 9=534
Anderson, O.A., Furth, H.P., Stone, J.M. and Wright, R.W. Inverse pinch effect, 9=4744
Anderson, O.L. Effect of pressure on glass structure, 6=8422. Cooling time of strong glass fibers, 8=3028. Laws of adhesion, 9=12843. See also Andreatch, P. 9=10338
Anderson, O.L. and Andreatch, P. Stress relaxation in gold wire, 6=1663
Anderson, N.G. and Dawson, I.M. The study of crystal growth with the electron microscope. IV. The nucleation and growth of n-propyl n-pentacontanoate, 5=4172
Anderson, P.A. Work function of cadmium, 5=7161. Continuous recording of the growth of micro-organisms under turbidostatic and chemostatic control, 6=1772. Work function of gold, 9=13363
Anderson, P.A. and Hunt, A.L. Work function of lead, 6=4377. Effect of oxygen on the work function of barium, 9=13362
Anderson, P.W. Electromagnetic theory of cyclotron resonance in metals, 6=1213. Ordering and antiferromagnetism in ferrites, 6=5207. Reaction field and its use in some solid-state amplifiers, 8=2433. Coherent excited states in the theory of superconductivity: gauge invariance and the Meissner effect, 8=5010. New method in the theory of superconductivity, 8=5926. Absence of diffusion in certain random lattices, 8=9111. Random-phase approximation in the theory of superconductivity, 9=3509. Spectral diffusion, phonons, and paramagnetic spin-lattice relaxation, 9=9803. New approach to the theory of superexchange interactions, 9=12464. See also Clogston, A.M., 6=2996. See Holden, A.N., 6=6013. Shulman, R.G., 8=177. Weiss, M.T., 5=6296
Anderson, P.W. and Hasegawa, H. Considerations on double exchange, 6=1355
Anderson, P.W. and Suhl, H. Instability in the motion of ferromagnets at high microwave power levels, 6=2226
Anderson, R. See Cohn, D.V., 9=5980
Anderson, R.C. See Wolfgang, R.L., 6=2513
Anderson, R.E. See Dodgen, H.W., 9=13486. Runyan, W.R., 6=1922
Anderson, R.S. Variation of line width with rotational state and temperature in the microwave spectrum of OCS, 5=4530. See also Gordy, W., 6=877. Olney, B., 7=4105. Poole, C.P., Jr, 9=9817

Anderson, S.P. See Sucksmith, W., 6=5254
Anderson, T.H. See Alger, R.S., 9=7521
Anderson, V.C. Arrays for the investigation of ambient noise in the ocean, 8=8657
Anderson, W. Nuclear resonance saturation effects and multiple-quantum transitions, 7=2547
Anderson, W. and McConnell, H.M. Analysis of high-resolution N.M.R. spectra, 7=7651
Anderson, W., Mayneord, W.V. and Turner, R.C. The radon content of the atmosphere, 5=658
Anderson, W. and Turner, R.C. Radon content of the atmosphere, 6=7897
Anderson, W.A. Nuclear magnetic resonance spectra of some hydrocarbons, 6=3833. See also Piette, L.H., 9=7200
Anderson, W.A. and Arnold, J.T. Proton relaxation times in H_2O-D_2O mixtures, 6=1387
Anderson, W.A. and Piette, L.H. Forbidden $\triangle m_s = \pm 1$, $\triangle m_I = \pm 1$ transitions in vanadyl chelate, 9=7439
Andersson, B. Precision wavelength and energy measurements of gamma rays from ^{152}Eu, ^{154}Eu, ^{153}Sm and ^{165}Dy, 6=7655. A re-measurement of two gamma ray lines from ^{152}Eu and ^{154}Eu, 8=7353. See also Novakov, T., 8=6268. Ryde, N., 6=1540
Andersson, G. On the crystal structure of tungsten trioxide, 5=4202. On the preparation of radioactive sample by means of electromagnetic isotope separation, 8=6362. See also Bergström, I., 8=6223
Andersson, G., Arbman, E., Bergström, I. and Wapstra, A.H. Neutron deficient isotopes of Pe and Tl. III. Mass numbers below 200, 5=4009
Andersson, G., Arbman, E. and Jung, B. Lead and thallium isotopes in the mass range 195-199. 7=4666
Andersson, G. and Bergström, I. Note on the decay of Tl^{198m}, 8=3357. Anomalous internal conversion ratios of E3 transitions in the region Z= 77–82, 8=4307
Andersson, G., Burgman, J.O. and Jung, B. The half-life of thallium 196 and the multipolarity of the 426 keV transition in mercury 196, 8=1921
Andersson, G., Tove, P.A., Jung, B. and Svensson, I.B. The isomeric transitions in Tl^{197} and Tl^{195}, 8=3356
Andersson, N.E. An investigation of the positive point streamer corona. I. The time distribution of the streamers, 9=5757; II. The field strength necessary for the streamer propagation, 9=5758
Andersson, N.E. and Hertz, C.H. Positive point discharge as a hygrometer of small inertia, 5=10103. A fast hygrometer using positive point corona, 7=4024
Andersson-Lindström, G. See Bormann, M. 9=13182
Andes, G.M. See McNutt, J.E., 9=6585
Ando, F. and Miyazawa, H. Electron-neutron interaction, 9=12538
Andon, R.J.L. See Cox, J.D., 9=5641
Andrä, W. Magnetic powder patterns on martensite, 5=1047. Magnetic powder patterns on cobalt and the structure of the elementary domains, 5=3877. Ferromagnetic domains on manganese-bismuth at low temperatures, 6=5216. Magnetic powder patterns on cobalt at higher temperatures (preliminary communication), 6=5217. Investigation of the demagnetization process in Alnico of high coercive force with the help of powder pattern technique, 7=6354. Magnetic powder patterns at higher temperatures, 9=12453. See also Perthel, R., 7=9258. Stemme, O., 9=12449
Andrä, W., Gengnagel, H. and Elbinger, G. Microscopic determination of orientation of small crystallites by means of light figures, 9=13884
Andrä, W., Málek, Z., Schüppel, W. and Stemme, O. Magnetically induced anisotropy in thin evaporated permalloy films, 9=11201
Andrä, W. and Schwabe, E. A simple method of observing elementary magnetic domains using dry powder, 6=1357
Andrade, E.N. da C. A discussion on the first and second viscosities of fluids: Review of discussion, 5=95
Andrade, F. Alba. See Alba Andrade, F.
Andrade e Silva, J. The representation of systems of particles in the causal interpretation of wave mechanics, and the nature of the quantum potential, 8=887. The representation of systems of particles in physical space and the causal interpretation of wave mechanics, 8=2801. The theory of systems of particles in the causal interpretation of wave mechanics, 8=6655. Statistical meaning of the amplitudes in the wave mechanics of systems, 9=7806. The hypothesis of irregular fluctuation and the casual interpretation of the wave mechanics of systems, 9=9241. A generalization of the hypothesis of irregular fluctuations for causal interpretation of the wave mechanics of systems, 9=9242, See also de Broglie, L., 7=3979
Andre, C.G., Huizenga, J.R., Mech, J.F., Ramler, W.J., Rauh, E.G. and Rocklin, S.R. Proton cross sections of Bi^{209}, 6=3204
André, P. See also des Cloizeaux, J., 7=8604. N'Guyen Van Dong, 9=9617
André, P., Kazes, I. and Steinberg, J.L. Measurement of atmospheric absorption on 9350 Mc/s by utilizing solar radio radiation, 6=7889
Andre, P.A. See McClintock, F.A., 9=7547
Andreae, J.A. Ultrasonic relaxation in methylene chloride, 7=3053
Andreae, J.H., Heasell, E.L. and Lamb, J. Ultrasonic relaxation and the vibrational specific heat of carbon disulphide, 6=7222
Andreae, J.H. and Lamb, J. A discussion on the first and second viscosities of fluids: Ultrasonic measurements and the second viscosity of carbon disulphide, 5=94. Ultrasonic relazation theory for liquids, 7=182
Andreassen, K. See Brun, J., 7=6480
Andreassi, G., Budini, P. and Reina, I. Possible tests of the validity of electrodynamics at short distances, 9=11806
Andreatch, P. See also Anderson, O.L., 6=1663
Andreatch, P. and Anderson, O.L. New device for measuring the adhesion between metallic rods, 9=10338
Andreatch, P., Jr and Thurston, R.N. Disk-loaded torsional wave delay line. I. Construction and test, 7=4063
Andreeschev, E. and Isaev, B.M. On some properties of the spark counter for detecting α-particles, 5=8857
Andreeshchev, E.A. and Rozman, I.M. Luminescent spectra of plastic [polystyrene] scintillators with triphenylpyrazoline, 7=9631. The absolute yield of luminescence of plastic scintillators excited with γ-rays. 9=10850
Andreev, D.S. See Alkhazov, D.G. 6=7670, 8=6314
Andreev, K.K. Some considerations on the mechanism of initiation of detonation in explosives, 8=7580
Andreev, N.N. On certain second-order quantities in acoustics, 6=4899
Andreev, V.N. See Kovalev, V.P. 8=7397
Andreev, V.V. and Gerasimenko, V.I. On the theory of paramagnetic resonance and paramagnetic relaxation in metals, 9=2940
Andreeva, I.A. See Kochanova, L.A., 9=13863
Andreeva, N.S., Esipova, N.G. and Millionova, M.I. Some features of the structure of collagen, 8=3590
Andreǐchin, R. See Nadzhakov, G., 6=1240, 2113–14, 7=7925
Andrejtschin, R. See also Nadjakov, G., 9=9643
Andrejtschin, R. and Zlateva, A. The photovoltaic effect in evaporated lead sulphide layers, 9=9649
Andreotti, J.R. See Nesh, F., 8=4818
Andrés, M.P. de. See de Andrés, M.P.
Andresciani, V. and Della Pergola, G. Experimental determination of the lifetime of minority carriers in semiconductors, 8=5876
Andresen, A., McReynolds, A.W., Nelkin, M., Rosenbluth, M. and Whittemore, W. Neutron investigation of optical vibration levels in zirconium hydride, 8=2642
Andresen, A.F. See Barstad, G.E.B., 8=6522
Andresen, H. Stabilization and control of an electromagnet by means of magnetic proton resonance, 8=7193
Andress, K.R. and Fischer, K. Note on the possibility of determining the degree of polymerization of crystalline materials by roentgenographical methods, 5=4121
Andrew, A. See Jeppson, M.R., 5=5679. Yockey, H.P., 5=605
Andrew, E.R. Nuclear magnetic resonance evidence of self-diffusion in molecular solids, 5=5665. Nuclear magnetic resonance, 6=6077. Rotational narrowing of nuclear magnetic resonance spectra, 9=12480. See also Eades, R.G., 8=6230
Andrew, E.R., Bradbury, A. and Eades, R.G. Nuclear magnetic resonance spectra from a crystal rotated at high speed, 9=5948. Removal of dipolar broadening of nuclear magnetic resonance spectra of solids by specimen rotation, 9=13481
Andrew, E.R. and Finch, N.D. Nuclear magnetic resonance spectrum for isosceles triangular configurations of nuclei, 8=720
Andrew, E.R. and Newing, R.A. The narrowing of nuclear magnetic resonance spectra by molecular rotation in

solids, 9=2931

Andrew, E.R. and Swanson, K.M. A method for determining the nuclear relaxation mechanism in crystals, 7=6709

Andrew, J.F. Infrared response of pyrolyzed organic films, 6=2890

Andrew, K.L. and Meissner, K.W. New germanium standard wavelengths in the region from 1998 A to 1630 A, 8=571. $^5S_2^0$ terms of netural germanium, 8=949. Arc spectrum of germanium, 9=3274. Contribution to the first spark spectrum of germanium (Ge II), 9=13157

Andrews, C.L. Collapsed toroidal springs as contact elements in microwave cavities, 5=8093. Trends in triodes, 6=3796. Demonstrations of electromagnetic waves in helices, 6=4533

Andrews, C.L. Concerning Lewis' diffraction pattern in the plane of a half screen, 8=3270

Andrews, D.H. See Todd, L.J., 9=8051

Andrews, E.H. An extensometer microscope stage for photoelastic studies in rubber, 7=3993. Stress waves and fracture surfaces, 9=7529

Andrews, E.H. and Walsh, A. Rupture propagation in inhomogeneous solids: an electron microscopic study of rubber containing colloidal carbon black, 8=5502

Andrews, H.L., Murphy, R.E. and LeBrun, E.J. Gel dosimeter for depth-dose measurements, 7=6783

Andrews, J.N. and Ubbelohde, A.R. Melting and crystal structure: the melting parameters of some polyphenyls, 5=3678

Andrews, K.W. and Johnson, W. Formulae for the transformation of indices in twinned crystals, 5=4170

Andrews, P.T. Neutron energy measurements with double pulse scintillation counters, 7=6624

Andrews, R.D. Measurement of orientation in polystyrene monofilaments by means of double refraction, 5=3158. Retraction of oriented polystyrene monofilaments, 5=10014. See also Gurnee, E.F., 5=9594. Rudd, J.F., 6=8717, 9=4494

Andrews, R.D. and Rudd, J.F. Birefringence changes during retraction of oriented polystyrene monofilaments. I. Changes of average birefringence, 6=8716. Photoelastic properties of polystyrene in the glassy state. I. Effect of molecular orientation, 8=5819

Andreyev, D.S. See Alkhazov, D.G., 7=6433

Andreyev, N.S. See Porai-Koshits, E.A. 8=8470

Andriankin, É.I. Propagation of a progressive [avtomodel'naya] thermal wave, 9=2257

Andrianov, K.A. and Golubkov, G.E. Electrical properties and structure of organo-silicon polymers, 7=3235

Andrianov, K.A. and Solokov, N.N. Thermoelasticity of silicone dielectrics, 6=7758

Andrich, E. See Sittkus, A., 6=8271

Andrieux, P. See Degras, D.A., 9=13074

Andrievskii, A.I. See also Rvachev, A.L. 9=11034

Andrievskiĭ, A.I. and Mishchenko, M.T. On the near contact layer in copper oxide, 5=1292. On the diffusion of copper and oxygen atoms in the formation of the copper-oxide layer, 6=8426. The growth mechanism of copper oxide crystals at high temperature, 6=8465

Andrievskiĭ, A.I., Nabitovich, I.D. and Kripyakevich, P.I. On the structure of selenium in thin films, 9=10395

Andrievskiĭ, A.I. and Zhuravlev, V.A. Relaxation of photoconductivity of SnO_2 6=8798

Andrillat, H. On the measured relative intensities of lines of OIII and H_β in the spectra of planetary nebulae, 5=3404. The electronic densities of eight gaseous nebulae as deduced from the intensity ratio of the [OII] lines, 7=1866. The electronic temperatures of the planetary nebulae, 7=1868

Andrillat, Y. A study of the continuous radiation from Wolf-Rayet stares in the Cygnus region. Application to the determination of distances and colour-temperatures, 5=17. Study of the interstellar band at 4430 Å in some Wolf-Rayet stars, 5=2383. The vibrational-rotational bands of the OH molecule in the infrared spectrum of the night sky, 7=1791

Androes, G.M. See also Knight, W.D., 7=4378

Androes, G.M. and Knight, W.D. Nuclear magnetic resonance in superconducting tin, 9=12500

Andronikashvili, É.L. See also Kazarov, R.E., 9=7135. Shakhulov, O.A., 7=1646

Andronikashvili, É.L. and Bibilashvili, M.F. On the spatial distribution of the penetrating component of extensive atmospheric showers, 7=8000

Andronikashvili, É.L. and Kaverkin, I.P. Rotation of helium II at high velocities, 5=6088

Andronikashvili, É.L. and Mirskaya, G.G. The behaviour of helium II in the neighbourhood of a heat radiating surface, 6=7350

Andronova, I.A. See Grachev, A.A. 5=4800

Andrus, J. See Bond, W.L., 6=4090

Andrussow, L. Thermal conductivity, viscosity and diffusion in gaseous phase. X. Relation between the coefficients describing these phenomena and Maxwell's equation, 5=9483. On the kinetic theory of gases and the transport phenomena in the gas phase, 9=123. Viscosity of electrolyte solutions. Calculation of the concentration and temperature dependence by the exponent method, 9=13051

Angel, Y. and Bonnefous, J. Analogy between a ferroelectric phenomen and a gerromagnetic one: attenuation of ferroelectric hysteresis by orthogonal polarization, 9=13262

Angell, C.A. and Bockris, J.O'M. A technique for the measurement of diffusion coefficients in molten salts, 9=1889

Angell, C.L. See Yates, D.J.C., 6=1070

Angello, S.J. Elemental semiconductors, 5=2700

Angello, S.J. and Ebert, T.E. New minority carrier phenomenon in germanium, 5=1817

Anger, H.O. Scintillation camera, 8=6098

Angona, F.A. See White, J.E., 5=4448

Ångström, A. On the computation of global radiation from records of sunshine, 9=5277

Angstrom, A.K., and Drummond, A.J. Transmission of "cutoff" glass filters employed in solar radiation research, 9=13172

Angus, W.R., Hollows, F.B., Stott, G., Khanolkar, D.D. and Llewelyn, G.I.W. Magnetochemical investigations. XIII. Aromatic hydrocarbons, 9=11191

Angus, W.R. and Llewelyn, G.I.W. Magnetochemical investigations. XI. The diamagnetic susceptibilities of aryl aldehydes and ketones and of some dicarbonyl compounds, 5=4160

Angus, W.R., Llewelyn, G.I.W. and Stott, G. Magnetochemical investigations. IX. The diamagnetic susceptibilities of acids and esters containing a benzene nucleus, 5=4158. X. The diamagnetic susceptibilities of aliphatic ketones and aldehydes, 5=4159. Magnetochemical investigations. XII. The diamagnetic susceptibilities of some paraffins, 9=11190

Aniansson, G. New method for measuring the α-particle range and straggling in liquids, 5=5464. See also Nilsson, G. 5=4750

Aniansson, G. and Erwall, L.G. A useful formula for calculating the counting rate of a detector immersed into extended gases and liquids, 9=4860

Anikin, I.N. The hydrothermal synthesis of scheelite, 8=3560

Anikina, M.P. and Ershler, B.V. The Sr^{90} yield from U^{233} fission, 7=9397

Anishchenko, Yu.V. and Rukhadze, A.A. Polarization in double scattering of electrons, 8=1830

Anisovich, V.V. Estimation of the lifetimes of the excited states of Hf^{178} and Hf^{180}, 8=8278

Ankel, T. Investigations on the propagation of signals in dispersing media with an acoustic model, 6=2738

Ankudinov, V.A. See Fogel', Ya.M., 7=1412, 8=5080, 8=7137, 9=2456

Annaev, R.G. and Allanazarov, A. Investigation of the longitudinal and transverse galvanomagnetic effect in n-type single-crystal germanium for the principal crystallographic axes, 8=4972

Annaka, S. Determination of elastic constants of metals and alloys by temperature diffuse scattering of X-rays, 7=796. See also Kojima, S., 6=8684

Annis, M. Report on the cloud-chamber work in some American universities, 5=6480

Annis, M., Harmon, N.F. and Sard, R.D. A multiplate cloud chamber study of unstable particles, 8=1175

Annis, M., Taffara, L. and Dequal, B. On the γ-rays associated with S-particles, 5=1234

Anno, T. Out-of-plane vibrations of a conjugated hydrocarbon: trans-butadiene, 8=4380. Semiempirical calculation on the electronic structure of the nitrogen-containing heterocyclic molecules. I. General theory, 9=1828. See also Matubara, I. 6=4309; Sadô, A., 6=221

Anno, T. and Matubara, I. Analysis of the near ultraviolet absorption spectra of ortho- and para-dichlorobenzene vapors, 5=6011

Anno, T. and Sadô, A. Further note on the calculation of bond lengths of carbon–chlorine bonds, 6=8915. Calculation on the electronic states of the formaldehyde molecule by a semiempirical molecular orbital method, 7=8755. Semiempirical calculation on the electronic structure of the nitrogen-containing heterocyclic molecules. II. Electronic structure of pyrazine with particular reference to its n–π transition, 9=1829

Anno, T, Sadô, A. and Matabura, I. Electronic states of parabenzoquinone. II. Calculation of the energy levels by a semiempirical molecular orbital method including configuration interaction, 7=7274

Anolick, E.S. and Singer, J. Some aspects of tempering $3\frac{1}{4}$% silicon steel as followed by time decay of permeability, 8=8903

Ansbacher, F. and Landsberg, P.T. Quantum statistics of closed and open systems, 5=2447

Ansel'm, A.A. Scattering of slow neutrons by diatomic molecules, 8=1850. Field theory model with a non-vanishing renormalized charge, 9=10584. Asymptotic theory of one-dimensional four-fermion interaction, 9=10594

Ansel'm, A.A. and Shekhter, V.M. On production of π-mesons by protons on nuclei of various elements, 8=1877. Possible asymmetry of particles and antiparticles in weak interactions, 9=9921

Ansel'm, A.I. Theory of the photomagnetic effect in semiconductors in strong magnetic fields, 5=7027

Ansel'm, A.I. and Firsov, Yu.A. The mean free path of a non-localized exciton in an atomic crystal, 5=7224. Mean free path of a non-localized exciton in a polar crystal, 6=7818

Ansel'm, A.I. and Rabotnikov, Yu.L. The effect of anharmonicity on vibrations and waves in crystal (linear atomic chain), 9=1853

Anselone, P.M. Convergence of the Wick–Chandrasekhar approximation technique in radiative transfer, 9=7815

Anselone, P.M. and Sobel, F. Shielding of radiation from a plane circular source, 7=1161

Antal, J. and König, A. New acoustical method of vacuum measurement, 8=3780

Antal, J.J. See also Goland, A.N., 9=8436. Keating, D.T., 5=9252

Antal, J.J. and Goland, A.N. Study of reactor-irradiated α-Al_2O_3, 9=4048

Antal, J.J., Weiss, R.J. and Dienes, G.J. Long-wavelength neutron transmission as an absolute method for determining the concentration of lattice defects in crystals, 5=9279

Antell, G.R., Chasmar, R.P., Champness, C.H. and Cohen, E. The electrical properties of indium arsenide and indium antimonide, 7=7897

Antell, G.R. and Effer, D. Preparation of [small] crystals of InAs, InP, GaAs, and GaP by a vapor phase reaction, 9=9006

Antes, L.L. See Marburger, R.E., 6=2119. Reynolds, D.C., 5=1843, 7=3289

Anthony, A. Effects of noise on eosinophil levels of audiogenic-seizure-susceptible and seizure-resistant mice, 6=848. Changes in adrenals and other organs following exposure of hairless mice to intense sound, 6=4126

Anthony, A. and Ackerman, E. Effects of noise on the blood eosinophil levels and adrenals of mice, 6=847

Anthony, D.J. See Spiegel, V., Jr, 9=4894

Anthony, J.P. Study of scintillation produced in a zinc sulphide screen by α-particles using a photomultiplier, 5=5338

Anthony, R.L. See Baldwin, F.P., 5=7431. Hewitt, F., 9=5198

Antill, J.E. Zone melting of uranium, 6=8543

Antill, J.E., Barnes, E. and Gardner, M. Zone melting of uranium, 7=990

Anton, N.G. See Swetnick, M.J., 8=253

Antončík, E. A new formulation of the method of nearly free electrons, 5=3915. On the theory of the temperature dependence of the refractive index of homopolar crystals, 6=7327. On the theory of temperature shift of the absorption curve in non-polar crystals, 6=7564. The repulsion potential of unoccupied states, 9=8674. On the theory of the spectral dependence of the quantum efficiency of homopolar crystals, 9=12804

Antončík, E. and Trlifaj, M. A remark on the paper by J. Koutecký, 7=114

Antonescu, V.I. See Neaga, V.G., 9=6605

Anton'eva, N.M., Bashilov, A.A., Dzhelepov, B.S. and Preobrazhenskiĭ, B.K. Spectra of conversion electrons from Gd^{151} and Gd^{153}, 9=635. Gd^{146} and En^{146} conversion electron spectra, 9=10089. Conversion spectra of some neutron-deficient isotopes of Tb, 9=636

Antonevich, J.N. Ultrasonic atomization of liquids, 9=6342

Antonov, Yu.N., Vavilov, Yu.N., Zatsepin, G.T., Kutuzov, A.A., Skvortsov, Yu. V. and Khristiansen, G.B. Structure of the periphery of extensive atmospheric cosmic-ray showers, 7=6318

Antonov-Romanovskiĭ, V.V. On the diffusion theory of phosphorescence, 9=10840. Relaxation of electroluminescence after small departures from the steady state, 9=10860. See also Alentsev, M.N. 5=5932

Antonov-Romanovskiĭ, V.V. and Galanin, M.D. On a theoretical derivation of the decay law of luminescence for the case of resonance quenching, 9=10837

Antonov-Romanovskiĭ, V.V. and Trapeznikova, Z.A. Two recombination mechanisms of the luminescence of Sm^{+++} ion in the phosphor ZnS–Sm, Cu(NaCl), 7=4166

Antonov-Romanovskiĭ, V.V. and Vinokurov, L.A. On the lowering of the luminescence yield of phosphors with intense excitation, 6=8687. Nature of the losses of luminescence of the phosphor ZnS-Cu, Co in the region where the output is independent of the intensity of the exciting light, 7=267. Kinetics of the luminosity of the phosphor ZnS-Cu, Co in the region where the output is independent of the intensity of the exciting light, 7=268

Antonov-Romanovsky, V.V. On the efficiency of the luminescence in crystalline phosphors, 7=4198

Antonova, I. and Estulin, U. Coefficients of internal conversion in the case of isomeric transitions of some stable nuclei, 5=9890

Antonova, I.A. Study of the spectra of conversion electrons by a β-spectrometer making use of thick nuclear emulsions, 6=6885

Antonova, M.G. See Takibaev, Zh.S., 7=4772

Antonowicz, K. An integrating apparatus for the Schrödinger equation. II, 6=6382. Relaxation times in nuclear resonance of a moving sample, 8=3250. Nuclear resonance signals in flowing liquid, 8=4279

Antsȳferov, M.S. Laboratory reproduction of the seismoelectric effect of the second kind, 9=1494

Antuf'ev, Yu.P. See Tsȳtko, S.P., 7=1566

Antunes, M.T. Separation of terms of high and low multiplicity in the electronic configurations l^{m}_{s}, 5=2577. See also Catalán, 5=6397

Antzenberger, P. and Fournet, G. Study of low-angle X-ray scattering by cellulose (ramie) at different humidities, 5=4992

Anzelius, A. Two flow problems in a viscous fluid, 5=5911

Aoi, T. On spheroidal functions, 5=2353. The steady flow of viscous fluid past a fixed spheroidal obstacle at small Reynolds numbers, 5=2459

Aoki, A. See Hayashi, T. 5=6440*. Kawamura, M., 9=2702

Aoki, I. The lattice constants of the mixed oxides of cobalt and manganese at various temperatures, 5=637

Aoki, Y. Calculated energy of A-O-A type molecules by Mulliken's magic formula, 5=8113

Aono, S. σ–π interaction and proton hyperfine interaction, 9=13749

Aono, Y. Regional anomalies in f_0F2 of the ionosphere, 5=3309. Note on the continuous observation of h' and FC of the ionosphere on using a "sweep frequency" technique, 6=2595

Aoyagi, K. See also Yamamoto, M., 6=6011

Aoyagi, K., Taniguchi, S., and Yamamoto, M. Orientation dependence of the uniaxial ferro-magnetic anisotropy induced by magnetic annealing in 20% Co–Ni single crystals, 9=13426

Aoyagi, S. See Taoka, T., 6=5451

Apanasevich, P.A. Transformation of light by atoms and molecules 9=9481. See also Stepanov, B.I., 8=2599, 8=2970

Apers, D.J., Capron, P.C., Gilly, L.J. and Vander Stricht, A. Calculations of activities derived from decay data and corrections for the resolving time of the apparatus, 9=4861

Apfel, J.H. and Hadley, L.N. Exciton absorption in cuprous oxide, 6=1054

Apker, L. See Taft, E. 5=1816, 6=367, 9=4685. Taft, E.A., 8=5006

Apostolakis, A.J., Clarke, J.O. and Major, J.V. Spurious scattering in nuclear emulsions, 7=8970

Apostolakis, A.J. and Macpherson, I. An emulsion spectrograph–A new technique for the determination of the momenta of fast charged particles. I. Design considerations and theory. II. Construction and application of a normal incidence stack, 7=4955

Apostolakis, A.J. and Major, J.V. The determination of linear distortion in nuclear emulsions, 7=5785

Appa Rao, M.V.K., Biswas, S., Daniel, R.R., Neelakantan, K.A. and Peters, B. Abundance of light nuclei in the primary cosmic radiation, 8=7146

Appa Rao, M.V.K., Daniel, R.R. and Neelakantan, K.A. Nuclear disintegrations produced in nuclear emulsions by α-particles of great energy, 6=7672

Appa Rao, M.V.K. and Mitra, S. Evidence for the charged θ-meson, 5=4969

Appel, H. Measurement of the correlation between beta- and circularly polarized gamma-rays in connection with parity

violation, 9=11450

Appel, H. and Schopper, H. Measurement of the correlation between β- and circularly polarized γ-radiation from Co^{60}, Zr^{95}, and Sb^{124}, 8=4293

Appel, H., Schopper, H. and Bloom, S.D. (β,γ) Circular polarization correlation for Co^{60} and Na^{22}, 8=6251

Appel, J. On electrical and optical properties of silver telluride $A_{g2}T_e$, 5=8753. The magnetic susceptibility of the alkali metals, 7=526. Influence of the orbital quantization in magnetic field on the longitudinal resistance variation of covalent semiconductors. II, 8=2307. The influence of orbital quantization in a magnetic field on the Fermi level in semiconductors. I, 9=3445. Thermoelectric power of non-polar semiconductors, 9=3451. Theory of the thermomagnetic effects of non-polar isotropic semiconductors, 9=3452. Theory of thermoelectric and thermomagnetic effects in nonpolar isotropic semiconductors, 9=6932. Transport phenomena in elastic anisotropic metals, 9=13788. See also Erdmann, J., 9=4638

Appel, J. and Lautz, G. Some electrical properties of the semiconducting tellurium compounds In_2Te_3, CdTe and Ag_2Te, 5=3775

Appel, K. See Löwdin, P.O., 7=1523

Apple, E.F. Investigations in the $CuGaS_2-ZnS$ and $AgGaS_2-ZnS$ phosphors with P, As, Sb coactivators, 9=10808. See also Halsted, R.E., 8=7830, 9=10824

Apple, E.F. and Williams, F.E. Associated donor–acceptor luminescent centers in zinc sulfide phosphors, 9=5558

Appleby, D.B. See Burch, P.R.J., 5=9313

Appleman, H. Comments on "Initial electricfication processes in thunderstorms", 7=5772

Appleton, E. and Beynon, W.J.G. An ionospheric attenuation equivalence theorem, 5=3908

Appleton, E.V. A note on the "sluggishness" of the ionosphere, 5=649. Region F_2 anomalies, 5=3306. The anomalous equatorial belt in the F_2-layer, 5=3316. A note on geomagnetic distortion in the F_2 layer, 6=2582. The normal E region of the ionosphere, 9=7675

Appleton, E.V. and Lyon, A.J. Ionospheric layer formation under quasi-stationary conditions, 5=5765

Appleton, E.V., Lyon, A.J. and Pritchard A.G. The detection of the S_q current system in ionospheric radio sounding, 6=5554

Appleton, E.V., Lyon, A.J. and Turnbull, A.G. Distortion of the E layer of the ionosphere by electrical current flowing in it, 6=3388

Appleton, E.V. and Piggott, W.R. Storm phenomena and the solar cycle variations of the F2 layer ionization at noon, 5=5777

Apsit, A.A., Freidenfel'd, É.Zh. and Fritsberg, V.Ya. Dielectric characteristics of ceramic materials of the system $CaO-BaO-TiO_2$, 9=8074

Apstein, M. See Rabinow, J., 5=137

Apt, C.M. See Birdsall, C.M., 5=4426

Apt, L. See Hine, G.J., 5=4752

Apté, A. See Kravtchenko, J., 8=7644

Aptekar', I.L. The theory of ordering in alloys, 8=3483

Aptekar', I.L. and Timan, B.L. Adiabatic processes at high temperatures, 6=7494. Dependence of the coefficient of electronic recombination on temperature and pressure, 6=7497

Arabadzhi, V.I. On some electrical properties of water and ice, 6=5834. Measurement of the intensity of the electric field in thunderclouds by means of a radiosonde, 7=6779

Aragón, F., Cano Ruiz, J. and MacEwan, D.M.C. β-type interlammellar sorption complexes, 9=7472

Arai, B. Study on Lichtenberg's figures by means of color films. I–III, 5=7069. Study of Lichtenberg's figures by means of special dry plates, 7=4299. Effects of humidity on Lichtenberg figures, 8=6935. Effects of air film on formation of Lichtenberg figures, 9=12321

Arai, S. Precision measurement of the energy loss of electrons passing through thin foil, 9=5994. Energy losses of electrons passing through foils of aluminum and of aluminum oxide, 9=5995. See also Shida, S. 8=8508

Arai, T. New approach to the quantum-mechanical analysis of the electronic structures of molecules, 7=5527. Application of the method of deformed atoms in molecules to the hydrogen molecule, 7=5528. See also Ishiguro, K., 9=11026. Mannari, I., 8=2009

Arai, T. and Onishi, T. Correlation energies in atoms and electron affinities, 7=3551

Arai, T. and Sakamoto, M. Application of the method of deformed atoms in molecules to the Li_2 molecule, 8=2621

Arajs, S. and Legvold, S. Comments on the Senftleben method for the determination of the heat conductivity, the specific heat, and the viscosity of gases, 8=6714. Electroconventional heat transfer in gases, 8=8723. Free-convectional heat transfer from a single horizontal wire, 9=4515

Arakawa, E.T. and Nielsen, A.H. Infrared spectra and molecular constants of $N^{14}O_2$ and $N^{15}O_2$, 9=5528

Arakawa, K. On the free volume theory of liquid, 5=781

Arakawa, T. Paramagnetic resonance absorption in manganese fluosilicate diluted with magnesium ions, 5=2879

Arakelyan, A.M. Electromagnetic forces acting on a current-carrying conductor placed near a corner of a ferromagnetic body, 9=9872

Arakengy, A. Liouville's theorem and the intensity of beams, 8=4769

Araki, G. Spin-orbit coupling in the pseudoscalar meson theory of nuclear forces, 5=9425. Quantum-electrodynamical fourth-order corrections for triplet fine structure of helium, 6=3124. Plasma oscillation of π electrons in carotenoids, 6=7585. Free-electron model of benzene, 7=6391. Partial description of quantum-mechanical system, 7=6914. Free-electron ring model of polyacenes, 7=7266. Excited states of helium, 9=1801. Quantal derivation of mass defect, 9=9224

Araki, G. and Huzinaga, S. Absorption spectra of unsymmetrical cyanines, 6=8669

Araki, H. Quantum-electrodynamical corrections to energy-levels of helium, 9=11515. On weak time-symmetric gravitational waves, 9=11779

Araki, H., Munakata, Y., Kawaguchi, M. and Gotô, T. Quantum field theory of unstable particles, 9=10602

Araki, K. Numerical table of the integral expressing the amount of absorption or emission of the spectral lines, 5=4318

Arams, F.R. See also McWhorter, A.L., 8=5141
Arams, F.R. and Krayer, G. Design considerations for circulator maser systems, 8=5140

Aranovich, R.M. and Pyatnitskii, A.I. Secondary emission from composite emitters with high coefficients of secondary emission, 9=11107

Aranow, R.H. and Witten, L. Theoretical derivation of Traube's rule, 8=1549

Aránzazu Vigón, M. de. See de Aránzazu Vigón, M.

Arase, T. Some characteristics of long-range explosive sound propagation, 9=6635

Arata, H. See Oda, S. 9=10961. Yoshida, S. 5=988, 5=5449, 6=6714

Aráujo, J.M. The effect of nuclear compressibility on the nuclear photoeffect, 5=1208. Collective motions of a shell structure, 6=7615

Aravindakshan, C. A simple arrangement for obtaining optical transforms of crystal structures, 7=8278

Arbell, H. See Halperin, A., 9=5562

Arber, H. See Waldmeier, M., 9=6464

Arbman, E. Excited levels in Bi^{206} from the decay of Po^{206}, 8=2529. See also Andersson, G., 5=4009, 7=4666. Ong Ping Hok, 7=1545

Arbman, E., Burde, J. and Gerholm, T.R. Energy levels in Bi^{207} from the decay of Po^{207}, 9=6063

Arbman E. and Svartholm, N. A high transmission beta-ray spectrometer of the double focusing type, 6=1287

Arbman, E. and Tove, P.A. Isomeric state in Bi^{206}, 8=6240

Arbogast, J.F. See Saltzman, R.S., 6=276

Archard, G.D. Some properties of symmetrical slit ("cylindrical") electron lenses, 5=983. Two new simplified systems for the correction of spherical aberration in electron lenses, 5=3818. A possible chromatic correction system for electron lenses, 6=2165. Focal properties and chromatic and spherical aberrations of the three-electrode electron lens, 6=8232. A possible source of error in the interpretation of electron diffraction patterns, 7=911. An unconventional electron lens, 8=5958

Archard, G.D. and Einstein, P.A. The heating of flourescent screens bombarded by electrons, 7=7023

Archard, G.D. and Mulvey, T. Magnetic deflexion of electron beams without astigmatism, 8=8040

Archard, J.F. Elastic deformation and the laws of friction, 7=1697, 8=430

Archard, J.F. and Hirst, W. The wear of metals under unlubricated conditions, 6=7773

Archbold, E. An evaporated gold bolometer, 7=7816

Archer, M.S., Roebuck, D.S.P. and Whitby, F.J. Magnetic susceptibility of vanadium dioxide, 5=1997

Archer, R.J. Optical constants of germanium: 3600 A to 7000 A, 8=8710

Archibald, W.J. Field equations from particle equations, 5=8484

Archinard, P. See Pariaud, J.C. 5=2605

Arcidiacono, G. On the importance of the "fundamental group" in the problem of the unification of physical fields, 5=7671. Generalized Maxwell equations in (Fantappiè's) definitive relativity, 6=42. On the generalized electromagnetic field, 6=893. On the physical significance of the theory of "definitive relativity", 7=70. Electrodynamics and hydrodynamics in [Fantappiè's] definitive relativity, 7=2957

Arcipiani, B., Barsanti, G., Fumelli, M., Musumeci, L. and Talini, N. A mass separator with magnetic focusing of the second order, 9=9715

Ard, W.B. See also Gordy, W., 6=1388-9

Ard, W.B., Shields, H. and Gordy, W. Paramagnetic resonance of X-irradiated teflon. Effects of absorbed oxygen, 6=484

Ard, W.B. Jr. Paramagnetic resonance of color centers in NaNO$_3$. 6=4506. See also Randall, J.L. 9=12504

Ardenne, M. Use of a gas discharge tube with a point cathode for the visual determination of the form of the lines of force of a strong magnetic field, 5=379. See also under v. Ardenne, M.

Ardenne, M. von. See von Ardenne, M.

Arditi, M. and Carver, T.R. Optical detection of the zero-field hyperfine splitting of Na^{23}, 8=5425. Frequency shift of the zero-field hyperfine splitting of Cs^{133} produced by various buffer gases, 9=5532

Arend, H., Broser-Warminsky, R. and Ruska, E. The use of ZnS single crystals as fluorescent screens in the electron microscope, 5=2786

Arendale, W.F. and Fletcher. W.H. Some vibration-rotation bands of ketene, 6=4546. Infrared spectra of ketene and deuteroketenes, 7=5198

Arends, C.B. See also Eggers, D.F., Jr, 8=797

Arends, C.B. and Eggers, D.F., Jr. Simple aid to infrared intensity measurements, 7=2016

Arendt, P.R. Report on reactor construction, 6=2429. American developments in reactor technique in accordance with published data up to 1954, 6=4654. On the existence of a strong magneto-ionic effect topside of the F maximum of the Kenelly-Heaviside layer, 9=9067

Arfken, G. Neglected quadrupole, 8=602

Argan, P.E., Conte, M., Gigli, A., Picasso, E. and Gonella, L. High density and large atomic number systems for gas bubble chambers, 9=9911

Argan, P.E., D'Angelo, N. and Gigli, A. Remarks on the operation of the diffusion cloud chamber. I, 5=6246; II, 6=6734. Observations on the operation of a diffusion chamber, 7=1409

Argan, P.E. and Gigli, A. A new detector of ionizing radiation. The gas bubble chamber, 6=5980. On the bubbles formation in supersaturated gas–liquid systems, 7=7186

Argan, P.E., Gigli, A., Picasso, E. and Tomasini, G. Remarks about gas bubble chamber sensitivity, 9=9910

Argence, E. Determination of the energy trajectories of a wave propagated in the ionosphere. Study of two particular cases (transparent layer), 5=2909. Propagation of a plane wave in an anistropic transparent ionized layer and propagation in a heterogeneous ionized layer, 5=8943. On the absorption of short waves in an isotropic ionized layer, 8=666. See also Rawer, K. 5=2336

Argence, E. and Rawer, K. On the absorption of short waves in the ionosphere, 5=2039. On the determination of the number of collisions in region F$_2$ of the ionosphere, 8=834

Argence, E., Rawer, K. and Suchy, K. The equivalence theorems of ionospheric absorption, 6=511

Argirović, M. The influence of temperature and humidity on the electric constants of the soil, 5=9285

Argo, H.V. See also Hemmendinger, A., 5=4936. Holm, D.M. 6=4453

Argo, H.V., Harrison, F.B., Kruse, H.W. and McGuire, A.D. Absorption of μ-mesons in C^{12}, 9=8642

Argyle, P.E. The effective quantum efficiency in astronomical spectroscopy, 5=3391. The stellar photometer of the Dominion Astrophysical Observatory, 8=6575. See also Warren, J.B., 8=6576

Argyres, P.N. Theory of the Faraday and Kerr effects in ferromagnetics, 5=2918. Quantum theory of galvanomagnetic effects, 8=1679. Quantum theory of longitudinal magnetoresistance, 8=5931. Galvanomagnetic effects in the quantum limit, 9=5741. See also Adams, E.N., 6=5144

Argyres, P.N. and Adams, E.N. Longitudinal magnetoresistance in the quantum limit, 7=2195

Argyris, T.S. See Bell, E., 7=4922

Aricescu-Savopol, I. See Grigorovici, R. 9=5284

Arich, G. and Tagliavini, G. Liquid/liquid equilibrium in a water–benzene–acetone system, 9=5396

Arifov, U.A. and Ayukhanov, A. Kh. Angular distribution of secondary ions in the bombardment of a tantalum target with ions of alkali metals, 5=999

Arifov, U.A., Ayukhanov, A.Kh. and Starodubtsev, S.V. Method of investigating the secondary emission by bombarding conductors with ions, 5=1923. The scattering coefficient of ions as a function of the ratio of masses of colliding particles, 8=5062

Arilla, L.M. Garrido. See Garrido Arilla, L.M.

Arima, A. See also Horie, H., 5=9009

Arima, A. and Horie, H. Configuration mixing and magnetic moments of odd nuclei, 5=451, 5=4872*

Arima, A., Horie, H. and Sano, M. The l-forbidden magnetic dipole transitions, 9=11417

Arima, A. and Yoshida, S. Analysis of a rotational state in terms of the shell model states, 9=11414

Arima, Y. See Yonezawa, T., 9=11648-9

Arinshteĭn, É.A. The influence of diffusion on the kinetics of crystallization, 6=7804. Statistical theory of crystallization, 8=447

Aris, R. On the dispersion of a solute in a fluid flowing through a tube, 6=4239. On the dispersion of linear kinematic waves, 8=3793

Ariyama, K. and Mase, S. An interpretation for the electronic conductivity and diamagnetic susceptibility of graphite, 5=2748. Electronic structure of graphite and boron nitride, 5=2915

Ariyama, M., Kayama, K. and Sugimoto, M. Self-consistent field without exchange for doubly ionized cobalt, 9=8679

Arizpe, R. Treviño See Treviño Arizpe, R.

Arkenbout, G.J. See Rietjens, L.H.T., 5=4039

Arkhangel'skaya, V.A. Infrared emission bands and kinetics of emission and photoconduction in CdS in temperature region of quenching of luminescence, 5=6939

Arkhangel'skaya, V.A. and Feofilov, P.P. Luminescence spectra of crystals of certain iodides, 7=264. Luminescence of some "pure" salts, 7=9078. Zeeman effect of anisotropic centres in the cubic crystal lattice, 9=9427

Arkhangel'skaya, V.A. and Tolstoi, N.A. Kinetics of luminescence of certain tungstates and of zinc oxide, 9=12094

Arkhangel'skaya, V.A., Vainberg, B.I. and Razumova, T.K. Thermoluminescent monocrystals of CaSO$_4$–Mn, 9=9496

Arkhangel'skiĭ, F.K., Gashev, M.A., Komar, E.G., Malȳshev. I.F. and Monoszon, N.A. Electrotechnical and constructional problems of large cyclic accelerators, 8=1727

Arkhangel'skiĭ, M.E. and Afanas'ev, V.Ya. Study of the photodiffusion method of rendering ultrasonic fields visible, 8=4820

Arkhanguelskaia, V.A. and Feofilov, P.P. On the narrow bands in the luminescence spectrum of some crystals at low temperatures, 7=4219

Arkharov, V.I. (Transl.) Investigation of internal adsorption of carbon in α-iron by the study of internal friction, 9=6302

Arkharov, V.I. and Pen'tina, A.A. An investigation of the influence of the relative orientation of crystallites on the processes occurring at intercrystalline boundaries. II. The influence of the relative orientation of crystallites on the degree of irregularity of distribution of the concentration of pyrophoric [gorofil'nil] impurity, antimony in copper, 8=4457

Arkharov, V.I. and Vangengeĭm, S.D. An X-ray investigation of intercrystalline internal adsorption in silver-based alloys, 8=4437. On the problem of the factors which influence the internal adsorption effect in solid solution, 8=4438

Arkhipov, R.G. Behaviour of particles of a small effective mass in superfluid helium, 8=1655. The thermodynamic functions of superfluid helium films, 8=1657. Flow instability of a superfluid film, 8=3042

Arkhipov, R.G. and Khalatnikov, I.M. Propagation of sound across a boundary between two superfluid phases, 8=1564

Arkhipova, I.A. See Rzhanov, A.V., 8=6980

Arkuszewski, J. "Two and a half group" equations and their application to uranium–water systems, 9=709

Arlick, A.B. Spontaneous generation of negative charge beneath a column of water, 6=6260. On some unusual V^0-particle decays, 7=4761

Arlov, A.P. See Manley, R. St. J., 5=6790

Arman, A. See Kovásznay, L.S.G., 8=2091

Armbruster, P., Maier-Leibnitz, H. and Zimmer, E. Alternating light method for the demonstration and measurement of the line-width of sodium resonance light, 9=13141

Armbruster, R. A contribution to the experimental investigation of the excited levels of several light nuclei using the angular correlation of internal-conversion pairs and monopolar pairs, 8=6222. See also Gorodetzky, S., 5=3079, 5=9899, 6=635, 6=2198, 6=2201, 6=4626, 6=5967, 6=7683, 7=1574, 7=5600, 7=7342, 8=3353, 8=5333, 9=1751-2, 9=12669

Armellini, G. On a lower limit for the maximum density of a rotating gaseous mass. 6=5660

Armenteros, R. See also d'Andlau, C., 7=3701, 8=1205

Armenteros, R., Gregory, B., Hendel, A., Lagarrigue, A., Leprince-Ringuet, L., Muller, F. and Peyrou, C. Further discussion of the Kμ decay mode, 5=6499

Armenteros, R., Gregory, B., Lagarrigue, A., Leprince-Ringuet, L., Muller, F. and Peyrou, C. The sign of the Kμ-particle, 5=6504. Results on charged V-particles, 5=6525

Armington, J.C. Amplitude of response and relative spectral sensitivity of the human electroretinogram, 6=851. See also Biersdorf, W.R., 7=4929

Armington, J.C. and Biersdorf, W.R. Flicker and color adaptation in the human electroretinogram, 6=5572

Armington, J.C. and Thiede, F.C. Selective adaption of components of the human electroretinogram, 5=666

Armitage, B.H. See also Evans, P.R., 9=2409

Armitage, B.H. and Rosser, W.G.V. The β-decay of ^{185}W, 8=1931

Armstrong, A.H. See also Cranberg, L., 7=3736. Frye, G.M., Jr., 8=2494

Armstrong, A.H. and Brolley, J.E., Jr. 14-MeV(n α) and (n, p) cross-sections in zirconium. II, 5=9098

Armstrong, A.H. and Frye, G.M., Jr. Reaction $B^{11}(n, \alpha)Li^{8}(\beta^{-})$ $Be^{8*}(2\alpha)$ for 12- to 20-MeV neutrons, 6=6910. Antiproton annihilation in nuclear emulsion, 9=9955

Armstrong, B.H. See also Kelly, P., 9=7312

Armstrong, B.H. and Kelly, H. P. Asymptotic hydrogenic matrix elements and gaunt factors, 9=12721

Armstrong, D., Madsen, P.E. and Sykes, E.C. Cathodic bombardment etching of nuclear materials, 9=11624

Armstrong, E.B. A note on the diurnal variation of the OH emission in the nightglow, 6=9093. The observation of line profiles in the airglow and aurora with a photoelectric Fabry—Perot interferometer, 6=9109

Armstrong, E.B. and Dalgarno, A. [Ed] The Airglow and the aurorae, 6=9113

Armstrong, G.M. See Watson, M.T., 5=7439

Armstrong, G.T. Vapor pressure of nitrogen, 5=3684

Armstrong, G.T., Brickwedde, F.G. and Scott, R.B. Vapor pressures of the methanes, 6=3678

Armstrong, G.T., Wong, P.K. and Krieger, L.A. Use of a direct current amplifier and recorder to balance a Mueller resistance bridge, 9=9562

Armstrong, H.L. A way of representing the motion of a classical system as being along a geodesic in space-time, 5=766. An additional observation on thermal effects in point contact rectifiers, 5=1837. On deriving the formulas for electromagnetic and other forces from the interaction energy of the fields, 6=2252. On open circuit transient effects in point-contact rectifiers, 7=387. The magnetic fields of isolated moving charges, 7=4560. On a space-time representation of nonrelativistic wave mechanics, 7=5074. On impact ionization in semiconductors, 8=4995. On avalanche multiplication in semiconductor devices, 8=7914

Armstrong, J. A. See Beer, A.C., 8=5874

Armstrong, M. See Seehof, J., 8=8048

Armstrong, N.H.K. See Coulter, J.R.M., 9=3537

Armstrong, P.E., Carlson, O.N. and Smith, J.F. Elastic constants of thorium single crystals in the range 77-400°K, 9=6321

Armstrong, R.A. See Crowell, C.R., 9=12379

Armstrong, R.H. and Kelber, C.N. Argonaut—Argonne's reactor for University training, 7=9899

Armstrong, R.L. See Srirama Rao, M., 9=2006

Armstrong, W.E. and Davis, R.J. Modifications to a travelling microscope used for measuring X-ray powder photographs, 8=3580. A method of preparing and filling plastic tubes for specimens for X-ray powder photographs, 8=4530

Arnal, R. Influence of the concentration of surface hydrogen on the threshold of microdischarges in vacuo, 5=3805. Electrical microdischarges in dynamic vacua, 6=1270. The influence of the (electrodes) surface state in electrical discharges in a vacuum, 6=6673. Combination of an electron emission microscope with a reflection diffraction camera, 9=3571. See also Goutte, R., 7=5345

Arnal, R. and Gonçalves, C. Combination of emission [electron] microscope and reflection-diffraction camera, 7=9717

Arnaud, C. St. See St Arnaud, C.

Arndt, D. See Dingle, R.B., 8=843-5

Arndt, U.W. Structure of semi- and non-crystalline materials, 6=1650

Arndt, U.W. and Nelson, J.B. [Conf. rep.] Summarized proceedings of a conference on X-ray analysis - London, November, 1953, 5=1352

Arndt, U.W. and Riley, D.P. The structure of some proteins as revealed by an X-ray scattering method, 5=3289

Arndt, W., Bodmann, H.W. and Muck, E. Glare from single light sources in the field of view, 9=5287

Arnell, S.E., Dubois, J. and Almén, O. Half-lives of the positon emitting mirror nucleides, 8=6232

Arneson, A.D. See Heindsmann, T.E. 5=4487

Arneth, R. The absorption of ZnO crystals in the infrared, 8=6847

Arnikar, H.J. and Chemla, M. Diffusion of $^{22}Na^{+}$, $^{42}K^{+}$and $^{137}Cs^{+}$ in single crystals of KCl, 6=6208

Arnold, D.L. See Schoepfle, G.K., 9=2024

Arnold, G.P. See Yarnell, J.L., 8=6924, 9=6846

Arnold, G.W., Jr. Comment on "Color centers in smoky quartz", 5=5090Arnold, J.E. See Misrahy, G.A., 9=1968, 9=1978

Arnold, J.R. "Smoothed potential" theory of chemical binding, 6=2517. New liquid scintillation phosphors, 6=4330. See also Handler, G.S. 9=8382

Arnold, J.R. and Al-Salih, H.A. Beryllium-7 produced by cosmic rays, 5=6657

Arnold, J.S. and Martner, J.G. Method for analyzing vibration at a surface point, 9=1174. Description of the resonances of short solid barium titanate cylinders, 9=4396

Arnold, J.T. Magnetic resonances of protons in ethyl alcohol, 6=3832. See also Anderson, W.A., 6=1387

Arnold, R. Recent experiments on graphite, 5=10089. Elastic properties of artificial graphite, 7=12832

Arnoldy, R. See Winckler, J.R., 8=6560

Arnold, S.M. and Koonce, S.E. Filamentary growths on metals at elevated temperatures, 7=845

Arnold, W.H. See also Hodson, A.L. 5=1226

Arnold, W.H., Ballam, J., Lindeberg, G.K. and Van Lint, V.A.J. Example of the cascade decay of a negative hyperon, 5=6501

Arnold, W.H., Ballam, J. and Reynolds, G.T. Cloud-chamber observations on charged V-particles, 6=688

Arnold, W.H., Jr, Martin, W. and Wyld, H.W. Anomalous neutral V-particles, 6=3257

Arnott, R.J. See Wold, A., 9=428, 9=9001

Arnoult, R. and Fontaine, J. On the specific inductive capacity and the index of refraction of solutions of polar bodies (nitrobenzene, acetone, dichlorethane) in a non-polar solvent (benzene), 5=2705

Arnous, E. Note on the Tamm-Dancoff method, 5=9430. On the Tamm-Dancoff method, 5=9431. The problem of bound states and the model of nucleon interactions with meson pairs (Wentzel's model), 6=4823. Theory of the Lamb-Retherford effect, 6=6083. Eigenfunctions and properties of pathological states in field theory, 6=7117. Study of the number of virtual mesons on a simple model, 7=8403

Arnous, E. and Heitler, W. The self-stress problem and the limits of validity of quantized field theories, 6=2644. Non-local interaction and universal cut-off, 9=9205

Arnowitt, R. See Girardeau, M., 9=5375

Arnowitt, R. and Deser, S. Renormalization of derivative coupling theories, 6=85. High-energy multiple photon production, 6=2646. Quantum theory of gravitation: general formulation and linearized theory, 9=5345

Arnowitt, R. and Feldman, G. Behavior of the meson nucleon cross section at high energies, 8=4744

Arnowitt, R. and Gasiorowicz, S. Renormalization of a covariant approximation scheme in field theory, 5=2405

Arnowitt, R. and Teutsch, W.B. Decay of charged $\bar{K}$ mesons, 7=3705

Arnowitt, R.L. Phenomenological approach to a unified field theory, 7=2955

Arnshteĭn, É.A. The phenomenon of crystallization in statistical physics, 7=5718*

Arns, R.G., and Sund, R.E. and Wiedenbeck, M.L. Nuclear resonance fluorescence in Mg^{24}, 9=6098. The level structure of Dy^{160}, 9=8532

Arns, R.G. and Wiedenbeck, M.L. Directional correlation of gamma rays in Ge^{72}, 9=2756. Analysis of gamma—gamma angular correlations involving multipole mixtures, 9=3877

Arnulf, A. Phosphorescent telescopes, 5=6071

Arnulf, A., Bricard, J., Curé, E. and Véret, C. Transmission by haze and fog in the spectral region 0.35 to 10 microns, 7=6771

Arnulf, A., Bricard, J. and Véret, C. Optical installation for the study of atmospheric transparency, 5=9296

Arnulf, A. and Cagnet, M. The measurement of faults in homogeneity of glass by immersion with a thin film, 6=4346

Arnulf, A. and Dupuy, O. Use of images with strong negative coherence for indication of the position and defects of lines, 8=6893

Arnulf, A., Dupuy, O. and Flamant, F. Extrafoveal vision and its utilization in optical instruments, 7=6795

Arnulf, A., Ouillet, J. and Penciolelli, G. Catadioptric objective with a large aperture, 6=5751

Aroeste, H. Theory of melting and yield strengths, 5=5360. See also Baldursson, S. 9=12184. Levine H.B., 7=4014, 7=5929. Penner, S.S., 6=1971

Aroeste, H. and Benton, W.C. Emissivity of hydrogen atoms at high temperatures, 6=1941

Aroeste, H. and Jameson, W.J., Jr. Short-range interaction between a hydrogen molecule and a hydrogen atom, 9=6210

Aroeste, J. See Penny, H.C. 5=8125

Aron, A. Electromotive force and thermoelectric power of the aluminium-silver couple, 5=3796. Variation of thermoelectric power of an aluminium/silver couple by modification of the hot soldering under the effect of a chemical reaction or by the introduction of conductors or semiconductors, 6=6661. Juxtaposition thermocouples in the form of thin films, 7=9207. Absorption curve of fallout products, 7=9374. See also Gross, B. 9=12908

Aron, A. and Gross, B. An observation on the radioactivity of the air resulting from nuclear bomb experiments, 9=4154

Aron, J. and Groetzinger, G. Longitudinal photomagnetoelectric effect in germanium, 6=340

Aron, W. and Zuchelli, A.J. Contribution to Lamb shift due to finite proton size, 7=5570

Aron, W.A. See Bichsel, H., 7=5407. Reynolds, G.T., 5=9134

Aronova, P.M. See Startsev, V.I., 9=13857

Aronovich, G.V. See Nelmark, Yu. I., 6=4898

Aronson, S. and Belle, J. Nonstoichiometry in uranium dioxide, 9=1897

Aronson, S., Roof, R.B., Jr and Belle, J. Kinetic study of the oxidation of uranium dioxide, 7=8239

Aronsson, B. The crystal structure of Mo_5SiB_2, 9=1939

Arp, F. Statistical treatment of measurements on the perceptual properties of the human eye, 9=6420. See also Kroebel, W., 8=9193, 9=6419

Arp, H.C. Reduction of photoelectric observations by an electronic computer, 9=10500

Arpiarian, N. Action of iron on gold activated zinc sulphides, 5=5334. Action of nickel and cobalt on ZnS(Au) phosphors. Displacement of Fermi level by variation in concentration, 5=6934. Existence of an intensifier effect of the iron group elements and situation of a Fermi level in luminescent sulphides, 7=4193

Arregger, C.E. Solarization technique for interferograms, 7=3169

Arrighi, G. On anisotropic models in Newtonian cosmology, 7=2919

Arrott, A. Criterion for ferromagnetism from observations of magnetic isotherms, 8=8114. Magnetometallurgy—applications and techniques, 8=9198. See also Pugh, E.W., 7=3447. Sato, H., 8=8909; 9=7150, 9=11200; Watson, J.H.L., 8=8926

Arrott, A., Coles, B.R. and Goldman, J.E. Magnetic susceptibility of α-manganese at low temperatures, 5=8081

Arrott, A. and Goldman, J.E. Principle for null determination of magnetization and its application to cryogenic measurements, 7=4521 Magnetic analysis of the uranium-oxygen system, 8=9175

Arrott, A. and Sato, H. Transitions from ferromagnetism to antiferromagnetism in iron–aluminium alloys. Experimental results, 9=11199

Arsac, A., Basquin, L., Denisse, J.F., Delcroix, J.L. and Salmon, J. Calculation of the eigenvalues of the elastic collision operator of a Lorentz gas. Study of some common cases, 9=4362

Arsac, J. A new serial system for radioastronomical observation of the brightness of the sun on 9,350 Mc/s, 5=5176. Transmission of spatial frequencies in short-wave receiver systems, 6=874*. The interferometric study of brightness distribution in radioastronomy. I. 6=5616; II. The approximations reached in reception by a directive aerial; III. Realization of the [aerial] system, 7=19*; IV-VI, 7=1844. Application of approximation theories to the study of optical images, 6=8078. Application of mathematical theories of approximation to aerial smoothing in radio astronomy, 7=6822. Approximate correction to the lobe effect in radioastronomy, 9=6683. Attempted determination of the very small apparent diameters in radioastronomy, 9=9135. See also Alon, I., 5=4292

Arsen'eva-Geĭl, A.N. Energy distribution of the electrons in the external photo-effect of germanium containing admixtures, 6=5875

Arsenin, V.Ya. and Yanenko, N.N. Interaction between shock waves and travelling waves, 7=3072

Arshinov, A.A. and Musin, A.K. Thermal emission of electrons from carbon particles, 8=4094. Equilbrium ionization of particles, 8=8064

Artandi, C. and Stonehill, A.A. Polyvinyl chloride—new high-level dosimeter, 8=6099

Arthur, J.B., Bardsley, W., Brown, M.A.C.S. and Gibson, A.F. Carrier extraction in germanium, 5=1834

Arthur, J.B., Bardsley, W., Gibson, A.F. and Hogarth, C.A. On the measurement of minority carrier lifetime in n-type silicon, 5=3774

Arthur, J.B., Gibson, A.F. and Granville, J.W. The effect of high electric fields on the absorption of germanium at microwave frequencies, 7=2454

Arthur, J.B., Gibson, A.F., Granville, J.W. and Paige, E.G.S. The diffusion constant, mobility and lifetime of minority carriers in germanium containing parallel arrays of dislocations, 8=7940

Arthur, J.B., Gibson, A.F. and Gunn, J.B. Carrier accumulation in germanium, 6=8190. Current gain at L-H junctions in germanium, 6=8191

Arthurs, A.M. The description of the ejected electrons in K-shell ionization, 9=11152

Arthur, A.M., Bond, R.A.B., and Hyslop, J. The oscillator strengths of the $1s\sigma-2p\sigma$, $2p\sigma-2s\sigma$, $2p\sigma-3d\sigma$, and $2p\sigma-2p\pi$ transitions of HeH^{2+}, 7=9786

Arthurs, A.M. and Hyslop, J. The oscillator strengths of the $1s\sigma-2p\pi$, $2p\pi-2s\sigma$ and $2p\pi-3d\sigma$ transitions of HeH^{2+}, 7=7270. Radiative charge transfer from H atoms to He^{2+} ions, 8=1287

Artman, J.O. Ferromagnetic resonance in metal single crystals, 7=2400. Microwave resonance relations in anisotropic single crystal ferrites, 7=3445. Effects of size on the microwave properties of ferrite rods, disks, and spheres, 7=4537. Ferromagnetic resonance absorption by thin conducting films in cavities, 7=6339. Microwave resonance relations in anisotropic single-crystal ferrites, 7=8012. See also Bloembergen, N., 9=8354. Foner, S., 9=456

Artman, J.O., Bloembergen, N. and Shapiro, S. Operation of a three-level solid-state maser at 21 cm, 8=4173

Artman, J.O. and Gordon, J.P. Absorption of microwaves by oxygen in the millimeter wavelength region, 5=847

Artman, J.O. and Tannenwald, P.E. Measurement of susceptibility tensor in ferrites, 5=9768

Artman, R.A. See Tyndall, E.P.T. 5=4136

Artmann, K. Hybridization, equilibrium angle and normal vibrations of H_2O and related molecules, 5=431. Under what conditions is the amplitude form of a laterally bounded wave complex? 5=816. The quantum-theoretical bases of directed valence, 5=9221. Determination of the structure of the distended molecule from the energy minimum, 6=2275. Spin valence and real molecule, 6=4575. Consideration of the electron correlations in quantum chemistry, 8=5448. The importance of the Hartree atomic eigenfunctions in quantum chemistry, 8=7451

Artna, A. See Nablo, S.V., 9=2731

Artom, M., Bisi, V. and Gentile, C. Photometric measurements of ionization in nuclear emulsions, 8=7225

Artom, M. and Gentile, C. Spectrophotometry with interference filters, 9=3270

Artsdalen, E.R. Van. See Van Artsdalen, E.R.

Artsimovich, L.A., Luk'yanov, S.Yu., Podgornyĭ, I.M. and Chuvatin, S.A. Electrodynamical acceleration of plasma bunches, 8=3262

Artyushkov, E.V. See Karchevskii, A.I., 9=13424

Aruga, M. See Koga, I., 9=134

Arutyunian, F.R. See Alikhanian, A.I., 9=8470

Arutyunyan, F.R. Investigation of multiple scattering of protons, 8=7371. See also Alikhanyan, A.I., 9=12570

Arutyunyan, V.M. See Sokolov, A.A., 9=11842

Arvieu, R. On the vibrational spectrum of the Cd^{114} nucleus, 9=12611

Arvin, M.J. and Tipsord, R.F. Hall coefficient of molybdenum disilicide, 9=11058

Arvola, W.A. See Moler, W.F., 8=5546

Arvola, Y. A method for the determination of a glass combination for a cemented telescope objective, 6=5754

Arȳnov, A. Determination of the relativistic gas flow with axial symmetry (the vortex case), 9=9290

Arzeliès, H. Use of the Lorentz transformation for relative velocities greater than c, 7=8975

Arzeliès, H. and Henry, J. Laws of static electricity and magnetism in an arbitrary frame of reference, 9=462

Arzhanȳkh, I.S. The representation of the electromagnetic field by retarded potentials, 5=8491. Coupled systems of the meson field, 7=1903. Representation of the meson field by retarded potentials, 7=3960. Certain algorithm in quantum mechanics, 9=9244. On the differential equations of the motion of a mesonic charge, 9=10610

Asaad, A.S. See Allen, C.W., 7=239, 9=11999

Asaad, W.N. and Burhop, E.H.S. The K Auger spectrum, 8=1995

Asada, T., Furuta, J., Masuda, M., Koga, T., Okumura, M., Hiraoka, E., Ookuma, J. and Fujita, H. 24 MeV betatron of Osaka University, 9=351

Asada, T., Masuda, M., Okumura, M. and Okuma, J. Angular distribution of photo-neutrons produced by 17 MeV X-rays, 9=8458

Asada, T., Nakaya, T. and Mamuro, T. Influence of external radiation on an A-Hg discharge tube, 5=4695

Asagoe, K. and Tani, N. On the luminescent behaviors of ZnS phosphors under the influence of a.c. electric field, 6=8126

Asai, K. On chemical change of n-higher alcohol caused by the influence of strong electric field, 5=9642

Asai, K., Yoda, E. and Yamanaka, S. On the anomaly of the dielectric properties of n-higher alcohols, 5=9626

Asaka, S. Application of the thin-wing-expansion method to the flow of a compressible fluid past a symmetrical circular arc aerofoil, 5=6088*

Asanabe, S. Electrical properties of InBi, 9=4563. Electrical properties of stannous selenide, 9=9635

Asanabe, S. and Okazaki, A. Electrical properties of germanium telluride GeTe, 9=310. Anomalous behaviour in the Hall coefficients of the semiconducting compounds SnSe and GeSe, 9=11060

Asano, S. On the spectral distribution of infrared-stimulated phosphorescence of Pb activated ZnS type phosphors, 6=1097. On the infrared-responsive behaviors of (zinc: cadmium–sulphide: selenide) - type phosphor families. III. Zinc–sulphide: selenide phosphors(2), 6=8693. IV. Zinc: cadmium–sulphide phosphors, 6=8694. V. Zinc: cadmium–sulphide: selenide phosphors, 6=8695. VI. General survey and summary, 6=8696

Asano, S. and Kishimoto, T. Influence of flux on the luminescent properties of Cu-activated CaS phosphors, 8=2973

Asano, S. and Tomishima, Y. Calculation of the cohesive energy of zincblende, 6=6816. Rotational lattice vibration in complex crystals. I. Vibrational modes and specific heat, 8=5457; II. Vibrational modes in optical branches and interaction with a conduction electron, 8=5458; III. Vibrational frequencies in cubic $NaClO_4$ crystals, 8=5459. Lattice defects in zincblende. I. Phenomenological expressions of interionic potentials, 9=11551. II. Formation energy of lattice defects, 9=11552

Asanov, A.R. Note on a variant of non-local field equations, 7=98

Asanuma, M. and Ogawa, S. On the magnetic aging of [commercially] pure iron, 5=5511; II, 6=1370. On the magnetic aging of commercial pure iron, 9=8309

Asaro, F. See also Hummel, J.P., 5=4904. Smith, W.G. 7=1558. Stephens, F.S., Jr, 5=2073, 6=1468, 8=734, 8=2554, 9=4972

Asaro, F. and Perlman, I. Table of alpha-disintegration energies of the heavy elements, 5=2101. Decay properties of U^{232}, 5=8189. Alpha-particle and gamma-ray spectra of the U^{230} decay series, 7=1553. Isomeric state of uranium-235, 7=9822. Table of alpha-disintegration energies of the heavy elements, 8=1237

Asaro, F., Stephens, F.S., Jr, Gibson, W.M., Glass, R.A. and Perlman, I. Alpha-decay properties of Am^{239}, 6=2352

Asaro, F., Stephens, F.S., Jr, Harvey, B.G. and Perlman, I. Complex alpha and gamma spectra of $Cf^{250, 252}$, 6=613

Asaro, F., Stephens, F.S. Jr, Thompson, S.G. and Perlman, I. Gamma rays of 100^{254}, 5=4914

Asatiani, T.L. and Khrimyan, G.V. Investigation of nuclear disintegrations produced by the charged component of cosmic radiation, 8=1763

Åsbrink, S. and Magnéli, A. Crystal structure studies on trititanium pentoxide, Ti_3O_5, 9=13923

Ascah, R.G. See Moessen, G.W. 5=2669

Ascari, A. Effectiveness of control rods in a cylindrical reactor, 6=6173

Ascari, A. and Orsoni, L. The dynamics of reflected thermal reactors. I, 6=6174; II, 6=6175

Asch, G. Magnetic resonance of polycrystalline cobalt at 35.5 kMc/s as a function of temperature, 9=4806

Asch, G. and Meyer, A.J.P. Magnetic resonance of $MnAu_2$, 8=4132

Aschenbrand, L.M. See Marmo, F.F., 6=9130; Pressman, J. 6=9128; Zelikoff, M. 5=594-5, 6=4722, 7=826, 7=8245

Aschenbrenner, F.A. Low-energy protons from targets bombarded by 15-MeV deuterons, 5=5631

Ascher, E. See Choquard, P., 9=6912. Perrier, A.-L. 5=4787

Ascher, E.A. Hall effect, spontaneous magnetization and temperature, 6=3843

Ascoli, A., Asdente, M. and Germagnoli, E. On the ratio between γ- and α-activities in ^{210}Po, 7=7333. On the atomic displacements produced by α-particles in germanium, 7=8619

Ascoli, A., Asdente, M., Germagnoli, E. and Manara, A. Activation energies for the production and migration of vacancies in platinum, 9=8086

Ascoli, A. and Germagnoli, E. Measurements of the thermal resistance of flat uranium and aluminium surfaces in contact, 7=3190. Considerations on the thermal resistance between polished metal surfaces in contact, 7=3181

Ascoli, A., Germagnoli, E. and Mongini, L. On intermetallic diffusion in gold-lead system, 6=6951

Ascoli, G. Transformation of "spin direction" by ordinary Lorentz transformation, 8=7679

Ascoli, G., Hill, R.D. and Yoon, T.S. K^- meson exposures in water-soaked emulsions, 8=1883. Interaction of negative K mesons with protons, 9=2645

Ascoli, R. On the emission of photons in the approximation of Bloch and Nordsieck, 5=7689. On Bloch and Nordsieck's divergence, 5=9406. The infra-red and the Bloch–Nordsieck divergences, 7=5826. Two components spinor equation, 8=5636. On the emission of low energy photons from a quantized system, 9=7809. See also Ascoli-Balzanelli, A., 8=1799

Ascoli, R. and Bussetti, G. On the polarization of Bremsstrahlung, 6=7465. On the study of the bremsstrahlung by Bloch and Nordsieck's method, 6=7466

Ascoli, R. and Heisenberg, W. On the quantum theory of non-linear wave equations. IV, 9=2100

Ascoli, R. and Minardi, E. On the unitarity of the S-matrix in quantum field theories with indefinite metric, 8=6642. On quantum theories with indefinite metric, 9=2104

Ascoli-Balzanelli, A. and Ascoli, R. The Čerenkov effect produced by single particles in gases, 8=1799

Asdente, M. See also Ascoli, A., 7=7333, 7=8619, 9=8086

Asdente, M., Bisi, A., Germagnoli, E. and Zappa, L. On the ratio between the activation cross sections of ^{84}Sr and ^{88}Sr for slow neutrons, 6=7693

Aseev, G.G. See Sinel'nikov, K.D., 8=3402, 8=8375

Asendorf, R.H. Space group of tellurium and selenium, 7=8291

Ash, E.A. Use of space charge in electron optics, 5=5440. See also Gabor, D., 6=1271

Ash, E.A. and Gabor, D. Experimental investigations on electron interaction, 5=3824

Ash, M. Solutions of the reactor kinetics equations for time varying reactivities, 6=8965

Ashburn, E.V. The altitudes of the luminous layers in the earth's atmosphere, 5=4237. Measurements of the specific intensities of the auroral green line at College, Alaska, 5=4244. Photometry of the aurora, 5=9307. Measurement of auroral radiation 3200 Å with a photon counter (Geiger tube), 7=2876. See also St. Amand, P., 5=6654

Ashburn, E.V., Pentoney, C.P., Hohanshelt, Z.W., and Weldon, R.G. Narrow pass band albedometer, 6=2790

Ashburn, E.V. and Weldon, R.G. Spectral diffuse reflectance of desert surfaces, 6=7087

Ashby, V.J. See also Martina, E.F., 5=9976

Ashby, V.J., Catron, H.C., Newkirk, L.L. and Taylor, C.J. Absolute measurement of (n, 2n) cross sections at 14.1 MeV, 9=692

Ashe, J.B. See Okhuysen, P.L., 9=3708

Ashenhurst, R.L. See Minnick, R.C., 5=5816

Ashizawa, F.T. See Kuroda, P.K., 7=2618

Ashkin, A. Electron beam analyzer, 8=3175. Dynamics of electron beams from magnetically shielded guns, 9=2391. Parametric amplification of space charge waves, 9=2533
Ashkin, J. See also Cowan, R.D., 7=3561
Ashkin, J., Blaser, J.P., Feiner, F., Gorman, J.G. and Stern, M.O. Total cross sections for negative and positive pions in hydrogen and deuterium, 5=1228
Ashkin, J., Blaser, J.P., Feiner, F. and Stern, M.O. Pion-proton scattering at 150 and 170 MeV, 6=2433. Pion-proton scattering at 220 MeV, 7=3719
Ashley, J.E. See Koontz, P.G., 5=5475
Ashley, L.E. and Cobb, C.M. Single particle scattering functions for latex spheres in water, 8=2262
Ashley, R.L. Effective-energy method for spent-fuel shielding, 9=3941
Ashmore, A. See also Brown, G.E., 8=2588
Ashmore, A., Collinge, B. and Sen, S.K. Improved performance of photomultipliers in scintillations counters, 9=8410
Ashmore, A., Diddens, A.N., Huxtable, G.B. and Skarsvåg, K. A measurement of the spin correlation coefficient C_{nn} in p–p scattering at 382 MeV, for 90° centre of mass scattering angle, 8=8224
Ashmore, A., Jarvis, R.G., Mather, D.S. and Sen, S.K. The energy spectrum of the 350 MeV neutron beam from the Liverpool synchrocyclotron, 8=274. Nuclear total cross-sections for 350 MeV neutrons, 8=346
Ashmore, A., Mather, D.S. and Sen, S.K. The elastic scattering of 350 MeV neutrons by complex nuclei, 8=3382
Ashmore, A., Nordhagen, R., Strauch, K. and Townes, B.M The gamma-rays from muon catalysed fusion of hydrogen and deuterium, 8=1270
Ashmore, P.G. See also Wright, P.G., 9=6312
Ashmore, P.G. and Levitt, B.P. Thermal reaction between hydrogen and nitrogen dioxide, 6=1676
Ashton, F., Kisdnasamy, S. and Wolfendale, A.W. The use of the neon flash-tube for the precise location of particle trajectories, 8=6100
Ashton, H.M. and Guggenheim, E.A. A new method for determining the second virial coefficient of a gas, 7=166*
Ashton, H.M. and Halberstadt, E.S. Refractivity of gases and its use in calculating virial coefficients, 8=4850
Ashworth, F. See Alderson, R.H., 7=7452
Askar'yan, G.A, On the influence of the pulsations of the meson cloud of the nucleon on the probability of interaction of particles, 5=56 . On the generation of radio waves in the millimetre region by passing an electron cloud through a retarding medium, 5=7209. Prospects for the use of impulse multigrid electron-optic tubes to record tracks of ionizing particles in luminescent media, 5=8858. A gas bubble chamber—a possible recorder of the elementary process of interaction of ionizing radiation with matter, 5=8866. The radiation of a rapidly moving electric image of a uniformly moving charge, 6=7468. On the density of bubbles along the track of an ionizing particle in an overheated liquid, 7=489. Problem of the mechanism of triggering of boiling of metastable liquid systems by ionizing irradiation, 7=4484. Coherent scattering and radiation of electromagnetic waves by a plasma in a non-uniform magnetic field, 8=1790. On some new possibilities for the detection of ions in metastable liquids, 8=1800. Determination of the velocity of ionizing particles using a high-frequency electric field for track making, 9=13524. The acceleration of charged particles in travelling or standing electromagnetic waves, 9=12415
Askey, C.M. See Palmatier, E.D., 5=3125
Askochenskiĭ, A.A. See Perekalina, T.M., 8=8916
Askovitz, S.I. Vector resultants obtained graphically through centroids, 7=4958. Centroids, vectors, and least squares, 8=3631. Centroids of negative masses and weighted vectors, 9=3170
Askowith, J.G. and Sitte, K. Penetrating showers in light and heavy elements, 5=1963
Aslam Khan, M. AlH [aluminium hydride] bands at 2173 A and 2101 A, 8=955
Åslund, N. See Krantz, B.Å., 6=6503, 7=4214
Asmus, E. and Wunderlich, H. The proof of an approximate formula for the calculation of filter errors, 6=178
Aspin, N. See Johns, H.E., 9=9892
Aspinall, E. See Ayers, E.W., 6=7232
Asplund, I. See also Hartmann, B., 8=7347
Asplund, I. and Wiedling, T. On the possible existence of a zero-spin excited state in Ca^{42}, 9=11428
Assaly, R.N. Experimental investigation of a homogeneous dielectric sphere as a microwave lens, 9=2537
Asselmeyer, F. and Bienert, W. The treatment of Rochelle salt surface, 8=7597
Asselmeyer, F. and Riedel, H. A highly sensitive hair hygrometer, 9=2143
Assies, M.A. and Jongen, H.F. Cosmic ray intensity during solar flare of February 23, 1956, 6=5990
Astaf'ev, V.A. Double scattering of relativistic π-mesons on nucleons, 9=12597
Astafurov, A.V. Luminescence of ice in a strong electric field, 8=990. Electric breakdown of thick ice layers by pulses, 9=12338
Astashev, N.N. See Semenkovich, S.A., 8=7641
Astbury, A., Hussain, M., Kemp, M.A.R., Lipman, N.H., Muirhead, H., Voss, R.G.P. and Kirk, A. A measurement of the effect of the Coulomb field of a nucleus on the decay rate of the negative muons, 9=9967
Astbury, A., Kemp, M.A.R., Lipman, N.H., Muirhead, H., Voss, R.G.P., Zangger, C. and Kirk, A. Capture rates for negative muons in various elements, 9=1671
Astbury, J.P. A review of anomalous V^0-decays, 5=6494. See also Alexander, G., 6=768
Astbury, P., Bonetti, A., Ceccarelli, M., Dallaporta, N., Franzinetti, C., Friedlander, M. and Tomasini, G. Report of the Committee on charged hyperons, 5=6483
Astheimer, R.W. and Wormser, E.M. High-speed infrared radiometers, 9=5472. Instrument for thermal photography, 9=5472
Astier, A. See d'Andlau, C., 7=3701, 8=1205
Astin, A.V., Bullard, E.C. and Lewis, W.B. International comparisons of radioactivity standards, 6=1506
Astoin, N. On the absorption spectrum of the vapour of water and heavy water in the extreme ultraviolet, 6=6519. Spectrography in the extreme ultraviolet. Absorption of NO, N_2O, H_2O, and D_2O (gaseous), 9=4444. See also Granier, J., 6=4306. Johannin-Gilles, A., 7=5988
Astoin, N. and Granier, J. On the absorption spectrum of N_2O in the extreme ultra-violet, 6=1973. The vacuum ultraviolet absorption spectrum of nitrogen, 7=6996
Astoin, N., Vodar, B. and Romand, J. On the separation of spectra of different orders of a grating at grazing incidence in the far ultraviolet, 5=8589. See also Fuschillo, N., 7=5706. Moessen, G.W., 5=2669. Segall, H., 5=4842. Steele, W.A., 6=1709
Aston, J.G. and Gittler, F.L. Barrier hindering internal rotation in methylamine, 5=3932. The free energy and entropy of dissociation of methylammonium chloride from 276 to 313° K. The barrier hindering internal rotation, 5=8119
Aston, J.G., Mastrangelo, S.V.R. and Tykodi, R.J. Adsorption of helium of titanium dioxide, 5=10047
Aston, J.G., Segall, H. and Fuschillo, N. Molecular rotation and translation in crystals. Nuclear magnetic resonance absorption, heat capacity, and entropy of crystalline solid solutions of 2, 2-dimethylbutane in 2, 3-dimethylbutane from 10° K to 273° K. 6=5525
Aström, B. See Fields, P.R., 8=317. Rasmussen, J.O. 5=8202
Åström, E. Focusing of paraxial rays in a magnetic dipole field, 8=7156. On the theory of magnetic storms and aurorae, 8=7618. Electron orbits in hyperbolic magnetic fields, 8=8038. On density and isotropy of an ionized gas in a magnetic field, 9=12402. See also Alfvén, H., 8=4107
Åström, H.U. The solubility of nitrogen in α-iron, 5=3165. Isothermal measurements on the release of energy stored in cold-worked aluminium, 6=6977. Experimental studies on grain growth in metals, 8=6498. Calorimetric measurements on the structural energy of an annealed metal of high purity, 9=8785
Astrov, D.N., Borovik-Romanov, A.S. and Orlova, M.P. Magnetic properties of cobalt fluoride in the antiferromagnetic state, 8=2409
Asundi, R.K. See Krishnamurthy, P.V., 5=8030
Asunmaa, S.K. [K.S.] See also Lepsius, R. 5=467, 5=4879-80
Asunmaa, S.K. and Lepsius, R. Principal considerations in the periodic system of the elements. Cosmic abundances, 5=4881. Fundamental considerations in the periodic system of elements, 5=8170
Asunmaa, S.K, and Lepsius, R. Fundamental considerations in the periodic system of elements. Relations between nucleus and orbital electrons. 6=5332
Aswathanarayana, U. and Ramamurthy, S. Studies on diffusion.

I. Diffusion of radioactive matter through plates, 5=9984

Atakhodzhaev, A.K. See Vuks, M.F., 7=1111

Atal, B.S. See Pancholy, M., 9=150

Atalla, M.M. Tannenbaum, E. and Scheibner, E.J. Stabilization of silicon surfaces by thermally grown oxides, 9=8998

Atchison, W.F. See Wall, F.T. 5=6375, 6=3909, 7=8084

Aten, A.H.W., Jr. Corrected maximum β-energies of positron-emitters, 6=8353. The calculation of the age of the elements, 8=2732. See also Mallmann, C.A., 5=8211. Mirnik, M., 6=3938

Aten, A.H.W., Jr and De Feyfer, G.D. Rhenium 190, 5=9033

Aten, A.H.W., Jr, De Feyfer, G.D., Sterk, M.J. and Wapstra, A.H. The isomers of ^{190}Os and ^{190}Ir, 6=3936

Aten, A.H.W., Jr and de Vries-Hamerling, T. A short-lived ruthenium isotope, 5=9038. Formation and properties of neutron-deficient isotopes of rhodium and palladium, 6=2344

Aten, A.H.W., Jr and Pieterse, A.C. Formation and properties of selenium 71, 8=4287

Athay, R.G. The number of spicules in the middle chromosphere, 9=6462. The continuous spectrum of the low chromosphere, 9=7746. See also Pecker, J.-C., 5=4313

Athay, R.G. and Menzel, D.H. A model of the chromosphere from the helium and continuum emissions, 6=3445

Athay, R.G. and Orrall, F.Q. Physical conditions in the solar limb prominence observed at the 1952 eclipse, 8=4658

Athay, R.G. and Roberts, W.O. Coronal line intensities at the Khartoum eclipse, 5=5193

Athay, R.G. and Thomas, R.N. Temperature gradients in the chromosphere, 6=3446. Some characteristics of a chromospheric model, 6=3447. Lyman-α and the structure of the solar chromosphere, 7=4995. The numbers and motions of solar spicules, 8=4653. The chromosphere near active regions, 8=4657. On the use of the early Balmer lines to extend the photospheric model, 9=6457

Atherton, E. A nonpolarizing light modulator for the General Electric recording spectrophotometer, 5=2559

Atkins, D.F. See Dooley, M.E. 5=7894

Atkins, K.R. Slope of the λ curve of liquid helium, 5=5365. Thermal conductivity of liquid helium II in very narrow channels, 8=1653. Ripplons and the critical velocity of the helium film, 8=3945. Third and fourth sound in liquid helium II, 9=5630. See also Brueckner, K.A., 9=1380

Atkins, K.R. and Edwards, M.H. Coefficient of expansion of liquid helium II, 5=4598

Atkins, K.R., Edwards, M.H. and Pullan, G.T. A booster cryostat for temperatures down to 0.74°K, 5=1779

Atkins, K.R. and Flicker, H. Velocity of sound in liquid He^3, 9=5440

Atkins, K.R. and Lovejoy, D.R. A method of concentrating He^3-He^4 mixtures, 5=899

Atkins, K.R, Rosenbaum, B and Seki, H. Evaporation effects during superflow of liquid helium II, 9=5631

Atkins, K.R., Seki, H. and Condon, E.U. Flow of liquid helium through porous vycor glass. 6=5049

Atkins, W.R.G. and Poole, H.H. Uses of the globe photometer, 5=7809

Atkins, W.W. Flash associated with high-velocity impact on aluminium, 5=3198

Atkinson, H.H. Small angle scattering from cold-worked and fatigued metals, 8=4487. Small-angle scattering of X-rays and neutrons from deformed metals, 9=7043

Atkinson, H.H. and Hirsch, P.B. The theory of small angle scattering from dislocations. 8=2034. The theory of small angle scattering from extended dislocations, 9=802

Atkinson, H.H. and Lowde, R.D. Small angle scattering from deformed metals, 7=9431

Atkinson, H.H. Smallman, R.E., and Westmacott, K.H. Small-angle scattering of X-rays from neutron irradiated copper, 9=7044

Atkinson, J.H., Hess, W.N., Perez-Mendez, V. and Wallace, R.W. Neutron cross-section measurements at 4.5 BeV, 9=6138

Atkinson, J.R. Uncharged condensation nuclei, produced by ultra-violet light, 7=958. See also Wright, I.F., 6=3991

Atkinson, W.R. See also Fowler, R.G., 9=6162

Atkinson, W.R., Holden, W.R. and Fowler, R.G. Shock waves reflected by magnetic fields, 9=8257

Atlas, D. See Wexler, R., 7=3849

Atoji, M. Atomic polarizability, 6=8909. The electron density of the Thomas-Fermi atom in crystals, 7=5724. Anhydrite obtained by the dehydration of gypsum, 9=7592. The integral transformations of atomic scattering factors and their applications, 9=7632. Some new relations following from the Herglotz theorem, 9=7636

Atoji, M. and Lipscomb, W.N. Lorentz polarization factors for precession angles of 10°, 15° and 21°, 5=633. The X-ray scattering from a hindered rotator. III, 5=1353. The structure of SiF$_4$, 5=2323. B—Cl distance in boron trichloride, 7=8293. Molecular crystal structure of B$_8$Cl$_8$. I. Preliminary X-ray diffraction study, 9=12879

Atoji, M., Lipscomb, W.N. and Wheatley, P.J. Molecular structure of diborane tetrachloride, B$_2$Cl$_4$, 5=8145

Atoji, M. and Medrud, R.C. Structures of calcium dicarbide and uranium dicarbide by neutron diffraction, 9=10402

Atoji, M. and Rundle, R.E. Neutron diffraction study of gypsum, CaSO$_4$2H$_2$O, 9=6381. Crystal and molecular structure of diboron tetrachloride, B$_2$Cl$_4$, 7=8294

Atoji, M., and Williams, D.E. Deuterium positions in lanthanum deuteroxide by neutron diffraction, 9=10401

Attard, A.E. See Zitter, R.N. 9=13305

Atterling, H. See also Crut, M., 7=8150. Fields, P.R., 8=317. Leachman, R.B., 8=6315. Thulin, S. 5=3046, 5=3048

Atterling, H., Beydon, J., Crut, M. and Olkowsky, J. Transmutation of copper by carbon, oxygen and neon, 7=7367

Attia, E.A. See Kamel, R., 8=6458

Attix, F.H. High-level dosimetry by luminescence degradation, 9=13521

Attix, F.H. and DeLa Vergne, L. Plate-separation requirements for standard free-air ionization chambers, 5=3842. Plate separation required for standard free-air ionization chambers, 5=5474

Attix, F.H., DeLa Vergne, LeR. and Ritz, V.H. Cavity ionization as a function of wall material, 8=6003

Attix, F.H. and Ritz, V.H. A determination of the gamma-ray emission of radium, 8=4303

Attree, R.W., Cushing, R.L., Ladd, J.A. and Pieroni, J.J. Differential calorimeter of the Tian–Calvet type, 8=5850

Attree, R.W. and Dahlinger, O. Electrical resistivity of graphite irradiated with neutrons, 7=7859

Attree, R.W. and Plaskett, J.S. The self-energy and interaction energy of stacking faults in metals, 7=2822

Atwater, H.A. and Chalmers, B. Nucleation of lead with preferred orientation, 6=780. The influence of impurities on the macromosaic structures of tin and lead, 7=3813

Atwater, H.A., Lang, A.R. and Chalmers, B. Some observations on surface phenomena appearing on lead single crystals, 5=7497

Aub, M.R., Power, E.A. and Zienau, S. The influence of retardation on the London–Van der Waals force, 7=7319

Aubert-Huetz, M. and Huetz, J. of experimental results, 5=2461 U-tube. Examination of experimental results, 5=2461

Aubertin, C. See Henry, R., 7=8921

Auch, K. and Braunbek. W. On the representation of the types of motion of a free, linear oscillating system with two degrees of freedom, 5=8556

Auclair, J.-M. See also Vendryès, G. 5=2190

Auclair, J.-M., Breton, C., Hubert, P., Joly, R. and Tachon, J. Comparison of the fission cross-sections for thermal neutrons of U^{233} and Pu^{239}, 5=8261

Auclair, J.M., Hubert, P., Joly, R. and Vendryès, G. Measurement of the effective capture cross-section of U^{236} for a pile spectrum of neutrons, 6=670

Auclair, J.M., Hubert, P. and Vendryès, G. Study of the fission cross-sections of U^{233}, U^{235} and Pu^{239} for slow neutrons, 5=8260. Neutron spectrometer using crystal diffraction, 6=712

Auclair, J.M., Landon, H.H. and Jacob, M. Study of the variation of the mean number of neutrons produced in the fission of Pu^{239}, 6=2421. Study of the variation in the number of neutrons emitted by the fission of Pu^{239} in the thermal and epi-thermal ranges, 7=1622

Audran, R. and Dighton, D.T.R. Devices for automatic potentiometric titration, 6=4071

Audubert, R. The fundamentals of electrochemical kinetics, 5=3221. The theory of overvoltage and its applications, 6=2502

Audubert, R. and Calmar, G. On the mean lifetime of active nitrogen, 7=5168

Audubert, R. and de Mende, S. Contribution to the study of electrophoresis on a support, 8=5937. The principles of electrophoresis, 9=8182

Audubert, R., Guitton, J. and Prudhomme, R.O. Influence of different gases on the electro-chemical effects accompanying ultrasonic action, 6=7786

Auer, P.L. Phenomenological theory of Townsend breakdown in dielectrics, 5=6189. Prebreakdown current in the Townsend discharge, 6=2210. Vlasov instability in longitudinal plasma oscillations, 9=2443. Transient analysis of the Townsend discharge, 9=3532

Auer,P.L. and Gardner,C.S. Note on singular integral equations of the Kirkwood-Riseman type, 5=10049. Solution of the Kirkwood-Riseman integral equation in the asymptotic limit, 5=10050

Auer,P.L. and Hurwitz,H.,Jr. Space charge neutralization by positive ions in diodes, 9=2393

Auer,P.L., Hurwitz,H.,Jr. and Miller,R.D. Collective oscillations in a cold plasma, 9=2442

Auer,P.L., Hurwitz,H.,Jr. and Tamor,S. Theory of the cathode sheath in a low-density gas discharge, 9=3535

Auerbach,L. Some simple Christiansen filters, 8=582

Auerbach,T. and French,J.B. Angular momentum coupling in deuteron reactions, 5=7370

Augarde,R. See Lalleman,A., 8=6603

Auger,P. See also Daudin,J., 6=7505

Auger,P., Cachon,A., Daudin,A., Fréon,A. and Moszkowski,C. On the solar and sidereal daily variations of Auger showers, 5=8069

Aughey,W.H. and Baum,F.J. Angular-dependence light scattering - a high-resolution recording instrument for the angular range 0.05-140°, 5=228

Augustine,F. and Hale,D.R. Effect of aluminum and germanium on the spectral absorption of certain types of quartz growth, 9=207

Augustyniak,W. See McReynolds,A.W., 5=5663

Augustyniak,W.M. See Bemski,G., 8=7524. Brown,W.L. 9=10277, 9=11011. Wertheim,G.K., 7=4331

Aukerman,L.W. Radiation-produced energy levels in compound semiconductors, 9=10980

Auld,J.H. See Garrod,R.I., 5=2311

Auleytner,J. Point sources for X-rays, 9=12339. Application of the fine-focus X-ray tube for the investigation of the size and orientation and relative position of the blocks of mosaic in monocrystals, 9=12870

Auleytner,J., Godwood,K. and Krilov,J. Observations on etching of germanium crystals, 7=9449

Auleytner,J. and Lefeld,M. Anisotropic small-angle scattering of X-rays in graphite, 7=9226

Aull,L.B. and Whitehead,W.D. Cross section for the $Al^{27}(\gamma, 2p)Na^{25}$ reaction to 65 MeV, 8=5377

Aulock,W. von. See von Aulock,W.

Ault,L.A. See Spencer,E.G., 8=1669

Auluck,F.C. See also Kothari,D.S., 6=304

Auluck,F.C. and Kothari,D.S. Effect of magnetic field on gravitating spheres, 6=4162. The influence of a magnetic field on the longitudinal stability of a gravitating cylinder, 9=5959

Auluck, F.C. and Mathur, V.S. Electrostatic interactions in white dwarfs, 9=11753

Aumont, R. See Leycuras, Y., 7=6985

Auskern, A.B. and Belle, J. Self-diffusion of oxygen in uranium dioxide, 8=7531

Ausländer, J. See Hulubei, H., 8=280, 8=7263

Aust, K.T. and Chalmers, B. Control of lineage structure in aluminum crystals grown from the melt, 9=921

Austerman, S.B. and Hove, J.E. Irradiation of graphite at liquid helium temperatures, 6=1204

Austern, N. Isobar role in two-nucleon processes: deuteron photoeffect, 6=2412. Medium-energy deuteron photodisintegration, 8=762. Note on effective range theory, 8=6198. See also Butler, S.T., 9=5032. Levinger, J.S., 7=9309

Austern, N. and Butler, S.T. Refraction effects in direct nuclear reactions, 8=5349

Austin, A.E. and Harrison, R.J. Interpretation of the stored energy of irradiated graphite in terms of elastic energy associated with microscopic strains, 6=2478*

Austin, A.E., Richard, N.A. and Schwartz, C.M. High temperature X-ray diffraction camera, 7=2834

Austin, I.G. The optical properties of bismuth telluride, 9=2238. The Faraday effect in anisotropic semiconductors, 9=6933

Austin, I. G., Goodman, C.H.L. and Pengelly, A.E. New semiconductors with the chalcopyrite structure, 7=9180

Austin, I.G. and McClymont, D.R. The interpretation of Hall effect, conductivity and infra-red measurements in indium antimonide, 5=3767

Austin, I.G. and Sheard, A. Some optical properties of Bi_2Te_3—Bi_2Se_3 alloys, 8=1049

Austin, I.G. and Wolfe, R. Electrical and optical properties of a semiconducting diamond, 6=5092

Austin, N.A. and Fultz, S.C. 22 MeV electron linear accelerator, 9=8240

Austrheim, H.A. See Bureau, A.J., 5=4714

Auth, J. Diffusion of charge carriers in photoconductors, taking into account the local levels, 9=3497

Auth, J. and Ridder, R. Investigations on the diffusion of charge carriers in CdS, 9=4606. Investigation of the charge-carrier diffusion and of other forms of energy transport in CdS, 9=11037

Authier, A. Theoretical and experimental study of the temperature factor and of extinction in zinc blende, 7=893

Authier, A. and Warren, B.E. Variation of extinction with X-ray wavelength, 7=2841

Autler,S.H. and McAvoy, N. 21-Centimeter solid-state maser, 8=4175

Autler, S.H. and Townes, C.H. Stark effect in rapidly varying fields, 6=237

Auzins, P. See Wertz, J.E., 7=6717, 8=5485

Avak'yants, G.M. On the theory of equation of transfer in a strong electric field. I. 5=887; II, 5=888. Theory of the phenomena in a contact zone, 5=4663. On the letter to the editor by I.M. Tsidil'kovskii, and F.G. Bass, 6=8772

Avalov, R.G. See Byakov, V.M., 9=2470

Avan, L. The penetrating component of cosmic rays at great depths, 7=7195. Electromagnetic interactions of μ-mesons at great depths, 8=5213. See also Avan, M. 5=1976, 5=4042, 6=2989, 7=754, 8=4238

Avan, L. and Avan, M. Intensity and angular distribution of the penetrating component of cosmic rays under ground, 6=2974. Electron—photon component of cosmic rays at great depths, 7=7197. Nuclear interactions of μ-mesons underground. Variation of the flux of protons and π-mesons with depths, 7=7433

Avan, M. On the spectrum of high energy collision electrons from μ-mesons underground, 9=3759. See also Avan, L., 6=2974, 7=7197, 7=7433

Avan, M. and Avan, L. Cosmic-ray triplets: production cross-section, 5=1976. Electron pairs in cosmic rays: momentum transfer from very-high-energy photons, 5=4042. Cosmic-ray tridents, 6=2989. Electromagnetic interactions of μ-mesons at great depths—direct creation of electron pairs, 7=754. Effective cross-section for electron-pair creation by μ-mesons. Relation with the magnetic moment, 8=4238

Avdeenko, A.A. See Shklyarevskii, I.N., 9=9386

Avellén, S. The vacuum-ultraviolet spectrum of ClI, 5=1678

Aven, M.H., Craig, R.S., Waite, T.R. and Wallace, W.E. Heat capacity of titanium between 4°K and 15°K, 6=5823

Aven, M.H., Graig, R.S. and Wallace, W.E. Adiabatic specific heat calorimeter for the temperature range 4 to 15°K, 6=8153

Aven, M.H. and Potter, R.M. The luminescence of self-coactivated ZnS:Cu, 8=2979

Averbach, B.L. See Flanagan, W.F., 6=5441. See Herbstein, F.H., 7=780, 7=899. Hordon, M.J., 8=6451. Houska, C.R. 9=13800, 9=13909. Kolm, C., 8=7931. Kurtz, A.D., 6=2864, 7=1284. Rosenfield, A.R., 6=2035

Averbach, E. See Hake, H.W., 6=3404

Averdung, H. See Jensen, P., 6=1631

Avericheva, V.E. See Savintsev, P.A., 8=6906

Averkieva, G.K. and Emel'yanenko, O.V. The influence of impurities on the electrical properties of gallium arsenide, 9=3465

Avery, D.G. Two optical instruments used in semiconductor research, 7=4259

Avery, D.G. and Bowes, R.C. A design for a multi-channel infra-red spectrometer using transistor electronics, 7=3861

Avery, D.G., Goodwin, D.W., Lawson, W.D., and Moss, T.S. Optical and photo-electrical properties of indium antimonide, 5=300

Avery, D.G., Goodwin, D.W. and Rennie, A.E. New infra-red detectors using indium antimonide, 8=1067

Avery, D.G. and Gunn, J.B. The use of a modulated light spot in semiconductor measurements, 6=2085

Avery, D.G. and Jenkins, D.P. Measurements of diffusion length in indium antimonide, 5=8764

Aver'yanova, V.G., Makarov, V.I. and Rzhevkin, S.N. Making transverse ultrasonic waves visible in transparent solids, 6=8047

Aves, R. See also Barnes, D. 8=6443. Batchelor, R., 6=1317

Aves, R., Barnes, D. and MacKenzie, R.B. Fission chambers for neutron detection, 5=3840

Avignon, P. On the disintegration of Rh^{102}, 5=4011. Studies of several orbital captures, 6=5364

Avignon, P., Michalowicz, A. and Buochez, R. Study of the disintegration of Pd^{103}, 5=8187

Avignon, P. and Rosier, L. Study of protons emitted by Mn^{55} and As^{75} when bombarded with 14 MeV neutrons, 9=2820

Avignon, Y., Blum, E.J., Boischot, A., Charvin, R., Ginat, M. and Simon, P. Observation of solar radio-noise storms with the large interferometer at Nançay, 7=6824

Avignon, Y. and Desprez-Rebaud, S. Study, using sensitive emulsions, of the absorption mean free path for the nuclear component in cosmic rays, 5=3864

Avignon, Y. and Pick, M. Relation between type IV emissions and other forms of solar activity, 9=9136

Aviles, J.B., Jr. Extension of the Hartree method to strongly interacting systems, 9=1100

Avinor, M. Edge photoconductivity of cadmium sulphide, 9=8152

Avivi, P. and Cohen, S.G. Role of metastable states in the production of scintillations in the rare gases by alpha particles, 8=8704

Avivi, P. and Weinreb, A. Remarks on double solute liquid scintillators, 7=7977. Transfer of energy in solid plastic solutions, 7=9633

Avrorin, E.N. and Fradkin, E.S. Renormalizability of pseudoscalar meson theory with pseudovector coupling, 6=7129

Avvakumov, V.I. A theory of spin-lattice relaxation in paramagnetic salts of iron group elements with an even number of electrons, 8=4442. See also Borin, A.V., 5=2351

Awano, M. see Oishi, J., 6=3690

Awatani, J. Absolute measurement of ultrasonic intensity in a liquid by a pendulum method, 5=145. Studies on acoustic radiation pressure. I. General considerations, 5=4468. II. Radiation pressure on a circular disk, 5=4469. Anomalous behavior of Rayleigh disk for high-frequency waves, 6=3585. Note on acoustic radiation pressure, 7=4087

Awazu, K. See Ibuki, S., 7=8260

Awender, H. and Sann, K. Synthetic quartz for piezoelectric purposes, 6=6606

Awschalom, M. Search for double beta decay in Ca^{48} and Zr^{96}, 6=2355

Axel, P. See also Pullman, I., 6=6111. Vegors, S.H., Jr, 6=3940

Axel, P. and Fox, J.D. Implications of the photonuclear effect in Zr^{90}, 6=4645

Axel, P., Fox, J.D. and Parker, R.H. Identification of Mo^{91} and Mo^{91m}, 5=4013

Axelrad, M. The deformation of a wave surface by a screen, 5=872. Study of some sources used for measurements in the infrared from 1 to 10 microns, 7=5972

Axelrod, N.N. and Givens, M.P. Absorption by gaseous helium in the extreme ultraviolet, 9=12067

Axelsson, B. See Beckman, O., 9=5773

Axensten, S. See Lindgren, I., 9=3815

Axilrod, B.M. Dielectric relaxation for a three-dimensional rotator in a crystalline field: Theory for a general six-site model, 6=6601. See also Hoffman, J.D., 5=8734, 7=5304

Axon, P.E. See also Stott, A., 5=8575

Axon, P.E. and Geddes, W.K.E. Note on the calibration of disk recording by interference patterns, 6=3589

Axon, P.E., Gilford, C.L.S. and Shorter, D.E.L. Artificial reverberation, 5=3528, 5=8574

Axtell, J. See Wlérick, G., 7=6810, 8=4621

Axtmann, R.C. Proton NMR spectra of hydrated cations, 9=8360

Axtmann, R.C. and Cathey, LeC. Liquid scintillators containing metallic ions, 9=3330

Axtmann, R.C., Shuler, W.E. and Eberly, J.H. H^1—p^{31} spin coupling in trialkyl phosphates, 9=13750

Axworthy, A.E., Jr. See Benson, S.W., 7=8237

Ayant, Y. The correlation function of a quantum variable, 5=6727. The time T$_2$ in nuclear magnetic resonance in liquids, 5=8162. Contribution to the study of the shapes and breadths of rays in nuclear resonances, 6=556. The theory of relaxation times in quadrupole resonance, 6=8932

Ayant, Y., Dreyfus, B. and Peretti, J. Specific heat of a three-dimensional lattice of oscillators, 7=7496

Ayant, Y. and Thomas, J. Interpretation of the law of magnetization of the ion Yb^{+++} in the garnet-type gallate, 9=7151. Interpretation of the low-temperature magnetization curve of erbium gallate, 9=13431

Ayers, E.E., Aspinall, E. and Morton, J.Y. An impedance measuring set for electrical, acoustical and mechanical impedances, 6=7232

Aymard, A. Quadruple fields, 7=2977. The equations of the magnetic electron deduced from the theory of quadruple fields, 7=2978. The equations of the magnetic electron deduced from the theory of quadruple fields, 7=4296. The quantization of angular momentum deduced from the theory of quadruple fields, 7=6869. Equivalence of the tensor and spinor descriptions of the spin $\frac{1}{2}$ corpuscle, 7=9001

Aynard, R. Researches on the transition complex in atomic collision processes, 7=6986. New observations on transient complexes. Experiments on (Na 3s, A ^{1}S), (Na 3p, A ^{1}S), 8=2954. Interpretation of the orientation of spectral bands emitted by a transitory complex in the field of dispersion forces, 9=188. On a new classification of the elements, 9=10147

Ayres, R.U. Variational approach to the many-body problem, 9=1090

Ayres, R.U. and Tredgold, R.H. On the crystal structure of the rare gases, 7=1475

Ayres, W.P. See also Melchor, J.L. 6=4530

Ayres, W.P., Vartanian, P.H. and Melchor, J.L. Frequency doubling in ferrites, 6=3821

Ayscough, P.B. Rate of recombination of radicals. II. The rate of recombination of trifluoromethyl radicals, 6=5478

Ayukhanov, A.Kh. See Arifov, U.A. 5=999, 5=1923, 8=5062

Azaroff, L.V. Crystal settings for upper level photography, precession method, 5=1357. Polarization correction for crystal-monochromatized x-radiation, 6=4099

Azbel', M.Ya. The theory of skin-effect in a constant magnetic field, 5=8771. Determination of the dielectric constant of superconductors, 6=7432. Conductivity of films in a longitudinal magnetic field, 6=8214. On the theory of skin effect in metals, 8=189. Quantum theory of high-frequency conductivity of metals, 8=7969. Quantum oscillations of high-frequency surface impedance, 8=7970. The quantum theory of the high frequency surface impedance of a metal, 9=3494. Contribution to the theory of surface impedance of metals in anomalous skin effect, 9=9639. concerning the synthesis of the shape of the Fermi surface in metals, 9=10264. See also Kaganov, M.I., 5=7021, 7=1269. Kaner, E.A. 8=6406. Lifshits, I.M., 6=6658, 7=360

Azbel', M.Ya., Gerasimenko, V.I. and Lifshits, I.M. Paramagnetic resonance and nuclear polarization in thick metallic layers, 7=4577. Paramagnetic resonance [of electrons] and polarization of nuclei in metals, 8=2656. Contribution to the theory of paramagnetic resonance in metals, 9=2938

Azbel', M.Ya., Kaganov, M.I. and Lifshits, I.M. Thermal conductivity and thermoelectric phenomena in metals in a magnetic field, 8=2275

Azbel', M.Ya. and Kaner, É.A. The anomalous skin effect with arbitrary collision integral, 7=1270. Theory of cyclotron resonance in metals, 7=2395*. Theory of cyclotron resonance in metals, 8=5473. Cyclotron resonance in metals, 9=8850

Azbel', M.Ya. and Lifshits, I.M. Theory of electron paramagnetic resonance in superconductors, 8=2657

Azhgireĭ, L.S., Vzorov, I.K., Zrelov, V.P., Meshcheryakov, M.G., Neganov, B.S. and Shabudin, A.F. Knock-out of deuterons from Li, Be, C and O nuclei by protons of 675 MeV energy, 8=6300

Azhgireĭ, L.S. Vzorov, I.K., Zrelov, V.P., Meshcheryakov, M.G. and Petrukhin, V.I. Some features of the process of charged π-meson production on carbon by 670 MeV protons, 8=8245

Azimov, S.A., Gulyamov, U.G., Zamchalova, E.A., Nizametdinova, M., Podgoretskiĭ, M.I. and Yuldashev, A. Investigation of σ-stars induced by negative π-mesons, 7=4700

Aziz, R.A. and Baird, D.C. The superconducting transition in polycrystalline tin, 9=11042

Aziz, R.A. and Scott, G.D. The effect of incident atomic velocity on the structure of evaporated silver films, 6=7748. The ageing of evaporated silver films, 7=8218. The effect of incident atomic velocity on the structure of evaporated silver films, 7=9429

Azovskiĭ, Yu.S. See Sinel'nikov, K.D. 8=3402, 8=8375

Azovtsev, V.K. See Spivak, G.V., 6=4497

Azpirov Yoldi, M. Concerning the propagation of light in heterogeneous isotropic media, 9=11976

Azpiroz Yoldi, M. and Goñi Mateo, J. Concerning initial motion, 9=11870

Azuma, K. and Kametani, H. The generation of e.m.f. during melting and freezing of ionic crystalline substance, 8=4919

Azuma, R.E. Upper limits for the lifetimes of the excited states of titanium 46, 6=592

Azuma, R.E. and Lewis, G.M. The lifefime of the first excited state of thallium 203, 6=593. Delayed γ-ray angular correlations in tantalum 181, 8=1251

Azuma, S. See Hasegawa, K. 5=4366, 6=2659

Azuma, T. Beta-spectra of Ag110 and Sb 124, 5=4029

Baade,W. Polarization in the jet of Messier 87, 6=6322

Baade,W., Burbidge,G.R., Hoyle,F., Burbidge,E.M., Christy,R.F. and Fowler,W.A. Supernovae and californium 254, 7=3924

Baak,T. Concerning the electrical conductivity of calcium fluoride, 9=2317

Baarle,C. van. See van Baarle,C.

Baarli,J. and Gussgard,K. Couette viscometer for structural viscosity studies, 8=5673

Baas,G. and Rathenau,G.W. An emission electron microscope for research at high temperatures, 7=2297

Baba,C.V.K. See Bhattacherjee,S.K., 9=12642

Baba,H. See Higasi,K., 6=5296, 7=2359. Omura,I. 5=7249

Baba,K. See Takakura,T., 5=2773

Babayan,Kh.P., Marutyan,N.A., Matevosyan,K.A. and Rostomyan,M.G. Two cases of hyperfragment decays, 8=8280

Babayan,Kh.P., Marutyan,N.A., Matevosyan,K.A. and Sarinyan,M.G. Energy dependence of the angular correlation of positrons from the $\pi \rightarrow \mu \rightarrow e$ decay, 9=2579

Babb,A.L. See Caldwell,C.S., 6=7194, 8=2256. Johnson,P.A., 6=7193

Babb,S.E., Jr. See also Robertson,W.W., 7=5178, 8=8684, 8=9090

Babb,S.E., Jr, Robinson,J.M. and Robertson,W.W. Effects of high pressure on the near ultraviolet vapor absorption spectrum of benzene in a number of diluent gases, 9=3285

Babbitt,J.D. Note on the fundamental law of diffusion, 5=5257

Babcock,H. Stars as sources of cosmic rays, 8=4096

Babcock,H.D. The sun's polar magnetic field, 9=12959. See also Babcock,H.W., 5=3399, 5=4299. Simpson,J.A., 5=6699

Babcock,H.W. Deformable optical elements with feedback, 8=6577. The sun's general magnetic field, 8=6593. Magnetic fields of the A-type stars, 9=12969. See also Simpson,J.A., 5=6699

Babcock,H.W. and Babcock,H.D. The sun's magnetic field and corpuscular emission, 5=3399. The sun's magnetic field, 1952-1954, 5=4299

Babcock,R.V., Davis,R.E., Ruby,S.L., Sun,K.H. and Wolley,E.D. Coated semiconductor is tiny neutron detector, 9=12524

Babecki,J. Analysis of the influence of low energy penetrating photons on the absorption of extensive air showers in lead, 9=5860

Babecki,J., Jurkiewicz, L., Massalski,J.M. and Mięsowicz,M. The ratio of the number of photons to the number of electrons in extensive air showers of cosmic radiation, 7=7196. The transition curve of the electron—photon component of extensive air showers in lead absorber of thicknesses between 0 and 25 cm, 9=11178

Babenko,V.P., Broude,V.L., Medvedev,V.S. and Prikhot'ko,A.F. Methods and apparatus for optical and spectral studies at low temperatures, 9=9398

Babiskin,J. Oscillatory galvanomagnetic properties of bismuth single crystals in longitudinal magnetic field, 8=3103. See also Steele,M.C. 5=5425

Babiskin,J. and Siebenmann,P.G. New type of oscillatory magnetoresistance in metals, 8=2338

Bablidze,R.A. See Esel'son,B.N., 8=7867

Babloyantz,A. See Bellemans,A., 9=8060

Baccalin,C., Bassi,P. and Manduchi,C. Measurements on cosmic-ray protons, 5=5494

Bacchella,G. See K-collaboration, 9=13575

Bacchella,G.L. See also Airoldi,G., 9=6272

Bacchella,G.L., Berthelot,A., Bonetti,A., Goussu,O., Levy,F., René,M., Revel,D., Sacton,J., Scarsi,L., Tagliaferri,G. and Vanderhaeghe,G. Study of the absorption of K^- mesons at rest in nuclear emulsion, 8=4249

Bacchella,G.L., Berthelot,A., di Corato,M., Goussu,O., Levi-Setti,R.L., René,M., Revel,D., Scarsi,L., Tomasini,G. and Vanderhaeghe,G. On the Q-value of the tau-decay, 7=3703

Bacchella,G.L., Germagnoli,E. and Granata,S. On the kinetics of quenched-in lattice vacancies in platinum, 9=7512

Bach,D.R., Childs,W.J., Hockney,R.W., Hough,P.V.C. and Parkinson,W.C. Cyclotron instrumentation for nuclear spectroscopy at medium resolution in energy, 6=7473

Bach,D.R. and Hough,P.V.C. States of low excitation in O^{18}. 6=6157

Bach,G. See Sharp,R.T., 8=1858

Bach,G.G. Three body forces in hypernuclei, 9=3841

Bach,G.G. and Livesey,D.J. The cross section for the reaction $^{10}B(p\alpha)^7Be$ at proton energies below 200 keV, 5=9070

Bachelet,F. and Conforto,A.M. Time variations of cosmic ray intensity, 5=1973. Increase of cosmic ray intensity associated with the solar flare of February 23, 1956, 6=5992. Atmospheric effects on the cosmic ray total intensity at sea level, 7=2384

Bachem,A. Time factors in relative and absolute pitch determination, 5=1417. Absolute Pitch, 6=1006

Bächler,W. and Nöller,H.G. Fractionation and out-gassing in oil diffusion pumps, 8=7751

Bachman,C.H. See also Allen,W.T., 9=6287. Miller,R.J., 9=4101. Silberg,P.A., 9=2949

Bachman,C.H. and Hottenrott,H.G. Flow through capillary tubing with eccentric annular sections, 9=6574

Bachman,C.H. and Silberg,P.A. Thermionic ions from hydrogen palladium, 8=8082

Bachmann,H. An explanation of the coronal polar streamers as lines of magnetic force, 9=5325. See also Waldmeier,M., 9=4225, 9=6464

Bachynski,M.P. Absorption in a dielectric slab, 8=8174

Bachynski,M.P. and Bekefi,G. Study of optical diffraction images at microwave frequencies, 7=6067

Back,F.G. Performance testing of photographic lenses, 5=8675. Answer to N.J.Runsey's "Note on a suggested method for evaluating image sharpness", 5=8677

Back,F.G. and Lowen,H. Generalized theory of Zoomar systems, 8=1585

Back,M.H. and Miller,N. Use of ferrous sulphate solutions for X-ray dosimetry, 7=6233

Backenstoss,G. The absorption of homogeneous electrons in aluminium, 5=1904. Evaluation of the surface concentration of diffused layers in silicon, 8=4990. Conductivity mobilities of electrons and holes in heavily doped silicon, 8=6997

Backenstoss,G. and Gentner,W. Absorption measurements on the secondary electrons for the energy determination of γ-rays, 5=2151

Backenstoss,G. and Goebel,K. The number of γ-quanta from potassium, 6=3136

Backenstoss,G. and Wohlleben,K. Measurement of the intensities of the high energy γ-rays from RaC', 5=9057

Backer,R.O. See Hahn,R.B., 6=6243

Bäcklund,N. Electrical resistance of some noble-metal alloys at liquid-helium temperatures, 9=10963

Backman,M.E. Elastic and plastic behavior in the impact of cylinders against plates, 9=11871

Backofen,E.W. and Herber,R.H. Half-lives of Mn^{52} and Mn^{54}, 5=3044

Backofen,W.A. See van Rooyen,G.T., 9=8935

Bačkovský,J. X-ray emission and absorption spectra of carbon, 5=5433. Method for the exact determination of the lattice constant, breadth of reflecting region and X-ray reflection coefficient, using single crystals, 7=6735

Bačkovský,J. and Bubáková,R. The perfection of germanium crystals, 9=8989. Study of the mosaic structure of crystals, 9=9025

Bačkovský, J. and Drahokoupil,J. Non-diagram lines in the K-spectrum of neon, 5=4710

Bačkovský,J. and Seidl,R. Radiometry in geophysics, 6=7856

Bäckström,G. On the energy of the 570 keV γ-ray of Bi^{207}, 7=3614. On the high energy gamma-transitions of W^{182}, 7=4665. On the annihilation Doppler effect in various materials, 7=6527. On the possible electric monopole transition in Se 76, 7=7346. Experimental methods for the study of neutron capture gamma rays, 9=7221

Bäckström,G. and Bergman,O. Some features of the decay of Au^{198} to Hg^{198}, 8=7348

Bäckström, G., Bergman,O. and Burde,J. Transitions in Hg^{199} following the decay of Au^{199}, 8=6280

Bäckström,G. and Lindqvist,T. Gamma lines from K^{43}, 7=6519

Bäckström,H.L.J. and Sandros,K. Quenching of biacetyl fluorescence in solution, 6=1099

Bäckström,M. Entropy—enthalpy diagram for water vapour and liquid extended to higher temperatures [600-800°C] and pressures [300-2000 bars], 9=3411

Backus,G. The external electric field of a rotating magnet, 6=6024. The axisymmetric self-excited fluid dynamo, 8=2422. A class of self-sustaining dissipative spherical dynamos, 8=8934

Backus,G.E. On the application of eigenfunction expansions to the problem of the thermal instability of a fluid sphere heated within, 6=2032

Backus,G.E. and Chandrasekhar,S. On Cowling's theorem on the impossibility of self-maintained axisymmetric homogeneous dynamos, 7=1006

Bacon,A. and Milner,G.W.C. The determination of uranium by high-precision spectrophotometry, 7=1722

Bacon,G.E. Neutron diffraction, 6=822. Determination of hydrogen positions in crystals by neutron diffraction, 8=3597

Bacon,G.E. and Curry,N.A. A study of α-resorcinol by neutron

diffraction, 6=5542. A neutron-diffraction study of sodium sesquicarbonate, 6=8491

Bacon,G.E., Dunmur,I.W., Smith,J.H. and Street,R. The antiferromagnetism of manganese copper alloys, 7=9267

Bacon,G.E. and Dyer,R.F. A spectrometer for single crystal neutron diffraction, 5=7542. Neutron diffraction at a high-flux reactor, 9=3938

Bacon,G.E. and Pease,R.S. A neutron-diffraction study of the ferroelectric transition of potassium dihydrogen phosphate, 5=7541

Bacon,G.E. and Street,R. Magnetic structure of manganese arsenide, 5=4785. Gold—manganese alloys; some preliminary studies by neutron diffraction, 9=4116

Bacon,J.F. and Hasapis,A.A. Viscosity of molten silica, 9=11878

Bacon,R.H. On the retardation of a satellite, 9=3065. Logarithmic spiral: an ideal trajectory for the interplanetary vehicle with engines of low sustained thrust, 9=4325

Bacon,W.E. See Small,A.M., Jr, 9=7708

Bączyński,A. See also Bauer,R., 8=3883, 9=8723

Bączyński,A., Berdowski,W. and Legowski,S. Solution of the Schrödinger equation for the Van der Waals potential, 8=3724

Bączyński,A. and Czajkowski,M. Polarization of photoluminescence of organophosphors, 8=5788

Badami,G.N. and Egerton,A. The determination of burning velocities of slow flames, 5=2675

Badareu,E. and Popescu,I. Researches on the double cathode effect, 8=8003

Badareu,E., Ştefănescu,D. and Popovici,C. A contribution to the study of high-frequency discharges in methane, 9=13342

Badareu,E. and Wächter,F. The hollow cathode discharge in mercury vapour, 8=8011

Badawy,Y.K.M., See Ishak,I.G.H., 6=5580

Bade,W.L. Drude-model calculation of dispersion forces. I. General theory, 8=2631; III. The fourth-order contribution, 8=2633. See also Jehle,H., 9=764

Bade,W.L. and Kirkwood,J.G. Drude-model calculation of dispersion forces. II. The linear lattice, 8=2632

Bader,M., Pixley,R.E., Mozer,F.S. and Whaling,W. Stopping cross section of solids for protons, 50-600 keV, 6=6723

Badessa,R.S., Kent,R.L. and Nowell,J.C. Short-time measurement of time dilation in an earth satellite, 9=12974

Badger,R.M. See also Albert,N., 9=3975. Thorson,W.R., 7=9607

Badger,R.M. and Waldron,R.D. Spectra of urea and thiourea in the 3 μ region, 7=5194

Badgley,F.I. Response of radiosonde thermistors, 8=2710

Badoni,C., Colli,L. and Facchini,U. Further measurements on n, p reactions at 14 MeV. I, 7=4737

Badoyannis,G.M., Molony,D., Fich,S. and Slade,J.J., Jr. Electronically tunable selective amplifier for formant synthesis, 6=6482

Badoz,J. Acoustic birefringence in a solution of flexible molecules, 5=2524. Photoelectric measurement of low acoustic birefringence, 5=5287. Notes on the measurement of the acoustic birefringence in coherent light, 7=1983. Photoelectric measurements of weak birefringences and very small rotatory powers, 7=5258. Dispersion of acoustically-induced double-refraction in several liquids, 7=6079. Acoustic birefringence. Methods of measurement, study of dispersion, 8=4907. Critical study of the visual measurement of acoustic birefringence, 9=4495. See also Billardon,M., 9=13198

Badrinathan,C. See Kondaiah,E., 8=5386, 9=8633

Baecklund,J. See Pepinsky,R., 5=1801

Baeder,D.L., See Lucchesi,P.J., 9=13875

Baehr,H.D. The effect of gravitation on critical phenomena, 5=248 On the Joule—Thomson effect and the molar heat content of deuterium and helium, 7=2147. The pyrometric calculation of gas-cooled reactors, 9=7385-6

Baenziger,N.C. See Florio,J.V., 6=9050

Baer,F. See Lodge,J.P., 5=3332

Baer,W. Spatial distribution of thermal neutrons from a polonium - beryllium source in water - zirconium mixtures, 6=706

Baerg,A.P. See also Bartholomew,R.M., 7=728

Baerg,A.P., Brown,F. and Lounsbury,M. The cross section for the reaction $Cs^{135}(n,\gamma)Cs^{136}$, 9=679

Baerwald,H.G. Thermodynamic theory of ferroelectric ceramics, 7=3230

Baev,B.V., Vorotnikov,P.E., Gokhberg,B.M., Sidorov,N.I., Shuf,A.V. and Yan'kov,G.B. Electrostatic h.v. generator in compressed gas, 5=7129

Baez,A.V. Is resolving power independent of wavelength possible? An experiment with a sonic "macroscope", 7=1165. Safe and simple X-ray demonstration using a cathode-ray tube and Geiger counter, 7=4420. Model to illustrate some properties of vectors in three dimensions, 7=9488

Bagariatskii,B.A. The velocity dispersion of a solar corpuscular stream near the earth, 9=9085

Bagariazky,B.A. and Fedorova,N.I. Spectra of the aurora and night-airglow in the infra-red region up to 11,800 A, 6=9099

Bagaryatskiĭ,B.A. The effect of spiral trajectories of protons on the calculated Doppler profile of hydrogen lines of aurorae, 8=6561

Bagaryatskiĭ,Yu.A. The determination of the unit cell of a precipitated phase by one rotation photograph of a single crystal of the initial phase containing particles of the new phase, 9=10367

Bagaryatskiĭ,Yu.A. and Nosova,G.I. A more accurate determination of atomic coordinates of the metastable ω-phase in Ti-Cr alloys, 9=10384

Bagaryatskiĭ,Yu.A. and Tyapkin,Yu.D. The mutual relationship between the processes of diffusion and rebuilding of the in the decay of supersaturated solid solutions in lattice in the decay of supersaturated solid solutions in chromium in nickel, 9=10382

Bagchi,R.N. and Dutta, C. The experimental study of bowed string and verification of the formula for the bowing pressure, 6=2731

Bagchi,S.N. See Hosemann,R., 5=710, 6=927-8, 6=4217, 6=5701

Bagdasarov,Kh.S. The question of the influence of ultrasonic vibrations on the solution process of single crystals, 9=9346

Bagdasarov,Kh.S. and Khaimov-Mal'kov,V.Ya. Some experimental of etch figures in an ultrasonic field, 8=3571

Bagduev,G.B. See Amirkhanov,Kh.I., 8=2272, 9=12168

Bagg, T.C. See Stair, R. 5=1393

Bagge, E. The measurement of current impulses of free atomic charge carriers with inductometer, 5=7997. See also Allkofer, O.C. 9=8469

Bagge, E. and Allkofer, O.C. The response power of parallel-plate spark-counters for weakly ionizing particles, 9=8406

Bagge, E. and Binder, O. A lunar intensity variation of the cosmic radiation and its origin, 9=12438

Bagge, E. and Schmieder, L. Studies of spark [parallel-plate] counters, 9=13517

Bagge, E. and Skorka, S. The conversion effect of cosmic-ray neutrons at the air—water interface, 8=8092

Bagge, E. and Thielert, R. The mean velocity of the hard component of the cosmic radiation at sea level, 7=4516

Baggerly, L.L., Marmier, P., Boehm, F. and DuMond, J.W.M. Decay of Ir^{192}, 6=1524

Bagguley, D.M.S. Ferromagnetic resonance absorption in colloidal suspensions, 5=3880

Bagguley, D.M.S. and Owen, J. Microwave properties of solids, 8=1316

Bagguley, D.M.S., Powell, J.A. and Taylor, D.J. Cyclotron resonance over a wide temperature range, 8=609

Bagirov, M.A. Rate of development of the main channel of a long spark in a rod-rod gap, 7=422. See also Stekol'nikov, I.S., 5=4688

Bagley, C.H. High-speed framing disk camera, 9=1992. Submicrosecond high-intensity light source, 9=8020

Bagley, E.B. End corrections in the capillary flow of polyethylene, 8=66. Power law flow curves of dimethyl siloxane polymers, 9=9286

Bagley, E.B., Cabott, I.M. and West, D.C. Discontinuity in the flow curve of polyethylene, 8=3514

Bagley, E.B. and West, D.C. Chain entanglement and non-Newtonian flow, 9=9279

Baglin, J.E.E. See Spicer, B.M., 8=8331

Bagnall, K.W. and D'Eye, R.W.M. A technique for obtaining X-ray powder photographs of compounds of high specific activity, 5=10081

Bagnold, R.A. The flow of cohesionless grains in fluids, 7=6630

Bahadur, K. See Müller, E.W., 6=5159

Bahner, K. The Zeiss rapid photometer as a recording photometer, 8=2937

Bahng, J. See Correll, M., 7=4996

Bahr, G.F. See Zeitler, E. 9=8915

Bai, C.L. Effect of thickness of ionospheric layer on the separation of magneto-ionic split echoes, 8=6086

Baicker, J.A. See Jones, K.W., 7=6555

Baĭer, R.T. See also Beyer, R.T. 9=124

Baĭer, R.T. and Narasiman, V. Absorption of finite-amplitude ultrasonic waves, 9=3232

Baĭer, V.N. and Pekar, S.I. Strong coupling nucleomesodynamics. II. The ground and isobar states. Nucleon charge and spin, 6=4836
Baijal, J.S. and Singh, K.K. The energy levels and transition probabilities for a bounded linear harmonic oscillator, 6=6392
Baikov, Yu. M. See Konstantinov, B.P., 9=13860
Bailar, J.C., Jr. See Lyons, E.H., Jr, 5=1328
Bailey, C.A. and Smith, P.L. Specific heats of ammonium, potassium, and sodium chlorioridates, 9=9570
Bailey, D.K. Scattering at oblique incidence from ionospheric irregularities, 5=8421. Disturbances in the lower ionosphere observed at v.h.f. following the solar flare of 23 February 1956 with particular reference to auroral-zone absorption, 8=5541. Abnormal ionization in the lower ionosphere associated with cosmic-ray flux enhancements, 9=7681
Bailey, E.C. See Katz, L., 5=8251
Bailey, G.C. See Salkovitz, E.I., 9=5898
Bailey, G.M. and Prescott, J.R. Decay time of the luminescence of a zinc sulphide neutron detector for neutron and γ-ray excitation, 8=6094
Bailey, J.C. See Henry, H.F., 9=9906
Bailey, L.E. See Rubin, S., 7=6683, 9=10098
Bailey, R. See Kalra, S.N., 9=5391. Millar, B., 8=1096. Romanowski, M. 9=10957
Bailey, R.A. See also Allen, T.K., 5=8796. Emeleus, K.G. 5=4697
Emeleus, K.G. amd Bailey, R.A. Plasma-electron oscillations, 6=6033
Bailey, T.L. Experimental determination of the electron affinity of fluorine, 8=4359. See also Muschlitz, E.E. Jr., 6=5952
Bailey, T.L., McGuire, J.M. and Muschlitz, E.E., Jr., Formation of negative ions in hydrocarbon gases, 5=2827
Bailey, T.L., May, C.J. and Muschlitz, E.E., Jr. Scattering of low-energy H^- ions in helium, neon, and argon, 7=7986
Bailey, V.A. Reflection of waves by an inhomogeneous medium, 5=1070. Growing electromagnetic waves, 7=8729. On the interaction of radio waves, 8=245
Bailitis, E. The sound impulse of a liquid spark, 8=6752. See also Früngel, F., 8=6751
Baillard, G. Pressure pulses exerted on a screen by longitudinal waves in an elastic medium, 7=9042
Baillet, A. A photometer for the night-sky light, 6=182
Baillet, A. and Peyturaux, R. Study of the continuous background of the solar spectrum. II. Principal optical instruments built for the study of the continuous background of the solar spectrum, 5=5836
Bailleul-Langlais, J. A radiometric gauge for the measurement of high vacua, 9=13075
Baily, N.A. and Beyer, N.S. Beam quality determinations for a 2-MVP resonance type X-ray generator, 7=441
Bailyn, M. Transport in metals: effect of nonequilibrium phonons, 9=4008
Bain, O. and Giguère, P.A. Hydrogen peroxide and its analogues. VI. Infrared spectra of H_2O_2, D_2O_2, and HDO_2, 5=4529
Bainbridge, A.E. and Wilson, A.T. Isotope enrichment in a continuous feed process, 8=9073
Bainbridge, G.R. See also Eastman, P.C., 6=6098. Isenor, N. R., 7=1386; Prowse, W.A., 7=7937
Bainbridge, G.R. and Prowse, W.A. The absorption of ultraviolet ionizing radiation in gases, 7=1186
Bainbridge, I.F. See Polmear, I.J., 8=7562
Bainbridge, W. See Roscoe, R., 9=2123
Baines, J.E. See Roberts, D.H., 9=8151
Bair, E.J. See also Crosby, G.A., 5=9570. Ordway, G.L., 5=5553
Bair, E.J., Lund, J.T. and Cross, P.C. Detection of free radical absorption spectra by chemical modulation, 6=4310
Bair, J.K. See also Johnson, C.H., 5=1213. Kington, J.D., 5=9914. Willard, H.B., 5=507, 5=5642, 6=2416, 7=3640. Willis, J.E., Jr, 8=8345
Bair, J.K., Cohn, H.O., Kington, J.D. and Willard, H.B. Reaction $N^{14}(p,p'\gamma)N^{14}$, 7=3639
Bair, J.K., Kington, J.D., and Willard, H.B. Gamma-ray and neutron yields from the proton bombardment of boron, 6=647
Baird, D.C. Current dependence of the superconducting transition, 6=7423. Fluctuations in the intermediate state of superconducting tantalum, 9=4618. See also Aziz, R.A., 9=11042
Baird, D.C., Edwards, M.H. and Fleming, G. An attempt to detect infrared absorption in liquid helium, 7=9622
Baird, J. See Wauchope, K.L., 9=12561
Baird, J.C. See Bird, G.R., 8=9091
Baird, J.C., Jr. See Anderson, L.W., 9=1814
Baird, J.D., Hartree, O.P. and Phillips, R. Transmission electron microscopy of beryllium, 9=4067
Baird, K.M. and Hart, K.H. Excitation of mercury-198 in a liquid nitrogen cooled hollow cathode lamp., 6=5028
Baird, K.M. and Smith, D.S. Measurement by photoelectric fringe scanning of the pressure shift of Hg 198 emission lines, 7=7731. Prevention of reversal in mercury-198 lamps, 8=958. Preliminary measurements of some wavelengths of krypton 86 and mercury 198 lines, 8=2230. Kr 86 and Hg 198 wavelength standards, 9=9402
Baistrocchi, R. and Sillitti, R. Mutual influence of spectral lines, 9=11998
Bajić, D. The first ionospheric vertical sounding above Yugoslavia, 9=10411
Bak, B. Calculation of potential barriers for ethane-like symmetric tops., 6=4547. See also Andersen, F.A. 5=6014, 6=4552
Bak, B., Christensen, D., Hansen, L. and Rastrup-Andersen, J. Microwave determination of the structure of pyrrole, 6=3906
Bak, B., Christensen, D., Hansen-Nygaard, L. and Tannenbaum, E. Microwave determination of the structure of fluoro-benzene, 7=3510. Microwave determination of the structure of trifluorobutyne, 7=4609
Bak, B., Christensen, D., Rastrup-Andersen, J. and Tannenbaum, E. Microwave spectra of thiophene, 2- and 3-monodeutero, 3, 3'-dideutero, and tetradeuterothiophene. Structure of the thiophene molecule, 7=2048
Bak, B., Hansen, L. and Rastrup-Andersen, J. Microwave determination of the structure of pyridine, 5=2980
Bak, M.A., Gorshkov, G.V., Matvienko, V.I. Petrzhak, K.A. and Romanov, Yu. F. Radon neutron sources, 9=9960
Bak, M.A., Petrzhak. and Romanov, Yu. F. Radiation from a sphere in the presence of self absorption, 6=6455. Determination of the absolute output of neutron sources, 6=8414
Bak, T.A. On the existence of oscillating chemical reactions, 9=10343
Bak, T.A., Goche, M. and Henin, F. On the motion of a particle coupled to lattice vibrations, 9=8821
Bak, T.A. and Kauman, W.G. Contribution to the theory of electrodiffusion, 8=6704. Theory of electrodiffusion, 9=11067
Bakakin, V.V. and Belov, N.V. Rational method of calculating various close spherical packings, 7=8253
Bakanov, S.P. See Deryagin, B.V., 8=2869, 9=4352
Bakanova, A.A. See Al'tshuler, L.V., 9=1372
Bakeeva, I.A. See Rozanskiĭ, V.N., 8=4525
Baker, A.N. Polarizability of the hydrogen bridge, 6=9020
Baker, A.N. and Webber, D.S. Hydrogen vibration spectra of Rochelle salt, 7=9617
Baker, A.N., Jr. A quantum-mechanical treatment of the symmetrical hydrogen bridge, 5=416
Baker, A.R. and McVicar, D.D. An analysis of critical assembly and kinetics data obtained from the air-spaced plutonium core assembly (Core II) of zephyr, 7=1629
Baker, A.R. and Wilkinson, D.H. The capture of slow neutrons by protons, 8=4234
Baker, A.W. See also Shulgin, A.T., 9=2871
Baker, A.W. and Lord, R.C. Vibrational spectra and structure of cyclopropane and cyclopropane-d_6., 5=9565
Baker, C.A., Debons, A. and Morris, D.F. Dark adaptation as a function of the intensity and distribution of light across the preadaptation field., 6=6276
Baker, C.D. and Hart, J.J. Maximum range of a projectile in a vacuum, 5=5237
Baker, D. A gauge for the precision measurement of the thickness of germanium and silicon wafers, 9=4330
Baker, D. and Yemm, H. The depth of surface damage produced by lapping germanium monocrystals, 7=9435
Baker, D.A. See Barker, R.S., 5=8958
Baker, E., Friedlander, G. and Hudis, J. Formation of Be^7 in interactions of various nuclei with high-energy protons, 9=7336
Baker, E.A. A quantitative theory of the photographic action, 6=9162
Baker, E.B. Nuclear spin-spin coupling in substituted benzenes, 5=7253. Nuclear magnetic resonance spectra of methyl pyridines, 6=1442. NMR spectra of metal alkyls; magnetogyric ratio of Pb^{207}, 7=5520. See also Ellis, R.B., 8=7738
Baker, E.B. and Burd, L.W. High stability nuclear magnetic resonance spectrograph, 7=6456
Baker, E.M. and Tolbert, B.M. "Cosmic ray" effect in photomultiplier tubes, 5=2820
Baker, W.E. See Knight, J.D., 6=2346. Wolfgang, R., 6=7677

Baker,G.A.,Jr. Degeneracy of the n-dimensional, isotropic, harmonic oscillator, 6=7158. Formulation of quantum mechanics based on the quasi-probability distribution induced on phase space, 8=2808. Some rigorous results for a model imperfect gas, 9=1166. Note on the single-particle energy and the binding energy of many-body, saturated systems, 9=2681. Structure of the nuclear mass surface, 9=4962

Baker,G.A.,Jr. and Baker,G.A.,Sr. Structure of the mass increments of isotopes, 6=5333

Baker,G.A.,Sr. See Baker,G.A.,Jr., 6=5333

Baker,G.S., Growth bends in iron whiskers, 7=3810. Internal friction in the presence of a staic stress, 8=421

Baker,H.D., Some direct comparisons between light and dark adaptation, 5=10139. See also Tea,P.L.,Jr., 7=212

Baker,H.D., Doran,M.D. and Miller,K.E. Early dark adaptation to dim luminances, 9=13978

Baker,J.G. Energy levels of an asymmetric rotor, 8=6378. See also Favero,P., 9=12013

Baker,J.M. Paramagnetic resonance in chromic methylamine alum, 6=8279. See also Quinn,W.E., 9=3995-6

Baker,J.M. and Bleaney,B. The nuclear spin and magnetic moment of terbium 159, 5=4871. Hyperfine structure of praseodymium, 6=1479. The nuclear magnetic moment of holmium 165, 6=2321. Paramagnetic resonance in some lanthanon ethyl sulphates, 8=4441

Baker,J.M., Bleaney,B. and Bowers,K.D. Paramagnetic resonance in some complex cyanides of the iron group. I. Experimental results, 7=2490

Baker,J.M., Bleaney,B. and Hayes,W. Paramagnetic resonance of S-state ions in calcium fluoride, 9=13455

Baker,J.M., Bleaney,B., Llewellyn,P.M. and Shaw,P.F.D. Nuclear spins and magnetic moments of cobalt 56 and 57, 6=7631

Baker,J.M. and Hayes,W. Nuclear magnetic resonance in CoF_2 and FeF_2, 7=6459

Baker,L.R. An interferometer for measuring the spatial frequency response of a lens system, 6=1127. An integrating photometer employing scalloped gratings, 6=1942

Baker,M. Determinantal approach to meson—nucleon scattering, 9=1667

Baker,M.L. See Lodge,J.P., 6=5473

Baker,M.McD. and Rideal,E.K. Chemisorption on metals, 5=4152

Baker,M.R. See also Vallee,B.L., 6=2136

Baker,M.R., Adelstein,S.J. and Vallee,B.L. Physical basis of line enhancement in argon and krypton, 6=3610

Baker,M.R., Fuwa,K., Thiers,R.E. and Vallee,B.L. Spectral excitation in high-temperature flames as a function of sample flow, 9=914

Baker,M.R. and Vallee,B.L. Cyanogen-oxygen flame as a spectrochemical source, 5=8586

Baker,R.G. See Johns,H.E., 9=9892

Baker,R.M.L.,Jr. The transitional aerodynamic drag of meteorites, 9=6450. Sputtering as it is related to hyperbolic meteorites, 9=6452

Baker,R.M.L.,Jr. and Charwat,A.F. Transitional correction to the drag of a sphere in free molecule flow, 8=2871

Baker,S. An acoustic intensity meter, 5=4475

Baker,S.C. See Harrison,G.R., 7=2088

Baker,T.H.B. See Linhart,J.G. 5=3895

Baker,T.W. The Eberhard effect in X-ray powder photographs, 6=4739. See also Cahn,R.W., 5=9254, Thomas,D.K., 7=1758

Baker,T.W. and Williams,J. The intermetallic compounds $MgBe_{13}$ and $CaBe_{13}$, 6=3377

Baker,W.E. See Bohannon,J.R.,Jr., 8=7401

Baker,W.F. See also Williams,R.E. 7=3718

Baker,W.F., Byfield,H. and Rainwater,J. Theoretical calculations of the scattering of π^- mesons by complex nuclei, 9=3929

Baker,W.F., Rainwater,J. and Williams,R.E. Scattering of 80 MeV π^- mesons by complex nuclei, 9=3928

Baker,W.F. and Rubbia,C. Neutron asymmetry from mu capture in magnesium, 9=13698

Baker,W.H., Curtis,M.L., Gnagey,L.B., Heyd,J.W. and Stanton,J.S. Very wide-range absorption counting system, 5=4751

Baker,W.M. See also Czyzak,S.J., 7=5156. Greene,L.C., 9=1931

Baker,W.M. and Czyzak,S.J. Absorption and photoconductivity detection system for a Bausch and Lomb grating spectrometer, 7=3146

Baker,W.R. High-voltage, low-inductance switch for megampere pulse currents, 9=11073. See also Allen,T.K., 9=12412. Anderson,O., 9=6867. Anderson,O.A., 8=2596, 9=534

Bakhrameev,A.N. An error in a theoretical analysis of ferroresonance phenomena at a frequency equal to one third the frequency of the forcing field, 7=1127

Bakhshiev,N.G. A new principle in spectrometry, 8=948. The problem of determination of optical constants by reflection, 8=995. Internal field and the absorption band intensities in solutions, 9=6716. The shape of the absorption and emission bands of complex molecules, 9=12025. See also Neporent,B.S., 9=6713

Bakke,F. and Stech,B. On the scattering of particles with spin $\frac{1}{2}$.II. The scattering matrix as a function of the scattering phases, 6=2672

Bakke,F.H. Density of low-lying particle levels in odd-mass nuclei in the regions of large deformation, 9=8523

Bakker,C.J. Production and physical properties of radio-isotopes, 5=8225. See also Aarts,J., 5=2566

Bakulina,I.N. and Ionov,N.I. Determination of the electron affinity energy of sulphur atoms by the method of surface ionization, 8=3406

Balabanov,C. See Nadzhakov,G., 7=7925

Balabanov,S. See Nadjakov,G., 9=9643

Balabanova,L.A. and Bredov,M.M. The thermal conversion of germanium by irradiation with electrons, 8=7944

Balachandran,C.G. Ultrasonic velocities in cadmium and zinc halides, 5=4451. Ultrasonic velocities in some bi-univalent electrolytes, 9=136. Ultrasonic velocities in binary liquid mixtures near their critical solution temperature, 9=138. Random sound field in reverberation chambers, 9=13129

Balachandran,C.G. and Murty,T.V.S. Sound absorption coefficients of vermiculite mortars, 9=1225

Balakov,V.V. See also Lebedev,A.A., 6=8565

Balakov,V.V. and Smeshkova,V.A. The resistance and photoconductivity of lead sulphide photocells at high frequencies, 5=4658

Balandin,M.P., Balashov,B.D., Zhukov,V.A., Pontekorvo (Pontecorvo),B.M. and Selivanov,G.I. On the possibility of production of Λ°-particles by protons of energy up to 700 MeV, 6=4021

Balandin,M.P., Moiseenko,V.A., Mukhin,A.I. and Otvinovskii,S.Z. Investigation of $\pi^+—\mu^+—e^+$-decay using a propane bubble chamber and scintillation counters, 9=12577

Balas,W., Dempsey,J. and Rexer,E.F. Oxide-impregnated nickel-matrix cathode, 5=9734

Balashek,S. See Dudley,H., 8=7782

Balashov,B.D. See Balandin,M.P., 6=4021

Balashov,V. and Ursell,H.D. The choice of the standard unit cell in a triclinic lattice, 9=7639

Balashov,V.V. See also Shirokov,Yu.M., 7=8105

Balashov,V.V. and Tulinov,A.F. On the question of collective effects in light nuclei, 9=11439

Balashova,B.M. and Sharvin,Yu.V. Structure of the intermediate state of superconductors, 7=413

Balasse,G. and Lemmens,M.L. Heterochromatic photometry of continuous spectra: Contribution towards the provision of a neutral standardizing method for photographic plates, 6=8086

Balats,M.Ya., Lebedev,P.I. and Obukhov,Yu.V. Measure of lifetime of K-mesons, 7=3713

Balazs,N.L. The propagation of light rays in moving media, 5=3412. The resolution of four-dimensional vector fields and tensor fields, and its application to electrodynamics, 5=5522. Wave propagation in even and odd dimensional spaces, 5=5945. On Čerenkov radiation, 6=4451. Čerenkov radiation of neutral particles with a magnetic moment, 7=1894. Thermal fluctuations in conductors, 7=4314. Brownian motion of a mirror in superfluid helium, 8=2280. Effect of a gravitational field, due to a rotating body, on the plane of polarization of an electromagnetic wave, 8=8578. Statistical mechanics of strings, 9=5386. On relativistic thermodynamics, 9=7768. Can one derive the Schwartzschild line-element without the field equations? 9=7773

Balcarczyk,L. See Brukl,A., 7=8251

Balchan,A.S. and Drickamer,H.G. Effect of pressure on the spectra of olivine and garnet, 9=12051

Balcou,Y. See Freymann,R., 7=4346; Meinnel,Y., 6=3710

Baldassare,F. See Amerighi,M.C., 9=9980

Balder,J.J. Fading of coloured objects under the action of daylight and the light from tungsten filament and fluorescent lamps, 7=3662

Baldin,A. Photoproduction of π^--mesons near threshold and the value of the Panofsky ratio, 8=6168. See also Mikhaĭlov,V., 5=547

Baldin,A. and Kabir,P. On the possible existence of a second neutral π-meson, 9=8473

Baldin,A.M. Electric polarizability of atomic nuclei, 9=2697

Baldin,A.M. and Kabir,P.K. Question of a second neutral pion, 9=541

Baldin,A.M. and Lebedev,A.I. Interaction of slow π-mesons with nuclei, 8=6166

Baldin,A.M., Mikhaĭlov,V.V. and Rabinovich,M.S. A method of envelopes for investigation of free oscillations in accelerators, 7=3368

Baldin,A.M. and Petrun'kin,V.A. Scattering of photons by protons, 8=1819

Baldin,A.M. and Shirokov,M.I. Theory of reactions with polarized particles, 6=7668

Baldinger,E., Bilger,H. and Nicolet,M.A. Experimental investigations of the influence and the production of lattice defects in junction transistors, 9=5712

Baldo,M., Belliboni,G., Ceccarelli,M., Grilli,M., Sechi,B., Vitale,B. and Zorn,G.T. Heavy unstable particles in nuclear emulsions, 5=8280

Baldo,M., Belliboni,G., Ceccarelli,M. and Vitale,B. Analysis of charged hyperons, 5=6492

Baldo,M., Belliboni,G., Sechi,B. and Zorn,G.T. Observations on K-meson decays, 5=4960

Baldo,M., Ceccarelli,M., Grilli,M. and Zorn,G.T. Negative K-mesons, 5=9117

Baldo-Ceolin,M. See also Prowse,D.J., 9=1682, 9=2668

Baldo-Ceolin,M., Bonetti,A., Greening,W.D.B., Limentani,S., Merlin,M. and Vanderhaeghe,G. An analysis of 419 τ-meson decays, 7=8860

Baldo-Ceolin,M., Cresti,M., Dallaporta,N., Grilli,M., Guerriero,L., Merlin,M., Salandin,G.A. and Zago,G. Interactions of K^+-mesons with emulsion nuclei between 40 and 160 MeV, 7=8880

Baldo-Ceolin,M., Dilworth,C.C., Fry,W.F., Greening, W.D.B., Huzita,H., Limentani,S. and Sichirollo,A.E. Nuclear interactions of neutral K-mesons of long lifetime, 7=8882. Stimulated decay of the Λ hyperon in light hyperfragments, 8=1885

Baldo-Ceolin,M., Fry,W.F., Greening,W.D.B., Huzita,H. and Limentani,S. The decay of a Σ^+ hyperon-proton fragment, 7=8861

Baldo-Ceolin,M., Huzita,H., Natali,S., Camerini,U. and Fry,W.F. Hyperfragments produced by K^0 mesons from K^+ charge exchange, 9=3794

Baldo-Ceolin,M. and Sechi,B. High-energy nuclear disintegrations, 6=3181

Baldock,C.R. See Boyd,G.E., 5=9845

Baldock,G.R. Lattice vibrations and specific heat of graphite, 7=2797

Baldock,R. See Melton,C.E., 7=7989. Rosenstock,H.M., 6=2520

Baldursson,S., Mayer,J.E. and Aroeste,H. Theory of Bose—Einstein fluids, statistical mechanical treatment of the thermodynamic properties of liquid helium, 9=12184

Baldus,W. The origin of homocharge in naphthalene electrets, 5=2712

Baldwin,B.B. See Green,L.C., 9=6158

Baldwin,D.E., Burrowes,C., Caldwell,D.O., Hamilton,S.G., Hill,D., Osborne,L.S. and Ritson,D.M. A differential Cerenkov counter, 9=4872

Baldwin,F.P., Ivory,J.E. and Anthony,R.L. Experimental examination of the statistical theory of rubber elasticity. Low extension studies, 5=7431

Baldwin,G.C. See also Yeater,M.L., 7=8204

Baldwin,G.C., Elder,F.R. and Westendorp,W.F. Experimental studies of betatron orbit stability, 5=2783

Baldwin,G.C., Gaerttner,E.R. and Yeater,M.L. Neutron production by electron bombardment of uranium, 7=3737

Baldwin,G.L. and Heins,A.E. On the diffraction of a plane wave by an infinite plane grating, 5=6963

Baldwin,J. See also Fischer,D., 6=1308

Baldwin,J., Chamberlain,O., Segrè,E., Tripp,R., Wiegand,C. and Ypsilantis,T. Polarization in the elastic scattering of deuterons from complex nuclei in the energy region 94 to 157 MeV, 7=708

Baldwin,J.E. Radio emission from the Andromeda nebula, 5=11. The distribution of the galactic radio emission, 9=2004. See also Shakeshaft,J.R., 7=21, 9=6448. Smith,F.G., 8=853

Baldwin,J.E. and Edge,D.O. Radio emission from the remnants of the supernovae of 1572 and 1604, 8=485

Baldwin,J.E. and Smith,F.G. Radio emission from the extragalactic nebula M87, 7=1853

Baldwin,L.V. See Mickelsen,W.R., 7=4068

Baldwin,M.W., Jr. and Neilsen,G., Jr. Subjective sharpness of simulated color television pictures, 6=8077

Baldwin,R.L., Dunlop,P.J. and Gosting,L.J. Interacting flows in liquid diffusion: Equations for evaluation of the diffusion coefficients from moments of the refractive index gradient curves, 6=3535

Balea,E. See Hulubei,H., 8=280, 8=7263

Baleriola,E. See also Oliva,J., 6=4760

Baleriola,E. and Oliva,J. Some factors affecting scotopic vision, 6=9151

Balescu,R. Interactions between symmetric polyatomic molecules, 6=3875. Poincaré's theorem for an ensemble of oscillators, 7=1075. Dynamic friction in a stellar system, 7=7561. See also Prigogine,I., 6=7365, 7=8441

Balfour,J.G. The effect of back-scattering of electrons on measurements in β-spectroscopy and absolute counting, 5=1156

Baliga,B.B. See Ghoshal,S.N., 7=6553, 9=11462

Balk,O. Counter tube measurements on exploded wires, 7=7058

Balk,P. See Benson,G.C., 9=8874

Balkanski,M. A contribution to the study of the mechanism of electrolysis, 6=6992. Energy transfer in semiconductors, 9=6915. On the mechanism of energy transport, 9=9644

Balkanski,M. and Broser,I. On the transport of excitation energy in ZnS and CdS crystals, 8=618

Balkanski,M. and Waldron,R.D. Internal photoeffect and exciton diffusion in cadmium and zinc sulfides, 9=4029

Ball,C.J. The flow stress of polycrystalline aluminium, 7=8910. Surface distributions of dislocations in metals. II, 7=8937

Ball,C.J. and Hirsch,P.B. Surface distributions of dislocations in metals, 6=2545

Ball,F.K. Sea surface temperatures, 5=2328. The theory of strong katabatic winds, 7=3860

Ball,J.B., Fairhall,A.W. and Halpern,I. Radiative alpha-particle capture in Ni^{58} and Xe^{136} at higher energies, 9=7353

Ball,J.S. and Chew,G.F. Nucleon—antinucleon interaction at intermediate energies, 8=1843

Ball,J.S. and Fulco,J.R. Nucleon—antinucleon scattering, 9=4907

Ball,R.M. See Guernsey,E.O., 8=352

Ball,W. and Lauterjung,K.H. A detector for fast neutrons, 9=13529

Ball,W.P. See also Booth,R., 9=5065. MacGregor,M.H., 8=763, 9=3924

Ball,W.P., MacGregor,M. and Booth,R. Neutron nonelastic cross sections from 7 to 14 MeV, 8=5391

Ballam,J. See also Arnold,W.H., 5=6501, 6=688. Crittenden,R.R., 9=4943. Hodson,A.L., 5=1226

Ballam,J., Grisaru,M. and Treiman,S.B. Anomalous V° events as three-body decays, 6=4000

Ballam,J., Hodson,A.L., Martin,W., Rau,R.R., Reynolds,G.T. and Treiman,S.B. Orientation of planes in double $\underline{V}^\circ$ decay events, 5=3129

Ballam,J., Hodson,A.L. and Reynolds,G.T. Observations on $\underline{S}$ particles, 5=9133

Ballantine,H.T., Jr. See also Hueter,T.F., 6=4125

Ballantine,H.T., Jr, Cotter,W.C. and Hueter,T.F. On brain lesions from focused ultrasound, 7=4920

Ballard,H.N. and Venable,D. Shock-front-thickness measurements by an electron beam technique, 8=6746

Ballard,S.S. See McCarthy,K.A., 5=8684

Ballario,C. See also Alexander,G., 6=687, 9=1686

Ballario,C., Bizzarri,R., Brunelli,B., De Marco,A., Di Capua,E., Michelini,A., Moneti,G.C., Zavattini,E. and Zichichi,A. Life time estimate of Λ° and θ° particles, 8=1210

Ballario,M.C. Determination of the photometric scale of magnitude for the Hα flares observed at the solar tower of Arcetri in 1953-56, 9=9151

Ballentyne,D.W.G. Relation between the brightness of electroluminescent cells and the applied power, 7=4234

Ballhausen,C.J. Studies of absorption spectra. II. Theory of copper (II)-spectra, 5=4525. Studies of absorption spectra. V. The spectra of nickel (II) complexes, 5=4526. See also Cotton,F.A., 7=437. Liehr,A.D., 7=7263, 8=4385, 9=6260

Ballhausen,C.J. and Ancmon,E.M. Table of ligand field integrals, 9=11524

Ballhausen,C.J. and Jφrgensen,C.K. Studies of absorption spectra. X. d-electrons in crystal fields of different symmetries, 5=5316

Ballhausen,C.J. and Liehr,A.D. Some comments on the anomalous magnetic behavior of certain Ni(II) complexes, 9=3632

Balli,D. and Glodyanu,A. Invesgitation of the magnetic properties of certain Cu—Ni—Fe alloys, 9=9766

Balli,E. Observations of solar spots in 1954, 5=9370. A study of short-period fluctuations in the frequency of sunspots, 6=18

Ballik,E.A. and Ramsay,D.A. Infrared emission spectra from a carbon furnace, 9=6709

Ballinger,R.A. The electronic structure of hydrogen fluoride, 9=8729

Ballinger,R.A. and March,N.H. The 'boundary effect' in the Thomas-Fermi model for atoms, 5=3984. Molecules with tetrahedral and octahedral symmetry. II. Energy calculations and molecular constants for methane, silane and germane, 5=7236. III. Theoretical basis of the 'smoothing approximation', 5=7237

Ballini,R. See also Barloutaud,R., 5=9856. Netter,F., 7=1623

Ballini,R. and Barloutaud,R. Radioactivity of Gd^{159}. Study of the excited states of Tb^{159}, 7=1539. Some observations on the radioactive transformation Tb^{161} (7 days) — Dy^{161}, 7=2597

Balloffet,G. See also Romand,J., 5=4502, 8585, 7=6984

Balloffet,G. and Romand,J. Use of sliding sparks for spectrum analysis in the far ultra-violet. Possibility of detection and estimation of sulphur, phosphorus and carbon in steels, 5=9223 On the sensitive lines emitted by atoms and ions of some elements difficult to detect by spectrographic analysis, 6=6507 On the [light] emission from gliding sparks in vacuo as a function of the electrical parameters of the discharge circuit, 8=7060. On the relations between the electrical constants of a vacuum discharge and the spectrum emitted between the wavelengths 1500 - 800 A, 9=12326

Ballou,N.E. See Bolles,R.C., 9=11491

Ballowe,W.C. See Young,O.B., 6=3433

Balls,B.W. and Brown,K.J. The magnetic flowmeter, 9=10665

Balluffi,R.W. See also Darby,J.B., Jr., 9=7532. Fara,H., 7=778, 8=7561, 9=7534. Killpatrick,D.H., 9=8878. Simmons,R.O., 8=149, 8=6426, 9=10280. Vook,F.L., 9=5170, 9=5172

Balluffi,R.W. and Seigle,L.L. Conditions for porosity formation during diffusion, 5=2229

Balog,I.I. and Dzherpetov,Kh.A. The mobility of negative ions in air, 9=3611

Balsami,C.A. de Torres. See de Torres Balsami,C.A.

Balser,M. See Silverman,R.A., 5=1069

Baltensperger,W. Exchange interaction between the conduction electrons of a superconductor and the [dissolved] paramagnetic ions, 9=12299

Baltrukonis,J.H. and Gottenberg,W.G. Thickness—shear vibrations of circular bars, 9=7874

Balzer,P.K. Effective magnetic anisotropy and magnetostriction of monocrystals, 8=7161

Baltzer,P.K. and White,J.G. Crystallographic and magnetic studies of the system $(NiFe_2O_4)_{1-x} + (NiMn_2O_4)_x$, 9=432

Baltzinger,C. See Perey,M., 6=5358

Balȳgin,I.E. The delay in the formation of discharges in air, 5=6165. Pre-breakdown processes in liquids, 6=6602. On the development by means of leaders of the process of breakdown of liquids, 6=8814. Some aspects of dendrite growth on rock salt at 200° and 300°C, 9=8191. Some rules governing the electric breakdown of liquid dielectrics, 9=11083

Balȳgin,I.E. and Mikhaĭlov,P.S. Ionization processes in pores of ceramic dielectrics, 9=3423

Balȳgin,I.E. and Obraztsov,A.I. Dependence of dielectric losses in ceramic materials on electric field intensity, 7=3241

Balȳgin,I.E. and Plashchinskiĭ,N.T. Electrical conductivity of ceramic materials in strong electric fields, 7=8588

Balȳgin,I.E. and Porovskiĭ,K.S. The influence of the metal of electrodes on ageing of ceramic dielectric, 7=9676. Temperature dependence of electric strength of polytetrafluoroethylene, 9=3541

Balzer,R., Knoepfel,H., Lang,J., Müller,R. and Stoll,P. Neutron capture gamma-rays of iodine, iridium and cerium, 9=10080

Bambe,L. and Pelekis,L. The γ-spectrum of Cr^{51}, 9=6094

Bambynek,W. and Freise,V. On the use of counter tubes with tin tetramethyl fillings, 6=4459

Bame,S.J., Jr. See also Bonner,T.W., 6=3243. Perry,J.E., Jr., 5=9913

Bame,S.J., Jr and Cubitt,R.L. (n,γ) cross sections of Na^{23}, I^{127} and Au^{197}, 9=5068. $Li^6(n,t)He^4$ reaction at intermediate energies, 9=11482

Bame,S.J., Jr., Haddad,E., Perry,J.E., Jr and Smith,R.K. Absolute determination of monoenergetic neutron flux in the energy range 1 to 30 MeV, 8=6152

Bame,S.J., Jr and Leland,W.T. Neutron spectrum from T + t, 7=7385

Bame,S.J., Jr and Perry,J.E., Jr. $T(d,n)He^4$ reaction, 7=9877

Bamford,C.H., Jenkins,A.D., Ingram,D.J.E. and Symons,M.C.R. Detection of free radicals in polyacrylonitrile by paramagnetic resonance, 5=7190

Banaigs,J. See Goldzahl,L., 9=9926; Hara,E., 7=7387, 8=260, 9=4885; Lallemand,A., 11705

Banbury,P.C. See Barnes,G.A., 8=4978, 9=6959. Houghton,J., 7=7895. Nixon,J.D., 6=5873, 7=6177, 9=2321

Banbury,P.C. and Houghton,J. Measurements of injection ratio of point contacts on germanium, 5=1833. The variation of point contact injection ratio with emitter current, 5=3735

Banbury,P.C., Low,G.G.E. and Nixon,J.D. Field effect on surface conductance and surface recombination, 7=7865

Bancie-Grillot,M. See also Grillot,E., 5=3615, 9=6767. Gross,E.F., 9=9460. Grillot-Bancie,M.

Bancie-Grillot,M. and Grillot,E. Researches on the luminescence of cadmium sulphide activated by silver, 6=8116

Bancie-Grillot,M., Gross,E.F., Grillot,E. and Razbirine,B.S. Studies of the fluorescent emission lines and luminescent absorption lines in crystals of pure cadmium sulphide cooled to 4·2°K, 9=9461

Bancroft,D. Measurement of velocity of sound in gases, 6=4276. See also Goranson,R.W., 6=1666

Bancroft,D., Peterson,E.L. and Minshall,S. Polymorphism of iron at high pressure, 6=6946

Band,I.M. See Sliv,L.A., 7=1575

Band,W. Statistical fluctuations at very low temperatures, 5=1768. New look at von Neumann's operator method in quantum statistics. I, 9=1096; II, 3154. New look at the theory of electron—phonon resonance. I, 9=12786

Band,W. and Singh,R. Superposition (double-life) model of liquid helium, 7=4283

Bandopadhyay,K.G., Ghosh,G.C., Bandopadhyay,P., Chakravarti,J.C., and Chatterjee,S.D. Radioactive nuclei in rains over Calcutta. 6=4757

Bandopadhyay,P. See Bandopadhyay,K.G., 6=4757

Bandow,F. On the action of nuclear radiations on the optical properties of inorganic phosphors, 6=6518

Bandringa,M. See Venema,A., 9=5423

Bandtel,K.C. See also Dixon,D.R., 7=3660

Bandtel,K.C., Frank,W.J. and Madey,R. Measurement of the spin-flip probability in photoproduction of negative pions from deuterium, 9=696

Bandtel,K.C., Frank,W.J. and Moyer,B.J. Comparison of the reactions $p + d \rightarrow H^3 + \pi^+$, $p + d \rightarrow He^3 + \pi^0$ as a test of charge independence, 7=6544

Bandyopadhyay,G. Note on the possibility of polytropic stars with power law for opacity and subatomic energy generation, 5=5196

Banerjee,A.N. A neutron generator using T (d, n) reaction, 5=6529

Banerjee,B. See also Chackraburtty,D.M., 6=3381

Banerjee,B. and Kramer,G. Theory of the forward asymmetry in the photodisintegration of deuterons, 9=10126

Banerjee,B., Kramer,G. and Krüger,L. The theory of the photodisintegration of the deuteron in the middle energy regions, 9=10125

Banerjee,B.C. and Goswami,A. An electron diffraction study of the structure of electro-deposited nickel. I, 5=10061

Banerjee,B.K. See Dasgupta,D.R., 6=1750-1

Banerjee,B.M. See also Saha,A.K., 7=626

Banerjee,B.M., Ghosh,S.K. and Saha,A.K. A nuclear induction spin-echo apparatus, 9=8351

Banerjee,B.R. Reflected beam X-ray monochromator for Geiger counter diffractometry, 5=8401. Correlation of secondary X-ray intensities, 9=7050

Banerjee,C. See Mukherji,B.K., 5=3473

Banerjee,C.C. On the variation of p—p scattering cross section with energy, 6=5951. Polarisation in p—p scattering, 6=8241. Sommerfeld's fine-structure formula from five dimensional wave-equation, 9=8667. Spin of an electron from five-dimensional wave equation, 9=9935

Banerjee,D.K. See also Banerjee,S.S., 5=403, 5=5134

Banerjee,D.K., Surange,P.G. and Sharma,S.K. Ionospheric observations at Banaras during the total solar eclipse on 20 June 1955, 7=3855

Banerjee,H. Polarisation effects in elastic scattering of Dirac electrons by screened Coulomb field, 9=47. Polarization effects in integrated bremsstrahlung cross-section, 9=2565. On Sommerfeld's approximation in high energy photoelectric effect and one quantum annihilation of positrons in the K-shell, 9=3733. Polarization phenomena in photoelectric effect and one quantum annihilation of positrons in the

K-shell, 9=4902
Banerjee, K.N. Contribution of the initial motions of the seismometer and galvanometer in the response characteristics of electromagnetic seismographs, 9=10724
Banerjee, M.K. See also Levinson, C.A., 8=1945, 8=3365
Banerjee, M.K., Das, T.P. and Saha, A.K. Effect of chemical shift and J-coupling on nuclear resonance line-shape, 5=1123
Banerjee, M.K. and Dutta Roy, B. A shell model calculation with reaction matrix, 9=12610
Banerjee, S. See Basu (Mitra), A., 5=8205
Banerjee, S.B. Ultraviolet absorption spectra of α-methyl naphthalene and β-methyl naphthalene in the liquid and solid states, 6=8096. Ultraviolet absorption spectra of phenol, o-bromophenol and diphenyl ether in different states, 7=247. Ultraviolet absorption spectra of pyridine in the liquid and solid states, 7=5991. Ultraviolet absorption spectra of isomeric picolines in the liquid and solid states, 7=7738. Ultraviolet absorption spectra of ortho-and para-chloroanisole in the liquid and solid states, 9=12037
Banerjee, S.P. See Kar, K.C. 7=8130
Banerjee, S.S. and Banerjee, D.K. Effect of thickness of the ionospheric layer on the multiple splitting and scattering of radio waves, 5=403. Variation of the angle of arrival of the down-coming radio waves from the ionosphere with the appearance of scattered signals, 5=5134
Banerji, R.B. The autocorrelogram of randomly fading waves, 5=4227
Banerji, S.K. Thermodynamics of moist air, 5=1786
Banewicz, J.J. See also Lindsay, R. 8=5111
Banewicz, J.J. and Lindsay, R. Magnetic susceptibility of αMnS, 7=1443
Banford, A.P. See Griffith, T.C., 8=1848
Bang, J. and Hansteen, J.M. Coulomb deflection effects on ionization and pair-production phenomena, 9=11522
Bang Vo-Xuan. See Marin, P., 9=10134
Banister, A.W. and Murray, R.L. Calculating burnout effects, 7=9904
Bankina, V.F. See Abrikosov, N.Kh., 7=416
Bankoff, S.G., Hajjar, A.J. and McGlothin, B.B., Jr. On the nature and location of bubble nuclei in boiling from surfaces, 9=5625
Banks, E. See Heinz, D.M., 6=2536. Mones, A.H., 9=3641, 9=8322. Perri, J.A., 8=8469. Rosen, C., 6=8729-30. Tauber, A. 8=8901
Banks, H.O., Jr. See Stang, L.G., Jr. 5=499
Baños, A.Jr. Fundamental wave functions in an unbounded magneto-hydrodynamic field. I. General theory, 5=4777. Magneto-hydrodynamic waves in incompressible and compressible fluids, 6=3854. Normal modes characterizing magnetoelastic plane waves, 7=2439
Bannik, B.P., Gulyamov, U.G., Kopÿlova, D.K., Nomofilov, A.A., Podgoretskiĭ, M.I., Rakhimbaev, B.G. and Usmanova, M. Hyperfragments in nuclear emulsions, 8=8281
Bannik, B.P., Kopÿlova, D.K. and Nomofilov, A.A. Capture of a K^--meson with emission of ΔHe_2^5, 8=3384
Bannik, B.P., Kulikova, N.M., Lazareva, L.E. and Yakovlev, V.A. Angular distribution of photofission fragments from uranium, 8=3387
Bansigir, K.G. See also Iyengar, K.S. 9=10882
Bansigir, K.G. and Iyengar, K.S. The stress birefringence relation in some alkali halides, 8=1002
Banta, H.E. See Johnson, C.H., 6=4024. Macklin, R.L. 5=3102. Moak, C.D. 9=12380
Banyard, K.E. X-ray scattering from CCl_4, 9=8198
Banyard, K.E. and March, N.H. Molecules with tetrahedral and octahedral symmetry. V. The electron distribution in CCl_4, 6=8310. X-ray scattering by "neon-like" molecules, 6=9042. Distribution of electrons in the water molecule, 7=8071
Bappu, M.K.V. and Sinvhal, S.D. Polarisation of comet Arend-Roland, 8=3649
Baptista, A.M. Absolute measurements on β-emitting radionuclides. Counters with solid angle 4 π, 9=3694
Baptista, A.M., Cordeiro, R.H. and Galvão, J.P. Experimental study of external cathode detectors in the Geiger-Müller region, 9=3684
Baptista, A.M. and Galvão, J.P. On the subject of the sensitive volume of external cathode Geiger-Müller counters. 6=5165
Bar, V. and Weinreb, A. Influence of oxygen on the transfer efficiency and fluorescent yield of organic solutions, 9=1308
Barabaschi, S., Cottini, C. and Gatti, E. High sensitivity and accuracy pulse trigger circuit, 6=2968
Barabaschi, S. and Gatti, E. Transfer function for a small perturbation of a nuclear reactor when not in equilibrium, 7=3684
Baraboshkin, S.A., Karamyan, A.S. and Flerov, G.N. Interaction between nitrogen and gold nuclei, 8=1970
Baradzeĭ, L.T., Rubtsov, V.I., Smorodin, Yu. A., Solov'ev, M.V., Tolkachev, B.V. and Tulinova, Z.I. On the formation of the electron–photon component in the interaction between cosmic-ray particles of energies exceeding 10^{11} eV and beryllium nuclei, 8=3217. Interaction of cosmic-ray protons of energies of about 10^{10} eV with lead nuclei, 8=3367
Barakat, N. The formation of white light fringes of equal chromatic order, 7=5240. Interference fringes with cylindrically curved thin films, 8=996. Two-beam high contrast interferometry, 9=223
Barakat, N. and Nooh, H. Principle of an interference refractometer, 8=1628
Baral, S.S. Studies on the sunrise effect in regions E and F, 5=4230. Ionospheric prediction methods and the probable sources of error, 7=941. Lunar tidal variations in the F_2 region of the ionosphere, 7=7514
Baran, W. The relation between the reactor period and the multiplication factor in the subcritical state, 9=11501
Baranger, E. and Gerjuoy, E. Helium excitation cross sections near threshold, 7=7311. Some consequences of the compound ion model, 9=717
Baranger, E. and Meshkov, S. Configuration mixing in the C^{14} ground state, 8=6206
Baranger, E.U. Analysis of the elastic scattering of protons from F^{19}, 5=8235
Baranger, M. Simplified quantum-mechanical theory of pressure broadening, 9=1271. Problem of overlapping lines in the theory of pressure broadening, 9=1272. General impact theory of pressure broadening, 9=5512
Baranger, M. and Mozer, B. Electric field distributions in an ionized gas, 9=13386
Baranov, I.A. See Protopopov, A. V. 9=13709
Baranov, P.S. and Gol'danskiĭ, V.I. Yield and angular distribution of photoneutrons of high energy, 5=9087. A high-threshold scintillation detector of neutrons, 5=9159
Baranov, P.S., Goldanskiĭ, V.I. and Roganov, V.S. Dosimeter for high-energy neutrons, 8=6097. The yield and angular distribution of fast photoneutrons from deuterium and carbon, 8=6326. Yield and angular distribution of fast photoneutrons from deuterium and carbon, 9=672
Baranov, S.A., Rodionov, Yu. F., Shishkin, G.V. and Chistyakov, L.V. Energy levels of the Dy^{161} nucleus, 8=8277
Baranov, S.A. and Shlyagin, K.N. The electron spectrum of U^{237}, 6=5363
Baranova, E.G. See Levchine, V.L. 9=10816
Baranova, N.A. and Shur, Ya.S. The magnetization processes necessary for the temperature magnetic hysteresis effect in ferro-magnetics, 7=1457
Baranova, Z.N. and Velizhanina, K.A. The acoustic parameters of some sound-absorbing materials, 8=3811
Baranovskiĭ, V.L. See Murin, A.N., 7=7315
Baranowski, B. Interaction between diffusion and viscous flow in mixtures of rarified monoatomic gases, 9=122
Baranskiĭ, K.N. Excitation of ultrasonic frequency vibrations in quartz, 7=8468. Excitation of hypersonic vibrations in quartz, 8=2883. See also Yakovlev, I.A., 7=8474, 8=8651
Baranskiĭ, K.N., Gribov, L.A. and Prikhod'ko, V.P. Index of refraction of Rochelle salt near the phase-transition point, 7=7716
Baranskiĭ, P.I. The volume Peltier effect in germanium, 8=4038. Mobility of the minority current carriers in collinear electrical and magnetic fields, 8=6976. See also Shtenbek, M., 7=2263, 7=9186, 7=9205, 6=6662
Baranskiĭ, P.I. and Komukhaev, É.I. The volume-gradient e. m. f. during current flow through germanium, 9=4588
Baranskiĭ, P.I. and Konoplyasova, N.S. A study of the volume-gradient thermoelectric force and thermal conductivity in germanium single crystals of known crystallographic orientation, 9=5749
Baranskiĭ, P.I. and Lashkarev, V.E. Measurements of the volume thermo-e.m.f. in germanium, 8=5017
Baranul'ko, V.A. and Fedotov, I.V. Radio reflection from lightning, 6=4121
Bárány, N. A new instrument for testing stereoscopic vision, 8=4606. Mirror micrometers, 9=4329
Barašenkov, V.S. On the impossibility of the Hamiltonian formulation of theory with the form-factor, 7=8383
Barašenkov, V.S. and Barbašev, B.M. Statistical weight of a sys-

tem of particles with arbitrary spins, 8=3732

Barašenkov,V.S., Barbašev,B.M. and Bubelev,E.G. Statistical theory of particle multiple production in high energy nucleon collisions, 8=5193

Barashenkov,V.S. Several remarks on possible formulations of the theory of extended particles, 5=7694. Contribution to the theory of nonlocal interaction, 7=2975. Compton effect on an extended electron, 7=3613. Construction of a phenomenological scattering matrix with nonlocal interaction, 7=7613. Concerning some possibilities of formulation of a relativistically invariant theory of extended particles, 8=4739. On the interaction between K-mesons, pions, nucleons, and hyperons, 8=7268. See also Blohincev,D.I., 9=512, 9=9946

Barashenkov,V.S., Barbashev,B.M., Bubelov,E.G. and Maksimenko,V.M. Multiple production of heavy particles in two nucleon collisions, 8=6114

Barashenkov,V.S. and Barbashov,B.M. The electrical polarizability of the meson cloud in the nucleon, 9=11362

Barashenkov,V.S., Belyakov,V.A., Bubelev,E.G., Wang Shou Feng, Maltsev,V.M., Ten Gyn and Tolstov,K.D. Multiple production of particles in collisions between 9 GeV protons and nucleons, 9=3886

Barashenkov,V.S. and Khuan Nyan'-Nin. Non-uniqueness of phase shift analysis of proton—proton collisions, 9=11367

Barashenkov,V.S. and Maltsev,V.M. On the magnitude of strange particle production cross-section in nucleon—nucleon collisions at cosmotron energy, 9=6001. Production of strange particles in p—p collisions at 3 BeV, 9=13577

Barashenkov,V,S., Stakhanov,I.P. and Aleksandrov,Yu.A. Elastic scattering of neutrons by heavy nuclei through small angles, 7=6582

Barbanti-Silva,L., Bonacini,C., De Pietri,C., Iori,I., Lovera,G., Perilli-Fedeli,R. and Roveri,A. On a high energy electronic shower, 7=506

Barbaro,A., Baroni,G. and Castagnoli,C. Diffraction scattering and interactions of 0·57 GeV π^- in emulsions, 9=544

Barbaro,D. Self starting acoustic oscillations in closed spaces, 9=10725

Barbašev,B.M. See Barašenkov,V.S., 8=3732, 8=5193

Barbashev,B.M. See Barashenkov,V.S., 8=6114

Barbašov [Barbashov],B.M. See Barashenkov,V.S., 11362. Blohinčev,D.I., 9=9946

Barber,B. See Kemp,L.A.W., 8=3273

Barber,C.R. A platinum resistance thermometer for use at low temperatures, 6=2046

Barber,C.R. and Horsford,A. The freezing point of zinc as a primary point of the International Temperature Scale, 9=13234

Barber,D. Measurements of current noise in lead sulphide at audio frequencies, 6=2110

Barber,D.J., Harvey,K.B. and Mitchell,J.W. A new method for decorating dislocations in crystals of alkali halides, 7=9973

Barber,D.R. Note on the seasonal variation of sodium D-line emission in twilight, 5=1399. Changes in brightness, polarization, and colour of the zenith day sky accompanying geomagnetic activity, 6=839. Photoelectric observations of anomalously polarized twilight emission at 5893 A, 7=7520. Polarization of the integrated light of comet Arend—Roland, 1956h, 8=2741. Origin of upper-atmosphere lithium atoms responsible for the new twilight airglow at 6708 A, 9=7687

Barber,J.G. An optical interferometer method of calibrating a crystal gauge for the measurement of sound wave transients, 5=1606

Barber,N.F. A correlation treatment of fading signals, 6=7868. The eccentric loading of optical flats during grinding, 7=7528

Barber,S.W. See also Dank,M. 5=5381, 7=7069

Barber,S.W. and Martin,B. A heat-capacity function with velocity dispersion for isotropic solids, 9=8818

Barber,W.C. Specific ionization by high-energy electrons, 5=3582. Density effect on the ionization in gases by electrons, 6=8843. Electrodisintegration of Be^9 and C^{12}, 9=3909

Barber,W.C., Berman,A.I., Brown,K.L. and George,W.D. Z-dependence of bremsstrahlung, 5=8021

Barber,W.C., George,W.D. and Reagan,D.D. Absolute cross section for the reaction $C^{12}(\gamma,n)C^{11}$, 5=4941

Barbezat,S. See Barraud,J., 7=7506

Barbier,D. Automatic photometers for the study of the night-sky light, 6=181. Analysis of the night-sky spectrum, 6=836. Fluctuations of the zodiacal light, 6=1808. Examination of methods for the determination of the altitudes of the layers emitting the nocturnal luminescence, 6=9087. Preliminary results of 8-colour photometry of the light of the night sky, 6=9091. Observations of the nocturnal atmospheric luminescence from the red line of oxygen, 7=7518. An interpretation of the nocturnal luminescence of the red oxygen line, 7=7519. Photoelectric observation of auroral activity at low latitudes, 7=7521. The night airglow from the 6300 A red line of oxygen, 8=7632. Approximate formulae for evaluating the intensity of weak spectral lines, 9=1006

Barbier,D. and Curtis,G.W. Remarks on the spherical transfer problem in stellar atmospheres, 7=5006

Barbier,D., Delannoy,J. and Weill,G. The new twilight line, 9=1960

Barbier,D. and Glaume,J. A new determination of the altitude of emission of the green line of the night-sky light by Van Rhijn's method, 8=6546

Barbier,D. and Lévêque,P. Standard of low luminance for studying the light of the night sky, 7=8500

Barbier,J.C. See also Aléonard,R., 6=7520, 7=9269. Pescetti,D., 7=5453

Barbier,J.C. and Aléonard,R. Paramagnetism of some rare earth ferrites, 6=3013

Barbieri,R. See Pizzini,S. 9=10380

Barbour,J.P. See Dyke,W.P. 5=8816, 6=6699. Trolan,J.K., 6=1283

Barbulescu,N. The surface tension of liquids at the critical point, 9=9296

Barcala,J. and Vázquez,D. Contribution to the study of the state of correction of a Kellner eyepiece, 6=187. A study of the preliminary paraxial design of triplets and the influence of the individual elements on the state of correction of the image, 6=8646. Means of calculating the powers of a relay lens of triplet type, 6=8647

Barceló,J.R., Jorge,M.P. and Otero,C. Spectroscopic study of the monotropic forms of monochloracetic acid, 8=8691

Barchewitz,P. Experimental dispositions used on prism and grating spectrographs, 5=3554. Molecular vibrations and force constants, 7=7256. See also Amat,G., 5=2884. Cornet,Y., 9=12027

Barchuk,I.F. and Bely̆kh,H.V. A magnetic prism β-spectrometer with scintillation electron counter, 8=7113

Barchuk,I.F., Galkin,E.M., Pasechnik,M.V. and Pucherov,N.N. Resolving power of scintillation spectrometers, 7=4472

Barchukov,A.I. See also Prokhorov,A.M. 5=845

Barchukov,A.I., Minaeva,T.M. and Prokhorov,A.M. Microwave spectrum of the C_2H_5Cl molecule, 7=255

Barclay,F.R. and Jelley,J.V. Čerenkov and isotropic radiations from single μ-mesons in air, 5=8285

Barcus,L.C., Perlmutter,A. and Callaway,J. Effective mass of electrons in gallium arsenide, 8=5881

Bardeen, J. Theory of the Meissner effect in superconductors, 5=7066. Gauge invariance and the energy gap model of superconductivity, 7=8639. Interaction between electrons and lattice vibrations, 8=395. Two-fluid model of superconductivity, 9=2353. Trends in semiconductor research, 9=8095. Methods for determination of distribution of surface states in Ge and Si, 9=9616. See also Mattis,D.C., 9=1482. Pines,D., 7=5727

Bardeen,J., Blatt,F.J. and Hall,L.H. Indirect transitions from the valence to the conduction bands, 7=7924

Bardeen,J., Cooper,L.N. and Schrieffer,J.R. Microscopic theory of superconductivity, 7=6193. Theory of superconductivity, 8=1708

Bardeen,J., Coovert,R.E., Morrison,S.R., Schrieffer,J.R. and Sun,R. Surface conductance and the field effect on germanium, 7=1286

Bardeen,J. and Morrison,S.R. Surface barriers and surface conductance, 5=3723

Bardeen,J. and Pines,D. Electron-phonon interaction in metals, 5=8948

Bardeen,J., Richayzen,G. and Tewordt,L. Theory of the thermal conductivity of superconductors, 9=5733

Bardeen,J.M. and Chandrasekhar,B.S. Peltier heat at the interface between a metal and its melt, 9=324

Barden,S.E. See McFarlane,W., 6=4434

Bardócz,Á. Investigations on light sources for spectral analysis. An electronically controlled spark generator, 5=3663. VIII. A thyratron-controlled interrupted arc source, 5=6978. X. New high-voltage spark sources with mechanical control, 6=2027. XII. An electronically controlled precision spark generator with 40 kV h.t. 8=7794

Bardócz,Á. and Klatsmányi,Á. New flash illumination unit, 6=1148. A cloud chamber illumination unit, 6=7487

Bardócz,Á. and Varsányi,F. Spectrochemical analysis with time- resolved spark spectra, 6=4074

Bardolle,J. and Bénard,J. On the effect of the crystalline orientation of iron on the surface formation of oxide nuclei at low pressures of oxygen and high temperatures, 5=618
Bardon,M. See also Berley,D., 9=11380
Bardon,M., Berley,D. and Lederman,L.M. Asymmetry parameter in muon decay, 9=6013
Bardon,M., Fuchs,M., Lande,K., Lederman,L.M., Chinowsky,W. and Tinlot,J. Lifetime and decay of the K_2^0 meson, 8=6181
Bardon,M., Lande,K., Lederman,L.M. and Chinowsky,W. Long-lived neutral K mesons, 9=1679
Bardsley,W. Transistor technology. Defects in transistor materials, 8=1701. See also Arthur,J.B., 5=1834, 5=3774. Gibson,A.F., 5=7962. Granville,J.W., 5=7054; Hogarth,C.A., 6=2876
Bardsley,W. and Bell,R.L. Etch pits in indium antimonide, 7=9975
Bardsley,W., Bell,R.L. and Straughan,B.W. Dislocation etch pits in germanium, 9=807
Bardsley,W. and Straughan,B.W. Spiral etch pits in silicon, 6=7809
Barducci,I. On the activation energy of the phenomenon of diffusion of nitrogen in α-Fe, 5=8304. On the apparent elastic modulus of porous solids, 6=728. Diffusion coefficient of N in α-Fe, 6=4683. Acoustic constants of tube of small section, 7=4043. Anelastic behaviour of solids at high temperatures, 8=7564
Barducci,I. and Degano,U. Researches on probe microphones, 8=6780
Barducci,J. and Cabarat,R. Static and dynamic measurements of Young's modulus for porous materials, 6=727
Bardwell,D.C. See Palmer,R.C., 8=6481
Barenblatt,G.I. On widening of the coke channel during treatment of coal by electric current, 7=1222
Barendsen,G.W. Radiocarbon dating with liquid CO_2 as diluent in a scintillation solution, 7=8119
Barer,R. Refractometry and interferometry of living cells, 7=6782
Barfield,R.N. and Schneider,W.G. Excess ultrasonic absorption in diethylamine—water mixtures, 9=10714
Barford,N.C. Report on a negative heavy meson event observed at the Pic du Midi, 5=6490. Space charge neutralization by ions in linear flow electron beams, 7=8660
Barford,N.C., Davis,C., Castagnoli,C., Franzinetti,C. and Manfredini,A. Some results on the time variation of the heavy component of primary cosmic rays, 8=6021
Barford,N.C. and Reynolds,G.T. Graphical determination of the path of a scattered particle, 7=3390
Barger,J.P. See Rohsenhow,W.M. 9=12714
Barger,R.L See also Kessler,K.G., 9=11520
Barger,R.L. and Meissner,K.W. Mercury atomic beam lamp, 8=106
Bargmann,V. Relativity, 7=7570
Bargmann,V., Michel,L. and Telegdi,V.L. Precession of the polarization of particles moving in a homogeneous electromagnetic field, 9=11807*
Barile,S. See also Allen,G., 5=8198
Barile,S., Webeler,R. and Allen,G. Determination of the ranges and straggling of low-energy alpha particles, in a cloud chamber, 5=1152
Barinskiĭ,R.L. See Vaĭnshteĭn,É.E., 5=7094
Barjon,R., Brachet,C., Lambert,M., Martineau,M. and Schmouker,J. On the irradiation of photoconducting single crystals of cadmium sulphide by 1·4 MeV protons, 9=8864
Barjon,R., Magnac-Valette,D. and Schmouker,J. Disintegrations of isotopes of lithium, carbon and oxygen by tritons of 0·9 MeV., 6=4644
Barjon,R. and Schmouker,J. Recent improvements made to the 2 MeV Van de Graaff of the Ecole Polytechnique, 7=1381
Barkan,S. On the pair production cross-section for 2·62 MeV radiation, 7=1577. Study of the disintegration produced by high energy protons in heavy and light nuclei, 9=3893
Barkas,W.H. The range—energy relation in emulsion. II. The theoretical range, 8=4204. See also Heckman,H.H., 6=4009, 6=6924
Barkas,W.H., Barrett,P.H., Cüer,P., Heckman,H.H., Smith,F.M. and Ticho,H.K. High-velocity particle ranges in emulsion, 6=5420. The range—energy relation in emulsion. I. Range measurements, 8=4203
Barkas,W.H., Birge,R.W., Chupp,W.W., Ekspong,A.G., Goldhaber,G., Goldhaber,S., Heckman,H.H., Perkins,D.H., Sandweiss,J., Segrè,E., Smith,F.M., Stork,D.H., van Rossum,L., Amaldi,E., Baroni,G., Castagnoli,C., Franzinetti,C. and Manfredini,A. Antiproton—nucleon annihilation process (antiproton collaboration experiment), 7=3225
Barkas,W.H., Birnbaum,W. and Smith,F.M. Mass-ratio method applied to the measurement of L-meson masses and the energy balance in pion decay, 6=2440
Barkas,W.H., Biswas,N.N., DeLise,D.A., Dyer,J.N., Heckman,H.H. and Smith,F.M. Interactions of $1{\cdot}15$ BeV/cK^- mesons in emulsion, 9=11396
Barkas,W.H., Dudziak,W.F., Giles,P.C., Heckman,H.H., Inman,F.W., Mason,C.J., Nickols,N.A. and Smith,F.M. Results from an enriched negative K-meson beam, 7=5637
Barkas,W.H., Dyer,J.N., Giles,P.C., Heckman,H.H., Mason,C.J., Nickols,N.A. and Smith,F.M. Negative K-meson reactions with protons: masses of charged Σ hyperons and the negative K meson, 9=4950
Barkas,W.H., Giles,P.C., Heckman,H.H., Inman,F.W. and Smith,F.M. μ-Meson polarization in a strong magnetic field, 8=1184
Barkas,W.H., Smith,F.M. and Birnbaum,W. Range straggling in nuclear track emulsion, 5=5460
Barker,F.C. Collective effects in nuclei of mass 18 and 19, 6=6831. Scattering of polarized nucleons by nuclei, 7=1392. Isotopic spin impurities, 7=5562. The nuclear photoeffect in light nuclei, 7=9391. See also Tassie,L.J., 9=2576
Barker,F.C. and Mann,A.K. The effect of isotopic spin impurity on (γ, p) and (γ, n) cross sections, 7=4728
Barker,G.C. Square wave polarography. III. Single drop polarography, 8=6493
Barker,G.C. and Cockbaine,D.R. Square wave polarography. II. Notes on the use of the square wave polarograph, 8=6492
Barker,J.A. The cell theory of liquids, I, 5=6797, II, 6=8026, III. Fusion, 7=8450. Cluster integrals and statistical mechanics of solutions, 8=537
Barker,J.R. Applications of a transformer analogue computer, 6=7933
Barker,J.R. and Dobbs,E.R. Measurement of the elasticity of solid argon with an ultrasonic interferometer, 5=9995
Barker,P.R. Cosmic-ray electrons near sea level and at mountain altitudes, 6=448
Barker,P.R., Binnie,D.M., Hyams,B.D. and Rout,R.J. Study of charged heavy unstable cosmic ray particles, 5=3858
Barker,P.R., Binnie,D.M., Hyams,B.D., Rout,R.J. and Shepherd,J. Measurements of the lifetimes of charged heavy unstable particles, 5=4093
Barker,R. See Pottie,R.F. 9=13877
Barker,R.S. and Eyring,H. Approximate integral evaluations used in the molecular quantum mechanics of nonlinear molecules, 5=2929
Barker,R.S., Eyring,H., Baker,D.A. and Thorne,C.J. Use of molecular quantum-mechanical approximations exemplified in the energy calculation of the H_3^- system, 5=8958
Barker,R.S., Giddings,J.C. and Eyring,H. Energy calculations for the linear H_3^+ ion system, 5=2965
Barker,R.S., Snow,R.L. and Eyring,H. Energy calculations of multiple hydrogen-atom systems by VB and MO methods, 5=9809
Barker,W.A. See also Desloge,E.A. 8=2022
Barker,W.A. and Glover,F.N. Reduction of relativistic two-particle wave equations to approximate forms. III, 5=8516
Barker,W.A. and Mencher,A. Overhauser nuclear polarization effect, 5=8163. Thermodynamics of irreversible processes and the Overhauser nuclear polarization effect, 6=1478. Thermodynamics and the Overhauser nuclear polarization effect, 6=5269
Barkhatov,A.N. The study of a sound shadow in a medium with vertical gradient of velocity of sound, 6=4920. The measurement of sound attenuation in an isothermal surface layer of water, 6=4947. Acoustic field in a medium with a homogeneous surface layer, 8=5732
Barkhatov,A.N. and Shmelev.I.I. The attenuation of a sound beam on traversing a layer having velocity discontinuity, 8=6756. Focusing of sound on reflection from the boundary of an inhomogeneous medium, 8=6772
Barkov,L.M. See also Alpers,V.V., 6=8972-3
Barkov,L.M. and Nikol'skiĭ,B.A. π-mesons (review of experimental data), 7=9406
Barkow,A.G. Experiment on the mechanics of atomic collisions, 6=2383. See also Chamany,B., 9=537
Barkow,A.G. and Chamany,B. Nonmesonic decay of He^4 hyperfragment, 7=2687
Barkow,A.G., Chamany,B. and McDaniel,R.E. Thin down and breakup of a large Z cosmic ray primary, 7=8698
Barlett,R.H., Rice,M.H. and Good,R.H., Jr. Approximations for

Coulomb wave functions, 8=1530

Barloutaud,R. See also Ballini,R., 7=1539, 7=2597; Lehmann,P., 8=2542; Thirion,J., 5=8240

Barloutaud,R. and Ballini,R. Radioactivity of Gd^{159} and Tb^{161}, 5=9856

Barloutaud,R. and Grjebine,T. Variation of the yield of Coulomb excitation for the first two rotational levels of tantalum by protons of energy between 1·2 and 4·5 MeV, 5=506

Barloutaud,R., Grjebine,T., Lehmann,P., Lévêque,A., Quidort,J. and Temmer,G.M. Study of Coulomb excitation of the second excited state of Pt^{191}, 7=7291

Barloutaud,R., Grjebine,T. and Riou,M. Coulomb excitation of thallium, 5=7359. Coulomb excitation of the isotopes of mercury, 6=5377

Barloutaud,R., Lehmann,P. and Lévêque,A. Coulomb excitation of osmium, 7=9322

Barloutaud,R., Lehmann,P., Levèque,A., Phillips,G.C. and Quidort,J. The first excited states of neon 19, 7=9332

Barlow,G.S. and Standley,K.J. Spectroscopic splitting factors for iron and silicon—iron, 7=2455. Microwave resonance in nickel at 35 Gc/s (kMc/s), 8=1315

Barlow,H.B. Retinal noise and absolute threshold, 6=7910. Purkinje shift and retinal noise, 7=6784. Noise and the visual threshold, 8=1394

Barlow,H.E.M. The application of the Hall effect in a semiconductor to the measurement of power in an electromagnetic field, 5=3897

Barlow,H.E.M. and Karbowiak,A.E. An experimental investigation of axial cylindrical surface waves supported by capacitive surfaces, 5=5530

Barlow,J.S., Frey,G.W., Jr. and Newman,J.B. Very low frequency noise power from the lightning discharge, 5=3336

Barmat,M., Anderson,G.M. and Bollmeier,E.W. SNAP-III—Electricity from radionuclides and thermoelectric conversion, 9=12316*

Barmby,D.S. See Ewles,J., 6=8111

Barmin,V.V., Kanavets,V.P., Morozov,B.V. and Pershin,I.I. Angular correlations of $\pi^+ - \mu^+ - e^+$-decays in a propane bubble chamber, 8=7266. Energy dependence of the asymmetry coefficient in $\pi^+ \to \mu^+ \to e^+$ decays for the low energy part of the positron spectrum, 9=13565.

Barnard,A.C.L. See also Jones,W.M., 8=9050

Barnard,A.C.L. and Haywood,B.C. The weak lines in the radium D gamma spectrum, 7=9368

Barnard,A.J. and Mouton,W.L. Condensation produced by ultraviolet light, 9=1374

Barnard,E. See Schneider,H., 8=6124

Barnard,G.P. Recent research with an experimental mass spectrometer, 5=8838. Mass spectrometer researches, 6=8238

Barnard,G.P. and Fox,L. Application of digital computing methods to mass spectrometry analysis, 5=5066

Barnartt,S. and Sun,K.H. Using neutrons for remote liquid-level gaging, 5=7721

Barnes,B.T. Band systems for appraisal of color rendition, 8=1640

Barnes,C.A. Gamma radiation from the inelastic scattering of protons by F^{19}, 5=4036. See also Boehm,F., 8=8298; Kavanagh,R.W., 9=3897; Lauritsen,T., 9=611

Barnes,C.A., Fowler,W.A., Greenstein,H.B., Lauritsen,C.C. and Nordberg,M.E. Nature of the Li^{8} beta-decay interaction, 9=3864

Barnes,C.B. See Heer,C.V., 5=901

Barnes,D. See also Aves,R., 5=3840

Barnes,D., Mackenzie,R.B. and Aves,R. Boron films, 8=6443

Barnes,E. See Antill,J.E., 7=990

Barnes,G. Field emission from rhenium : emission pattern corresponding to hexagonal crystal structure, 5=4720. Hatchet or hacksaw blade planimeter, 7=3036. Directions for applying Kirchhoff's rules, 7=6196. Addition to the ballistic pendulum experiment, 8=60. Study of collisions. I. A survey of the periodical literature, 8=3745; II. Survey of the textbooks, 8=3746

Barnes,G. and Mackenzie,J. Height of fall versus frequency in liquid rope-coil effect, 9=3188

Barnes,G., Patmore,J.W. and Fountain,S.J. Classification of collisions; elastic collisions on a macroscopic scale, 8=3747

Barnes,G. and Woodcock,R. Liquid rope-coil effect, 8=3756

Barnes,G.A. and Banbury,P.C. Electrical properties of clean germanium surfaces, 8=4978. Electrical properties of clean germanium surfaces, 9=6959

Barnes,J.C. Temperature cycle controller, 7=3215

Barnes,J.M., Mayer,W.G. and Hiedemann,E.A. Multiple diffraction of light by ultrasonic vibrations in transparent solids, 9=228

Barnes,J.W. See Knight,J.D., 6=6113

Barnes,R.C.M., Data recording. Summary of a conference held at A.E.R.E. on 3rd October, 1958, 9=4249

Barnes,R.F. See Coté,R.E., 9=8629; Diamond,H., 6=2341; Friedman,A.M., 6=6108; Mech,J.F., 6=6861

Barnes,R.G. See also Bray,P.J., 5=2052, 7=2498, 7=2502, 8=388, 8=9082; Casabella,P.A., 9=8756; Cassabella,P.A., 7=6399; Segel,S.L., 7=2493, 7=3502, 7=9827

Barnes,R.G. and Bray,P.J. Nuclear quadrupole resonance of As^{75}, 5=3940.* Nuclear quadrupole resonances of Sb^{121} and Sb^{123}, 5=7254

Barnes,R.G. and Engardt,R.D. Unusual temperature dependence of bromine quadrupole resonances in TiBr$_4$, 8=8434

Barnes,R.G., Engardt,R.D. and Hultsch,R.A. Nuclear magnetic resonance determination of activation volume for diffusion in lithium, 9=11588

Barnes,R.G. and Hultsch,R.A. Indirect nuclear spin—spin interactions in pure quadrupole resonance spectra, 9=1709

Barnes,R.G. and Segel,S.L. Dimerization of solid group IIIB trihalides. I. Bromine nuclear quadrupole resonance spectrum of AlBr$_3$, 6=8901

Barnes,R.G., Segel,S.L., Bray,P.J. and Casabella,P.A. Dimerization of solid group IIIB trihalides. III. Bromine, gallium and indium quadrupole resonances in GaBr$_3$, GaI$_3$, and InI$_3$, 7=8058

Barnes,R.S. The surface topography of diffusion couples, 5=5667. See also Rich,J.B., 9=10271

Barnes,R.S. and Hancock,N.H. The effects of neutron irradiation upon the internal friction of copper single crystals at liquid nitrogen temperatures, 8=3504

Barnes,R.S., Hancock,N.H. and Silk,E.C.H. The influence of vacancies upon the internal friction of polycrystalline copper, 8=3503

Barnes,R.S. and Makin,M.J. On the mechanism of irradiation annealing, 6=8419

Barnes,R.S., Redding,G.B. and Cottrell,A.H. The observation of vacancy sources in metals, 8=1323

Barnett,C.F. See also Mills,C.B., 5=1927; Stier,P.M., 5=998, 6=8259

Barnett,C.F., Evans,G.E. and Stier,P.M. Characteristics of an electron multiplier in the detection of positive ions, 5=1917

Barnett,C.F. and Reynolds,H.K. Charge exchange cross sections of hydrogen particles in gases at high energies, 8=8841

Barnett,C.F. and Stier,P.M. Charge exchange cross sections for helium ions in gases, 9=367

Barnett,M.P. Present status of molecular computation, 7=6379. See also Curtiss,C.F., 9=4088; ter Haar,D., 7=8464

Barnett,M.P., Birss,F.W. and Coulson,C.A. Electron—electron separation in molecular hydrogen, 8=3432

Barnett,M.P., Robertson,H.H. and Albasiny,E.L. High-speed computation of molecular integrals, 6=8911

Barnett,W., Berry,R.G. and Preston,J.S. The ageing of gasfilled standard lamps on a.c. and d.c., 7=9590. The ageing of vacuum standard lamps on a.c. and d.c., 9=1234

Barnetzky,F. Effect of the growth-promoting zone on the distribution of an antibiotic in a diffusion test, 9=1984

Barneveld,H.H. van. See van Barneveld,H.H.

Barnhart,P.E., Protheroe,W.M. and Galli,J. Direct observation of element motion in stellar shadow patterns, 7=1869

Baró,G. and Rey,P. A new isotope of osmium with 6·5 minute half-life (Os^{195}), 9=2737. See also Flegenheimer,J., 6=2340. Radicella,R., 9=661*, 9=2804

Baró,G.B., Rey,P. and Seelmann-Eggebert,W. A new isobaric series 108 (110), 5=5597

Baró,G.B., Seelmann–Eggebert,W. and Zabala,I.E. A new rhodium isotope (106 [m]) with a half-life of 117 minutes, 5=5609

Báron,J.G. Physical basis of piano touch, 8=1571

Baron,N. See Rosengren,J.W., 6=3226

Baron,P. Propagation of sound in the atmosphere and audibility of warning signals in [the presence of] ambient noise, 5=157. Noise measurements: Physical and physiological problems, 7=201

Baron,S. Eight reactor types—a thermodynamic comparison, 8=8361. Gaseous-fuel reactor, 9=2851

Baroncini,D. See also Adler,F.T., 7=2289

Baroncini,D. and De Sabbata,V. Angular correlation for production and decay of Λ^0, 8=2512

Barone,A. Interferometer for the precise measurement of the

Barnes,J.M. and Hiedemann,E.A. Determination of the elastic constants of optical glasses by an ultrasonic method, 7=3767 velocity of ultrasound in liquids, 7=8483
Barone,A., Pisent,G. and Sette,D. Dispersion of propagation velocity of ultrasound in propionic acid, 8=1561
Baroni,G. An analysis of three τ-mesons, 5=9121. See also Amaldi,E., 5=4954; Barbaro,A., 9=544; Barkas,W.H., 7=3225; Chamberlain,O., 6=3787, 6=4637, 6=5830, 6=6186
Baroni,G., Bellettini,G., Castagnoli,C., Ferro-Luzzi,M. and Manfredini,A. Results on antiproton—proton elastic scattering, 9=9951
Baroni,G. and Castagnoli,C. A simple arrangement for the rapid measurement of gaps, 5=7595
Baroni,G., Castagnoli,C., Cortini,G., Franzinetti,C. and Manfredini,A. The range—energy relation for protons in nuclear emulsions, 6=7480
Baroni,G., Cortini,G. and Manfredini,A. On a method of determining the residual range of hyperons, 5=4089
Baroody,E.M. Excitation of electrons in metals by primary electrons, 6=3777. Influence of mass ratio on displacement cascades in diatomic solids, 9=4023
Barouch,A. See Braun,E.A. 5=5333
Barr,E.S. Concerning index of refraction and density, 6=2771. Anniversaries in 1959 of interest to physicists, 9=4246
Barr,T.A. Influence of permeable membranes on the measured values of osmotic pressures, 5=9469. Osmotic pressure phenomena as observed in silver membrane osmometers, 7=150
Barr,T.A. and Hurst,G.S. Fast-neutron dose in a large tissue-equivalent phantom, 5=560
Barr,W.L. Isotope shifts in hafnium, 9=183
Barr,W.L. and Jenkins,F.A. Multilayer films for the ultraviolet, 6=1989
Barraclough,T.W., Collier,R.D. and Summers,A.C. Dynamic force measuring system for machinery vibration with particular application to balancing of assembled machines, 9=10700
Barrass,A.H. Double scattering of pseudoscalar mesons, 6=4016
Barrat,J.P. On the similarity of the coherence times measured by magnetic resonance and magnetic depolarization for the 202 isotope of mercury, 8=2231. Multiple coherent scattering of optical resonance radiation. Application to the $6\,^3P_1$ level of mercury. I. Theoretical study, 9=10153
Barrat,J.P. See also Blandin,A., 7=6468; Boutron,F., 8=2232
Barrat,J.P. and Brossel,J. Magnetic resonance in optically excited atomic states: sharpening of the lines by double scattering of the light, 8=7798
Barrat,J.P., Brossel,J. and Kastler,A. Optical production of an atomic orientation in the saturated vapour of sodium, 5=2084
Barrat,J.P. and Winter,J.M. Transition probabilities in a high frequency field with variable amplitude, 7=5568
Barraud,J. See also Rose,A.J., 5=9257
Barraud,J. and Barbezat,S. Colour transposition of phenomena in the invisible spectral region. Polychromatic Lane photographs, 7=7506
Barreau,P. See de Laboulaye,H., 5=3845
Barredo,J.G. Demonstration of an equation of conductivity in the solid state, 6=5088. Physical model of a semiconductor, 7=3256
Barreira,F. and Laranjeira,M. Effect of the γ-radiation of Co^{60} on the effective period of I^{131} in sources of cuprous iodide, 9=3853
Barreira,F., Laranjeira,M. and Lusa Martins,M. Effective half-life of I^{131} in cuprous iodide sources, 5=6419
Barreira,F. and Lusa Martins,M. Quick technique for preparing radioactive reference sources, 5=6410
Barrell,H. Optical definition of the metre, 8=1544
Barrell,H. and Essen,L. Atomic standards of length and time, 9=5492
Barrer,R.M. Self-potentials in very thin films, 5=779. The measurement of surface area of finely divided solids by the flow of gases through them, 5=1289. An examination of the behaviour of adsorbed molecules by the flow of gases through microporous media, 5=1290
Barrer,R.M. and Rees,L.V.C. Equation of state for fluids sorbed in porous crystals, 9=10940
Barrer,R.M. and Strachan,E. Sorption and surface diffusion in microporous carbon cylinders, 5=8368
Barrère,G. Contribution to the study of the absorption of X-rays by quartz crystals in the neighbourhood of the Bragg angle, 5=8399
Barret,P. Measurement of small displacements of a plane surface with a semi-virtual slit modulator, 7=1940. Contribution to the study of electrolysis by spark. The cathodic atomization of electrolytes, 7=3796
Barrett,A.H. Spectral lines in radio astronomy, 8=1442
Barrett,A.H. and Mandel,M. Microwave spectra of the Tl, In, and Ga monohalides, 8=2241
Barrett,C.S. X-ray study of the alkali metals at low temperatures, 7=792. Crystal structure of barium and europium at 293, 78, and 5°K, 7=2847. Structure of thallium and gadolinium at low temperatures, 9=933
Barrett,P.H. See Barkes,W.H., 6=5420, 8=4203
Barrett,P.T. The testing of fibres and their molecular structure, 8=4450
Barrett,R.E., Beyer,R.T. and McNamara,F.L. Ultrasonic absorption in acetate solutions, 5=1622
Barrett,L.R. and Thomas,A.G. Surface tension and density measurements on molten glasses in the $CaO.Al_2O_3.SiO_2$ system, 9-6580
Barrett,P.H. Nuclear absorption cross sections for 3·6 BeV neutrons, 9=13692
Barrett,W.A., Holmstrom,F.E. and Keuffel,J.W. Capture and decay of μ^- mesons in Fe, 9=4925
Barrie,R. Electronic conduction in solids with spherically symmetric band structure, 6=8178. Influence of exchange and correlation on electron transport in metals, 7=567. Magnetoresistance in strong magnetic fields, 8=1680. Negative and oscillatory longitudinal magnetoresistance, 9=11052. See also Broom,R., 9=10992; Hilsum,C., 8=2321
Barrie,R., Cunnel,F.A., Edmond,J.T. and Ross,I.M. Some properties of gallium arsenide, 5=3764
Barrie,R. and Edmond, J.T. A study of the conduction band of InSb, 5=9657
Barrington,R.E. and Anderson,J.M. The probability of multiple emissions of secondary electrons, 9=2402
Barriol,J. See also Regnier,S., 7=6409
Barriol,J., Chapelle,J. and Taurel,L. Study of Rayleigh scattering by anisotropic crystals, 5=1740
Barriol,J., Nikitine,S. and El Komoss,S.G. Attempt at interpretation of the absorption spectra of crystal violet and methyl violet with the metallic model approximation, taking account of ramifications, 7=6392
Barriol,J., Nikitine,S. and Sieskind,M. Calculation of the bound energy levels of an exciton in a uniaxial crystal, 6=3355
Barriol,J. and Regnier,J. Simultaneous calculation of polarizability and electronic transition energy of molecules. Special case of ethylene and benzene, 6=1447
Barron,K. and Lawley,L.E. Absorption of sound in sediments of small particles in liquids, 9=2172
Barron,T.H.K. On the thermal expansion of solids at low temperatures, 5=7895. Melting of solids, 6=1156. Grüneisen parameters for the equation of state of solids, 7=9287
Barron,T.H.K., Berg,W.T. and Morrison,J.A. The thermal properties of alkali halide crystals. II. Analysis of experimental results, 8=163
Barron,T.H.K. and Domb,C. On the cubic and hexagonal close-packed lattices, 5=2911
Barron,T.H.K. and Morrison,J.A. On the specific heat of solids at low temperatures, 7=7833
Barron,W.C. and Wolfendale,A.W. The time-dependence of the recording properties of G5 nuclear emulsion, 7=7535
Barron,W.R. See Aarons,J., 7=1811, 8=1426
Barros,F. de S., Binnie,D.M. and Hyams,B.D. The flash photography of a deep field of view, 8=3627
Barros,F. de S., Forsyth,P.D., Jaffe,A.A. and Taylor,I.J. The reactions $^{27}Al(p,p')^{27}Al$ and $^{27}Al(\alpha,p)^{30}Si$, 9=7346. The $^{24}Mg(^3He,\alpha)^{23}Mg$ reaction, 9=8609
Barrow,B.B. The logarithmic-diode counting-rate meter and period meter, 8=7226. See also Grim,W.M., Jr., 9=13527
Barrow,C.H. See also Carr,T.D., 8=2095
Barrow,C.H. and Carr,T.D. Eighteen-megacycle radiation from Jupiter, 8=2734
Barrow,C.H., Carr,T.D. and Smith,A.G. Sources of radio noise on the planet Jupiter, 7=9498
Barrow,G.M. Chemical bond: A one-dimensional, square well-type model, 7=4843. II. A one-dimensional approach to the energetics and ionic character, 8=2622. See also Bell,C.L., 9=10189; McKinney,P.C., 9=10188
Barrow,R.F. On a supposed Raman spectrum of gaseous bromine, 5=217. The $B^2\Sigma^+ - A^2\Sigma^+$ band-systems of OH and OD, 7=4132. On the rotational analysis of bands of

the A $^3\Pi_0+$ - $X^1\Sigma^+$ system of TlCl, 7=9781. See also Dodsworth,P.G., 5=8598; Jacques,J.K., 9=10178; Johns,J.W.C., 7=5993, 7=9740, 8=1603; Lagerqvist,A., 5=840, 6=5763, 8=7439, 9=5504; Premaswarup,D., 8=114
Barrow,R.F., Butler,D., Johns,J.W.C. and Powell,J.L. Some observations on the spectra of the diatomic fluorides of silicon, germanium, tin and lead, 9=9406
Barrow,R.F., Cheall,H.F.K., Thomas,P.M. and Zeeman,P.B. Rotational analysis of bands of the $A^3\Pi_{0+}$, $B^3\Pi_1-X^1\Sigma^+$ systems of thallous fluoride, 8=2612
Barrow,R.F., Dodsworth,P.G. and Zeeman,P.B. Rotational analysis of bands of the A $^3\Pi_0{}^+$, B $^3\Pi_1-X^1\Sigma^+$ systems of gallium monofluoride, 7=3129
Barrow,R.F., Premaswarup,D., Winternitz,J. and Zeeman,P.B. Rotational analysis of bands of the $c^3\Sigma$, $b^3\Sigma-a^3\Pi$ system of boron monofluoride, BF, 8=954
Barrow,R.F. and Downie,A.R. The identification of a band system $B(^2\Sigma^+)$ - $A^2\Sigma^+$, in OH and OD, 6=4300
Barrow,R.F., Glaser,D.V. and Zeeman,P.B. Rotational analysis of bands of the $A^3\Pi_{0+}$, $B^3\Pi_1$ - $X^1\Sigma^+$ systems of indium monofluoride, 6=2277
Barrow,R.F., Gratzer,W.B. and Malherbe,J.F. Intensities of bands in the system $b^3\Sigma^+-a^3\Pi$ of carbon monoxide, 7=1177
Barrow,R.F. and Miescher,E. Fine structure analysis of NO [nitric oxide] absorption bands in the Schumann region, 7=3139
Barry,E.V. See Eisenbud,M. 5=470
Barsanti,G. See Arcipiani,B., 9=9715
Barsch,G. Probability distribution and correlation of shear stress in a crystal, 8=6457
Barschall,H.H. Studies of intermediate and heavy nuclei with neutrons, 5=526. A method for measuring the polarization of nuclear reaction products, 6=6887. See also Becker,R.L., 6=6167
Barschall,H.H. and Powell,J.L. Energy distribution of nuclear reaction products, 5=1175
Barsella,B. and Rosati,S. On the possible existence of hyperfragments with mass number A = 6, 9=13622
Barsh,M.K., Andersen,W.H., Bills,K.W., Moe,G. and Schultz,R.D. Improved instrument for the measurement of linear pyrolysis rates of solids, 8=8727
Barshay,S. Meson production by mesons, 6=8409. Associated production of hyperons and K mesons, 7=2705. Isobar model for meson production in proton—proton collisions, 7=6617. Associated production in pion—nucleon collisions and charge independence, 8=283. Possible model for strong interactions, 8=2770. Scattering of K^+ mesons by nucleons, 8=5240. Selection rules for pion production in nucleon—antinucleon scattering, 8=8241. K-meson—nucleon interactions and the relative $\Sigma-\Lambda$ parity, 8=8253. Determination of the parities of strange particles from dispersion relations, 9=559. Remarks on pion production in pion—nucleon collisions at moderate energies, 9=3783. Hyperon—antihyperon production in nucleon—antinucleon collisions and the relative $\Sigma-\Lambda$ parity, 9=4955. Remark on strong interactions, 9=11376. See also Sandweiss,J., 8=285
Barshay,S. and Behrends,R.E. Inner bremsstrahlung in hyperon decays, 9=11401
Barshay,S. and Glashow,S.L. Possible determination of hyperon parities and coupling strengths, 9=11402
Barsis,A.P., Herbstreit,J.W. and Hornberg,K.O. Cheyenne mountain tropospheric propagation experiments, 5=5786
Barson,F., Legvold,S. and Spedding,F.H. Thermal expansion of rare earth metals, 7=2120
Barss,W.M. Structure of gaseous chloropicrin as determined by electron diffraction, 8=3437
Barss,W.M., Basinski,Z.S. and Nabarro,F.R.N. Filamentary growth in irradiated uranium, 8=9178
Barstad,G.E.B. and Andresen,A.F. Single crystal goniometer for X-ray and neutron diffraction, 8=6522
Barstad,G.E.B. and Refsdal,I.N. Sensitive, quantitative recording X-ray spectrometer, 8=4053
Barsukov,Yu.K. Theory of the pulse method of voltage separation in semiconductor diodes, 9=13314
Bart,W.L. See Beams,J.W., 6=1646
Bartell,L.S. Effects of anharmonicity of vibration on the diffraction of electrons by free molecules, 5=8120. Observation of anomalous dispersion of adsorbed films by ellipsometry, 7=256. On the length of the carbon—carbon single bond, 9=11538. See also Bonham,R.A. 9=12754
Bartell,L.S. and Bonham,R.A. On the free electron treatment of electrophilic substitution in aniline, 6=5297. Structure of ethylene, 8=7463. Molecular structure of ethylene, 9=10197
Bartell,L.S. and Brockway,L.O. Structures of CF_3Cl and CH_3Cl, 6=2304
Bartell,L.S., Brockway,L.O. and Schwendeman,R.H. Refined procedure for analysis of electron diffraction data and its application to CCl_4, 6=2303
Bartell,L.S. and Hirst,R.C. Electron diffraction study of the structure of phosphine, 9=10203
Bartels,H. and Beuchelt,R. On typical states in the spectra of dense plasmas. I, 8=6823; II, 8=6824
Bartels,H. and Beuchelt,R. A simple cinematograph arrangement for the exposure of some hundred frames at a rate of 140 000 per second, 9=976
Bartels,J. Apparent terrestrial magnetic local inhomogeneities of electrical conductivity in the lower strata, 5=10099
Bartenbach,M., Buras,B., Rzewuski,H. and Tomczak,Z. Steady stimulation and quenching of photoconductivity in cadmium sulfide by infrared radiation, 9=5725
Bartenev,G.M. Thermodynamical theory of deformations in highly-elastic materials, 5=1299
Barth,C.A. See also Hildebrandt,A.F., 9=9814
Barth,C.A. and Kaplan,J. Herzberg oxygen bands in "air" afterglows and the night airglow, 7=5166
Barth,C.A., Schade,W.J. and Kaplan,J. Blue nitric oxide afterglow, 9=6710
Barth,G. Bolometers for radiation measurement, 8=148. The natural limits of sensitivity of metal bolometers, 9=3384. See also Maier,W., 5=2702
Barth,G. and Maier,W. Sensitivity and natural limitations of nickel bolometers, 9=10909
Barth,H. Monochromatization of an X-ray spectral line, 9=5776
Barth,H. and Hosemann,R. Application of the parallel-ray method, in transmission, to the testing of crystallinity with X-rays, 9=6373
Barth,N. Superconductivity and electric resistance of evaporated bismuth layers, 6=372. Superconductivity of evaporated lead films with added manganese, 8=195. Photoelectric conduction in KCl crystals, 8=5918. Solid helium, 8=9105
Barthel,F. Investigations on non-linear Helmholtz resonators, 8=3830. The flow resistance of porous building materials, 9=1224
Barthel,J. See Dubois,J.E. 5=9812, 6=2302
Barthel,R. Some comments on the nature of physical theory and their theoretical and pedagogical implications, 6=4164
Barthès,E. Experimental studies made by Tarnay and Barthès to perfect a method of finding the colour point for the light received on the working plane in a room with coloured walls, 8=145
Bartholomeusz,E.F. The reflexion of long waves at a step, 8=5692. See also Campion,P.J., 8=5325, 9=8634; Gove,H.E., 7=6436; Knowles,J.W., 9=10123; Litherland,A.E., 6=3960, 9=2701; Manning,G., 9=13530; Paul,E.B., 5=9909
Bartholomew,G.A., Brown,F., Gove,H.E., Litherland,A.E. and Paul,E.B. Resonances in the proton bombardment of C^{14}, 5=2172. Capture radiation and neutrons from the bombardment of C^{14} with protons, 5=9071
Bartholomew,G.A. and Campion,P.J. Neutron capture gamma rays from lithium, boron, and nitrogen, 8=5324
Bartholomew,G.A., Campion,P.J., Knowles,J.W. and Manning,G. The $Y^{89}(n,\gamma)Y^{90}$ reaction, 9=8635
Bartholomew,G.A., Litherland,A.E., Paul,E.B. and Gove,H.E. Note on the $T={}^3/_2$ state in N^{15}, 6=1469
Bartholomew,R.M. See also Yaffe,L., 5=1217
Bartholomew,R.M. and Baerg,A.P. The yield of Cs^{138} in thermal neutron fission of U^{235}, 7=728
Bartholomew,R.M., Boyd,A.W., Brown,F., Hawkings,R.C., Lounsbury,M. and Merritt,W.F. The half-life of Cl^{36}, 5=3043
Bartholomeyczyk,W. Precision measurement of the grating constant of a concave grating, 9=4489
Bartleson,C.J. Notes on the Nickerson—Judd—Wyszecki chromatic value transformation, 9=6813
Bartlett,A.A. Basic experiment in radiological physics, 8=4285
Bartlett,B.E., Tompkins,F.C. and Young,D.A. The decomposition of silver azide, 8=7580
Bartlett,E.S. and Williams,D.N. Continuous-recording laboratory thermobalance, 8=4515
Bartlett,J.H. Helium wave equation, 5=6402
Bartlett,J.T. and Mitchell,J.W. The decoration of dislocations in crystals of silver chloride with gold, 8=3464
Bartlett,M.S. Point stochastic processes, 5=1444
Bartlett,N.R. See Johnson,E.P., 6=3401

Bartley,A.J. The use of polarized light for the measurement of small angular displacements, 6=1879

Bartley,A.J. and Gregory,R.W. A system for recording transmission errors in universal joints, 7=9022

Bartman,F.L., Chanel,L.W., Jones,L.M. and Liu,V.C. Upper-air density and temperature by the falling-sphere method, 6=7040

Bartnitskaya,T.S. See Zhuze,V.P., 9=6941

Bartok,W. and Mason,S.G. Particle motions in sheared suspensions. VIII. Singlets and doublets of fluid spheres, 9=4340

Barton,G. Core effects in light nuclei, 8=6202. Electric quadrupole enhancement near O^{16}, 9=8512. Operator functions of the pion field operator, 9=11835. Equivalence transformation of the β-decay operator, 9=11847

Barton,J.C. Apparatus for measuring the intensity of cosmic radiation at great depths in the sea, 5=6244. A "hodoscoped" cosmic-ray recorder, 6=6731. Eight-channel recording on $\frac{1}{4}$ in. magnetic tape with a stationary-tape playback, 7=3385. The first passage problem in the theory of multiple scattering, 7=5069

Barton,J.C., Campbell,D.A. and Read,R.C. An analogue method for studying multiple scattering, 7=8442

Barton,J.C. and Stockhausen,J.H. Increase of cosmic ray intensity in Jamaica due to a solar flare, 7=2381. Time variations of the cosmic ray intensity in Jamaica, 8=1113

Barton,L.A. See Bube,R.H., 9=1471

Barton,L.E. See Jones,J.L., 8=9183

Barton,M.Q. and Smith,J.H. Correlated neutron—proton pairs from the high-energy photodisintegration of helium and lithium, 8=5379

Barton,N.P. See Spring,K.H., 7=284-5

Bartošek,V. Physical foundations of measuring the direction of an air stream at high subsonic velocities by means of a hot wire, 7=7662. The equation for the cooling of a body in the stream of a compressible medium, 9=12171

Bartsch,C.A. See Rabinowicz,J., 6=2835

Bartschat,A. See also Gobrecht,H., 8=7003, 9=6323

Bartschat,A., and Gobrecht,H. Optical anisotropy and properties of cadmium sulphide single crystals in high-frequency fields, 9=13188

Bartunek,P.F. Some interesting cases of vibrating systems, 6=4254

Bartz,G. and Weissenberg,G. Depicting p—n junctions in semiconductors by means of reflection electron microscopy, 7=9694

Baruch,J. and Low,W. The dielectric constant of "free" and "bound" water at microwave frequencies, 5=3709

Baruch,J.J. See Galloway,W.J., 5=4483. Livengood,J.C., 5=131

Baruch,M. Microelectrophoresis of quartz particles in hydrochloric acid solutions, 6=6664

Baruch,P. Recombination centres introduced in germanium by 2 MeV electrons, 9=7523. See also N'Guyen Van Dong, 9=9617

Baruch,P. and Nozières,P. Carrier diffusion by ionized impurities in semiconductors, 6=323

Barut,A.O. Anisotropy of cosmic rays due to the galactic rotation, 7=2382. Covariant quantum statistics of fields, 8=1541. Distribution functions for noncommuting operators, 8=2159. A theory of particles of spin one-half, 9=42. On the symmetry of elementary particles, 9=4883

Barutkin,I.N. See Pines,B.Ya., 9=13433

Barwich,H. On the question of the approach to an ideal isotope separation cascade by a stepped, tapered cascade in the loss-free case and with consideration of material loss, 9=3962

Bar'yakhtar,V.G. See also Akhiezer,A.I., 9=2156, 9=9794

Bar'yakhtar,V.G. and Kaganov,M.I. Cherenkov radiation emitted by a charged particle passing through a ferrodielectric substance [a ferrite], 9=2572

Barzilai,G. and Gerosa,G. Modes in rectangular guides filled with magnetized ferrite, 8=2436

Bas,E.B. A new electron optical bench, 5=1888. A new fine-focus electron gun with indirectly heated tungsten "bolt" cathode and ion separation, 5=9704. The bolt cathode as an object [holder] in an electron emission microscope, 8=4071

Basarov,I.P. On the controlling factor of plasma oscillation properties and on the influence of gas atoms on these properties, 6=5902

Basel,L. and Koslov,J. Design and cost estimate for a pyrometallurgical reprocessing plant, 8=5414

Bashilov,A.A. Determination of the K/β^- ratio, 7=6502. See also Anton'eva,N.M., 9=635-6, 9=10089

Bashilov,A.A., Dzhelepov,B.S., Novosil'tseva,N.D. and Chervinskaya,L.S. The conversion spectrum of La^{140}, 9=10088

Bashirov,R.I. A study of the Nernst—Ettinghausen effect in bismuth telluride, 8=7936. See also Amirkhanov,Kh.I., 8=3104

Bashirov,R.I. and Tsidil'kovskiĭ,I.M. The Nernst—Ettingshausen effect in germanium, 7=6172

Bashkatov,M.N. On Talbot's bands, 9=10869

Bashkin,S. and Carlson,R.R. Gamma rays from proton bombardment of Li^6, 5=4037. Gamma rays from the proton bombardment of N^{15}, 7=6511

Bashkin,S., Carlson,R.R. and Douglas,R.A. Cross sections for elastic scattering and reactions due to protons on N^{15}, 9=11467. Cross section for elastic scattering of protons by N^{14}, 9=11468

Bashkin,S., Carlson,R.R., Douglas,R.A. and Jacobs,J.A. Response of CsI(Tl) crystals to energetic particles, 8=8705

Bashkin,S., Carlson,R.R. and Nelson,E.B. Radiative capture of protons by N^{14}, 5=8212

Bashkirov,Sh.Sh. Paramagnetic lattice relaxation in hydrated divalent copper salts, 9=822

Bashkirov,Sh.Sh. and Valiev,K.A. On polarization of the nuclear moments and the nuclear resonance line-widths in crystals of the Cu^{++} ion salts, 9=2932

Bashshaliev,A.A. See Abdullaev,G.B., 8=2274

Basile,L.J. Characteristics of plastic scintillators, 7=9634 See also Swank,R.K., 9=4474

Basile,R. On a new method of calculating the cross sections of nuclear reactions produced by bremsstrahlung radiation, 7=5626. The (γ, n) reactions in the neighbourhood of thresholds, and fine structure of certain medium [z] elements, 7=9389. See also Gusakow,M., 8=7310; Schuhl,C., 5=9089

Basile,R. and Gusakow,M. Discontinuities in the activation curves for the reactions $C^{12}(\gamma, n)C^{11}$ and $Al^{27}(\gamma, n)Al^{26}$, 8=4316

Basile,R., Gusakow,M. and Lagrange,J.M. On the calculation of the photonuclear cross-sections for bremsstrahlung radiation, 9=3912

Basile,R. and Schuhl,C. Calibration in energy of a 22 MeV betatron, 5=7095. On activation curves for the $(\gamma, \underline{n})$ reaction near threshold, 5=9088

Basile,R., Schuhl,C. and Sebaoun,W. Activation curve of chlorine for the Cl^{35} (γ, n) Cl^{34*} reaction near threshold, with the aid of a 22 MeV betatron, 5=9925

Basil'kovskii,A.A. Calculation of a thin multilayer plate as a one-layer plate with an effective, refractive index, 7=9107

Basinski,Z.S. See also Barss,W.M., 8=9178

Basinski,Z.S., Hume-Rothery,W. and Sutton,A.L. The lattice expansion of iron, 5=5357

Basinski,Z.S. and Pearson,W.B. The non-martensitic diffusionless transition in manganese arsenide at about 40°C, 9=1896

Baskett,A.C. and Miller,C.W. Electron irradiation of Polythene, 5=599

Baskin,M.L. and Semerchan,A.A. The growth and coalescence of crystals under the influence of ionizing radiations, 8=9179

Baskin,Y. and Meyer,L. Lattice constants of graphite at low temperatures, 6=818

Baskir,E., Hafner,E.M., Roberts,A. and Tinlot,J.H. Polarization in proton—proton scattering at 130, 170, and 210 MeV, 7=6284

Baskova,K.A. and Gorbachev,V.M. Comparative study of the absorption of monoenergetic positrons and electrons in copper and cadmium, 5=327

Basov,N.G., Oraevskiĭ,A.N. and Svidzinskiĭ,K.K. Theory of the hyperfine structure of rotational spectra of molecules, caused by electrical 2^4-pole momentum of the nucleus, 7=4591

Basov,N.G. and Prokhorov,A.M. Application of molecular beams to the radio-spectroscopic study of the rotation spectra of molecules, 5=5318. On possible methods of producing active molecules for a molecular generator, 5=6377. Theory of the molecular generator and the molecular power amplifier, 6=6803

Basquin,L. See Arsac,A. 9=4362

Bass,A.M. See also Harvey,K.B., 9=5527; Kostkowski,H.J., 7=2012

Bass,A.M. and Broida,H.P. Spectra emitted from solid nitrogen condensed at 4·2°K from a gas discharge, 6=3606. Sharp line absorption in silica near 3400 cm^{-1}, 7=2033

Bass,F.G. On a possible mechanism for the increase in the conductivity of atomic semiconductors in a strong electric field, 8=4962. See also Tsidil'kovskiĭ,I.M., 5=8683

Bass,F.G. and Braude,S.Ya. The reflection of radar signals from the sun, 9=5311

Bass,F.G. and Kaganov,M.I. Concerning the saturation of the Hall "constant" in semiconductors located in strong magnetic fields, 8=2308. Correlative relations for random electric currents and fields at low temperatures, 8=7967

Bass,F.G., Kaganov,M.I. and Slezov,V.V. On the theory of galvanomagnetic phenomena in metals, 8=7896

Bass,F.G. and Tsidil'kovskii,I.M. The theory of the Hall and

Nernst-Ettingshausen effects in semiconductors [in the region] of mixed conduction, 5=8745. The theory of isothermal galvano- and thermomagnetic phenomena in semiconductors, 7=3269
Bass,F.H. and Braude,S.Ya. The reflection of radar signals from the sun, 8=7653
Bass,J. Solutions of the equations of motion of a viscous, incompressible fluid for transient flow, 6=8615. On the mathematical structure of turbulence, 9=1136
Bass,L. Radiation with a finite rest-mass and the heat balance of the earth, 6=7033
Bass,L. and Pirani,F.A.E. On the gravitational effects of distant rotating masses, 5=8476
Bass,L. and Schrödinger,E. Must the photon mass be zero?, 5=9525
Bass,R. Diffraction effects in the ultrasonic field of a piston source, 9=1212. On the theory of mechanical relaxation in ice, 9=5208
Bass,R. and Lamb,J. Ultrasonic relaxation and the vibrational specific heat of liquid sulphur dioxide, 8=92. Ultrasonic relaxation of the vibrational specific heat of carbon dioxide, sulphur hexafluoride, nitrous oxide, cyclopropane and methyl chloride in the liquid state, 9=13102
Bass,R., Rossberg,D. and Ziegler,G. The elastic constants of ice, 8=1346
Bass,R.W. and Witten,L. Remark on cosmological models, 8=2756
Bassali,W.A. Bending of a thin circular plate under hydrostatic pressure over a concentric ellipse, 9=6560. The analysis of singularly loaded and rigidly clamped thin elastic slabs with curvilinear boundaries. I, 9=6561. The transverse flexure of uniformly loaded and fully restrained thin isotropic plates with curvilinear edges, 9=9261
Bassali,W.A. and Nassif,M. A thin circular plate normally and uniformly loaded over a concentric elliptic patch, 9=6559
Bassani,F. Energy band structure in silicon crystals by the orthogonalized plane-wave method, 8=801. Energy band structure of sodium atoms in the diamond lattice, 9=7500. Energy bands in silicon crystals, 9=12782
Bassani,F. and Celli,V. Energy-band structure of lithium atoms in the diamond lattice, 9=7501
Bassani,F. and Fumi,F.G. Calculations on the interactions between equilibrium defects in the alkali halides, 5=8384
Bassani,F. and Inchauspé,N. Position of the α and β bands in alkali-halide crystals, 7=3821
Bassani,F., Montaldi,E. and Fumi,F.G. Electronic states of diatomic molecules: the O_2^+ molecular ion, 6=5287
Bassani,F. and Thomson,R. Association energy of vacancies and impurities with edge dislocations in NaCl, 6=6252
Bassett,G.A. A new technique for decoration of cleavage and slip steps on ionic crystal surfaces, 9=4071. See also Pashley,D.W., 7=6264
Bassett,G.A. and Menter,J.W. Electron microscopic observation of periodic structures below 10 A, 8=2706
Bassett,G.A., Menter,J.W. and Pashley,D.W. Moiré patterns on electron micrographs, and their application to the study of dislocations in metals, 8=6447. High resolution electron microscopy of crystals, 9=13837
Bassett,I.M. See Brown,R.D., 8=4395
Bassetti,M. Approximation methods for the study of the pion—nucleon distribution in the S-wave, 8=3718
Bassi,I.W. See Corradini,P., 9=3573
Bassi,P. See also Baccalin,C., 5=5494; Brautti,G., 9=5977; Eisler,F., 8=1208, 8=1212*, 9=2662, 9=2667
Bassi,P., Cano,R., Focardi,S., Rubbia,C., Michelini,A. and Saporetti,F. A device for dynamical measurements of pressure, 9=6568
Bassi,P. and Ferrari,F. The "N" component of cosmic rays in relation to oscillations of the atmosphere, 6=5198
Bassi,P., Loria,A., Meyer,J.A., Mittner,P. and Scotoni,I. On n-pentane bubble chambers, 6=8258. Stereoscopy in bubble chambers, 7=8680
Bassi,P., Mittner,P. and Scotoni,I. A half-liter "clean" bubble chamber, 6=3795
Basso,J.A. See Davis,T.P., 5=6072
Bassompierre,A. Study of a "self-consistent" field for the molecule of hydrocyanic acid, 5=2058. Evaluation of the nuclear quadrupole moment of N^{14}, 5=3971. The electric field gradient in the hydrocyanic acid molecule and the determination of the quadrupole moment of N^{14}, 8=5447. The contribution of Bragg reflections to the relaxation of the electron paramagnetic resonance of sodium, 9=9805
Basson,J.K. Direct quantitative observation of the three-photon annihilation of a positron-negatron pair, 5=1168. Absolute alpha-counting of astatine-211, 7=6483
Bastard,C. On the resolution of a β-spectrometer using a magnetic field giving constant rH, 9=12376
Bastard,C. and Lafoucrière,J. Formation of the image of a point in a magnetic spectrograph using an r^{-1} field, 9=4709
Bastiansen,O. See also Almenningen,A., 7=597
Bastiansen,O., Hedberg,L. and Hedberg,K. Reinvestigation of the molecular structure of 1, 3, 5, 7-cyclooctatetraene by electron diffraction, 8=3438
Bastide,R.P. See Gove,H.E., 9=2786
Bastin,E.W. and Kilmister,C.W. The concept of order.II. Measurements, 5=6715. III. General relativity as a technique for extrapolating over great distances, 8=3686. IV. Quantum mechanics, 9=5351
Bastin,J.A. See also Wright,R.W., 8=1050
Bastin,J.A. and Wright,R.W. The electrical conductivity of cadmium oxide at low temperatures, 5=4647. Heat treatment of polycrystalline cadmium oxide, 8=4971
Bastin-Scoffier,G. Reinforcement of spectral lines obtained by contact from negatives made radioactive, 9=5288. See also Walen,R.J., 7=9355
Bastin-Scoffier,G. and Walen,R.J. Polonium 210 as a standard of γ radiation, 9=8545
Baston,A.H. See Pattenden,N.J., 8=6108
Basu,A. See Kar,K.C., 7=8088-9
Basu,D. and Sural,D.P. Compton scattering of light by electron, 6=8005
Basu,N. and Sinha,M.S. On the existence of a particle of mass $\sim 525\ m_e$, 8=4253
Basu,R. On the decay energy in artificial disintegration, 5=3057
Basu,S. Nitrogen electronegativity correction in free electron network theory, 5=417. Free electron model for tropolone, 5=434. Molecular orbital theory and the reactivity of polyphenyls, 5=1098. Free electron treatment of the orientation of substituents in aromatic molecule, 5=2968. Molecular orbital calculation on phthalocyanine, 5=5569. F-centres in metaphosphate glass, 5=9242. Free-electron treatment of Diels-Alder's reaction, 6=749. Colour centres in metaphosphate glass, 6=4092. V-centers in metaphosphate glass, 6=6948. Some notes on the electron repelling property of alkyl groups, 9=6194. See also Guha,S., 9=12445
Basu,S. and Bhattacharya,R. Para-localization energy and polarographic half-wave potentials of polynuclear hydrocarbons, 7=2766
Basu (Mitra), A. The summation rule for B_p, B_n, 5=5580. Note on the nature of (dp) reaction, 6=3214. See also Mitra,A.
Basu (Mitra),A. and Banerjee,S. On beta-emission by lighter elements and determination of B_p, B_n, 5=8205
Batailler,G. Chromophotography of non-stationary fields of flow, 6=3521. The application of bright light-sources to the study of the evolution of aerodynamic fields, 6=4884. The similitude of [fluid] velocity fields and short wakes in accelerated regimes, 6=6407
Batarchukova,N.R. Comparative investigations of the metrological properties of Pb^{206} and Cd^{114} spectral lines, 8=5770
Batarchukova,N.R. and Dubrovskiĭ,G.B. Effect of change of argon pressure in an electrodeless discharge upon reproduction of wavelength of the Cd^{114} red line, 7=4140
Batchelder,C.C., Batchelder,K., Hargreaves,R. and Hargreaves,J. The total eclipse of the sun, February 25, 1952. Light-curve near mid-eclipse, 6=5644
Batchelder,F.W. von. See von Batchelder,F.W.
Batchelder,K. See Batchelder,C.C., 6=5644
Batchelor,G.K. Heat transfer by free convection across a closed cavity between vertical boundaries at different temperatures, 5=2663. The effective pressure exerted by a gas in turbulent motion, 7=4027
Batchelor,G.K., Binnie,A.M. and Phillips,O.M. The mean velocity of discrete particles in turbulent flow in a pipe, 6=1885
Batchelor,R. The yield of $^7Li(p, n)\,^7Be^*$ neutrons for proton energies between 2·5 and 2·9 MeV, 5=7361. Experiments on the inelastic scattering of neutrons by uranium, 6=6171. See also Gove,H.E., 9=13663; Litherland,A.E., 9=6117; West,D., 5=8851
Batchelor,R., Aves,R. and Skyrme,T.H.R. Helium-3 filled proportional counter for neutron spectroscopy, 6=1317
Batchelor,R. and Morrison,G.C. The angular distribution of $^7Li(p, n)^7Be^*$ neutrons for proton energies between 2·5 and 2·9 MeV, 6=3196
Batchelor,R. and Towle,J.H. Inelastic scattering of neutrons by

thorium, 9=2829. Neutron spectra and differential cross sections of the reactions $^{19}F(\alpha,n)^{22}Na$ and $^{27}Al(\alpha,n)^{30}P$. 9=3905
Batdorf,R.L. See also Smits,F.M., 9=12251; Wertz,J.E., 6=5308
Batdorf,R.L. and Smits,F.M. Diffusion of impurities into evaporating silicon, 9=7533
Bate,G. See also Starkiewicz,J., 7=5351
Bate,G., Schofield,D. and Sucksmith,W. Some magnetic properties of dilute ferromagnetic alloys. I, 5=6297
Bate,H.C. See Bowtell,J.N., 6=7315
Bate,R.R. See Coveyou,R.R., 6=8412
Bate,R.T. and Heer,C.V. Some optical and magnetic properties of irradiated LiF, 9=7953
Bate,R.T., Willardson,R.K. and Beer,A.C. Tranverse magnetoresistance and Hall effect in n-type InSb, 9=8168
Bateman,J.B. See also Mattuck,R.D., 7=1213
Bateman,J.B., Weneck,E.J. and Eshler,D.C. Determination of particle size and concentration from spectrophotometric transmission, 9=8974
Bateman,L. Reply to Khan's letter, "Initiation processes in the autoxidation of fatty acid esters and allied substances", 5=3213
Bateman,T.B., McSkimin,H.J. and Whelan,J.M. Elastic moduli of single-crystal gallium arsendie, 9=7551
Bateman,S. See Holland,L., 8=991
Bates,D.R. Collisional deactivation and the night airglow, 5=5150. Charge transfer and ion-atom interchange collisions, 5=6255. The formation of the E-layer, 6=2578. Formation of the ionized layers, 6=7065. Recombination in the ionosphere, 6=7066. A discussion on "radiative balance": The thermosphere, 6=7886. Note on the processes governing emission by incident heavy particles, 6=9140. Theory of the auroral spectrum, 7=968. Approximations for the treatment of inelastic atomic collisions, 7=9348. Slow collisions between heavy particles, 8=359. Impact parameter treatments of certain hydrogen—proton and hydrogen—hydrogen excitation collisions, 8=5441. Importance of distortion in inelastic encounters between heavy systems, 9=2866
Bates,D.R. and Boyd,T.J.M. Inelastic heavy particle collisions involving the crossing of potential energy curves. IV. Ionic recombination, 7=2369
Bates,D.R. and Carson,T.R. Exact wave functions of HeH^{2+}, 6=3890. Doubly charged diatomic molecular ions, 6=5281
Bates,D.R. and Dalgarno,A. Theoretical considerations regarding the dayglow, 5=1396. Inelastic collisions between heavy particles, 6=8832
Bates,D.R. and Griffing,G.W. Inelastic collisions between heavy particles. IV. Contribution of double transitions to certain cross sections including that associated with the ionization of hydrogen atoms in fast encounters with other hydrogen atoms, 5=2829
Bates,D.R. and Lewis,J.T. Inelastic heavy particle collisions involving the crossing of potential energy curves. III. Charge transfer from negative ions of atomic hydrogen to protons, 5=8054
Bates,D.R. and McCarroll,R. Electron capture in slow collisions, 8=4369
Bates,D.R. and Massey,H.S.W. On negative ions of molecular oxygen in the D-layer, 5=355
Bates,D.R. and Miskelly,D. Electron collision partial cross sections for the 1s-2s and 1s-3s transitions of atomic hydrogen, 7=8112
Bates,D.R. and Moiseiwitsch,B.L. Energies of normal and excited negative ions, 5=7151. Origin of the Meinel hydroxyl system in the night airglow, 6=8519
Bates,D.R. and Williams,A. Inelastic collisions between heavy particles. VII. Electron loss from fast hydrogen atoms passing through helium, 7=5428
Bates,J.L. See Newkirk,H.W., Jr, 9=10888
Bates,L.F. and Christoffel,D.A. Heat changes accompanying magnetization processes in ferrites, 7=532, 7=5464
Bates,L.F., Christoffel,D.A., Clow,H. and Davis,P.F. A correlation of the thermomagnetic and domain behaviour of a single crystal of silicon—iron, 8=237
Bates,L.F., Clow,H., Craik,D.J. and Griffiths,P.M. Magnetization processes in a polycrystalline manganese zinc ferrite, 8=8140
Bates,L.F., Craik,D.J. and Griffiths,P.M. Domain patterns on a single crystal of manganese ferrite, 8=4152
Bates,L.F. and Davis,P.F. "Lozenge" and "tadpole" domain structures on silicon—iron crystals, 7=1458
Bates,L.F. and Hart,A. Magnetization curves and domain structure, 6=6787. Changes in domain structure accompanying reduction in depth of a single crystal of silicon iron, 7=2831
Bates,L.F. and Isaac,E.D. A Bitter figure examination of some polycrystalline nickel—cobalt alloys, 9=2493
Bates,L.F. and Leach,S.J. The magnetic susceptibilities of palladium—uranium alloys, 7=1453
Bates,L.F., Leach,S.J. and Loasby,R.G. The magnetic susceptibility of metallic cerium, 6=3018
Bates,L.F., Leach,S.J., Loasby,R.G. and Stevens,K.W.H. The magnetic susceptibility of metallic neodymium, 5=4793
Bates,L.F. and Loasby,R.G. Magnetic susceptibility and electrical resistance properties of some uranium alloys, 9=1431
Bates,L.F. and Martin,D.H. A study of domain structures in alnico, 5=9250. Ferromagnetic domain nucleation in silicon iron, 6=3027
Bates,L.F. and Newmann,M.M. The magnetic susceptibilities of alloys of cerium with thorium, 9=455
Bates,L.F. and Sherry,N.P.R. The heat changes accompanying magnetization processes in ferrites, 5=5520. The direct separation of the reversible and irreversible components of the magnetothermal effect, 5=8921
Bates,L.F. and Simpson,A.W. The thermal effects associated with the magnetization of high-coercivity materials, 6=2251
Bates,R.G., Guggenheim,E.A., Harned,H.S., Ives,D.J.G., Janz,C.J., Monk,C.B., Robinson,R.A., Stokes,R.H. and Wynne-Jones,W.F.K. Standard electrode potential of the silver, silver chloride electrode, 6=9013
Bateson,S. Critical study of the optical and mechanical properties of glass fibres, 8=2939
Bath,H.M. See also Cutler,M., 5=2755
Bath,H.M. and Cutler,M. Measurement of surface recombination velocity in silicon by steady-state photoconductance, 9=8120
Bathelt,R.R. See Francken,J.C., 9=5596
Bathow,G. On the electron emission for crystallographic changes, 7=6247. On the energy of exo-electrons, 9=1510
Bathow,G. and Gobrecht,H. On the emission of electrons during crystallization, 7=451
Batov,V.V. See Nikol'skiĭ,S.I., 7=4512
Batova,G.A. See Deryagin,B.V., 7=1116
Batrak,E.N. Investigation of capture centres of X-ray irradiated quartz with the introduction of Na ions, 9=12807. See also Chentsova,L.G., 9=10857
Batrakov,B.P. See Borovik,E.S., 9=9676
Batsanov,S.S. Connection between melting point temperatures and refractive indices of ionic crystals, 7=6977. Refractometric determination of the structure of complex cobalt compounds, 8=3553
Batsanov,S.S. and Pakhomov,V.I. On the change in the character of a chemical bond with change in coordination number, 8=3441
Batsford,K.O. See Rhodes,R.G., 8=6505
Batson,A.P., Cooper,P.N. and Riddiford,L. A high-pressure diffusion cloud chamber in a pulsed magnetic field, 6=6733
Batson,A.P., Culwick,B.B., Klepp,H.B. and Riddiford,L. Operation of a diffusion cloud chamber with 23 atm of deuterium, 7=4483
Batson,A.P. and Riddiford,L. Proton—proton interactions at 650 MeV, 7=1397
Batsur',D., Iveronova,V.I. and Revkevich,G.P. Nature of extinction in metal powders, 9=13832
Batt,E. and Stöckmann,F. The effect of contacts on the photoconductivity of red mercury iodide, 9=4612
Battaglia,A. See also Heineken,F.W., 8=7825
Battaglia,A., Bruin,F. and Gozzini,A. Microwave apparatus for the measurement of the refraction, dispersion and absorption of gases at relatively high pressure, 8=960. Absorption and refraction of some polar gases as a function of pressure at microwave frequencies, 8=971
Battaglia,A. and Gozzini,A. An apparatus for studying the dispersion of gases and vapours in the ultra-high-frequency band, 6=1406
Battat,M.E. See also Los Alamos Physics and Cryogenics Groups, 9=11478
Battat,M.E. and Graves,E.R. Gamma rays from 14-MeV neutron bombardment of C^{12}, 5=4038
Batter,J.F., Jr. Transport calculation of the net current of photons in an isotropically-scattering atmosphere, 8=6543
Batterman,B.W. X-ray study of order in the alloy $CuAu_3$, 8=417. Hillocks, pits, and etch rate in germanium crystals, 8=2059. Effect of chemical impurities on X-ray integrated intensities in nearly perfect germanium, 9=1938. Use of polystyrene

as an X-ray absorber — the mass absorption coefficient of carbon, 9=4668. X-ray measurement of the distribution of electrons in iron and copper, 9=5258. X-ray integrated intensity of germanium effect of dislocations and chemical impurities, 9=7650. X-ray measurement of the atomic scattering factor of iron, 9=12878

Battersby,W.S. and Wagman,I.H. Neural limitations of visual excitability. I. The time course of monocular light adaptation, 9=10454

Battey,J.F. See also Baum,R.M., 5=6132

Battey,J.F. and Baum,R.M. Carrier capture probabilities in nickel doped germanium, 6=1229

Battiau,L. See Houziaux,L., 8=5817

Battig,A. General results concerning the description of a photon in a material medium, 5=5960. Incidence of a plane electromagnetic wave on an electron gas in uniform motion through a dielectric medium, 9=2543. Formulation and propagation of a Cherenkov cone, 9=11352

Batty,C.J. Optical model analysis of the scattering of 310 MeV protons by carbon, 9=2783

Batty,C.J., Duke,P.J., Goldsack,S.J. and Lock,W.O. Small angle scattering of 970 MeV protons from carbon, 9=2784

Batty,C.J. and Goldsack,S.J. Polarization of protons scattered from carbon at 970 MeV, 7=5406. Double scattering experiments with 970 MeV protons, 9=2782

Batty,C.J., Lock,W.O. and March,P.V. The small angle scattering of 970 MeV protons by carbon, 9=2785

Bauch,H. The significance of the frequency group for the loudness of sounds, 6=7238. On the type of oscillation of the basilar-membrane produced by impulses and noises, measured by an electrical model of the inner ear, 6=9157

Baud,M.Le. See Le Baud,M.

Baudet,J. See also Guy,J., 8=4116; Tillieu,J., 7=8351

Baudet,J., Tillieu,J. and Guy,J. Calculation of the magnetic susceptibility of the molecule of nitrogen and of the nitriles, 7=7278

Baudin,B. Calculation of the energy radiated by a flame and measurement of the temperature of flames by optical methods for the case of non-uniform distribution of temperature and emissive power, 7=321

Baudoux,P. Surface currents and wave guides with finite conductivity, 6=7553

Bauer,A. Investigation of the cathode fall in the transition regions from thermal arcs to field arcs and from arcs to glow discharges, 7=6227. On the arc mechanism at metal cathodes in high-pressure discharges, 9=11082. See also Schulz,P., 7=3332

Bauer,A. and Schulz,P. Electrode falls and arc gradients in high-pressure discharges, especially in the case of xenon, 5=1876. Examination of magnetic-field-stabilized long xenon high-pressure arcs of low power, 7=2283. A partially wall-stabilized xenon high-pressure lamp for light loadings, 7=6085. The xenon high-pressure arc as a spectrophotometric standard, 8=3858

Bauer,B.B. Equivalent circuit of "Floating Lever" by the EFP analogy, 5=4444. Calibration of test records by interference patterns, 5=6864. Microphones for sound level meters, 8=4825

Bauer,E. Method of calculating cross sections for molecular collisions, 5=6350. Coupling of optic and acoustic modes of vibration in crystals, 7=8266. See also Salkoff,M., 8=798, 9=761, 9=8709

Bauer,E. and Wu,T-Y. Thermal expansion of a linear chain, 7=2119. Cross sections of dissociative recombination, 7=4499

Bauer,E. and Zlotnick,M. Evaporation into a boundary layer, 9=256. Evaporation into a boundary layer. II. Dissociation in evaporation, 9=12177

Bauer,F.L. A direct iterative process for Hurwitz factorization of a polynomial, 6-1,

Bauer,G. On the transmission of monochromators, 6=5761

Bauer,G.T. See Szigeti,G., 5=218

Bauer,H.J. The temperature dependence of the electrical resistance of nickel—copper and nickel—chromium alloys and of thin nickel and palladium evaporated films, the ferromagnetic resistance anomaly and the Curie temperature, 9=8092

Bauer,H.J., Kneser,H.O. and Sittig,E. Oscillation, rotation, and spin relaxation in NO, 9=7428

Bauer,M. Wigner forces and the nuclear shell model, 8=8261

Bauer,M. and Moshinsky,M. Repulsive core and nuclear shell theory, 8=5253

Bauer,N. See Weymouth,J.W., 6=391

Bauer,R. and Bączyński,A. On the exciting wave length dependence of the ratio of the yields of phosphorescence and fluorescence, 8=3883

Bauer,R., Bączyński,A. and Czajkowski,M. Excitation energy transfer from dye molecules in the metastable state, 9=8723

Bauer,R. and Frąckowiak,D. A method of accurate determination of the relative yield of the fluorescence of solutions, 8=135

Bauer,R.W. See Deutsch,M., 8=1925

Bauer,S.G. See Walker,R.F., 7=9999

Bauer,S.H. See also Keidel,F.A., 7=2517; Libowitz,G.G., 5=5120-1; Waelbroeck,F., 9=9392; Wentink,T.,Jr, 9=12748

Bauer,S.H., Diner,R.M. and Porter,R.F. Entropies and energies of dimerization of alkali metal halides, 9=6213

Bauer,S.H. and Gustavson,M.R. Relaxation techniques for fast reactions. A study of the dissociation of nitrogen tetroxide, 5=5008

Bauer,S.H., Schott,G.L. and Duff,R.E. Kinetic studies of hydroxyl radicals in shock waves. I. The decomposition of water between 2400° and 3200°K, 9=900

Bauer,S.J. A possible troposphere—ionosphere relationship, 8=5540. See also Daniels,F.B., 8=5543, 9=2545, 9=5967

Bauer,S.J. and Daniels,F.B. Ionospheric parameters deduced from the Faraday rotation of lunar radio reflections, 8=6539

Bauer,W.H., Finkelstein,A.P., Larom,C.A. and Wiberley,S.E. Modification of a cone-plate viscometer for direct recording of flow curves, 9=4335

Bauerle,J.E. See also Bowers,R., 9=8172, 9=8176; Koehler,J.S., 8=2666

Bauerle,J.E., Klabunde,C.E. and Koehler,J.S. Resistivity increase in water-quenched gold, 6=5894

Bauerle,J.E. and Koehler,J.S. Quenched-in lattice defects in gold, 8=4428

Baum,F.J. See Aughey,W.H., 5=228

Baum,J.L., Brewer,D.F., Daunt,J.G. and Edwards,D.O. Measurements of the melting curve of pure He^3 below the minimum, 9=13229

Baum,R.M. See also Battey,J.F., 6=1229

Baum,R.M. and Battey,J.F. Electron capture probability of the upper copper acceptor level in germanium, 5=6132

Baum,V.A. The use of solar energy, 7=3859

Baum,W.A. and Dunkelman,L. Horizontal attenuation of ultraviolet light by the lower atmosphere, 5=3334

Bauman,R.P. Selection rules for a freely rotating ethane-type molecule, 6=2281

Baumann,F. Electrical resistance and superconductivity of evaporated gallium films, 9=2311

Baumann,G. Study of the scattering of 3·8 MeV tritons by protons in nuclear emulsions. Curves giving the cross-section in the centre-of-gravity system as functions of the scattering angle and the energy, 7=8664. See also Cuer,P., 5=8247

Baumann,K. Bremsstrahlung from neutral vector particles with an anomalous magnetic moment, 7=5842. Retarded products and bound states, 9=5380. See also Deser,S., 5=1126; Schmidt,W., 7=2964; Wildermuth,K., 8=3700; See also Prosser,F.W.,Jr, 7=2598

Baumann,N.P., Prosser,F.W.,Jr, Read,W.G. and Krone,R.W. Elastic scattering of protons from Na^{23}, 7=1593

Baumann,N.P. and Wiseman,G.G. Electrical noise pulses from polarized dielectrics, 5=1797

Baumeister,P. Design of multilayer filters by successive approximations, 9=3346

Baumeister,P.W. See also Giacomo,P., 9=6788

Baumeister,P.W. and Jenkins,F.A. Dispersion of the phase change for dielectric multilayers. Application to the interference filter, 7=2071

Baumeister,P.W. and Stone,J.M. Broad-band multilayer film for Fabry—Perot interferometers, 6=2812

Baumel,P. See also Taylor,S., 9=7228, 9=7283

Baumel,P., Harris,G., Orear,J. and Taylor,S. Production cross sections of K$^+$ mesons by 3 BeV protons on H, Li, and Cu, 8=8254

Baumgardner,J.B. See Lynch,F.J., 5=6593, 6=1316

Baumgardt,E. On the statistical character of photon absorption, 8=4214

Baumgartner,E. See also Schellenberg,L., 9=13687

Baumgartner,E. and Fulbright,H.W. Reactions O^{16} (d, p), (d, α), and (d, d) in the energy range 3·4 to 4·2 MeV, 7=8826

Baumgärtner,F., Bedmar,A.P. and Kindermann,L. A note on the isobar series 107 and 108, 9=6100

Baumgartner,W. and Thoma,H.U. On the current noise in semiconductors, 5=6126

Bauminger,E.R. and Cohen,S.G. Natural radioactivity of V^{50} and Ta^{180}, 8=5298

Baumstark,J.S. See Stern,S.C., 9=8973

Baur,H. Ring-shaped electron gas model for the description of π-electron states in aromatic hydrocarbons, 9=8725

Baur,W.H. An empirical scattering-factor curve for tin, 7=2837

Baurer,T. See Burtt,B.P., 5=5048

Baurmann,E. and Ulmer,K. The absorption of soft X-rays in the region of the Mg K edge in magnesium, 9=5785

Baurmeister,H. See Kroebel,W., 8=9193, 9=6419

Baus,R.A. See Blifford,I.H.,Jr, 6=7090, 6=9131; King,P., 6=7898*; Lockhart,L.B.,Jr, 9=7694

Baveja,K.D. and Dhillon,J.S. Measurement of electrical resistivities of conductors by the ballistic method, 9=10959

Baxendael,J.H. and Smithies,D. Radiation chemistry of aqueous benzene solutions, 5=7475

Baxendale,J.H. and Smithies,D. Radical yields in X-irradiated aqueous solutions, 6=2510

Baxter,L.,II. On the properties of polarization elements as used in optical instruments. III. Angular aperture functions of a positive dichroic film polarizer, 6=5806

Baxter,L.,II, DeYoung,J., St George,R.C.C. and Shurcliff,W.A. New principle for focusing a high-power microscope and means for accomplishing the focusing automatically and with great accuracy, 7=2102

Baxter,L.,II, Makas,A.S. and Shurcliff,W.A. Measuring spectral properties of high-extinction polarizers, 6=5035

Baxter,P. and Stannard,F.R. The use of multiple scattering and the effects of distortion in a high-pressure cloud chamber, 7=3391

Baxter,S. and Wilmot,P.D. A simple, small dielectric test cell for liquids, 6=6591

Bay,Z. Millimicrosecond coincidence circuits, 6=5979

Bay,Z., Henri,V.P. and Kanner,H. Statistical theory of delayed-coincidence experiments, 6=1322

Bay,Z., Henri,V.P. and McLernon,F. Upper limit for the life-times of excited states of Ni^{60}, 5=4000. Simultaneity in the Compton effect, 5=4924

Bayard,R.T. See also Gunst,S.B., 6=713; Swift,O.F., 9=11304

Bayard,R.T. and Yntema,J.L. Scattering of 0·6-, 1·0- and 1·7-MeV electrons from aluminum and gold, 5=2793

Bayatyan,G.L., Gramenitskiĭ,I.M., Nomofilov,A.A., Podgoretskiĭ,M.I. and Skzhipchak,É.S. Generation of π^0-mesons in the interaction between ~9 BeV protons and nuclei of the photographic emulsion, 9=13665

Bayer,H. The behaviour of the refractive index and dielectric constant of NH_3 in the region of the inversion spectrum at pressures from 10^{-3} to 1 Torr, with special reference to the line $J = 3$, $K = 3$, 8=7792

Bayer-Helms,F. The absorption of water solutions of europium nitrate, 9=5516. A polarization interference filter, 9=12072

Bayer,R. See Truell,R., 8=7563

Bayes,K.D. and Kistiakowsky,G.B. On the mechanism of the Lewis—Rayleigh nitrogen afterglow, 9=6708

Bayet,M. Kinetic theory of the Lorentzian gas; case of 'Maxwellian' molecules, 6=4892. Effective electron—electron and electron—ion cross-sections in plasmas, 7=8658. A "classical" demonstration of Bethe's stopping-power formula in the non-relativistic case, 8=1102. The stopping of low-energy atomic particles, 8=1103. The nature and properties of electron "gases", 8=2341. Cross-sections of electrostatic interaction in plasmas. Definitions, 8=2364. Calculation, 8=2365

Bayet,M., Delcroix,J.-L. and Denisse,J.-L. and Denisse,J.-F. The kinetic theory of feebly ionized homogeneous plasmas I, 5=2776; II, 5=7080; III. The collision operation in the case of an imperfect Lorentz gas, 7=6304; IV. The study of the development of the isotropic part of the distribution function, 7=6305. On the kinetic theory of homogeneous plasmas, 5=7078. Distribution functions of electrons in a discharge, 7=4398*. On the solution of the Boltzmann equation for an imperfect Lorentzian gas. Application to weakly ionized gases, 7=6944

Bayet,M. and Guérineau,F. Determination of the "electronic temperature" $[T_e]$ in the discharge in gases excited by ultra-high frequency, 5=1862

Bayet,M. and Quemada,D. The recombination of electrons and positive ions, 5=7156

Bayh,W. Emission microscopy with secondary electrons (15 keV primary electrons), 8=7112. Direct imaging of metal surfaces by means of electrons released by ion bombardment, 8=8045

Bayhurst,B.P. See also Los Alamos Radiochemistry Group, 8=768

Bayhurst,B.P. and Prestwood,R.J. A method for estimating beta-counting efficiencies, 9=12652

Bayle,A. Receiver for measuring the temperature of clouds, 5=4220. Catadioptric system for the recording of feeble intensities, and for the exploration of the near infrared, 5=5972

Bayliss,N.S. and Sullivan,J.V. Vacuum ultraviolet absorption spectra of iodine and bromine, 5=184

Bayman,B.F. and Bohr,A. On the connection between the cluster model and the SU_3 coupling scheme for particles in a harmonic oscillator potential, 9=8519

Bayman,B.F. and Ross,M.A.S. A nuclear emulsion study of the radioactive decay of actinium X(^{223}Ra), 5=3054

Baynham,A.C. See Hogarth,C.A., 8=2665

Baynton,P.L. Colour of tellurite glasses, 6=860

Baynton,P.L. and Moore,H. The colours produced in glasses by exposure to radiations, 7=6627

Baynton,P.L., Rawson,H. and Stanworth,J.E. Semiconducting properties of some vanadate glasses, 7=5337. Gallium oxide glasses, 7=6055

Bayukov,Yu.D., Kozodayev,M.S., Prokoshkin,Yu.D. and Tyapkin,A.A. Production of neutral π-mesons by high energy protons, 8=3308

Bayukov,Yu.D., Kozodayev,M.S. and Tyapkin,A.A. Investigation of the energy and angle distribution of neutral pions produced by 470 and 600 MeV protons in carbon, 8=5225

Bayukov,Yu.D., Oganesyan,Yu.Ts. and Tyapkin,A.A. Absorption of γ-rays of mean energy 500 MeV in lead, copper and aluminium, 7=6524

Bayukov,Yu.D., Sinaev,A.N. and Tyapkin,A.A. Experimental comparison of energy spectra of the γ-quanta from the disintegration of π^0 mesons produced by 660 MeV protons on nuclei of carbon and lead, 7=8142

Bayukov,Yu.D. and Tyapkin,A.A. Energy spectrum of γ-quanta from the decay of π^0-mesons produced by 660 MeV protons on hydrogen nuclei, 8=1868

Baz',A. and Smorodinskiĭ,Ya. Isotope spin and the levels of light nuclei, 6=1462

Baz',A.I. Polarization of neutrons in scattering by lead, 7=1620. Expansion of single-particle wave-functions into functions of relative motion of nucleons, 7=3524. Polarization in inverse reactions, 7=9544. The energy dependence of the scattering cross-section near the reaction threshold, 8=5175. Charge invariance in nuclear reactions, 8=5338

Baz',A.I. and Okun',L.B. On the Λ-hyperon creation cross-section near the Σ-hyperon creation threshold, 9=2664

Baz',A.I. and Smorodinskiĭ,Ya.A. Interaction of protons with H^3 and excited states of the alpha particle, 5=1178

Bazakutsa,V.A. See Korsunskiĭ,M.I.. 7=8663, 9=3578

Bazański,S. The equations of motion of charged particles in general relativity, 9=6486

Bazarov,I.P. Equations with variational derivatives and distribution functions for systems with complex interactions, 7=1932. Equations with variational derivatives in statistical equilibrium theory, 8=1542. A statistical theory of systems of charged particles taking into account short-range repulsion forces, 8=2371

Bazer,J. Resolution of an initial shear-flow discontinuity in one-dimensional hydromagnetic flow, 9=4832

Bazer,J. and Ericson,W.B. Hydromagnetic shocks, 9=7211

Bazer,J. and Fleischman,O. Propagation of weak hydromagnetic discontinuities, 9=11280

Bazhanov,E.B., Volkov,Yu.M., Komar,A.P., Kul'chitskiĭ,L.A. and Chizkov,V.P. Energy and angular distributions of fast photoprotons from Ni and Al, 7=8162

Bazhanov,E.B., Volkov,Yu.M. and Kul'chitskiĭ,L.A. Investigation of 15-65 MeV protons produced in the photodisintegration of Al and Ni, 9=2819

Bazhanova,N.V. On the Hall effect in ferromagnetics, 8=1774

Bazhenov,N.M., Vol'kenshteĭn,M.V., Gotlib,Yu.Ya. and Rozenshteĭn,L.D. Photoelastic effect in polystyrene and its halogen derivatives, 7=2091

Bazhenov,V.A. Wood as a piezoelectric texture, 7=9681

Bazhenov,V.V. See Labzin,V.A. 9=12861

Bazhulin,P.A. See also Markova,S.V., 7=278

Bazhulin,P.A., Rautian,S.G., Sokolovskaya,A.I. and Sushchinskiĭ,M.M. Methods of investigating the width of Raman lines and their application, 6=8699

Bazilevich,V.V. and Tverskoĭ,N.P. Freezing of drops of a supercooled water mist in an acoustic field, 8=6908

Bazley,E.N. See Evans,E.J., 9=1198

Bazley,N.W., Montrole,E.W., Rubin,R.J. and Shuler,K.E. Studies in nonequilibrium rate processes. III. The vibrational relaxation of a system of anharmonic oscillators, 9=1844

Bazzard,G.H. See Minnis,C.M., 7=3857, 8=3608; Spencer,C.W., 6=4797

Beach,L.A. See Theus,R.B., 5=4925, 7=7350

Beachell,H.C. Evidence for the normal cyanide structure of (CH$_3$)$_3$SiCN, 8=7465. See also Lauer,J.L., 9=6742; Pondy,P.R., 6=7292

Beachell,H.C. and Katlafsky,B. Vibrational spectrum of dimethylphosphine, 7=7756

Beachell,H.C., Katlafsky,B. and Lauer,J.L. Pyramidal XY(CH$_3$)$_2$ molecular model classical vibration problem, 6=522

Beachell,H.C. and Levy,E.J. Near infrared spectrum of liquid diborane, 6=228

Beadle,A.B. See Milsted,J., 7=686

Beal,H.B., Brehm,R.K. and Jarrell,R.F. Console comparator microphotometer featuring high screen intensity and a null-ratio measurement system, 7=4114

Beale,J.R.A. Alloy-diffusion: a process for making diffused-base junction transistors, 8=4013

Beale,J.R.A., Thomas,D.E. and Watkins,T.B. A method of studying surface barrier height changes on transistors, 9=4599

Beale,R.N. Mobility of π-electrons in heterogeneous linear molecules, 7=587

Beale,R.N. and Roe,E.M.F. The spectrophotometric determination of steric hindrance in stilbene derivatives, 5=7244

Beams,J.W. Production and use of high centrifugal fields, 5=3365. Effect of a centrifugal field upon the rate of transfer through a helium II film, 5=6986. Tensile strength of liquid helium II, 7=2128. Tensile strengths of liquid argon, helium, nitrogen and oxygen, 9=3180

Beams,J.W., Breazeale,J.B. and Bart,W.L. Mechanical strength of thin films of metals, 6=1646

Beams,J.W., Hulburt,C.W., Lotz,W.E., Jr. and Montague,R.M., Jr. Magnetic suspension balance, 6=2706

Bean,B.R. Climatology of ground-based radio ducts, 9=12516

Bean,C.P. Hysteresis loops of mixtures of ferromagnetic micropowders, 6=492. See also Jacobs,I.S., 6=2236, 9=460; Meiklejohn,W.H., 6=7513, 7=4525; Pry,R.H., 8=8937; Roberts,B.W., 5=1993; Rodbell,D.S., 6=4515, 6=8277

Bean,C.P., Fisher,J.C. and Vermilyea,D.A. Ionic conductivity of tantalum oxide at very high fields, 6=2072

Bean,C.P. and Jacobs,I.S. Magnetic granulometry and superparamagnetism, 7=4794

Bean,C.P. and Rodbell,D.S. Kinetics of magnetization in some square loop magnetic tapes, 5=2894

Bean,D.T.W. See Britton,F.R., 6=517

Bear,I.J. See Le Claire,A.D., 6=8424

Bear,R.S. See Wyckoff,H.W., 8=6511

Beard,D.B. Line shapes and intensities for disk sources used in an homogeneous magnetic field beta-ray spectrometer with new and conventional slit geometries, 7=4448. Slit design for axially focusing beta-ray spectrometers, 7=9718. Conversion processes used in high precision gamma-ray spectroscopy, 8=1252. Microwave emission from high-temperature plasmas, 9=5832. Interplanetary dust distribution, 9=10501. Cyclotron radiation from magnetically confined plasmas, 9=11164. See also Jungerman,J.A., 7=1370-1

Beard,D.B., Johnson,R.G. and Bradshaw,W.G. Photon activation measures oxygen, carbon in beryllium, 9=12859

Beard,D.B. and Rose,M.E. Circular polarization detection of gamma rays, 8=679

Beard,G.B. See also Kelly,W.H., 9=8541

Beard,G.B. and Kelly,W.H. The use of a samarium loaded liquid scintillator for the determination of the half-life of Sm^{147}, 9=1639

Bearden,J.A. and Thomsen,J.S. A survey of atomic constants, 7=9837

Bearman,R.J. On the linear phenomenological equations, 8=2289. II. The linear statistical mechanical theory, 9=11859. Statistical mechanical theory of the thermal conductivity of binary liquid solutions, 9=1363. Statistical mechanical theory of thermal diffusion in binary liquid solutions, 9=6597

Bearman,R.J. and Kirkwood,J.G. Statistical mechanics of transport processes. XI. Equations of transport in multi-component systems, 8=2173

Beasley,C.O., Jr and Holladay,W.G. Elementary particle reactions, 8=4210

Beattie,A.R. See Landsberg,P.T., 9=6918

Beattie,I.R. and Davies,D.R. A solution of the diffusion equation for isotopic exchange between a semi-infinite solid and a well stirred solution, 7=1957. The inter-diffusion of two charged particles (with particular reference to ion-exchange in zeolites), 7=8919

Beattie,J.A. See Birdsall,C.M., 5=4426

Beattie,J.R. Optical constants of metals in the infrared—experimental methods, 5=2629. A glass surface temperature pyrometer, 5=5373. The anomalous skin effect and the infra-red properties of silver and aluminium, 8=3129

Beattie,J.R. and Conn,G.K.T. Optical constants of metals in the infra-red—principles of measurement, 5=2628. A tuned galvanometer amplifier, 5=2717. Optical constants of metals in the infra-red—conductivity of silver, copper and nickel, 5=8647. Resonance absorption of nickel in the infra-red region, 5=8648. Surface resistance and reactance of metals at infrared frequencies, 6=8792

Beattie,W.H. See Meehan,E.J., 9=9527

Beatty,K.O., Jr. See Richardson,F.M., 5=9459

Beaty,E.C. Temperature dependence of the mobility of positive ions in argon and krypton, 7=1420. See also Bender,P.L., 9=2862; Kovar,F.R., 7=9745

Beaty,E.C., Bender,P.L. and Chi,A.R. Narrow hyperfine absorption lines of Cs^{133} in various buffer gases, 9=5533

Beauchamp,R.K. See Cranberg,L., 7=3366, 7=3740

Beaufays,O. On the geometrical representation of spinor quantities, 9=2063

Beaufils,R. Construction of an electrostatic velocity filter. Application to electron micro-diffraction, 9=13375

Beaulieu,C. de. See de Beaulieu,C.

Beaumont,C.F.A. A potential function for liquid helium at 0°K, 5=1770

Beaumont,C.F.A. and Reekie,J. Atomic distribution in liquid helium, 5=2466

Beaumont,D. See Gates,D.M., 8=1625

Beauregard,O. Costa de. See Costa de Beauregard,O.

Beaussier,J. On the mass spectrometic study of chemical reactions initiated by gas discharges, 5=8339

Beaver,W.L. Flux plotting analog for an axially symmetric potential field, 8=5857

Bebchuk,A.S. The problem of cavitational damage of solids, 8=927. The mechanism of cavitational damage of solids, 8=4784

Bebchuk,A.S., Borisov,Yu.Ya. and Rozenberg,L.D. The problem of cavitational erosion, 9=6577

Bebchuk,A.S., Makarov,L.O. and Rozenberg,L.D. The mechanism of cavitational break-up of surface films in a sound field, 8=3761

Becherer,G.Brümmer,O. and Rienäcker,D. An X-ray tube with a water-cooled rotating anode for fine-structure work, 8=7076

Becherer,G. and Ifland,R. A precision determination of the lattice constant of silver by the back-reflection method, 5=3283

Becherer,G. and Lennig,G. A counter-tube instrument for recording X-ray diffraction diagrams, 8=4528

Becherer,G. and Thiele,B. Preparation and X-ray crystallite-size determination of glossy carbon, grey carbon, and soot, 9=5241

Bechert,K. Remarks on non-linear electrodynamics, 5=9413. Atomic physics, Vols. 1 and 2, 6=2309. Non-linear field theory, 6=5678

Bechmann,R. Piezoelectrically excited natural vibrations of plates and rods and the dynamic determination of the elastic and piezoelectric constants, 5=2244. Some applications of the piezoelectric equations of state, 5=8736. Elastic, piezoelectric, and dielectric constants of polarized barium titanate ceramics and some applications of the piezoelectric equations, 6=4379. Some applications of the linear piezoelectric equations of state, 6=5079. Radiation effects in quartz — a bibliography, 8=4447. Elastic and piezoelectric constants of alpha-quartz, 8=8755

Beck,A. The stability of thermistors, 6=2836. A steady state method for the rapid measurement of the thermal conductivity of rocks, 7=7045. See also Jaeger,J.C., 5=1751

Beck,A., Jaeger,J.C. and Newstead,G. The measurement of the thermal conductivities of rocks by observations in boreholes, 6=7034

Beck,A.H., Brisbane,A.D., Cutting,A.B. and King,G. A new type of diffusion cathode, 5=5485

Beck,A.H.W. Space-charge waves, 9=1506

Beck,B.L. and Gunn,E.L. Automatic scanning instrument for X-ray low-angle scatter [measurements], 9=11628

Beck,F. Stability of a phase boundary inside a superconductor, 5=6156. Single-particle radiative processes in the optical model of the nucleus, 9=2683

Beck,G. Remark on the momentum of a phonon, 5=1607. Quantum theory of the emission process, 5=2085. Phenomenological theory of conductivity, 7=4313

Beck,G. and Nussenzveig,H.M. Uncertainty relation and diffraction by a slit, 9=2025

Beck,P.A. See Chernock,W.P., 7=1667; Kohara,S., 8=8449; Wei,C.T., 7=3814, 8=9125, 9=4532, 9=4535

Beck,R.W., Paskell,E. and Peet,C.S. Some effects of fast neutron irradiation on carrier lifetimes in silicon, 9=12273

Beck,W.N. Ultrasonic recording of the bones in a human arm, 7=7694

Beckel,C.L. Linear extrapolation of the vibrational energy levels of ionic molecules, 6=5279. Superiority of the Poeschl—Teller potential to that of Morse for diatomic molecules, 8=2609

Beckel,C.LeR. Improved vibrational potential for diatomic molecules, 6=4545

Becker,E.D. N.M.R. studies of hydrogen bonding in alcohols and phenol, 9=10183

Becker,E.W., Beyrich,W., Bier,K., Burghoff,H. and Zigan,F. The separation jet. II. The physical basis of the separating effect and the specific cost of the process, 9=6603

Becker,C. Reactive components in sound absorber construction, 7=3112

Becker,C.H. Radiation magnetization, 7=8725

Becker,F., Lindquist,R.H. and Alder,B.J. Model for metal ammonia solutions, 7=1959

Becker,F.C.H. The multiple panel sound absorber, 5=153

Becker,E.D. See also Liddel,U., 6=8619; Van Thiel,M., 8=1294-5

Becker,E.D. and Pimentel,G.C. Spectroscopic studies of reactive molecules by the matrix isolation method, 6=8671

Becker,E.D., Pimentel,G.C. and Van Thiel,M. Matrix isolation studies: Infrared spectra of intermediate species in the photolysis of hydrazoic acid, 7=3792

Becker,E.W. and Bier,K. The production of an intense, partially monochromatic, molecular hydrogen beam, using a Laval nozzle, 5=2217

Becker,E.W., Bier,K. and Burghoff,H. The separation jet. A new element for gas and isotope separation, 5=9838

Becker,E.W., Bier,K. and Henkes,W. Beams of condensed atoms and molecules in a high vacuum, 7=2712

Becker,E.W. and Henkes,W. Velocity analysis of Laval rays, 7=2711

Becker,E.W. and Misenta,R. Viscosity of HD and of He^3 between 14°K and 20°K, 5=7749

Becker,E.W. and Schütte,R. The separation of the uranium isotopes with the separation jet, 7=641

Becker,F. The astronomical programme of the Bonn radio telescope, 7=1011

Becker,G. See Scheibe,A., 6=4163

Becker,H. Material fringe value sign reversal in Paraplex and Castolite, 9=13043. See also Papirno,R., 7=1093

Becker,J., Chanson,P., Nageotte,E. and Treille,P. Momentum spectrum and positive excess of cosmic ray particles at 3 650 in altitude under 15 cm lead, 5=6264

Becker,J.A. and Brandes,R.G. On the adsorption of oxygen on tungsten as revealed in the field emission electron microscope, 5=8369. A favorable condition for seeing simple molecules in a field emission microscope, 6=2924

Becker,J.H. On the quality of gray tin crystals and their rate of growth, 9=4104. See also Blunt,R.F., 5=949; Breckenridge,R.G., 5=947, 5=3766

Becker,J.J. Precipitation and magnetic annealing in a copper—cobalt alloy, 8=8890. Domain boundary configurations during magnetization reversals, 9=7162. See also Kouvel,J.S., 8=8910

Becker,K.H. and Pick,H. The luminescence of colour centres in KCl, 7=7015

Becker,M. See Spitzer,W.G., 5=5408

Becker,R.A. See Brown,H.N., 5=1149; Dillman,L.T., 9=4992; Gove,N.B., 9=4983; Henry,R.W., 9=6079; Smith,F.B.,Jr., 7=2582

Becker,R.L. See also Rose,M.E., 9=642

Becker,R.L. and Barschall,H.H. Total cross sections of light elements for (α, n) neutrons, 6=6167

Becker,R.S. See Fernandez,J., 9=12100

Becker,S. Paramagnetic resonance at low fields, 6=486

Becker,U. The structure of the spot zone, 5=1462. Remarks on a temporal variation of the law of rotation of the sun, 5=2372. Investigations into the group formation of sunspots, 5=6700. The development of long-lived filaments, and their orientation on the solar disk, 6=8558. The law of rotation of (solar) filaments, 9=4222

Becker,W. Typical scattering processes of radiofrequency waves by electron clouds of the sporadic E layer studied by means of a variable-frequency echo-recording receiver, 5=3311. On the fluctuations of the frequency limit of the F2-layer during undisturbed conditions in the ionosphere, 5=5768. Determination of the true electron density distribution in the ionosphere. 1, 6=1766. The ionosphere above Lindau during the solar eclipse on 30 June 1954, 6=7047. A procedure for the routine determination of the true distribution of electron density in an ionospheric layer from the penetration absorption of this layer, 6=8500

Becker,W. and Biber,C. The iris-diaphragm bench photometer of the Basle observatory, 9=5299

Beckers,H.L. Heat transfer in turbulent tube flow, 9=242

Beckett,C.W. See Hilsenrath,J., 8=3913

Beckett,J.C. See Hicks,W.W., 8=5569

Beckey,H.D. On atom- and ion-concentration of isotopic molecules in the d.c. glow discharge and isotope enrichment in the d.c. arc, 5=3028. Mass-spectrometric investigations using a field-emission ion source, 9=13882

Beckey,H.D. and Dreeskamp,H. Enrichment of isotopic molecules in the direct current glow-discharge. III. The primary effect. Mass-spectrometrical determination of the relative ion-abundance in the discharge plasma, 5=2094

Beckey,H.D. and Warneck,P. Enrichment of isotopic molecules in the direct current glow-discharge. IV. The primary effect. Determination of the atom concentration in hydrogen and deuterium discharges, 5=4885

Beckman,L. Experiments with an ion source having magnetic analysis of the ion beam, 5=1925. See also Cloud,R.W., 8=2182

Beckman,O. Relative intensities of the X-ray K lines of heavier elements, 5=6193. K X-ray spectrum of Hg, 8=2353

Beckman,O. and Bergvall,P. Precision measurement of K X-ray spectrum of Hg, 9=11086

Beckman,O., Bergvall,P. and Axelsson,B. A precision curved crystal X-ray and gamma-ray spectrometer, 9=5773

Beckman,O. and Sandström,R. X-ray photoexcitation of Li^7, 8=2533

Beckmann,P. Application of the modified Watson transformation to the Green's dyad for the diffraction by a sphere, 9=3354

Beckmann,P. and Franz,W. On the Green function for a transparent cylinder, 9=1614. Calculation of the scattering cross-sections of a sphere and a cylinder using a modified Watson transformation, 9=4846

Beckmann,W. On the β-decay of natural actinium; Decay scheme and β-spectrum, 6=2343

Beckmann,W. and Huster,E. A 4π proportional counter for the investigation of nongaseous, low-energy β-emitters with complex decay schemes, 5=4747. The decay scheme and β-spectrum of natural actinium, 5=4891

Beckurts,K.H. The effectiveness of the control rods of a thermal reactor, 9=1793. Investigation of neutron diffusion in graphite by a non-stationary method, 9=2601*. The cooling effect of [thermal neutron] diffusion, 9=6007

Beckurts,K.H. and Klüber,O. Determination of the diffusion parameter of thermal neutrons in water by a "poisoning" method, 9=6008

Becquerel,G. New method for the determination of uranium, radium, thorium and actinium in minute particles of a radioactive mineral, 7=8252

Bedard,F. and Meissner,H. Measurements of contact resistance between normal and superconducting metals, 6=2897

Bedard,F., Meissner,H. and Owen,G.E. Investigation of electron emission from superconductors, 6=4439

Bedewi,F.A.El. See El Bedewi,F.A.

Bedford,R.E. and Crooker,A.M. The hyperfine structure of mercury extracted from neutron-irradiated gold, 5=2189*

Bedford,R.E. and Wyszecki,G. Axial chromatic aberration of the human eye, 7=8331. Wavelength discrimination for point sources, 8=1390. Luminosity functions for various field sizes and levels of retinal illuminance, 8=5559

Bedinger,J.F. See Cooper,C.D., 8=6554; Edwards,H.D., 6=9097

Bedmar,A.P. See Baumgärtner,F., 9=6100

Bednář,J. See also Šmirous,K., 9=5709

Bednář,J., Brož,J., Šmirous,K. and Trousil,Z. The preparation of very pure iron and the evaluation of its purity according to some physical properties, 5=4782. Reply to the comment on the work on pure iron, 5=4782

Bednář,J. and Šmirous,K. The melting points of gallium and indium antimonides, 7=313

Bednářová,V. See Beneš,J., 6=7806; Šafrata,S., 6=7807

Bednyakov,A.A. See Abrosimov,A.T., 6=7502

Bedo,D.E. See also Sprague,G., 5=8658; Tomboulian,D.H., 5=8809, 7=2286, 8=3186

Bedo,D.E. and Tomboulian,D.H. K-emission spectrum of metallic lithium, 8=1717. $M_{2,3}$ emission band of copper, 9=4665

Bedreag,C. The uranides (93-95) and the trans-curium (97-100) elements, 5=7307. Ionization potential: analytical interpretation, 7=2357

Bedreag,C.G. Ionization potentials. II. The Lisitzin effect, 9=8264

Bedritskii,A.I. Radiation of spin 2 particles which move uniformly in a medium, 9=11344

Beek-Visser,E. van. See van Beek-Visser,E.

Beekhuis,H. and de Waard,H. The half-life of the 8·42 keV state of 169 thulium, 9=3850

Beelen,H. van. See van Beelen,H.

Beeler,R. The shape of paramagnetic electron resonance curves in very weak fields, 8=6051. See also Fischer,G., 5=4864

Beeler,R. and Roux,D. Paramagnetic resonance at very low frequencies, 7=9341

Beeler,R., Roux,D., Béné,G. and Extermann,R. Observation of beats in electron magnetic resonance, 6=1380. Rapid-passage effects in electron spin resonance, 6=5240

Beeley,R.J. First details of A.I.'s epithermal Th breeder, 9=10143

Beeman,W.W. See Neynaber,R.H., 9=7046; Webb,M.B., 9=6372

Beenakker,J.J.M. See Coremans,J.M.J., 8=6716, 9=13072; Reuss,J., 7=8463

Beenakker,J.M. See Careri,G., 9=10923

Beer,A. [Ed.] Vistas in astronomy, 7=10

Beer,A.C. Theory and general information on semiconductors, 5=2700. Fine structure in the Hall coefficient, 9=6921. See also Bate,R.T., 9=8168; Harman,T.C., 7=3280; Willardson,R.K., 5=1819

Beer,A.C., Armstrong,J.A. and Greenberg,I.N. Evaluation of transport integrals for mixed scattering and application to galvanomagnetic effect, 8=5874

Beer,A.C., Chase,M.N. and Choquard,P.F. Extension of McDougall-Stoner tables of the Fermi—Dirac Functions, 6=2700

Beer,A.C. and Willardson,R.K. Hall and transverse magneto resistance effects for warped bands and mixed scattering, 8=8762

Beer,J.de. See de Beer,J.

Beer,J.F.de. See de Beer,J.F.

Beer,M. Quantitative interpretation of infra-red dichroism in partly oriented polymers, 6=6529. Electronic spectra of polyacetylenes, 7=275

Beer,M., Kessler,H.B. and Sutherland,G.B.B.M. Spectra of homologous series of monosubstituted amides, 9=1288

Beer,M. and Longuet-Higgins,H.C. Anomalous light emission of azulene, 5=8633

Beers,Y. Theory of the cavity microwave spectrometer and molecular frequency standard, 9=7950. See also Sterzer,F., 6=240; Weisbaum,S., 5=9569

Beeson,E.J.G. Prolonged flashes in xenon, 7=4950

Beets,C. The scope of nuclear emulsions in the spectral analysis of neutrons from reactors, 9=14013. See also Morand,M., 5=3869, 7=8001

Beevers,R.B., Conn,G.K.T. and Hampson,J. Simple monochromator for the infrared, 7=1999

Bég,M.A.B. Existence of positronium in solids, 9=2584

Bég,M.A.B. and Stehle,P.M. Formation of positronium in an electron gas, 9=7255

Begemann,F. Measurement of the thorium- and radium-content of rocks using the proportional counter, 5=3033. Redetermination of the natural terrestrial decay rate of tritium and the problem of the origin of natural tritium, 9=9092

Begemann,F., Eberhardt,P. and Hess,D.C. He^3–H^3 radiation age of a stone meteorite, 9=11736

Begemann,F., Geiss,J. and Hess,D.C. Radiation age of a meteorite from cosmic-ray-produced He^3 and H^3, 8=2103

Beggs,D.W. and von Klüber,H. A solar magnetograph, 7=1859

Beggs,W.C., Robinson,B.L. and Fink,R.W. Gamma rays in the decay of barium-131, 6=3159

Beghian,L.E., Hicks,D. and Milman,B. Gamma-rays from inelastic scattering of D-T neutrons from carbon 12 and oxygen 16, 5=9060. Inelastic scattering of 2·5 MeV neutrons by ^{54}Fe and ^{56}Fe, 5=9102. The inelastic scattering of 2·5 MeV neutrons by chromium, manganese and vanadium, 6=5394

Beghian,L.E., Kegel,G.H.R. and Scharenberg,R.P. Fast sodium iodide spectrometer and its application to millimicrosecond time measurement, 9=497

Beghian,L.E., Scharenberg,R.P., Rose,P.H. and Waniek,R.W. Possible method of investigating gyromagnetic ratios of short-lived nuclear states with fast neutral beams, 8=7298

Begiashvili,G.A. and Gedalin,É.V. On the motion of a charged particle in an anisotropic medium, 9=12508

Beguchev,O.P. The dispersal of aggregations of space charge, 7=1249

Begun,G.M. Nitrogen isotope effect in the distillation of N_2O_4, 7=4649. See also Brown,L.L., 9=7401; Fletcher,W.H., 7=8746

Begun,G.M. and Fletcher,W.H. Infrared spectra of the isotopic nitrous oxides, 8=1608

Begun,G.M. and Melton,C.E. Nitrogen isotopic fractionation between NO and NO_2 and mass discrimination in mass analysis of NO_2, 7=4823

Begzhanov,R.B. Nucleon—nucleon cross-sections at high energies, 9=9948

Běhounek,F. Rapid assessment of surface radioactive contamination, 8=7325. Dissipation of electrostatic charges with a stream of ionized air, 9=1403

Běhounek,F. and Majerová,M. Radon content of the air, 7=4654

Behr,A. The polarization of star light in selected area 40, 6=1793. Observations on the wavelength dependence of interstellar polarization, 9=4231

Behr,A. and Tripp,W. Polarization of starlight in the region of a filamentary structure of interstellar clouds, 5=3394

Behr,J.v. See v. Behr,J.

Behr,J.von. See von Behr,J.

Behrend,H.J. Measurements of the angular correlation of 208 keV/113 keV-γ-γ-cascade of Hf^{177} in solid and liquid sources, 9=3880

Behrend,H.J. and Neuert,H. On the angular correlation of the 72 keV/136 keV-γ-γ-cascade in Re^{187}, 9=3879

Behrends,R.E. Universal Fermi interaction, 8=4732. Photon decay of hyperons, 9=2656. Universal baryon—meson coupling, 9=5357. See also Barshay,S., 9=11401; Feinberg,G., 9=13004; Finkelstein,R.J., 5=3131

Behrends,R.E., Finkelstein,R.J. and Sirlin,A. Radiative corrections to decay processes, 6=908

Behrends,R.E. and Fronsdal,C. Fermi decay of higher spin particles, 7=6596

Behrendt,D.R., Legvold,S. and Spedding,F.H. Magnetic properties of neodymium single crystals, 7=6345. Magnetic properties of dysprosium single crystals, 8=2395

Behrens,H. and Rössler,F. Supersonic flames through secondary combustion of rocket exhausts in air, 6=5816

Behring,W.E. See also Aboud,A., 9=12962

Behring,W.E., McAllister,H. and Rense,W.A. Ultraviolet emission lines in the solar spectrum, 9=6466

Behringer,R.C. Metallic transition in lithium hydride, 9=6276

Behringer,R.E. Susceptibility and Curie point of magnetically dilute crystals, 7=8003. Note on: "The band structure of aluminium: a self-consistent calculation", 8=8422. Number of single, double, and triple clusters in a system containing two types of atoms, 8=9110. Comments on a theory of double Bloch walls in thin films, 9=3629

Behrndt,K. The magnetic pole pairs produced in a gyroscope rapidly rotating in a magnetic field and the deviations produced thereby in a measuring gyroscope, 5=2013. The development of the microbalance since 1886, 7=131. See also Mayer,H., 7=5926

Behrndt,M.E. See Zeiger,H.J., 8=6969, 9=8135

Béique,R. See Lorrain,P., 7=7966

Beirne,T. and Hutcheon,J.M. The shape of ground petroleum coke particles, 5=1262. A photoelectric particle counter for use in the sieve range, 7=7445

Beiser,A. On an interplanetary magnetic field, 5=7636. Solar-terrestrial time delays, 5=7637. The external magnetic field of the earth, 8=4536. Variations in the geomagnetic dipole in the past 15 000 years, 8=4538. Cosmic-ray trapping in interplanetary space, 8=5096. See also Soberman,R.K., 6=456

Beitel,F.P., Jr. and Pugh,E.M. Two Hall effects of iron—cobalt alloys, 9=7169

Beitscher,H.R. See also Webster,J.C., 6=7917

Beitscher,H.R. and Webster,J.C. Intelligibility of UHF and VHF transmissions at fifteen representative air traffic control towers, 6=6475

Bekefi,G. See also Bachynski,M.P., 7=6067;

Buchsbaum,S.J., 5=8098
Bekefi,G. and Brown,S.C. Collision cross section and energy loss of slow electrons in hydrogen, 9=3732
Bekefi,G. and Farnell,G.W. A homogeneous dielectric sphere as a microwave lens, 6=8291
Bekeshko,N.A. and Kondorskiĭ,E.I. The temperature dependence of the Overhauser effect in metallic lithium, 8=721
Békésy,G.v. See v.Békésy,G.
Bel,L. On isotropic geodesics in the Jordan—Thiry [unified] theory, 7=8981. On the discontinuities of the second derivatives of the gravitational potentials, 8=2119. Definition of an energy density and a generalized state of total radiation, 8=6614. On gravitational radiation, 9=1020. Algebraic study of a certain type of curvature tensors. Petrov's case 3, 9=3096. Introduction of a tensor of the fourth rank, 9=7757. Some remarks on the Petrov classification: Case 2, 9=9174
Bel,N. Instability of an extensive fluid mass, 5=8457
Belaga,M.W., Coddington,D.M. and Marcus,H. Modified adiabatic calorimeter, 7=2141
Belanova,T.S. Measurement of the absorption cross-section for fast neutrons, 8=7391
Belanovski,A.S. See Petrow,D.A., 9=12813
Belar,H. See Olson,H.F., 5=6848, 7=3106
Belashchenko,D.K. Structural peculiarities of liquid alloys in some binary systems, 8=3485
Belatini,P. de. See de Belatini,P.
Belavtseva,E.M. See Frimer,A.I., 6=5890
Belbeoch,B. and Guinier,A. Large-scale structure of polythene, 9=864
Belcher,E.H., Keane,B.E. and Rousseau,M.D. The measurement of high densities with photomultipliers, 5=10158
Belen'kit,S.Z. On the theory of multiple production of particles at higher energies, 5=7390. Diffraction scattering of high energy π-mesons by nucleons, 6=8405. On the formation of heavy particles in high-energy collisions, 7=7601. Relation between scattering and multiple particle production, 8=2153. Diffraction scattering and nucleon structure, 8=6140
Belen'kiĭ,S.Z. and Gerasimova,N.M. On the absorption of high-energy nuclear-active particles, 8=5339
Belen'kiĭ,S.Z. and Landau,L.D. The hydrodynamic theory of multiple formation of particles, 6=1854
Belen'kiĭ,S.Z., Maksimenko,V.M., Nikishov,A.I. and Rozental',I.L. Statistical theory of the multiple formation of particles, 8=5177
Belen'kiĭ,S.Z. and Milekhin,G.A. Multiple production of particles in the collisions of high energy nucleons with nuclei, 6=4833
Belen'kiĭ,S.Z. and Nikishov,A.I. On multiple production of mesons at energies 1-2·2 BeV, 5=9149
Belen'kiĭ,S.Z. and Rozental',I.L. Annihilation of antinucleons with star production, 6=6940
Belenky,S.Z. Connection between scattering and multiple production of particles, 7=5866
Belford,G. See Belford,R.L., 7=8070
Belford,R.L., Calvin,M. and Belford,G. Bonding in copper (II) chelates: Solvent effects in their visible absorption spectra, 7=8070
Belford,R.L. and Karplus,M. Ligand influence upon radial wave functions, 9=10193
Belikova,T.P. Phosphorescence of the crystal phosphor ZnS(Cu) during excitation by an electron beam, 7=1210
Belikova,T.P. and Galanin,M.D. Sensitization of photoluminescence by a solvent, 7=4163. On the process in the transfer of energy in scintillation plastics, 9=10845
Belin,R.E. Some observations on the behaviour of bromine-quenched Geiger tubes, 8=5157
Belinfante,F.J. Direct proof of the covariance of Gupta's indefinite metric in quantum electrodynamics, 5=726. Use of the flat-space metric in Einstein's curved universe, and the "Swiss-cheese" model of space, 5=5854. Attempts at quantization of the gravitational field, 7=1044
Belinfante,F.J., Caplan,D.I. and Kennedy,W.L. Quantization of the interacting fields of electrons, electromagnetism and gravity, 8=1494
Belinfante,F.J. and Swihart,J.C. Phenomenological linear theory of gravitation. I. Classical mechanics, 7=8364; II. Interaction with the Maxwell field, 7=8365. III. Interaction with the spinning electron, 8=1467
Beljers,H.G. Determination of the gyromagnetic ratio and the magnetic resonance damping coefficient of ferrites, 8=1130. See also Smit,J., 6=1361
Beljers,H.G., van der Kint,L. and van Wieringen,J.S. Overhauser effect in a free radical, 5=386
Belkin,B.G. The measurement of nonlinear distortions in loudspeakers by the method of subsonic modulation, 6=4922.* Cine-theatre loud speaker with diffusing sound lens, 6=4926
Belknap,D.J. and Crump,L.R. Lateral-current control mechanism for cold-cathode gas discharges, 8=7995
Bell,B. and Glazer,H. Geomagnetism and the emission-line corona, 1950-1953, 8=3603. Sunspots and geomagnetism, 9=1000
Bell,B.M. See Davy,N., 8=2876
Bell,C.L. and Barrow,G.M. Hydrogen bond: an experimental verification of the double minimum potential, 9=10189
Bell,D.A. Phenomenological approach to "current noise", 5=7946. Distribution function of semi-conductor noise, 6=326. Semiconductor noise as a queuing problem, 8=4961
Bell,D.A. and Berktay,H.O. The cylindrical diode, 7=4487
Bell,E. and Argyris,T.S. Response of the skin to focused ultrasound, 7=4922
Bell,E.E. See also Palik,E.D., 7=7006
Bell,E.E. and Eisner,L. Infrared radiation from the white sands at White Sands National Monument, New Mexico, 6=5560
Bell,G. See Dickey,F.P., 7=222
Bell,G.A. The measurement of small changes in density in large [solid] specimens, 9=86
Bell,G.C.,Jr. Refractive index of opaque high-gloss surfaces, 8=104
Bell,G.D., Davis,M.H., King,R.B. and Routly,P.M. The absolute f-value of the Mn I line λ 4031, 9=10759. The absolute f-values of λ 3247 of Cu I and λ 3720 of Fe I, 9=12002
Bell,G.M. Dilution effects in regular assemblies, 9=1898
Bell,J.F. Determination of dynamic plastic strain through the use of diffraction gratings, 7=1690. Propagation of plastic waves in solids, 9=6627
Bell,J.F.W. Piezoelectrically-activated low-frequency mechanical resonators, 5=2501. The velocity of sound in metals at high temperatures, 7=8472. Dynamic and static elasticities of solids, 8=4476
Bell,J.S. Linear accelerator phase oscillations, 5=5450. Time reversal in field theory, 5=8488. Time reversal in beta-decay, 7=8136. A variational method in field theory, 8=501. Nuclear magnetic moments and the many body problem, 8=5268. Many body effects in beta-decay, 8=5320. Azimuthal inhomogeneity in the strong-focussing bevatron, 8=5982; II, 5983. Bremsstrahlung from multiple scattering, 9=1652. Many-body problem with one-body forces, 9=4003. Particle—hole conjugation in the shell model, 9=8500
Bell,J.S. and Blin-Stoyle,R.J. Mesonic effects in beta-decay, 8=6262
Bell,J.S., Eden,R.J. and Skyrme,T.H.R. Magnetic moments of nuclei and the nuclear many-body problem, 7=7299
Bell,J.S. and Mandl,F. The polarization—asymmetry equality, 8=4211-12
Bell,J.S. and Skyrme,T.H.R. The nuclear spin—orbit coupling, 7=2523. The anomalous moments of nucleons, 8=502
Bell,J.S. and Squires,E.J. A formal optical model, 9=13020
Bell,M. Non-linear equations of motion in the synchrotron, 5=8810. Twist resonances, 8=5973. An analytical treatment of non-linear effects in the spiral ridged cyclotron, 8=5976. Focusing in the proton linear accelerator. II, 8=5981
Bell,M. and Walkinshaw,W. Focusing system for the 600 MeV proton linear accelerator, 5=6227
Bell,M.D. See also Collins,R.L., 9=7486
Bell,M.D. and Leivo,W.J. Rectification, photoconductivity, and photovoltaic effect in semiconducting diamond, 9=3463
Bell,P.R. Scintillation spectrometer with improved response, 5=1942. See also Davis,R.C., 9=2762; Francis,J.E., 6=2373; Harris,C.C., 7=486, 8=2252; Kelley,G.G., 9=2551; Lazar,N.H., 6=5797
Bell,P.R., Davis,R.C. and Bernstein,W. Pulse-height variation in scintillation counters, 5=8856
Bell,R. See Fletcher,P., 9=9798
Bell,R.E. The resolver, a circuit for reducing the counting losses of a scaler, 6=5978. See also Green,R.E., 7=8144, 9=2583, 9=11329; Sosniak,J., 9=2724
Bell,R.E., Graham,R.L. and Yaffe,L. The thermal neutron capture cross section of AU^{198} and the half-life of AU^{199}, 5=9103
Bell,R.E. and Jørgensen,M.H. Half-lives of two excited states of Gd^{156}, 9=12649
Bell,R.E. and Skarsgard,H.M. Cross Sections of (p, xn) reactions in the isotopes of lead and bismuth, 6=7674
Bell,R.L. The omegatron as a leak detector, 6=2427. The crystalline perfection of some semiconductor single crystals, 8=5516. See also Bardsley,W., 7=9975, 9=807

Bell,R.L. and Cahn,R.W. The dynamics of twinning and the interrelation of slip and twinning in zinc crystals, 7=7484
Bell,R.L. and Hogarth,C.A. Anisotropic diffusion lengths in germanium and silicon crystals containing parallel arrays of edge dislocations, 8=4979.
Bell,R.O. See also Fletcher,P.C., 9=7178
Bell,R.P., Gold,V., Hilton,J. and Rand,M.H. Developments in the thermal maximum method for reaction velocities in solution, 5=5027
Bell,T.G. Hydrophone minor lobes produced by volume scattering, 9=13116
Bell,W.E. and Bloom,A.L. Optically detected field-independent transition in sodium vapor, 8=5424. Optical detection of magnetic resonance in alkali metal vapor, 8=6349
Bella,F. See Focardi,S., 7=9242
Bellamy,E.H. See also Hogg,W.R., 9=3786; Palit,P., 9=1674
Bellamy,E.H. and Flack,F.C. The emission of alpha particles from argon under bombardment with neutrons, 5=4075
Bellamy,E.H. and Hogg,W.R. Columnar recombination in nitrogen, 7=4500
Bellamy,E.H., McWhirter,R.W.P. and Palit,P. The elastic photoproduction of neutral pions from helium, 8=1873
Bellamy,E.H. and Moorhouse,R.G. [Eds]. Proceedings of the 1954 Glasgow Conference on Nuclear and Meson Physics, 5=6379
Bellamy,W.D. See Price,F.P., 5=2279
Bellarts,H.J., Spencer,J.L. and Peterson,R.S. Examining irradiated fuels under water, 6=3995
Bellchambers,W.H. and Piggott,W.R. Ionospheric measurements made at Halley Bay, 9=3007
Belle,J. See Aronson,S., 7=8239, 9=1897; Auskern,A.B., 8=7531
Bellemans,A. The properties of isotopic liquids, 9=3201. See also Prigogine,I., 5=913, 6=4240, 7=5711, 7=5713, 9=3409
Bellemans,A. and Babloyantz,A. Statistical mechanics of solid and liquid mixtures of ortho- and para-hydrogen, 9=8060
Bellemans,A., Naar-Colin,C. and Prigogine,I. Statistical thermodynamics of r-mer mixtures, 7=5712
Bellettini,G. See Baroni,G., 9=9951
Belliboni,G. See also Baldo,M., 5=4960, 5=6492, 5=8280
Belliboni,G., Sechi,B. and Vitale,B. Analysis of some τ-mesons, 5=4955
Bellicard,J.B. Study of low-energy electrons emitted by radioactive substances, using a double-focusing spectrometer, 7=9356. See also Moussa,A., 5=324, 6=4623
Bellicard,J.B., Miller,J. and Tzara,C. The elastic scattering of photons by copper, 7=8830
Bellicard,J.B. and Moussa,A. K-auger electrons and conversion electrons accompanying the disintegration Co^{57} Kβ + Fe^{57}, 6=2377. Research on low-energy electrons emitted by radioactive substances, 7=1368. Study of K-Auger electrons and of conversion electrons of Co^{57}, 7=6526
Bellicard,J.B., Moussa,A. and Haynes,S.K. Study of Auger K electrons emitted by Zn^{65}, 7=9360
Bellis,H.E. and Slowinski,E.J.,Jr. Application of vapor chromatography to infrared spectroscopy of liquids, 7=2022
Bellman,R. Dynamics of a disordered linear chain, 6=2698. Dynamic programming and the variational solution of the Thomas—Fermi equation, 8=1412. Dynamic programming and stochastic control processes, 9=1104
Bellman,R. and Kalaba,R. Invariant imbedding, wave propagation, and the W.K.B. approximation, 8=6673
Bellman,R., Kalaba,R. and Wing,G.M. On the principle of invariant imbedding and one-dimensional neutron multiplication, 8=273
Bellman,S. See Engstrom,A., 7=1821
Bellomo,E. On the motion of a finite electron and the correspondence with the point electron of classical relativistic mechanics, 6=70. On the relativistic treatment of the reaction force of the field on the source, 8=4720
Bellon,P. See also Zannetti,R., 8=6512
Bellon,P., Scatturin,V. and Zannetti,R. Errors due to absorption in Debye — Scherrer photographs, 7=890
Belluco,U. See Bruno,M., 7=2617
Belluigi,A. On the direct electromagnetic effect of an a.c. emitter on the surface of a homogeneous earth, 5=2325
Belner,R.J. See Maron,S.H., 6=106
Belousov,A.S., Govorkov,B.B. and Gol'danskii,V.I. Generalized form of the dependence of the π-meson photoproduction cross-sections of complex nuclei on the number of nucleons, 9=13686
Belousov,A.S., Rusakov,S.V. and Tamm,E.I. Photoproduction of slow π^0-mesons on complex nuclei, 9=2641
Belousov,A.S., Tamm,I. and Shitov,E.V. Photoproduction of π^0-mesons on complex nuclei, 7=7436
Belousova,N.K. The effect of thermal conductivity in the phenomenological theory of paramagnetic relaxation, 8=7520
Belousova,N.K. and Shaposhnikov,I.G. Contribution to the phenomenological theory of paramagnetic relaxation in parallel fields, 8=4115
Belov,K. and Paches,Ya. On the temperature variation of the spontaneous magnetization in alloys in the neighbourhood of the Curie point, 8=4150
Belov,K.P. and Panina,I.K. Determination of the spontaneous lattice deformation during ferromagnetic transformation, 7=5474. Calculation, from magnetostriction data, of the magnitude of change of the Curie temperature with pressure, 8=4124
Belov,K.P. and Ped'ko,A.V. On galvanomagnetic properties of ferromagnetics near the absolute zero of temperature, 8=2339
Belov,K.P. and Talalaeva,E.V. Galvanomagnetic properties of manganese ferrite, 9=5743
Belov,K.P. and Zaitseva,M.A. New magnetic materials — garnet ferrites, 9=13442
Belov,N.V. New silicate structures, 8=3589. Concerning the tetrahedral (T = 23) and gyrohedral (O = 432) groups, 9=11629. A theorem on the primitiveness (emptiness) of the unit cell of a crystal lattice, 9=11630. See also Bakakin,V.V., 7=8253; Borisov,S.V., 9=12875
Belov,N.V., Neronova,N.N. and Smirnova,T.S. Shubnikov groups, 8=446
Belova,E.N. See Pinsker,Z.G., 6=6259
Belovitskiĭ,G.E. Inelastic scattering of 300 MeV positive and negative π-mesons on photographic emulsion nuclei, 9=2631
Belovitskiĭ,G.E., Korablev,L.N., Sukhov,L.V. and Shtranikh,I.V. An automatic measuring equipment for multiple particle scattering, 9=11331
Belovitskiĭ,G.E., Romanova,T.A., Sukhov,L.V. and Frank,I.M. Fission of the uranium atom by the action of slow π-mesons and particles of high energy, 5=9066. Fission of uranium nuclei under the action of slow π^--mesons, fast neutrons and γ rays of energy up to 250 MeV, 6=2385
Belrose,J.S., Devenport,M.H. and Weekes,K. Some unusual radio observations made on 23 February 1956, 7=949
Belser,R.B. Electrical resistances of thin metal films before and after artificial aging by heating, 7=3249
Belser,R.B. and Hicklin,W.H. Simple, rapid sputtering apparatus, 6=5443. Temperature coefficients of resistance of metallic films in the temperature range 25° to 600°C, 9=7001
Bel'skiĭ,A.F. and Blum,A.I. Investigation of the rectifying properties of the contact Se-HgSe, 5=953
Belson,H.S. See Harrison,S.E., 8=8866; Kriessman,C.J., 8=8906
Beltrametti,E.G. Gamma—gamma angular correlations with circular polarization measurements, 8=5327
Beltrametti,E.G. and Radicati,L.A. μ^--capture in light nuclei, 9=7367
Beltrametti,E.G. and Vitale,S. Determination of the circular polarization of the β-rays bremsstrahlung with a new γ-polarimeter, 8=8204
Belyaev,L.M., Panova,V.P., Perl'shteĭn, V.A., Chadaeva,V.A. and Tsigler,I.N. On the growing of spectrometric crystals according to the method developed by Kyropoulos, 9=9000
Belyaev,L.M., Perl'shtein,V.A. and Panova,V.P. Investigation of the distribution of activators in alkali halide crystals by the radioactive indicator method, 8=3559
Belyaev,S.T. Application of quantum field theory methods to a system of Bose particles, 8=6650. Energy spectrum of a non-ideal Bose gas, 8=6651. Effect of pairing correlations on nuclear properties, 9=4961
Belyaev,S.T. and Budker,G.I. The relativistic kinetic equation, 6=6398
Belyaev,V.B. and Zakhar'ev,B.N. Depolarization of μ^--mesons in [mesic] hydrogen, deuterium and tritium, 9=2612. On the double β-decay of Ca^{48}, 9=5011
Belyaev,V.I. See Kolesnikov,A.G., 7=2125
Belyakov,M.I. See Amelin,A.G., 6=8020
Belyakov,V.A. See Barashenkov,V.S., 9=3886
Belyakova,V.V. and Mittsev,M.A. Transmission of positive ions of lithium by thin deposited films of aluminium, 8=5061
Belyanin,V.B. The hyperfine structure of some holmium lines, 8=572. Hyperfine structure and identification of some praseodymium lines, 8=6802. Multiplet splitting of the ground term of the holmium atom, 9=13149. Magnetic moment of holmium, 9=13598
Bely̆kh,H.V. See Barchuk,I.F., 8=7113

Belyustin,A.V. On the theory of crystal growth (based on the article by I.V.Salli), 6=6247. The equilibrium form of crystals in the gravitational force field, 8=6503
Bember,T.M. See Cherkasov,A.S., 9=10819
Bemerl,W. and Fetz,H. An investigation of the photoelectrically active u.v. light from H_2 and O_2 corona discharges, 7=4130. The extreme short wavelength u.v. light of a gas discharge, 7=4131
Bemerl,W.F. and Fetz,H. On the delayed light emission from rare gas corona, 9=2371
Bemski,G. Lifetime of electrons in p- type silicon, 6=353. Quenched-in recombination centers in silicon, 6=7419. Recombination in semiconductors, 8=4957. Recombination properties of gold in silicon, 9=4035. Paramagnetic resonance in electron irradiated silicon, 9=11242. See also Bittmann,C.A., 8=7952
Bemski,G. and Augustyniak,W.M. Annealing of electron bombardment damage in silicon crystals, 8=7524
Bemski,G., Nierenberg,W.A. and Silsbee,H.B. Cosine interaction in CsF and RbF, 5=6359
Bemski,G. and Struthers,J.D. Gold in silicon, 9=9630
Ben Sira,M.Y., Pratt,B., Harnik,E. and Many,A. Polarization processes in partially illuminated photoconducting insulators, 9=13318
Benade,A.H. On woodwind instrument bores, 9=4406
Benade,A.H. and Chrien,R.E. Sewing-needle proportional counter, 7=6290
Bénard,J. See Bardolle,J., 5=618
Benarie,M.M. Optical pyrometry below red heat, 8=158
Ben-Arieh,J. See Abrahamson,P., 9=7279
Benbow,J.J. The determination of dynamic moduli and internal friction of high polymers from creep measurements, 7=1688
Benbow,J.J. and Roesler,F.C. Experiments on controlled fractures, 7=4820
Benbow,J.J. and Wood,D.J.C. The correlation of internal friction and chemical structure in organic glasses, 9=6318
Benczer,N. See also Farrelly,B., 5=9858
Benczer,N., Farrelly,B., Koerts,L. and Wu,C.S. Investigations of I^{128}, 6=1516
Benczer-Koller,N., Schwarzschild,A., Vise,J.B. and Wu,C.S. Determination of electron polarization by electron—electron scattering: Y^{90} and Au^{198}, 8=8295
Benczer-Koller,N., Schwarzschild,A. and Wu,C.S. Decay of K^{43}, 9=12643
Benda,H. A bulk effect during the etching of silicon single crystals, 9=4596
Benda,O. Lithographic stone and the Johnsen—Rahbeck effect, 7=7905
Bendel,W.L., McElhinney,J. and Tobin,R.A. Photoneutron reactions in N,O,F,Cu,Ag, and In, 9=3915
Bendell,D. See Harrison,J.R., 5=9112
Bender,F. A photocell catheter for continuous intra-cardial and intra-vascular oximetry, 8=8560
Bender,H. Thermionic emission from oxide-coated cathodes as a function of core-metal impurities, 7=501
Bender,M. The electric charge on macroscopic glass surface, 5=1856
Bender,P. and Wood,J.M.,Jr. Raman spectra of thionyl fluoride and sulfuryl fluoride, 5=7862
Bender,P.A. Energy estimation of photon induced cascade showers, 6=2977
Bender,P.L. Diffusion of particles with memory, 8=85. See also Beaty,E.C., 9=5533; Driscoll,R.L., 9=2589; Skillman,T.L., 9=2999
Bender,P.L., Beaty,E.C. and Chi,A.R. Optical detection of narrow Rb^{87} hyperfine absorption lines, 9=2862
Bender,P.L. and Driscoll,R.L. A free precession determination of the proton gyromagnetic ratio, 9=11363
Bender,R.S. See Levine,S.H., 5=4061; McGruer,J.N., 6=1571
Benderskiĭ,V.A. and Blyumenfel'd,L.A. The calculation of the electric field gradient in atoms, 8=6348
Bendit,E.G. The ratio of characteristic to white X-radiation from a copper target, 8=7068
Bendt,P.J. Measurements of He^3—He^4 and H_2—D_2 gas diffusion coefficients, 8=8623. See also Yarnell,J.L., 8=6924, 9=6846
Bendt,P.J., Cowan,R.D. and Yarnell,J.L. Excitations in liquid helium: thermodynamic calculations, 9=6847
Bendt,P.J. and Peterson,R.E. Neutron multiplication in small spheres of fissionable material, 9=3933
Bendt,P.J. and Scott,F.R. Short-period delayed neutrons from fission, 5=3118
Bene,A.A. The effect of the finite thickness of the emulsion layer in studying nuclear processes by the photographic method. II., 6=6284
Bene,A.A. and Agrest,M.M. The effect of the finite thickness of the emulsion layer in studying nuclear processes by the photographic method, 5=9338
Béné,G. See Beeler,R., 6=1380, 6=5240; Cagnac,B., 6=3916; Dick,L., 5=1979; Fischer,G., 5=4864; Geneux,E., 6=1359; Hochstrasser,R., 9=11257; Manus,C., 5=452, 6=3915; Winter,J., 5=1121
Béné,G.J. See also Delmau,J.J., 9=9834; Roux,D.P., 7=5521
Béné,G.J. and Extermann,R.C. Paramagnetic resonance in low fields, 5=3885
Benedek,G.B. Deduction of the volume dependence of the cohesive energy of solids from shock-wave compression measurements, 9=8791. See also Kushida,T., 7=2804
Benedek,G.B. and Kushida,T. Precise nuclear resonance thermometer, 7=3212. The pressure dependence of the Knight shift in the alkali metals and copper, 9=8369
Benedek,G.B., Paul,W. and Brooks,H. Conductivity, Hall effect, and magnetoresistance in N-type germanium, and their dependence on pressure, 6=1225
Benedek,G.B. and Purcell,E.M. Nuclear magnetic resonance in liquids under high pressure, 5=2472
Benedetti,S.De. See De Benedetti,S.
Benedict,F.D. Angular distribution of gamma rays in Coulomb excitation from Pt, 6=3178. See also Breit,G., 6=627; Daitch,P.B., 5=3969
Benedict,F.D., Daitch,P.B. and Breit,G. Semiclassical approximation to Coulomb excitation integrals, 6=3176
Benedict,F.D. and Tice,G. Angular distribution of gamma-rays in Coulomb excitation, 6=2364
Benedict,T.S. A single-crystal automatic diffractometer. II, 6=3366
Benedict,T.S. and Durand,J.L. Dielectric properties of single domain crystals of $BaTiO_3$ at microwave frequencies, 8=7889
Benedict,W.S. See also Hilsenrath,J., 8=3913; Madden,R.P., 5=3930, 7=2044
Benedict,W.S., Gailar,N. and Plyler,E.K. Rotation-vibration spectra of deuterated water vapor, 6=5780
Benedict,W.S., Herman,R., Moore,G.E. and Silverman,S. The strengths, widths, and shapes of infrared lines. I. General considerations, 6=7288; II. The HCl fundamental, 6=7289. Infrared line and band strengths and dipole moment function in HCl and DCl, 7=7743
Benedict,W.S. and Kaplan,L.D. Calculation of line widths in H_2O—N_2 collisions, 9=5524
Benedict,W.S. and Plyler,E.K. Interaction of stretching vibrations and inversion in ammonia, 6=5282. Vibration—rotation bands of ammonia. II. The molecular dimensions and harmonic frequencies of ammonia and deuterated ammonia, 8=4375
Benedict,W.S., Plyler,E.K. and Tidwell,E.D. Vibration—rotation bands of ammonia. I. The combination bands $\nu_2 + (\nu_1, \nu_3)$, 9=3291; III. The region 3·2 - 4·3 microns, 9=1822
Benediktov,E.A. On the frequency of the radio line of CH molecules, 9=3047
Beneking,H. The influence of closely spaced connections on the d.c. and a.c. behaviour of p—n junctions, 8=8774. The d.c. and a.c. properties of point-contact diodes, 8=8775
Benel,H. Thermal e.m.f. of a couple (thin film of Cu in contact with solid Ag). Variation with layer thickness, 5=4687. On the influence of the ambient atmosphere on the thermoelectric power of a couple of solid silver/thin silver film, 7=4386. Thermoelectric properties of antimony telluride and of solid solutions of Sb_2Te_3—Bi_2Te_3, 9=325. Study of the thermoelectric e.m.f. of monometallic (thin Ag/solid Ag) and bimetallic (thin Ag/solid Cu or solid Ag/thin Cu) couples as a function of the thickness of their solid branches, 9=3519. Thermocouples with chemically different multiple layers, 9=3520. Copper layers giving a null thermo-e.m.f. of a couple consisting of thin film silver/solid silver. Variation of thermo-e.m.f. of a couple consisting of thick film silver/solid silver as a function of thickness of the copper layer deposited on the solid silver branch, 9=3521. Influence of the gaseous atmosphere on the thermo-e.m.f. of a couple consisting of solid Ag/thin film Cu, joined to pure copper, 9=8173
Benenson,R.E., Jones,K.W. and McEllistrem,M.T. Comparison of differential cross sections for the reactions $C^{12}(d, p) C^{13}$ and $C^{12}(d, n)N^{13}$, 6=3222
Benenson,R.E. and Shurman,M.B. Gas-recoil fast neutron spectrometer, 8=1853
Beneš,J. See also Šafrata,S., 6=7807

Beneš,J., Bednárová,V. and Šafrata,S. A contribution to the growing of barium titanate, 6=7806
Benesi,H.A. Infrared spectrum of $Mg(OH)_2$, 9=6727
Beneventano,M., Bernardini,G., Carlson-Lee,D., Stoppini,G. and Tau,L. Differential cross-sections for photoproduction of positive pions in hydrogen. I. Low energies, 6=7724
Beneventano,M., Bernardini,G., Stoppini,G. and Tau,L. Photoproduction of charged pions in deuterium, 9=3781
Beneventano,M., De Agostino,E., Galtieri,C.A., Rispoli,B. and Serra,A. A Cherenkov gas counter of high efficiency, 9=8415
Benfield,W.A. See Cox,H.L., 9=9318
Benioff,P.A. Cosmic-ray production rate and mean removal time of beryllium-7 from the atmosphere, 7=2371
Beniston,M. See Amerighi,M.C., 9=9980
Benisz,J., Chyliński,Z. and Wolter,W. Investigations of bremsstrahlung of electrons in the energy interval (10^{11} - 10^{12}) eV, 9=7244
Benjamin,B. See Burrus,C.A., 5=4524
Benjamin,P. See Weaver,C., 6=8708, 9=1335
Bennett,A.I. Electron multiplication processes in high-voltage electrical discharge in vacuum, 8=8010. Two electrical phenomena on liquid germanium surfaces, 9=5754
Bennett,A.L. See also Gey,W.A., 6=1684
Bennett,A.L. and Wedaa,H.W. Luminous zone in the detonation of equimolar acetylene-oxygen, 5=7778
Bennett,C. See Schilb,T., 7=7696
Bennett,C.E. See Coffin,V.H., 6=1952
Bennett,C.O. See Mifflin,T.R., 9=1155
Bennett,D.C. and Sawyer,B. Single crystals of exceptional perfection and uniformity by zone leveling, 6=7011
Bennett,E.W. See Okhuysen,P.L., 9=3708
Bennett,F.D. Refraction operators and ray tracing through cones of constant index, 7=1988. Cylindrical shock waves from exploding wires, 9=1196. Energy partition in the exploding wire phenomena, 9=4382. Cylindrical shock waves from exploded wires of hydrogen-charged palladium, 9=11934. See also Kahl,G.D., 9=1334
Bennett,F.D. and Shear,D.D. Visualization of cylindrical shock waves, 9=9327
Bennett,G.S. Some remarks on four-pole parameters, 8=2877
Bennett,H. See Starkiewicz,J., 7=5351
Bennett,H.E. See Rank,D.H., 5=2638, 6=172, 6=5758
Bennett,H.S. Fine structure of cell nucleus, chromosomes, nucleoli and membrane, 9=11662. Structure of muscle cells, 9=11669
Bennett,J.E. See also George,P., 6=5233
Bennett,J.E. and Ingram,D.J.E. Paramagnetic resonance in copper phthalocyanine, 5=3887. The paramagnetic resonance spectrum of chlorine dioxide, 6=5238. Long range nuclear interaction in paramagnetic resonance, 7=3499
Bennett,J.E., Ingram,D.J.E., George,P. and Griffith,J.S. Paramagnetic resonance absorption of ferrihaemoglobin and ferrimyoglobin derivatives, 6=482
Bennett,J.E., Ingram,D.J.E. and Schonland,D. Paramagnetic resonance spectra of the alkali superoxides and chlorine dioxide, 6=8278
Bennett,J.E., Ingram,D.J.E., Symons,M.C.R., George,P. and Griffith,J.S. Paramagnetic resonance in sodium and potassium superoxides, 5=5517
Bennett,J.E., Ingram,D.J.E. and Tapley,J.G. Paramagnetic resonance from broken carbon bonds, 5=3886. Paramagnetic resonance in different forms of carbon, 5=5516
Bennett,J.M. See also Rank,D.H., 5=1734, 5=8659, 6=172, 6=5758
Bennett,J.M. and Koehler,W.F. Comparator with photoelectric detection for setting on broad interference fringes with precision, 9=6782
Bennett,L.A. and Vines,R.G. Thermal conductivities of organic vapor mixtures, 5=9601
Bennett,L.H. and Torrey,H.C. High negative nuclear polarizations in a liquid, 8=1293
Bennett,R.B. See Shang Yi Ch'en., 6=2781
Bennett,R.G. See also Fenstermacher,C.A., 8=4301
Bennett,R.G. and Dalby,F.W. Experimental determination of the oscillator strength of the first negative bands of N_2^+, 9=10180
Bennett,R.G. and Henglein,A. E.S.R. line widths of some DPPH derivatives, 9=9812
Bennett,R.G., McCarthy,R.L., Nolin,B. and Zimmerman,J. Radiation effects in two organic solids, 8=8509
Bennett,W. See Garrison,W.M. 5=7470, 6=5481, 7=4839, 8=2698; Marder,S., 6=8949
Bennett,W.E. See Herber,R.H., 6=8352
Bennett,W.H. Self-focusing streams, 5=7106. Auroral and magnetic-storm theory, 8=5554. The störmertron, 9=956. Solar proton stream forms with a laboratory model, 9=12426
Bennewitz,H.G. See also Christensen,R.L., 7=9825; Priester,W., 8=3662
Bennewitz,H.G. and Paul,W. A method for the determination of nuclear moments with focused atomic rays, 5=2079
Bennewitz,H.G., Paul,W. and Schlier,C. Focusing polar molecules, 5=6526
Bennewitz,H.G., Paul,W. and Toschek,P. The nuclear moments of radioactive Tl^{204}, 7=9829
Benninga,H. and Scott,R.L. Internal pressure of carbon tetrachloride between 7° and 70°, 6=116
Benny,A.H. and Morten,F.D. The measurement of surface recombination velocity on silicon, 9=2331
Benny,A.H.B. and Champion,F.C. Neutron bombardment of counting diamonds, 6=4464
Benoist,P. Some aspects of the theory of α-decay, 5=6426 See also Mercier,C., 7=5923; Valladas,G., 5=4903
Benoist,P., Marty,C. and Meyer,P. Inelastic scattering of fast nucleons by light nuclei. I. Born approximation, 7=7369; II. Influence of the complex potential, 8=1259
Benoist,S. Contribution to the study of the spectrum of the OH molecule, 5=8614
Benoist-Gueutal,P. Study of the reorganization energy of the electron cloud in the phenomena of β and α radioactivity, 5=9861
Benoit,A. See also Picard,E., 5=2808
Benoit,A. and Koechlin,Y. The detection of nuclear particles. Choice of appropriate detector, 6=3931
Benoit,A.W., Hemmes,R.T. and Schulz,M.W., Jr. An anechoic chamber for noise tests on large power transformers, 5=6850
Benoit,H. Application of the degree of depolarization of scattered light to the study of interactions in a fluid, 6=118. The scattering of light by macromolecular chains in solution in a good solvent, 8=999. A nuclear double resonance experiment on liquids in motion, 8=7319. See also Loucheux,C., 9=4492; Marchal,J., 6=2307, 6=5306
Benoit,H. and Fric,C. Study of the oscillation level of a maser oscillator in a strong field, 9=13461
Benoit,H., Grivet,P. and Guibé,L. A maser with purely nuclear magnetic resonance, 8=8160
Benoit,H., Grivet,P. and Ottavi,H. A nuclear magnetic resonance maser in weak fields, 9=8346. Study of an auto-oscillator of the maser type in a weak field, 9=8347
Benoit,H. and Hennequin,J. Measurement of the earth's magnetic field by a nuclear magnetic resonance maser, 9=8348
Benoît,H. and Klein,R. Heterodyne detection of free precession in nuclear magnetic resonance, 7=9335
Benoit,H. and Ottavi,H. Indirect coupling and relaxation time T_1 of protons in a solution of NH_4NO_3 in a weak magnetic field, 9=13468
Benoit,H. and Stockmayer,W.H. Study of the influence of interactions on the light scattered by an assembly of particles, 6=3656
Benoît,H. and Weill,G. A study of the effect of correlations on the depolarization of scattered light. Application to a gas, to dilute solutions and to macromolecular chains, 7=5255
Benoit,J. Introduction to the study of magneto-optical phenomena in ferrites in the hyperfrequency region, 7=1470
Benoit,J. and Naschke,E. Nomogram of the function $2J_1(z)/zJ_0(z)$ for the study of the initial complex permeability of circular conductors at high frequencies, 6=5212
Benoit,R. Paramagnetic investigation of binary compounds, 5=7267. Valence binding in some binary compounds, 5=7268. Paramagnetic study of rare earth ferrites, 5=8898. Low-frequency radiowave noise of the earth's magnetic field, 6=7904
Benoit,R. and Kernevez,J. Study of an apparatus for the recording of atmospherics, 8=3617
Benoit à la Guillaume,C. Recombination light emission via traps in germanium, 7=2064. Radiative recombination at dislocations in germanium, 9=6766. See also Aigrain,P., 7=4337; Gosnet,A., 9=13297
Benoit à la Guillaume,C. and Parodi,O. Zeeman effect on the intrinsic recombination emission in germanium, 9=12015
Bensasson,R. and Prevot-Bernas,A. The radiation chemical polymerization of acrylonitrile in solution and the spatial distribution of primary active centres, 6=5497
Benseman,R.F. and Hart,H.R. A thermocouple anemometer, 5=4433
Bensey,F.N., Jr. See Burbank,R.D., 8=3587-8
Benson,A.M., Jr and Drickamer,H.G. Stretching vibrations in

condensed systems: especially bonds containing hydrogen, 8=3767

Benson,C.B. and Hallett,A.C.H. The oscillating sphere at large amplitudes in liquid helium, 6=6571

Benson,G.C. A simple formula for evaluating the Madelung constant of a NaCl-type crystal, 6=7840. See also Schreiber,H.P., 5=9251; van Zeggeren,F., 6=8887, 7=7493; White,P., 9=145

Benson,G.C., Balk,P. and White,P. Contribution of surface distortion to the surface energy of alkali halide crystals, 9=8874

Benson,G.C. and Benson,G.W. Adiabatic calorimeter for measuring heats of solution at room temperature, 5=6093

Benson,G.C. and Flood,E.A. Distribution functions and isotropic gases, 5=118

Benson,G.C., Goddard,E.D. and Hoeve,C.A.J. Adiabatic solution calorimeter, 7=333

Benson,G.C. and McIntosh,R. Some calculations of the surface energy of magnesium oxide, 7=1473

Benson,G.C. and Patterson,D. Note on an analytical proof of Wulff's theorem in three dimensions, 5=6599

Benson,G.C. and Schreiber,H.P. A method for the evaluation of some lattice sums occurring in calculations of physical properties of crystals. II, 5=10066

Benson,G.C., Schreiber,H.P. and Patterson,D. An examination of Verwey's model for the lattice structure of the free surface of alkali halide crystals, 6=6814

Benson,G.C. and van Zeggeren,F. Madelung constants of some cubic crystals, 7=7494

Benson,G.W. See Benson,G.C., 5=6093

Benson,J.L. See also Giese,C.F., 8=5433; Quisenberry,K.S., 8=360

Benson,J.L., Damerow,R.A. and Ries,R.R. Atomic masses of the stable isotopes of lead and mercury and the mass difference D_2—H^4, 9=6165. See Lovell,L.C., 9=12767; Pfann,W.G., 7=8618, 9=10487; Wernick,J.H., 8=5880, 9=3457

Benson,R.W. and Eldredge,D.H. Variations in sound pressure produced in guinea-pig ears due to normal and abnormal eardrums, 5=4258

Benson,S.W. Pyrolysis of dimethyl ether, 6=7775. Photon propagated chain reactions and the short wavelength photolysis of ozone, 7=8244. See also Fogo,J., 5=3206

Benson,S.W. and Axworthy,A.E.,Jr. Mechanism of the gas phase, thermal decomposition of ozone, 7=8237

Benson,S.W. and Buss,J.H. Kinetics of gas phase halogenation reactions, 8=2047. Halogen-catalyzed decomposition of N_2O and the role of the hypohalite radical, 8=6476. Additivity rules for the estimation of molecular properties. Thermodynamic properties, 8=9104

Benson,S.W. and Copeland,C.S. Some anomalies in the data on coexistent densities in the region of the critical temperature, 5=6985. Exact method for the calculations of coexistent densities from van der Waals' type equations, 5=6787. An exact method for the calculation of coexistent densities from van der Waals' type equations: a correction, 6=5468

Benson,S.W. and Porter,G.R. On the infrared fluorescence of simple molecules, 7=5218

Benson,S.W. and Srinivasan,R. Some complexities in the reaction system: $H_2 + I_2 = 2HI$, 5=3208

Bent,H.A. Homogeneity condition in thermodynamics, 6=1181 See also Fateley,W.G., 9=9436

Bent,R.D. See also Eklund,K.E., 9=4973, 9=5006; Kruse,T.H., 9=4974

Bent,R.D., Bonner,T.W. and McCrary,J.H. Nuclear pairs from the 3·4-MeV state in Ca^{40}, 5=7345

Bent,R.D., Bonner,T.W., McCrary,J.H. and Ranken,W.A. Gamma rays from the deuteron bombardment of Al^{27} and P^{31}, 6=628

Bent,R.D., Bonner,T.W., McCrary,J.H., Rankon,W.A. and Sippel,R.F. Gamma rays from the deuteron bombardment of Be^9, B^{10}, N^{14} and F^{19}, 5=8217

Bent,R.D., Bonner,T.W. and Sippel,R.F. Pair spectrometer measurements of the radiations from excited states of light nuclei, 5=7344

Bent,R.D. and Kruse,T.H. Gamma-emitting states in O^{16} below 12 MeV, 8=8268. Compound states formed in the reaction $Ca^{40}(p, p' e^+ e^-)$, 9=647

Benthem,C.W. On the possible influence of electron interaction on the reflectivity of metals, 9=4480

Bentley,G.P. See Macdonald,A.R., 5=6063

Benton,D.P. See Howe,P.G., 7=1694

Benton,W.C. See Aroeste,H., 6=1941

Bents,U.H. Neutron diffraction study of the magnetic structures for the perovskite-type mixed oxides $La(Mn, Cr)O_3$, 7=5462

Bentzen,F.L. See Nyer,W.E., 6=8394

Benveniste,J., Finke,R.G. and Martinelli,E.A. Inelastic scattering of 31-MeV protons from beryllium, 6=2402

Ben'yaminovich,M.B. See Veksler,V.I., 7=1422

Benzi,V. Form factors for incoherent scattering of high energy charged particles by nuclei, 5=7397

Benzi,V., Ladu,M. and Marongiu,N. On the inelastic mean free path of 450 MeV protons in nuclear emulsion, 6=3978

Benzie,G. See Brehm,R.K., 7=9594

Benzie,R.J., Cooke,A.H. and Whitley,S. Interaction effects in some paramagnetic salts, 5=9618

Benzler,H. Recent theories of the equation of state for liquids, 5=2467. Specific problems of reactor cooling, 9=7372. The calculation of the cooling efficiency of reactor cooling channels, 9=7373. Supplement to the calculation of the cooling efficiency of reactor cooling channels, 9=7374

Beran,M. See Dewan,E., 9=12986

Beran,M.J. Dispersion of soluble matter in flow through granular media, 7=9567. Determination of the intensity distribution resulting from the random illumination of a plane finite surface, 9=6677

Beranek,L.L. Loudspeakers and microphones, 5=138. Sound systems for large auditoriums, 5=154. Acoustics, 5=3499. Suggestion on reference quantities for power levels, 6=8635. Criteria for office quieting based on questionnaire rating studies, 7=199. Acoustics of the Fredric R.Mann Concert Hall, Tel Aviv, Israel, 9=9356. See also Miller,L.N., 8=1579; Watters,B.G., 5=6858

Beranek,L.L., Kamperman,G.W. and Allen,C.H. Noise of centrifugal fans, 5=4482

Beranek,L.L., Labate,S. and Ingard,U. Noise control for NACA supersonic wind tunnel, 5=2542

Berberet,J.A. and Clark,K.C. Resonance irradiation of mercury vapor in nitrogen, 6=208

Bercha,S. See Fridlender,E., 6=5406

Berdichevskaya,V.S. Theoretical and observed equivalent widths of some strong lines in the sunspot spectra, 9=9158

Berdowski,W. See Bączyński,A., 8=3724

Berdȳshev,A. See Eremeeva,G., 9=11224

Berdȳshev,A.A. and Izyumov,Yu.A. On the s—d exchange models of transition metals, 8=9114

Berdȳshev,A.A. and Karpenko,B.V. The indirect interaction between d-electrons of the transition metals. I. Ferromagnetism, 9=11197

Berenbaum,R. See also Towle,J.H., 7=3611

Berenbaum,R. and Matthews,J.H. Gamma radiation following proton capture in ^{35}Cl, ^{37}Cl and ^{39}K. II. Angular distributions and correlations, 7=7347

Berenbaum,R., Towle,J.H. and Matthews,J.H. The 440 keV transition in ^{23}Na, 7=3539

Berencz,F. A new method for the calculation of the energy of the hydrogen molecule, 5=2055. Observations on the analysis of absorption curves, 5=7838. The influence of the correlation factor $(1 + Pr_{12})$ on the calculations of the ground state of the hydrogen molecule, 7=582. Calculation of the ground state of the hydrogen molecule on the basis of the variation method, 7=6390. Construction of S^2 eigenfunctions by the method of spin operators. II. Six-electron systems, 8=890. Some two-centre integrals for the calculation of a molecular orbital on the basis of a correlation factor, 9=8736

Berencz,F. and Pauncz,R. Construction of S^2 eigenfunctions by the method of spin operators. I. General theory, 8=889

Berendt,R.D. See Cook,R.K., 6=1008; Waterhouse,R.V., 6=7241, 8=2918

Berényi,D. β-γ coincidence spectrometric investigation of the decay-scheme of Nd^{147}, 9=1734. See also Szalay,A., 5=10119, 9=12375

Beresteckij,V.B. Nuclear polarization in radiative K-capture, 9=2747

Berestetskiĭ,V.B. Asymptotic behaviour of the electromagnetic polarization of the vacuum in the presence of meson interactions, 6=2638. Angular distribution of π-mesons produced by polarized nucleons, 7=2703

Berestetskiĭ,V.B. and Bȳchkov,Yu.A. Scattering of K-mesons with change of internal parity, 7=6612

Berestetskiĭ,V.B. and Geshkenbeĭn,B.V. Slowing down of high-energy electron—positron pairs by ionization, 7=2974

Berestetskiĭ,V.B. and Ignatenko,V.P. Angular correlation in the cascade decay of hyperons, 7=1645

Berestetskiĭ,V.B., Krokhin,O.N. and Khlebnikov,A.K. Radiative correction to the magnetic moment of the μ-meson, 6=7127

Berestetskiĭ,V.B. and Kuznetsov,E.V. Diffraction scattering of

high-energy photons by nuclei, 7=3662
Berestetskiĭ,V.B. and Pomeranchuk,I.Ya. Production of a μ-meson pair on annihilation of positronium, 6=3292. Correlated phenomena in the capture of K-mesons, 7=2690
Berestetskiĭ,V.B. and Rudik,A.P. Polarization of internal conversion electrons emitted after β-decay, 9=2770
Berestetsky,V.B. On interference phenomena in the decay of strange particles, 7=9909
Berestetsky,V.B. and Bychkov,Yu.A. K-meson scattering with change of intrinsic parity, 7=9920
Berestetsky,V.B., Ioffe,B.L., Rudik,A.P. and Ter-Martirosyan,K.A. β-Decay and non-conservation of parity, 8=6255. Effects related to nonconservation of parity in β decay, 9=1741
Beretta,E. and Poiani,G. On the efficiency of detection of photons in the middle of liquid scintillators, 6=1318
Beretta,L., Clementel,E. and Villi,C. S and P wave analysis of proton-proton scattering experiments, 5=6235. Phase shift analysis of 240-MeV proton-proton scattering, 5=8840
Beretta,L., Villi,C. and Ferrari,F. Cross-sections for elastic proton-proton and neutron-proton collisions, 5=3830
Berezin,Yu.V. See Gusev,V.D.9=11644
Berezina,L.Ya. On focal surfaces with a pseudo-spherical normal congruence, 9=9378
Bereznyak,N.G. See also Esel'son,B.N., 5=6087, 6=7353, 7=4280
Bereznyak,N.G. and Esel'son,B.N. Energy spectrum of He^3 admixtures [which are] dissolved in He II, 7=4278. Density of the normal component in solutions of helium isotopes, 7=4279
Berg,C.B. van den. See van den Berg,C.B.
Berg,D. Dielectric constant of liquid sulfur hexafluoride, 9=12214. See also Hickam,W.M., 8=8839
Berg,D. and Dakin,T.W. Electron attachment in sulfur hexafluoride, 6=8845
Berg,D. and Kraitchman,J. Digest of the literature on dielectrics. Volume XIX — 1955. The breakdown of dielectrics, 7=9153
Berg,G.J. van den. See van den Berg,G.J.
Berg,H. On the interpretation of the movement of field strength fluctuations as ionospheric wind, 5=5769
Berg,J. van den. See van den Berg,J.
Berg,J.W., Jr. See McEuen,R.B., 9=10966
Berg,M. See Kingery,W.D., 6=741
Berg,O.E. Day sky brightness to 220 km, 6=8523
Berg,R. and Wilets,L. On the validity of the Weizsäcker inhomogeneity correction term, 5=3985
Berg,R.A. and Lindner,C.N. High-energy bremsstrahlung in electron—proton collisions, 9=3722
Berg,R.A. and Wilets,L. Nuclear surface effects, 6=3087
Berg,T.G. Owe. See Owe Berg,T.G.
Berg,W.F. The formation of the latent image by nuclear particles, 9=13994
Berg,W.T. See also Barron,T.H.K., 8=163; Pace,E.L., 6=303
Berg,W.T. and Morrison,J.A. The thermal properties of alkali halide crystals. I. The heat capacity of potassium chloride, potassium bromide, potassium iodide and sodium iodide between 2·8 and 270°K, 8=162
Bergdolt,G. See Gorodetzky,S., 7=7380
Bergeijk,W.A. van. See van Bergeijk,W.A.
Bergenlid,U.M., Craig,R.S. and Wallace,W.E. Heat capacity of ordered Mg_3Cd between 4 and 15°K, 7=7070
Bergeon,R. The effect of the dissolving of mercury on the measurement of the equation of state of a compressed gas by the internal heat method (Saurel's method), 8=6724. Contribution to the study of intermolecular forces in connection with the equation of state of gases and the perturbations of spectral lines under high pressure, 9=10209. See also Lacam,A., 6=4911; Robin,J., 8=3867; Saurel,J., 8=3925; Schuller,F., 9=3997
Bergeon,R., Kieffer,J. and Vodar,B. Equation of state for argon at very high pressure and its compressibility in a shock wave, 6=966
Bergeon,R. and Vodar,B. Statistical theory of the effect of pressure on spectral rays, 5=3574
Berger,A.W. See Brown,C. 5=3246, 5=8337
Berger,C., Mahneke,A. and Mortensen,O. Electronic flicker apparatus with automatic frequency variation, 5=4582. Electronic multiflash generator for experiments in psychophysiological optics, 8=1642
Berger,D.W. and Loper,O.J. Elastic scattering of deuterons by O^{16}, 7=3651
Berger,E., Graham,C.H. and Hsia,Y. Some visual functions of a unilaterally color-blind person. I. Critical fusion frequency in various spectral regions, 9=961; II. Binocular brightness matches in various spectral regions, 9=962
Berger,J. See Roy,R.R., 6=2120
Berger,J.M. Computations of nonrelativistic electron bremsstrahlung, 7=2317. Absorption coefficients for free-free transitions in a hydrogen plasma, 7=5205. Spin—orbit contributions to the H^3-He^3 magnetic moments, 9=13599
Berger,J.M., Bernstein,I.B., Frieman,E.A. and Kulsrud,R.M. On the ionization and ohmic heating of a helium plasma, 9=1555
Berger,J.M., Newcomb,W.A., Dawson,J.M., Frieman,E.A., Kulsrud,R.M. and Lenard,A. Heating of a confined plasma by oscillating electromagnetic fields, 9=358
Berger,L. The resolving power of astronomical observing instruments treated by Fourier analysis, 5=9537. Information content and physical systems, 9=5381
Berger,M. and Moret,R. Models of iodine metabolism, 6=5570
Berger,M.J. Angular distribution of multiply scattered gamma radiation from a plane isotropic source, 6=4620. Reflection and transmission of gamma radiation by barriers: Monte Carlo calculation by a collision-density method, 6=6878. Penetration of gamma radiation from a plane monodirectional oblique source, 6=7657. Calculation of energy dissipation by gamma radiation near the interface between two media, 8=8964
Berger,M.J. and Doggett,J. Response function of NaI(Tl) scintillation counters, 6=5171. Reflection and transmission of gamma radiation by barriers: Semianalytic Monte Carlo calculation, 6=6879. Response function of thallium-activated sodium-iodide scintillation counters, 6=8253
Berger,M.J., Hubbell,J.H. and Reingold,I.H. Contribution of annihilation radiation to the gamma-ray flux in lead, 9=5987
Berger,M.J. and Spencer,L.V. General relation between fluxes from collimated point and plane sources of radiation, 9=4322. Some radiological applications of gamma-ray transport theory, 9=7700
Berger,S.G. See McConnell,H.M., 8=1357
Berger,S.V. The crystal structure of boron oxide, 5=4203
Bergeron,C.J., Grenier,C.G. and Reynolds,J.M. Oscillatory Ettingshausen—Nernst effect, 9=4564
Berggren,A. See Nilsson,R., 8=5549
Bergh,S. van den. See van den Bergh,S.
Berghausen,P.E. See Guderjahn,C.A., 8=6927; Winslow,J.W., Jr, 8=1032
Berghezan,A. See Terao,N., 9=10397; Votava,E., 9=1872
Berghout,C.W. Some aspects of the behaviour of electrical resistivity after plastic deformation, 9=1429. See also Druyvesteyn,M.J., 6=8425; Jongenburger,P., 9=8275
Berghuis,J., Haanappel,I.J.M., Potters,M., Loopstra,B.O., MacGillavry,C.H. and Veenendaal,A.L. New calculations of atomic scattering factors, 5=9268
Bergin,M.J. and Heyn,A.H.A. Electrochemical behavior of cation exchange membranes in liquid ammonia, 5=1317
Bergkvist,K.E. On relative intensity measurements with a two-directional focusing β-spectrometer with energy-depending window curve, 8=5962
Bergkvist,K.E., Bergström,I., Herrlander,C.J., Hultberg,S., Slätis,H., Sokolowski,F., Wapstra,A.H. and Wiedling,T. Neutron deficient isotopes of Pb and Tl. II. Mass numbers 204, 202, 201 and 200, 5=4008
Berglund,E.D. See Larson,L.G., 9=7902
Bergman,A.A., Isakov,A.I., Popov,Yu.P. and Shapiro,F.L. Measurements with a neutron spectrometer using slowing-down time in lead. An excited level of the He^4 nucleus, 8=3323
Bergman,G. The elastic properties of metals and the resonating valence bond theory, 9=11600. See also Schomaker,V., 9=13917
Bergman,O. See Bächström,G., 8=6280, 8=7348
Bergman,R.H. and Shahbender,R.A. Effect of statically applied stresses on the velocity of propagation of ultrasonic waves, 9=5439
Bergman,S. A method for solving boundary value problems of mathematical physics on punch card machines, 5=2359
Bergmann,G. and Thimm,G. Excitation of Raman spectra in the Ulbricht sphere, 9=1295
Bergmann,L. A quick-indicating ultrasonic interferometer, 5=1639. Experiments with vibrating soap membranes, 7=3070. Characteristic vibrations of glass rings, 8=7764. The determination of the elastic constants of cubic crystals by the ultrasonic elastogram method, 9=4074. A thermo-optical method for detecting and measuring mechanical vibrations, 9=4370
Bergmann,O. Scalar field theory as a theory of gravitation,

6=897. Some remarks on the clock paradox, 8=7667

Bergmann,O. and Leipnik,R. Space-time structure of a static spherically symmetric scalar field, 7=9512

Bergmann,P.G. Existence of Dirac generating functions, 5=5217. Fifty years of relativity, 6=4798. Introduction of "true observables" into the quantum field equations, 6=6384. On Einstein's λ transformations, 6=7113. Quantization of general covariant field theories, 7=6870. Two-component spinors in general relativity, 7=8978. Conservation laws in general relativity as the generators of coordinate transformations, 9=1027

Bergmann,P.G. Summary of the Chapel Hill Conference, 8=1478. See also Lebowitz,J.L., 7=9146; Newman,E., 5=7677, 8=2763; Sachs,R., 9=2033

Bergmann,P.G. and Goldberg,I. Dirac bracket transformations in phase space, 5=5216

Bergmann,P.G., Goldberg,I., Janis,A. and Newman,E. Canonical transformations and commutators in the Lagrangian formalism, 6=7118

Bergmann,P.G. and Janis,A.I. Subsidiary conditions in covariant theories, 9=2043

Bergmann,P.G. and Lebowitz,J.L. New approach to nonequilibrium processes, 5=7928

Bergmann,S.M. Three-level solid state maser, 9=2529

Bergmann,W.H. On the formation of Bitter figures, 8=652

Bergna,H.E. See Gaudin,A.M., 5=5072

Bergstedt,B.A. Application of the electrostatic precipitator to the measurement of radioactive aerosols, 6=4120

Bergstedt,K. Interferometric investigations of line profiles in a freely burning electric arc, 9=12022

Bergstein,A. Some dielectric properties of yellow lead oxide, 6=8756. See also Bohun,A., 9=8202; Broz,J., 9=8315

Bergstein,L. General theory of optically compensated varifocal systems, 8=1588

Bergstein,L. and Motz,L. Third-order aberration theory for varifocal systems, 7=7713

Bergsteinsson,J.L., Robinson,L.B., Siddiq,A.K.M., Horsley,R.J. and Haslam,R.N.H. A note on the electronic attenuation coefficients for some low Z absorbers, 8=7078

Bergstrand,E. The group velocity of light in glass and calcite, 5=817

Bergström,I. See also Andersson,G., 5=4009, 8=3357, 8=4307; Bergkvist,K.E., 5=4008; Herrlander,C.J., 7=6492; McDonell,J.A., 8=3317; Schmorak,M., 7=6437; Stockendal,R., 7=647

Bergström,I. and Andersson,G. Nuclear energy levels and multipole transitions in the lead region. I, 8=6223

Bergström,I. and Wapstra,A.H. Neutron deficient isotopes of Pb and Tl. I. Isomers of Pb and Tl, 5=4007

Bergvall,P. See Beckman,O., 9=5773, 9=11086

Berhet,G. Spectrograph for paramagnetic electron resonance, 6=3837

Beringer,R. See also Heald,M.A., 5=1125

Beringer,R. and Rall,W. Mercury vapor jet target and stripper, 7=4497

Berk,A.D. Dependence of the ferromagnetic resonance line width on the shape of the specimen, 7=5448. See also Epstein,P.S., 7=1469

Berker,R. On the compatibility equations for gas flow, 6=3552

Berkley,R.J. See Green,A.E.S., 7=3520

Berko,S. See also Landes,H.S., 6=8754

Berko,S. and Hereford,F.L. Experimental studies of positron interactions in solids and liquids, 7=2318

Berko,S., Kelley,R.E. and Plaskett,J.S. Angular correlation of annihilation radiation from oriented graphite, 7=7354

Berko,S. and Plaskett,J.S. Correlation of annihilation radiation in oriented single metal crystals, 9=7503

Berko,S., Whitehead,W.D. and Groseclose,B.C. Angular distribution of elastically scattered 14·7 MeV neutrons, 8=6209

Berko,S. and Zuchelli,A.J. Free-radical quenching of positron lifetimes, 6=6138

Berkovich,I.B. See Zhdanov,A.P., 8=3376

Berkovskii,A.G. See Leiteizen,L.G., 9=11112

Berkowitz,A.E. Relation to diffusion measurements of some beta-ray absorption phenomena, 5=5448

Berkowitz,A.E. and Flanders,P.J. Magnetic measurements on some precipitating systems, 8=8889

Berkowitz,B.J. See Grunwald,E., 7=9057

Berkowitz,J. On a new phenomena in activated nitrogen, 7=7995. Molecular structure and vibrational spectra of alkali halide dimers, 9=1842. Correlation scheme for diatomic oxides, 9=7475. See also Chupka,W.A., 7=7836, 9=6837; Inghram,M.G., 8=1299; Wall,F.T., 7=4018

Berkowitz,J. and Chupka,W.A. Polymeric gaseous molecules in the vaporization of alkali halides, 8=8630

Berkowitz,J., Chupka,W.A. and Kistiakowsky,G.B. Mass spectrometric study of the kinetics of nitrogen after-glow, 6=8812

Berkowitz,J., Inghram,M.G. and Chupka,W.A. Polymeric gaseous species in the sublimation of molybdenum trioxide, 7=5271. Polymeric gaseous species in the sublimation of tungsten trioxide, 7=7821. Thermodynamics of the V—O system: Dissociation energies of VO and VO$_2$, 8=1298

Berktay,H.O. See Bell,D.A., 7=4487

Berl,W.G., Gayhart,E.L., Olsen,H.L., Broida,H.P. and Shuler,K.E. Spectroscopic observations on pentaborane—air flames and explosions, 7=1230

Berlad,A.L. Flame quenching by a variable-width rectangular-channel burner as a function of pressure for various propane-oxygen-nitrogen mixtures, 5=2674

Berlaga,R.Ya. and Chechurin,S.N. Photoresistances of tellurium oxide [TeO$_2$], 9=1479

Berlaga,R.Ya., Rumsh,M.A. and Strakhov,L.P. The generation of a photo-e.m.f. in lead sulphide layers, 8=7022

Berlaga,R.Ya. and Strakhov,L.P. The e.m.f. arising from the illumination of lead sulphide photoresistors, 5=958

Berley,D. See also Bardon,M., 9=6013; Ridgway,S.L., 7=2608

Berley,D., Coffin,T., Garwin,R.L., Lederman,L.M. and Weinrich,M. Energy dependence of the asymmetry in the beta decay of polarized muons, 7=7415

Berley,D. and Collins,G.B. Cross sections for associated production by protons, 9=6107

Berley,D., Garwin,R.L., Gidal,G. and Lederman,L.M. Electric dipole moment of the muon, 8=8985

Berley,D., Lee,J. and Bardon,M. Upper limit for the decay mode $\mu \to e + \gamma$, 9=11380

Berlin,T.H. See also Ford,J., 8=58

Berlin,T.H. and Owen,G.E. Three body break up, 8=2580

Berlincourt,D. See also Jaffe,H., 7=3239

Berlincourt,D. and Jaffe,H. Elastic and piezoelectric coefficients of single-crystal barium titanate, 8=7892

Berlincourt,D. and Krueger,H.H.A. Dependence of the ratio of piezoelectric coefficients on density and composition of barium titanate ceramics, 7=3245

Berlincourt,T.G. De Haas-Van Alphen effect in arsenic, 6=497. Hall effect, magnetoresistance, and size effects in copper, 9=3434. Hall effect, resistivity, and magnetoresistivity of Th, U, Zr, Ti, and Nb, 9=9667. See also Overton,W.C., Jr, 5=8918

Berlincourt,T.G. and Steele,M.C. Oscillatory Hall effect, magnetoresistance, and magnetic susceptibility of a graphite single crystal, 5=7191

Berliner,R.W. Membrane transport, 9=10440

Berlman,I.B. and Marinelli,L.D. "Twin" scintillation fast neutron detector, 7=1661

Berlovich,É.E. Quadrupole moments of the even isotopes of osmium and of lutetium^{175}, 9=6057

Berlovich,É.E. and Dubinkin,G.V. Some cases of very small lifetimes of low nuclear levels, 7=6445

Berlovich,É.E., Grotovskiĭ,K.M., Bonits,M.P. and Gorodinskiĭ,G.M. Lifetime of the 264 keV level of Er^{167}, 9=6070

Berlovich,E.Ye., Grotovski,K., Bonitz,M., Breslav,V.I. and Preobrazhensky,B.K. Investigation of the lifetimes of lower nuclear levels excited in electron capture, 8=6228

Berlowitsch,E.J. See Bonitz,M., 9=7231

Berman,A. and Clay,C.S. Theory of time-averaged-product arrays, 8=2911

Berman,A., Zemansky,M.W. and Boorse,H.A. Normal and superconducting heat capacities of lanthanum, 8=7874

Berman,A.I. See Barber,W.C., 5=8021

Berman,A.S. Concerning laminar flow in channels with porous walls, 7=1943. Laminar flow in an annulus with porous walls, 8=8609. See also Lund,L.M., 8=7741; Trawick,W.G., 7=5578

Berman,L.D. Effect of thermal resistance of a liquid in some cases of evaporation of a liquid and condensation of a vapour from vapour-gas mixtures in film apparatus, 5=3681. Remarks on the paper of L.E.Kalikhman "The turbulent boundary layer of an incompressible fluid on a porous wall", 7=6100

Berman,M., Laughlin,J., Yonemitsu,M. and Vacirca,S. Automatic isodose recorder, 5=7995

Berman,M. and Schoenfeld,R. Invariants in experimental data on linear kinetics and the formulation of models, 7=2879

Berman,R. Some experiments on thermal contact at low temperatures, 6=3674

Berman,R., Foster,E.L. and Rosenberg,H.M. The thermal conductivity of irradiated dielectric crystals at low temperatures, 5=5725. The thermal conductivity of some technical materials at low temperatures, 5=6076

Berman,R., Foster,E.L. and Ziman, J.M. Thermal conduction in artificial sapphire crystals at low temperatures. I. Nearly perfect crystals, 5=7889. The thermal conductivity of dielectric crystals: the effect of isotopes, 7=6094

Berman,R. and Mate,C.F. Some thermal properties of helium and their relation to the temperature scale, 8=3039. Thermal contact at low temperatures, 9=3381

Berman,R. and Simon,F. On the graphite—diamond equilibrium, 5=8697

Berman,R. and Thewlis,J. The graphite-diamond equilibrium, 6=1162

Berman,S., Callaway,J. and Woods,R.D. Cohesive energy of potassium, 6=3049

Berman,S.M. Radiative corrections to pion beta decay, 9=3765. Radiative corrections to muon and neutron decay, 9=4922. See also Gell-Mann,M., 9=13641

Bermond,J. and Scherer,M. Effect of pH of amidol developers on the background (γ) of nuclear emulsions, 8=3279. Discrimination between γ-ray background and chemical background in nuclear emulsions, 9=3699

Bernal,J.D. A geometrical approach to the structure of liquids, 9=3210

Bernal,M.J.M. and Massey,H.S.W. Metallic ammonium, 5=1307

Bernanose,A. Electroluminescence of organic compounds, 5=3607. On the mechanism of organic electroluminescence, 5=7863

Bernanose,A. and Vouaux,P. Relation between organic electroluminescence and the concentration of active products, 6=250

Bernard,M. Electromagnetophotonic effect in Ge, 9=9618 Measurements of the current in n—p germanium junctions as a function of the temperature, 7=8630. Recombination in traps at two levels in semiconductors, 8=6965

Bernard,M. and Jaffray,J. Dilatometrical investigation of the polymorphic transformation of potassium sulphate on a single crystal, 6=7007. Adaptation of a furance for X-ray diffractometry, 9=9016

Bernard,M. and Loudette,J. On an electromagnetoluminescence effect in germanium, 8=3896

Bernard,M.G.A. Measurements of the current in germanium n—p junctions as a function of temperature, 9=12279

Bernard,M.P. Infrared absorption spectrum at low temperature of crystallized Rochelle salt (4400 - 7100 cm^{-1}), 6=4318. Dehydration of Rochelle salt studied by infrared spectrometry, 7=5190. Low-temperature infrared absorption spectra of crystalline deuterated Rochelle salt in the 7500-5300 cm^{-1} region, 9=10786

Bernard,M.-Y. "Strong-focusing" in ion linear accelerators, 5=1918. A simple theoretical model for the study of the motion of ions in a linear accelerator, 5=2797. Exact determination of the cardinal elements of strongly converging lenses, 5=6206. Radial focusing of the ion beam in a linear accelerator by charged grids, 5=7133. See also Grivet,P., 5=8009

Bernard,M.Y. and Hue,J. Geometrical aberrations in strong electron lenses, 7=4443. Aperture aberrations of strongly converging electron lenses, 7=5381

Bernard,P. Seasonal changes in the eleven-year variation of the horizontal component H of the earth's magnetic field, 7=1764

Bernard,R. See also Davoine,F., 7=5395; Janin,J., 5=3626

Bernard,R. and Goutte,R. The image of a surface obtained with negative ions, 8=7110

Bernard,R., Guillaud,C. and Goutte,R. Effect of mechanical constraints on the photoelectric emission of polycrystalline metallic substances, 7=5347*. Images of strained metal samples, obtained with the photoemission microscope, 7=8907

Bernard,R. and Janin,J. Optical properties of a new luminescent substance with a base of antimony oxide Sb_2O_4, 5=202 Photoluminescence of calcium meta-antimonate activated by bismuth, 7=4176

Bernard,R. and Thomas,N. Influence of temperature on the luminescence of calcium meta-antimonate, 6=5010

Bernard,W.J. and Cook,J.W. The growth of barrier oxide films on aluminum, 9=12822

Bernard,Y. See Rinaldi,R., 8=4896

Bernardes,N. Theory of the specific heat of superconductors based on an energy-gap model, 7=7927. Theory of solid Ne, A, Kr, and Xe at 0°K, 9=2895. Potential energy matrix elements between non-overlapping wave functions, 9=6528

Bernardes,N. and Primakoff,H. Molecule formation in the inert gases, 9=7453. Theory of solid He^3, 9=11544

Bernardini,C. On the stability of the equilibrium configurations of a wire carrying a current in a magnetic field, 6=6028. Space-charge effects in electron-synchrotrons, 9=3585. See also Ageno,M., 9=13383; Alberigi,A., 9=11143

Bernardini,G. Lectures on photoproduction, 5=9921. See also Beneventano,M., 6=7724, 9=3781

Bernardini,M. See also Amaldi,U.,Jr, 9=5989, 9=7243

Bernardini,M., Brovetto,P., Debenedetti,S. and Ferroni,S. A circular polarimeter for low energy γ-rays, 8=4302. Non-conservation of parity in K-capture, 8=7342

Bernardini,M., Brovetto,P. and Ferroni,S. Scattering of fast electrons by polarized nuclei, 7=8816. Scattering of polarized electrons by a Coulomb field, 9=1651

Bernardo,A.Di. See Di Bernardo,A.

Bernas,R. See also Albouy,G., 9=13629; Rosenblum,S., 5=2157

Bernas,R. and Cassignol,C. An electromagnetic isotope separator, 6=5337

Berndt,H. See Eder,F.X., 9=1159

Berne,E. See Lundèn,A., 5=591

Berner,R. See Seeger,A., 9=8816

Berners,E.D. See Knecht,D.J., 9=8453

Bernet,A. See also Chastel,R., 5=7603

Bernet,A. and Chastel,R. A method for rapid development of thick nuclear emulsions using acid amidol, 5=3368

Bernett,M.K. and Zisman,W.A. Relation of wettability by aqueous solutions to the surface constitution of low-energy solids, 9=11892

Bernhard,F. A new high-intensity mass-spectrometer for detection of atomic and molecular beams, 8=8821. On the use of secondary electron multipliers in scintillation apparatus, 9=4873. See also Schütze,W., 6=5960

Bernheim,R.A., Brown,T.H., Gutowsky,H.S. and Woessner,D.E. Temperature dependence of proton relaxation times in aqueous solutions of paramagnetic ions, 9=8362

Bernheim,R.A., Gossard,A.C. and Pound,R.V. Modification of the Franck—Hertz experiment, 7=5416

Bernier,J.P. See Johns,H.E., 6=1542

Berning,P.H. Note concerning multiple reflections within absorbing thin films, 7=287

Berning,P.H. and Turner,A.F. Induced transmission in absorbing films applied to band pass filter design, 7=4158

Berning,W.W. Earth satellite observations of the ionosphere, 9=7682

Bernolàk,K. A new instrument for measuring the thickness of glass tube walls, 9=4328

Bernsohn,E., Duffy,J., Leeper,C.K. and Silberstein,M.S. A status report on SDR, 9=12703

Bernstein,A. and Mann,A.K. Summary of recent measurements of the Compton effect, 6=8227

Bernstein,A.M. and Mann,A.K. Scattering of gamma rays by a static electric field, 9=518

Bernstein,B. See also Lasser,M., 7=3276, 7=7871

Bernstein,B., Hall,D.A. and Trent,H.M. On the dynamics of a bull whip, 9=1209

Bernstein,D. and Panofsky,W.K.H. Bremsstrahlung yield of high-energy electrons in hydrogen, 6=3780

Bernstein,E.M. Internal conversion electrons from Coulomb excitation of Ta^{181}, 9=3824

Bernstein,E.M. and Lewis,H.W. First excited state of Mn^{55}, 6=1467. Internal conversion electrons from electric excitation of Ta^{181}, Au^{197} and Pt^{195}, 6=1544. Internal conversion electrons following Coulomb excitation of highly deformed nuclei, 7=4683. Study of the Cu^{65}(p, n)Zn^{65*} reaction by conversion electrons, 7=8822

Bernstein,H.J. Constitutive nature of the heat capacity of gases, 6=5055. Power series for the temperature dependence of the heat capacity of gases, 6=5056. Application of the vibrational sum rule to halogenated ethylenes, 6=5283. See also Allen,G. 5=6944; Schneider,W.G., 8=2620; Wilmshurst,J.K., 7=9616; Yoshino,T., 9=6748

Bernstein,H.J. and Allen,G. Intensity in the Raman effect. I. Reduction of observed intensity to a standard intensity scale for Raman bands in liquids, 5=4557

Bernstein,H.J. and Schneider,W.G. Nuclear magnetic resonance spectra of conjugated aromatic hydrocarbons, 6=3070. Nuclear magnetic resonance spectra of pyridine and some deuterated and methylated pyridines, 6=3071

Bernstein,H.J., Schneider,W.G. and Pople,J.A. The proton magnetic resonance spectra of conjugated aromatic hydrocarbons, 6=7593. Proton magnetic resonance spectrum of naphthalene, 7=6404

Bernstein,I.B. Waves in a plasma in a magnetic field, 8=2432. See also Berger,J.M., 9=1555; Lenard,A., 9=2436

Bernstein,I.B., Frieman,E.A., Kruskal,M.D. and Kulsrud,R.M. An energy principle for hydromagnetic stability problems, 8=4159

Bernstein,I.B., Greene,J.M. and Kruskal,M.D. Exact nonlinear plasma oscillations, 8=6073

Bernstein,I.B. and Rabinowitz,I.N. Theory of electrostatic probes in a low-density plasma, 9=8248

Bernstein,J. Electromagnetic properties of the deuteron. Exchange current contributions to electron—deuteron scattering at high energies, 7=1067. Scattering of K^+ particles from protons and deuterons, 7=4767. Final-state interactions in the total cross section for deuteron photodisintegration, 7=6574. Charge density in the deuteron, 8=710. Radiative muon capture, 9=13561

Bernstein,J. and Goldberger,M.L. Structure of the nucleon, 8=8588

Bernstein,J. and Johnson,K.A. Decay of the neutral π-meson, 8=695

Bernstein,J. and Klein,A. Electromagnetic properties of the deuteron. I. Charge density and quadrupole moment, 5=8998

Bernstein,J., Lee,T.D., Yang,C.N. and Primakoff,H. Effect of the hyperfine splitting of a μ-mesonic atom on its lifetime, 8=6359

Bernstein,J. and Lewis,R.R. Vector interaction in beta decay, 9=1742

Bernstein,J. and Wu,T.-Y. X-ray yields in μ-mesonic atomic transitions, 9=12728

Bernstein,R.B. Oxygen-18 isotope effect in the reaction of oxygen with copper, 6=1680. See also Adams,R.M., 5=10024; Friedman,H.L., 5=3210, 6=1675, 7=5702; Gordus,A.A., 9=8965; Henderson,W.G.,Jr, 5=2270; Polo,S.R., 5=6015; Russell,M.E., 9=7565-6; Weissman,H.B., 5=5557

Bernstein,R.B. and Tamres,M. Concentration dependence of solvent shift in the C-H (and C-D) stretching frequencies of chloroform and pentachloroethane, 6=1435

Bernstein,S. See also Allen,R.G., 5=1216; Dabbs,J.W.T., 5=9012; Sherwood,J.E., 5=2220; Stanford,C.P., 5=1253; Thurlow,W.R., 7=8339; Wilkinson,M.K., 5=3793

Bernstein,S., Ergen,W.K., Talbott,F.L., Leslie,J.K. and Stanford,C.P. Yield of photoneutrons from U^{235} fission products in beryllium and deuterium, 6=1583

Bernstein,S., Leslie,J.K., McKinney,C.R. and Jackson,H.K. Photoneutrons from U^{233} and Pu^{239} fission products in heavy water, 6=2413

Bernstein,S., Shapiro,M.M., Stanford,C.P., Stephenson,T.E., Dial,J.B., Freed,S., Parker,G.W., Brosi,A.R., Hebert,G.M. and DeWitt,T.W. Neutron cross section of xenon-135 as a function of energy, 6=4652

Bernstein,W. See also Bell,P.R., 5=8856; Weiss,J., 5=7153, 6=8842

Bernstein,W., Chen,F.F., Heald,M.A. and Kranz,A.Z. "Runaway" electrons and cooperative phenomena in B-1 stellarator discharges, 9=2374

Bernstein,W. and Kranz,A.Z. Ohmic heating in the B-1 stellarator, 9=3601

Bernstein,W. and Schuler,R.H. Low-energy scattered radiation inside a cylindrical Co^{60} source, 6=2362

Berquier,F.Le. See Le Berquier,F.

Berreman,D.W. Single quartz crystal point focusing X-ray monochromator, 6=1745. Possible explanation for mosaic-like Bragg reflection in quartz under strain, 8=6513. Electromagnetic equations written in a form independent of the system of units, 9=1591

Berreman,D.W. and TeTse Chang. Effect of thermal motion on the X-ray reflectivity of quartz, 9=9045

Berreman,D.W., DuMond,J.W.M. and Marmier,P.E. A new point-focusing monochromator, 5=3275

Berry,B.S. Apparatus for the measurement of the internal friction of metals in transverse vibration, 5=10022. Precise investigation of the theory of damping by transverse thermal currents, 6=2486

Berry,C.R. Physical defects in silver halides, 5=3269. Change in KCl lattice by soft X-rays, 5=6615. Change in lattice dimensions of photographic emulsion grains irradiated with X-rays, 5=10090. Convergent-beam X-ray analysis of mosaic structure in polycrystals, 6=7029

Berry,D.S. A note on stress pulses in visco-elastic rods, 8=1348

Berry,D.S. and Hunter,S.C. The propagation of dynamic stresses in visco-elastic rods, 9=6328

Berry,F.J., Butler,D.S. and Holt,M. The early development of spherical blast from a particular charge, 5=1620

Berry,G.E. Image curvature caused by fringing fields in magnetic sector mass spectrometers, 7=2328

Berry,H.W. Scattering of fast neon atoms in neon gas, 5=9152. Liberation of electrons by fast neutral helium atoms from a tungsten target, 9=2401. See also Abbott,R.C., 9=8212

Berry,J. See Fréon,A., 9=11179

Berry,J.W. See Marsden,P.L., 7=515

Berry,P.J. See also Burton,M., 6=5795; Roy,J.C., 8=4320

Berry, P.J. and Burton,M. Luminescence quenching by oxygen: cyclohexane-benzene-P-terphenyl, 6=1100

Berry,R.E. See Sommers,H.S.,Jr, 6=2121

Berry,R.G. See Barnett,W., 7=9590, 9=1234

Berry,R.J. The reproducibility of the steam point, 9=265

Berry,R.S. Pi-electron structure of butadiene, 7=8052. Interaction of vibrational and electronic motion in alkali halide molecules, 8=2611. Bending motions in the dihalides of group II metals, 9=3978. Conjugation and polar effects in butadiene, 9=7456

Berry,R.S. and Klemperer,W. Spectra of the alkali halides. III. Electronic spectra of lithium chloride lithium bromide, and lithium iodide, 7=5989

Bersenev,B.V. The effect of an admixture of iodine on the dielectric constant of amorphous selenium, 8=6942

Bershader,D. and Landshoff,R. (Conf. rep.). Magnetohydrodynamics, 9=472

Bershteǐn,I.L. Concerning the measurement of very small changes in the difference of velocity of two light waves, 7=4110

Bersin,R. See Brinkerhoff,J., 9=12519

Bersohn,R. Double-bond character of conjugated carbon-chlorine bonds, 5=2287. Proton hyperfine interactions in semiquinone ions, 6=4561. Electric field gradients in ionic crystals. I. Nuclear quadrupole coupling constants, 9=819 See also Bray,P.J., 7=2502; Das,T.P., 6=5330, 7=2468

Bersuker,I.B. On a theorem on the sum of oscillator strengths for alkali metals, 7=8786. New form of infrared spectra of symmetrical molecules and crystals, 8=957. Effect of the core on transitions of optical electrons, 9=8681

Bersuker,I.G. See Veselov,M.G., 8=3392

Bertanza,L., Franzini,P., Mannelli,I. and Silvestrini,V. Operation of a bubble chamber filled with "high Z" mixtures, 9=9912

Bertanza,L. and Martelli,G. Influence of ions on the nucleation processes in liquids. II. Liquids under positive pressure in metastable thermodynamical equilibrium (overheated liquids), 5=3682

Bertanza,L., Martelli,G. and Tallini,B. Bubble density along the path of ionizing particles crossing a bubble chamber, 7=7982

Bertanza,L., Martelli,G. and Zacutti,A. Operation conditions of a bubble chamber (n-pentane, iso-pentane and diethyl ether), 5=9729

Bertaut,E.F. The tunnel effect and classical mechanics, 5=2436. The statistical method in crystallography. I., 5=10083. II. Some applications, 5=10084. Order of the holes in pyrrhotine, 6=794. Distribution functions: application to direct approach to structures, 6=3373. The statistics of complex functions: application to crystallography, 7=885. Algebra of structure factors, 7=2843. The elementary positional probability of atoms, 9=7643. The algebra of structure factors, IV., 9=9024; V., 9=13916

Bertaut,E.F. and Blum,P. Determination of the structure of Ti_2CaO_4 by the self-consistent method of direct approach, 6=7834

Bertaut,E.F. and Forrat,F. Structure and ferrimagnetism of the ilmenite compound $MnNiO_3$, 8=2400

Bertaut,F. Statistics of complex functions: application to crystallography, 5=5103. Dipolar energy. Application to the magnetostatic energy of α-Fe_2O_3, 8=7170. The electrostatic term in the surface energy, 9=779. Probability density. Positivity and order, 9=13035

Bertaut,F., Deschamps,A. and Pauthenet,R. The substitution of Fe by Al, Ga and Cr in barium hexaferrite $BaO.6Fe_2O_3$, 8=7194

Bertaut,F. and Forrat,F. Structure of ferrimagnetic ferrites of rare earths, 6=4111. The deformations of compounds of rare earth and trivalent transition elements with perovskite structure, 6=5539

Bertaut,F., Forrat,F., Herpin,A. and Mériel,P. Neutron diffraction study of ferrimagnetic garnet $Yt_3Fe_5O_{12}$, 7=2414

Bertaut,F. and Pauthenet,R. Crystalline structure and magnetic properties of ferrites having the general formula

$5Fe_2O_3.3M_2O_3$, 7=7509
Berteaud,A.J. See Vautier,R., 9=2497, 9=4811, 9=11230
Bertein,F. and Chahid,W. On the production of slow electromagnetic waves by the use of cylindrical current sheets, 6=7470
Bertein,F. and Pozwolski,A. On the analogy between the operation of ion sources and probes at high frequencies, 6=6741
Bertele,H.v. See v.Bertele,H.
Bertele,H.von. See von Bertele,H.
Berthé,G. On the spherical symmetry of a tensor of rank 2, 5=6724
Berthelot,A. See also Bacchella,G.L., 7=3703, 8=4249
Berthelot,A., Choquet,C., Daudin,A., Goussu,O. and Lévy,F. On the emission of K-mesons in the annihilation of antiprotons, 9=3796
Berthelot,A., Cohen,R., Cotton,E., Faraggi,H., Grjebine,T., Leveque,A., Naggiar,V., Roclawski-Conjeaud,M. and Szteinsznaider,D. Development of the angular distribution of the $O^{16}(\underline{d}, \underline{p})\,O^{17*}$ protons in the neighbourhood of a deuteron capture resonance, 5=7367
Berthelot,A., Goussu,O., Lévy,F. and Scarsi,L. On the interaction of negative K-mesons at rest with two nucleons, 7=7432
Berthet,G. The improvement of a paramagnetic electron resonance spectrograph. Application to the study of diphenyl picryl hydrazyl, 6=2245. Paramagnetic electron resonance, 6=5232. Electron spin resonance and the structure of some stable free radicals, 9=9808
Berthet,H. and Rossel,J. Study of the reaction ${}_{17}Cl^{35}(\underline{n}_{th}, \underline{p})_{16}S^{35}$ by special nuclear emulsion of silver chloride, 5=6472
Berthier,G. Incomplete electronic configurations. I. The molecular self-consistent field method and the study of states with incomplete shells, 5=2956. II. Study of certain organic radicals and biradicals by the self-consistent molecular field method, 5=7247. A self-consistent field for the H_2 molecule, 9=10170
Berthier,G. and Mayot,M. Quantitative theory of diatomic molecules: a self-consistent field for the hydrogen molecule, 9=10171
Berthier,J. Scattering in the source of angular correlations, 7=7322
Berthier,P. Seasonal variations of intensity of the molecular bands of atmospheric OH and O_2 in the night-sky luminescence, 5=6651. Spectrophotometric study of the nightglow of the molecular bands of atmospheric OH and O_2, 7=1786. See also Dufay,J., 6=9107
Berthier,P. and Morignat,B. Intensity variations of lines, 6300, 5890 and 5577 A, and the red OH bands through several nights: and the ratio of intensities of the 6300 and 5577 lines of O I, 6=9092
Berthod,H. See Pullman,A., 5=1101, 6=2285
Berthold,F. See also Däublin,F., 9=10127
Berthold,F. and Jensen,P. The greatest possible output of a Ra + Be-neutron source, 9=6012
Berthold,R. New aids in X-ray interference measurements with the counter goniometer, 5=10079
Berthold,W. Reversible phosphor damage by positive ions, 6=251. See also Rottgardt,K.H.J., 5=1908, 6=1103
Bertiau,F.C. and Roberts,P.H. Distribution of gravitational field at the center of globular and spherical clusters, 9=11756
Bertini,H.W. See Claiborne,H.C., 8=5406
Bertinotti,F. and Liquori,A.M. Influence of thermal oscillations and finite radius of the diffraction sphere on the electron distributions obtained from Fourier projections, 7=2842
Bertocchi,L. and Lendinara,L. Pion—proton dispersion relations, 9=3774
Bertocchi,L. and Minguzzi,A. Electromagnetic properties of π-meson, 8=6161. The mesic coupling constants from scattering and photoproduction experiments, 9=3132
Bertolini,F. On a generalization of Poisson's problem, 7=3228
Bertolini,G. Upper limits for the lifetimes of excited states of Fe^{56} and Ti^{46}, 7=6447
Bertolini,G. and Bettoni,M. On the range-energy relation for slow α-particles in argon, 5=5463
Bertolini,G., Bettoni,M. and Lazzarini,E. On the decay of ${}^{134}Cs$, 5=7317. Radioactivity of ${}^{134}Cs$, 5=9870. Angular correlation of scattered annihilation radiation, 6=634. ${}^{160}Tb$ decay, 6=5351. Gamma—gamma angular correlation in ${}^{48}Ti$, 6=5371. Gamma—gamma angular correlation in ${}^{160}Dy$, 6=6873. Directional correlation of the 0·845 and 1·24 MeV γ-rays of ${}^{56}Fe$, 7=8138. Beta—gamma directional correlation of ${}^{170}Tm$, 8=1239
Bertolino,G. Inelasticity coefficients in cosmic-ray jets, 6=3807. On cosmic rays jets, 6=3809
Bertolino,G. and Pescetti,D. On cosmic rays jets, 5=1034
Bertolino,G., Pescetti,D. and Tallone,L. On the angular distribution in jets, 5=6274
Bertotti,B. On the motion of charged particles in general relativity, 5=9403. Gravitational motion and Hamilton's principle, 6=5674. On gravitational motion, 7=2959. A remark on the paper "Gravitational motion and Hamilton's principle", 8=2122. Structure of the electromagnetic field, 9=12983
Bertozzi,W., Paolini,F.R. and Sargent,C.P. Time-of-flight measurement of photoneutron energy spectra, 8=6324
Bertrand,M. See Bureau,R., 6=4783
Bertrand,R. See Jaffray,J., 6=2040
Bertrandy,R., Caizerques,R. and Mérigoux,R. The movement of moisture in mortars, 5=2464
Bertsch,W.F., Webster,J.C., Klumpp,R.G. and Thompson,P.O. Effects of two message-storage schemes upon communications within a small problem-solving group, 6=6471
Berz,F. On the theory of plasma waves, 7=2274. Electronic oscillations in plasma, 7=9217. On the theory of surface recombination in semiconductors for large potential differences between surface and bulk, 8=2305. Field effect at high frequency, 9=5684. See also Robinson,N.W., 9=6606
Berzins,T. and Delahay,P. New method for the kinetic study of fast electrode reactions, 5=6575. A method for the study of fast electrode reactions, 6=4720
Bès,D. and Bosch,H. The spectrum of γ-rays from Rh^{102}_{45}, 5=4034
Bès,D.R. Levels in Dy^{161}. II. Theoretical, 8=6234. The γ-dependent part of the wave functions representing γ-unstable surface vibrations, 9=8488. See also Mallman,C.A., 5=8211
Besème,E. See Ségard,N., 5=797, 5=3535
Beshers,D.N. Internal friction of copper and copper alloys, 9=2972. On the distribution of impurity atoms in the stress field of a dislocation, 9=10221
Beshidze,V.L. The thermodynamic theory of ferromagnetic absorption, 9=11232
Besnainou,S. See also Roux,M., 6=3901
Besnainou,S., Brion,H., Daudel,R., Odiot,S. and Roux,M. The localizability of electrons and general theory of chemical bonds, 7=6379
Besnainou,S. and Roux,M. Study of the methane molecule by the self-consistent field method, 9=10182
Besnainou,S., Roux,M. and Daudel,R. Return to the effect of the chemical bond on electron density, 5=9805
Bess,L. Relative influence of majority and minority carriers on excess noise in semiconductor filaments, 6=1222. Study of 1/f noise in semiconductor filaments, 6=5861. Possible mechanism for radiationless recombination in semiconductors, 7=4329. Radiationless recombination in phosphors, 8=5792. See also Maple,T.G., 5=6133
Besse,Y. and Demarcq,J. Tests on some substances capable of use as optical cements, 6=3663. Tests on various materials for suitability as optical cements. II, 9=6816
Bessey,G.E. and Soul,D.C. The application of methods of particle size and surface area measurement to whiting, 5=1281
Bessey,W.H. Elementary course in solid state physics, 5=9794. See also Huibregtse,E.J., 9=8080
Bessis,G. and Bratož,S. The non-empirical calculation of the force constant of the molecule LiH, 9=3986
Bessis,N. Quasi-elastic scattering of fast nucleons by light nuclei, 9=10100
Besson,C. and Brisson-Fouché,V. Energy dependence of the asymmetry parameter of $\pi-\mu-e$ decay in nuclear emulsions, 9=4933
Besson,C., Crussard,J., Fouché,V., Hennessy,J., Kayas,G., Parikh,V.R. and Trilling,G. Production of strange particles by 4·3 GeV π^- in emulsion, 8=1187
Best,F.S. See Harrower,G.A., 5=5934
Bestul,A.B. Kinetics of capillary shear degradation in concentrated polymer solutions, 6=6241
Betchov,R. Nonlinear oscillations of a column of gas, 8=6730
Betev,B. See Mitrani,L., 9=9917
Bethe,H. See Kivel,B., 8=1599
Bethe,H.A. A general survey of π-mesons, 5=6486. Nuclear many-body problem, 6=8923. Introduction to the Brueckner theory, 8=1896. Amsterdam Nuclear Reactions Conference. General introduction, 8=1944. Scattering and polarization

of protons by nuclei, 8=4257. See also Dalitz,R.H., 6=7996; Suh,K.S., 9=13544

Bethe,H.A. and de Hoffmann,F. Mesons and fields, Volume 2, 6=2656

Bethe,H.A. and Goldstone,J. Effect of a repulsive core in the theory of complex nuclei, 7=5546

Bethe,H.A. and Hamilton,J. Anti-proton annihilation, 6=6584

Bethell,D.E. and Sheppard,N. The infra-red spectrum and structure of boric acid, 5=3568

Bethge,H. An electron microscope with universal applicability for electron diffraction, 9=8223

Bethge,H. and Brauer,K.H. Accessories for special electron-diffraction investigations with the electron microscope, 9=10308

Bethge,H. and Schmidt,V. Method for making dislocations visible in electron microscopy, 9=13839

Bethke,G.W. Convenient calibration curve for prism infrared spectrometers, 7=1172. Oscillator strengths in the far untraviolet. I. Nitric oxide, 9=12033. II. Oxygen Schumann—Runge bands, 9=12034

Bethke,G.W. and Wilson,M.K. Vibrational spectrum of disilane, 7=7260. Vibrational spectrum of borine carbonyl, 7=7261

Betta,V. See Massimilla,L., 9=9295

Bettens,A.H. See Eichholz,G.G., 8=674

Betteridge,W. Alloys for use at high temperatures, 5=9184

Betticher,A., Hardung,V. and Maillard,J. The measurement of the dynamic elastic modulus and the viscosity of rubberlike materials using electronic apparatus, 5=9178

Bettoni,M. See Bertolini,G., 5=5463, 5=7317, 5=9870, 6=634, 6=5371, 6=6873

Bettoni,M.M. See Bertolini,G., 7=8138, 8=1239

Betts,D.D. Solid harmonics as basis functions for cubic crystals, 9=8793

Betts,D.D., Bhatia,A.B. and Horton,G.K. Debye characteristic temperatures of certain noncubic crystals, 7=1734

Betts,D.D., Bhatia,A.B. and Wyman,M. Houston's method and its application to the calculation of characteristic temperatures of cubic crystals, 7=1733

Betts,R.H., Dahlinger,O.F. and Munro,D.M. Mass assignment of the 1·8 hour ytterbium activity, 9=606

Beuchelt,R. See Bartels,H., 8=6823-4, 9=976

Beuhler,E. See Feher,G., 8=2653; Tanenbaum,M., 5=7961

Beukel,A.van den. See van den Beukel,A.

Beukelman,B.J. See Schouten,J.P., 5=1071

Beun,J.A. See also Gallaher,L.J., 5=3972; Poppema,O.J., 5=4870

Beun,J.A., Miedema,A.R. and Steenland,M.J. Measurements of the magnetic anisotropies and the thermodynamic temperatures of potassium chromium alum below 1°K, 7=8716

Beun,J.A., Steenland,M.J., de Klerk,D. and Gorter,C.J. Further researches on the magnetic properties of potassium chromium alum below 1°K, 5=9777. Magnetic researches on adiabatically demagnetized chromium methylamine alum, 6=3017

Beuren,H.G.van. See van Bueren,H.G.

Beusch,W., Knoepfel,H., Loepfe,E., Meader,D. and Stoll,P. Thallium activated CsI for scintillation spectroscopy, 7=9736

Bevan,H.C. See Minnis,C.M., 7=3857

Bever,M.B. See Leach,J.S.L., 5=7440

Bewig,K. See Miller,W., 7=3288

Beydon,J. See also Atterling,H., 7=7367; de Laboulaye,G., 5=519; Faraggi,H., 7=1585

Beydon,J., Chaminade,R., Farragi,H., Olkowsky,J., Papineau,A. and Crut,M. On the transmutation of copper by heavy ions, 6=2390. Study of the transmutation of copper by nitrogen and oxygen, 7=7366

Beydon,J., Faraggi,H., Gratot,I. and Le Pape,M. A new neutron-deficient isotope of selenium, 7=7323

Beyen,W., Bratt,P., Davis,H., Johnson,L., Levinstein,H. and MacRae,A. Cooled photoconductive infrared detectors, 9=8031

Beyer,N.S. See Baily,N.A., 7=441

Beyer,R.T. Ultrasonic absorption in toluene, 5=2517. Ultrasonic absorption theory of Gierer and Wirtz, 7=1981. Double relaxation effects, 7=3090

Beyer,R.T., (Conf. rep.). Fourth All-Union Acoustics Conference, Moscow, USSR, May 26-June 3, 1958, 9=124. See also Barrett,R.E., 5=1622; Flad,F.R., 8=5729; Narasimhan,V., 7=3091; Stakutis,V.J., 5=6833

Beyer,R.T. and Jacob,K.C. Question of ultrasonic absorption peaks in ethyl acetate, 8=2199

Beyer,R.T. and Narasimhan,V. Note on finite amplitude waves in liquids, 7=7680

Beynon,J.H. and Clough,S. A mass spectrometer mass marker, 8=8057

Beynon,J.H., Clough,S. and Williams,A.E. Derivative mass spectrometry, 8=3191

Beynon,J.H. and Nicholson,G.R. A radioactive ionization gauge and its application to the measurement of latent heat of vaporization, 7=157

Beynon,W.J.G. See also Appleton,E., 5=3908

Beynon,W.J.G. and Brown,G.M. Region E and the S_q current system, 6=5556

Beynon,W.J.G. and Brown,G.M. (Eds.). Solar eclipses and the ionosphere, 6=7864

Beynon,W.J.G. and Davies,K. Simultaneous ionospheric absorption measurements at widely separated stations, 5=1388. A study of vertical incidence ionospheric absorption at 2 Mc/s, 5=6325

Beynon,W.J.G. and Thomas,J.O. The calculation of the true heights of reflection of radio waves in the ionosphere, 7=1781

Beyrich,W. See Becker,E.W., 9=6603

Beyster,J.R. See also Walt,M., 5=5643

Beyster,J.R., Henkel,R.L. and Nobles,R.A. Inelastic collision cross-sections at 1·0-, 4·0- and 4·5-MeV, 5=4071

Beyster,J.R., Henkel,R.L., Nobles,R.A. and Kister,J.M. Inelastic collision cross sections at 1·0-, 4·0-, and 4·5-MeV neutron energies, 5=7374

Beyster,J.R., Walt,M. and Salmi,E.W. Interaction of 1·0-, 1·77-, 2·5-, 3·25-, and 7·0-MeV neutrons with nuclei, 7=2675

Bez,W. See also Höcker,K.H., 6=1263

Bez,W. and Höcker,K.H. On the theory of anode falls. III. The equipotential surfaces in front of the anode, 6=1264; IV. The anode fall of high-current carbon arcs in air, 6=5899. V. The hissing of homogeneous carbon high-current arcs in air, 6=5900

Bez,W., Höcker,K.H. and Mayser,B. The anode fall in low pressure discharges, 7=6221

Bezbatchenko,A.L., Golovin,I.N., Ivanov,D.P., Kirillov,V.D. and Yavlinskiĭ,N.A. The effect of a longitudinal magnetic field on a heavy-current pulsed gas discharge, 7=4403

Bezel',V.S. See Stepanov,V.G., 8=5072

Bezemer,C. and Croes,G.A. Motion of water droplets of an emulsion in a non-uniform field, 5=8367

Bezjak,A. A direct sign-determining method based upon Fourier series, 9=13920

Bezold,D.von. See von Bezold,D.

Bezuglȳĭ,P.A. See also Galkin,A.A., 5=7975

Bezuglȳĭ,P.A. and Galkin,A.A. Study of surface impedance of tin [at 9300 Mc/s] in weak magnetic fields, 8=7008. Cyclotron resonance in tin at 9300 Mc/s, 8=7494. Cyclotron resonance in lead at 8900 Mc/s, 8=7495

Bezuhlȳĭ,P.A. See Halkin,O.O., 8=8943

Bezverkhniĭ,Sh.A., Osherovich,A.L. and Rodionov,S.F. Eletrophotometric studies of the atmospheric ozone during solar eclipses of 25 February, 1952 and 30 June, 1954, 7=937

Bezzi,S. See Frasson,E., 9=9012

Bhabha,H.J. High-altitude measurements of intensity of cosmic radiation, 5=9391. Investigation of heavy mesons by means of a solid emulsion block, 5=9391. Summary of the Bagnères de Bigorre Conference Report, 5=9391. On multiple meson production, 5=9391

Bhadra,T.C. On the measurement of the intensity of ultrasonic waves in liquid by radiation pressure method, 7=7697. See also Chatterjee,S.D., 5=7014

Bhagat,S.M. The specific heat and entropy of liquid helium three, 7=1232. Further considerations regarding He^3-He^4 mixtures, 7=6123. See also Katti,P.K., 5=2474

Bhagat,S.M. and Katti,P.K. Vapour pressure of mixtures of He^3 and He^4, 5=252, 5=3689. Statistical thermodynamics of mixture of Bose-Einstein and Fermi-Dirac 'liquids', 5=7713

Bhagat,S.M. and Pathria,R.K. Rotation of liquid helium II, 7=5282. Hydrodynamic resistance in liquid helium II and determination of the normal concentration, 7=5283

Bhagavantam,S. Elastic properties of single crystals and polycrystalline aggregates, 5=5672

Bhagavantam,S. and Krishna Murty,Y. Temperature dependence of photo-elastic constants in plastics, 6=8136. Temperature dependence of photo-elastic constants in alkali halides, 9=230

Bhagavantam,S. and Krishna Rao,K.V. Photoelastic behaviour of some cubic crystals, 5=1742

Bhagiratha Rao,E. See Ramachandra Rao,B., 5=3315, 8=6542, 9=7673, 9=10414

Bhalla,M.S. See Hariharan,P., 6=1022, 6=2767, 6=6426, 7=3387, 7=5982, 9=2190

Bhandari,R.C. and Khubchandani,P.G. Cold neutron scattering in bismuth, 9=1781
Bhanot,V.B. See Johnson,W.H., Jr, 8=7293
Bhar,B.N. On proton chemical shift in ammonia, 6=531. Proton magnetic resonance in acetylacetone and its keto-enol equilibrium, 7=4594. On pressure dependence of proton magnetic resonance shift, 9=11259. See also Lindström,G., 7=241
Bhar,B.N. and Forsling,W. Chemical shift in nuclear magnetic resonance phenomenon applied to study the kinetics of the hydrolysis of acetic anhydride, 7=4829
Bhar,B.N., Forsling,W. and Lindström,G. Molecular association and proton resonance in acetic acid, 6=1421
Bhar,B.N. and Lindström,G. Molecular association and proton resonance in propionic acid, 6=4559
Bhar,J.N. and Dhar Bhowmik,P. A study of noon F_2 ionization in relation to geomagnetic coordinates, 9=6388
Bhargava,B.N. Annual wave in the world-wide F-region ionization, 9=5268
Bhargava,B.N. and Gopala Rao,U.V. Ionospheric disturbances associated with magnetic storms at Kodaikanal, 9=9066
Bhargava,B.N. and Subrahmanyan,R.V. Ionospheric F_2 layer behaviour during the eclipse of June 20, 1955, 8=4570
Bharucha-Reid,A.T. Age-dependent branching stochastic processes in cascade theory, 5=685. See also Woods,W.M., 9=2559
Bhaskara Rao,V. See Narain,H., 9=9771
Bhat,M.R. See Raman,C.V., 5=4544
Bhat,T.R. See Mohanty,S.R., 6=8813, 7=5357
Bhatawdekar,M.G. See Subrahmanyam,N., 5=312
Bhatia,A.B. Vibration spectra and specific heats of cubic metals. I. Theory and application to sodium, 5=3257. Sound and ultrasound absorption resulting from heat radiation, 8=2908. Scattering of high-frequency sound waves in polycrystalline materials, 9=2179. See also Betts,D.D., 7=1733-4; Trainor,L.E.H., 9=2685; Wu,T.-Y., 6=2293
Bhatia,A.B. and Horton,G.K. Vibration spectra and specific heats of cubic metals. II. Application to silver, 5=6996
Bhatia,A.B. and MacDonald,D.K.C. On the thermoelectric power of dilute metallic alloys, 6=5115
Bhatia,A.B. and Moore,R.A. Scattering of high frequency sound waves in polycrystalline materials. II, 9=11958
Bhatia,A.B. and Shah,S.M. Saturation of nuclear forces ... neutron proton scattering, 9=11407
Bhatia,A.B. and Tauber,G.E. On the evaluation of characteristic temperatures for cubic crystals, 7=6699
Bhatki,K.S., Gupta,R.K. and Jha,S. On the decay of ^{132}Cs, 7=3594
Bhatki,K.S., Gupta,R.K., Jha,S. and Madan,B.K. On the decay of ^{113}Sn and ^{121}Te, 8=1232
Bhatnagar,C.S. and Bhawalkar,D.R. Electrical characteristics of thin electrets prepared from carnauba wax, 7=4308. Electrical conductivity of carnauba wax near its melting point, 7=4322
Bhatnagar,H.L. See also Stevenson,A.F., 9=1345
Bhatnagar,H.L., Biswas,A.B. and Gharpurey,M.K. Viscosity of dilute solutions of long chain polymer molecules, 8=1547
Bhatnagar,P.L. The equilibrium of a self-gravitating incompressible fluid sphere with magnetic field, 8=8149. See also Lal,P., 9=5333
Bhatnagar,P.L., Krook,M., Menzel,D.H. and Thomas,R.N. "Turbulence", kinetic temperature, and electron temperature in stellar atmospheres, 7=3929
Bhatnagar,P.L. and Nagpaul,S.R. Radial pulsations of an infinite cylinder with finite conductivity immersed in magnetic field, 9=4841
Bhattacharjee,S.B. See Das Gupta,K., 5=6195
Bhattacharjee,S.K. See also Bhattacherjee,S.K.
Bhattacharjee,S.K., Raman,S. and Mitra,S.K. Radioactive decay of Eu^{154}, 8=7337
Bhattacharya,A. and Roy,A.N. Rotational viscometer for rapidly settling suspensions, 6=105
Bhattacharya,B. See Tiwari,S.Y., 6=2602
Bhattacharya,D.L. See Walker,H.L., 9=777
Bhattacharya,R. Some notes on charge transfer interaction between iodine and polynuclear aromatic hydrocarbons, 9=8950. See also Basu,S., 7=2766
Bhattacharya,S. On certain hydrodynamical considerations of an imperfect fluid in a general relativistic field, 7=66
Bhattacharya,S.N. and Das,S.K. A micro-calorimeter for measurement of small heat changes, 9=5632
Bhattacharyya,B.K. Electromagnetic induction in a two-layer earth, 6=9056. Propagation of an electric pulse through a homogeneous and isotropic medium, 9=485. Propagation of transient electromagnetic waves in a medium of finite conductivity, 9=1623. Electromagnetic fields of a transient magnetic dipole on the earth's surface, 9=7216
Bhattacharyya,H.P. On the law of adhesive wear, 7=804. Power loss by polar molecules in an a.c. field, 7=9673
Bhattacharyya,K.L., Ghosh,B.K. and Chatterjee,S.K. Observations on the vibration of the Indian plucked string instrument, "Tanpura", 6=4941
Bhattacharyya,P.K. Analysis of some Indian ores and minerals by bent mica crystal spectrograph, 6=3347
Bhattacharyya,R. and Chatterjee,S. Fast coincidence with fast discriminators, 7=7980
Bhattacharyya,R., Roy,U.B. and Chatterjee,S. Growing of organic phosphors for scintillation counters, 7=8264
Bhattacharyya,R.K. On bremsstrahlung in the non-relativistic region, 5=8019. See also Kar,K.C., 5=5218
Bhattacharyya,S.P. A study of a.c. resistivity of Calcutta soil, 5=9284
Bhattacherjee,S.K. See also Bhattacharjee,S.K.
Bhattacherjee,S.K., Nainan,T.D., Raman,S. and Sahai,B. Decay of ^{152}Eu and the unified nuclear model, 8=1918
Bhattacherjee,S.K. and Raman,S. A note on the decay of ^{185}W, 6=6107. Decay of Gd^{153}, 6=8346. Studies on the long-lived activities of europium, 8=4286
Bhattacherjee,S.K., Sahai,B. and Baba,C.V.K. Decay of Pm^{148}, 9=12642
Bhaumik,M.L. See Bose,H.N., 7=9102
Bhavsar,P.D. See Sarabhai,V., 6=454
Bhawalkar,D.R. See Bhatnagar,C.S., 7=4308, 7=4322; Chandy,K.C., 9=5663, 9=6895
Bhiday,M.R., Jennings,R.E. and Kalmus,P.I.P. Measurement of electron beam energy using a gas Čerenkov detector, 9=2397
Bhide,V.G. Spiral pits on silicon carbide, 8=3573. Surface distortion round dislocations, 9=10229
Bhide,V.G., Das,J.N. and Khandekar,P.V. Analysis of H_2S treated PbS point contact rectifiers, 6=4406
Bhide,V.G. and Nafde,W.G. Growth spirals on electrodeposited silver, 8=6499
Bhimasankaram,V.L.S. See Rao,B.S.R., 6=4494
Bhimasenachar,J. and Subrahmanyam,S.V. Compressibilities of sodium and potassium hydroxides, 7=5906. Compressibilities of mineral acids, 7=9556
Bhimasenachar,J. and Venkato,Rao,G. Elastic constants of Staurolite, 7=5680
Bhimasenachar,J. and Venkataratnam,G. Elastic constants of zircon, 5=9997
Bhonsle,R.V. See also Ramanathan,K.R., 6=8514
Bhonsle,R.V. and Ramanathan,K.R. Studies of cosmic radio noise on 25 Mc/s at Ahmedabad, 9=4129
Bhowmik,B. See also K-collaboration, 9=13575
Bhowmik,B., Davies,J.H., Evans,D. and Prowse,D.J. Note on the track density of minimum-ionizing particles in large emulsion stacks, 8=2450
Bhowmik,B., Evans,D., Nilsson,S., Prowse,D.J., Anderson,F., Keefe,D., Kennan,A., Biswas,N.N., Ceccarelli,M., Waloschek,P., Hooper,J.E., Grilli,M. and Guerriero,L. The lifetime of positive heavy mesons, 7=8866
Bhowmik,B., Evans,D., Nilsson,S., Prowse,D.J., Anderson,F., Keefe,D., Kernan,A. and Losty,J. The interactions of positive K-mesons with nuclei in photographic emulsion at energies in the region 0-130 MeV, 8=704
Bhowmik,B., Evans,D. and Prowse,D.J. On the angular correlation in the β-decay of μ-mesons observed in photographic emulsion, 7=8858
Bhowmik,B., Evans,D., Prowse,D.J., Anderson,F., Keefe,D. and Kernan,A. On the decay modes of interacting and non-interacting K^+-mesons, 8=3310
Bhowmik,B., Evans,D., van Heerden,I.J. and Prowse,D.J. On the spin of artificially produced τ-mesons, 6=5413
Bhowmik,P.Dhar. See Dhar Bhowmik,P.
Bhupala Rao,Y. Structure of the spectrum of singly ionised bromine, 7=2003, 9=3277. Structure of the spectrum of doubly ionised bromine, 7=2004
Biagi,F. See Simmons,B.D., 5=144
Bialecke,E.P. and Dougal,A.A. Pressure and temperature variation of the electron—ion recombination coefficient in nitrogen, 9=2457
Białynicka-Birula,Z. See Białynicki-Birula,I., 8=1504
Białynicki-Birula,I. A new approach to time reflection, 8=491.

On the operators characterising the internal degrees of freedom of the interacting fields, 8=1497. Schwinger's functional without any anticommuting external sources, 8=1533. On the internal degrees of freedom of particles in quantum field theory, 9=1062. The field theory with Yukawa coupling in one dimension, 9=4268. On the Lee model, 9=7784. Lee model and the local field theory, 9=11801

Białynicki-Birula,I. and Białynicka-Birula,Z. On the polarisation and magnetic moment of spinor particles in the quantum field theory, 8=1504

Bianchi,U., Magnasco,V. and Rossi,C. Study of the configuration of high polymers in solution: a new method for the determination of an ideal solvent, 9=3212

Biarge,J.Fernández. See Fernández Biarge,J.

Biasutti,M., Favre,R., Haenny,C. and Heym,A. Hodoscope study of cosmic radiation, 5=2838

Biber,C. See also Becker,W., 9=5299

Biber,C., Huber,P. and Müller,A. Energy per ion pair in polyatomic gases for Po α-particles, 6=3953

Biber,H.E. and Levy,S. Spectrographic procedure for analysis of powdered samples of unknown origin, 7=6682. Characteristics of a combination discharge and its applicability in spectrochemical analysis of metals, 9=7017

Biberman,L.M. Allowance for multiple reflections in technical optics calculations, 7=1220. On the determination of the oscillator strength by direct measurement of spectral line width in a source of finite optical density, 8=574

Biberman,L.M. and Novodvorskaya,E.M. Effect of re-absorption on the width of spectrum lines, 6=8661

Biberman,L.M. and Romanov,V.E. On the mechanism of formation of continuous background in the emission spectrum of hot gases, 8=5760

Biberman,L.M. and Veklenko,B.A. Application of the theory of random processes to the transfer phenomena of radiation, 7=1986

Bibik,V.F. See Borzyak,P.G., 9=12358

Bibikov,D.N. The number of ice crystals in supercooled water, 7=2124

Bibilashvili,M.F. See Andronikashvili,E.L., 7=8000; Chikovani,G.E., 5=1229

Bibl,K. Automatic recording of ionospheric characteristics, 7=952

Bibl,K., Busch,R., Rawer,K. and Suchy,K. Ionospheric nomenclature and conventions for analysis [of records], 5=4228

Bibl,K. and Delobeau,F. Preliminary results of ionospheric observations of the eclipse of the sun on 30 June 1954, 5=3318

Bibl,K., Harnischmacher,E. and Rawer,K. Some observations of ionospheric movements, 5=5770

Bibl,K., Paul,A. and Rawer,K. Interpretation of the variation of ionospheric absorption as a function of frequency, 9=9888

Bibron,R. Scintillation counter measurements of the weak activities of carbon 14 and tritium, 9=13630. See also Tarabella,A., 6=1323

Bicelli,L.P. Infrared absorption spectra of some pyridine molecular complexes, 9=202

Bichara,M. Mathematical analysis of the dielectric strength of compressed air, 5=7016. On the capacity of selenium photocells, 7=7115

Bichsel,H. Multiple scattering of protons, 9=3741. Experimental range of protons in Al, 9=6004. See also Gerhart,J.B., 9=9940

Bichsel,H. and Bonner,T.W. Reactions $Li^7(\alpha,n)B^{10}$, $Li^7(\alpha,\alpha')Li^{7*}$, and $B^{10}(n,\alpha)Li^7$, 8=7377

Bichsel,H., Mozley,R.F. and Aron,W.A. Range of 6- to 18-MeV protons in Be, Al, Cu, Ag, and Au, 7=5407

Bickel,P.W. See also Eisen,F.H., 9=13306

Bickel,P.W. and Holroyd,L.V. Mass spectrometric study of the evaporation products of strontium oxide on platinum, 5=356

Bickerton,R.J. The lateral diffusion of an electron swarm in a magnetic field, 7=3399. The amplification of a magnetic field by a high current discharge, 9=1610

Bickerton,R.J. and von Engel,A. The positive column in a longitudinal magnetic field, 6=5124

Bickerton,R.J. and London,H. The scaling laws for the stabilized pinch, 8=5067

Bickford,L.R., Jr. See also Penoyer,R.F., 8=6040

Bickford,L.R., Jr, Brownlow,J.M. and Penoyer,R.F. Magnetocrystalline anisotropy in cobalt-substituted magnetite single crystals, 6=8275, 7=5465. Effect of cation vacancies on the magnetic annealing of cobalt-substituted magnetite, 8=8905

Bickford,L.R., Jr, Pappis,J. and Stull,J.L. Magnetostriction and permeability of magnetite and cobalt-substituted magnetite, 5=8906

Bickmore,R.W. On focusing electromagnetic radiators, 8=4182

Biddiscombe,D.P. and Martin,J.F. Vapour pressures of phenol and the cresols, 9=259

Bider,M. Results of recordings of the number of condensation nuclei in Basle and its immediate neighbourhood, 7=1801

Bidulya,V.N. See Rzhanov,A.V., 8=6980

Bidwell,R.M., Wykoff,W.R. and Thamer,B.J. Filter-bomb sampling technique for phase equilibria at high temperature pressure, 6=8999

Biedenharn,L.C. A note on Sommerfeld's bremsstrahlung formula, 6=3779. A note on statistical tensors in quantum mechanics, 8=4712. Time-reversal and polarized nuclear reactions, 9=8567. Addendum to a note on statistical tensors in quantum mechanics, 9=9215. See also Goldstein,M., 6=1561; Kalos,M.H., 6=7614; Kraus,A.A., Jr, 7=3619; Prosser,F.W., Jr, 8=1947; Thaler,R.M., 6=5935, 7=9308; Young,R.C., 7=6912

Biedenharn,L.C., Blatt,J.M. and Kalos,M.H. Phenomenological neutron—proton potentials, 8=5254

Biedenharn,L.C., Boyer,K. and Goldstein,M. Approximation for deuteron stripping reactions on heavy target nuclei, 7=1604

Biedenharn,L.C. and Class,C.M. Soluble problem in the theory of Coulomb excitation, 5=5866

Biedenharn,L.C., Gluckstern,R.L., Hull,M.H., Jr and Breit,G. Coulomb functions for large charges and small velocities, 5=2441

Biedenharn,L.C., Goldstein,M., McHale,J.L. and Thaler,R.M. Quantum calculation of Coulomb excitation. II. Quadrupole excitation: Numerical results, 6=1470

Biedenharn,L.C., McHale,J.L. and Thaler,R.M. Quantum calculation of Coulomb excitation. I, 6=554

Biedenharn,L.C. and Rorschach,H.E. Beta decay and the conservation of parity, 8=2549

Biedenharn,L.C. and Thaler,R.M. Quantum calculation of Coulomb excitation. M1 and M1-E2 mixed transitions and classical approximation, 7=3528

Biedenharn,L.C. and Willard,H.B. Eigenphaseshifts in terms of Wigner's nuclear reaction theory, 9=1760

Biefer,G.J. and Mason,S.G. Electrokinetic streaming, viscous flow and electrical conduction in inter-fibre networks. The pore orientation factor, 9=11068

Biehl,A.T., Fayram,R., Henley,R., Linenberger,G.A., Montgomery,H., Mainhardt,R., Newby,G., Randall,J., Sawle,D. and Sherwin,J. Compact, low-cost reactor emphasizes safety, 7=3688

Biehler,M. See Lochet,R., 6=5590

Biel,S.J. The binding energy of ^8Be and ^{12}C, 8=1220

Biel,S.J. and Burhop,E.H.S. The effect of finite nuclear size on bremsstrahlung production, 5=3827

Bielak,E.B., Calderwood,G.F.N. and Mardles,E.W.J. Resistance to flow of liquids over solids by thin films extending from the edge of pools or from menisci, 5=1582

Bielański,A., Dereń,J. and Haber,J. The electric conductivity and catalytic activity of $ZnO-Fe_2O_3$ mixtures, 5=8343

Bielecki,A.J. See Meister,A.G., 7=2484

Bielesch,A. See Dixon,W.R., 7=8200

Biem,W. See Born,M., 8=3680

Bien,G.S. and Suess,H.E. Increase of C^{14} in the atmosphere from artificial sources measured in a California tree, 9=12911

Bienenstock,A. Scaling errors in radial distribution studies, 9=12872

Bieniewski,T.M. See Czyzak,S.J., 9=6757

Bienert,W. See Asselmeyer,F., 8=7597

Bienlein,H. See also Wegener,H., 9=5008

Bienlein,H., Felsner,G., Fleischmann,R., Güthner,K., v. Issendorff,H. and Wegener,H. Measurements on the angular dependence of Mott scattering asymmetry, 9=9938

Bienlein,H., Felsner,G., Güthner,K., v. Issendorff,H. and Wegener,H. Measurement of the energy- and Z-dependence of Mott scattering asymmetry, 9=4713

Bienlein,H., Fleischmann,R. and Wegener,H. The polarization of the electrons from Co^{60}, 8=9033

Bier,K. See Becker,E.W., 5=2217, 5=9838, 7=2712, 9=6603

Bieri,R. See also Mattauch,J., 7=1528

Bieri,R., Everling,F. and Mattauch,J. The improvement and the present capabilities of the double focusing mass spectrograph, 6=1301

Bierlaire,J. See Ledoux,P., 5=5201

Bierlein,J.A. A phenomenological theory of the Soret diffusion, 5=2470

Bierlein,J.A. and Finch,C.R. Criterion for allowable angular deviation in Schlieren measurements of the Soret coefficient, 6=3539

Bierlein,T.K. and Mastel,B. Improved method of etching by ion bombardment, 9=13835

Bierly,J.N. See Fuschillo,N., 9=6945

Bierman,A. Electrostatic forces between nonidentical colloidal particles, 5=10039. An application of the Poisson-Boltzmann equation to nonidentical, charged particles, 6=1705. Resonance mass selector, 8=8058

Bierman,E. See also Orear,J., 7=9910

Bierman,E., Lea,R., Orear,J. and Rosendorff,S. Evidence against the mass-500 particle, 9=4920

Biermann,L. Transformation of elements as a consequence of nuclear reactions in the surfaces of active stars, 9=5334. See also Kippenhahn,R., 9=4241

Biermann,L. and Davis,L. On the origin of cosmic rays during the early part of the evolution of our Galaxy, 9=997

Biermann,L., Hain,K., Jörgens,K. and Lüst,R. Axially symmetric solutions of the magnetohydrostatic equation with surface currents, 9=1605

Biermann,L., Jörgens,K. and Schlüter,A. Remarks on a paper by H.Harmuth about the uncertainty relation and the Schrödinger equation, 9=2099

Biermann,L. and Lüst,R. Radiation and particle precipitation upon the earth from solar flares, 9=6458

Biermann,L. and Schlüter,A. On the theory of the quasi-stationary thermonuclear process, 9=702. Magnetohydrodynamic dissipation, 9=989

Biermann,M. and Krüger,W. Aluminium-magnesium alloys as secondary emission layers, 6=2214

Biersdorf,W.R. Critical duration in visual brightness discrimination for retinal areas of various sizes, 5=10138. Luminance-duration relationships in the light-adapted electroretinogram, 8=5560. See also Armington,J.C., 6=5572

Biersdorf,W.R. and Armington,J.C. Response of the human eye to sudden changes in the wavelength of stimulation, 7=4929

Bies,D.A. An ultrasonic investigation of a chemical kinetics problem: the dissociation of magnesium sulfate, 5=5012

Bies,D.A. and Wilson,O.B.,Jr. Acoustic impedance of a Helmholtz resonator at very high amplitude, 7=9579

Bigay,J.H. and Dumont,R. Photoelectric photometry of extragalactic nebulae, 6=25

Bigeleisen,J. Statistical mechanics of isotopic systems with small quantum corrections. I. General considerations and the rule of the geometric mean, 6=942. Second-order sum rule for the vibrations of isotopic molecules and the second rule of the mean, 8=4376

Bigeleisen,J. and Kerr,E.C. Vapor pressure of HT, 6=1161

Bigeleisen,J., Klein,F.S., Weston,R.E.,Jr and Wolfsberg,M. Deuterium isotope effect in the reaction of hydrogen molecules with chlorine atoms and the potential energy of the H_2Cl transition complex, 9=7572

Bigeleisen,J. and Wolfsberg,M. Semiempirical study of the H_2Cl transition complex through the use of hydrogen isotope effects, 5=8966

Bigelmaier,A. A general solution of the thin film problem in optics, 9=5583

Bigg,E.K. Detection of atmospheric dust and temperature inversions by twilight scattering, 6=3392. Counts of atmospheric freezing nuclei at Carnavon, Western Australia, January 1956, 7=5770

Bigg,P.H. See also Ambrose,D., 6=3548

Bigg,P.H. and Burch,F.H. Further tests on the stability of analytical weights in chemical laboratories, 5=773

Biggers,W.A. See Allen,L.,Jr, 7=9890

Bigham,C.B. The thermal-neutron fission cross section of Pu^{240}, 8=2593

Biguenet,C. Activated cold cathodes for gas tubes, 5=6185

Bijl,D., Kainer,H. and Rose-Innes,A.C. Stabilization of free radicals by adsorption: detection by paramagnetic resonance, 5=2003. Biradical molecular compounds: a study by electron spin resonance, 9=7184

Bijl,D. and Pullan,H. A new method for measuring the thermal expansion of solids at low temperatures; the thermal expansion of copper and aluminium and Grüneisen rule, 5=5358

Bijl,W. van der. See van der Bijl,W.

Bijvoet,J.M. See Peerdeman,A.F., 9=7618

Bikerman,J.J. Theory of peeling through a Hookean solid, 8=9156. Relation between wear and friction, 9=8943. Use of hysteresis of wetting for measuring surface tension, 9=9297

Bilaniuk,O.M. See also Rietjens,L.H.T., 9=507

Bilaniuk,O.M. and Hough,P.V.C. Spin, parity, and j–j expansion coefficients for states of low excitation in O^{18}, 8=8266

Bilby,B.A. Types of dislocation source, 5=5713. The migration of solute atoms to dislocation arrays, 5=10020. See also Bullough,R., 7=2823

Bilby,B.A., Bullough,R., Gardner,L.R.T. and Smith,E. Continuous distributions of dislocations. IV. Single glide and plane strain, 8=4429

Bilby,B.A., Bullough,R. and Smith,E. Continuous distributions of dislocations: a new application of the methods of non-Riemannian geometry, 5=9239

Bilby,B.A. and Gardner,L.R.T. Continuous distributions of dislocations. V. Twisting under conditions of single glide, 9=11553

Bilby,B.A. and Smith,E. Continuous distributions of dislocations. III, 6=8475

Bildstein,H. See Hohn,H., 7=6244

Bilen'kiĭ,S.M. Level displacements in π-mesic atoms, 8=789. Application of charge invariance to polarization phenomena, 8=2472. On the theory of dispersion relations, 9=9211. A possible method for the determination of the parity of strange particles, 9=10579. See also Bilenky,S.M.; Bogolyubov,N.N., 8=2789

Bilen'kiĭ,S.M., Lapidus,L.I., Puzikov,L.D. and Rȳndin,R.M. On determination of the matrix for the $a + a' \rightarrow b + b'$ reaction, 9=3885

Bilenkii,S.M. and Rȳndin,R.M. The determination of the parities of hyperons and K-mesons, 9=11797

Bilenkij,S.M. See Logunov,A.A., 9=3142

Bilenko,D.I. See Kir'yashkina,É.I., 7=8587

Bilenky,S.M. A possible method for the determination of the parity of strange particles, 9=3801. See also Bilen'kii,S.M.; Bogolubov,N.N., 8=4731

Bilenky,S.M., Lapidus,L.I., Puzikov,L.D. and Rȳndin,R.M. Phenomenological analysis of reactions of the $a + a' \rightarrow b + b'$ type, 9=1754

Bilenky,S.M. and Rȳndin,R.M. On the determination of the parity of hyperons and K-mesons, 9=8486

Bilger,H. See Baldinger,E., 9=5712

Bilger,R.C. Intensive determinants of remote masking, 9=1980. Additivity of different types of masking, 9=10477. See also Deatherage,B.H., 7=8338; Hirsh,I.J., 6=1776

Bilger,R.C. and Hirsh,I.J. Masking of tones by bands of noise, 6=6488

Billam,E.R. and Browne,I.C. Characteristics of radio echoes from meteor trails. IV. Polarization effects, 6=1803

Billard,P. Chromaticity difference thresholds in the direction of the blue primary of a system of trichromatic synthesis, 6=850. Differential luminance thresholds in television, 9=9369. See also Boutry,G.A., 5=6665, 9=6407

Billardon,M. and Badoz,J. A photoelectric spectro-polarimeter for the study of the dispersion of natural rotary power, 9=13198

Biller,E. The method of thickness doubling: a procedure for determining complex permittivities in the highest frequency range by means of standing waves, 9=5650

Billig,E. Growth of monocrystals of germanium from an undercooled melt, 5=5703. Some defects in crystals grown from the melt. I. Defects caused by thermal stresses, 6=4736. Defects in germanium crystals grown from the melt, 7=374. Growth and defects of semiconductor crystals, 9=10218. See also Rose,F.W.G., 8=5016

Billig,E. and Gasson,D.B. Preparation of large-area p–n junctions in [monocrystalline] silicon by surface melting, 8=9199. The preparation of single-crystal ingots of silicon by the pulling technique, 9=1988

Billig,E. and Holmes,P.J. Some observations on growth and etching of crystals with the diamond or zincblende structure, 5=7496

Billings,D.E. Profile of the yellow coronal line, λ 5694, 8=4665. Velocity fields in a coronal region with a possible hydromagnetic interpretation, 9=10539. See also Bretz,M.C., 9=7745; Leighton,H.I., 7=925; Pecker,C., 5=5192

Billings,D.E. and Cooper,R.H. Height gradient of the emission corona, 9=4230

Billings,D.E., Cooper,R.H., Evans,J.W. and Lee,R.H. Microphotometer scans spectrum photographs, 5=2546

Billings,D.E., Hirsch,S. and Varsavsky,C. Coronal temperature determination from emission lines, 6=5642

Billings,D.F. and Varsavsky,C.M. Absolute calibration of the climax intensity scale for coronal lines, 6=5643

Billings,J.J. See also Nolle,A.W., 9=3985

Billings,J.J. and Nolle,A.W. Investigation by nuclear magnetic resonance of the effects of pressure on the thermal transition and rotator phase of 2,2-dinitropropane, 9=745

Billington,D.S. How radiation affects materials: Basic mechanisms, 7=3742. See also Kernohan,R.H., 6=1418

Billington,I.J. and Raudorf,W.R. Electronic-ram experiments, 5=980

Billmeyer,F.W.,Jr. An absorption-extrapolation light scattering method, 5=877. "Compensated opal" working standard equivalent to magnesium oxide, 6=1120. Lattice energy of crystalline polyethylene, 8=390. Measurement of optical clarity by low-angle light scattering, 9=6775

Bills,D.G. Ion desorption from metal surfaces, 8=5084

Bills,D.G. and Allen,F.G. Ultra-high vacuum valve, 5=7755

Bills,D.G. and Carleton,N.P. Adsorption of activated gases, 8=3549

Bills,D.G. and Evett,A.A. Glass, a disturbing factor in physical electronics measurements, 9=7715

Bills,K.W. See Barsh,M.K., 8=8727

Billups,R. See Skapski,A., 7=7648

Bilz,H. The electronic states of hard substances with the sodium chloride structure, 9=6241

Bincer,A., Church,E. and Weneser,J. Shape and polarization of the beta spectrum of radium E, 9=622

Bincer,A.M. Pair production of S-wave pi mesons, 7=4779. Scattering of longitudinally polarized fermions with anomalous magnetic moments, 8=53. Scattering of longitudinally polarized fermions, 8=1516. Nuclear spin-electron-neutrino correlation in forbidden β decay, 9=3813

Binder,D. and Sturm,W.J. Equivalence of X-ray lattice parameter and density changes in neutron-irradiated LiF, 5=2304. Annealing process in neutron-irradiated LiF, 5=9235. Expansion of LiF under neutron irradiation, 7=8209

Binder,O. See Bagge,E., 9=12438

Binder,R.C. See Gilbrech,D.A., 9=1221

Binford,F.T. A series for the F-functions of shielding computations, 7=3692. How to integrate the U^{235} fission-neutron spectrum, 7=9892. Gamma-ray heating in B.S.R., 7=9900

Binge,H.J. Vulcanism and intrusions as a consequence of the time-dependence of (the gravitational constant) k in Jordan's Cosmology, 6=1783. A possible cause of the high solar activity in February 1956, 9=2012

Bingel,W. On the calculation of the Slater integrals, 5=462. On the definition of bond order and free valence in quantum chemistry, 5=2957. The electron structure and light absorption of the benzyl radical, 5=8968. Comments on the numerical evaluation of molecular integrals for small internuclear distances, 6=3058; II, 6=6044. A new method of calculating the electronic terms of molecules, 8=375. See also Schüler,H., 5=6351

Bingel,W.A. United atom treatment of the behavior of potential energy curves of diatomic molecules for small R, 9=7458. United atom treatment of the behavior of potential energy surfaces of polyatomic molecules at small internuclear distances, 9=7459. Extension of Davydov's theory of molecular crystals to vibronic transitions, 9=10251

Bingen,R. Thermodynamic properties of quantum solids at the absolute zero, 5=2691. On the propagation of acoustic waves in crystals, 7=175. See also Prigogine,I., 5=913, 5=5232

Binggeli,E.M. Measurements of the intensity of neutrons in the cosmic radiation, at great depths under water, 5=4768

Bingham,H.H. See also Keck,J.C., 7=757

Bingham,H.H. and Clegg,A.B. Photoproduction of neutral pions from hydrogen in the energy range 700-1100 MeV, 9=3785

Bingham,R. See Koppel,D., 7=9728

Binks,J.H. and Szwarc,M. Effect of conjugation, hyperconjugation, and steric hindrance on methyl affinities, 9=7417

Binnie,A.M. Self-excited oscillations in an open circular water tank, 5=3483. See also Batchelor,G.K., 6=1885

Binnie,A.M. and Teare,J.D. Experiments on the flow of swirling water through a pressure nozzle and an open trumpet, 6=4233

Binnie,D.M. See Barker,P.R., 5=3858, 5=4093. Barros,F. de S., 8=3627

Binnie,W.P. Calculation of the mean Debye temperature of cubic crystals, 6=7812

Binns,J.E., Lones,W., Pitcher,D.G. and Mélice,M. Safety circuit development at Brookhaven National Laboratory, 7=8847

Biondi,M.A. Optical and infrared absorption of copper at 4·2°K, 5=851. High-speed, direct recording Fabry-Perot interferometer, 6=2008. Optical absorption of copper and silver at 4·2°K, 6=5786. Microwave and optical techniques for gas discharge studies, 7=1325. Dissociative attachment of electrons in iodine. I. Microwave determination of the absolute cross section at 300°K, 9=369. See also Chanin,L.M., 7=5432, 7=9944, 9=11154

Biondi,M.A., Forrester,A.T. and Garfunkel,M.P. Millimeter wave studies of superconducting tin, 8=194

Biondi,M.A., Forrester,A.T., Garfunkel,M.P. and Satterthwaite,C.B. Experimental evidence for an energy gap in superconductors, 9=2354

Biondi,M.A. and Fox,R.E. Dissociative attachment of electrons in iodine. III. Discussion, 9=371

Biondi,M.A. and Garfunkel,M.P. Measurement of the temperature variation of the energy gap in superconducting aluminium, 9=5737

Biondi,M.A., Garfunkel,M.P. and McCoubrey,A.O. Millimeter wave absorption in superconducting aluminum, 6=3752. Microwave measurements of the energy gap in superconducting aluminum, 8=193

Biorci,G., Ferro,A. and Montalenti,G. Instability of Bloch's walls due to interstitial atoms in a body-centred ferromagnetic material, 9=2485

Biorci,G. and Pescetti,D. Formal model of magnetic hysteresis, 7=9758. Frequency spectrum of the Barkhausen noise, 8=234. Analytical theory of the behaviour of ferromagnetic materials, 8=2391

Biot,A. On some after-images, 5=3348. Tables for the calculation of thin, cemented doublets, corrected for spherical aberration, 5=3546. A triplet eyepiece for a microscope, 5=7885. A triplet eyepiece. II. Gaussian theory, 9=238; III. General condition of achromatism, 9=239; Eyepieces, IV. On the calculation of compensating Huygens eyepieces, 9=3368. On the transverse chromatic aberration of optical systems, 9=2194. Tables for the calculation of thin cemented doublets corrected for spherical aberration. II. Values of ρ_1 and ρ_3, 9=10737. III. Values of P_1, P_2, P_3, π_2, A + 2 for $n_2 = 1{\cdot}70$ and $n_1 = 1{\cdot}50$ (0·04) 1·66, 9=10738

Biot,M.A. Theory of stress-strain relations in anisotropic viscoelasticity and relaxation phenomena, 5=2246. Theory of elasticity and consolidation for a porous anisotropic solid, 5=3180. Variational principles in irreversible thermodynamics with application to viscoelasticity, 5=4615. Deformation of viscoelastic plates derived from thermodynamics, 5=7929. Theory of propagation of elastic waves in fluid-saturated porous solid. I. Low-frequency range, 6=3562; II. Higher frequency range, 6=3563. Theory of deformation of porous viscoelastic anisotropic solid, 6=4703. Thermoelasticity and irreversible thermodynamics, 6=6577. General theorems on the equivalence of group velocity and energy transport, 7=3985. Folding instability of a layered viscoelastic medium under compression, 8=425. Reflection on a rough surface from an acoustic point source, 8=3826. On the reflection of acoustic waves on a rough surface, 8=5737. Some new aspects of the reflection of electromagnetic waves on a rough surface, 8=7212. On the reflection of electromagnetic waves on a rough surface, 8=7213. The influence of gravity on the folding of a layered viscoelastic medium under compression, 9=5201. Folding of a layered viscoelastic medium derived from an exact stability theory of a continuum under initial stress, 9=10329

Biot,M.A. and Tolstoy,I. Formulation of wave propagation in infinite media by normal coordinates with an application to diffraction, 7=7677

Bioten,R.G. See Tegelaar,P., 5=879

Bir,G.L. and Pikus,G.E. The influence of surface recombination on the efficiency of p—n junction photocells, 7=9197

Biram,M.B. Neutron production by electron bombardment of uranium, 5=5656

Biram,M.B. and Tait,J.H. The scattering of neutrons by the walls of a laboratory, 5=9977

Birbrair,B.L. An investigation of the equilibrium form of atomic nuclei, 8=6218

Birbrair,B.L., Peker,L.K. and Sliv,L.A. Quadrupole oscillations of deformed nuclei, 9=11424

Birch,J.A., Kemp,W.R.G. and Klemens,P.G. The lattice thermal conductivity of a gold—platinum alloy, 8=3921

Birch,K.G. A lens-testing apparatus, 9=5487

Birchenall,C.E. See Juenker,D.W., 6=8621

Bird,G.R. Saturation in the microwave spectrum of methyl chloride, 5=187. Microwave spectrum of NO_2: A rigid rotor

analysis, 7=2046. Streaming dichroism in polymer solutions: the calculation of results, 8=6862. See also Mockler,R.C., 5=6929
Bird,G.R., Baird,J.C. and Williams,R.B. Fine structure in the electron spin resonance spectra of NO_2 solutions, 8=9091
Bird,G.R. and Blout,E.R. Infrared flow dichroism, 7=2052
Bird,G.R., Parrish,M., Jr and Blout,E.R. Apparatus for the observation of infrared streaming dichroism of polymer solutions, 8=8717
Bird,G.R. and Shurcliff,W.A. Pile-of-plates polarizers for the infrared: improvement in analysis and design, 9=3358
Bird,J.R. Neutrons emitted in the deuteron bombardment of carbon, 6=654. See also Bowey,E.M., 8=5385
Bird,J.R. and Hines,K.C. The multiple scattering of protons in nuclear emulsions, 5=1920
Bird,J.R. and Preston,M.A. A study of nucleon forces with repulsive cores. I. The effect of cores of finite strength, 5=8990
Bird,J.R. and Spear,R.H. Information on energy levels in Be^8 from neutron energy spectra, 6=6064. Neutrons from deuteron bombardment of boron, 8=5357
Bird,M.A. See Butt,E.P., 9=5084
Bird,R.B. See Fredrickson,A.G., 9=2126; Muckenfuss,C., 5=9484
Birdsall,C.M. See also Jenkins,A.C., 5=579, 6=748; Shull,E.R., 6=1985
Birdsall,C.M., Jenkins,A.C., DiPaolo,F.S., Beattie,J.A. and Apt,C.M. Compressibilities of ozone, oxygen, and ozone-oxygen mixtures and the thermodynamic quantities for pure ozone, 5=4426
Birdsall,H.A. Insulating films, 5=2700. Digest of the literature on dielectrics. Volume XVIII — 1954. Insulating films, 7=9152; Volume XIX — 1955. Insulating films, 7=9153. Insulating films, 8=2291
Birdsall,H.A. Insulating films, 9=5649
Birdsall,T.G. See Clarke,F.R., 9=10464; Green,D.M., 7=8957; McPherson,R.R., 7=8342; Tanner,W.P., Jr, 9=4179
Birebent,R. On a new action of a uniform magnetic field on a gas (photo-) cell, 5=354. A probe for the study of magnetic fields, 5=4776. Apparatus for measuring the intensity of the terrestrial magnetic field, 6=1758. A photoelectric arrangement for polarimetric measurements, 7=1219
Birge,R.W. See also Barkas,W.H., 7=3225; Stork,D.H., 7=2152
Birge,R.W., Haddock,R.P., Kerth,L.T., Peterson,J.R., Sandweiss,J., Stork,D.H. and Whitehead,M.N. Bevatron K-mesons, 5=9122
Birge,R.W., Perkins,D.H., Peterson,J.R., Stork,D.H. and Whitehead,M.N. Decay characteristics and masses of positive K-mesons produced by the Bevatron, 7=3708
Birge,R.W., Peterson,J.R., Stork,D.H. and Whitehead,M.N. Mass values of the K-mesons, 6=1622
Birger,N.G., Grigorov,N.L., Guseva,V.V., Zhdanov,G.B., Slavatinskiĭ,S.A. and Stashkov,G.M. Interaction of 5×10^9 - 5×10^{10} eV cosmic-ray particles with Be nuclei. I, 7=3623
Birger,N.G., Guseva,V.V., Kotel'nikov,K., Maksimenko,V.M., Ryabikov,C.V., Slavatinskiĭ,S.A. and Stashkov,G.M. Analysis of the meson-creation events by cosmic-ray particles. II, 7=3624
Birger,N.G., Guseva,V.V., Zhdanov,G.B., Slavatinskiĭ,S.A. and Stashkov,G.M. Several cases of production of heavy unstable particles in Be atoms, 6=7730
Birk,M., Braid,T.H. and Detenbeck,R.W. Two-dimensional pulse-height analyzer, 8=2452
Birk,M., Erez,A., Manheimer,Y. and Nahmani,G. On electrical conductivity in detonation and shock waves, and the measurement of detonation and shock velocities, 5=2513
Birkeland,J.W., Burch,D.E. and Shaw,J.H. Some comments on two articles by Taylor and Yates, 7=8322
Birkeland,J.W. and Shaw,J.H. Abundance of nitrous oxide in ground-level air, 9=7668
Birkhoff,G. Stability of spherical bubbles, 7=1106. The measurement of the internal electrical characteristics of high frequency ring discharges, 8=8015
Birkhoff,G., Margulies,R.S. and Horning,W.A. Spherical bubble growth, 8=7740
Birkhoff,R.D. See also Blackstock,A.W., 5=4716, 6=410; Huffman,F.N., 7=5393; Johnston,L.W., 8=6096; Rohr,R.C., 5=7340
Birkhoff,R.D., Smith,A.W., Hubbell,H.H., Jr and Cheka,J.S. High resolution automatic beta spectrometer, 6=406
Birkholz,U. Investigation of the intermetallic compound Bi_2Te_3 as well as the solid solutions $Bi_{2-x}Sb_xTe_3$ and $Bi_2Te_{3-x}Se_x$ in view of their suitability as materials for semiconductor thermo-elements, 9=5692
Birks,J.B. First-order magnetic anisotropy constants of ferrites, 6=473. Magnetic spectra, 6=8861, 7=4529. Transfer of molecular energy between solutes in liquids, 8=6867. Electrophoretic deposition of insulating materials, 9=6876. Recent developments in scintillation counting, 9=12522
Birks,J.B. and Brooks,F.D. Scintillation response of anthracene to 6 ÷ 30 keV photoelectrons, 6=8254
Birks,J.B. and Cameron,A.J.W. Fluorescent spectra of some organic crystals, 6=8697. Energy transfer in organic systems. I. Photofluorescence of terphenyl—toluene solutions, 8=4888
Birks,J.B. and Schulman,J.H. (Eds). Progress in dielectrics. Volume I, 9=6868
Birks,L.S. Apparatus for X-ray diffraction studies of metals under controlled stress at elevated temperature, 5=629
Birks,L.S. and Brooks,E.J. Electron probe X-ray microanalyzer, 8=4466
Birks,L.S., Brooks,E.J. and Gourlay,G.W. Compact curved-crystal X-ray spectrometer, 8=7072
Birks,L.S. and Seal,R.T. X-ray properties of plastically deformed LiF, 8=5946
Birman,J. Effect of overlap on electrostatic lattice potentials in ionic crystals, 5=4179.* See also Shakin,C., 8=2028
Birman,J.L. Average crystal potential, 5=8381. On zone refining, 6=861. Electronic energy bands in ZnS: potential in zincblende and wurtzite, 9=782. Theory of the piezoelectric effect in the zincblende structure, 9=3429. Polarization of fluorescence in CdS and ZnS single crystals, 9=5564. Calculation of electronic energy bands in ZnS, 9=7498. Calculation of Coulomb crystal potentials, 9=8789. Some selection rules for band—band transitions in wurtzite structure, 9=12031. See also Frankl,D.R., 7=4229; Lempicki,A., 7=4230; Neumark,G.F., 7=4231
Birnbaum,G. Nonresonant absorption of symmetric top molecules. Shape of the nonresonant spectra, 8=1612. See also Bussey,H.E., 9=12202; Maryott,A.A., 6=1081, 6=4384
Birnbaum,G. and Maryott,A.A. Nonresonant absorption of symmetric top molecules. Collision cross section, 9=7473
Birnbaum,G., Maryott,A.A. and Wacker,P.F. Microwave absorption by the nonpolar gas CO_2, 5=188
Birnbaum,H.K. Structural effects of the diffusionless phase transformations in Au—Cd alloys, 9=8893
Birnbaum,M., Harth,E.M., Seren,L. and Tobin,R. Determining betatron energy by activity ratios, 5=7998
Birnbaum,M., Schulman,J. and Seren,L. The use of melamine as an X-radiation detector, 5=6197
Birnbaum,W. See Barkas,W.H., 5=5460, 6=2440; Crandall,W.E., 6=3191
Birr,E.J. Contributions on the mechanism of stabilization of photographic emulsions. V. Physico-chemical and photographic investigation of the homologues of an aza-indolizine series, 7=3877. VI. Further investigation of the adsorption of the aza-indolizines on the silver halide grains of photographic emulsions, 7=3878
Birshtein,T.M. See Ptitsȳn,O.B. 9=13756
Birss,F.W. See Barnett,M.P., 8=3432
Birss,R.R. The saturation magnetostriction of nickel single crystals, 8=2415
Birzgal,A.P. See Gol'din,L.L., 9=2739
Bisby,H., Brown,L.H. and Chapman,D.R. An automatic analyser of uranium content in process streams, 7=3807
Bischoff,K., Justi,E., Kohler,M. and Lautz,G. Metal-resistance bolometers at low temperatures, 5=7893
Bisgaard,K.Maack. See Maack Bisgard,K.
Bishop,F.W. New automatic sharpener for microtome blades, 5=1748. Exposure timer for the electron microscope, 5=4996. Unusually highly biased gun on the electron microscope, 9=8224
Bishop,G.R. A contribution to the establishment of the level scheme of radium C', 8=5278. See also Marin,P., 5=3105
Bishop,G.R. and Bizot,J.C. Study of the 6·89 MeV level of B^{10}, 7=8777
Bishop,G.R., Daniels,J.M., Durand,H., Johnson,C.E. and Perez,J. Polarized γ-rays from oriented ^{54}Mn nuclei, 5=1158
Bishop,G.R. and Demichelis,F. Study of a low intensity component in the β-ray spectrum of $^{214}_{83}Bi(RaC)$, 7=3602
Bishop,G.R., Grace,M.A., Johnson,C.E., Knipper,A.C., Lemmer,H.R., Perez y Jorba,J. and Scurlock,R.G. The

nuclear orientation of cobalt^{57}, 5=9013
Bishop,G.R., Grace,M.A., Johnson,C.E., Lemmer,H.R. and Perez y Jorba,J. Nuclear alignment of ^{147}Nd, 7=5563
Bishop,G.R. and Perez y Jorba,J.P. Spins and parities of excited states of Ce^{140} and Sr^{88}, 5=4868
Bishop,J.F.W. A theory of the tensile and compressive textures of face-centred cubic metals, 5=5674. The physics of clocks and watches, 5=7663
Bishop,J.F.W. and Watkins,M.T. The effect of specimen diameter on the straining of a cylindrical load-cell, 8=3520
Bishui,B.M. See Sen,S.N., 7=7778
Bisi,A. The production and uses of electromagnetically enriched isotopes, 8=4367. See also Asdente,M., 6=7693
Bisi,A., Germagnoli,E. and Zappa,L. Spurious peaks due to multiple backscattering in a single crystal gamma spectrometer, 5=7335. On the decay of $^{51}_{24}$Cr, 6=3139. Solid scintillators for beta ray spectrometry, 6=5968. L/K capture ratio in ^{153}Gd and low-lying levels in ^{153}Eu, 6=7649 A coincidence arrangement for the detection of low energy quanta, 7=3343. Systematics of nuclear decays. I. β- and γ- spectroscopy. II. Spectroscopic regularities, 7=4657. The orbital electron capture decay of ^{185}Os, 7=9358. The low-lying energy levels of ^{151}Eu, 8=2532. L/K-capture ratio in ^{196}Au, 9=7326
Bisi,A., Germagnoli,E., Zappa,L. and Zimmer,E. On the energy distribution and the emission probability of internal bremsstrahlung in $^{71}_{32}$Ge, 5=9886
Bisi,A., Terrani,S. and Zappa,L. The decay of ^{185}W, 5=4012. On the total decay energy in the orbital electron capture of ^{181}W, 5=5599. On the β^--decay of ^{171}Tm, 5=9053. Unique first forbidden beta spectrum of ^{89}Sr, 6=3149. Radiations from ^{178}W, 6=6105. Beta decay of ^{161}Tb and low-lying levels in ^{161}Dy, 6=8345. An investigation of the first rotational level of ^{169}Tm, 7=3534
Bisi,A. and Zappa,L. On the orbital electron capture in ^{195}Au, 5=485. Statistical spread in pulse size of the proportional counter spectrometer, 6=2957. Excited levels of ^{155}Gd, 8=6224. Circular polarization of external bremsstrahlung, 9=2568. On the decay of ^{185}W, 9=2732. Relation between circular polarization and energy for external bremsstrahlung from beta-rays, 9=8444. Magnetic perturbation on circular polarization of external bremsstrahlung, 9=11351
Bisi,A., Zappa,L. and Zimmer,E. Orbital electron capture in ^{179}Ta, 6=7650
Bisi,F. and De Michelis,B. Experiments on a ion source for an electromagnetic isotope separator, 9=7089
Bisi,V. See also Artom,M., 8=7225
Bisi,V., Cester,R., Debenedetti,A., Garelli,C.M., Margem,N., Quassiati,B. and Vigone,M. Nuclear interactions of neutral K-mesons of long lifetime. II, 9=7285
Bisi,V., Cester,R., Debenedetti,A., Garelli,C.M., Quassiati,B., Tallone,L. and Vigone,M. Nuclear interactions of neutral K-mesons of long lifetime, 9=2646
Bisi,V., Cester,R., Garelli,C.M. and Tallone,L. High Z nuclei in cosmic radiation, 9=3614
Bisschop,M.C. See Tollenaar,D., 5=6784
Bisshopp,F.E. On the thermal instability of a rotating fluid sphere, 9=13213
Bisson,A. See Frisby,H., 9=10269
Bissot,T.C. See Taylor,R.C., 7=2069
Bistline,J.A. and Hofmann,C.S. High-temperature critical facility, 9=6153*
Biswas,A.B. See Bhatnagar,H.L., 8=1547; Irani,K.S., 8=2668; Sinha,K.P., 5=4267
Biswas,D.C. The Raman spectra of m- and p-xylene in the solid state at different low temperatures, 5=861. Raman and fluorescence spectra of ortho and para bromotoluene in the solid state at low temperatures, 5=3641. Raman spectra of ortho and meta dichlorobenzene in different states and at different temperatures, 5=8638. Raman spectra and fluorescence of a few substituted toluenes in the solid state at different low temperatures, 6=2800. An approximate method of calculating the vibration frequencies of 1, 1, 1-trichloroethane molecule, 6=6046. Raman spectra of a few monosubstituted benzene compounds in the solid state at different low temperatures, 6=6539. Raman spectra of solutions of o-dichloro-benzene in methylcyclohexane, 6=7313. On the fluorescence of parachlorotoluene in the solid state at low temperature, 6=8114. On the dependence of the intensity of fluorescence of frozen p-chlorotoluene on the wave-length of the exciting radiation, 7=271. On the fluorescence of para-bromotoluene, ortho-bromo and orrho-chlorotoluene in the solid state at low temperature, 7=6033. Fluorescence spectra of methyl benzoate, m-chlorotoluene and m-bromotoluene, 7=7777. See also Sirkar,S.C., 6=3634
Biswas,M.M. Muonic interactions in dense material, 6=6930. Investigation on the large angle scattering of muons in copper, 9=11384
Biswas,N.N., Ceccarelli-Fabbrichesi,L., Ceccarelli,M., Cresti,M., matter, 5=4092. The dependence of the composite mean life of mu-mesons on the atomic number of the absorber, 6=6923. Mean life of μ mesons in elements and compounds, 7=8180. See also Alles,W., 8=1197, 9=3800, 9=7284; Barkas,W.H., 9=11396; Bhowmik,B., 7=8866
Biswas,N.N. and Ceccarelli,M. On the Σ^- capture and the Λ–nucleon cross-section, 8=6195
Biswas,N.N., Ceccarelli,M. and Crussard,J. Angular distribution of the μ-decay as test of parity conservation, 7=9916
Biswas,N.N., Ceccarelli,M. and Schmitz,N. Remarks on nuclear scattering of K$^+$-mesons, 9=6143
Biswas,N.N., Ceccarelli-Fabbrichesi,L., Ceccarelli,M., Gottstein,K., Gottstein,K., Varshneya,N.C. and Waloschek,P. Interactions of K$^+$ mesons with hydrogen nuclei at 50 to 110 MeV, 6=7722*
Biswas,N.N., Ceccarelli-Fabbrichesi,L., Ceccarelli,M., Gottstein,K., Varshneya,N.C. and Waloschek,P. On the properties of τ^+-mesons, 6=5407. Decay modes of mean life of scattered K$^+$-mesons, 7=741. Further evidence of C^{12} tripartition induced by K$^+$-mesons, 7=3722. Nuclear scattering of K$^+$-mesons in the energy region of 80 MeV, 7=8873
Biswas,N.N. and Sinha,M.S. The variation of the mean life of muons with the atomic number of absorber, 7=8179
Biswas,S. See also Appa Rao,M.V.K., 8=7146
Biswas,S., George,E.P., Peters,B. and Swamy,M.S. Mass determination on steeply dipping tracks in emulsion block detectors, 5=7596
Biswas,S., Peters,B. and Rama. Scattering measurements in nuclear emulsions and their application to measuring the charge of primary cosmic ray nuclei, 5=7171
Biswas,S., Prasad,N.D. and Mitra,S. Multiple scattering measurements on high energy protons with long cell lengths, 8=271
Biswas,S.G. and Sirkar,S.C. X-ray analysis of structure of frozen toluene and its solution in alcohol at −180 °C, 9=11635
Biswas,S.N. Many-body scattering problem in momentum space, 6=2666. Fredholm theory and Hankel transform of the Schrödinger equation, 6=2686. "Composite" model for K-mesons, 8=2499. Distribution of K-mesons produced in high energy nuclear interactions, 8=8087. Associated production by non-local interaction, 9=9994 See also Kumar,K., 9=8449; Pandit,L.K., 9=12596
Biswas,S.N. and Green,H.S. Radially symmetric solutions of Bethe–Salpeter equation, 7=5835
Bitetto,D.J.De. See De Bitetto,D.J.
Bitler,W.R. See also Coles,B.R., 6=6780
Bitler,W.R., Yang,L. and Derge,G. Measurement of the thermoelectric power of a molten FeS—solid tungsten thermocouple, 8=197
Bittel,H. Preparation of extremely thin metallic threads, 5=7461. The statistics of ferromagnetic elementary processes and their influence on Barkhausen noise, 7=8021. See also Müser,H.E., 5=9641
Bittel,H. and Scheidhauer,K. On the question of noise in metallic conductors, 7=362
Bittel,H. and Voss,B. The mean free path of conduction electrons in copper, 6=8177
Bittel,H. and Westerboer,I. The coupling of Barkhausen jumps resulting from magnetic after-effect, 9=12450
Bitter,F. See also Bjorken,J.D., 7=4548; Sagalyn,P.L., 8=8681; Waymouth,J.F., 6=3760, 6=5798, 7=1208
Bitter,F. and Brown,H.H.,Jr. Microinhomogeneities in magnetic fields, 7=4549
Bitter,F., Davis,S.P., Richter,B. and Young,J.E.R. Optical studies of radioactive mercury, 5=1681
Bitter,F. and Waymouth,J.F. Radiation temperature of a plasma, 7=428
Bitterli,C.V. See Mahan,A.I., 9=6790
Bittman,C.A. and Bemski,G. Lifetime in pulled silicon crystals, 8=7952
Bittner,G. On wave propagation in a "plasma cable" with external magnetic field, 9=5839
Bittner,J.W. Production of doubly charged helium ions, 5=1949
Bittner,J.W. and Moffat,R.D. Elastic scattering of alpha particles

by carbon, 5=483

Bivins,R. See Dostrovsky,I., 9=3884; Metropolis,N., 9=654-5

Bizette,H., Terrier,C. and Tsaï,B. Principal magnetic susceptibilities of ferrous chloride, 7=2405. Principal magnetic susceptibilities of anhydrous cobalt and nickel chlorides, 7=4545. Principal magnetic susceptibilities of ferrous bromide and iodide, 7=9268. Principal magnetic susceptibilities of cobaltous bromide and iodide, 8=3245

Bizette,H. and Tsaï,B. Mean magnetic susceptibility of the cobalt oxide CoO and the solid solutions 90 CoO-10 NiO and 91·7 CoO-8·3 CuO, 5=8078. Magnetic susceptibility of cupric oxide CuO, 5=8909. Principal magnetic susceptibilities of a crystal of dialogite ($MnCO_3$), 6=462. Magnetic properties of neutral crystalline anhydrous nickel carbonate $NiCo_3$, 6=469. Principal magnetic susceptibilities of a natural crystal of ilmenite ($TiFeO_3$), 6=6002

Bizot,J.C. See Bishop,G.R., 7=8777

Bizzarri,R. See Alexander,G., 6=687, 9=1686. Ballario,C., 8=1210; Pless,I.A., 8=690

Bizzarri,U. See Ageno,M., 9=13383; Alberigi,A., 9=11143

Bizzeti,P.G., Dagliana,M.G., Della Corte,M. and Tocci,L. Photometric analysis of the tracks in the nuclear emulsions. III. Effect of the development on the photometric width, 9=2558

Bizzeti,P.G. and Della Corte,M. Photometric analysis of the tracks in the nuclear emulsions. II. Measurement of photometric width, 8=1148. On the thinning down of tracks of heavy nuclei in nuclear emulsions, 9=5979

Bjerke,K. Visual determinations of ascending velocities in some eruptive solar prominences, 8=7661

Bjerregaard,J.H. See also Huus,T., 7=1501

Bjerregaard,J.H. and Meyer-Berkhout,U. Coulomb excitation of rotational states of the nuclei Gd^{155} and Gd^{157}, 7=613

Bjork,R.L. Impurity-induced localized modes of lattice vibration in a diatomic chain, 7=4864

Bjorken,J.D. and Bitter,F. Field homogeneity and pole distribution, 7=4548

Bjorken,J.D. and Drell,S.D. Tridents, μ pairs, and quantum electrodynamics at small distances, 9=9924

Bjorken,J.D., Drell,S.D. and Frautschi,S.C. Wide-angle pair production and quantum electrodynamics at small distances, 9=3734

Bjorklund,F., Blandford,I. and Fernbach,S. Analysis of elastic scattering and polarization of 300 MeV protons, 8=8318

Bjorklund,F. and Fernbach,S. Optical-model analyses of scattering of 4·1, 7, and 14 MeV neutrons by complex nuclei, 8=8978

Bjorklund,F.E., Fernbach,S. and Sherman,N. Optical model of nucleus with absorbing surface, 6=5312

Björklund,K. Determination of the tensile strength of porecelain. Problems and methods, 8=7568

Björklund,O. Stabilized light intensity and small line width using u.h.f. excitation, 8=4852

Bjorkstam,J.L. and Uehling,E.A. Deuteron magnetic resonance spectrum and relaxation in KD_2PO_4, 9=9836

Björnerstedt,R. See Löw,K., 9=1985

Björnerud,E.K. Photometric determination of ionization of cloud-chamber tracks, 5=9728. See also Penner,S.S., 5=2677

Björnhaug,A. and Krogh-Moe,J. A method for structure determination in simple centrosymmetrical systems, 6=816

Bjørnholm,S., Nathan,O., Nielsen,O.B. and Sheline,R.K. Low lying levels in Th^{228}, 8=5273

Bjørnholm,S., Nielsen,O.B. and Sheline,R.K. A microchemical method for the preparation of sources of actinium and europium for β-ray spectroscopy, 7=4653

Bkouche,R. Study of a Weyssenhoff fluid in an electromagnetic field, 9=7764

Black,G. Use of electronic digital computors in optical design, 5=3544. Ultra high-speed skew-ray tracing, 5=7817. On the automatic design of optical systems, 6=184

Black,G. and Linfoot,E.H. Spherical aberration and the information content of optical images, 7=5965

Black,I.A., Bolz,L.H., Brooks,F.P., Mauer,F.A. and Peiser,H.S. A liquid-helium cold cell for use with an X-ray diffractometer, 9=4109

Black,J., Ku,S.M. and Minden,H.T. Some semiconducting properties of HgTe, 9=3474

Black,J.W. The reception of repeated and overlapping speech patterns, 5=6852

Black,M.H. See Florence,J.M., 6=3632; Glaze,F.W., 8=3013

Black, P.J. The measurement of electron transfer by X-ray diffraction methods, 5=3288. Brillouin zones of some intermetallic compounds, 5=5112. Oblique projections, 6=815

Black,P.J. and Taylor,W.H. Attempt to determine electron configurations in aluminum-rich alloys of transition metals, 8=3585

Black,R.D. Ear-insert microphone, 7=4073

Black,R.M. Effect of temperature upon the cross-linking of polyethylene by high-energy radiation, 7=836. See also Alexander,P., 5=10038

Blackburn,D.H. See Glaze,F.W., 8=3013

Blackman,L.C.F. Influence of copper and vanadium on the sintering of magnesium-type ferrites, 8=3237

Blackburn,P. See Speiser,R., 9=3387

Blackburn,P.E. See Hoch,M., 5=3699

Blacker,P.T. and Harris,D.M. A variable area flowmeter using radioactive isotope techniques, 9=3194

Blackett,J.H. See Hawksley,P.G.W., 5=1278

Blackie,J. and Littlefield,T.A. Vacuum wave-length measurements in the ultra-violet spectrum of isotope neon-20, 5=5306. Envelope displacement of reflecting echelon fringes, 5=7875. Vacuum wavelength measurements in the ultra-violet spectrum of iron, 6=4294

Blackledge,J. See Hush,N.S., 5=4848

Blackman,L.C.F. A review of the structure and some magnetic properties of ferrites, 5=9275. Comments on the note by W.P.Osmond (1956) on "The temperature-dependent resistivity of certain iron deficient magnesium manganese ferrites", 7=3439. Low loss magnesium manganese ferrites, 7=4539. An investigation into the magnesium and magnesium—manganese ferrite systems, 9=1885. Cooperative magnetism in oxide structures. I. Antiferromagnetism and ferromagnetism, 9=7156. See also ferrites, 6=6779

Blackman,L.C.F. and Sherry,N.P.R. Note on an investigation of the anomalous time-constant of certain iron deficient magnesium manganese ferrites, 6=6779

Blackman,M. The initial stages of the formation of thin metallic layers obtained by thermal evaporation on a crystalline surface, 6=6960. A note on the Debye—Waller theory, 7=869. On the thermal expansion of solids, 7=8558. The use of "magnetic inks" in domain structure investigation, 8=5126. On negative volume expansion coefficients, 9=778. See also Lisgarten,N.D., 7=913

Blackman,M. and Grünbaum,E. Observation of magnetic domains in electron shadow photographs, 7=2432. An investigation into the effect of magnetic domains in cobalt on an electron beam, 8=651. Study of the magnetic leakage field in cobalt by means of a divergent electron beam, 8=1129. Magnetic effects on the electron diffraction patterns from a cobalt crystal, 8=4535. The variation with temperature of the magnetic leakage field in cobalt, 8=5117

Blackman,M., Haigh,G. and Lisgarten,N.D. A new method of observing magnetic transformations, 7=9753

Blackman,M. and Lisgarten,N.D. The cubic and other structural forms of ice at low temperature and pressure, 7=5744. Electron diffraction investigation into the cubic and other structural forms of ice, 8=6520

Blackman,V. See Griffith,W., 6=5731

Blackstock,A.W., Birkhoff,R.D. and Slater,M. An electron accelerator and high resolution analyzer, 5=4716

Blackstock,A.W., Ritchie,R.H. and Birkhoff,R.D. Mean free path for discrete electron energy losses in metallic foils, 6=410

Blackwell,D.E. The excitation temperature of the solar chromosphere determined from molecular spectra, 7=3915. The zodiacal light and the nature of interplanetary gas, 8=2740. The transition from the ionosphere to interplanetary space, 8=4562. Observations from an aircraft of the zodiacal light at small elongations, 9=2011. A study of the outer corona from a high altitude aircraft at the eclipse of 1954 June 30. I. Observational data, 9=2015

Blackwell,D.E. and Dewhirst,D.W. The operation of a miniature camera by remote control, 7=7531

Blackwell,D.E., Dewhirst,D.W. and Dollfus,A. Solar granulation and its observation from a free balloon, 7=9503

Blackwell,J.H. The axial-flow error in the thermal-conductivity probe, 6=3671

Blackwell,J.H., Fewer,D.R., Allen,L.J. and Cass,R.S. An audio-frequency circuit model of the one-dimensional Schroedinger equation and its sources of error, 5=8439

Blackwell,L.A. See Sponer,H., 9=212

Bladel,J. Van. See Van Bladel,J.

Blades,A.T., Fleming,W.H. and Thode,H.G. The ratio of xenon to krypton in U^{235} fission, 7=730

Blades,A.T. and Thode,H.G. The branching ratio of Kr^{85m} from fission yield studies, 6=600

Blades,H. and Hodgins,J.W. Absorption spectra of metals in solution, 5=4532

Blades,J.D. See also Ludeke,C.A., 8=8631

Blades,J.D. and Tracy,R.A. Slow remagnetization times in 4—79 molybdenum Permalloy, 7=8009

Bladier,B. New study of the vibration of strings in musical instruments, 5=2529. The effect of bow speed and pressure on the vibration speed of catgut strings, 5=8558. New researches concerning the vibration of the strings of the violoncello, 6=4897. On a transient state resulting from excitation of a string by a bow, 7=4037. See also Canac,F., 5=1648

Bláha,A. Some mathematical relations in the electric arc and glow discharge and the definition of these discharges, 8=198. Progress in the theory, construction and application of the thermal and ionization vacuum gauges, 9=7853

Blaha,F. Some growth patterns on Cd crystals, 7=4859. Tertiary translation of the basal planes of Zn crystals, 7=6693

Blaha,F. and Langenecker,B. Tensile deformation of zinc crystals and effect of ultrasound, 6=2481

Blaha,F., Marinelli,S. and Schmid,E. Work relaxation of crystals of cadmium, zinc and aluminium formed from molten materials, 7=6653

Blaine,L.R. See Allen,H.C.,Jr, 6=1977, 6=8105, 7=4152, 9=201; Pyler,E.K., 5=2545, 6=3607, 6=6513, 7=5973, 8=3855, 8=3860, 9=4435

Blair,G.E. See Kreidl,N.J., 6=3969, 6=5346

Blair,J.M. See Hill,H.A., 7=1592, 9=2796; Holmgren,H.D., 5=2163; Stratton,T.F., 5=5630

Blair,J.M., Hintz,N.M. and Van Patter,D.M. Radiative capture of deuterons by He^3, 5=1199

Blair,J.S. Deuteron cross sections for high energy projectiles, 8=5395. Elastic α angular distributions in the sharp cutoff model, 8=9003. See also Kerlee,D.D., 8=326

Blair,J.S. and Henley,E.M. Inelastic scattering from light nuclei — the alpha-particle model for Be^9, 9=3806

Blais,N.C. and Watson,W.W. (d, p) Reactions with Kr^{78} and Kr^{80}, 7=1603

Blaise,A. See Dautreppe,D., 5=1093

Blaise,J. Isotopic shift in the λ 4416 Å line of Cd II, 5=6903. Studies of isotopic displacement in atomic spectra of heavy elements, 9=12023

Blaise,J., Chabbal,R. and Jacquinot,P. Hyperfine structure of an infrared line of mercury, 5=2567

Blaise,J. and Chantrel,H. Hyperfine structure in the arc spectrum of mercury and quadrupole moment of Hg^{201}, 7=8508. On the hyperfine structure of the 5461 A line of mercury, 8=6804

Blaise,J., Gerstenkorn,S. and Louvegnies,M. Spin of U^{235} and ratios of the nuclear moments of U^{235} and U^{233}, 7=8783

Blaise,P. The chromatic dispersion of a Fresnel lens, 9=6687

Blaisse,B.S. Polarized beam interferometer, 7=2081. See also Bouwers,A., 5=6877

Blaisse,B.S., van den Boogaart,A. and Erné,F. The electrical breakdown in liquid helium and liquid nitrogen, 9=13347

Blake,C., Chase,C.E. and Maxwell,E. Resistance thermometer bridge for measurement of temperatures in the liquid helium range, 8=7871

Blake,N.W. and McClure,D.S. Delayed singlet—singlet emission from molecular crystals, 9=1307

Blakemore,J.S. Photoconductivity in indium-doped silicon, 6=8797. Properties of gallium indium antimonide, 7=3271. The Fermi level in germanium at high temperatures, 8=3115. Lifetime in p-type silicon, 8=4992. See also Nomura,K.C., 9=2320

Blakewood,C.H. See Wheeler,R.G., 6=296

Blakewood,C.H., Walmsley,R.H. and Lane,C.T. Rotational attenuation of second sound in helium II, 7=2135

Blakney,R.M. See also Davis,T.P., 5=661

Blakney,R.M. and Dexter,D.L. The effect of dislocations on the optical absorption edge in non-metals, 5=2305, 5=5712

Blamont,J.E. Observations of atmospheric emission of the sodium D-lines by means of an apparatus employing magnetic line scanning, 6=9124. Researches upon the Stark effect of the atom of mercury by the magnetic resonance method, 8=6801. See also Guiochon,M.A., 7=5974, 7=6071

Blamont,J.E. and Brossel,J. Stark effect of the 6^3P_1 level of the mercury atom, 7=6464

Blamont,J.E. and Courtès,G. A new procedure for the photometric study of monochromatic emissions from the night sky, 6=835*. Study of the polarization of the light of globular clusters, 6=1795. The transition probability in an excited atomic system with three unequally spaced energy levels, 7=5567

Blan,L. Le. See Le Blan,L.

Blanc,D. The behaviour of Geiger–Müller counters with an external graphite cathode at high counting rates, 5=2809. The influence of the region of limited proportionality on thresholds of Geiger counters with glass tubes and external graphite cathodes, 5=2812. On the measurement of recovery times of Geiger–Müller counters at the Geiger threshold, 5=4748. On the subject of sensitive volumes of Geiger–Müller counters with external cathode, 5=7141. On the response of glass Geiger–Müller counters with external graphite cathodes to intense irradiation with gamma-rays, 6=424. The influence of the effective length and cylinder diameter on the plateau curve of Geiger—Müller counters with glass tube and external graphite [cathode], 8=2437. Particle detectors — counters and scintillators. Their mechanism and construction, 9=11299

Blanc,D. and Degeilh,A. An electron bombardment ion source, 8=8062. On the use of a diaphragm inside the extraction canal of an h.f. ion source, 9=9711

Blanc,D., Fort,É., Lacoste,R. and Lagasse,J. On the use of ionization chambers as current sources, 9=12393

Blanc,D. and Viste,R. On the temperature coefficient of Geiger—Müller counters with external cathodes and containing an organic vapour, 5=8850. The temperature coefficient and thermal stability of self-quenching Geiger–Müller counters containing an organic vapour, 6=5963

Blanc,J. See Vergnoux,A.M., 7=4249

Blanc,M.A.R. Le. See Le Blanc,M.A.R.

Blanc-Lapierre,A., Casal,P. and Tortrat,A. Mathematical methods of statistical mechanics, 9=6540

Blanc-Lapierre,A. and Dumontet,P. The concept of coherence in optics, 5=4563

Blanc-Lapierre,A., Goudet,G. and Lapostolle,P. On the fluctuations in the cathode emission of electronic valves, 5=7166

Blanc-Lapierre,A. and Nifontoff,N. Conduction mechanism in granular thin films and relation to the scintillation effect, 6=6615

Blanc-Lapierre,A. and Perrot,M. Electrical conductivity of thin films of metal, 5=2725

Blanc-Lapierre,A., Perrot,M. and Péri,G. Comparison between the transmission of information in optics and in radio-electricity, 5=6874

Blanc-Lapierre,A. and Tortrat,A. On certain probability laws with exponential weight in statistical mechanics, 9=1101

Blanch,G. and Ferguson,H. Remarks on Chandrasekhar's results relating to Heisenberg's theory of turbulence, 9=3190

Blanchard,C.H. and Winter,R.G. Is H^5 particle stable? 8=3315

Blanchard,D.C. Electrically charged drops from bubbles in sea water and their meteorological significance, 9=4149

Blanchard,M.L. On the existence, for zinc oxide, of several distinct mechanisms of Debye dipole absorption, 7=5303. See also Freymann,R., 7=4346; Hagene,B., 7=2164

Blanchard,M.L., Le Bot,J. and Corneteau,H. On the observation at very low temperatures of a Debye dipole absorption band in zinc oxide. (Activation energy of order 0·05 eV), 7=2165

Blanchard,M.L. and Martin,M. The effect of Cu,Zn and Li impurities on the dielectric properties of zinc oxide, 9=10945

Blanchetais,Ç. Henry la. See Henry la Blanchetais,C.

Blancheton,É. Variational equations of general relativity, 9=27. On the energy—momentum tensor for electromagnetic fields, 9=4829

Blanco,V.M. Some remarks on the (U, B, V) system, 6=5608. Band-width effects in photoelectric photometry, 7=8356

Bland,D.R. and Lee,E.H. Calculation of the complex modulus of linear viscoelastic materials from vibrating reed measurements, 6=4701

Bland,G.F. See Cedarholm,J.P., 9=1030

Bland,J.A. The thermal expansion of cubic barium titanate ($BaTiO_3$) from 350 °C to 1050 °C, 9=6834

Blandford,I. See Bjorklund,F., 8=8318

Blandin,A. and Barrat,J.P. Optical orientation of caesium atoms in saturated vapour, 7=6468

Blandin,J. and Rose,J. X-ray emission spectra of the rare earths, 7=8652

Blandin-Vial,J. Absorption of α-particles in matter by magnetic deviation, 7=1555. See also Prugne,P., 6=1645

Blank,A.A. Axiomatics of binocular vision. The foundations of metric geometry in relation to space perception, 8=2717. Analysis of experiments in binocular space perception, 9=4167

Blank,H. Plastic behaviour of magnetized nickel crystals, 7=6350

Blank,K. See Hersping,A., 9=1415

Blank,V.Z. Behaviour of the vertex part at high energies, 6=4810. Application of the renormalization group to various scattering problems in quantum electrodynamics, 7=8378*

Blank,V.Z., Bonch-Bruevich,V.L. and Shirkov,D.V. Note on the group of multiplicative renormalization in the quantum theory of fields, 8=1536

Blank,V.Z. and Isaev,I.S. Approximate dispersion relations for the scattering of nucleons by nucleons, 8=3290

Blank,V.Z. and Shirkov,D.V. Asymptotic investigation of vertex part in quantum electrodynamics, 7=5040. Improvement of quantum electrodynamics perturbation theory with help of the renormalization group, 7=5829. Inverse dispersion relations, 8=6113

Blanke,W. and Lohmann,A. Study of intensity distribution in multiple-beam interference, 9=1331

Blankenbecler,R. Integrals over the Fermi function, 7=4960. Improved sum rule for electron—deuteron scattering, 9=3730

Blankenbecler,R., Goldberger,M.L. and Halpern,F.R. Elastic neutron—deuteron scattering, 9=13554

Blankenship,J., Fitzgerald,R.B. and Lane,R.N. Comparison of objective and subjective observations on music rooms, 5=7801

Blanpain,R. On the electronic component of the specific heat of transition metals, 7=7831. On the electronic specific heat of rhenium, 7=7832

Blanpied,W.A. Polarization of scattered protons near 17 MeV, 9=6110. See also Powell,R.L., 5=2658

Blanquet,P. Theoretical calculation of the time development of a branched chain reaction, 6=1677

Blaquière,A. On orbits in the strong-focusing cosmotron in linear approximation, 5=1914. See also Grivet,P., 9=10634

Blaschke,W.S. The adjustment of optical systems, 8=1586

Blaschke,W.S.S. Field aberrations in wide aperture optical systems, 5=823. A procedure for the differential correction of optical systems allowing large parameter changes, 6=3594

Blaser,J.P. See also Ashkin,J., 5=1228, 6=2443, 7=3719

Blaser,J.P. and Bonanomi,J. Comparison of an ammonia maser with a caesium atomic frequency standard, 9=3078

Blässer,G. Resonance capture of neutrons in heterogeneous systems, 9=11479. See also Koppe,H., 9=3750

Blatt,F. See Burstein,E., 6=8787, 9=4570, 9=5677

Blatt,F.J. Effect of screening on solute diffusion, 5=9170. Effect of point imperfections on the electrical properties of copper. I. Conductivity, 6=321; II. Thermo-electric power, 6=2129. Influence of exchange and correlation of electron transport in metals, 6=4389. Hall and drift mobilities; their ratio and temperature dependence in semiconductors, 7=4328. Ultrasonic attenuation in germanium and silicon, 7=5133. Residual resistivity of copper and silver alloys: dependence on periodic table, 8=7899. Residual resistivity of gold alloys: dependence on periodic table, 8=7900. The magnetic susceptibility of metals, 9=9759. See also Bardeen,J., 7=7924; Kropschot,R.H., 9=5672

Blatt,J.M. Integral equations for cascade showers, 5=1967. Theory of tracks in nuclear research emulsions, 5=9340. Pair correlations in dilute gases at low temperatures, 6=8034. The second virial coefficient near absolute zero, 6=8035. See also Biedenharn,L.C., 8=5254; Butler,S.T., 6=1869, 7=326; Derrick,G., 9=1690; Kalos,M.H., 5=1961, 6=7614; Lustig,H., 6=2193; Schafroth,M.R., 6=3750, 7=3303, 7=8637

Blatt,J.M., Butler,S.T. and Schafroth,M.R. Superfluidity of liquid helium, 7=327

Blatt,J.M. and Butler,S.T. Superfluidity of a boson gas, 5=1777. Superfluidity of an ideal Bose-Einstein gas, 6=1171. Some comments on K$^-$ interactions at rest, 6=4665

Blatt,J.M., Butler,S.T. and Schafroth,M.R. Statistical mechanics of rotating buckets, 6=1868

Blatt,J.M. and Derrick,G. Repulsive core forces in the triton, 9=1691

Blatz,H. See Eisenbud,M., 5=470

Blau,E.J. and Mulligan,B.W. Raman spectrum of triethylborane, 7=6038

Blau,M. Hyperfragments and slow K-mesons in stars produced by 3-BeV protons, 6=4001

Blau,M. and Oliver,A.R. Interaction of 750-MeV π^- mesons with emulsion nuclei, 6=4666

Blaugrund,A.E. See Ramberg,Y., 7=6265

Blauth,E. On the energy distribution of the secondary electrons liberated by protons in gases, 7=7176

Blave,A. and Grard,F. Automatic recording beta-spectrometer, 9=3868

Blazhnova,E.I., Mokrintseva,A.I. and Kas'yanova,V.I. Luminophors for colour television based on ZnS.ZnSe, 7=7770

Bleakney,H.H. An evaluation of the recovery theory of creep, 5=4134

Bleakney,W. See Griffith,W.C., 5=806

Bleaney,B. Nuclear moments of the lanthanons from paramagnetic resonance, 6=1480. Magnetic resonance in manganese fluoride, 7=2806. See also Baker,J.M., 5=4871, 6=1479, 6=2321, 6=7631, 7=2490, 8=4441, 9=13455

Bleaney,B., Bogle,G.S., Cooke,A.H., Duffus,R.J., O'Brien,M.C.M. and Stevens,K.W.H. Paramagnetism of caesium titanium alum, 5=2885

Bleaney,B., Bowers,K.D. and Ingram,D.J.E. Paramagnetic resonance in diluted copper salts. I. Hyperfine structure in diluted copper Tutton salts, 5=2888

Bleaney,B., Bowers,K.D. and Pryce,M.H.L. Paramagnetic resonance in diluted copper salts. III. Theory, and evaluation of the nuclear electric quadrupole moments of ^{63}Cu and ^{65}Cu, 5=2890

Bleaney,B., Bowers,K.D. and Trenam,R.S. Paramagnetic resonance in diluted copper salts. II. Salts with trigonal symmetry, 5=2889

Bleaney,B. and Hayes,W. Paramagnetic resonance of impurities in NaF, 7=9978

Bleaney,B., Hayes,W. and Llewellyn,P.M. Radiation damage in lanthanum magnesium nitrate crystals containing radioactive isotopes, 7=6725

Bleaney,B., Hutchison,C.A., Jr, Llewellyn,P.M. and Pope,D.F.D. Paramagnetic resonance absorption in ^{235}UCl$_3$, and the nuclear electric quadrupole moment of ^{235}U, 7=2486

Bleaney,B., Llewellyn,P.M. and Jones,D.A. Paramagnetic resonance of uranium ions, 7=2489

Bleaney,B. and Low,W. Nuclear spins and ratio of magnetic moments of europium 151 and 153, 5=3004

Bleaney,B. and O'Brien,M.C.M. Paramagnetic resonance in some complex cyanides of the iron group. II. Theory, 7=2491

Blears,J. See also Butt,E.P., 9=5084

Blears,J. and Greer,E.J. Vacuum system design [in Zeta T], 9=4358

Blechar,T. See Goranson,R.W., 6=1666

Bleecher,H. See Danforth,W.E., 8=3624

Bleiberg,M.L., Jones,L.J. and Lustman,B. Phase changes in pile-irradiated uranium-base alloys, 7=1662

Bleichert,A. See Wagner,R., 7=8329

Bleil,C.E. See also Snyder,D.D., 9=6987

Bleil,C.E., Snyder,D.D. and Sihvonen,Y.T. Bombardment of cadmium sulfide crystals with 30 to 60 keV electrons, 9=4047

Bless,R.C., Gartlein,C.W. and Kimball,D.S. East-west motions in the aurora, 5=9309

Blet,G. Electronic interpretation of inertia effects in barrier photocells (particularly internal capacity), 5=2733. Photoelectric effect of selenium photopiles at low temperatures, 5=4672. Photomagnetoelectric effect in selenium barrier-layer photopiles, 5=5419. Modifications to the spectral sensitivity curve of selenium photocells caused by temperature variations, 6=2888. On a variable-speed recorder, 6=4796. Long time constants in selenium photocells, 7=1307. On the influence of the near infra-red at low temperatures on the properties of selenium photocells, 7=2245. Theoretical interpretation of the Hamaker—Beezhold ballistic effect in blocking layer photocells, 7=4366. An anomaly in the forward and reverse conductivities of a selenium photocell cooled to low temperature and reactivated by infrared, 7=5343. Resensitization of selenium photocells at low temperatures by the action of near infrared radiation, 7=5344. Apparatus for the study of photoelectric cells at low temperatures, 7=6184. Effect of temperature on the height of the potential barrier in selenium photocells, 7=7117. On the internal resistances and capacity of selenium photocells at low temperatures, 7=8632. Spontaneous appearance at low temperatures of an electromotive force in selenium photocells, 8=3130. On the creation of electric charges by cooling a selenium photocell, 9=4540. See also Talbot,D., 8=3953; Vidal,D., 9=3522

Blet,G. and Ritti,A. The Hamaker—Beezhold effect. Detailed study of the phenomenon and of the possibilities of suppressing it, 7=400

Blet,G. and Vincent,J. Effect of a magnetic field on the sensitivity of a selenium photoelectric cell, 9=9651

Blet-Talbot,D. Scattering of polarized light by magnesia, 6=4349. Study with the Chevenard thermobalance and the electron microscope of magnesia carbonated and hydrated by moist air, 7=6639. Setting up of a microcalorimeter for the study of semiconductors, 8=3993. Demonstration by a microcalorimetric method of a new phenomenon in the interior of selenium photocells, 9=3499

Blet-Talbot,D. and Blet,G. Data on the transitory curve obtained with a microcalorimeter, 8=3953

Bleuler,E. See also Blue,J.W., 6=1522; Gailar,O.H., 9=3903; Morinaga,H., 7=653; Seidlitz,L., 8=5364; Thieme,M.T., 6=2379, 6=3948

Bleuler,E. and Tendam,D.J. Elastic scattering of 19-MeV alpha particles by Al and Cu, 6=640

Bleuler,K. and Terreaux,C. The absorption of π-mesons by heavy nuclei, 5=3124. On the shell model of the atomic nucleus, 5=6384. Nuclear levels and shell structure, 7=8775

Blevin,H.A. and Haydon,S.C. The Townsend ionization coefficients in crossed electric and magnetic fields, 8=5077. The theoretical evaluation of the Townsend coefficient α/p for hydrogen, 8=5998. The electrical breakdown of gases in the presence of crossed electric and magnetic fields, 8=7997

Blevin,H.A., Haydon,S.C. and Somerville,J.M. Effect of gaseous impurities on the first Townsend coefficient in hydrogen, 7=6306

Blevin,W.R. Ageing of neutral glass filters, 9=9450

Blevins,G.S. See also Jache,A.W., 5=2590

Blevins,G.S., Gordy,W. and Fairbank,W.M. Superconductivity at millimetre wave frequencies, 6=1253

Blevins,G.S., Jache,A.W. and Gordy,W. Millimeter wave spectra of AsH_3 and AsD_3, 5=2585

Blevins,M.E. See also Block,M.M., 6=6919

Blevins,M.E., Block,M.M. and Leitner,J. π^+—p interactions in the energy range around 500 MeV, 9=4937

Blevis,B.C. Ionospheric studies by the lunar radar technique, 8=854. U.H.F. auroral radar observations, 9=10435

Blevis,B.C., Anderson,J.M. and McKay,R.W. The decay of the populations of metastable atoms and ions from the same d.c. discharge in neon, 8=5418

Blewett,J.P. The proton synchrotron, 6=8831

Blewitt,T.H. See also Coltman,R.R., 7=6626; Sherrill,F.A., 8=3556; Thompson,D.O., 6=729, 8=412

Blewitt,T.H., Coltman,R.R. and Klabunde,C.E. Stored energy of irradiated copper, 9=13805

Blewitt,T.H., Coltman,R.R., Klabunde,C.E. and Noggle,T.S. Low-temperature reactor irradiation effects, 7=8205

Blewitt,T.H., Coltman,R.R. and Redman,J.K. Work hardening in copper crystals, 5=6614. Low-temperature deformation of copper single crystals, 8=423

Blifford,I.H., Jr. See also King,P., 6=7898*; Lockhart,L.B., Jr, 9=7694

Blifford,I.H., Jr, Friedman,H., Lockhart,L.B., Jr and Baus,R.A. Geographical and time distribution of radio-activity in the air, 6=9131

Blifford,I.H., Jr, Lockhart,L.B., Jr and Baus,R.A. Relationship between air concentration of radioactive fission products and fallout, 6=7090

Blin,J. Small angle scattering of X-rays by cold-worked metal, 5=6546. Action of high-energy radiations on solids. Effects of radiations on metals, 7=770*

Blin-Stoyle,R.J. Spin-orbit coupling and the density distribution in heavy nuclei, 5=8997. Theories of nuclear moments, 7=624. Collective nuclear motion and the effective mass of a nucleon, 7=6431. On the universal Fermi interaction, 9=2056. See also Amado,R.D., 7=8768; Bell,J.S., 8=6262

Blin-Stoyle,R.J. and Caine,C.A. Configurational mixing in β-decay theory, 7=5597

Blin-Stoyle,R.J., Gupta,V. and Primakoff,H. Mesonic "exchange" effects in beta-decay, 9=8540

Blinc,R. Proton magnetic resonance study in ammonium and silver trihydrogen periodates, 9=13470

Blincoe,C. Radionuclides in fused enamel make stable radiation sources, 7=4658

Blinov,G.A. See also Kuznetsov,E.V., 7=4485

Blinov,G.A., Krestnikov,Yu.S. and Lomanov,M.F. Measurement of the ionizing power of particles in a bubble chamber, 7=3402

Blinov,G.A., Krestnikov,Yu.S., Lomanov,M.F. and Shalamov,Ya.Ya. The use of a mixture of two liquids for a bubble chamber, 8=1802

Blinov,G.A., Krestnikov,Yu.S. and Pershin,I.I. Detection of tracks of ionizing high-energy particles from an accelerator by means of a propane bubble chamber, 7=6301

Blinov,G.A., Lomanov,M.F., Shalamov,Ya.Ya., Shebanov,V.A. and Schegolev,V.A. Interaction of 80 - 300 MeV π^+-mesons with light nuclei, 9=2625

Blinov,V.A. See Khromchenko,L.M., 6=6073

Blinowski,K. See O'Connor,D., 9=6380; Riste,T., 9=8302

Blisnakov,G. and Kirkova,E. The effect of adsorption on the growth of crystals, 9=6365

Blitzer,L. Shifts and asymmetries in condensed spark spectra of electroplated electrodes, 5=6890. Apsidal motion of an IGY satellite orbit, 8=2747. Earth oblateness in terms of satellite orbital periods, 9=4242

Blitzer,L., Weisfeld,M. and Wheelon,A.D. Perturbations of a satellite's orbit due to the earth's oblateness, 7=1036

Blitzer,L. and Wheelon,A.D. Maximum range of a projectile in vacuum on a spherical earth, 7=3031. Oblateness perturbation of elliptical satellite orbits, 7=5016

Bliznakov,G. Influence of adsorption on the equilibrium form and the work of nucleation of crystals, 5=5078. On the growth forms of crystals and the influence of adsorption on the linear speed of crystallization, 6=2529

Bliznakov,G. and Kirkova,E. The influence of the absorption of foreign substances on crystal growth, 6=2530

Bliznakov,G.M. Adsorption of foreign impurities and the mechanism of crystal growth, 9=13897

Bloch,C. On the theory of nuclear level density, 5=9391. The statistical theory of nuclear reactions, 7=1579. The strength function in the statistical theory of nuclear reactions, 7=9377. On the theory of perturbations of bound states, 8=4759. A unified formulation of the theory of nuclear reactions, 8=5336. Determination of the ground state of a system of particles, 8=7700

Bloch,C. and de Dominicis,C. Derivation of the Gibbs potential of a quantum system consisting of a large number of particles, 8=7701. II, 9=6503. III. Constitution of binary collisions, 9=11818

Bloch,C. and Horowitz,J. On the determination of the ground state of a fermion system in the degenerate case, 9=1076

Bloch,C. and Messiah,A. Limits of polarization of an atomic system subjected to a radiofrequency field, 6=529

Bloch,F. Dynamical theory of nuclear induction. II, 6=6079. Generalized theory of relaxation, 7=4631. Theory of line narrowing by double-frequency irradiation, 9=2929

Bloch,I. See also Hsieh,Y.C., 6=2693

Bloch,I. and Hsieh,Y.C. Some properties of nuclear normal modes, 5=445

Bloch-Dassault,P. On the acoustics of supersonic motion, 5=5954

Block,B. Generalized transport theory, 9=4305

Block.L. Model experiments on aurorae and magnetic storm, 5=7549. On the scale of auroral model experiments, 8=8559. On the interplanetary gas and its magnetic field, 9=5301. Cosmic ray orbits in interplanetary magnetic fields, 9=5312. On the shape of the auroral zones, 9=6403

Block.L. and Herlofson,N. Numerical integration of geomagnetic field lines, 8=7616

Block,M., Brucker,B., Chang,C., Kikuchi,T., Meltzer,C., Anderson,F., Pevsner,A., Cohn,H., Harth,E., Leitner,J., Brauiti,G., Franzinetti,C. and Tosi,R. Preliminary results regarding high energy interactions of π^- in a He-bubble chamber, 9=12581

Bloch,M. and Sands,M. Photoproduction of pion pairs in hydrogen, 8=1191. Photoproduction of pion pairs in hydrogen, 9=4944

Block,M.J. Surface tension as the cause of Bénard cells and surface deformation in a liquid film, 7=1948

Block,M.J. and Harwit,M. Free surface of liquids as an optical element, 8=5825

Block,M.M. Phase-space integrals for multiparticle systems, 6=2448. See also Blevins,M.E., 9=4937; Fowler,W.B., 7=701; Slaughter,G.G., 8=2511; Whitten,R.C., 9=3777

Block,M.M., Harth,E.M., Blevins,M.E. and Slaughter,G.G. Observation of electron secondaries from V^0 decays, 6=6919

Block,M.M., Harth,E.M., Cocconi,V.T., Hart,E., Fowler,W.B., Shutt,R.P., Thorndike,A.M. and Whittemore,W.L. Proton—proton interactions at 2·75 BeV, 7=700

Block,M.M., Harth,E.M., Fowler,W.B., Shutt,R.P., Thorndike,A.M. and Whittemore,W.L. Production of heavy unstable particles in a $\underline{p}$-$\underline{p}$ collision, 5=8295

Block,M.M., Harth,E.M. and Sternheimer,R.M. Energy distribution of K mesons produced in nuclei, 6=1560

Block,M.M. and Jastrow,R. Nuclear production of heavy unstable particles, 6=3285

Block,M.M. and King,D.T. Nuclear absorption of a fast charged hyperon, 5=5649
Block,M.M., King,D.T. and Wada,W.W. Electron tridents between 0·1 and 10 BeV, 5=2852
Block,R. See Newson,H.W., 6=6170
Block,R.C. Angular distribution of neutrons scattered by the 2·80 keV resonance in sodium, 9=530
Block,R.C., Haeberli,W. and Newson,H.W. Neutron resonances in the keV region: Differential scattering cross sections, 9=686
Blocker,H.G. See Orr,C., Jr, 5=4403
Blodgett,H.C. See also Jeffress,L.A., 6=4761, 8=8562
Blodgett,H.C., Wilbanks,W.A. and Jeffress,L.A. Effect of large interaural time differences upon the judgment of sidedness, 6=7916
Blodgett,K.B. Removal of copper from germanium, 6=1643. Cleanup of atomic hydrogen, 9=115
Bloem,J. p—n Junctions in photosensitive PbS layers, 7=386. Controlled conductivity in lead sulphide single crystals, 7=2231. Discussion of some optical and electrical properties of Cu$_2$O, 8=2245
Bloem,J. and Kröger,F.A. The interstitial diffusion of Cu in PbS single crystals, 7=7893. Interstitial diffusion of copper in PbS single crystals, 9=1890. Interstitial diffusion of nickel in PbS single crystals, 9=1891
Bloem,J., Kröger,F.A. and Vink,H.J. The physical chemistry of lead sulphide in relation to its semiconducting properties, 5=5414
Bloem,J., van der Houven van Oordt,A.J. and Kröger,F.A. A new luminescence emission in Cu$_2$O, 7=9103
Bloembergen,N. Nuclear magnetic relaxation in semiconductors, 5=3739. Nuclear magnetic resonance in imperfect crystals, 5=5708. Magnetic relaxation in solids, 5=9391. Proposal for a new type solid state maser, 7=1181. Magnetic resonance in ferrites, 7=3444. Spin relaxation processes in a two-proton system, 7=3546. Nuclear magnetic resonance and electronic structure of conductors, 7=9289. Electron spin and phonon equilibrium in masers, 8=7517. Solid state infrared quantum counters, 9=6281. Higher order transitions in double nuclear resonance experiments in solids, 9=13474. See also Artman,J.O., 8=4173; Codrington,R.S., 8=8613; Kushida,T., 7=2804; Solomon,I., 6=7591, Taylor,E.F., 9=5950; Walsh,W.M., Jr, 8=409
Bloembergen,N. and Rowland,T.J. Nuclear spin exchange in solids: Tl^{203} and Tl^{205} magnetic resonance in thallium and thallic oxide, 5=4830
Bloembergen,N., Shapiro,S., Pershan,P.S. and Artman,J.O. Cross-relaxation in spin systems, 9=8354
Bloembergen,N. and Sorokin,P.P. Nuclear magnetic resonance in the cesium halides, 8=4389
Blohinčev,D.I. On a possible limit of applicability of quantum electrodynamics, 9=2050. See also Blokhintsev,D.I., Blokhŷntsev,D.Ȳ.
Blohinčev,D.I., Barašenkov,V.S. and Barbašov,B.M. Nucleon structure and pion—pion interaction, 9=9946
Blohinčev,D.I., Barašenkov,V.S. and Grišin,V.G. Elastic scattering and intrinsic structure of elementary particles, 9=512
Blois,M.S., Jr. Preparation of thin magnetic films and their properties, 5=8311. Evaporated magnetic materials, 5=9772. See also Adams,M., 8=4388; Kon,H., 8=6838
Blois,S. Observation of the semiquinone of benzoquinone, 5=9203
Blok,J. See also Hamers,H.C., 5=4105; van Vliet,K.M., 6=3719, 6=6649, 6=8075
Blok,J. and Jonker,C.C. Comparison between the proton energy spectra of (n, p) and (d, p) reactions, 7=9887
Blokhin,G.P. See Grigorov,K.V., 9=11220
Blokhin,M.A. The pure forms of X-ray spectra, 6=6683. Calculation of the distortion of X-ray spectra introduced by the apparatus, 6=6684
Blokhin,M.A., Busler,I.V., Kramarov,O.P. and Chernyavskaya,I.P. Application of a monitor for X-ray spectral analysis, 9=13354
Blokhintsev,D.I. Theory of nucleons, 5=8496. Non-local and non-linear field theories, 7=5840. Remarks on the validity of the hydrodynamic description of quantum systems, 7=5891. Scattering of fast protons on protons, 7=6286. When does a weak interaction become a strong one? 8=5629. Fluctuations of the nuclear matter, 8=6200. On the possible limit of applicability of quantum electrodynamics, 9=1053. See also Blohinčev,D.I., Blokhŷntsev,D.Y.
Blokhintsev,D.I. and Orlov,V.V. On the propagation of signals in nonlinear electrodynamics, 5=1062
Blokhintsev,L.D. Absorption of polarized μ^--mesons by nuclei. Neutron polarization, 9=12689. See also Dolinskii,E.I., 9=9972, 9=12688; Dolinsky,E.I., 9=8641; Shapiro,I.S., 8=3303, 8=3305
Blokhŷntsev,D.Ȳ. The physical and technical bases of atomic power, 8=7416. See also Blohinčev,D.I., Blokhintsev,D.I.
Blomgren,M. See Schmidt,P.F., 9=12270
Blomstrand,J. See Piccard,J., 5=647
Blons,H. Contribution to the study of the scattering of a plane ultrasonic wave by surfaces of periodic structure, 8=7779
Blood,H.L., Levine,S. and Roberts,N.H. Anomalous polarization in undiluted ceramic BaTiO$_3$, 6=7378
Bloom,A.L. Nuclear induction in inhomogeneous fields, 5=7286. Field-dependent proton relaxation times in solutions of Mn^{++}, 7=2499. See also Bell,W.E., 8=5424, 8=6349
Bloom,A.L. and Packard,M.E. Magnets and magnetic field measurements, 6=2228
Bloom,A.L. and Shoolery,J.N. Effects of perturbing radiofrequency fields on nuclear spin coupling, 5=3978
Bloom,B. See Mehler,A.H., 8=1594
Bloom,J.N. See Chatterjee,S.D., 6=455
Bloom,M. Nuclear spin relaxation in hydrogen. I. The gas, 7=8753; II. The liquid, 7=8754; III. The solid near the melting point, 8=3462. See also van Kranendonk,J., 6=7016; Rocard,J.M., 9=11260
Bloom,M., Harn,E.L. and Herzog,B. Free magnetic induction in nuclear quadrupole resonance, 5=4844
Bloom,M., Robinson,L.B. and Volkoff,G.M. Calculation of frequencies and relative intensities of nuclear spin resonance lines in crystals, 9=2926
Bloom,S. Molecular ringing, 6=6818. Effects of radiation damping on spin dynamics, 8=8938; See also Kivel,B., 5=5311
Bloom,S.D. See also Appel,H., 8=6251; Mann,L.G., 8=6274; Muehlhause,C.O., 6=7735; Toppel,B.J., 7=5555; Turner,C.M., 9=355; Wilkinson,D.H., 7=3645, 7=5556
Bloom,S.D., Glendenning,N.K. and Moszkowski,S.A. Proton—neutron interaction and the (p, n) reaction in mirror nuclei, 9=13550
Bloom,S.D., Toppel,B.J. and Wilkinson,D.H. Isotopic spin selection rules. IX. The 9·58 MeV state of ^{18}O, 7=5554
Bloom,S.D., Turner,C.M. and Wilkinson,D.H. Lifetime of the first excited state of B^{10}, 7=3592
Bloom,W. Cellular responses, 9=10437
Bloomer,R.N. Absorption of oxygen and carbon monoxide by barium alloy getters, 7=3057. Barium getters and oxygen, 7=6940. The lives of electron microscope filaments, 7=7148. The oxidation of evaporated barium films (getters), 7=9037. Barium getters and carbon monoxide, 7=9038. See also Haine,M.E., 9=6609
Bloomer,R.N. and Haine,M.E. The electronic clean-up of gases in sealed-off vacuum systems, 5=3493
Bloomquist,R.E. See v.Krzywoblocki,M.Z., 9=5612
Bloor,D. and Martin,D.H. Ferromagnetic domain sizes in polycrystalline silicon-iron, 9=9779
Blosser,H.G. See also Pettus,W.G., 6=2927
Blosser,H.G., Goodman,C.D. and Handley,T.H. Measurements of (n, α) cross sections at 14 MeV, 8=4323
Blosser,H.G., Goodman,C.D., Handley,T.H. and Randolph,M.L. 14-MeV (n, α) cross-section measurements, 6=1592
Blosser,H.G. and Handley,T.H. Survey of (p, n) reactions at 12 MeV, 6=1563
Blosser,H.G., Worsham,R.E., Goodman,C.D., Livingston,R.S., Mann,J.E., Moseley,H.M., Trammel,G.T. and Welton,T.A. Four-sector azimuthally varying field cyclotron, 9=1545
Blottiau,F. Choice of glasses for achromatizing a thin visual objective, 5=5299. Specifying colours on the basis of measurement with a trichromatic colorimeter, 5=6062. Relation between the distribution functions and the luminous efficiency function, 9=6812
Blough,D.S. Spectral sensitivity in the pigeon, 7=9995. Rise in the pigeon's threshold with a red test stimulus during dark adaptation, 8=6570
Blough,P.M. Difference limen as a function of retinal eccentricity and background brightness, 8=9191
Blount,E., Callaway,J., Cohen,M., Dumke,W. and Phillips,J. Infrared absorption of indium antimonide, 6=2109
Blount,E.I. Energy levels in irradiated germanium, 9=5703, 9=10278. Ultrasonic attenuation by electrons in metals, 9=8807
Blount,E.L. and Cole,A.R.H. Slit drives for single-beam, infra-red spectrometers, 6=1955
Blout,E.R. See also Bird,G.R., 7=2052, 8=8717

Blout,E.R. and Abbate,M.J. Infrared microspectroscopy. IV. A double-beam infrared microspectrometer, 6=1037

Blow,D.M. and Crick,F.H.C. The treatment of errors in the isomorphous replacement method, 9=13922

Bloxsom,D.E.Jr. Electrically driven shock tube, 8=6743. Use of capacitor discharges to produce high-velocity pellets, 9=76

Bludman,S. and Klein,A. Phenomenological analysis of μ decay, 8=691

Bludman,S.A. Extended isotopic spin invariance and meson-nucleon coupling, 6=86. Interpretation of K-meson decays, 7=4759. Some theoretical consequences of a particle having mass zero, 7=9534. On the universal Fermi interaction, 8=7686. Phenomenological analysis of hyperon decay, 9=13578

Bludman,S.A. and Ruderman,M.A. Radiative and nonradiative boson decay into leptons, 6=3262

Blue,J.W. and Bleuler,E. Radioactivity of Sc^{44}, 6=1522

Blue,M.D. and Danielson,G.C. Electrical properties of arc-evaporated carbon films, 8=3081

Bluet,J.C., Epelboin,I. and Quivy,D. On the electric and magnetic spectra of γ-Fe$_2$O$_3$, 8=6940

Blum,E.J. See also Avignon,Y., 7=6824

Blum,E.J., Boischot,A. and Ginat,M. A large [radio] interferometer at Nançay, 8=4629

Blum,A.I. See Bel'skiĭ,A.F., 5=953

Blum,A.S. Simultaneous determination of radiochemical mixtures, 6=8459

Blum,E.J. See also Boischot,A., 6=5620

Blum,F.J., Boischot,A. and Ginat,M. The multiple-aerial interferometer of the station at Nançay, 6=8549

Blum,J.M. Controlled development for nuclear emulsions, 7=3875. New emulsions sensitive to particles, X- or γ-rays, 9=14002

Blum,L. and Cohan,N.V. Orbital following in tetrahedral molecules, 9=12736

Blum,N.A. Recording optical pyrometer, 9=6853

Blum,P. See Bertaut,E.F., 6=7834

Blum,P.A. and Lebeau,A. Method for eliminating slow variations in the recording of pulsations of the terrestrial magnetic field, 6=2566

Blum,S.L. and Sirvetz,M.H. Magnetic resonance studies in the reaction of nickel cobalt ferrite, 9=9796

Blum,W. See Giacconi,R., 9=3693

Blumberg,S. and Porter,C.E. Nuclear fine structure widths and spacings, 8=6227

Blumberg,W.E. and Das,T.P. Hyperfine interactions in F centres, 8=5486. Knight shift in sodium—ammonia solutions, 9=5413

Blume,R.J. Electron spin relaxation times in sodium—ammonia solutions, 8=2857. Direct quartz crystal control of a low-level Pound—Knight—Watkins spin magnetometer, 8=8858

Blumenfeld,H., Booth,E.T. and Lederman,L.M. Improvement in rubber diaphragm cloud-chamber technique, 5=2823

Blumenfeld,H., Booth,E.T., Lederman,L.M. and Chinowsky,W. Associated production and the lifetimes of the Λ^0 and θ^0 particles, 6=6184

Blumenfeld,H., Chinowsky,W. and Lederman,L.M. Observation of production, decay, and interaction of strange particles, 8=4252

Blumová,V. The dependence of the combined resolving power of an objective and a photographic emulsion on the relative aperture of the objective, 9=13135

Blumová,V. and Hrdlička,J. The resolving power of the system, "objective-emulsion", 5=4496. A note on the accuracy of measurement of radius of curvature of proof glasses with a ring spherometer, 6=3514. The influence of a subsequent illumination with infrared rays on the increase of resolving power of the light-sensitive emulsion, 7=8348. The critical relative aperture of a photographic lens having spherical aberration, 9=3258

Blunden,W.R., Hooke,F.H. and Messerle,H.K. A study of aircraft response to sudden and graded wind gusts by means of a differential analyser, 7=6942

Blunt,R.F. See also Breckenridge,R.G., 5=947, 5=3766; Frederikse,H.P.R., 6=3745, 7=7924

Blunt,R.F., Frederikse,H.P.R., Becker,J.H. and Hosler,W.R. Electrical and optical properties of intermetallic compounds. III. Aluminum antimonide, 5=949

Blunt,R.F., Hosler,W.R. and Frederikse,H.P.R. Electrical and optical properties of intermetallic compounds. II. Gallium antimonide, 5=948. IV. Magnesium stannide, 6=1234

Bly,D.A. See Engstrom,R.W., 9=4684

Blyakhman,É.A. Pulse spectrum at the focus of a lens, 8=6762

Blyakhman,É.A. and Chernov,L.A. Dependence of the frequency of field pulsations at the focus of a lens on diaphragm dimensions, 9=9333

Blyumenfel'd,L.A. See Benderskiĭ,V.A., 8=6348

Bö,H. See Andersen,S.L., 9=8578

Boag,J.C. See Russell,M.C.B., 8=1150

Boag,J.W., Dolphin,G.W. and Rotblat,J. Radiation dosimetry by transparent plastics, 9=7238

Boas,W. Stored energy and lattice defects in cold-worked metals, 5=5677

Boato,G. Meaning of deuterium abundance in meteorites, 6=4781

Boato,G., Careri,G., Cimino,A., Molinari,E. and Volpi,G.G. Homogeneous exchange reaction between hydrogen and deuterium, 6=4711

Bobard,F., Boulègue,G. and Chanson,P. On the α-particles emitted by photonuclear reactions in copper, nickel and aluminium, 7=7332

Bobb,L., Goldman,R.B. and Roop,R.W. Design and performance of high-frequency electrostatic speaker, 6=1005

Bobber,R.J. Electronic hydrophone for calibrations at very low frequencies, 5=1638. Acoustic characteristics of a Florida lake bottom, 9=9060. See also Darner,C.L., 5=9495; Sims,C.C., 9=13118

Bobbert,G. and Martin,R. Determination of noise intensity for sound levels varying with time, 7=1984

Böbel,G. Polarization effects in bremsstrahlung, 8=1160

Bobenrieth,A., Millet,J. and Teszner,S. On nickel alloys with high secondary emission coefficients, 5=1907

Bobovich,Ya.S. See also Pivovarov,B.M., 9=12064

Bobovich,Ya.S. and Gurevich,D.B. Application of photoelectric recording method to the Raman spectrum analysis of molecules, 5=4556

Bobovich,Ya.S. and Pivovarov,V.M. On the influence of intermolecular interactions on the intensities of lines in the combination scattering (Raman effect) of the first order, 7=277. Photoelectric recording of spectra of combination [Raman] scattering of powdery materials, 7=1207*

Bobovich,Ya.S. and Tulub,T.P. On the influence of intermolecular interactions in mixtures on the intensity of the lines of the combination scattering [Raman effect], 6=5793. The Raman spectra of certain germanium glasses, 9=9444. Temperature dependence of intensities of Stokes' bands in the Raman spectra of certain solids, 9=9445. Raman spectra and structure of certain inorganic types of glass, 9=13171

Bobrikov,V.P. Effect of wetting of an ionic crystal surface on the choice of one of the equivalent systems of dodecahedral gliding during linear deformation of specimens, 8=4481. See also Stepanov,A.V., 7=5679

Bobrinev,V. and Braginskii,V. Radiation of point charge, moving symmetrically on the axis of a circular hole in an infinite ideal conducting plane, 9=11804

Bobroff,D.L. See Haus,H.A., 8=3173

Bobӯkin,B.V. and Novik,K.M. Identification of the internal conversion spectra of the long-lived isotopes Eu^{152} and Eu^{154}, 8=3358

Bocchieri,P. and Feldman,G. Double pion production and the nature of pseudoscalar coupling, 5=1240

Bocchieri,P. and Gulmanelli,P. Gravitational forces and quantum theory, 7=8369

Bocchieri,P. and Loinger,A. On the relation between the theory of Tomonaga-Schwinger and that of Dirac-Fock-Podolsky, 5=9420. On configurational wave-functions in the theory of fields, 6=91. On a Hamiltonian covariant formulation of the classical theory of fields, 6=2637. An observation on the supplementary condition of electrodynamics, 6=4518. Supplementary condition of the Stückel-Berg field, 6=4804. On the classical limit of Dirac's theory of a single particle, 6=8579. Quantum recurrence theorem, 7=7573. Some comments on the question of the hidden parameter, 7=8372. Ergodic theorem in quantum mechanics, 9=1039. Ergodic foundation of quantum statistical mechanics, 9=9253

Bocchieri,P., Loinger,A. and Prosperi,G.M. Fermion fields and Feynman's method of quantization, 6=5685

Bocchieri,P. and Montaldi,F. On the Hamiltonian operator of beta theory, 8=752

Bocciarelli,C.V. Properties of metal to germanium contacts, 5=3776

Boček,M., Kratochvíl,P. and Valouch,M. The cellular substructure of zinc single crystals prepared by the Czochralski method, 9=5243

Boch,A.L. See Livingston,R.S., 5=8265

Bochagov,B.A., Komar,A.P. and Kocharov,G.E. Fine structure of the α-spectra of U^{234} and U^{238}, 8=743

Bochenek,K. and Plebański,J. On methods of microwave optics, 6=8286. On a certain optical interpretation of the Helmholtz equation, 7=5481

Bochkova,O.P., Razumovskaya,L.P. and Frish,S.É. A simple method of spectral analysis of the purity of inert gases, 9=11616

Bochvar,D.A. See also Almazov,A.B., 7=2483

Bochvar,D.A., Gambaryan,N.P., Stankevich,I.V. and Chistyakov,A.L. Some characteristic symmetries of the eigenfunctions of the Schrödinger equation, 9=9247

Bock,A.De. See De Bock,A.

Bock,I.E. Nuclear particle track photography in electric fields, 8=6101

Bock,R., Doehring,A., Jänecke,J., Knecht,O., Koester,L., Maier-Leibnitz,H., Schmelzer,C. and Schmidt-Rohr,U. A constant frequency cyclotron with one dee, 8=8807

Bock,R., Fuss,E. and Schmidt-Rohr,U. Hardness changes in alkali halide single crystals produced by deuteron bombardment, 9=6292

Bockasten,K. A study of C III by means of a sliding vacuum spark, 5=5979. Polarizability of Mg^{+2} derived from hydrogen-like terms of Mg II, 6=5325. A study of C IV: Term values, series formulae, and Stark effect, 7=234

Bockelman,C. and Lévêque,A. $B^{10}(d,\alpha)Be^{8*}$ reaction, 7=1600

Bockelman,C.K. See also Browne,C.P., 7=4621; Elbek,B., 7=3644; Fenstermacher,C.A., 8=4301, 9=8632; Jung,J.J., 5=1116; Sperduto,A., 5=1201; Squires,G.L., 7=1508

Bockelman,C.K., Braams,C.M., Browne,C.P., Buechner,W.W., Sharp,R.R. and Sperduto,A. Angular distribution of protons from the $Ca^{42}(d,p)Ca^{43}$ reaction, 7=8157

Bockelman,C.K. and Buechner,W.W. Angular distribution of protons from the $Ca^{40}(d,p)Ca^{41}$ reaction, 7=9876

Bockelman,C.K., Lévêque,A. and Buechner,W.W. Energy levels of Be^{9}, 7=1509

Böckmann,K., Kramer,G. and Theis,W.R. The influence of polarization on the cross-sections of Møller and Bhabha scattering, 8=7236

Böckmann,K., Krüger,H. and Recknagel,E. Determination of the electric quadrupole moment of the Zn^{67} nucleus through measurement of the high-frequency transitions in the $4\,^{3}P_{1}$ state of the Zn^{67} atom, 7=8107. The determination of the electric quadrupole moment of the Zn^{67} nucleus by measurement of the high-frequency transitions in the $4\,^{3}P_{1}$ state of the Zn^{67} atom, 9=2696

Bockris,J.O'M. Kinetics of activation controlled consecutive electrochemical reactions: Anodic evolution of oxygen, 6=4063. See also Angell,C.A., 9=1889; Borucka,A.Z., 6=7785 Conway,B.E., 6=4062, 7=5701, 8=8504; Effemey,H.G., 6=3872; Mehl,W., 7=9946; Richards,N.E., 6=1931

Bockris,J.O'M. and Conway,B.E. Determination of the Faradaic impedance at solid electrodes and the electrodeposition of copper, 9=907

Bockris,J.O'M., Hills,G.J., Inman,D. and Young,L. An all-glass reference electrode for molten salt systems, 7=2773

Bockris,J.O'M. and Lowe,D.C. Viscosity and the structure of molten silicates, 5=775

Bockris,J.O'M., Mehl,W., Conway,B.E. and Young,L. Frequency variation of the capacity and resistance of the electrical double layer at a metal—solution interface, 7=4834

Bockris,J.O'M. and Parsons,R. Calculation of the concentration of atomic hydrogen at a cathode. II, 5=590

Bockris,J.O'M. and Richards, N.E. The compressibilities, free volumes and equation of state for molten electrolytes: some alkali halides and nitrates, 7=9030

Boczer,A. See Tielsch,H., 5=6842

Bodansky,D. See also Eccles,S.F., 9=4976

Bodansky,D., Eccles,S.F., Farwell,G.W., Rickey,M.E. and Robison,P.C. Time-reversal invariance and the inverse reactions $C^{12} + \alpha = N^{14} + d$, 9=6118

Bodansky,D., Eccles,S.F. and Halpern,I. Breakup of Be^{9*} (2·43 MeV), 8=8292

Bode,D.E. and Levinstein,H. Effect of oxygen on the electrical properties of lead telluride films, 5=292

Bode,E. The variation in internal friction in silver, 9=13844

Bode,K.H. and Fritz,W. A new apparatus for the measurement of the thermal conductivity of metals, 9=2263

Bode,R. and Mock,R. An X-ray goniometer with visual observation and its applications to the determination of crystal orientation, 5=5098

Bodea,E. The temperature balance, a MKSA standard thermometer, 9=10891

Bodenstedt,E. Electrical charging in turbulent dust clouds, 5=269. On the phase oscillations of a strong-focusing synchrotron (an investigation using a mechanical analogue machine), 5=992. Analog computer for the differential equation $y'' + f(x)y + g(x) = 0$, 6=6288

Bodenstedt,E., Körner,H.J. and Matthias,E. Angular correlation measurements on Cs^{133} and the magnetic moment of the 81 keV level, 9=8551. The magnetic moment of the 181 keV level of technetium 99, 9=10023

Bodenstedt,E., Matthias,E., Körner,H.J. and Siemssen,R.H. The gyromagnetic ratio of the 92 keV level in Pm^{147}, 9=2694

Bodewig,C. See Kranz,J., 6=2232

Bodi,L.J. and Curtiss,C.F. Theory of rotational—vibrational interaction in polyatomic molecules, 7=2479

Bodine,J.H., Jr. Hall coefficient and thermoelectric power of thorium metal, 6=5896. See also Danforth,W.E., 8=4943

Bodiou,G. On the correspondences between bivectors and simple spinors, and the corpuscular description of electromagnetic waves, 6=8578. A spinor form of the electromagnetic equations, 7=5475, 7=8728

Bodmann,H.W. Apparatus for the automatic measurement of the Wolter colour disparity number, 6=1145. See also Arndt,W., 9=5287

Bodmer,A.R. Isotope shift and changes of nuclear radius, 9=8497

Bodner,V.A., Ovcharov,V.E. and Seleznev,V.P. Synthesis of invariant, damped, inertial systems with an arbitrary period, 9=9269

Bodó,Z. and Hangos,I. Optics of powder materials, 6=7302

Boedege,R. A contribution to the [energy] level scheme of palladium 105, 8=9020

Boehm,F. Interference between Gamow—Teller and Fermi interaction in Mn^{52}, 8=5315. Circular polarization of gamma rays following some first-forbidden beta transitions, 9=633. See also Baggerly,L.L., 6=1524; Hatch,E.N., 7=2534, 8=5328, 9=11460; Marmier,P., 5=2074; Murray,J.J., 5=4027

Boehm,F. and Marmier,P. Gamma transitions in Ta^{181}, 6=6874. Isomer in iridium-193, 7=3584

Boehm,F., Novey,T.B., Barnes,C.A. and Stech,B. Positron polarization in a mirror transition, 8=8298

Boehm,F., Soergel,V. and Stech,B. Higher-order effects in the allowed beta decay of F^{20}, 8=7341

Boehm,F. and Wapstra,A.H. Beta—gamma circular polarization correlation measurements, 8=748. $\beta-\gamma$ Circular polarization correlation in a J—J transition, 8=749. $\beta-\gamma$ Circular polarization correlation in Au^{198} and Co^{58}, 8=750. Beta—gamma circular polarization correlation experiments, 8=5314

Boehm,M.J. See Henry,W.E., 6=5224

Boer,A.G. de. See de Boer,A.G.

Boer,E. de. See de Boer,E.

Boer,J. de. See de Boer,J.

Boer,J.B. de. See de Boer,J.B.

Boer,J.H. de. See de Boer,J.H.

Böer,K.W. On photochemical reactions in single crystals of CdS, 5=3751. On the problem of electronic intrinsic conduction in semiconductors, 6=1215

Böer,K.W., Dziesiaty,J. and Kümmel,U. On the electrical behaviour of CdS single crystals with voltage pulses in the breakdown region, 9=4608

Böer,K.W. and Gutjahr,H. On the spectral distribution of the photoconductivity in CdS single crystals, 8=7975

Böer,K.W., Hänsch,H.J. and Kümmel,U. Method for making conductivity inhomogeneities in semiconductors visible, 9=2318

Böer,K.W. and Kümmel,U. An experimental contribution to the problem of dielectric breakdown in single crystals of CdS, 5=9638. On the influence of the dielectric after-effect on the conduction process in CdS single crystals in the region of the breakdown field, 9=2338. On the electrostatic charging of CdS single crystals under the action of high electric fields, 9=3498. Contact free excitation of electrons in CdS single crystals, 9=5693. Electrostatic charge on CdS single crystals under the influence of high fields, 9=5694

Böer,K.W., Kümmel,U. and Misselwitz,W. Electric breakdown of CdS evaporated layers, 8=8800

Böer,K.W., Kümmel,U. and Molgedey,G. Electronic noise of CdS single crystals at high electrical fields, 6=6634

Böer,K.W. and Oberländer,S. The method of controlled activation [gesteuerten Anregung] (an experimental method for the accurate estimation of parameters from given systems of differential equations pertaining to reaction kinetics), 9=5294

Böer,K.W., Oberländer,S. and Voigt,J. On the theory of glow curves, 9=4464. The evaluation of conductivity glow

curves, 9=6759

Bŏer,K.W. and Vogel,H. Non-stationary processes in photoconductors. I. Slow rise of photocurrent in single crystals of CdS as a method of defect level analysis, 6=1245

Bŏer,K.W. and Wantosch,H. Non-stationary processes in photoconductors. II. Slow rise of photocurrent in single crystals of CdS for weak excitation intensities, 9=11038

Boer,T.J. de. See de Boer,T.J.

Boerboom,A.J.H. Theory of the aberrations in the focusing properties of a magnetic field with one plane of symmetry, 8=1098. See also Drowart,J., 9=6216; Schutten,J., 9=1101; Tasman,H.A., 9=7096

Boerboom,A.J.H. and Tasman,H.A. On the fractionation of gaseous samples in a mass spectrometer viscous leak, 9=1158

Boerdijk,A.H. Instrument for the direct measurement of angles in the field of view of the naked eye, 5=5242. Technical aspects of levitation, 7=1090. Contribution to a general theory of thermocouples, 9=8171

Boers,A.L., Alkemade,C.T.J. and Smit,J.A. The yield of resonance fluorescence of Na in a flame, 6=5764

Boersch,H. Experimental determination of the energy distribution in thermally liberated electron beams, 5=1953

Boersch,H. and Hanszen,K.-J. Imaging of evaporation sources by the pinhole camera method, 5=2237

Boeschoten,F. and Huiszoon,C. Hall effect of uranium, 7=9167

Boeschoten,F. and van der Held,E.F.M. The thermal conductance of contacts between aluminium and other metals, 7=8553

Boesman,E. and Dekeyser,W. Properties of copper doped rocksalt single crystals, 8=2969

Boesman,E., Remaut,G. and Dekeyser,W. Coloration of rocksalt by the Rexer method, 6=9040

Boesono. Recovery of lead rolled in liquid air, 8=3524

Boeters,K.E. See also Gobrecht,H., 8=3120

Boeters,K.E., Gobrecht,H. and Niemeck,F. On the influence of gases and vapours on the photoconduction and dark conductivity of thin lead sulphide layers, 9=13321

Boettcher,A., Hasse,G. and Treupel,H. Investigations of the structure and structure-changes of the sulphides and selenides of silver and copper, 6=5543

Boettner,E.A. See Pearson,C.A., 6=1770

Boettner,R.C. and Robertson,W.D. Constant stress creep apparatus, 7=4818

Bogaardt,M. and Bustraan,M. Producing plutonium in U-D_2O reactors, 5=3122

Bogachev,N.P. Elastic small-angle proton—proton scattering at 460, 560 and 660 MeV, 7=693. See also Meshcheryakov,M.G., 7=691, 7=6281

Bogachev,N.P., Bunyatov,S.A., Merekov,Yu.P. and Sidorov,V.M. The interaction of 9 BeV protons with free and bound nucleons in photographic emulsion, 9=11364

Bogachev,N.P., Mikhul,A.K., Petrashku,M.G. and Sidorov,V.M. On the angular distribution of the positive muons generated by a $\pi-\mu$ decay, 9=9974

Bogachev,N.P. and Vzorov,I.K. Elastic proton—proton scattering at 660 MeV, 7=7970

Bogart,L. See Van Sciver,W.J., 9=4472

Bogdan,D. Evaluation of nuclear quadrupole moments in Nilsson's schema, 9=4967

Bogdankevich,L.S. Motion of a charged particle in a rectangular waveguide filled with anisotropic dielectric, 9=3652. Investigation of a current-carrying ring uniformly moving in a plasma located in a magnetic field, 9=12414

Bogdankevich,L.S. and Bolotovskiĭ,B.M. Motion of a charge parallel to the axis of a cylindrical channel in a dielectric, 8=2417

Bogdankevich,O.V., Lazareva,L.E. and Nikolaev,F.A. Inelastic scattering of photons on In^{115} nuclei, 7=2666

Bogdanov,F.F. Investigation of the effect of the rate of motion of the water current on the heat exchange coefficient on boiling in an inclined tube, 5=8686

Bogdanov,G.F., Vlasov,N.A., Kalinin,S.P., Rȳbakov,B.V., Samoilov,L.N. and Sidorov,V.A. Reaction T(p, n)He^3 for protons of energy 7-12 MeV, 9=10111

Bogdanov,G.F., Vlasov,N.A., Kalinin,S.P., Rȳbakov,B.V. and Sidorov,V.A. Neutron spectra in the bombardment of tritium and deuterium by 14 MeV deuterons, 6=6162. Neutron spectra produced by bombarding light nuclei by 14 MeV deuterons, 6=8376

Bogdanov,S.V. Equilibrium distribution of excess charge carriers in germanium under partial illumination, 7=383

Bogdanov,S.V., Vul,B.M. and Razbash,R.Ya. The influence of the conditions of polarization on piezocharacteristics of barium titanate, 7=1263. The shear piezoelectric modulus of polarized barium titanate, 7=9680

Bogdanova,I.P. and Chen-Gi-Tkhek. On excited neon atom concentrations in a hollow-cathode discharge, 8=1280

Bogdanowicz,J., Danysz,M., Filipkowski,A., Marquit,E., Skrzypczak,E., Wróblewski,A. and Zakrzewski,J. Determination of the mass of the Λ^0 hyperon, 9=10000

Bogen,P. Experimental examination of the Holtsmark theory of line-broadening, 8=5034

Bogert,B.P. The Vobanc–a two-to-one speed band-width reduction system, 6=5743. Response of an electrical model of the cochlear partition with different positions of excitation, 7=8959

Boggess,A., III. The emission spectrum of H_2^+, 9=10764. See also Kupperian,J.E., Jr, 9=4233

Bøggild,J. See Davies,J.H., 6=3270*

Bøggild,J.K., Hansen,K.H. and Scharff,M. Some experimental results on the angular correlations in the π-μ-e decay, 8=7264

Bøggild,J.K., Hooper,J.E., Ortel,W.C.G. and Scharff,M. Evidence for the $\underline{K}_\mu$- meson, 5=8281. Some studies on heavy meson events in stripped emulsions, 7=1643

Bøggild,J.K., Hooper,J.E. and Scharff,M. Measurements on $\underline{K}$ - mesons, 5=4961

Bøggild,J.K. and Scharff,M. Stage noise and spurious scattering. Reversing sagitta method, 5=7610

Boggs,J.E. See also Crain,C.M., 7=7844

Boggs,J.E., Whiteford,J.E. and Thompson,C.M. Dielectric dispersion in gases at 9400 megacycles, 9=8068

Bogle,G.S. See also Bleaney,B., 5=2885

Bogle,G.S., Dodd,J.N. and McLean,W.L. Hyperfine structure coupling constant of the 6s6p $^3P_1$ level of ^{199}Hg by double resonance, 7=8511

Bogle,G.S., Dodd,J.N. and Purser,K.H. Back-Goudsmit effect in HFS on Na^{23} 3 $P_{3/2}$ and the electric quadrupole interaction coefficient, 6=3106

Bogle,G.S. and Symmons,H.F. Paramagnetic resonance of Fe^{3+} in sapphire at low temperatures, 9=9806

Bogner,G. and Mollwo,E. Production of zinc oxide single crystals of definite composition, 9=8995

Bogoljubov,N.N. On a new method in the theory of superconductivity, 8=2335. See also Bogolubov,N.N., Bogolyubov,N.N.

Bogoljubov,N.N., Tolmachov,V.V. and Širkov,D.V. A new method in the theory of superconductivity, 9=8158

Bogoljubov,N.N. and Širkov,D.V. Charge renormalization group in quantum field theory, 6=4805

Bogolubov,N.N. See also Bogoljubov,N.N., Bogolyubov,N.N.

Bogolubov,N.N., Bilenky,S.M. and Logunov,A.A. Dispersion relations for weak interactions, 8=4731

Bogolyubov,N.N. On representation of Green—Schwinger functions by means of functional integrals, 6=7954. Equations with variational derivatives in problems of statistical physics and quantum field theory, 7=5897. On a variational principle in the many-body problem, 8=3719. On the question of the postulate of superfluidity in the theory of nuclear matter, 8=4256. Concerning a new method in the theory of superconductivity. I, 8=7034, III, 8=7036. See also Bogoljubov,N.N., Bogolubov,N.N.

Bogolyubov,N.N., Bilen'kiĭ,S.M. and Logunov,A.A. Dispersion relations in the case of weak interactions, 8=2789

Bogolyubov,N.N. and Parasyuk.O.S. On the theory of multiplication of causal singular functions, 6=7955. On the subtractive formalism in multiplication of causal singular functions, 6=7956

Bogolyubov,N.N. and Shirkov,D.V. Problems of the quantum theory of the field, 6=902, 6=4182. Multiplicative renormalization group in quantum field theory, 6=4806. The renormalization group in quantum electrodynamics, 7=81. Application of the renormalization group to improvement of perturbation theory formulae, 7=82. Dispersion relations for Compton scattering by nucleons, 7=8807

Bogolyubov,N.N. and Solov'ev,V.G. On a variational principle for the many-body problem, 9=9243

Bogolyubov,N.N. and Tyablikov,S.V. Retarded and accelerated Green functions in statistical physics, 9=10621

Bogolyubov,N.N. and Zubarev,D.N. Wave function for the ground state of an assembly of bosons with mutual interaction, 5=5898

Bogolyubov,N.N., Zubarev,D.N. and Tserkovnikov,Yu.A. [Contribution] to the theory of phase transitions, 8=3029

Bogomazov,A.P. See Rȳvkin,S.M., 9=1748

Bogomolov,A.M. See Kovner,M.A., 7=4586

Bogomolov,C.S. The quantitative relations governing the photo-

graphic action of charged particles at low ionization, 9=14008

Bogomolov,C.S., Rasorenova,I.F. and Sirotinskaya,A.A. On the photographic action of charged particles at low temperatures, 9=14007

Bogomolov,C.S. and Romanovskaya,K.M. Fading of the latent image of tracks produced by weakly ionizing particles, 9=14006

Bogomolov,C.S. and Sirotinskaya,A.A. A comparison of various methods of increasing the discrimination of nuclear emulsions, 9=14004

Bogomolov,C.S., Sirotinskaya,A.A., Deberdeiyev,M.U. and Ouvarova,V.M. The preparation of nuclear photographic emulsion sensitive to minimum ionizing particles, 9=14000

Bogomolov,E.G. See Nikitin,S.J., 6=2947; Selektor,Ya.M., 7=6283

Bogomolov,V.N. Certain new types of instruments based on semiconductors, 6=6633. Galvanomagnetic oscillators, 8=4019

Bogomolov,V.N., Ilisavskiǐ,Yu.V., Kornfel'd,M., Sochava,L.S. and Strunin,R.I. Germanium bolometers with low inertia, 7=9133

Bogomolov,V.N. and Myasnikov,V.A. Apparatus for measurement of the Hall effect in semiconductors, 8=7919

Bogomolov,V.N. and Vasil'ev,V.D. An attempt to use the linear Hall effect detector for measurement purposes, 7=9171

Bogomolov,Yu.V. Effective field in crystals, 8=4940

Bogoroditskiǐ,N.P., Boǐs,G.V., Kozlovskaya,M.N. and Neǐman,M.I. Mechanical strength of radiofrequency ceramics as influenced by heat treatment, 7=9938

Bogoroditskiǐ,N.P. and Fridberg,I.D. Dielectric losses in h.f. ceramics, 5=6113. Nature of temperature dependence of dielectric losses in polarization of ionic compounds, 7=2183

Bogoroditskiǐ,N.P., Fridberg,I.D. and Tsvetkov,N.M. Anomalous polarization in polycrystalline titanium dioxide, 7=2185

Bogoroditskiǐ,N.P., Kulik,B.A. and Fridberg,I.D. Correlation of dielectric losses with structure of ionic crystals and their mixtures, 9=9588

Bogoroditskiǐ,N.P., Volokobinskiǐ,Yu.M. and Fridberg,I.D. Electrical properties of dielectric with variable number of relaxants, 8=6938

Bogoroditskiǐ,N.P. and Vorobeǐ,Z.F. On the question of the nonlinearity of the current—voltage characteristic of the resistance of silicon carbide, 5=952

Bogorodskiǐ,V.V. Elastic properties of ice, 8=6453

Bogoyavlenskiǐ,I.V., Grigor'ev,V.N., Rudenko,N.S. and Dolgopolov,D.G. Variation of the isotopic composition of mercury in d.c. electric field, 8=2000

Bogue,D.C. Entrance effects and prediction of turbulence in non-Newtonian flow, 9=10660

Bohannon,J.R., Jr and Baker,W.E. Simulating nuclear blast effects, 8=7401

Bohdansky,J. The emission from high pressure mercury arcs in the "total" infrared, 8=5771

Bohm,D. See also Aharonov,Y., 8=46, 9=12997

Bohm,D. and Aharonov,Y. Discussion of experimental proof for the paradox of Einstein, Rosen, and Podolsky, 8=5614

Bohm,D., Huang,K. and Pines,D. Role of subsidiary conditions in the collective description of electron interactions, 7=8034

Bohm,D. and Schiller,R. A causal interpretation of the Pauli equation (B), 5=3415

Bohm,D., Schiller,R. and Tiomno,J. A causal interpretation of the Pauli equation (A), 5=3414

Bohm,D. and Schützer,W. The general statistical problem in physics and the theory of probability, 6=3503

Bohm,D. and Vigier,J.P. Relativistic hydrodynamics of rotating fluid masses, 8=2129

Bohm,H. See Morse,R.W., 6=4415

Bohm,H.V. See Morse,R.W., 8=1709, 8=5466

Böhm,K.-H. On the explanation of the centre—limb variation of the Fraunhofer lines, 5=1465. The magnitude of the "convection element" [Konvektionselemente] in layers with variable temperature gradient, 9=4240

Böhm-Vitense,E. The solar chromosphere, 5=5187. On the hydrogen convection zone in stars of various effective temperatures and luminosities, 9=3063

Böhm-Vitense,E. and Struve,O. The widths of the lines of Fe, Si, O and N in the spectrum of Gamma Pegasi, 6=3449

Böhme,H. Total reflection filter with multiple reflection, 9=3341

Bohn,J.L. See Harbold,M.L., 8=9184

Bohr,A. The low energy nuclear excitation spectrum, 8=1907. On the structure of atomic nuclei, 8=4254. Relation between intrinsic parities and polarizations in collision and decay processes, 9=8439. See also Alaga,G., 5=9869; Alder,K., 7=6435; Bayman,B.F., 9=8519

Bohr,A., Fröman,P.O. and Mottelson,B.R. On the fine structure in alpha decay, 5=6425

Bohr,A. and Mottelson,B. Moments of inertia of rotating nuclei, 7=3514

Bohr,A. and Mottelson,B.R. Electric dipole moment associated with octupole vibrations of a spheroidal nucleus, 8=5270. Collective co-ordinates for nuclear rotation, 9=8507. Electric dipole moment associated with octupole vibrations of a spheroidal nucleus (additional remarks), 9=8510

Bohr,A., Mottelson,B.R. and Pines,D. Possible analogy between the excitation spectra of nuclei and those of the superconducting metallic state, 9=583

Böhringer,E. The influence of spontaneous, true and ferromagnetic magnetization on electrical resistance, 7=415

Bohun,A. Electron emission and colour centres in ionic crystals, 5=5484. Thermoemission and thermoluminescence in fluorspar, 5=8646. Coloration and luminescence in corundum, 6=257. The influence of additives on the coloration, electron emission and luminescence of X-ray irradiated ionic crystals, 6=8685. On thermionic emission in semiconductors, 6=8849. "Special" electronic emission, luminescence and colour centres in phosphorescent inorganic crystals, 7=4207. On the problem of the basic mechanism of cold electron emission from solids, 7=6242. Influence of pressure and dislocations on the electron emission and luminescence of sodium chloride, 7=7764. The electron emission of X-ray excited sulphides, 9=8203

Bohun,A. and Bergstein,A. The electron emission of X-ray irradiated ferrites, 9=8202

Bohun,A., Karpísková,K. and Dušková,A. A contribution to the problem of the emission of exo-electrons from metals, 5=6204

Bohun,A. and Trnka,J. The influence of chlorine on the exo-electron emission and luminescence of NaCl, 9=8205

Boicourt,G.P. and Brolley,J.E. Fast detector for fission counting, 5=2819

Boigelot,A.M. and Garnir,H.G. On solutions of the diffusion equation, 7=3986

Boiko,I.I. On the theory of electron mobility in semiconductors, 9=10973

Boiko,I.V. Field-effect theory, 9=13289

Boiko,P.N., Livshits,G.Sh. and Toropova,T.P. Photoelectric measurements of the scattering index in the ground layer of the atmosphere, 9=13968

Boǐkova,A.I. and Poraǐ-Koshits,E.A. X-ray diffraction study of solid solutions of aluminium-calcium ferrites, 8=8527

Boileau,A.R. See Duntley,S.Q., 7=6772

Boillet,P. On the interpretation of Huygens' principle: the case of acoustic, elastic and electromagnetic waves, 8=543 On the interpretation of Huygens' principle: acoustic, elastic, and electromagnetic waves. II, 9=1179

Bois,E.Schulz-Du. See Schulz-Du Bois,E.

Boǐs,G.V. See Bogoroditskiǐ,N.P., 7=9938

Bois,W.F. du. See du Bois,W.F.

Boischot,A. Characteristics of a type of radio emission associated with certain chromospheric flares, 7=6823. See also Avignon,Y., 7=6824; Blum,E.J., 6=8549, 8=4629

Boischot,A., Blum,E.J., Ginat,M. and Le Roux,E. Observations of an eclipse of the crab nebula, 6=5620

Boischot,A. and Denisse,J.F. The emissions of type IV and the origin of cosmic rays associated with solar flares, 8=2736

Boissier,J. See Gegauff,C., 6=4135

Boiteux,H.Le. See Le Boiteux,H.

Boivin,E., Dion,A. and Koenig,H.P. Experimental study of the diffraction of microwaves by apertures with rotational symmetry, 6=6034

Boivin,G. See Lansraux,G., 9=1244

Bojarski,C. On the temperature dependence of the fundamental polarization, 9=10814. Note on the theory of the self-depolarization of photo-luminescence of solutions, 9=12078

Bojin,S. See Sălceanu,C., 7=307

Bójko,I. and Piróg,M. On the problem of the tribo-photo-stimulation-coelectron emission of aluminium surfaces, 9=5794

Bok,B.I. See Stil'bans,L.S., 7=5332

Bok,B.J. The relative concentration of interstellar hydrogen and cosmic dust, 6=872*

Bok,J. On the conductivity of indium antimonide at low temperatures, 5879. See also Simon,Y., 9=9653

Bokhari,M.S. See also Hird,B., 9=2800

Bokhari,M.S., Cookson,J.A., Hird,B. and Weesakul,B. The polarization of protons from the $^{12}C(d, p)^{13}C$ reaction, 8=5361

Bokhnatski,Z. The peculiarity of forbidden β-transitions in deformed nuclei, 9=12622

Bokov,V.A. Behaviour of ferroelectrics in strong electric fields, 7=2178. Investigation of the temperature dependence of the total polarization, coercive force and hysteresis losses of polycrystalline solid solutions $(Ba,Sr)TiO_3$, $Ba(Ti,Sn)O_3$ and $Ba(Ti,Zr)O_3$, 8=3073. Some piezoelectric properties of polycrystalline solid solutions of $(Ba,Sr)TiO_3$, $Ba(Ti,Sn)O_3$ and $Ba(Ti,Zr)O_3$, 8=3979. The problem of the nature of the high permittivity observed in certain solid solutions which exhibit ferroelectric properties, 9=279

Bokov,V.M. See Zverev,V.A., 6=4921

Boksay,Z. See Lengyel,B., 5=2759, 5=7057

Boksha,S.S. A new method of producing super-high gas pressures, 8=2862. See Butuzov,V.P., 7=809

Bokshtein,S.Z., Gudkova,T.I., Zhukhovitskii,A.A. and Kishkin,S.T. The effect on the diffusion mobility of irreversible structure changes due to plastic deformation, 9=10287

Bokut',B.V. and Fedorov,F.I. Theory of the optical activity of crystals. III. The general equation of normals, 9=13197

Bold,H.J. van den. See van den Bold,H.J.

Boldman,D.R. Simple sound source in a 50- to 300-foot-per-second air stream, 7=7690

Boldt,E., Bridge,H.W., Caldwell,D.O. and Pal,Y. Helicity of the proton from Λ^0 decay, 9=2590. Neutral decay modes of the $\theta_1{}^0$ and Λ^0, 9=2653

Boldt,E., Caldwell,D.O. and Pal,Y. Λ^0, $\theta_1{}^0$, $\theta_2{}^0$ and $\bar{\theta}^0$ lifetimes, 8=8995. $\theta_1{}^0 - \theta_2{}^0$ Mass difference, 9=550

Boldt,G. Measurement of the absorption oscillator strength of the magnesium intercombination line at 4571 A, 8=6837

Bolef,D.I. and Menes,M. Nuclear magnetic resonance acoustic absorption in KI and KBr, 9=11264

Boley,F.I. Scattering of microwave radiation by a plasma column, 9=1612

Boley,F.I., Thorndike,E.H. and Moffet,A.T. Nuclear levels excited by inelastic neutron scattering, 8=9062

Bolfa,J. See Chevallier,R., 5=9276

Bölger,B. See Gerritsen,H.J., 5=9766; Gorter,C.J., 5=3890

Bolgiano,R.,Jr. Spectrum of turbulent mixing, 8=2174. Discussion of the Wheelon paper "Radio frequency and scattering angle dependence of ionospheric scatter propagation at v.h.f.", 9=4854. The role of turbulent mixing in scatter propagation, 9=4855. On the role of convective transfer in turbulent mixing, 9=11884

Bolie,V.W. Electromagnetic propagation in an almost homogeneous medium, 8=5150. Predicting absorption spectra for composite solutions, 9=10772

Bolinder,E.F. The classical electromagnetic equations expressed as complex four-dimensional quantities, 7=6360

Boling,J.L. and Dolan,W.W. Blunting of tungsten needles by surface diffusion, 9=1893

Boll,R.H. and Sliepcevich,C.M. Evaluation of errors of optical origin arising in the size analysis of a dispersion by light transmission, 6=2016

Bolla,G., Terrani,S. and Zappa,L. Beta spectrometer of high collecting power, 5=1895

Bolle,H.J. An image-forming system of high light grasp for the measurement of absolute phase differences, and its use in the determination of the optical constants of K in the U.V. spectral region, 6=1126

Bollenrath,F. and Domke,W. Residual stresses after case hardening by inductive heating, 5=8325

Bollenrath,F. and Lindackers,K.H. The effect of γ-radiation on solid materials, particularly metals, 9=13797

Bolles,R.C. and Ballou,N.E. Calculated activities and abundances of U^{235} fission products, 9=11491

Bolling,G.F., Tiller,W.A. and Rutter,J.W. Growth twins in germanium, 6=3351

Bollinger,L.M. See also Cote,R.E., 8=6220, 9=8629; Dahlberg,D.A., 7=2671; Kennett,T.J., 8=8305, 9=11476; Palmer,R.R., 6=5395; Saplakoglu,A., 9=685

Bollinger,L.M., Coté,R.E., Dahlberg,D.A. and Thomas,G.E. Neutron resonance structure of uranium-238, 7=3670

Bollinger,L.M., Dahlberg,D.A., Palmer,R.R. and Thomas,G.E. Slow neutron resonances of manganese, bismuth and selenium, 6=673

Bollinger,L.M. and Thomas,G.E. Boron-loaded liquid scintillation neutron detector, 7=7979

Bollini,C.G. On the quantization of tensor fields with zero mass, 8=873. On the quantization of fermion fields with zero mass, 8=2765. Irreducibility constraints and field equations for the elementary particles. I. Bosons, 9=5365. See also Levy de Bollini,S.P., 9=7388

Bollini,G.C. Irreducibility constraints and field equations for the elementary particles. II. Fermions, 9=10600

Bollini,S.P. Levy de. See Levy de Bollini,S.P.

Bollman,W. Interference effects in the electron microscopy of thin crystal foils, 7=1681

Bollmeier,E.W. See Barmat,M., 9=12316*

Bolloud,A. New measurements of the dielectric strength of compressed hydrogen and nitrogen, 6=5848

Bolmgren,C.R., Freier,G.D., Likely,J.G. and Famularo,K.F. Differential cross section measurements for the elastic scattering of protons by N^{14}, 7=3641

Bologna,G. See Ageno,M., 9=13383; Alberigi,A., 9=11143

Bolotin,A.B., Levinson,I.B. and Levin,L.I. The two-configurational approximation in the case of atoms of the type of carbon, 6=1483

Bolotin,H.H., Pruett,C.H., Roggenkamp,P.L. and Wilkinson,R.G. Excited states of Ce^{140}, 5=8152

Bolotin,L.I. See Klyucharev,A.P., 6=6903

Bolotovskiĭ,B.M. Skin effect in thin films and wires, 8=5005. Theory of the Vavilov—Cherenkov effect, 8=5057. See also Bogdankevich,L.S., 8=2417

Bolotovskiĭ,B.M. and Fateev,A.P. On the use of the Einstein—Fokker equation for the determination of the loss of particles in the residual gas in accelerators, 8=2359

Bol'shov,V.G. Study of the thermionic emission in transition from a solid to a liquid state, 7=1423

Bol'shov,V.G. and Seleznev,V.K. Secondary electron emission of copper, germanium and tin in solid and liquid states, 7=2315

Bolsterli,M. Finite-range delta-function potential, 9=11410

Bolsterli,M. and Feenberg,E. Matrix elements in superallowed transitions, 5=2998. Perturbation procedure for bound states of nuclei, 6=3095

Bolt,G.H. Analysis of the validity of the Gouy—Chapman theory of the electric double layer, 5=7478

Boltaks,B.I. The diffusion of impurities in germanium, 6=8427. On the anomalous speed of diffusion of some elements in germanium, 8=7534

Boltaks,B.I. and Kulikov,G.S. On the diffusion of antimony and tellurium in indium antimonide, 7=8904

Boltaks,B.I. and Mokhov,Yu.N. Diffusion of lead in lead telluride, 7=4800. Self diffusion and impurity diffusion in lead telluride and selenide, 8=9137

Boltaks,B.I. and Plachenov,B.T. Self-diffusion in selenium, 8=2675

Boltaks,B.I., Plachenov,B.T. and Semenov,E.V. On the coefficient of absorption of Co^{60} γ-rays in semiconductors, 9=12246

Boltaks,B.I., Prokhorova,V.M. and Novozhilova,L.I. The diffusion of antimony in antimony-doped germanium, 8=7533

Boltaks,B.I. and Sokolov,V.I. On the absorption coefficient (reduction of intensity) of beta-rays in semiconductors, 9=12543

Boltaks,B.I. and Sozinov,I.I. On diffusion of copper in silicon [at 800-1100°C], 8=3479. Effect of the electrical field on the diffusion of antimony in rocksalt crystals, 8=7535

Boltaks,B.I. and Tszyan Pi-Khuan. The change of the coefficient of thermoelectric force of tellurium with additions of copper and antimony during the transition from the solid to the liquid state (short communication), 8=7049

Bolton,H.C. The electrical polarizability of conjugated molecules: the use of free-electron orbitals, 5=3943. The theoretical values of the polarizabilities of carbon—carbon bonds, 5=3951

Bolton,J.A. and Calabretta,P.T. How to load solid-fuel reactors, 5=8271

Bolton,J.G. Distribution of radio stars, 7=1849

Bolton,J.G. and Wild,J.P. On the possibility of measuring interstellar magnetic fields by 21 cm Zeeman splitting, 6=6821

Bolz,G. Resonance amplification of quartz crystals, 6=4258

Bolz,L.H. See also Black,I.A., 9=4109; Foner,S.N., 9=13765

Bolz,L.H., Mauer,F.A. and Peiser,H.S. Low-temperature X-ray studies of Rice's blue material, 9=7466

Bolze,E.M., Morris,T.W., Rahm,D.C., Rau,R.R., Shutt,R.P., Thorndike,A.M. and Whittemore,W.L. Liquid hydrogen bubble chamber expanded by a piston in the liquid, 8=3278

Bömmel,H.E. Ultrasonic attenuation in superconducting lead, 5=969. Ultrasonic attenuation in superconducting and normal-conducting tin at low temperatures, 6=1002. See also Mason,W.P., 7=181

Bömmel,H.E. and Dransfeld,K. Excitation of very-high-frequency sound in quartz, 9=1177. Attenuation of hypersonic waves in quartz, 9=10715. Excitation of hypersonic waves by ferromagnetic resonance, 9=13111

Bömmel,H.E., Mason,W.P. and Warner,A.W. Dislocations,

relaxations, and anelasticity of crystal quartz, 6=4091
Bömel,H.E., Mason, W.P. and Warner,A.W., Jr. Experimental evidence for dislocations in crystalline quartz, 6=797
Bomze,J. On the possible existence of conservative systems of electric charges with non-stationary fields in the classical theory of electrodynamics, 9=1595. Elementary electric waves. I. A contribution to the kinematics of elementary electric charges, 9=1596
Bonacini,C. See also Barbanti-Silva,L., 7=506
Bonacini,C., Depietri,C., Lovera,G. and Fedeli,R.P. On showers of mesons in the field of low energies, 9=12427
Bonanomi,J. See also Blaser,J.P., 9=3078
Bonanomi,J., Herrmann,J., De Prins,J. and Kartaschoff,P. Twin cavity for NH_3 masers, 8=5143
Bonar,L.G. and Craig,G.B. Activation energy for creep of tin, 9=1911
Bonart,R. See Hosemann,R., 7=3836, 7=6739
Bonch-Bruevich,A.M. The development of a fluorimetric method of studying the duration of the excited state of molecules, 6=6820. The passage of polarized light through a medium with stationary ultrasonic waves, 6=8718. Experimental verification that the velocity of light is independent of the velocity of the source relative to the observer, 7=1041. Electroluminescent phenomena observed on application and removal of an electric field, 9=12126
Bonch-Bruevich,A.M., Karazin,I.V., Molchanov,V.A. and Shirokov,V.I. An experimental phase fluorometer, 9=9457
Bonch-Bruevich,A.M. and Kovalev,V.P. Fluorometric measurements with low frequency light current modulation, 9=9456
Bonch-Bruevich,A.M. and Molchanov,V.A. A new optical relativistic experiment, 7=209
Bonch-Bruevich,A.M., Tishehenko,G.A. and Feofilov,P.P. Luminescence decay-time of colour centres in ionic crystals, 7=9625
Bonch-Bruevich,V.L. On the theory of the energy spectra of quantum systems of interacting particles, 5=761. The Fermi distribution at absolute zero, taking account of the interaction of electrons with the zero-point vibrations of the lattice, 5=7223. Physical ideas of the method of elementary excitations (multiple-electron problem in the theory of the solid state), 6=1415. Theory of interaction between electron gas and crystal lattice oscillations, 6=5266. On the question of surface recombination, 7=369. Spectral representation of the Green's function in the non-relativistic many-body problem, 7=1885. Statistics of electrons and holes in a homopolar semiconductor taking into account their interaction with the lattice vibrations, 7=2203. Remarks on the theory of electron plasma in semiconductors, 8=1682. On the exciton mechanism of capture of current carriers in homopolar semiconductors, 8=2309. On the theory of the electron plasma in a solid, 8=4419. On the question of the difference between recombination centres and trapping levels, 8=6974. On the theory of the field effect, 8=7927. The relation between the electron—phonon and electron—impurity interaction coefficients in metals, 9=8838. On a method of calculating electrical conductivity, 9=13039 See also Blank,V.Z., 8=1536
Bonch-Bruevich,V.L. and Gertsenshteǐn,M.E. On the theory of magnetic susceptibility of metals, 8=7168
Bonch-Bruevich,V.L. and Glasko,V.B. The electron energy spectrum in a non-ideal metal lattice, 9=10254
Bonch-Bruevich,V.L. and Medvedev,B.V. The bringing of the product of operators to canonical form in the theory of second quantization, 5=39
Bond,C.D. See McCormac,B.M., 7=2651, 8=1268
Bond,J.W., Jr. Structure of a shock front in argon, 7=4059
Bond,R.A.B. See Arthurs,A.M., 7=9786
Bond,R.L. See Ingram,D.J.E., 5=6299
Bond,R.M. See Joseph,W.F., 7=3577
Bond,W.L. A single-crystal automatic diffractometer. I, 6=3365. The depth of diffused layers, 7=6176. Equi-inclination Weissenberg intensity correction factors for absorption in spheres and cylinders, and for crystal monochromatized radiation, 9=10363. See also Geller,S., 9=5261; Logan,R.A., 9=6836; McSkimin,H.J., 7=3766
Bond,W.L. and Andrus,J. Photographs of the stress field around edge dislocations, 6=4090
Bond,W.L. and Smits,F.M. The use of an interference microscope for measurement of extremely thin surface layers, 6=8705
Bondarenko,I.I. See Aleksandrov,Yu.A., 7=3673. Nikolaev,M.N., 9=8647
Bondarenko,R.N. See Lashkarev,V.E., 8=1056
Bondarenko,V.V. See also Kvartskhava,I.F., 6=5130, 7=3195-6, 9=2267
Bondarenko,V.V., Kvartskhava,I.F., Plyutto,A.A. and Chernov,A.A. Resistance of metals at high current densities, 5=7017
Bondareva,L.N. and Karnovskiǐ,M.I. Directional properties of sound diffusing lenses, 6=4936
Bondelid,R.O. See also Butler,J.W., 7=7294; Dunning,K.L., 9=601; Fagg,L.W., 6=1609. Los Alamos Physics and Cryogenics Groups, 9=11478
Bondelid,R.O., Dunning,K.L. and Talbott,F.L. Total neutron cross sections of Be, C, F, Co, and Ge, 7=2677
Bondi,A. and Simkin,D.J. Hydrogen bond contribution to the heat of vaporization of aliphatic alcohols, 7=3216
Bondi,H. Fact and inference in theory and observation, 7=4976. The steady-state theory of cosmology and relativity, 7=6817. Plane gravitational waves in general relativity, 7=8368. Negative mass in general relativity, 8=2128. Relativity, 9=3091
Bondi,H. and Gold,T. The field of a uniformly accelerated charge, with special reference to the problem of gravitational acceleration, 5=5212
Bonet,A. See Catalá,J., 6=7479, 6=8372, 7=3530, 9=5044; Senent,F., 8=8264
Bonet,J.V. and Bushkovitch,A.V. Angular momentum in the Thomas–Fermi model of diatomic homonuclear molecules, 5=6355
Bonet-Maury,P. and Patti,F. Effect of ionizing radiations on catalase, 6=6229
Bonetti,A. On the identification of charged hyperons and the establishment of their decay schemes in nuclear emulsions, 6=689. See also Alvial,G., 8=1149; Amerighi,M.C., 9=9980; Astbury,P., 5=6483; Bacchella,G.L., 8=4249; Baldo-Ceolin,M., 7=8860; Davies,J.H., 6=3270*; K-collaboration, 9=13575
Bonetti,A., Dilworth,C., Ladu,M. and Occhialini,G. Measurements in nuclear emulsions, 5=6672
Bonetti,A., Setti,R.L., Locatelli,B. and Tomasini,G. Mass and decay of K-particles, 5=4962. Results on some secondary particles of K-mesons from the stacks flown in Sardinia 1953, 5=6281. Mass and decay of charged hyperons, 5=6503
Bonetti,A., Setti,R.L., Panetti,M., Rossi,G. and Tomasini,G. The energy spectrum of decay electrons of mesons in nuclear emulsions, 6=4002
Bonfiglioli,G., Brovetto,P. and Cortese,C. F and V centers thermoluminescent recombination, 8=8706. Thermoluminescence and F-centers. I. Theory, 9=9497. II. Experimental, 9=9498
Bonfiglioli,G., Coen,E. and Malvano,R. Modulation of the electrical conductivity by surface charges in metals, 6=378, 6=3715. On the measurement of electric constants of thin metallic films, 6=2858
Bonfiglioli,G. and Malvano,R. Surface states in metals, 9=13328
Bongard,M.M. and Smirnov,M.S. Four-dimensional nature of colour space in humans, 6=9152
Bonghi,G.C. See Cutolo,M., 8=248
Bonham,R.A. See also Bartell,L.S., 6=5297, 8=7463, 9=10197
Bonham,R.A. and Bartell,L.S. Rapid procedure for rigorous analysis of electron diffraction data, 9=12754
Bonhoeffer,F. The first partial spectrum of the Co^{60} β-decay, 9=8542
Bonhoeffer,F., Hennies,H.H. and Flammersfeld,A. The partial β-spectra of Dy^{165}, 9=10061
Bonifas,H. A study of some problems in electrostatics, 5=6099
Böning,P. The general importance of ion adsorption in insulating materials, 7=2158
Bonits,M.P. See Berlovich,É.E., 9=6070
Bonitz,M. See also Berlovich,E.Ye., 8=6228
Bonitz,M. and Berlowitsch,E.J. A fast twenty-channel pulse-height analyser, 9=7231
Bonkowski,R.R. See Siegel,K.M., 5=4814
Bonnaud,M. See Paymal,J., 9=5165
Bonnefous,J. See Angel,Y., 9=13262
Bonnelle,C. See also Cauchois,Y., 6=5133, 8=633
Bonnelle,C. and Mande,C. A study of the L spectra of palladium, 8=1083
Bonner,F.T. See Emslie,A.G., 8=2838
Bonner,N.A. See Abell,D.F., 7=9940; Wolke,R.L., 6=4646
Bonner,T., Alba,F., Fernández y Marcos Mazari,A. Scattering of fast neutrons by lead and silver, 6=8390
Bonner,T.W. See also Bent,R.D., 5=7344-5, 5=8217, 6=628; Bichsel,H., 8=7377; Brugger,R.M., 6=648; Gabbard,F.,

9=7366; Harlow,M.V., 6=3215; McCrary,J.H., 8=8314; Marion,J.B., 6=649, 6=657-8; Ranken,W.A., 8=8303, 9=650, 9=2757; Schiffer,J.P., 7=2625; Slattery,J.C., 8=728 Taylor,H.L., 6=674

Bonner,T.W., Alba,F., Fernández,A. and Mazari,M. Scattering of fast neutrons in Pb and Ag, 5=4072

Bonner,T.W., Bame,S.J., Jr and Evans,J.E. Energy of the delayed neutrons from the fission of U^{235}, 6=3243

Bonner,T.W., Eisinger,J.T., Kraus,A.A., Jr and Marion,J.B. Cross section and angular distributions of the (d, p) and (d, n) reactions in C^{12} from 1·8 to 6·1 MeV, 6=3220

Bonner,T.W., Kraus,A.A., Jr, Marion,J.B. and Schiffer,J.P. Neutrons and gamma rays from the alpha-particle bombardment of Be^{9}, B^{10}, B^{11}, C^{13}, and O^{18}, 6=6149

Bonner,T.W., Prosser,F.W., Jr and Slattery,J. Scattering of high-energy neutrons by He^{4}, 9=13693

Bonner,T.W. and Slattery,J.C. Nonelastic scattering cross section for 8-20 MeV neutrons, 9=6137

Bonner,W. See Montgomery,P.O'B., 6=8721

Bonner,W.A. See John,H.S., 7=7469

Bonnet,G. A peculiarity of the F2-layer at Lwiro, 5=5133

Bonnet,J. See Persoz,B., 5=6970

Bonnet,M., Matricon,M. and Roubine,E. A study at 10 000 Mc/s of the Faraday effect in a plasma, 6=2257

Bonnin,A. See also Chemla,M., 6=2331

Bonnin,A. and Chemla,M. The concentration of the isotopes of lithium by electromigration in paper, 7=5575

Bonnin,A., Chemla,M. and Suĕ,P. Concentration of isotopes by using a very rapid electrophoresis on paper, 5=9839

Bonnor,W.B. The equations of motion in the non-symmetric unified field theory, 5=709. The formation of the nebulae, 6=4154. The instability of the Einstein universe, 7=14. Boyle's law and gravitational instability, 8=908. The equations of motion in the unitary theory of Einstein—Schrödinger, 8=2116. The formation of nebulae in relativistic cosmology, 8=2731. Gravitational waves in general relativity, 8=2750. Gravitational radiation, 8=3675. Jeans' formula for gravitational instability, 9=1022. Spherical gravitational waves, 9=3103

Bonpas,M. See Legrand,J.P., 7=7203; Meunier,R., 5=3835-6

Bonse,U. X-ray determination of the type of isolated dislocations in single crystals, 9=6269

Bonse,U. and Kappler,E. X-ray recording of distortion field round isolated dislocations in germanium single crystals, 9=6268

Bonshtedt,B.É. A method of finding a wide class of electrostatic and magnetic fields for which the solutions of the basic equation of electron optics are expressed by means of known functions, 6=8827. Calculation of the electrostatic field of systems of diaphragms, 9=1519

Bontinck,W. Climb phenomena in synthetic fluorite crystals, 7=5731. Colour centers in synthetic fluorite crystals, 9=811. The hydrolysis of solid CaF$_2$, 9=917. See also Amelinckx,S., 7=5730, 7=9456, 8=1365

Bontinck,W. and Amelinckx,S. Observation of helicoidal dislocation lines in fluorite crystals, 7=5729

Bontinck,W. and Dekeyser,W. Precipitation of calcium in natural calcium fluoride crystals, 6=7018. Decoration patterns in natural ZnS crystals, 6=7019. The blackening of zincblende crystals in relation to their absorption bands, 7=3830

Bonvalet,M. Application of micro-photoelasticity to the study of plastic deformation, 5=4132. On a photoelastic torsiograph, 6=2017. Improvement of photoelastic measurement methods, 6=2018

Boogaart,A. van den. See van den Boogaart,A.

Booker,C.J.L., Wood,J.L. and Walsh,A. Electron micrographs from thick oxide layers on aluminium, 5=9176, 7=9427

Booker,D.V., Eastwood,W.S., Fenning,F.W., Fry,T.M. and Wiblin,E.R. The measurement of the Laplacian in a lattice of uranium metal rods and graphite, 7=1625

Booker,G.R. and Norbury,J. An extraction replica method for large precipitates and non-metallic inclusions in steels, 7=7510. A general scheme for the examination of precipitates and inclusions in steels, 9=862

Booker,G.R., Norbury,J. and Sutton,A.L. X-ray diffraction studies on precipitates and inclusions in steels using an extraction replica technique, 7=7503

Booker,H.G. Morphology of ionospheric storms, 5=2335. A theory of scattering by nonisotropic irregularities with application to radar reflections from the aurora, 6=8531. On the level at which fading is imposed on waves reflected vertically from the ionosphere, 7=943. The use of radio stars to study irregular refraction of radio waves in the ionosphere, 8=2071. Turbulence in the ionosphere with applications to meteor-trails, radio-star scintillation, auroral radar echoes, and other phenomena, 8=5539. Concerning ionospheric turbulence at the meteoric level, 8=8547

Booker,H.G. and Cohen,R. A theory of long-duration meteor-echoes based on atmospheric turbulence with experimental confirmation, 8=4640

Booker,H.G., Gartlein,C.W. and Nichols,B. Interpretations of radio reflections from the aurora, 5=5806

Booker,J. See Yeager,E., 9=11962

Boomgaard,J. van den. See van den Boomgaard,J.

Boorse,H.A. Some experimental aspects of superconductivity, 9=2347. Superconducting electronic specific heats, the "exponential law", and the Bardeen, Cooper, Schrieffer theory, 9=12297. See also Berman,A., 8=7874; Smith,B., 5=5371, 5=7911-13; Worley,R.D., 5=7979

Boort,H.J.J. van. See van Boort,H.J.J.

Boos,É.G., Vinitskiĭ,A.Kh., Takibaev,Zh.S. and Chasnikov,I.Ya. Investigation of a shower produced by a singly charged particle of high energy, 8=7152

Boot,H.A.H., Self,S.A. and Shersby-Harvie,R.B.R.- Containment of a fully-ionized plasma by radio-frequency fields, 8=5069

Boot,H.A.H, and Shersby-Harvie,R.B.R.- Charged particles in a non-uniform radio-frequency field, 8=1137

Booth,C. and Rowlinson,J.S. The influence of lattice vibrations on the order-disorder transitions of alloys, 5=5732

Booth,D.L., Hill,R.S., Price,F.V. and Roaf,D. The reaction ^{3}He(d, p)^{4}He between 100 keV and 500 keV, 8=1260

Booth,D.L., Hill,R.S., Price,F.V., Roaf,D. and Salmon,G.L. A gas target and nuclear plate camera, 8=3280

Booth,D.L., Preston,G. and Shaw,P.F.D. The cross section and angular distributions of the D—D reactions between 40 and 90 keV, 6=6160

Booth,D.L., Price,F.V., Roaf,D. and Salmon,G.L. The differential cross sections for the reactions ^{14}N(d, p)^{15}N and ^{14}N(d, α)^{12}C between 600 and 1000 keV, 8=1965

Booth,E., Madansky,L. and Rasetti,F. Decay of ionium (Th^{230}), 6=4607

Booth,E.T. See Blumenfeld,H., 5=2823, 6=6184; Koppel,D., 7=9728; Lande,K., 7=2683*

Booth,F. Sedimentation potential and velocity of solid spherical particles, 5=2284. The dielectric constant of polar liquids at high field strengths, 5=5389. The coagulation of non-spherical particles, 5=8364

Booth,F.B. See Hildebrandt,A.F., 9=9814

Booth,G.L., Hoare,F.E. and Murphy,B.T. The low temperature (11°-20°K) specific heat of α and β manganese, 6=2049*

Booth,K.H.V. Variations in tension of an unwinding thread, 7=6922

Booth,N.E., Hereford,F.L., Huq,M., Hutchinson,G.W., Law,M.E., Segar,A.M. and White,D.H. Azimuthal symmetry in proton scattering at 980 MeV, 8=5199

Booth,N.E., Hutchinson,G.W. and Ledley,B. Nuclear cross sections for 765 MeV neutrons, 8=1980

Booth,N.E., Hutchinson,G.W., Segar,A.M., Shute,G.G. and White,D.H. $\beta-\nu$ correlation in Ne^{23} with resonance fluorescence, 9=8538

Booth,N.E., Ledley,B., Walker,D. and White,D.H. Nuclear cross sections for 900 MeV protons, 7=3647

Booth,R. See also Ball,W.P., 8=5391; MacGregor,M.H., 8=763, 9=3924, 9=5066

Booth,R., Ball,W.P. and MacGregor,M.H. Neutron activation cross sections at 25 KeV, 9=5065

Boothby,O.L. See Williams,H.J., 7=6358

Bopp,C.D. and Sisman,O. Radiation stability of plastics and elastomers, 5=10036. How radiation changes polymer mechanical properties, 6=3340

Bopp,F. A foundation of quantum mechanics based on the statistics of particles, 5=75. A simple example (drawn) from stochastic quantum mechanics, 6=92. Board games whose pieces move in an approximately quantum mechanical manner, 6=867. Quantum mechanical and stochastic processes, 6=868. A type of phase-space representation in quantum mechanics, 6=1862. Stochastic representation of quantum mechanics, 6=1867. Note on a surprising result in field mechanics, 7=545. Is quantum mechanics a special case of classical statistical mechanics? 7=9011

Bopp,F. and Werner,E. Exact foundations of the theory of spin waves, 8=7484

Bor,J. A photographic recording microphotometer, 7=6975

Borchers,H. See Saur,G., 9=6285

Borchers,H.J. Unified representation of the energy—momentum-and spin tensor for arbitrary spin, 6=35

Borde,A.H. de. See de Borde,A.H.

Bordier,D. See Ribaud,G., 5=4792

Bordone,C. Some aspects of the non-linear distortion of loudspeakers, 5=2522

Bordone-Sacerdote,C. See Sacerdote,G.G., 8=2914

Bordoni,P.G. Research on the solid state at high temperatures by means of ultrasonics, 5=6552, 5=7430

Bordoni,P.G. and Nuovo,M. Attenuation of elastic waves in lead at high temperatures, 5=4131. Tangential modulus in some metals near the melting point, 5=8319

Bordoni,P.G., Nuovo,M. and Verdini,L. Activation energy and relaxation spectrum of dislocations in copper, 9=12769

Berel,J.P. Thin metallic and colloidal films, 5=3177. Scintillation effect and structure of thin metallic layers, 6=6614. See also Manus,C., 5=2719

Borel,J.P. and Cornaz,P. Observation of the Overhauser effect in a gas in the presence of a paramagnetic solid, 9=5921

Borel,J.P., Manus,C. and Mercier,R. Spectral analysis of the intensity of fluctuations in germanium diodes at low frequencies, 6=2879

Boreli,F. See also Clement,J.D., 8=6150; Walton,R.B., 8=344

Boreli,F. and Darden,S.E. Strength function determinations using fast neutrons, 8=2528

Boreli,F. and Grimeland,B. Energy measurements with a plastic scintillator, 6=431

Boreli,F. and Lalaovic,B. Neutrons produced in the bombardment of beryllium by deuterons, 6=1573

Borelius,G. Kinetics of precipitation in aluminium-silver alloys, 5=7411. On the energy of activation for self-diffusion in metals, 7=6631. On the connection between electrical resistivity and potential energy in pure metals, 7=7248. On the entropy of solid and liquid metals, 7=7249. On the connection between thermal expansion and potential energy in solids and liquids, 7=7055. Phenomenological aspects of the resistivity of pure metals, 8=1041. Equations of state for liquid helium, 8=7865. On the phase transition and excitations in liquid helium, 9=3391. Thermal expansion and melting of simple metals, 9=4018. See also Giansoldati,A., 9=11228

Borelius,G. and Larsson,L.E. Resistometric and calorimetric studies on the precipitation in aluminium—silver alloys, 7=6635

Borelius,G. and Rudberg,E. (Conf.rep.). Report from the Conference of the Swedish National Committee for Physics in 1955, 7=3933. Reports from the Conference of the Swedish National Committee for Physics in 1957, 8=4694

Borelius,G. and Sandin,A. On density fluctuations in solids and liquids, 6=1153

Borelli,V. See also Eisler,F., 8=1208, 8=1212*, 9=2662, 9=2667

Borelli,V., Franzini,P., Mannelli,I., Minguzzi-Ranzi,A., Santangelo,R., Saporetti,F., Silvestrini,V., Waloschek,P. and Zoboli,V. Graphical method for the analysis of bubble chamber pictures, 9=2556

Borello,E. See Milone,M., 7=8949

Borello,O.A. See also de Souza Santos,M.D., 9=665

Borello,O.A., Goldemberg,J. and Santos,M.D.S. Study of the $Ge^{70}(\gamma, n)Ge^{69}$ and $Ge^{76}(\gamma, n)Ge^{75}$ reactions, 9=663. Study of the $K^{39}(\gamma, n)K^{38}$ and $Cl^{35}(\gamma, n)Cl^{34}$ reactions, 9=664

Borg,S.F. Initial wedge impact on a compressible fluid, 9=11886

Borgardt,A. Non-linear meson field of a nucleon at rest, 7=1901. Pseudoscalar interaction in nonlinear mesodynamics, 7=1902 Possible forms of nonlinear mesodynamics, 7=8401

Borgardt,A.A. On the gravitational self-energy of a particle in classical field theory, 5=9399. Meson field theory. III. Conservation of physical quantities, 6=4837. Matrix aspects of boson theory, 6=4851. On the principle of Larmor invariance, 8=1528. Non-linear meson-field equations, 8=2800. Derivation of exact non-linear equations of motion for single particle on basis of Birkhoff theory, 8=7678. Photon wave equations, 9=9203

Borgen,O., Grjotheim,K. and Krogh-Moe,J. A comment on the X-ray determination of glass structures, 6=8431

Borgers,A.J. See Hollander,T., 7=1721

Borgest,V.A. and Zaidel',A.N. Application of an interference-polarization filter in the analysis of the isotopic composition of hydrogen—deuterium mixtures, 9=6756

Borghini,M. and Abragam,A. Dynamic polarization of protons at low temperatures, 9=12489

Borgne,E. le. See le Borgne,E.

Borgnis,F.E. Specific directions of longitudinal wave propagation in anisotropic media, 5=5947

Borie,B. Independent measurement of the atomic scattering factor and the Debye factor, 7=2838

Borie,B. and Warren,B.E. X-ray study of the change in Cu_3Au near 600°C, 7=3758

Borie,B.S.Jr. See Bredig,M.A., 5=9255; Herbstein,F.H., 7=780

Borin,A.V., Makovskiĭ,A.F., Odintsov,M.G., Ivleva,S.A. and Avvakumov,V.I. Photographic material with a constant coefficient of contrast in the visual region of the spectrum, 5=2351

Borisevich,N.A. See Neporent,B.S., 7=269, 7=4218

Borisov,M. A sensitive method of investigating the internal photoeffect in powdered semiconductors by dielectric loss measurements, 5=4674. See also Borissov,M. Nadzhakov,G., 6=2114

Borisov,M. and Kunev,S. An instrument for measuring the moisture of soils, 5=7557

Borisov,M. and Kȳnev,S. Negative inner photoeffect in zinc oxide, 6=2115

Borisov,M., Kȳnev,S., Georgieva,I. and Vateva,E. The use of electrically stimulated currents in cadmium sulphide monocrystals for measuring doses of γ-radiation, 8=7356

Borisov,M., Kȳnev,(Kŭnev),S. and Zlateva,A. Some experimental results of investigations on the internal photoeffect in mixed (ZnS,CdS):Cu crystal phosphors, 7=7765

Borisov,M. and Marinov,M. Crystal counters of cadmium sulphide with a high-frequency electric field, 9=9903

Borisov,N.D., Nemoshkalenko,V.V. and Fefer,A.M. The electronic band structure in iron—chrome alloys, 9=8827

Borisov,S.V., Pavlov,P.V. and Belov,N.V. Graphical method of solving the basic Harker—Kasper inequalities, 9=12875

Borisov,V.L. and Lepeshinskaya,V.N. The secondary emission properties of the magnesium and beryllium alloy emitters after short activation, 9=11108

Borisov,Yu.Ya. See Bebchuk,A.S., 9=6577

Borisova,N.I. See Kurchatov,B.V., 9=2787

Borisova,T.I. See Mikhaĭlov,G.P., 7=3242, 8=3066

Borisovskiĭ,E.S. See Mazurin,O.V., 7=9169

Borissov,M. and Kanev,S. Negative internal photoeffect in zinc oxide, 6=8805

Borkowski,C.J. Low energy gamma scintillation spectrometry, 9=2763

Bormann,M., Andersson-Lindström,G., Neuert,H. and Pollehn,H. Fluorescence decay times in Tl-activated inorganic scintillators for particles of different ionizing power, 9=13182

Bormosov,Yu.N., Nozdrev,V.F., Sobolev,V.D. and Sultanov,A.M. An experimental investigation of the relaxation processes which arise during the passage of ultrasonic waves through liquids, 6=8021

Born,M. Albert Einstein and the light quantum, 6=49. The statistical interpretation of quantum mechanics (Nobel lecture, 1954), 6=94. Continuity, determinism, and reality, 7=1083. Physics and relativity, 7=6857. Atomic physics, 7=8086. Space travel and the clock paradox, 8=3679. To what extent can classical mechanics predict trajectories? 9=4252. Predictability in classical mechanics, 9=5342

Born,M. and Biem,W. On the clock paradox, 8=3680

Born,M. and Hooton,D.J. Statistical dynamics of multiply periodic systems, 6=96. Statistical dynamics of multiply-periodic systems, 7=122

Born,M. and Huang,K. Dynamical theory of crystal lattices, 6=2538

Born,M. and Ludwig,W. On the quantum mechanics of a force-free particle, 8=7715

Born,P. See Ong Ping Hok., 6=6114

Borneas,M. On a generalization of the Lagrange function, 9=4324

Borneas,M. and Kalman,E. Experimental researches on the surface tension of liquids in movement, 8=2842

Borneman,E.H. See also Wurst,E.C., Jr, 7=4354

Borneman,E.H., Schwarz,R.F. and Stickler,J.J. Rectification properties of metal semiconductor contacts, 5=8770

Borner,E.F. and Cassidy,B.F. Analog study of boiler—reactor interaction, 7=9493

Börner,H. Soundproof door constructions, 7=9050

Bornmann,J.A. Photoconduction of phthalocyanines in presence of oxygen, 7=9697

Borob'ev,L.N. Determination of displacements of points in a system under strain, 7=800

Borodin,N.S. See Lëvshin,V.L., 9=9483*

Borodovskaya,L.N. and Lebedev,S.V. Relation between electrical conductivity and electron emission and the energy of a metal heated by a current of high density, 5=6257

Borodovskiĭ,P.A. Application of the harmonic oscillations of electrons to the generation of very high frequencies, 8=8158

Boronkov,V.P. See Likhachev,V.M., 7=1616

Boros,J. and Császár,S. The electrical conduction of (compressed) tablets of NaCl and KBr, 6=354

Borovik,E.S. Hall effect and magnetoresistance in lead, copper and magnesium, 5=4657. Interrelation between anisotropy of the Hall effect and variation of the resistance of metals in a magnetic field. I. Investigation of zinc, 6=5113. See also Borovȳk,Ye.S.

Borovik,E.S. and Batrakov,B.P. Investigation of breakdown in vacuum, 9=9676

Borovik,E.S. and Broude,V.L. (Conf.rep.). Conference on Problems of Physics of Low Temperatures, 8=6919

Borovik,E.S. and Volotskaya,V.G. Galvanomagnetic phenomena in Pt at low temperatures, 9=11053

Borovik-Romanov,A.S. Investigation of weak ferromagnetism in single crystal $MnCO_3$, 9=11205. See also Astrov,D.N., 8=2409

Borovik-Romanov,A.S., Karasik,V.R. and Kreĭnes,N.M. Antiferromagnetism of anhydrous sulphates of Ni^{++}, Fe^{++}, Co^{++}, Cu^{++}, 7=538

Borovik-Romanov,A.S. and Kreĭnes,N.M. Magnetic properties of trivalent ions of europium and samarium, 6=8859. An anomalous magnetic transition in anhydrous copper sulphate, 8=6044

Borovik-Romanov,A.S. and Orlova,M.P. Magnetic properties of cobalt and manganese carbonates, 7=3435. Magnetic properties of manganese oxides at temperatures from 20 to 300°K, 8=653

Borovik-Romanov,A.S., Orlova,M.P. and Strelkov,P.G. Apparatus for reproducing the boiling point of hydrogen, 5=4602

Borovikova,G.P. and Korsunskiĭ,M.I. Lines $L\beta_3$ and $L\beta_4$ in the spectrum of germanium, 8=209. On the satellites of the lines $L\alpha_{1,2}$ and $L\beta_1$ in the spectrum of germanium, 8=3165

Borovinskii,L.A. On conditions for the joining of functions in a uni-dimensional metallic model of a molecule, 9=8752

Borovinskii,L.A. Calculation of the absorption spectrum of benzene based on a metallic model taking into account periodic potential and π-electron interaction, 9=11531

Borovitskaya,N.M. Measurement of the dynamic modulus of rubber for very small deformation amplitudes by an optical modulation-interference method, 7=1686

Borovitskiĭ,S.I. and Gorelik,G.S. Heterodyning of light, 7=2441

Borovskii,I.B. See also Kostarev,A.I., 5=7094; Troneva,N.V., 9=9683; Valoukh,M., 9=12876; Yavnel',A.A., 9=6451

Borovskii,I.B. and Gurov,K.P. On the theory of solid solutions based on the transition metals, 8=4462

Borovȳk,Ye.S. See also Borovik,E.S., Lazaryev,B.H., 8=6720

Borovȳk,Ye.S., Lazaryev,B.H., Fedorova,M.F. and Tsȳn,N.M. Improvement of diffusion pump characteristics by using liquid nitrogen traps, 8=7754

Borovȳk,Ye.S., Lazaryev,B.H. and Tsȳn,N.M. The decomposition of oils in diffusion pumps, 8=7753

Borowitz,S. Perturbation calculation of the elastic scattering of electrons by hydrogen atoms, 5=1900

Borowitz,S. and Greenberg,H. Variational calculation of the scattering of electrons of nearly zero energy by hydrogen atoms, 8=8207

Borowitz,S. and Klein,M.M. Perturbation calculation of the inelastic scattering of electrons by hydrogen atoms, 6=7464

Borowski,S., Jasiński,S. and Manczarski,S. Doppler effect in ionospheric propagation, 6=8295

Borrell,P. See Glover,K.M., 5=4988

Borries,B.v. See v. Borries,B.

Borries,B. von. See von Borries,B.

Borrmann,G. Fourfold refraction of X-rays through the ideal crystal lattice, 5=5092

Borrmann,G., Hartwig,W. and Irmler,H. Shadows of dislocation lines in X-ray diagrams, 9=5257

Borrmann,G. and Hildebrandt,G. The X-ray wave field in large calcite crystals and the effect of deformation, 7=870

Borrman,G., Hildebrandt,G. and Wagner,H. X-ray fanning-out in calcite, 6=1747

Borrmann,G. and Wagner,H. The absorption of interfering X-rays along their path in an ideal crystal lattice, 5=5093

Borsellino,A. Recent progress in nuclear physics, 5=439. Statistics of deformable molecular chains, 9=7477

Borshchevskiĭ,A.S. See also Burdiyan,I.I., 9=10295

Borshchevskiĭ,A.S., Goryunova,N.A. and Takhtareva,N.K. Microhardness study of some zinc-blende-like semiconductors, 8=8491

Borst,L.B. The convergatron, a neutron amplifier, 8=2595

Borst,L.B. and Miller,L.G. Long-wave neutron spectrum of the Materials Testing Reactor, 8=3390

Bortner,T.E. See also Hurst,G.S., 9=7115, 9=7128; Melton,C.E., 5=1014

Bortner,T.E., Hurst,G.S. and Stone,W.G. Drift velocities of electrons in some commonly used counting gases, 7=4439

Borucka,A.Z., Bockris,J.O'M. and Kitchener,J.A. Test of the applicability of the Nernst—Einstein equation to self-diffusion and conduction of ions in molten sodium chloride, 6=7785

Bory,C. Individualization of matter in diffusion phenomena, 7=8460. On enthalpy and free energy, 8=6932

Borȳsov,M.D. and Fefer,A.M. Solid state spectroscopy of metals and alloys as a means of studying the electron structure of their conductivity band, 8=7074

Borȳsov,M.D. and Vȳshnevskȳĭ,V.N. The problem of determining the length of diffusion shift of excitons in molecular crystals, 8=7498

Borzunov,N.A., Kogan,V.I. and Orlinskiĭ,D.V. Estimation of the electron temperature and degree of ionization in the initial stages of a powerful pulsed discharge, 8=5941

Borzyak,P.G., Bibik,V.F. and Sarbei,O.G. Photoelectronic emission of some semiconductor and metal cathodes with a diminished work function, 9=12358

Borzyak,P.G. and Sarbeĭ,O.G. The photoelectric and secondary electron emission of germanium, 9=3561

Borzyak,P.H. and Sarbeĭ,O.H. The effect of adsorption of a layer of the products of vaporization of BaO from platinum on the work function of electrons from germanium, 8=7103

Bosanquet,C.H. Change of inclination of a satellite orbit, 9=1012. Scale height of the upper atmosphere, 9=3075

Bosch,H. See also Bès,D., 5=4034

Bosch,H. and Munczek,H. γ-Radiation from the disintegration of $_{51}Sb^{127}$, 7=664. New half-life in the family of antimony isotopes, 7=7326

Bosch,H.E., Munczek,H. and Radicella,R. Gamma-radiation from disintegration of I^{128}_{53}, 8=7349

Bosch,H., Radicella,R., Reyes,P. and Urstein,T. Gamma rays from I^{128}, 9=1747

Bosch,J. and Ulsenheimer,G. A note on radioactivity of airborne particles, 9=11660

Boschitz,E. · Nuclear-spectroscopic investigations of Ag—Cd^{110} and Sb—Te^{124}, 9=10054

Bosco,B. On the nucleons magnetic moments contribution to the radiative pion-nucleon scattering, 8=282. On the radiation emitted by charged particles interacting with complex nuclei, 9=3719

Bosco,B. and De Alfaro,V. Limitations on the nucleon form factors due to causality requirements, 9=9947. Three-pion contribution to the electromagnetic structure of the nucleon, 9=12546

Bosco,B. and Fubini,S. Phenomenological relation between electron and photon disintegration of nuclei, 9=662

Bosco,B., Fubini,S. and Stanghellini,A. A theoretical approach to low energy pion physics, 9=7280

Bosco,B. and Regge,T. On the polarization of high energy nucleons scattered by a nuclear field, 5=66

Bosco,B. and Stroffolini,R. A field theoretical model for S-wave pion-nucleon scattering, 5=9435. Meson—meson interaction from a field-theoretical-model, 6=5690. The radiative pion—nucleon scattering in static theory, 9=2629

Bose,A., Mitra,S.C. and Datta,S.K. The behaviour of the paramagnetic ions in the single crystals of some similar salts of the iron group of elements. I. Hydrated cupric salts, 7=6712

Bose,H.N. Thermoluminescence of alkali halide phosphors, 5=4559

Bose,H.N. and Bhaumik,M.L. Temperature dependence of energy transfer in diphenyl—anthracene system, 7=9102

Bose,S.K., Gamba,A. and Sudarshan,E.C.G. Representations of the Dirac equation, 9=6524

Bösenberg,W. Diffusion of antimony, arsenic and indium in solid germanium, 5=7414. On the crucible problem during extensive heating of germanium, 8=472. Casting of thin single-crystal germanium plates, 8=8518

Bosgra,S.J. See also Holthuizen,D.J., 7=9417; Lim,T.G., 8=4250

Bosgra,S.J. and Bruin,F. Search for particles of mass $500\,m_e$, 9=3763

Boshoff,M.C. Gloss scale for paint surfaces, 8=8709

Boskma,P. and de Waard,H. Excited states of ^{166}Er, 9=13615

Bosley,W. and Hughes,I.S. The nuclear scattering of electrons and positrons at 10 MeV, 6=2173

Bosman,A.J., Brommer,P.E. and Rathenau,G.W. The influence of pressure on the mean time of stay of interstitial nitrogen in iron, 8=3476

Bosman,A.J., Brommer,P.E., van Daal,H.J. and Rathenau,G.W. Time decrease of permeability in iron, 8=3232

Bosman-Crespin,D. Models for hot stars, 5=1480

Bosman-Crespin,D., Fowler,W.A. and Humblet,J. On the rate of thermonuclear energy generation in stars, 5=4046

Bösnecker,D. See Lutze,E., 9=451

Bossolasco,M. and Meda,F. A new type of electrometer, 5=8419

Bosson,F. and Peyturaux,R. Study of the continuous background of the solar spectrum. III. A tuned generator, 5=5837

Bost,R. Influence of the eclipse of 30 June 1954 on the propagation of atmospherics on a frequency of 27 kc/s, 6=7092

Bostick,W.H. Hypothesis for the origin of the magnetic fields and angular rotations of stars and planets, 6=6. Experimental study of ionized matter projected across a magnetic field, 7=1345. Simulation of solar prominence in the laboratory, 7=2935. Experimental study of plasmoids, 7=6218. Observations of explosions of high-speed plasma in a magnetic field, 8=2346. Possible hydromagnetic simulation of cosmical phenomena in the laboratory, 9=987. See also Harris,E.G., 7=4410

Bostick,W.H. and Levine,M.A. Experiments on the behavior of an ionized gas in a magnetic field, 5=1870

Bostick,W.H. and Twite,O.A. Simulation of astrophysical processes in the laboratory, 7=6217

Bostrom,N.A., Hudspeth,E.L. and Morgan,I.L. Deuteron-induced reactions leading to N^{16}, 7=4719

Bosworth,R.C.L. Irreversible processes in physical theory, 8=3731

Bot,J.Le. See Le Bot,J.

Botden,T.P.J., van Doorn,C.Z. and Haven,Y. Luminescence of F-centres in alkali-halide crystals, 5=859

Bothe,H.K. and Herforth,L. Experimental contribution to energy transport mechanisms in polystyrene phosphors, 9=12101

Bothe,W. See Faissner,H., 6=1339; Gentner,W., 5=5505; Jänecke,J., 6=1340

Bothner-By,A.A. See also Glick,R.E., 7=1492

Bothner-By,A.A. and Glick,R.E. Medium effects in nuclear magnetic resonance spectra of liquids. II. Simple aliphatic molecules, 7=8065; III. Aromatics, 7=8066

Bothorel,P. See also Pacault,A., 6=2280

Bothorel,P., Pacault,A. and Rousset,A. Contribution to the study of optical anisotropy and of molecular orientation, 7=6417

Botré,C., Crescenzi,V.L. and Mele,A. A study on micelle formation in colloidal electrolyte solutions, 9=8970

Bots,G.J.C. and Gorter,C.J. The fountain effect of liquid helium below 1°K, 6=6566

Böttcher,F. The scalar potential field of two coaxial cylindrical electrodes, of the same diameter, with a cylindrical screen, 9=7080

Bottema,M. The setting accuracy in two-beam interferometry, 8=5811

Böttger,O. Researches on the temperature dependence of the electron work function of metals and semiconductors, 6=2920. Some limitations of the thermoelectric effects in semiconductors, 8=7047

Bötticher,W. Quantitative measurement of the continuum of the 3^{3}P series limit for Mg, 8=7801

Bottomley,G.A. A method of obtaining accurate relative pressures in the range 20 to 200 mm of mercury, 8=5672. See also Whytlaw-Gray,R., 8=3789

Bottreau,M.-M. See Gray,E., 5=7861

Botzen,A. See Michels,A., 5=2479, 5=8551, 6=3672, 7=8455

Bouby,L. and Chapiro,A. Radiolysis of dilute solutions of diphenyl picryl hydrazine (DPPH) in organic solvents. III. The effect of oxygen—solvent mixtures, 6=5485

Bouchard,J. and Moret-Bailly,J. A photoelectric polarimeter with vibrating half-wave plate, 6=1144

Bouche,L. On an alternative form for the field equations in a unified theory of the Einstein—Schrödinger type, 9=3098

Boucher,B. Magnetic structure of nickel manganite, 9=12451

Boucher,F.B. See Irving,J., 7=6882

Boucher,R. Study of Al—U alloys. Application to the solid-state transformation UAl$_3$ → UAl$_4$, 9=10299

Boucher,R.M.G. See Brun,E., 7=8476

Boucher,R.R. See Runnalls,O.J.C., 6=1632, 6=8794

Boucherie,A. See Mey,J., 6=5177

Bouchez,R. See also Avignon,P., 5=8187; Michalowicz,A., 5=9897

Bouchez,R., Michalowicz,A., Riou,M. and Teillac,J. Study of γ and X radiations emitted by actinium, 5=7333

Bouchez,R., Tobailem,J., Robert,J., Muxart,R., Mellet,R., Daudel,P. and Daudel,R. New determination of the difference in the periods of metallic Be^7 and Be^{7}F$_2$, 6=7642.

Bouchiat,C. and Michel,L. Polarization effects in the Møller scattering of electrons, 7=2301. Theory of μ-meson decay with the hypothesis of nonconservation of parity, 7=6593. Measurement of polarization of relativistic electrons, 8=5189

Bouchiat,C.C. Recoil effect in beta decay and K capture, 9=5013

Boudart,M. Heats of adsorption on metal surfaces, 5=6096. See also De Vogelaere,R., 5=8342

Boudart,M. and Dubois,J.T. Stabilization of energy-rich molecules. I. Energy transfer with hydrogen, 5=2964

Boudart,M.J. See McKinley,J.D.,Jr, 5=5988, 6=9104

Boudouris,G. A new solution of the problem of propagation over a plane earth, 8=5152

Boudouris,G. and Ilias,D. On the problem of the plane of propagation of the horizontal electric dipole, 7=8733. The absorption of microwaves by gas mixtures, 8=4185

Bouffant,L.Le. See Le Bouffant,L.

Bouigue,R. On the evolution and age of the galaxies, 5=1476. Photoelectric measurements of interstellar absorption, 9=12945

Bouissières,G. See Frilley,M., 5=7318

Bouix,M. Elliptical polarization of an electromagnetic wave, 5=396, 5=2029, 5=2902. Study of the electromagnetic field in the neighbourhood of a reflecting surface, 5=7210. Some problems on obstacles in a field of electromagnetic radiation, 6=1408, 6=5259. Application of [the theory of] distributions to the Maxwell and Helmholtz equations, 8=6786

Boulassier,J.C. Vacuum outgassing of materials at room temperature, 9=13079

Boulègue,G. Use of a betatron in nuclear physics, 6=1588. On the calculation of the cross-sections of photonuclear reactions induced by bremsstrahlung, 7=7392. See also Bobard,F., 7=7332

Boulègue,G. and Chanson,P. Problems of adjustment and calibration of a 31·8 MeV betatron, 7=1357

Boulègue,G., Chanson,P., Combe,R., Feix,M. and Strasman,P. The energy yield from deuterium—tritium mixtures, 9=5080

Boulloud,A. The discharge between a positive point and a plane in compressed air and carbondioxide, 5=9688. On the disappearance of the positive corona effect in compressed air, 6=7448. On the interpretation of pre-breakdown currents in the compressed gases with the aid of the Schottky phenomenon, 7=2282. Measurements of sparkover voltages in compressed H$_2$ and N$_2$, 7=6206. Calculation of the electrostatic force tending to raise a conducting sphere from a conducting plane, 8=6933

Bouma,B.C. See van Geel,W.C., 8=7842

Bouman,D.J. A theory of the ventilated psychrometer based on the thermodynamics of irreversible processes, 5=5759

Bouman,J. A general theory of inequalities, 9=7625

Bouman,M.A. Absolute threshold conditions for visual perception, 5=3350. Comment on Aguilar and Stiles' discussions of their increment threshold measurements, 5=4252. On foveal and peripheral interaction in binocular vision, 5=4254. See also Plomp,R., 9=10472; van den Brink,C., 7=8330; Vos,J.J., 7=2896; Walraven,P.L., 9=7701

Bouman,M.A. and Walraven,P.L. Some color naming experiments for red and green monochromatic lights, 8=1391

Boumans,A.A. Streaming currents in turbulent flows and metal capillaries. I. Theory. (1) Distribution of charge in the liquid, 8=3151; II. Theory. (2) Charge transported by the flow of liquid, 8=3152; III. Experiment. (1) Aim and procedure, 8=3153; IV. Experiment. (2) Results and conclusions, 8=3154

Bouniol,F. See Guienne,P., 7=5131

Bouquet,F.L. See Meyer,R.A., 6=8795

Bouquet,G., Ceschino,F., Feix,M., Loutfoullah,R., Nicourd,P. and Sestier,A. Determination of the critical volume of a spherical reactor, 7=6586

Bourdy,C. On the influence of the size, eccentricity, and spectral composition of the test field on nocturnal binocular convergence, 5=6668. See also Ivanoff,A., 5=4250

Bourghardt,S., Hydén,H. and Nyquist,B. A computing microphotometer for cell analyses, 5=6662

Bouriau,Y. and Lenoble,J. On production of polarizers for the untraviolet, 7=9119. A polarimeter for the study of ultraviolet radiation from the sky, 8=4591. Untraviolet polarizers, 9=4493

Bourne,B.P. See Loening,E.E., 5=3373

Bourne,H.C., Jr. Composition of the interelectrode prebreakdown current in high vacuum, 5=6174

Bourne,H.C., Jr, Cloud,R.W. and Trump,J.G. Role of positive ions in high-voltage breakdown in vacuum, 5=6175

Bournia,A. See Gast,P.F., 6=5706

Bourot,J.M. and Brun,R. On the aerodynamic field near an orifice in an extended resonator, 7=4078

Bourret,R. Particle equations from non-associative algebras, 9=4291. A note on an information theoretic form of the uncertainty principle, 9=4307. Representation of the M operator of Freistadt and Struik, 9=11707. Covariant generalization of the Stokes parameters, 9=11978

Bousquet,P. Optical study of thin films of calcium fluoride in the total reflection zone, 5=225. Study of the reflection factor of thin cryolite films near the Brewster incidence angle at the air-film surface, 5=8662. Spectrophotometric study of thin, transparent films at oblique incidence, 6=261*. On some anomalies observed when total reflection takes place at a thin transparent film, 6=5024. Theoretical study of the optical properties of thin transparent films, 7=6046. Study of the structure of thin transparent layers by investigating their optical properties, 8=813. Study of the optical properties of thin [evaporated] transparent films, in connection with their structure, 9=9510

Bousquet,P. and Delcourt,Y. Evidence of the birefringence of calcium fluoride thin layers, obtained by thermal evaporation, 7=8545

Boutron,F., Barrat,J.P. and Brossel,J. Measurement by magnetic resonance of "coherence time" on the isotopes Hg^{199} and Hg^{201}, 8=2232

Boutry,G.A. The human eye in relation to the television picture, 5=10135

Boutry,G.A. and Billard,P. Visibility of recurrent structures in television systems with interlaced scanning, 9=6407

Boutry,G.A., Billard,P. and Le Blan,L. The behaviour of the eye and the rational transmission of simultaneous images. I, 5=6665

Bouvier,P. Calculation of source-functions for Rayleigh–Thomson scattering, 5=1484. A case of doubly perturbed stellar motions, 9=10543

Bouwers,A. and Blaisse,B.S. Anamorphic mirror systems, 5=6877

Bouwkamp,C.J. A simple method of calculating electrostatic capacity, 8=5858

Bouwmeester,E. and Warmoltz,N. A simple and reliable ionization manometer, 6=126

Bouyer,R. Application of phase contrast to the study of gas flows, 6=3550

Bovey,F.A. See Johnson,C.E., Jr, 9=1833

Bovey,L. A tuneable microwave cavity for excitation at 2425 Mc/s of an optical spectroscopic source, 8=2224. Emission and absorption spectra of plutonium excited in a King furnace, 8=2951

Bovey,L.F.H. An extension of the analysis of the yttrium spectrum, 5=2568. A furnace for obtaining optical spectra of radioactive elements, 5=9544

Bovey,L.F.H. and Nott,C.W. The use of Hollerith computing machines in spectroscopic term analysis, 7=1174

Bovey,L.F.H., Steers,E.B.M. and Wise,H.S. The infrared resonance lines of lutetium, 7=2010

Bow,Y.F. Pairing effect in nuclei, 7=4615

Bowcock,J. Compound nuclear theory and the optical model, 7=7287, 7=8764

Bowcock,J. and Walecka,D. Analytic properties of the Schrödinger amplitude at a fixed angle, 9=11846

Bowcock,J.E. Calculation of reduced widths from stripping curves, 5=6460. First excited state of B^{11} and spin—flip stripping, 9=4980

Bowden,F.P. Some recent experiments in friction. Friction on snow and ice and the development of some fast-running skis, 6=1667. A discussion on the initiation and growth of explosion in solids. Introduction; Conclusion, 8=7580; The initiation of explosion by neutrons, α-particles and fission products, 8=7581. Damage to solids by liquid

Bowden,F.P. and Brunton,J.H. Damage to solids by liquid impact at supersonic speeds, 8=3530

Bowden,F.P. and Freitag,E.H. Some recent experiments in friction. Friction of solids at high speeds, 6=1667

Bowden,F.P. and McLaren,A.C. The explosion of silver azide in an electric field, 8=7580

Bowden,F.P. and Rowe,G.W. The friction and the mechanical properties of solid krypton, 5=3202. The adhesion of clean metals, 6=3326

Bowden,F.P. and Singh,K. Irradiation of explosives with high-speed particles and the influence of crystal size on explosion, 5=2282

Bowden,F.P. and Williamson,J.B.P. Influence of electrical current on contact between metals, 5=1857. Electrical conduction in solids. I. Influence of the passage of current on the contact between solids, 8=5003

Bowden,K.F. Physics in oceanography, 6=8496

Bowden,S.T. A corrected Guldberg rule, 5=249. Variation of surface tension and heat of vaporization with temperature, 6=1887. See also Costello,J.M., 8=5674, 9=9283

Bowell,E. The thermal neutron cross-section of boron. Appendix: The preparation of a boron solution for neutron transmission measurement, 7=8165*. See also Green,A., 5=4106

Bowen,D.H. Hydrogen liquefaction, 9=9558

Bowen,E.G. The influence of meteoric dust on rainfall, 5=655. The relation between rainfall and meteor showers, 6=9117. A relation between snow cover,cirrus cloud, and freezing nuclei in the atmosphere, 7=5767. January freezing nucleus measurements, 7=5768. Relation between meteor showers and the rainfall of August, September, and October, 8=5548. See also Telford,J.W., 5=6647

Bowen,E.J. and Livingston,R. An experimental study of the transfer of energy of excitation between unlike molecules in liquid solutions, 5=3628

Bowen,E.J. and Veljković,S. The enhancement of the fluorescence of vapours, 6=6536

Bowen,H.J.M. The uptake and isotopic enrichment of lithium by yeast, 6=8337

Bowen,I.S. Astronomical spectrographs: past, present, and future, 7=4970

Bowen,J.D. See Morris,A. 5=10146

Bowen,J.H. and Masters,E.F.O. Temperature transients in gas-cooled thermal nuclear reactors, 7=9895, 8=5412

Bowen,L.O. Design and performance of a high-efficiency laboratory electro-magnet, 7=8018

Bowen,P.H. See Scanlon,J.P.. 8=1852

Bowen,T. Ionization energy loss of mesons in a sodium iodide scintillation crystal, 5=1227. See also Haskin,D.M., 6=4005, 7=682

Bowen,T., Di Corato,M., Moore,W.H. and Tagliaferri,G. Absorption cross sections of carbon, iron and lead for 1·5 GeV negative pions and 2·8 GeV protons, 9=2632

Bowen,T., Hardy,J., Jr, Reynolds,G.T., Tagliaferri,G., Werbrouck,A.E. and Moore,W.H. Observation of unpolarized Λ's produced by 1·5 BeV π^- interactions in Pb, Fe, and C, 8=8258

Bowen,T., Haskin,D.M. and Schein,M. Examples of K-meson production in 3 GeV π^--collisions, 8=696

Bowen,T.J. The measurements of translational diffusion coefficients. I - II, 5=113

Bower,J.C. See Hadley,D.W., 7=7182; Walker,J., 6=2971

Bowers,K.D. See also Baker,J.M., 7=2490; Bleaney,B., 5=2888-90; Gordon,J.P., 9=2333

Bowers,K.D., Kamper,R.A. and Knight,R.B.D. A precision paramagnetic resonance spectrometer, 7=3448

Bowers,K.D., Kamper,R.A. and Lustig,C.D. Paramagnetic resonance absorption in iodine, 8=3254

Bowers,K.D. and Mims,W.B. Paramagnetic relaxation in nickel fluosilicate, 9=13422

Bowers,K.D. and Owen,J. Paramagnetic resonance. II, 5=8907

Bowers,R. Magnetic susceptibility of sodium metal, 6=490. Magnetic susceptibility of copper metal at low temperatures, 6=6003. Magnetic susceptibility of germanium, 8=3244. The magnetic susceptibility of semiconductors, 9=5874

Bowers,R., Bauerle,J.E. and Cornish,A.J. $InAs_{1-x}P_x$ as a thermoelectric material, 9=8176

Bowers,R. and Long,E.A. Microbalance assembly for adsorption studies at low temperatures, 5=5696

Bowers,R. and Melamed,N.T. Luminescent centers in ZnS: Cu: Cl phosphors, 6=243

Bowers,R., Ure,R.W., Jr, Bauerle,J.E. and Cornish,A.J. InAs and InSb as thermoelectric materials, 9=8172

Bowers,R.C. and Clinton,W.C. Mechanoelectronic transducer system for recording friction with a "stick-slip" machine, 5=1304

Bowers,V.A. See Cochran,E.L., 9=6280; Foner,S.N., 8=8367, 9=740; Jen,C.K., 7=3559, 9=7188

Bowes,R.C. See Avery,D.G., 8=3861

Bowey,E.M. Isotopic assignment of slow neutron resonance in germanium, rubidium, neodymium and tungsten, 8=7388

Bowey,E.M. and Bird,J.R. A note on the isotopic assignment of slow neutron resonances in samarium, iridium and

gadolinium, 8=5385

Bowhill,S.A. The transient response of the ionosphere at low frequencies, 5=6331. The fading of radio waves of frequencies between 16 and 2400 kc/s, 6=8494

Bowker,J.K. See Niemann,F.L., 8=8237

Bowlden,H.J. Radiative transitions in semiconductors, 7=5318. See also Wallis,R.F., 9=6935, 9=7946

Bowles,B.J., Brown,F. and Butler,J.P. Probabilities of symmetric and asymmetric fission in the proton bombardment of Th^{232}, 7=8823

Bowles,K.L. Observation of vertical-incidence scatter from the ionosphere at 41 mc/sec, 9=3677

Bowley,A.E., Delves,R. and Goldsmid,H.J. Magnetothermal resistance and magnetothermoelectric effects in bismuth telluride, 9=303

Bowman,G.G. See McNicol,R.W.E., 6=7080, 8=6534

Bowman,H,R. See Crane,W.W.T., 6=4628; Hulet,E.K., 6=6172, 8=347

Bowman,J.C. and Krumhansl,J.A. The low-temperature specific heat of graphite, 9=8055

Bowman,J.C., Krumhansl,J.A. and Stock,J.R. Interpretation of the strain broadening components in X-ray diffraction patterns, 5=9271

Bowman,J.E. and Niblett,G.B.F. The passage of a plane shock wave through a wire gauze, 6=1893

Bowman,M.G. See also Neubert,T.J., 6=6947; Van Dyken,A.R., 6=6947

Bowman,M.G., Burns,W.R., Hirt,R.C., Neubert,T.J., Novick,A., Royal,J. and Van Dyken,A.R. Neutron-induced discomposition of graphite. IV. Further studies of elastic modulus and electrical resistivity, 6=6947

Bowman,R. See Thurlow,W.R., 7=4941

Bowman,R.E. See Kaufman,F., 6=7781

Bown,M.G. The structure of rhombohedral T(NiCuAl), 6=8488

Bowness,C. and Cusack,N. A comparison of electron and positron single scattering in argon, 7=4452

Bowser,M.L. See Gibson,F.C., 8=3037

Bowsher,J.M. On "plastic" waves in solids, 9=13087

Bowtell,J.N. and Bate,H.C. Observations of electroluminescence excited by a.c. and d.c. fields in surface-treated phosphors, 6=7315

Box,G.F.H. and Bradbury,R.B. An improved automatic fraction collector, 7=7483

Box,H.C. and Freund,H.G. Flying-spot microscope adapted for quantitative measurements, 9=8016. Paramagnetic resonance shows radiation effects, 9=12471

Boxall,H.L. See Aitken,P.B., 5=259

Boxer,R. Frequency analysis of computer systems, 5=4281

Boxus,J. See Vervier,J., 9=5064

Boyarkina,A.N. and Tulinov,A.F. Determination of the lifetime of the first excited state of the Be^{10} nucleus, 9=11438

Boyarskaya,Yu.S. Investigation of the hardness anisotropy of single crystal PbS by the scratch method, 8=6466

Boyce,D.A. See Cavanagh,P.E., 7=4481

Boyd,A.W. See also Bartholomew,R.M., 5=3043

Boyd,A.W., Brown,F. and Lounsbury,M. Mass spectrometric study of natural and neutron-irradiated chlorine, 5=3029

Boyd,D.R. See also Sihvonen,Y.T., 8=8779, 9=304, 9=5561

Boyd,D.R. and Sihvonen,Y.T. Vaporization—crystallization method for growing CdS single crystals, 9=7596

Boyd,D.R.J. Infrared spectrum of trideuterosilane and the structure of the silane molecule, 5=6001

Boyd,G.D., Field,L.M. and Gould,R.W. Excitation of plasma oscillations and growing plasma waves, 8=5070

Boyd,G.E. and Cobble,J.W. Recoil reactions with high intensity slow neutron sources. III. The radiation decomposition of crystalline KBrO$_3$, 9=8868

Boyd,G.E. and Larson,Q.V. Report on the occurrence of technetium on the earth's crust, 6=8341

Boyd,G.E., Sites,J.R., Larson,Q.V. and Baldock,C.R. Production and identification of long-lived technetium isotopes at masses 97, 98 and 99, 5=9845

Boyd,L.R. Ion chamber can detect nucleate boiling, 9=12710

Boyd,M.E. Study of the NH radical by the LCAO-SCF molecular orbital method, 9=749

Boyd,R.H. Shear rate dependence of the viscosity and elastic compliance of polymer melts — correspondence with a hydrodynamic theory of viscoelastic flow, 8=8608. Dielectric loss in 66 nylon (polyhexamethylene adipamide), 9=6866. Theoretical depolymerization kinetics in polymers having an initial "most probable" molecular weight distribution, 9=10210

Boyd,R.L.F. A discussion on "radiative balance": Study of solar radiation at high altitudes using rocket-borne instruments, 6=7887. The study of electronegative discharges, 7=4396

Boyd,R.L.F. (Conf.rep.). Space research, 9=6439. See also Allen,J.E., 7=4412; Massey,H.S.W., 8=1465, 9=944

Boyd,R.L.F. and Green,G.W. Electron ionization cross sections using chopped beams, 8=1742

Boyd,R.L.F. and Morris,D. A radio-frequency probe for the mass-spectrometric analysis of ion concentrations, 5=1872

Boyd,T.J.,Jr. See Campbell,A.W., 6=8051.

Boyd,T.J.M. Electron excitation of atomic hydrogen in the 2s state, 9=1811. See also Bates,D.R., 7=2369

Boyd,T.J.M. and Dalgarno,A. Charge transfer of protons in excited atomic hydrogen, 9=1562

Boyd,T.J.M. and Moiseiwitsch,B.L. Inelastic heavy particle collisions involving the crossing of potential energy curves. V. Charge transfer from neutral atoms to doubly and triply charged ions, 8=790

Boyd,T.J.M., Moiseiwitsch,B.L. and Stewart,A.L. Inelastic collisions between heavy particles, V. Electron loss for fast He^{+} ions passing through atomic hydrogen, and ionization of hydrogen atoms by fast He^{+} ions, 7=4494

Boyer,K. See also Biedenharn,L.C., 7=1604; Stokes,R.H., 8=8958

Boyer,K., Little,E.M., Quinn,W.E., Sawyer,G.A. and Stratton,T.F. Soft X-rays from a magnetically compressed plasma in Scylla, 9=12342

Boyer,R. See Rinaldi,R., 8=4896

Boyet,H. See Seidel,H., 8=2403; Weisbaum,S., 6=6810

Boyle,A.J.F. The spin of the 2.9 MeV state of Be^{8}, 6=7628

Boyle,J.W. See Mahlman,H.A., 8=7586

Boyle,W.S. Self propagating intermittent discharge, 5=6167. Far infrared magneto-optic effects from impurities in germanium, 9=6964. See also Germer,L.H., 6=2134-5; Weinreich,G., 9=6240

Boyle,W.S. and Brailsford,A.D. Infrared resonant absorption from bound Landau levels in InSb, 8=182

Boyle,W.S., Brailsford,A.D. and Galt,J.K. Dielectric anomalies and cyclotron absorption in the infrared: observations on bismuth, 8=5472

Boyle,W.S. and Germer,L.H. Arcing at electrical contacts on closure. VI. The anode mechanism of extremely short arcs, 5=7075

Boyle,W.S. and Haworth,F.E. Glow-to-arc transition, 6=2138

Boyle,W.S. and Kisliuk,P. Departure from Paschen's law of breakdown in gases, 5=1877

Boyle,W.S., Kisliuk,P. and Germer,L.H. Electrical breakdown in high vacuum, 5=7068

Boyle,W.S. and Nozières,P. Band structure and infrared absorption of graphite, 9=2925

Boyle,W.S. and Rodgers,K.F. De Haas—van Alphen type oscillations in the infrared transmission of bismuth, 9=11204

Boyle,W.S. and Rodgers,K.F.,Jr. Performance characteristics of a new low-temperature bolometer, 9=1370

Boyne,H.S. See Franken,P.A., 9=11422

Boynton,C.F.,Jr and Taylor,H.A. Photolysis of methyl bromide in the presence of mercury, 5=1332

Boynton,R.M. Rapid chromatic adaptation and the sensitivity of human color vision, 6=3403. See also DeMott,D.W., 8=840, 8=1387

Boynton,R.M. and Bush,W.R. Recognition of forms against a complex background, 6=7912

Boynton,R.M., Enoch,J.M. and Bush,W.R. Physical measures of stray light in excised eyes, 5=664

Boynton,R.M. and Kandel,G. On responses in the human visual system as a function of adaptation level, 7=4933

Boynton,R.M., Kandel,G. and Onley,J.W. Rapid chromatic adaptation of normal and dichromatic observers, 9=10457

Boys,S.F. See also Shavitt,I., 7=3066

Boys,S.F., Cook,G.B., Reeves,C.M. and Shavitt,I. Automatic fundamental calculations of molecular structure, 7=3480

Bozman,W.R. and Trees,R.E. Matrices of spin—orbit interaction of the electron configuration d^{4}s, 7=5573

Bozóki,G., Fenyves,E. and Gombosi,É. On the angular distribution of shower particles generated in high-energy nuclear interactions, 9=1755

Bozóki,G., Fenyves,E. and Jánossy,L. On the penetrating non-ionizing component of cosmic rays, 6=8266. On the production of penetrating particles by non-ionising cosmic rays, 7=4507. Measurement of the absorption length of penetrating shower producing cosmic ray particles in lead, 9=8270

Bozóki,G., Fenyves,E., Sándor,T. and Somogyi,A. Investigation

of extensive air showers containing nuclear active particles, 9=2465. Further investigation of extensive air showers containing nuclear active particles, 9=12429

Bozóki,G. and Gombosi,E. On the energy dependence of the anisotropy of high-energy nuclear interactions, 9=8564

Bozorth,R.M. Magnetostriction and crystal anisotropy of single crystals of hexagonal cobalt, 5=393. Some magnetic, electrical and optical properties of films obtained by electrolysis and by thermal evaporation, 6=6957. The physics of magnetic materials, 7=3436. Origin of weak ferromagnetism in rare-earth orthoferrites, 9=2500. See also Matthias,B.T., 8=2406

Bozorth,R.M., Cetlin,B.B., Galt,J.K., Merritt,F.R. and Yager,W.A. Frequency dependence of magnetocrystalline anisotropy, 6=1366

Bozorth,R.M., Kramer,V. and Remeika,J.P. Magnetization in single crystals of some rare-earth orthoferrites, 8=6043

Bozorth,R.M. and Nielsen,J.W. Antiferromagnetism of $CuF_2.2H_2O$ and MnF_3, 8=5115

Bozorth,R.M., Tilden,E.F. and Williams,A.J. Anisotropy and magnetostriction of some ferrites, 6=498

Bozorth,R.M. and Walsh,D.E. Ferromagnetic moment of $CoMnO_3$, 9=8291

Bozorth,R.M., Walsh,D.E. and Williams,A.J. Magnetization of ilmenite-hematite system at low temperatures, 8=236

Bozorth,R.M., Williams,H.J. and Walsh,D.E. Magnetic properties of some orthoferrites and cyanides at low temperatures, 6=7518

Braams,C.M. The tippe top, 5=767. Inelastic scattering of protons by Ca^{40}, 6=3980. Energy levels of calcium isotopes. $Ca^{40}(d,p)Ca^{41}$ reaction, 7=706. Energy levels of Ca^{43}, 7=3538. See also Bockelman,C.K., 7=8157; Buechner,W.W., 6=1564; Endt,P.M., 6=4642, 7=3571, 8=3322

Brabant,J.M., Cork,B., Horowitz,N., Moyer,B.J., Murray,J.J., Wallace,R. and Wenzel,W.A. Terminal observations on "antiprotons", 6=3785. Interactions of antiprotons in lead glass, 6=5977

Brabant,J.M., Kenney,R.W. and Wallace,R.W. Electron pair-production cross sections at 2·5 BeV, 7=8811

Brabant,J.M., Moyer,B.J. and Wallace,R. Lead glass Čerenkov radiation photon spectrometer, 7=8140

Brabets,R.I. See also Waterman,T.E., 9=1362

Brabets,R.I. and McDonough,J.M. Density of liquid ozone, 8=62

Brabets,R.I. and Waterman,T.E. Specific heat of liquid ozone, 9=270

Brablc,J. On the analytical representation of temperature and pressure dependence of the viscosity of gases, vapours, and liquids, 9=9278

Bracci,A. and Coceva,C. The diffusion parameters of thermal neutrons in water, 6=6942

Bracci,A., Coceva,C., Colli,L. and Lonati,R.D. Measurement of the cross-section and the energy spectrum in the double Compton effect, 5=7336. Experimental measurements on double Compton effect, 6=3973

Brace,P.H., Cochardt,A.W. and Comenetz,G. Cage zone refining, 5=5077

Bracewell,R.N. The maximum of the Planck energy spectrum, 5=160. Photographic enlargement and reduction in one dimension only, 5=3375. Correcting for Gaussian aerial smoothing, 5=5824. A method of correcting the broadening of X-ray line profiles, 5=6623. Chord construction for correcting aerial smoothing, 5=8443. Simple graphical method of correcting for instrumental broadening, 5=9540. Correcting for running means by successive substitutions, 6=2608. Strip integration in radio astronomy, 6=6297. Two-dimensional aerial smoothing in radio astronomy, 7=2921. Counts of atmospheric freezing nuclei at Palo Alto, California, January 1956, 7=5771. Radio interferometry of discrete sources, 8=1417. Restoration in the presence of errors, 8=1418. See also Pawsey,J.L., 6=8552

Bracewell,R.N. and Garriott,O.K. Rotation of artificial earth satellites, 9=2021

Bracewell,R.N. and Preston,G.W. Radio reflection and refraction phenomena in the high solar corona, 6=5616

Bracewell,R.N. and Roberts,J.A. Aerial smoothing in radio astronomy, 5=1455

Bracewell,R.N. and Stableford,C.V. Critical frequency, refractive index, and cone of escape in the solar corona, 8=1439

Brachet,C. See Barjon,R., 9=8864

Brachman,M.K. Space-time representation in wave mechanics: illustration of the method, 5=31. See also Macdonald,J.R., 7=5787

Brachman,M.K. and Macdonald,J.R. Relaxation-time distribution functions and the Kramers–Kronig relations, 5=4133 Generalized immittance kernels and the Kronig–Kramers relations, 6=7170. Physical realizability conditions, 7=125

Bracken,J.T. Operating a Hurst-type fast-neutron dosimeter in high gamma fields, 6=3303

Brackenridge,J.B. and Nyborg,W.L. Acoustical characteristics of oscillating jet-edge systems in water, 7=7689

Brackett,F.B., Kasai,P.H. and Myers,R.J. Dielectric rod waveguide cells for microwave spectroscopy, 8=1604

Brackett,F.S. Linearizing infrared spectra, 7=7725

Brackett,F.S., Daniel,J.H. and Crickard,R.G. Recording oxygen concentration and rate of exchange, 7=7481

Brackett,T.E. Dissociation energy of carbon monoxide, 6=5278

Brackmann,J. See Kornetzki,M., 6=464

Brackmann,R.T. See also Fite,W.L., 9=5848, 9=6172-3, 9=7410

Brackmann,R.T., Fite,W.L. and Hagen,K.E. Iodine-vapor-filled ultraviolet photon counter, 8=5769

Brackmann,R.T., Fite,W.L. and Neynaber,R.H. Collisions of electrons with hydrogen atoms. III. Elastic scattering, 9=6174

Bradbury,A. See Andrew,E.R., 9=5948, 9=13481

Bradbury,R.B. See Box,G.F.H., 7=7483

Braddick,H.J.J. New aspects of interference spectroscopy, 9=9518

Braddick,H.J.J. and Leontic,B. A cloud chamber suty of cosmic ray interactions underground, 5=1035

Braden,C.H. See Patronis,E.T.,Jr, 7=4425; Shiel,V., 7=4671

Bradfield,G. and Levi,F.A. Measurement of elasticity and anelasticity of small disks by an inductor method, 8=3507

Bradford,A.P. See also Hass,G., 5=237, 7=2074

Bradford,A.P., Erbe,W.W. and Hass,G. Two-step method for producing replica mirrors with epoxy resins, 9=11983

Bradford,E.B. and Vanderhoff,J.W. Electron microscopy of monodisperse latexes, 5=8366

Bradley,D.E. Use of replicas in the examination of fibres by reflection electron microscopy, 5=7425. A replica technique for "reflexion" electron microscopy, 5=7427. A simple adaptation of the carbon replica technique for the examination of selected areas in the electron microscope, 6=2470. Uses of carbon replicas in electron microscopy, 7=3759. Some carbon replica techniques for the electron microscopy of small specimens and fibres, 7=7454. Some carbon replica techniques for the electron microscopy of small specimens and fibres, 8=2681. Simultaneous evaporation of platinum and carbon for possible use in high-resolution shadow-casting for the electron microscope, 8=3500

Bradley,D.E., Franks,J. and Rush,P.E. Electron microscopy of tin whiskers using carbon replicas, 7=9963

Bradley,D.E., Halliday,J.S. and Hirst,W. Stereoscopic reflection electron microscopy, 6=6695

Bradley,D.E. and Phillips,R. An explanation of an anomalous form of sub-boundary, 7=6728

Bradley,E.F. Energy loss distribution for minimum ionizing electrons in a pressure proportional counter, 5=8017. See also West,D., 5=8851, 6=4017, 7=8654

Bradley,E.M. and Prutton,M. Magnetization reversal by rotation and wall motion in thin films of nickel–iron alloys, 9=3646

Bradley,G. Measurement of electronic charge-to-mass ratio for the general physics laboratory, 6=5061

Bradley,J.E.S. See Emery,E.W., 5=4010

Bradley,L.C., III. Hyperfine structure by coincidence techniques, 6=4991

Bradley,R.C. Secondary positive ion emission from metal surfaces, 9=2416. See also McIrvine,E.C., 8=2057

Bradley,R.C. and D'Asaro,L.A. Investigation of an alloy surface with the field emission microscope, 9=7527

Bradley,R.S. The electrical conductivity of ice, 7=6164

Bradner,H. See also Alvarez,L.W., 5=4732, 7=5651, 7=8881; Donaldson,R.E., 5=9075

Bradner,H. and Donaldson,R. Asymmetry in neutron production by bombarding targets with 285 Mev polarized protons, 5=508

Bradner,H. and Donaldson,R.E. Asymmetry in high-energy p-n-p double charge-exchange scattering, 5=9074

Bradner,H. and Isbell,W. Direction of polarization produced by quasi-elastic scattering of 315 MeV protons, 8=8226

Bradner,H. and Isbell,W.M. Search for Dirac monopoles, 9=8441

Bradshaw,A.L. See Dolphin,G.W., 9=3587

Bradshaw,F.J. See also Pearson,S., 7=4383, 8=3488

Bradshaw,F.J. and Pearson,S. The electrical resistivity of sodium between 78°K and 372°K, 6=5086. Quenching vacancies in platinum, 7=2821. Quenching vacancies in gold, 7=4904. Quenching vacancies in aluminium, 7=6716

Bradshaw,J.A. The relativistic magnetron and the effective mass anisotropy, 7=7187

Bradshaw,S.E. and Mlavsky,A.I. The evaporation of impurities from silicon, 7=2792. The control of the properties of single crystal silicon, 7=7883

Bradshaw,W.G. See Beard,D.B., 9=12859

Bradt,P. See also Herron,J.T., 8=8500, 9=7569

Bradt,P. and Mohler,F.L. Analysis of fluorinated polyphenyls by mass spectrometer, 5=7490

Bradt,P., Mohler,F.L. and Dibeler,V.H. Mass spectrum of sulfur vapor, 7=5423

Brady,F.P. See Likely,J.G., 7=1591

Brady,G.W. X-ray study of tellurium oxide glass, 6=3378. Structure of tellurium oxide glass, 7=9420. Structure of sodium metaphosphate glass, 8=2038. Structure in ionic solutions. II, 8=8616. III, 9=1146. See also Anderson,J.R., 6=5080; Mays,J.M., 7=2494

Brady,G.W. and Krause,J.T. Structure in ionic solutions. I, 7=9565

Brady,L.E. See Hamilton,J.F., 6=7926, 8=7591, 9=925

Braffort,P. See also Weill,J., 5=3994

Braffort,P. and Tzara,C. Energy of the harmonic oscillator *in vacuo*, 5=3893

Braga Rego,G. See Comide,F.M., 9=1035

Bragg,J.K. See Crowe,R.W., 5=2779, 5=9731; Sharbaugh,A.H., 5=5395; Zimm,B.H., 8=8618, 9=10216

Bragin,S.M. Dielectric strength of polyethylene at high frequency, 9=12337

Braginskiĭ,S.I. On the behaviour of a completely ionized plasma in a strong magnetic field, 8=1739. On the types of plasma oscillations in a magnetic field, 8=1786. Transport phenomena in a completely ionized double-temperature plasma, 8=1791. Contribution to the theory of development of a spark channel, 9=330

Braginskii,V. See Bobrinev,V., 9=11804

Braham,R.R., Jr. The physics of precipitation in cumulus clouds, 8=7635

Brahmachary,R.L. On the cosmological implication of galactic magnetic fields, 5=6725. II, 5=7675. Axially symmetric solution in problems of galactic magnetic fields and a new type of red shift, 6=3463. A generalization of Reissner—Nordström solution. I, 7=5028; II, 7=8371. A class of exact solutions of the combined gravitational and electro-magnetic field equations of general relativity, 8=1473

Braid,T.H. Neutron-capture γ rays from various elements, 6=6126. See also Birk,M., 8=2452; Burman,R.L., 9=5010; Herrmannsfeldt,W.B., 8=8300

Braillon,B. and Romanet,R. High resolution nuclear magnetic resonance spectrum of 1-butyne, 9=13478

Brailsford,A.D. The magnetic energy levels of electrons in metals, 7=4871. See also Boyle,W.S., 8=182, 8=5472; Galt,J.K., 9=11564

Brailsford,F. Ferromagnetism in relation to engineering magnetic materials, 6=3011

Braitenberg,V., Caianiello,E.R., Lauria,F. and Onesto,N. A system of coupled oscillators as a functional model of neuronal assemblies, 9=5282

Braithwaite,J.G.N. Infra-red filters using evaporated layers of lead sulphide, lead selenide and lead telluride, 5=1709

Bram,J. See Simha,R., 9=6340

Brame,D.R. and Evans,T. Deformation of thin films on solid substrates, 8=8464

Bramley,E.N. Some aspects of the rapid directional fluctuations of short radio waves reflected at the ionosphere, 5=8424

Brammer,W.G. See Neynaber,R.H., 9=7046

Brand,F.A. See also Matthei,W.G., 8=175; Ramsa,A.P., 9=8111

Brand,F.A. and Jacobs,H. Energy distributions of field dependent secondary electrons, 5=1884

Brand,J.A. and Goldschmidt,H.J. The temperature calibration of a high temperature X-ray diffraction camera, 6=2556

Brand,J.C.D. and Cawthon,T.M. The vibrational spectrum of methyl nitrate, 5=3572

Brandejs,S., Kopáček,J., Vítek,V. and Zikmunda,O. Dynamic surface-pressure changes and their significance for weather forecasting, 5=5145

Bränden,C.I. See Lindqvist,I., 9=13938

Brandes,G. See Fischer,K.A., 7=221

Brandes,R.G. See Becker,J.A., 5=8369, 6=2924

Brandmüller,J. Rayleigh scattering and rotational Raman effect in liquids, 5=3636. The illumination of spectrographs by volume radiation, 5=9543

Brandmüller,J. and Moser,H. Arrangements for the photoelectric recording of Raman spectra, 6=4331. The photoelectric recording of Raman spectra. II, 6=4332. The practice and results of photoelectric recording of Raman spectra, 8=6856

Brandmüller,J. and Schmid,E. The Raman spectrum of naphthalene, 6=4334

Brandmüller,J. and Schrötter,H. The ratio of intensities of Raman and Rayleigh lines of carbon tetrachloride, 8=4882

Brandt,I.V. See Vereshchagin,L.F., 7=6742

Brandt,J.C. Solar lyman-β fluorescence mechanism in the upper atmosphere, 9=10422. Oxygen red lines in the airglow. III. The dayglow, 9=10426

Brandt,J.C. and Chamberlain,J.W. Interplanetary Gas. I. Hydrogen radiation in the night sky, 9=12944

Brandt,L.W. and Deaton,W.M. Thyratron-controlled stirrer or pump for pressurized systems, 7=987

Brandt,N.B. See also Alekseevskiĭ,N.E., 5=8783, 7=3286, 9=9668

Brandt,N.B. and Venttsel',V.A. Effect of uniform compression on the oscillation of the magnetic susceptibility of bismuth at low temperatures, 9=2507

Brandt,W. Calculation of intermolecular force constants from polarizabilities, 6=4538. Stopping power and valence states, 7=2337. Calculation of compressibilities of high polymers from the energy of interaction between chain groups, 7=5710. Energy loss of fast charged particles in LiH, 9=3716. Tight-binding corrections of stopping powers, 9=3954

Brandt,W.W. Model calculation of the temperature dependence of small molecule diffusion in high polymers, 9=11540. See also Collins,F.C., 7=1952

Brandwein,P.F. Obstacles to increased physics enrollment, 6=32

Braner,A. See Halperin,A., 5=7515

Braner,A.A. See also Halperin,A., 8=1624

Braner, A.A. and Halperin,A. Thermal bleaching of F centers and its correlation to thermoluminescence in X-ray colored KCl crystals, 8=2035

Brannen,E. and Ferguson,H.I.S. Beam extraction in the microtron, 7=1360. The question of correlation between photons in coherent light rays, 7=2084

Brannen,E., Ferguson,H.I.S. and Wehlau,W. Photon correlation in coherent light beams, 9=164

Brannen,E., Hunt,F.R., Aldington,R.H. and Nicholls,R.W. Application of nuclear coincidence methods to atomic transitions in the wavelength range $\lambda\lambda$ 2000 - 6000 A, 5=7297

Brannon,H.R., Taggart,M.S., Jr and Williams,M. Proportional counting of carbon dioxide for radiocarbon dating, 5=5129

Branscomb,L.M. Calculated calibration points for negative ion appearance potentials, 8=8071. See also Burch,D.S., 9=3607; Smith,S.J., 6=3801, 9=946

Branscomb,L.M., Burch,D.S., Smith,S.J. and Geltman,S. Photodetachment cross-section and the electron affinity of atomic oxygen, 9=2432

Branscomb,L.M. and Pagel,B.E.J. Atomic and molecular negative ions in stellar atmospheres, 9=12971

Branscomb,L.M. and Smith,S.J. Experimental cross section for photodetachment of electrons from H^- and D^-, 5=6254. Electron affinity of atomic oxygen, 5=8166. Negative oxygen ions in the upper atmosphere: the affinity and radiative attachment coefficient of atomic oxygen, 6=8527. Electron affinity of atomic sulfur and empirical affinities of the light elements, 7=6466

Bransden,B.H. and Dalgarno,A. The calculation of auto-ionization probabilities. III. Auto-detachment from the negative hydrogen ion, 6=2329

Bransden,B.H., Dalgarno,A., John,T.L. and Seaton,M.J. The elastic scattering of slow electrons by hydrogen atoms, 8=4368

Bransden,B.H., Dalgarno,A. and King,N.M. Electron capture. IV. Capture from helium atoms by fast protons, 5=1951

Bransden,B.H., Douglas,A.C. and Robertson,H.H. Photodisintegration of the alpha particle, 8=1265

Bransden,B.H. and McKee,J.S.C. The 1s—2s excitation of hydrogen by electron impact, 6=7634. A variational calculation of the cross section for the 1s—2s excitation of hydrogen by electron impact, 7=7990

Bransden,B.H. and Moorhouse,R.G. Approximate methods in S wave pion nucleon scattering, 8=700. On the elastic scattering of pions by deuterons, 8=6167. Σ^--Σ^+ mass excess, 9=9996

Bransden,B.H. and Robertson,H.H. The elastic scattering of protons by tritons and ^{3}He, 9=1663

Bransden,B.H., Robertson,H.H. and Swan,P. The elastic scattering of neutrons by tritons and He, 7=2678

Bransden,B.H., Smith,K. and Tate,C. Nucleon—deuteron scattering with tensor forces, 9=11361

Brar,S.S. See Clark,R.K., 5=349, 5=5611

Brasefield,C.J. Measurement of atmospheric humidity up to 35 kilometers, 5=1382. Some observations of low-level ion clouds, 9=6396. Space charge in exhaust of motor vehicles, 9=9710

Braslau,N. See Brink,G.O., 9=11241

Brass,P.D. See Roe,C.P., 5=1337

Bratenahl,A. See also Anderson,O., 9=6867

Bratenahl,A., Peterson,J.M. and Stoering,J.P. Neutron total cross sections in the 7 to 14 MeV region, 8=5389

Brătescu,G.G. Breakdown voltage and cathode structure in K vapour, 9=13340

Bratina,W.J. Investigation of deformation processes in Armco iron by means of internal friction at megacycle frequencies, 9=8931

Bratož,S. An approximate method of calculating vibrational frequencies of polyatomic molecules, 5=2939. The effect of the terms neglected in the Born—Oppenheimer approximation on the calculation of infrared band intensities, 7=5506. On the dielectric constant of molecules containing hydrogen bonds, 9=3991. The behaviour in an electrostatic field of molecules with hydrogen bonds whose energy surfaces have two equivalent minima, 9=10169. See also Bessis,G., 9=3986; Daudel,R., 7=7252

Bratož,S. and Hadži,D. Infrared spectra of molecules with hydrogen bonds, 8=119

Bratt,P. See Beyen,W., 9=8031

Brattain,W.H. Development of concepts in semiconductor research. Richtmyer Lecture, 1956, 6=8179. See also Brown,W.L., 7=7861; Buck,T.M., 6=2870; Garrett,C.G.B., 5=7947, 6=6641, 6=8782, 7=7868, 7=7924; Pearson,G.L., 6=2860

Brattain,W.H. and Garrett,C.G.B. Surface properties of semiconductors, 5=2729. Experiments on the interface between germanium and an electrolyte, 5=4650. Combined measurements of field effect, surface photo-voltage and photoconductivity, 6=8781

Braucks,F.W. Improvement of the direct focusing cathode developed by Steigerwald by the addition of a further electrode, 9=9700. Investigations of the direct-focusing cathode due to Steigerwald, 9=11115

Braude,S.Ya. See also Bass,F.H., 8=7653, 9=5311

Braude,S.Ya., Komarov,N.N. and Ostrovskiǐ,I.E. On the statistical character of the scattering of centimetre waves by an agitated sea-surface, 9=3670

Brauer,E. and Staude,H. Influence of irradiation by red light on the adsorption of developer oxidation products on binder-free silver bromide, 5=1425

Brauer,F.L. and Hansen,D.F. f/2·9 streak camera, 9=6425

Brauer,G. See Renner,H., 5=4829

Brauer,K.H. See also Bethge,H., 9=10308

Brauer,K.H. and Fröhlich,F. An apparatus for microspectrophotometry using a spectrophotometer, 9=9415

Brauer,K.H. and Zwanzig,W. Lattice-constant determination by electron diffraction, 9=10396

Brauer,P. The electrostatic part of the lattice energy of the perovskite lattices, 5=8380. Ions of Eu in the oxides and sulphides of alkaline earths, 9=4759. On the influence of crystal type on the luminescence of $NH_4Br—TlBr$, 9=5570. Dilatometric studies of the system $NH_4Br—TlBr$; a contribution to the problem of thallium activated luminous alkali halides, 9=6357. Photoelectromotive forces in phosphors, 9=12293. Energy problems on the incorporation of foreign ions in ionic crystals, 9=12762

Brauer,W. Energy losses of electrons of medium velocity in metals, 8=8816. See also Streitwolf,H.W., 9=2403

Brauer,W. and Klose,W. The theory of surface effects in secondary emission, 7=9723

Brauiti,G. See Block,M., 9=12581

Braun,E. See Köster,W., 9=13219

Braun,E.A. Some investigations on the effect of pressure on the luminescence of solids. I, 5=5332

Braun,E.A. and Barouch,A. Some investigations on the effect of pressure on the luminescence of solids. II, 5=5333

Braun,E.A., Many,A. and Simchen,A.E. Color centers in chrome alum crystals, 5=2308

Braun,E.A. and Mitchell,J.W. Photoconductivity in crystals of silver bromide, 9=6940

Braun,E.A. and Nahshol,D. Some experiments on pressure effects in photographic emulsions, 5=9331

Braun,G. On the method of stationary phase, 6=5594. Mathematical treatment of a typical zone-melting process, 9=920. See also Glaser,W., 5=3816, 6=399

Braun,H. See Cüer,P., 6=4140; Lonchamp,J.P., 5=3369

Braun,I. On the ultimate concentration distribution in zone-melting, 8=2084

Braun,I., Frank,F.C., Marshall,S. and Meyrick,G. Electromagnetic stirring in zone refining, 8=2086

Braun,I., Frank,F.C. and Meyrick,G. Grain boundary etching on pure aluminium, 9=6371

Braun,I. and Marshall,S. On the mathematical theory of zone-melting, 7=7526

Braun,P.B. The crystal structures of a new group of γ ferromagnetic compounds, 8=7608. See also Jonker,G.H., 7=5466

Braun,P.B. and van Vucht,J.H.N. Al-Th intermetallic compounds. I, 5=5109; II, 5=5110

Braun,U.F.Jr (Brown,W.F.Jr). The theory of the magnetostriction of nickel single crystals, 7=6356

Braun,V. See Kortüm,G., 6=1718

Braun,W. On the radiographic and radiometric surface-analysis of light metal alloys, 5=9334. X-ray reflection radiography, 6=2527. See also Schopper,E., 5=9328

Braunbeck,J. and Zakovsky,J. The dependence of the barrier photoeffect on X-irradiation, 6=1227

Braunbek,W. The simplest example of position-correlation of electrons in the quantum mechanical 2-electron problem, 5=1551. Forced oscillations of a simple non-linear system. I. The differential equations and their stationary solutions, 7=6951. Diffraction at apertures in non-plane screens, 9=11289. See also Auch,K., 5=8556

Braunbek,W. and Sauter,E. Forced oscillations of a simple non-linear system. II. Non-stationary motions, 7=6952

Brauner,E.J. See Richards, N.E., 6=1931

Braunisch,H. See van Calker,J., 7=421

Braunmühl,H.J. von. See von Braunmühl,H.J.

Braunstein,J. and Simpson,W.T. Overlaps of trial functions for the hydrogen molecule. I. Ground-state character of the 1s AO approximations, 5=2962; II. Covalent and ionic character of H_2, 5=2963

Braunstein,R. Radiative transitions in semiconductors, 6=327. Proposal for a nuclear quadrupole maser, 8=1139. Intervalence band transitions in gallium arsenide, 9=9615. See also Jenny,D.A., 8=3486; Trischka,J.W., 5=1085

Braunstein,R. and Magid,L. Optical absorption in p-type gallium arsenide, 9=2215

Braunstein,R., Moore,A.R. and Herman,F. Intrinsic optical absorption in germanium—silicon alloys, 8=8687

Braunstein,R. and Trischka,J.W. Molecular constants and nuclear-molecular interactions of Li^7F^{19} by the molecular beam electric resonance method, 5=7235

Brautti,G., Ceschia,M. and Bassi,P. Bubble chamber detector of weak radioactivity, 9=5977

Bravin,A.V. Polarizability of atoms and ions with closed shells, 5=1129. Calculation of the polarizability of some atoms and ions, 5=1130

Bravina,V.E. Limiting laws for surface tension of solutions of strong electrolytes, 8=7739

Bray,A.R., Jacobs,P.W.M. and Young,L. Ionic conduction at high electric field strengths in tantalum pentoxide, 8=2053

Bray,D.T. and Leyse,C.F. Food-irradiation reactor, 8=351

Bray,P.J. Bromine quadrupole spectra and Hammett's sigma values, 5=453. Cl^{35} pure quadrupole resonances in substituted chlorobenzene, 5=3938. Cl^{35} pure quadrupole resonances in acid chlorides and chlorates, 5=5565. See also Barnes,R.G., 5=3940*, 5=7254, 7=8058; Casabella,P.A., 8=6385, 9=1834, 9=8756; Cassabella,P.A., 7=6399; Hon,J.F., 8=5475, 9=12499; Hooper,H.O., 9=8370; Kim,Y.W., 9=1878; Ring,P.J., 9=4049; Segel,S.L., 7=3502; Silver,A.H., 9=5952, 9=8368

Bray,P.J. and Barnes,R.G. Nuclear quadrupole resonances in bromobenzene derivatives, 5=2052. Estimates of Hammett's sigma values from quadrupole resonance studies, 8=388

Bray,P.J., Barnes,R.G. and Bersohn,R. Pure quadrupole resonances in multichlorobenzenes, 7=2502

Bray,P.J., Moskowitz,S., Hooper,H.O., Barnes,R.G. and Segel,S.L. Pure quadrupole resonance determinations of molecular charge distributions. I. Substituted quinones, quinolines, pyridines, pyrimidines, and triazines, 8=9092

Bray,P.J., O'Keefe,G. and Barnes,R.G. As^{75} pure quadrupole resonance in synthetic claudetite, 7=2498

Bray,R. Minority carrier extraction in germanium, 6=339. See also Mendelson,K.S., 7=9689

Bray,R. and Cunningham,R.W. Optical and magnetic surface studies on germanium, 9=6956

Bray,R.J. The centre-limb variation of the sodium D line intensities, 9=3059. See also Loughhead,R.E., 8=7658

Bray,R.J. and Loughhead,R.E. The lifetime of sunspot penumbra filaments, 8=7659

Bray,R.J., Loughhead,R.E., Burgess,V.R. and McCabe,M.K. Observation of a new type of flare, 8=5587

Braybrook,R.F. The effect of the filter absorption edge in X-ray integrated intensity measurements, 6=802

Brazhnik,M.I. See Al'tshuler,L.V., 8=7478, 8=7573

Brazos,J.N. and Steffen,R.M. Angular momenta and parities of the excited states of Cd^{114}, 6=6075

Brealey,G.J. Misassignment of the multiplicity forbidden transitions in pyridine, 6=4308

Brealey,G.J. and Kasha,M. The role of hydrogen bonding in the $n \rightarrow \pi^*$ blue-shift phenomenon, 6=538

Breazeale,J.B. See Beams,J.W., 6=1646; McIlwraith,C.G., 9=3086

Breazeale,M.A. See also Hiedemann,E.A., 9=6791

Breazeale,M.A., Cook,B.D. and Hiedemann,E.A. Determination of the form of finite amplitude ultrasonic waves by light refraction, 9=2157

Breazeale,M.A. and Hiedemann,E.A. Simple way to observe optical diffraction patterns produced by sheer waves, 6=991. The refraction of light by progressive waves of finite amplitude, 8=3849. Investigation of progessive ultrasonic waves by light refraction, 9=1185. Optical methods for the measurement of the sound pressure in liquids, 9=2184

Brebner,A. A water-wave measuring apparatus, 8=2841

Brebrick,R.F. Deviations from stoichiometry in binary ionic crystals, 9=2907. Interdiffusion in binary ionic semiconductors, 9=8887. See also Scanlon,W.W., 5=3770, 7=7924

Brebrick,R.F. and Scanlon,W.W. Electrical properties and the solid-vapor equlibrium of lead sulfide, 5=951. Chemical etches and etch pit patterns on PbS crystals, 7=9966

Brecher,G.A. See Praglin,J., 5=6661

Breckenridge,F. See Greenspan,M., 6=6446

Breckenridge,R.G. Magnetoresistance and Hall effect studies in graphite, 9=10987

Breckenridge,R.G., Blunt,R.F., Hosler,W.R., Frederikse,H.P.R., Becker,J.H. and Oshinsky,W. Electrical and optical properties of intermetallic compounds. I. Indium antimonide, 5=947. On the intermetallic compounds indium antimonide, gallium antimonide, and aluminium antimonide, 5=3766

Breckenridge,R.G., Russell,B.R. and Hahn,E.E.(Eds.). Photoconductivity Conference, 7=7924

Brederlow,G. The potential and field strength variations in the cathode-fall region of glow discharges, 8=8014

Bredig,M.A. Thermal expansion and stability of layer structures in ionic AB compounds, 6=5043. See also Burns,J.H., 7=6748; Johnson,J.W., 5=7422

Bredig,M.A., Klein,G.E. and Borie,B.S., Jr. X-ray diffractometer for highly radioactive materials, 5=9255

Bredig,M.A. and Van Artsdalen,E.R. Zinc and cadmium chloride complexes in molten salts, 6=4717

Bredin,D. See Burcham,W.E., 8=6309

Bredov,M.M. The possibility of producing P–N transitions in germanium by impulse heating, 6=4398. See also Balabanova,L.A., 8=7944

Bredov,M.M. and Kshemyanskaya,I.Z. The electricity observed after contact between two bodies, 8=3966

Bredov,M.M., Lang,I.G. and Okuneva,N.M. On the penetration depth of medium-energy ions into substances, 8=4077

Bredov,M.M. and Okuneva,N.M. On the penetration of ions of average energy in matter, 7=9730

Bree, A., Carswell,D.J. and Lyons,L.E. Photo- and semiconductance of organic crystals. I. Photo-effects in tetracene and anthracene, 5=8774

Bree,A. and Lyons,L.E. The polarized ultraviolet spectrum of tetracene single crystals by a photoconductance method, 5=182. Effect of the gaseous atmosphere on the photoconduction and semiconduction of aromatic hydrocarbon crystals, 6=8793. Effect of heat upon anthracene photoconductance in air, 7=3294

Breen,J.E. See Weertman,J., 7=1693

Breen,R.J., Delaney,R.M., Persiani,P.J. and Weber,A.H. Total neutron scattering in vitreous silica, 7=3762

Breen,R.J. and Hertz,M.R. Gamma radiation from polonium neutron sources, 5=5614

Breene,R.G., Jr. The normal coordinates of N-dimethylaminodiborane, 5=2932. Line shape, 7=7733. Infrared emissivity of NO in high-temperature air, 8=8679. Analytic wave functions. I. Atoms with 1s, 2s, and 2p electrons, 9=1798; II. Atoms with 1s, 2s, 2p, 3s, and 3p electrons, 9=6159

Breene,R.G., Jr and Nardone,M.C. Wave function for the free electron. I. The Coulomb potential, 9=12724

Breene,R.G., Jr and Todd,M.N., Jr. Vibrational matrix elements of NO, 8=2004

Bregman,J. Use of punched card machines for computing sums of products. The application to electron diffraction calculations, 6=4146

Brehm,J.J. Model wave function study of negative ion photodetachment in oxygen, 9=7122

Brehm,R.K. See also Beal,H.B., 7=4114

Brehm,R.K. and Benzie,G. 6·8-Meter grazing incidence vacuum spectrograph, 7=9594

Breido,I.I. A comparison of the properties of photographic plates associated with the photographing of extended and point objects, 9=11703

Breidt,P., Jr. See also Hobstetter,J.N., 8=1051

Breidt,P., Jr, Hobstetter,J.N. and Ellis,W.C. Some effects of environment on fracture stress of germanium, 8=5504

Breit,G. Relativistic corrections for high-energy p-p scattering, 5=9436. Transfer of nuclear particles, 6=4213. Relativistic corrections to p–p scattering, 7=5405. Contributions of optical methods to nuclear physics, 7=6421. Energy dependence of reactions at thresholds, 7=9865. Theory of isotope shift, 9=575. Effects of atomic electrons on p–p and n–p scattering, 9=1660. Effects of atomic electrons on p–p and n–p scattering. II, 9=12552. Velocity-dependent features of a static nucleon–nucleon potential, 9=2059. See also Benedict,F.D., 6=3176; Biedenharn,L.C., 5=2441; Daitch,P.B., 5=3969; Gluckstern,R.L., 6=3177; Hull,M.H., Jr, 9=12607; Shapiro,J., 9=5092; Zernik,W., 9=10124

Breit,G. and Daitch,P.B. Correspondence between semiclassical and quantum treatments of Coulomb excitation, 5=3968. Redistribution of classical and quantum densities, 6=933

Breit,G. and Ebel,M.E. Nucleon tunneling in N^{14} + N^{14} reactions, 6=7667. Nucleon transfer and virtual Coulomb excitation, 7=2627

Breit,G., Ebel,M.E. and Benedict,F.D. Angular distribution of gamma rays in Coulomb excitation, 6=627

Breit,G., Ebel,M.E. and Russell,J.E. Gamma-ray angular distribution in Coulomb excitation, 6=3162

Breit,G. and Ehrman,J.B. Formula for polarization in nucleon–nucleon scattering, 5=1529

Breit,G., Ehrman,J.B. and Hull,M.H., Jr. Polarization and amplitudes in nucleon–nucleon scattering, 5=3447

Breit,G., Ehrman,J.B., Saperstein,A.M. and Hull,M.H., Jr. Phase shifts for nucleon–nucleon scattering at 280 MeV, 5=1531

Breit,G., Gluckstern,R.L. and Russell,J.E. Reorientation effect in Coulomb excitation, 6=7623. Sources of error in experiments on reorientation effect in Coulomb excitation, 7=5550

Breit,G. and Hughes,V.W. Information obtainable on polarization of μ^+ and asymmetry of e$^+$ in muonium experiments, 7=7417

Breit,G. and Hull,M.H., Jr. Amplitudes in nucleon–nucleon scattering, 5=3446. Natural line width for transient excitations, 9=10152

Breit,G. and Lazarus,J.P. Effects of finite amplitude in Coulomb excitation, 6=685

Breit,G. and McIntosh,J.S. External Coulomb fields in the Wigner–Eisenbud nuclear reaction theory, 7=7360

Breit,G. and Rustgi,M.L. Electric polarizability of the neutron, 9=9959

Breĭtbart,A.Ya. and Lyudmirskiĭ,I.L. On the calculation of the mutaul capacitance of solids of small dimensions, 7=338

Breitenberger,E. On source scattering in angular correlation experiments with soft electrons, 5=2790. Angular correlations between successive conversion electrons in ^{80}Br, 6=7660. Attenuated angular correlations between K-conversion electrons in ^{197}Hg, 6=8354. Remarks on the least-squares reduction of angular correlation data, 7=7

Breitenhuber,L. Permeability measurements in the centimetre wave region, 7=6343. See also Ledinegg,E., 9=2889

Breitling,G. Transition effects in the radiation of fast electrons, 8=4076. See also Richter,H., 7=894, 7=7658, 9=5412, 9=6297

Breitling,G. and Glocker,R. Determination of the polarization correction for the slowing down of fast electrons of 3 to 15 MeV, 5=2795. Connection between dose measurement for fast electrons (3 to 15 MeV) and X-rays, 5=3815. Influence of the polarization correction (Fermi correction) for electron stopping power on dosage measurement with very hard X-rays, 6=4432

Breitling,G., Glocker,R. and Rösinger,S. Chemical dosimetry

of fast electrons, 6=762
Breitling,G., Herre,F. and Richter,H. Investigations of the Fourier transforms of X-ray scattering curves, 5=8409
Breitman,L. Glass transitions in polymer—plasticizer systems, 5=10017
Breivik,F., Skjeggestad,O., Sörensen,S.O. and Solheim,A. Observations of hyperfragments, 9=10041
Brekhovskikh,L.M. Focusing of sound waves by non-uniform media, 6=8044. The propagation of sound in non-uniform media. A survey, 7=3075. The dispersion equation for normal waves in stratified media, 7=3083. Attenuation of Rayleigh waves on propagation along an uneven surface, 9=5431. Surface waves in acoustics. A review, 9=7872
Brekhovskikh,L.M. and Ivanov,I.D. One particular form of attenuation in wave propagation in lamellar nonuniform media, 6=4913
Bremaecker,J.C. De. See De Bremaecker,J.C.
Bremer,J.W. See also Newhouse,V.L., 9=13325
Bremer,J.W. and Newhouse,V.L. Thermal propagation effects in thin superconducting films, 9=1486
Bremer,O. See Steiner,K., 8=6828
Bremermann,H.J., Oehme,R. and Taylor,J.G. Proof of dispersion relations in quantized field theories, 8=2766
Bremmer,H. Microwave optics. II. Diffraction problems of microwave optics, 6=8876. Remarks on the connection between mode theory and ray theory, 8=3272. Applications of operational calculus to ground-wave propagation, particularly for long waves, 8=8173. On the theory of fading properties of a fluctuating signal imposed on a constant signal, 9=10636. Mode expansion in the low-frequency range for propagation through a curved stratified atmosphere, 9=12517
Brendel,K. See Meyer,E., 9=2151
Brene,N. A τ-decay with a secondary of extremely low energy, 6=6189. See also Davies,J.H., 6=3270*
Brene,N., Hansen,K.H., Hooper,J.E. and Scharff,M. Remarks on the analysis of τ-meson experiments, 7=3702
Breneman,E.J. Dependence of luminance required for constant brightness upon chromaticity and chromatic adaptation, 8=2718
Brenet,J. Essential scientific problems associated with electrochemical cells based on manganese dioxide, 6=6226. See also Chevillot,J.P., 9=9627
Brenig,W. Coupling forces between metal atoms, 6=2266. Do sound waves possess an impulse? 6=4275. Collective and individual degrees of freedom in helium II, 6=4367. Two-particle approximations for the many-body problem. I, 8=4742. On the stationary scattering theory with bound states, 9=2083
Brenkman,J.A. See van der Maesen,F., 5=3758
Brennan,H. See Helmholz,L., 5=6357
Brennan, J.G. Extrapolation procedure for the low-energy deuteron—deuteron reaction cross-section, 9=2798. See also Adkins,R., 5=8160; Pinkston,W.T., 8=8275
Brennan,J.G. and Volkov,A.B. Magnetic moments of conjugate nuclei, 5=3975
Brennan,J.N. See also Nisbet,J.S., 8=2900; Tu,L.Y., 5=6826
Brennan,J.N. and Nisbet,J.S. Direct method of accelerometer calibration, 8=5671
Brennan,M.H. The response of a liquid scintillation counter to extensive air showers of low density, 7=8675
Brennan,M.H., Malos,J., Millar,D.D. and Wallace,C.S. Air showers of size greater than 10^5 particles. II. Čerenkov radiation accompanying the showers, 9=2463
Brennan,M.H., Millar,D.D., Rathgeber,M.H. and Wallace,C.S. Air showers of size greater than 10^5 particles. III. Comparison between the response of Geiger counters and scintillation counters, 9=2464
Brennan,M.H., Millar,D.D. and Wallace,C.S. Air showers of size greater than 10^5 particles. I. Core location and shower size determination, 9=2462
Brennan,W.D. Experiment in thermoelectricity, 9=12311
Brennand,J.R., Jr. See Brown,E.H., 9=5879
Brenner,A.E. See also Pless,I.A., 8=690
Brenner,A.E. and Williams,R.W. Cross-section measurement near 50 BeV, 7=7361
Brenner,H. Dissipation of energy due to solid particles suspended in a viscous liquid, 9=91
Brenner,M. Gamma radiation from proton capture in aluminium at the 991 keV resonance, 9=13661
Brenner,R. The theory of Néel "spikes" and of the coercive force due to the formation of cylindrical secondary domains, 5=9757. Results and problems of the quantitative theory of coercivity, 6=459. Remarks on Zener's classical theory of the temperature dependence of magnetic anisotropy energy, 8=5105. See also Ganz,D., 7=2436; Mager,A., 8=8153
Brenner,S. Calculation of μ-mesic energy levels in heavy atoms, 6=6855
Brenner,S., Brown,G.E. amd Woodward,J.B. The coherent scattering of γ-rays by K electrons in heavy atoms. II. The scattering of 0·32 mc^2 γ-rays in mercury, 5=2155
Brenner,S.S. Tensile strength of whiskers, 7=3772. Plastic deformation of copper and silver whiskers, 8=820. Growth and properties of "whiskers", 9=879. Strength of gold whiskers, 9=8933
Brentano,J.C.M. The quantitative evaluation of photographic X-ray diffraction patterns by means of a converter, 5=3276, 6=811. The use of shorter wavelengths in X-ray diffraction in relation to scintillation counting, 6=3370. Comparison of wavelengths for X-ray diffraction, 8=831
Brentano,J.C.M. and Ladany,I. Scintillation counting of low-energy photons and its use in X-ray diffraction, 5=1005
Breny,H. Some problems of statistical analysis arising from the physics of microcorpuscles. I. Poisson distribution and relative measurements, 9=4302; II. A little studied [retrograde] aspect of the stochastic theory of counters with dead time, 9=4303
Bresee,J.C., Flanary,J.R., Goode,J.H., Watson,C.D. and Watson,J.S. Damaging effects of radiation on chemical materials, 7=3745
Breslav,V.I. See Berlovich,E.Ye., 8=6228
Bresler,A.D., Joshi,G.H. and Marcuvitz,N. Orthogonality properties of modes in passive and active uniform wave guides, 8=8170
Bresler,M.S. See Aĭrapetyants,S.V., 9=8174
Bresler,P.I. On the possibility of producing a gas analyser based on the negative optico-acoustic effect without using a low-temperature refrigerator, 9=12857
Bresler,S.E. and Pikus,G.E. Separation of ions according to their mobilities, 6=8260. Theory of separation of isotopes and alloy components during passage of [electric] current through the melt, 9=10162
Bresler,S.E., Saminskiĭ,E.M. and Kazbekov,É.N. A paramagnetic resonance microwave spectrometer for the study of chemical reactions, 9=5905
Breslin,J. See Kaiser,W., 9=4103
Breslin,J.T. See Gaulé,G.K., 9=1987
Breton,A. See Lorrain,P., 7=7966
Breton,C. See Auclair,J.-M., 5=8261
Breton,D. The testing of materials by the oscillation method at the Châtillon pile, 6=4653
Breton,D. and Delcroix,J.L. Study of the light emitted in the moderator of a heavy-water atomic pile, 7=9725
Breton,J. A high sensitivity method for measurement of the magnetic rotatory power with very weak alternating fields, 7=2093
Bretscher,M.M. See Melton,C.E., 7=7989
Bretz,M. Centre-to-limb variation of curves of growth on the sun, 6=6321
Bretz,M.C. and Billings,D.E. Analysis of emission corona 1942-1955 from climax spectrograms, 9=7745
Breuer,G. Measurement and analysis of the angular distribution and effective cross-section of the reaction $F^{19}(p, \alpha_0)O^{16}$ in the energy range 0·4-0·72 MeV, 9=5042
Breuer,H., Harder,D. and Pohlit,W. The energy—range relation for mono-energetic fast electrons, 9=4901
Brewer,A.W. See also Urey,H.C., 7=8358
Brewer,A.W. and Houghton,J.T. A discussion on "radiative balance": Some measurements of the flux of infra-red radiation in the atmosphere, 6=7883. Experimental determination of atmospheric infra-red radiation, 7=8324
Brewer,D.F.(Conf.rep.). Physics of liquid helium, 7=6115. See also Baum,J.L., 9=13229
Brewer,D.F. and Edwards,D.O. An improved helium liquefier and cryostat, 6=3688. Measurements of the heat of transport of liquid helium II, 8=1023
Brewer,D.F., Edwards,D.O. and Mendelssohn,K. The entropy of superfluid helium, 6=295. The onset of friction in helium II, 7=3207
Brewer,D.F., Sreedhar,A.K., Kramers,H.C. and Daunt,J.G. Specific heat of He^3 below 1°K, 8=4926
Brewer,G.R. Formation of high-density electron beams, 7=4442. Some characteristics of a magnetically focused electron beam, 9=8217. See also Van Duzer,T., 9=7069
Brewer,L. See also Phillips,J.G., 6=1953
Brewer,L. and Porter,R.F. A thermodynamic and spectro-

scopic study of gaseous magnesium oxide, 5=909

Brewer,W.L. See Hanson,W.T.,Jr. 5=764

Brewster,G.F., Kunz,J.F. and Rood,J.L. Dispersion of some optical glasses in the visible and infrared, 9=172

Bricard,J. See Arnulf,A., 5=9296, 7=6771

Brice,B.A. and Turner,A.,Jr. Glass color standards for maple sirup, 6=3659

Brice,D.K. See Prosser,F.W.,Jr, 7=2598

Brice,J.C., Newman,P.C. and Wright,H.C. The indium—selenium system, 8=1692

Brice,M.K. See Cork,J.M., 5=1163, 5=8183, 6=607, 6=1509, 7=2586, 8=7302, 9=599; Martin,D.W., 6=3142

Brickl,D. See Griffith,W., 6=5731

Brickwedde,F.G. The helium vapor-pressure scale of temperatures, 9=3398. See also Armstrong,G.T., 6=3678

Bricout,P.A. Electron density and ray tracing in the ionosphere layers, 5=5541

Bridge,H. A high temperature microfurnace for the study of the devitrification of glass, 7=7524

Bridge,H.S. See also Boldt,E., 9=2590, 9=2653

Bridge,H.S., Caldwell,D.O., Pal,Y. and Rossi,B. Further analysis of the Massachusetts Institute of Technology antiproton event, 6=5831

Bridge,H.S., DeStaebler,H.,Jr, Rossi,B. and Sreekantan,B.V. Evidence for heavy mesons with the decay processes $\underline{K}_{\pi 2} \rightarrow \pi + \pi^{\circ}$ and $\underline{K}_{\mu 2} \rightarrow \mu + \nu$ from observations with a multiplate cloud chamber, 5=6498

Bridgers,H.E. Formation of p-n junctions in semiconductors by the variation of crystal growth parameters, 6=6629. See also Theuerer,H.C., 8=3121

Bridgers,H.E. and Kolb,E.D. Rate-grown germanium crystals for high-frequency transistors, 6=359. Distribution coefficient of boron in germanium, 7=375

Bridges,T.J. A parametric electron beam amplifier, 8=3267

Bridges,W.H., Cathcart,J.V. and Smith,G.P. An isothermal bath for use in the temperature range 200-500°C, 5=4604

Bridgman,P.W. Effects of pressure on binary alloys. II. Thirteen alloy systems of low melting monotropic metals, 5=1855. III. Five alloys of thallium, including thallium—bismuth, 7=8229; IV. Six alloys of bismuth, 7=8230; V. Fifteen alloys of metals of moderately high melting point. VI. Systems for the most part of dilute alloys of high melting metals, 7=8231. High pressure polymorphism of iron, 6=7741. Miscellaneous effects of pressure on miscellaneous substances, 7=7468. Compression and the $\alpha-\beta$ phase transition of plutonium, 9=6841

Brière,M. and Weill,J. The vibrating condenser electrometer, 6=1187

Briffod,G. Calculation of the frequency of oscillation of a quartz [vibrator] maintained by a transistor, 5=4634, 5=9639

Briggs,B.H. Observations at Cambridge of ionospheric drifts at points separated by 7·5 km, 6=7875. Observations of short bursts of signal from a distant 50 Mc/s transmitter, 6=8510. A study of the ionospheric irregularities which cause spread-F echoes and scintillations of radio stars, 8=2066

Briggs,B.H. and Page,E.S. An empirical study of random functions which arise in the interpretation of ionospheric movements, 5=5771

Briggs,B.H. and Spencer,M. The variability of time shifts in measurements of ionospheric movements, 5=5772

Briggs,D.K.H. and Drake,W.D. Prediction of critical temperatures, 8=1019

Briggs,G.R. See Nilson,R., 7=3370, 9=582

Briggs,L.J. Relative diameter of oxygen and hydrogen molecules, using negative pressure as an indicator, 5=2979. Maximum superheating of water as a measure of negative pressure, 5=8693. Gallium: Thermal conductivity; supercooling; negative pressure, 7=5265

Bright,A.W. and Huang,H.C. Formative time-lag studies with high-frequency discharges, 5=2772

Bright,A.W. and Ramanathan,K. Discharges in hydrogen at the ion cyclotron frequency, 8=3194

Bright,A.W. and Thorp,J.S. Measurements of retarding potential on the hollow cathode, 6=1334

Bright,G.O. See Nyer,W.E., 6=8394

Brigman,G.H. See also Hurst,R.P., 8=3393

Brigman,G.H., Hurst,R.P., Gray,J.D. and Matsen,F.A. Open configuration calculations for beryllium, 8=8370

Brigman,G.H. and Matsen,F.A. Open configuration calculations for lithium, 8=354

Brigoli,B., Cerrai,E. and Silvestri,M. Measurement of low deuterium concentration in water by means of float method, 8=2834

Brikker,S.I. See Alekseeva,K.I., 8=1748

Bril,A. and Klasens,H.A. Phosphors for tricolour television tubes, 6=1104

Bril,A., Klasens,H.A. and Westerhof,T.J. On cathodothermoluminescence, 9=3333

Bril',M.N. See Vaĭnshteĭn,É.E., 7=1352, 8=2350, 9=9681

Brill,A.S., den Hartog,H. and Legallais,V. Nonmagnetic, vibrationless, constant delivery pump for biological solutions, 8=2716. Fast and sensitive magnetic susceptometer for the study of rapid biochemical reactions, 8=8857

Brill,D.R. On the positive definite mass of the Bondi—Weber—Wheeler time-symmetric gravitational waves, 9=11780

Brill,D.R. and Wheeler,J.A. Interaction of neutrinos and gravitational fields, 8=1825

Brill,P.H. and Schwarz,R.F. Radiative recombination in germanium, 9=4580. Radiative recombination and lifetime in germanium, 9=6952

Brill,R. Crystal structure determination by neutron diffraction, 5=3293. See also Jellinek,H.H.G., 7=1689; Zaromb,S., 6=5440

Brill,R. and Camp,P. Influence of pressure on the dielectric properties of ice, 7=6147

Brill,R. and deBretteville,A.P. On the chemical bond type in $AlPo_4$, 6=3380

Brill,R. and Ender,H. Separation of ions at crystallization of water, 6=963

Brilliantov,N.A. See Grum-Grzhimailo,S.V., 9=12043-4

Brillouin,J. Acoustics of low rooms and of tunnels, 5=7800. Reflection and refraction of acoustic waves by a shock wave, 5=9505

Brillouin,L. Interaction between electrons and waves, 6=4218. Radiation pressures and their tensorial aspect, 7=1147. Interaction between waves and electrons, with some remarks on superconductivity, 7=8425. Information theory and the divergent sums in physics, 9=1099. Inevitable experimental errors, determinism, and information theory, 9=6543. Information theory and its applications to fundamental problems in physics, 9=6552

Brimberg,S. On the scattering of slow neutrons by hydrogen molecules, 8=4229

Brin,A. An experimental study of the condensation of water vapour on the surface of certain organic substances, 9=1373

Brin,A., Delcroix,J.L. and Salmon,J. The cooling of a gas of charged particles in a fully ionized plasma, 9=11161

Brindley,G.S. A photochemical reaction in the human retina, 6=3402. See also Rushton,W.A.H., 5=4249

Brindley,G.W. and Nakahira,M. Evidence for a variable long-range order in nearly anhydrous gamma alumina, 9=9032

Brinen,J.S. and Goodman,L. Sequence and spacing of $n \rightarrow \pi$ transitions in s-triazine, 9=10194

Briner,E. and Münzhuber,A. The energy efficiency of the photochemical production of ozone; theoretical and experimental values, 6=5474

Brini,D., Fuschini,E., Murty,D.S.R. and Veronesi,P. Rayleigh scattering of polarized photons, 9=5985

Brini,D., Fuschini,E., Peli,L. and Veronesi,P. Elastic scattering of polarized photons, 8=2457

Brini,D., Peli,L., Rimondi,O. and Veronesi,P. Absolute low-energy differential range spectrum of cosmic ray μ-mesons at sea-level, 5=9745. On large scintillation counters, 6=3793. On the azimuthal distribution of K photoelectrons by polarized photons, 7=8809

Brini,D., Rimondi,O., Valdrè,U. and Filosofo,I. On the zenitral effect of extensive air showers, 5=8065

Brini,D., Rimondi,O. and Veronesi,P. On intermittent discharges in air at low pressure, 5=1869. Formative time of the cathodic space charge, 5=1874

Brink,D.M. Inelastic scattering of neutrons by deformed nuclei, 6=1603. Lectures on the theory of neutron scattering. I-IV, 7=3664. Individual particle and collective aspects of the nuclear photoeffect, 8=3377. The theory of collective excitations in nuclei, 8=6219

Brink,D.M. and Kerman,A.K. Two body forces in light deformed nuclei, 9=13585

Brink,D.M. and Satchler,G.R. Holes and particles in shell models, 6=8918

Brink,G. van den. See van den Brink,G.

Brink,G.O. and Braslau,N. Atomic-beam magnet-stabilization system, 9=11241

Brink,G.O., Hubbs,J.C., Nierenberg,W.A. and Worcester,J.L.

Spins of thallium-197, -198m, -199, and -204, and the hyperfine-structure splitting of thallium-204, 7=8108
Brinkerhoff,J., Ziegler,C.A., Bersin,R. and Chleck,D.J. Continuous air monitor for H^3, 9=12519
Brinkley,T.A. See Titterton,E.W., 7=6578
Brinkman,G.A. See Lindner,L., 6=3942, 6=3962
Brinkman,H. See van den Berg,C.B., 5=3813
Brinkman,H.C. Reply to Tietz' letter: "Approximate analytic solution of the Thomas-Fermi equation for atoms", 6=568. Brownian motion in a field of force and the diffusion theory of chemical reactions, 6=2701; II, 6=3508. On Kramers' general theory of Brownian motion, 7=8439. Non-linear irreversible thermodynamics of Brownian motion, 8=5663. Theoretical considerations on the behaviour of a plasma in electrical and magnetic fields, 9=11277
Brinkman,H.C. and Peperzak,B. Approximate solutions of the Thomas–Fermi equation for molecules. II, 5=3934
Brinkman,H.C. and Schwarzl,F. A mechanical and thermodynamical theory of non-linear relaxation behaviour of solids, 8=4431
Brinkman,J.A. Production of atomic displacements by high-energy particles, 6=4678. See also Meechan,C.J., 7=863
Brinkmann,E. and Deichsel,H. Additivity of photoelectric current and secondary electron current, 9=12359
Brinkworth,M.J. and Rose,B. A measurement of the direction of the polarization produced in the scattering of 135 MeV protons, 6=3979
Brinson,G. See Ogilvie,G.J., 5=5350
Brinton,R.K. Reaction of methyl radicals with ethylene, 9=1920
Brion,H. See also Besnaïnou,S., 7=6379; Daudel,R., 5=2985, 6=565
Brion,H., Daudel,R. and Odiot,S. Use of the idea of shall in the study of chemical bonds, 5=433. Theory of the localizability of corpuscles. II. Electronic levels of atoms and energies associated with 'boxes', 5=3018; IV. Use of the 'box' concept in the study of chemical bonds, 5=3020
Brion,H., Lefebvre,R. and Moser,C.M. Alternative method for calculating SCF orbitals, 6=1451
Brion,H., Moser,C. and Yamazaki,M. Electronic structure of nitric oxide, 9=7440
Briones Viejobueno,J.L.de. See de Briones Viejobueno,J.L.
Brisbane,A.D. See Beck,A.H., 5=5485
Brisbout,F., Friedlander,M.W. and Iredale,P. Mesonic decay in flight of a triton hyperfragment, 7=5640
Brisbout,F.A., Dahanayake,C., Engler,A., Fowler,P.H. and Jones,P.B. Spurious scattering in nuclear emulsions, 6=6928
Brisbout,F.A., Dahanayake,C., Engler,A., Fujimoto,Y. and Perkins,D.H. On the nature of particles produced in extremely energetic nuclear collisions, 7=2619
Brisbout,F.A., Dahanayake,C., Engler,A. and Perkins,D.H. On the trident cross-section between 1 and 10 GeV, 7=2392
Brisbout,F.A. and McCusker,C.B.A. An experimental analysis of two large cosmic ray jets, 9=7131
Briscoe,C.V. See also Norwood,M.H., 9=5193
Briscoe,C.V. and Squire,C.F. Elastic constants of LiF from 4·2°K to 300°K by ultrasonic methods, 7=7464. Spin–lattice relaxation time for I^{127} in KI in the temperature range 2°K to 20°K, 9=4041
Briscoe,W.L. Electronic computer for mass identification of particles, 8=8955
Brisson-Fouché,V. On the automatic scattering in nuclear emulsion, 8=2451. See also Besson,C., 9=4933
Brissonneau,P. Variation with induction of the diffusion-viscosity magnetic field, 5=382. Anomalous hysteresis cycles due to diffusion magnetic after-effect, 7=7213. Investigation of the diffusion of carbon in iron, 7=7214. On the determination of the time constants of magnetic after-effect due to diffusion, 7=7227. Analogy between directional ordering and the magnetic diffusion after-effect, 8=2390. Contribution to the quantitative study of diffusion magnetic lag of carbon in alpha iron, 9=8297
Britsȳn,K.I. See Vavilov,V.S., 9=9633, 9=11039
Britt,C.O. See Straiton,A.W., 8=8725
Brittin,W.E. Statistical mechanical theory of $\not\gamma$ transport phenomena in a fully ionized gas, 7=6917
Britton,D. and Davidson,N. Hydrogen-bromine reaction in a nonsteady state, 6=4055. Shock waves in chemical kinetics. Rate of dissociation of molecular bromine, 7=2765
Britton,D., Davidson,N., Gehman,W. and Schott,G. Shock waves in chemical kinetics: Further studies on the rate of dissociation of molecular iodine, 7=2764
Britton,D., Davidson,N. and Schott,G. Shock waves in chemical kinetics. The rate of dissociation of molecular iodine, 5=5007
Britton,F.R. and Bean,D.T.W. Long range forces between hydrogen molecules, 6=517
Britton,F.R. and Crawford,M.F. The theory of collision-induced absorption in hydrogen and deuterium, 9=2887
Brix,P., Hegel,U., Lindenberger,K.H. and Quitmann,D. Relative measurements of the integrated cross-section for the nuclear photoeffect: the reaction $Ca^{44}(\gamma, p)K^{43}$, 8=7385
Brix,P. and Kopfermann,H. Isotope shift studies of nuclei, 8=9016
Brix,P., Körding,A. and Lindenberger,K.H. (γ, p) and (γ, np) reactions in A^{40}, 9=8618
Brix,P. and Lindenberger,K.H. Configurational mixing and isotope shift in the Gd II spectrum, 5=6901
Brix,P. and Maschke,E.K. Cross-section of the $O^{16}(\gamma, p)$ reaction at 28 MeV, 9=2818. Investigation $O^{16}(\gamma, p)$ with 32 MeV bremsstrahlung, 9=8619
Brixner,B. One million frame per second camera, 5=9349
Broad,D.A.G. See Lang,A.R., 6=5131
Broadbent,D. See Alberigi-Quaranta,A., 8=1179
Broadbent,D.E. Growing points in multichannel communication, 6=6469. Effect of noise on an "intellectual" task, 9=161. See also Ladefoged,P., 7=4097
Broadbent,D.E. and Ladefoged,P. On the fusion of sounds reaching different sense organs, 7=9998
Broadbent,D.E., Ladefoged,P. and Lawrence,W. Vowel sounds and perceptual constancy, 7=2903
Broadbent,S.R. An examination of observed regularities in nuclear energy levels, 6=8320. A measure of dispersion applied to cosmic ray and other problems, 6=8548
Broadbent,S.R. and Hammersley,J.M. Percolation processes. I. Crystals and mazes, 8=4766
Broadbent,T.E. The breakdown mechanism of certain triggered spark gaps, 7=7130
Broadbent,T.E. and Wood,J.K. A thermally triggered spark gap gap, 5=9676
Broberg,K.B. Shock waves in elastic and elastic-plastic media, 7=1136
Broch,E.K. Some remarks concerning the plane lattice and close-packing of equal circles, 8=1364
Brochard,J., Chabbal,R., Chantrel,H. and Jacquinot,P. Emission spectroscopy at very low temperatures (cooling by liquid helium II), 6=1965
Brociner,V. See Levy,S.E., 9=11968
Brock,E.G. Field emission microscopy of an allotropic transformation: α - β titanium, 6=2477. Grain boundaries for field emission microscopy, 7=5676
Brock,R.L. and Streib,J.F. Attempt to detect the Lyman α line of the positronium atomic spectrum, 8=8969
Brockes,A. On the alteration of the structure of organic layers by electron bombardment, 8=5492
Brockes,A. and Kaiser,R. Infrared spectrum of electron-irradiated polyethylene foils, 6=5498
Brockes,A. and König,H. The structure of polymer films which have been formed in a glow discharge, in dependence upon their conditions of formation, and its alteration by electron bombardment, 8=8461
Brockhouse,B.N. Energy distribution of neutrons scattered by paramagnetic substances, 5=8915. Neutron scattering and the frequency distribution of the normal modes of vanadium metal, 6=2270. Scattering of neutrons by spin waves in magnetite, 7=7441. Structural dynamics of water by neutron spectrometry, 9=3198. Field dependence of neutron scattering by spin waves, 9=3628. Lattice vibrations of semiconductors by neutron spectrometry, 9=8819. Lattice vibrations in silicon and germanium, 9=11556. See also Stewart,A.T., 8=6400
Brockhouse,B.N., Corliss,L.M. and Hastings,J.M. Multiple scattering of slow neutrons by flat specimens and magnetic scattering by zinc ferrite, 5=7403
Brockhouse,B.N. and Iyengar,P.K. Normal vibrations of germanium by neutron spectrometry, 8=5463. Normal modes of germanium by neutron spectrometry, 9=2897
Brockhouse,B.N. and Myers,H.P. New type of magnetic transition in Mn_3ZnC, 7=8019
Brockhouse,B.N. and Stewart,A.T. Scattering of neutrons by phonons in an aluminium single crystal, 6=1731. Normal modes of aluminum by neutron spectrometry, 8=6399
Brocklebank,R.W. See Wilson,M.H., 5=4251
Brocklehurst,R.E., Goode,J.M. and Vassamillet,L.F. Coefficient of expansion of polonium, 8=2276
Brockman,F.G. See du Pré,F.K., 8=7179
Brockman,K.W. Scattering of protons by helium between 11·4 MeV

and 18 MeV, 8=7367
Brockman,K.W., Jr. Differential cross section for proton—helium scattering near 17·5 MeV, 6=4454. Proton polarization measurements near 18 MeV, 8=8974
Brockway,L.O. See Bartell,L.S., 6=2303-4
Broda,E. and Rohringer,G. The measurements of radiocarbon with the gas Geiger counter tube, 5=3032
Brodasky,T.F. See Weston,R.E., Jr, 7=9615
Brode,H.L. Numerical solutions of spherical blast waves, 5=6830. Blast wave from a spherical charge, 9=6638
Brode,R.B. and Goodwin,A., Jr. Extraordinary increase of the cosmic radiation on February 23, 1956, 6=6760
Broder,J.D. See Wolff,G.A., 6=255, 9=10851
Brodersen,P.H. and Mayo,S. BrF bands in the Schumann region, 6=1056
Brodersen,P.H. and Sicre,J.E. The spectrum and dissociation energy of BrF, 6=1061
Brodersen,S. Interferometric frequency calibration of infrared spectrometers, 6=2775. A simplified procedure for calculating the complete harmonic potential function of a molecule from the vibrational frequencies, 7=8039. An interaction theory of the vibrational frequencies of isotopic molecules, 9=12747. See also Andersen,F.A., 5=6014, 6=4552
Brodersen,S. and Langseth,A. A complete rule for the vibrational frequencies of certain isotopic molecules, 8=6377. The application of the complete isotopic rule to certain plane molecules, 9=7433. The fundamental frequencies of all the deuterated benzenes. Application of the complete isotopic rule to new experimental data, 9=11529
Brodhun,D. On the influence of vibratory sound absorbers on the reverberation time of rooms, 6=1937. See also Feik,K., 5=9501
Brodie,D.E. See Johns,M.W., 6=2348
Brodie,I. A rapid method for separating the principal stresses in plane photoelasticity, 8=3738
Brodie,I. and Jenkins,R.O. Impregnated barium dispenser cathodes containing strontium or calcium oxide, 7=499. The evaporation of barium from "L" cathodes, 7=3404. Mixed monolayers of barium and calcium on tungsten, 7=3405. The nature of the emitting surface of barium dispenser cathodes, 7=7192. Evaporation of barium from impregnated cathodes, 7=7194
Brodie,I., Jenkins,R.O. and Trodden,W.G. Evaporation of barium from cathodes impregnated with barium—calcium—aluminate, 9=5793
Brodin,M.S. Absorption and dispersion of light in crystals of diphenyl at 20·4°K, 8=6858. The dichroism of certain polycyclic crystals, 8=6863
Brodin,M.S. and Prikhot'ko,A.F. Dispersion and absorption of light in anthracene crystals at 20·4°K, 8=562
Brodin,M.S., Prikhot'ko,A.F. and Soskin,M.S. On non-validity of the Kramers—Kronig dispersion relationships in the case of molecular crystals at various temperatures, 9=12134
Brodnyan,J. See Philippoff,W., 5=9195
Brodnyan,J.G. See Philippoff,W., 8=532
Brodovskiĭ,D. See Grechushnikov,B.I., 7=8443
Brodovskiĭ,V.B. See Shirokov,M.F., 7=2958
Brodskiĭ,A. General theory of meson scattering, 7=3963. See also Ivanenko,D., 8=8586
Brodskiĭ,A.M. Problem of renormalization in mesodynamics, 7=1062*. On the derivation of Low's equations in the theory of scattering of mesons, 8=276. On the dispersion relations and the deduction of equations for K-meson scattering, 9=1680. See also Ivanenko,D.D., 5=48
Brodskiĭ,A.M. and Ivanenko,D.D. A new possibility in neutrino theory, 8=4216
Brody,H.M., Wetherell,A.M. and Walker,R.L. Photoproduction of K^+ particles in hydrogen at forward angles, 8=7285
Brody,S.S. Instrument to measure fluorescence lifetimes in the millimicrosecond region, 8=1617
Brody,T.A. Apparent range of tracks in nuclear emulsions, 6=8545. Apparent track length in nuclear emulsions, 8=7224. See also Alba Andrade,F., 6=8375*, 8=7372*
Broek,H. van den. See van den Broek,H.
Broek,J. van den. See van den Broek,J.
Broekhuijsen,R. See Ketelaar,J.A.A., 6=3601
Broer,J.W. See Douglas,R.A., 7=2654
Broer,L.J.F. Pressure effects of relaxation and bulk viscosity in gas motion, 5=793. On the hydrodynamics of visco-elastic fluids, 9=90. A heating mechanism in gas expansion, 9=10687
Broersma,S. Nuclear magnetic relaxation of nonuniform systems, 6=3020. Nuclear magnetic relaxation of nonuniform systems, 6=3542. Magnets for resonance work from transformers, 7=3454. Magnetic moment of iron ions, 7=8078. Magnetic relaxation spectroscopy with ionic solutions, 8=1551. Stokes' and Einstein's law for nonuniform viscosity, 8=6687. Diffusion and viscosity in a spherical cavity, 9=7826
Broese van Groenou,A. See also Winkel,P., 5=6089
Broese van Groenou,A., Poll,J.D., Delsing,A.M.G. and Gorter,C.J. The viscosity of the normal part of liquid helium II from heat conduction experiments, 7=8566
Broglie,L. de. See de Broglie,L.
Brogren,G. Relation between the width of an X-ray line and the resolving power of the double-crystal spectrometer, 5=977. A note on the widths of X-ray emission lines, 5=1880. The reflection and transmission of X-rays in quartz near the Bragg angle, 5=2315. Bromine-quenched and iodine-quenched Geiger—Müller counters, 5=3834. On line width determinations with bent crystal spectrometers, 5=5097
Brogren,G. and Adell,Ö. The anomalous X-ray transmission in calcite, 5=2313. The anomalous X-ray transmission in calcite. II. Investigations in the wavelength range 558 X.U. - 1932 X.U., 5=3279
Brogren,G. and Nordling,C. The anomalous X-ray transmission through a crystal on both sides of the $\underline{K}$ absorption edge of an element in the crystal, 5=5094
Broida,H.P. See also Bass,A.M., 6=3606, 7=2033; Berl,W.G., 7=1230; Carrington,T., 9=5505; Chapman,M.W., 7=5577; Herzfeld,C.M., 6=1964; Kiess,N.H., 6=5766, 7=4132; Kostowski,H.J., 6=2834; Kurzweg,U.H., 9=12039; Lalos,G.T., 8=8670; Moore,C.E., 9=12963; Peyron,M., 9=5502, 9=7484; Schoen,L.J., 5=6926
Broida,H.P. and Carrington,T. Fluorescence and average lifetime of excited OH($^{42}\Sigma^+$) in flames, 6=1102
Broida,H.P. and Heath,D.F. Spectroscopic survey of energy distributions of OH, C_2, and CH radicals in low pressure acetylene—oxygen flames, 7=5275. Luminous reaction between carbon monoxide and atomic nitrogen, 7=7730
Broida,H.P. and Kostkowski,H.J. Experimental evidence for the existence of abnormal OH rotational "temperatures" in low-pressure flames, 5=5301. Experimental proof for the existence of nonthermal rotational distributions, of OH ($^2\Sigma^+$) in flames, 7=223
Broida,H.P. and Lutes,O.S. Abundance of free atoms in solid nitrogen condensed at 4·2°K from a gas discharge, 6=3758
Broida,H.P. and Pellam,J.R. A note on the preparation of solid ozone and atomic oxygen, 5=3680
Broida,H.P. and Peyron,M. Evaporation of active species trapped in a solid condensed from "discharged" nitrogen, 8=7053
Broida,H.P. and Shuler,K.E. Spectroscopic study of electronic flame temperatures and energy distributions, 8=3038
Broido,A. and Willoughby,A.B. Measurement of intense beams of thermal radiation, 8=3026
Brokaw,R.S. Approximate formulas for the viscosity and thermal conductivity of gas mixtures, 9=119. Thermal conductivity of nitrogen—carbon dioxide mixtures, 9=12169. See also Butler,J.N., 7=7810
Brolley,J.E. See Boicourt,G.P., 5=2819
Brolley,J.E., Jr. See also Armstrong,A.H., 5=9098; Fowler,J.L., 6=7737; Henkel,R.L., 6=8961; Putnam,T.M., 7=2335; Rosen,L., 8=2514, 9=6112
Brolley,J.E., Jr, Bunker,M.E., Cochran,D.R.F., Henkel,R.L., Mize,J.P. and Starner,J.W. 14-MeV $(\underline{n}, \alpha)$ cross-sections in zirconium. I, 5=9097
Brolley,J.E., Jr, Dickinson,W.C. and Henkel,R.L. Angular dependence of the neutron-induced fission process. II, 5=9107
Brolley,J.E., Jr, Hall,W.S., Rosen,L. and Stewart,L. Experimental evidence for the reaction $d + T \rightarrow He^3 + n + n - 3$ MeV, 8=2566
Brolley,J.E., Jr, Putnam,T.M. and Rosen,L. d—D reactions at 6 to 14 MeV input energy, 7=8828
Brolley,J.E., Jr and Ribe,F.L. Energy loss by 8·86-MeV deuterons and 4·43-MeV protons, 5=7139
Brombacher,W.G. and Lashof,T.W. Bibliography and index on dynamic pressure measurement, 5=4400
Bromberg,J.P. See Rowland,T.J., 8=9127
Bromberg,M.L. and Taylor,H.A. Oxidation of methane with nitrogen dioxide, 6=1686
Brömer,H.H. and Stille,U. Electron recombination and negative bands in afterglowing, active nitrogen, 9=12319
Bromilow,N.S. Geometrical optical calculation of frequency response for systems with spherical aberration, 8=940

Bromley,D.A. See also Almqvist,E., 9=10037; Ferguson,A.J., 9=2736; Gove,H.E., 7=668, 9=2779, 9=2786; Kuehner,J.A., 9=586, 9=10026; Litherland,A.E., 9=2699; McKenzie,J.M., 9=11321

Bromley,D.A., Almqvist,E., Gove,H.E., Litherland,A.E., Paul,E.B. and Ferguson,A.J. Study of some He^3-induced reactions on C^{12}, 7=3631

Bromley,D.A., Gove,H.E., Kuehner,J.A., Litherland,A.E. and Almqvist,E. Unnatural parity states in O^{16}. I, 9=10025

Bromley,D.A., Gove,H.E. and Litherland,A.E. Application of a collective model to Si^{29}, 7=9810

Bromley,D.A., Gove,H.E., Paul,E.B., Litherland,A.E. and Almqvist,E. The low levels of Si^{29}, 7=9815

Bromley,D.A., Kuehner,J.A. and Almqvist,E. He^3- and He^4-induced Coulomb excitation, 9=13618

Bromley,D.A. and Wall,N.S. Elastic scattering of 5·25 MeV protons on nickel and copper, 6=646. Elastic scattering of 5·25-MeV protons from Co, Ni, Cu, and Zn, 6=6153

Bromley,R.H. Two-dimensional strain measurement by Moiré, 6=4858

Brommer,P.E. See Bosman,A.J., 8=3232, 8=3476

Bron,W.E. and Nowick,A.S. Effect of fractional X-irradiation of NaCl crystals on F-center density, 8=6415

Bronner,W.L., Ehlers,K.W., Eukel,W.W., Gordon,H.S., Marker,R.C., Voelker,F. and Fink,R.W. High-current, 400 kV Cockcroft—Walton accelerator, 9=12388

Bronshtein,I.M. Reflection of electrons and emission of secondary electrons from some metallic surfaces in the range of low energies of the primary electrons, 9=11121

Bronshtein,I.M. and Roshchin,V.V. Reflection of electrons and secondary-electron emission from metal surfaces in the region of low primary energies. I, 9=8225; II, 9=8226

Bronshtein,I.M. and Segal',R.B. Range of slow secondary electrons in a metal and the character of inelastically-reflected electrons in secondary electron emission, 9=12360

Bronshtein,I.M. and Smorodina,T.A. Secondary electron emission from thin layers of Be. I, 5=7123; II, 6=7467. Secondary electron emission from thin layers of silver, 6=8829

Bronstein,L. See Hersh,H.N., 7=6167

Brook,A.A. Analysis of phase-shift controlled thermoregulator circuits, 7=332

Brook,M. See also Reynolds,S.E., 6=9132

Brook,M. and Kaplan,J. Dissociation energy of NO and N_2, 5=2047

Brooker,R.A. An attempt to simplify coding for the Manchester electronic computer, 5=8438. The programming strategy used with the Manchester University computer, 6=3436, 6=7102

Brooker,R.A. and Summer,F.H. The method of Lanczos for calculating the characteristic roots and vectors of a real symmetric matrix, 6=1778, 6=7101

Brooks,E.J. See Birks,L.S., 8=4466, 8=7072

Brooks,F.D. A scintillation counter with neutron and gamma-ray discriminators, 9=7222. See also Birks,J.B., 6=8254

Brooks,F.P. See Black,I.A., 9=4109

Brooks,H. Quantum theory of cohesion, 9=1848. Stationary states of semiconductors, 9=8096. Radiation effects in materials, 9=10276. See also Benedek,G.B., 6=1225. Cardona,M., 9=6883

Brooks,H. and Ham,F.S. Energy bands in solids—the quantum defect method, 9=2906

Brooks,J. See Murcray,D., 8=6553

Brooks,L.S. Slit for interposing spectra in echellegrams, 5=4511

Brooks,N. See Gove,H.E., 9=2786

Brooks,W.V.F. and Crawford,B.,Jr. Vibrational intensities. V. BrCl and ICl, 5=2941

Broom,R., Barrie,R. and Ross,I.M. Magnetoresistance effects in gallium arsenide, 9=10992

Broom,R.F. Magnetoresistance of n-type InSb at 4·2°K, 8=1689. A source of error in magnetoresistance measurements, 8=2306. A low-temperature resistance thermometer using p-type gallium arsenide, 9=3402. See also Edmond,J.T., 7=7898

Broom,R.F. and Rose-Innes,A.C. Simple equipment for a small low temperature laboratory, 7=2136. A pulse method for measurement of Hall coefficient at low temperatures: Some results on indium antimonide, 7=2228

Broom,T. Vacancies and other point defects in metals and alloys, 8=4427

Broom,T. and Ham,R.K. The hardening and softening of metals by cyclic stressing, 8=3523

Brophy,J.J. Preliminary study of the electrical properties of a semi-conducting diamond, 5=9652. Electronic band structure of diamonds, 6=4087. Excess noise in deformed germanium, 7=2218. Excess noise in n-type germanium, 7=6171. Experiment showing the influence of surfaces on 1/f noise in germanium, 8=8766. Magnetic fluctuations in molybdenum permalloy, 8=8908. Seebeck effect fluctuations in germanium, 9=2363

Brophy,J.J. and Rostoker,N. Hall effect noise, 6=334

Brophy,V.A. See Lempicki,A., 7=9640

Broser,I. See also Balkanski,M., 8=618

Broser,I. and Broser-Warminsky,R. Luminescence and electrical conductivity of crystal phosphors, 5=3614. Statistical kinetic theory of luminescence and electrical conductivity of defect semiconductors, 6=1205. On the energy level scheme of phosphorescent crystals, 7=4209. Concerning the problem of exciton diffusion in photoconductors, 9=6994. Energy transport mechanism in CdS crystals, 9=7976. Reply to the remarks of M.Balkanski on the work "On the mechanism of energy transport in cadmium sulphide crystals", 9=9645

Broser,I. and Reuber,C. Quantitative measurements of the basic process of light excitation in phosphors by single α-particles, 5=220

Broser-Warminsky,R. See Arend,H., 5=2786. Broser,I., 5=3614, 6=1205, 7=4209, 9=6994, 9=7976, 9=9645

Brosi,A.R. See also Bernstein,S., 6=4652; Ketelle,B.H., 6=6860

Brosi,A.R. and Ketelle,B.H. Radioactivity of the cerium-137 isomers, 6=588. Radioactive decay of La^{137} and Ce^{137}, 6=8944

Brosi,A.R., Ketelle,B.H., Thomas,H.C. and Kerr,R.J. Decay schemes of Sm^{145} and Pm^{145}, 9=4996

Brosio,E. Measurements on acoustical structures which absorb by resonance, 6=5732

Bross,H. The electrical conductivity of copper taking into account the anisotropy of the lattice vibration spectrum, 9=12236. See also Seeger,A., 6=6042

Bross,H. and Seeger,A. Electron theoretical investigation of defects in metals. V. General theory of the effects of lattice defects on the transport processes in metals, 9=2912; VI. The electrical resistance of vacancy pairs (divacancies) in monovalent metals, 9=8806

Brossard,J. and Manson,N. Comparative study of the characteristics of explosion waves in gaseous mixtures, 9=3228

Brossel,J. Optical methods of magnetic resonance, 6=4290. See also Barrat,J.-P., 5=2084, 8=7798; Blamont,J.E., 7=6464; Boutron,F., 8=2232; Cagnac,B., 8=6213, 9=13483-4; Cohen-Tannoudji,C., 7=7318; Guiochon,M.A., 7=5974, 7=6071; Hartmann,F., 8=7435; Margerie,J., 6=566, 6=1484; Pebay-Peyroula,J.C., 7=6465*, 8=781*; Rollet,N., 6=3612

Brossel,J. and Julienne,C. Magnetic resonance in the 7^3S_1 level of mercury, 6=6016

Brossel,J., Margerie,J. and Kastler,A. Increase of the strength of atomic orientation in sodium vapour in the presence of hydrogen, 6=1486

Brossel,J., Margerie,J. and Winter,J. The Bloch—Siegert effect in several-quanta resonances, 6=8939

Brossel,J., Mosser,J.L. and Winter,M. Absorption of sodium by glass walls heated to 120°C, 6=207

Brosze,O. Disturbance of the sound field in the vicinity of a rigid sphere, 5=8565

Brösze,O. (Ed.). Introduction to the calculation of sound phenomena. (Sound fields of radiators, piston diaphrams, spheres,etc.), 8=6760

Brot,C. A new method for measuring the complex permittivity of [low or medium loss] liquids at u.h.f., 5=274. Dielectric behaviour of six normal primary alcohols between -60° and +60°C at 1·25 cm wavelength, 5=8730. On the analysis of certain dispersions of dipolar orientation, 6=7382. The graphical determination of the parameters of Debye-type dispersion-absorption relaxation, 9=9580

Brot,C. and Soulard,A. Dielectric behaviour of alcohol solutions, 9=12215

Brot,P.C. Microwave dispersion and hydrogen bonding in several alcohols, 8=3972

Broten,N.W. See Covington,A.E., 8=849

Brotherton,T.D., Wallace,W.E. and Craig,R.S. Thermal equilibration in $MgCd_3$ at low temperatures, 7=4271

Broude,B.G. Utilization of the gas—hydraulic analogy for the purposes of gas dynamics, 7=3062

Broude,C., Green,L.L., Singh,J.J. and Willmott,J.C. Low-lying levels of P^{30}, 6=2404. The γ-rays from the 8·06 MeV level in ^{14}N, 7=6520. On the 8·06 and 8·70 MeV states in ^{14}N, 7=9817

Broude,C., Green,L.L. and Willmott,J.C. The energy levels of ^{31}P. I. γ-Ray spectra and decay schemes, 9=3831; II. Angular distributions and correlations, 9=3832;

III. Comparison with the Nilsson model, 9=3833
Broude,V.L. Absorption spectra of benzene homologues. II. Light absorption by monoalkylbenzenes, 7=6995. See also Babenko,V.P., 9=9398; Borovik,E.S.(Conf.Rep.), 8=6919
Broude,V.L., Eremenko,V.V. and Chikovani,N.N. The structure of spectra of absorption and photoconductivity of CdS crystals at 20°K, 8=5913
Broude,V.L., Eremenko,V.V. and Medvedev,V.S. The excitation spectra of photoconductivity and luminescence for CdS crystals, 9=8154
Broude,V.L., Eremenko,V.V. and Rashba,É.I. Absorption of light by crystals of CdS, 7=9083
Broude,V.L., Eremenko,V.V. and Sheĭnkman,M.K. An investigation of the spectral distribution of photoconductivity for CdS single crystals at 77°and 20°K, 9=4609
Broude,V.L., Izrailevitch,E.A., Liberman,A.L., Onoprienko,M.I., Pakhomova,O.S., Prikhot'ko,A.F. and Shatenshtein,A.I. On electron spectra of aromatic hydrocarbons and their deuterated derivatives at 20°K. I, 9=10780
Broude,V.L., Pakhomova,O.S. and Prikhot'ko,A.F. The influence of deformation on crystal spectra, 7=9613
Broude,V.L., Yeremenko,V.V. and Rashba,E.Ĭ. The nature of the fine structure in the optical spectra of CdS crystals, 8=6841
Broudy,R.M. Galvanomagnetic coefficients for arbitrary geometry, 8=8756. See also Venables,J.D., 9=805, 9=8810, 9=10301
Broudy,R.M. and Venables,J.D. D.C. magneto-conductivity and energy band structure in semiconductors, 7=367, 7=5317
Broussaud,G. Study of the diffraction of electromagnetic waves by a network of perforated plates, 5=6319. An interferometric method of distance measurement: frequency modulation radar, 7=6923
Brout,R. Statistical mechanics of irreversible processes. VII. Boltzmann equation, 7=120. Width and shift of spectral lines due to dissipative interaction, 7=8514. Correlation energy of a high-density gas: plasma coordinates, 8=400. The classical limit of the quantum transport equation, 8=6669. Variational methods and the nuclear many-body problem, 9=2095. Sum rule for lattice vibrations in ionic crystals, 9=5130. See also Buff,F.P., 5=4417; Sawada,K., 8=399
Brout,R. and Nauenberg,M. Quantum theory of surface energy and tension, 9=4345
Brout,R. and Prigogine,I. Statistical mechanics of irreversible processes. V. Anharmonic forces, 6=7167; VI. Thermal conductivity of crystals, 6=7168; VIII. General theory of weakly coupled systems, 7=121
Brout,R. and Suhl,H. Effects of spin—orbit coupling in rare earth metals, and in solutions of rare earth metals, 9=11567
Brouty,J. and Calvet,E. Measurement of the specific heats of poor thermal conductors using the E.Calvet differential microcalorimeter, 5=260
Brouwer,D. Outlines of general theories of the Hill-Brown and Delaunay types for orbits of artificial satellites, 9=3071
Brouwer,G. A general asymptotic solution of reaction equations common in solid-state chemistry, 5=1311. Electrical analog of the eddy-current-limited domain-boundary motion in ferromagnetics, 6=1371. Graphical analysis of the temperature dependence of the electronic population in semiconductors, 9=295
Brouwer,W. The use of matrix algebra in geometrical optics, 9=1235
Brouwer,W. and Petch,H.E. The ratio of the nuclear g-factors for B^{11} and B^{10}, 8=6215
Brouwer,W. and van Heel,A.C.S. Two-dimensional coding of optical images, 5=7882
Brovetto,P. See also Amaldi,U.,Jr, 9=5989, 9=7243; Bernardini,M., 7=8816, 8=4302, 8=7342, 9=1651; Bonfiglioli,G., 8=8706, 9=9497-8
Brovetto,P. and Cini,G. Further considerations on nuclear polarization by means of electron resonance saturation, 5=2078
Brovetto,P. and Ferroni,S. On the production of heavy mesons in the nucleon-nucleon collisions at energies near the threshold, 6=6935. On the paramagnetic resonance spectrum of triphenylmethyl, 7=8055
Browder,L.B. Wide amplitude string galvanometer for direct recording, 6=7369
Brower,W.S. See Fang,P.H., 8=7505, 9=4659
Brown,A. On the stability of a hydromagnetic prominence model, 9=4218
Brown,A.F.C. (Conf.rep.). Summarized proceedings of the eleventh annual conference of the Stress Analysis Group — Leicester, April 1957, 8=896
Brown,A.G. See Thuman,W.C., 5=2343
Brown,A.M. See Moore,W.R., 9=4334, 9=9281
Brown,A.R.G., Watt,W., Powell,R.W. and Tye,R.P. The thermal and electrical conductivities of deposited carbon, 6=2028
Brown,B. Potassium iodide fast neutron detector, 6=714
Brown,B. and Hooper,E.B.,Jr. Plastic phosphor matrix for fast-neutron detection, 8=5161
Brown,B., Matsukawa,E. and Stewardson,E.A. The nuclear scattering of 0·4 and 0·5 MeV electrons in composite aluminium uranium foils, 7=458
Brown,C., Hersh,C.K. and Berger,A.W. Magnetic susceptibility of liquid ozone—oxygen mixtures, 5=3246. Phase diagram of liquid ozone—oxygen system, 5=8337
Brown,C.J. See Daubeny,R. de P., 5=1368
Brown,C.R. Difference thresholds for intermittent photic stimuli as a function of rate of flash, number of flashes, and presentation time, 9=1975. See also Forsyth,D.M., 9=10456
Brown,C.S., Kell,R.C., Middleton,P. and Thomas,L.A. Influence of impurities on the growth of quartz crystals from flint and quartzite, 5=6600
Brown,C.S. and Thomas,L.A. Properties of synthetic quartz oscillator crystals, 7=1262
Brown,D. See Delves,L.M., 9=8459; White,R.E., 8=6146
Brown,D.A. Discussion of Slater parameters for elements of the first long period, 8=782. Vibration frequencies of some tetrahedral hydride ions, 8=8380. Use of 4p orbitals in metal—aromatic complexes, 9=1836
Brown,D.A.H. Majority carrier lifetime in copper doped germanium at 20°K, 8=4974
Brown,D.S. The application of shearing interferometry to routine optical testing, 5=4562
Brown,D.W. See Wall,L.A., 9=7180
Brown,E. and Krumhansl,J.A. Energy band structure of lithium by a modified plane wave method, 8=802
Brown,E. and Leck,J.H. Desorption of gas in the cold cathode ionization gauge, 5=5266
Brown,E.H. and Brennand,J.R.,Jr. Magnetic losses at low temperatures, 9=5879
Brown,E.H. and Dean,J.W. Joule—Thomson process in the liquefaction of helium, 8=5855
Brown,F. See also Baerg,A.P., 9=679; Bartholomew,G.A., 5=2172, 5=9071; Bartholomew,R.M., 5=3043; Bowles,B.J., 7=8823; Boyd,A.W., 5=3029; Farber,M., 5=9272; Katz,L., 7=8161; Yaffe,L., 5=1217
Brown,F. and Gravel,C.L. Domain rotation in nickel ferrite, 5=1990. Direct observation of domain rotation in ferrites, 5=5513
Brown,F.C. Temperature dependence of electron mobility in AgCl, 5=3260. Mobility of electrons in the silver halides, 9=789. Transient photoconductivity in AgCl at room temperature, 9=2340. See also Kobayashi,K., 9=4625; Van Heyningen,R.S., 9=1478
Brown,F.C. and Dart,F.E. Electron mobility in AgCl, 8=7488
Brown,F.C. and Kobayashi,K. Electronic processes in the silver halides at low temperature, 9=6939
Brown,F.C. and Wainfan,N. Photolytic darkening and electronic range in AgCl, 7=4836
Brown,F.H. See also Furst,M., 5=6031, 7=6026; Kallmann,H.P., 6=5973, 9=10802
Brown,F.H., Furst,M. and Kallmann,H.P. Transfer of energy in liquid and rigid organic systems, 9=1310
Brown,G. and Hughes,I.S. The absorption of slow negative π-meson by the elements in nuclear emulsions, 7=9414
Brown,G., Morrison,G.C., Muirhead,H. and Morton,W.T. A study of protons emitted from aluminium, iron and rhodium on bombardment with neutrons of 13·2 MeV, 7=8839
Brown,G. and Muirhead,H. An analysis of the reactions induced in complex nuclei by nucleons with energies between 10 and 20 MeV, 7=5619
Brown,G.B. A theory of action-at-a-distance, 5=8517
Brown,G.E. Polarization of GeV protons scattered by complex nuclei, 7=6548. Resonances in a complex well, 7=8421. Proton—proton scattering in the BeV region, 9=2592. See also Brenner,S., 5=2155; Kanellopoulos,T.V., 7=8668; McCauley,G.P., 8=4326; Nicholson,A.F., 9=2817
Brown,G.E., Ashmore,A. and Nordhagen,R. Elastic scattering of 350 MeV neutrons by complex nuclei, 8=2588
Brown,G.E. and De Dominicis,C.T. Elastic scattering of low energy nucleons by complex nuclei, 7=8420. Direct interaction and nuclear dispersion theory, 7=8422. The optical model at low energies and dispersion theory, 8=5256

Brown,G.E., De Dominicis,C.T. and Langer,J.S. Perturbation theory in nuclear reactions, 9=8561
Brown,G.E. and Elton,L.R.B. Elastic scattering of high energy electrons by mercury, 5=2794
Brown,G.E., Elton,L.R.B. and Mandl,F. Polarization of μ-mesons scattered by mercury, 9=3761
Brown,G.E. and Kanellopoulos,T.V. Analysis in coincidence in proton—proton scattering, 7=8669
Brown,G.E. and Levinger,J.S. Dispersion theory of the direct photoeffect, 8=4318
Brown,G.E. and Mayers,D.F. The coherent scattering of γ-rays by K electrons in heavy atoms. III. The scattering of $0{\cdot}64\,mc^2$ γ-rays in mercury, 6=4621. IV. The scattering of $1{\cdot}28$ and $2{\cdot}56\,mc^2$ γ-rays in mercury, 8=678
Brown,G.E., Peierls,R.E. and Woodward,J.B. The coherent scattering of γ-rays by K electrons in heavy atoms. I. Method, 5=2154
Brown,G.E. and Schaefer,G.W. Expansion in angular momenta in bound-state perturbation theory, 6=4214
Brown,G.H., Dreyer,J.F., Lubowitz,H.R. and Middendorf,W.H.H. Electro-optical shift, 6=7387
Brown,G.L. See Eisler,F., 8=1212*
Brown,G.M. See Beynon,W.J.G., 6=5556; Beynon,W.J.G.(Eds.), 6=7864; Smith,J.M., 9=12193
Brown,H. See Carman,P.D., 9=7716
Brown,H.A. Ferromagnetic Curie temperatures by the Kramers—Opechowski method, 7=2398
Brown,H.A. and Luttinger,J.M. Ferromagnetic and antiferromagnetic Curie temperatures, 6=460
Brown,H.E. See Thomas,J.A., 6=7865, 8=6533
Brown,H.H.Jr. See Bitter,F., 7=4549
Brown,H.L. See Smith,M.C., 7=8227
Brown,H.N. and Becker,R.A. Radiations from Ho^{164}, 5=1149
Brown,H.W. See also Milligan,D.E., 7=3143; Peyron,M., 9=7484
Brown,H.W. and Pimentel,G.C. Photolysis of nitromethane and of methyl nitrite in an argon matrix; infrared detection of nitroxyl, HNO, 9=6350
Brown,I.F. See Meltzer,B., 8=4619
Brown,J. See also Sollom,P.H., 6=4526
Brown,J. and Clarricoats,P.J.B. Waveguide components with non-reciprocal properties. I. Ferromagnetic resonance and Faraday rotation, 7=557; II. The behaviour of ferrites in waveguides, 7=3468
Brown,J.(Conf. rep.). Developments in optics and microwaves, 7=4107
Brown,J.B. See also Chopra,K.L., 7=9658, 8=156; Hebert,G.R., 7=6125; Manchester,F.D., 7=7828
Brown,J.B., Dole,M. and Lane,G.A. Fractionation of oxygen isotopes in the formation of oxide films on copper, 8=1997
Brown,J.F. and Weir,R.J. An X-ray absorptiometer for the determination of tetraethyl lead in petrol, 6=5510
Brown,J.K. and Sheppard,N. Infra-red spectroscopic studies of rotational isomerism in the polymethylene halides, 5=8624
Brown,J.L., Bryant,H.C., Burnstein,R.A., Hartung,R.W., Glasser,D.A., Kadyk,J.A., Sinclair,D., Trilling,G.H., Vander Velde,J.C. and van Putten,J.D. Direct proof of $\vartheta_1{}^0$ neutral decay, 9=13571
Brown,J.L., Glaser,D.A., Meyer,D.I., Perl,M.L., Velde,J.V. and Cronin,J.W. Charge independence and hyperon productions, 8=1213
Brown,J.L., Glaser,D.A. and Perl,M.L. Liquid xenon bubble chamber, 6=5981. Associated production of strange particles by $1{\cdot}1$ BeV π^- mesons, 8=1889
Brown,J.L., Kuhns,M.P. and Adler,H.E. Relation of threshold criterion to the functional receptors of the eye, 7=5776
Brown,J.N. Automatic sweep-frequency ionosphere recorder model C-4, 9=7683
Brown,J.R. Development of preferred orientations in silicon iron, 8=9176
Brown,J.R., Moneypenny,H.K. and Wakelin,R.J. A servo-controlled microdensitometer for X-ray diffraction photographs, 5=3277
Brown,J.R., Jr. See Wallace,J.D., 7=4925, 9=7898
Brown,K.J. See Balls,B.W., 9=10665
Brown,K.L. Z dependence of bremsstrahlung for the case of complete screening, 6=6711. Achromatic beam translation systems for linear accelerators, 7=2008. See also Barber,W.C., 5=8021
Brown,K.L. and Tautfest,G.W. Faraday-cup monitors for high-energy electron beams, 7=447
Brown,K.T. Experiment demonstrating instability of retinal directional values, 5=4253
Brown,L. See Hatcher,C.R., 8=6131; Hauser,W., 9=13510
Brown,L.C. See also Geusic,J.E., 9=5911; Hockenberry,J.H., Jr, 8=4445; Parker,P.M., 9=7427, 9=13026
Brown,L.C. and Parker,P.M. Nuclear magnetic dipole and electric quadrupole energy relations, 6=3104. Computation of rigid asymmetric rotator constants from energy moments, 8=2610
Brown,L.C. and Williams,D. Quadrupolar splitting of the Al^{27} and Be^{9} magnetic resonances in beryl crystals, 6=4562
Brown,L.H. See Bisby,H., 7=3807
Brown,L.L. and Begun,G.M. Nitrogen isotopic fractionation between nitric acid and the oxides of nitrogen, 9=7401
Brown,L.M. Parity doublets and hyperfragment binding, 7=6597. Two-component fermion theory, 9=1068. See also Harris,I., 7=4687; Johnson,V.R., 8=4502
Brown,L.M. and Peshkin,M. Electromagnetic annihilation of antiprotons, 6=7982. Λ^0—nucleon potential and the binding of hyperfragments, 7=8173
Brown,L.M. and Telegdi,V.L. On the spin of the muon, 8=2483
Brown,L.O. and Miller,N. α-Ray induced luminescence of gases, 8=3894
Brown,M.A.C.S. See Arthur,J.B., 5=1834
Brown,M.M. See Heavens,O.S., 9=7542
Brown,N. and Rosenbaum,H.S. The torsional yield stress of zinc single crystals, 9=6333
Brown,N.L. See Hamon,B.V., 9=1944
Brown,R.A. Lunar variations of the F2 layer at Ibadan, 6=9081
Brown,R.D. and Bassett,I.M. A method for calculating the first order perturbation of an eigenvector of a finite matrix, with applications to molecular-orbital theory, 8=4395
Brown,R.D. and Penfold,A. Comparison of SCFMO and ASMOCI calculations of electron densities, 6=6058
Brown,R.F. See Schofield,D., 7=7687
Brown,R.G. and Edwards,T.H. Infrared spectrum of methyl chloride near 6000 cm^{-1}, 8=1611
Brown,R.H. Velocity discrimination and the intensity-time relation, 5=3341. Influence of stimulus luminance upon the upper speed threshold for the visual discrimination of movement, 8=1397. See also Twiss,R.Q., 7=6971, 7=9588; Walsh,D., 5=5825
Brown,R.H. and Lovell,A.C.B. The exploration of space by radio, 8=4626
Brown,R.H., Palmer,H.P. and Thompson,A.R. A rotating-lobe interferometer and its application to radio astronomy, 5=8444. Polarization measurements on three intense radio sources, 7=22
Brown,R.H. and Twiss,R.Q. Correlation between photons in two coherent beams of light, 6=2009. The question of correlation between photons in coherent light rays, 7=4108. Interferometry of the intensity fluctuations in light. I. Basic theory: the correlation between photons in coherent beams of radiation, 8=2932; II. An experimental test of the theory for partially coherent light, 8=2933
Brown,R.H.J. See Ramsay,J.A., 5=9608
Brown,R.J.C. See Alderdice,D.S., 9=7203
Brown,R.M. See also Goldstein,M.H., Jr, 9=6423; Grummitt,W.E., 7=1402
Brown,R.M. and Grummitt,W.E. The determination of tritium in natural waters, 7=1529
Brown,R.R. Neutron yield functions for the nucleonic component of cosmic radiation, 8=647. The superposition of cosmic-ray effects on February 23, 1956, 8=4105. Time variations of cosmic-ray intensity, 8=5095. Latitude variation of 27-day cosmic ray intensity decreases, 8=8096. Solar activity and cosmic radiation, 9=383. The influence of modulation effects on solar flare radiation, 9=5862. Latitude variation of cosmic ray intensity decreases at sea level, 9=11180
Brown,S. See Meyer,A.J.P., 7=8719
Brown,S.B. See Trainor,L.E.H., 5=3812
Brown,S.C. Elementary laboratory instruction in England, 5=1486. Microwave gas discharge breakdown, 7=1324. Elementary physics laboratory instruction at the Massachusetts Institute of Technology, 8=27. See also Bekefi,G., 9=3732; Buchsbaum,S.J., 7=5488; Gilardini,A.L., 7=4408-9; Goldey,J.M., 5=7049; Hirshfield,J.L., 9=5830; Kelly,D.C., 8=8049; Madan,M.P., 7=7137; Meyerand,R.G., Jr, 9=7091; Persson,K.B., 6=1332; Rose,D.J., 5=5428, 8=199; Schulz,G.J., 5=7086
Brown,S.L. See Fain,W.W., 8=3150
Brown,T.B. Elliptic polarimeter for the student laboratory: "specimens" of elliptically polarized light, 8=3908
Brown,T.H. See Bernheim,R.A., 9=8362; Gutowsky,H.S.,

9=8361; Pastor,R.C., 6=5243
Brown,T.L. Kinetic interpretation of the temperature dependence of infrared absorption, 6=8094
Brown,W.B. The second-order theory of conformal solutions, 7=9029. The statistical thermodynamics of mixtures of Lennard-Jones molecules. I. Random mixtures, 7=9552; II. Deviations from random mixing, 7=9553. Constant pressure ensembles in statistical mechanics, 8=2815. The thermodynamics of steady conduction-diffusion-reaction states of multicomponent fluid systems, 8=5854. On the quantal virial equation for the pressure, 8=6667. Adiabatic second-order energy derivatives in quantum mechanics, 8=7712. See also Hendee,C.F., 6=7484
Brown,W.F.,Jr. Solid mixture permittivities, 5=8728. Criterion for uniform micromagnetization, 7=4555. On the molecular theory of dielectric polarization, 8=8744. Rigorous approach to the theory of ferromagnetic microstructure, 9=403. See also Braun,U.F.,Jr, 7=6356; Johnson,C.E.,Jr, 8=8888, 9=4788
Brown,W.F.,Jr and Morrish,A.H. Effect of a cavity on a single-domain magnetic particle, 7=4526
Brown,W.J. A physical colour temperature comparator, 5=818
Brown,W.L. Surface potential and surface charge distribution from semiconductor field effect measurements, 6=1208. See also Garrett,C.G.B., 7=7868; Montgomery,H.C., 6=7411
Brown,W.L. and Augustyniak,W.M. Energy, orientation, and temperature dependence of defect formation in electron irradiation of n-type germanium, 9=11011
Brown,W.L., Augustyniak,W.M. and Waite,T.R. Annealing of radiation defects in semiconductors, 9=10277
Brown,W.L., Brattain,W.H., Garrett,C.G.B. and Montgomery,H.C. Field effect and photo effect experiments on germanium surfaces. I. Equilibrium conditions within the semiconductor, 7=7861
Brown,W.R.J. Subtractive color reproduction: evaluation of the actual color-reproduction equations for a color process, 5=7615. Color discrimination of twelve observers, 7=3866
Brown,W.R.J., Howe,W.G., Jackson,J.E. and Morris,R.H. Multivariate normality of the color-matching process, 6=1147
Brown,W.W. Nuclear interactions of cosmic rays in aluminum, 7=7362
Browne,C.I. See Ghiorso,A., 5=9846; Jaffe,H., 5=2148; Los Alamos Radiochemistry Group, 8=768; Prestwood,R.J., 5=7327
Browne,C.P. Isotopic-spin selection rule violation in the $O^{16}(d,\alpha)N^{14}$ reaction, 7=3650. Positions and widths of O^{17} levels from 4 to 6 MeV excitation, 8=8273. $Si^{28}(d,\alpha)Al^{26}$ reaction, 9=8605. Energy levels of Na^{22} from the $Mg^{24}(d,\alpha)Na^{22}$ and $Mg^{25}(p,\alpha)Na^{22}$ reactions, 9=13616. See also Bockelman,C.K., 7=8157; Sperduto,A., 5=1201
Browne,C.P. and Bockelman,C.K. Comparison of energy levels of Li^{6} from various reactions, 7=4621
Browne,C.P. and Buechner,W.W. Broad-range magnetic spectrograph, 7=2326
Browne,C.P. and Lamarsh,J.R. Inelastic scattering of protons by C^{12}, 7=3638
Browne,C.P., Zimmerman,S.F. and Buechner,W.W. Energy levels of Al^{27}, 5=1184
Browne,I.C. The effect of atmospheric wind shear on the distribution of meteor echo durations, 9=11728. See also Billam,E.R., 6=1803
Browne,I.C., Bullough,K., Evans,S. and Kaiser,T.R. Characteristics of radio echoes from meteor trials. II. The distribution of meteor magnitudes and masses, 6=1802
Browne,I.C. and Evans,J.V. The magneto-ionic effect in earth—moon space, 9=11295
Browne,I.C., Evans,J.V., Hargreaves,J.K. and Murray,W.A.S. Radio echoes from the moon, 7=1017
Browne,M. See Owen,J., 6=6019
Browne,M.E. See Dobrov,W.I., 9=12468; Kaplan,D.E., 9=11251
Browne,M.T. and Pattison,J.R. The damping effect of surrounding gases on a cylinder in longitudinal oscillation, 8=918
Browne,P.F. The transfer of metal between electrodes in a high vacuum on application of a high electric field, 5=8789. Infra-red luminescence of zinc and cadmium sulphide phosphors, 7=265. Luminescence of the sulphide phosphors, 7=2055. The origin of the infra-red emission bands in zinc and cadmium sulphide phosphors, 7=3151
Browne,T.C. and Strimple,J.H. Digest of the literature on dielectrics. Volume XVIII — 1954. Ceramic insulation, 7=9152
Browne,W.G. See Powell,H.N., 7=4009
Brownell,G.L. See also Michel,W.S., 7=3382
Brownell,G.L., Ellet,W.H. and LeVine,H.D. Measuring γ-ray spectra with large plastic scintillators, 9=5972
Brownell,L.E. See Nehemias,J.V., 5=500
Brownlow,J.M. Preferential volatilization of cations from ferrites during sintering, 8=8898. See also Bickford,L.R.,Jr, 6=8275, 7=5465, 8=8905
Brownstein,S. A simple thermostated probe assembly for high resolution nuclear magnetic resonance spectra, 9=12481
Broyles,A.A. Stark fields from ions in a plasma, 6=206. Fields on plasma ions by collective coordinates, 7=4490. Calculation of fields on plasma ions by collective coordinates, 8=8070
Brož,J. A study of the electrical conductivity of manganese—zinc ferrite, 7=4323. See also Bednář,J., 5=4782
Brož,J., Bergstein,A., Krupička,S., Vintera,J. and Závěta,K. Influence of method of preparation on some magnetic properties of a manganese—zinc ferrite, 9=8315
Brož,J. and Šternberk,J. Torsion method measurements of the magnetization curves of thin ferromagnetic films, 5=4802. The influence of demagnetization method on the permeability of iron, 6=495
Brož,J., Syneček,V. and Havel,V. The structure of thin iron films deposited by evaporation in vacuo, 6=8987
Brú,L., García García,J.M. and Pérez Rodríguez,M. The application of Eller's optical machine to the study of the structure of gaseous molecules by means of electron diffraction, 6=539
Brú,L., Pérez Rodríguez,M. and Castro,A.L. Application of Eller's optical machine to the determination of crystal structures, 5=8408
Brubaker,R.S. and Altshuler,M.W. Vowel overlap as a function of fundamental frequency and dialect, 9=13125
Brubaker,W.M. Influence of space charge on the potential distribution in mass spectrometer ion sources, 5=8034
Brubaker,W.M. and Perkins,G.D. Influence of magnetic and electric field distribution on the operation of the omegatron, 7=1389
Bruce,C.E.R. The pre-nova stage of a star, 5=4324. Associated absorption spectra in novae, 5=9381. Combination spectra in long-period variable stars, 5=9382. Initial "acceleration" and "deceleration" in novae and solar flares, 7=55-6. Static in the stars? 7=1033. An important characteristic of long electrical discharges, 7=4389. The evolution of the extragalactic nebulae and the origin of meta-galactic radio noise, 8=6602. Gas movements in the long-period variables. I-II, 9=5329. The evolution of extragalactic nebulae and the origin of metagalactic radio emission, 9=9163
Bruce,C.F. The effects of collimation and oblique incidence in length interferometers. I, 5=8655. Obliquity correction curves for use in length interferometry, 6=1130. A Kösters-type interferometer, 7=3172. Wavelength data and correction tables for length interferometry, 8=7845. Obliquity effects in interferometry, 9=5589
Bruce,C.F., Giovanelli,R.G. and Steel,W.H.(Conf.rep.). Summarized proceedings of a Conference on Contemporary Optics Sydney, 1956, 7=6969
Bruce,C.F. and Thornton,B.S. Adhesion and contact error in length metrology, 6=8012. Obliquity effects in interference microscopes, 7=7039. Obliquity effects in interferometry, 8=5807
Bruce,C.R. F^{19} nuclear magnetic resonance line shapes in CaF_2, 7=8036
Bruce,C.R., Norberg,R.E. and Pake,G.E. Radiation damping and resonance shapes in high resolution nuclear magnetic resonance, 7=1517
Bruce,C.R., Norberg,R.E. and Weissman,S.I. Measurement of the rate of an electron exchange reaction by nuclear magnetic resonance spectroscopy, 6=3894
Bruce,F.M. See Aked,A., 5=7985
Bruce,L. See Newkirk,J.B., 9=931
Bruce,W.R. and Johns,H.E. Experimentally determined electron energy distribution produced by cobalt 60 gamma rays, 7=677
Brucer,M. See Richardson,J.E., 5=7584
Brüche,E. A film of hot cathodes under the electron microscope, 5=7165
Bruche,E. and Demny,J. An unusual habit of crystals, 9=13899. Gold crystal lamellae as spiral surfaces, 9=13901
Brüche,E. and Poppa,H. On the question of the Rayleigh—Beilby film on glass, 7=2727
Brüche,E. and Schimmel,G. On the hardness of glass surfaces, 5=9192
Brüchner,H.J. Quantum-mechanical calculation of the bond energy of the nitrogen molecule, 6=8908
Bruck,H. and Gendreau,G. Ion optics of the beam of the van de Graaf generator, 6=5946

Bruck,H. and Lévy-Mandel,R. The saclay proton-synchrotron project, 6=2187

Brucker,B. See Block,M., 9=12581

Brucker,G.J. See Kallmann,H., 8=1620

Brueckner,K.A. Nuclear saturation and two-body forces. II. Tensor forces, 5=69; III. Details of the structure of the nucleus, 5=3957. Energy levels of π^- mesonic atoms, 5=6401. The disintegration schemes of neutral V particles, 5=9391. Some aspects of meson–nucleon interaction, 5=9391. Nuclear forces in pseudoscalar meson theory, 5=9391. Many-body problem for strongly interacting particles. II. Linked cluster expansion, 6=64. Effects of nondegeneracy of nuclear ground state on low-energy neutron reactions, 6=6908. Relation between nucleon density and nuclear potential, 6=8319. Single-particle energy and effective mass and the binding energy of many-body systems, 8=5262. Relation of nuclear size to saturation and nuclear compressibility, 9=579. See also Gell-Mann,M., 7=6372; Klein,M.M., 9=2449; Sawada,K., 8=399

Brueckner,K.A. and Atkins,K.R. Coefficient of thermal expansion of liquid He^3 near 0°K, 9=1380

Brueckner,K.A., Eden,R.J. and Francis,N.C. High-energy reactions and the evidence for correlations in the nuclear ground-state wave function, 5=7351. Nuclear energy level fine structure and configuration mixing, 5=8156. Theory of neutron reactions with nuclei at low energy, 6=676

Brueckner,K.A. and Gammel,J.L. Solution of the nuclear many-body problem, 7=5541. Properties of liquid He^3 at low temperature, 8=2278. Properties of nuclear matter, 8=2515

Brueckner,K.A., Gammel,J.L. and Weitzner,H. Theory of finite nuclei, 8=4261

Brueckner,K.A. and Levinson,C.A. Approximate reduction of the many-body problem for strongly interacting particles to a problem of self-consistent fields, 5=3451

Brueckner,K.A. and Sawada,K. Bose—Einstein gas with repulsive interactions. General theory, 7=6891. Hard spheres at high density, 7=6892. Magnetic susceptibility of an electron gas at high density, 9=3635

Brueckner,K.A. and Wada,W. Nuclear saturation and two-body forces: Self-consistent solutions and the effects of the exclusion principle, 6=8587

Brueckner,K.A. and Watson,K.M. Use of the Boltzmann equation for the study of ionized gases of low density. II, 6=3556

Bruemmer,M.J. See Edwards,D.F., 9=10880

Brügel,W. Nuclear magnetic and [paramagnetic] electron resonance. Two new methods for the investigation of synthetic compounds, 7=4848

Brugge,J.F. van der. See van der Brugge,J.F.

Bruggencate,P. ten. See ten Bruggencate,P.

Brugger,H.R., Gerber,H.J., Lüthy,B. and Remund,A.E. Angular distribution and polarization of 3·4 MeV neutrons scattered by lead and bismuth, 6=555

Brugger,R.M. See also Marion,J.B., 6=657, 6=672, 6=3235

Brugger,R.M., Bonner,T.W. and Marion,J.B. Study of the nuclear reactions Sc^{45}(p, n) Ti^{45} Cu^{63}(p, n)Zn^{63}, Cu^{65}(P, n)Zn^{65} and Zn(p, n)Ga, 6=648

Brugger,R.M., Evans,J.E., Joki,E.G. and Shankland,R.S. Total neutron cross section of chlorine and carbon, 7=2673

Bruil,W.A. See Nussbaum,R.H., 6=3143

Bruin,F. See also Battaglia,A., 8=960, 8=971; Bosgra,S.J., 9=3763; Heineken,F.W., 7=8586

Bruin,F. and Bruin,M. Some measurements on the spectral line shape and width of a paramagnetic resonance absorption line, 6=3834. The angular distribution of muons from $\pi-\mu$ decay, 7=9409. The angular distribution of charged K$^+$-meson secondaries, 7=9410

Bruin,F. and Heineken,F.W. Measurement of the refractive index at radio wavelengths of gases at atmospheric pressure, 6=1405

Bruin,F. and Schimmel,F.M. Theory of the autodyne detector for paramagnetic resonance, 6=5246

Bruin,M. See also Bruin,F., 6=3834, 7=9409-10

Bruin,M., Holthuizen,D.J. and Jongejans,B. On the abundances of the K$_{\mu3}$ and K$_{e3}$ decay modes of positive K mesons, 8=8248

Brukl,A. and Balcarczyk,L. The determination of carbon dioxide in air [by titration methods], 7=8251

Brulin,O. and Hjalmars,S. Relativistic wave equations for spin-2 particles with unique mass, 8=48, 9=7804

Bruma,M. and Roncin,J. On the effect of electro-erosion, 7=771

Brumberg,V.A. Constant configurations in the problem of four bodies, and their stability, 8=4776. The equations of motion and the coordinate conditions in the relativistic problem of N bodies, 9=9171

Brumberger,H. See also Debye,P., 8=6433

Brumberger,H. and Marcus,R.A. Kinetic study of the reaction of diborane with phosphine, 6=4058

Brumley,C.H. See Finkelstein,N.A., 9=9375

Brümmer,O. The production of Kikuchi lines and bands with relatively weak X-rays and the influence of crystal distortions on these X-ray interferences, 9=4670. See also Becherer,G., 8=7076

Brümmer,O. and Morgenstern,E. Application of X-ray image intensifiers in crystal structure investigations, 7=876

Brümmer,O. and Sulwalski,G. The modification changes and exo-electron emission of chromium, 9=11632

Brun,E. See also Horen,D.J., 9=6073; Kraushaar,J.J., 6=3141

Brun,E. and Boucher,R.M.G. Research on the acoustic air-jet generator: a new development, 7=8476

Brun,E., Kraushaar,J.J. and Meyerhof,W.E. Decay of As^{72}, 6=4616

Brun,E., Leroux,J. and Marty,P. Study, by electric analogue, of the thermal field in the interior of a thermal precipitater, 5=10104

Brun,E., Meyerhof,W.E., Kraushaar,J.J. and Horen,D.J. Decay of zinc-62, 7=9842

Brun,E., Oeser,J. and Staub,H.H. Magnetic moment and spin of $_{40}$Zr$^{91}_{51}$, 7=6451

Brun,J. and Andreassen,K. Influence of oxygen on the electrolytic separation of hydrogen isotopes, 7=6480

Brun,J., Gundersen,W. and Varberg,T. Influence of impurities on the electrolytic concentration of heavy water (preliminary communication), 9=3963

Brun,J., Varberg,T., Gundersen,W. and Solli,R. Influence of the cathode metal on the separation of hydrogen isotopes. (preliminary communication), 7=7316

Brun,R. See Bourot,J.M., 7=4078

Brunberg,E.Å. Cosmic rays in the terrestrial magnetic dipole field, 8=7155. The optics of cosmic ray telescopes, 9=1565

Brunberg,E.Å. and Dattner,A. Variations of the cosmic ray intensity during magnetic storms, 5=2848

Brunberg,E.Å. and Eckhartt,D. Some remarks on the sudden cosmic ray increase on February 23, 1956, 8=7149

Brundell,P.-O. and Enander,B. The neutron—proton system with a central exponential potential. II, 7=1498

Brunelli,B. The simultaneous measurements of particle momentum and ionization in a cloud chamber, 9=9908. See also Alexander,G., 6=687, 9=1686; Ballario,C., 8=1210

Bruner,L.J. See Tannhauser,D.S., 6=6219

Brunhart,G., Kenney,V.P. and Kern,B.D. Beta-ray spectrum of N^{16}, 8=5316

Brunnée,C. On the ion reflection and secondary electron emission in the collision of alkali ions with pure molybdenum surfaces, 7=7168

Brunner,G. Negative feedback valve voltmeters for radiation protection measurements with thimble chambers, 9=7230. Determination of the average energy consumption W$_L$ for β particles in air, 9=7251

Brunner,G. and Lösche,A. Experimental model for the display of magnetic nuclear resonance phenomena, 5=2984. The Q-factor of quartz in parallel resonance, 5=4632

Brunner,J. See also Joly,R., 6=602

Brunner,J., Guhl,H., Halter,J. and Huber,O. A 3·8 sec isomer Au$^{193}_{m}$, 5=5613

Brunner,J., Guhl,H., Halter,J. and Leisi,H.J. On the disintegration of Hg^{195}, Hg^{194} and Hg^{193}, 6=3945

Brunner,J., Halter,J., Huber,O., Joly,R. and Maeder,D. Investigation of the disintegration Hg^{195} $\rightarrow$ Au^{195} by spectrometric B-γ coincidences, 5=3050

Brunner,J., Halter,J. and Scherrer,P. Nuclear-spectroscopic investigation of the radioactive isotopes Hg — Au^{195} and Hg — Au^{193}, 9=7319

Brunner,J.H., Leisi,H.J., Perdrisat,C.F. and Scherrer,P. Monoenergetic positrons in the decay of Bi^{206}, 9=11444

Brunner,R.K., Harker,J.M., Haughton,K.E. and Osterlund,A.G. A gas film lubrication study. III. Experimental investigation of pivoted slider bearings, 9=10649

Brunner,W. On the theory of the saturation of nuclear forces, 9=11405. The saturation of nuclear forces, 9=11406

Bruno,M. and Belluco,U. Preparation of Hg^{203} with high specific activity by means of the Szilard–Chalmers reaction, 7=2617

Bruno,M. and Faraone,G. Investigations on the distribution of the decomposition elements of a radioactive family in equilibrium, in nuclear emulsions, 8=7329

Bruns,H. and Lautz,G. On a new phase transition in the system Zn—Sb, 5=247. Investigation of the conduction mechanism

of intermetallic compounds, 5=3714. Investigations of the mechanism of conductivity in intermetallic compounds, 6=5087
Bruns,H.B. See LeCraw,R.C., 5=5514
Brunsden,B.S. See Bullen,M.A., 7=9555
Brunson,G.S., Curran,R., Kaufmann,S.G., McMahon,J. and Pahis,L. Measuring the prompt period of a reactor, 8=770
Brunson,G.S., Pettitt,E.N. and McCurdy,R.D. Delayed neutron yields in Pu, U-233, U-238, and Th relative to yield in U-235, 9=13708
Brunton,J.H. See Bowden,F.P., 8=3530
Bruscaglioni,R. Projector-type logarithmic calculator, 5=1443
Brush,S.G. The transition temperature in liquid helium, 8=155. Statistical thermodynamics of mixtures, 9=3408. The transition temperature in liquid helium. II, 9=13231. See also Harris,F.E., 6=5075
Brussaard,P.J. See also Tolhoek,H.A., 5=8197
Brussaard,P.J. and Tolhoek,H.A. Classical limits of Clebsch—Gordan coefficients, Racah coefficients and $D^1_{mn}(\varphi, \theta, \psi)$-functions, 8=2809. Directional distribution of alpha particles emitted by oriented nuclei, 8=3337. On the theory of emission of alpha particles as related to the structure of the nucleus, 8=3338
Brussel,M.K. See also Fox,J.D., 8=8263; Hughes,D.J., 9=12626; Williams,J.H., 8=8222
Brussel,M.K. and Williams,J.H. Elastic scattering of 40 MeV protons by He^4, 7=5622. Elastic scattering of 40 MeV protons from isotopes of Fe, Ni, and Cu, 9=8590
Bruyn,H. de. See de Bruyn,H.
Bruzek,A. The regions of coronal emissions and their relation to sunspots and faculae, 5=4306. The centre-limb variation of the width and central intensity of Hα, and of the areas of the eruptions, 6=21. Spicules on the solar disk, 9=10532
Bryan,F.R. See Parsons,J.L., 6=3346
Bryan,G.J. and Noonan,E.C. Energy requirements for the ignition of seven solid explosives, 8=7580
Bryan,G.M., Eichelberger,R.J., MacDonald,D. and Zigman,P.E. Application of radioactive tracers to the study of shaped charge phenomena, 8=8604
Bryan,R.A., de Swart,J.J., Marshak,R.E. and Signell,P.S. A semiphenomenological theory of Σ^+ hyperon—proton scattering up to 150 MeV, 8=8257
Bryant,C.A. See Keesom,P.H., 9=12190
Bryant,H.C. See Brown,J.L., 9=13571
Bryant,R.A.A. The one-dimensional and two-dimensional gas dynamics analogies, 8=6721
Bryan,R.B., Holt,R.B. and Oldenberg,O. Recombination and afterglow in nitrogen and oxygen, 7=5434
Bryant,P.J., Rhoads,H.U. and Weber,H.A. Electron beam effects on thin evaporated bismuth films, 5=567
Bryant,T.H.E. and Grant,E.H. Ionic conductivity of potassium and rubidium chloride solutions at microwave frequencies, 8=2050
Bryatov,L.V. See Butuzov,V.P., 8=5704
Bryce,A. Experimental colour radiography, 7=1823
Bryce,W.A. See also Ingold,K.U., 6=2496
Bryce,W.A. and Ingold,K.U. Reaction of methyl radicals with nitric oxide, 6=751
Bryden,J.H. Crystallographic data for benzenearsonic acid, 9=9047. The crystal structure of the dipotassium salt of methylene-bis-nitrosohydroxylamine, $CH_2(N_2O_2K)_2$, 9=13946. See also Donohue,J., 5=7534
Bryer,D.W. A remotely-controlled traversing yawmeter for boundary-layer exploration, 6=4249
Bryngdahl,O. A new interferometric method for the determination of diffusion coefficients of very dilute solutions, 8=3001
Bryngdahl,O. and Ingelstam,E. Phase object diffraction patterns in microscopes and microwave fields, 8=5816
Brysk,H. Spatial distribution of energy dissipation by high-energy X-rays, 5=978. Electromagnetic scattering by low-density meteor trails, 9=3675
Brysk,H. and Rose,M.E. Theoretical results on orbital capture, 9=1738
Bryukhanova,L.C. See Likhtman,V.I., 8=7572
Brȳzzhev,L.D. and Titov,V.N. Simple clock with a quartz tuning fork, 5=78
Bubáková,R. The structure of the absorption spectrum of KCl and NaCl containing traces of AgCl, 9=3288. See also Bačkovský,J., 9=8989, 9=9025
Bube,R.H. Photoconductivity and crystal imperfections in cadmium sulfide crystals. II. Determination of characteristic photoconductivity quantities, 5=2765. Temperature dependence of the width of the band gap in several photoconductors, 5=5421. Infrared quenching and a unified description of photoconductivity phenomena in cadmium sulfide and selenide, 5=8776. Photoconductivity of the sulfide, selenide, and telluride of zinc or cadmium, 6=2885. Comparison of surface-excited and volume-excited photoconduction in cadmium sulfide crystals, 6=3742. Photoconductivity speed of response for high intensity excitation in cadmium sulfide and selenide, 7=1305. Opto-electronic properties of mercuric iodide, 7=6186. Superlinear photoconductivity, 7=7924. Oxygen sorption phenomena on cadmium selenide crystals, 8=1686. Reversible variations of sensitivity in certain cadmium sulfide and selenide photoconductors, 9=5727. See also Jenny,D.A., 5=940; Stripp,K.F., 5=4548; Thomsen,S.M., 5=7972
Bube,R.H. and Barton,L.A. Some aspects of photoconductivity in cadmium selenide crystals, 9=1471
Bube,R.H. and Lind,E.L. CdS-type photoconductivity in ZnTe crystals, 7=4369. Photoconductivity of zinc selenide crystals and a correlation of donor and acceptor levels in II-VI photoconductors, 8=5007
Bube,R.H. and Shrader,R.E. Importance of thermal equilibrium in measurements on powdered insulators in vacuo, 5=1718
Bube,R.H. and Thomsen,S.M. Photoconductivity and crystal imperfections in cadmium sulfide crystals. I. Effect of impurities, 5=2764
Bubelev,É.G. Meson production in high-energy nuclear collisions, 8=2480. See also Barašenkov,V.S., 8=5193; Barashenkov,V.S., 8=6114, 9=3886
Buben,N.Ya. See Molin,Yu.N., 9=12759
Bublik,A.I. Electron diffraction investigations of the structure of thin liquid films of tin, 8=2855. See also Pines,B.Ya, 5=5116
Bublik,A.I. and Buntar',A.G. Determination of the radial distribution function of atoms in liquid metal alloys from electron diffraction data, 8=2856. Determination of the distribution of density of atoms in liquid Al and Bi from electron diffraction data, 8=5695. Electron diffraction investigation of the structure of liquid metals and alloys, 9=13823
Bubnov,N.N., Voevodskii,V.V., Polyak,L.S. and Tsvetkov,Yu.D. Electron paramagnetic resonance spectrum of hydrogen atoms stabilized on solid surfaces, 9=9815*
Buccafurri,A. and Caianiello,E.R. On the convergence of perturbative expansions, 8=3699
Buccafurri,A. and Fano,G. Formulae for Feynman graphs of arbitrary topology, 9=11799
Buch,K.P. and Sundaram,V. Light scattering from gel-forming systems during and after setting. II. Sodium stearate in octyl alcohol and sodium stearate in decyl alcohol: depolarization measurements, 5=3236
Buch,T. See McMillan,J.A., 8=2171
Buchanan,D.N.E. See Wertheim,G.K., 9=13799
Buchanan,G.S. and Gutmann,F. The linearity of electrolytic impedance, 7=1707
Buchanan,J.S., James,H.J. and Teague,G.W. The dynamic compression of perspex, 9=13869
Buchanan,R.F. See Glendenin,L.E., 5=5071
Buchanan,R.H. See Robinson,R.B., 7=1109
Buchanan,T.J. See also Grant,E.H., 7=3231
Buchanan,T.J. and Grant,E.H. Phase and amplitude balance methods for permittivity measurements between 4 and 50 cm, 5=2701
Buchbinder,H. and Eckhardt,G. Attachment to the A.E.G. illumination photometer for brightness measurements, 8=936
Buchdahl,H.A. Concerning approximations to the Thomas—Fermi function, 6=6088. Reciprocal static solutions of the equations of the gravitational field, 6=6332. Variation of integrals and the field equations in the unitary field theory, 7=1880. Optical aberration coefficients. I. The coefficient of tertiary spherical aberration, 7=1989; II. The tertiary intrinsic coefficients, 8=5754; III. The computation of the tertiary coefficients, 8=8674; IV. The coefficient of quaternary spherical aberration, 8=8675; V. On the quality of predicted displacements, 9=13136. Reciprocal static solutions of field equations involving an asymmetrical fundamental tensor, 7=7569. On the compatibility of relativistic wave equations for particles of higher spin in the presence of a gravitational field, 9=2067. A formal treatment of the consequences of the second law of thermodynamics in Carathéodory's formulation, 9=2292. On extended conformal transformations of spinors and spinor equations, 9=6536
Buchel'nikova,N.S. Effective cross-sections for capture of slow electrons by some halogenated molecules and by O_2 and H_2O molecules, 9=2450. The adherence capture of slow elec-

trons to the molecules of SF$_6$ and CCl$_4$, 9=5113

Büchler,A. and Klemperer,W. Infrared spectra of the alkaline-earth halides. I. Beryllium fluoride, beryllium chloride, and magnesium chloride, 9=1283

Buchman,A.S. Particle suspension technique for measuring scattered sound energy, 9=3238

Buchmann-Olsen,B. and Rosenfalck,A.M. Spectral energy calibration of a light flash source used in physiological experiments, 7=2104

Buchner,N. Theory of the gas permeability of plastics sheeting [and films]. A critical literature survey, 9=11587

Buchsbaum,S.J. See also Madan,M.P., 7=7137

Buchsbaum,S.J. and Brown,S.C. Microwave measurements of high electron densities, 7=5488

Buchsbaum,S.J., Milne,A.R., Hogg,D.C., Bekefi,G. and Woonton,G.A. Microwave diffraction by apertures of various shapes, 5=8098

Buchta,J.C., Gutowsky,H.S. and Woessner,D.E. Nuclear resonance pulse apparatus, 8=1807

Buchta,J.W. Improvement of teaching as a factor in the production of physicists, 6=2622

Buck,P. See also Grosof,G.M., 9=1713

Buck,P. and Rabi,I.I. Hyperfine structure of K^{39} in the 4P state, 8=356

Buck,P., Rabi,I.I. and Senitzky,B. Hyperfine structure of K^{39} in the 4P state and of Cs^{133} in the 6P state, 7=2557

Buck,T.M. and Brattain,W.H. Investigations of surface recombination velocities on germanium by the photoelectromagnetic method, 6=2870

Buck,T.M. and McKim,F.S. Experiments on the photomagnetoelectric effect in germanium, 7=7103. Depth of surface damage due to abrasion on germanium, 7=9183

Buck,W.L. See Swank,R.K., 5=1728, 8=8701, 9=4474

Bucka,H. On a method of changing the occupation numbers of hyperfine structure terms of the sodium ground state, 5=6895. A new form of the double resonance method, 7=4137. Double resonance by excitation with hyperfine structure components and detection by self-absorption, 8=7802

Bucka,H., Kopfermann,H. and Otten,E.W. The nuclear quadrupole moment of the radioactive isotopes Cs^{135} and Cs^{137}, 9=6056. Measurement of the nuclear quadrupole moment of the radioactive isotopes Cs^{135} and Cs^{137}, 9=12620

Buckaloo,G.W. and Cohn,D.V. Colour autoradiography, 6=4767

Buckel,W. New experimental results in superconductivity, 6=370. Physical investigations at very low temperatures, 9=2268. The Hall effect of bismuth films deposited on cold substrates, 9=9669. See also Bülow,H., 6=6215

Buckel,W. and Hilsch,R. Superconductivity and electrical resistance of novel tin—bismuth alloys, 7=414. The stabilization of the intermediate state in a superconductor carrying critical current, 7=9702

Buckens,F. The velocity of Rayleigh waves along a prestressed semi-infinite medium assuming a two-dimensional anisotropy, 9=1178

Buckingham,A.D. Intermolecular force field of linear molecules with quadrupole moments, 5=3923. Theoretical studies of the Kerr effect. II. The influence of pressure, 6=318*. Quantitative comparison of the approximate dielectric polarization theories with an exact one at low densities, 6=1189. Birefringence resulting from the application of an intense beam of light to an isotropic medium, 6=5038. Theory of the dielectric constant at high field strengths, 6=8758. The molecular refraction of an imperfect gas, 7=1125. The Kerr effect in dilute solutions, 7=1264. A theory of the dielectric polarization of polar substances, 7=5295. The influence of a strong magnetic field on the dielectric constant of a diamagnetic fluid, 7=8582. Direct method of measuring molecular quadrupole moments, 9=7469

Buckingham,A.D., Coulson,C.A. and Lewis,J.T. The quadrupole moment of a hydrogen atom in a uniform field, 7=1525

Buckingham,A.D. and Pople,J.A. The dielectric constant of an imperfect non-polar gas, 5=9624. Theoretical studies of the Kerr effect. I. Deviations from a linear polarization law, 6=317*. The statistical mechanics of imperfect polar gases. I. Second virial coefficients, 6=8036; II. Dielectric polarization, 6=8037. A theory of magnetic double refraction, 7=1216. Electric quadrupole moments and dielectric constants, 7=9672. Electromagnetic properties of compressed gases, 8=4941

Buckingham,A.D. and Raab,R.E. A molecular theory of the electro-optical Kerr effect in liquids, 8=3079. Solute dimerization and the dielectric constant of a solution, 9=6871

Buckingham,A.D. and Stephen,M.J. A theory of the depolarization of light scattered by a dense medium, 8=3905

Buckingham,M.J. Superfluidity in liquid He^3, 5=7910. Very high frequency absorption in superconductors, 6=3751. Electrons in polar materials, 7=1740. A note on the energy gap model of superconductivity, 7=8638. Some comments on the theory of liquid ^{3}He, 9=2274

Buckingham,R.A. See also Halpern,O., 5=6811

Buckingham,R.A. and Carter,C. Molecules with almost spherical symmetry, 7=5534

Buckingham,R.A., Davies,A.R. and Gilles,D.C. Symmetry effects in gas kinetics. II. Ortho- and para-hydrogen, 8=1556

Buckles,R.E. See Person,W.B., 8=2238

Buckley,F. and Maryott,A.A. Influence of molecular shape on the dielectric constant of polar liquids, 5=3708. Tables of dielectric dispersion data for pure liquids and dilute solutions, 9=1410

Buckmaster,H.A. $\Delta M = +2$ transitions in dilute gadolinium ethyl sulphate, 6=2246. $\Delta M = \pm 3$ transitions in dilute gadolinium ethyl sulphate, 6=5229

Buckmaster,H.A. and Scovil,H.E.D. A double magnetic field modulation paramagnetic resonance spectrometer, 6=6517

Budagov,Yu.A. See Ivanov,V.G., 7=4459

Budde,R. See also Huber,P., 5=3111

Budde,R., Chretien,M., Leitner,J., Samios,N.P., Schwartz,M. and Steinberger,J. Properties of heavy unstable particles produced by 1·3-BeV π^- mesons, 7=1651

Budde,R. and Huber,P. Elastic scattering of neutrons by carbon in the energy range 1·92 MeV to 3·84 MeV, 5=4070

Buddemeier,R.W. See Yankwich,P.E., 9=7580

Budden,K.G. The numerical solution of differential equations governing reflexion of long radio waves from the ionosphere, 5=2908; II, 5=5538. The non-existence of a 'fourth reflection condition' for radio waves in the ionosphere, 5=5539. The mathematics of wave propagation through the ionosphere, 5=5540. A method for determining the variation of electron density with height (N(z) curves) from curves of equivalent height against frequency ((h', f curves), 5=5784 The "waveguide mode" theory of the propagation of very-low-frequency radio waves, 7=8033

Budden,K.G. and Clemmow,P.C. Coupled forms of the differential equations governing radio propagation in the ionosphere. II, 8=5156

Budeanu,C. On the existence and conservation of reactive power in radiant phenomena, 7=7237

Budenstein,P.P. See Ohl,R.S., 9=12286

Budewski,E. See also Kaischew,R., 6=783, 6=2528

Budewski,E. and Malinowski,J. On the evaluation of the concentration polarisation and the potential fall in the diffusion layer by cathodic polarisation, 6=759

Budini,P. On the pion—nucleon interaction, 6=5417. On cut-off and non-local theories, 6=6344. On the regular representation of the Lorentz group, 9=1048. See also Andreassi,G., 9=11806

Budini,P., Dallaporta,N. and Fonda,L. Pion—nucleon S-waves and K-mesons, 7=9540. On the charge conjugation of baryons, 8=9001

Budini,P. and Fonda,L. Non-local models of pion—nucleon, pion—hyperon interactions, 7=7582. Pion—nucleon interaction and strange particles, 7=8989

Budini,P. and Furlan,G. Electron-positron elastic scattering from extended nuclei, 9=13678

Budini,P. and Taffara,L. On the energy loss and specific ionization of a relativistic particle in a polarizable medium. I, 6=6708

Budker,G.I. See Belyaev,S.T., 6=6398

Budnick,J.I., Lynton,E.A. and Serin,B. Trapped flux in impure superconductive tin, 6=6653

Budó,A. and Ketskeméty,I. Influence of secondary fluorescence on the emission spectra of luminescent solutions, 7=2065. On the depolarizing effect of secondary fluorescence, 9=5565

Budó,A. and Kovács,I. On the $^4\Pi$ state of the O_2^+ molecule, 5=5561, 5=7245

Budrite,S.D., Kuzmitskite,L.L. and Shugurov,V.K. Improved analytical one-electron wave-functions, 9=11510

Budyanskii,G.M. Polarization in the elastic scattering of nucleons on a target with spin one, 8=5194

Budzanowski,A. and Grotowski,K. Multi-plate ionization chamber for the detections of slow neutrons, 9=11307

Budzanowski,A., Grotowski,K., Janik,J.A., Maniawski,F., Rzany,H., Szkatula,A. and Wanic,A. Estimation of the potential barrier height of torsional rotation in CH$_3$SH molecules by means of slow-neutron scattering, 7=9297

Budzinski,E.E. and Schiff,H. Characteristic temperatures of cubic metals, 7=8270

Bueche,A.M. and White,A.V. Kinematogrphic study of tensile fracture in polymers, 6=8978

Bueche,F. Viscoelasticity of poly methacrylates, 5=7433. Tensile strength of plastics above the glass temperature, 5=9187. Derivation of the W.L.F. equation for the mobility of molecules in molten glasses, 6=4034. Viscosity of polymers in concentrated solutions, 7=1941. Tensile strength of plastics below the glass temperature, 8=427. Tensile strength of plastics: effects of flaws and chain relaxation, 9=1910. Mobility of molecules in liquids near the glass temperature, 9=6587. Non-Newtonian viscosity of synthetic rubber and its solutions, 9=9280

Bueche,F. and Harding,S.W. New absolute molecular weight method (linear high polymers), 8=2629

Bueche,F. and Krigbaum,W.R. Use of the lattice model for entropy calculations, 6=1185

Bueche,F., Wood,J.K. and Wray,J.R. Variation of viscosity of coiling polymers with shear rate, 6=5721

Buechner,W.W. Some results of magnetic analysis of products of nuclear reactions, 5=6446. See also Bockelman,C.K., 7=1509, 7=8157, 7=9876; Browne,C.P., 5=1184, 7=2326; de Figueiredo,R.P., 9=4977; Endt,P.M., 6=8371, 7=3571; Green,J.W., 8=8272; Mazari,M., 7=8104, 7=9819, 7=9821, 8=7365, 9=3828; Paris,C.H., 6=1575; Sharp,R.D., 9=653, 9=5040; Sperduto,A., 5=1201, 8=2560; Squires,G.L., 7=1508

Buechner,W.W., Braams,C.M. and Sperduto,A. Inelastic proton scattering from vanadium, 6=1564

Buechner,W.W. and Mazari,M. Energy levels of Sc^{45} and Ca^{42}, 9=8584

Buechner,W.W., Mazari,M. and Sperduto,A. Magnetic spectrograph measurements on the $Al^{27}(d,p)Al^{28}$ reaction, 6=3984

Buechner,W.W. and Sperduto,A. Energy levels in Na^{23} and Ne^{20}, 7=7293

Buehler,E. Contribution to the floating zone refining of silicon, 7=8345. See also Theuerer,H.C., 8=3121

Bueren,H.G. van. See van Bueren,H.G.

Buerger,M.J. The diffraction symmetry of twins, 5=2316. Patterson projections of symmetrical crystals, 5=6626. Partial Fourier syntheses and their applications to the solution of certain crystal structures, 7=1756

Buessem,W.R. See Subbarao,E.C., 9=277

Buff,F.P. Spherical interface. II. Molecular theory, 5=5254. Curved fluid interfaces. I. The generalized Gibbs—Kelvin equation, 6=7184

Buff,F.P. and Brout,R. Molecular formulation of thermodynamic functions encountered in solution theory, 5=4417

Buff,F.P. and Saltsburg,H. Curved fluid interfaces. II. The generalized Neumann formula, 7=3050; III. The dependence of the free energy on parameters of external force, 7=7649

Buff,F.P. and Schindler,F.M. Small perturbations in solution theory, 9=1150

Buff,F.P. and Stillinger,F.H.,Jr. Surface tension of ionic solutions, 6=7183

Bufler,H. A new method of evaluation for plane photoelasticity, 6=4352

Bugaĭ,A.A., Kosenko,V.E. and Miselyuk,E.G. Diffusion and solubility of iron in germanium, 7=9426. Diffusion and solubility of silver in germanium, 9=849

Bugg,D.V. Use of freons in bubble chambers, 9=501

Bugliarello,G. See Daily,J.W., 9=13055

Bugorkov,S.S., Malkin,L.Z., Petrzhak,K.A., Yakovlev,V.A. and Yakunin,M.I. Ionization chambers for alpha particle counting, 8=4196

Bugoslavskaya,E.Ya. Coronal streamers, 8=5584

Buhl,R. Interference microscopy with electron waves, 9=12828

Buhl,R.F. See Yates,K.P., 5=2564

Buhl,S., Leutz,H. and Muuss,H. Wavelength independent measurement of beam intensity [Strahlungsleistung] in the X-ray region with a NaI(Tl) scintillation counter, 9=5772

Bühler,H.H. See Clusius,K., 5=2092, 6=2839, 6=3543

Bühring,W. Electron polarization in the $0^- \rightarrow 0^+$ beta-decay of Ho^{166}, 9=11449

Bühring,W. and Haxel,O. Excitation of the X-ray K-radiation of Ni, Cu and Mo by means of Po^{210} α-particles, 8=5037

Bühring,W. and Heintze,J. Electron polarization in the β-decay of RaE, 9=1737, 9=5009

Builder,G. The resolution of the clock paradox, 8=4704. The clock-retardation problem, 8=5599

Builder,G. and Haneman,D. The noise generated in a coil with a ferromagnetic core, 5=4811

Buĭmistrov,V.M. The excited states of a local electron centre interacting with a quantum field at arbitrary values of the coupling constant. I. Application to the theory of F and F' centres, 8=9112. On the precision of quantum-mechanical mean values computed by the variational method, 9=2103. See also Pekar,S.I., 9=8849

Buĭmistrov,V.M. and Pekar,S.I. Quantum states of particles interacting with a harmonically oscillating continuum, the coupling force being arbitrary. I. The case without translational symmetry, 8=2154; II. A case of translational symmetry, 8=5656

Buĭnov,N.N. See Rakin,V.G., 9=10224

Bujdosó,E. Investigation of the $B^{10}(n,\alpha)Li^7$ reaction by the photoemulsion method, 8=6329. See also Medveczky,L., 7=4264

Bukata,S.W. See Haendler,H.M., 5=2583

Bukhteev,A.M. See Bȳdin,Yu.F., 8=7133

Bukke,E.E. Alteration of the dielectric permeability of phosphors under the influence of infrared light, 5=8735. Determination of the sign of the photocurrent carriers in ZnS-based phosphors, 9=11040

Bukke,E.E., Vinokurov,L.A. and Fok,M.V. The effect of the stored light-sum on the brightness of electroluminescence of ZnS:Cu,Al phosphor, 9=10852

Bukovics,E. Linear eigenvalue problems in mechanics. (A contribution to the theory of natural eigenvalue problems, 9=6557

Bulanin,M.O. On the structure of absorption bands of liquid H_2O, D_2O and HDO, determined by their molecular structure, 8=967

Bulanova,K.N. See also Luizov,A.V., 8=5562

Bulanova,K.N. and Luizov,A.V. Effect of some factors on the visibility of flash lights, 7=2897

Bulas,R. and Kumins,C.A. A modified method for measuring surface viscosity, 9=1128

Bulashevich,Yu.P. Self-absorption of a radiating sphere, 7=1979

Bulatova,L.V. See Shur,Ya.S., 8=4151

Bulatova,R.F. See Kogan,V.S., 7=2849, 9=5259, 9=9685

Bulewicz,E.M. Flame spectrum of barium: red and infrared bands, 6=4992

Bulewicz,E.M., James,C.G. and Sugden,T.M. Photometric investigations of alkali metals in hydrogen flame gases. II. The study of excess concentrations of hydrogen atoms in burnt gas mixtures, 6=4714

Bulkin,P.S. and Khokhlov,M.Z. The statistical delay in the initiation of a microwave pulse discharge, 9=7021

Bull,C.S. See Hockly,D.A., 7=160

Bull,T.H. The tensile strengths of liquids under dynamic loading, 6=1886

Bull,T.H. and Moon,P.B. A mechanical method for the activation of fast reactions, 5=5006

Bullard,E. A discussion on magneto-hydrodynamics. Introduction, 6=3846. The magnetic field of sunspots, 7=3912

Bullard,E. and Gellman,H. Homogeneous dynamos and terrestrial magnetism, 5=1374

Bullard,E.C. An atomic standard of frequency and time interval. Definition of the second of time, 6=104. The stability of a homopolar dynamo, 6=500. Introduction to a discussion on "Movements in the earth's core and electrical conductivity", 6=9058. See also Allan,D.W., 9=1603; Astin,A.V., 6=1506

Bullen,G.J. The crystal structure of cobalt(II) bisacetylacetone dihydrate, 9=13949

Bullen,K.E. Composition of the Earth's outer core, 5=646. Physical properties of the earth's core, 6=9059. See also Burke-Gaffney,T.N., 7=6760

Bullen,K.E. and Burke-Gaffney,T.N. Evidence relating to the earth's inner core from hydrogen bomb explosions in 1954, 7=9986

Bullen,M.A. and Brunsden,B.S. A method for the remote measurement of liquid depth, 7=9555

Bullen,T.G. Michelson's interferometer using a microwave source, 7=3466

Bullis,W.M. Galvanomagnetic effects in oriented single crystals of n-type germanium, 8=3114. See also Gold,L., 6=8769

Bullis,W.M. and Krag,W.E. Hall effect in oriented single crystals of n-type germanium, 6=2102

Bullock,F.W. Nuclear disintegrations produced by cosmic ray particles in a high pressure cloud chamber, 7=4694

Bullock,F.W., Dodd,C., Henderson,C. and Kalmus,G. Operating characteristics of a gas—liquid bubble chamber, 7=9243

Bullock,F.W., Dodd,C. and Kalmus,G.E. The use of methyl iodide—propane mixtures and tri-fluoro bromo methane as

bubble chamber fluids, 9=2557
Bullock,G. See Gregory,B., 8=5849
Bullock,M.L. Electrostatic strong-focusing lens, 5=5454. See also Ajzenberg-Selove,F., 8=1966; Holmgren,H.D., 6=659, 7=2626
Bullock,T.H. Initiation of nerve impulses in receptor and central neurons, 9=10448
Bullough,K. Radio echo observations of the day- and night-time meteor streams 1951 October to 1953 December, 5=695. See also Browne,I.C., 6=1802; Kaiser,T.R., 7=1810
Bullough,K. and Kaiser,T.R. Radio reflections from aurorae. II, 5=5807
Bullough,R. Deformation twinning in the diamond structure, 8=829 Birefringence caused by edge dislocations in silicon, 8=8716. See also Bilby,B.A., 5=9239, 8=4429
Bullough,R. and Bilby,B.A. Continuous distributions of dislocations: surface dislocations and the crystallography of martensitic transformations, 7=2823
Bullough,R., Newman,R.C. and Wakefield,J. Diffusion across a semiconductor—vapour interface, 9=846
Bullough,R., Newman,R.C., Wakefield,J. and Willis,J.B. Precipitation on a dislocation, 9=4017
Bullough,R.K. and Cruickshank,D.W.J. Comments on probability distributions for interatomic vectors and atomic coordinates, 5=634. Some relations between structure factors, 5=4191
Bulmer,M.G. and Howarth,C.I. Noise and the visual threshold, 8=1394
Bülow,H. Electron diffraction photographs of new types of Zn—Bi alloys, 8=457
Bülow,H. and Buckel,W. Electron diffraction pictures of thin metallic layers at low temperatures, 6=6215
Bültemann,H.J. and Schuster,M. Investigations to determine the deformation corrections for a piston manometer by means of capacity measurement of the gap width, 8=6685
Bulȳginskiĭ,D.G. Factor $(1-\bar{R})$ in the equation of thermionic emission, 8=7140
Bulȳginskiĭ,D.G. and Dobretsov,D.N. Electron temperature in oxide [coated] cathodes, 7=1425
Bulȳginskiĭ,D.G. and Dobretsov,L.N. Study of the distribution of the work function along the surface of an oxide cathode, 7=497
Buma,T.J. Automatic compensation of lamp intensity fluctuations applicable to recording photometers, 7=8501
Bumiller,F. See also Hofstadter,R., 9=573
Bumiller,F., Meyer,V., Staub,H.H. and Winkler,H. Electrical equipment for a van de Graaff generator, 6=414
Bumiller,F., Staub,H.H. and Weaver,H.E. Precision measurement of some proton resonances of light nuclei, 6=5380
Bunbury,D.St.P. An investigation of the (γ, n) reaction in Cu, Zn and Ag, 5=3104. See also Devons,S., 5=2110
Bunbury,D.St.P., Devons,S., Manning,G. and Towle,J.H. Measurement of γ-transition lifetimes by recoil methods. II. M1 transitions in ^{7}Li and ^{7}Be, 6=3943
Bunch,S.M., Cook,G.R., Ogawa,M. and Ehler,A.W. Absorption coefficients of C_6H_6 and H_2 in the vacuum ultraviolet, 8=6832
Bund,G.W. See also Taketani,M., 9=12568
Bund,G.W. and Leal Ferreira,P. Non-conservation of parity in the radiative π-meson decay, 8=4239
Bundy,F.P. Phase diagram of bismuth to 130 000 kg/cm^2, 500°C, 8=8732. Phase diagram of rubidium to 150 000 kg/cm^2 and 400°C, 9=13223. See also Strong,H.M., 5=1765-6, 9=13224
Bundy,F.P. and Strong,H.M. Measurement of temperatures in flames of complex structure by resonance line radiation. III. From absolute intensity measurements at high resolution, 5=1767
Buneman,O. Comments on magnetron theory, with particular reference to some recent publications, 6=6738. Circulation—clue to a unified theory? 7=9517. Ribbon beams, 8=5044. Relativistic space-charge flow, 8=5045. Instability, turbulence, and conductivity in current-carrying plasma, 8=5993. Transverse plasma waves and plasma vortices, 9=2437. The non-existence of straight, parallel compressible space-charge flow, 9=3555. Dissipation of currents in ionized media, 9=13401
Bünemann,D. Boundary conditions of the neutron diffusion at the edges of air spaces, 9=8460. The consideration of air spaces in the neutron diffusion theory with application to the two region reactor, 9=8651
Bunge,M. A picture of the electron, 5=6746. Survey of the interpretations of quantum mechanics, 6=4209. The causal interpretation of wave mechanics, 7=5077. Lagrangian formulation and mechanical interpretation, 7=5876. On the physical picture of particles with integral spin, 9=45
Bunker,A.F. Measurements of counter-gradient heat flows in the atmosphere, 6=7086
Bunker,M.E. See also Brolley,J.E.,Jr, 5=9097; Cranston,F.P.,Jr, 8=5307; Mize,J.P., 5=480, 6=1508, 6=6863
Bunker,M.E., Duffield,R.B., Mize,J.P. and Starner,J.W. Disintegration of Cs^{138}, 7=652
Bunker,M.E., Mize,J.P. and Starner,J.W. Disintegration of Ga^{70}, 7=3596
Bunker,M.E. and Starner,J.W. Decay of Ti^{51} and Cr^{51}, 5=4019
Bunkin,F.V. Statistical character of the reversal of magnetization of ferromagnetics, 7=1455. The noises of cyclic reversal of magnetization of ferromagnetics, 7=2431. On radiation in anisotropic media, 7=6364. Thermal radiation from an anisotropic medium, 8=4916
Bunn,C.W. See also Daubeny,R.de P., 5=1368
Bunn,C.W. and Daubeny,R.de P. The polarizabilities of carbon—carbon bonds, 5=3238
Bunn,C.W. and Howells,E.R. Structures of molecules and crystals of fluoro-carbons, 5=438
Bünnagel,R. Investigation on the use of a liquid surface mirror for a flat plane of reference, 6=8076. Production of a mercury mirror which is insensitive to shocks and its application as a flatness standard, 6=8142. A simple technique for the topographical evaluation of an optical flat, 7=297
Bunney,L.R., Freiling,E.C., McIsaac,L.D. and Scadden,E.M. Radiochemical procedure for individual rare earths, 7=9376
Buntar',A.G. See Bublik,A.I., 8=2856, 8=5695, 9=13823
Bunting,E.N. See Lippincott,E.R., 9=2209; Weir,C.E., 9=13168
Bunyard,G.B. See Slater,M., 9=492
Bunyatov,S.A. See Bogachev,N.P., 9=11364
Buras,B. Certain problems in the electron theory of the solid state, 5=5213. See also Bartenback,M., 9=5725
Buras,B. and O'Connor,D. The neutron—phonon interaction in solids, 9=7494
Buras,B. and Zareba,A. The influence of X-radiation on the electrical conductivity of photosensitive PbS and Tl_2S layers, 7=394
Burawoy,A. and Roach,A.G. Colour filters for the 4358-A. line of the mercury discharge spectrum, 8=3882
Burbank,R.D. Some comments on upper level precession photography, 5=8406*. See also Heidenreich,R.D., 9=8310
Burbank,R.D. and Bensey,F.N.,Jr. Structure of the interhalogen compounds. II. Iodine heptafluoride at −110°C and −145°C, 8=3587; III. Concluding note on bromine trifluoride, bromine pentafluoride, and iodine pentafluoride, 8=3588
Burbank,R.D. and Heidenreich,R.D. Extended fine structure of K X-ray absorption edges in Perminvar, 9=5781
Burberg,R. The diffraction of electromagnetic waves at an infinitely long circular cylinder, 9=481. The scattering of light by spherical and rod-shaped particles of wavelength order of magnitude, 9=1343
Burbidge,E.M. See also Baade,W., 7=3924; Burbidge,G.R., 6=8560, 7=4983, 7=5012; Fowler,W.A., 5=9387
Burbidge,E.M. and Burbidge,G.R. Relative abundances and atmospheric conditions in the magnetic star HD 133029, 6=5653. The chemical compositions of five stars which show some of the characteristics of population II, 6=6325. On the possible presence of He^3 in the magnetic star 21 aquilae, 7=5007
Burbidge,E.M., Burbidge,G.R., Fowler,W.A. and Hoyle,F. Synthesis of the elements in stars, 8=861
Burbidge,G.R. On the dynamical stability of magnetic stars, 5=5198. Halo of radio emission and the origin of cosmic rays, 6=2611. The halo distribution of radio emission and extended magnetic fields in our galaxy and M 31, 6=6305. Galactic radio emission and the energy released in nuclear collisions of primary cosmic-ray protons, 6=8553. On synchrotron radiation from Messier 87, 7=49. On cluster-type variables and magnetic fields, 7=51. Acceleration of cosmic-ray particles among extragalactic nebulae, 7=7555. Possible sources of radio emission in clusters of galaxies, 9=6447. The evolution of extragalactic nebulae and the origin of metagalactic radio emission, 9=9162. Estimates of the total energy in particles and magnetic field in the non-thermal sources, 9=12951. See also Baade,W., 7=3924; Burbidge,E.M., 6=5653, 6=6325, 7=5007, 8=861; Fowler,W.A., 5=9387
Burbidge,G.R. and Burbidge,E.M. The sources of radio emission in NGC 5128 and NGC 1316, 7=4983. Emission lines and stellar atmospheres, 7=5012
Burbidge,G.R. and Hoyle,F. Matter and anti-matter, 6=8551
Burbidge,G.R., Hoyle,F., Burbidge,E.M., Christy,R.F. and Fowler,W.A. Californium-254 and supernovae, 6=8560

Burch,D.C. See Gemant,A., 6=7908
Burch,D.E. Infrared evidence for the presence of ozone in the lower atmosphere, 6=5549. See also Birkeland,J.W., 7=8322; Howard,J.N., 6=3391, 6=5563-5
Burch,D.E., Howard,J.N. and Williams,D. Infrared transmission of synthetic atmospheres. V. Absorption laws for overlapping bands, 6=5783
Burch,D.E. and Shaw,J.H. Infrared emission spectra of the atmosphere between 14·5μ and 22·5μ, 7=5764
Burch,D.S. See also Branscomb,L.M., 9=2432; Smith,S.J., 9=946, 9=5853
Burch,D.S. and Geballe,R. Ionic drift velocities and electron attachment coefficients in oxygen, 7=5431. Clustering of negative ions in oxygen, 7=5435
Burch,D.S., Smith,S.J. and Branscomb,L.M. Photodetachment of O_2^-, 9=3607
Burch,F.H. See Bigg,P.H., 5=773
Burch,J.M. See Stiles,W.S., 9=4162
Burch,P.R.J. and Appleby,D.B. Assay of γ-radiation from the human body, 5=9313
Burcham,J.N. See Hearmon,R.F.S., 8=598
Burcham,W.E. Light output of potassium iodide crystals under bombardment by carbon ions, 7=5231. See also Allen,R.A., 5=9043
Burcham,W.E. and Alves,M.A.F. The ionization produced by beams of carbon and nitrogen ions, 9=3605
Burcham,W.E., Gibson,W.M., Prowse,D.J. and Rotblat,J. Alpha–alpha scattering at 38·5 MeV, 7=9381
Burcham,W.E. and Haywood,B.C. The alpha-activity induced in platinum by bombardment with nitrogen ions, 7=3632
Burcham,W.E., McCauley,G.P., Bredin,D., Gibson,W.M., Prowse,D.J. and Rotblat,J. The nuclear reaction $He^4(\alpha,p)Li^7$ and its inverse. I. The reaction $He^4(\alpha,p)Li^7$, 8=6309
Burcham,W.E., Symonds,J.L. and Young,J.D. The production of ^{11}C from carbon by protons of energy between 200 and 950 MeV, 6=2400
Burcham,W.E. (Conf. rep.). High-energy nuclear physics, 5=9065
Burck,H. The determination of the radial variations of density and temperature in a xenon superpressure lamp, 7=6226
Burck,H. and Ku Dschi-Yü. Determination of radial density and temperature variations in a very high pressure mercury lamp, 9=9395
Burckhardt,C. Absorption measurements of cosmic radiation with a scintillation counter, 9=8271
Burd,L.W. See Baker,E.B., 7=6456
Burde,J. See also Arbman,E., 9=6063; Bäckström,G., 8=6280
Burde,J. and Cohen,S.G. Recoil broadening of internal conversion lines associated with alpha decay, 6=2378. Determination of the lifetime of the 40-keV excited state of $_{81}Tl^{208}$ following alpha decay using recoil shifts of the conversion electrons, 7=2578. Spectrum of L Auger electrons from $_{81}Tl^{208}$ and $_{83}Bi^{212}$, 7=2612
Burde,J. and Rozner,B. Beta spectrum of Bi^{212} (ThC), 7=8132
Burdett,T. See Agu,B.N.C., 8=1166
Burdett,T.A. See Agu,B.N.C., 9=1532
Burdick,M.D., Parker,H.S., Roth,R.S. and McGandy,E.L. An X-ray study of the system uranium monocarbide-uranium dicarbide-beryllium carbide, 5=6542
Burdiyan,I.I. and Borshchevskii,A.S. The preparation and some properties of solid solutions in the system AlSb–GaSb, 9=10295
Bureau,A.J. See also Hammer,C.L., 5=8004-5
Bureau,A.J., Austrheim,H.A. and Zaffarano,D.J. An electron injector for a 70-MeV synchroton, 5=4714
Bureau,A.J. and Hammer,C.L. Isomeric state of W^{181}, 7=4626
Bureau,J.L. Comparison between the Chapman and Ferraro theory of an ionized cloud and the recording of the commencement of a magnetic storm, 7=9472
Bureau,R. and Bertrand,M. Exceptional perturbation of solar radiation of February 23rd, 1956 at about 3.45 G.M.T., 6=4783
Bureste,M. Visualization of a billow, 5=3482
Burfoot,J.C. A possible model for the switching of barium titanate crystals, 9=5653
Burford,A.O., Perkins,J.F. and Haynes,S.K. Relative intensities of the radiation from Hf^{175}, 5=9034
Burford,T.M. Analysis of systems involving difference-differential equations, 5=1
Burg,F.A.W. van den. See van den Burg,F.A.W.
Burge,E.J., Davies,J.H., van Heerden,I.J. and Prowse,D.J. On some aspects of processing thick nuclear emulsions, 8=2444
Burge,E.J., Fujimoto,Y. and Hossain,A. The optical model applied to the elastic scattering of nucleons by various light nuclei, 6=3100
Burge,E.J. and Prowse,D.J. Proton-excited energy levels in ^{14}N, 7=2533
Burge,R.E. Multiple interference fringes in electron micrographs of wedge-shaped single crystals, 9=2966. X-ray scattering by bundles of cylinders, 9=5253
Burge,R.E., Munden,H.R. and Curling,C.D. The recording of electron diffraction patterns from single crystals using the Metropolitan-Vickers type E.M.3 electron microscope, 7=9470
Burge,R.E. and Randall,J.T. The equivalence of electron-microscope and X-ray observations on collagen fibres, 6=3309
Burgeat,M. See Hirsh,I.J., 9=1981
Bürgel,B. On the solutions of the radial Schrödinger equation with arbitrary spin, 8=55
Burger,A. On the determination of the order of magnitude of the pressure behaviour in high vacuum equipment with the help of fluorescent radiation, 9=4354
Burger,E.E. See Cobine,J.D., 5=7987
Burger,H. See Kornetzki,M., 6=472
Burger,J.P. and Wucher,J. Paramagnetic properties of dilute palladium–cobalt alloys containing hydrogen, 8=1776
Burger,R.M. See Farnsworth,H.E., 5=4993, 9=2944
Burgers,J.M. and Thomas,R.N. [Eds.] Proceedings of the Third Symposium on Cosmical Gas Dynamics, 8=8568
Burgers,W.G. See Melsert,H., 6=9048
Burgess,D.S. See Denniston,D.W.,Jr, 7=4276
Burgess,H. and Smoluchowski,R. Note on self-diffusion of nickel, 5=6539
Burgess,J.H. and Norberg,R.E. Double-frequency magnetic resonance in a free radical, 6=2242
Burgess,R.E. Fluctuations in the number of charge carriers in a semi-conductor, 5=3731. Electronic fluctuations in semiconductors, 5=7042. Fluctuations of the numbers of electrons and holes in a semiconductor, 5=8750. Low frequency noise in illuminated germanium diodes, 5=9662. Carrier concentration disturbances in semiconductors, 6=328. The a.c. admittance of temperature-dependent circuit elements, 6=365. Line source with progressive phase shift, 6=1925. The turnover phenomenon in thermistors and in point-contact germanium rectifiers, 6=2096. Reduction of noise in photoconductive cells, 6=2892. The statistics of charge carrier fluctuations in semiconductors, 7=2201. A millisecond relaxation process in the reverse current of germanium point-contact diodes, 7=7110. Electrical conductivity and thermal fluctuations, 8=3982. Polarization fluctuations in a ferroelectric crystal, 9=2297. Statistical theory of avalanche breakdown in silicon, 9=8138
Burgess,V.R. See Bray,R.J., 8=5587; Loughhead,R.E., 8=4622
Burghoff,H. See Becker,E.W., 5=9838, 9=6603
Burgman,J.O. See also Andersson,G., 8=1921
Burgman,J.O., Fischer,J., Leontic,B., Lundby,A., Meunier,R., Stroot,J.P. and Teja,J.D. Muon K-capture compared to β-decay for $C^{12} \rightleftarrows B^{12}$, 9=6017
Burgov,N.A. Concerning resonance scattering of γ-rays, 8=1820
Burgov,N.A. and Terekhov,Yu.V. Types of interaction in β-decay, 9=2744. Interaction modes in beta decay. Decay of Na^{24}, 9=8537. Electron–neutrino correlation in the negative decay of Na^{24}, 9=8539
Burgoyne,N. On the connection of spin with statistics, 8=5637
Burgt,C.M. van der. See van der Burgt,C.M.
Burgus,W.H. See Regier,R.B., 9=8648
Burgy,M.T., Epstein,R.J., Krohn,V.E., Novey,T.B., Raboy,S., Ringo,G.R. and Telegdi,V.L. Measurement of beta asymmetry in the decay of polarized neutrons, 8=1173
Burgy,M.T., Krohn,V.E., Novey,T.B., Ringo,G.R. and Telegdi,V.L. Measurements of asymmetries in the decay of polarized neutrons, 8=7251. Test of time-reversal invariance of the beta interaction in the decay of free polarized neutrons, 9=2597
Burhans,R.W. See Grant,G., 8=6607
Burhop,E.H.S. The fluorescence yield, 5=9875. The effect of finite nuclear size on electron pair production, 6=3174. See also Asaad,W.N., 8=1995; Biel,S.J., 5=3827; K-collaboration, 9=13575
Burhop,E.H.S. and Marriott,R. The destruction of metastable helium atoms by collision-induced radiation, 6=6086
Burhop,E.H.S. (Conf.rep.). Cloud chamber and associated techniques, 5=6247
Burhorn,F. The temperature and thermal equilibrium in iron arcs, 5=6170. Calculation and measurement of the thermal conductivity of nitrogen up to 13 000°K, 9=10900
Buriánková,P. On the measurement of the piezoelectric constant of $BaTiO_3$ ceramic, 5=5397. The dynamic measurement of the piezoelectric constants of $BaTiO_3$, 5=8737

Burk,D. and Hobby,G. Hydraulic-leverage principles for magnification of sensitivity of gas change in free and fixed-volume manometry, 5=1571
Burk,D.L. and Friedberg,S.A. Atomic heat of diamond from 11° to 200°K, 9=1390
Burkard,O. Some comments on the geomagnetic effect in the F2-layer, 6=2596. Temperature-controlled variations of the ionosphere during an eclipse, 6=7052. The daily and annual variations of F_1-ionization and their interpretation, 6=8506. A general formula for the morning F2-ionization at European stations, 8=7623. A new F-layer model, 9=3004. Model of the ionosphere, 9=3005. Radio reflexions from the moon and solar corona, 9=10418
Burkhardt,L.A. See also Moore,D.W., 7=3042 Apparatus for obtaining heating and cooling curves, 7=331
Burke,B.F. See also Forbush,S.E., 8=3650; Franklin,K.L., 9=3042
Burke,B.F. and Franklin,K.L. Observations of a variable radio source associated with the planet Jupiter, 5=7630
Burke,E.A. and Mulligan,J.F. Open-shell energies of lithium-like ions, 8=6346
Burke,E.W., Jr. Isotope shift in the first three spectra of boron, 6=211
Burke,E.W., Jr and Mack,J.E. The term $1s^2 2s2p3s\ ^4P^0$ in the first spectrum of boron, 6=2776
Burke,M.J. See also Thomas,J.A., 7=5755
Burke,M.J. and Jenkinson,I.S. Ionospheric drifts at Brisbane, 8=5535
Burke,P. and Laskar,W. Integro-differential system for a collision problem comprising four nucleons. Case of state with total spin 2, 8=7242. Integro-differential system for a collision problem comprising four nucleons. Case of states with total spin 0 and 1, 8=7243.
Burke,P.G. and Robertson,H.H. The low energy elastic scattering of neutrons by deuterons, 8=686
Burke,T.G. Infrared spectra of selenium hexafluoride and tellurium hexafluoride, 7=2026
Burke,W.H., Jr. Redundant circuitry for reliability on low-level counting, 9=8427
Burke,W.H., Jr and Meinschein,W.G. C^{14} dating with a methane proportional counter, 6=1761
Burke-Gaffney,T.N. See also Bullen,K.E., 7=9986
Burke-Gaffney,T.N. and Bullen,K.E. Seismological and related aspects of the 1954 hydrogen bomb explosions, 7=6760
Burkhalter,J.H. Microwave spectrum of cyclopentanone, 5=7854
Burkhard,D.G. Hindered rotation in symmetric-asymmetric molecules, 7=1483. Factorization and wave functions for the symmetric rigid rotator, 9=6182
Burkhard,D.G. and Dennison,D.M. Rotation spectrum of methyl alcohol, 9=12053
Burkhard,D.G. and Irvin,J.C. Solution of the wave equation for internal rotation of two completely asymmetric molecules, 5=8967
Burkhard,M.D. and Corliss,E.L.R. The response of earphones in ears and couplers, 5=148
Burkhardt,G.H. The suppression effect in ionization by fast electron pairs, 8=8211
Burkhardt,G.H., Cassels,J.M., Rigby,M., Wetherell,A.M. and Wormald,J.R. Radiative beta decay of the pion, 8=6165
Burkhardt,J.L. Nuclear scattering of low-energy photons, 6=666. Inversion of paramagnetic resonance lines in irradiated calcite, 9=5916
Burkhardt,J.L., Winhold,E.J. and Dupree,T.H. Photoexcitation of the isomeric state of indium-115, 6=667
Burkhardt,L.C. See also Sawyer,G.A., 5=7371
Burkhardt,L.C., Dunaway,R.E., Mather,J.W., Phillips,J.A., Sawyer,G.A., Stratton,T.F., Stovall,E.J., Jr and Tuck,J.L. Pinch effect, 7=7938
Burkhardt,L.C. and Lovberg,R.H. New confinement phenomena and neutron production in a linear stabilized pinch, 8=778
Burkhardt,L.C., Lovberg,R.H. and Phillips,J.A. Magnetic measurement of plasma confinement in a partially stabilized linear pinch, 8=776
Burkhardt,L.C., Lovberg,R.H., Sawyer,G.A. and Stratton,T.F. Stability studies with longitudinal magnetic field on a straight pinched discharge, 8=8828
Burkhardt,R. The Elmigraph I, a new apparatus for measuring and mapping electron microscope photograph pairs in space, 5=9991
Burkhardt,W. Resonance capture of neutrons in pitchblende, 7=8168. Nuclear processes in uranium ores, 9=5081
Burkhart,K. and Selzer,E. Analysis of the sinusoidal-type variation of the magnetic declination of April 11th 1954, 7=1763
Burkhart,L.E. See Peed,W.F., 7=3341
Burkig,J.W., Richardson,J.R. and Schrank,G.E. Proton—proton scattering at 19·8 MeV, 9=4910
Burkig,V.C. and MacKenzie,K.R. Stopping power of some metallic elements for 19·8 MeV protons, 7=7175
Burleson,G.R. See also McIntyre,J.A., 9=3731
Burleson,G.R. and Hofstadter,R. High-energy electron scattering from lithium-6, 9=7358
Burlew,J.S. See Potnis,V.R., 6=1537
Burlingame,F. See Keller,R.N., 9=10859
Burman,R.L. See also Herrmannsfeldt,W.B., 8=8300
Burman,R.L., Herrmannsfeldt,W.B., Allen,J.S. and Braid,T.H. Electron—neutrino angular correlation in the beta decay of neon-23, 9=5010
Burman,U.R. On the existence of hydrogen atmospheres in red giant stars, 5=2386
Burmeister,C. See Schwetman,H.D., 9=7728
Burmeister,H. Transition effects of cosmic radiation in lead with particular reference to the hard component, 7=9749
Burmeister,J. The influence of plastic deformation on the electrical conductivity of single crystals of potassium chloride with substituted calcium chloride, 8=3091
Burmeister,J., Lanius,K. and Meier,H.W. On the interpretation of jets by the excited nucleon model, 9=3737
Burmistrov,V.R. and Kazanskii,Yu.A. A Compton spectrometer with pulse addition, 8=5329
Burnat,M. Solution of a Schrödinger equation problem in an infinite three-dimensional space, 7=7619
Burnelle,L. Electronic absorption spectrum of the thiophosgene molecule, 6=5778. Electronic structure of water in its linear configuration, 8=6380
Burnelle,L. and Duchesne,J. On the origin of interaction terms characterizing molecular vibrations, 8=5444. On the origin of interaction terms in molecular vibrations, 8=7444
Burnett,B.B. and McDevit,W.F. Kinetics of spherulite growth in high polymers, 8=3566
Burnett,C.R. See also Rank,D.H., 7=7790
Burnett,C.R., Grove,D.J., Palladino,R.W., Stix,T.H. and Wakefield,K.E. The divertor, a device for reducing the impurity level in a stellarator, 9=2375
Burnett,G.M., Deas,P.J. and Melville,H.W. A photoelectric recording interferometer, 5=5035
Burnham,R.W. Visual selection of color film neutrals, 8=2266. Predictions of shifts in color appearance with a change from daylight to tungsten adaptation, 9=5597. See also Newhall,S.M., 7=2892, 9=4499, 9=10884
Burnham,R.W., Clark,J.R. and Newhall,S.M. Space error in color matching, 7=9648
Burnham,R.W., Evans,R.M. and Newhall,S.M. Prediction of color appearance with different adaptation illuminations, 7=2891
Burns,D.M. An analytical method of dealing with unresolved peaks in Fourier projections, 6=817
Burns,D.M. and Iball,J. The crystal and molecular structure of fluorene, 5=2064
Burns,F.P. Piezoresistive semiconductor microphone, 7=4072
Burns,F.P. and Fleischer,A.A. Piezoresistive effect in indium antimonide, 8=4985
Burns,F.P. and Quimby,S.L. Ordering processes in Cu_3Au, 5=4828
Burns,G. Antishielding and polarizabilities in alkali halide gases, 9=13754
Burns,J. See Hume-Rothery,W., 8=1337
Burns,J., III. See also Miller R.H., 6=5605
Burns,J., III and Hiltner,W.A. Image converters with thin protecting foils, 5=6682
Burns,J.F. On the heat of dissociation of N_2, 5=8715
Burns,J.H. and Bredig,M.A. Transformation of calcite to aragonite by grinding, 7=6748
Burns,K. See also Adams,K.B., 6=1128
Burns,K. and Adams,K.B. Energy levels and wavelengths of natural cadmium and of cadmium-114, 6=3605
Burns,L. Alternative explanation of Waymouth-Bitter experiment, 5=7865
Burns,W. and Hinchcliffe,R. Comparison of the auditory threshold as measured by individual pure tone and by Békésy audiometry, 8=4607
Burns,W.G. and Lockyer,R. Dosimetry of X- and γ-rays by alkali-halide crystals containing U-centres, 5=8220
Burns,W.G., Morris,B. and Wilkinson,R.W. An apparatus for the viscometry of organic liquids at high temperature, 8=7727
Burns,W.G. and Williams,T.F. Chemical effects associated with "colour centres" in alkali halides, 5=8394
Burns, W.R. See Bowman,M.G., 6=6947

Burnstein,R.A. See Brown,J.L., 9=13571
Burov,A.K. Production of high-intensity ultrasound in liquids, 9=5463
Burov,V.A. and Krasil'nikov,V.A. Direct observation of the distortion of the form of intense ultrasonic waves in a liquid, 8=4799. The absorption of high intensity ultrasonic waves in water, 9=13104
Burr,E.J. Sharpening of observational data in two dimensions, 5=5823
Burr,J.G., Jr. Effect of radiation upon the exchange of hydrogen and ethanol, 7=2775. Comparison of methods for computing bond orders and electron densities, 7=4600
Burrell,E. See Miller,W.W., 6=1702
Burren,J.W. Vertical motion in spiral-ridged accelerators, 8=5977
Burren,J.W., Morgan,D. and Walkinshaw,W. Production of high density proton currents for colliding beam accelerators at 15 GeV, 9=3589
Burrowes,C. See Baldwin,D.E., 9=4872
Burrowes,H.C., Caldwell,D.O., Frisch,D.H., Hill,D.A., Ritson,D.M. and Schluter,R.A. K-meson—nucleon total cross sections from 0·6 to 2·0 BeV, 9=6043
Burrowes,H.C., Caldwell,D.O., Frisch,D.H., Hill,D.A., Ritson,D.M., Schluter,R.A. and Wahlig,M.A. Pion—proton resonance scattering near 900 MeV, 9=6027
Burrows,B.A. See Hine,G.J., 5=4753
Burrows,H.B., Green,T.S., Hinds,S. and Middleton,R. An investigation of deuteron induced reactions by magnetic analysis. III. Results for neon and argon, 6=6161
Burrus,C.A. Stark effect from 1·1 to 2·6 millimeters wavelength: PH$_3$, PD$_3$, DI, and CO, 8=3874. Zeeman effect in the 1- to 3-millimeter wave region: molecular g factors of several light molecules, 9=6744. See also Ohl,R.S., 9=12286
Burrus,C.A. and Gordy,W. Millimeter and submillimeter wave spectroscopy, 6=1052. Spectra of some symmetric-top molecules in the one to four millimeter wave region, 7=6009
Burrus,C.A., Gordy,W., Benjamin,B. and Livingston,R. One-to-two millimeter wave spectra of TCl and TBr, 5=4524
Burrus,C.A. and Graybeal,J.D. Stark effect at 2·0 and 1·2 millimeters wavelength: nitric oxide, 8=2239
Burrus,W.R. How channeling between chunks raises neutron transmission through boral, 8=5209
Burshteĭn,É. and Solov'ev,L. On the propagation of a principal wave between parallel surfaces, 6=7551
Burshteĭn,É.L. and Solov'ev,L.S. On the theory of alternating focusing, 7=1380. Diffraction of finite electromagnetic wave packet by cylindrical obstacle, 7=1466
Burshteĭn,É.L., Veksler,V.I. and Kolomenskiĭ,A.A. A stochastic method of accelerating particles, 6=2184
Burshtein,L.L. See Mikhailov,G.P., 9=13246
Bursian,É.V. See Kosman,M.S., 8=1328
Burson,S.B. See also Jordan,W.C., 5=2121; LeBlanc,J.M., 5=3056, 5=4898, 7=3595; Martin,D.W., 6=3142, 6=4604; Schmid,L.C., 9=12644-5, 9=13639
Burson,S.B., Grench,H.A. and Schmid,L.C. Decay of $_{50}$Sn^{113} (112 days) and $_{49}$In^{113m} (1·73 hr), 9=12647
Burson,S.B., Jordan,W.C. and LeBlanc,J.M. Decay of $_{32}$Ge^{75m}(49 sec), $_{32}$Ge^{77m}(52 sec) and $_{32}$Ge^{77} (12 hr), 5=2119
Burson,S.B., LeBlanc,J.M. and Martin,D.W. Decay of Sn^{125} (9·7-day and 9·4-minute), 7=3597
Burson,S.B., Martin,D.W. and Schmid,L.C. Dynamic-condenser magnetic fluxmeter, 9=9745
Burstein,E. See also Kingston,R.H.(Eds.), 7=8601; Lax,M., 5=2301, 6=1055; Lipson,H.G., 5=7849; Picus,G., 9=9612; Solar,N., 5=7060
Burstein,E., Picus,G. and Sclar,N. Optical and photoconductive properties of silicon and germanium, 7=7924
Burstein,E. and Picus,G.S. Interband magneto-optic effects in semiconductors, 7=5316
Burstein,E., Picus,G.S. and Gebbie,H.A. Cyclotron resonance at infrared frequencies in InSb at room temperature, 6=8786. Infrared cyclotron resonance and magneto-optical band gap effects in InSb, 9=11563
Burstein,E., Picus,G.S., Gebbie,H.A. and Blatt,F. Magnetic optical band gap effect in InSb, 6=8787
Burstein,E., Picus,G.S., Wallis,R.F. and Blatt,F. Zeeman-type magneto-optical studies of interband transitions in semiconductors, 9=4570. Zeeman type magneto-optic studies of energy band structure, 9=5677
Burt,E.G.C. and Lange,O.H. Function generators based on linear interpolation with applications to analogue computing, 5=6680. Function generators based on linear interpolation with applications to analogue computing, 6=5597
Burtin,R. The achievement of an objective with uniform field by means of apodization, 5=6883. Two problems of optical diffraction at large aperture, 9=8001
Burtin,R.N.R. The realization of an isoplanatic objective by apodization, 5=236
Burton,B.L. See Goranson,R.W., 6=1666
Burton,J.A. Impurity centers in Ge and Si, 5=2743. Electron emission from avalanche breakdown in silicon, 8=2325
Burton,J.T.A. See Ziebland,H., 6=2031, 8=3024
Burton,M. See also Berry,P.J., 6=1100; Dreeskamp,H., 9=5555
Burton,M., Berry,P.J. and Lipsky,S. Radiation-induced luminescence. I. Tertiary and quaternary solutions of cyclohexane, benzene, p-terphenyl and oxygen, 6=5795
Burton,M., Chang,J., Lipsky,S. and Reddy,M.P. Radiolysis of mixtures: cyclohexane—benzene—iodine, 7=7478
Burton,M. and Magee,J.L. Successive excitation by low-energy electrons: general principle, 6=1699. Application to electric discharge in methane, 6=1700
Burton,M. and Manion,J.P. Decomposition of methane in low-pressure glow discharge, 5=2828
Burton,M. and Neubert,T.J. Neutron-induced discomposition of graphite. I. Fundamentals, 6=6947. Effect of fast neutron bombardment on physical properties of graphite: a review of early work at the metallurgical laboratory, 6=6947
Burton,W.K. Equivalence of the Lagrangian formulations of quantum field theory due to Feynman and Schwinger, 5=4345. Canonical invariance in Lagrangian quantum mechanics, 5=5858
Burton,W.K. and De Borde,A.H. The evaluation of transformation functions by means of the Feynman path integral, 5=9414. Functional integration in quantum field theory, 6=7959. Derivation of the functional integral formalism for Fermi systems from the canonical formalism, 7=8374
Burtsev,A.N. See Leĭkin,E.M., 7=5815
Burtt,B.P. See also Knox,B.E., 8=8837; Zahlan,A.B., 6=3342
Burtt,B.P. and Baurer,T. The effect of variations in source intensity on the alpha induced decomposition of ammonia, 5=5048
Burtt,B.P. and Zahlan,A.B. Alpha induced decomposition of ammonia. II. Effects of variations in intensity and pressure, 7=6666*
Burwasser,H. and Taylor,H.A. Photolysis of acetic anhydride, 6=2509
Burwell,J.R. See also Kim,Y.B., 5=2199; Thompson,R.W., 8=1193 3
Burwell,J.R., Huggett,R.W. and Thompson,R.W. Example of τ^+-decay in flight, 5=4971
Burwell,J.T. Law of adhesive wear, 7=2758
Burwell,J.T., Jr. Survey of possible wear mechanisms, 8=4492
Busala,A. See Ener,C., 5=2507; Sette,D., 5=5951
Busbridge,I.W. On the X- and Y-functions of S. Chandrasekhar, 5=9389. Finite atmospheres with isotropic scattering, 7=52. II. Increase of line strength to the limb. III. Corrigendum and addendum, 8=862
Busbridge,I.W. and Stibbs,D.W.N. On the intensities of interlocked multiplet lines in the Milne-Eddington model, 5=701
Busby,J. and Richardson,E.G. The propagation of ultrasonics in suspensions of particles in a liquid, 6=2739. The absorption of sound in sediments, 9=1201
Busch,G. A simple method to vizualise degeneracy of an intrinsic semi-conductor, 5=9649. Graphical treatment of degeneracy of an intrinsic semiconductor, 6=322
Busch,G., Hulliger,F. and Jaggi,R. Relations between the coefficients of the galvanomagnetic and thermomagnetic transverse effects in ferromagnetics, 9=11054
Busch,G., Jaggi,R. and Kern,R. Intrinsic hall effect of InsB, 6=3727
Busch,G. and Maier,W. Ultrasonic absorption and velocity in triethylamine, 9=1204
Busch,G. and Müller,K.A. Manganese impurity centres in grey tin, 6=356
Busch,G. and Schneider,M. Heat conduction in semiconductors, 5=3727
Busch,G.A. Semiconducting compounds, 9=290. Magnetic susceptibility of semiconductors, 9=12444
Busch,G.A. and Kern,R. The magnetic properties of III-V compounds, 9=11189
Busch,R. See also Bibl,K., 5=4228
Busch,R., Harnischmacher,E. and Rawer,K. Ionospheric observations carried out during the solar eclipse of June 30th, 1954, at Fribourg, 7=1776
Busch,R. and Luchet,A. On an echo trace of unusual character observed on ionograms for the station in the Kerguelen Islands, 6=829
Buschmann,J. The energy dependence of the specific ionization

of relativistic μ-mesons, 6=2445
Buser,W. and Graf,P. The behaviour of γ-recoil atoms in solid substances, 6=4067
Buser,W., Graf,P. and Imobersteg,U. Enrichment of recoil atoms in sparingly soluble solid compounds, 5=3081
Busey,H.M. and Hammond,R.P. Test tube research reactor, 6=2428
Bush,P.D. The Engineering Test Reactor. Design and construction, 7=9897
Bush,W.B. See Ziemer,R.W., 8=6748
Bush,W.R. Foveal light adaptation as affected by the spectral composition of the test and adapting stimuli, 6=1775. See also Boynton,R.M., 5=664, 6=7912
Bushev,A.S. and Vdovin,Yu.A. Formation of a photo-star and a fast proton or an antiproton, 8=9058
Bushkovitch,A.V. See Bonet,J.V., 5=6355; Kieffer,L.J., 9=3998; Liuima,F.A., 5=177; Perkins,K.L., 7=5502
Bushmanov,B.N. The preparation of large zinc monocrystals with predetermined orientation, 8=4522
Businaro,U.L. and Gallone,S. On the interpretation of fission asymmetry according to the liquid drop nuclear model, 5=5644. Collective aspects of nuclear photo effect, 5=9095. Saddle shapes, threshold energies and fission asymmetry on the liquid drop model, 5=9105. Asymmetric equilibrium shapes in the liquid drop model, 7=8766
Busing,W.R. Infrared spectra and structure of NaOH and NaOD, 5=5998
Busing,W.R. and Levy,H.A. Neutron diffraction study of calcium hydroxide, 7=5746. High-speed computation of the absorption correction for single crystal diffraction measurements, 9=7619
Busing,W.R. and Morgan,H.W. Infrared spectrum of $Ca(OH)_2$, 8=6846
Businger,J.A. See Suomi,V.E., 9=6393
Busler,I.V. See Blokhin,M.A., 9=13354
Busnel,R. and Degrois,M. Observations of phenomena occurring in liquids irradiated by ultrasonics, in the presence of different gases at variable pressures, 5=6843
Buss,J.H. See Benson,S.W., 8=2047, 8=6476, 8=9104
Busse,C.-A. and Sauter,F. On the theory of the electrical resistivity of good metallic conductors, 5=1805
Büssem,W.R. and Subbarao,E.C. Surface and space-charge effects in ceramic barium titanate, 8=168
Bussetti,G. On the frequency of the chemical elements, 5=686 Masses of nuclei with $Z \geq 40$, 6=3130. On the higher limit for the mass of an assembly of particles, 7=5029. See also Ascoli,R., 6=7465-6
Bussey,H.E. and Birnbaum,G. Cavity resonators for dielectric spectroscopy of compressed gases, 9=12202
Bussey,T. See Leibowitz,H., 8=1398
Bussolati,C. Energy distribution of external bremsstrahlung from β-rays of ${}^{90}Y$, 9=13645
Bustraan,M. See Bogaardt,M., 5=3122
Busz,G. and Finkelnburg,W. Higher temperature and lower burning voltage thermal arcs, 5=1858
Busz-Peuckert,G. and Finkelnburg,W. The relation between anode [voltage] drop and current strength and arc length in high-temperature arcs, 5=8793. The anode mechanism in thermal argon arcs, 6=2901. On the discharge mechanism of high-temperature arcs, 7=6230
Busz-Peuckert,G. and Queisser,H.J. The determination of the temperature of arcs by (photographic) blackening comparison with a similar arc of known temperature distribution, 6=8222
Butaeva,F.A. and Fabrikant,V.A. Investigations using luminescing probes in the range 500-1200 A, 7=1176
Butcher,J.C. See also Srinivasan,S.K., 9=376
Butcher,J.C., Chartres,B.A. and Messel,H. Tables of average numbers for electron—photon showers at small depths of absorber, 8=6122
Butcher,J.C. and Messel,H. Electron number distribution in electron—photon showers, 9=3616
Butement,F.D.S. The X-ray spectra of μ-mesonic copper and lead, 6=392
Butement,F.D.S. and Poë,A.J. A 7-second iridium isomer, 5=475. Radioactive ^{184}tantalum, 5=5600
Butement,F.D.S. and Prout,E.G. Radioactive ${}^{69}As$ and ${}^{70}As$, 5=5598
Butkevich,B.G. and Butslov,M.M. Investigation of secondary emission from apertures, 9=3564
Butkov,E. Spin—orbit potential in pseudoscalar theory, 9=13012
Butkovich,T.R. Density of single crystals of ice from a temperate glacier, 6=9069. Thermal expansion of ice, 9=6835
Butler,C.C. A general survey of the properties of hyperons and heavy mesons, 5=6487. See also Gayther,D.B., 5=5652
Butler,D. See Barrow,R.F., 9=9406; Valatin,J.G., 9=2105
Butler,D.K. See Kato,W.Y., 9=8665
Butler,D.S. See Berry,F.J., 5=1620
Butler,J. See Hird,B., 5=1180
Butler,J.N. and Brokaw,R.S. Thermal conductivity of gas mixtures in chemical equilibrium, 7=7810
Butler,J.P. See also Bowles,B.J., 7=8823; Eastwood,T.A., 8=7331. Jones,M., 6=3934
Butler,J.P., Eastwood,T.A., Collins,T.L., Jones,M.E., Rourke,F.M. and Schuman,R.P. Half-lives and neutron capture cross sections of the heavy plutonium isotopes, 6=7644
Butler,J.P., Eastwood,T.A., Jackson,H.G. and Schuman,R.P. Half-lives and alpha energies of Cm^{248} and Cm^{246}, 6=8342
Butler,J.P., Lounsbury,M. and Merritt,J.S. The preparation and properties of Pu^{242}, 7=648. The neutron capture cross sections of Pu^{238}, Pu^{242}, and Am^{243} in the thermal and epicadmium regions, 7=3665
Butler,J.W. See also Dunning,K.L., 9=601; Gossett,C.R., 9=4981
Butler,J.W., Dunning,K.L. and Bondelid,R.O. Neutron thresholds in the $Co^{50}(p, n)Ni^{59}$ reaction, 7=7294
Butler,J.W., Fagg,L.W. and Holmgren,H.D. Energy levels in F^{19} from the $O^{18}(d, n\gamma)F^{19}$ reaction, 9=4979
Butler,J.W. and Gossett,C.R. Radiative proton capture by Ni^{58}, Ni^{60}, and Co^{59}, 8=8316. Positron decay of Cu^{59} and Cu^{61} and energy levels in Ni^{59} and Ni^{61}, 8=9026. Decay of Cu^{62}, 9=2760
Butler,J.W. and Holmgren,H.D. Gamma-ray threshold method and the $O^{18}(d, n\gamma)F^{19}$ reaction, 9=3896
Butler,K.H. and Waymouth,J.F. Electroluminescence of zinc sulphide phosphors, 5=3604
Butler,R.A. and Galloway,F.T. Factoral analysis of the delayed speech feedback phenomenon, 8=1574
Butler,S.T. Direct nuclear reactions, 7=5608. See also Austern,N., 8=5349; Blatt,J.M., 5=1777, 6=1171, 6=1868, 6=4665, 7=327; Friedman,M.H., 5=5231; Schafroth,M.R., 7=8637; Shepanski,J.R., 6=7153
Butler,S.T., Austern,N. and Pearson,C. Semiclassical treatment of direct nuclear reactions, 9=5032
Butler,S.T. and Blatt,J.M. Nonequilibrium nature of the superfluid state, 6=1869
Butler,S.T., Blatt,J.M. and Schafroth,M.R. Nature of the λ-transition in liquid helium, 7=326
Butler,S.T. and Friedman,M.H. Partition function for a system of interacting Bose—Einstein particles, 5=5230
Butsko,N.I. and Shneĭder,A.D. The effect of X-rays on the electrical properties [photoconductivity] of mercuric sulphide [HgS], 9=1476
Butslov,M.M. See also Butkevich,B.G., 9=3564. Zavoĭskiĭ,E.K., 5=9726, 7=4374
Butslov,M.M., Zavoĭskiĭ,E.K., Kalinyak,A.A., Nikonov,V.B., Prokof'eva,V.V. and Smolkin,G.E. The use of multi-stage electron-optical light amplifiers in astrophysics, 9=10499
Butt,E.P. See also Thonemann,P.C., 8=773
Butt,E.P., Carruthers,R., Mitchell,J.T.D., Pease,R.S., Thonemann,P.C., Bird,M.A., Blears,J. and Hartill,E.R. The design and performance of Zeta, 9=5084
Butters,R.G. and Myers,H.P. The structure and properties of some ternary alloys of manganese, zinc and carbon, 5=3287. The structure and magnetic properties of the alloy Mn_3AlC, 5=8913
Butters,R.G. and Parr,J.G. A high-temperature X-ray goniometer, 5=5095
Butterworth,I. Photometric measurement of ionization in cloud chambers, 5=8864
Butterworth,I., Egelstaff,P.A., London,H. and Webb,F.J. The production of intense cold neutron beams, 7=8900
Butterworth,J. Surface recombination and the "light-disc" method of measuring bulk—lifetime in semiconductors, 7=1274. The nuclear magnetic moment of plutonium-239, 9=3818
Buttlar,H. v. See v. Buttler,H.
Buttlar,H. von. See von Buttlar,H.
Buttler,W.M. and Muscheid,W. The nature of the electrical contact by studies on single crystals of cadmium sulphate. II, 5=2737
Button,J., Elioff,T., Segrè,E., Steiner,H.M., Weingart,R., Wiegand,C. and Ypsilantis,T. Antineutron production by charge exchange, 8=7256
Button,K.J. See also Lax,B., 5=2035, 6=5252; Zwerdling,S., 9=6970, 9=7947
Button,K.J., Roth,L.M., Kleiner,W.H., Zwerdling,S. and Lax,B.

Fine structure in the Zeeman effect of excitons in germanium, 9=6254

Button,P.A. See Stamm,F.R., 6=1136

Buttrey,J.W. Small-angle X-ray scattering from the low carbon paraffins, 7=7947. Small magnetic field mapping probes of thin semiconducting films, 9=12442

Butusov,Yu.M. See Rapoport,L.P., 7=611, 9=6054

Butuzov,V.P. Investigation of phase transitions at super-high pressures, 8=3030

Butuzov,V.P., Boksha,S.S. and Gonikberg,M.G. Polymorphous transformations of phosphorus at very high pressures, 7=809

Butuzov,V.P. and Bryatov,L.V. Investigation of phase equilibria in a part of the system $H_2O-SiO_2-Na_2CO_3$ at high temperatures and pressures, 8=5704

Butuzov,V.P. and Ponyatovskiĭ,E.G. Melting point of indium at pressures up to 30 000 Kg/cm^2, 7=7820. Investigation of the polymorphic transitions of bismuth at very high pressures, 7=8228

Butuzov,V.P., Ponyatovskiĭ,E.G. and Shakhovskoĭ,G.P. Melting points of zinc, cadmium, thallium and antimony at pressures up to 30 000 Kg/cm^2, 7=1224

Buyle-Bodin,M. Study of nuclear quadrupole resonance. Detection and applications, 6=527. Effect of fluctuations in slope on the sensitivity of auto-oscillators, 7=2018. R.F. spectrograph for the study of nuclear quadrupole resonance, 7=3547. Influence of molecular motion on pure quadrupole nuclear magnetic resonance in solids, 9=12503. See also Rosset,J., 9=13226

Byakov,V.M. and Avalov,R.G. Acceleration of cosmic rays in a fluctuating magnetic field, 9=2470

Byatt,W.J. Analytical representation of Hartree potentials and electron scattering, 7=2304

Bȳchkov,Yu.A. See Berestetskiĭ,V.B., 7=6612

Bychkov,Yu.A. See Berestetsky,V.B., 7=9920

Byczkowski,M. and Madigan,J.R. Minority carrier lifetime in p–n junction devices, 8=4011

Bȳdin,Yu.F. and Bukhteev,A.M. Ionization of fast neutral potassium atoms in collisions with atoms of argon and molecules of hydrogen, nitrogen and oxygen, 8=7133

Bydin,Yu.F. and Dukel'skiĭ,V.M. Detachment of electrons from negative halogen ions in collisions with inert gas atoms and hydrogen molecules, 7=2366

Byers,D.H. and Stump,R. Low-temperature influence on the technetium-99m lifetime, 9=4993

Byers,N. Interactions of low-energy negative pions with nuclei, 8=1269

Byers,N. and Cottingham,W.N. Energy and angular distributions of mesonic hyperfragment decays, 9=8526

Byers,N. and Peierls,R.E. Two-stage model of Fermi interactions, 9=2058

Byfield,H. See Baker,W.F., 9=3929

Byham,C.L. See Gebhard,J.W., 7=2887; Mowbray,G.H., 6=3416

Bȳkov,V.N. See also Makarov,E.S., 9=13932

Bȳkov,V.N., Vinogradov,S.I., Levdik,V.A. and Golovkin,V.S. A two-crystal neutron spectrometer, 8=6521

Bȳkov,V.P. See Khaĭkin,M.S., 6=6654

Bykova,G.A. See Korsunskiĭ,M.I., 7=1440

Bȳkovskiĭ,Yu.A. See Kikoin,I.K., 7=1283, 8=2331

Byram,E.T., Chubb,T.A. and Friedman,H. Dissociation of oxygen in the upper atmosphere, 5=7554

Byram,E.T., Chubb,T.A., Friedman,H. and Kupperian,J.E., Jr. Observations of the intensity of solar Lyman-alpha emission, 7=1863

Byram,E.T., Chubb,T.A., Friedman,H., Kupperian,J.E., Jr and Kreplin,R.W. Intensity of solar Lyman-alpha and adjacent ultraviolet emission lines, 9=7744

Byrne,B.J. See Clarke,C., 7=1809

Byrne,F.T. See Condell,W.J., 8=2943

Byrnes,W.S. and Crawford,R.G. Improved [automatic recording] torque magnetometer, 9=386

Byron,S. See Petschek,H., 8=1740

Byron,S.R. Measurement of the rate of dissociation of oxygen, 9=7412

Byutner,E.K. The dissipation of gas from planetary atmospheres. II. The total velocity of dissipation of gas from a planetary atmosphere. The problem of terrestrial helium, 9=12954. On the dissipation of hydrogen from planetary atmospheres, 9=12955

Cabannes,F. A study of the radiation emitted by electrical induction discharges in the rare gases, 5=1665. A study of induced (electrodeless) discharges in the rare gases, 6=2907. The formation of carbon particles in flames and observations on the C_3 molecule, 7=2007. Observation of photovoltaic effects with thin layers of cadmium sulphide, 8=3131

Cabannes,H. On the motion of an electrically conducting compressible fluid, 8=539

Cabannes,J. Designation of the internal vibrational movements of the atoms of a molecule, 7=5511. On the scattering of light in liquids. The attempts to determine the Rayleigh constant in benzene, 7=7033

Cabannes,J. and Dufay,J. New wavelength measurements of the red radiations, $^1D_2 \rightarrow {}^3P_2$ and $^1D_2 \rightarrow {}^3P_1$ of the neutral atom of O in the night-sky light, 5=4239. Interferential study of the radiation from atomic oxygen in the upper atmosphere, 6=4753. Interferential study of the red lines of the night sky, 6=9095

Cabannes,F. and Le Phat Vinh,A. The calculation of the distribution of solar energy reflected by a parabolic mirror, 5=3331

Cabannes,M.P. See Ader,M., 7=6489-90, 8=1230, 9=4877, 9=13625

Cabarat,R. See Barducci,J., 6=727; Erny,M., 7=2738

Cabell,M.J. The thermal neutron capture cross section and the resonance absorption integral of Th^{230} (ionium), 9=2821. See also Eastwood,T.A., 8=7331

Cabibbo,N. On the radiative decay of charged π-mesons, 9=7277

Cable,J.W. See Wilkinson,M.K., 9=4784

Cabott,I.M. See Bagley,E.B., 8=3514

Cabrera,N. The oxidation of metals, 7=7878. See also Coleman,R.V., 8=2687, 8=2703; Young,F.W.,Jr, 8=9123

Cabrera,N. and Levine,M.M. On the dislocation theory of evaporation of crystals, 6=7017

Cabrera,N., Levine,M.M. and Plaskett,J.S. Hollow dislocations and etch pits, 5=2297

Cacheris,J.C. See Nemarich,J., 9=433

Cachia,G.P. and Whitbread,E.G. The initiation of explosives by shock, 8=7580

Cacho,C.F.M., Grace, M.A., Johnson,C.E., Knipper,A.C., Schurlock,R.G. and Taylor,R.T. Nuclear orientation of cerium 141, 6=2318

Cachon,A. See Auger,P., 5=8069; Daudin,J., 6=7505

Cachon,P. See also Cutolo,M., 8=248

Cachon,P. and Sarazin,A. A contribution to the study of photomultiplier tubes, 9=12364

Caciotti,M., Righini,P. and Savelli,V. An electronic instrument for tuning large orchestras, 8=1572

Cadambe,V. and Kaul,R.K. Some optical considerations in the design of a polariscope and in photoelastic stress analysis, 5=4575

Cadambe,V., Kaul,R.K. and Tewari,S.G. Flexure of thin elastic plates under specified edge tractions, 6=5707

Cade,R. An electrostatic problem involving a non-linear fluid dielectric, 5=1791. The charge density near a sharp point on a conductor, 8=4938

Cade,R. and Small,K.A. Numerical calculation of certain small electrostatic effects, 8=3980

Cade,R. and Vickers,D.O. The electrostatic centre of a conductor, 6=2847

Cadudal. Radon intensity in uranium mines by the method of collection on carbon, 5=9931

Cady,W.G. Composite piezoelectric resonator, 5=1629. Note on the paper by C.L.Darner and R.J.Bobber on the ultrasonic shutter, 6=5733

Cafasso,F. and Sundheim,B.R. Solutions of alkali metals in polyethers. I, 9=11904

Caffyn,J.E. See also Schneider,E.E., 5=5709

Caffyn,J.E. and Goodfellow,T.L. Electrical effects associated with the mechanical deformation of single crystals of alkali halides, 6=1254

Cagle,F.W.,Jr. Study of the thermal decomposition of methane, 7=5697

Caglieris,A. See Rollier,M.A., 5=9852

Caglioti,G., Cervellati,R. and Mezzetti,L. Performance of a large area non focusing Čerenkov counter and absolute yield of Čerenkov light, 9=7223

Caglioti,G., Sciuti,S. and Gigli,A. On the production of secondary electrons by high energy μ-mesons, 5=6280

Cagnac,B. and Brossel,J. Nuclear orientation by optical pumping of the isotopes Hg^{201} and Hg^{199} and measurement of their magnetic moments by nuclear magnetic resonance, 9=13483. Transient phenomena and nuclear relaxation of optically oriented Hg^{199}, 9=13484

Cagnac,B., Brossel,J. and Kastler,A. Nuclear magnetic resonance of mercury Hg^{201} aligned by optical pumping, 8=6213

Cagnac,B., Manus,C., Bene,G. and Extermann,R. Nuclear magnetic resonance in very weak fields. II. Study of nuclear magnetic resonance between 2 and 0·5 gauss, 6=3916

Cagnet,M. See Arnulf,A., 6=4346

Cagniard,L. Theory of the electromagnetic method of measuring ocean currents, 9=4124

Cahen,M. Integrability conditions for the singular electromagnetic field, 7=2437. Schwarzschild trajectories and Newtonian trajectories, 8=3671

Cahen,O. The focusing of electron beams by a periodic longitudinal magnetic field, 6=8822

Cahill,J.M. See also Mueller,C.R., 7=6379

Cahill,J.M. and Mueller,C.R. Quantum-mechanical study of the inductive effect, 6=4565

Cahill,L.J.,Jr and Van Allen,J.A. High altitude measurements of the earth's magnetic field with a proton precession magnetometer, 8=4537. New rocket measurement of ionospheric currents near the geomagnetic equator, 8=7625

Cahill,W.F. See Abramowitz,M., 9=6822; Trees,R.E., 6=6851

Cahn,C.R. Solution of algebraic equations on an analog computer, 7=1002

Cahn,J.H. Irradiation damage in germanium and silicon due to electrons and gamma rays, 9=11012. See also Harman,T.C., 9=12166

Cahn,J.W. Free energy of a nonuniform system. II. Thermodynamic basis, 9=6858

Cahn,J.W. and Hilliard,J.E. Free energy of a nonuniform system. I. Interfacial free energy, 8=8612. III. Nucleation in a two-component incompressible fluid, 9=11893

Cahn,L. Some observations regarding photometric reproducibility between ultraviolet spectrophotometers, 6=1032

Cahn,L. and Henderson,B.D. Performance of the Beckman DK spectrophotometer, 8=4854

Cahn,R.W. Twinned crystals, 5=614. See also Bell,R.L., 7=7484

Cahn,R.W. and Baker,T.W. A simple device for obtaining X-ray diffraction patterns from coarse-grained materials, 5=9254

Caianiello,E.R. Non-perturbative equations for propagation kernels, 5=715. Remarks on the existence of derivatives of propagation kernels with respect to the interaction strength, 5=4351. Perturbative expansions, 5=7683. Non-perturbative expansions, 5=7685. Number of Feynman graphs and convergence, 6=3470. Propagation kernels as functions of the masses, 7=8990. Perturbative expansions, field equations and their renormalization, 9=4299. Regularization and renormalization. I. General part, 9=11810. See also Braitenberg,V., 9=5282; Buccafurri,A., 8=3699

Caianiello,E.R. and Gatti,G. Focusing properties of the Biot-Savart field, 9=9714

Caicoya,J.I. The high-order mode interferometer, 9=11285

Caignet,P. See Glansdorff,P., 7=3184

Caillat,R. See Frisby,H., 9=10269

Caillon,P. On the different activation energies of a dielectric, 6=2068. See also Granier,J., 5=926

Caillon,P. and Groubert,E. Action of plasticizers on the activation energies of certain dielectrics, 6=4381. Effects of pressure on the complex permittivity ($\epsilon' - j\epsilon''$) of liquids, 6=5838

Caine,C.A. The magnetic moments of odd-odd nuclei, 7=1514. Configurational mixing in β-decay theory, 8=4299. See also Blin-Stoyle,R.J., 7=5597

Caine,H.Le. See Le Caine,H.

Cairns,G.G. See Thomas,J.A., 8=6533

Cairns,R.B. and Emeléus,K.G. The longitudinal pressure gradient in discharge tubes, 8=7064

Cairns,R.B. and McCullagh,G.C. Discharge modes using thermionic cathodes, 9=3534

Caisso,J. and Jacquesson,R. On the disarrangement and the cold recovery of aluminium crystals under low stresses, 5=9171

Çaizergues,R. See Bertrandy,R., 5=2464

Čajko,J. See Zajdel,A.N., 9=11617

Calabretta,P.T. See Bolton,J.A., 5=8271

Calaora,A. See Gavreau,V., 5=810, 7=4089

Calapaj,G.G. and Squeri,L. The cleaning of aperture and object diaphragms for the electron microscope, 9=1524

Calas,R. See also Castinel,C., 7=6382

Calas,R., Duffaut,N., Joussot-Dubien,J. and Pacault,A. Preparation and magnetic properties of some organo-silicon

derivatives, 7=6679

Calas,R., Hoarau,J., Lalande,R. and Pacault,A. Magnetochemical study of anthracenic photopolymers, 6=773

Calawa,A.R. See Lockwood,J.A., 6=6759

Calcamuggio,G.L. See Haller,W.K., 6=944

Calcaterra,P. See Freudenstein,F., 5=9351

Calcote,H.F. See King,I.R., 6=1331, 6=1687

Caldecourt,V.J. and Adler,S.E. A mass indicator using a vibrating coil magnetometer, 5=1978

Calderwood,G.F.N. See Bielak,E.B., 5=1582

Caldin,E.F. and Trowse,F.W. A semi-automatic apparatus for the photometric measurement of the rates of fast reactions, 5=5022

Caldirola,P. On the radiation of the electron in classical electrodynamics, 5=2898. On the equation of the positron in classical electrodynamics, 5=3894. On the introduction of a fundamental interval of time in the theory of the electron, 5=6098. A new model of classical electron, 7=7841

Caldirola,P. and Duimio,F. Introduction of a fundamental length in the classical theory of the electron, 5=732

Caldirola,P. and Rossi,G. Isotopic effects in the adsorption of gas on a solid, 7=8923. The influence of adsorption and of surface migration on the isotopic separation in a gas diffusing through a porous partition, 8=361

Caldwell,C.S. and Babb,A.L. Diffusion in ideal binary liquid mixtures, 6=7194

Caldwell,C.S., Hall,J.R. and Babb,A.L. Mach–Zehnder interferometer for diffusion measurements in volatile liquid systems, 8=2256

Caldwell,D.O. Masses of the new particles and the range-energy relation, 5=9132. Range-energy relation and masses of the new particles, 6=693. See also Baldwin,D.E., 9=4872; Boldt,E., 8=8995, 9=550, 9=2590, 9=2653; Bridge,H.S., 6=5831; Burrowes,H.C., 9=6027, 9=6043; Royden,H.N., 6=7390

Caldwell,D.O. and Richardson,J.R. Elastic scattering of 20.6-MeV protons by deuterons, 5=4737

Caldwell,O. and Pal,Y. Photometric ionization measurements in a multiplate cloud chamber, 6=8838

Caldwell,R.L. Using nuclear methods in oil-well logging, 9=6102

Caldwell,R.S. and Fan,H.Y. Optical properties of tellurium and selenium, 9=9636

Caldwell,W.C. See Johnson,R.G., 7=2121

Calhoun,B.A. Digest of the literature on dielectrics. Volume XIX–1955. Ferromagnetic materials, 7=9153. See also Abrahams,S.C., 5=5750; Smith,W.V., 9=7177

Calhoun,B.A., Overmeyer,J. and Smith,W.V. Ferrimagnetic resonance in gadolinium iron garnet, 8=230, 8=8871

Califano,S. and Czerny,M. Absorption changes of NaCl and KBr in the short-wave infrared, 8=7828

Califano,S., Moccia,R., Scarpati,R. and Speroni,G. Infrared spectra of some nitriloxides, 7=9085

Calinicenco,N. See Vasiliu,G., 8=461

Calker,J. van. See van Calker,J.

Calkins,V.P. Radiation effects on reactor materials: Nonmetals, 5=601

Call,R.L. See Keuffel,J.W., 8=8252, 9=1666

Callaby,D.R. See Lee,E.W., 8=8141, 8=8931, 9=9775

Callaghan,L. See Charlesby,A., 9=8869

Callahan,F.P., Jr. Planetary orbit chart, 9=7749

Callaway,J. Mach's principle and unified field theory, 5=707. Orthogonalized plane wave method, 5=3912. Electronic energy bands in iron, 5=8951. Relativistic corrections to the cohesive energies of the alkali metals, 6=5265. Electronic energy bands in potassium, 6=8888. Energy bands in gallium arsenide, 7=6375. Contribution of core polarization to the cohesive energies of the alkali metals, 7=7250. Klein–Gordon and Dirac equations in general relativity, 9=1028. Electron energy bands in sodium, 9=5143. Electron wave functions in metallic cesium, 9=5144. Model for lattice thermal conductivity at low temperatures, 9=5607. Gravitational field of a point charge, 9=12977. d Bands in the body-centered cubic lattice, 9=13785. See also Barcus,L.C., 8=5881; Berman,S., 6=3049; Blount,E., 6=2109; Glasser,M.L., 8=2648

Callaway,J. and Glasser,M.L. Fourier coefficients of crystal potentials, 9=5135

Callaway,J. and Haase,E.L. Electron energy bands in cesium, 8=392

Callaway,J. and Morgan,D.F., Jr. Cohesive energy and wave functions for rubidium, 9=5126

Callaway,J., Woods,R.D. and Sirounian,V. Relativistic effects in the cohesive energies of the alkali metals, 7=9771

Callear,A.B. See also Cvetanović,R.J., 5=8350

Callear,A.B. and Cvetanović,R.J. Isotopic effects and collisional deactivation in the mercury photosensitized decomposition of ethylene, 6=4066

Callear,A.B. and Robb,J.C. A thermal method of investigating fast gas-phase reactions. I. The mercury photo-sensitized decomposition of ethylene, 5=5015. An experimental method of measuring the thermal conductivity of gases, 5=6075

Callen,E. Configuration interaction applied to the hydrogen molecule, 5=2966. Electrostatic potential in crystals, 7=5723

Callen,H.B. Principle of minimum entropy production, 7=3222. Ferromagnetic dynamical response, 8=8862. Path distribution for irreversible processes, 9=1106. A ferromagnetic dynamical equation, 9=8287. See also Ufford,C.W., 8=5415

Callen,H.B., Harrison,S.E. and Kriessman,C.J. Cation distributions in ferrospinels. Theoretical, 6=7528

Callihan,D. Nuclear safety in processing reactor fuel solutions, 6=8967. See also Thomas,J.T., 9=13712

Callinan,T.D. Digest of the literature on dielectrics. Molecular and ionic interactions in dielectrics, 9=5649

Callomon,J.H. An emission spectrum of the diacetylene ion. A study of Schüler's "T" spectrum under high resolution, 7=237. Electronic emission spectra of the carbon disulphide ion, CS_2^+, 8=1601

Callomon,J.H. and Ramsay,D.A. The flash photolysis of diacetylene, 7=3791

Callomon,J.H. and Stoicheff,B.P. High resolution Raman spectroscopy of gases. VIII. Rotational spectra of acetylene, diacetylene, diacetylene-d_2, and dimethylacetylene, 7=7779

Callon,P. L absorption spectra and energy levels of neodymium (60) and samarium (62), 5=4711. A new determination of the K absorption frequencies of caesium (55) and of barium (56), 5=4712. Study of the K emission band of magnesium, 9=11089. Notes on the $L\beta_2$ emission and the L_{111} absorption of molybdenum (42), 9=11170

Calmar,G. See Audubert,R., 7=5168

Calverley,A. A determination of the surface tension of liquid tungsten by the drop-weight method, 8=536. See also Davis,M., 6=4132

Calverley,A., Davis,M. and Lever,R.F. The floating-zone melting of refractory metals by electron bombardment, 7=7527

Calvert,J.M. See also Maslin,E.E , 7=1606

Calvert,J.M., Jaffe,A.A., Litherland,A.E. and Maslin,E.E. Neutron groups from deuteron stripping by ^{23}NA, ^{27}Al and ^{31}P, 6=2405

Calvert,J.M., Jaffe,A.A. and Maslin,E.E. An investigation of the reaction $^{19}F(d,n)^{20}Ne$ using a new fast-neutron spectrometer, 6=2406. Reduced width from stripping reactions, 6=2407. An investigation of the reactions $C(d,n)^{13}N$ and $^{28}Si(d,n)^{29}P$, 7=3656

Calvert,L.D. See Kennedy,S.W., 8=3577

Calvert,R., Cornelius,J.A., Griffiths,V.S. and Stock,D.I. Measurement of the conductivity of concentrated electrolyte solutions using a transformer bridge, 7=820

Calvert,W.J.R. Pre-breakdown current and vacuum breakdown, 6=7443

Calvet,E. See also Brouty,J., 5=260

Calvet,E. and Patin,H. Analogies of thermal diffusion in liquids: impulse method, 7=6935

Calvin,M. Energy reception and transfer in photosynthesis, 9=9113. Free radicals in photosynthetic systems, 9=9114. See also Belford,R.L., 7=8070; Feltham,R.D., 7=8062; Kearns,D., 9=2345; Seely,G.R., 5=9215; Sogo,P.B., 7=8057; Whitney,R.B., 6=761

Camac,M., Halbert,M.L. and Platt,J.B. L-series X-rays from π-mesonic atoms, 5=8806

Camac,M., McGuire,A.D., Platt,J.B. and Schulte,H.J. K-series X-rays from π-mesonic atoms, 5=8805

Camagni,P. Thermal transformations of the F and Z_2 centres in crystals of alkali halides containing divalent positive impurities, 9=5158

Camarena,F. See Foy,R.R., 5=3990

Camargo,M. Castañs. See Castañs Camargo,M., 6=4148

Cambi,E. Possibility of free oscillations in a variable-parameter resonant system, 7=168. Projective formulation of the problems of geometrical optics. I. Theoretical foundations, 9=1237. II. The design of a centred optical system, 9=1238

Cambieri,A. and Pappalardo,R. Backscattering of positrons from Na^{22}, 8=2467

Cameo,M. Line width in the vibration–rotation spectra of HCl and CH_4. Variation with pressure, 9=4446

Caméo-Bosco,M. Infrared reflection spectra and calculation of

the refractive index of organic compounds, 9=10745

Camerini,U. See Baldo-Ceolin,M., 9=3794

Cameron,A.E. A compact high-vacuum valve, 5=1590. Electron-bombardment ion source for mass spectrometry of solids, 5=1926. Variation in the natural abundance of the lithium isotopes, 5=7310

Cameron,A.E., Herr,W., Herzog,W. and Lundén,A. Isotopic enrichment of bromine by electrolytic transport in molten lead bromide, 6=6096

Cameron,A.E. and Lippert,E.L.,Jr. Isotopic composition of bromine in nature, 5=4883

Cameron,A.G.W. Origin of anomalous abundances of the elements in giant stars, 5=5205. Nuclear radiation widths, 7=8100. A revised semiempirical atomic mass formula, 7=9814. Semiempirical correlation of fission yield and kinetic energy distributions, 8=9064. Nuclear level spacings, 9=584. A revised table of abundances of the elements, 9=6442. Multiple neutron capture in the Mike fusion explosion, 9=8513. Spin dependence of nuclear level spacings, 9=10027. Photobeta reactions in stellar interiors, 9=13677. Carbon thermonuclear reactions and the formation of heavy elements, 9=13711. See also Katz,L., 5=8251

Cameron,A.J.W. See Birks,J.B., 6=8697, 8=4888

Cameron,J.F. See Putman,J.L., 5=9450

Cameron,J.R. See Weinman,J.A., 6=5163

Cameron,S.H. Measurement of correlation coefficients, 7=5792

Camia,F. Fundamental equations for the ballistic curves of heat (and of diffusion) in a finite homogeneous wall, 7=7044. Propagation of a thermal shock in a homogeneous finite wall: passage of the maximum, 7=9127. Property of the derivatives at the origin of ballistic curves of heat (and of diffusion), 7=9128. Ballistic curves of heat (and of diffusion) in a hollow or solid sphere and for the case of radial flux. Fundamental equations, 7=9129

Camm,J. See Keck,J., 8=6814

Camm,J.C. See Keck,J.C., 9=9405

Camp,M. See Sanders,E., 5=6785

Camp,P. See Brill,R., 7=6147

Campá,J. Pahissa. See Pahissa Campá,J.

Campanile,V.A. See also Wagner,C.D., 9=12341

Campanile,V.A. and Wagner,C.D. Method for checking energy of accelerated electrons, 9=12370

Campbell,A.W. See also Holland,T.E., 8=547; Malin,M.E., 7=4827

Campbell,A.W., Holland,T.E., Malin,M.E. and Cotter,T.P.,Jr. Detonation phenomena in homogeneous explosives, 7=816

Campbell,A.W., Malin,M.E., Boyd,T.J.,Jr. and Hull,J.A. Precision measurement of detonation velocities in liquid and solid explosives, 6=8051

Campbell,A.W., Malin,M.E. and Holland,T.E. Temperature effects in the liquid explosive nitromethane, 6=9008

Campbell,C.E. and Johnson,I. Flash spectroscopy of radicals in the shock tube, 7=9609

Campbell,C.J., McEachern,L.J. and Marg,E. Aircraft flight by an optical periscope, 7=2103

Campbell,D.A. See Barton,J.C., 7=8442

Campbell,D.S. Observations on etched crystals of barium titanate, 6=4077

Campbell,D.S. and Stirland,D.J. A modified replica technique and its application to the examination of etched single crystals of barium titanate, 6=2473

Campbell,E.C. See also Stelson,P.H., 5=4077, 7=7396

Campbell,E.C. and Nelson,F. Metastable state of Ge^{73}, 8=2537

Campbell,E.W. See Rushton,W.A.H., 5=4249

Campbell,F.W. and Robson,J.G. Moving visual images produced by regular stationary patterns, 8=4604. High-speed infrared optometer, 9=4169

Campbell,F.W. and Westheimer,G. Factors influencing accommodation responses of the human eye, 9=7704

Campbell,F.W., Westheimer,G. and Robson,J.G. Significance of fluctuations of accommodation, 9=1972

Campbell,G. Some new electrical and magnetic ceramics, 7=9155

Campbell,I.D. Gaseous oscillations within a perturbed spherical resonator, 5=6815. The transmission of a plane wave between parallel plates, 6=7216

Campbell,I.J. and Pitcher,A.S. Shock waves in a liquid containing gas bubbles, 8=549

Campbell,J.D. See also Maiden,C.J., 9=1908

Campbell,J.D., Duby,J. and Puttick,K.E. Metallography of a medium carbon steel subjected to slow and impact compression, 7=5683

Campbell,J.G. Photodisintegration of ^{16}O and ^{63}Cu by photons of variable energy, 6=5389. Composition of the $Li^7(p, \gamma)$ radiation below the 441 keV resonance, 6=7653

Campbell,J.J. See Cathcart,J.V., 9=867

Campbell,J.T. and Shalgosky,H.I. X-ray spectrographic determination of strontium, 9=8982

Campbell,L.L. Standard deviation of dead time correction in counters, 6=8836. See also Vogan,E.L. 8=1454

Campbell,N.P. and Pless,I.A. Optical system to simplify analysis of bubble chamber photographs, 7=2355

Campbell,R.A. See Gold,L., 6=8769

Campbell,R.B. Determination of the orientation of crystals in elongated particles 7=6750

Campbell,R.G. Initial wave phenomena in a weak spherical blast, 8=8645

Campe,W.K. See Richards,E.A., 6=6846

Campion,P.J. A cloud chamber study of some aspects of the Geiger discharge, 5=1937. The standardization of radioisotopes by the beta-gamma coincidence method using high efficiency detectors, 9=3844. See also Bartholomew,G.A., 8=5324, 9=8635. Knowles,J.W., 9=10132. Merritt,W.F., 7=3588, 9=8527

Campion,P.J. and Bartholomew,G.A. Neutron capture gamma rays from fluorine, magnesium, gallium, bromine, and hafnium, 8=5325

Campion,P.J. and Davies,W.T. The detection of electron pairs in a cloud chamber with internal counters, 5=352. The resolving time of an internal counter controlled Wilson chamber, 5=353

Campion,P.J., Knowles,J.W., Manning,G. and Bartholomew,G.A. Gamma radiation from the $U^{238}(n,\gamma)U^{239}$ reaction, 9=8634

Campion,P.J. and Merritt,J.S. The half-life of Na^{24}, 8=8286

Campo,A.R.Del See Del Campo,A.R.

Campos,F.P. See Sidhu,S.S., 6=8984

Campos,M. See Sugarman,N., 6=3203

Camps,F. and Lepropre,M. Influence of the distortion of an objective in aero-triangulation and aero-survey 9=4244

Canac,F. Visual display of ultrasonic waves and applications, 5=5288*. Visual display of sonic and ultrasonic waves, 7=1128

Canac,F. and Bladier,B. On the harmful effects of noise, as revealed by the [electric] potentials originating in the bi-occipital region [of the brain], 5=1648

Canac,F. and Merle,M. Relation, for high velocity air jets, between the shape, dimensions of the orifice and the nature of the acoustic radiation, 9=11951

Canals-Frau,D. Analysis of the optical behaviour of Lippmann-type filters, 9=5554

Canals-Frau,D. and Rousseau,M. The effect of partially coherent light on the formation of images of certain opaque, extended objects, 9=5485

Canarutto,C. A method for determining the magnetic median surface in the interference of a magnet with a constant magnetic field, 8=4122

Canavan,F.L. See Rasmussen,J.O., 7=8103

Canaway,R.J. See Raymond,W.F., 8=3049

Candela,G.A. See also Hutchison,C.A.Jr, 8=1279

Candela,G.A., Hutchison,C.A.,Jr and Lewis,W.B. Magnetic susceptibilities of uranium (IV) and plutonium (IV) ions in cubic fields, 9=5871

Candidus,E.S. and Tuomi,D. Germanium-oxygen system, 5=5359

Candlin,D.J. On the identification of X-ray satellites, 5=4707 On sums over trajectories for systems with Fermi statistics, 7=78. Time reversal and the decay of the μ-meson, 8=5217. The supplementary condition in quantum electrodynamics, 9=6514

Candlin,R. Thermal changes in the structure of sodium sesquicarbonate, 7=904

Cane,V. See also Gregory,R.L., 6=4129

Cane,V. and Gregory,R.L. Noise and the visual threshold, 8=1394

Cane,V.R. See Gregory,R.L., 8=5565

Canina,V.G. Diffusion of oxygen in the oxide of vitreous germanium, 9=10286. Optical absorption and energy levels in the oxide of vitreous germanium, 9=10796

Cannon,C.G. Infrared frequency shifts and amide group interactions, 6=3905

Cannon,P. Control device for an automatic high-pressure sorption balance, 9=5232

Cannon,W.W. and Testerman,M.K. Accurate mathematical treatment of the analyzer of the r.f. mass spectrometer tube, 7=1388

Cano,R. See Bassi,P., 9=6568

Cano Ruiz,J. See Aragón,F., 9=7472

Canobbio,E. and Croci,R. On the integration of the equations of magnetohydrostatics for configurations with axial symmetry, 9=9853. On the integration of the linearized equations of magnetohydrostatics, 9=9854

Cantone,B., Pappalardo,G. and Ricamo,R. Air radioactivity in Catania, 9=10434

Cantow,H.-J. The evaluation of light scattering measurements, 5=232. See also Schulz,G.V. 7=1960

Cantwell,M. Molecular excitation in beta decay, 6=3958

Canty,B.F. and Franklin,A.D. Resolution of doublet lines in spectra by a Fourier series technique, 8=5763

Cap,F. Derivation of the value of the coupling constant g from the rest energy of the nucleon, 5=9428. On the causal interpretation of quantum theories, 7=73. Is a causal interpretation of quantum theory possible? 7=9012. Fermat's principle in nonhomogeneous absorbing media, 7=9280

Cap,F. and Gröbner,W. New method for the solution of the deuteron problem, and its application to a regular potential, 5=6763

Cap,F. and Röver,W. Light paths in inhomogeneous, absorbing, isotropic media, 5=821

Caplan,D.I. See Belinfante,F.J., 8=1494

Caplan,H.S. See Williams,W.S.C., 7=9714

Caplan,P.J. See Theissing,H.H., 6=6268, 7=1013, 9=2528

Caporiacco,G.Di See Di Caporiacco,G.

Cappellani,F., Farinelli,U., Ferrero,F. and Malvano,R. On the first excited levels of ^{190}Os(11^d), 9=3878

Cappeller,U., Ganssauge,E. and Ullrich,W. Observations of directional correlation in Ag^{110m}(270d), 9=4985

Cappeller,U. and Klingelhöfer,R. On a y-y angular correlation in the disintegration of 99_{Mo} and the level scheme of 99_{Tc}, 5=2130. On a γ-γ angular correlation in the decay of 42_K, 5=4033. The angular correlations of the 199 keV-110 keV and 178 keV-131 keV γ-γ cascades in the γ-spectrum of Tm^{169}, 8=322. On the measurement of angular correlations in the γ-spectrum of Tm^{169}, 8=9038

Capps,R.H. Consequences of gauge invariance for electromagnetic transitions. II, 5=9416. Photon scattering from protons and deuterons, 7=7349. Optical model for production of Σ particles in nuclei by negative K mesons, 7=8186. Form of scattering amplitude for two systems of arbitrary spins, 8=2151. Photon scattering from protons and deuterons, 8=8199. Photoproduction of K mesons and K-hyperon parities, 9=9995. Behavior of intense relativistic electron beams, 9=11116. Many-channel unitarity condition, 9=11343. Parities of K-hyperon pairs, 9=13574

Capps,R.H. and Holladay,W.G. Electromagnetic properties of the nucleon in a finite source theory, 5=9417

Capps,R.H. and Sachs,R.G. Scattering of gamma rays by nucleons, 5=2153

Capps,R.H. and Takeda,G. Dispersion relations for finite momentum-transfer pion-nucleon scattering, 7=106

Caprioli,G. See Fortini,T., 7=3919

Caprioli,L. On the calculation of the collision frequency in the ionosphere, 5=6321

Capron,P.C. See also Apers,D.J., 9=4861

Capron,P.C. and Crèvecœur,E.H. Nuclear isomerism in Se^{81}. Analysis of the ratios of the effective capture cross-sections as a function of the energy of the incident neutron, 5=6468

Capron,P.C. and Gilly,L.J. On the existence of a difference in the retentions of the isomeric nuclei of Br^{80}_{35} after neutron capture, 6=668

Capron,P.C. and Vander Stricht,A. Study of nuclear isomers of In^{116} formed by radiative capture of slow neutrons, 9=4982. Determination of the percentage of isomeric transition by an absorption method, 9=12634

Capua,E.Di. See Di Capua,E.

Caputo,M. A procedure for the calibration of gravimeters, 8=8539

Caracciolo,A., Cecchini,G., Gerace,G.B., Falleni,M. and Sabbadini,A. Memories and input—output of the final version of the C.S.C.E. computer, 9=7724

Caracciolo,A. and Guerri,L. The mathematical characteristics of the final version of the C.S.C.E. Pisa computer, 9=7723

Carasso,J.I. and Pittman,R.W. Thermo-electric observations on grey selenium, 9=1493

Carasso,J.I. and Stelzer,I. The surface chemistry of germanium. I. Chemical effects of p-n junctions, 8=3108

Carazzolo,G. and Mammi,M. Analytical determination of transmission factors of single crystals. I. Single crystals of uniform square or rectangular cross-section and high absorbing power, 8=7605

Carbenay,F. Recording of the mean square value of atmospheric noise, 9=12917

Carbone,R.J. See also Everhart,E., 5=6232, 5=8845

Carbone,R.J., Fuls,E.N. and Everhart,E. Charge analysis and differential cross-section measurements for large-angle argon ion-argon atom collisions with energies between 25 and 138 keV, 6=5986

Cardona,M. and Paul,W. A quadratic photoelectromagnetic effect in germanium, 9=3466

Cardona,M., Paul,W. and Brooks,H. Dielectric constant of germanium and silicon as a function of volume, 9=6883

Cardona Castro,M. A new photomagnetoelectric effect in germanium, 9=1474

Careri,G. Recent problems of molecular physics, 5=1079 Atom movements in simple liquids by tracer technique, 9=3199. See also Boato,G. 6=4711

Careri,G., Modena,I. and Santini,M. Spin-lattice relaxation time in liquid ^{3}He, 9=10924

Careri,G. and Paoletti,A. A direct interchange mechanism in liquid tin and indium self diffusion, 5=4413. Self-diffusion in liquid metals, 5=7744. Self-diffusion in liquid indium and tin, 5=9472

Careri,G., Paoletti,A. and Vicentini,M. Further experiments on liquid indium and tin self-diffusion, 9=3206

Careri,G., Reuss,J. and Beenakker,J.M. The diffusion coefficient in dilute H_2—D_2 and ^{3}He—^{4}He liquid mixtures, 9=10923

Careri,G., Scaramuzzi,F. and Thomson,J.O. Heat flush and mobility of electric charges in liquid helium. I. Non turbulent flow, 9=10929

Caretto,A.A. See also Wolfgang,R., 6=7677

Caretto,A.A. and Friedlander,G. (p,pn) and (p,2p) reactions of Ce^{142} at proton energies from 0·4 to 3·0 BeV, 8=5355

Caretto,A.A., Hudis,J. and Friedlander,G. Production of F^{18} and Na^{24} in irradiations of various targets with protons between 1 and 6 BeV, 8=9047

Caretto,A.A.,Jr. See also Nethaway,D.R., 8=9025

Caretto,A.A.,Jr. and Wiig,E.C. Spallation of yttrium by 240-MeV protons, 6=6898

Carey,J. See Allan,D.L., 5=9903

Carfagno,S.P. See Wachtell,G.P., 9=13080

Carhart,R. See Jerger,J.F., 6=6486

Carini,G. Concerning the electric and magnetic homology associated with plane waves in moving bodies, 5=6313. On stationary solutions of the hydromagnetic equations, 7=8026. On the equations of magnetohydrodynamics, 8=4161. Observations on cylindrical waves in magnetohydrodynamics, 8=7201. On a rigorous solution of Minkowski's equations for conductors in motion and its physical interpretation, 9=486. On the equation of the electromagnetic momentum in the electrodynamics of moving bodies, 9=1593. The energy theorem in magnetohydrodynamics for viscous compressible fluids, 9=8391

Cario,G. and Kallweit,J.H. The growth of thin films, 5=4120

Cario,G. and Stille,U. On the occurrence of the sodium D lines in night sky light and in the aurora, 5=4236

Carjuzaa,C.R. See Español,C.E., 9=3215

Carlbom,L., Skjöldebrand,R. and Nielson,N. Enrichment of heavy water by a biological method, 6=7637

Carleton,N.P. Electrostatic lens, 7=3351. Excitation of nitrogen by protons of a few KeV energy, 7=7729. See also Bills,D.G., 8=3549

Carleton,N.P. and Lawrence,T.R. Absolute cross sections for excitation of nitrogen by protons of a few keV energy, 9=762

Carleton,N.P. and Oldenberg,O. Low-pressure discharges emitting light of minimum noise, 8=5757

Carleton,R.J.,Jr. See Sancetta,S.M., 7=4919

Carlevaro,E. Researches on the interaction and self-demodulation of electromagnetic waves, 5=6645. Proposals for the study of ionospheric interaction by means of an analogue computer, 6=1410. Some remarks on the theory of self-demodulation, 8=247

Carley,J.F. Flow of melts in "crosshead"-slit dies; criteria for die design, 5=98

Carlin,B. Ultrasonic fog produced in molten metals, 8=3766

Carlisle,R.W. Method of improving acoustic transmission in folded horns, 9=10718. See also Levy,S.E., 9=11968

Carlisle,R.W. and Schwartz,A. Evaluation of a stereophonic loudspeaker by multiple microphone arrays, 9=13123

Carlsen,T. Reproducibility of the weight of a glass container, 6=3515*

Carlson,B.C. and Keller,J.M. Orthogonalization procedures and the localization of Wannier functions, 7=3893

Carlson,B.C. and Talmi,I. Pairing effects in Coulomb energies and the radii of mirror nuclei, 5=447
Carlson,E. and Dieke,G.H. Fluorescence spectrum and low levels of $NdCl_3$, 8=7839
Carlson,E.H. and Spence,R.D. Paramagnetic resonance in $Cu(NH_3)_4SO_4.H_2O$, 6=3830
Carlson,O.N. See Armstrong,P.E., 9=6321
Carlson,R.D. See Flotow,H.E., 9=3179
Carlson,R.O. Electrical properties of near-degenerate boron-doped silicon, 6=352. Properties of silicon doped with manganese, 7=2235. Gold on silicon surfaces, 8=6994. Double-acceptor behavior of zinc in silicon, 8=6996. Electrical properties of mercury telluride, 9=1461. See also Collins,C.B., 7=4348, 8=7955. Ludwig,G.W., 9=570, 9=7186
Carlson,R.O., Hall,R.N. and Pell,E.M. Sulfur in silicon, 9=6979
Carlson,R.R. Cross-sections for pickup reactions of 14-MeV neutrons with N^{14}, 7=9889. See also Bashkin,S., 5=4037, 5=8212, 7=6511, 8=8705, 9=11467-8
Carlson,R.R. and Nelson,E.B. Gamma rays from the low-energy proton bombardment of beryllium, 5=7332
Carlson,T.A. and Koski,W.S. Oxidation states of phosphorus-32 produced by neutron irradiation of potassium chloride, 5=10037. Reactions of Br^{80} (18 min) produced by isomeric transition of Br^{80m} (4·58 hr) with benzene and methylated benzenes, 6=3334
Carlson-Lee,D. See also Beneventano,M., 6=7724
Carlson-Lee,D., Franzinetti,C. and Tau,L. On several technical problems connected with the use of nuclear emulsions in experiments with artificial sources of radiation, 7=1836
Carlson-Lee,D., Stoppini,G. and Tau,L. Cross-sections near threshold for charged photopions from deuterium, 5=8249
Carlstrom,D. See Wyckoff,H.W., 8=6511
Carman,E.H. Technical properties of iron powder magnets, 6=3012
Carman,J.N.,Jr. See Sangster,R.C., 5=3676, 5=6795
Carman,P.D. Control and interferometric measurement of plate flatness, 6=1131
Carman,P.D. and Brown,H. Brightness of fine detail in ground photography, 9=7716
Carman,P.D. and Howlett,L.E. Performance testing of photographic lenses, 5=235
Carman,R.A. Kundt tube dust striations, 6=160
Carmichael,B.M. See Miller,D.W., 6=2394
Carmichael,C.M. and Misener,A.D. On maintaining an object at a uniform temperature, 9=10931
Carmichael,H. Energy spectrum of the soft component near sea level, 7=9751. See also Goodby,E.A., 5=5619, 5=5757. Steljes,J.F., 9=3619.
Carmichael,H. and Steljes,J.F. Cosmic-ray ionization bursts in an unshielded 8-inch pressurized sphere at sea level, 5=9744. V Cosmic-ray bursts under lead at sea level, 7=4515
Carmichael,J.H. See also Varnerin,L.J., 8=8624. Varnerin,L.J.,Jr., 5=7752
Carmichael,J.H. and Trendelenburg,E.A. Ion induced reemission of noble gases from a nickel surface, 9=4728. Use of ultra-high vacuum valves for gas handling, 9=10486
Carminatti,H. See also Fränz,I. 5=4863
Carminatti,H., Fraenz,I., Radicella,R. and Rodriguez,J. The half-life of Sn^{127}, 6=7647
Carnevale,E.H. See also Litovitz,T.A., 5=5282, 5=7783, 7=5136, 8=2197
Carnevale,E.H. and Litovitz,T.A. Pressure dependence of sound propagation in the primary alcohols, 5=6824. Pressure dependence of ultrasonic velocity in sea water, 5=8561. Effect of pressure on ultrasonic relaxation in electrolytes, 9=1184
Carniglia,S.C. and Cunningham,B.B. The vapour pressure of americium metal, 5=5862. Twin Knudsen effusion apparatus for small samples of radioactive materials, 5=6079
Carnt,P.S. and Townsend,G.B. Subjective visual effects of A.N.T.S.C colour television receiver tolerances, 9=6411
Caro,D.E., Martin,L.H. and Rouse,J.L. A variable energy cyclotron, 6=416
Carome,E.F. See also Schuele,D.E., 7=9577
Carome,E.F., Gutowski,F.A. and Schuele,D.E. Basic concepts of ultrasonic interferometry in liquids, 8=3827
Carpenter,D.K. and Krigbaum,W.R. On the question of the correct values for Rayleigh's ratio, 6=4350. Theory of dilute high-polymer solutions, 8=6710
Carpenter,D.R. See Hawkins,N.J., 5=9798, 6=1982. Mattraw,H.C. 5=6918
Carpenter,G.B. See Shallcross,F.V., 7=5743
Carpenter,L.G. and Mair,W.N. An apparatus for investigating the low-pressure oxidation kinetics of hot metals, 7=4831
Carpenter,L.H. On the motion of two cylinders in an ideal fluid, 9=5402
Carpenter,M.S. See Kerr,F.J., 8=18*
Carpenter,R.T. See Kennett,T.J., 8=8305
Carpenter,S.G. and Wilson,R. p-n asymmetries at 143 MeV, 9=6109. Search for resonance structure of neutron cross sections at 100 MeV, 9=8628
Carpenter,V. and Hopkins,R.E. Comparison of three photoelectric methods of image evaluation, 6=7258
Carpinteiro,J.M.,Cayolla See Cayolla Carpinteiro,J.M.
Carr,D.F. Some experiments on image quality in photographic lenses, 9=1245
Carr,D.R. and Kulp,J.L. Use of A^{37} to determine argon behavior in vacuum systems, 5=5270
Carr,E.F. Microwave dielectric measurements in liquid crystals, 7=5921. Microwave dielectric measurements in the liquid crystal ethyl p-azoxybenzoate, 9=6880
Carr,H.Y. Steady-state free precession in nuclear magnetic resonance, 9=5928. See also Simpson,J.H., 9=3207
Carr,R.E. See Lorell,J., 6=7780
Carr,R.J. See Glass,R.A., 7=2624
Carr,T.D. Radio frequency emission from the planet Jupiter, 9=7733. See also Barrow,C.H. 7=9498, 8=2734. Smith,A.G., 9=6446, 9=12949
Carr,T.D., Smith,A.G., Pepple,R. and Barrow,C.H. 18-megacycle observations of Jupiter in 1957, 8=2095
Carr,W.J.,Jr. Use of a general virial theorem with perturbation theory, 7=5885*. Theory of ferromagnetic anisotropy, 8=1765. Temperature dependence of ferromagnetic anisotropy, 8=2393. Temperature dependence of ferromagnetic anisotropy, 8=8873
Carrà,S. See Favini,G., 8=2958. Simonetta,M., 7=4148, 9=2872
Carrano,M.J. See Tobin,M.C., 7=2040
Carrara,N. Molecular spectroscopy of oxygen by means of microwaves. The shape of the absorption lines, 7=9087
Carrara,N., Checcacci,P.F. and Ronchi,L. Determination of the orbit of an artificial satellite, 9=3077
Carrara,N., Fazzini,T., Ronchi,L. and Toraldo di Francia,G. On the angular momentum of the electromagnetic field, 5=7691
Carraso,R.,Jr. Reactor for HD.I. Thermodynamic properties of the reaction H_2 and $D_2 \leftrightarrows 2HD$, 7=813
Carrassi,M. The spin kinematics for a charged particle in a uniform magnetic field, 7=7953. The influence of the anomalous magnetic moment of the spin kinematics of electrons in a uniform magnetic field, 8=1724
Carreira,M. Analysis of loss of impulses in Geiger-Müller counters. I. New method for the determination of resolving power, 5=1936
Carrelli,A. On the cosmological constant, 5=4340. On the mass of elementary particles, 9=7269
Carrelli,A. and Cennamo,F. The viscosity of volume. III. 5=3478. Measurement of the wind produced in liquids by an excited piezoelectric quartz, 9=3237
Carrelli,A., Cozza,G. and Gaeta,F. The Debye effect in electrolytic and colloidal solutions in high frequency acoustic fields, 9=7578
Carrelli,A. and De Vito,A. Dynamic determination of viscosity, 7=1942
Carrelli,A. and Gaeta,F.S. Duration of the diffraction grating in relation to the state of the powders in suspension, 6=2756 A new method for the determination of the acoustic absorption coefficient in liquids, 7=8486
Carrelli,A. and Grossetti,E. On thermoelastic waves in liquids, 6=7180
Carrelli,A. and Marinaro,M. On the mechanical moment of rotation of mixtures of liquids in rotating electric fields, 9=4336
Carrelli,A. and Porreca,F. Ultrasonic grating remaining after stopping the supersonic waves V, 5=5291. Information on a 2·5 MeV microtron, 8=635
Carrelli,A. and Ragozzino,E. Dynamic determination of viscosity, 8=4778. On the viscosity of fluids, 9=11879
Carrera,M. Pujal. See Pujal Carrera,M.
Carreri,C. See Checcacci,P.F., 8=5595, 9=1014
Carrier,G.F. Sound transmission from a tube with flow, 7=1138
Carrière,Z. Exploration, by means of whip, of the two faces of a sound wall, 6=3567. Small room excited by an organ pipe. Coupling and beats, 8=8666

Carrington,A. and Hines,T. Effect of environment on the fluorine magnetic resonance in solutions of potassium fluoride, 8=8390
Carrington,T. Electronic quenching of OH($^2\Sigma^+$) in flames and its significance in the interpretation of rotational relaxation, 9=7944. See also Broida,H.P., 6=1102
Carrington,T. and Broida,H.P. Wall effects on rotational population of OH$^2\Sigma^+$ in a microwave discharge, 9=5505
Carroll,B.H. See West,W., 5=675
Carroll,C.W. Systematic approach to the calculation of thermodynamic transforms, 9=6856
Carroll,P.E. Photoelectric work function from analysis of emission in an accelerating field, 7=2246
Carroll,P.K. The spectrum of CN in the vacuum ultra-violet, 6=1966. Predissociation in the Schumann-Runge bands of oxygen, 9=7420. The C—X system of N$_2^+$, 9=9407. A new transition in molecular nitrogen, 9=12008
Carroll,P.K. and Daly,P.J. Bands assigned to ZrF, 7=7728
Carruthers,J.A., (Conf. rep.). Conduction measurements at low temperatures, 8=8719
Carruthers,J.A., Geballe,T.H., Rosenberg,H.M. and Ziman,J.M. The thermal conductivity of germanium and silicon between 2 and 300°K, 7=5264
Carruthers,P. Scattering of phonons by elastic strain fields and the thermal resistance of dislocations, 9=10231. Electrical and thermal resistivity of dislocations, 9=12770
Carruthers,R. Skin effect in gas discharges, 7=3326. See also Butt,E.P., 9=5084. Thonemann,P.C., 8=773
Carruthers,R. and Davenport,P.A. Observations of the instability of constricted gaseous discharges, 7=3329
Carson,A.S., Stranks,D.R. and Wilmshurst,B.R. The measurement of very low vapour pressures using radioactive isotopes. The latent heat of sublimation of mercury diphenyl, 8=3938
Carson,H.L. Symposium on principles of penetrant methods, 8=4609
Carson,J.A. See Dimeff,J., 5=9453
Carson,T.R. See also Bates,D.R., 6=3890, 6=5281
Carson,T.R. and Dalgarno,A. Approximate molecular orbitals. III. The 2sσ_g and 3dσ_g states of H$_2^+$, 5=8142
Carstens/Hilbig,C. On the cosmological time scale, 9=4199
Carstensen,E.L. Relaxation processes in aqueous solutions of MnSO$_4$ and CoSO$_4$, 5=128. Measurement of dispersion of velocity of sound in liquids, 5=130
Carstensen,E.L. and Schwan,H.P. Absorption of sound arising from the presence of intact cells in blood, 9=4390. Acoustic properties of hemoglobin solutions, 9=6644
Carstoiu,J. On the fundamental equations of magnetohydrodynamics and some of their applications, 9=2518. On force-free magnetic fields, 9=8374
Carswell,D.J. See also Bree,A., 5=8774
Carswell,D.J. and Lyons,L.E. Photo- and semi-conductance of organic crystals. II. Spectral dependence, quantum efficiency, and a relation between semi- and photo-effects in anthracene, 5=8775
Carte,A.E. A standard optical pyrometer, 5=1781. Thermal constants of pyrophyllite and their change on heating, 5=8685. The freezing of water droplets, 7=1225. Probability of freezing, 9=9553. See also Mossop,S.C., 7=5769, 8=8554
Carter,A.E., Miles,P.A. and Welch,A.J.E. Structural and magnetic properties of solid solutions of lithium ferrite with cadmium ferrite and with lithium aluminate, 7=5463
Carter,A.W.L. The angular size of the variable radio source hydra-A, 6=5624
Carter,C. Molecular orbital wave functions for methane and silane, 6=4567. A theoretical study of pentavalent phosphorus, 7=2508. See also Buckingham,R.A., 7=5534
Carter,C., March,N.H. and Vincent,D. X-ray and electron scattering by molecular hydrogen, 8=1085
Carter,D.E. and Givens,M.P. Soft X-ray absorption of thin films of iron and iron oxide, 6=2915
Carter,D.S. See Reines,F. 5=2225
Carter,G. Dual pumping speeds of some ionization pumps, 9=10686
Carter,R. See Hammond,V.J., 9=1186
Carter,R.E., Reines,F., Wagner,J.J. and Wyman,M.E. Free antineutrino absorption cross section. II. Expected cross section from measurements of fission fragment electron spectrum, 9=4891
Carter,R.S. and Harvey,J.A. 5=8155
Carter,R.S., Hughes,D.J. and Palevsky,H. Inelastic scattering of low-energy neutrons by lattice vibrations of vanadium, 7=2715. Inelastic scattering of slow neutrons by lattice vibrations in aluminum, 7=8269
Carter,W.E. See Cohn,D.V., 9=5980
Carter,W.S. and Stevens,K.W.H. The magnetic susceptibilities of two polymorphic forms of manganese sulphide, 7=1444
Carterette,E.C. Perstimulatory auditory fatigue for continuous and interrupted noise, 5=2540. Loudness adaptation for bands of noise, 7=197. Message repetition and receiver confirmation of messages in noise, 9=4172. See also Egan,J.P., 5=668, 6=6470
Cartwright,J. The electron microscopy of airborne dusts, 5=1282
Cartz,L. Thermal vibrations of atoms in cubic crystals. I. The temperature variation of thermal diffuse scattering of X-rays by lead single crystals, 6=2540. II. The amplitude of atomic vibrations, 6=2541. Low-angle X-ray observations on glass, 8=1340
Carvalho,A.A. Pires de See Pires de Carvalho,A.A.
Carvalho,A.P.de. See de Carvalho,A.P.
Carvalho,H.G.de. See de Carvalho,H.G.
Carver,J.H., Edge,R.D. and Lokan,K.H. Direct excitation in the photodisintegration of tantalum above the giant resonance, 7=7390
Carver,J.H., Hay,H.J. and Titterton,E.W. Cross sections for the reaction ^{12}C(γ 3α) in the energy range 12-18 MeV, 5=9091
Carver,J.H. and Jones,G.A. Radiative deuteron capture Zn^{64}(d,γ)Ga^{66}, 9=8604
Carver,J.H. and Lokan,K.H. Determination of photonuclear cross sections, 8=6320
Carver,J.H. and Turchinetz,W. Radioactivity of ^{178}Ta, ^{179}Ta and ^{180}Ta, 9=2541. The (γ,2n) and (γ,3n) reactions in ^{181}Ta, 8=2577. Nuclear deformation and the photodisintegration giant resonances, 9=2816. The (γ,n) and (γ,2n) reactions in ^{141}Pr, 9=3918. Competitive processes in the photodisintegration of nickel, 9=6127
Carver,T.R. See also Arditi,M., 8=5425, 9=5532
Carver,T.R. and Slichter,C.P. Experimental verification of the over-hauser nuclear polarization effect, 6=5319
Cassabella,P.A. See also Barnes,R.G., 7=8058
Cassabella,P.A. and Bray,P.J. Quadrupole coupling of solid cyanogen chloride, 8=6385. N^{14} quadrupole interaction with an asymmetric field gradient, 9=1834
Casabella,P.A., Bray,P.J. and Barnes,R.G. Electronic structure of some group III halides from pure quadrupole resonance measurements, 9=8756
Casal,A. Application of infrared in the army, 5=6065
Casal,P. See Blanc-Lapierre,A., 9=6540
Casanova,J. See Catalá,J., 5=6415, 5=9162, 7=3674
Casassa,E.F. Light scattering from very long rod-like particles and an application to polymerized fibrinogen, 5=4566. Approach to the theory of the second virial coefficient in high-polymer solutions, 8=2858. Statistical thermodynamics of polymer solutions. II. Excluded volume effect and second virial coefficient, 9=11903
Casassa,E.F. and Markovitz,H. Statistical thermodynamics of polymer solutions. I. Theory of the second virial coefficient for a homogeneous solute, 8=8621
Casci,C. and Giavotto,V. An experimental and indirect method for determining the high atmosphere's density, 9=9063
Case,K.M. Biquadratic spinor identities, 5=2414. Wave equation for spin 0 in Hamiltonian form, 5=9442. Hamiltonian form of integral spin wave equations, 6=935. Representations of the Duffin-Kemmer algebras, 6=2655. Pais—Piccioni experiment, 7=1640. Dirac particles in arbitrary external electromagnetic fields, 7=5851. Composite particles of zero mass, 7=6881. Reformulation of the Majorana theory of the neutrino, 7=7596. On Wiener—Hopf equations, 8=1410. Transfer problems and the reciprocity principle, 8=4768. Plasma oscillations, 9=11159. See also Mendlowitz, H., 5=1901, 6=2174. Moldauer,P.A., 6=4194
Case,K.M., Karplus,R. and Yang,C.N. Strange particles and the conservation of isotopic spin, 6=1851. Experiments with slow K mesons in deuterium and hydrogen, 6=3250. A reply to a criticism by Mr.A.Gamba, 7=8395
Casella,R.C. Halogen band in sodium chloride, 7=2461. Energy-band structure of a hypothetical carbon metal, 8=803. Symmetry of wurtzite, 9=11547
Casertano,L. Application of Chandrasekhar's theory to atmospheric polarization measurements, 5=9300
Cashion,J.K. and Polanyi,J.C. Infrared chemiluminescence from the gaseous reaction atomic H$^\cdot$ plus Cl$_2$, 8=8498. Infrared chemiluminescence from the gaseous reaction atomic H$^\cdot$ plus O$_2$, 9=6773. Infrared chemiluminescence from the gaseous reaction atomic H$^\cdot$ plus NO; HNO in

emission, 9=6774. Resolved infrared emission spectrum of the reaction atomic $H^{\cdot}$ plus Cl_2, 9=8949

Cashman,R.J. See Jensen,H.C., 5=1842

Casini,G. and Rossi,G. Criteria for the calculation of the constants of the two-group method, 9=11495

Caspari,M.E. Directional breakdown in alkali halide crystals, 5=7090. See also Rau,R.R., 6=3866

Cass,R.S. See Blackwell,J.H., 5=8439

Cass,W.G. Theory of adhesion, 6=746

Cassabella,P.A. See also Casabella,P.A.

Cassabella,P.A., Bray,P.J., Segel,S.L. and Barnes,R.G. Pure quadrupole resonances in multibromo-benzenes, 7=6399

Cassatt,W.A.,Jr and Meinke,W.W. Decay scheme of Y^{92}, 5=8194. Decay scheme of In^{107}, 6=1525

Cassedy,E.S. See Minkowski,J.M., 6=7554

Cassels,J.M. Proton—proton scattering at 147 MeV, 7=473. See also Burkhardt,G.H., 8=6165

Cassels,J.M., Fidecaro,G., Wetherell,A.M. and Wormald,J.R. The capture of stopped negative pions by hydrogen, 7=7431

Cassels,J.M., O'Keeffe,T.W., Rigby,M., Wetherell,A.M. and Wormald,J.R. Experiments with a polarized muon beam, 7=9906

Cassels,J.M., O'Keeffe,T.W., Rigby,M. and Wormald,J.R. Energy dependence of the spatial asymmetry in polarized muon decay, 9=1669

Cassels,J.M., Rigby,M., Wetherell,A.M. and Wormald,J.R. Radiative beta-decay of the pion, 8=279

Cassen,B. See also Dunne,B., 6=4864

Cassen,B., Crough,T. and Gass,H. Semiconductor fast-neutron dosimeter, 5=5661

Cassette,J. See Segard,N., 9=1206, 9=1216, 9=11947, 9=11964

Cassidy,B.F. See Borner,E.F., 7=9493

Cassie,A.B.D. The physics of fibres with special reference to wool, 9=1887

Cassie,A.M. The arc cathode, 8=5030

Cassignol,C. First experiment on double monochromation in electromagnetic separation of isotopes, 7=6479. The possibilities of multiple monochromatization applied to the electromagnetic separation of isotopes, 8=6363. See also Bernas,R., 6=5337

Cassignol,C., Daniel,F., Delmas,G. and Ranc,G. Measurement of angular distribution of scattering with charge exchange of positive ions of argon 40, palladium 108, and uranium 238 of 30 keV energy by argon atoms, 9=3966

Cassignol,C. and Ranc,G. On the non-linear character of the intensity dependence of cathodic sputtering at high energies and its variation with temperature, 9=12821

Castagnoli,G. See also Amaldi,E., 5=1233, 5=3871, 7=3888, 8=272 Barbaro,A., 9=544. Barford,N.C., 8=6021. Barkas,W.H., 7=3225. Baroni,G., 5=7595, 6=7480, 9=9951. Chamberlain,O., 6=3787, 6=4637, 6=5830, 6=6186

Castagnoli,C., Cortini,G. and Franzinetti,C. Observations on charged unstable particles heavier than protons (hyperons), 5=6493. Observations on unstable fragments, 5=9948

Castagnoli,C., Cortini,G. and Manfredini,A. Decay at rest of a particle with mass of a hyperon, 5=543. On the measurement of ionization in nuclear plates, 5=9341. K-meson and hyperon events, 5=9949

Castagnoli,C., Ferro-Luzzi,M. and Manfredini,A. Muon angular distribution from pion decay in emulsions, 9=2619

Castagnoli,C., Ferro-Luzzi,M. and Muchnik,M. Semiautomatic scattering measurements in nuclear emulsions, 8=6106

Castagnoli,C., Franzinetti,L. and Manfredini.A. Probable evidence for $Y\rho$-events, 6=6183. Further results on parity conservation in $\pi-\mu-e$ decays, 7=8175

Castagnoli,C., Friedlander,M., Merlin,M. and Teucher,M. Report on the Committee on neutral V's, 5=6484

Castagnoli,C. and Manfredini,A. A case of double pair production by an electron, 8=6024

Castagnoli,C., Manfredini,A. and Merrison,A.W. Energy dependence of positron asymmetry from polarized muon decay in emulsion, 8=8983

Castagnoli,C. and Muchnik,M. Experimental results on the radiative $\pi - \mu$ decay, 9=2614

Castaing,R. and Descamps,J. On the physical basis of localized [ponctuelle] analysis by X-ray spectrography, 5=7489

Castañs,M. Expression for the mechanical energy of an ensemble of circuits of constant electromotive force and of ideal superconductors, 6=1251

Castañs Camargo, M. A theory of certainty. I. Definitions and properties, 6=4147. II. Application to metrology, 6=4148. III. Basic ideas on application of Heisenberg's indeterminacy principle, 8=7717

Castañs Camargo,M. and Medina e Isabel,M. The logarithmic correlation, 6=7103. Application of logarithmic correlation to physical experiments, 9=4250

Castel,F. du See du Castel,F.

Casteljau,P. de Faget de See de Faget de Casteljau,P.

Castellan,G.W. See also Hoare,J.P., 8=9165. Schuldiner,S., 8=9163

Castellan,G.W., Hoare,J.P. and Schuldiner,S. Electrochemical behavior of the palladium—hydrogen system. II. Thermodynamic considerations, 8=9164

Castelli,J.P. See Aarons,J., 8=1426

Castillejo,L., Dalitz,R.H. and Dyson,F.J. Low's scattering equation for the charged and neutral scalar theories, 6=2676

Castillejo,L. and Singh,L.S. Cross-section and polarization in elastic nucleon—deuteron scattering, 9=4905. Triple-scattering parameters in elastic nucleon—deuteron scattering, 9=4906

Castillo-Bahena,R. See Millett,W.E., 8=8215. Ranken,W.A., 9=2757

Castinel,C. See also Lascombe,J., 7=6376

Castinel,C., Calas,R. and Josien,M.L. Rotation isomerism of substituted acetic esters elucidated by infrared spectroscopy, 7=6382

Castle,B. See Michels,A., 8=2953

Castle,B.J., Dawson,J.M. and Jansen,L. Effect of orientational forces on second virial coefficients, 6=132. On the second virial coefficients for assemblies of nonspherical molecules, 6=4250

Castle,J.G.,Jr. See Chester,P.F., 8=5139

Castle,J.W. Dislocations observed in a silver chloride crystal, 7=9970

Castner,T.G., Känzig,W. and Woodruff,T.O. The electronic structure of a V-centre, 9=812

Castro,A.L. See Brú,L. 5=8408

Castro,I. See Mazari,M., 9=5981

Castro,M.Cardona See Cardona Castro,M.

Castro,V. See Quimby,E.H., 5=1421

Caswell,H.L. Investigation of low-temperature internal friction, 9=2970

Catalá,J., Aguilar,J. and Senent,F. Abacus for simplifying the calculations of neutron energy in (d,n) reactions. II., 5=9085 Energy spectrum of neutrons produced in the reaction $Li^7(d,n)Be^8$. II., 6=3221. Elastic scattering (d,p) and for 7·86 MeV deuterons, 6=4641. The method of "constant sagitta" applied to protons with residual range less than 2000 μ in emulsion, 9=13549

Catalá,J., Aguilar,J., Senent,F. and Font,R. Methods of calculating the absolute flux of fast neutrons and the cross-section for a nuclear reaction with neutron emission by a photographic method, 6=4677. Escape fraction of recoil protons caused by incident neutrons in photographic plates, 5=9104

Catalá,J. and Casanova,J. Loaded nuclear emulsions using glass tubes, 5=6415

Catalá,J., Casanova,J. and de la Cuadra,M. Measurements of neutronic dose by means of photographic plates, 5=9162. Study of the ordinary fission of uranium by means of photographic emulsions, 7=3674

Catalá,J., Font,R., Aguilar,J., Senent,F. and de la Cuadra,M. A new study of the low levels of Be^8, 8=8270. Angular distributions of the neutrons produced in the reaction $Li^7(d,n)Be^8$, 9=5046

Catalá,J., Miralles,L., Aguilar,J. and de la Cuadra,M. A study of the elastic scattering of 38 MeV alpha-particles from F^{19}, 9=3902

Catalá,J., Villar,E. and Bonet,A. Special study of the 7·6 MeV level of C^{12}, 6=8372. Possibility of a 3·41 MeV level in C^{13}, 7=3530. Energy spectra of the α-particles originated in the reaction $C^{12}(d,\alpha)B^{10}$. I. Excited states of B^{10}, 9=5044

Catalá,J., Villar,E., Bonet,A. and Miralles,L. Range-energy relation for protons in Ilford C-2 emulsion, 6=7479

Catalá de Alemany,J. Nuclear investigations in Valencia, 8=8309

Catalán,M.A. Extreme ultraviolet spectrum of Mn III, 8=7800 See also Meggers,W.F., 9=5500

Catalán,M.A. and Antunes,M.T. General relations between the low atomic configurations f^m, $f^m s$ and $f^m s^2$, 5=6397

Catalán,M.A. and Rico,F.R. Terms and ionization potentials for the III spectra of the palladium group elements, 7=9067. Ionization potentials of the atoms from Al to K Sc^+ to Ca^+ and P^{++} to Sc^{++}, 9=5089. The series $4p^{m-1}ns$ in the spectra Ga I to Rb I and Ge II to Sr II, 9=5499

Catalano,E.. See also Stout,J.W., 6=301

Catalano,E. and Milligan,D.E. Infrared spectra of H_2O, D_2O, and HDO in solid argon, krypton, and xenon, 9=5529

Catalano,E. and Stout,J.W. High capacity of NiF_2 from 12 to 300°K. Thermodynamic functions of NiF_2. The thermal anomaly associated with the antiferromagnetic ordering, 5=7921. Heat capacity and entropy of FeF_2 and CoF_2 from 11 to 300°K. Thermal anomalies associated with antiferromagnetic ordering, 6=1178

Catalina,F. A filter-type analyser using an electron optical system and its application to electron diffraction, 9=8221

Cathcart,J.V. See also Bridges,W.H., 5=4604

Cathcart,J.V., Campbell,J.J. and Smith,G.P. The microtopography of oxide films on niobium, 9=867

Cathey,L. Fatigue in photomultipliers, 9=4692

Cathey,LeC. See Axtmann,R.C., 9=3330

Cathou,P.Y. See Edgerton,H.E., 7=2105

Caticha-Ellis,S. and Rimsky,A. A criterion for terminating the refinement of an atomic structure, 9=7644

Catino,A., Ceruti,A, and Colombino,P. A micro spectrophotometer for the ultraviolet and the visible regions, 9=9412

Catron,H.C. See Ashby,V.J. 9=692

Catsiff,E. and Tobolsky,A.V. Elastoviscous properties of amorphous polymers in the transition region. II. Stress-relaxation of butadiene-styrene copolymers, 5=572

Cattaneo,C. On postulates common to classical and relativistic kinematics, 9=1031. A form of heat equation which eliminates the paradox of instantaneous propagation, 9=1356. General relativity; relative standard mass, momentum, energy and gravitational field in a general system of reference, 9=2032. Transverse differentiation and related quantities in general relativity, 9=4258. On the energy equation for a gravitating test particle, 9=9190. Conservation laws in general relativity, 9=11786

Catterall,J.A. The electronic structure of palladium—uranium alloys, 7=5669

Catterall,J.A. and Trotter,J. The interpretation of soft X-ray emission spectra, 9=13360

Catterall,J.A., Wilson,L.F. and Trotter,J. Soft X-ray spectroscopy using an electron multiplier, 9=2386

Cauchois,Y. The energy levels of atoms with atomic number less than 70, 5=7295. Preliminary researches on the X-ray spectra of alloys after irradiation with fast neutrons, 6=2154. The spectral distribution in the regions of characteristic (propre) absorption for various crystals, 6=2913. X-ray spectrum of plutonium and energy levels of transuranian elements, 6=5911. Action of high-energy radiations on solids. Introduction, 7=770*

Cauchois,Y. and Bonnelle,C. Spectral distribution observed in a region of characteristic (propre) absorption of quartz, 6=5133. A new study of the L spectra of nickel and of copper, 8=633

Cauchois,Y. and Manescu,I. L fluorescence spectrum of plutonium, 6=5132

Cauchois,Y., Manescu,I. and Le Berquier,F. L-spectrum of plutonium, 5=2781

Caulk,H.M. See Davis,L.R., 6=2219

Causey,C.W., Jr. See Cork,B., 7=8667

Cavagnol,J.C. See Hirt,R.C., 6=8667

Cavalca,L., Nardelli,M. and Coghi,L. The structure of cadmium chloride (di) acetamide, 7=9468

Cavallaro,S., Emma,V., Milone,C. and Rubbino,A. Photoneutrons from Au, 9=671

Cavallo,L.M. See Seliger,H.H., 8=8294

Cavanagh,P.E. and Boyce,D.A. Magnetic recorder for nuclear pulses, 7=4481

Cavanagh,P.E., Coleman,C.F., Ridley,B.W. and Turner,J.F. A four-state theory of the neutrino, 8=6258

Cavanagh,P.E., Turner,J.F., Coleman,C.F., Gard,G.A. and Ridley,B.W. On the longitudinal polarization of β particles, 7=9848

Cave,E.F. and Holroyd,L.V. Inexpensive Michelson interferometer, 5=1733

Caw,W.A. and Wylie,R.G. Capillary-tube viscometry with negligible kinetic energy effects, 9=85

Cawley,W.E. Using boron-trifluoride gas for reactor control, 6=1607

Cawsey,G.F. See Ferrands,J.L., 6=2495

Cawthon,T.M. See also Brand,J.C.D., 5=3572

Cawthon,T.M. and McKinley,J.D.,Jr. Near infrared emission spectrum of the H,O_{3k} reaction, 7=2006

Cayless,M.A. The analysis of gases at low pressures, 6=2523. The emission from oxide cathodes in low pressure discharges, 7=9252. The negative glow and cathode spots in low pressure arcs, 8=5023

Cayless,M.A. and Forster-Brown,A.D. The diffusion of barium in discharge tubes, 7=9245

Cayless,M.A. and Watts,B.N. Reactions occuring during decomposition of alkaline earth carbonates on tungsten, 7=498

Cayolla Carpinteiro,J.M. On the method employing two sources in parallel for determining the "dead time" of G M counters, 5=8853

Cayrel,R. The influence of the Lyman spectral lines on the structure of certain stellar atmospheres, 5=1479. Structure of a non-grey stellar atmosphere in radiative equilibrium, 5=1483. Theory of the Stark effect in a non-uniform field. The case of atoms other than hydrogen, 5=2576. II. Case of the hydrogen atom, 5=3573. III. Calculation of the perturbation as a function of the quantum numbers L, S, J. and M_J, 6=4988. See also Schatzman,E., 6=1797

Cayrel,R. and Schatzman,E. Interstellar polarization by graphite particles, 5=5170

Cayrel-De Strobel,G., Chalonge,D. and Divan,L. Evaluation of stellar monochromatic surface brightnesses and temperatures. Application to the bright component of Algol, 6=26

Cazayus-Claverie,J. See Servant,R., 8=2292

Cazenave,R. Geometric representation of the Gundermann transformation, 5=2352. The echelon unit, the impulse unit and the Dirac operator, 5=5386. Convergence and summation of a Fourier series corresponding to an analytic function, 5=7616

Cazzola,P. and Foglia,C. Inelastic scattering of electrons from ^{6}Li and ^{14}N, 9=5051

Ceccaldi,M., Thro,C. and Roth,E. Influence of dissolved salts on the infrared absorption spectra of isotopic varieties of water in the liquid state, 7=6000

Ceccarelli,M. Results on heavy mesons, 5=9952. See also Alles,W., 8=1197, 9=3800. Astbury,P., 5=6483. Baldo,M., 5=6492, 5=8280, 5=9117. Bhowmik,B., 7=8866. Biswas,N.N., 6=5407, 6=7722*, 7=741, 7=3722, 7=8873, 7=9916, 8=6195, 9=6143. Davies,J.H., 6=3270*

Ceccarelli,M., Dallaporta, N., Grilli,M., Merlin,M., Salandin,G., Sechi,B. and Ladu,M. An unstable fragment produced on the nuclear capture of a hyperon, 5=9967

Ceccarelli,M., Grilli,M., Merlin,M., Salandin,G. and Sechi,B. A probable example of the reaction: $\pi^{-+}p = K^+ + K^- + n$, 6=3258

Ceccarelli,M., Grilli,M. and Vitale,B. Results on neutral V-particles, 5=6522

Ceccarelli,M., Quareni,G. and Zorn,G.T. On the nuclear interaction of He-nuclei in the cosmic radiation, 5=5504

Ceccarelli-Fabbrichesi,L. See Biswas,N.N., 6=5407, 6=7722*, 7=741, 7=3722, 7=8873

Cecchini,G. See also Caracciolo,A., 9=7724

Cecchini,G. and Gerace,G.B. Electronic criteria in the design of the C.S.C.E. computer. II, 9=7726

Cecchini,G., Gerace,G.B. and Sibani,S. Electronic criteria in the design of the C.S.C.E. computer. I, 9=7725

Cedarholm,J.P., Bland,G.F., Havens,B.L. and Townes,C.H. New experimental test of special relativity, 9=1030

Cederholm,B.J. See Harrison,A.J., 9=5519

Cederlund,J. Platinum K X-rays from radium sources, 7=4421. See also Starfelt,N., 7=3607

Cedrone,N.P. and Curran,D.R. Electronic pulse method for measuring the velocity of sound in liquids and solids, 5=1640

Celli,V. See Bassani,F., 9=7501

Cennamo,F. See also Carrelli,A., 5=3478, 9=3237

Cennamo,F. and Tartaglione,E. On the X-ray diffraction in water—dioxane and water—ethyl alcohol mixtures, 9=5411. X-ray diffraction analysis for mixtures of dioxane with water solutions of manganese sulphate or cupric sulphate, 9=11905

Ceolin,C. Parity non conservation and the $\Delta I = \frac{1}{2}$ rule in hyperon decays, 8=1206

Ceolin,C. and Dallaporta,N. On a possible scheme for heavy unstable particles, 6=5402

Ceolin,C., Dallaporta,N., Guerriero,L., Laboragine,I., Salandin,G.A. and Taffara,L. Analysis of the charge exchange reaction $K^+ + p \rightarrow K^0 + n$, 9=13576

Ceolin,C., Dallaporta,N. and Taffara,L. Pion production in the K^+—nucleon interaction, 8=8991. K^-—nucleon scattering with Tamm—Dankoff approximation, 9=3135

Ceolin,C., De Santis,V. and Taffara,L. On the scattering of K-mesons by nucleons, 9=9993

Ceolin,C. and Taffara,L. On the scattering of K^+-mesons by nucleons in perturbation theory, 7=8183. Non-adiabatic treatment of the scattering of K^+-mesons by nucleons, 8=706

Ceolin,C. and Toyoda,T. Gauge invariance of baryon equation, 9=11809

Ceolin,M.B., Fry,W.F. and Huzita,H. The non-mesonic decay in flight of a He hyperfragment, 9=593

Cerf,R. A theory of the Maxwell effect for solutions of chain macromolecules, 5=3476. Some remarks on the theory of the Maxwell effect of solutions of macromolecules, 5=4421. On the internal viscosity of chain-like macromolecules, 6=949. A theory of the Maxwell effect of solutions of chain macromolecules. II, 6=3658. On the theory of hydrodynamic properties of solutions of macromolecular chains, 7=5107. On the non-Newtonian viscosity of solutions of macromolecular chains, 7=5108. Ultrasonic interferometry and the measurement of the coefficient of absorption of liquids, 9=13103

Cerf,C. and Laville,G. On the absorption of ultrasound by solutions of macromolecules, 6=4917

Cerf,R. and Mayer,E. Measurement of absorption in liquids by ultrasonic interferometry. Determination of the intrinsic absorption of a macromolecule in solution, 6=8056

Cerfontain,H. See Sterk,M.J., 5=8199

Cerineo,M. Energy levels of C^{11} and angular distributions of some neutron groups from the $B^{10}(d,n)$ reaction, 7=6560

Cerineo,M.A. See Lalović,I.B., 5=4757

Cernigoi,C. See also Falla,D.F., 7=8887

Cernigoi,C. and Pauli,G. On the energy and pulse spectra of a fast ionization chamber, 8=6093

Cernigoi,C. and Poiani,G. On the spectrum of the photon component in the lower atmosphere, 5=2843. On the purification of the electron-pulse ionization chamber, 6=427

Cerrai,E. See also Brigoli,B., 8=2834

Cerrai,E., Silvestri,M. and Villani,S. The cascading problem in a water distillation plant for heavy water production, 9=3964

Certaine,J. See Hyman,S.C., 5=4920

Cerulus,F. The contribution of non-static forces to the binding-energy of the deuteron, 5=3966. Remarks on the classification of fundamental particles, 6=7705. Parity violation and the spin of the Λ^0 particle, 7=8872

Cerulus,F. and Hagedorn,R. A Monte-Carlo method to calculate multiple phase space integrals. I, 9=5383; II, 9=5384

Ceruti,A. See Catino,A., 9=9412

Cervasi,M. and Fidecaro,G. Adding circuits, 5=6243

Cervasi,M., Fidecaro,G. and Mezzetti,L. Penetrating showers from hydrogen and other elements, 5=3862

Cervellati,R. See Caglioti,G., 9=7223

Cervellini,A. Directional distribution of the β-radiation from a supported source, 8=4295

Ceschia,M. See Brautti,G., 9=5977

Ceschino,F. See Bouquet,G., 7=6586

Cess,R.D. and Shaffer,E.C. Heat transfer to laminar flow between parallel plates with a [symmetrically] prescribed wall heat flux, 9=10902

Cester,R. See also Bisi,V., 9=2646, 9=3614, 9=7285. Hoang,T.F., 8=288

Cester,R., Debenedetti,A., Garelli,C.M., Quassiati,B., Tallone,L. and Vigone,M. On the charge and energy spectrum of heavy primaries in cosmic radiation, 8=1761

Cester,R., Hoang,T.E., Kaplon,M.F. and Yekutieli,G. Two examples of rare K^+-decays in emulsion, 6=7712*

Cester,R., Hoang,T.F. and Kernan,A. p-p interactions at 3 BeV, 6=4670, 7=697

Cetlin,B.B. See Bozorth,R.M., 6=1366. Galt,J.K., 6=1212, 9=11564. Geller,S., 5=6629

Gevolani,M. and Petralia,S. Velocity of ultrasound in systems of partially miscible liquids, 5=5276, 5=9497. Ultrasonic absorption in anilin and in mixtures, 8=2200

Chabai,A.J. and Emrich,R.J. Measurement of wall temperature and heat flow in the shock tube, 5=8562

Chaban,A.A. See Davȳdov,A.S., 8=2536

Chaban,M.M. See Klinger,M.I., 7=1280

Chabbal,R. Calculation of the elements of a Fabry—Perot spectrometer capable of studying an extended spectrum, 6=4984. Calculation of the integral filter factor for a Fabry—Perot spectrometer, 8=3901. Experimental and theoretical researches on the general use of the Fabry—Perot spectrometer for various spectroscopic applications, 9=3349. See also Blaise,J., 5=2567. Brochard,J., 6=1965. Jacquinot,P., 6=8649

Chaberski,A. See Mrozowski,S., 7=1272

Chace,W.G. Liquid behaviour of exploding wires, 9=6570

Chackett,G.A., Chackett,K.F. and Fremlin,J.H. The distribution of the products of heavy ion reactions with aluminium, 5=2169

Chackett,G.A., Chackett,K.F., Reasbeck,P., Symonds,J.L. and Warren,J. Excitation functions up to 980 MeV for proton-induced reactions in ^{27}Al, relative to $^{12}C(p,pn)^{11}C$, 6=2401

Chackett,K.F. See Allen,R.A., 5=9043. Chackett,G.A., 5=2169, 6=2401

Chacko,O. See Jagannathan,P., 7=8321

Chackraburtty,D.M. Transition temperatures in some polymers by differential thermal analysis, 7=4846. An application of Lipson's method in the study of the crystal system of $BaBOF_3$, 9=9042

Chackraburtty,D.M. and Banerjee,B. An X-ray study on bivalent silver and copper nicotinate compounds, 6=3381

Chadaeva,V.V. See Belyaev,L.M., 9=9000

Chadan,K. Neutron-proton potential and photodisintegration of the deuteron, 6=1579. A neutron-proton potential and the capture of thermal neutrons by protons, 6=6065. Non-local separable interactions and the scattering matrix, 8=877. Non-local interactions and the scattering matrix, 8=3715. On the connection between the S-matrix and a class of non-local interactions, I, 9=3139. See also Potter,J., 9=9230

Chadha,R.N. and Misra,G.S. Studies in chain-transfer. Phenyla lazotriphenyl methane catalysed polymerisation of a styrene in toluene, 5=6588

Chadwick,G.B. See also Sample,J.T., 6=1538. Warren,J.B., 6=3201

Chadwick,G.B., Alexander,T.K. and Warren,J.B. Gamma radiation from the proton bombardment of boron ten, 6=3965

Chadwick,G.B., Durrani,S.A., Eisberg,L.M., Jones,P.B., Wignall, J.W.G. and Wilkinson,D.H. The breakdown of parity conservation in the $\pi-\mu-e$ decay and a test of the two component neutrino theory, 7=8862

Chadwick,G.B., Durrani,S.A., Jones,P.B., Wignall,J.W.G. and Wilkinson,D.H. Observations of K^--meson interactions in nuclear emulsion, 9=6042

Chaevskii,M.I. On the mechanism of increase of fatigue strength of elastoplastic materials, which tend to elastic stability on cyclic deformation, while under influence of strong surface-active substances, 9=13865

Chagnon,P.R. See Cline,J.E., 8=1234

Chagnon,P.R. and Owen,G.E. Angular distribution of the D+D neutrons, 6=3985

Chagnon,P.R., Owen,G.E. and Madansky,L. Fast neutron coincidence spectrometer. II. 6=1636

Chahid,W. See Bertein,F., 6=7470

Chaĭka,M.P. Analysis of refractory oxides for halogens, 7=9956 Light efficiency of a spectrometer with a Fabry — Perot interferometer, 8=565. See also Kaliteevskiĭ,N.I., 6=212, 7=7306, 9=13596

Chaĭko,Yu. See Zhiglinskiĭ,A.G., 8=7430

Chaĭkowskiĭ,É.F. See Pines,B.Ya., 7=4796, 9=13809

Chaikovskii,V.G. Thermal resistance of halogen counters, 9=9890

Chaklader,A.C.D. and Roberts,A.L. Sintering of quartz crystal, 9=9126

Chako,N. An asymptotic expansion of a double integral occurring in diffraction theory, 9=225. Application of the method of stationary phase in the theory of the diffraction of optical images, 9=226. Characteristic curves on planes in the image space, 9=1236

Chakrabarti,N.B. See Choudhury,A.K., 9=11709

Chakrabarty,S.K. and Gupta,M.R. Calculations on the cascade theory of showers, 6=1343

Chakraborty,S.C. and Roy,A. Catalytic effects of TiO_2 and MnO_2 on the phase transformation of gothite, 7=3788

Chakravarti,J.C. See Bandopadhyay,K.G., 6=4757

Chakravarty,D.N. See Mitra,S.S., 5=96, 7=143

Chakravorty,J.G. Torsional vibration of a cylinder of cylindrically aeolotropic material, 6=2727. On the stress distribution in an infinite elastic solid of a transversely isotropic material with a cylindrical hole due to a localised axial shear, 7=7636 See also Sternberg,E., 9=10312

Chaleat,R. Theoretical and experimental study of tuning forks with thin tines, 9=6618

Chalkley,L. Experimental photographic systems based on phosphotungstic acid, 5=678

Chalklin,F.C. See Moore,H.R., 5=8804

Chalklin,L.P. and Fremlin,J.H. The ionization of fast neutral deuterium atoms, 7=635

Challande,R. Conduction of micronic and sub-micronic spherical conducting particles in an intense ionizing electric field, 6=2073

Challice,C.E. Summarized proceedings of a conference on electron microscopy-Glasgow, July, 1955, 6=4042

Challice,C.E. (Conf. rep.). Summarized proceedings of a Conference on Electron Microscopy — Reading, July, 1956, 7=7456

Challice,C.E. and Sikorski,J. (Conf. rep). Summarized proceedings of a Conference on the Electron Microscopy of Fibres— Leeds, January 1956, 7=5673

Challoner,A.R., Gundry,H.A. and Meetham,A.R. An electrically calibrated bomb calorimeter, 5=4607

Challoner,A.R., Gundry,H.A. and Powell,R.W. A radial heat-flow apparatus for liquid thermal conductivity determinations, 8=3924

Challoner,A.R. and Powell,R.W. Thermal conductivities of liquids: new determinations for seven liquids and appraisal of existing values, 7=6089

Chalmers,B. See also Atwater,H.A., 5=7497, 6=780, 7=3813. Aust,K.T., 9=921. Craig,G.B., 7=3770. Elbaum,C., 5=5702. Fleischer,R.L., 8=7567. Jackson,K.A., 6=5044, 9=2266. Lindenmeyer,C.S., 7=9964. Livingston,J.D., 9=12764. McCarthy,K.A., 9=4038

Chalmers,B. and King,R.(Eds.). Progress in metal physics. Volume 6, 6=7097. Progress in metal physics, 7=2905

Chalmers,J.A. The charge on the ionosphere, 5=651. The electrical charge of the earth, 7=916. See also Whitlock,W.S., 7=963

Chalmers,J.A. and Mapleson,W.W. Point discharge currents from a captive balloon, 5=4242

Chalonge,D. Structure of the visual continuous spectrum, 8=4685 See also Cayrel-De Strobel,G., 6=26

Chaloupka,P. Influence of the geomagnetic field on the extensive air showers, 5=2847, 5=4771. Electrical equivalent circuit for the modes of oscillations of piezo-electric bars, 5=3501 See also Dubinský,J., 7=511

Chaloupka,P., Mokrý,P., Kowalski,T., Sándor,T., Somogy,A. and Telbisz,F. A decrease in the intensity of the cosmic radiation observed underground, at sea level and at mountain altitude, 9=13409

Chaloupka,P. and Pernegr,J. East-West asymmetry at 48°N of geomagnetic latitude, 5=5501

Chamany,B. See also Barkow,A.G., 7=2687, 7=8698

Chamany,B. and Barkow,A.G. Slow mesons accompanying high energy interactions, 9=537

Chamberlain,A.C. Aspects of travel and deposition of aerosol and vapour clouds, 7=1804

Chamberlain,J.P. See Houghton,J.T., 9=6

Chamberlain,J.W. The ultraviolet airglow spectrum, 5=5795. On the production of auroral arcs by incident protons, 5=5804. Auroral rays as electric-discharge phenomena, 6=844. Resonance scattering by atmospheric sodium. I. Theory of the intensity plateau in the twilight airglow, 6=9127. Discharge theory of auroral rays, 6=9135. Excitation in nebulae: Charge transfer and the Cassiopeia radio source, 7=48. Excitation in nebulae: Electron—hydrogen inelastic collisions in a radiative H II region, 7=5005. Interpretation of twilight spectra, 9=955. The blue airglow spectrum, 9=5278. Oxygen red lines in the airglow. I. Twilight and night excitation processes, 9=10424. On a possible velocity dispersion of auroral protons, 9=12915. See also Brandt,J.C. 9=12944. Hunten.D.M., 6=9114. Meinel,A.B., 5=1410

Chamberlain,J.W., Fan,C.Y. and Meinel,A.B. A new O_2 band in the infrared auroral spectrum, 5=5803

Chamberlain,J.W. and Negaard,B.J. Resonance scattering by atmospheric sodium. II. Nightglow theory, 7=1792

Chamberlain,J.W. and Roberts,P.H. Turbulence spectrum in Chandrasekhar's theory, 6=109

Chamberlain,J.W. and Roesler,F.L. The OH bands in the infrared airglow, 5=5149

Chamberlain,M.M. See Jones,L.H., 6=9030

Chamberlain,N.F. Determining molecular structure by nuclear magnetic resonance of hydrogen, 9=5941

Chamberlain,O. See also Agnew,L.E., 8=8975. Baldwin,J., 7=708. Ypsilantis,T., 5=6236

Chamberlain,O., Chupp,W.W., Ekspong,A.G., Goldhaber,G., Goldhaber,S., Lofgren,E.J., Segrè,E., Wiegand,C., Amaldi,E., Baroni,G., Castagnoli,C., Franzinetti,C. and Manfredini,A. Example of an antiproton—nucleon annihilation, 6=5830

Chamberlain,O., Chupp,W.W., Goldhaber,G., Segrè, E.,Wiegand,C., Amaldi,E., Baroni,G., Castagnoli,C., Franzinetti,C. and Manfredini,A. Antiproton star observed in emulsion, 6=3787. On the observation of an antiproton star in emulsion exposed at the bevatron, 6=4637. A negative-proton-induced star observed in nuclear emulsion, 6=6186

Chamberlain,O. and Clark,D.D. Elastic scattering of 340-MeV protons by deuterons, 6=4455

Chamberlain,O. and Garrison,J.D. Proton-proton scattering experiments at 170 and 260 MeV, 5=334. Proton—proton scattering experiments at 170 and 260 MeV, 7=472

Chamberlain,O., Goldhaber,G., Jauneau,L., Kalogeropoulos,T., Segrè,E. and Silberberg,R. Antiproton — nucleon annihilation process. II, 9=7262

Chamberlain,O., Keller,D.V., Mermod,R., Segrè,E., Steiner,H.M. and Ypsilantis,T. Experiments on antiprotons: antiproton — nucleon cross sections, 8=8227

Chamberlain,O., Keller,D.V., Segrè,E., Steiner,H.M., Wiegand,C. and Ypsilantis,T. Antiproton interaction cross sections. 6=6145

Chamberlain,O., Pettengill,G., Segrè,E. and Wiegand,C. Small angle p-p cross sections and polarization at 300 MeV, 5=336

Chamberlain,O., Segrè,E., Tripp,R., Wiegand,C. and Ypsilantis,T. Polarization of high-energy protons in elastic scattering on helium and carbon, 5=1919

Chamberlain,O., Segrè,E., Tripp,R., Wiegand,C. and Ypsilantis,T. Experiments with 315-MeV polarized protons. I. Elastic scattering by complex nuclei. 6=5955. Experiments with 315-MeV polarized protons: Proton-proton and proton-neutron scattering, 7=3371

Chamberlain,O., Segrè,E., Wiegand,C. and Ypsilantis,T. Observation of antiprotons, 6=1298. Antiprotons, 6=2183

Chambers,E.E. and Hofstadter,R. Structure of the proton, 6=8924

Chambers,J.F. The conductance of concentrated aqueous solutions of potassium iodide at 25° and of potassium and sodium chlorides at 50°, 9=10347

Chambers,L.G. An approximate method for the calculation of propagation constants for inhomogeneously filled waveguides, 5=397. Solution of the Hund gravitational equations, 9=6492. The Hund gravitational equations and geons, 9=11781

Chambers,R.G. Cyclotron resonance under anomalous skin effect conditions, 6=7422. The penetration depth in impure superconducting tin, 6=8211. Magneto-resistance effects in the group I metals at high fields, 7=6195. Our knowledge of the Fermi surface, 7=9768

Chambliss,D. See Sumby,W.H., 9=966

Chambré,P.L. On the ignition of a moving combustible gas stream, 6=8734. On chemical surface reactions in hydrodynamic flows, 9=88

Chambré,P.L. and Acrivos,A. On chemical surface reactions in laminar boundary layer flows, 7=1706

Chambré,P.L. and Young,J.D. On the diffusion of a chemically reactive species in a laminar boundary layer flow, 8=5685

Chambron,W. Diffraction of centimetric waves in a waveguide by a conducting sphere, 6=4531

Chaminade,R. See also Beydon,J., 6=2390, 7=7366. Faraggi,H., 7=1585

Chaminade,R., Cros,M., Gratot,I. and Le Pape,M. Evidence of a light isotope of rubidium, 7=8121

Chaminade,R., Crut,M., Faraggi,H., Garin-Bonnet,A., Olkowsky,J. and Papineau,A. Experimental relation between range and energy of nitrogen ions in nuclear emulsions for energies between 10 and 100 MeV, 6=2954

Champeney,D.C. The flow of liquid helium I through narrow channels, 7=2129

Champion,F.C. Some physical consequences of elementary defects in diamonds, 6=4735. Some physical properties of diamonds, 7=7502. Variation of electron mass with velocity, 8=2462. See also Benny,A.H.B., 6=4464

Champion,F.C. and Dale,B. Variations in the photoconductivity and in the electrical counting properties of diamonds, 6=4463

Champion,F.C. and Humphreys,D.L.O. Variations in the ultraviolet absorption of counting diamonds, 7=4147

Champion,F.C. and Prior,J.R. Effects of pressure on some optical and electrical properties of diamonds, 9=1914

Champion,F.C. and Wright,S.B. Diamond conduction counters with small electrode separations, 9=7225

Champion,J.V. Flow anisotropy in the theory of liquids, 9=1134

Champion,K.S.W. Radiation from gaseous arcs, 6=4420. High power discharges in an intense longitudinal magnetic field, , 7=3335. See also Faire,A.C., 8=8848, 9=4757

Champion,W.R. See Senftle,F.E., 5=3109

Champlin,K.S. Microplasma fluctuations in silicon, 9=8110

Champness,C.H. The statistics of divalent impurity centres in a semiconductor, 7=3265. The transverse magnetoresistance effect in indium antimonide, 8=4984. Interpretation of the transverse magnetoresistance in p-type indium antimonide at liquid nitrogen temperature, 9=3478. See also Antell,G.R., 7=7897

Champness,C.H. and Chasmar,R.P. The transverse magnetoresistance effect in indium arsenide, 8=4987

Chance,B. Regeneration and recirculation of reactants in the rapid-flow apparatus. I. Design criteria, 5=5019

Chance B. and Legallais,V. Regeneration and recirculation of reactants in the rapid-flow apparatus. II. Practical designs, 5=5020. Differential microfluorimeter for the localization of reduced pyridine nucleotide in living cells, 9=11671

Chance,B., Perry,R., Akerman,L. and Thorell,B. High sensitive recording microspectrophotometer, 9=10771

Chandler,C.D. See Green,L.C., 7=3560

Chandra,S. and Scott,G.D. Electrodes for thin metal films, 8=9143 Condensation coefficients of silver, gold, and copper in vacuum deposition, 9=720

Chandra,S. and Srivastava,B.P. Absorption of microwaves in planetary atmospheres, 9=4857

Chandran,D.V. See Amirtha-Lingham,V. 9=13943

Chandrasekhar,B.S. Improvement to the Sucksmith balance, 7=6328. The anomalous thermal expansion of some rare earth metals, 9=10912. See also Bardeen,J.M., 9=324

Chandrasekhar,B.S. and Hulm,J.K. The electrical resistivity and superconductivity of some uranium alloys and compounds, 9=3432

Chandrasekhar,B.S. and Mendelssohn,K. Sub-critical flow in the helium II film, 6=294

Chandrasekhar,S. Problems of stability in hydrodynamics and hydromagnetics, 5=19. On the inhibition of convection by a magnetic field. II., 5=891. A theory of turbulence, 5=4408, 6=4863. Hydromagnetic turbulence. I. A deductive theory, 6=3852. II. An elementary theory, 6=3853. Axisymmetric magnetic fields and fluid motions, 6=6790. Effect of internal motions on the decay of a magnetic field in a fluid conductor, 6=7540. On the stability of the simplest solution of the equations of hydromagnetics, 7=548. On force-free magnetic fields, 7=1034. The instability of a layer of fluid heated below and subject to the simultaneous action of a magnetic field and rotation. II., 7=3044. Simple model for optical activity 7=3179. The gravitational instability of an infinite homogeneous medium when a Coriolis acceleration is acting, 7=4979. Hydromagnetic oscillations of a fluid sphere with internal motions, 7=5480. The thermal instability of a rotating fluid sphere heated within, 7=8554; II, 8=1010. The hydrodynamic stability of helium II between rotating cylinders. II, 7=9140. The partition of energy in hydromagnetic turbulence, 8=5685. On the equilibrium configurations of an imcompressible fluid with axisymmetric motions and magnetic fields, 9=1600. On the diffuse reflection of a pencil of radiation by a plane-parallel atmosphere, 9=3308. On the continuous absorption coefficient of the negative hydrogen ion. IV, 9=5851. See also Backus,G.E., 7=1006

Chandrasekhar,S. and Donnelly,R.J. The hydrodynamic stability of helium II between rotating cylinders. I, 7=9139

Chandrasekhar,S. and Elbert,D.D. The instability of a layer of fluid heated below and subject to Coriolis forces. II, 5=8690. On the continuous absorption coefficient of the negative hydrogen ion. V, 9=5852

Chandrasekhar,S. and Herzberg,G. Energies of the ground states of He, Li^+, and O^{6+}, 5=6399

Chandrasekhar,S., Kaufman,A.N. and Watson,K.M. Properties of an ionized gas of low density in a magnetic field. III, 8=1784. Properties of an ionized gas of low density in a magnetic field. IV, 9=473. The stability of the pinch, 8=5068

Chandrasekhar,S. and Kendall,P.C. On force-free magnetic fields, 8=5109

Chandrasekhar,S. and Prendergast,K.H. The equilibrium of magnetic stars, 7=53

Chandrasekhar,S. and Weiss,R.J. Neutron magnetic scattering factors in the presence of extinction, 9=7657

Chandrasekharan,K.S. Bragg reflexion of polarized X-rays from a perfect absorbing crystal, 5=7521. Influence of the degree of perfection of a crystal on the intensity of Bragg reflection. I. Measurements with calcite and rocksalt, 5=8410*

Chandrasekharan,V. Theory of the influence of optical activity on Raman effect in crystals, 9=10792. See also Krishnan,R.S., 8=8483

Chandratreya,P.V. See Tawde,N.R., 6=6045

Chandy,K.C. and Bhawalkar,D.R. Solidification of paraffin wax in an electric field and its correlation to the orientation observed in electrics, 9=5663. X-ray diffraction pattern of electrets, 9=6895

Chaney,L.W. See Bartman,F.L., 6=7040

Chang,C. See Block,M., 9=12581

Chang,C.C. and Yen,J.T. Rayleigh's problem in magnetohydrodynamics, 9=9866

Chang,C.H. Velocity-dependent potential and gauge invariance of the first kind, 5=5872

Chang,J. See Burton,M., 7=7478

Chang,K.K.N. Stability of periodic-field beam focusing, 7=4441

Chang,L.-C. X-ray microbeam studies of brittle fractures of metals, 5=6548

Chang,P. See also Li,J.C.M., 5=4404

Chang,P. and Wilke,C.R. Some measurements of diffusion in liquids, 5=9470

Chang,R. Etching behavior of pile-irradiated germanium and silicon single crystals, 7=6697. High temperature creep and anelastic phenomena in polycrystalline refractory oxides, 9=11608

Chang,S.-H. Two schemes of speech compression system, 6=6476

Chang,S.S.L. Relation between ratio of diffusion lengths of minority carriers and ratio of conductivities, 7=8614

Chang,T.S. See Wang,T.M., 8=6441

Chang,W.Y. See Gupta,I.C., 7=5638. Snyder,A.L., 7=5639

Chang-Chung-Suei, A remark on H theorem, 5=3465

Chanin,G., Lynton,E.A. and Serin,B. Impurity effects on the superconductive critical temperature of indium and aluminum, 9=9658

Chanin,L.M. and Biondi,M.A. Temperature dependence of ion mobilities in helium, neon, and argon, 7=5432. Mobilities of mercury ions in helium, neon, and argon, 7=9744

Chanin,L.M., Phelps,A.V. and Biondi,M.A. Measurement of the attachment of slow electrons in oxygen, 9=11154

Chanley,J.D. See Sher,I.H., 5=5063

Channen,E.W. and McIntosh,R. Investigation of the physically adsorbed state by means of dielectric measurements, 5=5056

Chanson,P. See Becker,J., 5=6264. Bobard,F. 7=7332 Boulègue,G., 7=1357, 9=5080. Legrand,J.P., 7=7203

Chantrel,H. High-resolution interference spectrometers with one and two Fabry—Perot etalons, 9=10752. See also Blaise,J., 7=8508, 8=6804. Brochard,J., 6=1965

Chanu,J. Thermodiffusion potentials in electrolytes. Initial thermodiffusion potentials, 5=2768. The stationary thermoelectric potential in ionic solutions in Soret equilibrium, 7=151. A note on the definition of flux of [thermal] diffusion in binary mixtures, 8=75. A method of measuring the thermoelectric effects accompanying thermal diffusion in aqueous solutions of chlorides, 8=7044

Chanu,J. and Lenoble,J. On an optical method for the study of the Soret effect in ionic solutions, 5=5256. Measurement of the Soret effect in potassium chloride solutions, 6=2716. Study of Soret effect in ionic solutions. I. Optical method and results for potassium chloride, 6=4873

Chao,B. On the forces between potential wells which share a particle, 7=5075

Chao,C.C. and Weiner,J.H. Heat conduction in semi-infinite solid in contact with linearly increasing mass of fluid, 7=304

Chao,Y.R. Linguistic prerequisites for a speech writer, 7=3110

Chaos,F. See Ferrell,R.A., 8=6358

Chapanis,A. and Halsey,R.M. Luminance of equally bright colours, 5=1745

Chapelle,J. See also Barriol,J., 5=1740. Laroche,A.M., 7=7021 Taurel,L., 5=6964, 5=8660

Chapelle,J. and Chollot,B. Synthesis of monocrystals of double sulphate of guanidine and aluminium, 7=8258

Chapelle,J. and Delain,C. Raman spectra of isomorphs of $(NH_4)H_2PO_4$ and $(NH_4)H_2AsO_4$, 7=5224

Chapelle,J. and Taurel,L. Theory of the scattering of light by strongly piezoelectric crystals, 5=4565. Study of Rayleigh scattering by quartz, 5=7877. The action of an electric field on the dielectric properties of triglycine sulphate, 9=13254

Chapin,E.K. Surface tension and floating bodies, 6=2712, 7=3051

Chapiro,A. Relative radiochemical efficiencies of mixed pile radiations and γ-rays, 5=602. Action of γ-rays on polymers in the solid state. I. Reticulation of polyethylene, 5=7468. II. Degradation of methyl methacrylate and of cellulose acetate, 6=4724. The mechanism of radiation chemical degradation of polymers, 6=4725. Radiolysis of dilute solutions of diphenyl picryl hydrazine (DPPH) in organic solvents. II. The spatial distribution of the primary free radicals, 6=5484. Polymerization of vinyl chloride induced by gamma-rays, 6=8453. Action of high-energy radiations on solids. Action of high-energy radiation on solid polymers, 7=770*. See also Bouby,L., 6=5485

Chapiro,A., Magat,M., Prévot-Bernas,A. and Sebban,J. Radiation chemical polymerization of vinyl monomers, 6=6234

Chapiro,A. and Migirdicyan,E. Polymerization of methyl methacrylate by γ-rays, 5=8355

Chapman,A.C., Rhodes,P. and Seymour,E.F.W. The effect of eddy currents on nuclear magnetic resonance in metals, 7=4634

Chapman,A.C. and Seymour,E.F.W. Copper nuclear magnetic resonance in Cu—Ni and Cu—Mn alloys, 9=1881

Chapman,D. Electronegativity and the stability of metal complexes, 5=2273. Electronegativity and some univalent elements, 5=7294

Chpman,D. and Taylor,R.J. Infra-red assignments of unsaturation in the region 900-1000 cm^{-1}, 5=1697

Chapman,D.R. See Bisby,H., 7=3807

Chapman,F.W. and Macario,R.C.V. Propagation of audio-frequency radio waves to great distances, 6=6037

Chapman,J.A. A device for visualizing the pattern of plane polarized light from blue sky, 8=6545

Chapman,J.A. and Menter,J.W. A study of the shape, surface structure and frictional wear of fibres by reflexion electron microscopy, 5=1297. Importance of low beam intensity in the examination of fibres by reflection electron microscopy, 5=2238

Chapman,J.A. and Zussman,J. Further electron optical observations on crystals of antigorite, 9=9050

Chapman,J.H. See Littlewood,C.A., 5=2339

Chapman,J.H., Davies,K. and Littlewood,C.A. Radio observations of the ionosphere at oblique incidence, 6=832

Chapman,J.J. and Frisco,L.J. Digest of the literature on dielectrics, 8=2291, 9=5649

Chapman,K.R., Matsukawa,E., Rose,P.H. and Stewardson,E.A. The absolute measurement of differential cross sections for the nuclear scattering of low energy relativistic electrons, 6=1288

Chapman,L.F. See Symmes,D., 5=7580

Chapman,M.W. and Broida,H.P. Bibliography on nitrogen 15, 7=5577

Chapman,N.G. A stabilized high-voltage supply, 5=9723

Chapman,N.G. and Humphrey,R.W. An investigation of the variation of the atmospheric radioactivity at Wellington from 5 May to 18 July 1955, 7=966

Chapman,R.A. See also Harlow,M.V., 6=3215. Marion,J.B. 6=3091. 6=3235, 6=7685. Slattery,J.C., 8=728

Chapman,R.A. and Slattery,J.C. (p,n) Reactions in Mn^{55}, Co^{59}, Zn^{67}, and Zn^{68}, 7=3643

Chapman,R.M. See White,J.U., 7=5981

Chapman,S. The international geophysical year, 1957-58, 5=3294. The molecular diffusive rate of change of composition in the atmosphere, 5=7553. The morphology of magnetic storms, 5=3295. The "Electro-jets", 5=3337. Notes on the theory of magnetic storms, 5=6641. Rationalized MKS system of units, 6=2624. Survey of geomagnetic eclipse phenomena, 6=7036. Achievements and prospects in auroral and airglow research, 6=9086. Note on persistent meteor trails, 6=9120. The aurora in middle and low latitudes, 7=6781. The electrical conductivity of the ionosphere: a review, 8=4572. Thermal diffusion in ionized gases, 9=365. See also Aller,L.H., 9=5328

Chapman,S. and Meese,H. Effective and inexpensive slits for teaching physical optics, 7=6081

Chapman,S. and Sugiura,M. Arc-lengths along the lines of force of a magnetic dipole, 8=4123

Chapnik,I.M. Theory of the stratified positive column, 6=5901. The theory of the striated positive column in the case of recombination within the main bulk, 8=7058. On the mechanism of appearance of striations in the positive column of a gas discharge, 9=1498

Chappelear,J. Photoproduction of mesons in deuterium, 5=8294

Chappelear,J.E. Wave forces on groups of vertical cylinders, 9=4339

Chappell,D.G. Gamma-ray attenuation, 6=3971. Gamma-ray scattering from thin scatterers, 6=8948. Gamma attenuation with build up in lead and iron, 7=4681. Gamma-ray streaming through a duct, 7=9858. Gamma-ray attenuation with build up in water, 8=8201

Chappell,D.W.G. and Henderson,C.L. The determination of the horizontal velocity of ionospheric movements from fading records from spaced receivers, 6=8508

Chaakhch'yan,A.N. See also Vernov,S.N., 7=3420, 9=9740

Charakhchyan,A.N. and Charakhchyan,T.N. Measurement of the cosmic-ray intensity in the stratosphere at various heights and latitudes, 9=2476

Charakhchyan,T.N. See Charakhchyan,A.N., 9=2476. Vernov,S.N., 7=3420

Charandas,P. See Srivastava,S.C., 9=7468

Charatis,G., Doherty,L.R. and Wilkerson,T.D. C$_2$ and CN emission in the shock tube, 8=5773

Charbonnière,R. See Abadie,P., 6=3628, 7=4307

Charles,A. and Sikorski,J. Ultra-violet polymerization of embedding monomers for thin sectioning, 6=5446

Charles,D. On the theory of the 90° mass spectrometer. I. Ideal magnetic field, 7=466. II. Real magnetic field, trajectories in the plane of symmetry, 7=7968

Charles,G.W. On the energy levels of the configuration 6p^2 in Hg I, 9=2856. Compilation of data on some spectra of thorium, 9=7939

Charles,G.W., Hunt,D.J., Pish,G. and Timma,D. L. Preliminary description and analysis of the spectrum of polonium, 5=9547. Vibrational analysis of the molecular spectra of polonium, 7=4129

Charles,R.J. Static fatigue of glass. I, 9=5177; II, 9=5178. Dynamic fatigue of glass, 9=6332

Charlesby,A. Changes in silicone polymeric fluids due to high-energy radiation, 5=6580. Gel formation by main-chain fracture of long-chain polymers, 5=9219. Beneficial effects of radiation on polymers, 7=3746. See also Alexander,P., 5=6581, 5=10038

Charlesby,A. and Alexander,P., X-ray induced cross-linking of polymers in aqueous solutions, 6=6235

Charlesby,A. and Callaghan,L. Crystallinity changes in irradiated polyethylenes, 9=8869

Charlesby,A. and Flint,O. The construction and calibration of a 100-curie gamma irradiator, 5=5615

Charlesby,A., Hancock,N.H. and Sansom,H.C. Effect of atomic-pile radiation on the elastic modulus of an austenitic steel, 5=8321

Charlesby,A. and Polling,J.J. The optical properties of thin oxide films on tantalum, 5=2632

Charney,E. Dichroic ratio measurements in the infra-red region, 6=241

Charney,E and Halford,R.S. Dispersion of the electro-optic Kerr effect in the infrared region, 9=1427

Charney,J.G. Planetary atmospheres and convection in rotating fluids. Theory of the general circulation of the atmosphere, 8=2102

Charon,J. Study of nucleon—nucleon interaction with a simple electrodynamic model of the nucleon, 7=5047. The physical significance of Dirac's relativistic equation for the electron, 7=5057

Charon,J., Hubert,P. and Joly,R. Radiative capture cross-section of U^{236}, 7=1618

Charpak,G. Study of electron capture in the disintegration of the nuclide Na^{22}, 5=4026. Experimental study of the perturbation caused in the electron cloud by β disintegration and electron capture, 5=9872. See also Suzor,F., 5=3042, 9=5002

Charpak,G. and Renard,G.A. Study, with a photomultiplier, of luminous impulses produced in the gas of a proportional counter, 7=1403

Charpak,G. and Suzor,F. Study of internal bremsstrahlung, of autoionization and of electrons emitted simultaneously with β-rays by sulphur 35, 9=5003. Study of the disintegration of erbium 169, 9=10048

Charru,A. A hollow prism for the study of the variation of refraction of liquids with wavelength and temperature, 5=2554. A 3kMc/S apparatus for investigating electronic paramagnetic resonance and the sign of the Landé factor, 7=2550. Refractometric and gravimetric study of perchlorethylene, 7=2787. Directional coupler arrangement for an electron paramagnetic resonance system with circularly polarized waves, 7=9285. Attempt to interpret the shape of paramagnetic resonance signals by the introduction of the high-frequency demagnetizing field, 8=8131. A study of the electron paramagnetic resonance of lithium in solution in liquid ammonia, 9=107. See also Loudette,P., 7=531. Servant,R., 5=8095

Charsley,P. and Rush,P.E. The growth of inorganic salt whiskers from solution, 8=3565

Charters,A.C. See Denardo,B.P., 9=9125. Dimeff,J., 5=9453

Chartier,G. See Septier,A., 9=11118

Charton,M. and Gaydon,A.G. Band spectra emitted by strontium and barium in arcs and flames, 6=8090. Excitation of spectra of OH in hydrogen flames and its relation to excess concentrations of free atoms, 8=3853

Chartres,B.A. Evaluation of cascade angular and radial distributions from their moments, 7=4514. See also Butcher,J.C., 8=6122. Srinivasan,S.K., 9=376

Chartres,B.A. and Messel,H. New formulation of a general three-dimensional cascade theory, 5=1968. Angular distribution in electron-photon showers without the Landau approximation, 6=450. Angular distribution in electron—photon showers without the Landau approximation, 7=1379

Chartres,B.A. and Tidman,D.A. The scattering-in correction, 6=864

Charuel,R. and Traynard,P. Differential microcalorimeter. Study of stability, 6=299

Charvin,R. See Avignon,Y., 7=6824

Charwat,A.F. See Baker,R.M.L.,Jr, 8=2871

Chasanov,M.G. and Shatzkes,M. Attenuation of γ-rays from an infinite plane, 8=8366. Attenuation of γ-rays from an infinite plane. Corrections to Data sheet No.25, 9=3913

Chase,C.E. Ultrasonic propagation in liquid helium, 6=3685. Propagation of ordinary sound in liquid helium near the λ point, 8=7769. The velocity of sound in liquid helium near the λ point, 9=12185. See also Blake,C., 8=7871

Chase,C.E. and Herlin,M.A. Ultrasonic propagation in magnetically cooled helium, 5=4599

Chase,D.M. Adiabatic approximation for scattering processes, 7=1910. Collision matrix for rotational excitation in the adiabatic approximation, 7=5867. One-dimensional nucleon—nucleon wall model, 7=9314. Semiclassical limit for excitation of rotational motion by scattering, 8=4745. See also Wilets,L., 6=8962

Chase,D.M. and Wilets,L. Nuclear levels and transition in Lu^{175} according to the unified model, 6=1528

Chase,D.M., Wilets,L. and Edmonds,A.R. Rotational-optical model for scattering of neutrons, 8=5390

Chase,L.F.,Jr. See Meyerhof,W.E., 9=2754

Chase,M.N. See Beer,A.C., 6=2700

Chase,R.L. Shaping pulses for nuclear spectrometry, 9=11336

Chase,R.L. and Higinbotham,W.A. Millimicrosecond time-to-pulse-height converter using an r.f. vernier, 8=3281

Chasman,R.R. and Rasmussen,J.O. Alpha decay of deformed even-even nuclei, 9=3856

Chasmar,R.P. The electrical and optical properties of lead sulphide and allied semiconductors, 7=7924. See also Antell,G.R., 7=7897. Champness,C.H., 8=4987. Stuckes,A.D., 7=7899

Chasmar,R.P., Mitchell,W.H. and Rennie,A. Theory and performance of metal bolometers, 6=5814

Chasmar,R.P. and Stratton,R. Effective electron mass in indium arsenide and indium antimonide, 6=8195

Chasnikov,I.Ya. See Boos,É.G., 8=7152

Chasson,R.L. Cosmic-ray intensity fluctuations at sea level, 5=1033

Chastain,J.W. See Weaver,C.V., 8=275

Chastel,R. Evaporation and nuclear temperature, preliminary results of the study of the photo-proton spectrum from the $Cu(\gamma,p)Ni$ reaction with the aid of a spectrum of monochromatic rays, 6=5391. Form of the spectrum of photoprotons from the reaction $Cu(\gamma,p)Ni$, obtaines with the aid of monochromatic γ-rays, 6=6905. See also Bernet,A., 5=3368. Vigneron,L., 5=7604, 5=7606-7

Chastel,R. and Bernet,A. Some experiments on the development of nuclear emulsions for the discrimination of particles at low energies, 5=7603

Chatskevich,M.V. and Tsenter,E.M. Yield of electrons emitted under the action of γ-rays, 8=7026

Chatt,J., Duncanson,L.A. and Venanzi,L.M. The transmission of electronic effects through a palladium atom, 9=11530

Chatterjee,B. A discussion on the variation of F-region height, 6=9084

Chatterjee,B.B. Stresses in a rotating blade bounded by two equal confocal parabolas, 7=7638

Chatterjee,G.P. Diffusion of matter in solid metals and alloys, 5=5666. Rate of formation of film on metals and alloys, 5=5688

Chatterjee,J.S. Radiation characteristics of a conical helix of low pitch angle, 5=5534. Induction in the core by magnetic storms and earth's magnetism, 6=7860. The crust as the possible seat of earth's magnetism, 6=8493

Chatterjee,R. See Chatterjee,S.K., 9=482-3

Chatterjee,S. See Bhattacharyya,R., 7=7980, 7=8264

Chatterjee,S.D. See also Bandopadhyay,K.G., 6=4757. Rakshit,H., 5=3313, 5=10105. Ramaswamy,G., 8=4108

Chatterjee,S.D. and Bhadra,T.C. Abnormal increase in the dielectric constant of an electret-forming material, 5=7014

Chatterjee,S.D. and Bloom,J.N. On diurnal variation in cosmic-ray intensity at Ottawa, 6=455

Chatterjee, S.D. and Ramaswamy,G. Analysis of cosmic ray bursts in a thickly shielded ionization chamber, 8=7148

Chatterjee,S.D. and Sen,S.K. Induced conductivity at the surface of contact between metals, 9=316. Induced conductivity of metal—semiconductor contacts, 9=3495

Chatterjee,S.D. and Sutradhar,N.G. Reversal in the magnetic susceptibility of an electret-forming material, 6=491

Chatterjee,S.K. See also Bhattacharyya,K.L., 6=4941. Contractor,S.N., 8=8172

Chatterjee,S.K. and Chatterjee,R. Propagation of microwaves along a solid conductor embedded in three coaxial dielectrics, 9=482. Propagation of microwaves along a single conductor embedded in three co-axial dielectrics. II, 9=483

Chatterjee,S.K. and Madhaven,P. Propagation of microwaves on a single wire. I, 8=8171

Chatterjee,S.N. The fine structure of the films of a number of shadowing metals observed under high resolution electron microscope, 8=7551. Variation in lattice constant in thin films of gold, 9=9051

Chatterji,A.K. Plasticity of clay—water systems, 8=3516. Effect of substrate crystalline perfection on epitaxial growth, 9=13778

Chaturvedi,K.C. Apparent separation and intensity ratio of close spectral lines, 9=7934. See also Agarwal,D.B., 9=2193

Chaturvedi,K.C. and Sodha,M.S. On dependence of resolving power on background intensity, stage of resolution and detecting instrument, 7=7722. Effect of background intensity on resolving power of Lummer Gehrcke plate and transmission echelon, 7=7788

Chaudé,O. Spectrophotometric study of the isomerization of various thermochromic spirans, 5=3244*-5*

Chaudhri,R.M. A mercury safety valve for electrolysis of heavy water, 6=3337

Chaudhri,R.M., Abdul Qayum and Afzal Farooqi. Anomalies in the cosmic-ray shower curves for lead, 6=452

Chaudhri,R.M., Khan,M.Y., Khawaja,A. and Dar,R. Photo-ionization in self-quenching Geiger counters, 8=6089

Chaudhri,R.M., Khan,M.Y. and Taseer,A.L. Emission of photo radiations by the impact of positive ions of helium on nickel, 6=7482. Emission of electromagnetic radiation by the impact of positive ions of hydrogen on metal surfaces, 7=3377*

Chaudhri,R.M., Khan,M.Y. and Yunas,M. Role of photons in a selfquenching Geiger-Müller counter, 7=8672

Chaudhri,K.D. Ultrasonic attenuation of metals at low temperatures, 9=9330. Concentration quenching of fluorescence in solutions, 9=10825

Chaudhury,M.L. On the deviation of magnetic moments of $S_{\frac{1}{2}}$ nuclei from the Schmidt limits, 6=3102

Chauvin,S. See Le Montagner,S., 5=1796

Chavasse,P. Contribution to the study of the artificial ear problem. The new artificial ear of the Centre National d'Études des Télécommunications, 7=7523

Chavasse,P. and Lehmann,R. Some special aspects of the noise produced by modern aeroplanes, 6=6491

Chavchanidze,V.V. See also Mirianashvili,M.M., 8=498

Chavchanidze,V.V. and Cheishvili,O.D. Determination of functions for the energy distribution of neutrons by the method of Markow, 5=9111

Chavchanidze,V.V., Shaduri,R.S. and Kumsishvili,V.A. Monte Carlo calculation of an electron—photon cascade in lead, 8=8198

Chayanova,É.A. See Murina,T.M., 9=7951

Cheall,H.F.K. See Barrow,R.F., 8=2612

Checcacci,P.F. See also Carrara,N., 9=3077

Checcacci,P.F. and Carreri,C. Further radio observations on artificial satellites, 9=1014

Checcacci,P.F., Russo,V. and Carreri,C. Reception of radio signals from the satellite Sputnik I, 8=5595

Chechernikov,V.I. See also Volkov,D.I., 5=4789, 7=6355, 8=4138

Chechernikov,V.I. and Volkov,Yu.D. Temperature dependence of the paramagnetic susceptibility of nickel-zinc ferrites, 9=2506

Chechurin,S.N. See Berlaga,R.Ya., 9=1479

Checińska,H. and Sosnowski,L. Photoconductive lead telluride layers, 5=1845

Checkland,P.B. and Thompson,H.W. Vibration-rotation bands of deuterium cyanide, 5=3569
Cheek,C. See Linnenbom,V., 5=8309
Cheesman,G.H. See also Hawes,L.L., 9=8033
Cheesman,G.H. and Ladner,W.R. The variation of the heat of mixing with temperature, 5=5382
Cheesman,G.H. and Soane,C.M. The lattice constants of the inert elements, 7=8946
Cheever,G.D., Koski,W.S., Tilley,D.R. and Madansky,L. Decay of tellurium-132, 8=5297
Cheĭshvili,O.D. Polarization of deuterons in elastic scattering, 7=711. The polarization of elastically scattered deuterons, 8=711. See also Chavchanidze,V.V., 5=9111. Khutsishvili,G.R., 9=2673. Matinyan,S.G., 9=12600
Cheishvili,O.D. and Khutsishvili,G.R. Double elastic scattering of deuterons in a magnetic field, 9=6050
Cheishvili,O.D. and Matinyan,S.G. Polarization effects in Σ hyperons capture by deuterons, 9=11403
Cheka,J.S. See Birkhoff,R.D., 6=406. Huffman,F.N., 7=5393. Johnston,L.W., 8=6096
Chelaru,H. See Luca,E., 9=7982
Chelkowski,A. On dielectric saturation in pure polar liquids and their solutions, 8=8752. See also Piekara,A., 7=2155, 9=12204
Chelnokov,V.E. See Rȳvkin,S.M., 8=7976. Tuchkevich,V.M., 9=8156
Chemel,B. See Tsai-Chü, 8=8855
Chemla,M. Concentrating Li isotopes by electromigration in the melt phase, 6=4597. Diffusion of radioactive ions in crystals (with applications), 7=7447. See also Arnikar,H.J., 6=6208 Bonnin,A., 5=9839, 7=5575
Chemla,M. and Bonnin,A. Concentrating isotopes by electromigration on asbestos impregnated with molten salts, 6=2331
Chen,C.C. See Green,L.C., 9=8677
Chen,Chi Tien See Chen.T.C., 6=7571, 7=6379. Tien Chi Chen, 6=1436
Chen,C.W. Temperature dependence of magnetic properties of silicon — iron, 9=438
Chen,F.F. See also Bernstein,W., 9=2374
Chen,F.F., Leavitt,C.P. and Shapiro,A. M. Attenuation cross sections for 860-MeV protons, 5=9073. Total p—p and "p-n" cross sections at cosmotron energies, 6=6897
Chen,H.S.C. Note on the study of simple harmonic motion, 5=9448. Note on the derivation of the equation $v=\sqrt{(T/Y)}$, 6=995. Vibrations of an end-loaded strip, 7=5122. Note on the principal frequencies of a double spring-mass system, 7=5899
Chen,J.H. and Petrauskas,A.A. Ultrasonic relaxation in rotational isomers, 9=5454
Chen,J.M., Ho,T.H., Sen,D.C. and Tzu,H.Y. On the angular distribution of the decay products of particle of arbitrary spin, 9=7239. Angular distribution of the decay products of the hyperon, 9=7291. On the branching ratios of the decays of the hyperons and the ratios of the mean life times, 9=7292
Chen,M.C. and Taylor,H.A. Photolysis of water vapour, 8=439
Chen,P.S.K. See Wheland,G.W., 6=1453
Ch'en,S. and Takeo,M. Broadening and shift of spectral lines due to the presence of foreign gases, 7=7732
Ch'en,S.-Y. See also Jefimenko,O., 7=5173. See also Shang Yi Ch'en
Ch'en,S.-Y. and Jefimenko,O. Absorption bands of rubidium in the presence of hydrocarbons, 7=4145
Ch'en,S.-Y. amd Parker,W.J. Pressure broadening of the blue cesium doublet produced by A and He, 5=1683
Chen,T.C. Evaluation of auxiliary functions in molecular theory, 6=7571. Generalized united-atom theory of molecules. I. Spherical contributions in the $s\sigma$ wave functions for H_2^+, 9=751. II. A one-center model for cyclic polyenes, 9=752. See also Tien Chi Chen, 6=1436
Chen,T.C. and Sponer,H. Machine computation of molecular integrals encountered on one-center expansions, 7=6379
Chen' Chun'-Syan'. Method for calculating correlations in systems of many particles, 9=10597. A new method in statistical perturbation theory, 9=11860
Chen' Chun'-Syan' and Chzhou Si-Shin'. Energy spectrum of a high density electron gas, 9=1086
Chen-Gi-Tkhek. See Bogdanova,I.P., 8=1280
Ch'en Shang Yi. See Shang Yi Ch'en, 9=177
Chen To Tai Maxwell fish-eye treated by Maxwell equations, 9=1229
Cheng,C.-H. See Wei,C.-T., 9=4532, 9=4535
Cheng,J.-C. See also Lü Min, 9=8483
Cheng,J.-C., Lü Min, Chien,H. and Wang,K.-C. The production and nuclear capture of a K^--meson observed in a cloud chamber, 9=3798
Cheng,L.S. Sargent diagram and comparative half-lives for K-electron capture transitions of odd nuclides (with $Z \leq 60$), 6=4602
Cheng,P. Sedimentation velocity and diffusion of a solvated substance, 5=2473
Chenon,R. Classical theory of fields, 5=9401
Chenot,M. Space charge effects in high-frequency discharges. I. 5=2778. II, 5=3809. Polarity effects in a h.f. discharge, 7=3324. Production of a continuous current by a high-frequency discharge. I, 7=5359. II, 7=8648
Chentsov,P. Direct observation of optical vibrations of a crystal lattice of a solid by means of neutron scattering, 9=13841
Chentsov,R. Researches of Soviet physicists in the field of superfluids, 5=5213
Chentsov,R.A. Thermal conductivity of phosphor bronze at liquid helium temperatures, 5=241. Properties of the light isotope of helium, He^3, at low temperatures. I., 6=2041; II, 6=2042
Chentsova,L.G. On the question of the nature of the colour centers of smoky quartz, 7=8277
Chentsova,L.G., Grechushnikov,B.N. and Batrak,E.N. Investigation of thermal de-excitation of crystalline quartz excited with X-rays, 9=10857
Chepur,D.V. Photoelectric and optical properties of HgI_2, 8=7013
Chepur,D.V. and Red'ka,O.A. The effect of temperature on the photoconductivity of polycrystalline plates of HgI_2, 6=8209
Cher,M. and Kistiakowsky,G.B. Gaseous detonations. XI. Double waves, 9=5628
Cheremushkina,A.V. See Akulov,N.S., 7=2435, 9=13332
Cherenkov,P.A. See Ado,Yu.M., 7=5399. Korotkova,V.A. 6=7686-7. Kurnosova,L.V., 6=7661
Cherepanov,A.M. Growing $BaTiO_3$ single crystals, 9=8994
Cherepanov,V.I. Scatter formulae of the quantum optics of metals for the infrared spectrum region in multi-electron theory, 6=8135. The possibility in principle of an "intrazonal" mechanism for light absorption in solids, 8=4409. See also Sokolov,A.V., 6=5267, 7=9589. Vonsovskiĭ,S.V., 8=4408, 8=7504
Cherepanov,V.I. and Galishev,V.S. The exciton theory of dispersion and absorption of light, 8=7499
Cherepnev,A.A. The problem of the position of the copper activator in zinc-sulphide scintillators, 6=5006. Zinc oxide in zinc sulphide phosphor, 7=4170. Electroluminescent copper-activated zinc sulphide, 8=1623. See also Alentsev,M.N., 5=3583. Levshin,V.L., 7=4240
Cherkasov,A.S. and Bember,T.M. On kinetics of photochemical transformations and concentration quenching of fluorescent of 9-monalkyl derivatives of anthracene, 9=10819
Cherkasov,A.S., Molchanov,V.A., Vember,T.M. and Voldaĭkina,K.G. Duration of fluorescence in the meso-derivatives of anthracene, 7=1191
Chern,G. See Luca,E., 9=7982
Chernavskiĭ,D.S. See Feĭnberg,E.L., 6=8584. Gerasimova,N.M., 6=63. Leper,D.P., 9=5378. Podgoretskiĭ,M.I., 6=62
Chernavsky,D.S. See Ivanovskaya,I.A., 8=3210
Chernaya,N.S. See Lyashenko,V.I., 9=13290
Chernevskaya,É.G. See Stepanov,I.V., 9=10887
Chernick,J.and Kaplan,I. The nuclear reactor with a transverse air gap, 5=9934
Chernikov,N.A. The influence of a longitudinal field on the multiple scattering of particles, 7=7614. The generalized problem of the stochastic movement of particles, 7=7625. Relativistic collision interval, 7=9007. A note on the elastic scattering of relativistic particles in matter in the stationary case, 8=4213. See also Tschernikow,N.A.
Chernikova,L.A. See Kondorskiĭ,E.I., 8=7902
Chernock,W.P., Singer,J., Mueller,M.H. and Beck,P.A. Correction factor for the quantitative determination of fiber texture, 7=1667
Chernosky,E.J. Long-period variations in geomagnetic activity, 6=9054
Chernosky,E.J. and Hagan,M.P. The Zurich sunspot number and its variations for 1700-1957, 9=3056
Chernov,A.A. The motion of inclusions in a solid, 7=4286. Surface pressure in crystals, 9=12867. See also Bondarenko,V.V., 5=7017. Kvartskhava,I.F., 6=5130, 7=3196 Lemmleĭn,G.G., 8=3562
Chernov,G.M. See Estulin,I.V., 9=2738
Chernov,L.A. The correlation of fluctuations of amplitude and

phase during propagation of a wave in a medium with random heterogeneities, 6=4904. Correlation properties of a wave in a medium with random heterogeneities, 6=8046. The correlation of [acoustic] field fluctuations, 8=3819. The effect of fluctuations on the diffraction image of a focusing system, 8=4815. Acoustics of a moving medium. A review, 9=5434. See also Blyakhman,É.A., 9=9333. Krom,M.N., 9=5466
Cherntsov,N.N. See Gel'fand,I.M., 7=3891
Chernyak,M.G. and Naĭdus,G.G. Investigations of the wettability of certain materials by molten glass, 9=5407
Chernyakova,M.A. and Chudnovskiĭ,A.F. New method of determining the thermal characteristics of semiconductors, 6=1206
Chernyavskaya,I.P. See Blokhin,M.A., 9=13354
Chernyavskiĭ,P.A. See Urazovskiĭ,S.S., 7=3997
Chernȳĭ,G.G. Unidimensional transient flow of a perfect gas with strong shock waves, 6=6449
Chernȳsheva,M.A. Some details of the domain structure of Seignette salt crystals (from optical observations), 8=3070. See also Indenbom,V.L., 8=3061, 8=4937
Chernyshov,V. See Navon,D., 8=415
Chernȳshov,V.N. See Yaroslavskiĭ,M.I., 6=7389
Cheroff,G. See also Keller,S.P., 8=2985
Cheroff,G. and Keller,S.P. Measurements of rise and decay times of stimulated emission from phosphors, 7=6027. Optical transmission and photoconductive and photovoltaic effects in activated and unactivated single crystals of ZnS, 8=7972
Cheroff,G., Okrasinski,M. and Keller,S.P. Growth and optical absorption of SrS single crystals, 7=9965
Cherry,C. See Leakey,D.M., 8=3620
Cherry,E.C. See also Leakey,D.M., 7=4092. Sayers,B.McA., 8=470
Cherry,E.C. and Sayers,B.McA. "Human cross-correlator" -a technique for measuring certain parameters of speech perception, 7=194
Cherry,I.J. See Wilets,L., 6=6093
Chervinskaya,L.S. See Bashilov,A.A., 9=10088
Chesick,E.B. and Schneps,J. Production of Auger electrons by negative K mesons and π mesons, 9=3779
Chesick,J.P. and Kistiakowsky,G.B. Gaseous detonations. X. Study of reaction zones, 9=897
Chesne,A. See Phillips,L., 9=1730
Chesnut,D.B. Molecular-orbital treatment of isotropic hyperfine interactions in simple aliphatic radicals, 9=748. See also McConnell,H.M., 8=2016, 8=2618.
Chestnut,W.G. See also Panofsky,W.K.H., 8=2505
Chestnut,W.G., Hafner,E.M. and Roberts,A. Polarization of 220-MeV protons elastically scattered from carbon, 7=1594
Chessin,H. See Wolfe,W.R., 5=7466
Chessin,P.L. Free radical statistics, 9=8695
Chester,G.V. Behavior of a Bose system, 5=8520 λ Transition in liquid helium, 6=287. Statistical mechanics of mixtures of isotopes, 6=3128. Difference between normal and superconducting states of a metal, 7=1310. Specific heat of the superconducting state, 7=2144. See also Donnelly,R.J., 6=3684
Chester,G.V. and Houghton,A. Electron—phonon interaction in metals. I. The harmonic approximation, 9=6243
Chester,G.V. and Thellung,A. On the electrical conductivity of metals, 9=6905
Chester,P.F., Wagner,P.E. and Castle,J.G.,Jr. Two-level solid-state maser, 8=5139
Chester,W. The quasi-cylindrical shock tube, 5=805
Cheston,W.B. Proton polarization in (d,p) reactions, 5=2181. Interaction of K-particles with nuclear matter, 6=4668. Absorption of K^--particles by nuclei, 6=5419. See also Erickson,G.W., 9=2686. Glassgold,A.E., 7=7377. Naugle,J.E., 5=1235
Cheston,W.B. and Glassgold,A.E. Elastic scattering of alpha particles with the optical model, 7=7368
Chetaev,D.N. The influence of the velocity of a subsonic stream on the radiation impedance of a piston with infinite flange, 7=3094
Chetham-Strode,A. and Holm,L.W. New isotope einsteinium-248, 7=2579
Chetham-Strode,A.,Jr. See also Amiel,S., 7=6491. Harvey,B.G., 7=2580. Hummel,J.P., 5=4904
Chetham-Strode,A.,Jr, Choppin,G.R. and Harvey,B.G. Mass assignment of the 44-minute californium-245 and the new isotope californium-244, 6=5353
Chetkarov,M.L. On the variation of ionization energy in impurity semiconductors, 8=6978. On the variation of ionization energy in impurity semiconductors, 9=12243
Chetkin,M.V. See Krinchik,G.S., 9=9887
Chetverikov,N.I. Recovery of properties of germanium by annealing in antimony and arsenic, 9=13299. See also Abdullaev,G.B., 9=4513
Cheung,H. See Hexter, R.M., 6=5789
Chevalerias,R., Latron,Y. and Veret,C. Methods of interferometry applied to the visualization of flows in wind tunnels, 7=9115
Chevalier,A. See also Unal,B.C., 8=5821
Chevalier,A., Kahan,T. and Polacco,E. Propagation of electromagnetic waves in an anisotropic gyromagnetic medium contained in a rectangular wave guide, 5=7212
Chevalier,A. and Rideau,G. On the diagonalization of Wentzel's model, 9=3136
Chevallier,P. See Gorodetzky,S., 5=3079, 5=9899, 6=635, 6=2201, 6=4626, 6=5967, 7=1574, 9=1751-2, 9=12669
Chevallier,R., Bolfa,J. and Mathieu,S. Ferromagnetic titanomagnetites and ilmenites. I. Optical, radiocrystallographic and chemical study. II. Study of magnetic properties, 5=9276
Chevillot, J.P. and Brenet,J. Influence of foreign ions on the semiconductivity of dioxides of manganese, 9=9627
Chew,G.F. Proposal for determining the pion—nucleon coupling constant from the angular distribution for nucleon-nucleon scattering, 9=6022. Forces between nucleons and antinucleons, 9=11359. See also Ball,J.S., 8=1843
Chew,G.F., Goldberger,M.L. and Low,F.E. The Boltzmann equation and the one-fluid hydromagnetic equations in the absence of particle collisions, 6=6794
Chew,G.F., Goldberger,M.L., Low,F.E. and Nambu,Y. Application of dispersion relations to low-energy meson-nucleon scattering, 7=7428. Relativistic dispersion relation approach to photomeson production, 7=7438
Chew,G.F., Karplus,R., Gasiorowicz,S. and Zachariasen,F. Electromagnetic structure of the nucleon in local-field theory, 8=2785
Chew,G. F. and Low,F.E. Effective-range approach to the low-energy p-wave pion-nucleon interaction, 6=2680. Theory of photomeson production at low energies, 6=2681. Unstable particles as targets in scattering experiments, 9=7241
Chew,G.F. and Noyes,H.P. Dispersion relations for scattering in the presence of a Coulomb field, 8=8590
Chezlemas,R. See Lejay,P., 5=8104
Chhapgar,A.F. See Parthasarathy,S., 6=149, 8=3815, 9=2170, 9=3233
Chi,A.R. See Beaty,E.C., 9=5533. Bender,P.L., 9=2862
Chi,Chen Tien See Chen,T.C., 6=7571, 7=6379. Tien Chi Chen, 6=1436
Chi Chou Pei. See Pei Chi Chou
Chi Shi Lang. See Ehrenberg,W., 5=3828
Chiarotti,G. Effect of low-temperature plastic deformation upon the optical properties of alkali halides, 8=577
Chiarotti,G., Christiani,G. and Giulotto,L. Proton relaxation in pure liquids and in liquids containing paramagnetic gases in solution, 5=5922
Chiarotti,G., Christiani,G., Guilotto,L. and Lanzi,G. A nuclear inductor for measurements of thermal relaxation times in liquids, 5=390
Chiarotti,G. and Fumi,F.G. Preliminary experiments on the Kirkendall effects in alkali halide crystals, 5=8385
Chiarotti,G., Fumi,F.G. and Giulotto,L. Some experiments on the Z_4 band, 5=6618
Chiarotti,G. and Inchauspé,N. Photoproduction of V_1 centers in KBr crystals, 8=8444
Chiarulli,P. and Dressler,R.F. Condensation interfaces in two-phase flows, 8=8610
Chiba,R. See Douglas,R.A., 7=2654. Herring,D.F., 9=2807. McEllistrem,M.T., 7=2653. Takemoto,S., 6=2408
Chiba,S. Renormalization in the covariant treatment of pion-nucleon scattering, 5=61, 5=3431. The magnetic properties and phase diagram of iron tellurium system, 6=1378. See also Hanawa,S., 6=6379. Hirone,T., 6=6772. Namiki,M., 5=5871
Chiba,S. and Namiki,M. Zero-energy mesonic processes and renormalization in D.T.G.'s formalism, 5=5870
Chiba,S., Yamazaki,M. and Fukuda,N. Pion-nucleon scattering in the Tamm-Dancoff approximation, 5=5878
Chiba,T. See Morino,Y., 6=8903, 9=13487
Chick,B. See Hikata,A., 6=6442
Chick,D.R. See also Allen,N.L., 8=775. Allibone,T.E., 9=5079. Jones,W.M., 8=9050. Millar,B., 5=5453
Chick,D.R., Evans,W.W., Hancock,D.A., Hunt,S.E. and Pope,R.A. An investigation of the γ rays from the reactions ^{24}Mg(p,γ)

^{25}Al and ^{12}C(p,γ) ^{13}N with a note on the positron disintegration of ^{25}Al, 7=702
Chick,D.R., Firth,K., Kerridge,M. and Salmon,A.J. Critical mass measurements for the Merlin research reactor, 8=4329
Chick,D.R. and Hunt,S.E. Excited levels in arsenic 75 produced by radiative capture of protons by germanium 74, 7=9816
Chick,D.R., Petrie,D.P.R., Keith-Walker,D.G. and Longley,H. An experimental proton linear accelerator using a helical waveguide, 7=9727
Chidambaram,R. A method of reducing radiation damping in nuclear magnetic resonance, 9=12482
Chidley,B., Hinman,G., Goldstein,P., Summers,R. and Adler,R. Mu-meson scattering from lead nuclei, 8=8986
Chidley,B.G., Katz,L. and Kowalski,S. Some photoneutron thresholds, 8=2571
Chien,C.-Y. See Ling Yang, 9=8885
Chien,H. See Cheng,J.-C., 9=3798
Chien,J.C.W. See also Strong,R.L., 7=8243
Chien,J.C.W. and Willard,J.E. The effect of high γ-radiation dosage on the organic yields of Br^{80}, Br^{80m} and Br^{82} produced by the (n,γ) reaction in n- propyl bromide, 5=10035
Chih,C.Y. and Powell,W.M. Neutron — proton scattering at 90 MeV, 7=5660
Chikai,Yu. and Salai,A. The recoil effect of the neutrino in the β-decay of He^6 , 9=2745
Chikawa,J. See Tanaka,K., 9=9017
Chikayama,A., Ooshika,Y., Itoh,R. and Oshida,I. LCAO-MO treatment of phthalocyanine, 9=8730
Chikazumi,S. Study of magnetic annealing on Ni_3Fe single crystal, 6=5223. On the interpretation of magnetic torque reversal, 6=7525. Magnetic anisotropy induced by magnetic annealing and by cold working on Ni_3Fe crystal, 8=8892
Chikazumi,S. and Oomura,T. On the origin of magnetic anisotropy induced by magnetic annealing, 6=474
Chikazumi,S. and Suzuki,K. On the maze domain of silicon-iron crystal. I, 5=8396. Domain patterns on rolled single crystal of Ni_3Fe, 5=9248
Chikazumi,S., Suzuki,K. and Iwata,H. Studies on the magnetic anisotropy induced by cold rolling of ferromagnetic crystal. I. Iron — nickel alloys, 9=8293
Chikin,P.S. Inconsistency between the theoretical and experimental δ-shower frequencies at high energies, 8=3213. See also Abrosimov,A.T., 6=7502. Ivanovskaya,I.A., 8=7150
Chikovani,G.E. A statistical method for determining the masses of unstable neutral particles and their decay products, 5=1236. See also Mandzhavidze,Z.Sh., 8=2455, 9=558
Chikovani,G.E., Mandzhavidze,Z.Sh., Gedevanishvili,L.D. and Bibilashvili,M.F. Some examples of the decay of V-particles, 5=1229
Chikovani,N.N. See Broude,V.L., 8=5913
Chilashvili,G.A. See Mamasakhlisov,V.I., 8=5368
Child,H.R. See Wollan,E.O., 9=5899
Childers,H.M. Palladium film dosimeter, 9=3696. Analysis of single crystal pulse-height distributions, 9=12530
Childers,H.M. and Graves,J.D. Bipartition angles for Compton scattering by free electrons, 5=8222
Childs,B.G. and Penfold,J. The magnetic susceptibility of α and β brass, 7=4547
Childs,J.H. See Mickelsen,W.R., 9=2144
Childs,W.H.J. Composite quarter- and half-wave plates, 6=6549
Childs,W.J. See also Bach,D.R., 6=7473
Childs,W.J., Goodman,L.S. and Kieffer,L.J. Spin and magnetic dipole moment of 2·6 hr Mn^{56}, 9=2691
Chin,J. See DeJuren,J., 5=8258, 6=6941
Chin,J.H., Sliepcevich,C.M. and Tribus,M. Particle size distributions from angular variation of intensity of forward-scattered light at very small angles, 6=7321. Determination of particle size distributions in polydispersed systems by means of measurements of angular variation of intensity of forward scattered light at very small angles, 6=7322
Chin,N.B. and Horn,R.E. Infrared skiascope measurements of refractive changes in dim illumination and in darkness, 6=852
Chin,T.N. Electron temperature in the parallel plane diode, 5=5479
Chinaglia,B. See also Demichelis,F., 8=5295, 9=632
Chinaglia,B. and Demichelis,F. Photographic methods in γ-ray scintillation spectroscopy, 6=3970. Magnetic and scintillation spectrometers; the case of the γ-rays of $^{228}_{90}$Th and its decay products, 7=3610. Revision of $^{212}_{83}$Bi γ-spectrum by means of the $\gamma-\alpha$ coincidences, 8=5326
Chinaglia,B., Demichelis,F. and Ricci,R.A. Decay time of ZnS(Ag) and preparation of a ZnS(Ag) detector, 6=7306
Chinowsky,W. See also Bardon,M., 8=6181, 9=1679 Blumenfeld,H., 6=6184, 8=4252. Lande,K., 7=2683*, 7=7414
Chinowsky,W. and Steinberger,J. Reaction $\pi^- + d \rightarrow 2n + \pi^\circ$; parity of the neutral meson, 6=2444*
Chion,R. Cinematographic optical pyrometry for comparison of brightness, 6=3691
Chiotti, P. Measurement of the electrical resistance of metals and alloys at high temperatures, 5=286
Chiou,C. See Fine,M.E., 7=3092
Chipman,D.R. Improved monochromator for dissuse X-ray scattering measurements, 6=4098. Mass absorption coefficient of carbon for CuK_α radiation, 6=5135. X-ray study of the local atomic arrangement in partially ordered Cu_3Au, 6=7014
Chipman,D.R. and Paskin,A. Contribution of temperature diffuse scattering to wings on Bragg peaks, 9=13906
Chippendale,R.A. See Saxe,R.F., 5=9346
Chirba,V.G. See Gibbons,D.F., 8=6758
Chirgwin,B.H. Summation convention and the density matrix in quantum theory, 7=9798
Chirikov,B.V. See Volosok,V.I., 8=1089
Chirkov,A.K. The measurement of weak magnetic fields by electron resonance methods, 9=12441
Chirkov,A.K. and Kokin,A.A. Paramagnetic resonance of free radicals in weak fields, 9=2936
Chirkov,A.K. and Matevosyan,R.O. Paramagnetic resonance of new organic radicals, 8=8133
Chisholm,A. See White,R.E., 8=6146
Chisholm,J.S.R. The S-matrix for neutral PS-PV meson-nucleon interaction, 6=4828
Chisholm,J.S.R. and de Borde,A.H. A new derivation of the fundamental formula in Fowlerian statistical mechanics, 5=7712
Chisholm,J.S.R. and Dixon,G.M. Unitary transformations of symmetrics PS — PS and PS — PV interactions, 9=40
Chisnall,G.A. New tables of Fermi—Dirac functions, 7=7544
Chisnell,R.F. The normal motion of a shock wave through a non-uniform one-dimensional medium, 6=2745
Chistiakov,Yu.D. and Mal'tsev,M.V. Electron-diffraction study of the oxidation of aluminium alloys, 9=8916
Chistovich,L.A. The significance of time factors for the perception of complex sounds, 7=3870
Chistyakov,A.L. See Bochvar,D.A., 9=9247
Chistyakov,L.V. See Baranov,S.A., 8=8277 Kurchatov,B.V., 9=2787
Chiu,H.-Y. Polarization of recoil protons in pion — proton scattering, 8=2491. π^-—p scattering and the dispersion relation, 8=5227. Mass effect in P-state π—p scattering, 9=3122
Chiu,H.-Y. and Hamilton,J. π^-scattering and dispersion relations, 8=8990
Chiu,H.Y. and Lomon,E.L. Pion—nucleon phase shifts for intermediate energies, 9=4938
Chivers,H.J.A. and Wells,H.W. A new ionospheric phenomena, 9=9070
Chizh,L.D. See Pilat,I.M., 8=7962
Chizhikova,Z.A. See also Galanin,M.D., 5=1717, 7=4215, 9=10818
Chizhikova,Z.A. and Galanin,M.D. Gamma-ray and photoluminescence yields of organic crystals, 6=7300
Chizhov,V.P. See also Bazhanov,E.B., 7=8162
Chizhov,V.P. and Kul'chitskii,L.A. Intermediate-energy photodeuterons from C^{12} and Be^9, 9=12685
Chkharty̆shvili,Yu.V. See Deĭhen,M.F., 8=8447
Chlebowska,D. The (p,α) reaction on deformed nuclei, 8=6291. Direct interaction in the reaction ^{16}O(p,αp)^{12}C, 9=645
Chleck,D.J. See Brinkerhoff,J., 9=12519
Chmutin,M.S. Temperature relation of the dielectric constant of the NaCl crystal, 5=927
Cho,A.C.F. and Watson,R.B. Pulse technique applied to acoustical testing, 9=13127
Cho,C.W., Allin,E.J. and Welsh,H.L. Structure of the infrared "atmospheric" bands in liquid oxygen, 6=8670
Chocholle,R. Statistical study of the differential auditory intensity sensitivity, 5=7579
Chocholle,R. and Legouix,J.P. On the inadequacy of the method of beats as a measure of aural harmonics, 7=8964. About the sensation of beats between two tones whose frequencies are nearly in a simple ratio, 7=8966
Chodorow,M., Ginzton,E.L., Hansen,W.W., Kyhl,R.L., Neal,R.B., and Panofsky,W.K.H. Stanford high-energy linear electron accelerator (Mark III), 5=6199

Chodorow,M., Shaw,H.J. and Winslow,D.K. Current distribution in modulated magnetically focused electron beams, 9=2390

Chojnacki,H. See Pigon,K., 9=10984

Cholet,P. See Lasser,M.E., 8=5916

Chollet,L. and Rossel,J. Deviations from the law of additivity in the stopping of alpha particles, 6=3952

Chollot,B. See Chappelle,J., 7=8258

Chomet,S. and Yarwood,J. The diffuse reflexion of silver atoms at a metallic target at high temperature, 5=9974

Chopinet,M. See Lallemand,A., 8=6603

Choppin,G. See Hicks,D.A., 7=4743

Choppin,G.R. See also Amiel,S., 7=6491. Chetham-Strode,A.,Jr., 6=5353. Ghiorso,A., 5=7357. Harvey,B.G., 5=9042, 7=2580

Choppin,G.R., Harvey,B.G., Hicks,D.A., Ise,J., Jr. and Pyle,R.V. Prompt neutrons from the spontaneous fission of fermium-254, 6=4630

Choppin,G.R., Harvey,G.B., Thompson,S.G. and Ghiorso,A. Nuclear properties of 100^{258}, 5=7314

Chopra,K.L. See also Hebert,G.R., 7=6125

Chopra,K.L. and Brown,J.B. Nonisothermal flow of helium II film, 7=9658, Suspension of particles in liquid helium, 8=156

Chopra,K.L. and Hutchison,T.S. Ultrasonic attenuation in superconducting aluminum, 8=6754. Study of phase propagation in superconducting aluminum by ultrasonic attenuation measurements, 9=8162

Chopra,K.P. On the induction drag of a sphere moving in a conducting fluid in the presence of a magnetic field, 7=8025 Note on induction drag, 8=4157. Magnetic fields in a conducting fluid sphere with volume currents, 8=5131

Choquard,P. Semi-classical treatment of general forces in the Feynman representation, 5=7679

Choquard,P., Janner,A. and Ascher,E. On the connection between bands and bands in metals and semiconductors, 9=6912

Choquard,P.F. See Beer,A.C., 6=2700

Choquet,C. See Berthelot,A., 9=3796

Chormley,J.A. Luminescence of ice subjected to ionising radiation, 7=281

Chormonov,T.Kh. Effect on impurities on dielectric constant and piezoelectric modules of seignette salt, 6=5841

Chornyĭ,V.H. The thin crystalline structure of certain Ni-alloys, 8=7539

Chou,A. and Kerker,M. The refractive index of colloidal sols, 6=7261.

Chou,C. See also Grønvold,F., 9=5639. Westrum,E.F.,Jr., 8=8740, 9=6854. White,D., 8=8788

Chou,C., White,D. and Johnston,H.L. Heat capacity in the normal and superconducting states and critical field of niobium, 8=8787

Chou,C.N. Speed measurement of cosmic-ray particles using millimicrosecond timing circuit, 6=4480

Chou,C.N. and Schein,M. Cosmic-ray studies of penetrating showers and bremsstrahlung at 11 200 feet by using plastic scintillation counters, 5=1966. Scintillation counter study of energy spectra of cosmic-ray photons and electrons at 11 200 feet, 5=4769

Chou,K.C. A note on the decay of the Σ-hyperon and its antiparticle, 9=8485. See also Chizhou Guan-Chzhao. Ogievetsky,V.I., 9=7794. Zastavenko, L.G., 9=3739

Chou,Kuang-Chao See also Chizhou Guan-Chzhao

Chou Kuang-Chao and Shirkov,M.I. Spins and parities of the $_{\lambda}H^4$ hyperfragment and K-meson, 8=6188

Chou Pei Chi See Pei Chi Chou

Choudhary,J. See Rahman,F. 7=6325-6

Choudhury,A.K. The isograph—an electronic root finder, 6=6287

Choudhury,A.K. and Chakrabarti,N.B. Use of Laguerre filters for realisation of time functions and delay, 9=11709

Choudhury,D.C. See Tamura,T., 9=7338

Choudhury,N.K. Measurement of degree of polarization of fluorescence of pure anthracene crystalline film, 8=7837

Choudhury, N.K, D. and Kanta,Rao,M.V.S.S. Panel absorbents for low frequency sound absorption, 9=10726

Choudhury,P. Two-dimensional problems of stress distribution due to certain loads on the upper surface of an elastic layer of non-isotropic material with rigid base, 7=7635. Two-dimensional thermal stresses due to steady heat flow in a semi-infinite aeolotropic plate, 9=3171

Choudhury,P.K.Sen, See Sen Choudhury,P.K.

Choumoff,S. On the sensitivity of leak detectors of the helium mass spectrometer type, 9=9315

Chovnik,A.A. See Korsunskiĭ,M.I., 7=1440

Chow, R.H. and Wright,B.T. Elastic scattering of 20-MeV protons by oxygen and nitrogen, 7=3636

Chowdhury,A. See Dutta,A.K., 5=934

Choyke,W.J. See also Harper,W.J., 7=1306, 7=4371. Patrick,L., 9=2229, 9=4678

Choyke,W.J. and Patrick,L. Absorption of light in alpha SiC near the band edge, 7=4890. Absorption of light in Se near the band edge, 8=7021

Chraplyvy,Z.V. See Glover,F.N., 6=7156

Chrenko,R.M. See Newman,R., 9=12032

Chrétien,M. Radioactive corrections to electron scattering, 5=7112. See also Budde,R., 7=1651

Chrétien,M., Leitner,J., Samois,N.P., Schwartz,M. and Steinberger,J. π^-—p Elastic scattering at 1·44 BeV, 8=8239

Chrien,R.E. See Benade,A.H., 7=6290. Fox,J.D., 8=8263 Hughes,D.J., 9=3823

Christensen,D. See Bak,B., 6=3906, 7=2048, 7=3510, 7=4609

Christensen,H. Surface conduction channel phenomena in germanium, 5=942

Christensen,M.T., Eaton,D.R., Green,B.A. and Thompson,H.W. Vibration—rotation bands of acetylene and the molecular dimensions, 7=6389

Christensen,M.T. and Thompson,H.W. The rotational constants of nitrous oxide, 5=1082

Christensen,R.L. See also Reynolds,J.B., 8=7297

Christensen,R.L., Bennewitz,H.G., Hamilton,D.R., Reynolds,J.B. and Stroke,H.H. Spin of 27 hour arsenic 76, 7=9825

Christensen,R.L. and Hamilton,D.R. Permanent magnet for atomic beam focusing, 9=9750

Christensen,R.L., Hamilton,D.R., Lemonick,A., Pipkin,F.M., Reynolds,J.B. and Stroke,H.H. Spins and hyperfine structure separations of radioactive Au^{198} and Au^{199}, 6=3118

Christian,E. On the theory of weakly coupled acoustic resonators in the general case, 5=6832

Christian,J.W. See also Anantharaman,T.R., 6=9026

Christian,J.W., Jan,J.P., Pearson,W.B. and Templeton,I.M. Thermo-electricity at low temperatures. VI. A redetermination of the absolute scale of thermo-electric power of lead, 8=5014

Christian,J.W. and Spreadborough,J. Stacking faults in cold-worked cobalt-nickel alloys, 7=4903. Stacking faults and dislocations in copper—aluminium and cobalt—nickel alloys, 8=1327

Christian,R. See Friedman,M.H., 6=1623

Christian,R.H. See also Alder,B.J., 7=2832*, 8=3992 Walsh,J.M., 5=4999

Christian,R.H., Duff,R.E. and Yarger,F.L. Equation of state of gases by shock wave measurements. II. The dissociation energy of nitrogen, 6=135

Christian,R.H. and Shreffler,R.G. Equation of state of argon, 5=266

Christian,R.H. and Yarger,F.L. Equation of state of gases by shock wave measurements. I. Experimental method and the Hugoniot of argon, 6=134

Christian,R.S. See Gammel,J.L., 7=2997

Christian,S.M. See Dresselhaus,G., 6=1223. Glicksman,M., 7=2223

Christiansen,J. On plasma compression in a magnetic quadrupole field, 9=5838

Christiansen,J.A. Chemical kinetics and equilibrium. The law of integral powers in kinetics, 5=580. On the form and content of the diffusion equation, 5=9445

Christiansen,W.N. See also Laffineur,M., 5=2378

Christiansen,W.N. and Mathewson,D.S. Scanning the sun with a highly directional array, 8=1435

Christiansen,W.N., Mathewson,D.S. and Pawsey,J.L. Radio pictures of the Sun, 8=850

Christiansen,W.N. and Warburton,J.A. The sun in two dimensions at 21 cm, 5=6695. The distribution of radio brightness over the solar disk at a wavelength of 21 centimetres. III. The quiet sun—two-dimensional observations, 6=4777

Christiansen,W.N., Warburton,J.A. and Davies,R.D. The distribution of radio brightness over the solar disk at a wavelength of 21 centimetres. IV. The slowly varying component, 8=4631

Christie,D.E. Some thermodynamic properties of a mapping, 9=4536

Christie,D.G. Reflection of elastic waves from a free boundary, 5=5286. A multiple spark camera for dynamic stress analysis, 6=7919

Christie,E.R., Feld,B.T., Odian,A.C., Stein,P.C. and Wattenberg,A. High-energy neutron detectors employing liquid scintillators, 6=4028

Christie,M.I., Harrison,A.J., Norrish,R.G.W. and Porter,G. The recombination of atoms. II. Causes of variation in the

observed rate constant for iodine atoms, 5=8955
Christman,D. See Friedman,L. 9=12614
Christodoulides,S.P. A photoelastic method of two-dimensional separation of stresses along a line of symmetry by using the isochromatic fringes only, 6=4855. A photoelastic method of two-dimensional separation of stresses along a line of symmetry by using the isochromatic fringes only, 7=3019
Christoff,St.G. On the physical and logical foundations of the law of the conservation and transformation of energy, 6=1837
Christoffel,D.A. The effect of grain size on the magnetothermal properties of ferrites, 7=8014. See also Bates,L.F., 7=532, 7=5464, 8=237
Christofferson,S. See Lundén,A., 9=12730
Christov, C. On the calculation of the electrostatic binding energy of finite heteropolar crystals, 5=3911. On the random motion of the molecules in a gas. I, 7=6948
Christov,C.J. See Votruba,V., 5=4358
Christy,R.F. The analysis of data on nuclear scattering of charged particles, 8=1949. See also Baade,W., 7=3924. Burbridge,G.R., 6=8560. Sherr,R., 5=1177
Christy,R.W. Mechanical top with magnetized axle, 7=3027. Momentum conservation experiment, 7=3032. Theory of creep limited by self-diffusion, 9=7559
Christy,R.W., Fukushima,E. and Li,H.T. Thermoelectric power of AgBr containing $CdBr_2$, 9=5746
Christy,R.W. and Harte,W.E. Electrical conductivity of X-irradiated NaCl, 8=7906
Chrustalow,O. See Zöllner,V., 9=4936
Chu,B.-T. Thermodynamics of electrically conducting fluids, 9=13501
Chu,C.-M. See also Chu Chiao -Min. Clark,G.C., 7=2090
Chu,C.M. and Churchill,S.W. Numerical solution of problems in multiple scattering of electromagnetic radiation, 6=7323. Representation of the angular distribution of radiation scattered by a spherical particle, 6=8713
Chu,E.L. Comments on Gumowski's letters on summation of slowly coverging series, 5=1441
Chu Chiao-Min. Propagation of waves in helical wave guides, 8=8167. See also Chu,C.-M.
Chu Liang,S. On the calculation of thermal transpiration, 5=4435
Chuan,R.L. Plasma heating of supersonic airstream, 9=1556
Chuang,F.-K. On the decay of turbulence, 5=3481. The supersonic motion of a Chaplygin gas, 5=9482
Chubb,T.A. Transmission of barium fluoride crystal in the ultraviolet, 6=5785. See also Byram,E.T., 5=7554, 7=1863, 9=7744. Friedman,H., 5=5766, 9=10. Rosenstock,H.B., 6=5255
Chubb,T.A. and Friedman,H. Photon counters for the far ultraviolet, 5=7140
Chubb,T.A., Friedman,H., Kreplin,R.W. and Kupperian,J.E.,Jr. Rocket observation of X-ray emission in a solar flare, 7=6827, 8=15. Lyman alpha and X-ray emission during a small solar flare, 8=4668
Chubinskiĭ,O.V. See Grigor'ev,E.P., 8=739. Gustova,L.V., 9=10076-7
Chuchman,T.N. See Davidenkov,N.N., 9=10336
Chuck,W. See MacDonald,W.M., 8=524
Chudáček,I. Energy spectrum of α particles emitted from sources of different thicknesses, 9=3854
Chudakov,A.E. See Nesterova,N.M., 5=6268. Vernov,S.N., 8=5098, 9=1566, 9=13969
Chudars,Ya. Calculations on the extinction of monoenergetic electron beams in layers of matter, 9=8828
Chudars,Ya, and Taure,I. Calculation of the ionization of air around beta and alpha sources, 9=13389
Chudesenko,E.F. See Al'pert,Ya.L., 8=8543
Chudinov,A.A. See Kornfel'd,M.I., 8=3509
Chudnovskii,A.F. See Chernyakova,M.A., 6=1206
Chuenkov,V.A. Contemporary state of the theory of electrical breakdown of solid dielectrics, 5=6188. The behaviour of the germanium-type valence semiconductors in strong electric fields, 8=7911. The behaviour of germanium-type valence crystals in strong electric fields, 9=13300
Chuev,V.I. See Vlasov,N.A., 5=9069
Chuikin,E.I. On the application of the impulse method to the determination of the velocity of ultrasound, 5=3523
Chujo,R. See Teramoto,E., 6=1729
Chukichev,M.V. See Vavilov,V.S., 8=5491
Chukkerman,I.I. On electron-optical systems with a rectilinear axis not having rotational symmetry, 6=8826
Chukreev,F.E. See Éstulin,I.V., 6=8361
Chulkov,P.M. See Yakovlev,G.N., 8=3542
Chulkova,V.I. See Golyamina,I.P., 8=4809
Chulli,S. and Miku,M. Plasma oscillations in an external static magnetic field, 9=8253
Chultėm,D. See Ignatenko,A.E., 9=2610, 9=2867
Chumakov,A.A., Sil'vestrova,I.M. and Aleksandrov,K.S. Dielectric, elastic and piezoelectric properties of single crystal benzophenone, 8=5860
Chumin,V.G. See Dzhelepov,B.S., 7=6510
Chung An Min See An Min Chung
Chupka,W.A. Effect of unimolecular decay kinetics in the interpretation of appearance potentials, 9=5842. Dissociation energies of some gaseous alkali halide complex ions and hydrated ion $K(H_2O)^+$. See also Berkowitz,J., 6=8812, 7=5271, 7=7821, 8=1298, 8=8630. Inghram,M.G., 6=2206*, 6=8732, 8=1299. Porter,R.F., 5=3679, 5=9200. Stanton,H.E., 6=5957
Chupka,W.A., Berkowitz,J. and Giese,C.F. Vaporization of beryllium oxide and its reaction with tungsten, 9=6837
Chupka,W.A., Berkowitz,J. and Inghram,M.G. Thermodynamics of the $Zr-ZrO_2$ system. The dissociation energies of ZrO and ZrO_2, 7=7836
Chupka,W.A. and Inghram,M.G. Direct determination of the heat of sublimation of carbon with the mass spectrometer, 5=3700. Water dimer and its relation to mass spectrometric measurement of C_3^+ in carbon vapor, 5=6596. The thermodynamics of carbon molecules as determined in the mass spectrometer, 6=872*
Chupka,W.A., Inghram,M.G. and Porter,R.F. Dissociation energy of gaseous LaO, 6=3879
Chupp,E.L., Clark,A.F., DuMond,J.W.M., Gordon,F.J. and Mark,H. Precision determination of the low-lying energy levels of W^{182}, W^{183}, W^{184}, and W^{186}, 8=306
Chupp,E.L., DuMond,J.W.M., Gordon,F.J., Jopson,R.C. and Mark,H. Precision determination of some energy levels in Fe^{57}, Zn^{67}, and Tc^{99}, 8=2534. Precision determination of nuclear energy levels in heavy elements, 9=2706. Precision determination of gamma rays following (p,p'γ) and (p,nγ) reactions, 9=2758. K series X-ray wavelengths in rare earth elements, 9=5777
Chupp,E.L., DuMond,J.W.M. and Mark,H. Measurement of high-energy gamma-rays with a photographic bent crystal spectrograph, 9=8559
Chupp,W.W. See also Barkas,W.H., 7=3225. Chamberlain,O. 6=3787, 6=4637, 6=5830, 5=6186. Igo,G., 8=2504. Iloff,E.L., 6=1616. Lannutti,J.E., 6=5427, 9=552. Webb,F.H., 6=4010, 8=7279.
Chupp,W.W., Goldhaber,G., Goldhaber,S., Goldsack,S.J., Lannutti,J.E., Smith,F.M. and Webb,F.H. Measurements on K-particles from the bevatron, 5=9123
Chupp,W.W., Goldhaber,G., Goldhaber,S., Johnson,W.R. and Lannutti,J.E. K-meson mass from a K-hydrogen scattering event, 5=9135
Church,E. See Bincer,A., 9=622
Church,E.L. and Monahan,J.E. Internal conversion in the L and M subshells, 5=6444
Church, E.L., Rose,M.E. and Weneser,J. Electric-monopole directional-correlation experiments, 9=639
Church,E.L. and Weneser,J. Electric-monopole transitions in atomic nuclei, 6=1534, 6=8318. Effect of the finite nuclear size on internal conversion, 7=2614
Churchill,J. L.W. See Millar,B., 8=1096
Churchill,S.W. See also Chu,C.M., 6=7323, 6=8713. Clark,G.C., 7=2090. Larkin,B.K., 9=5552. Scott,P.H., 9=9528. Weir,A.,Jr., 8=1021
Churchill,S.W., Weir,A.,Jr., Gealer,R.L. and Kelley,R.J. Rate of propagation of propane—air flames irradiated with a 10 000 curie gold source, 8=1020
Churchman,A.T. The slip modes of titanium and the effect of purity on their occurrence during tensile deformation of single crystals, 5=1300. See also Franks,J., 5=3270
Churchman,A.T., Mogford,I. and Cottrell,A.H. The hardening and embrittlement of steel by irradiation with neutrons, 8=1332
Chushkin,P.I. Subsonic flow around [solid] ellipses with circulation, 9=9316
Chuvatin,S.A. See Artsimovich,L.A., 8 =3262. Podgornyĭ,I.M., 8=2351
Chuvilo,I.V. See also Grishin,V.G., 8=8225 Korotkova,V.A. 6=7686-7
Chuvilo,I.V. and Shevchenko,V.G. Angular and energy distributions of protons produced in the photodisintegration of Be^9 and C^{12}, 8=2578. Photodisintegration of Be^9 and C^{12} by γ-bremsstrahlung of 44 MeV maximal energy, 8=8334

Chvojková,E. Propagation of radio waves from cosmical sources, 8=3638. See also Wayk-Chvojková,E

Chyliński,Z. See Benisz,J., 9=7244

Chynoweth,A.G. Spontaneous polarization of guanidine aluminum sulfate hexahydrate at low temperatures, 6=5070. Surface space-charge layers in barium titanate, 6=5078. Dynamic method for measuring the pyroelectric effect with special reference to barium titanate, 6=6604. Barkhausen pulses in barium titanate, 8=8750. Ionization rates for electrons and holes in silicon, 8=8772. Pyromagnetic effect: a method for determining Curie points, 9=435. Radiation damage effects in ferroelectric triglycine sulfate, 9=4551. Effect of space charge fields on polarization reversal and the generation of Barkhausen pulses in barium titanate, 9=6892

Chynoweth,A.G. and Abel,J.L. Polarization reversal by sideways expansion of domains in ferroelectric triglycine sulfate, 9=8070

Chynoweth,A.G. and McKay,K.G. Photon emission from avalanche breakdown in silicon, 6=4404. Internal field emission in silicon p-n junctions, 7=5335. Threshold energy for electron hole pair-production by electrons in silicon, 8=6995

Chynoweth,A.G. and Pearson,G.L. Effect of dislocations on breakdown in silicon p—n junctions, 9=315

Chzhan Li. Stationary states of an electron—positron system and annihilation transitions, 8=1837

Chzhao Guan-tsen. Linear luminescence and reflection spectra of copper iodomercurate crystals at low temperature, 9=10835

Chzhao Kéi khua. Surface vibrations of a [hydrodynamic] charged column in a longitudinal [external] magnetic field, 9=12509

Chzhou Guan-Chzhao. Concerning a symmetry property of the new Gell-Mann theory, 8=7280. Reactions involving polarized zero rest mass particles, 9=13007. See also Chou,K.-C., Chou Kuang-Chao, Ogievetskii,V.I., 9=11828. Zastavenko,L.G., 9=9950

Chzhou Guan-chzhao and Maevskii,V. The universal Fermi interaction and the capture of muons in hydrogen, 9=13562

Chzhou Guan-chzhao and Shirokov,M.I. Spins and parities of the hyperfragment $H^4{}_\Lambda$ and of the K-meson, 8=7312. Relativistic theory of reactions involving polarized particles, 8=8312

Chzou Guan-Chzhao and Zastavenko,L.G. The Shapiro integral transformation, 9=10620

Chzhou Si-Shin'. See Chén' Chun'-Syan', 9=1086

Ciais,A. See also Pesteil,L., 9=13181

Ciais,A. and Pesteil,L. Luminescence of some aromatic hydrocarbons in solution in paraffins at 77°K, 9=12107

Cialdea,R. A photographic apparatus with a wide field for recording the whole sky, 8=833. Secondary diffusion of light during total solar eclipses, 8=3612

Cialella,C. See Miller,W., 5=1171

Ciccarello,I.S., Garofano,T. and Santangelo,M. Nuclear hyperfine structure of a hydrazinic free radical, 9=9820

Cicirelli,J.S. See Williams,J.W., 5=1340

Ciferri,A. and Flory,P.J. Stress-strain isotherm for polymer networks, 9=13842

Cilenšek,E. A high-frequency ion source with good ion yield, 9=1533

Çilesiz,A. A new pulse method to measure ultrasonic absorption in transparent liquids, 6=999

Cimberlis,B. Theory of the oscillating absorber in a diffusing medium, 7=9400. Effects of reactivity perturbations on the density of the neutrons from a nuclear reactor, 8=8359

Cimino,A. See Boato,G., 6=4711

Cimino,M. Photometric and polarimetric observation of the solar corona during the total eclipse of the sun of Feb.25,1952. The coronal isophotes, 5=2373

Cindro,N. and Ilakovac,K. Elastic scattering of gamma-rays, 8=2574

Cini,G. See Brovetto,P., 5=2078

Cini,M. See also Agodi,A., 7=8407, 7=9537, 8=514

Cini,M., Ferrari,E. and Gatto,R. Neutron—proton mass difference by dispersion theory, 9=4904

Cini,M. and Fubini,S. Current density in Heisenberg representation, 5=7697. A theoretical investigation of nuclear reactions with neutrons, 5=8256. Current density in quantum electrodynamics, 6=4184. General properties of the fixed source meson theory, 6=4826. Exact sum rules in the fixed-source meson theory, 6=7146. Some remarks about a paper by Fukutome and Nogami, 7=9536

Cini,M., Fubini,S. and Stanghellini,A. The coupling constant of p-wave pion nucleon scattering, 6=6361. Fixed angle dispersion relations for nucleon—nucleon scattering, 9=11360

Cini,M. and Gatto,R. Longitudinal polarization of the fast neutrons from μ^- absorption by nuclei, 9=4926

Cini,M., Gatto,R., Goldwasser,E.L. and Ruderman,M. A note on the apparent inconsistency among measurements of threshold pion interaction, 9=2623

Cini,M. and Stroffolini,R. On the possibility of an experimental test of dispersion relations for γ—proton scattering, 8=2458

Cini,M. and Touschek,B. The relativistic limit of the theory of spin $\frac{1}{2}$ particles, 8=2147

Chini-Castagnoli,G., Dupré,F. and Ricci,F.P. Diffusion coefficient of ^{37}A in liquid N_2, 9=13068

Cini-Castagnoli,G., Giardini,A. and Ricci,F.P. The diffusion of tritium in liquid argon, 9=13067

Cini-Castagnoli,G., Pizzella,G. and Ricci,F.P. The diffusion of argon and tritium in liquid nitrogen, 9=2136. Transport properties in the liquid state and the corresponding state principle, 9=10675

Ciobanu,G. See Croitoru,N., 9=13830

Ciok,P., Coghen,T., Gierula,J., Hołyński,R., Jurak,A., Mięsowicz,M., Saniewska,T. and Pernegr,J. Nuclear interactions in the energy region ($10^{10} \div 10^{14}$) eV, 9=3930

Ciok,P., Coghen,T., Gierula,J., Hołyński,R., Jurak,A., Mięsowicz,M., Saniewska,T., Stanisz,O. and Pernegr,J. About high energy interactions in nuclear emulsions, 8=5090

Ciok,P., Danysz,M. and Gierula,J. Possible example of decay of a 'meson active triton' at rest, 5=6496

Ciok,P., Danysz,M., Gierula,J., Jurak,A., Miesowicz,M., Pernegr,J., Vrána,J. and Wolter,W. On the nucleon—nucleon interaction with energy higher than 10^{14} eV, 8=1117

Ciok,P. and Stegner,A. An analysis of a Λ° particle (decay) in flight recorded in nuclear emulsion, 6=690

Ciorăscu,F. Energy distribution of electrons in a very high-frequency discharge in hydrogen, 9=13343

Ciorăscu,F., Deveny,A., Nachman,M. and Oncescu,M. Variation of resistivity according to thickness for thin layers of lead, 9=4565

Ciorăscu,F., Nachman,M. and Oncescu,M. Restivity of thin tin layers, 9=12235

Cirelli,R. On the motion of an electron struck by an instantaneous electromagnetic pulse, 5=2897

Cirelli,R. and Pastor,A.E. Feynman's functional method in a simple model in field theory, 9=52

Cirelli,R. and Pusterla,M. Extension of Davison's parametric method to the case of kinetic potentials, 6=7950. Functional methods in field theory, 7=5036

Ćirilov,S.D. See Jurić,M.K., 9=2799

Cirkler,W. Measurements of the Hall effect and conductivity in thin potassium films, 7=7091

Cişman,A. See Munteanu,A., 9=13418

Citron,A. and Hine,M.G.N. Experimental facilities of the CERN proton synchrotron, 5=9714

Citron,A. and Kehler,P. Investigation of sidereal time dependence of large showers, 5=8889

Cittert,P.H.van. See van Cittert,P.H.

Ciuffolotti,L., Luzzatto,G., Tomasini,G. and Cortini,G. On the mass measurements in G-5 and K-5 emulsions, 9=5978

Ciulli,S. and Fischer,J. Partial wave analysis of the production of boson pairs, 9=7810

Claassen,H. See Malm,J.G., 6=1068

Claassen,H.H. Force constants of metal hexafluorides, 9=7416 See also Nielsen,J.R., 5=4535. Weinstock,B., 9=10763

Claassen,H.H., Weinstock,B. and Malm,J.G. Raman spectrum of UF_6, 6=8700. Vibrational spectra and thermodynamic properties of CIF_3 and BrF_3, 8=3870

Cladis,J.B., Jones,C.S. and Wickersheim,K.A. High-speed light pulse shaper using a 5000 RPS rotating mirror, 6=2822

Claesson,A. Application of causality arguments to Delbrück scattering, 7=5064. Cross sections for bremsstrahlung and pair creation involving polarized electrons and photons, 8=8203

Claffy,E.W. See also Schulman,J.H., 8=1616

Claffy,E.W. and Ginther,R.J. Red-luminescing quartz, 9=9459

Claffy,E.W. and Klick,C.C. Energy transport by cascade and resonance processes in doubly activated phosphors, 7=7769

Claiborne,H.C., Copenhaver,C.M., Bertini,H.W. and Fowler,T.B. Calculating gamma heating in reactor structures, 8=5406

Claire,A.D.le See Le Claire,A.D.

Clancy,E.F. See Stehn,J.R., 5=6409

Clancy,E.P. Inexpensive apparatus for the study of circular motion, 7=5898. Study of the triode in the elementary laboratory, 7=6302

Clapp,F.D. See Yariv,A., 9=11284

Clareborough,L.M., Hargreaves,M.E. and West,G.W. The

release of energy during annealing of deformed metals, 5=10008. Density changes during the annealing of deformed nickel, 6=8436
Clareborough,L.M., Hargreaves,M.E., West,G.W. and Head,A.K. The energy stored in fatigued metals, 8=3523
Clarence,N.D. and Malan,D.J. Preliminary discharge processes in lightning flashes to ground, 8=3615
Claret,J. See Tsai-Chü, 8=2448
Clark,A. See Trambarulo,R., 8=7464
Clark,A.C. and Newmarch,D.A. The diffusion theory of fine structure in thermal neutron reactor assemblies consisting of cylindrical fuel elements set in a square lattice array, 7=1626
Clark,A.F. See Chupp,E.L., 8=306. Grandey,R.A., 5=3143. Kao,S.K., 5=8843
Clark,C. and Peterson,A.M. Motion of sporadic-E patches determined from high-frequency backscatter records, 7=2862
Clark,C.A. The dynamic magnetostriction of nickel—cobalt alloys, 7=530. See also Jones,E.R.W., 8=4135
Clark,C.B. Coulomb interactions in the uniform background lattice model, 9=776. Speed of straight waves in a ripple tank, 9=13061
Clark,C.D. The absorption edge spectrum of diamond, 9=6752. See also Ditchburn,R.W., 5=6611
Clark,C.D., Ditchburn,R.W. and Dyer,H.B. The absorption spectra of natural and irradiated diamonds, 6=4305. The absorption spectra of irradiated diamonds after heat treatment, 6=8666
Clark,D. See Cool,R., 6=8403. Piccioni,O., 5=5452
Clark,D.D. A thermometer for high-speed aircraft, 9=3002. See also Chamberlain,O., 6=4455
Clark,D.E. The resistivity of thin metallic film, 5=5400
Clark,D.E. and Kumar,S.N. Dielectric properties of polar solutes in non-polar solvents at microwave frequencies, 6=8163
Clark,G., Earl,J., Kraushaar,W., Linsley,J., Rossi,B. and Scherb,F. An experiment on air showers produced by high-energy cosmic rays, 7=9750
Clark,G.C., Chu,C.-M. and Churchill,S.W. Angular distribution coefficients for radiation scattered by a spherical particle, 7=2090
Clark,G.L. Dielectric properties of nitrobenzene in the region of anomalous dispersion, 6=6593
Clark,G.W. Electrical measurement of the speed of light with a clock and measuring rods, 6=4284. Arrival directions of cosmic ray air showers from the Northern sky, 8=1110. Fast-timing apparatus for measuring the arrival directions of cosmic-ray air showers, 8=4208. See also Tiller,C.O., 8=6057
Clark,G.W. and Hersil,J. Polarization of cosmic-ray μ mesons: experiment, 8=1750
Clark,G.W., Scherb,F. and Smith,W.B. Preparation of large plastic scintillators, 7=7978
Clark,H.M. See Servoss,R.R., 7=5998-9
Clark,J., Reif,A.E. and van Ness,B. Automatic respiratory valve, 6=5569
Clark,J.C. See Wolff,G.A., 9=11545
Clark,J.F. Airborne measurement of [the fair weather] atmospheric potential gradient, 8=5551. See also Kraakevik,J.H., 9=3014
Clark,J.F. and Kraakevik,J.H. The charge on the earth, 5=10097
Clark,J.L. See Prowse,W.A., 9=1496
Clark,J.R. See Burnham,R.W., 7=9648. Newhall,S.M., 7=2892
Clark,J.S. and Cook,A.H. A photoelectric microscope for the measurement of linear scales, 6=8013
Clark,J.W. and Feenberg,E. Simplified treatment for strong short-range repulsions in N-particle systems. I. General theory, 9=4301
Clark,K.C. See also Berberet,J.A., 6=208. Kane,W.R., 5=6181
Clark,K.C. and Romick,G.L. An auroral spectrograph, 9=5296
Clark,L.C. See Misrahy,G.A., 8=2720
Clarke,M.A.,Jr. Proposed keyboard musical instrument, 9=6649
Clark,M.A., Robson,J.M. and Nathans,R. Investigation of time-reversal invariance in the beta decay of the neutron, 9=2596
Clark,P.V.McD. and Mitchell,J.W. Experiments on photographic sensitivity, 6=6283
Clark,R.A. See LaBauve,R.J., 6=8080
Clark,R.K. and Brar,S.S. Optimum shape for cylindrical ionization chambers, 5=349
Clark,R.K., Brar,S.S. and Marinelli,L.D. Ionization of air by beta rays from point sources, 5=5611
Clark,S.K. Torsional wave propagation in hollow cylindrical bars, 7=4046
Clark,S.M. and Iball,J. The preparation of thin bone sections, 6=3429
Clark,W.E. The effect of gamma irradiation on the potential behavior of platinum and stainless steel electrodes, 9=909
Clarke,C. See also Horner,F., 5=10132, 8=3614
Clarke,C. and Byrne,B.J. The location of thunderstorms by a single-station high-frequency ranging technique, 7=1809
Clarke,D.H. Semiconductor lifetime as a function of recombination state density, 8=4965
Clarke,D.M. Free diffusion: Diffusion coefficient varying exponentially with concentration, 7=7654
Clarke,E.M. Ionization probability curves using an electron selector. Results on N_2^+, N^+, Xe^{++}, 5=1948
Clarke,E.N. Surface properties of germanium, 5=1818. Nature of the water-vapor-induced excess current on grown germanium p-n junctions, 6=337. See also Hopkins,R.L., 6=2099
Clarke,F.P. Irradiation damage in single crystals of magnesium oxide, 7=8936. Point defects produced by irradiation and their annealing in ionic and covalent crystals, 8=4430
Clarke,F.R. Constant-ratio rule for confusion matrices in speech communication, 8=99. See also Egan,J.P., 6=6470, 7=3872
Clarke,F.R. and Anderson,C.D. Further test on the constant-ratio rule in speech communication, 8=3832
Clarke,F.R., Birdsall,T.G. and Tanner,W.P.,Jr. Two types of ROC curves and definitions of parameters, 9=10464
Clarke,G.R., Denton,W.H. and Reynolds,P. Determination of the absolute concentration of deuterium in Thames river water, 5=468
Clarke,J.C. See Taylor,T.I., 9=11518
Clarke,J.O. See also Apostolakis,A.J., 7=8970
Clarke,J.O. and Major,J.V. Interaction lengths and diffraction scattering of 4·2 GeV π^- mesons in G5 emulsion, 7=4698
Clarke,P.B. See Mitchell,J.T.D., 9=5086
Clarke,R.L. Diffusion of copper in cadmium sulfide crystals, 9=8879
Clarke,R.L. and Paul,E.B. The angular distribution and yield of the reaction $F^{19}(p,\alpha_0)O^{16}$, 7=3635
Clarke,R.W. Actinium, 5=5592
Clarke,W.W.H. and Jacob,L. Some anomalous emission effects in low energy electron beams, 6=2160. Focusing of low-energy electron beams, 7=3350
Clarkson,J. A method of measuring the shear modulus of thin xylonite sheet, 7=7462
Clarricoats,P.J.B. See also Brown,J., 7=557, 7=3468
Clarricoats,P.J.B., Hayes,A.G. and Harvey,A.F. A survey of the theory and applications of ferrites at microwave frequencies, 7=562, 7=6367
Class,C.M. See also Biedenharn,L.C., 5=5866. Cook,C.F., 5=1159 Risser,J.R., 7=4704. Schiffer,J.P., 7=3535
Class,C.M. Davis,R.H. and Johnson,J.H. Evidence for shell-model states in Sc^{41}, 9=13607
Class,C.M. and Meyer-Berkhout,U. The Coulomb excitation of Eu^{151} and Eu^{153}, 8=2531
Clastre,J. The crystal structure of potassium hydroxide monohydrate, 7=6746. See also Housty,J., 7=6749
Clastre,J., Gay,R., Housty,J. and Romain,P. Certain functions worthy of consideration in crystal structure determination, 6=7839
Clatworthy,W.H. Partially balanced incomplete block designs with two associate classes and two treatments per block, 5=5846
Claudel,B. Some modern aspects of crystalline conductivity, 6=5082
Claudel,C. See Villers,G., 9=9788
Claus,B. Gyro ball-mill, 6=3418
Clauser,E. Velocity of light in moving isotropic bodies, 5=6312. Motion of a particle in Einstein's unified field, 8=3690. Law of motion in Einstein's latest unified theory, 8=3691
Clausnitzer,G., Fleischmann,R. and Schopper,H. Production of an atomic hydrogen beam with aligned nuclear spins, 6=4673
Clauss,A. Effect of gas adsorption on the modulus of rigidity of a metal wire, 6=4696
Claver,G.C. See Slowinski,E.J.,Jr., 5=6013
Claver,G.C.,Jr. Modified viewing chamber windows for electron microscopes, 5=3820
Clavier,P.A. The Dirac delta function, 7=3894
Claxton,W.E. Stress—strain equation for rubber in tension, 9=2967
Clay,C.S. See also Berman,A., 8=2911
Clay,C.S. and McNeil,H. An amplitude study on a seismic

model, 6=5545
Clay,W.G. See also Partridge,W.S., 8=8605 Van Valkenburg,M.E. 7=1698
Clay,W.G. and Partridge,W.S. Measurement of sonic velocity in wax cylinders, 8=2893
Clayton,C.G., Haywood,B.C. and Fowler,J.F. Conductivity induced by radiation in polycrystalline cadmium sulphide and polyethylene, 9=10990
Clayton,G.T. See Hilton,W.A., 6=439, 6=4427
Clayton,L., Williams,Q. and Weatherly,T.L. Nitryl chloride molecular constants from microwave spectrum analysis, 9=7467
Clayton,R.N. Oxygen isotope fractionation in the system calcium carbonate—water, 9=8684
Cleary,J.R. See Wurzburg,F.L.,Jr., 9=12159
Cleek,G.W. See also Hamilton,E.H., 9=6300
Cleek,G.W., Villa,J.J. and Hahner,C.H. Refractive indices and transmittances of several optical glasses in the infrared, 9=13138
Clegg,A.B. Radiative capture of protons of less than 1MeV in beryllium, 7=3637. See also Bingham,H.H., 9=3785. Wilkinson,D.H., 6=5307
Clegg,A.B., Ernstene,M.P. and Tollestrup,A.V. Photoproduction of K^+ mesons from polyethylene, 8=291
Clegg,A.B., Jones,G.A. and Wilkinson,D.H. The radiative captive of protons of 669 KeV in fluorine, 5=7364
Clegg,A.G. Effect of low temperature on the stability of permanent magnets, 5=4786. See also McCaig,M., 9=3438
Clegg,A.G. and McCaig,M. Processes occurring during the heat treatment of Alcomax, 7=8723. The high-temperature stability of permanent magnets of the iron—nickel—aluminium system, 8=4129
Clegg,B.H. See Young,A.P., 9=10485
Clegg,J.A. See also Almond,M., 7=2853
Clegg,J.A., Deutsch,E.R. and Griffiths,D.H. Rock magnetism in India, 6=7035
Cleiren,A.P.D.M. See van Gool,W., 9=12086
Cleland,J.W. See also Crawford,J.H.,Jr., 9=11008. Curtis,O.L.,Jr., 8=6421, 9=4579. Stevens,D.K., 6=489
Cleland,J.W. and Crawford,J.H.,Jr. Fast-neutron bombardment of GaSb, 6=1209. Low temperature irradiation of n-type germanium, 9=826
Cleland,J.W., Crawford,J.H.,Jr. and Holmes,D.K. Effects of gamma radiation on germanium, 6=5094
Cleland,J.W., Crawford,J.H.,Jr. and Pigg,J.C. Fast-neutron bombardment of n-type Ge, 5=7050. Fast neutron bombardment of p-type germanium, 5=8756
Cleland,R.L. See Debye,P., 9=7832
Cleland,W.W. and Harding,R.S. Automatic temperature control for an adiabatic calorimeter, 7=9663
Clemence,G.M. Standards of time and frequency, 6=7109. Definition of the second of time, 7=1871. Astronomical time, 7=6829
Clement,J.D. See also Walton,R.B., 8=344
Clement,J.D., Boreli,F., Darden,S.E., Haeberli,W. and Striebel,H.R. Polarization of neutrons scattered by intermediate and heavy nuclei, 8=6150
Clement,J.R. See also Logan,J.K., 7=4318
Clement,J.R., Logan,J.K. and Gaffney, J. Liquid helium vapor pressure equation, 6=292
Clementel,E. Nucleon-nucleus potential at high energies, 5=4373. See also Beretta,L.,5=6235, 5=8840. Gabrielli,I., 7=750
Clementel,E., Poiani,G. and Villi,C. Analytical method for obtaining phase shifts from experimental data on pion-proton scattering, 5=9962. Phase shift analysis for negative pion—proton scattering at 187 MeV, 6=694
Clementel,E. and Villi,C. Many-body forces and non-linear interactions, 5=4352. On the imaginary part of the nucleon-nucleus potential, 5=8153. Non-linear interaction and nuclear saturation, 5=8492. On a mechanical analyzer for proton-proton triplet phase shifts, 6=422. On pion-nucleon scattering, 6=4014. On the scattering of neutrons by α particles, 6=4649. Phaseshift analysis of proton-proton scattering experiments. I. General formulation, 6=2667. Phase-shift analysis of pion—nucleon scattering experiments. I. General outline, 7=749. On a new nucleon—nucleon potential, 7=3964. On the scattering of high energy electrons by protons, 7=5391. On neutron—proton scattering, 7=8406. D wave effects in positive pion—proton scattering, 7=9919. The nucleon effective mass and the statistical model of the nucleus, 9=2674
Clementel,E., Villi,C. and Jess,L. Phase shift analysis of proton—proton scattering experiments. II. Analysis of the scattering data from 18 to 260 MeV, 7=8404
Clementi,E. and Kasha,M. Spin—orbital perturbation in cyanine dyes absorbed on surfaces containing high-Z atoms, 7=6403
Clemmons,J.J. See Keller,S.P., 5=4558
Clemmow,P.C. See also Budden,K.G., 8=5156
Clemmow,P.C., Johnson,M.A. and Weekes,K. A note on the motion of a cylindrical irregularity in an ionized medium, 5=8422
Clemmow,P.C. and Mullaly,R.F. The dependence of the refractive index in magneto-ionic theory on the direction of the wave normal, 5=5542
Clemmow,P.C. and Willson,A.J. The dispersion equation in plasma oscillations, 6=8287. A relativistic form of Boltzmann's transport equation in the absence of collisions, 7=9040
Clendenin,W.W. See Rickard,J.A., 5=1200
Clerc,H.G. and Wallis,G. The optical absorption, the photoelectric and thermal emission and the temperature dependence of the conductivity of cesium—bismuth layers of various compositions, 7=9182. Optical and electrical properties of semiconducting AiBv compounds, 9=3456
Clerk,P.Le. See Le Clerk.P.
Cleveland,F.F. See Miller,S.I., 5=2598. Polo,S.R., 5=6015. Sirkar,S.C., 5=9579. Weissman,H.B., 5=5557, 9=730. Zietlow,J.P., 6=3062
Cleveland,J.M. See Keller,R.N., 9=10859
Clifford,C.E. See Simon,A., 9=13556
Clifford,M.E. Measurement of diffusion length in a large block of graphite, 9=532
Cline,J.E. and Chagnon,P.R. Decay of Ca^{38}, 8=1234
Clingman,W.H. and Pease,R.N. Critical considerations in the measurement of burning velocities of Bunsen burner flames and interpretation of the pressure effect. Measurements and calculations for methane, 6=7347. A comparison of the burning velocities of methane and heavy methane in nitrogen and argon "airs" at atmospheric pressure, 6=7348
Clingman,W.H.,Jr. Absorption of radiation by a cylindrical sample of a strong absorber, 7=9949
Clinton,W.C. See Bowers,R.C., 5=1304
Clinton,W.L.and Rice,B. Electronic structure of BH_3, 9=737. Reformulation of the Jahn—Teller theorem, 9=6205
Clogston,A.M. Relaxation phenomena in ferrites, 6=466. Inhomogeneous broadening of magnetic resonance lines, 8=8865. Structure of the metastable state of Mn^{++} and Fe^{+++}, 9=3956. Susceptibility of the three-level maser, 9=8345. See also Geschwind,S., 8=3219. Spencer,E.G., 9=13449
Clogston,A.M., Suhl,H., Walker,L.R. and Anderson,P.W. Possible source of line width in ferromagnetic resonance, 6=2996
Cloizeaux,J.des. See des Cloizeaux,J.
Cloney,R.D. and Dooling,J.S. Molecular orbital study of Be_4, 8=9097
Closson,H.T., Danielson,W.E. and Neilsen,R.J. Automatic measurement of small deviations in periodic structures, 9=4331
Cloud,R.W. See also Aarset,B., 5=344. Bourne,H.C.,Jr., 5=6175
Cloud,R.W., Beckman,L. and Trump,J.G. Barium absorption pumps for high-vacuum systems, 8=2182
Cloud,W.H. Zirconium arc source for infrared microspectrometer, 7=224. Crystal structure and ferrimagnetism in $NiMnO_3$ and $CoMnO_3$, 9=3640
Clough,S. See Beynon,J.H., 8=3191, 8=8057
Clough,S.A., McCarthy,D.E. and Howard, J.N. The $4\nu_2$ band of nitrous oxide, 9=7963
Cloupeau,M. On the intensity variations in time-resolved spectra of flash lamps, 7=6979. A study of shock waves in flash lamps, 7=7132
Clouston,J.G., Drummond,L.J. and Hunter,W.F. A bolometer detector for the measurement of shock velocity in low density gases, 7=9045
Clouston,J.G. and Gaydon,A.G. Excitation of molecular spectra by shock waves, 8=1600
Clouston,J.G., Gaydon,A.G. and Glass,I.I. Temperature measurements of shock waves by the spectrum-line reversal method, 8=3952
Cloutier,G.G. and Schiff,H.I. Electron impact study of nitric oxide using a modified retarding potential difference method, 9=12396
Cloutier,J.A.R. and Henrikson,A. Scandium isotope of mass 42, 8=5294. Study of Ir^{191m}, 9=1731
Clow,H. See Bates,L.F., 8=237, 8=8140
Clube,S.V.M. The profiles of chromospheric $H\alpha$ and D_3 from

interferometric observations, 9=11751
Clusius,K. Demonstration experiments on pyroelectricity with liquid air, 9=13266
Clusius,K. and Bühler,H.H. The separation tube. XIII. Heavy carbon isotope ^{13}C obtained in pure state, 5=2092. Results of investigations at low temperatures. XV. Detection of electronic heat in metals, 6=2839
Clusius,K., Bühler,H.H., Hürzeler,H. and Schumacher,E. The separation tube. XVI. Preparation in purity of the isotope Xe^{136}, 6=3543
Clusius,K. and Eichenauer,W. Results of investigations at low temperatures. XVII. T^{3} and pseudo-T^{3} region of lithium fluoride, 9=3389
Clusius,K. and Franzosini,P. On the atomic and electronic specific heats of thorium, 7=9665. The separation tube. XX Comparison of the thermal diffusion constants of $N^{14}N^{15}/N^{14}_{2}$ and $N^{15}O/N^{14}O$. The paradox of the influence of temperature in the separation tube, 9=7406
Clusius,K. and Hostettler,H.U. The behaviour of sulphur dioxide in the separation tube, 8=907. The separation tube. XIX. Enrichment of the isotopes Br^{79} and Br^{81}, 9=7405
Clusius,K. and Huber,M. The separation tube. XIV. The swing separator. Thermal-diffusion factors in the CO_2/H_2 system, 5=6800. XV. The reversal effect of thermal diffusion in mixtures of the neon isotopes with normal and deuterium ammonia, 5=9475
Clusius,K., Huber,M., Hürzeler,H. and Schumacher,E. The separation tube. XVII. The preparation of the rare isotope Ne^{21} at a purity of 99·6%, 9=7403
Clusius,K. and Losa,C.G. Results of investigations at low temperatures. XIV. Atomic and electron heat of rhodium and iridium between 10° and 273°K, 5=9617. XVI. Atomic and electronic heat of tantalum between 10° and 273°K, 6=2840
Clusius,K., Losa,C.G. and Franzosini,P. Results of investigations at low temperatures. XVIII. The atom and electron heats of platinum between 10° and 273°K, 9=3390
Clusius,K., Schumacher,E., Hürzeler, H. and Hostettler,H.U. The separation tube. XVIII. Pure preparations of the rare argon isotopes A^{36} and A^{38}, 9=7404
Clusius,P.A.K., Huber,M., Hürzeler,H. and Schumacher,E. Preparation of the rare isotope Ne^{21}, 6=3127
Clutterbuck,M. The dependence of stress distribution on elastic constants, 8=6677
Coales,J.F. Some principles of measurement and control, 7=2948
Coates,R.J. Measurements of solar radiation and atmospheric attenuation at 4·3 millimeters wavelength, 8=1434. A model of the chromosphere from millimeter wave-length observations, 9=6461
Coates,R.J., Gibson,J.E. and Hagen,J. P. The 1954 eclipse measurement of the 8·6 mm solar brightness distribution, 9=11724
Coates,R.V. and Kay,H.F. Dielectric properties of some metaniobate and metatantalate ceramics, 9=13261
Coates,V.J. and Hausdorff,H. Interferometric method of measuring the spectral slit width of spectrometers, 5=5978
Cobb,C.M. See Ashley,L.E., 8=2262
Cobb,E.C. and Saunders,O.A. Heat transfer from a rotating disk, 6=7344
Cobb,W.E. See Woessner,R.H., 8=5553
Cobb,W.R. and Guthe,D.B. Angular distribution of protons from the Ca^{44}(d,p)Ca^{45} reaction, 7=8158
Cobble,J.W. See Boyd,G.E., 9=8868. Glass,R.A., 7=2624
Cobine,J.D. and Burger,E.E. Analysis of electrode phenomena in the high current arc, 5=7987
Coburn,H.H., Kane,J.V. and Frankel,S. Angular correlation measurements in the decay of Hg^{197}, 7=4674
Coburn,T.J. See also Narahari Rao,K., 9=3279
Coburn,T.J., Narahari Rao,K. and Nielsen, H.H. Combination band $\nu_4+\nu_5$ of acetylene, 7=2472
Cocanower,R.D. See Rinehart,J.S., 9=6565
Cocconi,G. Intergalactic space and cosmic rays, 6=6751. Empirical model for ultrarelativistic nucleon—nucleon collisions, 9=3738. See also Hart,E.L., 9=13545. Sellen,J.M. 8=6155, 9=6034
Cocconi,G., Puppi,G., Quareni,G. and Stanghellini,A. K^{+}-meson interaction with nucleons and nuclei, 7=8188
Cocconi,G. and Salpeter,E. A search for anisotropy of inertia, 9=2026
Cocconi,V.T. See Block,M.M., 7=700. Fowler,W.B., 7=701. Hart,E.L., 9=13545. Sellen,J.M., 8=6155, 9=6034
Coceva,C. See Bracci,A., 5=7336, 6=3973, 6=6942
Cochardt, A.W. See also Brace,P.H., 5=5077
Cochardt,A.W. and Wiedersich,H. Growth of iron whiskers, 5=9225
Coche,A. An arrangement for subtracting counts using dekatron tubes, 6=2202
Coche,A., Henck,R. and Laustriat,G. Use of a derivative of coumarin,as a secondary solute in liquid scintillators, 9=3689
Coche,A. and Laustriat,G. Study of some conditions of use of liquid scintillators, 9=4865, 9=4870
Cochet,R. The application of a method using coaxial cylinders to new measurements of the mobility of gaseous ions with charges of the same sign, 5=8057. Theory of the charge of submicronic particles in ionizing electric fields; speed of precipitation of such particles, 7=1265. See also Pauthenier,M., 7=3229
Cochet,R. and Dupuy,J. The problem of cold probes. Flux of ions captured by a cylindrical conductor placed in a uniform ionizing electric field, 5=9733. A theoretical study of the flux of ions captured by conducting ellipsoids and elliptical cylinders in an electric field with free ionization, 8=7878
Cochet,R. and Reffay,R. Potential measurements in "unipolarly" ionized electric fields and the mobilities of ions in air, 5=7152
Cochran,A.J. See also Ross,M.A.S. 5=8224, 6=632
Cochran,A.J. and Ross,M.A.S. Crystal reflectivity in bent crystal spectrometers, 8=4052
Cochran,C.N. Automatic recording vacuum microbalance, 9=4332
Cochran,D.R.F. See Brolley,J.E.,Jr, 5=9097
Cochran,E.L. See also Foner,S.N., 8=8367, 9=740. Jen,C.K., 7=3557, 9=7188
Cochran,E.L., Bowers,V.A., Foner,S.N. and Jen,C.K. Multiple trapping sites for hydrogen atoms in solid argon, 9=6280
Cochran,J.F. and Kaesser,R.S. The intermediate state structure in cylindrical superconductors, 8=3145
Cochran,J.F. and Mapother,D.E. Superconducting transition in aluminium, 8=5928
Cochran,J.F., Mapother,D.E. and Mould,R.E. Superconducting transition in aluminium, 7=409
Cochran,L.W. See Kern,B.D., 7=2601. Stone,W.G., 7=8686
Cochran,R.G. and Henry,K.M. Proton recoil fast-neutron spectrometer. II. Experimental, 5=9161
Cochran,R.G. and Pratt,W.W. Radioactive decay of Se^{83}, 8=1922. 25-minute isomer of Se^{83}, 9=6071
Cochran,W. Relations between the phases of structure factors, 5=9267. Scattering of X-rays by defect structures, 6=7836. Some electron distribution determinations by X-ray diffraction, 8=2637. A suggested experiment on the clock paradox, 8=4705. Theory of the lattice vibrations of germanium, 9=11558
Cochran,W. and Douglas,A.S. The use of a high-speed digital computer for the direct determination of crystal structures. I., 5=3281, II., 8=451
Cochran,W. and Woolfson,M.M. The theory of sign relations between structure factors, 5=4190
Cockbaine,D.R. See Barker,G.C., 8=6492
Cockcroft,J. The United Kingdom Atomic Energy Authority and its functions, 6=2430. Science and technology in industry, 6=5665. Scientific problems in the development of nuclear power, 8=4332. Nuclear instrumentation, 8=5164
Cocking,S.J. and Raffle,J.F. Thermal neutron activation cross-section of sodium, 7=720
Cockrell,J.L. and Ricker,C.W. Variation of the trip point in the ORNL-type safety system, 9=3949
Cocks,M. Role of atmospheric oxidation in high speed sliding phenomena, 8=6470. Wear debris in the contact between sliding metals, 9=13872
Cocquerez,F. See Ségard,N., 9=1216, 9=11964
Codd,J. One-group perturbation theory for a cylindrical reacting core, 7=1631. One-group perturbation theory for spherically symmetric reactors, 7=9401
Coddington,D.M. See Belaga,M.W., 7=2141
Code,A.D. Energy distribution of stars, 5=7657
Codegone,C. Upon the definitions of a perfect gas, 5=7760. Mean free path in problems of acoustic and thermal radiation, 5=7764. Upon the quick evaluation of thermal conductivity, 5=7887. A similarity relation in thermal radiation of flames, 5=7904. Experiments on the thermal radiation of flames, 6=1164. Orthophonic surfaces in auditorium design, 7=8496

Codina,J.M. and Serra,J.M. Corrections applied to the focusing camera with flat specimen, 6=804

Codrington,R.S. See also Walter,R.I., 6=7532

Codrington,R.S. and Bloembergen,N. Overhauser effect in manganese solutions in low magnetic fields, 8=8613

Cody,G.D. Volume changes associated with the superconducting transition, 9=2349

Coe,R.F. The final vacua of oil diffusion pumps, 5=5935
See also Ramm,C.A., 6=2936. Riddiford,L., 5=6225

Coekelbergs,R. See also Adam,J., 6=7783

Coekelbergs,R., Frennet,A., Gosselain,P.A. and van der Venne,M.J. Heterogeneous exchange between chemisorbed halogen and methyl halide, 6=1672

Coen,E. See Bonfiglioli,G., 6=378, 6=2858, 6=3715

Coensgen,F.H., Cummins,W.F. and Sherman,A.E. Multistage magnetic compression of highly ionized plasma, 9=11163

Coester,F. Collective modes in nuclei, 5=8158. Rotational states of spherical nuclei, 7=2520. Weak decay interactions, 7=7587. Bound states of a many-particle system, 8=5661

Coester,F., Hamermesh,M. and Tanaka,K. Limiting processes in the formal theory of scattering, 5=742

Coester,F. and Kümmel,H. Time dependent theory of scattering of nucleons by nuclei, 9=2791

Coffin,C.T. and Halpern,I. Angular distributions in fission induced by alpha particles, deuterons and protons, 9=5071

Coffin,D.O. See Powell,R.L., 8=3020

Coffin,F.D. Production of atoms by a glow discharge in dry hydrogen, 9=7030

Coffin,T. See also Berley,D., 7=7415

Coffin,T., Garwin,R.L., Lederman,L.M., Penman,S. and Sachs,A.M. Magnetic resonance determination of the magnetic moment of the μ meson, 7=8182. Magnetic moment of the free muon, 8=1862

Coffin,V.H. and Bennett,C.E. Molar refraction of carbon dioxide and its dependence on density when stored in steel containers, 6=1952

Coffman,M.L. Transformation useful in computing vibrational overlap integrals, 5=5554

Coffman,R.E. See Lesk,I.A., 9=4598

Cofta,H. Semiclassical model of spinwaves in a ferrimagnetic medium, 7=7205. Spin waves frequency spectrum for various orders of ferrimagnetic translation lattices, 9=9752

Coggeshall,N.D. Ionization of n-paraffin molecules, 9=7124. See also Hughes,R.H., 6=3622

Coghen,T. See Ciok,P., 8=5090, 9=3930

Coghi,L. See Cavalca,L., 7=9468

Coghill,H.D. See Koller, L.R., 9=215

Cogill,W.H. The plotting of strain-hysteresis loops, 8=1350

Cohan,N.V. See also Altmann,S.L., 5=2960, 8=2023. Blum,L., 9=12736

Cohan,N.V. and Coulson,C.A. Orbital following and lone pair electrons in the ammonia molecule, 7=1494

Cohen,A. See Strehlow,R.A., 8=5725, 9=4087

Cohen,A.D. and Reid,C. Long wave ultraviolet spectrum of formaldehyde, 6=1975. Hydrogen bonding by N.M.R., 7=2497

Cohen,A.E. See Jachter,M.H., 8=4195

Cohen,A.F. Thermal conductivity of sodium fluoride crystal at low temperatures, 8=6901. Low-temperature thermal conductivity in neutron irradiated vitreous silica, 8=8720. See also Cohen,B.L., 7=3677

Cohen,A.J. Color centers in smoky quartz, 5=5089. Impurity induced color centres in fused silica, 5=5737. Anisotropic color centers in α quartz. I. Smoky quartz, 7=2827 Neutron specific color center in fused silica and an impurity band of identical wavelength, 7=4895

Cohen,A.J. and Smith,H.L. Anisotropic color centers in α-quartz. II. Germanium-doped synthetic quartz, 9=808. Ultraviolet and infrared absorption of fused germania, 9=7952

Cohen,A.V., Hyder,S.B. and White,P.H. Limits to some (n,np) cross-sections at 14·5 MeV neutron energy, 7=724

Cohen,A.V. and White,P.H. The excitation curves of some (n,p) processes induced by neutrons of 12·5-17·5 MeV energy, 6=3233

Cohen,B.L. Angular distributions and yields of neutrons from (p,n) reactions, 5=4932. (p,γ) cross sections, 6=651. Proton-induced reactions in Na^{23}, Al^{27}, and Si^{29}, 6=4639. Anomalous inelastic scattering of 23-MeV protons by heavy elements, 7=4714. Coincidence studies of the Ni^{58} (p, 2p) reaction, 8=6296. Resolution of accelerator magnetic analyzing systems, 9=8238. See also Fulmer,C.B., 8=8356, 8=8833, 9=3887. McCormick,G.H., 5=1183

Cohen,B.L., Cohen,A.F. and Coley,C.D. Energy distribution of mass-97 fission fragments from thermal-neutron fission of uranium-235, 7=3677

Cohen,B.L., Ferrell-Bryan,B.L., Coombe,D.J. and Hullings,M.K. Angular distribution of fission fragments from 22-MeV proton-induced fission of U^{238}, U^{235}, U^{233}, Th^{232}, and Th^{230}, 5=6450

Cohen,B.L. and Fulmer,C.B. Fission-fragment mass separator and the nuclear charge distribution of fission fragments of a single mass, 8=3189

Cohen,B.L. and Mosko,S.W. Inelastic proton scattering and (p,d) reactions in heavy elements, 7=7373

Cohen,B.L. and Newman,E. (p,pn) and (p,2n) cross section in medium weight elements, 5=8238

Cohen,B.L., Newman,E. and Handley,T.H. (p,pn)+(p,2n) and (p,2p) cross sections in medium weight elements, 5=8239

Cohen,B.L., Reynolds,H.L. and Zucker,A. Comparison of nitrogen- and proton-induced nuclear reactions, 5=2176

Cohen,B.L. and Rubin,A.G. Further studies of anomalous inelastic proton scattering, 9=5036. Inelastic proton scattering in medium-weight elements, 9=5041. Determination of nuclear reaction mechanisms from energy spectra of emitted particles, 9=10091

Cohen,D., Lowe,R. and Hampson,J. Infrared emission from high-frequency discharges in CO_2, 8=5942

Cohen,D., Meyer,B.J., Shaw,H. and Waddell,C. Emission of high-energy gamma line from C^{12}, 5=1160

Cohen,E. See Anstell,G.R., 7=7897

Cohen,E.G.D. Application of the Kikuchi—Hijmans—De Boer method for order—disorder phenomena to the cell model of the liquid state, 8=2851. See also De Boer,J., 5=4592. Salsburg,Z.W., 7=8448

Cohen,E.G.D., de Boer,J. and Salzburg,Z.W. A cell-cluster theory for the liquid state, II., 5=9466. III. The harmonic oscillator model, 7=8449

Cohen,E.G.D. and Offerhaus,M.J. Symmetry effects in the kinetic theory of gaseous para—ortho mictures, 9=120

Cohen,E.G.D., Offerhaus,M.J., van Leeuwen,J.M.J., Roos,B.W. and de Boer,J. The transport properties and the equation of state of gaseous para- and ortho-hydrogen and their

Cohen,E.G.D. below 40°K, 6=5726, 7=1124

Cohen,E.R. Standard errrors of the residues in a least-squares analysis, 6=4149. See also Skinner,R.E., 9=8652. Weinberg,I.G. 5=9937

Cohen,E.R., Crowe,K.M. and DuMond,J.W.M. Pion and muon masses, 7=2691. Fundamental constants of physics, 8=7665

Cohen,E.R. and DuMond,J.W.M. Comments on Straumanis' concepts regarding Avogardo's number, 5=7502. Changes in the 1955 atomic constants occasioned by revision of μ_e/μ_0, 9=1635

Cohen,E.R., DuMond,J.W.M., Layton,T.W. and Rollett,J.S. Analysis of variance of the 1952 data on the atomic constants and a new adjustment, 1955, 6=2330

Cohen,H. and Handelman,G. Some effects of the distribution of added mass to vibrating beams, 5=4440. On the vibration of a circular membrane with added mass, 7=4038

Cohen,I., Losco,E.E. and Eichenberg,J.D. Ag—In—Cd could replace Hf for PWR control rods, 9=3939

Cohen,J. Experimental investigation of molecular field type interactions. Solid solutions of a ferromagnetic or antiferromagnetic metal in palladium, 7=2406. Measurements of the Hall effect in diamagnetic metallic alloys, 7=5309. Study of the ternary alloys palladium—nickel—copper, 7=5455. Electrical conductivity of fused quartz, 8=3088. Construction of a translation balance for the measurement of magnetic susceptibilities at low temperatures, 8=7159

Cohen,J. and Wucher,J. Study of hydrogenated palladium—nickel and palladium—cobalt alloys, 7=5456

Cohen,J.B. Diffusion-couple analyzer for use with the G.E. XRD diffractometers, 9=11589

Cohen,L. A variation-perturbation method, I, 5=5227. II, 5=5228. Gamma rays from Rb^{84m}, 9=630. See also Abraham,G., 5=4862. Olkowsky,J., 7=1405, 9=10059, 9=10105, 9=12638. Tobin,R., 9=674

Cohen,L. Mann,A.K., Patton,B.J., Reibel,K., Stephens,W.E. and Winhold,E.J. Photoprotons from Be, C, and O, 7=1612

Cohen,L., Tobin,R.A. and McElhinney,J. Resonance scattering of gamma rays by the 4·46 MeV and the 5·03 MeV states of B^{11}, 9=8522

Cohen,L.D. and Stephens,W.E. Gamma-ray activation of carbon, 9=11473

Cohen,M. See also Blount,E., 6=2109. Feynman,R.P., 6=5820, 7=324. Speich,G.R., 9=4505

Cohen,M. and Feynman,R.P. Theory of inelastic scattering of cold neutrons from liquid helium, 7=7827

Cohen,M.H. Nuclear quadrupole spectra in solids, 5=1097. Spin resonance in V-centre, 6=3836. Radio astronomy polarization measurements, 8=1420. The Cornell radio polarimeter, 8=1421. Nuclear magnetic resonance in impure indium antimonide, 8=4444. Optical constants, heat capacity and the Fermi surface, 8=6402. Linear polarization in type III bursts, 9=10508. See also Turnbull,D., 9=5179

Cohen,M.H., Goodings,D.A. and Heine,V. Contribution of core polarization to the atomic hyperfine structure and Knight shift of Li and Na, 9=7399

Cohen,M.H. and Heine,V. Electronic band structures of the alkali metals of the noble metals and their α-phase alloys, 9=7497

Cohen,M.H., Känzig,W. and Woodruff,T.A. New V-center spin resonance in LiF, 8=1314

Cohen,M.H. and Keffer,F. Dipolar sums in the primitive cubic lattices, 5=8893. Dipolar ferromagmetism at 0°K, 5=8894

Cohen,M.H. and Reif,F. Nuclear magnetic resonance studies of defects in ionic crystals, 5=6610

Cohen,M.S. See Wuensh,B.J., 6=4914

Cohen,P.P. See Lowenstein,J.M., 6=5966

Cohen,R. See Berthelot,A., 5=7367. Booker,H.G., 8=4640

Cohen,S. Effect of the anomalous magnetic moment on the $\pi 0$ lifetime, 5=6502

Cohen,S., Judd,D.L. and Riddell,R.J.Jr. μ-Mesonic molecular ions and nuclear catalysis, 8=7476

Cohen,S.G. See also Avivi,P., 8=8704, Bauminger,E.R., 8=5298. Burde,J., 6=2378, 7=2578, 7=2612

Cohen,S.G. and Ofer,S. Spectrum of internal bremsstrahlung from Cr^{51}, 6=633

Cohen,S.G. and Schmorak,M. An attempt to detect the electrolytic migration of radioactive interstitial silver ions produced in a silver chloride crystal by slow neutron irradiation, 5=3220

Cohen,S.G. and Weinreb,A. Energy transfer from solvent to solvent in liquid organic solutions under ultra-violet excitation, 6=7198

Cohen,V.W. See also Giblert,D.A., 5=3003. Gilliam,O.R., 6=481

Cohen,V.W., Corngold,N.R. and Ramsey,N.F. Magnetic moment of the neutron, 7=1658

Cohen,V.W., Schwartz,J. and Novick,R. Nuclear magnetic moment and spin of euROPIUM-152 m, 9=12616

Cohen,Tannoudki,C., Brossel,J. and Kastler,A. The conservation of phase at the time of collision between an oriented sodium atom and an atom of helium, 7=7318

Cohn,C.E. Nonradiative absorption of positive pions by deuterons at 188 MeV, 7=4768. Determination of reactor kinetic parameters by pile noise analysis, 9=8666

Cohn,D.V. See also Buckaloo,G.W., 6=4767

Cohn,D.V., Carter,W.E. and Anderson,R. An automatic sample changer for well-type scintillation counters, 9=5980

Cohn,H. See also Block,M., 9=12581

Cohn,H., Ingold,C.K. and Poole,H.G. Rotation-resisting energy barrier in the nitric acid molecule, 6=3063

Cohn,H.O. See also Bair,J.K., 7=3639, Fowler,J.L., 9=562. Kington,J.D., 5=9914. Willard,H.B. 6=2416, 7=3640 Willis,J.E.Jr, 8=8345

Cohn,H.O. and Fowler,J.L. Differential elastic scattering of neutrons from neon, 9=7365

Cohn,M. See Weissman,S.I., 8=7454

Cohn,S.B. Dielectric properties of a lattice of anisotropic particles, 7=339

Coish,H.R. Infeld factorization and angular momentum, 6=3482. Elementary particles in a finite world geometry, 9=9225. See also Kahana,S., 6=4197-8

Cojan,J.L. See also Laroze,G., 9=1809. Rimbert,G., 6=2007

Cojan,J.L. and Lécluse,Y. The enhancement by argon of the intensity of the resonance radiation of mercury vapour, excited by the continuous spectrum from a hydrogen lamp, 9=1268. Extinction of the resonance line of mercury λ = 2537 A under the action of a number of foreign gases, ,9=7938

Cojan,J.L. and Renaux,A. Raman spectrum of crystalline powders, 9=1294

Cojan,J.L. and Taboué,R. Fixation of nitric oxide on mercury vapour irradiated by its resonance line λ_0=2537 A, 9=8688

Coldwell-Horsfall,R.A. and ter Harr,D. On the magnetoresistance effect in metals, 6=496. On determining the shape of the Fermi surface, 8=3453. On the Hall effect in bismuth, 9=6043

Cole,A.G. See Coulter,L.V., 9=10934

Cole,A.R.H. See Blount,E.L., 6=1955

Cole,C.F.Jr. The characteristics of an electromagnetic wave reflected from a moving object, 8=6078

Cole,F.T. See also Kerset, D.E., 6=5157

Cole,F.T., Haxby,R.O., Jones,L.W., Pruett,C.H., and Terwilliger,K.M. Electron model fixed field alternating gradient accelerator, 7=7949

Cole,G.H.A. The kinetic theory of monatomic liquids at ordinary temperatures, 6=8617. On the dynamics of a non-uniform electrically conducting fluid, 7=3052. Some aspects of magnetohydrodynamics, 7=7235. Liquid pair distribution, 8=3769. Structure of uniform liquids, 9=3197. Determination of fluid molecular order, 9=3204. On reducing the effect of the liquid superposition approximation, 9=6591. The pinch effect, 9=12407

Cole,G.R. and Friauf,R.J. R-center production in alkali halides, 7=4898. Photoconductivity of Z bands in KCl and an associated new band, 8=616

Cole,H. Interatomic-force constants from a central-force law, 9=7491. See also Henry,B., 9=8201

Cole,H. and Kineke,E. Lattice vibrational spectra of Si and Ge, 9=2898

Cole,J.D. Acceleration of slender bodies of revolution through sonic velocity, 5=4430

Cole,K.D. Low-energy corpuscular radiation at high latitudes, 9=7690

Cole,K.S. Thermistor thermometer bridge: Linearity and sensitivity for a range of temperature, 7=6128

Cole,M.B. and Ingersoll,L.R. Second law of thermodynamics apparatus, 6=2844

Cole,P.T. See Klick,C.C., 6=2960

Cole,R.H. On the analysis of dielectric relaxation measurements, 5=4630. Induced polarization and dielectric constant of polar liquids, 8=385. See also Dannhauser,W., 6=310. Denney,D.J., 6=311. Gilchrist,A., 7=3232. Hession,F.X., 6=1192. Havriliak,S., 5=2704. Havriliak,S.Jr, 6=2060. Lovell,S.E., 9=8063. Oudemans,G.J., 9=13251

Cole,R.W. Motion of ferromagnetic domain walls in 48 Ni—Fe tapes, 6=8866. Effect of elastic bending on magnetic properties of oriented silicon iron, 8=8897

Cole,S. See Garrison,W.M., 5=7470, 7=4839

Cole,T. and Harding,J.T. Electron spin resonance spectrum of the electrical discharge products of ammonia frozen at 4.2°K, 8=8368

Cole,T., Harding,J.T., Pellam,J.R. and Yost,D.M. E.P.R. spectrum of solid nitrogen afterglow at 4.2°K, 7=9754

Cole,T. and McConnell,H.M. Zero field splittings in atomic nitrogen at 4.2°K, 8=9069

Cole,W.F. See Demediuk,T., 9=1894

Colegrove,F.D. See Franken,P.A., 9=722

Colehour,J.K. See McDaniel,E.W., 7=2878

Coleman,D.B. Time dependence of mechanical breakdown phenomena, 6=7767. Time dependence of mechanical breakdown in bundles of fibers. I. Constant total load, 8=6460. V. Fibers of class A-2, 9=7555. Statistics and time dependence of mechanical breakdown in fibers, 9=881

Coleman,B.D. and Marquardt,D.W. Time dependence of mechanical breakdown in bundles of fibers. II. The infinite ideal bundle under linearly increasing loads, 8=6461. IV. Infinite ideal bundle under oscillating loads, 9=882

Coleman,D. and Noll,W. Helical flow of general fluids, 9=13053. Conditions for equilibrium at negative absolute temperatures, 9=13240

Coleman,C.F. Electric quadrupole lifetimes in even-even nuclei, 6=5951. The decay scheme of ^{140}La, 6=605. Angular correlation measurements on ^{88}Sr, 6=2370. Angular correlations in Ti^{48}, 6=8359. The analysis of angular and direction-polarization [gamma-ray] correlation measurements on mixed transitions, 8=6278. Relative transition probabilities in certain even nuclei, 8=8302. See also Cavanagh,P.E., 7=9848, 8=6258

Coleman,G.H. and Tewes,H.A. Nuclear reactions of copper with various high-energy particles, 5=8231

Coleman,H.S., Foster,L.V. and Fridge,D.L. Method of measuring the constant rendition of optical systems for line targets of various angular subtenses, 5=9596

Coleman,J.W. See Marton,L., 9=13415

Coleman,P.D. Theory of the rebatron — a relativistic electron bunching accelerator for use in megavolt electronics, 8=5038. See also Kaufman,I., 7=3345, 8=5039. Steier,W.H., 9=13447

Coleman,P.D. and Sirkis,M.D. Harmodotron— a beam harmonic.

higher order mode device for producing millimeter and submillimeter waves, 6=7543

Coleman,R.F. See also Perkin,J.L., 9=1783

Coleman,R.F., Hawker,B.E., O'Connor,L.P. and Perkin,J.L. Cross-sections for (n,p) and (n,α) reactions with 14·5 MeV neutrons, 9=2830

Coleman,R.V. Observations of dislocations in iron whiskers, 9=2911. See also Laukonis,J.V., 9=12868. Scott,G.G., 8=3255. Sears,G.W., 7=848

Coleman,R.V. and Cabrera,N. Zinc and cadmium whiskers, 8=2703

Coleman,R.V., Price,B. and Cabrera,N. Slip of zinc and cadmium whiskers, 8=2687

Coleman,R.V. and Scott,G.G. Magnetic domain patterns on single-crystal iron whiskers, 8=1771. Magnetic domain patterns on iron whiskers, 9=457

Coles,B.R. Significance of hall effect measurements on alloys, 6=3053. Spin-disorder effects in the electrical resistivities of metals and alloys, 8=5868. See also Arrott,A., 5=8081. Pugh,E.W., 7=3447. Taylor,J.C., 6=3754

Coles,B.R. and Bitler,W.R. Saturation moments and d-band configurations in iron and its alloys, 6=6780

Coley,C.D. See Cohen,B.L., 7=3677

Colgate,S.A. Scintillation counter efficiency measurement, 9=8408. Collisionless plasma shock, 9=13504. See also Anderson,O.A., 8=2596, 9=534

Colgate,S.A. and Aamodt,R.L. Plasma reactor promises direct electric power, 8=5402

Colichman,E.L. and Fish,R.F. Resistance of terphenyls to heat and radiation, 7=9447. Radiation polymerization makes stronger polystyrene, 8=5508

Colichman,E.L. and Gercke,R.H.J. Radiation stability of polyphenyls, 6=9017

Colin,C. Notes on the stabilization of the response of a condenser microphone, 5=2523. Study of the air layer between a circular membrane and a plane electrode. I, 6=987, II, 6=988

Colin,L. and Peretti,J. Evaluation of the two particle distribution function of an imperfect quantum gas. General m method, 9=10628

Colin,Y. See Meinnel,J. 6=3711

Colladay,G.S. Resonance energy of graphite, 5=2972

Collet,L.H. The behaviour of the reference substance during a Nernst electrolysis and a new interpretation of the experiments of Washburn, 5=5042. Explanation of Jolibois' cataphoretic phenomena and the inversion of Hittorf's phenomenon, 5=10032. On the difficulty of proving that the proton is ejected from an electrolytic solution by the cathodic discharge, 6=9010. A note on the study of electro-osmosis without a filter medium, 7=149

Colley,D.C., Kinson,J.B. and Riddiford,L. 9-inch liquid hydrogen bubble chamber in a pulsed magnetic field, 9=7227

Colli,L. See also Badoni,C., 7=4737. Bracci,A., 5=7336, 6=3973

Colli,L. and Facchini,U. Measurement of the energy spectrum of protons from (n,p) reactions on Mg and Zn with 14 MeV neutrons, 7=723. Further measurements on n,p reactions at 14 MeV. II. Sulphur, aluminium, iron, copper, nickel, 7=9886

Colli,L., Facchini,U., Iori,I., Marcazzan,M.G. and Sona,A.M. n,p and n,np reactions with 14 MeV neutrons, 9=13688

Colli,L., Facchini,U., Iori,I., Marcazzan,G., Sona,A. and Pignanelli,M. Further measurements on n,p reactions at 14 MeV: Ti, Rh, Sn, Ta, Au and angular distribution of protons emitted in the Ca(n,p) and Ni(n,p) reactions, 8=1977

Colli,L., Facchini,U. and Micheletti,S. Comparison between (n,p) and (p,p') experiments on intermediate energy, 7=8820

Colli,L., and Micheletti,S. On the existence of large intensity modulations in the spectra of protons from some nuclear reactions, 8=5358

Colli,L., Micheletti,S. and Salvetti,C. The 160 kev deuteron accelerator of the I.N.F.N. at Milan, 8=8054

Colli,L., Pignanelli,M., Rytz,A. and Zurmühle,R. Spectrum of protons from n,p reactions at 13·4 and 17·5 MeV, 8=8343

Collie,C.H. See also Hird,B., 5=1180. McMurray,W.R., 5=3996. Meads,R.E., 6=7734. Thornton,D.E.J., 9=585. Whitehead,C., 8=9057

Collie,C.H., Meads,R.E. and Lockett,E.E. The capture cross section of neutrons by boron, 6=7695

Collier,R.D. See Barraclough,T.W., 9=10700

Collier,R.J. Variable-frequency microwave cavity spectrometer, 5=1673

Collin,J. Ionization potentials of methylamines and ethylamines by electron impact, 9=8263. Ionization and dissociation of molecules by monoenergetic electrons. III. On the existence of a bent excited state of NO_2^+, 9=9722

Collin,J. and D'Or,L. Infrared investigation of the benzene-chlorine molecular complex, 5=3587

Collin,J. and Lossing,F.P. Ionization and dissociation of NO_2 and N_2O by electron impact, 8=8836. Ionization potentials of some olefins, di-olefins and branched paraffins, 9=7117

Collin,M. Nucleon charge distribution in fixed-source theory, 9=8448

Collin,R.E. Reflection and transmission at a slotted dielectric interface, 6=3865

Collin,R.L. The effect of atoms in fixed positions on the statistical tests for symmetry centers, 5=9270. The crystal structure of solid chlorine: Correction, 6=9049

Collinge,B. See also Allen,K.W., 7=2655. Alston,M.H., 7=8681. Ashmore,A., 9=8410

Collinge,B., Merrison,A.W. and Eccleshall,D. A fast multiple coincidence circuit, 6=2969

Collings,E.W. Noise and electron temperatures of some cold cathode argon discharges, 9=2380

Collington,D.J., Dellis,A.N., Sanders,J.H. and Turberfield,K.C. Magnetic moment of the proton, 6=557

Collins,C. Some observations of aurora using a low-power frequency-modulated radar, 9=1964

Collins,C.B. and Carlson,R.O. Properties of silicon doped with iron or copper, 8=7955

Collins,C.B., Carlson ,R.O. and Gallagher,C.J. Properties of gold-doped silicon, 7=4348

Collins,E.R. See Rae,E.R., 8=6328

Collins,F.C. Time lag in spontaneous nucleation due to non-steady state effects, 5=8546. Activation energy of the Eyring theory of liquid viscosity and diffusion, 7=3996. See also Rubin,H., 5=3224

Collins,F.C., Brandt,W.W. and Navidi,M.H. Calculation of the free volume and the internal pressure of liquids from sonic velocity data, 7=1952

Collins,F.C. and Raffel,H. Approximate treatment of the viscosity of idealized liquids. I. The collisional contribution, 5=108. Hydrodynamic frictional and diffusion coefficients in idealized liquids, I. The collisional contribution, 5=8542. Statistical mechanical theory of transport processes in liquids, 9=1143

Collins,G.B. See Berley,D., 9=6107. Ridgway,S.L., 7=2608

Collins,J.G. The theory of the anomalous skin effect in metals for obliquely incident radiation, 8=994

Collins,L.E. and Heavens,O.S. The epitaxial growth and oxidation of nickel cobalt and iron on rocksalt, 7=4856

Collins,L.E. and Riviere,A.C. A negative hydrogen ion injector for a tandem electrostatic accelerator, 9=7090

Collins,M.A. Multiple neutron production in a cosmic ray neutron monitor pile, 9=2461

Collins,R.J. Mechanism and defect responsible for edge emission in CdS, 9=10804

Collins,R.J. and Thomas,D.G. Photoconduction and surface effects with zinc oxide crystals, 9=4614

Collins,R.L. Analog computer for magnetic resonance data reduction, 9=9832

Collins,R.L., Bell,M.D. and Kraus,G. Unpaired electrons in carbon blacks, 9=7486

Collins,S.A.Jr, Kyhl,R.L. and Strandberg,M.W.P. Spin-lattice relaxation from state of negative susceptibility, 9=5915

Collins,T.L., Rourke,F.M. and White,F.A. Mass spectrometric investigation of the rare earth elements for the existence of new stable isotopes, 7=3569

Collins,R.J. See Fan,H.Y., 6=2101

Collins,R.L. Automatic bridge balance for nuclear spin resonance spectrometer, 8=1804

Collins,R.L. and Nielsen,J.R. Vibrational spectra, force constants, and calculated thermodynamic properties of methytrifluorosilane, 5=2603

Collins,S.C. Liquid nitrogen generator, 5=7914

Collins,S.C. and Van Wylen,G.J. New approach to the measurement of the specific heat of gases, 5=7925

Collins,T.L. See Butler,J.P., 6=7644. Eastwood,T.A., 8=7331. White,F.A., 5=5456, 6=3929

Collins,T.L.Jr, See White,F.A., 5=3987

Collinson,E., Dainton,F.S. and MacNaughton,G.S. Radical and molecular yields in aqueous solutions of acrylamide irradiated with 50 and 220 kVp X-rays, 6=5491

Collinson,J.A. Isotope shift in Hf I, 5=838

Collip,I.W. See Allenden,D., 6=3417

Collis-George,N. See O'Donnell,T., 8=2831

Collongues,R. Study of the order-disorder transformation in the lithium ferrite $FeLiO_2$, 7=7497. Order-disorder, 7=7498

Colmez,J. Definition of Schrödinger's H-operator for the hydrogen atom, 6=6089

Colombani,A. Magnetic properties of thin metallic films, 5=2877. On the polarization at high frequency of a spherical substance and of an ensemble of perfectly dielectric particles, 5=4619. Resume of the principal work on the magnetic properties of thin metallic layers, 6=6777. See also Goureaux,G., 8=6046, 9=2496, 9=4626, 9=13330. Huet,P., 7=5323, 7=7100. Launey,J., 8=1061

Colombani,A. and Goureaux,G. Thin ferromagnetic films. Magnetic properties deduced from the conductivity of thin nickel films, 8=6047. New experimental results on the conductivity of very thin nickel films, 9=4566. New experimental results concerning the Hall effect in thin films of nickel, 9=13329

Colombani,A. and Huet,P. Preparation and electrical properties of thin films of bismuth, 7=5322. The Hall effect in thin films of bismuth, 7=7099

Colombani,A., Huet,P. and Vautier,C. Measurement of small variations of resistance. Applications to the magnetoresistance of thin films, 8=5870

Colombani,A and Launay,J. Theoretical results concerning thin films of indium antimonide, 8=2317

Colombani,A., Vautier,C. and Huet,P. Electric and magnetic properties of thin films of antimony, 9=1446

Colombie,N. See Cousinié, P., 9=13368

Colombino,P. See also Catino,A., 9=9412

Colombino,P., De Benedetti,S., Degregori,I. and Trossi,L. Angular correlation of annihilation radiation in water, ice and mercury, 8=6128

Colombino,P., Ferroni,S., Ghigo,G. and Wataghin,G. On nucleon--proton collision with the production of mesons, 5=2209

Colombino,P., Ferroni,S. and Wataghin,G. Penetrating showers in H and C, 5=6265

Colombo,S. Applications of the theory of distributions to some problems in mathematical physics I, 6=1779. II, 6=1780. Dynamo effect in hydromagnetic theory, 7=9763

Colombo,S., Cottini,C. and Gatti,E. Improvements on a multichannel pulse analyzer, 7=8678

Colombo,S., Gatti,E. and Pignanelli,M. Accuracy limits in the measurement of time intervals defined by scintillation counter pulses, 7=8679

Colombo,S., Rossi,A. and Scotti,A. On the ^{60}Ni gamma-gamma directional correlation function, 5=4910. A precision re-measurement of the ^{60}Ni gamma-gamma directional correlation function, 5=9879

Colomer,J. See Morand,M., 8=5572

Colonnetti,G. New points of view of the problem of the elastoplastic equilibrium in time. I, 9=13859

Colpa,J.P. See also Ketelaar,J.A.A., 5=3577

Colpa,J.P. and Ketelaar,J.A.A. The pressure-induced rotational absorption spectrum of hydrogen. I, 8=2962

Colson,I.D. See Knott,R.D., 5=3763

Coltman,R.R. See also Blewitt,T.H., 5=6614, 7=8205, 8=423, 9=13805. Wechsler,M.S., 9=5633

Coltman,R.R., Blewitt,T.H. and Noggle,T.S. Techniques and equipment utilized in low-temperature reactor irradiations, 7=6626

Columbe,M.J. Measuring device for diffraction patterns, 9=4327

Colvin,C.B. See Schupp,F.D., 7=9883, 9=6125

Combe,J. Some experimental results obatined with the aid of photographic plates bombarded with nucleons of high energy, 5=9078. Study of high-energy interactions produced in photographic emulsion. II, 7=1589. Experimental study of high energy interactions in photographic emulsion, 9=5035. See also Cüer,P., 5=505, 5=3094, 5=6393, 5=6449

Combe,J. and Liess,M. A microscope stage with multiple movements, 6=5809

Combe,R. See Boulègue,G., 9=5080. Frelot,T., 7=1358

Combée,B. An X-ray tube for microradiography, 6=1279

Combee,B., Houtman,J. and Recourt,A. Microradiography. III. A sealed-off X-ray tube for contact-microradiography, 7=1821

Combettes,A. See Rabinovitch,J., 6=2482

Combrisson,J. Magnetic resonance, 6=3918. See also Abragam,A., 7=2234, 7=3282, 8=2521, 8=5287, 9=300, 9=10019. Honig,A., 6=5242. Uebersfeld,J., 5=388

Combrisson,J., Honig,A. and Townes,C. H. The use of electron spin resonance to realise a very high frequency oscillator, 6=7546

Combrisson,J. and Townes,C.H. Production and amplification of microwaves by atomic processes, 7=5484

Combs,R.L. See also Smith,H.A., 5=2670

Combs,R.L., Googin,J.M. and Smith,H.A. Vapor pressure studies involving solutions in light and heavy waters. II. The vapor pressure of heavy water and the separation factor of the mixed waters, 5=2671

Comenetz,G. See Brace,P.H., 5=5077

Comer,J.J. Contamination from copper specimen grids during electron diffraction, 8=419

Comer,J.J. and Turley,J.W. Replica studies of bulk clays, clays, 5=4125

Comerci,F.A. Perceptibility of flutter in speech and music, 6=1940

Comide,F.M. and Braga Rego,G. On Heisenberg's proof of the uncertainty relations, 9=1035

Comley,R.E. and Talham,R.J. Universal microwave probe, 8=4177

Commins,E.D. See also Novick,R., 7=2556, 9=1802

Commins,E.D. and Kusch,P. Upper limit to the magnetic moment of He^6, 9=1712

Como,R.J. See Rumfelt,A.Y., 9=11298

Compaan,K. and Haven,Y. Correlation factors for diffusion in solids, 7=1671. Some fundamental aspects of the mechanism of diffusion in crystals, 8=4452. Correlation factors for diffusion in solids. II. Indirect interstitial mechanism, 9=6306

Companion,A.L. See also Ellison,F.O., 9=10185

Companion,A.L. and Ellison,F.O. Calculation of atomic valence state energies, 8=2015

Comper,W. The great flare of 3 July,1957, 9=9155

Comper,W. and Kern,R. The flare and ascending prominence of 4 June 1956, 9=4223

Compton,D.M.J. See also Lipsett,F.R., 7=7773

Compton,D.M.J., Schneider,W.G. and Waddington,T.C., Photoconductivity of anthracene, III, 7=9696. Photoconductivity of anthracene. The effect of neutron bombardment, 8=7011

Compton,D.M.J. and Waddington,T.C. Photoconductivity and semiconductivity of anthracene: Effect of NO_2 and Cl_2, 7=3293

Compton,V.B. and Matthias,B.T. Laves phase compounds of rare earths and of hafnium with noble metals, 9=13924

Compton,W.D. Self-diffusion and conductivity in silver chloride, 6=4035*. Production of colloidal sodium in NaCl by ionizing radiation, 8=5509. See also Klick,C.G., 9=3311. Lambe,J. 7=6727. West,E.J., 8=2249

Compton,W.D. and Klick,C.C. Symmetry of the H center in KCl and KBr, 8=4435. Some low-temperature properties of the RM and N centers in KCl and NaCl, 9=2918

Comsa,G. and Musa,G. A new type of ionization-pump, 7=8457

Conard,G.P. See Griest,A.J., 6=8864

Conard,J. Protective circuit for vacuum plants permanently connected to the pumps, 7=5924

Concilio,C.B. See Pinkus,A.G., 9=9028

Condamin,J. See Ricard,M.R., 5=3247

Condell,W.J. and Byrne,F.T. Spectral intensity of a.c. operated tungsten lamps, 8=2943

Condit,H.R. See Wolfe,R.N., 9=10421

Condon,E.U. See Atkins,K.R., 6=5049

Condon,P.E. See Reynolds,G.T., 9=8409

Cones,H.N. See Park,J.H., 6=7438

Conforto,A.M. See also Bachelet,F., 5=1973, 6=5992, 7=2384

Conforto,A.M. and Simpson,J.A. The 24 hour intensity variations of the primary cosmic rays, 8=1112

Conger,R. L. Magnetization reversal in thin films, 5=7195

Conger,R.L. and Essig,F.C. Resonance and reversal phenomena in ferromagnetic films, 7=2399. Magnetization reversal in thin films at low fields, 8=2414

Conjeaud,P. Electron diffraction study of thin films of titanium and their oxidation, 6=3311

Çonklin,R.L. Behaviour of several phosphors upon irradiation in the vacuum ultraviolet, 9=7973

Conley,P. Continuous tone underwater reverberation, 5=9523

Conn,G.K.T. Spectral purity, 6=8084. See also Beattie,J.R., 5=2628, 5=2717, 5=8647-8, 6=8792. Beevers,R.B., 7=1999

Conn,G.K.T. and Crane,E.E. Some applications of the method of dimensions to atomic physics, 7=3017

Conn,G.K.T. and Daglish,H.N. A thermionic ionization gauge of high sensitivity employing a magnetic field, 5=791

Conn,W.M. Studies of the mechanism of electrically "exploded" wires, 5=4691. Studies on the mechanism of electrical wire explosions, 6=2145. Accurate temperature measurements

in work with solar furnaces, 7=3211. Window method of observation inside a metal vapour, which exists for a short period. Example: wire explosion, 8=8017. On wire explosions with interrupted wires, 9=4660
Connally,R.E. See Leboeuf,M.B., 5=612. Upson,U.L., 5=8178
Connell,R.A. and Marcus,J.A. Low-temperature galvanomagnetic effects in bismuth monocrystals, 8=179
Connelly,C.M. Recovery processes and metabolism of nerve, 9=11675
Conner,J.P. Total neutron cross sections near 14·1 MeV, 8=8347
Connes,P. Increase of the product of luminosity × resolution with interferometers by employing path differences independent of the incidence, 6=5802. A new type of spectrometer: the grating interferometer, 9=5498
Connick,R.E. and Poulson,R.E. Effect of paramagnetic ions on the nuclear magnetic resonance of O^{17} in water and the rate of elimination of water molecules from the first coordination sphere of cations, 9=7198
Connock,S.H.G. See Godby,E.A., 5=5757
Connolly,R. and Lynch,G. Angular distribution in $\pi-\mu$ decay, 9=2618
Connolly,W. and Fox,F.E. Ultrasonic cavitation thresholds in water, 5=102
Connor,J.C. See Gunst,S.B., 6=713
Connor,J.V. Ultrasonic dispersion in oxygen, 8=2895
Connor,R.D. and Fairweather,I.L. The β-spectrum of sulphur 35, 8=1930
Connor,R.J. See Gove,H.E., 9=2786
Connor,W.S. See also Plyler,E.K., 5=2545. Youden,W.J., 5=704
Connor,W.S. and Youden,W.J. Comparison of four national radium standards. II. Statistical procedures and survey, 5=3992
Connors,D.R., Miller,W.C. and Waldman,B. Internal conversion spectrum of Au^{198}, 6=6134
Conover,W.B. and Ringles,R.J. Recent contributions to transformer audible noise control, 5=8573
Conrad,B., König,V. and Timm,U. Angular distribution and effective cross-section of the reaction $Li^7(p,\alpha)\alpha$ below 600 keV, 8=6292
Conrad,E.E., Porter,C.S., Doctor,N.J. and Franklin,P.J. Extension of the "thin-sample method" for the measurements of initial complex permeability and permittivity, 6=7374
Conrad,H. An investigation of the rate controlling mechanism for plastic flow of copper crystals at 90° and 170°K, 8=4480
Conrad,R.W. and Vigness,I. Response spectra by means of oscillograph galvanometers, 8=2885
Conradi,J.J. See Weissman,S.I., 7=6662
Constabaris,G. and Halsey,G.D.,Jr. Interaction of single argon atoms with graphitized carbon black P-33(2700), 9=1926
Constable,G.H. and Feridun,L. The electrical conductivity of carborundum at high temperatures, 9=3483
Constantinescu,F. See Lăbusçă,E., 9=8320
Conte,M. See Argan,P.E., 9=9911
Conte,P. See Ader,M., 8=1230
Conte,R. Balance for measurement of magnetization from 1·4°K to room temperature, 6=7509
Contini,C., Maino,C. and Ranucci,M. New criteria for refractive seismic prospecting, 9=4118
Contopoulos,G. On the isophotes of ellipsoidal nebulae, 6=4160. The influence of radiation pressure on the dynamics of interstellar grains, 9=5305
Contractor,S.N. and Chatterjee,S.K. Propagation of microwaves on a single wire. II, 8=8172
Conversi,M. Heavy neutral particles, 5=537. See also Eisler,F., 8=1208, 8=1212*, 9=2658, 9=2662, 9=2667
Conversi,M., De'Munari,G.M., Egidi,A., Fiorini,E., Ratti,S., Rubbia,C., Succi,C. and Torelli,G. Apparatus suitable for selection of cosmic ray particles of mass about 550 m_e, 9=8267. Investigation of the existence of particles of mass about 550 m_e in cosmic rays, 9=8268. Mass - 550 particle, 9=9975
Conversi,M., Fiorini,E., Ratti,S., Rubbia,C., Succi,C. and Torelli,G. A search for particles of 550 M_e, 9=3612
Conversi,M. and Gozzini,A. The "Hodoscope Chamber": a new instrument for nuclear research, 5=8042
Conway,B.E. Some observations on the theory of dielectric relaxation in associated liquids, 9=56665. See also Bockris,J.O'M., 7=4834, 9=907
Conway,B.E. and Bockris,J.O'M. Electrolytic hydrogen evolution kinetics and its relation to the electronic and adsorptive properties of the metal, 7=5701. Proton conductance in ice, 8=8504
Conway,B.E., Bockris,J.O'M. and Linton,H. Proton conductance and the existence of the H_30 ion, 6=4062
Conway,J.G. See also Cunningham,B.B., 7=1202. Gruen,D.M., 7=274, 7=2828
Conway,J.G. and McLaughlin,R.D. Nuclear spin of Np^{239}, 5=2077. Isotope shift and wavelengths of the curium spectrum, 6=1962
Conway,J.G., Wallmann,J.C., Cunningham,B.B. and Shalimoff,G.V. Fluorescence spectra of uranium, neptunium and curium, 8=6875
Conway,R.G. The general magnetic field of the sun, 7=2933
Conway,R.G. and O'Brien,P.A. The distribution of brightness at metre wave-lengths across the sun's disk, 9=3045
Conwell,E. Lattice mobility of hot carriers, 9=8129
Conwell,E.M. Hall effect and density of states in germanium, 5=8758. Impurity band conduction in germanium and silicon, 6=6637. Properties of silicon and germanium. II, 8=4982. Lattice mobility of thermal and hot carriers in germanium, 9=12267
Conzett,H.E. Inelastic scattering of 12-MeV protons on lithium carbon, magnesium, and silicon, 7=4713
Coogan,C.K. The measurement of the optical properties of zinc sulphide, 7=8535. A simple method of monitoring ultraviolet light, 8=3016
Cook,A.F. The physical theory of meteors. VI. The light-curve, 5=5177. Radiative equilibrium in a hydrogen atmosphere. I, 5=5197, See also Hawkins,G.S., 7=27. Millman,P.M., 9=12956
Cook,A.F. and Hawkins,G.S. Inadequacy of recombination as source of radiation from meteoric trains, 7=4987
Cook,A.H. Magnetic perturbations of invar pendulums used for relative gravity measurements, 5=703. The expansion of mercury and fused silica between 0 and 300°C, 6=8148. Secular changes of the units and constants of physics, 8=863. Fizeau-type interference between beams of light reflected from three surfaces, 8=997. The calibration of gravity meters by comparison with pendulums, 8=3599. Determination of the earth's gravitational potential from observations on Sputnik 2 (1957β), 9=10406. See also Clark,J.S., 6=8013. Garland,G.D., 5=5206
Cook,A.H. and Richardson,H.M. Developments in the comparison of lengths using fringes of superposition in white light, 9=5592
Cook,A.H. and Stone,N.W.B. Angle of contrast of mercury against a moving tungsten wire, 5=106. Precise measurements of the density of mercury at 20°C. I. Absolute displacement method, 8=531
Cook,B.C. Photodisintegration of C^{13}, 7=6572
Cook,B.C., Penfold,A.S. and Telegdi,V.L. $C^{13}(\gamma,p)B^{12}$ cross section, 7=2659
Cook,B.D. See Breazeale,M.A., 9=2157. Thurston,G.B., 8=2839
Cook,C.F. See also Marion,J.B., 6=649, 6=658
Cook,C.F., Class,C.M. and Eisinger,J.T. Electric excitation of Au^{197}, 5=1159
Cook,C.S. Suggestion regarding the introduction of the concept of phase change for reflected radiation, 7=2947. Gamma radiation following the decay of Mn^{56} and the energy levels of Fe^{56}, 8=8301. See also Kreger,W.E., 5=2146
Cook,C.S. and Tomnovec,F.M. Gamma radiation from Co^{56} and Co^{58}, 7=2603
Cook,C.W., Fowler,W.A., Lauritsen,C.C. and Lauritsen,T. B^{12}, C^{12}, and the red giants, 8=1924. High-energy alpha particles from B^{12}, 9=610
Cook,D. Relative basicity of alkyl benzenes, 7=3803. Length of the single bond between trigonally hybridized carbon atoms, 8=6390
Cook,D.L. See Meisenheimer,R.G., 9=7172
Cook,E.G. and VanValkenburg,H.E. Thickness measurement by ultrasonic resonance, 5=6779
Cook,E.J. Axially symmetric electron beams of uniform axial velocity, 9=8216
Cook,E.O. and Heaps,H.S. Reflection of sound in the ocean from a continuous stratum containing a velocity extremum, 5=5284
Cook,F.H. See Leidheiser,H.Jr, 5=5159
Cook,G.B. Analytical methods for fission product: Tin and antimony, 7=1719. The initiation of explosion in solid secondary explosives, 8=7580. See also Boys,S.F., 7=3480
Cook,G.H. Television zoom lenses, 9=9383
Cook,G.R. See Bunch,S.M., 8=6832. Ogawa,M., 8=6831, 8=6833. Weissler,G.L., 9=7126
Cook,H.F. See Grant,E.H., 7=3231

Cook,J.M. On the vanishing of the interaction Hamiltonian, 7=2966

Cook,J.R. Photoconductivity in calcium tungstate, 5=3782. Elastic scattering of gamma rays, 6=2375. Trap distributions in calcium tungstate single crystals, 8=1703

Cook,J.R. and Mahmoud,K.A. Luminescence characteristics of some scintillating crystals, 5=857

Cook,J.S., Dryden,J.S. and Meakins,R.J. The dielectric properties of wool wax and some derivatives, 8=6939

Cook,J.S., Louisell,W.H. and Yocom,W.H. Stability of an electron beam on a slalom orbit, 8=8811

Cook,J.S. and Meakins,R.J. Dielectric absorption in crystalline long-chain methyl ethers, 9=6881

Cook,J.W. See Bernard,W.J., 9=12822

Cook,K.L. See McEuen,R.B., 9=10966

Cook,L.F.Jr and Williams,N.,Jr. Polarization effects in cascade showers, 9=1572

Cook,L.G. See Aitken,P.B., 5=259

Cook,M.A. Mechanism of detonation, 5=4144. Where is the earth's radiogenic helium? 7=6761. Mechanism of cratering in ultra-high velocity impact, 9=6576

Cook,M.A., Doran,R.L. and Morris,G.J. Measurement of detonation velocity by Doppler effect at three-centimeter wavelength, 5=5278

Cook,M.A., Horsley,G.S., Keyes,R.T., Partridge,W.S. and Ursenbach,W.O. Detonation wave fronts in ideal and nonideal detonation, 6=2747

Cook,M.A., Horsley,G.S., Partridge,W.S. and Ursenbach,W.O. Velocity-diameter and wave shape measurements and the determination of reaction rates in TNT, 6=2494

Cook,M.A. amd Keyes,R.T. Rate of reaction of TNT in detonation by direct pressure measurements, 6=3335. Generation of high-velocity projectiles, 9=4326

Cook,M.A. and McEwen,W.S. Cohesion in plasma, 9=8245

Cook,M.A., Pack,D.H., Cosner,L. N. and Gey,W.A. Instrumented card-gap or SPHF-plate test, 9=13873

Cook,M.A., Pack,D.H. and Gey,W.A. Deflagration to detonation transition in solid and liquid explosives, 8=7580

Cook,M.I. See Swanson,H.E., 7=6741, 8=4533

Cook,M.W. Vapour pressure apparatus, 8=3937

Cook,M.W. and Hanson,D.N. Accurate measurement of gas solubility, 7=5919

Cook,M.W., Hanson,D.N. and Alder,B.J. Solubility of hydrogen and deuterium in nonpolar solvents, 7=5106

Cook,R.K. Absorption of sound by patches of absorbent materials, 7=5150. Variation of elastic constants and static strains with hydrostatic pressure. A method for calculation from ultrasonic measurements, 7=8219. See also Waterhouse,R.V., 5=9520, 6=7241

Cook,R.K. and Wasilik,J.H. Anelasticity and dielectric loss of quartz, 6=7753

Cook,R.K., Waterhouse,R.V., Berendt,R.D., Edelman,S. and Thompson,M.C.Jr. Measurements of correlation coefficients in reverberant sound fields, 6=1008

Cook,S.P. and Dieke,G.H. ^{6}P state of the Gd^{+++} ion, 8=5778

Cook,W.G. Symposium on principles of penetrant methods, 8=4609

Cook,W.R.Jr and Jaffe,H. Ferroelectric and piezoelectric materials, 5=2700. Digest of the literature on dielectrics. Volume XVIII-1954. Ferroelectric and piezoelectric materials, 7=9152. Volume XIX-1955. Ferroelectric and piezoelectric materials, 7=9153. Piezoelectric materials, 9=5649

Cooke,A.H. See also Benzie,R.J., 5=9618. Bleaney,B., 5=2885

Cooke,A.H. and Duffus,H.J. The magnetic susceptibility of potassium manganicyanide, 5=1999. The paramagnetic resonance spectra of some rare-earth double nitrates, 5=5518

Cooke,A.H. and Edmonds,D.T. Nuclear magnetic interaction in an antiferromagnetic crystal, 8=3052

Cook,A.H., McKim,F.R., Meyer,H. and Wolf,W.P. The thermal and magnetic properties of ytterbium ethyl sulphate between 20°K and 1°K, 7=8559

Cook,A.H., Meyer,H. and Wolf,W.P. A new method of correlating the magnetic temperature scales of paramagnetic salts below 1°K, 6=3682. The specific heats of three paramagnetic salts at very low temperatures, 7=6134. Thermal and magnetic properties of ferric methylammonium sulphate, 7=6135

Cook,A.H. and Park,J.G. Nuclear spins and magnetic moments of ^{161}Dy, ^{163}Dy, ^{171}Yb and ^{173}Yb, 6=7630

Cooke,A.H., Whitley,S. and Wolf,W.P. Demagnetization experiments on cerium ethyl sulphate, 5=8084

Cooke,B.A. Charge acquired by powdered salts on moving over metal surfaces, 5=8725

Cooke,C.E.Jr. Study of electrokinetic effects using sinusoidal pressure and voltage, 6=1256

Cooke,I. See Alfrey,G.F., 8=4949

Cooke,J.C. On Rayleigh's problem for a general cylinder, 7=4030

Cooke-Yarborough,E.H. and Whyard,R.E. The automatic counting of red blood cells, 5=1275

Cookson,J.A. See Bokhari,M.S., 8=5361. Hird,B., 9=2800

Cool,R. See also Abashian,A., 7=2526, 7=6605. Cronin,J.W., 7=9867. Piccioni,O., 5=5452

Cool,R., Piccioni,O. and Clark,D. Pion—proton total cross sections from 0·45 to 1·9 BeV, 6=8403

Cool,R.L., Cork,B., Cronin,J.W. and Wenzel,W.A. Asymmetry in the decay of Σ hyperons, 9=11400

Cool,R.L., Morris,T.W., Rau,R.R., Thorndike,A.M. and Whittemore,W.L. Production of V-particles by 3 BeV protons, 8=8255

Cooley,W.J. and Van Horn,D.D. Dimensional changes resulting from dezincification of alpha brass, 8=8457

Coombe,D.J. See Cohen,B.L., 5=6450

Coombes,C.A., Cork,B., Galbraith,W., Lambertson,G.R. and Wenzel,W.A. Polarization of μ^+ mesons from the decay of K$^+$ mesons, 8=1194. Antiproton—proton cross sections at 133, 197, 265 and 333 MeV, 9=6005

Coomes,E.A. See LaBerge,W.B., 5=2832. Haas,G.A., 6=1333

Coon,J.H. See also Los Alamos Physics and Cryogenics Groups, 9=11478

Coon,J.H., Davis,R.W., Felthauser,H.E. and Nicodemus,D.B. Scattering of 14·5 MeV neutrons by complex nuclei, 8=6333

Coope,J.A.R., Frost,D.C. and McDowell,C.A. Ionization potentials of hydrogen fluoride and the ground state of the HF$^+$ ion, 7=9740

Cooper,A.W. See Oleson,N.L., 7=4417

Cooper,A.W.M., Coulter,J.R.M. and Emeléus,K.G. Simultaneous occurrence of moving and standing waves in a positive column, 8=4046

Cooper,B.R. Magnetic anisotropy constant of yttrium iron garnet at 0°K, 9=4798

Cooper,C.D. See also Edwards,H.D., 6=9097. Sponer,H., 5=5324

Cooper,C.D. and Lichtenstein,M. Spectra of argon, oxygen, and nitrogen mixtures, 8=8678

Cooper,C.D., Manring,E.R. and Bedinger,J.F. 3303 A emission from sodium ejected into the upper atmosphere, 8=6554

Cooper,E.B. See Spangler,R.D., 7=5686

Cooper,E.C. and Müller,E.W. Field desorption by alternating fields. An improved technique for field emission microscopy, 8=5961

Cooper,F.S. See Delattre,P.C., 5=7796. Harris,K.S., 8=8660

Cooper,G.L. Metallurgical aspects of atomic energy. A selected reading list, 7=2906. Methods of measuring the thermal conductivity of solids. A bibliography, 8=5831

Cooper,H., Schwed,P. and Webeler,R.W. Thermoelectric power of AuCu in non-equilibrium states, 6=4417

Cooper,H.G., Koehler,J.S. and Marx,J.W. Irradiation effects in Cu, Ag, and Au near 10°K, 5=2724

Cooper,J.A.D. See Passmann,J.M., 6=7799

Cooper,J.C. See Greifer,B., 7=5274

Cooper,J.N. See Green,D.W., 5=5462

Cooper,L.N. Some notes on nonrenormalizable field theory, 6=66. Bound electron pairs in a degenerate Fermi gas, 7=2255. Specific heat measurements and the energy gap in superconductors, 9=13237. See also Bardeen,J., 7=6193, 8=1708

Cooper,L.N., Mills,R.L. and Sessler,A.M. Possible superfluidity of a system of strongly interacting fermions, 9=12187

Cooper,L.N. and Rainwater,J. Theory of multiple Coulomb scattering from extended nuclei, 5=3142

Cooper,L.N. and Tobocman,W. Deuteron stripping and the problem of nuclear radii, 5=2995

Cooper,L.P. See Young,B.M., 9=5478

Cooper,P.N. See Batson,A.P. 6=6733

Cooper,R. and Fernandez,A. Directional electric breakdown of KCl, 8=5943

Cooper,R. and Grossart,D.T. Time lags in the intrinsic electric breakdown of solid dielectrics, 7=3234

Cooper,R., Grossart,D.T. and Wallace,A.A. Directional effects in the electric breakdown of single crystals of KCl and NaCl, 7=4302

Cooper,R. and Wallace,A.A. The influence of electric strength of mechanical deformation caused by application of voltage

to potassium chloride crystals, 7=2166

Cooper,R.D. and Cotton,E.S. Half-life of sulphur-35, 9=8529

Cooper,R.H. See Billings,D.E., 5=2546, 9=4230

Cooper,R.M. See also Naghdi,P.M., 6=1912

Cooper,R.M. and Naghdi,P.M. Propagation of nonaxially symmetric waves in elastic cylindrical shells, 8=4795

Cooper,W.A., Filthuth,H., Montanet,L., Newth,J.A., Petrucci,G., Salmeron,R.A. and Zichichi,A. Neutral V-particle from copper and carbon, 8=5246

Cooper,W.A., Filthuth,H., Newth,J.A., Petrucci,G., Salmeron,R.A. and Zichichi,A. A probable example of the production and decay of a neutral tau-Meson, 7=3700. Examples of the production of (K^0, K^0) and (K^+, K^0) pairs of heavy mesons, 7=8852

Cooper,W.A., Filthuth,H., Newth,J.A. and Salmeron,R.A. Further measurements on charged V-events, 6=7708

Cooper,W.J., Forsyth,R.H., Masi,J.F. and Pabst,R.E. Low-temperature adiabatic calorimeter with automatic shield control, 9=9566

Cooperman,P. Some criteria for the in situ combustion of crude oil, 9=12849

Coor,T., Cunningham,S.P., Ellis,R.A., Heald,M.A. and Kranz,A.Z. Experiments on the ohmic heating and confinement of plasma in a stellarator, 9=4743

Coor,T., Hill,D.A., Hornyak,W.F., Smith,L.W. and Snow,G. Nuclear cross sections for 1·4 BeV neutrons, 5=7377

Coovert,R.E. See Bardeen, J., 7=1286

Cope,J.O. Magnetically operated needle valve, 8=5710

Copeland,C.S. See Benson,S.W., 5=6787, 5=6985, 6=5468. Fogo,J., 5=3206

Copeland,J. See Whitehurst,R.N., 7=5757

Copeland,P.L. See also Schwartz,M., 5=1924

Copeland,P.L. and De Lany,B.P. Use of narrow holes for producing glow-to-arc transitions, 5=8794

Copeland,P.L., Sachs,L.M. and Czech,E.C. Potential distribution between parallel planes in electron tubes, 6=7490

Copenhaver,C.M. See Claiborne,H.C., 8=5406

Čopič,M. The shape dependence of the optical anistropy of long chain molecules, 5=611. Intrinsic viscosity (of a polymer solution) as a function of velocity gradient. II, 6=7174. Streaming birefringence of polymer solutions: Anisotropy of internal fields, 7=7798. See also Peterlin,A., 6=4227

Coppen,P.J. See Iles,P.A., 9=9637

Coppens,R. On the probable existence of unknown radioactive bodies emitting very short range α-particles, 7=659

Copson,E.T. On a regular Cauchy problem for the Euler—Poisson-Darboux equation, 6=4769

Corak,W.S., Garfunkel,M.P., Satterthwaite,C.B. and Wexler,A. Atomic heats of copper, silver, and gold from 1°K to 5°K, 5=6995

Corak,W.S., Goodman,B.B., Satterthwaite,C.B. and Wexler,A. Exponential temperature dependence of the electronic specific heat of superconducting vanadium, 5=3791. Atomic heats of normal and superconducting vanadium, 6=4372

Corak,W.S. and Satterthwaite,C.B. Atomic heats of normal and superconducting tin between 1·2° and 4·5°K, 6=4373

Corato,M.di. See di Corato,M.

Corazza,G. See Ageno,M., 9=13383. Alberigi,A., 9=11143

Corazza,G.C. Equivalence theorems for electromagnetic fields, 8=6065

Corbató,F.J. On the computation of auxiliary functions for two-center integrals by means of a high-speed computer, 6=3876

Corben,H.C. New approach to the quantum theory of the electron, 7=1898. A new approach to the quantum theory of the electron, 9=1071. See also Mickelwait,A.B., 5=718

Corbet,H.C., van Koppen,G.M., Kramer,J., van Ments,M., Le Poole,J.B. and van Reijen,L.L. Electron diffraction equipments, 5=7108

Corbett,J.W. See also Schwartz,R.B., 6=3188. Watkins,G.D., 9=11243

Corbett,J.W., Denney,J.M., Fiske,M.D. and Walker,R.M. Electron irradiation of copper below 10°K, 7=4315. Electron irradiation of copper near 10°K, 8=8451

Corbett,J.W., Smith,R.B. and Walker,R.M. Recovery of electron irradiated copper. I. Close pair recovery, 9=11577. II. Interstitial migration, 9=11578

Corbett,J.W. and Walker,R.M. Discrete recovery spectrum below 65°K in irradiated copper, 8=6427. Energy dependence of recovery in irradiated copper, 9=12806

Corbett,J.W. and Wang,J.H. Self-diffusion in liquid argon, 6=8027

Corbett,J.W. and Watson,W.W. Performance of a hot-wire thermal diffusion column, 6=1894. Thermal diffusion in krypton and argon, 6=8620

Corbett,W.J. See Orr,C.Jr, 9=11613

Corbey,M.M.G. See Kok,J.A., 8=1072, 8=3161-2, 9=4658

Corciovei,A. The effect of long and short range order on residual resistivity, 9=5133

Corcoran,W.H. See Lynn,S., 5=5038, 6=6405

Cordeiro,R.H. See Baptista,A.M., 9=3684

Cordero Funes,J.R. and Oscar Pogo,A. A micro-spectrophotometer for visible light, 9=12028

Cordes,A.W. See Herber,R.H., 8=8494

Corduan,K. On the conversion of the spectral sensitivity of a photoelectric receiver to a given sensitivity curve, 9=12070

Corelli,J.C. See Raney,W.P., 5=1609

Coremans,J.M.J., Beenakker,J.J.M., van Itterbeek,A. and Zandbergen,P. The influence of the density on the viscosity of helium gas at liquid hydrogen temperatures, 9=13072

Coremans,J.M.J., van Itterbeek,A., Beenakker,J.J.M., Knaap,H.F.P. and Zandbergen,P. The viscosity of gaseous He, Ne, H_2, and D_2 below 80°K, 8=6716

Coren,R. and Juretschke,H.J. Hall effect and ferromagnetism of very thin nickel films, 8=4136

Corenzwit,C. See Hein,R.A., 9=12302

Corenzwit,E. Superconductivity of Nb_3Al, 9=11046. See also Matthias,B.T., 6=374, 7=9699, 8=7980, 9=3509, 9=3512. Nesbitt,E.A., 9=7171

Corge,C. See also Netter, F., 7=1623

Corge,C., Vinh-Dinh Huynh, Julien,J., Mirza,S., Netter,F. and Simic,J. Characteristics of excited states formed by the capture of intermediate energy neutrons in tungsten and platinum, 9=13613

Corinaldesi,E. Remark on an unusual cosmic ray event, 5=370. Quantum field theory and the two-body problem of general relativity, 5=7676. Remark on a previous note. [Quantum field theory and the two-body problem of general relativity], 5=8478. The two-body problem in the theory of the quantized gravitational field, 6=5675. Dispersion relations for photoproduction of mesons, 7=3737. Dispersion relations for decay processes, 7=5060. Causality and dispersion relations in wave mechanics, 7=5882. On the two-body problem of general relativity, 7=6848. Dispersion relations for the decay of the τ-meson, 8=3312. Particles and symmetries, 8=6635

Corinaldesi,E. and Radicati,L.A. Pauli-Gürsey transformations and rotations in charge space, 9=13011

Corio,P.L. On the evaluation of matrix elements of the high-resolution n.m.r. spin Hamiltonian, 9=746

Corio,P.L. and Dailey,B.P. Influence of the solvent on the chemical shifts of mono-substituted benzenes, 7=3503

Corio,P.L. and Weinberg,I. Long-range nuclear spin—spin couplings in thiophene derivatives, 9=11533

Cork,B. Proton linear-accelerator injector for the bevatron, 5=4733, See also Brabant,J.M., 6=3785, 6=5977. Cool,R.L., 9=11400. Coombes,C.A., 8=1194, 9=6005

Cork,B. and Hartsough,W. Elastic scattering of 9·7 MeV protons by He^4, 5=1188

Cork,B., Lambertson,G.R., Piccioni,O. and Wenzel,W. Mean life of K^--mesons and their cross section in hydrogen, 7=6603. Antineutrons produced from antiprotons in charge-exchange collisions, 7=4790. Cross sections for antiprotons in hydrogen, beryllium, carbon, and lead, 7=8812

Cork,B., Wenzel,W.A. and Causey,C.W.Jr. Elastic proton—proton scattering at 2·24, 4·40, and 6·15 BeV, 7=8667

Cork,J.M. See also LeBlanc,J.M., 5=3056, 5=4898, 7=3595. Martin,D.W., 6=3142, 6=4604. Schmid,L.C., 9=12644

Cork,J.M., Brice,M.K., Helmer,R.G. and Sarason,D.E. Transition energies and nuclear levels in Sm^{152}, Sm^{154}, Gd^{152}, and Gd^{154} as derived from the separated isotopes of europium, 8=7302

Cork,J.M., Brice,M.K., Helmer,R.G. and Woods,R.M.Jr. Additional data on the radioactive decay of Ho^{166} (27 hr), Nd^{147}, and Sm^{153}, 9=599

Cork,J.M., Brice, M.K., Martin,D.W., Schmid,L.C. and Helmer,R.G. Radiations from the active isotopes of ytterbium, 6=1509

Cook,J.M., Brice,M.K. and Schmid,L.C. Energies of the radiations from Ce^{144} and Pr^{144}, 5=1163. Energies of the radiations from Co^{57} and Co^{58}, 5=8183

Cork,J.M., Brice,M.K., Schmid,L.C. and Helmer,R.G. Radioactive decay of ruthenium-97, 6=607. Nuclear levels in Dy^{161}, 7=2586

Corlin,A. On some correspondence between envelopal and nuclear structure of the atoms, 9=3809

Corliss,C.H. See Kiess,C.C., 9=13151

Corliss,E.L.R. See also Burkhard,M.D., 5=148

Corliss,E.L.R. and Koidan,W. Mechanical impedance of the forehead and mastoid, 6=1012

Corliss,L. See also Weiss,R.J., 6=7831

Corliss,L., Elliott,N. and Hastings,J. Magnetic structures of the polymorphic forms of manganous sulfide, 7=2423

Corliss,L.M. See also Brockhouse,B.N., 5=7403. Donnay,G., 9=4802. Hastings,J.M., 6=6012, 7=1761, 7=12465

Corliss,L.M., Elliott,N. and Hastings,J.M. Antiferromagnetic structures of MnS_2, $MnSe_2$ and $MnTe_2$, 9=429

Cormack,A.M. Resonance scattering of gamma rays by nuclei, 5=1164. Neutrinos from the sun, 5=1460. Internal Rayleigh scattering, 5=4040. Some physical aspects of the corona, 6=4158. Fourier transforms in cylindrical co-ordinates, 9=7634. Semiclassical theory of internal Rayleigh scattering, 9=13651. See also Palmieri,J.N., 9=1661

Cormack,A.M., Palmieri,J.N., Ramsey,N.F. and Wilson,R. Elastic scattering and polarization of protons by helium at 147 and 66 MeV, 9=13551

Cormack,D.V. See also Johns,H.E., 5=1165, 6=1542. Rawson,E.G., 9=3332

Cormack,D. V., Hummel,R.W., Johns,H. E. and Spinks,J.W.T. Irradiation of ferrous ammonium sulfate solutions: energy absorption and ionization calculations for cobalt-60 and betatron radiation, 5=4150

Cormack,D.V., Till,J.E., Whitmore,G.F. and Johns,H.E. Measurement of continuous X-ray spectra with a scintillation spectrometer, 6=8815

Cornaz,P. See Borel,J.P., 9=5921

Cornelius,J.A. See Calvert,R., 7=820

Cornelius,R. See Sargent,C.P., 5=7389

Corner,W.D. and Hunt,G.H. A direct reading instrument for the measurement of small displacements, 5=772. The temperature dependence of magnetostriction in a nickel crystal, 5=3883

Corner,W.D. and Hutchinson,F. The saturation magnetostriction of nickel crystals at low temperatures, 9=2494

Cornet,Y., Haeusler,C. and Barchewitz,P. High-dispersion infrared spectroscopy, 9=12027

Corneteau,H. See Blanchard,M.L., 7=2165. Freymann,R., 7=4346. Hagene,B., 7=2164

Corney,G.M. See Wilsey,R.B., 7=1354

Corngold,N. Slowing down of neutrons in infinite homogeneous media, 8=688. Thermalization of neutrons in infinite homogeneous systems, 9=8463. See also Schermer,R., 9=6010

Cornides,I. The radiofrequency mass spectrometer as an analogue to the optical grating, 6=8240. The use of positive-ion emission for the determination of diffusion constants in solid bodies, 8=3475

Cornish,A.J. Arrays of inorganic semiconducting compounds, 9=12238. See also Bowers,R., 9=8172, 9=8176

Cornish,E.A. The multivariate t-distribution associated with a set of normal sample deviates, 5=1445. The sampling distributions of statistics derived from the multivariate t-distribution, 5=8441

Cornish,E.H. and Cutting D.M. A dose test for irradiated polyethylene, 9=13801

Cornish,R.M. and Simon,I. Technique for measurement of specific volume of liquids at high pressures and temperatures, 9=9284

Cornsweet,T.N. Determination of the stimuli for involuntary drifts and saccadic eye movements, 7=2901. New technique for the measurement of small eye movements, 9=4170 See also Johnson,E.P., 5=3343

Cornwall,C.D. See also Yamasaki,R.S., 9=8733

Cornwall,C.D. and Yamasaki,R.S. Nuclear quadrupole coupling in the alkali chloroiodides. I. Chlorine resonances, 8=2619

Coroniti,S.C. See also Penndorf,R., 9=4135. Stergis,C.G., 5=6655

Coroniti,S.C. and Gerson,N.C. Scatter-field strengths and large ion concentration, 8=1379

Coroniti,S.C. and Penndorf,R. The diurnal and annual variations of f_0 F2 over the polar regions, 9=5270

Corradini,P. and Bassi,I.W. Applications of electron diffraction to the study of polymer structure, 9=3573

Corran,P.G., Lambert,J.D., Salter,R. and Warburton,B. Temperature dependence of vibrational relaxation times in gases, 8=2006

Corre,Y.Le. See Le Corre,Y.

Correll,M. See also Worrell,F.T., 9=3088

Correll,M., Hazen,M. and Bahng,J. Motions of prominences, 7=4996

Correll,M. and Roberts,W.O. Atmospheric magnetic fields above active solar region of April 13, 1950, 9=11740

Corrias,M. Analytical calculation of oblique rays for toric and cylindrical surfaces, 5=1663. A practical method for the choice of glasses for a generalized cemented doublet, 5=6880

Corrigan,J.J., Singer,S.F. and Swetnick,M.J. Cosmic-ray increases produced by small solar flares, 8=8100

Corrigan,S.J.B. and von Engel,A. Excitation and dissociation of hydrogen by an electron swarm, 8=5456. The excitation of helium by electrons of low energy, 9=1813

Corrin,M.L. See Hurd,D.T., 5=792

Corrsin,S. Statistical behavior of a reacting mixture in isotropic turbulence, 8=5688

Corrsin,S. and Lumley,J. On the equation of motion for a particle in turbulent fluid, 9=92

Corruccini,R.J. See Lalos,G.T., 8=8670. Shenker,H., 5=6162

Corso,J.F. Unison tuning of musical instruments, 5=671. Absolute judgments of musical tonality, 7=4940. Confirmation of the normal threshold for speech on C.I.D. auditory test W-2, 7=5779. Proposed laboratory standard of normal hearing, 8=2079. Age and sex differences in pure-tone thresholds, 9=7707

Corson,D.R. Electromagnetic induction in moving systems, 6=3844. See also Davis,H.L., 5=8254. McDonald,W.S., 7=8892

Corte,M.Della. See Della Corte,M.

Cortellessa,G. See Ageno,M., 5=3863, 7=1568-9, 7=4510, 9=13383. McDaniel,B.D., 8=9000

Cortese,C. See Bonfiglioli,G., 8=8706, 9=9497-8

Cortini,G. See also Amaldi,E., 5=1233, 5=3871, 5=4954, 5=4959. Baroni,G., 5=4089, 6=7480. Castagnoli,C., 5=543, 5=6493, 5=9341, 5=9948-9. Ciuffolotti,L., 9=5978

Cortini,G., Luzzatto,G., Tomasini,G. and Manfredini,A. On the methods of ionization measurement in G-5 and K-5 emulsions, 9=503

Cortini,G., Milone,C., Rinzivillo,R. and Tribuno,C. Photoprotons from nitrogen, 8=9056

Cortini,G., Milone,C., Rubbino,A. and Ferrero,F. Energy spectra

Craggs,J.W. The oblique reflexion of sound pulses, 7=5141. The propagation of infinitesimal plane waves in elastic — plastic materials, 9=6623

Craig,D.P. and Hobbins,P.C. The polarized spectrum of anthracene. I. The assignment of the intense short wave-length system, 5=5322

Craig,D.P., Hobbins,P.C. and Walsh,J.R. Assignment of the intense 'acene absorption systems, 5=178

Craig,D.P., Hollas,J.M. and King,G.W. Upper limit to the intensity of the 3400 A singlet–triplet absorption in benzene, 9=2208

Craig,D.P. and Magnusson,E.A. Atomic orbital modification in molecule formation, 6=8309

Craig,D.P. and Walsh,J.R. Intermolecular effects in napthalene crystal spectra, 6=3616. Excitation shape dependence and Davydov splitting in aromatic crystals, 7=5986

Craig,P.P. and Pellam,J.R. Observation of perfect potential flow in superfluid, 8=1654

Craig,D.S. Levels of Al^{25} from the Mg^{24} (p,γ)Al^{25}reaction, 6=3207

Craig,D.S., Cross,W.G. and Jarvis,R.G. Measurement of the mass of He^5, 7=636. Angular distribution of 16·1 MeV gamma rays from the 163 keV resonance in the reaction B^{11} (p,γ) 7=4271.

Craig,G.B. See also Bonar,L.G., 9=1911

Craig,G.B. and Chalmers,B. The effects of grain boundaries on the plastic deformation of zinc crystals, 7=3770

Craig,H. Distribution production rate, and possible solar origin of of natural tritium, 7=5752

Craig,R.D. Gas temperature in argon spark channels, 6=1346

Craig,R.D. and Craggs,J.D. Non-isothermal plasmas in the rare gases, 5=307

Craig,R.S. See Aven, M.H., 6=5823, 6=8153. Bergenlid,U.M., 7=7070. Brotherton,T.D., 7=4271. Waite,T.R., 6=5439, 7=2145. Zabetakis,M.G., 7=7830

Craik,K.J. A study of Bitter figures using the electron microscope, 6=7531. Bates,L.F., 8=4152, 8=8140

Craik,D.J. and Griffiths,P.M. A new colloid for use with the Bitter figure technique, 8=1770. New techniques for the study of Bitter figures, 8=6035. Domain configurations on ferrites, 9=2501

Crain,C.M. Some observations on the effect of radiation on the refractive indices of certain gases, 9=9389. See also Deakins,G.E., 7=496. Fain,W.W., 8=8365.

Magee,J.B., 8=2709

Crain,C.M., Thorn,D.C. and Boggs,J.E. The dielectric constant of solid particle aerosols, 7=7844

Cram,K.H. and Whitwell,J.C. Equivalent-radius method for determination of non-Newtonian flow curves from viscometric data, 5=5912

Cram,L.A. An apparatus for producing air of controlled relative humidity for hygrometer calibration and testing, 6=6424

Cramer,E.M. and Huggins,W.H. Creation of pitch through binaural interaction, 9=964

Cramer,W.H. Elastic and inelastic scattering of low-velocity ions: He^+ in Ne, Ne^+ in He, and Ne^+ in Ne, 8=8849. Elastic and inelastic scattering of low-velocity ions: Ne^+ in A, A^+ in Ne, and A^+ in A, 9=7408

Cramer,W.H. and Simons,J.H. Elastic and inelastic scattering of low-velocity He^+ ions in helium, 7=7994

Cramer,W.S. and Johnston,T.F. Underwater sound absorbing structures, 6=5747

Cranberg,L. Polarization of neutrons from Li^7(p,n) Be^7 and from n−d scattering, 9=7340. See also Los Alamos Physics and Cryogenics Groups, 9=11478. Marion,J.B., 9=11483. Seagrave,J.D., 7=4465. Weber,W., 6=8256

Cranberg,L., Aiello,W.P., Beauchamp,R.K., Lang,H.J. and Levin,J.S. Energy modulation for particle accelerators, 7=3366

Cranberg,L., Armstrong,A.H. and Henkel,R.L. Neutrons from the D–D reactions, 7=3736

Cranberg, L., Beauchamp,R.K. and Levin,J.S. Measurement of fast neutron total cross sections, 7=3740

Cranberg., L., Frye,G., Nereson,N. and Rosen,L. Fission spectrum of U^{235}, 6=7700

Cranberg,L. and Henshall.J.B. Small-aperture diaphragms in ion-accelerator tubes, 9=7101

Cranberg,L. and Levin,J.S. Inelastic scattering of neutrons from iron by time-of-flight, 6=708. Neutron scattering at 2.45 MeV by a time-of-flight method, 6=6911. Inelastic neutron scattering by U^{238}, 8=2586

Cranberg,L. and Smith,R.K. Breakup of deuterons by protons, 9=5043

Crandall,S.H. Numerical treatment of a fourth order parabolic partial differential equation, 5=3256. The symmetry relations for anisotropic heat conduction, 5=4585. An optimum,implicit recurrence formula for the heat conduction equation, 7=1

Crandall,W.E. See also Schecter,L. 5=2175

Crandall,W.E. and Millburn,G.P. Neutron production at high energies, 8=4235

Crandall,W.E., Millburn,G.P., Pyle,R.V. and Birnbaum,W. C^{12}(x,xn)C^{11} and Al^{27} (x,x2pn) Na^{24} cross sections at high energies, 6=3191

Crandall,W.E., Willburn,G.P. and Schecter,L. Neutron yields from thick targets bombarded by 24-MeV deuterons and 12-12-MeV protons, 7=4789

Crandell,F.F. and Freund,K. A photoelectric telephotometer of high sensitivity and high angular selectivity, 7=7706

Crane,E.E. See Conn,G.K.T., 7=3017

Crane,H.R. Maintaining the geometrical alignment of a large accelerator, 7=3361. See also Kerst,D.W., 6=5157. McDaniel,E.W., 8=6005. Nelson,D.F. 9=11354

Crane,L. See Davies,J.H., 6=3270*

Crane,R.C. See Czyzak,S.J., 7=5156, 9=6757

Crane,W.W.T. See also Higgins,G.H., 5=8191

Crane,W.W.T., Higgins,G.H. and Bowman,H.R. Average number of neutrons per fission for several heavy-element nuclides, 6=4626

Crane,W.W.T., Higgins,G.H. and Thomson,S.G. Average number of neutrons emitted during the spontaneous fission of Cf^{252}, 5=3117

Crane,W.W.T. and Iddings,G.M. New isotope protactinium (237), 5=476

Crangle,J. The magnetic moments of cobalt-copper alloys, 5=5590. The magnetization of cobalt—manganese and cobalt–chromium alloys, 7=8721. Magnetic susceptibility of the alloy Pt_3Fe between 20 and 900 degrees absolute, 8=4140

Crank, J. The mathematics of diffusion 6=5703. Diffusion coefficients in solids, their measurement and significance, 8=4451

Cranshaw,T.E. See also Porter,N.A., 8=221, 9=398

Cranshaw,T.E. and de Beer,J.F. A triggered spark counter, 7=8676

Cranshaw, T.E., de Beer,J.F., Galbraith,W., Hillas,A.M., Norris,S. and Porter,N.A. Observations on extensive air showers, VI. The ratio of the soft to penetrating components and their attenuation in the atmosphere, 9=377

Cranshaw,T.E., de Beer,J., Galbraith,W. and Porter,N.A. Observations on extensive air showers. V. The size spectrum of showers containing $3 \times 10^6 - 3 \times 10^8$ particles, 8=3211

Cranshaw,T.E. and Galbraith,W. Time variations of extensive air showers and the origin of cosmic rays, 5=1026. Observations on extensive air showers. I. Apparatus, 8=218. II. Time variations in the energy region of 10^{17} eV, 8=219

Cranshaw,T.E., Galbraith,W. and Porter,N.A. Cosmic-ray observations during the flare of 23 February (1956), 7=513. Observations on extensive air showers. III. The distribution of charged particles, 8=220

Cranston,F.P.,Jr, Bunker,M.E. and Starner,J.W. Decay of Er^{171}, 8=5307

Cranston,F.P.,Jr, and McCreary,W.J. New source technique for beta-ray permanent magnet spectrographs, 7=6506

Crary,J.H. See Helliwell,R.A., 8=6563. Lindstrom,I.E., 9=8530. Rehfuss,D.E., 9=11452

Crasemann,B. and Manley,D.L. Radioactivity of Co^{57}, 5=4900

Crasemann,B., Pengra,J.G. and Lindstrom,I.E. Radiations from Ba^{133}, 8=1937

Crasemann,B., Rehfuss,D.E. and Easterday,H.T. Disintegration of Ge^{68}, 6=6110

Cratty,L.E.,Jr and Granato,A.V. Dislocations as "active sites" in heterogeneous catalysis, 7=3789

Craven,B. and Jeffrey,G.A. The crystal structure of cis D,L 11-12 methylene octadecanoic acid, 9=13952

Craw,D.A. and Henry,W.G. A laboratory scale chill-casting vacuum induction furnace, 6=3419

Crawford,A.E. Production of spray by high power magnetostriction transducers, 5=4462

Crawford,B.,Jr. Vibrational intensities. X. Integration theorems, 9=1824. See also Brooks,W.V.F., 5=2941. Dickson,A.D., 8=368. Fateley,W.G., 9=9436. Golike,R.C., 7=3488. Hisatsune,I.C., 6=2487, 6=7603. King,W.T., 8=2018.

of photoneutrons from Cr and Ta, 9=669

Coryell,C.D. See Alexander,J.M., 8=6235, 8=8352. Herber,R.H., 6=8352. Schindewolf,U.L., 7=4672. Wiles,D.R., 5=1218

Cosh,T.A. An exposure calculator for isotope radiography, 7=9484

Cosner,L.N. See Cook,M.A., 9=13873

Cossee,P. Structure and magnetic properties of Co_3O_4 and $ZnCo_2O_4$, 7=1718

Cosslett,A. and Cosslett,V.E. The optical density and thickness of evaporated carbon films, 7=9092

Cosslett,V.E. Specimen thickness and image resolution in electron microscopy, 6=2171. Recent developments in electron microscopy, 8=5959. The comparative merits of different methods of microradiography, 9=12929

Cosslett,V.E.(conf. rep.) Microscopy with X-rays, 7=1828. See also Cosslett,A., 7=9092. Nixon,W.C., 7=1821

Cosslett,V.E. and Duncumb,P. Micro-analysis by a flying-spot X-ray method, 6=9025

Cosslett,V.E. and Horne,R.W. Recent developments in specimen preparation techniques for electron microscopy, 8=1341

Cosslett,V.E. and Jones,D. A reflexion electron microscope, 5=3821

Costa,G. See also Feld,B.T., 8=8999

Costa,G. and Dallaporta,N. On the $K_{\mu 3}$- and $K_{\beta 3}$- decay schemes, 5=9957

Costa,G. and Feld,B.T. Possible method for determining the intrinsic parity of the K meson, 8=2501

Costa,G. and Lanza,G. On the production of π-mesons in heavy nuclei by the action of energetic primary nucleons, 6=3288

Costa,G. and Patergnani,G. K^+ nuclei interactions according to the optical model, 7=8189

Costa,G. and Taffara,L. On the spin and parity of the τ τ-meson, 6=4011

Costa,N.L. See Marquez,L., 6=2988, 8=1116, 9=595, 9=5281, 5=7321

Costa,N.Leal da. See Leal da Costa,N.

Costa,R.Couceira da. See Couceira da Costa,R.

Costa de Beauregard,O. Covariant relativistic theory of the solution of the [Klein-] Gordon Equation, 5=1519. Diffraction in time, 5=2431. Diffraction by a time-like three-dimensional aperture, 5=3418. Relativistic covariance in quantum mechanics, 5=3461, 6=932. On the quantum theory

of gravitation, 5=8480. Einstein's postulate concerning the propagation of signals and the 4-space Green functions of the quantum theory of fields, 6=3472. Diffraction by a plane hole of arbitrary shape. General formulae, 6=3473. Diffraction by a plane hole of arbitrary shape. Physical interpretation of a preceding formula, 6=3474. Equivalence between the principles of retarded action and increasing entropy, 6=3701. Free particle with spin: supplement to our relativistic covariant theory of the Hermitian scalar product, 6=4840. Free particle spin: use of the operator of Umezawa and Visconti in our covariant formalism of triple integrals, 6=6349. Relation between the proper time of a terrestrial clock and the astronomical Schwarzschild time to the 10^{-12} approximation, 7=3932. The realism of space time: on two problems of interpretation in wave mechanics, 7=5076. On the equivalence between information and entropy and on irreversibility in physics, 7=5084. Mach's principle and the expanding universe, 7=5707. Relativistic covariance in quantum mechanics. II, 7=5880. III. Adaptation of Von Neumann's theory of our formalism. The problem of macroscopic irreversibility, 7=8414. Mach's principle and the expanding universe. A new cosmological model, 7=6818. On the dimensional independence of the constants c, h, κ, the problem of the quantum of length, and those of the expanding universe, 7=6819. Complementarity and relativity, 7=6847. Relativistic covariance at the basis of quantum mechanics, 7=6910. On Mach's principle and some related questions, 7=8355. Isomorphism of the relativistic dynamics of a system of particles and the classical statics of a system of strings, 8=34. Remarks on the P.C.T. invariance of Schwinger, Lüders and Pauli, 8=949. On the gravitational effect of spin, 8=1471, 8=2752, 8=3672. The hypothesis of the gravitational effect of spin, 9=20. On the theory of intertia of D.W.Sciama and D.Park and on the relation of the elementary length λ to the universal constants c, h, G, 9=3089. Relation between the Durand spin density and that of Dirac. Physical interpretation of the relation between the internal tensor of Tetrode and the product of the Dirac and Gordon currents, 9=3149. On the trajectory of a spinless test particle in the gravitational field of a mass with spin, 9=4256. Measurement of time and relativity, 9=5347. Equivalence between the two principles of retarded actions and of increasing entropy, 9=7811. Remarks on the problem of the mass quantization for elementary particles, 9=11802
Costa Ribeiro,J. Electro-fission: a new phenomenon observed in the phase-changes of dielectric under the influence of an electric field, 5=6117
Costa Ribeiro,S. See Gross,B., 9=12908
Costain,C.C. Microwave spectrum and molecular structure of methychloroacetylene, 6=1431. A 'free space' absorption cell for microwave spectroscopy, 7=7720. Determination of molecular structures from ground state rotational constants, 9=2885
Costain,C.C. and Morton,J.R. Microwave spectrum and structure of propynal (H—C≡C—CHO), 9=10196
Costain,C.C. and Stoicheff,B.P. Microwave spectrum, molecular structure of vinyl cyanide and a summary of CC, CH bond lengths in simple molecules, 9=7471
Costantine,G. and Hammad,A. The extinction of the light of the night sky. I, 6=7892, II, 6=7893
Coste,J. and Delcroix,J.L. Irrotational electron beams, 6=2917. Plasma oscillations and resonance frequencies in a magnetron in the Brillouin regime, 6=3862
Coste,J.P. See Fréon,A., 9=11179
Costell Landete,F. See Olcina Amador,P.V., 9=13445
Costello,J.M. and Bowden,S.T. Density and surface tension of deuterium oxide, 8=5674. The temperature variation of orthobaric density difference in liquid—vapour systems. V. Amines, 9=9283
Coté,R.E. See also Bollinger,L.M., 7=3670. Saplakoglu,A., 9=685
Coté,R.E., Bollinger,L.M., Barnes,R.F. and Diamond,H. Slow-neutron cross sections of Pu^{240}, Pu^{242}, and Am^{243}, 9=8629
Coté,R.E. Bollinger,L.M. and LeBlanc,J.M. Measurements of the neutron strength functions Γ_n^0/D for nuclides with 45 to 75 nucleons, 8=6220
Cott,H.P. Van. See Van Cott,H.P.
Cotte,M. On a problem of the transfer of heat by shifting a solid, 7=6098. Propagation of an electromagnetic pulse in a medium having dielectric losses, 9=1622.
Cotter,T.P.Jr. See Campbell,A.W., 7=816
Cotter,W.C. See Ballantine,H.T.Jr, 7=4920. Hueter,T.F., 6=4125
Cottin,M. See also Kerwin,L., 7=9347, 9=1928
Cottin,M. and Lefort,M. Absolute yield of the ferrous sulphate dosemeter. Soft X-rays of 10 and 8 KeV, 6=3769. The primary chemical act in the radiolysis of water, 6=5490
Cottingham,W.N. See Byers,N., 9=8526
Cottini,C. See also Barabaschi,S., 6=2968. Colombo,S., 7=8678
Cottini,C. and Gatti,E. Millimicrosecond time analyzer, 7=3389
Cottini,C., Gatti,E. and Giannelli,G. High-resolution millimicrosecond time interval measurements based upon frequency conversion, 7=1095
Cottini,C., Gatti,E., Giannelli,G. and Rozzi,G. Minimum noise pre-amplifier for fast ionization chambers, 6=5175
Cottini,C., Gatti,E. and Malvicini,A. A method of estimating the contamination of air by airborne uranium dust, independently of background radioactivity, 9=10044
Cotton,E. The reactions (d,p), (d,n) and the stripping mechanism. II. Experiments and results, 7=7382. See also Berthelot,A., 5=7367. Roclawski-Conjeaud,M., 6=7684
Cotton,E.S. Diurnal variations in natural atmospheric radioactivity, 5=10127. See also Cooper,R.D., 9=8529
Cotton,F.A. See also Danti,A., 8=6853. Holm,R.H., 9=12446. Leifer,L., 9=1826
Cotton,F.A. and Ballhausen,C.J. Soft X-ray absorption edges of metal ions in complexes. I. Theoretical considerations, 7=437
Cotton,F.A., Danti,A., Waugh,J.S. and Fessenden,R.W. Carbon-13 nuclear resonance spectrum and low-frequency infrared. spectrum of iron pentacarbonyl, 9=12753
Cotton,F.A., George,J.W. and Waugh,J.S. Nuclear resonance spectrum and structure of SF_4, 8=9094
Cotton,F.A. and Hanson,H.P. Soft X-ray absorption edges of metal ions in complexes. II. Cu K edge in some cupric complexes, 7=438. III. Zinc(II) complexes, 8=8802. K X-ray absorption edges of Cr, Mn, Fe, Co, Ni ions in complexes, 7=8653
Cotton,F.A. and Leto.J.R. Acceptor properties, reorganization energies, and π bonding in the boron and aluminium halides, 9=8742
Cotton,K.J. See Lambert,J.D., 5=8552
Cotton,L. See Janin,J., 7=395, 8=4021
Cottrell,A.H. Theoretical structural metallurgy, 5=8954. Effect of neutron irradiation on metal and alloys, 8=2669. The effects of irradiation on the physical properties of solids, 8=4336. See also Adams,M.A., 6=3317. Barnes,R.S., 8=1323. Churchman,A.T., 8=1332. Lomer,W.M., 5=8386. Maddin,R., 5=8326. Rimmer,D.E., 8=1338. Roberts,A.C., 7=2755
Cottrell,A.H. and Hull,D. Extrusion and intrusion by cyclic slip in copper, 8=3523
Cottrell,A.H. and Stokes,R.J. Effects of temperature on the plastic properties of aluminium crystals, 6=3320
Cottrell,T.L. Intermolecular repulsive forces, 8=4403
Cottrell,T.L. and Hamilton,R.A. The second virial coefficient of gases and mixtures, 7=1126
Cottrell,T.L. and Ream,N. Transition probability in molecular encounters. I. The evaluation of perturbation integrals, 5=3922. II. Vibrational relaxation time in methane, 7=1478
Cottrell,W.B. and Mann,L.A. Components for sodium or NaK systems, 5=2660
Cotts,R.M. See also Sarles,L.R., 9=2930
Cotts,R.M. and Knight,W.D. Nuclear resonsnce of Nb^{93} in $KNbO_3$, 5=1096
Couceiro da Costa,R. Quantum mechanics in forecasting chemical reactivity, 5=7450
Couchet,G. Contribution to the study of solid ion sources. Application to secondary electron emission and to ion microscopy by emission, 5=2836
Coughanour,L.W., Roth,R.S., Marzullo,S. and Sennett,F.E. Solid-state reactions and dielectric properties in the system magnesia—lime—tin oxide—titania, 5=5393. Solid state reactions and dielectric properties in the systems magnesia—zirconia—titania and lime—zirconia—titania, 5=6543
Couling,S.R.L. and Smoluchowski,R. Anisotropy of diffusion in grain boundaries, 5=3163
Coulmy,G. A method for calculating generalized Lommel integrals, 5=1442
Coulomb,J. The secular variation produced by convergence or divergence at the surface of the core, 6=9062. Possible auroral origin of certain geomagnetic disturbances, 9=12880
Coulon,G.de See de Coulon,G.
Coulon,R. Adaptation of a Perkin Elmer infrared spectrometer

for use with long cells of small aperture, 5=6886

Coulon,R., Galatry,L., Robin,J. and Vodar,B. On the infrared spectrum of H_2 induced by the intermolecular field in H_2-HCl mixtures and in pure compressed H_2, 6=224. Infra-red spectra of gaseous mixtures under high pressure, 8=3869

Coulon,R., Galatry,L. and Vodar,B. Some results on the infra-red absorption spectra of mixtures of compressed gases, 7=5183

Coulon,J. and Gayrard,G. Resistance variable with humidity, 6=6262. Measurement of the hygrometric state of gases by means of hygrometric resistances, 7=932

Coulon,R., Oksengorn,B. and Vodar,B. Perturbation of the fundamental infrared band of hydrofluoric acid by different gases compressed up to 1200 atmospheres, 5=1675

Coulon,R., Robin,J. and Vodar,B. Study of the infrared spectrum of compressed mixtures of gaseous hydrogen chloride and hydrogen and the appearance of a combination frequency between HCl and H_2, 5=5312. Long cell for spectrographic studies under high pressures, 9=12029

Coulson,C. On a relation of Odiot and Daudel between the electronic density and the electric potential about an atom, 5=2082.

Coulson,C. A. The calculation of resonance and localisation energies in aromatic molecules, 5=1100. A new approach to the theory of electrons in solids, 5=9391. A free-electron network model for metals. II, 6=2267. Vacancy colour centres in diamond with reference to the Goeppert-Mayer-Sklar approximation, 7=6379

Coulson,C.A. [Conf. rep.] Electronic band structure of solids, 5=2914. See also Altmann,S.L., 7=8740. Barnett,M.P., 8=3432. Buckingham,A.D., 7=1525. Cohan,N.V., 7=1494. Sherry,P.B., 7=2800

Coulson,C.A. and Danielsson,U. Ionic and covalent contributions to the hydrogen bond, I, 5=2056, II, 5=2057

Coulson,C.A. and Duchesne,J. The N_2O_4 molecule and a new type of chemical bond, 8=8397

Coulson,C.A. and Kearsley,M.J. Colour centres in irradiated diamonds, 8=807

Coulson,C.A. and Lester,G.R. Some consequences of orthogonalization in molecular-orbital theory, 7=1495

Coulson,C.A. and March,N.H. Molecules with tetrahedral and octahedral symmetry. IV. A modified Thomas-Fermi scheme for molecules with heavy atoms in the outer positions, 6=3899

Coulson,C.A. and Robinson,P.D. Wave functions for the hydrogen atom in spheroidal coordinates. I. The derivation and properties of the functions, 8=4362

Coulson,C.A. and Stephen,M.J. The quadrupole polarizability of the hydrogen atom, 7=1526. The calculation of some infra-red intensities, 8=3873

Coulson,J.E. See Herrick,R.M., 7=974

Coulter,J.R.M. See also Cooper,A.W.M., 8=4046

Coulter,J.R.M., Armstrong,N.H.K. and Emeléus,K.G. Generation of moving striations at a gas anode, 9=3537

Coulter,L.V., Sinclair,J.R., Cole,A.G. and Roper,G.C. The heat capacity, entropy and heat content of sodium amide from 15 to 300°K. The thermodynamics of amide ion in liquid ammonia, 9=10934

Counord,R. See Foch,A., 5=815

Counson,J., Ledoux,P. and Simon,R. Viscosity and oscillations of gaseous stars, 7=1032

Coupiac,P. See also Laffineur,M., 5=2378, 6=6302

Coupiac,P., Laffineur,M. and Vauquois,B. Radio frequency observations of the total eclipse of the sun on 30th June 1954, 7=2924

Coupland,J.H. Variation of contrast in electron microscope images with size of objective aperture, 6=7461

Coupland,M.J. Diffusion of phosphorus into silicon under conditions of controlled vapour pressure, 9=6305

Courant,E.D. and Snyder,H.S. Theory of the alternating-gradient synchrotron, 8=3172

Courant,H. Associated photons in K-particle decays observed with a multiple cloud chamber, 5=8284

Courant,H., Jensen,J.E., Louttit,R.I. and Sanford,J.R. Performance of a piston-expanded bubble chamber, 9=8421

Courshee,R.J. Testing a counting machine, 5=1277

Court,G.W.G. A simplified form of microwave interferometer for speed measurements, 5=8931. Ionospheric wind determination from spaced radio receiver fading records, 6=8502. Remarks on a paper of G.W.G. Court: "Ionospheric wind determination from spaced radio-receiver fading records, 7=1780

Court,G.W.G. and Gilfillan,E.S. A determination of ionospheric winds for a 24-hour period, 6=8509

Courtès, G. Radial velocities of interstellar hydrogen in emission from distant H II regions, 6=8. Interferential study of H II regions: internal movements and dark nebulae, 6=1816. Behaviour of ionized interstellar hydrogen in the galaxy, 9=10502. See also Blamont,J.E., 6=835*, 6=1795

Courtier,G.B. Determination of radon and thoron in air, 8=737

Courtney,W.G. Crystal growth and coercive forces of variously prepared Ni powders, 5=7499. Crystal growth of silver metal. Mechanism and kinetics, 8=3561

Courtney-Pratt,J.S. (Conf. rep.) High speed photography, 7=3890

Courtney-Pratt,J.S. A review of the methods of high-speed photography, 8=2088

Courtney-Pratt,J.S. and Huggins,C.M. Ultra-high-speed flash cinemicrograph, 7=7542. Construction and performance of a high-speed cinemicrograph, 7=7543

Courtney-Pratt,J.S. and Thackeray,D.P.C. High speed photography, 7=9487

Courtoy,C. and Passau,P. Determination of the perturbating terms of several levels in resonance, 8=8382

Courtoy,C.P. Vibration-rotation spectra of simple diatomic or polyatomic molecules using a long absorption path. XII. The spectrum of $C^{12}O^{16}_2$ between 3500 and 8000 cm^{-1} and the molecular constants of this molecule, 7=7744. Remarks on the perturbation term in Fermi resonance, 9=5115. Infrared spectrum at high dispersion and molecular constants of CO_2, 9=13159

Courtoy,C.P. and Herzberg,G. Effect of Fermi resonance on the centrifugal stretching constants in CO_2, 5=7240

Courty,C. Calculation of the diamagnetic susceptibilities of free atoms, 9=11188

Courvoisier,L. The influence of the "Lorentz contraction" of the earth on the rate of quartz clocks. II, 7=7564

Cousinié,P., Colombié,N., Fert,C. and Simon,R. Variation of the secondary electron emission coefficient with incident ion energy for some metals, 9=13368

Cousins,J.E., Nash,W.F. and Pointon,A.J. The effect of the angular variation of intensity on scattered distributions of μ-mesons underground at a depth of 40 m.w.e., 8=1181

Cousins,L.R. See Miller,F.A., 6=1076, 7=5186

Couteur,K.J.Le. See Le Couteur,K.J.

Coutrez,R. Radioastronomy, 7=7550. Radio observations of the solar eclipse of 30 June 1954 on 169 Mc/s, 9=994

Coutrez,R., Hunaerts,J. and Koeckelenbergh,A. Radio emission from comet 1956 h on 600 Mc, 8=1430

Coutts,J.R.H. The estimation of the specific surface of a soil from mechanical analysis data, 5=3474

Couture,L. Spectroscopic observation of a discontinuous change of phase and of a tempering phenomenon in potassium chrome alum, 7=9077. See also Mathieu,J.P., 6=1110. Nikitine,S., 6=218, 6=324*, 6=798. Tsjikawa,I. 5=8665

Couture,Le Montagner,S. Le Bot,J. and Traon,A.Le. Dielectric anomalies in ammonium sulphate, 6=5066

Coveyou,R.R., Bate,R.R. and Osborn,R.K. Effect of moderator temperature upon neutron flux in infinite, capturing medium, 6=8412

Covington,A.E. Internal precision of the daily [solar] radio flux observations at 10.7 centimetres, 9=11725. See also Meed,W.J., 8=1433

Covington,A.E. and Broten,N.W. An interferometer for radio astronomy with a single-lobed radiation pattern, 8=849

Covington,E.J. and Montgomery,D.J. Lattice constants of separated lithium isotopes, 8=453

Cowan,C.L.,Jr, See also Harrison,F.B. 5=2202. Reines,F. 5=1958, 5=2225, 7=2719, 8=2469, 9=4890. Ronzio,A.R., 8=2439 8=2439

Cowan,C.L.,Jr, Harrison,F.B., Langer,L.M. and Reines,F. A test of neutrino-antinentrino identity, 6=6123

Cowan,C. L., Jr. and Reines,F. Test of neutrino-antineutrino identity, 7=7439. Search for antineutrino interaction with deuterons, 8=1827. Neutrino magnetic moment upper limit, 8=2460.

Cowan,C.L.,Jr, Reines,F. and Harrison,F.B. Upper limit on the neutrino magnetic moment, 5=1249

Cowan,C.L.,Jr, Reines,F., Harrison,F.B., Kruse,H.W. and McGuire,A.D. Detection of the free neutrino: a confirm ation, 7=4791

Cowan,M. and Gordy,W. Further extension of microwave spectroscopy in the submillimeter wave region, 7=2047. Precision measurements of millimeter and submillimeter wave spectra: DCl, DBr, and DI, 8=5785

Cowan,R.D. Derivation of the energy-distribution formulas of quantum statistics, 8=522. See also Bendt,P.J., 9=6847. Fickett,W., 5=7927
Cowan,R.D. and Ashkin,J. Extension of the Thomas–Fermi–Dirac statistical theory of the atom to finite temperatures, 7=3561
Cowan,R.D. and Fickett,W. Calculation of the detonation properties of solid explosives with the Kistiakowsky— Wilson equation of state, 6=4715
Cowan,R.D. and Kirkwood,J.G. Quantum statistical theory of plasmas and liquid metals, 8=8829. Quantum statistical theory of electron correlation, 9=2109
Cowcher,E. See Davies,L.W. 5=6184
Cowdrey,C.F. Temperature and pressure corrections to be applied to the shielded hot wire anemometer at speeds for which natural convective cooling is negligible, 8=2064
Cowen,J.A. and Tanttila,W.H. Versatile magnetic resonance spectrometer, 9=508
Cowland,W.S. On Schwinger's theory of the muon, 9=1668
Cowley,J.M. A modified Patterson function, 6=9046. Electron-diffraction study of the structure of basic lead carbonate, 2PbCO$_3$.Pb(OH)$_2$, 6=9052. "Stereoscopic" three-dimensional structure analysis, 7=877. Electron diffraction patterns of CuO, 7=912, The electron-optical imaging of crystal lattices, 9=10394
Cowley,J.M.and Ibers,J.A. The structures of some ferric chloride —graphite compounds, 7=902
Cowley,J.M. and Moodie,A.F. Fourier images. I. 7=5958. II. 7=5959. III. 7=5960. A new formulation of scalar diffraction theory for restricted aperture, 8=2258. The scattering of electrons by atoms and crystals. I. A new theoretical approach, 9=7655. II. The effects of finite source size, 9=10392. III. Single-crystal diffraction patterns, 9=10393. Electron diffraction and imaging effects for superimposed thin crystals, 9=9049
Cowley,J.M. and Rees,A.L.G. Fourier methods in structure analysis by electron diffraction, 8=7615
Cowling, T.G. The electrical conductivity of the ionosphere, 5=3325. Magneto-hydrodynamic oscillations of a rotating fluid globe, 6=3851. Dynamo theories of cosmic magnetic fields, 7=3900. The dissipation of magnetic energy in an ionized gas, 8=2419. Magnetic field of the earth, 9=7661
Cownie,A.R. Phase condition for light incident normally on a semireflecting film, 7=2078
Cowper,G. See Cruikshank,A.J., 7=1806. Godby,E.A. 5=5619, 5=5757. Coulding,F.S. 5=7582. Jones,M., 6=3934
Cowper,G. and Simpson,S.D. The determination of radon concentrations in air, 5=6413
Cox,A.L. See Kerker,M., 6=269
Cox,A.P.M. See Koelmans,H., 7=7768
Cox,C. and Munk,W. Measurement of the roughness of the sea surface from photographs of the sun's glitter, 5=227
Cox,D.R. The analysis of non-Markovian stochastic processes by the inclusion of supplementary variables, 5=6681
Cox,E.B. See Sharbaugh,A.H., 6=6680
Cox,E.F. Far transmission of air blast waves, 8=2905
Cox,E.G. Crystal structure of benzene, 8=3592
Cox,E.G. and Cruickshank,D.W.J. Is "super-refinement" legitimate in X-ray crystal analysis?, 7=6738
Cox,E.G., Cruikshank,D.W.J. and Smith,J.A.S. Crystal structure of benzene: a new type of systematic error in precision X-ray crystal analysis, 5=6634. The crystal structure of benzene at −3°C, 9=11637
Cox,G.C. See Kerns,Q.A. 9=9545
Cox,H.L. Vibration of a square plate point supported at midpoints of sides, 5=8555. Vibration of axially loaded beams carrying distributed masses, 8=8632
Cox,H.L. and Benfield,W.A. Vibration of uniform square plates bounded by flexible beams, 9=9318
Cox,H.L. and Klein,B. Fundamental frequencies of clamped triangular plates, 5=4438
Cox,J. See Erlandsson,G. 7=2045
Cox,J.A.M. See Michels,A. 5=8551
Cox,J.D. and Andon,R.J.L. The second virial coefficients of pyridine and benzene and some methyl homologues between 135° and 165°C, 9=5641
Cox,J.F. and Lemmens,J. The correlation disclosed between the constant of aberration and stellar type, 8=487
Cox,J.P. The pulsational stability of models for red giant stars, 5=9388. Non-adiabatic stellar pulsation. I, 9=11763
Cox,J.P. and Whitney,C. Stellar pulsation. IV. A semi-theoretical period–luminosity relation for classical cepheids, 9=11754
Cox,J.R.G. See Paul,J.J., 8=7409
Cox,J.T. See also Mizushima,M. 5=5992. Thomas,W.J.O. 5=190
Cox,J.T. and Gordy,W. Zeeman effect of some linear and symmetric-top molecules, 6=2777
Cox,J.T. and Hass,G. Antireflection coatings for germanium and silicon in the infrared, 9=222
Cox,J.T., Hass,G. and Rowntree,R.F. Two-layer anti-reflection coatings for glass in the near infrared, 7=9111
Cox, J.T., Waylonis,J.E. and Hunter,W.R. Optical properties of zinc suffide in the vacuum ultraviolet, 9=9509
Cox,J.W. and Davies,K. Statistical studies of polar radio blackouts, 5=2040
Cox,R.A., Overend,W.G., Peacocke,A.R. and Wilson,S. Effects of gamma-rays on solutions of sodium deoxyribonucleate. Possible chemical mechanism for their biological effects, 6=1701
Cox,R.J. and Walker,J. The control of nuclear reactors, 6=3248, 8397
Cox,R.T. Statistical mechanics of irreversible change, 6=2699
Cox,S., Fields,P., Friedman,A., Sjoblom,R. and Smith,A. Delayed neutrons from the spontaneous fission of Cf^{252}, 9=5076
Cox,S.A. and Williamson,R.M. Angular distribution and correlation studies of Be^9, B^{10}, and Mg^{24} (d,p) reactions, 7=5625
Cox,W.F. See Nemet,A., 7=1826
Coxon,R.V. See Kay, R.H., 7=8326
Cozza,G. See Carrelli,A., 9=7578
Craeynest,L.Van. See Van Craeynest,L.
Cragg,B. and Hurwitz,J.K. Some effects of an air blast on spark discharges, 7=420C
Cragg,B.G. An electronic magnetometer, 5=9751
Craggs,J.D. Some properties of spark channels, 7=1330. See also Allen,J.E., 5=974. Craig,R.D., 5=307. Gaunt,H.M., 5=3801. Harrison,J.A., 8=7063. McChesney,M., 8=8797. Marriott,J., 5=4759, 5=4761, 6=7493, 7=8683. Marriott,J.W., 5=4760. Sexton,M.C., 8=8078. Thorburn,R., 7=576. Tozer,B.A., 9=2452. Tsui-Fang, 8=4863. Craggs,J.D. and McDowell,C.A. The ionization and dissociation of complex molecules by electron impact, 5=8869
Craggs,J.D., Thorburn,R. and Tozer,B.A. The attachment of slow electrons in oxygen, 7=9248
Mills,I.M., 5=6021, 6=9559, 8=9082, Nyquist,I.M., 7=5507. Overend,J., 9=1823, 9=3979, Person,W.B., 7=8041, Williams,D.G., 5=2940
Crawford,F.S. See Alvarez,L.W., 6=3269
Crawford,F.S.,Jr. Remarks on "A mechanics demonstration", 7=3025. Experimental verification of the "clock paradox" of relativity, 7=5819. The "clock paradox" of relativity, 7=9511. See also Alvarez,L.W., 7=5651, 9=7360
Crawford,F.S.,Jr.,Cresti,M., Douglass,R.L., Good,M.L., Kalbfleisch,G.R. and Stevenson,M.L. Three-body decays of K_2^0 and K_1^0, 9=12586
Crawford,F.S.,Jr, Cresti,M., Good,M.L., Gottstein,K., Lyman,E.M., Solmitz,F.T., Stevenson,M.L. and Ticho,H.K. Detection of parity nonconservation in Λ decay, 8=1207. Evidence for transition of K^0 into a $\bar{K}^0$ meson, 9=8272.
Crawford,F.S.,Jr, Cresti,M., Good,M.L., Kalbfleisch,G.R., Stevenson,M.L. and Ticho,H.K. Beta decay of the Λ, 9=2660
Crawford,F.S.,Jr, Cresti,M., Good,M.L., Solmitz,F.T. and Stevenson,M.L. Search for parity nonconservation in the associated production process, 9=1687. Further search for parity nonconservation in associated production, 9=4956
Crawford,F.S.,Jr, Cresti,M.,Good,M.L., Solmitz,F.T., Stevenson,M.L. and Ticho,H.K. Λ interactions in hydrogen, 9=6048
Crawford,F.S.Jr, Cresti,M., Good,M.L., Stevenson,M.L. and Ticho,H.K. Experimental determination of the Λ spin, 9=4953. K^0-K^+ mass excess, 9=6039.
Crawford,F.S.,Jr. and Stevenson,M.L. Reaction $p + p \to \pi^+ + d$, 5=4055. S-wave pions in the reaction $p + p \to \pi^+ + d$, 7=9874
Crawford, E.W. See also Gambling,W.A., 7=7940
Crawford, F.W. and Edels,H. Arc initiation in hydrogen, 7=1336
Crawford,G.J.B. Spin echoes with four pulses, 5=9014
Crawford,G.J.B. and Foster,J.S. Spin echoes in alcohols and derivatives, 6=6822
Crawford,H.R. and Van Winkle,M. Surface tension and density of ternary systems at their normal boiling point, 9=6583
Crawford,J.A. An alternative method of quantization: the

existence of classical fields, 9=2049. See also Alvarez,L.W., 7=5651
Crawford,J.A. and Montgomery,D.J. Simple experiment on the Hall effect, 6=2229
Crawford,J.H.,Jr. See also Cleland,J.W., 5=7050, 5=8756, 6=1209, 6=5094, 9=826. Curtis,O.L.,Jr, 8=6421, 9=4579. Stevens,D.K., 5=8080,6=489
Crawford,J.H.,Jr and Cleland,J.W. Nature of bombardment damage and energy levels in semiconductors, 9=11008
Crawford,J.H.,Jr, Schweinler,H.C. and Stevens,D.K. Magnetic indications of electronic structure of the conduction band in Ge, 5=9655. Note on hydrogen in germanium and silicon, 6=7801
Crawford,M.F. See also Britton,F.R., 9=2887
Crawford,M.F. and MacDonald,R.E. Field-induced absorption in hydrogen, 9=1282
Crawford,R.C. See Harrison,G.R., 6=3766
Crawford,R.G. See Byrnes,W.S., 9=386
Crawford,S.M. Some elastic properties of organic glasses in the transition region from solid to liquid at ultrasonic frequencies, 7=2741. The variation with temperature of the dynamic elastic moduli of an organic glass at two frequencies, 8=818
Crawley,D.J. See Power,B.D., 7=9034
Crawshaw,J.K. and Elliot,H. Search for sidereal variation of the cosmic ray intensity at high energies, 6=2983
Creager,C.B. See Mitchell,A.C.G., 9=3847, 9=4999
Creamer,R.H. The measurement of the electrical resistivity of silicon, 6=5098
Creedon,J.E. See Udelson,B.J., 8=204
Creelman,C.D. Case of the unknown talker, 7=8491
Creeth,J.M. Studies of free diffusion in liquids with the Rayleigh method. I. The determination of differential diffusion coefficients in concentration-dependent systems of two components, 6=3537
Cremer,E. and Ruedl,E. Studies of heterogeneous evaporated layers of antimony, 8=8467
Cremer,L. Theory of air-borne sound transmission in cylindrical sheels, 6=7223
Cremer,L. and Schreiber,L. Various methods of presenting acoustic spectra, 7=3103
Crescenzi,V.L. See Botré,C., 9=8970
Cressell,J.G. Transistor technology. Power transistors, 8=1071
Cressman,P.J. and Wilkinson,R.G. Internal conversion coefficients of M1 gamma rays of Au^{199} and Au^{195}, 8=1940
Cresti, M. See also Balde-Ceolin, M., 7=8880. Biswas, N.N., 6=7722. Crawford, F.S., Jr, 8=1207, 9=1687, 9=2660, 9=4953, 9=4956, 9=6039, 9=6048, 9=7282, 9=12586. Deutschmann, M., 6=3998, 5=411
Cresti,M., Greening,W.D.B., Guerriero,L., Loria,A., Zago,G. and Deutschmann,M. Inelasticity in collisions between pions and lead nuclei, 7=3627
Creutz,E. See also Wigner,E.P., 5=4111
Creutz,E., Jupnik,H., Snyder,T. and Wigner,E.P. Review of the measurements of the resonance absorption of neutrons by uranium in bulk, 5=4110. Effect of geometry on resonance absorption of neutrons by uranium, 5=4112
Creutz,E., Jupnik,H. and Wigner,E.P. Effect of temperature on total resonance absorption of neutrons by spheres of uranium oxide, 5=4113
Crèvecoeur,E.H. See Capron,P.C., 5=6468
Crew,J.E. See also Hill,R.D., 6=3283
Crew,J.E. and Hill,R.D. Interaction of 1.5 BeV negative π mesons with emulsion nuclei, 9=697
Crew,J.E., Hill,R.D. and Lavatelli,L.S. Monte Carlo calculation of single pion production by pions, 7=7437
Crewe,A.V. Magnetic spectrometer for 450 MeV protons, 9=4723. See also Alston,M.H., 7=1653
Crewe,A.V. and Gregory,J.W.G. The extraction of the beam from the Liverpool synchrocyclotron, II. Experimental work, 5=9711
Crewe,A.V and Kruse,U.E. Regenerative beam on the Chicago synchrocyclotron, 6=2186
Crewe,A.V., Kruse,U.E., Miller,R.H. and Pondrom,L.G. Search for asymmetries in the scattering and decay of pions, 8=1870
Crewe,A.V. and Le Couteur,K.J. Extracted proton beam of the Liverpool 156-inch cyclotron, 6=411
Crewe,A.V., Ledley,B., Lillethun,E., Marcowitz,S. and Pondrom,L.G. Elastic proton–deuteron scattering at 450 MeV, 9=9954
Cribier,D. X-ray scattering by thermal agitation and the Compton effect in fluorite, 8=3170
Cribier,D., Ericson,M., Jacrot,B. and Sarma,G. Scattering of cold neutrons by manganese fluoride (MnF_2), 9=12825
Crick,F.H.C. See Blow,D.M., 9=13922. Klug,A., 9=7609
Crickard,R.G. See Brackett,F.S., 7=7481
Criddle,D.W. and Meader,A.L.,Jr. Viscosity and elasticity of oil surfaces and oil-water interfaces, 5=9190
Crider,W.L.C. The use of diffusion coefficients in the measurement of vapour pressure, 6=5045
Crisp,L.R. See Emmart,E.W., 6=6273
Crisp,R.S. See Fisher,P., 9=5774
Crispin,J.W. See Siegel,K.M., 5=4814, 5=4816
Cristaldi,S. The Sun's activity in 1954, 6=14
Cristiani,G. See Chiarotti,G., 5=390, 5=5922
Crittenden,E.C.,Jr, and Hoffman,R.W. Effect of Brillouin's stratified zone on the electric properties of thin films, 6=6613 Ferromagnetic properties of thin nickel films, 6=6778. Techniques for the production of thin metallic films by condensation of vapour, 6=6961
Crittenden,R.R., Scandrett,J.H., Shephard,W.D., Walker,W.D. and Ballam,J. $\pi^- p$ scattering below 1 BeV, 9=4943
Crocco,L., Glassman,I. and Smith,I.E. Kinetics and mechanism of ethylene oxide decomposition at high temperatures, 9=10346
Croce,P. Study of a method of filtering optical images, 7=5961. See also Maréchal,A., 9=6680
Groce,P., Laval,A. and Sergent,B. Electric integrator applied to interferometry, 7=296
Groce,P. and Marquet,M. The optical determination of photographic "noise", 6=1091. Study of the spatial frequency spectrum in photographic negatives, 7=992
Croci,R. See Canobbio,E., 9=9853-4
Crocker,V.S. The thermal neutron activation cross-sections of U^{238} and Th^{232}, 5=6474
Crocker,V.S. and Henry,K.J. The design of a large antimony-beryllium neutron source for use with exponential assemblies, 7=737
Croes,A.W. Simple formula for calculating whiteness from photoelectric tri-stimulus data, 9=10883
Croes,G.A. See Bezemer,C. 5=8367
Croës,M.De. See De Croës,M.
Croft,G.T., Donahoe,F.J. and Love,W.F. An automatic recording torsional magnetic susceptibility balance, 5=5580
Croft,J.F. The convective regime and temperature distribution above a horizontal heated surface. 9=10907
Croft,W.J. See Goodenough,J.B., 8=8899, 9=1582. Wickham,D.G., 9=8323
Croissette,D.H.Le. See Le Croissette,D.H.
Croissiaux,M. See Gorodetzky,S., 6=7683, 6=2198, 7=1609, 7=5600, 7=7342, 8=3353, 8=5333, 9=5045
Croitoru,N. See also Grigorovici,R., 9=11597. Kroĭtoru,N.
Croitoru,N., Dévényi,A. and Ciobanu,G. The dependence on temperature of the granulation of thin films of gold, 9=13830
Croitoru,N. and Gelberg,A. Interaction between an electron beam and the surface of NaCl crystals, 8=8465
Crombie,D.D. Proposal for a new aether drift experiment, 5=4432. Doppler spectrum of sea echo at 13.56 Mc/s, 5=7217
Cromer,A.H. Direct-interaction model calculation af high-energy proton–carbon scattering, 9=7339
Cromer,D.T. See also Rosenzweig,A. 9=13940. Singer,J., 9=13941
Cromer,D.T. and Olsen,C.E. The crystal structures of $PuNi_3$ and $CeNi_3$, 9=13928
Crompton,R.W. See also Huxley,L.G.H., 5=7155
Crompton,R.W., Dutton,J. and Haydon,S.C. Growth of pre-breakdown ionization currents in hydrogen, 6=1328. Precision measurements of ionization coefficients in uniform static fields, 6=2205. Static breakdown in uniform fields and precision measurement of ionization coefficients, 7=3395
Crompton,R.W. and Elford,M.T. A precision capsule-type pressure gauge for the range 0-20 mm of mercury, 8=1545
Crompton,R.W., Hall,B.I.H. and Macklin,W.C. A source of inaccuracy encountered when measuring drift velocities of electrons in gases by an electrical shutter method, 8=5048
Cronemeyer,D.C. Hall and drift mobility in high-resistivity single-crystal silicon, 7=3285. Photoconductive response of single crystal germanium layers prepared by the pyrolytic decomposition of GeI_2, 9=4611. Infrared absorption of reduced rutile TiO_2 single crystals, 9=5537
Cronin,J.W. Excitation functions and angular distributions of alpha particles leading to the ground and first excited states of Be^7 in the reaction B^{10} $(p, \alpha)Be^{7*}$, 6=3202. See also Abashian,A., 7=2526. Brown,J.L., 8=1213. Cool,R.L., 9=11400

Cronin,J.W., Cool,R. and Abashian,A. Cross sections of nuclei for high-energy pions, 7=9867
Crooker,A.M. See also Bedford,R.E., 5=2189*
Crooker,A.M. and Ross,W.L. A note on black body radiation, 5=5962
Crookes,T.G. Television images, 7=8332
Crooks,R.N. See Stewart,N.G., 5=93122
Cros,M. See Chaminade,R., 7=8121
Crosby,G.A., Bair,E.J. and Cross,P.C. Analysis of the 6140 cm^{-1} band of HDS, 5=9570
Crosby,P. Tables for quick calculation of optical constants and variation of the ellipse of vibration with angle of incidence, 7=1991
Cross,A.S. An instrument for the accurate measurement of low optical densities, 5=3371
Cross,A.S. and Selby-Lowndes,G.F.C. Electronic flash photography, 6=3434
Cross,L.E. A thermodynamic treatment of ferroelectricity and antiferroelectricity in pseudocubic dielectrics, 6=2067
Cross,L.E. and Nicholson,B.J. The optical and electrical properties of single crystals of sodium niobate, 5=5391
Cross,L.G. Silvered ruby master cavity, 9=12473
Cross,P.C. See Allen,H.C.Jr, 6=1977. Bair,E.J., 6=4310. Crosby,G.A., 5=9570. Ordway,G.L., 5=5553. Taylor,R.C., 6=1111
Cross,W.G. See Craig,D.S., 7=636, 672
Crosswhite,H.M. See also Dieke,G.H., 6=4983, 7=243. Fastie,W.G., 8=946
Crosswhite,H.M., Dieke,G.H. and Legagneur,C.S. Hollow iron cathode discharge as source for wavelength and intensity standards, 5=4503
Crosswhite,H.M. and Fastie,W.G. New spectrometer slit mechanism, 6=1036
Crosthwait,L.B. A measurement of atmospheric radioactivity at Wellington, 7=965
Crouch,E.A.C. The statistical significance of very low counting rates, 5=5595
Crouch,M.F. See also Stooksberry,R.W., 9=11375
Crouch,M.F., Krohn,V.E. and Ringo,G.R. Coherent neutron scattering amplitudes of krypton and zenon, and the electron —neutron interaction, 6=6166
Crough,T. See Cassen,B., 5=5661
Crouzy,R. On the variation of the successive differential luminescence threshold as a function of luminance in the scotopic region, 7=2894
Crowder,M.M., Morley,K.A. and Taylor,C.A. Direct structure determination by optical-transform methods, 8=2061
Crowe,A. See Eisenschitz,R., 9=4526
Crowe,K.M. The masses of light mesons, K-mesons and hyperons in 1956, 7=8181. See also Cohen,E.R., 7=2691, 8=7665. Friedman,R.M., 7=4780. Hagerman,D.C., 6=1295, 7=6618. Kruger,H., 9=4923. Macq,P.C., 9=3756. Phillips,R.H., 5=525 Williams,W.S.C., 7=4787
Crowe,K.M., Helm,R.H. and Tautfest,G.W. Preliminary data on the measurement of the $\gamma^+ - \beta^+$ decay spectrum, 5=9129
Crowe,K.M. and Phillips,R.H. Precision measurement of the negative pion mass from its radiative absorption in hydrogen, 5=546
Crowe,R.W. Formative time lags in the electric breakdown of liquid hydrocarbons, 6=2143. See also Devins,J.C., 7=2266 Philofsky,H.M. (Eds), 7=9152 Sharbaugh,A.H., 7=9152, 5=5395, 6=6680
Crowe,R.W., Bragg,J.K. and Devins,J.C. A semiempirical expression for the first Townsend coefficient of molecular gases, 5=9731
Crowe,R.W. and Devins,J.C. Electric strength of unsaturated hydrocarbon gases, 7=7935
Crowe,R.W. and Hoffman,J.D.(Eds) Digest of the literature on dielectrics. Volume XIX-1955, 7=9153,
Crowe,R.W. and Sharbaugh,A.H. The breakdown of dielectrics, 5=27003
Crowe,R.W., Sharbaugh,A.H. and Bragg,J.K. Electric strength and molecular structure of saturated hydrocarbon liquids, 5=2779
Crowe,W.J. Behaviour of the TE modes in ferrite loaded rectangular wave guide in the region of ferrimagnetic resonance, 8=8168
Crowell,A.D. Contribution of other than next neighbors in energy calculations for non-ionic liquids and solids, 7=4578. Interaction of rare gases with graphite, 7=8248. Potential energy functions for graphite, 8=8415
Crowell,C.R. Theoretical basis for measuring the saturation emission of highly emitting cathodes under space-charge-limited conditions, 6=4471. Effect of the cathode work function on the space-charge-limited characteristics of plane diodes, 6=7489
Crowell,C.R. and Armstrong,R.A. Temperature dependence of the work function of silver, sodium, and potassium, 9=12379
Crowther,P. and Raw,C.J.G. Thermal diffusion in methanol–carbon tetrachloride mixtures, 9=9303
Croxon,A.A.M. See Dugdale,J.S., 7=7814
Crozet,A. and Janin,J. Studies of the stimulation of the phosphorescence of calcium oxide, 5=1713
Crozier,A.L. Captive balloon refractovariometer, 8=3605
Crozier,W.D. See also Gourley,M.F., 5=8695
Crozier,W.D. and Hume,W. High-velocity, light-gas gun, 8=3744
Cruickshank,D.W.J. The determination of the anisotropic thermal motion of atoms in crystals, 7=883. The analysis of the anisotropic thermal motion of molecules in crystals, 7=884. Errors in bond lengths due to rotational oscillations of molecules, 7=887. On the lattice vibrations of benzene, naphthalene and anthracene, 8=3593. The variation of vibration amplitudes with temperature in some molecular crystals, 9=7489. See also Bullough,R.K., 5=634, 5=4191. Cox,E.G., 5=6634, 7=6738, 9=11637
Cruickshank,D.W.J., Mendoza,E. and Robertson,J.H.(Conf. rep.) Summarized Proceedings of a Conference on Low Temperature Crystallography – Oxford, April, 1956, 7=5738.
Cruickshank,F.D. Contribution of algebraic methods to the calculation of optical systems, 6=7250. The design of photographic objectives of the triplet family. I. The design of the triplet type 111 objective, 8=4845
Cruikshank,A.J. See also Grummitt,W.E., 7=1402
Cruikshank,A.J., Cowper,G. and Grummitt,W.E. Production of Be^7 in the atmosphere, 7=1806
Cruise,A.J. Photoelastic effects in microscopic fibres, 5=880
Crump,L.R. Preparation of permanent three-dimensional views of magnetic fields, 8=3225. See also Belknap,D.J., 8=7995
Crupi,G. On electromagnetic waves in moving conductors, 9=1626 On pulsed electromagnetic waves in moving bodies, 9=1627. On the group velocity in moving conductors, 9=9875
Crussard,J. See also Alles,W., 8=1197, 9=3800. Besson,C., 8=1187, Biswas,N.N., 7=9916. Hill,R.D., 6=2388. Leprince-Ringuet,L., 6=5403. Walker,W.D. 5=7355
Crussard,J., Fouché,V., Hennessy,J., Kayas,G., Leprince-Ringuet,L., Morellet,D. and Renard,F. K-mesons in emulsions exposed to a 6·2 GeV proton beam, 6=5430; Addendum, 7=3697
Crussard,J., Hoang,T.F. and Leprince-Ringuet,L. Observation of a heavy meson of charged θ type in emulsions exposed to cosmic rays, 5=4096
Crut,M. See also Atterling,H., 7-7367. Beydon,J., 6=2390, 7=7366. Chaminade,R., 6=2954. Faraggi,H., 7=1585
Crut,M., Faraggi,H., Olkowsky,J. and Atterling,H. Comparison of the reactions Co^{59} + Ne^{20} and Cu^{63} + O^{16}, 7=8150
Csanady,G.T. Dispersal of dust particles from elevated sources, 6=5550. II. Limitations of the approximate theory, 8=5533
Császár,S. Rectifying effects of sodium chloride crystals, 8=4018 See also Boros,J., 6=354
Csavinszky,P. Note on the approximation of two-center exchange integrals, 8=6347. Open-shell ground-state energy of the He$_2^+$ molecule ion, 9=8721. See also Gáspár,R., 6=2300, 7=1522
Csikai,J. Photographic evidence for the existence of the neutrino, 8=262
Csukás,A. See Ladik,J., 7=4604
Cuadra,M. de la. See de la Caudra,M.
Cubicciotti,D. See Milne,T.A., 8=7757, 9=5122, 9=8708, 9=8766
Cubitt,R.L. See Bame,S.J.,Jr, 9=5068, 9=11482
Cuckow,F.W. Vacuum deposition apparatus, 7=6941
Cüer,P. See also Barkas,W.H., 6=5420, 8=4203. Gegauff,C. 9=9914. Jung,J.J., 7=1505. Lacombe,E., 8=4330 Magnac-Valette,D., 7=1504
Cüer,P. and Braun,H. On the particle/γ-discrimination in the method of (nuclear) particle photography, 6=4140
Cüer,P. and Combe,J. On the interaction of 340 MeV protons with the light and heavy nuclei of photographic emulsion, 5=505. Study of the passage of energetic nucleons through the nucleus by the Monte Carlo method, 5=6449
Cüer,P., Combe,J. and Samman,A. New experimental evidence for the existence of instantaneous sub-structures in the light nuclei of photographic emulsion in interaction with energetic nucleons, 5=3094. On the demonstration of instantaneous sub-structures in the carbon nucleus by energetic

nucleons, 5=6393

Cüer,P. and Jung,J.J. On the excited levels of Li^7 and Be^8 produced in the disintegration of Be^9 by low-energy deuterons, 5=7369

Cüer,P., Lonchamp,J.P., and Gegauff,C. Morphological study of ${}_6C^{12}$ tracks in nuclear emulsions, 5=4742. On a method for discriminating between charged particles in nuclear emulsions by physical development, 7=3887

Cuer,P., Magnac-Valette,D. and Baumann,G. Disintegrations of some light elements studied by the photographic method, 5=8247

Cüer,P. and Schmitt,R. The localization and nature of the latent image produced by different types of radiation in several types of emulsion, 5=9329. On the dispersion of the latent image in the grains of nuclear emulsions, 6=7925

Cuevas,J. See Allison,S.K., 6=5953

Cuff,K.F. See Harris,L., 6=2810

Cullen,A.L. A note on the excitation of surface waves, 7=5489*, 7=8029

Cullen,J.A. Surface currents induced by short-wavelength radiation, 8=8953

Cullen,T.L. Measurements of radon and thoron decay products in the air by the filter method, 8=8284

Culler,G., Fernbach,S. and Sherman,N. Optical model analysis of scattering 14-MeV neutrons, 6=2456

Culler,G.J. and Fried,B.D. Universal gravity turn trajectories, 8=5669

Culler,V. and Waniek,R.W. Total cross sections for high-energy neutrons, 5=8259

Culligan,G., Frank,S.G.F. and Holt,J.R. Longitudinal polarization of the electrons from the decay of unpolarized positive and negative muons, 9=3757

Culligan,G., Frank,S.G.F., Holt,J.R., Kluyver,K.C. and Massam,T. Longitudinal polarization of the positrons from the decay of unpolarized positive muons, 8=277

Cullington,A.L. A man-made or artificial aurora, 9=3017

Cullity,B.D. and Freda,A. Quantitative method for the determination of fiber texture, 8=9145

Cullwick,E.G. Electromagnetic momentum and electron inertia in a current circuit, 6=1397. Magnetic energy and electron inertia in a superconducting sphere, 6=5108, 6=7431

Culpin,M.F. The viscosity of liquid indium and liquid tin, 8=529. The viscosity of liquid magnesium and liquid calcium, 8=530

Culpin,M.F. and Kemp,K.W. The orientation of the structure of 6.6 nylon fibres, 7=2724. Calculations of X-ray intensities for a model polycrystalline material in simple extension, 8=7547

Culvahouse,J.W. See also Pipkin,F.M., 7=8785, 8=2525

Culvahouse,J.W. and Pipkin,F.M. Experimental study of spin–lattice relaxation times in arsenic-doped silicon, 9=816

Culwick,B.B. The measurement of the momenta of high energy charged particles in a diffusion cloud chamber, 7=7183. See also Batson,A.P., 7=4483

Cummack,C.H. See King,G.A.M., 6=7867

Cummerow,R.L. Observation of thermally induced glide in germanium, 9=10323

Cumming,C. The ν_3 infrared band of ammonia, 6=226

Cumming,J.B. Decay of Zn^{61} 9=11436. See also Wolfgang,R., 6=7677

Cumming,J.B., Friedlander,G. and Swartz,C.E. $C^{12}(p,pn)C^{11}$ cross section at 2 and 3 BeV, 9=2780

Cumming,J.B. and Hoffmann,R. Efficient low-level counting system for C^{11}, 9=4868

Cumming,J.B. and Johnson,N.R. Decay of selenium-72, 8=5306

Cummings,W.V.,Jr, Kaulitz,D.C. and Sanderson,M.J. Double diffracting X-ray spectrometer for study of irradiated materials, 5=2312

Cummins,W.F. See Coensgen,F.H., 9=11163

Cuncliffe,A. See Gould,R.N., 7=2442

Cunha,W.A. and Pereira da Silva Porto,S. The determination of interatomic distances from the rotational spectrum, 8=4396

Cuninghame,J.G., Sizeland,M.L. and Willis,H.H. The self-absorption corrections in the 2π β-proportional counter for certain fission products, 5=9718

Cunnell,F.A. See Barrie,R., 5=3764. Edmond,J.T., 7=7898. Saker,E.W., 5=7176

Cunningham,B.B. See also Carniglia,S.C., 5=5362, 5=6079. Conway,J.G., 8=6875. Gruen,D.M., 7=274

Cunningham,B.B., Gruen,D.M., Conway,J.G. and McLaughlin,R.D. Fluorescence spectrum of Pu^{+3} in ~~L-~~ $LaCl_3$, 7=1202

Cunningham,J. Studies of the effect of oxygen on the spectra of barium oxide films, 9=2207

Cunningham,J.R. and Ivey,D.G. Dynamic properties of various rubbers at high frequencies, 6=8991

Cunningham,R.G. and Montgomery,D.J. Demonstration in static electricity, 6=2052

Cunningham,R.W. See Bray,R., 9=6956

Cunningham,S.P. See Coor,T., 9=4743

Cunningham,W.J. Even-order subharmonic oscillations, 7=1973

Cuny,B. Correction of the aberrations introduced by an inclined plate in convergent light, 6=4288

Cuny,K.H. and K.L.Wolf. Development of the bubble-pressure method for determination of the surface tension of liquids, 6=4866

Cuperman,S. See Lipkin,H.J., 8=5313

Curatolo,M., Indovina Addario,M.M., Palumbo,D. and Santangelo,M. On the nuclear emulsion method for the study of the neutron component of the cosmic radiation, 5=362

Curcio,J.A. and Knestrick,G.L. Correlation of atmospheric transmission with backscattering, 8=8551

Curé,E. See Arnulf,A., 7=6711

Cure,J.W. and Hurst,G.S. Fast-neutron scattering: A correction for dosimetry, 5=561

Curie,D. On the fission asymmetry and the 'spatial' conception of nuclear shells, 5=3119. Movement of conduction electrons in crystal luminescence, 5=3629. On the fundamental law for escape from traps, 5=6036. Nuclear potential in a liquid drop model, 5=6388. Impurity levels in crystals (hydrogen model), 6=4084. Theoretical and experimental study of some properties of electron traps and luminescence centres in sulphides, 7=4199. Proposed models for traps in ZnS phosphors; thermal and optical activation, 7=8529. On the calculation of emission spectra in the configurational curve model, 8=2942. Hydrogen-like model impurity levels in an ionic crystal: effective dielectric constant for the states, 8=5480. Energy transfer in luminescent mineral crystals, 9=2919. On multiple transitions and thermal ionization of localized levels in the configurational curve model, 9=3309. Use of effective mass and normal electronic mass in semiconductors, 9=5678. See also Curie,G., 5=5345 Curie,M., 5=6941-2, 5=8637. de la Garanderie,H.P., 9=12111

Curie,G. Study by interference filters of the action of infrared on ZnS (Cu, Pb), 7=2062

Curie,G. and Curie,D. Determination of electron trap depths by thermoluminescence, 5=5345

Curie,I. A new method for the precise comparison of the radiation from radium sources, 5=3035

Curie,M. and Curie,D. Current problems in crystalline luminescence, I. Introduction, 5=6941. II. Displacement of electrons and holes in the crystal lattice, 5=6942 III. Transitions without light emission. IV. Cathodoluminescence, 5=8637

Curien,H. A device for studying the Compton effect in crystals, 5=9259. Thermal agitation of atoms in crystals and the scattering of X-rays: the case of sodium, 6=789. Action of high-energy radiations on solids. The thermal conductivity of dielectric crystals. Effect of radiations, 7=770*. Compton scattering of X-rays in crystals, 8=3171

Curien,H. and Déroche,C. Intensity of X-ray scattering by the Compton effect in aluminium, 6=6688

Curien,H. and Mihailovic,Z. Experimental study of electrical conductivity and polarization in lithium fluoride, 7=7079. Transient effects of mechanical deformation on the electrical conductivity of lithium fluoride and alkali halides, 9=9670. Thermoelectric power of LiF between 365 and 605°C, 9=11063

Curl,R.F.,Jr. Microwave spectrum, barrier to internal rotation, and structure of methyl formate, 9=6746

Curle,N. The influence of solid boundaries upon aerodynamic sound, 5=8567. Unsteady two-dimensional flows with free boundaries. I. General theory, 6=4231. II. The incompressible inviscid jet, 6=4232. Hydrodynamic stability of laminar wakes, 8=5691

Curley,S.R. See Fox,F.E., 5=6822

Curling,C.D. See Burge,R.E., 7=9470

Curnutte,B. See Fateley,W.G., 7=7753

Curr,R.M. The Coulomb scattering of high-energy electrons and positrons by nuclei, 5=3823. See also Damodaran,K.K., 6=6147

Curran,D.R. See Cedrone,N.P., 5=1640. Katz,S., 9=7487

Curran,R. See also Brusson,G.S., 8=770

Curran,R., Donahue,T.M. and Kasner,W.H. Charge transfer for protons in H_2, 9=8455

Curran,S.C. See Dixon,D., 5=9854. Moljk,A., 5=484, 5=5069, 6=425, 7=6293. Valentine,J.M., 8=5997

Currie,B.W. Auroral heights over West-Central Canada, 6=843 See also Kim,J.S., 8=4599. McNamara,A.G., 5=3338

Currie,B.W. and Weaver,J.T. Vertical extent of auroral arcs and bands, 6=842

Currie,L.A. Tritium production by 6 BeV protons, 9=8597

Currie,L.A., Libby,W.F. and Wolfgang,R.L. Tritium production by high-energy protons, 6=3983

Currie,M.R. and Forster,D.C. New mechanism of noise reduction in electron beams, 9=2392

Curry,M.U. See Holmes,J.E.R., 8=6342

Curry,N.A. See also Bacon,G.E., 6=5542, 6=8491

Curry,N.A. and Runciman,W.A. A neutron-diffraction study of potassium cobalticyanide, 9=13963.

Curtis,A.J. See Rathmann,G.B., 7=2122

Curtis,A.R. A discussion on "radiative balance": The computation of radiative heating rates in the atmosphere, 6=7879

Curtis,A.R. and Goody,R.M. A discussion on "radiative balance": Thermal radiation in the upper atmosphere, 6=7885

Curtis,C.W. See Alter,B.E.K., 6=8994. DeVault,G.P., 9=7876. Folk,R., 8=8639. Fox,G., 8=8640

Curtis,E.C., See Overend,J., 9=3979

Curtis,G.C. The correction of an error in the determination of of high resistances by capacitor discharge, 5=1804. See also Eldred,V.W., 7=8207

Curtis,G.W. See Barbier,D., 7=5006

Curtis,J.P. See Aboud,A.A., 5=9562

Curtis,M.L. See also Baker,W.H., 5=4751

Curtis,M.L., Heyd,J.W., Olt,R.G. and Eichelberger,J.F. Absolute alpha counting, 5=8195

Curtis,O.L.,Jr. Radiation effects on recombination in germanium, 9=11006

Curtis,O.L.,Jr, Cleland,J.W. and Crawford,J.H.,Jr. Radiation-induced recombination centers in germanium, 9=4579

Curtis,O.L.,Jr., Cleland,J.W., Crawford,J.H.,Jr, and Pigg,J.C. Effect of irradiation on the hole lifetime of n-type germanium, 8=6421

Curtis,O.L.,Jr and Gossick,B.R. Direct method of measuring the contact injection ratio, 7=1299

Curtis,R.B. Meson production by electrons, 7=1652. See also Lewis,R.R., 8=9031

Curtis,R.B. and Lewis,R.R. Electron polarization in beta processes, 8=2548. Beta-gamma correlations from oriented nuclei, 8=3346

Curtis,W. See Jefimenko,O., 8=110

Curtiss,C.F. Kinetic theory of nonspherical molecules, 6=1902 See also Bodi,L.J., 7=2479. Gioumousis,G., 9=1846. Hirschfelder,J.O., 8=7584. Linder,B., 8=7585. Muckenfuss,C., 5=9484, 9=1365, 9=2149. Snider,R.F., 8=2875

Curtiss,C.F., Hirschfelder,J.O. and Barnett,M.P. Theory of detonations. III. Ignition temperature approximation, 9=4088

Curtiss,C.F. and Muckenfuss,C. Kinetic theory of nonspherical molecules. II, 7=7666

Curtiss,L.F. See De Juren,J.A., 6=4023

Cusack,N. See also Bowness,C., 7=4452

Cusack,N. and Kendall,P. The absolute scale of thermoelectric power at high temperature, 9=4637

Cusack,N. and Stott,P. A method of estimating distortion in cloud chamber tracks, 5=1945. The multiple scattering of positrons and electrons by nitrogen and argon, 5=6214

Cusano,D.A. Radiation controlled electroluminescence and light amplification in phosphor films, 5=5342. Photoelectroluminescence with visible response, 7=6045. See also Studer,F.J., 5=6940

Cusano,D.A. and Williams,F.E. Photoelectroluminescence–radiation controlled electroluminescence, 7=4232

Cushing,R.L. See Attree,R.W., 8=5850

Cushing,V. Induction flowmeter, 9=1138

Cushing,V. and Sodha,M.S. Confinement of plasma by standing electromagnetic wave, 9=13397

Cussins,W.D. Effects produced by the ionic bombardment of germanium, 5=4656

Custers,J.F. See Ditchburn,R.W., 5=6611

Custers,J.F.H. and Raal,F.A. Fundamental absorption edge of diamond, 7=5990

Custers,J.H.F. Semiconductivity of a Type II b diamond, 5=8754

Cutillas,M.J. See Ross,S., 6=8108

Cutkosky,R.D. See Driscoll,R.L., 8=4946

Cutkosky,R.E. Solutions of a Bethe-Salpeter equation, 5=751. Bremsstrahlung in high-energy nucleon–nucleon collisions, 7=475. Circular polarization of internal bremsstrahlung, 7=9852. Radiative meson–nucleon scattering, 8=2140. Meson exchange effects in two-nucleon states, 9=3145. Radiative meson–nucleon scattering. II, 9=4921

Cutkosky,R.E. and Wick,G.C. Spectrum of the Bethe–Salpeter equation, 6=4846

Cutkosky,R.E. and Zachariasen,F. Photoproduction of Pi-meson pairs, 6=7728

Cutler,C.C. Instability in hollow and strip electron beams, 6=8228

Cutler,D. See Powles,J.G., 8=1221, 9=12488

Cutler,M. Flow of electrons and holes through the surface barrier region in point contact rectification, 5=296. Forward characteristic of germanium point contact rectifiers, 5=7960. See also Bath,H.M. 9=8120. Spitzer,W.G., 5=5408

Cutler,M. and Bath,H.M. Surface leakage current in rectifiers, 5=2755

Cutler,P.H. and Gibbons,J.J. Model for the surface potential barrier and the periodic deviations in the Schottky effect, 9=2398

Cutler,P.H. and Good,R.H.,Jr. Higher-order corrections to the field emission current formula, 7=1361

Cutler,W.G., McMickle,R.H., Webb,W. and Schiessler,R.W. Study of the compressions of several high molecular weight hydrocarbons, 9=1121

Cutler,W.G., Webb,W. and Schiessler,R.W. Examination of the expression $T(dp/dT)_v + B=f(v)$, for a number of high purity liquid hydrocarbons, 6=1183

Cutolo,M. Note on experiments of the ionospheric interaction of radiowaves, 5=7219

Cutolo,M., Bonghi,G.C., Immirzi,F. and Cachon,P. Ionospheric self-demodulation of radiowaves, 8=248

Cutting,A.B. See Beck,A.H., 5=5485

Cutting,C.L., Jason,A.C. and Wood,J.L. A capacitance-resistance hygrometer, 6=2720, 6=7863

Cutting,D.M. See Cornish,E.H., 9=13801

Cvetanović,R.C. Mechanism of the interaction of oxygen atoms with olefins, 6=9002

Cvetanović,R.J. Mercury photosensitized decomposition of nitrous oxide, 5=8351. Relative efficiencies of quenching of mercury resonance radiation and their temperature independence. Mechanism of mercury photosensitized decomposition of saturated hydrocarbons, 5=8352. Reaction of oxygen atoms with ethylene, 5=9204. Relative rates of reactions of oxygen atoms with olefins, 9=4086. See also Callear,A.B., 6=4066

Cvetanović, R.J. and Callear,A.B. Mercury sensitized decomposition of ethylene, 5=8350

Cwilong,B.M. Abnormal freezing in the atmosphere, 5=9292

Cybulska,E.W. See Marquez,L., 9=7321

Cyphers,J.A. See Friedman,R., 6=1166, 6=8735

Cyvin,S.J. Mean amplitudes of vibration in allene and allene-d_4 molecules. I, 8=9086. II. Approximate calculations for the C–C distances, 9=8707

Czaja,W. Two-fluid model and sound absorption in helium II, 8=151. Application of the thermodynamics of irreversible processes to conduction phenomena in semiconductors, 9=5674

Czajkowski,M. See also Baczyński,A., 8=5788. Bauer,R., 9=8723

Czajkowski,M. and Grzywacz,J. Dependence of polarization of fluorescence on the concentration of luminescent molecules in plexiglas phosphors, 8=3889

Czech,E.C. See Copeland,P.L., 6=7490

Czekalla,J. The calculation of dipole moments from measurements on dilute solutions, 6=6062

Czerny,M. On integrating Planck's law of radiation, 5=1658. Optical imagery and coherence, a demonstration experiment, 9=7923. See also Califano,S., 8=7828

Czerski,Z. Correction tables for the measurement of the radius of curvature of proof glasses with the ring sphero meter, 7=130

Czérwonklo,J. Some remarks on the quantum mechanics of a lattice gas, 9=3159. Equations for a one- component lattice gas with "Ising" interaction, 9=9317

Cziffra,P., MacGregor,M.H., Moravcsik,M.J. and Stapp,H.P. Modified analysis of nucleon–nucleon scattering. I. Theory and p–p scattering at 310 MeV, 9=9952

Czyz,W. A simple theory of the ^{7}Li(γ, ^{3}H) ^{4}He reaction, 6=661 Angular distribution of neutrons from the Be^9(γ,n) Be^8 reaction, 6=6164. A simple nuclear model for ^{7}Li and its use in investigating the reaction ^{7}Li(γ, ^{3}H)^{4}He, 6=8378.

A simple theory of the ^{7}Li(γ, ^{3}H)^{4}He reaction, 7=1610. See also de Swart,J.J., 9=5059. Sawicki,J., 7=9880, 8=3379, 8=5373. Polarization of nucleons from photonuclear reactions, 6=5393, 7=2656. Polarisation of nucleons from photo-disintegration of deuteron. I. Medium energies, 7=7386. Polarization of nucleons from photodisintegration of deuterium, 7=8832. Polarization of nucleons from D(γ,p)n reaction at medium energies, 8=5375. Polarization phenomena in neutron—proton radiative capture, 9=1768

Czyzak,S.J. See also Baker,W.M., 7=3146, Greene,L.C., 9=1931. Payne,H., 8=6455. Reynolds,D.C. 5=1844, 5=3593

Czyzak,S.J., Baker,W.M., Crane,R.C. and Howe,J.B. Refractive indexes of single synthetic zinc sulfide and cadmium sulfide crystals, 7=5156

Czyzak,S.J., Crane,R.C. and Bieniewski,T.M. Dichroism in essentially pure and activated cadmium sulfide single crystals, 9=6757

Czyzak,S.J., Reynolds,D.C., Allen,R.C. and Reynolds,C.C. On the properties of single cubic zinc sulfide crystals, 5=616

Daal,H.J. van. See van Daal,H.J.

Daams,H. See Kalra,S.N., 9=5391

Daane,A.H. See Spedding,F.H., 7=898

Daasch,L.W. Infrared spectrum of antimony trichloride–benzene complex, 8=5784. See also Kagarise,R.E., 5=3240-1

Daatselaar, van C.J. See van Daatselaar,C.J.

Dabbs,J.W.T. See also Erickson,R.A., 5=3873

Dabbs,J.W.T., Roberts,L.D. and Bernstein,S. "Brute force" polarization of In^{115} nuclei; angular momentum of 1·458-eV neutron resonance, 5=9012. See Roberts,L.D., 6=1353

Dąbek,W. and Kazimierski,A. Measurement of the rise-time of pulses in BF_3 proportional counters, 9=1636

Dabrowski,J Direct interaction and the compound nucleus formation in nuclear reactions, 7=5607. On the binding energy of the ^{16}O nucleus, 8=2519. On the binding energy of the ^{16}O nucleus. II. Higher clusters, 9=1706. Binding energy of the ^{16}O nucleus with the cluster development method, 9=3810

Dabrowski,J. and Sawicki,J. A simple model of the Li^6 and the $Li^6(n,t)He^4$ reaction, 5=4073. Note on the $^6Li(n,d)^5He$ reaction, 5=7373. Angular distribution of deuterons from $Be^9(p,d)Be^8$. I., 5=9911. Simple model of the Li^6 nucleus and the neutron induced reactions on Li^6, 6=6829. Angular distribution of deuterons from $Be^9(p,d)Be^8$. II, 6=6892; II. (Supplement), 6=8370

Dabrowski,J. and Tulczyjew,B. Note on the $^{12}C(d,p)^{13}C$ reaction near the 4 MeV resonance, 9=6114

Dacey,J.R. and Young,D.M. Photolysis of hexafluoroazomethane, 5=8353

Dachs,J. Observations on steadily maintained bipolar Lichtenberg figures, 8=6936

da Costa,N. Leal. See Leal da Costa,N.

da Costa,R. Couceiro. See Couceiro da Costa,R.

Dacus,E.N. See McIlwraith,C.G., 9=3086

D'Adamo,A.F.,Jr. See Walter,R.I., 6=7532

Dadayan,A.T. See Alikhanyan,A.I., 7=3411

Dadda,L. See Amman,F., 6=3783

Daddi,L. and De Franceschi,L. On the Rosenblum spark counter in air, 8=3275. Wire-rod spark counters in air, 9=8407

Dadenkova,M.M. See Roshchȳna,H.P., 8=6888

Dadson,R.S. A new method for the absolute measurement of high pressures, 5=8529. See also Robinson,D.W., 6=4280, 8=1401

Dadson,R.S., Robinson,D.W. and Greig,R.G.P. The mechanical impedance of the human mastoid process, 5=812

Daehnick,W.W. and Fowler,J.M. Investigation of $D(d,n)He^3$ neutrons at 8·4 MeV, 9=2797

Daen,J. See also Debye,P., 9=10658

Daen,J. and Marcus,R.A. Relative rates of some very rapid gaseous bimolecular reactions, 7=3785

Dagg,I.R. and Thompson,H.W. Infra-red bands and rotational constants of HCN and DCN, 7=1484

Dagg,M. Radio star scintillations at the time of the solar eclipse of 1954 June 30, 7=7552. The correlation of radio-star-scintillation phenomena with geomagnetic disturbances and the mechanism of motion of the ionospheric irregularities in the F-region, 8=851. Diurnal variations of radio-star scintillations, spread F, and geomagnetic activity, 8=852

Dagg,M., Vice,R.W. and Watkins,C.D. Jodrell Bank observations of geophysical phenomena following the solar flare of 1956 February 23, 7=8307

Daggett,E.H. and Grove,G.R. Gamma-ray spectrum of polonium-209, 5=8210

Dagley,P., Grace,M.A., Hill,J.S. and Sowter,C.V. Nuclear alignment and the beta transition in cobalt 58, 8=3344

Dagliana,M.G. See Bizzeti,P.G., 9=2558

Daglish,H.N. See Conn,G.K.T., 5=791

Dahanayake,C. A method for stripping nuclear emulsions from their glass supports and remounting them, 5=7609. See also Brisbout,F.A., 6=2619, 6=6928, 7=2392

Dahanayake,C., Francois,P.E., Fujimoto,Y., Iredale,P., Waddington,C.J. and Yasin,M. On heavy unstable particles produced in high energy nuclear disintegrations, 5=6517. The production of heavy mesons and hyperons in nuclear disintegrations, 5=9144. Further evidence for the β-decay of K-mesons, 7=6592

Dahl,L. See Zimen,K.E., 9=3935

Dahl,L.F., Ishishi,E. and Rundle,R.E. Polynuclear metal carbonyls. I. Structures of $Mn_2(CO)_{10}$ and $Re_2(CO)_{10}$, 7=8947

Dahl,L.F. and Rundle,R.E. Polynuclear metal carbonyls. II. Structure of iron tetracarbonyl by X-ray diffraction, 7=8948; III. Infrared analysis of iron tetracarbonyl, 7=9467

Dahl,P. See Maack Bisgard,K., 9=13637

Dahlberg,D.A. See also Bollinger,L.M., 6=673, 7=3670

Dahlberg,D.A. and Bollinger,L.M. Neutron cross sections of zinc, 7=2671

Dahlberg,R. The limitations of methods for measuring small temperature differences and quantities of heat, and a description of a theory of the "thermoneedle", 6=2837. On the theory of thermoelectric cooling, 9=2367. On the theory of reversible electrical heating, 9=2368

Dahler,J.S. Transport phenomena in a dense gas of rigid spheres, 8=6697. Calculation of the radial distribution function from the cell theory of liquids, 9=1145. Transport phenomena in a fluid composed of diatomic molecules, 9=6549. See also Hirschfelder,J.O., 6=7569, 7=127

Dahler,J.S. and Hirschfelder,J.O. Long-range intermolecular forces, 7=2465

Dahler,J.S., Hirschfelder,J.O. and Thacher,H.C.,Jr. Improved free-volume theory of liquids. I, 6=8024

Dahlgren,F. The rationalization in electromagnetism and electrostatics, 8=3963

Dahlgren,S.E. On the break-down of thixotropic materials, 5=4151

Dahlin,B.E. Radiation-flux conditions in radioactive media with applications to radiation monitoring, 8=1229

Dahlinger,O. See Attree,R.W., 7=7859

Dahlinger,O.F. See Betts,R.H., 9=606

Dahlstrom,C., Foster,J.S. and Thompson,A.L. Discovery of Pr^{137}, 9=2722

Dahnick,W., Neuert,H. and Timm,U. A simple lens system for variable-voltage Van de Graaff generators, 6=1299

Daibov,A.E. See Amirkhanov,K.I., 5=7036

Daibov,A.Z. See Amirkhanov,Kh.I., 8=3104

Dail,H.W.,Jr. See Galt,J.K., 6=1212, 7=2190, 9=11565

Dailey,B.P. See also Corio,P.L., 7=3503; Friend,J.P., 6=238, 9=203; Kraitchman,J., 5=2606; Lerner,R.G., 5=3931, 7=7009-10; Solimene,N., 5=1701, 5=2981; Wagner,R.S., 5=4538, 5=8979, 7=7761-2

Dailey,B.P. and Shoolery,J.N. The electron withdrawal power of substituent groups, 5=9808

Dailey,B.P. and Townes,C.H. The ionic character of diatomic molecules, 5=2959

Daily,J.W. and Bugliarello,G. A particular non-Newtonian flow. Dilute fiber suspensions, 9=13055

Dainton,F.S. See Collinson,E., 6=5491

Daĭon,M.I. Determination of masses of charged particles by scattering on plates and residual range inside a Wilson chamber, 5=8836. Electron spectrum at 3200 m above sea-level, 8=6017. Experimental data on cascade multiplication of electrons in lead, 8=6123. See also Alikhanyan,A.I., 7=6591

Daion,M.I. and Potapov,L.I. Underground μ-meson spectrum at a depth of about 40 m water equivalent, 9=12435. Measurements of the mass of cosmic-ray particles underground, 9=12436

Daitch,P.B. See also Benedict,F.D., 6=3176; Breit,G., 5=3968, 6=933

Daitch,P.B., Lazarus,J.P., Hull,M.H.,Jr, Benedict,F.D. and Breit,G. Validity of semiclassical treatment of Coulomb excitation, 5=3969

Dakin,R.K. See Forrest,J.W., 6=1950. See also Berg,D., 6=8845

Dakin,T.W. and Lim,J. Corona measurement and interpretation, 8=5019

d'Albe,E.M. Fournier. See Fournier d'Albe,E.M.

Dalbert,J. Background noise of oxide cathodes, 5=4766

Dalby,F.W. The spectrum and structure of the HNO molecule, 9=1280. See also Bennett,R.G., 9=10180

Dalby,F.W. and Nielsen,H.H. Infrared spectrum of water vapor. I. The 6.26 μ region, 7=2028

Dale,B. See Champion,F.C., 6=4463

Dale,W.M. and Russell,C. Action of ionizing radiations on catalase in the presence of cysteine, cystine and glutathione, 6=6230

Dalgarno,A. Inelastic heavy-particle collisions involving the crossing of potential energy curves. II. Charge transfer from H-atoms to Al^{3+}, B^{2+}, Li^{2+} and Al^{2+}, 5=1013. Integrals occurring in problems of molecular structure, 5=2924. Application of the Rayleigh–Schrödinger perturbation theory to the hydrogen atom, 7=3562. The mobilities of ions in their parent gases, 8=2367. The polarization of helium-like atoms, 9=3960. See also Armstrong,E.B.[Eds.], 6=9113; Bates,D.R., 5=1396, 6=8832; Bransden,B.H., 5=1951, 6=2329, 8=4368; Boyd,T.J.M., 9=1562; Carson,T.R., 5=8142

Dalgarno,A. and Griffing,G.W. Energy loss of protons passing through hydrogen, 6=2953

Dalgarno,A. and Kingston,A.E. Properties of the metastable helium atoms, 9=2861. Van der Waals forces, 9=7411

Dalgarno,A. and Lewis,J.T. The representation of long range forces by series expansions. I. The divergence of the series. II. The complete perturbation calculation of long range forces, 6=2336. The exact calculation of long-range forces between atoms by perturbation theory, 6=3131. Approximate molecular orbitals. IV. The $3p\sigma_u$ and $4f\sigma_u$ states of H_2^+. The equivalence of variational and perturbation calculations of small disturbances, 7=1077. Dipole and quadrupole polarizabilities of atoms and molecules, 7=8761

Dalgarno,A. and Lynn,N. Resonance forces at large separations, 7=2507. Curve crossing and orthogonality of molecular orbitals, 7=3507. An exact calculation of second order long range forces, 7=5580. Properties of the helium atom, 8=786

Dalgarno,A., Lynn,N. and Williams,E.J.A. The oscillator strengths of the $1s\sigma$-$2s\sigma$, $1s\sigma$-$3d\sigma$ and $2s\sigma$-$3d\sigma$ transitions of HeH^{2+}, 7=580

Dalgarno,A. and McCarroll,R. Adiabatic coupling between electronic and nuclear motion in molecules, 7=6406. Adiabatic coupling between nuclear and electronic motion in molecules. II, 7=6407. Properties of the hydrogen molecular ion. VII. Magnetic dipole oscillator strengths of the $1s\sigma_g - 3d\pi_g$ transition, 7=7265

Dalgarno,A. and McDowell,M.R.C. Simultaneous excitation and ionization of helium by electron and proton impact, 6=8830. Charge transfer and the mobility of H^- ions in atomic hydrogen, 7=493

Dalgarno,A., McDowell,M.R.C. and Williams,A. The mobilities of ions in unlike gases, 8=1738

Dalgarno,A., Moiseiwitsch,B.L. and Stewart,A.L. Approximate molecular orbitals, 7=6413

Dalgarno,A. and Stewart,A.L. On the perturbation theory of small disturbances, 7=5886. A perturbation calculation of properties of the $1s\sigma$ and $2p\sigma$ states of HeH^{2+}, 7=6380. A perturbation calculation of properties of the $2p\pi$ state of HeH^{2+}, 7=8760. A perturbation calculation of properties of the helium iso-electronic sequence, 9=13730

Dalgarno,A. and Williams,A. The second approximation to the mobilities of ions in gases, 8=8073

Dalitz,R.H. Radiative τ-meson decay, 5=9130. Charge independence in light hyperfragments, 5=9944. Isotopic spin changes in τ and θ decay, 6=8400. K-mesons and hyperons. Their strong and weak interactions, 8=1854. Parity nonconservation in the decay of free and bound Λ particles, 9=2657. See also Castillejo,L., 6=2676; Downs,B.W., 9=8484; Kalos,M.H., 6=3277

Dalitz,R.H. and Downs,B.W. Remarks on the hypertriton, 8=5284. Hypernuclear binding energies and the Λ-nucleon interaction, 9=3842

Dalitz,R.H. and Dyson,F.J. Renormalization in the new Tamm-Dancoff theory of meson-nucleon scattering, 5=7702

Dalitz,R.H., Sundaresen,M.K. and Bethe,H.A. A singular integral equation in the theory of meson—nucleon scattering, 6=7996

Dalitz,R.H. and Tuan,S.F. Possible resonant state in pion—hyperon scattering, 9=11389

Dalitz,R.H. and Yennie,D.R. Pion production in electron-proton collisions, 7=4778

Dall,H.E. Developments in differential producers for flow measurement, 9=6575

Dallaporta,N. Heavy charged particles, 5=538. The study of heavy unstable particles using stripped emulsions. Introductory remarks, 5=4271. On the mean lives of heavy unstable particles, 5=7387. Statistical evidence concerning the χ-meson decay, 5=9954. On possible regularities underlying the scheme of elementary particle states, 8=1855. On the symmetries concerning the scheme of elementary particles, 9=9983. On parity conservation in strong interactions, 9=10576. See also Astbury,P., 5=6483; Baldo Ceolin,M., 7=8880; Budini,P., 7=9540, 8=9001; Ceccarelli,M., 5=9967; Ceolin,C., 6=5402, 8=8991, 9=3135, 9=13576; Costa,G., 5=9957

Dallaporta,N. and Ferrari,F. On the Λ—nucleon force and the binding energy of the light hyperfragments, 7=7605. On the Σ hyperon—nucleon interaction cross-section, 7=9415. On parity non-conservation in the decay of strange particles, 8=296

Dallaporta,N. and Lanza,G. Discussion of stars produced by negative K-mesons, 5=9120

Dallaporta,N. and Patergnani,G. A tentative evaluation of the N-mass difference, 9=10001

Dallaporta,N. and Taffara,L. On the possible existence of degenerate charged states of heavy unstable bosons in the Gell-Mann—Pais theory, 5=9941

Dallaporta,N. and Toyoda,T. On the Dirac equation for baryons, 9=9223

DallaValle,J.M., Orr,C., Jr and Hinkle,B.L. The aggregation of aerosols, 5=1284

Dällenbach,W. Strong focusing for particle accelerators, 5=4713, 5=8002. Points of view regarding the construction of a positive ion source, 6=1312

Dallendörfer,R. Two new small ultrasonic vessels for the laboratory, 9=1214

Dallmann,H. See Furst,M., 7=6026

Dalmasso,C. and Nardelli,G.F. The Wigner release in graphite moderated reactors. I. Physical interpretation of the Wigner energy and annealing processes. II. Theory and experiments on the annealing of the moderator, 9=10140

Dalton,A.W., Hings,S. and Parry,G. An investigation of the reaction $^{31}(P(d,p)^{32}P$ by magnetic analysis, 7=8829. An investigation of the $^{16}O(d,\alpha)^{14}N$ reaction by magnetic analysis, 8=1261

Dalton,A.W., Parry,G. and Scott,H.D. The $^{39}K(d,p)^{40}K$ reaction, 9=8602

D'Altroy,F.A. and Fan,H.Y. Effect of neutral impurity on the microwave conductivity and dielectric constant of germanium at low temperatures, 7=382

Dalven,R. See also Garland,C.W., 9=1903

Dalven,R. and Garland,C.W. Elastic constants of sodium iodide from 180°K to 300°K, 9=7552

Daly,E.F. See Tarbet,C.S.C., 9=6700

Daly,L. Magnetic anisotropy in deformed rocks, and the origin of their natural remanence, 9=9054

Daly,N.R. See also Emeléus,K.G., 6=2905

Daly,N.R. and Emeléus,K.G. Initiation of hot-cathode discharges, 5=9730. Note on discharges from a flat thermionic cathode, 6=8810

Daly,P.J. See Carroll,P.K., 7=7728

Daly,R.T., Jr and Holloway,J.H. Nuclear magnetic octupole moments of the stable gallium isotopes, 5=1119

Dalziel,K. The application of photoelectric spectrophytometry to the constant flow method, 5=5021

Dam,E.W. van. See van Dam,E.W.

Damany,H. See Minn,S., 9=9594; Robin-Kandare,S., 9=13828

Damask,A.C. Some resistivity effects of short-range order in α brass, 6=6622. Comparison of electron with neutron irradiation of α-brass, 9=2941. Hardness of neutron-irradiated diamonds, 9=2977. See also Dienes,G.J., 9=5167

Damask,A.C , Dienes,G.J. and Weizer,V.G. Calculation of migration and binding energies of mono-, di-, and trivacancies in copper with the use of a Morse function, 9=6275

Damask,A.C. and Nowick,A.S. Internal friction peak associated with precipitation in an Al-Ag alloy, 5=9987

Damerow,R.A. See Benson,J.L., 9=6165

Damiano,V.V. and Herman,M. Etch patterns in zinc, 9=7602

Damien,R. A theorem on wave surfaces in geometric optics, 6=183

Damm,C.C. See Smith,L.G., 6=8239

Dammers-de Klerk,A. Concentration quenching in fluorescent acene solutions, 8=2980

Dammers-de Klerk,A. and Spruit,F.J. Measurement of low fluorescence intensities, 7=1199

Damodaran,K.K. Preparation of scattering foils of uranium by evaporation of the metal in high vacuum, 6=8430. Dissociation of molecular hydrogen ions (H_2^+) in gases, 7=5424

Damodaran,K.K. and Curr,R.M. Single scattering of fast electrons by atomic nuclei, 6=6147

Damon,P.E. See also Fink,R.W., 6=6875

Damon,P.E. and Edwards,R.R. Absolute intensities of the gamma rays and X-rays of radium D, 5=493

Damon,P.E. and Winters,P.N. Resolution losses in counters and trigger circuits, 5=2821

Damon,R.W. and Redington,R.W. Electrical and optical properties of indium selenide, 5=1824

Danan,H. Law of approach to saturation of a single crystal of Fe-Si in the three principal crystallographic directions, 6=3820. The variation of the magnetization near saturation of pure polycrystalline iron and nickel, 8=3256. Comparison of the laws of approach to saturation deduced from magnetization and differential susceptibility measurements, 8=4147. The approach of polycrystalline ferromagnetics to saturation as H^{-2}, 8=4148. The approach to saturation as a function of

H^{-1} for pure polycrystalline iron and nickel, 8=5112
Danby,C.J., Lambert,J.D. and Mitchell,C.M. Separation of hydrocarbon isomers by thermal diffusion, 7=838
Danby,G.T., Foster,J.S. and Thompson,A.L. Successive decays from Pr^{137} and $Ce^{137\,m}$: decay of adjacent praseodymium isotopes, 9=2723
Dance,D.F. See Palmer,G.H., 7=3565
Dance,W.E. See Fuller,J.C., 7=9878
Danders,M. The positive low-pressure column in a homogeneous magnetic cross field, 8=8006
d'Andlau,C., Armenteros,R., Astier,A., DeStaebler,H.C., Gregory,B.P., Leprince-Ringuet,L., Muller,F., Peyrou,C. and Tinlot,J.H. A V^0-decay with an electron secondary, 7=3701. On the Q-values of the Λ^0 and the θ^0 and on the anomalous V^0-decays, 8=1205
d'Andlau,C.A. Interaction of electrons with matter, 5=2850. Distribution in number and energy of particles in electron beams, 5=6218. See also Kepler,R.G., 8=1107
Dandliker,W.B. See also Kraut,J., 6=273
Dandliker,W.B. and Kraut,J. A centrifugal light scattering cell for the ultra-clarification of liquids, 6=7325
Dane-Thomas,D.J. See Rhodes,R.G., 8=6505
Danford,M.D. See Levy,H.A., 9=8757
Danforth,W.E. Polarization in thorium oxide crystals, 5=4662. Polarization studies with thorium oxide, 9=3485. See also Goldwater,D.L., 6=8262
Danforth,W.E. and Bleecher,H. A vacuum furnace for electrical conduction studies up to 2000°C, 8=3624
Danforth,W.E. and Bodine,J.H. Polarization in thorium oxide crystals, 8=4943
Dang Nguyen Van. See Nguyen Van Dang.
D'Angelo,N. Gamma rays of low energy in the cosmic radiation at sea level, 9=4760. Cloud-chamber measurement of the half-life of the neutron, 9=7263. μ-meson and the catalysis of nuclear reactions, 9=13559. See also Argan,P.E., 5=6246, 6=6734, 7=1409
Danguy,L. A simple method for the determination of Geiger counter dead times, 6=4458. See also Grard,F., 6=1519
Danguy,L. and Quivy,R. Backscattering of electrons by solutions and alloys, 6=7463. Backscattering of positrons, 7=6266. Determination of β-spectra end-points by the gas absorption method, 8=6245. Continuous measurement of a neutron flux by the activation of circulating solutions, 9=5975
Daniel,E. Effect of the lattice potential on, and the contribution of the shells to, positron annihilation in copper, 9=8790. See also Meinnel,J., 6=3711
Daniel,E. and Friedel,J. Positron annihilation in metals, 8=6130
Daniel,F. See Cassignol,C., 9=3966
Daniel,H. The positron-decay of V^{47}, 5=2137. β-Transition between the ground states of Co^{58} and Fe^{58}, 8=6254. Form of the β-ray spectra of Na^{22}, Na^{24} and P^{32}, 9=1735. Decay of Ga^{65}. I. Half-life and β-spectrum, 9=2726. β-transformation between the ground states of RaB and RaC, 9=3865. Principle of a lens spectrometer with envelope diaphragms, 9=4710. Low intensity transitions in the decay of RaC, RaC'' and ThC'', 9=11457. See also Mayer-Kuckuk,T., 5=6422; Nierhaus,R., 8=3339
Daniel,H. and Nierhaus,R. The continuous β-spectrum of RaC, 6=6121
Daniel,H. and Schmidt-Rohr,U. β-Decay of N^{13} and Fierz interference on Fermi interaction, 8=8297
Daniel,J.H. See Brackett,F.S., 7=7481
Daniel,P.J., Schwarz,R.F., Lasser,M.E. and Hershinger,L.W. Control of luminescence by charge extraction, 9=1311
Daniel,R.R. See also Appa Rao,M.V.K., 6=7672, 8=7146
Daniel,R.R., Friedmann,G., Lal,D., Pal,Y. and Peters,B. On the construction of large nuclear emulsion block detectors, 5=7274
Daniel,R.R., George,E.C. and Peters,B. The range-energy relation in nuclear emulsions, 5=5459
Daniel,R.R., Krishnan,A., Mitra,S. and Pal,Y. Investigation on grey tracts of particles ejected from energetic nuclear explosions, 5=4963
Daniel,R.R. and Lal,D. Nuclear interactions of K-mesons, 5=4929
Daniel,R.R. and Pal,Y. An abnormal τ-meson decay, 5=1232
Daniel,V. Dielectric effects of flaws in hydrogen bonding, 9=3422
Daniel-Szabó,J. See Hajko,V., 9=13430
Danielian,A. and Stevens,K.W.H. High temperature susceptibilities, 7=5468
Daniels,F. Small gas-cycle reactor offers economic promise, 6=5398. See also Heckelsberg,L.F., 8=2992; Morehead,F.F., 8=2991; Zeller,E.J., 6=1116
Daniels,F.B. Noise-reducing line microphone for frequencies below 1 cps, 9=6654; See also Bauer,S.J., 8=6539
Daniels,F.B. and Bauer,S.J. Measurement of the ionospheric Faraday effect by radio waves reflected from the moon 8=5543. Faraday fading of earth satellite signals, 9=2545. The ionospheric Faraday effect and its applications, 9=5967
Daniels,J.M. The effect of interactions on the angular distribution of γ-rays from an assembly of oriented nuclei, 8=6269. An isotope effect in antiferromagnetism at low temperatures, 9=8324. See also Bishop,G.R., 5=1158; Wesemeyer,H., 9=4496
Daniels,J.M., Lamarche,J.L.G. and Le Blanc,M.A.R. Nuclear orientation experiments with Pr^{142} and Yb^{175} nuclei, 9=3820
Daniels,J.M. and LeBlanc,M.A.R. Nuclear orientation of Mn^{54} in antiferromagnetic single crystals, 8=7313. Nuclear orientation of cobalt-60 in antiferromagnetic $Co(NH_4)_2(SO_4)_2.6H_2O$, 9=12462
Daniels,J.M. and Wesemeyer,H. The influence of paramagnetic resonance saturation on the Faraday effect, 8=2264. Paramagnetic resonance of chromium in guanidine aluminium sulphate, 8=5120
Daniels,W.B. and Hruschka,A.A. Seals for pressures to 10 000 atmospheres, 8=1554
Daniels,W.B. and Smith,C.S. Pressure derivatives of the elastic constants of copper, silver, and gold to 10 000 bars, 9=1902
Danielson,G.C. See Blue,M.D., 8=3081; Morris,R.G., 8=2323; Pearson,G.J., 8=3023; Redin,R.D., 8=2324; Sawada,S., 9=5491, 9=5659, 9=5710; Shaw,W.C., 8=628; Worden,D.G., 9=8087
Danielson,R.E. Geomagnetic measurements on heavy primary cosmic radiation near the equator, 9=5863
Danielson,R.E. and Freier,P.S. Geomagnetic effects on heavy primary cosmic radiation at 42°N, 8=1115
Danielson,R.E., Freier,P.S., Naugle,J.E. and Ney,E.P. Heavy primary cosmic radiation at the equator, 6=8850
Danielson,W.E. Low noise in solid state parametric amplifiers at microwave frequencies, 9=2534. See also Closson,H.T., 9=4331
Danielsson,U. See Coulson,C.A., 5=2056-7
Danilenko,A.I. On the β-radiation activity of human blood, 6=7652, 6=9149
Danilenko,V.M., Krivoglaz,M.A., Matȳsina,Z.A. and Smirnov,A.A. On the theory of scattering of waves by the crystalline lattice of solid solutions, 8=4461
Danilin,B.S., Mikhnevich,V.V., Repnev,A.I. and Shvidkovskiĭ,E.G. The problem of measuring pressure and density of the upper layers of the atmosphere using an artificial earth satellite, 8=6532
Danilkin,I.S. See also Leĭkin,E.M., 7=5815
Danilkin,I.S. and Rabinovich,M.S. The capture of particles in the synchrophasatron mode of acceleration, 8=7088
Danilov,I.B. On the problem of finding the optimum working conditions for a helium liquefier, 7=1228
Danilov,V.P. See Vaĭnberg,B.I., 5=6027
Danilova,T.V., Dovzhenko,O.I., Nikol'skiĭ,S.I. and Rakobol'skaya,I.V. Wilson cloud-chamber investigation of the electron–photon component of extensive atmospheric showers near the axis at an altitude of 3860 m [above sea level], 8=7151
Daniushevskii,E.E. Stresses and deformations of a disk suspended vertically on a flexible band, 9=9260
Dank,M. and Barber,S.W. The low-temperature specific heats of vitreous and crystalline silica, 5=5381. The specific heat function for a two-dimensional continuum, 7=7069
Daňková,J. The specific heat of seignettoelectric [ferroelectric] ceramics, 7=5285
Danner,H. See Shirane,G., 7=3844
Danner,H.R. See also Frazer,B.C., 6=1755
Danner,H.R. and Pepinsky,R. Specific heat anomaly of ferroelectric cadmium niobate at the Curie temperature, 5=8713
Danner,P.A., Ackerman,E. and Frings,H.W. Heating of haired and hairless mice in high intensity sound fields from 6 to 22 kc, 5=142
Dannhauser,W. and Cole,R.H. Dielectric properties of liquid butyl alcohols, 6=310
Danno,A. Effects of ionizing radiations on polyvinyl alcohol. I. Breakdown of main-chain and formation of carbonyl groups, 9=10274. II. Changes of physical properties of the irradiated specimen caused by heat treatment, 9=10275. Gel formation of aqueous solution of polyvinyl alcohol irradiated by gamma rays from cobalt-60, 9=10351. See also Shinohara,K., 9=11573

Danon,J. Remarks on the statistical methods of derivation of the function for the distribution of the energy of adsorption on a heterogeneous surface, 5=10043

Danos,M. Cerenkov radiation from extended electron beams, 5=1910. On the long-range correlation model of the photonuclear effect, 8=6322

Danti,A. Thermodynamic functions of cyclobutene, 8=3055. See also Cotton,F.A., 9=12753

Danti,A. and Cotton,F.A. Raman spectra of group VI hexacarbonyls, 8=6853

Danti,A. and Lord,R.C. Pure rotational absorption of ozone and sulfur dioxide from 100 to 200 microns, 9=6729

Danti,A. and Wood,J.L. Far infrared spectrum and the barrier to internal rotation in 1,1,1,2-tetrafluoroethane, 9=3296

Dantu,P. Use of nets for the experimental study of elastic and plastic phenomena, 5=3186

Dantzig,D. van. See van Dantzig,D.

Dantzig,G.B. See White,W.B., 8=4503

Danusso,F. Ultrasonic velocity and adiabatic compressibility of hydrocarbon mixtures with one component having a branched structure, 5=3506. Ultrasonic velocity and adiabatic compressibility of alcohol mixtures, 5=3507. Ultrasonic velocity and adiabatic compressibility in mixtures of alcohols with ethylene glycol, 5=4450. Ultrasonic velocity and adiabatic compressibility in mixtures of alcohols and polyalcohols, 5=5950

Danysh,M. and Pontekorvo (Pontecorvo),B. The threshold of "production" and "generation" of negative K-mesons, 7=8196

Danysz,M. An example of V_1^0-decay recorded in photographic emulsion, 5=540. Current work at the H.H.Wills Physical Laboratory in Bristol, 5=5213. See also Bogdanowicz,J., 9=10000; Cick,P., 5=6496, 8=1117

Danysz,M., Gierula,J. and Skrzypozak,E. A possible example of decay in flight of a charged hyperon, 5=6495

Dänzer,H. Visible model for nuclear resonance, 6=3108

Dänzer,H. and Kollmann,W. Flow relations at the lip of an organ pipe, 6=2732

Dapoigny,J. See also Kieffer,J., 5=5915, 8=916, 9=142; Saurel,J., 8=3925

Dapoigny,J., Kieffer,J. and Vodar,B. Shock waves in a dense medium. II. Experimental methods and some results of measurements made by the method of ultra-rapid radiography, 5=7772. Shock waves produced in liquid argon and their study by ultra-rapid radiography. Compression of argon under very high pressures, 6=965. Compression of [liquid] oxygen under very high pressures produced by shock waves in the liquid, 7=2761. Study of the compression of dense media by radiography of a single shock, 8=6467

Dar,R. See Chaudri,R.M., 8=6089

Darbee,L.R. Simplified calculation of isotopic exchange half-time, 5=9201

Darbee,L.R., Jenkins,F.E. and Harris,G.M. Kinetics of competitive isotopic exchange reactions, 7=1700

Darby,J.B., Jr, Tomizuka,C.T. and Balluffi,R.W. Self-diffusion in silver during plastic deformation in extension and compression, 9=7532

Dardel,G. von. See von Dardel,G.

Darden,S.E. Determination of the strength function of nuclear energy levels, 5=8991. See also Adair,R.K., 5=510; Boreli,F., 8=2528; Clement,J.D., 8=6150; Striebel,H.R., 8=6294

Darden,S.E., Perkins,R.B. and Walton,R.B. Small-angle scattering of neutrons by intermediate and heavy nuclei, 6=1600

Dardis,J.G. See McCusker,C.B.A., 5=8066

Dargent,R., Durrieu,L. and Rzepka,J. Films of parlodion–carbon for use in electron microscopy, 9=10306

Darin,S.R. See Alexander,L., 5=5107; Taylor,G.R., 5=10016

Darling,W.R. See Washer,F.E., 9=2195, 9=5488, 9=6685

Darmois,E. Interpretation of the work function value in thin metallic layers, 6=6965. See also Darmois-Sutra,G., 6=2500-1

Darmois,G. Diffusion of salts and stability of the "encaged" proton, 6=3541. Nature of electrical conduction in very thin metallic films, 6=6611. On the resistivity of very thin metallic films, 7=361. On the electrical resistivity of very thin metallic films, 7=4312. On the changes in the electrical conductivity of metals upon fusion, 7=7126

Darmois,G. and Janssen,S. The electrical resistance of copper–aluminium alloys, 7=5310

Darmois-Sutra,G. and Darmois,E. Investigations on hydrogen overpotential, 6=2500. Researches on the overvoltage of hydrogen, 6=2501

Darnell,A.J. See Farber,M., 5=8716, 5=9272, 6=8731

Darnell,F.J. and Friedberg,S.A. Electrical breakdown in germanium at low temperatures, 5=7990

Darner,C.L. and Bobber,R.J. Ultrasonic shutter, 5=9495

Darovskikh,V.F. and Perfilov,N.A. Peculiarities of Bi fission at very high excitation energies, 9=12693

Dart,F.E. See Brown,F.C., 8=7488

Darveniza,M. Light emission from insulating liquids due to excitation by d.c. fields near breakdown, 9=6770

Darwent,B. de B. See Sehon,A.H.

Darwin,C.G. The clock paradox in relativity, 8=867

Das,A. On the perihelion shift in conformally flat space-time, 8=1472. Effects of the central spin on planetary motion, 9=10564

Das,A.K. Effect of lightning discharges on magnetographs, 7=2875

Das,A.K. and Abhyankar,K.D. Temperature at the poles and at the equator of the sun, 7=4993

Das,A.K. and Sethumadhavan,K. Relation between the base and the height of prominences, 8=2745

Das,J.N. Study of the semi-conducting properties of pyrolusite, 8=7948. The dielectric and piezoelectric behaviour of pyrolusite (polycrystalline ore of MnO_2), 9=10947. See also Bhide,V.G., 6=4406

Das,J.N. and Khandekar,P.V. Transistor action on natural galena surface after heat treatment with H_2S, 7=4362

Das,N.C. See Sinha,M.S., 7=4758, 7=5548, 8=292, 8=295

Das,S.C. The fitting of truncated type III curves to daily rainfall data, 5=9294. The fitting of a truncated log-normal curve to daily rainfall data, 6=7895. Statistical analysis of Australian pressure data, 7=4915. Statistical analysis of Australian temperature data, 7=5765. On the stresses in twisted composite spheres and spheroids, 7=7637. On the general plane problem of plasticity and its geophysical significance, 9=2998

Das,S.K. See Bhattacharya,S.N., 9=5632

Das,T.P. Tunneling through high periodic barriers. I, 7=2475. II. Application to nuclear magnetic resonance in solids, 8=378. Nuclear quadrupole interaction in boron compounds, 7=8068. See also Banerjee,M.K., 5=1123; Blumberg,W.E., 8=5486, 9=5413; Karmohapatro,S.B., 8=7135; Mukherji,A., 9=2879; Saha,A.K., 7=626; Wikner,E.G., 8=1282, 8=9072

Das,T.P. and Bersohn,R. Variational approach to the quadrupole polarizability of ions, 6=5330. Variational calculations of magnetic shielding of protons in the hydrogen molecule, 7=2468

Das,T.P. and Ghose,T. Magnetic properties of water molecule, 9=9757

Das,T.P. and Ghosh Roy,S.K. Spin-echo modulation due to magnetic dipole interaction between a closely interacting pair of nuclei in crystals, 6=3356

Das,T.P. and Karplus,M. Nuclear quadrupole interactions in alkali halide molecules, 9=7450

Das,T.P. and Roy,D.K. Spin echoes with four pulses—an extension to n pulses, 5=5739. Spin-echoes in the presence of non-axially symmetric quadrupole interaction in crystals, 5=9245

Das,T.P., Roy,D.K. and Ghosh Roy,S.K. Quadrupolar nuclear spin–lattice relaxation in crystals with body-centered cubic lattice structure, 7=3824

Das,T.P. and Saha,A.K. Electric quadrupole interaction and spin echoes in crystals, 5=5738

Das,T.P., Saha,A.K. and Roy,D.K. Quantum-mechanical analysis of spin-echo phenomena, 5=2954

D'Asaro,L.A. Field emission from silicon, 8=4065. See also Bradley,R.C., 9=7527

Dascola,G. See Alles,W., 9=3800, 9=7284; Gessaroli,R., 7=8877; Marchi,C., 7=8879

Dasgupta,A.K. See Sinha,K.P., 5=10072

Dasgupta,D.R. and Banerjee,B.K. X-ray crystallographic study of phase transformation of borax during thermal treatments, 6=1750. Study of phase transformation of orthoboric acid by X-ray diffraction method, 6=1751

Das Gupta,K. Electron transfer type modified Smekal lines in X-ray scattering on long and short wavelength side of the mono-chromatised incident X-ray beam, 6=7450. Modified radiation in X-ray scattering, 7=5369. See also Mitra,B., 8=4051

Das Gupta,K. and Pan,N. A new experimental technique for X-ray diffraction study, 8=7604

Das Gupta,K.,Sen, A.K. and Bhattacharjee,S.B. Study of carbon K and aluminium $L_{2,3}$ bands by a newly constructed soft

X-ray ruled grating spectrograph, 5=6195
Das Gupta,K. and Wood,E. Soft X-ray spectra of magnesium-aluminium, magnesium - silicon and aluminium - silicon alloys, 5=1879
Das Gupta,M.K. See Jennison,R.C., 6=1799, 6=1800
Das Gupta,S.C. Propagation of Rayleigh waves in transversely isotropic medium in three dimensions, 6=8626
Dasgupta,S.R. A note on the exact explicit solution of transfer equations in the Milne–Eddington model by the method of Laplace-transforms, 7=3901
Dash,J.G. Supercritical damping of oscillating disks in liquid helium II, 5=3693. Viscosity of liquid helium II near the lambda point, 8=3944. See also Sommers,H.S.,Jr, 5=4109; Taylor,R.D., 7=6927
Dash,J.G. and Taylor,R.D. Transition temperatures of He^3 - He^4 solutions, 5=8703. Hydrodynamics of oscillating disks in viscous fluids: Density and viscosity of normal fluid in pure He^4 from 1·2°K to the lambda point, 7=4282. Density and viscosity of normal fluid in dilute solutions of He^3 in He^4, 7=9659. Influence of ^{3}He on some flow properties of He II, 9=2281
Dash,W.C. Effect of crystal distortion upon change of resistivity of silicon by heat treatment, 5=2751. Copper precipitation on dislocations in silicon, 7=2817. Distorted layers in silicon produced by grinding and polishing, 8=5503. Silicon crystals free of dislocations, 8=8517. Evidence of dislocation jogs in deformed silicon, 8=9121. Generation of prismatic dislocation loops in silicon crystals, 9=1874. Growth of silicon crystals free from dislocations, 9=7598. See also Tyler,W.W., 8=402
Dash,W.C. and Newman,R. Intrinsic optical absorption in single-crystal germanium and silicon at 77°K and 300°K, 5=8616
Dashkevich,L.L. Indicator of conditions of illumination, 7=2886
Da Silva Porto,S. Pereira. See Pereira Da Silva Porto,S.
da Silveira,A. Particles with spin two, 5=3439. On the theory of spin-two particles, 6=4816
Dassault,P. The laws of distribution of the artificially radioactive nuclei about the stable nuclei, 7=7321
Date,M. On the g-value of ferrimagnetic resonance, 5=1982. Paramagnetic resonance of Ni(NH$_4$)$_2$(SO$_4$)$_2$.6H$_2$O and NiK$_2$(SO$_4$)$_2$.6H$_2$O at 47000 Mc, 5=2001. Paramagnetic resonance of two iron alums, 5=2002. Antiferromagnetism and antiferromagnetic resonance in CuBr$_2$.2H$_2$O at 9800 Mc/sec, 7=2420. Anomalous line broadening or paramagnetic resonance lines in Cu(NH$_3$)$_4$SO$_4$H$_2$O at liquid helium temperatures, 7=3498. Antiferromagnetic resonance in CuCl$_2$.2D$_2$O, 9=9800. Anomalous magnetic properties of Cu(NH$_3$)$_4$SO$_4$.H$_2$O and MnSO$_4$.H$_2$O, 9=11194. See also Haseda,T., 9=8283
Datta,M.B. See Mitra,H., 5=3300
Datta,S. Electronic collisional frequency in the F-region over Calcutta, 6=3387. Recombination coefficient and electron production rate from total electron content in unit column below the level of maximum ionisation, 7=8313. On the electron production rate in the F$_2$ region of the ionosphere, 9=10413. See also Saha,A.K., 6=6267
Datta,S.K. See Bose,A., 7=6712
Dattner,A. The plasma resonator, 8=4166. See also Brunberg,E.-Å., 5=2848; Venkatesan,D., 9=7142
Dattner,A. and Vankatesan,D. Anisotropies in cosmic radiation, 9=11730
Datz,S. See also Taylor,E.H., 5=10029
Datz,S. and Taylor,E.H. Ionization on platinum and tungsten surfaces. I. The alkali metals, 6=8847; II. The potassium halides, 8848
Datzeff,A. The ether and special relativity, 7=9510, 8=28. The interpretation of quantum mechanics, 8=4706. The probability of presence in quantum mechanics, 8=4707. The mathematical formalism of quantum mechanics, 8=4708. On the Sommerfeld conditions and wave mechanics, 9=2092
Dauben,C.H. See Templeton,D.H., 5=2319
Daubeny,R. de. P. See also Bunn,C.W., 5=3238
Daubeny,R. de. P., Bunn,C.W. and Brown,C.J. The crystal structure of polyethylene terephthalate, 5=1368
Daubert,A. See Kravtchenko,J., 7=5103
Daubin,S.C. and Hamilton,D.R. Perturbed gamma-gamma directional correlation in Cd^{114}, 5=8215
Däublin,F., Berthold,F. and Jensen,P. Photodisintegration of the Li^6 nucleus, 9=10127
Daudel,P. See Bouchez,R., 6=7642
Daudel,R. Note on the present state of the theory of the electron cloud, 5=9837. See also Besnainou,S., 5=9805, 7=6379; Bouchez,R., 6=7642; Brion,H., 5=433, 5=3018, 5=3020; Odiot,S., 5=3019, 6=3932; Roux,M., 5=5578, 6=3901
Daudel,R. and Bratož,S. The separation of the motion of electrons and nuclei, 7=7252
Daudel,R., Odiot,S. and Brion,H. Remarks on the organization of the electron cloud and the nucleus of atoms, 5=2985. Localizability of electrons in atoms and molecules - application to the study of the notion of shell and of the nature of chemical bonds, 6=565
Daudin,A. See also Auger,P., 5=8069; Berthelot,A., 9=3796; Daudin,J., 6=7505
Daudin,A. and Daudin,J. Atmospheric effects on Auger showers, 5=366
Daudin,J. See also Daudin,A., 5=366
Daudin,J., Auger,P., Cachon,A. and Daudin,A. On the daily variations with solar and sidereal time of extensive air showers, 6=7505
Dauguet,A. Study of the ionization of the gases of propulsive jets, 7=8684*
Daum,L. Electron multiplier neutron detectors, 8=8190
Daunt,J.G. The magnetic refrigerator for temperatures below 1°K, 7=7065. See also Baum,J.L., 9=13229; Brewer,D.F., 8=4926; Gager,W.B., 9=2935; Gordon,W.L., 5=3690, 9=110; Heer,C.V., 5=901; Jastram,P.S., 6=3161; Korringa,J., 6=3702
Dauphinee,T.M. An apparatus for comparison of thermocouples, 5=6091. Deflection multiplier for reflecting galvanometers, 5=9452. Acoustic air pump, 7=8343
Dauphinee,T.M., Martin,D.L. and Preston-Thomas,H. The specific heats of potassium, rubidium and caesium at temperatures below 330°K, 6=2841
Dauphinee,T.M. and Mooser,E. Apparatus for measuring resistivity and Hall coefficient of semiconductors, 5=7948
Dauphinee,T.M. and Woods,S.B. Low-level thermocouple amplifier and a temperature regulation system, 5=7917
d'Auriac,P.A. and Gérodolle,H. On the physical interpretation of the Weissenberg effect, 9=4080
Dautreppe,D. Quadrupole resonance at low temperature, 6=525. See also Dreyfus,B., 5=2624, 6=2290, 7=4900
Dautreppe,D. and Blaise,A. Quadrupole resonance of Br^{79} and Br^{81} in para-dibromobenzene, 5=1093
Dautreppe,D. and Dreyfus,B. Effect of pressure on the nuclear quadrupole resonance, 6=2289. Effect of pressure on the nuclear quadrupole resonance of Cl^{35} in HgCl$_2$, 6=3074
Dautreppe,D. and Paulevé,J. A precision gaussmeter using nuclear resonance, 5=2854
Dauvillier,A. On the foundations of the restricted cosmogonical problem, 5=1448. Powerful solar emission of cosmic radiation at night, 6=4782. A new radiometric effect and its application to comets, 7=5153. On the structure and mechanism of sunspots, 9=6459. On the presence of hydroxyl, and sodium in the upper atmosphere, 9=10409
Dave,J.V. and Ramanathan,K.R. On the intensity and polarization of the light from the sky during twilight, 6=8524
Dave,J.V. and Sekera,Z. Effect of ozone on the total sky and global radiation received on an horizontal surface, 9=12901
Davenport,T.I., Mann,W.B., McCraven,C.C. and Smith,C.C. Comparison of four national radium standards, I. Experimental procedures and results, 5=3992
Davenport,A.N. and Stevens,G.W.W. Comparison of radioactivities by the use of X-ray film, 5=2104
Davenport,P.A. See Carruthers,R., 7=3329
Davey,A.R. See Thewlis,J., 5=1757, 6=6558
Davey,H.G. Primary separation plant at the Windscale Works, 6=8542
Davey,J.E. Thermionic and semiconducting properties of [Ag]–Cs$_2$O, Ag, Cs, 8=3208
Davey,P.O. See also Pearson,G.J., 8=3023
Davey,P.O. A note on the inelastic contributions to the elastic scattering of high-energy electrons from helium, 9=3908
David,E. Physical processes in electric wire-explosions, 6=6911
David,E.E.Jr. Naturalness and distortion in speech-processing devices, 6=6479
David,E.E.Jr, Guttman,N. and van Bergeijk,W.A. On the mechanism of binaural fusion, 8=8561. Binaural interaction of high-frequency complex stimuli, 9=10475
David,E.E.Jr and McDonald,H.S. Note on pitch-synchronous processing of speech, 7=4095
David,H.G. and Hamann,S.D. Sulfur: a possible metallic form, 8=6394. The chemical effects of pressure. V. The electrical conductivity of water at high shock

pressures, 9=7575
David,J.P. Influence of the method of preparation on the wavelength dependence of the optical constants of thin silver films under vacuum, 9=10302. See also Perrot,M., 7=282
David,L. Anti-proton scheme of β-disintegration, 9=5018. Supplement to anti-proton scheme of β-disintegration, 9=5019
Davidenkov,N.N. and Chuchman,T.N. Twin-formation and cold-brittleness, 9=10336
Davidge,P.C. and Lock,C.J.L. Fission product gases from a homogeneous power reactor, 7=1632
Davidon,W.C. Proper-time electron formalism, 5=3423. Proper-time quantum electrodynamics, 5=3424. See also Anderson,H.L., 6=696, 6=698, 7=8874
Davidon,W.C. and Goldberger,M.L. Comparison of spin–flip dispersion relations with pion–nucleon scattering data, 7=2699
Davids,N. and Parkinson,R.W. Wave solutions for critical and near-critical coupling conditions in the ionosphere, 6=4749
Davidson,D.W. and Wheeler,J. Effect of deuteration on dielectric relaxation in n-propanol, 9=8077
Davidson,H.R. and Hanlon,J.J. Use of charts for rapid calculation of color difference, 5=8673
Davidson,H.R. and Hemmendinger,H. Colorimetric calibration of colorant systems, 5=2649. Comparison of Munsell and MacAdam color spaces, 9=234
Davidson,H.W. and Turk,B.M. The flow of gases through packed beds of colloidal carbon blacks, 5=1291
Davidson,J.K. see Robb,W.L., 6=3245
Davidson,J.P. The photonuclear effect and the complex potential-well nuclear model, 6=1587. Isotopic spin, 9=13516
Davidson,N. See Britton,D., 5=5007, 6=4055, 7=2764-5. Gilkerson,W.R., 5=5684. King,J., 9=5938. Windsor,M.W., 7=9777
Davidson,P.M. Growth of current between parallel plates, 6=388. Temporal growth of current between parallel plates, 7=1419. Growth of current between parallel plates, 7=5355
Davidson,R.A. See also Tucker,P.E., 8=8074
Davidson,R.A. and Partridge,W.S. Time lag between high-speed pellets and the ionization in their trails, 8=6001
Davidson,R.E. Crystal atom spacing and the wavelength of an incident atom beam, 9=13736
Davidson,T.W. Radio-echo observations of the day- and night-time meteor streams between 1954 January and 1955 August, 7=7554
Davidson,W. General relativity and Mach's principle, 9=1025 The redshift—magnitude relation in observational cosmology, 9=6444
Davied,J.P. See Perrot,M., 6=6964
Davies,A.R. See Buckingham,R.A., 8=1556
Davies,C.N. Survey of scattering and absorption of light by particles, 5=874. Instruments for use in occupational hygiene, 8=2082
Davies,C.N. and Peetz,V. Dust shadows below a cylinder containing a suction orifice and deposition of particles upon the cylinder, 5=1258
Davies,C.N. and Peetz,C.V. Impingement of particles on a transverse cylinder, 6=5718
Davies,D.A. The generation of accurate cylinders, 7=3873
Davies,D.A., Mathieson,A.McL. and Stiff,G.M. Rotating-anode X-ray generator, 9=8193
Davies,D.H. and Sander,K.F. Electron trajectories in the gun of an M-type carcinotron, 8=8041
Davies,D.M., Dutton,J. and Jones,F. Llewellyn, Secondary ionization processes in hydrogen at high gas pressures, 9=3609
Davies,D.R. See Beattie,I.R., 7=1957, 7=8919. Rollett,J.S. 5=4194
Davies,D.W. The inclusion of overlap in molecular orbital calculations on heterocyclic molecules, 5=5574. A quantum-mechanical calculation on the sodium molecule, 6=6195
Davies,H. Summation over Feynman histories: The free particle and the harmonic oscillator, 7=9016
Davies,J. and Franzinetti,C. Report on the expedition to Sardinia, 1953, 5=6259
Davies,J.B. See Jones,W.R.D., 8=2833
Davies,J.G. A table for the calculation of meteor velocities, 5=2367. See also Gill,J.C., 8=2739
Davies,J.G. and Lovell,A.C.B. Radio-echo studies of meteors, 7=3908
Davies,J.H. See also Bhowmik,B., 8=2450; Burge,E.J., 8=2444
Davies,J.H., Evans,D., Francois,P.E., Friedlander,M.W., Hillier,R., Iredale,P., Keefe,D., Menon,M.G.K., Perkins,D.H., Powell,C.F., Biggild,J., Brene,N., Fowler,P.H., Hooper,J., Ortel,W.C.G., Scharff,M., Crane,L., Johnston,R.W.H., O'Ceallaigh,C., Anderson,F., Lawlor,G., Nevin,T.E., Alvial,G., Bonetti,A., di Corato,M., Dilworth,C., Setti,R.L., Milone,A., Occhialini,G., Scarsi,L., Tomasini,G., Ceccarelli,M., Grilli,M., Merlin,M., Salandin,G. and Sechi,B. On the masses and modes of decay of heavy mesons produced by cosmic radiation. (G-stack collaboration) , 6=3270*
Davies,K. Ionospheric observations in Canada during the solar eclipse of 30 June 1954, 6=7048. See also Beynon,W.J.G., 5=1388, 5=6325. Chapman,J.H., 6=832. Cox,J.W., 5=2040
Davies,K. and Hagg,E.L. Ionospheric absorption measurements at Prince Rupert, 5=4226
Davies,L.W. Low–high conductivity junctions in semiconductors, 7=9695. The ultimate distribution impurity in the zone-melting process, 8=2085
Davies,L.W. and Cowcher,E. Microwave and metre wave radiation from the positive column of a gas discharge, 5=6184
Davies,M. and Meakins,R.J. Multiple relaxation times in nonrigid solute molecules, 7=7851
Davies,M. and Price,A.H. Dielectric absorption of triethylamine solution, 6=1198
Davies,M.G. and Kronberger,H. A full radiation pyrometer suitable for temperature measurements in the range 0° to 100°C, 9=3400
Davies,M.O. See Del Duca,M., 8=2700
Davies,P.W. and Dennison,J.P. Void nucleation sites in creep of metals, 8=8490
Davies,R.B. Structural changes during the fatigue of copper, 5=2257
Davies,R.D. An analysis of bursts of solar radio emission and their association with solar and terrestrial phenomena, 5=1458. The nature of the radio source in the direction of the galactic centre, 7=1851. See also Christiansen,W.N., 8=4631. Williams,D.R.W., 7=1855
Davies,R.D. and Williams,D.R.W. An alternative identification of the radio source in the direction of the galactic centre, 5=7631
Davies,R.M. Stress waves in solids, 6=4902
Davies,R.C. A discussion on the first and second viscosities of fluids. Kinetic and thermodynamic aspects of the second coefficients of viscosity, 5=82. A discussion on the first and second viscosities of fluids: A note on Sir Geoffrey Taylor's paper, 5=85. The macroscopic theory of irreversibility, 6=8750. A note on the systematic integration of Kramers' equation for Brownian motion in a field of force, 8=3734. Some equilibrium and non-equilibrium properties of an (n + 1) state ideal solution, 9=2139
Davies,R.O. and Lamb,J. On the description of rate processes by means of relaxation times, 6=4848. Ultrasonic analysis of molecular relaxation processes in liquids, 8=4803. On the derivation of reaction parameters from observations of ultrasonic relaxation, 9=6590
Davies,S.M. Calibration of vibration pick-ups at high frequencies using a Michelson interferometer, 7=291
Davies,T.A. The effect of variations in ambient temperature upon the optical alinement of an X-ray fluorescence spectrometer, 9=2389
Davies,T.J. Growth of tellurium single crystals by the Czochralski method, 8=448
Davies,T.V. The forced flow due to heating of a rotating liquid, 6=7176. Planetary atmospheres and convection in rotating fluids. Theory of the experiments on convection in rotating liquids, 8=2102
Davies,W.T. See Campion,P.J. 5=352-3*
Davila,C. and Martin,P. Control of filament heating on a mass spectrograph, 6=5948
Davin,M. On the probability law for the (mechanical) resistance of an ideal plastic specimen, 6=739
Davis,A.H. The kinetic temperature of an atmosphere supported by radiation. I, 9=11177; II 9=11718
Davis,B.I. See Farber,J., 7=5267
Davis,C. See Barford,N.C., 8=6021
Davis,C.F. See Strandberg,M.W.P., 8=8161
Davis,C.F. Jr. See also Strandberg,W.M.P., 6=8280
Davis,C.F. Jr and Strandberg,M.W.P. Paramagnetic resonance spectrum of ammonium chromium alum, 7=2488
Davis,C.F., Jr, Strandberg,M.W.P. and Kyhl,R.L. Direct measurement of electron spin-lattice times, 9=4819
Davis,C.M. and Ferebee,S.F. Dynamic magnetostrictive properties of Alfenol, 6=3825

Davis, C.M., Jr. See also Adams,C.Q., 8=5113. Ferebee,S.F., 8=8143

Davis,C.M., Jr, Helms,H.H. and Ferebee,S.F. Dynamic magnetostrictive properties of Ni–Fe alloys, 7=8008

Davis,D.F. Interference phenomena of K$^+$ -meson scattering by nuclei, 7=6610. See also Widgoff,M., 7=9924

Davis,D.F., Engler,A., Goebel,C.J., Hoang,T.F., Kaplon,M.F. and Klarmann,J. Observations on the $\pi^+ \rightarrow \mu^+ \rightarrow e^+$ angular correlation in nuclear emulsion, 7=8868

Davis,D. F., Hoang,T.F. and Kaplon,M.F. Maximum likelihood estimation of K$^+$ -meson lifetime, 7=7423

Davis,D.H. See also Amerighi,M.C., 9=9980. K-collaboration, 9=13575

Davis,D.H., Shaukat,M.A. and Stannard,F.R. Protonic decay of Σ^+ hyperon with associated electron pair, 9=7290

Davis,J.J. See Gabrysh,A.F. 5=4044. Reinhardt,P.W. 5=1943

Davis,F.K., Jr, Radiation minimum temperatures, 7=5759

Davis,G. See Herz,A.J. 5=7605

Davis,G.E. Scattering of light by an air bubble in water, 5=6965

Davis,G.L. See Aldrich,L.T., 6=8945

Davis,H. See also Beyen,W. 9=8031. Deatherage,B.H. 7=4923, 9=7713. Tasaki,I. 5=1418

Davis,H., Hoople,G.D. and Parrack,H.O. Hearing level, hearing loss, and threshold shift, 8=5568

Davis,H.F., Roberts,A. and Zipf,T.F. Search for the decay $\mu^+ \rightarrow e^+ + \gamma$, 9=11379

Davis,H.L. and Corson,D.R. Elastic photoproduction of π^0 mesons from deuterium at 270 MeV, 5=8254

Davis,H.M. See Wernick,J.H., 6=2534

Davis,H.S. How to choose and place mixes for high density concrete reactor shields, 5=8274

Davis,J. and Millns,P.Y. A method of sensitising curved glass plates, 9=11702

Davis,J.L., See Suhl,H., 6=1362

Davis,L. See also Biermann,L., 9=997

Davis,L., Lüst,R. and Schlüter,A. The structure of hydromagnetic shock waves. I. Non linear hydromagnetic waves in a cold plasma, 9=2522

Davis,L., Jr. Anisotropy of high-energy cosmic rays, 5=1031. Theories of interstellar polarization, 6=1796. Interplanetary magnetic fields and cosmic rays, 6=2217. Modified Fermi mechanism for the acceleration of cosmic rays, 6=2618. Fluid self-excited dynamo, 6=7542. Theories of interstellar polarization, 7=1010. Polarization of starlight: the torque on a nutating grain, 9=4204. The color dependence of the polarization of starlight, 9=4232. See also deMars,G.A. 5=5411. Statz,H. 5=5412, 6=2874, 7=5336, 7=7869

Davis,L.R., Caulk,H.M. and Johnson,C.Y. Primary cosmic-ray alpha particles and protons at $\lambda = 55°$N, 6=2219

Davis,L.W. See Weber,G., 7=2640

Davis,M. Ranges of low-energy electrons in protein, 5=4729. See also Calverley,A., 7=7527

Davis,M., Calverley,A. and Lever,R.F. Floating zone melting of solids by electron bombardment, 6=4132

Davis,M. and Lever,R.F. Vapor phase crystal growth of germanium from thermally decomposed germane, 6=9031

Davis,M.H. See also Bell,G.D., 9=10759, 9=12002. King,R.B. 5=5980

Davis,M.H., Routly,P.M. and King,R.B. Absolute 'f' values of Cr I and Cu I, 5=7828

Davis,M.V. Resonance absorption of neutrons by uranium cylinders, 7=5633. Resonance absorption of neutrons by thorium cylinders, 8=6149

Davis,M.V. and Hauser,D.T. Thermal-neutron data for the elements, 8=7252

Davis,P.F. An electrical analogue of magnetic domains, 7=7206. Domain processes and magnetic and thermomagnetic behaviour of a single crystal of silicon iron, 9=2490. An electrical analogue of magnetic domains, 9=3647. See also Bates,L.F., 7=1458, 8=237

Davis,R., Jr. Attempt to detect the antineutrinos from a nuclear reactor by the Cl^{37} ($\bar{\nu}$, e^-)A^{37} reaction, 5=3145

Davis,R.C. See also Bell,P.R. 5=8856. Kelley,G.G., 9=2551 Lazar,N.H., 6=5759

Davis,R.C., Bell,P.R., Kelley,G.G. and Lazar,N.H. Response of "total absorption" spectrometers to gamma rays, 9=2762

Davis,R.E. See Babcock,R.V., 9=12524. Goldberg,C., 6=5868, 7=3278. Wasserman,E., 9=8755.

Davis,R.H. See also Class,C.M., 9=13607. Gabbard,F., 9=7366. Schiffer,J.P., 7=2625, 8=2526 7=2625, 8=2526

Davis,R.H. and Divatia,A.S. Design and operation of evapor-ion pumps, 5=1594

Davis,R.H., Divatia,A.S., Lind,D.A. and Moffatt,R.D. Coulomb excitation of elements of medium and heavy mass, 7=688

Davis,R.J. See Armstrong,W.E., 8=3580, 8=4530

Davis,R.W. See Coon,J.H., 8=6333. Graves,E.R., 5=4076. Ribe,F.L., 5=9099

Davis,S.P. See Bitter,F., 5=1681. Harrison,G.R., 9=3355; Lindner,J.W., 9=182. Melissinos,A.C., 9=12619

Davis,T.P., Krolac,L.J. and Basso,J.A. Tungsten lamp source suitable for producing flash burns, 5=6072

Davis,T.P., Krolak,L.J., Blakney,R.M. and Pearse,H.E. Mofidication of the carbon arc searchlight for producing experimental flashburns, 5=661

Davis,T.W. See Hausman,E.A., 5=2281. Hochanadel,C.J., 7=9950

Davis,V.W. See Singh,J.J., 9=12628

Davis,W.C. See Holland,T.E., 8=5573

Davis,W.D. Silicon crystal counters, 8=2440. Lifetimes and capture cross sections in gold-doped silicon, 9=9631. See also Rourke,F.M., 9=8784

Davis,W.R. On "strong" and "quasi-strong" conservation laws of general covariant field theory and their general differential identities, 7=6861. Remark on the generalization of field theories and field quantities, 9=1040

Davison,B. Multilayer problems in the spherical harmonics method, 7=2912. Spherical-harmonics method for neutron-transport problems in cylindrical geometry, 7=8199. Spherical-harmonics method for neutron transport theory problems with incomplete symmetry, 8=2590. On the rate of the spherical-harmonics method for a sandwich reactor of small lattice pitch, 8=8360. On the rate of convergence of the spherical harmonics method in the Milne problem, 9=2115

Davison,B. and Mandl,M.E. On the neutron spectrum for $\underline{\nu}$-α absorption cross section, 5=1254

Davison,S., Goldblith,S.A. and Proctor,B.E. Glass dosimetry, 6=3968

Davison,W.H.T. A new infrared microcell, 5=4508

Davisson,J.W. A new aid to the determination of the point-group symmetry of transparent crystals, 6=7810. Directional breakdown effect in crystals, 9=7037. The determination of the crystallographic directions of paths in crystals, 9=7591. See also Zerfoss,S., 5=9229

Davoine,F. and Bernard,R. Effect of mechanical constraints on the secondary emission of polycrystalline metallic substances, 7=5395

Davy,N. See also Langton,N.H., 5=916-17. Peake,H.J., 6=2846

Davy,N. and Bell,B.M. An overall test of equations of state of fluids, 8=2876

Davydov,A. and Filippov,G. On the shape of even atomic nuclei, 9=7297

Davȳdov,A.S. Coupling between surface oscillations of the nucleus and single-nucleon excitation, 5=8985. See also Agranovich,V.M. 8=2582

Davȳdov,A.S. and Chaban,A.A. Rotational bands in even-even axially-symmetric nuclei, 8=2536

Davȳdov,A.S. and Filippov,G.F. On the problem of the scattering lengths of slow neutrons by deuterons, 7=3739. Quadrupole moments and zero-point oscillations of the surface of axially symmetrical nuclei, 7=9806. Collective excitation of even-even atomic nuclei, 8=1953. Moment of inertia of a system of interacting particles, 8=4750. Rotational states in even atomic nuclei, 9=1722. Magnetic transitions between collective excited states in even-even nuclei, 9=2700. Rotational states of non-axial nuclei, 9=2710

Davȳdov,A.S. and Lubchenko,A.F. Electromagnetic waves in a crystal in the region of exciton absorption, 9=12796

Davȳdov,A.S. and Mel'nichenko,D.M. On the second approximation in the problem of diffusion of slow neutrons by bound protons, 8=687

Davȳdov,A.S. and Murashkin,B.M. Collective excitations of odd non-spherical nuclei, 9=1723

Davydov,A.S. and Rostovsky,V.S. Relative transition probabilities between rotational levels of non-axial nuclei, 9=8520

Davȳdov,A.S. and Zaikin,D.A. On γ-vibrations of the surface of the atomic nucleus, 9=12613

Davȳdov,B.I. The reasons for thermodynamical irreversibility, 8=1665

Davȳdov,O.S. See also Davȳdov,A.S.

Davȳdov,O.S. and Lubchenko,A.F. Emission and absorption of light in molecular crystals due to the formation of localized excitations, 8=7500. Spectrum distribution of the intensity of emission and absorption of light by molecular crystals during formation of localized excitations, 8=7501. The shape of dispersion curves in molecular crystals which corresponds to localized excitations, 8=7502

Davydov,O.S. and Rashba,E.I. Light absorption in molecular crystals during weak interaction of excitons with phonons, 8=7503

Daw,A.N. See Deb,S., 9=1440

Dawes,J.G., Greenough,G.K. and Seager,J.S. The penetration of irregularly-shaped particles through an airborne-dust elutriator, 7=7444

Dawson,I.M. See Anderson,N.G., 5=4172

Dawson,J. See also Michels,A., 6=3697

Dawson,J. and Oberman,C. Oscillations of a finite cold plasma in strong magnetic field, 9=8252

Dawson,J.M. Nonlinear electron oscillations in a cold plasma, 9=4741. See also Berger,J.M., 9=358. Castle,B.J., 6=132, 6=4250. Jansen,L., 5=407

Dawson,L.M. See Jansen,J., 5=4832

Dawson,L.R. See Sears,P.G., 5=8346

Dawson,W.K. Energy and angular distributions of photoprotons produced by 70 MeV. X-rays, 7=3659

Dawson,W.K. and Livesey,D.L. The photodisintegration of oxygen nuclei into four alpha-particles, 6=3230

Dawson,W.K. and Sargent,B.W. Moving-plate camera for nuclear research, 7=7540

Dawton,R.H. See Harrison,E.R., 8=7126

Dawton,R.H.V.M. High vacuum shaft seals, flanged joints and the gassing and the permeability of rubber-like materials, 8=910

Dawton,R.H.V.M. and Wilkinson,K.L. Plutonium: Evaporation tests. Ionisation potential and electron emission, 7=316

Day,A.G. Further improvements to the vacuum torsion balance and sorption measurements on polystyrene, 5=5243

Day,E.A., Featherstone,R.P., Johnston,L.H., Lampi,E.E., Tucker,E.B. and Williams,J.H. Minnesota 10, 40, and 68 MeV proton linear accelerator, 8=5984

Day,G.A. Sublimation nuclei, 8=8516

Day,G.J. Some airborne observations of condensation nucleus concentration, 7=1803

Day,J.W. Summer physics program for talented high school students, 9=3083

Day,M.C.,Jr,Eakins,G.W. and Voigt,A.F. Disintegration schemes of the Te^{127} and Te^{129} ground states, 6=609

Day,M.C.,Jr. and Voigt,A.F. Decay of Sb^{127} and Sb^{129}, 6=3947

Day,M.J. The introduction of the rad in radiotherapy practice: a symposium. III. The use of the rad in clinical dosage, 7=984. See also Fowler,J.F., 6=3164

Day,P.P. Electromagnetic spectrum of Am^{241}, 5=3075. K-capture branch in Tm^{170}, 6=6112. See also Freedman,M.S., 8=8291. Porter,F.T., 9=10068. Primak,W., 6=9039

Day,R.B. Gamma rays from neutron inelastic scattering, 6=4614. See also Kloepper,R.M., 9=7308. Los Alamos Physics and Cryogenics Groups, 9=11478

Day,R.B., Mills,R.L., Perry,J.E.,Jr and Scherb,F. Total cross section for n−p scattering at 20 MeV, 9=7257

Day,T.B. and Morrison,P. Collisional de-excitation of μ-mesonic atoms, 8=362

Day,T.B. and Snow,G.A. Possible explanation of hyperfragment suppression in K^-−d reactions, 9=4986

Day,T.B., Snow,G.A. and Sucher,J. K^-, $\bar{K}^0$ relative parity and the K^-−d charge exchange reaction, 9=12589. Λ^0 and Σ^0 production from the (Σ^-, d) system, 9=12602. Supression of P-state capture in (K^-, p) atoms, 9=13732

Dayal,B. and Purushothaman,C. Equation of state of solids, 6=7364

Dayal,B. and Sharma,R.S. Inter-atomic force law and equation of state of solids, 6=1411

Dayhoff,E.S. Antiferromagnetic resonance in Cr_2O_3, 7=8013. Damping and the dispersion relations in antiferromagnetic resonance, 8=8872

Daykin,P.N. Electrode shapes for a cylindrical electron beam, 5=8049

Dayton,I.E. See also Schrank,G., 5=2171

Dayton,E.I. and Pettus,W.G. Effective cadmium cutoff energy, 8=5409

Dayton,I.E. and Schrank,G. Elastic scattering of 17-MeV protons by nuclei, 6=3206

Dazai,T. See Takemoto,S., 6=2408, 8=4314

d'Azambuja,M. The identification of sunspots by means of chromospheric faculae, 6=17. The east-west asymmetry in the formation of new sunspots, 6=1813. See also Michard,R., 5=2374-5

De,G.L. and Mahanti,P.C. A study of air absorption of some liquids, 5=3485

De,J. On the equilibrium configuration of magnetic stars, 6=7108. The analogue of Kelvin's theorem in hydromagnetics, 9=471. Stellar configuration with a toroidal magnetic field, 9=6469

De,M. A sensitive wave-front tilter, 5=4561. The influence of astigmatism on the response function of an optical system, 6=2769. An interference photometer for the measurement of amplitude distributions in diffraction patterns, 9=6785

De,M. and Nath,B.K. Response of optical systems suffering from primary coma, 9=3257

Deacon,E.L. The second purple light, 7=2866

Deacon,E.L. and Samuel,D.R. A linear, temperature compensated hot-wire anemometer, 7=4033

Deacon,E.L., Sheppard,P.A. and Webb,E.K. Wind profiles over the sea and the drag at the sea surface, 7=5766

Deacon,R.F. and Goodman,J.F. Lubrication by lamellar solids, 8=821

De Agostino,E. See Beneventano,M., 9=8415

Deakins,G.E. and Crain,C.M. Recording decay of electron density on ionized gases, 7=496

Deal,O.E. See Holzer,R.E., 6=5567

Deal,W.E. Measurement of Chapman−Jouguet pressure for explosives, 8=1356. Shock Hugoniot of air, 8=2193. Measurement of the reflected shock Hugoniot and isentrope for explosive reaction products, 9=4383

de Alemany,J. Catalá. See Catalá de Alemany,J.

De Alfaro,V. On the inversion problem for a Klein−Gordon wave equation, 9=2093. See also Bosco,B., 9=9947, 9=12546

De Alfaro,V. and Stroffolini,R. Multiple scattering corrections in π−deuteron scattering, 9=9982

de Almeida,I.G. See also Almeide,I.G., Marquez,L., 9=9090

Dean,C. Zeeman splitting of nuclear quadrupole resonances, 5=1095. Chlorine nuclear quadrupole resonances in solid solutions, 6=528. Simple Schrödinger wave functions which simulate classical radiating systems, 9=4287

Dean,C. and Lindstrand,E. Polymorphism of para-dichlorobenzene, 7=907

Dean,C. and Pollak,M. Suppressing side-band interference in superregenerative r.f. spectrometers, 9=511

Dean,D.E. Using the snooperscope with the spectrometer, 6=1958

Dean,J.W. See Brown,E.H., 8=5855

Dean,P. On disordered one-dimensional crystals, 9=7493. See also Eisenschitz,R., 8=71

de Andrés,M.P. See Jellinghaus,W., 9=3433

de Aránzazu Vigón,M. Effect of orientation on the activity of neutron probes, 5=6535

Dearborn,E.F. See Nielsen,J.W., 9=8990

Dearing,B.E. See Niedrach,L.W., 8=5506

Dearman,H.H. See McConnell,H.M., 9=747

Dearnaley,G. The elastic scattering of protons by light elements, 7=2636. The elastic scattering of protons by fluorine, 7=6549

Dearnaley,G., Dissanaike,G.A., French,A.P. and Jones,G.L. Study of B^{11}+p reactions, 8=1255

Deas,H.D. The bond lengths of unsaturated hydrocarbons, 5=6373

Deas,P.J. See Burnett,G.M. 5=5035

Deatherage,B.H., Bilger,R.C. and Eldredge,D.H. Remote masking in selected frequency regions, 7=8338

Deatherage,B.H., Davis,H. and Eldredge,D.H. Physiological evidence for the masking of low frequencies by high, 7=4923. Latency of action potentials in the cochlea of the guinea pig, 9=7713

Deatherage,B.H. and Hirsh,I.J. Auditory localization of clicks, 9=7705

Deaton,W.M. See Brandt,L.W., 7=987

Deb,S. and Daw,A.N. On the lifetime and diffusion constant of the injected carriers and the emitter efficiency of a junction transistor, 9=1440

Deb,S. and Goswami,S.N. The effect of a uniform magnetic field on electrodeless discharge in a tube and measurement of electronic mobility, 7=5362

de Beaulieu,C. Relation between the X-ray diffraction diagram and the micrographic appearance of a polygonized crystal of aluminium, 5=4123

de Beauregard,O. Costa. See Costa de Beauregard,O.

Debeauvais,M., Picciotto,E. and Wilgain,S. Stopping of diffusion of radioelements in nuclear emulsion by exposure to low temperature, 8=2446

Debeauvais-Wack,M. The latent image in nuclear emulsions at low temperatures, 9=13998

de Beer,J. See Cranshaw,T.E., 8=3211

de Beer,J.F. See Cranshaw,T.E., 7=8676, 9=377. See Porter,N.A., 9=378

de Belatini,P. Fundamental quantities in electromagnetism, 5=7664. The asymmetry of the Maxwell equations, 7=3461. Electrodielectric induction, 9=1594

DeBell,A.G. See Simmons,F.S., 8=8736, 9=9561. White,J.U., 5=2560, 7=5981

de Ben,H.S. See Deslattes,R.D., 9=12349

Debenedetti,A. On the mechanical activation of thermoluminescence in calcite, 8=3898. See also Bisi,V., 9=2646, 9=7285. Cester,R., 8=1761

Debenedetti,A., Garelli,C.M., Tallone,L. and Vigone,M. An unstable fragment and a positive τ-meson emitted in a nuclear disintegration, 5=548. A negative hyperon decaying in flight, 5=3218. Detailed analysis and discussion of two narrow showers of pairs of charged particles, 5=9740. Two examples of a star emitting two heavy unstable particles, 5=9946. A high energy nuclear interaction, 7=3413. A study on electromagnetic showers in nuclear emulsions, 7=3414

Debenedetti,A., Garelli,C.M., Tallone,L., Vigone,M. and Wataghin,G. On narrow showers of pairs of charged particles, 5=2841. A high energy shower, 6=5196

Debenedetti,S. See also Bernardini,M., 8=4302, 8=7342. Colombino,P., 8=6128; Lang,G., 5=9063, 8=1838. McGervey,J., 9=8446. Stearns,M. 5=545, 5=2087, 5=3981. Sugarman,R. 6=4479

De Benedetti,S., Farinelli,U., Ferrero,F., Malvano,R., Pelli,G. and Tribuno,C. A short lived isomeric state of ^{208}Bi, 8=731

Deberdeiyev,M.U. See Bogomolov,C.S., 9=14000

deBethune,A.J. Recalculation of the Latimer, Pitzer, and Slansky absolute electrode potential–a discussion of its operational significance, 8=9166

deBethune,A.J. and Perez,J.J. Dimensional symmetry of electrical and magnetic quantities in the unrationalized MKS system of units, 7=3224

Debever,R. On Riemannian four-dimensional spaces with totally degenerate curvature, 7=6800. Metrical connections for non-singular electromagnetic fields in vacuo, 9=3112. See also Géhéniau,J., 7=6802

Debever,R. and Géhéniau,J. On Langevin's formulation of the concepts and laws of the electromagnetic field, 5=7203

De Bitetto,D.J. See also du Pré,F.K., 8=7179. Rose,D.J., 6=6744

DeBitetto,D.J. and Fisher,L.H. Townsend ionization coefficients and uniform field breakdown in hydrogen and nitrogen at high pressures, 7=2364. Second Townsend coefficient in oxygen at high pressures, 9=1560

DeBlois,R.W. Domain wall motion in metals, 9=2488

DeBlois,R.W. and Graham,C.D., Jr. Domain observations on iron whiskers, 9=458-9

De Bock,A. See De Smedt,J., 7=5901, 7=5908

de Boer,A.G., Kley,J. and Makkink,J.H. Control and measurement of an ion source of a pressure insulated Van de Graaff generator, 6=8247

de Boer,E. Hyperfine structure and electron densities in aromatic free radicals, 7=590. Pitch of inharmonic signals, 7=2902. Acoustic interaction in vented loudspeaker enclosures, 9=9334. See also Weissman,S.I., 7=5514, 7=6662

de Boer,J. Cell-cluster theory for the liquid state. I, 5=782. Quantum properties of the condensed state, 5=9391. Quantum theory of transport phenomena, 5=9391. Quantum properties of the condensed state, 5=9465. Liquid helium as a quantum liquid, 9=2270. See also Cohen,E.G.D. 5=9466, 6=5726, 7=1124, 7=8449. Hijmans,J., 5=7715-17, 6=5704. Martin,M., 9=6058. Salsburg,Z.W., 7=8448

de Boer,J. and Cohen,E.G.D. Influence of symmetry effects on the thermal excitations of liquid ^{3}He and ^{4}He, 5=4592

de Boer,J., Martin,M. and Marmier,P. Gamma angular distribution for electrical excitation of deformed odd–even nuclei, 9=13647

de Boer,J.B. Brightness meter for street lighting, 6=174

de Boer,J.H. and Kruyer,S. Entropy and mobility of adsorbed molecules, VI. Polar gases on charcoal, 5=4155

de Boer,T.J. See Hamers,H.C., 6=5964, 7=8674, 8=3331

de Bollini,S.P. Levy. See Levy de Bollini,S.P.

Debons,A. See Baker,C.A., 6=6276

de Borde,A.H. The effect of radiative corrections on a charged spin 1/2 particle in a constant magnetic field, 5=4361. See also Burton,W.K. 5=9414, 6=7959, 7=8374. Chisholm,J.S.R. 5=7712

de Borde, A.H. and Massey,H.S.W. The collisions of nucleons with deuterons, 5=8512

Debot,F. On the magnetic birefringence of tobacco mosaic virus, 5=8373. Structure of aqueous solutions of halides of zinc and cadmium, 6=121

Debot,R. The area law in granularity. Theoretical considerations. II. Syzygial measurement arithmetic mean diffraction correction, 5=4263

De Bremaecker,J.C. Ferro- and ferrimagnetism, a proposed nomençlature, 6=5205

deBretteville,A.P. See Brill,R., 6=3380

de Briones Viejobueno,J.L. Integrating ionization chambers, 9=2550

de Broglie,L. Justification, from the point of view of the theory of the double solution, of wave mechanics of systems in configuration space, 5=74. A new demonstration of the pilot wave formula in the theory of the double solution, 5=1550. Is a new interpretation of wave mechanics possible?, 5=2437. Well-behaved wave functions and wave functions with a singular region in wave mechanics, 5=9441. Illustration of the theory of the double solution by an example of the form of the singular wave-functions, 7=1919. The significance of $|\Psi|^2$ for stationary states in the causal interpretation of wave mechanics, 7=1920. Interference and diffraction fringes in electron optics: Fresnel diffraction, Young's pinholes, Fresnel biprism. Remarks, 7=5378. Attempt to relate the Heisenberg equation and the equation of the wave u in the theory of the double solution, 8=5611. Physics and metaphysics, 8=6612. On particle nomenclature, 9=44

de Broglie,L. and Andrade e Silva,J. New ideas about systems of particles in the casual interpretation of wave mechanics, 7=3979

Debrunner,P., Heer,E., Kündig,W. and Rüetschi,R. Level scheme of Ta^{181}, 9=7318

Debrunner,P., Heer,E. and Rüetschi,R. A method for the analysis of complicated nuclear spectra with the help of directional correlation, 6=3967

de Bruyn,H. See Went,J.J., 5=530

Debs,R.J. See also Halpern,I., 5=6465

Debs,R.J., Eisinger,J.T., Fairhall,A.W. Halpern,I. and Richter,H.G. Yields of photonuclear reactions with 320-MeV X-rays. I. Experimental results, 5=4067

Debye,P. Angular dissymmetry of the critical opalescence in liquid mixtures, 9=12073

Debye,P., Anderson,H.R., Jr and Brumberger,H. Scattering by an inhomogeneous solid. II. The correlation function and its application, 8=6433

Debye,P. and Cleland,R.L. Flow of liquid hydrocarbons in porous Vycor, 9=7832

Debye,P. and Daen,J. Stability considerations on nonviscous jets exhibiting surface or body tension, 9=10658

Décamps,E. See Hadni,A., 9=9524

de Carvalho,A.A. Pires. See Pires de Carvalho,A.A.

de Carvalho,A.P. Study of the recombination process in tellurium, 7=4352. On the band structure of tellurium, 9=8826

de Carvalho,H.G. Total cross sections of 208-MeV and 315-MeV protons for light elements, 5=332

de Carvalho,H.G. and Friedman,J.I. Range of 208 ± 4-MeV protons in G5 nuclear emulsion, 5=4741

de Carvalho,H.G., Marshall,J. and Marshall,L. Polarization of protons by scattering from beryllium, 5=1185

de Casteljau,P. de Faget. See de Faget de Casteljau,P.

Decius,J.C. N^{15} isotope shift of the perpendicular bending frequency in KNO$_3$ and NaNO$_3$, 5=2933. Intermolecular coupling of the out-of-plane bending mode in several carbonates, 5=2934. Coupling of the out-of-plane bending mode in mitrates and carbonates of the aragonite structure, 5=8965. See also Maki,A., 8=5783, 9=12045; Steele,W.C., 7=2032

Decker,B.F. and Kasper,J.S. The crystal structure of a simple rhombohedral form of boron, 9=10370. See also Hake,R.R., 7=4376, 9=3508

Decker,D.L., Mapother,D.E. and Shaw,R.W. Critical field measurements on superconducting lead isotopes, 9=4620

Decker,L. See also Pollack,I., 9=6658

Decker,L. and Pollack,I. Confidence ratings and message reception for filtered speech, 9=968

Decker,L.R. See also Pollack,I., 8=9196, 9=1977

Decker,L.R. and Pickett,J.M. Visual indication of speech as an aid to hearing it in noise and babble, 7=7699

Decker,L.R. and Pollack,I. Multiple observers, message reception and rating scales, 9=13979

Decker,M.T. Transmission and reflection by a parallel wire grid, 9=12511

Decker,R.W. All-glass valves for use in obtaining ultra high vacua, 5=1591
Decker,R.W. and Stebbins,D.W. Photoelectric work functions of the borides of lanthanum, praseodymium, and neodymium, 5=7969
Deckers,J. and Van Tiggelen,A. Ion identification in flames by mass spectrometry, 8=3942
Deconninck,G. and Martegani,A. Time-of-flight selector [spectrometer] for 14 MeV neutrons [from T(d, n)He^4], 9=11330
de Coulon,G. and Zweifel,P.F. Note on the thermal neutron spectrum in a diffusing medium, 9=11372
De Croës,M. See Jones,A., 9=3873
de Dominicis,C. See also Bloch,C., 8=7701, 9=6503, 11818
DeDominicis,C. and Martin,P.C. Energy of interacting Fermi systems, 7=5049. Saturation of nuclear forces, 7=5067
De Dominicis,C.T. See Brown,G.E., 7=8420, 8422, 8=5256, 9=8561
Dedov,V.B. See Kondrat'yev,L.N., 9=10058; Yakovlev,G.N., 8=3542
Dedrick,K.G. Deuteron-model calculation of the high-energy nuclear photoeffect, 6=664
Deeds,W.E. Frequency-linear drive for spectrographic recorder, 7=229
Deeg,E. The effect of ageing on the internal friction of plate glass and a temperature anomaly in the internal friction of quartz glass, 7=8222. See also Dietzel,A., 5=4119
Deeg,E. and Huber,O. Dielectric behaviour of various clays in relation to their water content, measured at decimetre wavelengths, 6=1191
Deeley,C.W., Woodward,A.E. and Sauer,J.A. Effect of irradiation of dynamic mechanical properties of 6-6 nylon, 8=6448. Dynamic mechanical behavior of irradiated polyethylene, 9=5190
Deeley,E.M. An integrating microdensitometer for biological cells, 5=7566
Deev,Yu.S. See Krongauz,A.N., 8=1706
Deevey,E.S. See Preston,R.S., 6=2568
de Faget de Casteljau,P. and Friedel,J. Study of the resistivity and thermoelectric power of dissolved impurities in the noble metals, 6=2856
Defay,R. Arbitrary choice of the dividing surface in capillary layers not in equilbrium, 5=5253, II, 5=8539
Defay,R. and Hommelen,J.R. Measurement of dynamic surface tensions of aqueous solutions by the oscillating jet method, 9=2132
de Feiter,L.D. See Fokker,A.D., 6=6304
de Fériet,J.Kampé. See Kampé de Fériet,J.
De Feyfer,G.D. See Aten,A.H.W.,Jr, 5=9033, 6=3936
Deffontaines,E. See Ségard,N., 9=2245, 3252
de Figueiredo,R.P. See also Mazari,M., 8=7365
de Figueiredo,R.P., Mazari,M. and Buechner,W.W. Excited states of Cu^{64} and Cu^{66}, 9=4977
Defrain,A. See also Erny,M., 7=2738
Defrain,A. and Epelboin,I. A dilatometric study of gallium at atmospheric pressure, 9=12176
De Franceschi,L. See Daddi,L., 8=3275, 9=8407
Degano,U. See Barducci,I., 8=6780
de Geijn,J.van. See van de Geijn,J.
Degeilh,A. See Blanc,D., 9=9711, 8=8062
Degenhard,W. and Möllenstedt,G. A miniature shadowing apparatus for increasing the contrast in electron microscope specimens, 9=4068
de Gennes,P.G. Isotope separation by the passage of an [electric] current through a molten metal, 7=637. The calculation of primary excitations in magnetic substances, 7=5447. Inelastic scattering of neutrons by paramagnetic media, 7=7440, Inelastic magnetic scattering of neutrons at high temperatures, 9=2599, On the properties of the rare-earth metals, 9=3631. Note on the correlations in a compressed gas, 9=5426. Neutron scattering by antiferromagnets above the Néel point, 9=8325. Nuclear relaxation in ionic crystals, 9=8358. See also Ericson,M., 9=4783
de Gennes,P.G. and Friedel,J. Anomalous resistivity of certain magnetic metals, 8=5864
de Gennes,P.G. and Herpin,A. Spatial correlations in a ferromagnetic near the Curie point, 7=2397
De Graaf,A.M. See van Gelder,A.P., 9=11291
DeGraaf,D.E. and Sutherland,G.B.B.M. Vibrational spectrum of N-methyl formamide, 7=5196
de Graaff,W. See Michels,A., 5=2481, 7=8570, 9=111
Degras,D.A. The measurement of the speed of vacuum pumps, 9=7857
Degras,D.A. and Andrieux,P. A new thermistor micromanometer, 9=13074
De Grasse,R.W. See Geusic,J.E., 9=9826
Degregori,I. See Colombino,P., 8=6128
de Greve,L. See van Itterbeek,A., 5=5510
Degrois,M. Study of a detector of ultrasonic energy, 5=3521. Qualitative observations of cavitation bubbles in a liquid subjected to ultrasound and a variable gas pressure, 8=6692. See also Busnel,R., 5=6843
de Groot,D.G. See Winkel,P., 9=3418
de Groot,M.S. and Lamb,J. Ultrasonic relaxation in unsaturated aldehydes, 6=8053
de Groot,S.R. Thermodynamics of irreversible processes and generalizations of Onsager's relations, 5=910. See also Hartogh,C.D., 5=4908, 5622; Hooyman,G.J., 5=3704, 5910, 6097; Kluitenberg,G.A., 5=4613-14; Mazur,P., 6=8285; Tolhoek,H.A., 5=9880
de Groot,S.R. and Mazur,P. On the statistical basis of Onsager's reciprocal relations, 7=8438
de Groot,S.R. and Tolhoek,H.A. K-mesons, 7=9403
de Groot,S.R. and van Kampen,N.G. On the derivation of reciprocal relations between irreversible processes, 5=3466
de Groot,T. Short time transients in solar noise, 7=9501. Duration and band-width of short-lived transients in solar noise, 8=7650
Degteva,L.V. See Vertsner,V.N., 8=3903
Degtyarev,I.F. See Kirenskii,L.V., 9=2515
Degtyarev,Yu.G., Zhdanov,A.P. and Lukirskiĭ,P.I. Nuclear disintegration of a heavy meson, 7=2686
de Haan,E.F. See also Huijer,P., 5=8861
de Haan,E.F., Huijer,P. and Jonker,C.C. The resolving time of the Rossi-circuit, 5=8860
de Haan,E.F. and Sizoo,G.J. A semi-circular beta-ray spectrometer for beta-gamma coincidence measurements, 6=2925
de Haan,E.F., Sizoo,G.J. and Kramer,P. Beta-gamma coincidence spectrum of the ux-complex, 6=3153
DeHaan,R.L. See Whalen,W.J., 6=3397
de Haan,Y.M. The crystal structure of gamma-sulfur, 9=9030
de Haas,E. See Sluyters,T.J.M., 8=6798
de Heer,F.J., Huizenga,W. and Kistemaker,J. Charge exchange and ionization cross section determination for positive ions and atoms in the energy region 2·5 to 25 keV, 7=4491 Some experiments on electron capture, electron loss and ionization, 7=8688
de Hemptinne, M. See Dibeler,V.H., 5=1343. Macq,P.C., 7=6503
de Henau, A. See Roy,R.R., 7=9324
Dehlinger, U. On cold hardening, 5=6559. Mechanisms of nucleus formation in crystals, 8=7592. See also Schenk,H., 6=8487
Dehlinger, U., Diehl, J. and Meissner, J. The plastic flow law for polycrystalline metals, 6=4704
Dehmelt,H.G. Atomic phosphorus paramagnetic resonance experiment employing universal dissociator, 5=8082 Paramagnetic resonance reorientation of atoms and ions aligned by electron impact, 7=1520. Slow spin relaxation of optically polarized sodium atoms, 7=6470. Modulation of a light beam by precessing absorbing atoms, 7=7317. Nuclear quadrupole resonance in solids, 8=5451. Spin resonance of free electrons polarized by exchange collisions, 8=9076
Dehn, R., A new method for the measurement of rapid fluctuations of temperature, 6=5051
de Hoffmann, F. See Bethe, H.A., 6=2656
de Hoop A.T. On the scalar diffraction by a circular aperture in an infinite plane screen, 5=1068. On integrals occurring in the variational formulation of diffraction problems, 7=3173. Variational formulation of two-dimensional diffraction problems with application to diffraction by a slit, 7=3174. On the plane-wave extinction cross-section of an obstacle, 9=11288. See also Schouten, J.P., 8=243
Dehors, R. and Garde, L. An improvement in the method of tracing loops with an Iliovici permeameter, 6=3841
de Hulst, H.C. van. See van de Hulst, H.C.
Deichsel, H. See Brinkmann, E., 9=12359
Deĭgen, M.F. Theory of local states of an electron in an isotropic homopolar crystal, 7=2813. [Contribution to the] theory of impurity centres in anisotropic homopolar crystals, 8=972. Theory of paramagnetic resonance of F-centres in ionic crystals, 8=2036. See also Glinchuk, M.D., 9=8852. Vinetskii, V.L., 9=9468
Deĭgen, M.F., Dȳkman, I.M. and Tolpȳgo, K.B., All Union All-Union Conference on the Theory of Semiconductors, 8=7907
Deĭgen,M.F. and Pekar,S.I. Hyperfine interaction and electron spin resonance in polarons and excitons, 8=8430

Deĭgen, M.F. and Roitsin,A.B. Paramagnetic resonance of F-centres in static magnetic fields of arbitrary strength, 9=13794

Deigen, M.F. and Shul'man,L.A. A theory of electron-spin resonance of F-centres in ionic crystals (continuous model of an F-centre —"smoothed functions"), 9=8860

Deĭgen,M.F. and Tsvirko,Yu.A. On the theory of electronic processes in metal—ammonium solutions, 8=6707

Deĭgen, M.F. and Vinetskiĭ,V.L. Quantum states and optical transistions of the F_2^+-centre electron, 7=6703. Interaction between current carriers and F-centres with acoustical vibrations of ionic crystal lattices, 8=2661

Deĭgen,M.F. and Zevin,V.Ya. Dependence of the hyperfine structure of F-centres on the orientation of the crystal in an external magnetic field, 8=8448

Deĭhen,M.F., Demȳdenko, O.A. and Chkhartȳshvili, Yu. V. The theory of F-centres in mixed crystals, 8=8447

Deimel, E. See Herglotz, H., 6=6682

Deĭneka,P.G. See Yuzhakov, V.M., 7=2825

Deĭneko,A.S., Taranov, A.Ya. and Val'ter, A.K. Measurement of the $C^{12}(p, \gamma)$ and C^{12} (d,n) effective cross-sections for low-energy bombarding particles, 7=6556

Deirmendjian, D. Theory of the solar aureole. I. Scattering and radiative transfer, 8=6556. Temperature dependence of the Rayleigh scattering coefficient in the atmosphere, 9=9087

Deirmendjian, D. and Sekera, Z. The global radiation in a Rayleigh atmosphere, 5=5143. Global radiation resulting from multiple scattering in a Rayleigh atmosphere, 5=5789. Atmospheric turbidity and the transmission of ultraviolet sunlight, 6=7891

Deisler, P.F., Jr., McHenry, K.W., Jr. and Wilhelm, R.H. Rapid gas analyzer using ionization by alpha particles, 6=776

Deissler, R.G. On the decay of homogeneous turbulence before the final period, 8=2837

Deitz, G.W. See Wallace, J.D., 7=4925

Deitz, G.W., III. See Wallace, J.D., 9=7898

de Jager, C. On the influence of temperature inhomogeneities in the solar photosphere on the profiles of the hydrogen lines; with special reference to $H\alpha$, 5=6747. The capture of zodiacal dust by the earth, 6=1812. The distribution of Ly-α radiation over the solar disk, 6=6318. The ultraviolet and X-ray spectrum of the sun, 7=1027

de Jager,C., Migeotte, M. and Neven, L. The profile of the Brackett alpha line in the solar spectrum, 7=39

Déjardin, D., Mesnard,G. and Uzan, R. Pulsed thermionic emission from thoria cathodes, 7=6309

Déjardin,G., Mesnard,G. and Dolce, A. Rectification effects at contacts between germanium and an electrolyte, 8=4015

de Jong, J.J., Smeets, J.M.G. and Haanstra, H.B. Some results of an electron microscopical study of the metallographic structure of two alloys for permanent magnets (Ticonal G and Ticonal X), 8=9149

De Jonge, B.R. See Misrahy, G.A., 9=1968

De Juren, J, and Chin, J. Manganese thermal neutron activation cross section, 5=8258. Absolute calibration of the National Bureau of Standards photoneutron standard. II. Absorption in manganese sulfate, 6=6941

De Juren, J., Padgett,D.W. and Curtiss, L.F. Absolute calibration of the National Bureau of Standards photoneutron standard. I. 6=4023

Dekartova, N.V. See Rozhanskiĭ,V.N., 8=4525, 9=8936

De Kerf, J.L.F. Accuracy of tristimulus computations, 8=3012, 9=9538. Dye-mixture analysis with an electronic calculating punch, 9=4497

Dekeyser, W. Crystal growth and lattice defects, 5=5704. See also Aerts, E., 9=4042. Amelinckx, S., 7=5730, 8=1365, 8=7507, 9=4016. Boesman, E., 6=9040, 8=2969. Bontinck, W., 7=3830, 6=7018-19. Maehout-van der Vorst,W., 7=8939 8=6416. Remaut,G., 8=5489. Van der Vorst,W., 7=4171. Van Keymeullen, J., 8=1670;

Dekhtyar,I.Ya. Diffusion parameters and X-ray absorption spectra in alloys, 7=776. On the states of atoms in alloys of the transition elements, 8=3397. Defects of crystal structure and certain properties of metals and alloys, 8=5479

Dekhtyar, M.V. The antiferromagnetic orientation of magnetic moments in the alloy Ni_3Fe, 9=11229

Dekker, A.J. On the escape mechanism of secondary electrons from insulators, 5=3826. The possible occurrence of exciton-enhanced secondary emission, 6=5916. Note on the magnetic susceptibility of dilute Cu–Mn alloys, 9=445. See also Lye, R.G., 7=9237. Soshea, R.W., 9=1876

Dekker, A.O. See Schultz, R.D., 6=1158

De Kleine, E.H. Quantitative evaluation of color perception: an hypothesis, 8=9190

de Klerk, D. See also Beun, J.A., 5=9777, 6=3017

de Klerk, D. and Hudson, R.P. Installation for adiabatic demagnetization experiments at the National Bureau of Standards, 5=900

de Klerk, J. Ultrasonic wave propagation in a nickel single crystal, 9=6628. See also Granato, A., 8=2188; Truell, R., 8=5490

de Klerk, J. and Musgrave, M.J.P. Internal conical refraction of transverse elastic waves in a cubic crystal, 5=2525

Dekleva, J. and Peterlin, A. Improved resolving power of the rf mass spectrometer by changing the signal shape, 5=6230

Dekleva, J. and Ribarič, M. Some design data for a nonmagnetic radio-frequency mass spectrometer, 7=6280

de Kluiver, H. See Michels, A., 7=8510, 8=2953, 8=3160, 8=7799

de Laboulaye, H. and Barreau, P. A detector system with circular symmetry for the automatic control of a Wilson chamber, 5=3845

de Laboulaye, H. and Beydon, J. Study of the reaction $Ag^{109}(\gamma,\alpha)Rh^{105}$, 5=519

De Lacoste and Salmon, J. A study of a high-frequency ion source, 9=7088

de la Cuadra, M. See Catalá, J. 5=9162, 7=3674, 8=8270, 9=3902, 9=5046. Senent, F., 7=4463

de Laet, L. See van Gerven, L., 9=8334

de Laet, W. See van Itterbeek, A., 8=3043

de la Gandara, M.J. Otera. See Otera de la Gandara, M.J.

de la Garanderie H.P. and Curie,D. The emission spectrum of copper-activated zinc sulphide in the region of partial thermal quenching, 9=12111

de la Guéronnière, E. See Henry, R., 7=8921

Delahay, P. Applications of voltammetry at constant current in chemical kinetics, 5=5033. See also Berzins, T. 5=6575, 6=4720, Rüetschi, P. 5=3225, 5=5043, 5=5693, 5=8211

Delahay, P. and Mamantov, G. Voltammetry at constant current. Review of theoretical principles, 5=7481

Delain, C. See Chapelle, J., 7=5224

Deland, E.C. See Lance, G.N. 5=2460

Delaney, R.M. See Breen, R.J., 7=3762

de Lang, H. Compensation of aberrations caused by oblique plane-parallel plates, 7=7715

de Lange Dzn, H. Research into the dynamic nature of the human fovea—cortex systems with intermittent and modulated light. I. Attenuation characteristics with white and colored light, 9=3019; II. Phase shift in brightness and delay in color perception, 9=3020

Delannoy, J. See also Barbier, D., 9=1960

Delannoy, J., Denisse, J.F., Le Roux, E. and Morlet, B. Absolute measurements of weak flux densities of 900 Mc/s radiation, 8=4632

Delannoy, J. and Weill, G. Observation of a new twilight atmospheric emission line, 9=1959

De Lany, B.P. See Copeland, P.L., 5=8794

de la Ripelle, M. Fabre. See Fabre de la Ripelle, M.

de Lattre, A. See D'Hont, M., 7=6481

Delattre, P. Unreleased velar plosives after back-rounded vowels, 8=6783

Delattre, P.C. See also Harris K.S., 8=8660

Delattre, P.C., Liberman, A.M. and Cooper, F.S. Acoustic loci and transitional cues for consonants, 5=7796

de Launay, J. Lattice dynamics of body-centered and face-centered cubic metallic elements. II, 5=621. II. Cubic invariant polynomials, 7=6700. Debye characteristic temperature at 0°K of certain cubic crystals, 6=5521. II, 9=6264

Delaval, A. See Guillot, M., 9=12909

Delavault, H. On the solution of Maxwell's equations in cylindrical coordinates by means of the Laplace transform and the finite Fourier and Hankel transforms, 7=7236

de la Vega, M.A. See Vigon, M.T., 5=577, 6=4139

De La Vergne, L. See Attix, F.H., 5=3842, 5=5474, 5=6003

Delbecq, C.J. See also Primak, W., 5=9246

Delbecq, C.J., Ramler, W.J., Rocklin, S.R. and Yuster, P.H. Crystal technique for measuring cyclotron beam energies, 5=8027

Delbecq, C.J., Smaller, B. and Yuster, P.H. Paramagnetic resonance investigation of irradiated KCl crystals containing U-centers, 7=2808. Optical absorption of Cl_2^- molecule-ions in irradiated potassium chloride, 9=3303

Delbecq, C.J. and Yuster, P.H. Proposed mechanism for the conversion of U-centers to F-centers below 90°K, 7=2829

Delbouille, L. Structure of the hexafluorobenzene molecule, 6=8916

Del Campo, A.R. Tippe top (Topsy-turnee top) continued, 6=2704

Delcourt,Y. See Bousquet,P., 7=8545
Delcroix,J.L. See also Arsac,A., 9=4362. Bayet,M., 5=2776, 5=7078, 5=7080, 7=4398, 7=6304-5, 7=6944. Breton,D., 7=9725 Brin,A., 9=11161. Coste,J., 6=2719, 6=3862
Delcroix,J.L. and Yvon,J. Study of the macroscopic growth of graphite under irradiation, 6=4032
Del Duca,M., Yeager,E., Davies,M.O. and Hovorka,F. Isotopic techniques in the study of the sonochemical formation of hydrogen peroxide, 8=2700
de León,J, Montes Ponce. See Montes Ponce de León,J.
Delesalle,J. A contribution to the study of internal conversion in the L-subshells using a semi-circular magnetic spectrograph with pre- and post-acceleration, 9=5028
Delfosse,J. See Vervier,J., 9=5064
Delfosse,J.M. Precise measurement of radioactive isotope masses by mass spectrography, 5=8177. See also Szücs,S., 9=13594
Delibrias,G. See also Labeyrie,J., 6=5339
Delibrias and Perquis,M.T. Anomalous intensity increase observed at Saclay on February 23rd, 1956, 6=5197
De Lise,D.A. See Barkas,W.H. 9=11396
Dell,G.F. See Lackner,H.A., 9=8581
Dell,H.A. Stages in the development of an arrested scan type microscopic particle counter, 5=1276
Dell,R.M. See Reynolds,W.N., 8=1691
Della Corte,M. Photometric analysis of the tracks in nuclear emulsions, I. Experimental arrangement, 7=3889. See also Bizzeti,P.G., 8=1148, 9=2558, 9=5979. Ferretti,L., 7=8878
Della,M. Corte, Fazzini,T.F. and Sona,A.M. Inelastic scattering of π-mesons on carbon, 6=4632
Dell'Antonio,G. and Duimio,F. On the Ruijgrok–van Hove model, 8=876
Dell'Antonio,G.F. and Duimio,F. On the relation between the Lee model and ordinary meson theory, 7=8411
Dell'Antonio,G.F. and Gulmanelli,P. On the locality of the β-interaction, 8=2139. Asymptotic conditions in quantum field theories, 9=6511
Della Pergola,G. Conductivity and Hall effect in semiconductors. 6=7403. See also Andresciani,V., 8=5876
Della Pergola,G. and Sette,D. On the modes of action of chemical etches on germanium monocrystals, 6=2537
Della Pergola,G.C. and Sette,D. Mass ratio and magnetoresistance in N-type germanium, 7=2220. Galvanomagnetic effects in germanium, 7=8620
Della Rocca,C. See Massimilla,L., 9=9295
Dellis,A.N. The measurement of electron temperatures by microwave methods, 7=9211. See also Collington,D.J., 6=557. Thonemann,P.C., 8=773
Delman,G. See Cassignol,C., 9=3966
Delmau,J.J. and Béné,G.J. Broadening proton resonances in natural crude oils, 9=9834
DeLoach,B.C. and Shaffer,W.H. Note on vibrations of linear chains of particles, 6=5274
Delobeau,F. Lunar tides in the ionospheric F$_2$-layer above Dakar, 5=3320. A new representation of the longitude effect in the ionospheric F$_2$ layer, 6=826. See also Bibl,K., 5=3318
Delobeau,F. and Gallet,R. The anomalous amplitude of seasonal effects in the equatorial ionosphere and the structure of the high atmosphere, 5=2337
Delobeau,F. and Suchy,K. Ionospheric absorption at Dakar, 7=1778
Deloff,A. The longitudinal polarization of electrons in once forbidden β transitions, 9=624. The Coulomb effect in β decay, 9=625
Deloff,A. and Gajewski,R. Angular distribution of high-energy bremsstrahlung, 9=3720. Muon depolarization in high energy muon–electron scattering, 9=12573
Deloffre,L., Pierre,E. and Roig,J. The photodianode: modulation of the differential current by an alternating magnetic field, 6=2889
Delone,N.B. See Aleksandrov,Yu.A., 8=1976*
Delorme,C. On certain compounds of the M$_2$O$_3$-Cu$_2$O type, 6=8479
Delorme,P. See Hadni,A., 9=9524
Deloupy,C. See also Vergnoux,A.M., 7=5983
Deloupy,C., Vergnoux,A.M. and Rouquayrol,F. Characteristics of an infrared spectrometer with prisms and gratings, 8=3863
Deloux,G. Protection against radiation from nuclear reactors, 6=9158
del Río,C.Sánchez. See Sánchez del Río,C.
Delsasso,L.P. See Zink,J.W., 9=1191
Delsing,A.M.G. See Broese van Groenou,A., 7=8566. Winkel,P., 5=5366, 5=5368
DeLuca,H.A. See Dennis,G.E., 5=1422
Delyagin,N.N. and Shpinel',V.S. On even-even nuclei, characterized by a 2+ second excited state, 7=8096
Delyagin,N.N., Sorokin,A.A., Forafontov,N.V. and Shpinel,V.S. Decay scheme for Zr^{97} and Nb^{97}, 7=6496
Delves,L.M. Effective range expansion of the scattering matrix, 9=1078. Tertiary and general-order collisions, 9=8563
Delves,L.M. and Brown,D. The theory of n–d scattering with tensor forces, 9=8459
Delves,R. See Bowley,A.E., 9=303
Delves,R.T. Theoretical transport coefficients for polar semiconductors, 9=5681
Delwiche,C.C. and Stout,P.R. Diurnal and other fluctuations in atmospheric radioactivity of natural origin, 9=9091
Delyagin,N.N. and Schpinel',V.C. Resonance scattering of γ-quanta on Mg^{24}, 9=10073
de McMillan,C.M. See Mallmann,C.A., 5=8211
de Maine,M.M. See also Maddock,A.G., 7=831, 7=833
de Maine,M.M., Maddock,A.G. and Taūgbŏl,K. The chemical effects on radiative thermal neutron capture. IV. The kinetics of a radical recombination process in solids, 8=4507
de Maine,P.A.D. Iodine complexes in inert solvents. I. I_2-I_2 in carbon tetrachloride and in n-heptane, 6=4539. II. Complexes of iodine with some aromatic ethers and biphenyl in carbon tetrachloride, 7=6674. III. Iodine complexes with methanol, ethanol, or diethyl ether in carbon tetrachloride, 7=6675; V. Evidence of consecutive mechanisms for the reaction between iodine and ethanol or methanol, 8=6490. VI. Solvation processes in solution of oxygenated solvents and iodine, bromine, or sulfur dioxide, 7=6676. Interaction between sulfur dioxide and polar molecules. I. Systems containing aliphatic alcohols, ethers or benzene in carbon tetrachloride, 7=6997. II. Systems containing ethanol, and benzene of hydroquinone, 7=6998. III. Water-ethanol-sulfur dioxide and water-sulfur dioxide systems, 7=6999
De Maio,A. See Aliverti,G., 5=471, 7=4918, 9=6385
de Mallemann,R. Generalization of the formula of H. Becquerel. Application to monatomic gases, 9=2251
de Mallemann,R. and Grange,J. Magnetic rotation of nitric oxide under low pressure, 5=8672. Magnetic rotary power and rotativity of sulphurous anhydride, 6=7331
de Mallemann,R., Suhner,F. and Grange,J. Magnetic rotatory powers of some liquid ethylenic hydrocarbons. Variation with temperature, 5=610
Demanins,F. Fluctuations in the response time of Geiger–Müller counters, 8=7219
Demanins,F. and Poiani,G. On a 200 keV radiofrequency deuteron accelerator of the Cockcroft and Walton type, 9=5819
De Marco,A. See also Alexander,G., 6=687. Ballario,C., 8=1210
DeMarco,J.J. See Weiss,R.J., 9=7651
De Marco,A., Milone,A. and Reinharz,M. Example of a probable Λ particle of high energy, 5=6279. The knock-on electron method for the determination of the mass of minimum ionization particles, 5=7170. The flux of the helium component of the primary cosmic radiation at geomagnetic latitude 41°N., 6=5987
De Marco,A., Sanna,R. and Tomasini,G. Electronic equipment for measuring ionization in nuclear plates, 8=8191
DeMarco,J.J. See Weiss,R.J., 8=3583, 5=628, 6=7831
Demarcq,J. See Besse,Y., 6=3663, 9=6816
DeMarcus,W.C. Zero-point energy of monatomic crystals, 5=4823. The number of elastic collisions in a finite lethargy interval, 9=9957
DeMarcus,W.C. and Hopper,E.H. Knudsen flow through a circular capillary, 5=7751
De Maria,G. See also Drowart,J., 9=5638, 9=6216
De Maria,G., Drowart,J. and Inghram,M.G. Mass spectrometric study of Al$_2$O$_3$, 9=7123
de Mars,G. See Statz,H., 7=5336
deMars,G.A. See also Eriksen,W.T., 7=6178. Statz,H., 5=5412, 6=2874, 7=7869, 8=5875
deMars,G.A., Statz,H. and Davis,L.,Jr. Measurement and interpretation of conductance of P-type inversion layers on germanium, 5=5411
DeMars,R.D. and Shain,I. Voltammetry with linearly varying potential: case of irreversible waves at spherical electrodes, 9=8957
Demediuk,T. and Cole,W.F. A new approach to the investigation

of the cause of moisture expansion of ceramic bodies, 9=1894
de Mende, S. See Audubert, R., 8=5937, 9=8182
Demers, P. Theory of diffusion during the processing of thick particle track emulsions, 9=3700. Work on nuclear emulsions at the University of Montreal, 9=13995
Demers, P. and Schwerin, A.K. A nuclear emulsion based on polyvinyl alchool, 9=14001
Demeshina, A.I. See Skanavi, G.I., 7=2177, 8=6947
Demetriades, S.T. Effect of electrostatic fields on the orientation of colloidal particles immersed in shear flow, 9=5229
de Meulenaer, J. Computing plates, 9=981
Demeur, M. Angular distribution in the reaction (He^3, 2p), 5=3086. Remark on the angular distribution in the reaction (n, p), 5=3112. On the anomalous L-X-ray yield in light mesic atoms, 6=7635
Demeur, M. and Gribaumont, A. Nuclear transfer reactions, I, 9=11461
Demeur, M., Huleux, A. and Vanderhaeghe, G. Disintegrations of light nuclei of nuclear emulsions by slow π-mesons, 6=8952
Demeur, M. and Janssens, P. On the scattering of a charged particle in hydrogen, 9=9922
Demeur, M. and Lardinois, J. Effect of an odd-number nuclear deformation on the electronic structure, 9=7298
Demeur, M. and Lavalle, R. A theoretical study of a mesic helium atom, 8=6357
de Mevergnies, M. Neve. See Neve de Mevergnies, M.
De Michelis, B. See Bisi, F., 9=7089
Demichelis, F. On the decay scheme of ${}_{84}Po^{212}$ (ThC′), 5=4003. Determination of the absolute intensity of weak sources of ${}_{88}Ra^{226}$, 7=3591. Can the unit "röntgen" be established in the interval of energy (0.1 to 100) MeV?, 9=4158. α-particles straggling in mica and aluminum, 9=12606. Alpha-particle spectroscopy by scintillations, 9=13519. See also Bishop, G.R., 7=3602. Chinaglia, B., 6=3970, 6=7306, 7=3610, 8=5236
Demichelis, F. and Chinaglia, B. Nuclear spectroscopy of nuclides of the thorium family, with the method of discriminated coincidences, 9=632
Demichelis, F., Chinaglia, B. and Trivero, G. Nuclear spectroscopic investigations of the nuclides ${}^{228}_{90}Th$, ${}^{224}_{88}Ra$, ${}^{212}_{82}Pb$, ${}^{212}_{83}Bi$, ${}^{208}_{81}Tl$, 8=5295
De Michelis, F. and Malvano, R. On the decay diagram of ${}^{214}_{84}Po$, 5=2113
Demichelis, F. and Radicati, L.A. β-γ angular correlation of ${}^{214}_{83}Bi$, 6=3955
Demichelis, F. and Ricci, R.A. β-γ angular correlation of ${}^{208}_{81}Tl$(ThC″), 6=6869
Demichelis, F., Ricci, R.A. and Trivero, G. Investigations on the β-decay of ${}^{208}_{81}Tl$(ThC″), 6=4609
Demidenko, Z.A. See Lashkarev, V.E., 9=3448
de Miguel y Gonzalez Miranda, L. Sudden impulses in telluric currents and their relation to the sudden impulses of the terrestrial magnetic field, 5=6640
DeMille, G.R., Kavanagh, T.M., Moore, R.B., Weaver, R.S. and White, W. Rotational states of even–even nuclei, 9=12624
Demina, N.U, See Zilova, T.K., 9=8938
Demirkhanov, R.A., Gutkin, T.I. and Dorokhov, V.V. The mass of He^3 isotope, 7=9838. The masses of the isotopes C^{13}, N^{14} and N^{15}, 7=9839. Masses of the lead isotopes, 8=5435. Nuclear binding energy in the region of the 82 proton and 126 neutron magic numbers, 9=2688. Masses of the isotopes Th^{232}, U^{234}, U^{235} and U^{238}, 9=13595
Demkov, Yu.N The symmetry group of an isotropic oscillator, 5=1081. On symmetry of the coordinate wave-function of a many-electron system, 8=7708. Symmetry group of an isotropic oscillator, 9=11854
Demkov, Yu.N. and Ermolaev, A.M. Fock's expansion for wave-functions of a system of charged particles, 9=11855
Demkov, Yu.N., Neigauz, M.G. and Senyukov, R.V. Ground-state energy of helium, 9=11512
Demkov, Yu.N. and Shepelenko, F.P. Connection between the Hulthén and Kohn methods in collision theory, 8=5657
Demny, J. See Brüche, E., 9=13899, 9=13901
Demontvignier, M. Semiconductors considered as ionized media, 8=612
De Moraes, A. Effects of the earth's oblateness on the orbit of an artificial satellite, 9=10548
de Morton, M.E. Effect of plastic deformation on the electrical resistivity of chromium, 8=4037
Demos, P.T. Mechanical analog computer for solving the axial equations of motion during bunching in linear electron accelerators, 9=9131
DeMott, D.W. Direct measures of the retinal image, 9=7703
DeMott, D.W. and Boynton, R.M. Retinal distribution of entoptic stray light, 8=840. Sources of entoptic stray light, 8=1387
Dempesy, C.W. and Sapp, R.C. Relaxation effects in the magnetization of chromic methylamine alum below its Néel point, 8=8920. Magnetic anisotropy in single-crystal ferric ammonium alum below its magnetic critical point, 9=453
Dempsey, D.F. Third-order aberration and focusing with sector-shaped magnetic fields, 6=2942. Measurement of the capillary curve, 8=3765
Dempsey, E. and ter Haar, D. Statistics of the three-dimensional ferromagnet. IV. The face centred and body centred cubic lattices, 6=2994
Dempsey, J. See Balas, W. 5=9734
Dempsey, R.H., Jacobson, J.J., Levy, S. and Wolfe, B. The Engineering Test Reactor. Core and facilities, 7=9897
De Munari, G.M. See Conversi, M., 9=8267, 9=8268, 9=9975
de Munck, J.C. See Fokker, A.D., 6=6304
Demuynck, A. The generation of toric surfaces in the optics of spectacle-making, 9=6818
Demuynck, J. See also Verhaeghe, J., 5=3072
Demuynck, J. and Verhaeghe, J. Description and calibration of a beta-spectrometer with double focusing. The beta-spectrum of Cs^{137}, 5=4724
Demuynck, J., Verhaeghe, J. and Van der Velde, B. The β-ray spectrum of Ta^{182}, 7=9351
Demuynck, O. See Mortier, P., 8=4194
Demy̆denko, O.A. See Deĭhen, M.F., 8=8447
Denardo, B.P. and Charters, A.C. Rapid-opening mechanical gate valve, 9=9125
den Berg, C.B. van. See van den Berg, C.B.
den Berg, G.J. van. See van den Berg, G.J.
den Berg, J. van. See van den Berg, J.
den Bergh, S. van. See van den Bergh, S.
den Beukel, A. van. See van den Beukel, A.
Denbigh K.G. and Page, F.M. The capacity flow method in chemical kinetics, 5=5026
den Bold, H.J. van. See van den Bold, H.J.
den Boogaart, A. van. See van den Boogaart, A.
den Boomgaard, J. van. See van den Boomgaard, J.
den Brink, G. van. See van den Brink, G.
den Broek, H.van. See van den Broek, H.
den Broek, J.van. See van den Broek, J.
den Burg, F.A.W.van. See van den Burg, F.A.W.
Denda, S. See Kikuchi, M., 7=4860-1
den Dungen, F.H.van. See van den Dungen, F.H.
den Eijk, J.van. See van den Eijk, J.
Denes, P. Effect of duration on the perception of voicing, 5=7794. See also Fry, D.B., 7=5146. Kalmus, H., 5=9319
den Hartog, H. See Brill, A.S., 8=2716, 8857
Denholm, A.S. The electrical breakdown of small gaps in vacuum, 9=328
Denis, P. See Dick. L., 5=1979; Fischer, G., 5=4864; Manus, C., 5=452; Winter, J., 5=1121
Denis, P.M. Experimental study of nuclear resonance, 5=9017
Denise, F.J. See Leidheiser, H., Jr, 6=4733
Denisenko, G.F. See also Perfilov, N.A., 9=2841
Denisenko, G.F., Ivanova, N.S., Novikova, N.R., Perfilov, N.A., Prokoffieva, E.I. and Shamov, V.P. Fission of uranium, silver, and bromine nuclei with high-energy particles, 9=699
Denison, A.B., Jr and Spencer, M.P. Square-wave electromagnetic flowmeter design, 7=137
Denisov, G.S. On measurement of the intensity of strong absorption bands in the infrared spectra of liquids, 9=9416
Denisov, N.G. The interaction of extraordinary and ordinary waves in the ionosphere and the effect of multiplication of reflected signals, 6=7560. A peculiar feature of the field of an electromagnetic wave propagated in an inhomogeneous plasma, 7=3470. On the problem of the absorption of electromagnetic waves within the resonance ranges of an inhomogeneous plasma, 9=9733. See also Gershman, B.N., 7=9279
Denisov, P.P. See Ivanovskii, V.I., 8=4155
Denisse, J.F. See also Arsac, A., 9=4362; Bayet, M:, 5=2776, 7078, 7080, 7=4398*, 6304-5, 6944; Boischot, A., 8=2736; Delannoy, J., 8=4632
Denisse, J.F. and Kundu, M.R. A relation between the ionization of the E-layer of the ionosphere and solar radio radiation, 7=5756
Denisse, J.F., Lequeux, J. and Le Roux, E. New observations of the radiation of the sky on a wavelength of 33 cm, 8=483
Denisse, J.-F., Leroux, E. and Steinberg, J.-L. Observations of galactic radiation on a wavelength of 33 cm, 5=4288

Dennard, F. See Kramers, W.J., 5=3494
Denney, D. J. Dielectric properties of some liquid alkyl halides, 7=9674. Viscosities of some undercooled liquid alkyl halides, 9=3183. Dielectric relaxation in some two-component systems, 9=8078
Denney, D.J. and Cole, R.H. Dielectric properties of methanol and methanol-1-propanol solutions, 6=311
Denney, J.M. See Corbett, J.W., 7=4315, 8=8451
Dennis, G.E. and DeLuca, H.A. The use of radioactive isotopes for diagnostic radiology, 5=1422
Dennis, J.P. See Holding, D.H., 8=2081
Dennis, K.S. See Pace, E.L., 5=2685, 5059, 6=303
Dennis, W.R. See Putnam, A.A., 5=122, 6=3559-60
Dennison, D.M. Energy levels of the O^{16} nucleus, 5=444. See also Burkhard, D.G., 9=12053; Hecht, K.T., 7=4582-3
Dennison, J.P. See Davies, P.W., 8=8490
Denniston, D.W., Jr, Oxendine, J.R., Knapschaefer, D.H., Burgess, D.S. and Karlovitz, B. Applications of the electronic probe to the study of turbulent flames, 7=4276
de Nobel, D. See also Kröger, F.A., 5=9653; van Doorn, C.Z., 6=5005
de Nobel, D. and Hofman, D. The dielectric constant of CdTe, 6=5839
De Nobel, J. Thermal and electrical restivity of some tungsten single crystals at low temperatures and in strong magnetic field, 7=8551. Thermal and electrical conductivities of tungsten. Experimental results on single crystals compared with theory, 7=8552. See also Gorter, C.J., 7=9198
Dent, L.S. and Taylor, H.F.W. An attachment for high-temperature single-crystal X-ray work, 6=3367
Denton, E.J. A new method for determining the absorption spectrum of visual purple, 5=1415
Denton, W.H. See Clarke, G.R., 5=468
Deo, B.B. Ultrasonic absorption in solutions, 6=3572. See also Misra, S.P., 6=7993; Mohanty, B.S., 6=6445
Deo, P.G. and Sharma, B.D. Differential sputtering of grain boundaries in polycrystalline tin, 7=2830
Deodhar, G.B. and Karnatak, R.C. A bent crystal X-ray spectrograph, 7=4424
de Oyarzabal, J. Scattering of electrons by mesons, 5=326. Mesonic production of mesons, 8=3302
de Pagter, J.K. See also Stearns, B.F., 7=7364
de Pagter, J.K. and Stearns, B.F. A note on cloud-chamber illumination systems, 5=1008
de Palma, J.J. See Lowry, E.M., 9=3021
de Pando, M.V. On a minimum principle in elastic–plastic states, 7=802
de Pangher, J. n-p scattering at 300 MeV, 5=9929
de Pasquali, G. See Frauenfelder, H., 7=6504, 9853, 8=746-7
de Paul, J. See Vigon, M.T., 6=4138
de Paula e Silva, P.R. See Taketani, M., 9=12568
Dépaux, B. Measurement of the multiple scattering of π-mesons stopping in nuclear emulsion using the tangent method, 9=4939
Dépaux, B. and Tsai-Chü. Application of the tangent method to the measurement of multiple scattering of π-mesons stopped in nuclear emulsion, 9=2627. Measurement of the multiple scattering of tracks of protons having energies of 6 and 2 GeV in nuclear emulsion, 9=13525
de Pietri, C. See Barbanti-Silva, L., 7=506; Bonancini, C., 9=12427
de Pinho Filho, A.G. Angular distribution in processes in which a neutron is removed from Be^9 at low energies, 9=13656
Depireux, J. See also Duchesne, J., 6=9307, 7=829
Depireux, J and Duchesne, J. Nuclear quadrupole resonance of neutron-irradiated sodium chlorate, 8=6386
de Plas, R. Van. See Van de Plas, R.
Deponthière, R. See Tarte, P., 7=6386
DePrima, C.R. and Penner, S.S. Invariance of integrated transmittance and total fractional transmission with experimental slit function, 5=5976
De Prins, J. See Bonanomi, J., 8=5143
Deprit, A. A.S.Eddington's E-numbers, 6=1829
Dequal, B. See Annis, M., 5=1234
de Quevedo, J.L.Garcia. See Garcia de Quevedo, J. L.
der Aa, J.M.L.C. van. See van der Aa, J.M.L.C.
De Raad, B. Dynamic and static measurements of strongly inhomogeneous magnetic fields, 8=7164
de Raad, B., Middelkoop, W.C., van Nooyen, B. and Endt, P.M. Radioactive decay of ^{103}Ru, 5=3052
Derado, I., Lütjens, G. and Schmitz, N. Analysis of bubble-chamber photographs and the application to pion–proton scattering, 9=11388.
Derado, I. and Schmitz, N. On ionization measurements in a hydrogen bubble chamber, 9=9913
der Agobian, R. A method of detecting non-ionizing shock waves and the use of radio waves for their study, 9=11160
Der Agobian, R. and Lifschitz, L. Propagation of non-ionizing shock waves produced by discharging a condenser through a gas-filled tube, 9=11930
der Bijl, W. van. See van der Bijl, W.
der Brugge, J.F. van. See van der Brugge, J.F.
der Burgt, C.M. van. See van der Burgt, C.M.
Derbyshire, W.D. and Yearian, H.J. X-ray diffraction and magnetic measurements of the Fe–Cr spinels, 9=4115
d'Erdi, G. Physical model of the hyperon, 7=6590
der Eijk, W. van. See van der Eijk, W.
der Elsken, J. van. See van der Elsken, J.
der Elsken, J. van. See van der Elsken, J.
Derén, J. See also Bielánski, A., 5=8343
Derén, J., Haber, J. and Wilkowa, T. Electrical conductivity of $ZnO-SiO_2$ mixtures, 9=11028
Deresiewicz, H. Plane waves in a thermoelastic solid, 7=4051. Note on a letter by Greenspan, 8=2886. See also Mindlin, R.D., 6=4257
Deresiewicz, H and Mindlin, R.D. Waves on the surface of a crystal, 8=5717
de Reuck, A.V.S. The surface free energy of ice, 7=7650
Derge, G. See Bitler, W.R., 8=197; Ling Yang, 9=8885
Derham, J. and Fenning, F.W. A method of determining isotopic composition of uranium samples, 8=1996
der Hegge Zijnen, B.G.van. See van der Hegge Zijnen, B.G.
der Heide, H.van. See van der Heide, H.
der Held, E.F.M. van. See van der Held, E.F.M.
der Houven van Oordt, A.J. van. See van der Houven van Oordt, A.J.
Derick, L. See Frosch, C.J., 9=4191
Derjaguin, B.V. A theory of the heterocoagulation, interaction and adhesion of dissimilar particles in solutions of electrolytes, 5=8362. See also Deryagin, B.V.
Derjaguin, B.V. and Abrikossova, I.I. Direct measurements of molecular attraction of solids, 9=1850
Derjaguin, B.V., Titijevskaia, A.S., Abricossova, I.I. and Malkina, A.D. Investigations of the forces of interaction of surfaces in different media and their application to the problem of colloid stability, 5=8109
der Kint, L. van. See van der Kint, L.
der Kooi, J.B. van. See van der Kooi, J.B.
Derksen, H.E. See Smits, L.J., 7=1452
Derksen, W.L., Monahan, T.I. and Lawes, A.J. Automatic recording reflectometer for measuring diffuse reflectance in the visible and infrared regions, 8=132
der Lann, H. Van. See Van der Lann, H.
der Leeden, P. van. See van der Leeden, P.
der Leun, C. van. See van der Leun, C.
der Linden, C.A.M. van. See van der Linden, C.A.M.
der Linden, J.P. van. See van der Linden, J.P.
der Lugt, W. van. See van der Lugt, W.
der Maas, G.J. Van. See Van der Maas, G.J.
der Maas Reddy, J. van. See van der Maas Reddy, J.
der Maesen, F. van. See van der Maesen, F.
der Marel, L.C. van. See van der Marel, L.C.
der Mateosian, E. Neutron capture cross section of Ta^{182}, 5=4074. See also Scharff-Goldhaber, G., 5=8190
der Mateosian, E. and Goldhaber, M. Thermal-neutron activation cross sections of Ge and the isomeric ratio rule, 8=8344
der Mateosian, E., McKeown, M. and Muehlhause, C.O. Response of sodium iodide crystals to alpha particles and electrons as a function of temperature, 6=2199
De Rocco, A.G. and Halford, J.O. Intermolecular potentials of argon, methane, and ethane, 8=7473
Déroche, C. See Curien, H., 6=6688
de Roo, J.L. See Meyer, G., 9=8036
de Rop, W. See van Itterbeek, A., 7=189, 6964
De Rossi, M. Contribution to the technique of the measurement of ultrasonic velocity in liquids, 6=143
der Pauw, L.J. van. See van der Pauw, L.J.
Derr, A.J. Computation of trichromatic coordinates using the IBM 604 electronic calculating punch, 5=8674. Optical unit for reflection densitometry, 9=5475
der Raay, H.B. van. See van der Raay, H.B.
der Raay, H.V. van. See van der Raay, H.V.
Derrick, G. See also Blatt, J.M., 9=1691
Derrick, G. and Blatt, J.M. Classification of triton wave functions, 9=1690
Derrick, G.H. On the existence of a bound nucleon–Λ^0 state,

7=102. A theorem on potentials with hard cores, 8=5653
Derrick,M. See Jeffries,T.O., 6=113
der Spuy,E. van. See van der Spuy,E.,
der Steeg,M.G. van. See van der Steeg,M.G.
der Tweel,L.H. van. See van der Tweel,L.H.
der Veen,B. van. See van der Veen,B.
der Vegt,A., van. See van der Vegt,A.
der Velde,B. van. See van der Velde,B.
der Venne,M.J. van. See van der Venne,M.J.
Dervichian,D.G. See Renaud,P., 5=2690, 8466, 6=7361, 8=3054
der Vorst,W. Maenhout-van. See Maenhout-van der Vorst,W.
der Vorst,W. Van. See Van der Vorst,W.
der Waals,J.H. van. See van der Waals,J.H.
der Waerden,B.L. van. See van der Waerden,B.L.
der Walt,N.T. van. See van der Walt,N.T.
Der Walt,R. Van. See Van Der Walt,R.
Derwin,C.C. Diffraction by a perfectly absorbing thin screen, 9=478
Deryagin,B.M. See Alikhanyan,A.I., 7=3411, 6591; Kirillov-Ugryumov,V.G., 6=5179
Deryagin,B.V. Problems of adhesion, 5=7446, 6=745. See also Abdrakhmanova,I.F., 8=6964; Abrikosova,I.I., 7=572. See also Derjaguin,B.V.
Dukhin,S.S., 7=5915. See also Kotova,L.I., 9=5390; Smilga,V.P., 9=12844
Deryagin,B.V. and Abrikosova,I.I. Direct measurement of molecular attraction of solid bodies. I. Statement of the problem and method of measurement of forces using negative feedback, 6=8303. Direct measurements of molecular attractions between solids in vacuo, 7=571
Deryagin,B.V. and Bakanov,S.P. Theory of a gas streaming in a porous medium in the near Knudsen domain of pseudo-molecular flow, 8=2869. Theory of the flow of a gas in a porous material in the near-Knudsen region, 9=4352
Deryagin,B.V., Krotova,N.A, and Karasev,V.V. On the role of electrical phenomena in the adhesion of films, 5=6560. Role of electrical phenomena in the mechanism of rupture of certain solid bodies, 7=1691
Deryagin,B.V., Prokhorov,P.S., Batova,G.A. and Leonov,L.F. Diffusion hygrometer, 7=1116
Deryagin,B.V. and Smilga,V.P. Electronic adhesion theory of metals joined by a semiconductor interlayer, 9=1913
Deryugin,L.N. Resonance at the surface of a reflection grating, 7=2444*
Deryugin,L.N. and Fridman,G.Kh. Resonance curves of the double resonance at a reflection grating, 7=5490
Deryaguin,B.V., Karassev,V.V., Zakhavaeva,N.N. and Lazarev,V.P. The mechanism of boundary lubrication and the properties of the lubricating film. Short- and long-range action in the theory of boundary lubrication, 8=4498
der Ziel,A. van. See van der Ziel,A.
De Sabbata,V. Photonuclear reactions and the giant resonance. I., 7=9811. See also Baroncini,D., 8=2512.
de Sabbata,V. and Sugie,A. A collective model for the nuclear photoreactions, 6=3989
Desai,R.L. and Sundaram,V. Light scattering from gel-forming systems during and after setting. I. Aluminium molybdate and thorium arsenate gels: intensity measurements, 5=3235
Desai,U.D. See Sarabhai,V., 5=375, 9748
de Sans,P. Pascual. See Pascual de Sans,P.
De Santis,V. See Ceolin,C., 9=9993
DeSaussure,G. and Osborne,L.S. Elastic photoproduction of π^0 mesons in helium and (γ, n) reaction on helium at high energies, 5=9092
Descamps,J. See Castaing,R., 5=7489
Deschamps,A. See Bertaut,F., 8=7194; Weil,L., 7=7230
Deschamps,J., Paty,M. and Josien,M.L. Effect of substituents on the vibration of C = O in p-quinones. Interpretation by L.C.A.O. molecular orbitals, 7=7258
Deschanvres,A. Heterogeneous catalysis by semiconductors, 6=5472
des Cloizeaux,J. Forbidden and allowed bands in impurity semiconductors and disordered alloys, 5=7038. Spectrum of frequencies of a disordered linear chain, 7=5892. A remark on the coupling of electrons in a metal in pairs with antiparallel spin, and the theory of superconductivity, 8=7028. See also Aigrain,P., 6=2106
des Cloizeaux,J. and André,P. Method of calculating the energy levels of deep traps in a semiconducting crystal, 7=8604
Descourbes,J.P. and Pebay-Peyroula,J.C. On the magnetic resonance of atomic levels of mercury excited by electron bombardment, 9=8672
Desor,S. Functional integrals and adiabatic limits in field theory, 5=7680. General relativity and the divergence problem in quantum field theory, 8=1481. See also Arnowitt,R., 6=85, 2646, 9=5345
Deser,S., Gilbert,W. and Sudarshan,E.C.G. Structure of the vertex function, 9=13018
Deser,S., Goldberger,M.L., Baumann,K. and Thirring,W. Energy level displacements in pi-mesonic atoms, 5=1126
de Shalit,A. Angular momentum in non-spherical fields, 5=2397, 5=5863. Interpretation of regularities in neutron and proton separation energies, 7=4614. M1 transition in Tl^{208}, 7=5561. Energy levels in odd-mass and even nuclei, 8=6225. Effective charge of neutrons in nuclei, 9=4963. See also Lipkin,H.J., 6=3084, 7=622, 9=5313; Thieberger,R., 8=304, 5274; Yeivin,Y., 5=6775
de-Shalit,A., Kuperman,S., Lipkin,H.J. and Rothem,T. Detection of electron polarization by double scattering, 8=1162
de-Shalit,A. and Weisskopf,C.F. The wave function of nuclear matter, 9=1727
Deshimukh,M.B. Joshi effect in relation to intermittent pulses, 5=4702
Deshmukh,A.P. See Parthasarathy,S., 5=7784, 6=3573
Deshmukh,M.B. Dependence of Joshi effect on the frequency of the applied voltage, 6=2911
DeShong,J.A.,Jr. Upping E.B.W.R.'s power, 8=8362
Deshotels,W.J. and Weber,A.H. Effect of strong electrostatic fields on the resistance of tungsten wires in high vacua, 5=1854
De Simoni,F. On the field equations of unified relativistic theory, 5=6570
Desjonqueres,J. and Geller,R. Pulsed hydrogen-ion source at very low frequency using a titanium filament, 7=9246
Desjonquières,J., Geller,R., Prévot,F., and Vienet,R. The pulsing of an h.f. discharge with a zirconium filament, 6=5128
Deslattes,R.D. Number of 3d electrons in the transition metals, 8=8419
Deslattes,R.D. and deBen,H.S. K absorption edge of selenium, 9=12349
Desloge,E.A. and Barker,W.A. Chemical potentials, spin temperatures, and the Overhauser effect, 8=2022
Deslove,E.A., Matthysse,S.W. and Margenau,H. Conductivity of plasmas to microwaves, 9=2435
Desmaret,M. See Robin,J., 7=5180
De Smedt,J. and De Bock,A. Horizontal pendulum with variable modulus of torsion (resonance curve), 7=5901. Didactical absolute viscosimeter,7=5908
De Smet,M. See Rutgers,A., 9=9671
Desnoyers,J.E. and Morrison,J.A. The heat capacity of diamond between 12.8° and 277°K, 8=1029
De Socio,M. On the velocity of energy in an ionized gas subject to a magnetic field, 9=484. On the propagation of non-sinusoidal waves in an ionized gas subjected to a magnetic field, 9=3672. On the oblique propagation of non-sinusoidal waves in an ionized gas subjected to a magnetic field, 9=3673
DeSorbo,W. Specific heat of graphite at very low temperatures, 6=1176. Energy released on annealing quenched-in defects in gold, 9=804. Quenched imperfections and the electrical resistivity of aluminium at low temperatures, 9=2916
DeSorbo,W. and Nichols,G.E. A calorimeter for the temperature region 1-20°K—the specific heat of some graphite specimens, 9=8054
DeSorbo,W. and Turnbull,D. Kinetics of vacancy motion in high-purity aluminium, 9=13787
DeSorbo,W. and Tyler,W.W. Effect of irradiation on the low-temperature specific heat of graphite, 7=5287
de Souza,M. Ferreira. See Ferreira de Souza,M.
de Souza Santos,M.D., Goldemberg,J., Pieroni,R.R., Silva,E., Borello,O.A., Villaça,S.S. and Leite Lopes,J. Studies on the nuclear photoeffect, 9=665
Desoyer,E. The nature of photophoretic forces, 7=6972. See also Rohatschek,H., 5=101
d'Espagnat,B. Excited states of very short life-time and charge invariance, 5=4952. On the weak baryon—π meson interactions, 7=9922. On weak interactions of elementary particles, 8=5623. A new representation for baryonic fields and strong interactions, 9=3119
d'Espagnat,B., Omnes,R. and Prentki,J. Some remarks on decay of heavy mesons, 7=9408
d'Espagnat,B. and Prentki,J. Remarks on excited states of short life-time and meson production, 5=7392. The production of mesons and excited states having a short lifetime, 5=7395.

Possible mathematical formulation of the Gell-Mann model for new particles, 5=8499. Remarks on the theories of Pais and Gell-Mann, 5=9419. Mathematical formulation of the Gell-Mann model, 6=2668. On the weak interactions of hyperons and heavy mesons, 6=3282, 6=5426. Symmetries in isotopic spin space and the charge operator, 6=5695. Weak direct boson–lepton interaction and K-meson disintegration, 7=4757. Renormalization of a parity non-conserving theory, 8=880. A tentative general scheme for weak interactions, 8=5625. Remarks on certain properties of weak interactions, 8=5626. Global and restricted symmetry tests in antihyperon production, 9=2669. On non-leptonic decays of hyperons, 9=8481. Note on parity violation in strong interactions, 9=9206. Up–down asymmetries of Σ and Λ decays, 9=9999

d'Espagnat,B., Prentki,J. and Salam,A. On symmetries in elemtary particle interactions, 7=8993. On symmetries of weak interactions, 8=5624

Desprez,R. Study of the diffusion of α-emitting tracer ions in wet nuclear emulsions, 7=7534

Desprez,R. and Morand,M. On the diffusion of sodium uranylcarbonate in nuclear photographic plates, 5=4412

Desprez,S. Study of the nucleonic component of cosmic radiation recorded in emulsions whose direction was fixed with respect to the solar system, 8=8085

Desprez-Rebaud,S. See Avignon,Y., 5=3864; Lory,J., 9=2477: Morand,M., 8=2445, 8=6104; Tsai-Chü, 8=8855

Despujols,J. X-ray study of vitreous boric oxide, 9=10377

Despujols,J. and Warren,B.E. X-ray study of cold work in molybdenum, 9=1909

Dessler,A.J. The propagation velocity of world-wide sudden commencements of magnetic storms, 8=6527. Large-amplitude hydromagnetic waves above the ionosphere, 8=7630, 9=3013. Interactions between first and second sound in liquid helium, 9=3396

Dessler,A.J. and Fairbank,W.M. Amplitude dependence of the velocity of second sound, 7=1236

Dessy,R.E., Flautt,T.J., Jaffé,H.H. and Reynolds,G.F. Nuclear magnetic resonance spectra of some dialkylmercury compounds, 9=7201

Destable,P. Contribution to the study of heat exchange between the soil and walls in thermal installations and dwellings during transitory states, 6=7342. Contribution to the study of the temperature distribution and heat loss in the soil under steady conditions, 6=7343

DeStaebler,H., Jr. See also Bridge,H.S. 5=6498

DeStaebler,H.,Jr and Sreekantan,B.V. Nature of the neutral secondary particle produced in the decay of the $K_{\pi 2}$ -meson, 5=9128

DeStaebler,H.C. See d'Andlau,C., 7=3701, 8=1205

Destouches,J.-L. The wave-function u and the associated fluid in the theory of the double solution of M. Louis de Broglie, 5=3437. On the compatibility of certain hypothesis in M. Louis de Broglie's theory of the double solution, 5=3438. Quantization in the functional theory of particles, 7=79. "Indicative" functions of spectra, 7=2569. The graviton and gravitation in the functional theory of corpuscles, 8=864. Limiting property of the mean wave in the functional theory of system of particles, 9=13030

Destouches,J.L. and Pham Xuân Yêm. Interactions between matter and radiation, according to the functional theory, 9=13031

Destouches-Aeschlimann,F. Photons and non-linear electromagnetic theory, 7=9052

Destriau,G. Brightness waveforms in electroluminescence, 5=3606. Electroluminescence. Absolute brightness waves and mean lifetime of exited centres, 6=254. Enhancement of the electroluminescence of certain crystals by rotation in the field, 6=2001. On the effect of various metal electrodes on brightness waves in electroluminescence, 6-5201. Spectral distribution of the electro-enhancement effect of CdS–ZnS mixtures activated by manganese and silver, 7=4204. Sensitization with traces of gold, of materials showing an electric field intensifying effect, 8=4890. Reinforcement by electric fields of the sensitivity to X-rays of certain luminescent products, and photoelectroluminescence, 8=4893. The memory effect in the enhancement of luminescence by electric fields, 8=6880. Energetic limit of the effects of electro-enhancement and electro-quenching, 9=13177

Destriau,g. and Doumergue,L. On the non-existence of an excitation threshold in electroluminescence, 9=13183

Destriau,G. and Ivey,H.F. Electroluminescence and related topics, 6=2803

Destriau,G., Mattler,J., Destriau,M. and Gumlich,H.E. The enhancement effect of electric fields on some X-ray excited phosphors, 6=2801

Destriau,M. See Destriau,G., 6=2801

Desvignes,F. Radiation of certain selective bodies in the near infrared, 5=3538. Optical absorption by free hole–electron pairs liberated by the photoelectric effect in a germanium single crystal, 8=3879

de Swart,J.J. See also Bryan,R.A., 8=8257

de Swart,J.J., Czyż,W. and Sawicki,J. Polarized nucleons from the photodisintegration of the deuteron, 9=5059

de Swart,J.J. and Marshak,R.E. Photodisentegration of the deuteron in the medium energy range, 8=6325

d'Hooghe,M. and Rahman,A. Approximate diatomic orbitals for H_2^+, 7=8757

Detenbeck,R.W. See Birk,M., 8=2452

Deterding,J.H. See Winter,E.F., 6=6412

Detœuf,J.-F. and Moch,R. Experimental study of the double beta-radioactivity of Cd^{116}, 6=615. Search for double β decay in Cd^{116}, 6=5359

de Toledo,P.S. and Watanabe,S. Polarization of protons produced in the $C^{12}(p,p)C^{12}$ reaction [at incident energies of 1,625 - 1,840 MeV], 9=644

de Toledo,P.Saraiva. See Saraiva de Toledo,P.

De Tollis,B. and Liotta,R.S. Interference in the double Compton effect, 7=8808

de Torres Balsamí,C.A. The determination of the value of g in the Physical Institute [Montevideo], 9=2995

Dettmar,K.H. See Trefftz,E., 9=10157

Dettre,R.H. See Todd,L.J., 9=8051

Detwiler,D.P. Electrical properties of gallium antimonide, 5=4649

Deubner,A. and Rambke,K. Conductivity modulation of thin evaporated silver films under an electrostatic field, 6=6656

Deubner,A., Schreiber,G. and Schubert,R. Investigation of the absorption of artificially grown LiF crystals in the near infrared, 9=9437

Deubner,F.-L. On the reduction of scattered light in imaging systems, 9=12151. See also Kiepenheuer,K.O., 8=3656

Deuster,R.W. Simulating nuclear blast effects, 8=7401

Deutsch,A. The peculiar A-stars, 7=5011

Deutsch,A.J. The electromagnetic field of an idealized star in rigid rotation in vacuo, 5-5199. The circumstellar envelope of alpha Herculis, 6=3452

Deutsch,E.R. See also Clegg,J.A., 6=7035

Deutsch,E.R., Radakrishnamurty,C. and Sahasrabudhe,P.W. The remanent magnetism of some lavas in the Deccan Traps, 8=1372

Deutsch, F. See Hayman,H.J.G., 7=9025

Deutsch,J. A critical assessment of an experiment designed by Clay–Hereford to measure the circular polarization of γ-rays by detection of Compton electrons, 9=13535

Deutsch,J.P., Doumont,G. and Macq,P.C. De-excitation of Ir^{192} by measuring the B – γ directional correlation, 9=7323

Deutsch,M. Isotopic spin, from the experimental point of view, at low energies, 5=9006. Electric monopole transition rate in Zr^{90}, 7=8125. See also Greenberg,J.S., 6=3954; Kendall,H.W., 6=3173

Deutsch,M., Gittelman,B., Bauer,R.W., Grodzins,L. and Sunyar,A.W. Polarized positrons from Ga^{66} and Cl^{34}, 8=1925

Deutsch,R.W. Analysis of secondary particles resulting from high-energy nuclear bombardment, 5=4048. Neutron cross section of xenon-135, 7=2668. Fission-product buildup in enriched thermal reactors, 7=3687*. Computing 3-group constants for neutron diffusion, 7=4750. Water-channel peaking factors, 8=9067

Deutsch,S. Specific α-radioactivity of Ilford plates for nuclear researches. II. Surface activity. 6=6103

Deutsch,S. and Janssens,P. Coloration of biotites by α-particles in pleochroic haloes. II, 9=6289

Deutsch,S., Kipfer,P. and Picciotto,E. Pleochroic haloes and the artificial coloration of biotites by α-particles, 8=977

Deutsch,S. and Nikolic,M. Upper limit of α-particle branching in $UX_1(Th^{234})$, 6=3951

Deutsch,S. and Picciotto,E. The fading of α-tracks in Ilford C2 plates, 8=673

Deutsch,S., Picciotto,E. and Houtermans,F.G. Radioactivity of iron meteorites by the photographic method, 6=6100

Deutscher,K. Interference photocathodes of enhanced yield with a controllable spectral response, 8=191. Interference photocathodes with increased output and a freely selected spectral maximum, 8=7979

Deutschmann,M. The new unstable particles in the cosmic

radiation, 6=443. See also Cresti,M., 7=3627
Deutschmann,M., Cresti,M., Greening,W.D.B., Guerriero,L., Loria,A. and Zago,G. An anomalous V° event, 6=3998. Angular correlations in V° type decays, 6=5411
Devanathan,M.A.V. and Fernando,Q. Coulometric titrations using a pulse technique, 6=7001
Devare,H.G. See Jha,S., 9=7320
de Vaucouleurs,G. Exploration of the nearby galaxies by optical and radio methods, 9=9159. Tilt criteria and direction of rotation of spiral galaxies, 9=12965. See also Kerr,F.J., 6=4780, 6311
DeVault,G.P. and Curtis,C.W. Problem of elastic bar with mixed time-dependent end conditions of general form, 9=7876
de Vaux,L.H. and Pizzarello,F.A. Elastic constants of indium antimonide, 6=4043
Devaux,P., Fayolle,P. and Naslin,P. Electronic high-speed kinematograph and associated chronograph, 5=9348
Devaux,P., Thulin,Å. and Trognon,J. On the accuracy of the frequency of light flashes used for the measurement of acceleration due to gravity, 7=3038
de Veiga Simao,J. and Sellschop,J.P.F. Capture of protons in K^{39}, 7=5621
Devenport,M.H. See Belrose,J.S., 7=949
Deveny,A. See Ciorăscu,F., 9=4565
Dévényi,A. See Croitoru,N., 9=13830; Grigorovici,R., 9=11597
Dever,J.L. See Douglas,T.B., 5=1783-4
de Veubeke,B.Freaijs. See Freaijs de Veubeke,B.
Devienne,F.M. Thermal investigation of the molecular flow of rarefied air, 6=1899. Total pressure in free molecular flow,6=3551. The effect of the substrate temperature on the condensation coefficient of evaporated antimony, gold and silver, 7=791. Friction and thermal exchanges in rarefied gases, 8=2861
Devienne,M. Exchange of atoms in condensation of a molecular jet, 5=1293. A new method of measuring the total emissivity and the accommodation factor of a surface, 6=7247. Similitude in aerothermodynamics of very rarefied gases, 9=1162
de Villers,P. The diffraction of ultrasonic waves by gratings of solid cylinders in multiple layers, 8=7778
De Villiers,J.W.L. See Louw,J.D., 5=1928
Devins,J.C. See also Crowe,R.W., 5=9731, 7=7935
Devins,J.C. and Crowe,R.W. Electric strength of saturated hydrocarbon gases, 7=2266
Devins,J.C. and Reynolds,S.I. Rotating probe electrometer, 7=3227
Deviot,B. Elasto-optical constants of $PO_4H_2(NH_4)$ and $SO_4Ni, 6H_2O$, 5=3657
De Vito,A. See Carrelli,A., 7=1942
Devlin,G.E. See Schawlow,A.L., 8=5011, 9=4621
de Vogelaere,R. A method for the numerical integration of differential equations of second order without explicit first derivatives, 5=5162
De Vogelaere,R. and Boudart,M. Contribution to the theory of fast reaction rates, 5=8342
Devons,S. See also Bunbury,D.St.P., 6=3943
Devons,S., Manning,G. and Bunbury,D.St.P. Measurement of γ-transition lifetimes by recoil methods, 5=2110
Devons,S., Manning,G. and Towle,J.H. Measurement of γ-transition lifetimes by recoil methods. III. E2 transitions in some even-even nuclei, 6=3944
Devons,S. and Towl,J.H. Range velocity relationship for ^7Li ions in solids, 6=8245
Devonshire,A.F. Theory of Rochelle salt, 7=8584
Devooght, J. Reactors of minimum critical mass, 8=5401. New variational principle for transport theory, 9=64
DeVore,H.B. Spectral distrubution of photoconductivity, 6=3743. Gains,response times, and trap distributions in powder photoconductors, 9=7000
de Vos,J.C. Evaluation of the quality of a blackbody, 5=1655. A new determination of the emissivity of tungsten ribbon, 5=1656. See also Rutgers,G.A.W., 5=1657
de Vos,K.J. See van der Steeg,M.G., 7=2417
de Vreese,C. A new method for the comparison of masses in vacuo, 9=9275
de Vries,A.E. The enrichment of radio-active isotopes by thermal diffusion, 5=3988. See also Hamers,Hamers,H.C., 5=4105
de Vries,A.E., Haring,A and Slots,W. Separation of $^{14}C^{16}O$ and $^{12}C^{18}O$ by thermal diffusion, 6=4592
de Vries,C. See Kistemaker,J., 6=1313
de Vries,D.A. On the integration of the heat-conduction equation with periodic variation of temperature, 7=5262. The electrical conductivity and permittivity of mixtures, 7=9150
de Vries,D.A. and Peck,A.J. On the cylindrical probe method of measuring thermal conductivity with special reference to soils. I. Extension of theory and discussion of probe characteristics, 8=7857
de Vries,H. Cosmic radiation during the solar flare of February 23rd and its effect on ^{14}C age measurements, 6=5991. The contribution of neutrons to the background of counters used for ^{14}C age measurements, 6=8340. Purification of CO_2 for use in a proportional counter for ^{14}C age measurements, 7=643. Further analysis of the neutron component of the background of counters used for ^{14}C age measurements, 7=6294. Variation in concentration of radiocarbon with time and location on earth, 8=3327
de Vries,H.L. The removal of radon from CO_2 for use in ^{14}C age measurements, 8=1228
de Vries-Hamerling,T. See Aten,A.H.W.,Jr. 5=9038, 6=2344
de Vrijer,F.W. The choice of chrominance signals in the N.T.S.C. system with a view to the differential sensitivity of the human eye to colour, 9=6413
de Vroomen,A.R. and van Baarle,C. A sensitive superconducting "chopper" amplifier, 8=4033
Devyatkova,E.D. Investigation of the thermal conductivity of lead telluride, 8=5832
Devyatkova,E.D., Moizhes,B.Ya. and Smirnov,I.A. Thermal conductivity between 80° and 480°K, of tellerium with various amounts of impurities, 9=10896
Devyatkova,E.D. and Smirnov,I.A. Thermal conductivity of germanium, 9=1361
Devyatykh,G.G. See Tunitskiĭ,N.N., 8=6366
Dew,G.D. On the preparation of precision resolving-power test objects, 5=1746. On preparing plastic copies of diffraction gratings – an extension to the Merton-N.P.L. process, 6=8133
de Waard,H. The decay of 175 and 177 ytterbium, 5=5601. Stabilising scintillation spectrometers with counting-rate-difference feedback, 5=9725. Lifetime of the 279 keV excited state of Tl^{203}, 5=9851. See also Beekhuis,H., 9=3850; Boskma,P., 9=13615; Gerholm,T.R., 5=9850; Siekman,J.G., 8=1235, 9=1732
de Waard,H. and Gerholm,T.R. The half life of the 145 level of 141 praseodymium, 5=9039. Orbital momentum forbidden magnetic dipole transitions in some odd proton nuclei, 6=7616
de Waard,H. and Poppema,O.J. Longitudinal polarization of beta-particles from ^{60}Co, ^{32}P and ^{170}Tm, 7=9364
Dewald,J.F. See also Lepoutre,G., 6=7435
Dewald,J.F. and Lepoutre,G. The thermoelectric properties of metal-ammonia solutions. III. Theory and interpretation of results, 6=7436
de Walle,R.Van. See Van de Walle,R.
Dewan,E. and Beran,M. Note on stress effects due to relativistic contraction, 9=12986
Dewan,J.T. See Allen,K.W., 5=1204
Dewar,M.J.S. and Wulfman,C.E. Pi-electron correlation in the polyenes, 9=1827
de Wette,F.W. On the theory of transitions in some molecular crystals. II, 7=2462. See also Jansen,L., 5=4825; Nijboer,B.R.A., 7=8934, 8=6395
de Wette,F.W. and Slawsky,Z.I. Influence of permanent multipole interactions on vibrational deactivation in molecular collisions, 5=412. Influence of adiabatic interactions on the energy transfer in molecular collisions, 5=2919
Dewez,F.J.,Jr. See Fairbanks,H.V., 7=8967
Dewhirst,D.W. See Blackwell,D.E., 7=7531, 9503
Dewhurst,H.A. Radiation chemistry of n-hexane and cyclohexane liquids, 6=7791. See also St.Pierre,L.E., 8=7507
Dewhurst,H.A. and Winslow,E.H. Electron and γ-ray radiolysis of n-hexane, 7=6667
deWilde,A.C. Photosensitive and luminescent materials, 5=2700
DeWire,J.W. See also Wolfe,B., 5=8180, 8253
DeWire,J.W., Jackson,H.E. and Littauer,R. High-energy photoproduction of π° mesons from hydrogen, 8=6171
de Wit,M. and Durand,L.,III. Effects of vacuum polarization scattering in the treatment of proton–proton scattering data, 9=3740
DeWitt,B.S. State-vector normalization in formal scattering theory, 6=924. Transition from discrete to continuous spectra, 6=8588. Dynamical theory in curved spaces. I. A review of the classical and quantum action principles, 8=2162. See also Morette-Dewitt,C., 5=8471-2; Reifman,A., 6=1858
DeWitt,T.W. A rheological equation of state which predicts non-Newtonian viscosity, normal stresses, and dynamic moduli, 5=8328. See also Bernstein,S., 6=4652; Markovitz,H., 5=6786; Morrisson,T.E., 5=6551

de Witte,A.J. Equivalence of Huygens' principle and Fermat's principle in ray geometry, 9=6678

de Witte,L. and Gould,R.W. Potential distribution due to a cylindrical electrode mounted on an insulating probe, 9=10942

de Wolf,E. Measurement of the line shapes and relaxation times in paramagnetic electron resonance at low temperatures and weak magnetic fields, 8=7518. See also van Gerven,L., 6=4508, 7=8751, 8=8132

de Wolff,P.M. Measurement of particle absorption by X-ray fluorescence, 7=2058. On the determination of unit-cell dimensions from powder diffraction patterns, 9=7640

de Wolff,P.M., Taylor,J.M. and Parrish,W. Experimental study of effect of crystallite size statistics on X-ray diffractometer intensities, 9=7611

Dewulf,G. Glasses transparent in the infrared, 5=3590

Dewulf,G. and Gans,F. Determination of the reflection coefficient of an arsenic pentaselenide glass, 7=5260*

Dexter,D.L. Shapes of absorption and emission lines of impurities in solids, 5=834. Resistivity of dilute alloys, 5=6124. Absorption of light by atoms in solids, 6=2784. Scattering of electrons from clustered vacancies in copper, 6=5855. Absorption near the edge in insulators, 7=7924. Exciton models in the alkali halides, 8=805. Refractive index and Faraday effect in solid solutions, 8=5755. Possibility of luminescent quantum yields greater than unity, 8=6869. Optical properties of solids, 9=823. Optical investigation of semiconductors at the University of Rochester, 9=5718. See also Blakney,R.M., 5=2305, 5712; Knox,R.S., 7=2057; Lambe,J.J., 7=373; Potter,R.J., 8=8440

Dexter,D.L., Klick,C.C. and Russell,G.A. Criterion for the occurrence of luminescence, 6=244

Dexter,R.N. Cyclotron resonance in cadmium sulfide, 9=6947. See also Lax,B., 5=2740; Zeiger,H.J., 7=2198

Dexter,R.N. and Lax,B. Effective masses of holes in silicon, 5=1812. Cyclotron absorption in bismuth, 6=1214

Dexter,R.N., Lax,B., Kip,A.F. and Dresselhaus,G. Effective masses of electrons in silicon, 5=1811

Dexter,R.N., Zeiger,H.J. and Lax,B. Cyclotron resonance experiments in silicon and germanium, 7=2221

D'Eye,R.W.M. See Bagnell,K.W., 5=10081

DeYoung,J. See Baxter,L., II, 7=2102

deZafra,R.L. Effect of impurities on angular correlation of positron annihilation radiation, 9=7252

de Zafra,R.L. and Joyner,W.T. Temperature effect on positron annihilation in condensed matter, 9=2580

Dezoteux,J.A. See LaBerge,W.B., 5=2832

Dhar,J. See Majumdar,R.C., 9=8443

Dhar,S. On the energy response and resolution of a scintillation counter, 6=2961. See also McIntyre,J.A., 7=7151

Dhar Bhowmik,P. See Bhar,J.N., 9=6388

Dharmatti,S.S., Sundara Rao,K.J. and Vijayaraghavan,R. The construction and working of a wide line nuclear magnetic resonance spectrometer and the measurements of some chemical shifts, 9=7195

d.Hauw,T.v. See v.d. Hauw,T.

Dheer,P.N. and Surange,S.L. Thermal expansion of lead at low temperatures, 8=5839

Dhillon,J.S. See also Baveja,K.D., 9=10959. Ramanatha,K.G., 5=7018

Dhillon,J.S. and Shoenberg,D. The de Haas-van Alphen effect. III. Experiments at fields up to 32 kG, 5=4805

D'Hont,M. and de Lattre,A. Note on the isotopic effect in the fractional decomposition of potassium fluoborate, 7=6481

d'Hooghe,M. and Rahman,A. Approximate diatomic orbitals for H_2^+, 7=8757

Diaconeasea,B. See Soran,V., 7=9650

Dial,J.B. See Bernstein,S. 6=4652

Diamand,F., Legendre,J.M. and Skalinski,T. Optical detection of hyperfine transitions of caesium atoms, 8=7426

Diamant,H. See Pepinsky,R., 5=1801

Diamantides,N.D. Analogue computer generation of probability distributions for operations research, 7=4

Diamantides,N.D. and Horowitz,M. Autocorrelation of the earth's crust with analog computers, 7=6762

Diambrini,G. See Ageno,M., 9=13383; Alberigi,A., 9=1143

Diamond,A.L. Simultaneous brightness contrast and the Pulfrich phenomenon, 9=4163

Diamond,H. See also,Coté,R.E., 9=8629; Fields,P.R., 6=3933, 9=13704; Ghiorso,A. 5=9846; Huizenga,J.R., 7=9894; Magnusson,L.B., 5=2120; Mech,J.F., 6=6861; Vandenbosch,S.E., 9=12659

Diamond,H. and Barnes, R.F. Alpha half-life of Pu^{244}, 6=2341

Diamond,H., Friedman,A.M., Gindler,J.E. and Fields,P.R. Possible existence of Cm^{247} or its daughters in nature, 7=3583

Diamond,R.M. See also Meadows,J.W., 6=3981; Sharp,R.A., 6=3209

Diamond,R.M. and Hollander,J.M. Neutron-deficient iridium isotopes, 9=1728

Diana,E. and Duimio,F. On the binding energies of light hyperfragments, 6=1620

Dianov-Klokov,V.I. Absorption spectrum of liquid oxygen in the temperature range 77-153°K (12600-3300A), 9=7965. On the origin of the spectrum of liquid and compressed oxygen (12600-3000A), 9=9426

Díaz,E.Pajares. See Pajares Díaz,E.Pajares.

Diaz,J., Kaplan,S.N., MacDonald,B. and Pyle,R.V. Fission of U^{238} induced by μ^- capture, 9=13700

Diaz,J.B. On some singular solutions of the Tricomi equation relating to transonic flow, 9=7864

Diaz Losada,E. See also Alba Andrade,F., 5=348

Diaz Losada,E., Fernández,A. and Velázquex,L. A potential stabilizer for accelerators of charged particles, 5=330

Dibaĭ,E.A. Magnetogravitational instability of an infinite cylinder, 8=7198

Dibble,W.E. Many-particle cooperative scattering of X-rays in the two-crystal spectrometer, 9=13356

Dibbs,H.P. See Wilson,E.J., 8=6282

Dibeler,V.H. See also Bradt,P., 7=5423; Herron,J.T., 8=8500, 9=7569; Reese,R.M., 6=5985, 9=5845

Dibeler,V.H., Mohler,F.L. and de Hemptinne,M. Mass spectra of the deuteroethylenes, 5=1343

Dibeler,V.H. and Reese,R.M. Selected positive and negative ions in the mass spectra of the monohalomethanes, 5=5480. Multiple ionization of sodium vapor by electron impact, 9=9723

Dibeler,V.H., Reese,R.M. and Franklin,J.L. Ionization and dissociation of oxygen difluoride by electron impact, 8=4086

Dibeler,V.H., Reese,R.M. and Mann,D.E. Ionization and dissociation of perchlorylfluoride by electron impact, 8=214

Dibeler,V.H., Reese,R.M. and Mohler,F.L. Ionization and dissociation of hexafluorobenzene by electron impact, 7=5417. Ionization and dissociation of the trifluoromethyl halides by electron impact, 7=5422

DiBernardo,A. See also Wurzburg,F.L. Jr., 9=12159

DiBernardo,A. and Resnick,P. Anomalous spectrophotometric behaviour of copper phthalocyanine–benzidine yellow mixtures, 9=6755

Di Caporiacco,G. and Giovannozzi,M. Cloud chamber study of cosmic ray electronic showers under dense materials. II, 6=4478

Di Caporiacco,G., Mandò,M. and Ferrero,F. Some results on the photodisintegration of samarium, 9=12684

Di Capua,E. See Alexander,G., 9=1686; Ballario,C., 8=1210

Dick,B.G., Jr and Overhauser,A.W. Theory of the dielectric constants of alkali halide crystals, 9=4542

Dick,J.L. and Kurbatov,M.H. The carrier-free separation of the radioactive isotopes Co^{56}, Co^{57} and Co^{58} from a manganese target, 5=2161

Dick,L. Aberration of a circular source in a β spectrometer with uniform axial field, 7=1369. See also Foucher,R., 7=1442; Keller,R., 9=11144; Perrin,N., 7=1573; Vartapétian,H., 6=3939, 6=5370, 7=1542

Dick,L., Foucher,R., Perrin,N. and Vartapétian,H. Fast coincidence and γ-γ spectroscopy with NaI(Tl) scintillation counters; the application to Rh^{102}. I, 5=7330. Calculation of the resolution curves for coincidence systems using scintillation counters, 6=6102. Calculation of resolution curves of coincidence systems using scintillation detectors, 7=1535

Dick,L., Foucher,R., Perrin,N., Vartapétian,H., Béné,G., Denis,P., and Extermann,R. Study of the magnetic field gradient of a solenoid with the help of nuclear resonance, 5=1979

Dicke,R.H. Angular momentum of a real field, 5=2398. Coherence and the quantum, 7=5945. Principle of equivalence and the weak interactions, 8=2126. Gravitation without a principle of equivalence, 8=2127. New research on old gravitation, 9=5344. See also Griffiths,R.B., 8=3851; Romer,R.H., 5=7835; Wittke,J.P., 5=850, 6=7633

Dicke,R.H. and Romer,R.H. Pulse techniques in microwave spectroscopy, 6=194

Dickel,G. Does catalysis shift the separation-tube equilibrium? 9=11519

Dickens,P.G. and Linnett,J.W. Calculation of vibrational relaxation times in gaseous sulphur dioxide, 8=90. Electron configurations in ground state systems, 8=4365

Dickens,P.G., Linnett,J.W. and Schofield,D. Use of approximate wave functions for extrapolation to true energy values, 9=3151
Dickerman,C.E. Angular distributions of two proton groups from the reaction $Na^{23}(d,p)Na^{24}$, 8=3373
Dickerman,P.J. Determination of the equilibrium temperature of a plasma, 8=3155
Dickerson,R.E. See also Hirshfeld,F.L., 8=796; Moore,E.B., Jr, 7=8296
Dickerson,R.E. and Lipscomb,W.N. Semitopological approach to boron-hydride structures, 7=8080
Dickerson,R.E., Wheatley,P.J., Howell, P.A. and Lipscomb,W.N. Crystal and molecular structure of B_2H_{15}, 7=8295
Dickerson,R.E., Wheatley,P.J., Howell,P.A., Lipscomb,W.N. and Schaeffer,R. Boron arrangement in a B_9 hydride, 7=6743
Dickey,F.P. See also France,W.L., 5=4528
Dickey,F.P. and Hoffman,J.M. Vibration-rotation band ν_2 of heavy water vapor, 5=9567. Emission spectrum of the OH radical in an oxyacetylene flame, 8=7808
Dickey,F.P., Kopczynski,S. and Bell,G. Technique for studying the effect of an additive on a flame spectrum, 7=222
Dickey,J.E. See Huntington,H.B., 6=1739
Dickens,G.J. The accuracy of atomic co-ordinates derived from Fourier syntheses, 6=7835
Dickinson,N. See Kellermann,T., 7=7200
Dickinson,W.C. See Brolley,J.E., Jr., 5=9107; Soemitro, 8=4218
Dicks,J.B. and Hopkins,J.I. Measurement of curvature, length and spatial direction of cloud-chamber tracks, 6=438
Dickson,A.D., Mills,I.M. and Crawford,B., Jr. Vibrational intensities. VIII. CH_3 and CD_3 chloride, bromide, and iodide, 8=368
Dickson,E.W. and Thorley,N. An accurate timing device for a low frequency pendulum, 8=3750. Construction of a sensitive temperature controlled torsional pendulum, 9=10321
Dickson,J.M., Rose,B. and Salter,D.C. Elastic scattering of polarized protons from complex nuclei, 5=5625
Dickson,J.M. and Salter,D.C. The elastic and inelastic scattering of polarized protons by carbon, 7=9870
Di Corato,M. See also Amerighi,M.C., 9=9980; Bacchella,G.L., 7=3703; Bowen,T., 9=2632; Davies,J.H., 6=3270*
Di Corato,M., Dilworth,C.C. and Scarsi,L. An example of a $\tau+$ and of ${}^{(\tau)}K^+_\pi$, 5=4956. A possible example of the decay in flight of a Θ^0
Di Corato,M., Hirschberg,D. and Locatelli,B. Calibration of the constant sagitta method, 5=8290
Di Corato,M., Locatelli, B., Mignone,G. and Tomasini,G. Two examples of nuclear interaction of K-particles at rest, 5=9118
di Corato,M., Setti,R.L., Panetti,M. and Pinto,P. Correlation of nuclear disintegrations caused by cosmic rays, 5=376
Diddens,A.N. See also Ashmore,A., 8=8224; Gallaher,L.J., 5=3972; Huiskamp,W.J., 7=8806; Wheatley,J.C., 6=3156
Diddens,A.N., Huiskamp,W.J., Severiens,J.C., Miedema,A.R. and Steenland,M.J. Angular distribution and linear polarization of the gamma rays from oriented ^{58}Co nuclei, 8=6270
Didenko,A.N. Interaction between a charged current-carrying jet moving in a circle and a magnetodielectric, 9=2523
Dieckamp,H. and Sosin,A. Effect of electron irradiation on Young's modulus, 7=3765
Diederichs,E. Accuracy of polarization filters, 9=4461
Diederichs,E. and Lohmann,A. The influence of polish defects of optical surfaces on the contrast transfer function, 9=13202
Diederichsen,J. and Wolfhard,H.G. Spectrographic examination of gaseous flames at high pressure, 6=6508
Diehl,J. See also Dehlinger,U., 6=4704; Seeger,A., 7=4817
Diehl,J. and Rebstock,H. The influence of secondary slip systems on the work-hardening of face-centred-cubic single crystals, 6=6222
Diehl,P. Electrostatically induced shifts of nuclear magnetic proton resonance lines in dilute polar liquids, 7=9337
Diehl,W. and Schulze,R. Thermal,plastic after-effects on the Vicker's indentation in glass, 8=7570
Dieke,G.H. The molecular spectrum of hydrogen and its isotopes, 9=5510. See also Carlson,E., 8=7839; Cook,S.P., 8=5778; Crosswhite,H.M., 5=4503; Hall,L.A., 8=137; Porto,S.P.S., 5=5987; Stanley,R.W. 5=4504; Thekaekara,M., 8=2233
Dieke,G.H. and Crosswhite,H.M. Absorption spectrum and magnetic properties of ytterbium chloride, 7=243
Dieke,G.H., Dimock,D. and Crosswhite,H.M. Semiautomatic method for spectroscopic wavelength and intensity measurements, 6=4983
Dieke,G.H. and Hall,L.A. Fluorescent lifetimes of rare earth salts and ruby, 8=985
Dieke,G.H. and Heroux,L. Absorption spectra,Zeeman effects, and magnetic properties of neodymium salts, 6=8665
Dieke,G.H. and Leopold,L. Absorption,fluorescence, and magnetic properties of gadolinium chloride ($GdCl_3.6H_2O$), 8=5779
Dieke,G.H. and Sarup,R. Fluorescence spectrum of $PrCl_3$ and the levels of the Pr^{+++} ion, 9=1315
Dieke,G.H. and Singh,S. Absorption, fluorescence, and energy levels of the dysprosium ion, 6=5769
Diels,K. and Jaeckel,R. Leybold's vacuum pocket-book for laboratories and industry, 8=6718
Diemer,G. Light patterns in electroluminescent ZnS single crystals activated by diffusion of Cu, 6=1999. See also Kröger,F.A., 6=6630; Zalm,P., 6=2000
Diemer,G. and Hoogenstraaten,W. Evidence for hole-mobility in CdS, 6=7406
Diemer,G. and van der Houven van Oordt,A.J. Nature of blue edge emission in CdS, 8=7836
Diemer,G., van Gurp,G.J. and Hoogenstraaten,W. Analysis of mixed ambipolar and exciton diffusion in CdS crystals, 9=6256
Diemer,G., van Gurp,G.J, and Meyer,M.J.G. The nature of the edge emission in CdS, 8=5794
Diemer,G. and Zalm,P. Voltage distribution inside electroluminescent ZnS crystals, 6=8218
Dieminger,W. Short-wave echoes from the lower ionosphere, 5=6326
Dieminger,W. and Möller,H.G. Echo sounding experiments with variable frequency at oblique incidence, 8=4573
Dienes,G.J. Lattice parameter and short-range order, 8=3482. The temperature-dependence of the elastic moduli of vitreous silica, 9=8926. See also Antal,J.J. 5=9279; Damask,A.C., 9=6275; Fleeman,J., 5=7500; Levy,P.W., 5=5720; Rosenblatt,D.B., 5=8742
Dienes,G.J. and Damask,A.C. Radiation enhanced diffusion in solids, 9=5167
Dieringer,F. Dielectric relaxation experiments on the question of particular mechanisms of orientation for cyclohexane derivatives and diphenyl ether, 6=5846
Dierk,A.E. See Siuhrmann,R., 9=4687
Diesel,T.J. See Perls,T.A., 9=283
Diesen,R.W. See Rabinovitch,B.S., 9=7563
Dieter,F.A. See Theissing,H.H., 9=2528
Dieter,N.H. See Heeschen,D.S., 8=1446
Dieterich,E.J. Excitation of light in hydrogen and helium by hydrogen ions, 6=7483
Dietrich,H. See Rottgardt,K.H.J., 5=1908
Dietrich,J.R. The physics of advanced reactors, 8=4333
Dietrich,P. A method of measuring the capture time of neutrons from a Po-Be source in hydrogenous substances, 6=3296. A pure-vapour-filled counter tube of long life, 8=7220
Dietrich,W. A contribution to the improving of the resolution of electrostatic velocity analysers, 8=8039. Refined measurement of discrete energy losses in 30 keV electrons in gases, 8=8813. Confirmation of the anomalous energy distribution in electron beams (continuous recording method for caustic paths of the beams), 9=1512. See also Möllenstedt,G., 5=7100
Dietz,H. See Schwieger,H., 6=726
Dietz,L.A. Thermal transpiration in the mass spectrometer inlet system, 7=1390. Ion optics for the V-type surface ionization filament used in mass spectrometry, 9=8232
Dietze,H.D. Theory of Bloch wall bending with stray field effect, 8=5108
Dietze,M. Description of a low-temperature X-ray camera, 9=4108
Dietzel,A. and Deeg,E. The detection of anisotropy in opaque, non-metallic materials, 5=4119
Dietzel,K. See Maréchal,A., 9=6680
Díez,L. See Vigon,M.A., 6=4674
di Francia,G.Toraldo. See Toraldo di Francia,G.
Dighton,D.T.R. Logarithmic device for a densitometer, 6=8644. See also Audran,R., 6=4071
di Giuseppe,M.Gentili. See Gentili di Giuseppe,M.
Dignam,M.J. and Le Roy,D.J. Correction for reflection, absorption, and scattering in photometric experiments; the extinction coefficient of gaseous chlorine at 4358A, 7=6011
Dijk,H. van. See van Dijk,H.
Dijk,S. van. See van Dijk,S.
Dikareva,G.M. A scintillation method for the control of β-contaminations in the presence of a γ-background, 9=9897
Dill,M. See Stakutis,V.J., 5=6833
Dilla,M.A. Van. See Van Dilla,M.A.
Dillenburg,D., Jacob,G. and Saraiva de Toledo,P. The reaction

$Be^9(n,2n)Be^8$ in heterogenous thermal reactors moderated with beryllium. II. Calculation of the fast fission factor, 9=3937

Dillman,L.T. See also Gove,N.B., 9=4983; Henry,R.W. 9=6079

Dillman,L.T., Henry,R.W., Gove,N.B. and Becker,R.A. Scintillation studies of some neutron deficient isotopes of lutecium, 9=4992

Dillon,D.J. and Zegers,R.T. Quantal determination and statistical evaluation of absolute foveal luminosity thresholds and of threshold variability, 9=4164

Dillon,J.A., Jr. See also Farnsworth,H.E., 9=7546

Dillon,J.A., Jr and Farnsworth,H.E. Work-function studies of germanium crystals cleaned by ion bombardment, 7=5373. Work function and sorption properties of silicon crystals, 9=3546

Dillon,J.A., Schlier,R.E. and Farnsworth,H.E. Some surface properties of silicon-carbide crystals, 9=7528

Dillon,J.A., Jr, Sheridan,W.F., Edwards,H.D. and Ghosh,S.N. Charge transfer reactions in monatomic and diatomic gases, 5=6566

Dillon,J.F., Jr. Ferrimagnetic resonance in yttrium iron garnet, 7=4540. Optical properties of several ferrimagnetic garnets, 8=8695. Observation of domains in the ferrimagnetic garnets by transmitted light, 9=3650. Ferrimagnetic resonance in yttrium iron garnet at liquid helium temperatures, 9=4812. Magnetostatic modes in ferrimagnetic spheres, 9=4813

Dillon,J.F., Jr and Earl,H.E. Demonstration of magnetic domains, 9=4795. Domain wall motion and ferrimagnetic resonance in a manganese ferrite, 9=2511

Dillon,J.F. Jr, Geschwind,S. and Jaccarino,V. Ferrimagnetic resonance in single crystals of manganese ferrite, 6=1364

Dillon,J.F., Jr, Geschwind,S., Jaccarino,V and Machalett, A. Cryostat for ferrimagnetic resonance experiments, 9=9799

Dillon,J.F., Jr and Jaccarino,V. Use of neon in cryogenics, 9=8046

Dillon,J.F., Jr and Nielsen,J.W. Effects of rare-earth impurities on ferrimagnetic resonance in yttrium iron garnet, 9=13450

Dillon,J.H. See Levy,J.B., 9=3416

Dillon,T.J. Low-frequency dynamic response of photosensitive neon discharge tubes, 5=4746. Spectral sensitivity of neon discharge tubes, 8=1104

Diltoer,J. See Roy,R.R., 6=3110

Dilworth,C. See Alvial,G., 8=1149; Amerighi,M.C., 9=9980; Baldo-Ceolin,M., 8=1885; Davies,J.H., 6=3270*. K-collaboration, 9=13575

Dilworth,C.C. See also Baldo-Ceolin, M., 7=8882; Bonetti,A., 5=6672; Di Corato,M., 5=4956, 9125

Dilworth,C.C., Manfredini,A., Rochester,G.D., Waddington,J. and Zorn,G.T. Report of the Committee on *K*-particles, 5=6482

Dilworth,C.C. and Rossi,B. Comparison of results on *K*-particles disintegrating at rest in cloud chambers and photo-emulsions, 5=9953

DiMarzio,E.A. See also Gibbs,J.H., 8=4449, 8619, 9=3993

DiMarzio,E.A. and Gibbs,J.H., Chain stiffness and the lattice theory of polymer phases, 8=4402

Dimeff,J., Carson,J.A. and Charters,A.C. Piston-type strain gauge for measuring pressures in interior ballistics research, 5=9453

Dimitroff,E. See Popoff,K., 5=1788

Dimitroff,J.M. See also Jacquez,J.A., 5=9675, 6=180, 2599, 3400

Dimitroff,J.M., Jacquez,J.A. and Kuppenheim,H.F. Spectral reflectance of the skin of rats and rabbits in the region 420-1000 m, 6=3399

Dimitroff,J.M. and Swanson,D.W. Improved technique for coating integrating spheres with magnesium oxide, 6=7248

Dimitrov,L.V. Graphical method of calculating the second vertical derivative of the gravitational potential, 9=12885

Dimmick,F.L. Specifications and calibration of the 1953 edition of the Inter-Society Color Council color aptitude test, 6=5040. See also Smith,S.W., 5=7572, 7=6793

Dimock,D. See Dieke,G.H., 6=4983

Din,F. (Conf. rep) Summarized proceedings of a meeting on low temperature distillation – London, March 1957, 8=1022

d'Incan,J. See Janin,J., 8=7804

Din Da-Tsao. See Van Gan-Chan, 9=2626

Diner,R.M. See Bauer,S.H., 9=6213

Dinger,H. A quantum mechanical study of the fluorine molecule, 5=2925

Dinger,H.E. See Morgan,M.G., 6=3396

Dingle,H. A problem in relativity theory, 7=1881. The "clock paradox" of relativity, 7=7568. Relativity and space travel, 8=35. The clock paradox in relativity, 8=867. The resolution of the clock paradox, 8=5598. A proposed astronomical test of the "ballistic" theory of light emission, 9=6484. A possible experimental test of Einstein's second postulate, 9=10563

Dingle, R.B. Diamagnetic resonance in electronic conductors, 5=5403. Scattering of electrons and holes by charged donors and acceptors in semiconductors, 5=8747. Theory of the infrared absorption by carriers in semiconductors, 6=331. The concept of formal relaxation times in the theory of electronic conductors at low temperatures, 6=8176. Pictorial kinetic methods in the theory of metals and semiconductors, 6=8182. The anamalous skin effect and the optical absorptivity of semiconductors. I, 6)8183. II, 7=8611. A remark on the influence of high frequency electric fields and uniform magnetic fields on electronic conduction, 7=353. A general quasi-classical of diamagnetic ("cyclotron") resonance in electronic conductors, 7=354. The evaluation of integrals containing a parameter, 7=995. The integrals $Ci_n(x) = {}_1\int^{\infty} u^{-n} \cos ux\, du$ and $Si_n(x) = {}_1\int^{\infty} u^{-n} \sin ux\, du$ and their tabulation, 7=996. Tables of the integrals $CI_n(x) = {}_1\int^{\infty} u^{-n} (1-u^{-2}) \cos ux\, du$ and $SI_n(x) = {}_1\int^{\infty} u^{-n}(i - u^{-2}) \sin ux\, du$, 7=997. The method of comparison equations in the solution of linear second-order differential equations (generalized W.K.B. method), 7=998. The Fermi–Dirac integrals $\mathfrak{B}_p(\eta) = (p!)^{-1} {}_0\int^{\infty} \epsilon p(e^{\epsilon-\eta} + 1)^{-1} d\epsilon$, 8=846. The Bose–Einstein integrals $\mathfrak{B}_p(\eta) = (p!)^{-1} {}_0\int^{\infty} \epsilon p(e^{\epsilon-\eta} - 1)^{-1} d\epsilon$, 8=847

Dingle,R.B., Arndt,D. and Roy,S.K. The integrals $\mathfrak{B}_p(x) = (p!)^{-1} {}_0\int^{\infty} (\epsilon + x)^{-1} e^{-\epsilon} d\epsilon$ and $\mathfrak{B}_p(x) = (p!)^{-1} {}_0\int^{\infty} \epsilon p(\epsilon + x)^{-2} e^{-\epsilon} d\epsilon$ and their tabulation, 8=843. The integrals $\mathfrak{B}_p(x) = (p!)^{-1} {}_0\int^{\infty} \epsilon^p(\epsilon^2 + x^2)^{-1} e^{-\epsilon} d\epsilon$ and $\mathfrak{C}_p(x) = (p!)^{-1} {}_0\int^{\infty} \epsilon^p(\epsilon^2 + x^2)^{-2} e^{-\epsilon} d\epsilon$ and their tabulation, 8=844. The integrals $\mathfrak{D}_p(x) = (p!)^{-1} {}_0\int^{\infty} \epsilon^p(1 + x\epsilon^3)^{-1} e^{-\epsilon} d\epsilon$ and $\mathfrak{F}_p(x) = (p!)^{-1} {}_0\int^{\infty} \epsilon^p(1 + x\epsilon^3)^{-2} e^{-\epsilon} d\epsilon$ and their tabulation, 8=845

Dingledy,D.P. See Hoch,M., 5=3699

Diniak,A.W. See Weaver,E.R., 8=7750

Dinkelacker,O. The aspiration psychrometer as a physical measuring instrument, 5=2329

Dinnis,A.R. See Meltzer,B., 8=5053

Dinsdale,A. See Vaughan,F., 9=7587

Dio,W.H. About the investigation of the diffusion of thermal neutrons in water and paraffin with a pulsed source, 9=3748

Dio,W.H. and Schopper, E. Temperature dependence of the diffusion coefficient and the diffusion length of thermal neutrons in water, 8=5208

Dion,A. See Boivin,E., 6=6034

DiPaolo,F.C. See Birdsall,C.M., 5=4426

DiPaolo,F.S. See Jenkins,A.C., 6=748, 8015

Dirac,P.A.M. The stress tensor in field dynamics, 5=1507. Gauge-invariant formulation of quantum electrodynamics, 6=60. Note on the use of non-orthogonal wave functions in perturbation calculations, 6=936. Generalized Hamiltonian dynamics, 8=5608. The theory of gravitation in Hamiltonian form, 8=5609. Fixation of coordinates in the Hamiltonian theory of gravitation, 9=9189. Energy of the gravitational field, 9=11783

Dirbach,W. The luminescent colour of the picture tube screen, 7=2097

Dirksen,H.J. Photoconductivity in cadmium selenide, 9=1470. A diagram for the description of photoconductivity, 9=8146

Dirksen,H.J. and Memelink,O.W. Photoconductivity in cadmium selenide, 5=957

Dishkant,G.P. Indeterminacy in quantum mechanics according to its formulation as a statistical theory, 5=5897

Dissanaike,G.A. See Dearnaley,G., 8=1255

Distèche,A. pH measurements with a glass electrode withstanding 1500kg/cm² hydrostatic pressure, 9=8959

Distler,G.I. Optical properties of new ultraviolet polarizing filters, 7=7796. Infrared polarization filters, 9=9532. See also Gil'varg,A.B., 5=6930

Distler,G.I. and Parvova,E.V. Development and investigation of thermally stable polarization filters, 7=7797

Ditchburn,R.W. Eye-movements in relation to retinal action, 5=4257. Absorption cross-sections in the vacuum ultraviolet. III. Methane, 5=4533. Some new formulas for determining the optical constants from measurements on reflected light, 5=8649. A discussion on "radiative balance": Absorption of ultra-violet radiation by the atmospheric gases, 6=7888. Optical instruments for the vacuum ultra-violet, 6=8086. Optical instruments for the vacuum ultraviolet, 7=227. See also Clark,C.D., 6=4305, 8666

Ditchburn,R.W. and Fender,D.H. The stabilised retinal image,6=857

Ditchburn,R.W., Fender,D.H., Mayne,S and Pritchard,R.M.

A stabilized retinal image of the iris, 7=2884

Ditchburn,R.W, and Heddle,D.W.O. Absorption cross-sections in the vacuum ultra-violet. II. The Schumann-Runge bands of oxygen (2000 to 1750 Å), 5=849

Ditchburn,R.W., Mitchell,E.W.J., Paige,E.G.S., Custers,J.F., Dyer,H.B. and Clark,C.D. The optical effects of radiation damage in diamond and quartz, 5=6611

Ditchburn,R.W. and Pritchard,R.M. Stabilized interference fringes on the retina, 6=4127

Ditchfield,C.R. and Forrester,P.A. Maser action in the region of 60°K, 9=3664

Ditmars,D.A. and Ginnings,D.C. Thermal conductivity of beryllium oxide from 40° to 750°C, 8=3021

Ditter,J.F. See Lehmann,W.J., 9=1286; Shapiro,I., 7=5716

Ditto,S.J., See Gordy,W., 6=877

Ditzenberger,J.A. See Fuller,C.S., 5=1827, 6=4403, 7=4797

Divan,L. On the absorption of interstellar matter, 6=872*. See also Cayrel-De Strobel,G., 6=26

Divan,L. and Rozis-Saulgeot,A.M. The colour-index-gradient diagram, 7=9507

Divari,N.B. On the changes of colour of the twilight sky, 9=10427

Divatia,A.S. See Davis,R.H., 5=1594, 7=688

Dive,P. Tensor field of a rotating fluid mass, 9=7759

Diven,B.C. Fission cross section of U^{235} for fast neutrons, 7=4742

Diven,B.C., Martin,H.C., Taschek,R.F. and Terrell,J. Multiplicities of fission neutrons, 6=2423

Diven,B.C., Terrell,J. and Hemmendinger,A. Capture-to-fission ratios for fast neutrons in U^{235}, 8=765

Di Vita,S. See Smoke,E.J., 7=9153, 8=2291

Dix,C.H. The method of Cagniard in seismic pulse problems, 5=1372

Dixit,K.R. The statistics of 29 000 stars observed in nuclear emulsions in Kenya, 5=6278. Rectification and crystal structure, 6=8204. Epitaxial growth of thin evaporated metallic films on cleavage surfaces of alkali-halides and other crystals, 9=9007

Dixit,K.R. and Agashe,V.V. Study of the oxides of copper formed in air, 5=4989. Study of cuprous oxide formed at 410°C at pressures of air between o.5 and 75 mm of Hg, 6=2532. Study of cuprous oxide formed in air at 0.5 mm of Hg between 200°C and 1030°C and its rectification, 9=4062. Crystal structure and magnetic susceptibility of rectifying cuprous oxides, 9=8103.

Dixon,D. and McNair,A. A search for natural radioactivity in neodymium, rhenium and osmium, 5=1143

Dixon,D., McNair,A. and Curran,S.C. Natural radioactivity of lutetium, rhenium and osmium, 5=9854

Dixon,D.R. and Bandtel,K.C. Photodisintegration of deuterons at high energies, 7=3660

Dixon,E.O. See MacNeille,S.M., 5=221

Dixon,F.P. and Walker,R.L. Photoproduction of single positive pions from hydrogen in the 500-1000 MeV region, 8=8993. Photoproduction of single positive pions from hydrogen in the 600 to 1000 MeV region, 9=3787

Dixon,G.M. See Chisholm,J.S.R., 9=40

Dixon,J.R. Photoelectromagnetic effect in indium arsenide, 8=622. Anomalous electrical properties of p-type indium arsenide, 9=12272. See also Stern,F., 9=8097

Dixon,J.R. and Enright,D.P. Effect of heat treatment upon the electrical properties of indium arsenide, 9=6973. Role of impurities in the heat treatment effects observed in indium arsenide, 9=13303

Dixon,J.R. and Grant,F.A. Decay of the triplet P levels of neon, 7=8110

Dixon,R.N. Anomalous band intensity in Fermi resonance, 9=8714

Dixon,R.N. and Nicholls,R.W. An experimental study of the band intensities in the CN red system, 8=1602

Dixon,R.N. and Sheppard,N. The vibration-rotation spectrum of silyliodide, 5=3571

Dixon,W.R. Energy and angular distributions of photo-neutrons produced by 70-MeV X-rays, 6=1580. Angular energy flux of secondary gamma-rays in matter; small-angle scattering from a point isotropic source, 9=3717. See also Aitken,J.H., 9=3087; Trainor,L.E.H., 6=3097

Dixon,W.R. and Aitken,J.H. The resolution correction in the scintillation spectrometry of continuous X-rays, 9=2388

Dixon,W.R., Bielesch,A. and Geiger,K.W. Neutron spectrum of an actinium–beryllium source, 7=8200

Dixon,W.R. and Trainor,L.E.H. Nature of positron annihilation in liquids and solids, 5=3080

Dizabo,P. See Lascombe,J., 7=6376

Dizer,M. Observations of prominences made at the Kandilli-Istanbul Observatory in 1954, 6=22. The relation between sudden disappearances of (solar) filaments and (geo)magnetic storms, 8=4655

Djan Nio Liem, See Liem Djan Nio, 7=162

Djie,H. Tjin a. See Tjin a Djie, H.

Djurle,E. On the origin of unsymmetrical Rowland ghosts in optical gratings, 5=2640. See also Ingelstam,E., 6=7253, 7=7711; Rodney,W.S., 8=4848

Djurle,E. and Gran,G. Photoelectric indicator for precision setting in co-ordinate measurements (on photographic plates), 8=6894

Dlouhý,Z., Petržílka,V. and Rozkoš,M. The nuclear photo-effect in nickel, copper and zinc, 5=9924

Dlutzik,H. Generalized object–image relationships in optical systems, 9=1240

Dmitrakova,G. See Gal'perin,F., 7=2428

Dmitrenko,I.M. See also Verkin,B.I., 7=2412, 9=13416

Dmitrenko,I.M., Verkin,B.I. and Lazarev,B.G. Effect of omni-directional compression on magnetic properties of zinc monocrystals at low temperatures, 8=1778. Magnetic properties of metals at low temperatures. IV. Effect of homogeneous compression on the de Haas–Van Alphen effect in zinc crystals, 9=2508

Dmitrev,A.A., Kondrat'ev,K.Ya., Loginova,Z.A. and Yakushevskaya,K.E. On the surface temperature of melting snow, 8=3031

Dmitriev,A.G. See Gromov,K.Ya., 8=7336

Dmitriev,I.S. Electron-loss probabilities for multiply-charged ions, 8=5081. See also Nikolaev,V.S., 8=1730, 4090, 5986; Teplova,Ya.A., 8=1744, 7136

Dmitriev,N.A., Feodoritova,M.I. and Frank-Kamenetskiĭ,D.A. Non-adiabatic pulsations in stars with constant adiabatic exponents, 7=5008

Dmitriev,V.A. On the shape of the electron pulse in an ionization chamber, 7=9241. See also Abrosimov,A.T., 8=8090, 9=12432

Dmitriev,V.N., Drafchinskii,L.V., Petrzhak,K.A. and Romanov, Yu.F. Energy distribution of fission fragments from neutron-induced ternary fission of uranium nuclei, 9=13703

Dmitrieva,M.M. See Solntsev,G.S., 6=4422

Dmitrievskiĭ,O.D., Neporent,B.S. and Nikitin,V.A. A high speed infra-red spectrometer for the region 0.8-3.0μ, 8=3862

Dmitrochenko,D.A. See Mikhaĭlov,G.P., 7=3242

Dnestrovskii,Yu.N. The change of natural frequencies of membranes and resonators with additional loads, 9=11918

Dnestrovskiĭ,Yu.N. and Kostomarov,D.P. The radiation of charged particles in flight near perfectly conducting bodies, 8=1814

Doak,P.E. A discussion on the first and second viscosities of fluids: Vorticity generated by sound, 5=91

Doan,R.L. The Engineering Test Reactor – a status report, 8=4351

Doane,E.P. and Drickamer,H.G. The effect of pressure on the solubility of solids in non-polar liquids, 5=5927

Dobbie,C.B. See Kolb,A.C., 9=13402

Dobbs,E.R. Equation of state and elasticity of solid argon, 6=3872. See also Barker,J.R., 5=9995

Dobbs,E.R., Figgins,B.F. and Jones,G.O. Properties of solid argon, 9=4000

Dobbs,E.R., Figgins,B.F., Jones,G.O., Piercey,D.C. and Riley,D.P. Density and expansivity of solid argon, 7=2117

Dobbs,E.R. and Jones,G.O. Theory and properties of solid argon, 8=1304

Dobovišek, B. An analysis of a *K*-meson star, 5=8890. Comparison of the methods for mass determination based on the range–ionisation measurement, 9=4909. See also Havlíček,F.I., 6=1581, 9=2812

Dobrer,E.K. and Karmen,K.N. Some characteristics of the piezoeffect in barium titanate under static conditions, 7=9160

Dobretsov,D.N. See Bulÿginskiĭ,D.G., 7=1425

Dobretsov,L.N. See also Bulÿginskiĭ,D.G., 7=497

Dobretsov,L.N. and Matskevich,T.L. The effect of reflected electrons in secondary electron emission, 8=5968

Dobretsov,L.N. and Titkov,A.S. [The] secondary electron emission from the (100) facet of a single crystal of NaCl, 5=8829

Dobretsov,Yu.P. and Nikol'skii,B.A. The formation of positive pions by negative pions, 9=9981

Dobrinin,Yu.P. See Sosnovsky,A.N., 9=8457

Dobrinski,P. and Hinrichs,H. On the luminescence of NaCl-Ag, 6=1105

Dobrokhotov,E.I., Lazarenko,V.R. and Luk'yanov,S.Yu. Search for double β-decay in Ca^{48}, 9=10066

Dobrokhotov,E.I., Lazarenko,V.R. and Lyk'yanov,S.Yu. A search for double β-decay in Ca^{46}, 7=4667

Dobronravov,Yu.A. Supplementary integrals of motion for the

hydrogen atom, 8=1274
Dobrov,W. and Jeffries,C.D. Magnetic moment of 72 day Co^{58} by paramagnetic resonance, 8=315
Dobrov,W.I. See also Perls,T.A., 9=283
Dobrov,W.I., Vieth,R.F. and Browne,M.E. Electron paramagnetic resonance in SrTiO$_3$, 9=12468
Dobrovol'skiĭ,S.P., Nikol'skiĭ,S.I., Tukish,E.I. and Yakovlev,V.I. Spatial distribution of particles in extensive atmospheric showers produced by primary cosmic rays of various energy, 7=3419
Dobrowolski,J.A. Mica interference filters with transmission bands of very narrow half-widths, 9=9516
Dobrowolski,J.A., Godfrey,W., Slater,P.N. and Weinstein,W. Measurement of the diameter of opaque cylinders by scanning microscopy, 7=2101
Dobrowolski.J.A. and Weinstein,W. Optical aspherizing by vacuum evaporation, 5=5970
Dobrowolski,W. See also Jones,R.V., 6=5241
Dobrowolski,W., Jones,R.V. and Jeffries,C.D. Paramagnetic resonance hyperfine structure of Co^{60}, 6=3101. Spin and magnetic moment of Mn^{53}, 7=2543
Dobryakova,F.F. See Al'pert,Ya.L., 8=8543
Dobson,G.M.B. A discussion on "radiative balance": Origin and distribution of the polyatomic molecules in the atmosphere, 6=7884
d'Occhieppo,K.F. Determination of the radius ratio in the case of occultation variables, 9=5327
Dockrill,A.G. See Hazen,W.E., 9=3084
Doctor,N.J. See Conrad,E.E., 6=7374
Dodd,C., The bubble chamber, 5=8865. Radio-carbon content and delayed boiling of liquids, 6=1151. See also Bullock,F.W., 7=9243, 9=2557; Glaser,D.A., 6=5982
Dodd,C.G. See Pidgeon,F.D., 5=3475
Dodd,J.N. See Bogle,G.S., 6=3106, 7=8511
Dodd,L.E. The hydrostatic paradox: phases I and II, 5=2455. The stroboscopic effect and the barber-pole illusion, 5=7571. The siphon balance, 5=8534
Dodd,R.E. Activation energy of hydrogen-abstraction reactions, 7=8235
Dodé,M. On the general validity of the Gilbert–Onsager reciprocal relations, 7=7074
Doderer,G.C. See McIntyre,D., 9=5409, 6797
Døderlein,J.M. Neutron flux distribution in an axially finite annular gap surrounding a black rod, 9=7389
Dodgen,H.W. and Anderson,R.E. Nuclear quadrupole resonance in solid 1,2-dibromoethane, 9=13486
Dodgen,H.W. and Ragle,J.L. Observation of hindered rotation in solid 1,2-dichloroethane by nuclear quadrupole resonance, 6=8907
Dodonova,N.Ya. and Sobolev,V.V. The radiation of CO$_2$ in the region of 15μ in an electric discharge, 6=4301
Dodson,H.W. Studies at the McMath-Hulbert observatory of radio frequency radiation at the time of solar flares, 8=1437
Dodson,H.W. and Hedeman,E.R. Résumé of visually and photographically observed solar activity at the time of 200 Mc/s noise storms near 1954 solar minimum, 8=14. Geomagnetic disturbances associated with solar flares with major premaximum bursts at radio frequencies $\leq$ 200 Mc/s, 8=5530. Crochet-associated flares, 9=4217
Dodson,R.W. See Wolfgang,R.L., 6=2513
Dodsworth,P.G. See also Barrow,R.F., 7=3129
Dodsworth,P.G. and Barrow,R.F. The triplet band systems of aluminium monofluoride, 5=8598
Dodu,J. The influence of the Weber and Reynolds numbers on the dispersion of high-speed liquid jets, 9=13056
Doehring,A. See Bock,R., 8=8807
Doerffel-Sachsse,L. and Leutwein,F. Comparative experiments for spectral analysis with the impulse spark generator, 9=5494
Doering,R.F. See Stang,L.G.,Jr, 5=499
Doffin,H. and Kulenkampff,H. Investigations of the directional distribution of the X-ray bremsstrahlung (continuous X-radiation), 8=5036
Doggett,J. See Berger,M.J., 6=5171, 6879, 8253
Doggett,J.A. and Spencer,L.V. Elastic scattering of electrons and positrons by point nuclei, 7=456
Doggett,W.O. See Petroff,M.D., 7=1536
Dognin,A. Thermal conductivity of mixtures of air and carbon dioxide, 7=2114. On the representation of thermal conductivities of gaseous binary mixtures. Application to mixtures composed of air and carbon dioxide, 7=9132. See also Gilbert,R., 8=6723
Dognon,A. and Simonot,T. Importance of different experimental conditions in the action of ultrasound, 5=4458, 6=117. Influence of the form and nature of the vessels used in the action of ultrasound, 5=4459
Dognon,A. and Suquet,P. Diffuse reflection factor of polyparticulate suspensions, 8=6864
Doherty,L. and Aller,L.H. Comment on the Stark broadening of Hα in the sun, 5=7646
Doherty,L.R. See Charatis,G., 8=5773
Doherty,M. and Harrison,W. Preparation and characteristics of calcium halophosphates, 5=3600
Dohne,C.F. See Hoover,J.I., 5=1004
Doidge,P.R. The transition to superconductivity, 6=7430
Doil'nitsin,E.F., Trubetskoi,A.I. and Shcherbakova,M.Ya. A miniature radiofrequency mass-spectrometer, 9=8235
Doil'nitsyn,E.F., Trubetskoĭ,A.I. and Shcherbakova,M.Ya. A radiofrequency mass spectrometer, 7=9238
Dokoupil,Z., van Soest,G., Wansink,D.H.N. and Kapadnis,D.G. Specific heats of pure ^{4}He and of a mixture of ^{4}He with 2.50% of ^{3}He between 1°K and 2.3°K, 5=2679
Dokuchaev,N.F. Thermo-hygrometric methods of determining the concentration of water vapour in the boundary layer, 7=4274
Dolan,W.W. See Boling,J.L., 9=1893
Dolanský,L.O. An instantaneous pitch-period indicator, 5=2537. Studio for listening tests, 8=2218
Dolby,R.M. Some methods for analysing unresolved proportional counter curves of X-ray line spectra, 9=2385
Dolce,A. See Déjardin,G., 8=4015; Mesnard,G., 7=7111-12, 9193-4
Dolder,K. The transmission of strong shock waves through magnetic fields, 8=6069
Dolder,K. and Hide,R. Bibliography on shock waves, shock tubes, and allied topics, 7=6961. An experiment on the interaction between a plane shock and a magnetic field, 8=2902
Dolder,K.T, and Klemperer,O. Space-charge effects in electron optical systems, 6=400. High frequency oscillations in the space charge of some electron emission systems, 6=8261. On the electron gun with hairpin cathode; the intensity of emission and the nature of the electron source, 8=5051
Dole,M. Relation between the Onsager and measurable diffusion coefficients in three component systems, 7=3054. See also Brown,J.B., 8=1997; Williams,T.F. 9=10273; Worthington,A.E., 5=8712
Dolega,U. On the influence of a field inhomogeneity with nuclear magnetic resonance effect, 5=9018. The effect of field inhomogeneity on the nuclear resonance absorption signal, 9=5932. See also Pfeifer,H., 5=3976
Dolega,U., Pfeifer,H., and Lösche,A. A new method for the measurement of the distribution of magnetic fields, 5=3874
Doleiden,F.H. See Fuller,C.S., 8=7953
Dolejší, J. The luminescence of sodium chloride activated by calcium and strontium and excited by soft X-rays, 9=7984
Doležal,V. and Kosmák,L. The theory of approximation, 7=6
Dolginov,A.Z. Relativistic spherical functions, 6=7133. On the information about β-interaction and nuclear levels derived from the polarization of X-ray quanta, 7=7348. On the character of the force between nucleons, 7=9813. Polarization of X-ray quanta and non-conservation of parity in K-capture, 8=5317. A possible check of the "combined parity" conservation for beta-interaction, 8=5616. Beta–gamma correlation and polarization of particles in the beta decay of oriented nuclei in connection with parity non-conservation, 6=6260. Polarization and angular distribution of X-ray quanta emitted after electron capture by a nucleus or after a conversion transition, 8=9032. A possible experiment for determination of spirality of μ-mesons, 9=1670. Polarization correlation of β-particles and γ-quanta in allowed decay of oriented nuclei, 9=2742
Dolginov,A.Z. and Popov,N.P. First order forbidden β-γ-correlation for oriented nuclei, 9=1743. Polarization of β-particles and β-γ-correlation for first forbidden transitions in oriented nuclei, 9=13643
Dolginov,A.Z. and Toptigin,I.N. Effect of distribution of nuclear charge on angular correlation in beta-decay, 7=6507
Dolgopolov,D.G. See Bogoyavlenskiĭ,I.V., 8=2000
Dolgoshein,B.A. See also Kirillov-Ugryumov,V.G., 9=8471, 12571
Dolgoshein,B.A. and Luchkov,B.I. The polarization of shower μ^+ -mesons at sea level, 9=11182
Dolgov,G.G. On the polarization of atomic luminescence during excitation with slow electrons, 9489
Dolinskiĭ,É.I. See also Shapiro,I.S., 7=6607, 8=3303, 3305
Dolinskii,E.I. and Blokhintsev,L.D. Absorption of polarized

μ-mesons by nuclei, 9=9972. Absorption of polarized μ^--mesons by nuclei. Angular distribution of the neutrons, 9=12688
Dolinsky,E.I. See also Shapiro,I.S., 7=7425
Dolinsky,E.I. and Blokhintsev,L.D. Absorption of polarized μ^--mesons by nuclei. The neutron angular distribution, 9=8641
Dolique,J.M. The role of the Lagrangian in the classical or quantum dynamics of the electron, 9=3116. Propagation of electromagnetic waves in completely ionized resistive plasmas, 9=13395. See also Warnecke,R.R., 8=4740.
Doll,R. Measurement of the gyromagnetic effect with macroscopic and microscopic superconducting lead spheres, 9=4793. See also Meissner,W., 5=4679, 9=11048
Dollfus,A. An arrangement for observing weak monochromatic coronal emissions from the solar corona with the polarizing filter, 6=1782. A fringe photometer for the measurement of different regions of an object observed through a telescope, 7=4972. A double-image photometer for comparing spots on the surface of a planet, 7=4973. A study of the Lyot polarizing filters for observing the solar chromosphere constructed by "La Société Optique et Précision de Lavallois", 7=5794. Polarizing filters for observing the solar corona, 7=5795. A transparent polarizing filter for observing the solar corona, polar aurorae and luminescence of the upper atmosphere, 7=9494. Classification of emission lines of solar corona, 8=2110. A very sensitive photoelectric polarimeter for solar studies, 8=6574. First observations with the solar polarimeter, 8=7657. See also Blackwell, D.E., 7=9503; Michard,R., 5=2374-5
Dolloff,R.T. Electrical conductivity of barium oxide single crystals as a function of temperature and excess barium density, 7=3253
Dolmatova,K.A. See also Kel'man,V.M., 8=7090
Dolmatova,K.A and Kel'man,V.M. A longitudinal [axial] β-spectrometer with compensated spherical aberration, 7=8657
Dol'nikov,A.É. A study of tungsten cathodes with films of calcium on them, 8=8852
Dolph,C.L. and Penzlin,F. On the theory of a class of non-self-adjoint operators and its applications to quantum scattering theory, 9=9227
Dolphin,G.W. See also Boag,J.W., 9=7238; Stratton,K., 7=865
Dolphin,G.W., Gale,N.H. and Bradshaw,A.L. Investigations of high energy electron beams for use in therapy, 9=3587
Dolphin,G.W. and Stratton,K. Electron bombardment of counting diamonds, 8=4448
Dolphin,L. See Leadabrand,R.L., 9=10436
Dols,C.G., Skiff,E.W. and Watson,P.G. Temperature-regulated bismuth resistor for magnetic-field measurements, 8=4114
Domagala,R.F. See Nurnberg,H.L., 7=989
Domanic,F. and Patronis,E.T.,Jr. Slow-neutron resonances in Eu^{151} and Eu^{153}, 9=11481
Domanski,S. The dependence of the coercive field of tri-glycine sulphate on temperature and frequency, 8=8748
Domański,T. Slow neutron detection in presence of gamma-radiation, 7=6296
Domb,C. Statistical physics and its problems, 6=97. Specific heats of compressible lattices and the theory of melting, 7=2456. Melting curves of helium and hydrogen isotopes, 7=5277. Some theoretical aspects of melting, 9=10914
Domb,C. [Conf. rep] The properties of solid argon, 5=5363. See also Barron,T.H.K., 5=2911
Domb,C., Maradudin,A.A., Montroll,E.W. and Weiss,G.H. The vibration spectra of disordered lattices, 9=7492. Vibration frequency spectra of disordered lattices. I. Moments of the spectra for disordered linear chains, 9=12776. II. Spectra of disordered one-dimensional lattices, 9=12777
Domb,C. and Sykes,M.F. On metastable approximations in co-operative assemblies. 6=4487. On high temperature expansions in the Heisenberg theory of ferromagnetism, 6=6768. On the susceptibility of a ferromagnetic above the Curie point, 7=8713. The calculation of lattice constants in crystal statistics, 7=8932. High temperature susceptibility expansions for the close packed hexagonal lattice, 8=226. Specific heat of a ferromagnetic substance above the Curie point, 8=1663
Domb,C. and Zucker,I.J. Theoretical calculations on solid argon, 7=2457
Dombrovskaya,T.N. See Spivak,G.V., 6=4496, 6=6770, 7=7231
Dombrovskii,V.A. Polarimetric investigations of nebulae M8 and M20 and of stars in their neighbourhood, 7=1865
Dombrowski,N. A method of identifying double-flash exposures, 5=1438. See also Fraser,R.P., 5=8434
Dombrowski,N., Fraser,R.P. and Peck,G.T. A short duration, double flash system for simultaneous or delayed operation, 5=9345
Domen,S. See McElhinney,J., 6=6687
Domenicali,C.A. Thermoelectric power and resisitivity of solid and liquid germanium in the vicinity of its melting point, 8=5932. Thermoelectric power and electron scattering in metal alloys, 9=4636. See also Parravano,G., 7=4385
Domenicali,C.A. and Otter,F.A. Thermoelectric power and electrical resistivity of dilute alloys of silicon in copper, nickel, and iron, 5=5427
Domingo,R. See Fernandez-Alonso,J.I., 9=11535
Domínguez,A. Gonzàlez. See Gonzàlez Domínguez,A.
Dominici,P. Some observations on the influence of a solar eclipse upon the ionosphere, 6=7045. Behaviour of the ionosphere at Rome during the partial solar eclipse of 30 June 1954, 7=3854. Some observations on the influence of a solar eclipse upon the ionosphere, 8=835
Dominici,P. and Mariani,F. Critical considerations on the F region of the ionosphere, 5=7555. Some critical considerations on the parameters h' and f_0 of the ionospheric layers, 8=3611
Dominicis,C.de. See de Dominicis,C.
Dominicis,C.T.De. See De Dominicis,C.T.
Domke,W. See Bollenrath,F., 5=8325
Domokos,G. On the structure of the nucleon core, 8=1841
Donahoe, F.J. See Croft,G.T., 5=5508; Fuschillo,N., 9=6945
Donahue,T.M. Determination of upper atmosphere sodium abundance from D_2/D_1 measurements in twilight, 9=943. Sodium in the earth's upper atmosphere, 9=6394. Origin of sodium and lithium in the upper atmosphere, 9=10410. See also Curran,R., 9=8455; Leffert,C.B., 9=2027
Donahue,T.M. and Foderaro,A. The effect of resonance absorption on the determination of the height of airglow layers, 5=5148
Donahue,T.M. and Resnick,R. Resonance absorption of sunlight in twilight layers, 5=7559
Donahue,T.M., Resnick,R. and Stull,V.R. Distribution in the upper atmosphere of sodium atoms excited by sunlight, 7=2868
Donald,R.A. and Evans,G.R. Examples of direct emission of β-rays after capture of a μ-meson by an argon nucleus, 9=9970
Donaldson,D.M. and Miller,N. Quantitative study of radiation-chemical reactions. III. Oxidation of ferrous sulphate by beta-particles, 6=5493
Donaldson,P.E.K. See Gregory,R.L., 9=2253, 9=4500
Donaldson,R. See Bradner,H., 5=508
Donaldson,R.E. See also Bradner,H., 5=9074
Donaldson,R.E. and Bradner,H. Asymmetry in p-n and p-p scattering from targets bombarded with 285-MeV polarized protons, 5=9075
Donath,W.E. See Pitzer,K.S., 7=6379
Dondes,S. See Harteck,P., 5=6579, 6=4345, 6=5480, 6=8963, 7=8238, 7=8247, 8=2055, 8=4348, 8=6484, 8=7579
Doniach,S. Effects of Coulomb forces on the conduction properties of semi-conductors, 9=5676. See also Fröhlich,H., 7=2200
Donitch,N. New studies on the position of the zodiacal light in space, 7=1020
Donn,B. Some chemical problems of interstellar grains, 6=872*. The distribution of interstellar gas, 6=7937
Donn,B. and Urey,H.C. On the mechanism of comet outbursts and the chemical composition of comets, 6=3442
Donnay,G., Corliss,L.M., Donnay,J.D.H., Elliott,N. and Hastings,J.M. Symmetry of magnetic structures: magnetic structure of chalcopyrite, 9=4802
Donnay,G. and Donnay,J.D.H. Domain of reciprocal space accessible to precession photography, 5=8405
Donnay,G., Donnay,J.D.H. and Hurst,V.J. Precession goniometry to identify neighboring twins, 5=9261
Donnay,J.D.H. See Donnay,G., 5=8405, 5=9261, 9=4802
Donnelly,R.J. Small induction motor and bearings for operation in liquid helium, 7=6126. Rotation of liquid helium at low Reynolds numbers, 8=2281. Experiments on the stability of viscous flow between rotating cylinders. I. Torque measurements, 8=5684. See also Chandrasekhar,S., 7=9139; Snyder,H.A., 9=10926
Donnelly,R.J., Chester,G.V., Walmsley,R.H. and Lane,C.T. Kinematic viscosity of helium 11, 6=3684
Donnelly,R.J. and Hallett,A.C.H. Periodic boundary layer experiments in liquid helium, 8=3946
Donnelly,R.J. and Penrose,O. Oscillations of liquid helium in a U-tube, 6=8743

Donner,W. An r.f. linear decelerator mass spectrometer, 5=4735
Donnert,H. Theory of relativistic-invariant spin wave equations. I-II, 8=8582
Donnet,J.B. and Reitzer,C. Electroviscous effect. Variation of viscosity with particle charge, 9=83
Donoghue,J.K. The accuracy of particle size determination by cumulative sedimentation methods, 6=8423
Donoho,P.L. and Walker,R.L. Photoproduction of K^+ mesons in hydrogen, 8=289. Photoproduction of K^+ mesons in hydrogen, 9=3797
Donohue,J. Crystal structure of helium isotopes, 9=10403
Donohue, J. and Bryden,J.H. The interpretation of Patterson functions: an application of the superposition method, 5=7534
Donohue,J. and Trueblood,K.N. On the unreliability of the "reliability" index, 7=1752
Donovan,B. The Hall effect in metals at high frequencies, 6=2268
See also Anderson,J.C., 7=4543, 9=5902
Donovan,B., Lidiard,A.B. and March,N.H. On the spin paramagnetism of a free electron gas. II, 5=8908
Donovan,B. and March,N.H. High frequency conductivity in semiconductors, 6=6632. Momentum distribution of electrons in solids. II. Some general results with an application to metallic lithium, 7=3475. On the absorption by free carriers in semiconductors, 7=9686. Positron annihilation in the noble metals, 8=5190
Donovan,B. and Reichenbaum,G. Galvano-magnetic effects in germanium at high frequencies, 5=3756
Donovan,R.E. Infrared spectrum of the two-stage cool flame of acetaldehyde, 7=9603
Donovan,R.E. and Agnew,W.G. Infrared spectrum of two-stage cool flame of diethyl ether, 5=9553
Donth,H. On the theory of the low-temperature internal friction peak in metals, 8=1342. See also Seeger,A., 8=4432
Dontsov,Yu.P. Isotopic shift in the spectrum of Zr I, 9=13148
See also Striganov,A.R., 5=6900, 6=209
Dontsov,Yu.P. and Striganov,A.R. A single-isotope mercury light-source and a determination of the thermal-neutron capture cross-section of Au^{198}, 7=9060
Dooley,M.E. and Atkins,D.F. Electronic vacuum dilatometer, 5=7894
Dooling,J.S. See Cloney,R.D., 8=9097
Doolittle,A.K. and Doolittle,D.B. Studies in Newtonian flow. V. Further verification of the free-space viscosity equation, 8=2836
Doolittle,D.B. See Doolittle,A.K., 8=2836
Doorn,C.Z. van. See van Doorn,C.Z.
Doornenbal,P., Jr. See van den Berg,J., 8=466
Dopchie, H., Leonard,F., Neve de Mevergnies,M and Tavernier,G. Conducting an exponential experiment with a natural-U graphite lattice, 6=5401
Döpel,R. Canal-ray tubes as ion sources, 9=4719
D'Or,L. See Collin,J., 5=3587
Dorain,P. See Hutchison,C.A., Jr, 6=6080
Dorain,P.B. Electron paramagnetic resonance of manganese (II) in hexagonal zinc oxide and cadmium sulfide single crystals, 9=5907
Dorain,P.B., Hutchison,C.A., Jr and Wong,E. Paramagnetic resonance absorption in uranium (III) chloride and the nuclear spin, magnetic dipole moment, and electric quadrupole moment of uranium-233, 7=4628
Doran,D.G. See also Katz,S., 9=1487
Doran,D.G., Fowles,G.R. and Peterson,G.A. Shock-wave compression of aluminium, 9=5445
Doran,D.G, and Stephenson,S.T. K X-ray absorption spectrum of a single crystal of germanium, 7=4427
Doran,D.M. See Baker,H.D., 9=13978
Doran,G.A. See Marsden,P.L., 7=2372
Doran,R.L. See Cook,M.A., 5=5278
Dorda,G. The effect of the irradiation of germanium with α-particles on the recombination of current carriers, 9=6949
Dordevic,M. See Juric,M., 9=14014
Dorendorf,H. New observations of dislocations in germanium, 8=7601. Investigations of p−n junctions in germanium with various densities of recombination centres, 9=12278
Dorfman,J.F. Diamagnetic resonance in electronic conductors, 5=1814
Dorfman,Ya.G. Diamagnetic resonance in strongly magnetic bodies, 7=3426. On the term "cyclotron resonance", 7=6332. A new method of interpreting the magnetic susceptibilities of diamagnetic organic compounds, 8=6054. Properties and state of useful metal atoms in certain organo-metal compounds, 9=13417. See also Vachenya,S.A., 8=7990
Dorfner,K.R. The low-temperature luminescence of silver bromide with addition of silver sulphide, 6=1093
Dorin,V.A. and Nasledov,D.N. An electron diffraction study of the sub-electrode layer in selenium rectifiers with a cadmium electrode, 6=8791. On the problem of the structure of the upper, adjacent to the electrode, layer of a selenium rectifier, 7=8631
Döring,W. The direction dependence of crystal energy, 8=8414. The ray-representation of crystallographic groups, 9=13883
Dorman,L.I. The influence of meteorological factors on the latitude effect of the hard component of cosmic rays and the process of the generation of mesons, 5=1029. On the theory of meteorological effects on cosmic radiation, 7=2378. On the temperature effect of the hard component of cosmic rays, 7=6321
Dorman,L.I. and Feĭnberg,E.L. Variations in cosmic rays, 8=6023
Dorman,L.I., Kaminer,N.S., Koiava,V.K., Shafer,Yu.G. and Schwarzman,B.F. Observation of the large cosmic ray increase of February 23, 1956 in the U.S.S.R., 7=516
Dorman,L.I., Kaminer,N.S., Konava,V.K. and Shvartsman,B.F. A large outburst of cosmic ray intensity on 23 February 1956 observed in Moscow, Sverdlovsk, Tbilisi and Cap Schmidt, 7=512
Dorman,L.I., Kuz'min,A.I., Tyanutova,G.V., Feĭnberg,E.L. and Shafer,Yu.G. The variation of the intensity of cosmic rays and the role of meteorological factors, 5=1030
Dorn,D. On the interaction of electrons and holes in non-polar semiconductors, 6=7404. On the temperature dependence of the mobility in non-polar semiconductors, 7=9688. A generalized variational method for the treatment of transport processes in metals and semiconductors, 9=2111
Dorn,J.E. Some fundamental experiments on high temperature creep, 5=5678. See also Simmons,J., 9=842
Dorn,W.G. van. See van Dorn,W.G.
Dornberger-Schiff,K. On order−disorder structures (OD-structures), 6=9036. Relation of symmetry to structure in twinning, 9=7594
Dornberger-Schiff,K. and Höhne,E. The crystal structure of betechtinite, $Pb_2(Cu,Fe)_{21}S_{15}$, 9=13939
Dörnenburg,E. See Herzog,W., 9=6168
Dornstetter,M., Munschy,G. and Pluvinage,P. Approximate calculations relating to the ground state of He I, 9=12722
Dorokhov,V.V. See Demirkhanov,R.A., 7=9838-9, 8=5435, 9=2688, 9=13595
Doroshek,S.I. See Lapkin,N.I., 9=10335
Dörr,F. A u.v. filter for the 2537 A line, 8=7797
Dörr,W. Attractive and repulsive forces between spheres in a sound field, 5=9508
Dörre,E. See Schubert,K., 5=4204
Dorsch,D. See Krempl,H., 6=1960
Dorsi,D. A class of configuration lenses corrected for spherical aberration of fifth order, 6=4971. See also Pfann,W.G., 8=4615; Wernick,J.H., 9=806
Dorsten,A.C. van. See van Dorsten,A.C.
Dosanjh,D.S. Use of the hot-wire anemometer as a triggering and timing device for wave phenomena in a shock tube, 5=1616*
Dosch,F.P. See Fischer,J., 6=5813
Doser,B.T. See Michels,W.C., 6=166
dos Santos Villaça,S. and Goldemberg,J. Study of the $(\gamma, {}^{d}_{np})$ reactions in some elements, 9=1773
Dossier,B. A criterion of apodization, 5=3660
Dostrovsky,I. Rabinowitz,P. and Bivins,R. Monte Carlo calculations of high-energy nuclear interactions. I. Systematics of nuclear evaporation, 9=3884
Dotcheff,K. See Popoff,K., 5=1788
Dotsenko,B.B. On the question of the structure of the proton, 8=6141
Doty,P. Physicochemical characterization of macromolecules, 9=8775. Configurations of biologically important macromolecules in solution, 9=8781
Doucet,Y. Modern aspects of cryometry, 5=2666
Doucet,Y. and Janot,C. Thermodynamical study of a solution of lead nitrate in liquid potassium nitrate, 7=6937
Dougal,A.A. See also Bialecke,E.P., 9=2457
Dougal,A.A. and Goldstein,L. Energy exchange between electron and ion gases through Coulomb collisions in plasmas, 8=2368
Dougherty,E.L., Jr and Drickamer,H.G. A theory of thermal diffusion in liquids, 5=2471. Thermal diffusion and molecular motion in liquids, 5=5925
Douglas,A.C. See Bransden,B.H., 8=1265
Douglas,A.E. Recent spectroscopic studies of simple molecules,

5=3928. The spectrum of the Si_2 molecule, 6=1045. The spectrum of silicon hydride, 7=3131. The Zeeman effect in the spectra of polyatomic molecules, 8=2956

Douglas,A.E. and Herzberg,G. Separation of overlapping orders of a concave grating spectrograph in the vacuum ultraviolet region, 7=7723

Douglas,A.E. and Møller,C.K. Predissociations of the $C^{12}O$ and $C^{13}O$ molecules, 5=3927

Douglas,A.E. and Suryanarayana Rao,K. A new band system of the P_2 molecule analogous to the Lyman–Birge–Hopfield bands of N_2, 9=2873

Douglas,A.S. A method of improving energy-level calculations for "series" electrons, 7=9344. See also Cochran,W., 5=3281, 8=451

Douglas,A.S., Hartree,D.R. and Runciman,W.A. Atomic wave functions for gold and thallium, 5=7306

Douglas,D.G. On the use of the optical path concept in the study of spherical surfaces, 8=3841

Douglas,D.L. Tritium-carbon monoxide reaction, 5=10030

Douglas,J.E., Rabinovitch,B.S. and Looney,F.S. Kinetics of the thermal cis-trans isomerization of dideuteroethylene, 5=3209

Douglas,P.E. The vapour pressure of calcium. I, 5=242

Douglas,R.A. See also Bashkin,S., 8=8705, 9=11467-8; Galonsky,A., 5=5632; McEllistrem,M.T., 7=2653

Douglas,R.A., Broer,J.W., Chiba,R., Herring,D.F. and Silverstein,E.A. Electrostatic analysis of nuclear reaction energies, 7=2654

Douglas,R.A., Gasten,B.R. and Mukerji,A. Production and properties of C^{15}, 7=3587

Douglas,R.W. See Goldsmid,H.J., 5=970; Goodman,C.H.L. 5=3744; Isard,J.O., 5=7435-6; Owen,A.E., 9=6908;

Douglas,T.B. See also Furukawa,G.T., 7=7834

Douglas,T.B. and Dever,J.L. Heat content of lead from 0 to 900°, and the heat of fusion, 5=1783. Lithium fluoride: Heat content from 0 to 900°, the melting point and heat of fusion, 5=1784

Douglas,T.B. and Harman,A.W. Enthalpy and heat capacity from 0° to 900°C of three nickel-chromium-iron alloys of different carbon contents, 9=2290

Douglas,T.B. and Victor,A.C. Heat content of zirconium and of five compositions of zirconium hydride from 0° to 900°C, 9=2291

Douglass,D.C. Fine structures of the Cl_2 quadrupole resonance spectrum, 9=9849. See also McCall,D.W., 9=3208, 9=6596 9=9839, 9=13763

Douglass,D.C and McCall,D.W. Diffusion in paraffin hydrocarbons, 9=7838. Self diffusion in water, 9=11900

Douglass,R.L. See Crawford,F.S.,Jr, 9=12586

Douglass,R.M. See Mong,B.A., 5=8275

Douillet,A. and Dreyfus,B. Effects of impurities in sodium chlorate on nuclear quadrupole resonance, 9=11268

Doulat,J., Goodman,B.B., Lacaze,A., Renard,M., and Weil,L. The critical magnetic field of rhenium down to 0.3°K, 9=3506*

Doumerc,J. See Kohn,A., 6=1720

Doumergue,L. See Destriau,G., 9=13183

Doumont,G. See Deutsch,J.P., 9=7323

Dourneau,F. A mirror microscope, 5=4578

Douslin,D.R. and Waddington,G. Intermolecular potential energy of dipolar gases from heat capacity data, 6=3055

Dousmanis,G.C. Magnetic hyperfine effects and electronic structure of NO, 5=3941. Proposal for detection of negative-mass carriers by cyclotron resonance, 8=6968. Effects of carrier injection on the recombination velocity in semiconductor surfaces, 9=2322. Semiconductor surface potential and surface states from field-induced changes in surface recombination, 9=2323

Dousmanis,G.C. and Duncan,R.C., Jr. Calculations on the shape and extent of space charge regions in semiconductor surfaces, 9=1437

Dousmanis,G.C., Duncan,R.C., Jr, Thomas,J.J. and Williams,R.C. Experimental evidence for carriers with negative mass, 9=2319

Dousmanis,G.C., Sanders,T.M., Jr and Townes,C.H. Microwave spectra of the free radicals OH and OD, 6=3626

Dove,D.B. Effect of dosemeter size on measurements close to a radioactive source, 9=4988. See also Jaswon,M.A., 5=4176, 6=3348, 7=843, 9=7593

Doviak,R.J. See Lombardini,P.P., 8=8902

Dovzhenko,O., Zatsepin,V., Murzina,E., Nikol'skii,S., Rakobol'skaya,I. and Tukish,E. A study of extensive air showers of the cosmic radiation, 8=4098

Dovzhenko,O.I. See also Danilova,T.V., 8=7151

Dovzhenko,O.I., Kozhevnikov,O.A., Nikol'skiĭ,S.I. and Rakobol'skaya,I,V. Energy spectrum of nuclear active particles in extensive air showers, 8=8091

Dovzhenko,O.I., Nelepo,B.A. and Nikol'skiĭ,S.I. Energy spectrum of μ-mesons in extensive atmospheric cosmic ray showers, 8=5091

Dovzhenko,O.I., Nikol'skiĭ,S.I. and Rakobol'skaya,I.V. Cloud chamber investigation of the [structure of] air showers, 9=11176

Dowden,R.L. and Goldstone,G.T. "Whistler mode" echoes remote from the conjugate point, 9=7697

Dowdey,J.E. See Hanson,G.P., 9=4667

Dowell,W.C.T. Carbon-stabilized collodion substrates for electron microscopy, 8=418

Dowling,J.M. Substituted methanes. XXI. Calculated and observed wave numbers, and calculated thermodynamic properties, for bromodeuteromethane and bromodideuteromethane, 5=5555. XXIV. Potential constants for CCl_2F_2, Normal coordinate treatment for the out-of-plane vibrations of ethylene-type molecules, 6=7581. See also Gold,R., 8=6374; Meister,A.G., 7=2484

Dowling,J.M., Gold,R. and Meister,A.G. A note on the calculation of rotational distortion constants for axially symmetric ZX_3Y molecules, 9=6185

Dowling,J.M., Puranik,P.G., Meister,A.G. and Miller,S.I. Vibrational spectra, potential constants, and calculated thermodynamic properties of cis- and trans-BrHc = CHBr, and cis- and trans- BrDC = CDBr, 7=5192

Dowling,J.M. and Stoicheff,B.P. High resolution Raman spectroscopy of gases. XII. Rotation spectra of C_2H_4 and C_2D_4 and the structure of the ethylene molecule, 9=7968

Downes,K. See Kouts,H., 7=739

Downie,A.R. See Barrow,H.F., 6=4300

Downing,A.C. and Wilkie,D.R. The design of an apparatus for biological experiments at high hydrostatic pressure, 7=9438

Downs,B.W. Variation calculation of the polarizability of the deuteron, 5=4355. Effects of short-range correlations between two protons in elastic scattering of high-energy electrons by heavy nuclei, 6=2389. See also Dalitz,R.H., 8=5284, 9=3842

Downs,B.W. and Dalitz,R.H. Analysis of the Λ-hypernuclear three-body systems, 7=8484

Downs,B.W., Ravenhall,D.G. and Yennie,D.R. Electron scattering from nonspherical nuclei, 7=7152

Downs,J.W. and Smith,F.L. Organic-glass scintillators, 8=4891

Dows,D.A. Infrared spectrum of solid nitrous oxide, 7=5188. Calibration of infrared prism spectrometers, 8=2227. Emission of radiation by a hot gas: effect of vibrational–translational energy exchange, 8=5714. Vibrational spectra of the crystalline methyl halides, 8=8692. See also Hexter,R.M., 6=8897; Porter,R.F., 6=8089; Whittle,E. 5=2581

Dows,D.A. and Hexter,R.M. Infrared spectra of gaseous and solid digermane, 6=4314. Infrared spectrum of digermane; ν_5 and ν_7 bands, 7=249

Dows,D.A. and Pimentel, G.C. Infrared spectra of gaseous and solid hydrazoic acid and deutero-hydrazoic acid: The thermodynamic properties of HN_3, 5=7852

Dows,D.A., Whittle,E. and Pimentel,G.C. Infrared emission and absorption in an ammonia-oxygen diffusion flame, 5=4519. Infrared spectrum of solid ammonium azide; a vibrational assignment, 5=8620. Infrared spectra of intermediate species in the formation of ammonium azide from hydrazoic acid, 5=9561

Doyama,M. See Kuczynski,G.C., 5=8310, 6=5438

Doyen,J. See Lagasse,A., 5=472

Doyle,G.J, See Ford,H.W., 7=7472-3

Doyle,M.V. See Powers,R.W., 7=5681, 9=2946, 9=7535

Doyle,P.H. and Neufeld,J. On the behavior of plasma at ionic resonance, 9=11165

Doyle,W.P. The absorption spectrum of solid arsenic trisulphide, 7=1188

Doyle,W.T. Optical absorption by F centers in alkali halides, 9=1877. Absorption of light by colloids in alkali halide crystals, 9=3302. See also Quinton,A.R., 6=2392

Doyle,W.T., Ingram,D.J.E. and Smith,M.J.A. Detection of colloidal centers in lithium hydride by electron resonance, 9=11566

Doyle,W.T. and Robbins,A.B. $N^{14}(\alpha,n)F^{17}$ and $Na^{23}(\alpha,n)Al^{26}$ reactions, 6=2395

Drabble,J.R. Galvanomagnetic effects in p-type bismuth telluride, 9=302. The effect of strain on the thermoelectric properties of a many-valley semiconductor, 9=1444. Galvanomagnetic

effects in bismuth telluride, 9=6944
Drabble,J.R. and Goodman,C.H.L. Chemical bonding in bismuth telluride, 9=3461
Drabble,J.R., Groves,R.D. and Wolfe,R. Galvanomagnetic effects in n-type bismuth telluride, 8=1685
Drabble,J,R, and Wolfe,R. Anisotropic galvanomagnetic effects in semiconductors, 7=2202. Geometrical effects in transverse magnetoresistance measurements, 7=9175
Drabent,R. On the anti Stokes fluorescence yield in glucose and collodium rigid solutions, 8=3888
Drabent,R. and Frąckowiak,D. The yield of anti-Stokes fluorescence of very viscous dye solutions, 6=7301
Drabkin,A.I. Semiconductor characteristics of some high-resistance metal alloys, 5=7041
Drachev,L.A. See Gusev,V.D., 9=11644
Drachman,R.J. Meson pair theory in intermediate coupling, 8=1523
Dracott,D. See Gabor,D., 6=1271
Draganescu,V. See Agarbiceanu,I.I., 8=109
Draganic,I. The action of ionizing radiations on aqueous oxalic acid, 6=5495
Draganic,I. and Sutton,J. Chemical effects of irradiation with heavy particles; the use of the ferrous sulphate-lithium sulphate system as a dosemeter for simultaneous thermal neutrons and ionizing radiations, 5=7476
Draganić,I.G. Radosavljević,B.V. and Milašin,N.J. A laboratory Co^{60} source of 60 curies, 7=8137
Dragnev,T.N. See Komar,A.P., 9=13682
Dragoun,Z. Metallographic methods of determination of the dislocation density in germanium monocrystals, 9=7505
Dragsdorf,R.D. Small angle X-ray scattering, 6=5912. also Webb,W.W., 8=403
Dragsdorf,R.D. and Webb,W.W. Detection of screw dislocations in α-Al_2O_3 whiskers, 9=793
Drahokoupil,J. The influence of total reflection from a Soller slit on the resolving power of an X-ray spectrograph, 6=9044 See also Bačkovský,J., 5=4710
Drahokoupil,J., Malkovská,M. and Tauc,J. Quantum efficiency of the photo-electric effect in germanium for X-rays, 9=6988
Drain,L.E. Principles and applications of nuclear magnetic resonance, 8=4278
Drake,C.W., Hughes,V.W., Lurio,A. and White,J.A. Magnetic moment of helium in its $^3S_1$ metastable state, 9=3959
Drake,W.D. See Briggs,D.K.H., 8=1019
Dranen,J. van. See van Dranen,J.
Dransfeld,K. See also Bömmel,H.E., 9=1177, 9=10715,
Dransfeld,K., Newell,J.A. and Wilks,J. The absorption of sound in liquid helium II, 8=596
Drapchinskii,L.V. See Dmitriev,V.N., 9=13703
Draper,J.E. Pulsed cyclotron method for 2-25 MeV neutron spectroscopy, 8=8957. 0-600 keV gamma-ray spectra from thermal neutron capture in the region A=104 to 198, 9=7333. Self-indication resonance neutron experiments with silver (2-200 eV), 9=10133. See also Fenstermacher,C.A., 9=8632. Hickok,R.L., 9=3691
Draper,J.E., Fenstermacher,C.A and Schultz,H.L. Variations in spectra of resonance neutron capture gamma rays in indium, 9=2765
Draper,J.E and Hickok,R.L. Gamma-ray excitation of Ta^{181} isomer, 8=8332
Draščič,R. See Marković,B., 8=8712
Drauglis,E. and Widom,B. Characteristic exponent for the radial wave equation with a Maxwellian potential, 8=8595
Drawin,H.W. The cross-sections of neutral hydrogen, helium and argon atoms for electron impact, 7=2278. Isotope abundance determinations of titanium and zirconium, 9=3961
Drawin,H.W. and Kronenberger,K. A new universal portable mass spectrometer for leak detection, 9=11909
Drazhev,M. See Mitrani,L., 7=7973
Drechsel,L. Surface polarizers for the near infra-red, 9=2249*
Drechsel,W. See Kranz,J., 8=8117
Drechsler,M. See also Liepack,H., 6=5323
Drechsler,M. and Henkel,E. Field emission current densities and surface field strengths in the field-emission microscope together with methods for the determination of the cathode spike radius and shape, the magnification and resolving power, 5=318
Dreese,E.E. See Kraus,J.D., 8=8570
Dreeskamp,H. On nitrogen ions in a plasma, 9=2444. See also Beckey,H.D., 5=2094
Dreeskamp,H. and Burton,M. Measurement of fast luminescence decay times, 9=5555
Drefahl,G. and Henkel,H.J. On the photoconductivity of stilbene, 6=2116
Dregichesku,P. Calculation of the noise/signal ratios for some systems used for the recording of nuclear resonance, 9=13466
Dreher,J.J. See also Moser,H.M., 5=9514-5, 6=165; O'Neill,J.J., 9=971
Dreher,J.J. and O'Neill,J.J. Effects of ambient noise on speaker intelligibility for words and phrases, 8=3833
Dreicer,H. Electron and ion runaway in a fully ionized gas. I, 9=13400
Drell,S.D. Nuclear radius and nuclear forces, 6=551. Quantum electrodynamics at small distances, 8=4726. Direct decay $\pi^0 \to e^+ + e^-$, 9=7276. See also Bjorken,J.D., 9=3734, 9=9924
Drell,S.D., Friedman,M.H. and Zachariasen,F. Theory of s-wave pion scattering and photoproduction at low energies, 7=1907
Drell,S.D., and Fubini,S. Higher electromagnetic corrections to electron–proton scattering, 9=4900
Drell,S.D. and Huang,K. Proton bremsstrahlung, 5=8032
Drell,S.D. and Ruderman,M.A. Proton polarizability correction to electron–proton scattering, 7=6269
Drell,S.D. and Schwartz,C.L. Sum rules for inelastic electron scattering, 9=3910
Drell,S.D. and Verlet,L. Multiple scattering corrections in $\pi^\pm$ deuteron scattering, 5=9136
Drell,S.D. and Zachariasen,F. Chew–Low formalism for two interactions, 7=5048. Form factors in quantum electrodynamics, 9=2051
Dremin,I.M. Investigation of K_{e3}-decay with the emission of a gamma photon, 9=13573
Drenk,K. and Pepinsky,R. X-ray camera for use with Unicam S.25 oscillation goniometer for microbeam applications, 7=2835
Dresel,H. See Sommermeyer,K., 5=8872, 6=4466
Dresner,J. See Kallmann,H., 9=6771
Dresner,L. The estimation of resonance integrals, 6=8384. Spacings of nuclear energy levels, 9=4971. Calculation of neutron radiative capture cross sections, 9=13705. The effective resonance integrals of U-238 and Th-232, 9=13707
Dresselhaus,G. Spin-orbit coupling effects in zinc blende structures, 6=516. Optical absorption band edge in anisotropic crystals, 7=4159. Absorption coefficients for exciton absorption lines, 7=5208. Exchange energy of an electron gas in a strong magnetic field, 9=9753. See also Dexter,R.N., 5=1811; Mattis,D.C., 9=1884
Dresselhaus,G., Kip,A.F. and Kittel,C. Cyclotron resonance of electrons and holes in silicon and germanium crystals, 5=5409. Plasma resonance in crystals: Observations and theory, 6=329
Dresselhaus,G., Kip,A.F., Kittel,C. and Wagoner,G. Cyclotron and spin resonance in indium antimonide, 5=6308
Dresselhaus,G., Kip,A.F., Ku,H.-Y., Wagoner,G. and Christian,S.M. Cyclotron resonance in Ge-Si alloys, 6=1223
Dressler,K. The identification of the band spectra of ionized molecules, 5=8606. Ultraviolet and Schumann spectra of the neutral and ionized molecules PO, PS, NS, P_2, 6=3609. Absorption spectrum of vibrationally excited N_2 in active nitrogen, 9=9417
Dressler,K. and Miescher,E. Spectroscopic identification of diatomic PS and new band systems of PO and P_2, 5=6893
Dressler,K. and Ramsay,D.A. Renner effect in polyatomic molecules, 8=3418
Dressler,R.F. Entropy changes in rarefaction waves, 7=5120. See also Chiarulli,P., 8=8610
Drever,R.W.P. See also Moljk,A., 5=5069, 6=425, 7=5409, 7=6293
Drever,R.W.P. and Moljk,A. K-capture in the decay of chlorine 36, 6=3152. Measurement of tritium as water vapor, 7=645. The L/K-capture ratio of germanium 71, 7=5590
Drever,R.W.P., Moljk,A. and Scobie,J. The ratio of K-capture to positron emission in fluorine 18, 7=3604
Drevinsky,P.J. See Sugihara,T.T., 8=8353
Drew,C.M. See McNesby,J.R., 6=7778
Drewes,G.W.J. See Gerritsen,H.J., 6=4501; Verstelle,J.C., 9=454
Dreyer,J.F. See Brown,G.H., 6=7387
Dreyer,W. The elasto–plastic hollow body problem, 5=10000
Dreyfus,B., Resonance fields of a system with magnetic sublattices (ferrimagnetic resonance), 6=1350. The solutions of the ferrimagnetic resonance equations, 6=1351. A contribution to the study of imperfections in solids by means of nuclear quadrupole resonance, 9=5951. See also Ayant,Y., 7=7496; Dautreppe,D., 6=2289, 6=3074; Douillet,A.,

9=11268; Pauleve,J. 6=4493
Dreyfus,B. and Dautreppe,D. Variation of Raman frequencies with the temperature and quadrupolar resonance, 5=2624. On the broadening due to impurities in quadrupole resonance, 6=2290. Effect of impurity in nuclear quadrupole resonance, 7=4900
Dreyfus,M.G. Measurement of birefringence, 6=2815
Dreyfus,R.W. See also Rosenwasser,H., 6=3343
Dreyfus,R.W. and Levy,P.W. Preparation and properties of crystals of KN$_3$ and NaN$_3$, 8=7580
Dreyfus-Alain,B. Contribution to the study of metallic hydrides, The lanthanum-hydrogen system, 5=7535
Dreyfus-Graf,J. Phonetograph and subformants, 8=928
Drickamer,H.G. See Balchan,A.S., 9=12051; Benson,A.M.,Jr. 8=3767; Doane,E.P., 5=5927; Dougherty, E.L.,Jr. 5=2471, 5=5925; Emery,A.H.,Jr. 6=1889*; Eppler,R.A., 9=7959; Fishman,E., 6=4321, 7=5980; Fitch,R.A., 8=937; Maisch,W.G., 9=8857; Parsons,R.W., 6=7281, 9=4442; Sinfelt,J.H., 5=8544; Slykhouse,T.E., 8=3461, 9=3301, 9=4457; Stephens,D.R., 9=6721, 9=7958; Suchan,H.L., 9=10784, 9=12845; Tichacek,L.J., 6=8028; Wiederhorn,S. 9=7957; Wiederkehr,R.R., 8=3872; Winter,F.R., 6=3304, 6=7192
Dricot,G. and Ledoux,P. Note on the theory of oscillations of an incompressible fluid mass in the presence of a magnetic field, 9=7212
Driesner,A.R. See also Wagner,P., 9=7557-8
Driesner,A.R. and Wagner,P. Friction coefficients of graphite over the temperature inverval 25°C to 2450°C, 9=890
Driscoll,R.L. Nuclear magnetic resonance and the measurement of magnetic fields, 5=9752. Measurement of current with a Pellat-type electrodynamometer, 8=4945. See also Bender,P.L., 9=11363
Driscoll,R.L. and Bender,P.L. Proton gyromagnetic ratio, 9=2589
Driscoll,R.L. and Cutkosky,R.D. Measurement of current with the National Bureau of Standards current balance, 8=4946
Drisko,R.M. Spin and polarization effects in the annihilation of triplet positronium, 6=6139
Driver,G.E. Tritium survey instruments, 6=5348
Driver,R.D., The undetermined constant in relative-velocity electrodynamics, 8=6062
Dröge,F. The Kiel radio-astronomical observatory, 5=8442. See also Priester,W., 5=8453
Dröge,F. and Priester,W. An examination of the total radio-frequency radiation at 200 Mc/s, 7=1848
Drokin,A.I. New method of testing the compensation of the earth's magnetic field for investigations with vertical astatic magnetometers, 5=6285
Drokin,A.I. and Il'yushenko,V.L. The effect of the method of demagnetization of the specimen on the temperature dependence of the magnetization of nickel in weak fields, 6=6788
Dropesky,B.J. See also Hoffman,D.C., 9=619; Sheline,R.K. 6=587
Dropesky,B.J. and Langer,L.M. Beta Spectrum of Th^{233}, 7=9855
Dropesky,B.J. and Schardt,A.W. Decay of the new nuclide Ne^{24}, 6=3949
Dropkin,D. and Globe,S. Effect of spin on natural convection in mercury heated from below, 9=6829
Dropkin,J.J. See Goldstein,B., 9=12128
Drost,H. "Cold electron emission" after activation by glow discharge, 9=3549
Drost,H. and Pupke,H. On an increased background effect in needle counters, 7=6291. A contribution to the explanation of cold electron emission, 9=1508. The natural radioactivity in glass, 9=10045
Drost-Hansen,W. See Gentile,A.L., 7=850; Lavergne,M., 7=5268
Drouard,E. Infrared study of the water in the Li$_2$SO$_4$H$_2$O crystal, 5=6919
Drougard,M.E. Discontinuous field-induced transitions in barium titanate above the Curie point, 7=3238. See also Huibregtse,E.J., 9=8080; Landauer,R., 6=6600
Drougard,M.E., Funk,H.L. and Young,D.R. Dielectric constant and loss measurements on barium titanate single crystals while traversing the hysteresis loop, 5=279
Drougard,M.E. and Huibregtse,E.J. The effect of an electric field on the transitions of barium titanate, 8=1674
Drougard,M.E., Landauer,R. and Young,D.R. Dielectric behavior of barium titanate in the paraelectric state, 5=6112
Drowart,J. See also De Maria,G., 9=7123
Drowart,J., De Maria,G., Boerboom,A.J.H. and Inghram,M.G. Mass spectrometric study of inter-Group IVB molecules, 9=6216
Drowart,J., De Maria,G. and Inghram,M.G. Thermodynamic study of SiC utilizing a mass spectrometer, 9=5638
Drowart,J. and Honig,R.E. Mass spectrometric study of copper, silver and gold, 7=1965
Drozdov,N.G. See Valeev,S.Kh., 9=5896
Drozdov,S.I. Scattering of fast neutrons by non-spherical nuclei. I, 5=8500. II, 5=8501. III, 6=7736. The cross-section for the absorption of fast particles by semi-transparent nuclei, 6=6886. Excitation of vibrational and rotational states of nuclei due to scattering of nucleons, 8=8321
Drozin,V.G. The electrical dispersion of liquids as aerosols, 5=7479
Drozin,V.G. and La Mer,V.K. The determination of the particle size distribution of aerosols by precipitation of charged particles, 9=5230
Droz-Vincent,P. A method of quantization in five dimensional unified [field] theory, 9=6490
Drubba,H. See Rust,H.H., 9=9345
Drucker,D.C. On uniqueness in the theory of plasticity, 6=8995
Druin,V.A. See also Flerov,G.N., 8=6316; Polikanov,S.M., 9=13699
Druin,V.A., Polikanov,S.M. and Flerov,G.N. Nuclear fission induced by accelerated nitrogen ions, 8=1985
Drukarev,G.F. On the theory of the collision of electrons with hydrogen atoms, 5=464. Application of the integral equations for calculation of the effective cross section for collision of electrons with atoms, 5=465. Theory of collisions between electrons and atoms, 7=1918. Spatial distribution of the charge and the "electrical radius" of heavy nuclei, 7=2527. Dependence of the effective cross-section of inelastic scattering of a particle on energy near threshold, 7=9543
Drummeter,L.F.,Jr. See Hass,G., 9=13216
Drummond,A.J. A contribution to absolute pyrheliometry, 9=9061. See also Angstrom,A.K., 9=13172
Drummond,J.E. Masses of light nuclei, 5=3989. Masses of light nuclei. A method for correcting a table of masses for new data, 5=8176. Basic microwave properties of hot magnetoplasmas, 8=4080. Microwave propagation in hot magnetoplasmas, 9=2541. See also Allan,A.H., 9=1013
Drummond,L.J. See Clouston,J.G., 7=9045
Drummond,W.E. Interaction of nonuniform shock waves, 7=3085. Multiple shock production, 8=2901. Explosive induced shock waves. I. Plane shock waves. II. Oblique shock waves, 9=143
Druyanov,B.A., Limiting equilibrium of an inhomogeneous wedge, 9=13852
Druyvesteyn,M.J. and Berghout,C.W. Influence of an elastic strain on the self-diffusion of copper at low temperatures, 6=8425
Druyvesteyn,M.J. and Mensen,H. Thermoelectric power of cold-worked silver and gold wires at low temperatures, 5=7982
Druyvesteyn,M.J. and van Ooijen,D.J. Change of the absolute thermoelectric power and electrical resistivity of copper by cold working at liquid air and room temperature, 7=3308
Druzhinin,A.V. See Popov,B.N., 9=7084
Dryden,J.S. Dielectric absorption and phase changes in an aliphatic ester in the waxy form, 7=6154. The measurement of the dielectric properties of liquids in an H$_{01}$ resonator, 9=1407. See also Cook,J.S., 8=6939
Dryden,J.S. and Meakins,R.J. Dielectric properties of pinacol hydrate: application to temperature measurement, 5=6108. Absence of radio frequency resonance absorption in triethylamine, 6=3630
Dryden,J.S. and Narayana Rao,D.A.A.S. Dielectric absorption in lithium fluoride, 6=7383
Duan' I-Shi. A generalisation of the regular solution of Einstein's gravitational and Maxwell's electromagnetic equations for a point charge, 5=6734. Generalized regular solutions for a point charge in general-relativistic scalar meson-field theory, 7=5071. General covariant field equations with arbitrary spins, 8=6620
Dubarry,J.L. See Rousset,A., 9=9462
Dube,G.P. See also Gupta,M.P., 9=10391
Dube,G.P. and Singh,L.S. On the semi-empirical mass-formula and alpha-disintegration energy in the region of heavy and medium heavy nuclides, 5=1150
Dubey,V.S. See also Mukerji,A., 9=2725; Potnis,V.R., 6=4612; Rothman,M.A., 7=8170
Dubey,V.S., Malik,S.S., Mandeville,C.E. and Mukerji,A. Radiations of osmium-193 and osmium-191, 9=2740
Dubey,V.S., Mandeville,C.E., Mukerji,A. and Potnis,V.R. Radiations from W^{185} and W^{187}, 7=6498
Dubey,V.S., Mandeville,C.E. and Rothman,M.A. Decay of Eu^{155}, Sm^{153}, Sn^{125}, and Br^{82}, 6=8943

Dubin,M. Index of refraction above 20,000 feet, 5=1412. Meteor ionization, magnetic storms, and the aurora, 6=2593

Dubinina, E.M. See Spivak,G.V., 9=7083

Dubinkin,G.V. See Berlovich,É.E., 7=6445

Dubinskaya,N. and Ulmanis,U. A study of the back-scattering of γ-radiation, 9=5986

Dubinskaya,N.A. See Ulmanis,U.A., 9=11873

Dubinský,J., Chaloupka,P., Petržílka,V. and Tomášková,L. Geomagnetic effect of broad showers of cosmic-rays, 7=511

Duboc,C.A. Nonlinearity in photoconducting phosphors, 5=3618

Dubois,D.F. Electron interactions. I. Field theory of a degenerate electron gas, 9=8835

Dubois,G. A method of making supersonic flows visible in a blast, 7=5121

Dubois,J. See Arnell,S.E., 8=6232

Dubois,J.-E. and Barthel,J. The calculation of the electrical potential in the neighbourhood of a molecular dipole surrounded by ions, 5=9812. Calculation of the reaction field of a dipolar molecule surrounded by ions, 6=2302

Dubois,J.T. Transfer of electronic energy. Quenching of fluorescence by oxygen and nitric oxide, 6=8690. See also Boudart,M., 5=2964

Dubois,M. (Sound-) sensitive gas and liquid jets, 6=8071

du Bois,W.F. Frictional measurements on fibrous materials, 9=8947

Duboshin,G.N. The differential equations of translational–rotational motion of mutually attracting rigid bodies, 9=9266

Dubouloz,P. See also Rinaldi,R., 5=8664

Dubouloz,P. and Rinaldi,R. Optical study of monomolecular layers of haemin, 5=8663

Dubov,G.A. See also Perekalina,Z.B., 9=12840; Regel',V.R., 8=5497*

Dubov,G.A. and Regel',V.R. The problem of a method for testing small specimens in shear and stress relaxation, 8=5498

Dubrovskiĭ,G.B. See Batarchukova,N.R., 7=4140 Maslakovets,Yu.P., 7=4372

Dubrovskiĭ, L.N. See Van Gan-Chan, 9=2626

Duby,J. See Campbell,J.D., 7=5683

Duca,M.Del. See Del Duca,M.

du Castel,F. The introduction of a "space wavelength" in some problems of radio propagation, 7=6368

du Castel,F. and Misme,P. Contribution of atmospheric partial reflections in the explanation of the field received at a great distance, 8=7215

du Castel,F., Misme,P. and Voge,J. Reflection of an electromagnetic wave by an atmospheric layer presenting a variation of refractive index, 8=4186

Duchateau,W. See van Itterbeck,A., 5=5510, 6=8282, 7=8717

Duchesne,J. Vibration and electronic spectra of polyatomic molecules, 5=8114. Nuclear quadruple coupling constants and vibrational states, 6=8308. See also Burnelle, L., 8=5444, 8=7444; Coulson,C.A., 8=8397; Depireux,J., 8=6386; Monfils,A., 7=2778

Duchesne,J. and Monfils,A. New radioelectric method for the study of the structure of matter in the solid phase, 5=5567. Radio-frequency vibrational absorption in piezoelectric crystals, 5=6120. Vibrational absorption spectra in the radiofrequency region of some natural piezoelectric solids, 6=1083*

Duchesne,J., Monfils,A. and Depireux,J. Nuclear quadrupole spectra of β, γ and δ hexachlorcyclohexanes, 6=8307. Action of Co^{60} radiation on γ-hexachlorcyclohexane and considerations of radiation-sensitivity, 7=829

Duchesne,J., Monfils,A. and Garsou,J. Nuclear quadrupole resonance of γ-irradiated para-dichlorbenzene, 6=9034. Isotope effect in nuclear quadrupole spectroscopy, 7=2504

Duchesne,M. See Lallemand,A., 5=7059, 5=9356, 8=6603, 9=11705

Duckworth,H.E. Atomic weights of the monoisotopic elements, 5=469. Mass spectroscopic atomic mass differences. II, 8=1285. See also Eastman,P.C., 6=6098; Eve,C.F., 6=8125, 6=1619; Isenor,N.R., 7=1386; Kerr,J.T., 6=580, 6=1500, 8=8374; Pennington,E.M., 5=3031

Duclaux,J. Theory of gases. XXI, 5=5938. A form for the equation of state, 7=6949

Duclos,P. See Rodot,M., 6=7414

Ducros,P. The rotation of water molecules and the dielectric properties of zeolites, 9=13244

Duculot,C. Polarization energy and chemical reactivity, 7=592. A direction method for the determination of the irreducible representations associated with harmonics and combinations of molecular vibrations, 8=372. Molecular symmetry and infrared spectral activity, 8=792

Dudkin,L.D. The chemical bond in semiconducting cobalt triantimonide, 8=4968

Dudkin,L.D. and Ostranitsa,A.P. Ternary semiconducting compounds $A^{I}B^{V}B^{VI}_{2}$, 9=12253

Duckworth,H.E., Hogg,B.G. and Pennington,E.M. Mass spectroscopic atomic mass differences, 5=2102

Dudley,H. Phonetic pattern recognition vocoder for narrow-band speech transmission, 8=7783

Dudley,H. and Balashek,S. Automatic recognition of phonetic patterns in speech, 8=7782

Dudley,J.M. Inman,F.W. and Kenney,R.W. Polarization of bremsstrahlen, 6=5934

Dudley,M.D., Whitney,I. and Feinberg,R. A high-intensity light source for stroboscopic operation at frequencies up to 250 kc/s, 7=7042

Dudley,R.S., Elliott,R., McFadden,W.H. and Shemilt,L.W. Strain potentials, 5=5044

Dudziak,W.F. See also Barkas,W.H., 7=5637

Dudziak,W.F., Sagane,R. and Vedder,J. Positron spectrum from the decay of the μ meson, 9=7271

Duelli,B. and Hoffman,L. Nuclear resonance fluorescence in O^{16}, 9=6062

Duerr,H.P. Relativistic effects in nuclear forces, 6=7147. Nuclear scattering of nucleons and antinucleons, 8=1961. Nuclear symmetry energy, 8=9007

Duerr,H.P. and Teller,E. Interaction of antiprotons with nuclear fields, 6=2649

Duesterhoeft,W.C. See Fain,W.W., 8=8365

Dufay,J. See also Cabannes,J., 5=4239, 6=4753, 6=9095; Dufay,M., 6=837

Dufay,J., Berthier,P., Dufay,M. and Morignat,B. A method for the continuous spectrographic measurement of intensity of the bright lines of the night sky, 6=9107

Dufay,J. and Tcheng,M.-L. On the height of the atmospheric layers emitting the lines O I 5577A, O I 6300 A and Na I 5892 A, 7=1788

Dufay,M. A photoelectric study of the spectrum of the night sky between 0,7 and 1.1μ, 7=5763. The intensities of the night-sky emission bands in the near infrared, 8=6548. Description of a photoelectric spectrometer designed for a study of the night-sky spectrum in the near infrared, 9=3271. See also Dufay,J., 6=9107

Dufay,M. and Dufay,J. Contribution to the study of the night-sky spectrum in the violet and near ultraviolet, 6=837

Duff,R.E. Calculation of reaction profiles behind steady-state shock waves. I. Application to detonation waves, 8=6474. Relaxation time for reactions behind shock waves and shock wave profiles, 8=6747. Shock-tube performance at low initial pressure, 9=6637. Laminar boundary layer development behind shock waves in argon, 9=7888. See also Bauer,S.H., 9=900; Christian,R.H., 6=135; Knight,H.T., 5=4452

Duff,R.E. and Houston,E. Measurement of the Chapman-Jouguet pressure and reaction zone length in a detonating high explosive, 5=8341

Duff,R.E. and Knight,H.T. Precision flash X-ray determination of density ratio in gaseous detonations, 7=3784

Duff,R.E., Knight,H.T. and Rink,J.P. Precision flash X-ray determination of density ratio in gaseous detonations, 9=4380

Duff,R.E., Knight,H.T. and Wright,H.R. Some detonation properties of acetylene gas, 5=583

Duff,R.E. and Minshall,F.S. Investigation of a shock-induced transition in bismuth, 8=1355

Duffaut,N. See Calas,R., 7=6679

Duffey,G.H. Detonation waves and the principle of minimum entropy production, 5=4143

Duffield,R.B. See also Bunker,M.E., 7=652; Schmitt,R.A., 7=4730; Sugarman,N., 5=509

Duffield,R.B. and Vegors,S.H., Jr. Five new isomers with half-lives between 10^{-8} and 10^{-1} second, 9=3830

Duffieux,P.M. The optical uncertainty principle of Ingelstam and phase objects, 5=3646. A criterion of apodization, 5=3659 The Abbe condition and reversible optical transmission, 5=6879. Distant diffracted light and the assessment of images, 6=4347. Information theory and the expanding universe, 6=5610. Two-beam interference fringes and information theory, 9=2243. Redundancy problem, 9=6556. On a remark by Wood: the statics and dynamics of Michelson's interferometer, 9=10870

Duffin,W.J. See Goodyear,J., 9=7617

Duffour,P. See Nougaro,J., 9=99

Duffus,H.J. See also Cooke,A.F., 5=1999, 5=5518

Duffus,H.J. Nasmyth, P.W., Shand,J.A and Wright,C. Subaudible geomagnetic fluctuations, 8=4544

Duffus,H.J. and Shand,J.A. Some observations of geomagnetic micropulsations, 8=2708

Duffus,R.J. See Bleaney,B., 5=2885

Duffy,J. See Bernsohn,E., 9=12703

Duffy,M.M. See Gebhard,J.W. 7=2887

Duffy,P.A. High-pressure Al-walled sensitive ionization chamber, 7=3380

Duflo,J. See Lallemand,A., 9=11705

Duflot,M. See Fehrenbach,C., 6=23

Dufour,C. Applications in electronics of thin conducting metallic layers, 6=6958

Dufour,L. The heat of vaporization of a drop of solution in suspension in the atmosphere, 5=5792. Reversible adiabatic transformations of a drop of solution in suspension in the atmosphere, 5=5793. Thermodynamics of capillary systems in the atmosphere, 7=6775

Dugdale,J.S. The equation of state of solid helium, 9=4001. See also Gugan,D., 9=2310; Morrison,J.A., 5=4609

Dugdale,J.S. and Gugan,D. The effect of pressure on the electrical resistance of copper at low temperatures, 8=608

Dugdale,J.S. and Hulbert,J.A. The effect of pressure on the electrical resistance of rubidium, 7=7922

Dugdale,J.S. and MacDonald, D.K.C. Lattice thermal conductivity, 5=6981. The electrical resistance of some metals and alloys below 1°K, 7=7856

Dugdale,J.S., MacDonald,D.K.C. and Croxon,A.A.M. Thermal contact in a paramagnetic salt, 7=7814

Dugdale,R.A. Recent experiments at Harwell on irradiation effects in crystalline solids, 5=5718. Some properties of vacancies and interstitials in Cu_3Au, 6=8302

Duggal,S.P. See Sarabhai,V. 6=7506

Duggal,V.P. and Puri,S.M. Fast neutron attenuation in graphite, 8=3298

Duggal,V.P., Puri,S.M. and Sri Ram,K. Attenuation of 14 MeV neutrons in water and in 6 in. lead and water, 9=11374

Duhme,R. On the application of the alternating-light method in nuclear physics, 6=4598

Dühmke,M. An interference comparator for evaluating the difference between end-standards, 8=5814

Duijn,J. van. See van Duijn,J.

Duijvestijn,A.J.W. On the transition from superconducting to normal phase, accounting for latent heat and eddy currents, 9=7003

Duimio,F. On the binding energy of H^3,* 5=5224. On a generalization of the relativistic dynamics of a particle, 5=6723. On the decays of π- and K-mesons into light fermions, 6=3260. A possible general scheme of interactions between elementary particles, 6=4912. On the solutions of the Low scattering equation in a simple model, 8=5644. See also Albertoni,S., 8=875; Caldirola,P., 5=732; Dell'Antonio,G.F., 7=8411, 8=876; Diana,E., 6=1620

Duimio,F., Gulmanelli,P. and Scotti,A. On a simple deduction of Low's equations in the formalism of Lehmann, Symanzik and Zimmermann, 6=3492

Duke,J. See Vollmer,J., 6=2045

Duke,J.A. See Vollmer,J., 9=1385

Duke,P.J. See also Batty,C.J., 9=2784; McEwen,J.G., 7=4711

Duke,P.J., Lock,W.O., March,P.V., Gibson,W.M., McEwen,J.G., Hughes,I.S. and Muirhead,H. The elastic scattering of protons by protons at 925 MeV, 7=4464

Duke,P.J., Lock,W.O., March,P.V., Gibson,W.M., McKeague,R., Hughes,I.S., and Muirhead,H. Proton-proton elastic scattering at 950 MeV, 5=8842

Duke,P.J., Lock,W.O., March,P.V. and Munir,B.A. A simple method of determining the shrinkage factor of nuclear research emulsions, 5=9342

Dukel'skiĭ,V.M. Formation of negative ions by means of transfer of charge, 7=2361. See also Bÿdin,Yu.F., 7=2366; Khvostenko,V.I., 8=5082

Dukel'skiĭ,V.M., Afrosimov,V.V. and Fedorenko,N.V. Transformation of positive helium ions into negative ones in collisions with atoms of inert gases, 6=7496

Dukel'skiĭ, V.M. and Fedorenko,N.V. Loss of two electrons by negative ions in collisions with atoms and molecules, 6=2209

Dukel'skiĭ,V.M. and Sokolov,V.M. Negative ions of Si, Ge, Sn and Pb, 7=7991

Düker,H. Interference pattern of light intensity for electron waves using a biprism, 5=7099. See also Herchenbach, W., 7=1367. See also Möllenstedt,G., 5=3817, 6=5922

Dukhin,S.S. and Deryagin,B.V. Theory of the large-distance interaction between evaporating or growing drops, 7=5915

Dukhopel,I.I. See Kolomĭtsov,Yu.V., 7=293

Dukova,E.D. Spiral-layer evaporation of crystals, 9=10230. See also Lemmleĭn,G.G., 7=8262, 8=3562

Dul'kova,L.S., Romanova, ,T.A., Sokolova,I.B., Sukhov,L.V., Tolstov,K.D. and Shafranova,M.G. Interaction of 300 MeV π^- mesons with protons, deuterons and photo-emulsion nuclei, 6=5423

Dul'kova,L.S., Sokolova,I.B. and Shafranova,M.G. Scattering of positive and negative 300 MeV π-mesons on hydrogen, 7=4765. Elastic scattering of 300 MeV π-mesons on deuterons, 9=2630

Dul'neva,N,M. See Veinberg,V.B., 9=9526

du Marache,J.G. The manufacture of a large target used for the study of photographic objectives, 6=1777

Dumas,G. Study of gyromagnetic resonance in a Penning gauge, 6=502

Dumbleton,M.J. The infra-red luminescence of solid halogens, 5=2619

Dumez,F. See Vincent,G., 9=5827

Dumke,W.P. Deformation potential theory for N-type Ge, 6=3200. Spontaneous radiative recombination in semiconductors, 7=3260. Indirect transitions at the center of the Brillouin zone with application to InSb, and a possible new effect, 9=774

DuMond,J.W.M. Need for upward revision of λ_g/λ_s and its consequences, 7=1353. An iron-free magnetic beta-ray spectrometer of high luminosity, resolving power, and precision for the study of decay schemes of the heavy isotopes, 8=1933. Present status of precise information on the universal physical constants. Has the time arrived for their adoption to replace our present arbitrary conventional standards? 9=11774. Status of knowledge of the fundamental constants of physics and chemistry as of January 1959, 9=11775. A survey of our present sources of information on the conversion constant, $\Lambda(=\lambda_g/\lambda_s)$ and the absolute wavelengths of X-ray emission lines, 9=12345. See also Baggerly,L.L., 6=1424; Berreman,D.W., 5=3275; Chupp,E.L., 8=306, 8=2534, 9=2706, 9=2758, 9=5777, 9=8559; Cohen,E.R., 5=7502, 6=2330, 7=2691, 8=7665, 9=1635; Hatch,E.N., 7=2534; Henke,B.L., 5=8312; Merrill,J.J., 8=8804; Murray,J.J., 5=4027; Shacklett,R.L., 7=6473; Snelgrove,P., 5=314

Dumont,R. See Bigay,J.H., 6=25

Dumont,S. and Pecker,J.C. The generalization of the Eddington–Barbier relations and its applications, 9=983

Dumontet,P. On object–image correspondence in optics, 5=9536. Correspondence in amplitude between a plane object and its image formed by a centred optical system, 6=6497. Calculation of the amplitude of a plane wave reflected from a homogeneous, parallel-sided metal layer, 7=9113. Machine for calculating convolutions for correcting certain errors due to diffraction (unidimensional problems), 9=8002. See also Blanc-Lapierre,A., 5=4563

Dumontet,P., Perrot,M. and Tortosa,J. On the reflection coefficients of thin, lacunal films, 7=8536

du Mosch,A.D. On the average uncertainty of a continuous probability distribution, 7=1004

Dunaev,Yu.A. See Yuzefovich,A.A., 6=7206

Dunaway,R.E. See Burkhardt,L.C., 7=7938

Dunbar,D.N.F. See Hebbard,D.F., 9=13659

Dunbar,L.E. Curve fitting, 7=2909

Duncan,A.B.F. The electronic structure of hydrogen fluoride, 5=6363. Electronic structure of ammonia, 7=9783. See also Neuberger,D. 5=204; Wagner,P., 5=6010

Duncan,B.J. and Swern,L. Temperature behavior of ferrimagnetic resonance in ferrites located in wave guide, 6=6775

Duncan,J.F. and Thomas,F.G. Three beta-absorption methods–how do they compare? 8=5188

Duncan,M.M. See Newson,H.W., 9=13608

Duncan,N.E. and Janz,G.J. Molecular structure and vibrational spectra of ethyl cyanide, 5=4838

Duncan,R.A. Lunar variations in the ionosphere, 6=7078. The behaviour of a Chapman layer in the night F_2 region of the ionosphere, under the influence of gravity, diffusion, and attachment, 7=5754. The measurement of the drift velocity of electrons through gases by the electron shutter method, 7=6237. Computations of electron density distributions in the ionosphere making full allowance for the geomagnetic field, 9=1947

Duncan,R.A. and Ellis,G.R. Simultaneous occurrence of sub-

visual aurorae and radio noise bursts on 4.6 kc/s, 9=11661

Duncan,R.C.,Jr. See Dousmanis,G.C., 9=1437, 9=2319

Duncanson,A. and Stevenson,R.W.H. Some properties of magnesium fluoride crystallized from the melt, 9=2239

Duncanson,L.A. Study of tautomerism and the hydrogen bond by means of infrared spectroscopy, 5=1339. See also Chatt,J., 9=11530

Duncumb,P. See Cosslett,V.E., 6=9025

Dunell,B.A. and Quistwater,J.M.R. Effect of humidity on the dynamic moduli of nylon 6-6 monofilaments, 8=8482

Dungen,F.H. van den. See van den Dungen,F.H.

Dungey, J.W. The attenuation of Alfvén waves, 5=2022. Solar electrodynamics, 5=3402. Deductions from the perfect cosmological principle, 5=6684. Electrodynamics of the outer atmosphere, 5=8425. The influence of the geomagnetic field on turbulence in the ionosphere, 6=8503. The effect of ambipolar diffusion in the night-time F layer, 6=9078

Dungey,J.W. and Willson,A.J. Viscosity in the F region, 8=4566

Dunham,R.J. See Pfister,C.G., 8=3763

Dunina,A.A. See also Shamovskiĭ,L.M. 6=7393, 6=8790, 7=6173, 8=979

Dunina,A.A., Morgenshtern,Z.L., and Shamovskii,L.M. Absorption and luminescence spectra of indium-activated alkali-halide monocrystals, 9=10833

Dunitz,J.D. and Orgel,L.E. Electronic structure of metal *bis*-cyclopentadienyls, 5=6365. Comments on a method of structure determination, 7=2846

Dunke,W. See Blount,E., 6=2109

Dunkelman,L. Solar-blind ultraviolet multiplier phototubes, 5=3787. See also Baum,W.A., 5=3334

Dunkelman,L. and Scolnik,R. Solar spectral irradiance and vertical atmospheric attenuation in the visible and ultraviolet, 9=6392

Dunkerley,B.D. and Lipson,H. A simple version of Bragg's X-ray microscope, 5=9258

Dunkerley,H.S. and Schaefer,D.L. Observations of cathode arc tracks, 6=5121

Dunlap,W.C., Jr. Gold as an acceptor in germanium, 5=2746. Amphoteric impurity action in germanium, 6=1228. Gold-doped germanium, 7=7924

Dunlop,P.J. See also Baldwin,R.L., 6=3535

Dunlop,P.J. and Gosting,L.J. Interacting flows in liquid diffusion: Expressions for the solute concentration curves in free diffusion, and their use in interpreting Gouy diffusiometer data for aqueous three component systems, 6=3536

Dunmur,I.W. See Bacon,G.E., 7=9267

Dunn,A.F. Determination of the unit of capacitance, 9=2293

Dunn,C.G. On the determination of preferred orientations, 9=8875. (110)[001] component prior to secondary recrystallization in three per cent silicon iron, 9=12862

Dunn,C.G. and Walter,J.L. Synthesis of a (110)[001] type torque curve in silicon iron, 9=8876

Dunn,F. Comments on "Mechanical mechanism of destructive effects of sound on tissue", 7=5774. See also Fry,F.J., 5=6838, 6=3398

Dunn,F., Fry,F.J. and Fry,W.J. Experimental characteristics of continuously variable resonant frequency crystal systems, 6=3576

Dunn,F. and Fry,W.J. Ultrasonic absorption microscope, 9=7901

Dunn,H.K. See Young,R.W., 8=1573

Dunn,P.D. Hadden,R.J.B., Thompson,D.J. Non-resonant coupling of resonant cavities, 7=4563

Dunn,P.D., Sabel,C.S. and Thompson,D.J. Coupling of resonant cavities by resonant coupling devices, 9=3665

Dunn,P.D. and Thompson,D.J. A design for a structure for acceleration of protons from 150 to 600 MeV, 8=8034

Dunn,R.B. and Manring,E.R. Recording night sky photometer for high spectral purity, 6=7894

Dunn,T.M. Method of molecular fields, 7=3494

Dunn,T.M. and Ingold,C.K. Symmetry of the second excited singlet state of benzene, 5=8970

Dunne,B. and Cassen,B. Velocity discontinuity instability of a liquid jet, 6=4864

Dunning,D.N. and Ray,W.E. Control rod materials, 8=7414

Dunning,K.L. See also Bondelid,R.O. 7=2677; Butler,J.W., 7=7294; Fagg,L.W., 6=1609

Dunning,K.L., Butler,J.W. and Bondelid,R.O. Mass, half-life, and excited states of B^8, 9=601.

Dunoyer,J.M. New formulae for sedimentation, 6=5499

Dunsmuir,R. See Linhart,J.G., 6=2882

Duntley,S.Q., Boileau,A.R. and Preisendorfer,R.W. Image transmission by the troposphere. I, 7=6772

Dunway,R.E, and Phillips,J.A. Neutron generation from straight pinches, 9=533

Dunworth,J.V., Littler,D.J. and Walker,J. Developments in physics, 9=10139

Dupeyrat,R. The use of a combination of an interferometer and prism spectrometer for the recording of the Raman vibration spectrum of $GeCl_4$, 6=1959. Properties of a Fabry–Perot interferometer whose mirrors consist of interference filters, 7=7786. The use of a recording Fabry–Perot interferometer whose mirrors are identical interference filters, 7=9644. Study by photoelectric recording of Raman scattering lines of liquids, 9=10791. See also Lagarde,D.J. 5=7869, 5=7872

Dupré,A. Ferromagnetism of thin nickel films at low temperatures, 7=2427

Dupré,F. See Cini-Castagnoli,G., 9=13068

du Pré,F.K. On the microwave Cotton-Mouton effect in Ferroxcube, 5=4817

du Pré,F.K., De Bitetto,D.J. and Brockman,F.G. Magnetic materials for use at high microwave frequencies (50-90 kMc/sec), 8=7179

Dupré,G. See Reznik,A., 7=5576

Dupree,T.H. See Burkhardt,J.L., 6=667

Dupuis,T. Attempt to interpret infrared absorption spectra of salts of the type XO_3Y, in particular amidosulphonates, 6=7611. Study of infrared absorption spectra of ordinary amido-sulphonic acid,heavy amido-sulphonic acid and their salts, 7=2034

Dupuy,J. The determination of the ionizing field in some simple systems, 6=5181. The determination of the voltage–current relationships in the simple ionizing systems. Application to the plate electro-filter, 6=6586. On the general study of ionizing fields, 7=7188. Expression for the characteristic of a cold probe in an ionized field of cylindrical symmetry, 8=7132. See also Cochet,R., 5=9733, 8=7878; Pauthenier,M., 7=3229

Dupuy,O. See Arnulf,A., 7=6795, 8=6893

Duquesne,M. The importance of inelastic β-e^- scattering in radioactive sources, 5=4024. A study by means of the method of α-e^- coincidences of the emission of electrons accompanying α^- particles of Po^{210}, 5=9859. A study by means of the method of β-e^- coincidences of the emission of electrons accompanying β^- radiation, 5=9863. The arrangement of end-window Geiger-Müller counters for the measurement of low energy electromagnetic radiation, 7=2346

Durand,E. Dipole distributions, 5=1038. On the possibility of considering potentials and field as densities; new type of four-vector, 5=2017. Superficial distributions of fixed charges and the Poynting vector in a system of permanent volume currents, 5=2018. The finding of solutions of the plane-wave equation $\frac{1}{v^2}\frac{\delta^2\psi}{\delta t^2} - k_0^2\psi = f(x, vt)$, 5=2021. The boundary conditions for magnetic media with infinite permeability, 5=6288. The hypothesis of the polarization of the vacuum in classical electromagnetism, 5=7202. Line width and curvature in mass spectrography, 5=8029. A simple presentation of the general theory of systems of revolution in electron optics (relativity and aberrations included), 5=8817. On the possibility of defining a scalar magnetic potential inside currents, and its application to calculations on magnetic electron lenses, 5=8821. A new vector transformation of a curvilinear integral into a surface integral and its application in magnetostatics, 5=9350. General theory of magnetic "charges" at rest and in movement, 5=9780. A simple expression for the solution of the Dirichlet problem in the plane, 6=2702. Magnetic systems associated with systems of constant electric currents and their application to the numerical calculation of fields, 6=3035. Discontinuous functions in electrostatics and magnetostatics, 6=3704. Potential of a uniformly charged disk, 6=4376. The fundamental equations of a non-conservative classical electromagnetism, 6=6025. Distributions of the singularities in the electrostatic and electromagnetic fields, 6=8157. Definition of an invariant volume element for a moving system, 7=63. Definition of an invariant surface element and a unit four-vector for a moving surface, 7=64. Definition of an invariant element of length and of an anti-symmetric tensor which generalizes the unit tangent vector to a curve when the latter is in motion, 7=65. Expression, by a line integral, for the scalar magnetic potential due to a current in a wire, 7=3462. The equations of non-conservative electromagnetism derived from an integral of invariant

action, 7=5477. The magnitude of the force in a dielectric, 8=4939. A classical theory of the creation and annihilation of electric charges, 9=463
Durand,H. See Bishop,G.R., 5=1158
Durand,J. See Lejay,R.P., 6=7055; Lepechinsky,D., 5=5136
Durand,J.L. See Benedict,T.S., 8=7889
Durand,L. See Hull,M.H., Jr, 6=8242; Saperstein,A.M., 7=2993
Durand,L., III. Vacuum polarization effects in proton—proton scattering, 8=1847. See also de Wit,M., 9=3940
Durna,L., III, Landovitz,L.F. and Leitner,J. Tests for the spin in the decay of particles of arbitrary spin, 9=3715
Durand,M., Faget,J., Feure,J., and Fert,C. Interferometric measurement of the inner potential of graphite, 9=5134
Durandeau,P. General expressions and curves representing the electron optical characteristics of magnetic electron lenses, 6=5141. Construction of electromagnetic lenses, 6=5924. Magnetic electron lenses: simple general expressions for the axial field and the electron-optical characteristics, 7=2293
Durandeau,P., Fagot,B. and Fert,C. Spherical aberration of weak magnetic lenses, 9=7081
Durandeau,P., Fagot,B. and Laudet,M. A method of measuring the induction and its derivatives on the axis of magnetic electron lenses, 9=3569
Durandeau,P. and Fert,C. Magnetic electron lenses, 9=8222
Durandeau,P., Fert,C. and Tardieu,P. Asymmetric magnetic electron lenses, 8=3183
Durante,C. A contribution to the study of the reversal of a ferromagnetic cone produced by a constant voltage source, 9=11206. See also Lagasse,J., 9=12448
Durasova,Yu.A. See Spivak,G.V., 8=213
Duren,K.Van. See Van Duren,K.
Duret,M.F. and Henderson,W.J. Effect of flux flattening on pile power, 7=7404. Flux flattening improves output, 9=10144
Duret,M.F. and Wilson,I.L. A two zone slurry reactor, 7=7401
Durga,K.Kanaka. See Kanaka Durga,K.
Durgavathi,B.Kanaka. See Kanaka Durgavathi,B.
Durham,F.P. Radiolytic-gas bubbling improves heat transfer in SUPO, 5=8266
Durham,G.S. and Soderberg,B.A. Evaluation of lattice interactions in or near a cubic crystal, 9=773
Durham,K. See Sanders,E., 5=6785
Durie,R.A. and Ramsay,D.A. Absorption spectra of the halogen monoxides, 8=1605
Durieux,M. See van Dijk,H., 7=323, 8=3045, 9=9560
Durif,A. Structure of $GeUO_4$, 6=9051
Durif,S. Tests on the absolute measurement of specific surface by X-ray scattering at small angles, 8=817*
Duroux,J. Refractometric study, in the visible and ultraviolet of some aliphatic alcohols, 7=2788. See also Servant,R., 6=5757
Durkina,A.V. See Semenova,O.P., 7=9072
Durney,B. Distorted wave approximation in the reaction $p + p \to \pi^+ + d$, 8=2495
Durovič,S. A contribution to the determination of lattice constants by the Debye-Scherrer method, 6=7842
Dürr,H.P., Heisenberg,W., Mitter,H., Schleider,S. and Yamazaki,K. Theory of elementary particles, 9=11822
Durrani,S.A. See Chadwick,G.B., 7=8862, 9=6042
Durrant,N.F. Measurement of minority carrier lifetimes in semiconductors, 5=8746
Durrieu,L. See Dargent,R., 9=10306
Durrum,E.L. See Gilford,S.R. Recording integrating photoelectric and radioactive scanner for paper electrophoresis and chromatography, 5=2716
Dusbabek,M.R. Flowable solids reactor, 9=11497
Dusek,E.R. See Teichner,W.H., 5=10147, 6=3409
Dušek,H. Electron optical image [formation] by orthogonal systems under the application of a new field model with exact assignable paraxial paths, 9=11117
Dusenbury,J.H. See Wakelin,J.H., 5=8316
Dushin,L.A. and Maslov,V.A. Test of a porcelain insulator for use in an electrostatic strong-focusing lens for linear particle accelerators, 9=11138
Dushin,L.O. and Khy̆zhnyak,M.A. The application of power recuperation in linear accelerators, 8=7092
Dushin,N. and Shmushkevich,I. Deduction of relationships among cross-sections based on the hypothesis of isotopic invariance, 6=6933
Dushin,N.V. On relations between the cross-sections for multiple production of π-mesons, 6=6934. Photoproduction of pairs of π-mesons in hydrogen and deuterium near the threshold, and isotopic invariance, 7=4781. On the relations between the cross-sections for multiple production of π-mesons, 8=8244
Formation of two π-particles in collisions between π-mesons or γ-quanta and nucleons or deuterons, 9=2642
Duska,L. Maximum gravity effect of certain solids of revolution, 9=6562
Dušková,A. See Bohun,A., 5=6204
Dussaussoy,P. See Nguyen,T.C., 5=5492
Dutreix,A. See Tubiana,M., 6=5928
Dutreix,J. See Tubiana,M., 6=5928
Dutt,I. See also Mukherjee,P.N., 9=10024, 9=11426
Dutt,I. and Mukherjee,P. E1 transition and nuclear deformation in the excited states, 9=12623
Dutt,M.N. Optical anisotropy of aromatic crystals, 5=9538
Dutta,A.K. Characteristics of free electrons in graphite from a study of its magnetic and other properties, 8=4422. See also Samal,K., 6=6457
Dutta,A.K. and Chowdhury,A. Electrical conductivity of single crystals of graphite along the basal plane and a new and simple method of measuring electrical conductivities, 5=934
Dutta,A.K. and Gantayet,U. Excitation mechanism of arc spectra lines from a study of cadmium arc spectra, 7=1996
Dutta,A.K. and Ratho,T. On a study of the superposition effect of diffracted X-rays by a liquid column and the optimum thickness for X-ray diffraction, 6=7023
Dutta,A.K., Ray,B.C. and Rout,H.K. Viscosity of liquids and ultrasonic studies, 7=134
Dutta,A.K. and Samal,K. Ultrasonic absorption in castor oil, carbon disulphide, benzene and xylene, 6=2749. Real and apparent absorption coefficient of ultrasonic waves in liquids, 7=7686. Propagation of ultrasonic waves in liquids, 8=3816
Dutta,B.C. and Ghosh,A.K. On thermoluminescence spectra, 7=7783. Spectral study of thermoluminescence emission from KBr and NaBr, 9=10855
Dutta,C. See Bagchi,R.N., 6=2731
Dutta Roy,B. See Banerjee,M.K., 9=12610
Dutta Roy,S.K. An improved method of measuring the absolute susceptibilities of single crystals over wide ranges of temperatures, 6=5997. Studies on the magnetic susceptibility of the Gr^{+3} alums in the range 300°K to 100°K, 7=529
Dutton,D. Fine-spot scanning of lead sulfide films, 7=7924. Fundamental absorption edge in cadmium sulfide, 9=5535. Anistropy of edge luminescence in cadmium sulfide, 9=10806. See also Smith,A., 9=3501
Dutton,J. See also Crompton,R.W., 6=1328, 6=2205, 7=3395; Davies,D.K., 9=3609
Dutton,J. and Jones,E. Electrical discharges, 9=3525
Duuren,K. van. See van Duuren,K.
Duvall,G.E. Pressure — volume relations in solids, 8=3959
Duvall,G.E. and Zwolinski,B.J. Entropic equations of state and their application to shock wave phenomena in solids, 6=148
Duwalo,G. and Jacobs,J.A. Effects of a liquid core on the propagation of seismic waves, 9=5265
Duzer,T.Van. See Van Duzer,T.
Dvoretzky,A., Erdös,P. and Kakutani,S. Multiple points of paths of Brownian motion in the plane, 5=2445
Dvoretzky,A., Erdös,P., Kakutani,S. and Taylor,S.J. Triple points of Brownian paths in 3-space, 8=5664
Dvornichenko,P.V. Some considerations regarding the methods of evaluating the heat exchange and hydraulic resistance for a high-velocity gas flow, 7=6101
Dvornikova,I.V. and Nagibina,I.M. Determination of the degree of inhomogeneity in a d.c and a.c arc discharge, 8=5032
Dvoryankin,B.F. See Vaĭnshteĭn, B.K., 7=7954
Dvoryashin,A.S. See Mustel',E.R., 8=6596
Dwork,J.S. and Hurwitz,H., Jr. Neutron absorption in a semi-infinite region, 5=7406
Dwight,K. See also Goodenough,J.B., 9=5649; Menyuk, N., 9=4799
Dwight,K., Menyuk,N. and Smith,D. Further development of the vibrating-coil magnetometer, 9=2481
Dwyer,L.J. See Keam,D.W., 9=12525
Dyad'kin,I.G. On solution of the kinetic equation for transfer of neutrons or gamma quanta by the partial probability method, 8=8228
D'yakov,G.P. On even effects in single crystals, 7=6685. On the addition of a second anisotropy constant in the theory of even [chetnii] effects, 8=4145
D'yakov,S.P. Shock waves in binary mixtures, 5=3511. On the stability of shock waves, 5=3512. Shock waves in a medium in a state of relaxation, 5=5277. Interaction of shock waves with small perturbations. I, 8=4801, II, 8=4802
Dyatlov,I.T. Bremsstrahlung of π-mesons and π-meson pair formation by γ-quanta in collisions [of π-mesons] with non-

spherical nuclei, 8=7392. Photoproduction of electrons and μ-meson pairs on nucleons, 9=2608. Dispersion relations for the electromagnetic form factor of the π-meson, 9=13564

Dyatlov,I.T., Sudakov,V.V. and Ter-Martirosyan,K.A. Asymptotic meson–meson scattering theory, 8=5214

Dyatlov,I.T. and Ter-Martirosyan,K.A. Asymptotic theory of the scattering of mesons by mesons, 6=5702

Dye,D.L. Momentum spectrum from scattering in lead of sea level penetrating shower secondaries, 5=9742

Dye,Y.B., Sen,D.C., Ho,T.H. and Tzu,H.Y. The radiative capture of μ^--meson by proton, 9=7273

Dyer,A.J. See Taylor,R.J., 8=4552

Dyer,H.B. See also Clark,C.D., 6=4305, 6=8666; Ditchburn,R.W., 5=6611

Dyer,H.B. and Matthews,I.G. The fluorescence of diamond, 8=2982

Dyer,H.B. and Wedepohl,P.T. Electrical measurements on type IIb diamonds, 6=5867

Dyer,I. Noise attenuation of dissipative mufflers, 6=6490. Measurement of noise sources in ducts, 9=163. Response of plates to a decaying and convecting random pressure field, 9=9319. Distribution of sound sources in a jet stream, 9=9337

Dyer,I., Franken,P.A and Westervelt,P.J. Jet noise reduction by induced flow, 9=1219

Dyer,J.N. See Barkas,W.H., 9=4950, 9=11396

Dyer,R.F. See Bacon,G.E., 5=7542, 9=3938

Dyke,W.P. Progress in electron emission at high fields, 5=6201. See also Trolan,J.K., 6=1283

Dyke,W.P. and Barbour,J.P. Pulsed T-F emission electron projection microscopy, 6=6699

Dyke,W.P., Barbour,J.P., Martin,E.E. and Trolan,J.K. T-F emission: experimental measurements of the average electron current density from tungsten, 5=8816

Dyken,A.R. Van. See Van Dyken,A.R.

Dy̆khne, A.M. A contribution to the theory of horns, 9=13513

Dy̆khne,A.M., Maty̆sina,Z.A. and Smirnov,A.A. The theory of of the residual electrical resistance of multicomponent ordering alloys, 8=4950

Dy̆kman,I.M. Change of work function of a metal with adsorption on the surface of dipole molecules, 8=7101. The method of traces in the exciton problem, 9=786. See also Deĭgen,M.F. (Conf.rep.), 8=7907

Dy̆kman,I.M. and Kaplunova,E.I. A note on the role of colloidal particles in the electro-conduction and thermo-emission of semiconductor cathodes, 9=9688

Dy̆kman,I.M., Kaplunova,E.I. and Tolpy̆go,K.B. The field mass of polarizing excitons in ionic crystals, 7=5733

Dy̆kman,I.M. and Pekar,S.I. Strong coupling nucleomesodynamics. III. Translational motion, meson-field mass and nuclear magnetic moment, 6=8593

Dy̆kman,I.M. and Tsertsvadze,A.A. Exciton energy in alkali halide crystals, 9=10246

Dykman,I.M. and Zaslavskaya,I.G. Excitons in ionic crystals with the intermediate coupling force, 9=8848

Dymanus,A. Intensity measurements in the microwave spectroscopy of gases, 8=6848. High-Q Stark cavity absorption cell for microwave spectrometers, 9=4436

Dyne,P.J. Geometrical corrections to the Bragg-Gray relation applied to absolute chemical dosimetry, 5=7471. Uncertainties in the measurement of the oscillator strength of the ultraviolet bands of OH, 8=6834

Dyson,B.F., Jones,R.B. and Tegart,W.J.McG. The tensile properties of high-purity niobium at low temperatures, 9=8922

Dyson,F.J. Electron spin resonance absorption in metals. II. Theory of electron diffusion and the skin effect, 5=6335. Second maximum in the negative pion scattering cross section, 5=9137. Scattering of mesons by a fixed scatterer, 6=699. General theory of spin-wave interactions, 6=8998. Thermodynamic behavior of an ideal ferromagnet, 6=5999. Meaning of the solutions of Low's scattering equation, 7=5088. Ground-state energy of a hard-sphere gas, 7=5087. Connection between local commutativity and regularity of Wightman functions, 8=3696. Integral representations of causal commutators, 8=5654. Integral representation of a double commutator, 9=1047. See also Castillejo,L., 6=2676; Dalitz,R.H, 5=7702; McVoy,K.W., 7=9526

Dyson,F.J. and Uberall,H. Anistropy of bremsstrahlung and pair production in single crystals, 5=8833

Dyson,J. An interferometer for 'straightness' measurement, 5=5241. A catadioptric camera for ultra-violet spark photography, 5=7613. Common-path interferometer for testing purposes, 7=6062. Some considerations affecting the design of interference microscopes, 7=6083. The measurement of thin films by interferometry, 8=5812. Unit magnification optical system without Seidel aberrations, 9=7929

Dzantiev,B.G., Levkovskiĭ, V.N. and Malievskiĭ, A.D. The (n,α) reaction of 14 MeV neutrons with cadmium, 7=8837

Dzantiev,B.G. Levkovskiĭ, V.N., Malievskiĭ,A.D. and Serdobov,M.V. The isomer Pd^{111*}, 7=8781

Dzelepov,V.P., Kazarinov,Yu.M. and Flyagin,V.B. Exchange scattering of the 380 MeV neutrons by deuterons and the spin dependence of exchange forces, 5=8504

Dželepow,B.S., Kholnov,Yu.V. and Prikhodtseva,V.P. A $0^+ \rightarrow 0^+$ transition in Ce^{140}, 9=8547

Dželepow,B.S. and Zhukovsky,N.N. On the gamma-spectra of Ag^{110}, Sb^{124} and Eu^{152}, ^{154}, 8=6272

Dželepow,B.S., Zhukovsky,N.N., Shestopalova,S.A. and Uchevatkin,I.F. Gamma-ray spectrum of radium in equilibrium with its decay products, 9=1744

Dzhamalova,A.S. See Grum-Grzhimailo,S.V., 9=12044

Dzhavadov,A.B. See Kerimov,B.K., 7=606

Dzhavadov,A.V. See Kerimov,B.K., 6=8324

Dzhelepov,B., Shestopalova,S. and Uchevatkin,I. On the 2450-3400 keV region of the RaC gamma spectrum, 8=6271

Dzhelepov,B.S. Resonance scattering of γ-rays on nuclei, 7=9372. See also Anton'eva,N.M., 9=635-6, 9=10089; Bashilov,A.A., 9=10088; Grigor'ev,E.P., 8=5334; Grigor'yev,E.P., 9=10062; Gromov,K.Ya., 8=7336; Gustova, L.V., 9=10077

Dzhelepov,B.S., Kraft,O.E. and Preobrazhenskiĭ,B.K. Investigation of the β^+-decay in Ho^{160}, 8=4291

Dzhelepov,B.S., Kraft,O.E., Preobrazhenskiĭ,B.K. and Yushkevich,G.F. Positron spectra of the dysprosium fraction, 9=12657

Dzhelepov,B.S. and Peker,L.K. On equally allowed β-transitions, 6=8356

Dzhelepov,B.S., Preobrazhenskii,B.K., Rogachev,I.M. and Tishkin,P.A. The conversion electron spectrum of the dysprosium fraction, 9=12656

Dzhelepov,B.S., Prikhodtseva,A.P. and Khol'nov,Yu.V. $0^+ \rightarrow 0^+$-transition in Ce^{140}, 9=11454

Dzhelepov,B.S., Zhukovsky,N.N., Nedovesov,V.G., Uchevatkin,I.F. and Chumin,V.G. The gamma spectrum of Sb^{124}, 7=6510

Dzhelepov,V.P. See also Flyagin,V.B., 9=2834; Golovin,B.M., 7=2718, 9=12553, 9=13555

Dzhelepov,V.P., Golovin,B.M. and Satarov,V.I. Elastic neutron–neutron scattering at 300 MeV, 7=8201

Dzhelepov,V.P., Ivanov,V.G., Kozodaev,M.S., Osipenkov,V.T., Petrov,N.I. and Rusakov,V.A. Interaction negative π-mesons with carbon and lead nuclei at 230-250 MeV, 7=3625

Dzhelepov,V.P. and Kazarinov,Yu.M. Elastic neutron–proton scattering at 380 MeV, 7=7171

Dzhelepov,V.P. and Moskalev,V.I. Total cross-section of the pd interaction in the energy range 390-650 MeV, 7=2330

Dzhelepov,V.P., Moskalev,V.I. and Medved',S.V. Total cross-section for the p-p interaction in the energy interval of 410-660 MeV, 7=6540

Dzhelepov,V.P., Oganesyan,K.O. and Flyagin,V.B. Production of neutral π-mesons in n-p collisions at effective neutron energy of 590 MeV, 6=3294. Production of neutral pions by neutrons on deuterons and complex nuclei, 8=5233

Dzhelepov,V.P., Satarov,V.I. and Golovin,B.M. Total cross section of the nucleus of several elements for neutrons of energy 590 MeV, 6=1589

Dzherpetov,Kh.A. See also Balog,I.I., 9=3611

Dzherpetov,Kh.A. and Pateyuk,G.M. Investigation of the h.f. discharge by the probe method, 5=7084

Dzhrbashyan,V.A. γ-γ angular correlation in meso-atomic transitions, 7=4764. Influence of the polarization of a μ^--meson on the effect of correlations of γ-rays emitted by a mesic atom, 8=7428. Depolarization of the μ^--meson in mesic atom transitions, 9=13734

Dziergwa,H. and Lange,H. A comparison of the luminescence of calcium silivate (Mn,Pb) and zinc beryllium silicate (Mn), 5=6029

Dziergwa,H. and Panke,H. Yellow luminescence due to titanium in magnesium silicate containing fluoride, 6=242

Dziesiaty,J. See Böer,K.W., 9=4608

Dzn,H. de Lange. See de Lange Dzn,H.

Dzurus,M.L. and Hennig,G.R. Properties of the interstitial compounds of graphite. IV. Properties of n-type compounds, 7=9190

Dzyaloshinskiĭ,I.E. The stability of the boundary between the normal and the superconducting phase, 7=412. Calculation of retardation in the interaction of neutral atoms, 7=1406. On the question of piezomagnetism, 8=2408. A thermodynamical theory of "weak" ferromagnetism in antiferromagnetics, 8=3224. On the magnetic structure of transition metal fluorides, 8=6045. See also Abrikosov,A.A., 9=2486, 9=1303

Dzyaloshinskiĭ,I.E. and Lifshits,E.M. Second-order phase transformation in sodium nitrate, 8=3510

Dzyaloshinsky,I. A thermodynamic theory of "weak" ferromagnetism of antiferromagnetics, 9=8286

Dzyubenko,N.I. The distribution of matter in polar rays of the solar corona, 8=4661

Eaborn,C. See also Matsukawa,E., 7=3586

Eaborn,C., Matsukawa,E. and Taylor,R. Measurement of tritium, 8=738

Eades,R.G. An investigation of the nuclear resonance absorption spectrum of Al^{27} in a single crystal of euclase, 5=7258. See also Andrew,E.R., 9=5948, 9=13481

Eades,R.G., Finch,N.D. and El Saffar,Z.M. Nuclear magnetic resonance in some solid hydrocarbons, 9=12494

Eades,R.G., Hughes,D.G. and Andrew,E.R. The nuclear quadrupole coupling constant of ^{23}Na in sodium nitrate, 8=6230

Eady,E.T. Planetary atmospheres and convection in rotating fluids. The physical parameters characterizing the dynamics of planetary atmospheres, 8=2102

Eady,H.R. See Klumpp,R.G., 7=978

Eagle,D.F., Weatherly,T.L. and Williams,Q. Stark effect in the microwave spectrum of nitrosyl bromide, 9=6743

Eakins,G.W. See Day,M.C., Jr, 6=609

Eakins,J.D. See Wilson,E.J., 8=6282

Earl,H.E. See Dillon,J.F., Jr, 9=4795

Earl,H.E., Jr. See Dillon,J.F., Jr, 9=2511

Earl,J. See Clark,G., 7=9750

Earley,J.E. See Gilchrist,A., 7=3232

Eason,G. The load carrying capacities of cylindrical shells subjected to a ring of force, 9=9265

Eason,G., Fulton,J. and Sneddon,I.N. The generation of waves in an infinite elastic solid by variable body forces, 6=7210

East,T.W.R. See Gunn,K.L.S., 5=1394

Eastabrook,J.N. Thermal expansion of solids at high temperatures, 8=1012. Specific heat of solids at high temperatures, 8=1028

Easterday,H. See Imhof,W., 8=8240

Easterday,H.T. See Crasemann,B., 6=6110. Forrest,R.N., 9=2759. Imhof,W., 7=5620

Eastman,D.P. See Pepinsky,R., 8=166

Eastman,P.C. See also Isenor,N.R., 7=1386. Sodha,M.S., 8=5877, 8=6966, 8=7917, 9=1439

Eastman,P.C., Isenor,N.R., Bainbridge,G.R. and Duckworth,H.E. Atomic masses of Ni^{58} and Ni^{60}, 6=6098

Eastwood,T.A. See also Butler,J.P., 6=7644, 6=8342; Graham,R.L., 9=1733; Harvey,B.G., 7=8129; Jones,M., 6=3934; Roy,J.C., 9=596

Eastwood,T.A., Butler,J.P., Cabell,M.J., Jackson,H.G., Schuman,R.P., Rourke,F.M. and Collins,T.L. Isotopes of berkelium and californium produced by neutron irradiation of plutonium, 8=7331

Eastwood,T.A. and Roy,J.C. The occurrence of (n,3n) reactions in a nuclear reactor, 9=10135

Eastwood,W.S. See also Booker,D.V., 7=1625

Eastwood,W.S., Mullett,L.B. and Putman,J.L. The American miniature nuclear generator, SNAP III, 9=7310

Eaton,D.R. See Christensen,M.T., 7=6389

Eaton,G.K. See Rothschild,S., 7=4179

Eaton,J.J. and Kraus,J.D. A map of the Cygnus region at 915 megacycles per second, 9=10514

Eaton,J.R. Classroom models of particle systems, 9=11770

Eaton,V.E. Teaching aids: equipment and facilities, 5=9394. Presentation of Paul Kirkpatrick as the Oersted Medalist for 1958, 9=11768

Eaton,W. See Hees,G.W., 7=9033

Ebbing,D.D. See Shull,H., 8=4391

Ebel,M.E. Causal behaviour of field theories with non-localizable interaction, 5=3430. Application of adiabatic functions to $N^{14} + N^{14}$ reactions, 6=8365. See also Breit,G., 6=627, 6=3162, 6=7667, 7=2627

Ebel,M.E. and Feldman,G. Further remarks on Coulomb corrections in allowed beta transitions, 8=3351

Ebel,M.E. and Hull,M.H., Jr. Phase shifts for relativistic corrections in high-energy p-p scattering, 5=9437

Eberbeck,W. The structure of the K-absorption edge of the elements of different $A_{III}B_{V}$ compounds, 8=8024

Eberhagen,A. A method for the experimental determination of transition probabilities, 6=1043. A quantitative investigation of the Lenard "hollow flame," 6=1266

Eberhard,P. A neutron detector with uniform sensitivity as a function of energy from 0.5 to 6 MeV, 5=3150. See also Alvarez,L.W., 9=12601; Goldzahl,L., 5=4923, 6=3167, 7=6570; Hara,E., 9=4885; Kessler,P., 8=1158

Eberhard,P., Garg,J. and Torki,B. Gamma-ray spectrum due to the inelastic scattering of 2.5 MeV neutrons in iron, 8=1266

Eberhard,P. and Goldzahl,L. Scattering of Co^{60} γ-radiation by the electric field of nuclei, 5=8221

Eberhard,P., Goldzahl,L. and Hara,E. Experiment made to demonstrate the Delbrück effect in the elastic scattering of 2.62 MeV photons, 9=4884

Eberhard,P., Goldzahl,L., Hara,E. and Alexandre,E. Measurement of the elastic scattering of 2.62 MeV γ-rays in lead, bismuth and uranium, 7=5627

Eberhard,P., Goldzahl,L., Hara,E. and Mey,J. Contribution of the electric field of the nuclei to the elastic scattering of γ of 1.33 MeV and 2.62 MeV, 7=1571

Eberhard,P., Rosenfeld,A.H., Solmitz,F.T., Tripp,R.D. and Watson,M.B. K^--hydrogen charge-exchange scattering, 9=12592

Eberhardt,P. See also Begemann,F., 9=11736; Herr,W., 9=2729

Eberhardt,P., Geiss,J. and Houtermans,F.G. Isotope ratio of "ordinary" lead and its interpretation, 5=6408. On the lead and sulphur isotope ratios in galena, 5=9840

Eberhardt,P., Geiss,J., Lang,C., Herr,W. and Merz,E. On the question of the decay of Ta^{180}, 6=1510

Eberhardt,P., Signer,P., Herr,W. and Merz,E. On the question of the decay of Ta^{180}. II, 9=3867

Eberle,E. Pion multiplicity in antinucleon annihilation, 8=6169

Eberlein,K. The He III – H II structure in planetary nebulae. I. The hydrogen-helium model, 6=24

Eberlin,E. See Loeffler,B.B., 8=1606

Eberlin,E.C. and Pickett,L.W. Far ultraviolet spectra of chlorocyclopropane, 8=6836

Eberly,J.H. See Axtmann,R.C., 9=13750

Ebert,F. The intensity ratio $K_{\alpha}:K_{\beta}$ as a suggestion of selective variation in the composition of an alloy, 7=3838

Ebert,G. The state of water molecules sorbed on Al_2O_3 by dielectric measurements, 9=12213. See also Pfeifer,H., 9=1708

Ebert,I. and Teltow,J. Ionic conductance and disorder of silver chloride containing impurities, 5=7512

Ebert,K.H., König,H. and Wänke,H. A new method of estimating small uranium contents and its application to the uranium analysis of stone meteorites, 9=6354

Ebert,K.H. and Wänke,H. On the action of high energy particles on iron meteorites, 9=5314

Ebert,M. and Howard-Flanders,P.[Conf. rep.]. Radiation chemistry of solutions, 5=9216. See also Alper,T., 5=2280

Ebert,R. The temperature of interstellar gas of high density, 5=6687. On the condensation of *H I* regions, 5=9361 The influence of dust on the equation of state of a contracting cloud and the formation of stars, 6=872. On the instability of spherically symmetric gas distributions, 9=4239

Ebert,T.E. See Angello,S.J., 5=1817

Ebhardt,R. See Groschwitz,E., 9=13288

Eby,F.S. Angular distribution of protons from (d,p) reactions on Be^9, N^{14}, and Zn^{68}, 5=1202

Eby,F.S. and Jentschke,W.K. Fluorescent response of NaI (Tl) to nuclear radiations, 5=867

Eby,R.K. See Tamarkin,P., 5=7782

Eccles,P.J. See Officer,V.C., 5=369, 5=1955, 5=6269

Eccles,S.F. See also Bodansky,D., 8=8292, 9=6118

Eccles,S.F. and Bodansky,D. 7.65 MeV state of C^{12}, 9=4976

Eccleshall,D. See Collinge,B., 6=2969

Echizenya,Y. See Nomura,Y., 9=11647

Eck,J. Van. See Van Eck,J.

Eck,T.G. and Kusch,P. H.F.S. of the $5^2P_{3/2}$ state of In^{115} and In^{113}. Octupole interactions in the stable isotopes of indium, 7=7302

Eck,T.G., Lurio,A. and Kusch,P. H.F.S. of the $5^2P_{1/2}$ state of In^{115} and In^{113}. H.F.S. anomalies in the stable isotopes of indium, 7=7301

Eckardt,A. and Heilig,K. Scintillation-counter measurement of the half-life of ThC', 8=4288

Eckardt,A. and Heinecke,U. The effect of the discharge on the resistance of thin cathodes in Geiger – Müller counters, 9=2546

Eckardt,A. and Nitzsche,K. On the stimulation effect of slowly decaying phosphors in the ultrasonic field, 9=4469

Eckardt,A. and Stary,F. An X-ray counter-tube goniometer with a fine-focus tube as source of radiation, 9=11627

Eckart,C. Surface wake of a submerged sphere, 9=1139

Eckart,C. and Ferris,H.G., Equations of motion of the ocean and atmosphere, 6=4113

Eckart,F. Behaviour of the dark current in secondary emission multipliers with (Ag)-Cs_2O, Cs-Ag photocathodes, 6=1243. Conductivity measurements on high purity selenium, 6=5097. Behaviour of the dark current of unfocused secondary-emission multipliers with Cs_3Sb photocathodes, 7=9251

Eckart,F. and Rabenhorst,H. Dielectric constants of amorphous and crystalline selenium at 3.3 cm wavelength, 7=9154

Eckart,F. and Schmidt,A. Properties of selenium rectifiers

with various impurity materials, 5=9663

Eckart,G. On the relationship between the distributions of intensity in radiating systems and their directional characteristics, 5=8940. On the variation of the polarization of ultra-short waves due to an inhomogeneity in the troposphere, 8=4187. The rotation of the plane of polarization of electromagnetic waves in inhomogeneous isotropic dielectrics, with special reference to the troposphere, 8=8175

Eckels,A. See Lecar,M., 9=6382. O'Keefe,J.A., 9=11767

Ecker,G. The statistical description of assemblies with collective interaction. I. Foundations and limitations of the collective description, 5=5899; II. The significance of the limitations of the validity of the D-model for the comprehension of, and for the results obtained by the collective description, 5=5900. III. Alternative formulations of the charge kinetics, 5=8518. Significance of electrode emission processes in the contractions theory, 6=2133. The statistical description of assemblies with collective interaction, 7=3012. Deviations from the Holtsmark profile for Balmer lines in a plasma, 8=4867. The complete microfield with reciprocal Coulomb action, 8=5076. Line broadening in plasmas of high density, 9=4433. The profile of Balmer lines under the influence of electron and ion collisions, 9=5513

Ecker,G. and Fassbender,J. On the conduction mechanism of CdS sandwich cells, 8=5919

Ecker,G. and Müller,K.G. Theory of "retrograde motion", 8=8013. Plasma polarization and carrier interaction, 9=3602. The microfield on a neutral particle in the plasma, 9=8250. Theory of the retrograde motion, 9=9672. The effect of the individual field components on the electron emission of metals, 9=12350

Ecker,G. and Weizel,W. The "total excitation" and effective ionization potential of an atom in the interior of the plasma, 6=4425. Sum-over-states and effective ionization potential inside a plasma, 9=7120. On the mutual energy exchange of charge carriers in a plasma, 9=7121

Eckerman,J. See Schwartz,R.N., 6=6451

Eckert,E.R.G., Hartnett,J.P. and Irvine,T.F., Jr. Heat transfer, 9=5603

Eckertova,L. and Vejvodova,J. On the theory of the secondary emission of electrons, 7=7960

Eckhardt,G. See Buchbinder,H., 8=936

Eckhardt,W. See Genzel,L., 5=2561. Happ,H., 9=3492

Eckhartt,D. On the increase in cosmic ray intensity and the electromagnetic state in interplanetary space during the solar flare of Feb. 23, 1956, 8=4113. See also Brunberg,E.Å., 8=7149

Eckstein,B. Optical investigations of lattice defects in quartz, 6=9038. A modification of the thermodynamic defect types in crystals, 9=11554

Economy,R. See Hanson,H.P., 9=930

Edelman,S. See also Cook,R.K., 6=1008; Hancock,R.D., 7=6684; McKinney,J.E., 6=4695; Smith,E.R., 9=130

Edelman,S., Jones,E. and Smith,E.R. Some developments in vibration measurement, 5=7723

Edels,H. See also Crawford,F.W., 7=1336; Gambling,W.A., 6=7441, 7=433; Price,W.L., 5=8792; Whittaker,D., 6=5122

Edels,H. and Gambling,W.A. Spectral response and linearity of photomultipliers, 8=1065

Edels,H. and Whittaker,D. The theory and design of rotating mirror cameras, 5=4278. The determination of arc temperatures from shock velocities, 7=6212

Edelstein,L.A. Anomalous dissociation of molecular hydrogen by electron impact, 9=1847

Eden,R.J. Nuclear saturation: a generalized Hartree-Fock method, 5=9827. The Brueckner theory of nuclear structure, 6=4581. Series expansions and variational methods for the energy of a system of fermions, 9=2080; See also Bell,J.S., 7=7299; Brueckner,K.A., 5=7351, 5=8156, 6=676; Hall,R.B., 8=6201

Eden,R.J. and Francis,N.C. Theory of nuclear models, 5=3958

Eder,F. and Täubert,P. Self-hardening of a Frank-Read source, 5=3194

Eder,F.X. The magnetic measurement of very low temperatures by the method of beats, 8=7864. Electrodynamic tensile apparatus of high rate of strain, 9=5214. See also Koeppe,W., 8=3961

Eder,F.X., Berndt,H. and Koeppe,W. A small hydrogen liquefier, 9=1159

Eder,G. The potential between nucleons, 5=64. Decay and production of Λ-particles, 5=4091. On non-linear meson theory, 5=5881. On multiple photon production, 6=5686. The decay of bound Λ^0-particles, 6=6188

Eder,G. and Motz,H. Contribution of high-energy particles to thermo-nuclear reaction rates, 9=2845

Eder,M.J. See Veloric,H.S., 7=388

Edeskuty,F.J. See Hoffman,C.J., 6=1712

Edge,D.O. See also Baldwin,J.E., 8=485

Edge,D.O., Scheuer,P.A.G. and Shakeshaft,J.R. Evidence on the spatial distribution of radio sources derived from a survey at a frequency of 159 Mc/s, 9=995

Edge,J. and Oldfield,L.F. The pretreatment of glass surfaces for the application of silicones in the prevention of electrical leakages. I. A glass of high alkali oxide content, 9=11699

Edge,R.C.A. New determinations of the velocity of light, 6=4966

Edge,R.D. Neutron experiments with a sensitive Szilard-Chalmers detector, 7=5661. The (γ, n) reaction in Be^9 at intermediate energies, 7=7388. The altitude dependence of atmospheric cosmic-ray neutrons [for Canberra] and the slow neutron density below a water surface, 9=11181. See also Carver,J.H., 7=7390; Shire,E.S., 5=6448

Edge,R.D. and Gemmell,D.S. Gamma rays from the 6.89 MeV level in ^{10}B, 8=4305

Edgell,W.F. and May,C.E. Raman and infrared spectra of CF_3Br and CF_3I, 5=864

Edgell,W.F. and Moynihan,R.E. Infrared band contours. I. Spherical top molecules, 7=9776

Edgell,W.F. and Potter,R.M. Vibrational spectrum of CF_3CN, 6=1986

Edgell,W.F. and Ultee,C.J. Vibrational spectra of $CF_2 = CHD$ and $CF_2 = CD_2$, 5=1703. Raman and infrared spectrum of CCl_3CN, 7=8526

Edgerton,H.E. See also Le Compte,G.W., 7=3334

Edgerton,H.E. and Cathou,P.Y. Xenon flash tube of small size, 7=2105

Edgerton,H.E. and Strabala,F.I. Rapid-closing electronically-operated shutter, 6=5592

Edlén,B. On the identification of Ca xv and A xiv in the solar corona, 5=9375

Edlén,B., (Ed.) Rydberg centennial conference on atomic spectroscopy, 6=1038

Edlén,B. and Risberg,P. The spectrum of singly-ionized calcium, Ca II, 7=231

Edlund,M.C. and Rhode,G.K. Spectral shift control, 8=7412

Edmond,J.T. The behaviour of some impurities in III-V compounds, 9=5689. See also Barrie,R., 5=3764, 5=9657; Saker,E.W., 5=7176

Edmond,J.T., Broom,R.F. and Cunnell,F.A. The properties of gallium arsenide, 7=7898

Edmonds,A.R. See Chase,D.M., 8=5390

Edmonds,D.S., Jr. See Stroke,H.H., 7=3555

Edmonds,D.T. See also Cooke,A.H., 8=3052

Edmonds,D.T. and Peterson,R.G. Effective exchange constant in yttrium iron garnet, 9=10935

Edmonds,F.N., Jr. Noncoherent scattering due to collisons. I. Zanstra's ratio of coherent to uncorrelated noncoherent scattering, 5=4374. The Debye–Hückel effect and statistical theories for collision broadening, 6=5648. The coefficients of viscosity and thermal conductivity in the hydrogen convection zone, 8=3660. Hydromagnetic stability of a conducting fluid in a circular magnetic field, 8=6070

Edmonds,P.D. and Lamb,J. A method for deriving the acoustic absorption coefficient of gases from measurement of the decay-time of a resonator, 8=923. Vibrational relaxation times of a number of polyatomic gases derived from measurements of acoustic absorption, 9=2890

Edmunds,I.G. The accuracy of structures determined by powder methods, with reference to the Ag-Zn ζ structure, 5=10082

Edse,R. See also Strauss,W.A., 9=7847

Edse,R. and Strauss,W.A. Stability and burning velocities of laminar carbon monoxide–air flames at pressures up to 93 atmospheres, 7=3201

Eduskuty,F. See Los Alamos Physics and Cryogenics Groups, 9=11478

Edvarson,K. See Siegbahn,K., 6=3155; Sokolowski,E., 6=4625

Edward,J.T. Stokes' law. I. Conductivities of organic ions, 7=5700

Edwards,A.G. Some properties of a simple omegatron-type mass spectrometer, 5=2801. Measurement of the diffusion rate of hydrogen in nickel, 8=1334

Edwards,B., Losty,J., Perkins,D.H., Pinkau,K. and Reynolds,J. Analysis of nuclear interactions of energies between 1000 and 100 000 BeV, 8=1960

Edwards,B.P., Engler,A., Friedlander,M.W. and A.A.Kamal.

The production of heavy mesons and hyperons by π^--mesons of 4.5 GeV/c, 7=8886

Edwards,D.F. and Bruemmer,M.J. Polarization of infrared radiation by reflection from germanium surfaces, 9=10880

Edwards,D.F. and Hayne,G.S. Optical properties of gallium antimonide, 9=7931

Edwards,D.H. A piezo-electric pressure bar gauge, 8=6686; See also O'Donnell,T., 8=2831

Edwards,D.H. and Williams,G.T. Effect of tube diameter on the pressures in gaseous detonation waves, 8=922

Edwards,D.O. See Baum,J.L., 9=13229; Brewer,D.F., 6=295, 6=3688, 7=3207, 8=1023

Edwards,G. Isotopic composition of meteoritic hydrogen, 5=8450

Edwards,H.G. See also Dillon,J.A., Jr, 5=6566; Nicodemus,F.E., 6=9112; Venkateswarlu,P., 5=7855

Edwards,H.D., Bedinger,J.F., Manring,E.R. and Cooper,C.D. Emission from a sodium cloud artificially produced by means of a rocket, 6=9097

Edwards,H.D., Goddard,A., Jr, Juza,M., Maher,T. and Speck,F. Balloon-borne system for tracking the sun, 6=6294

Edwards,M.H. The index of refraction of liquid helium, 6=8736. Note on a simple radiometer demonstration, 7=7054. Refractive index of He^4 saturated vapour, 8=7866. Refractive index of He^4 : liquid, 9=175. See also Atkins,K.R., 5=1779, 5=4598; Baird,D.C., 7=9622

Edwards,M.H. and Rogers,D.H. Comments on an experiment with persistent currents, 6=6651

Edwards,R.L. Simply constructed ampere balance with good precision, 5=9643

Edwards,R.R. See Damon,P.E., 5=493; Fink,R.W., 6=6875; Kuroda,P.K., 5=3045, 7=2618

Edwards,S., Jr. Effect of mode mixtures on $n-\gamma$ correlations from stripping reactions, 9=6115. See also Melvin,M.A., 6=3557; Owen,G.E., 9=7347

Edwards,S.F. The nucleon Green function in charged meson theory, 5=2415. On the divergence of the perturbation method in field theory, 5=5896. The nucleon Green function in pseudoscalar meson theory. I, 6=2664; II, 6=2665. The range of validity of strong and weak coupling approaches in field theory, 8=516. A variational calculation of the equilibrium properties of a classical plasma, 8=1074. Correlations in the charge density of a classical plasma, 8=1737. A new method for the evaluation of electric conductivity in metals, 8=7898. The collective treatment of a Fermi gas. I, 9=1085

Edwards,S.F. and Matthews,P.T. A simple treatment of meson–nucleon scattering, 7=3965. Relativistic theory of meson–nucleon scattering, 7=5066. Crossing symmetry and the relativistic equation for two fermions, 7=8412. Remarks on crossing symmetry, 7=8413

Edwards,T.H. See Brown,R.G., 8=1611; Savage,C.M., 7=7747

Edwards,W.J. and McCallum,K.J. Chemical effects of the C^{12} (γ, n) C^{11} reaction in carbonates, 7=830

Edwardson,S. See Linde,J.O., 5=4165

Eeles,W.T. See Wright,J.K., 9=12329

Éfendiev,A.Z. The investigation of impulse breakdown of gases and of the velocity of the development of electron avalanche, 8=7051

Éfendiev,G.A. X-ray powder diagrams with variable radius, 6=7830

Effat,K.E.A. and Fremlin,J.H. A circulation-system for ^{3}He, 5=9708. Second-harmonic acceleration in the cyclotron, 8=1097

Effemey,H.G., Parson,D.F. and Bockris,J.O'M. Investigation of the heterodyne beat method of measurement of magnetic susceptibility, 5=3872

Effer,D. See Antell,G.R., 9=9006

Efimov,E.A. and Erusalimchik,I.G. The germanium electrode with a p–n junction, 9=11002

Efimov,V.N. Scattering of slow neutrons on deuterons, 9=3746

Efimova,B.A. See Airapetyants,S.V., 9=3462, 9=4591

Efremov,A.I. See Mandel'shtam,S.L., 8=6555; Tyutikov, A.M., 8=3133

Efremov,C.P. See Striganov,A.R., 7=9068

Efremova,Z.N. See Konstantinov,B.P., 9=5621

Efros,D.A. The displacement of a two-component mixture when the viscosity of one of the fluids being displaced is low, 9=9291

Egan,J.J. and Wiswall,R.H., Jr. Applying thermodynamics to liquid-metal-fuel reactor technology, 8=4344

Egan,J.P. Perstimulatory fatique as measured by heterophonic loudness balances, 5=2541. Monitoring task in speech communication, 7=8336. Remarks on rare PB words, 7=8492

Egan,J.P., Carterette,E.C. and Thwing,E.J. Some factors affecting multi-channel listening, 5=668

Egan,J.P. and Clarke,F.R. Source and receiver behavior in the use of a criterion, 7=3872

Egan,J.P., Clarke,F.R. and Carterette,E.C. On the transmission and confirmation of messages in noise, 6=6470

Egan,J.P., Schulman,A.I. and Greenberg,G.Z. Operating characteristics determined by binary decisions and by ratings, 9=10465

Egan,J.P. and Thwing,E.J. Further studies on perstimulatory fatigue, 6=858

Egan,R.D. See Peterson,A.M., 9=7684

Egan,W.G. Effect of circuit loading on the production of oscillations in halogen-quenched G–M counters, 5=9720. Statistics of spurious pulses from halogen-quenched G–M tubes, 7=6292. Factors affecting the application of halogen-quenched G–M tubes, 9=2547

Egardt,L. Inelastic scattering of high energy protons by B^{11} and O^{16}, 9=8592. A note on the inelastic scattering of high energy protons by light nuclei, 9=8594

Egedal,J. On the effect on geomagnetism of solar eclipses, 6=7037

Egelstaff,P.A. The neutron absorption cross sections of U^{238} and U^{235} at 2200 m/sec, 5=558. The thermal neutron cross-section of boron, 7=8165*. Fluctuations in slow neutron average cross sections, 8=4324. Statistics of slow-neutron "negative" energy resonances, 7=12615. See also Butterworth,I., 7=8900; McCallum,G.J., 8=2640

Egelstaff,P.A. and London,H. The scattering of cold neutrons by liquid helium, 8=3297

Egerton,A. See Badami,G.N., 5=2675

Egerton,G.S. and Fitton,S.L. Formation of free radicals in polymer films on irradiation, 7=827

Egerton,J. See Hines,K.C., 7=1635

Eggers,D.F., Jr. Anomalous infrared intensity in ethylene, 5=3586. See also Arends,C.B., 7=2016; Hisatsune,I.C., 5=4536; Kaplan,L.D., 7=2027; Kasai,P.H., 9=3300

Eggers,D.F., Jr and Arends,C.B. Infrared intensities and bond moments in $CO^{12}O^{18}$, 8=797

Eggert,J. The initiation of explosion by light, 8=7580. The spectral sensitivity of photographic films, 9=12927

Eggert,J. and von Wartburg,R. A sensitometer for serial determinations of the Schwarzschild effect (reciprocity-failure) over a wide range [of exposures], 5=10157

Eggler,C. and Huddleston,C.M. Gaseous scintillation counting, 6=5969

Eggleston,F.K. See Gorton,H.C., 6=3736

Egidi,A. See Conversi,M., 9=8267-8, 9=9975

Egmond,W.van. See van Egmond,W.

Egorov,L.B. See Ignatenko,A.E., 9=2610, 9=2867

Egorov',P.M. Use of the method of conformal transformations for modelling three-dimensional potential and eddy fields, 6=7932

Egorov,V.A. Some problems of the dynamics of flight to the moon, 8=4692

Egorov,V.N. See also Vernyi,E.A., 9=12004

Egorov,V.N., Kolesnikov,V.N. and Sobolev,N.N. Nature of an arc discharge in an atmosphere of inert gases, 9=9674

Egorov,V.S. See Shukhtin,A.M., 8=945

Egorov,Yu.S. See Latÿshev,G.D., 8=7358; Sergeev,A.G., 9=2769

Egorova,M.S. and Meĭklyar. Photoeffect quantum yield in silver bromide crystals, 6=5107

Eguchi,T. Radiative $\pi - e$ decay, 6=4661

Ehgartner,G., Piepenbrink,W. and Maier-Leibnitz,H. A "Wechsellichtmonochromator" for spectral lines from extended sources, 5=6889

Ehinger,H. Forbidden reflections and intensity anomalies in the Kikuchi diagram of silicon, 9=13834

Ehler,A.W. See also Bunch,S.M., 8=6832

Ehler,A.W. and Weissler,G.L. Ultraviolet absorption of atomic nitrogen in its ionization continuum, 6=1087

Ehlers,H. An electron diffraction apparatus for fine structure investigations, 6=7852. The fine structure of electron diffraction patterns, 6=7853

Ehlers,J. Exact solutions of the Einstein-Maxwell field equations for static fields, 5=5851. Contributions to the theory of static vacuum field in the classical and extended relativistic theories of gravitation, 6=2626. Electrostatic fields in [Jordan's] extended theory of gravitation, 7=5821

Ehlers,J. and Sachs,R.K. Conservation laws for action in electromagnetic and gravitational radiation fields, 9=9187

Ehlers,K.W. See also Anderson,C.E., 7=2344; Bronner,

W.L., 9=12388
Ehlers,K.W., Gow,J.D., Ruby,L. and Wilcox,J.M. Development of an occluded-gas ion source, 9=1535
Ehmer,R.H. Masking by tones vs noise bands, 9=11691. Masking patterns of tones, 9=11692
Ehmert,A. On the behaviour of cosmic rays in magnetic storms, 5=357
Ehmert,A. and Pfotzer,G. A new outburst of solar cosmic rays, 7=517. The falling off of the solar cosmic radiation after the sudden increase on 23 February 1956 and the geomagnetic impact conditions, 9=2471
Ehmert,A. and Revellio,K. The influence of the solar eclipse of 30 June 1954 on low-frequency atmospherics, 6=7091
Ehrenberg,H.F., Geiss,J. and Taubert,R. A high precision mass spectrometer for lead isotopes, 6=417
Ehrenberg,H.F. and Hofstadter,R. Incoherent electron scattering from the nucleons in beryllium and carbon and the magnetic size of the neutron, 8=8976
Ehrenberg,H.F., Hofstadter,R., Meyer-Berkhout,U., Ravenhall, D.G. and Sobottka,S.E. High-energy electron scattering and the charge distribution of carbon-12 and oxygen-16, 9=5052
Ehrenberg,H.F. and Horlitz,G. Further isotopic analyses of lead ores, 5=2093
Ehrenberg,H.F. and Mürtz,H.J. Isotope composition of several galenas, 9=6387
Ehrenberg,L. and Sæland,E. Chemical dosimetry of radiations giving different ion densities. An experimental determination of *G* values for Fe^{2+} oxidation, 5=3227
Ehrenberg,W. and Chi Shi Lang. Probing of barrier layers with an electron beam, 5=3828
Ehrenburg,W. On the statistical-graphical evaluation of results of measurements, 8=7666
Ehrenfest-Afanassjewa,T. On the use of the notion "probability" in the physics, 9=1094
Ehrenreich,H. Screening effects in polar semiconductors, 9=6928. Transport of electrons in intrinsic InSb, 9=8130. See also Holonyak,N., Jr, 9=13284
Ehrenreich,H. and Overhauser,A.W. Scattering of holes by phonons in germanium, 7=1287. Lattice-scattering mobility of holes in germanium, 7=2222
Ehrenson,S.J. See Glick,R.E., 8=8393, 9=12491
Ehrenstein,D.v. See v.Ehrenstein,D.
Ehrhardt,H. and Osberghaus,O. Mass spectrometric investigations of hydrocarbons at high temperature, 9=6356
Ehrlich,G. State of nitrogen adsorbed on tungsten, I, 6=771; II, 6=4069. See also Hickmott,T.W., 6=7797
Ehrlich,G. and Hickmott,T.W. Adsorption spectrum of nitrogen on tungsten, 6=7796. Structure sensitive chemisorption, 7=4841
Ehrlich,G., Hickmott,T.W. and Hudda,F.G. On the low-temperature chemisorption of N_2 and CO, 8=6488. Interaction of rare gases with a tungsten surface, 8=8060
Ehrlich,G. and Hudda,F.G. Interaction of rare gases with metal surfaces. I. A, Kr, and Xe on tungsten, 9=4094
Ehrlich,M. Photographic dosimetry of X- and gamma rays, 5=494. Scintillation spectrometry of low-energy bremsstrahlung, 5=4730. Reciprocity law for X-rays. II. Failure in the reversal region, 7=444. Disaster monitoring with amateur photographic film and dental X-ray film, 7=6487. See also Levinos,S., 7=991; McLaughlin,W.L., 5=1141
Ehrlich,M. and McLaughlin,W.L. Reciprocity law for X-rays. I. Validity for high-intensity exposures in the negative region, 7=443
Ehrlich,M.J., Silver,S. and Held,G. Studies of the diffraction of electromagnetic waves by circular apertures and complementary obstacles: the near-zone field, 5=5528
Ehrman,J.B. Ferromagnetism of a gas of hard sphere fermions, 7=3955. See also Breit,G., 5=1529, 5=1531, 5=3447; Hull,M.H.,Jr, 6=8242
Eiber,H. Hypodermic needle thermistor resistance thermometer for the measurement of very small temperature differences in the human body, 9=1387
Eichelberger,J.F. See also Curtis,M.L., 5=8195
Eichelberger,J.F., Jordan,K.C., Orr,S.R. and Parks,J.R. Calorimetric determination of the half-life of polonium-210, 5=1145
Eichelberger,R.J. Re-examination of the nonsteady theory of jet formation by lined cavity charges, 5=5251. Experimental test of the theory of penetration by metallic jets, 6=6413. See also Bryan,G.M., 8=8604
Eichelberger,R.J. and Sultanoff,M. Sympathetic detonation and initiation by impact, 8=7580
Eichenauer,W. See also Clusius,K., 9=3389
Eichenauer,W. and Schäfer,L. Measurement of the atomic heats of pure palladium and of palladium containing hydrogen, 8=3053
Eichenauer,W. and Schulze,M. Measurement of the atomic heat of zinc between 12° and 273°K, 9=8058
Eichenberg,J.D. See Cohen,I., 9=3939
Eichhoff,G. The $L_{2,3}$ emission spectrum and the position of the $L_{2,3}$ absorption limit of S in CdS, 8=8018
Eichhoff,G., Müller,G.O. and Schubert,G. The luminescence and conductivity of CdS crystals under excitation by electrons of medium energy, 9=10848
Eichholz,G.G., Alexander,G.E. and Bettens,A.H. All transistor circuits for portable detectors, 8=674
Eichholz,G.G. and Krzyzewski,J.V. The half-life of mercury-203, 7=2575
Eichhorn,E.L. On the use of slope and curvature maps in refinement of crystal structures, 5=4197. The crystal structure of 4,4-trans-azopyridine-n-oxide, 9=13951
Eichhorn,R. See also Sparrow,E.M., 9=7823
Eichhorn,R. and Irvine,T.F., Jr. Description of a sensitive micromanometer, 8=1546
Eichkorn,G. See Gunther,P., 9=13185
Eichler,E. See Lazar,N.H., 6=2349; O'Kelley,G.D., 6=2351, 6=3935
Eichler,J. See also Gudden,F., 8=338, 8=9059
Eichler,J. and Weidenmüller,H.A. The angular distribution of protons in the direct photonuclear effect, 9=6003
Eicker,F. Statistical theory of phase-change in paraffin crystals, 9=5645
Éĭdman,V.Ya. Investigation of the radiation of an electron moving in a magnetoactive medium, 8=7240. See also Ginzburg,V.L., 9=9932
Éĭdus,I.M. See Stepanov,A.V., 6=7760
Eigen,M. Methods for investigation of ionic reactions in aqueous solutions with half-times as short as 10^{-9} sec. Application to neutralization and hydrolysis reactions, 5=5032
Eigen,M. and Wicke,E. The thermodynamics of electrolytes at higher concentration, 5=1322
Eijk,J. van den. See van den Eijk,J.
Eijk,W.van der. See van der Eijk,W.
Eiland,P.F. See Vand,V., 9=7633
Einbinder,H. Generalized equations for the ionization of solid particles, 7=5436
Einenacher,P.L. See Adley,F.E., 9=4866
Einhaus,H.W. See Hohn,H., 7=6244
Einhorn,H.D. Heterochromatic photometry by means of colorimetric compensation, 9=3247
Einspruch,N.G. See also Stein,F., 9=7882
Einspruch,N.G. and Truell,R. Megacycle attenuation and Bordoni peaks, 8=7776. Propagation of traveling waves in a circular cylinder having hexagonal elastic symmetry, 9=7880
Einstein,A. and Kaufman,B. Algebraic properties of the field in the relativistic theory of the asymmetric field, 5=6721
Einstein,P.A. The light output of some phosphors excited with electrons of high current density, 7=7022. See also Archard,G.D., 7=7023; Haine,M.E., 9=1526
e Isabel,M.Medina. See Medina e Isabel,M.
Eisberg,L.M. See also Chadwick,G.B., 7=8862
Eisberg,L.M., Fowler,W.B., Lea,R.M., Shephard,W.D., Shutt,R.P., Thorndike,A.M. and Whittemore,W.L. π^--p interactions at 1.4 BeV, 5=3085
Eisberg,R.M. Scattering of 40-MeV protons from He^4, 6=6150 See also Gooding,T.J., 7=3374; Griffiths,R.J., 9=11464; Igo,G., 6=3190; Palevsky,H., 5=5657; Wegner,H.E., 5=9049
Eisberg,R.M. and Hintz,N.M. Test of the statistical assumption in nuclear reactions, 6=7678
Eisberg,R.M., Igo,G. and Wegner,H.E. Elastic scattering of 40-MeV alpha particles from Al, 6=641. Protons from the bombardment of several elements with 40-MeV alpha particles, 6=3184
Eisberg,R.M., McCarthy,I.E. and Spurrier,R.A. Classical and quantal flux in the optical model, 9=8501
Eisberg,R.M. and Wegner,H.E. A thin, wide-aperture proportional counter, 5=4749
Eischen,G. See Forestier,H., 7=5454
Eischens,R.P. See also Pliskin,W.A., 6=3625
Eischens,R.P., Pliskin,W.A. and Francis,S.A. Infrared spectra of chemisorbed carbon monoxide, 5=608
Eisele,J.A. and Keffer,F. Effects of anisotropy on thermodynamic properties of antiferromagnets, 5=1045
Eisele,K.M. and Hallett,A.C.H. The viscosity of liquid helium at frequencies of 11.8 and 35.5 kc/sec, 8=1651

Eisen,C.L. See Gross,R.A., 9=7883

Eisen,F.C. See Tyler,R.W., 9=10490

Eisen,F.H. and Bickel,P.W. Electron damage thresholds in InSb, 9=13306

Eisenberg,H. Rotation viscometer directly measuring the ratio of the shearing stress to the rate of shear, 8=3754,

Eisenberg,H. and Frei,E.H. Precision rotation viscometer with electrostatic restoring torque for the centipoise range, 5=6783

Eisenberg,Y. Interaction of heavy primary cosmic rays in lead, 5=1021 Possible existence of a new hyperon, 5=1225. Some further measurements on the new hyperon, 8=1204. See also Rosendorff,S., 8=1157

Eisenberg,Y. and Koch,W. Symmetries in K^--interaction, 9=9988

Eisenberg,Y., Koch,W., Lohrmann,E., Nikolić,M., Schneeberger, M. and Winzeler,H. Interactions and decays of K^- mesons. II. Analysis of the decays, 8=6177. III. Analysis of the stars in flight, 9=2644

Eisenberg,Y., Koch,W., Nikolić,M., Schneeberger,M. and Winzeler,H. Absorptions of negative K-mesons at rest in nuclear emulsion. IV. The pion producing reactions, 9=6041

Eisenberg,Y., Lomon,E. and Rosendorff,S. An analysis of the spin and parity of the τ-meson, 7=748

Eisenberg,Y. and Rosendorff,S. Observation of a τ-meson event in photographic emulsions, 7=4755

Eisenberg,Y., Rosendorff,S. and Yeivin,Y. A note on the analysis of τ-meson events, 6=5405

Eisenbrand,J. Intensity comparison of the Raman effect and fluorescence radiation, 5=3632

Eisenbud,L. On the classical laws of motion, 8=3728. Time dependent formulation of the collision problem in quantum mechanics, 8=5659. See also Snowdon,S.C., 8=8566

Eisenbud,M. Global distribution of radioactivity from nuclear detonations, with special reference to strontium^{90}, 8=4594

Eisenbud,M., Blatz,H. and Barry,E.V. How important is surface contamination, 5=470

Eisenhart,L.P. A unified theory of general relativity of gravitation and electromagnetism, 7=68. A unified theory of general relativity of gravitation and electromagnetism. II-III, 7=2956

Eisenhauer,C.M. See also Ghose,A., 9=5131; Pelah,I., 8=2641

Eisenhauer,C.M., Pelah,I., Hughes,D.J. and Palevsky,H. Measurement of lattice vibrations in vanadium by neutron scattering, 9=775

Eisenlohr,H. and Salecker,H. The magnetic form factor of the nucleon, 9=12548

Eisenschitz,R. The principle of Carathéodory, 5=5385. "Virial theorem" for the flow of energy, 5=8553

Eisenschitz,R. (Conf. rep.) Statistical mechanics of transport processes: International Colloquium, 7=1935

Eisenschitz,R. and Crowe,A. Contribution to the phonon theory of fluids, 9=4526

Eisenschitz,R. and Dean,P. Electronic levels of a model of liquid potassium, 8=71

Eisenstadt,M. See also Rothberg,G.M., 9=5623

Eisenstadt,M., Rao,V.S. and Rothberg,G.M. On chemical equilibrium among the polymers of the alkali halides, 9=7481

Eisenstadt,M., Rothberg,G.M. and Kusch,P. Molecular composition of alkali fluoride vapors, 9=6212

Eisenstein,J. Superconducting elements, 5=961

Eisenstein,J.C. Use of f-orbitals in covalent bonding, 6=7600. Effect of exchange interaction on the magnetic and thermal properties of copper salts and copper coordination compounds, 8=8860. See also McCrum,N.G., 5=9613

Eisenstein,J.C. and Pryce,M.H.L. The electronic structure and magnetic properties of uranyl-like ions. I. Uranyl and neptunyl, 5=4854. The electronic structure and magnetic properties of uranyl-like ions. II. Plutonyl, 7=6394

Eisinger,J. Adsorption of CO on tungsten and its effect on the work function, 8=3177. Electrical properties of nitrogen adsorbed on tungsten, 8=7099. Adsorption of oxygen on tungsten, 9=4093. Properties of hydrogen chemisorbed on tungsten, 9=5234. Electrical properties of hydrogen adsorbed on silicon, 9=8976. See also Allen,F.G., 9=13892

Eisinger,J. and Feher,G. H.F.S. anomaly of Sb^{121} and Sb^{123} determined by the electron nuclear double resonance technique, 9=592

Eisinger,J. and Jaccarino,V. Effects of the distribution of nuclear magnetization on hyperfine structure, 8=9009

Eisinger,J. and Law,J.T. Adsorption of oxygen on silicon, 9=4092

Eisinger,J.T. See Bonner,T.W., 6=3220; Cook,C.F., 5=1159, Debs,R.J., 5=4067; Gossett,C.R., 5=6451; Halpern,I., 5=6465; Lew,H., 9=729

Eisler,F., Plano,R., Prodell,A., Samios,N., Schwartz,M., Steinberger,J., Bassi,P., Borelli,V., Puppi,G., Tanaka,H., Waloschek,P., Zoboli,V., Conversi,M., Franzini,P., Mannelli,I., Santangelo,R. and Silvestrini,V. Lifetime of Λ^0 θ^0, and Σ^-, 9=2662. Bubble chamber study of unstable particle production in $\pi-p$ collisions at 910, 960, 1200 and 1300 MeV, 9=2667

Eisler,F., Plano,R., Prodell,A., Samios,N., Schwartz,M., Steinberger,J., Bassi,P., Borelli,V., Puppi,G., Tanaka,H., Waloschek,P., Zoboli,V., Conversi,M., Franzini,P., Manelli,I., Santangelo,R., Silvestrini,V., Brown,G.L., Glaser,D.A. and Graves,C. Experimental determinations of the Λ^0 and Σ^- spins, 8=1212*

Eisler,F., Plano,R., Prodell,A., Samios,N., Schwartz,M., Steinberger,J., Bassi,P., Borelli,V., Puppi,G., Tanaka,G., Waloschek,P., Zoboli,V., Conversi,M., Franzini,P., Mannelli,I., Santangelo,R., Silvestrini,V., Glaser,D.A., Graves,C. and Perl,M.L. Demonstration of parity nonconservation in hyperon decay, 8=1208

Eisler,F., Plano,R., Prodell,A., Samios,N., Schwartz,M., Steinberger,J., Conversi,M., Franzini,P., Manelli,I., Santangelo,R. and Silvestrini,V. Leptonic decay modes of the hyperons, 9=2658

Eisler,F., Plano,R., Samios,N., Schwartz,M. and Steinberger,J. Systematics of Λ^0 and θ^0 decay, 7=8859. Experimental situation on parity doubling, 7=9530. Associated production of Σ^0 and θ_2^0; mass of the Σ^0, 8=2513

Eisler,J.D. See Evans,J.F., 5=1371

Éismont,V.P. See Protopopov,A.N., 8=8355, 9=13709

Éisner,I.Ya. Some measurements of the dielectric properties of Rochelle salt exposed to X-rays, 8=3063

Eisner,L. See Bell,E.E., 6=5560

Eisner,M. See Mitchell,R.W., 7=9832; Musa,R.S., 9=5453

Eisner,R. See Tyndall,E.P.T., 5=4136

Eisner,R.L. Reversible photoelectric fringe counting, 8=5813

Eiss,N.S. See Packer,L.S., 8=3740

Ekelund,B. The dipole moment and relaxation times of acetic anhydride and the rotation of its acetyl groups, 5=3952. The locus of the complex molar polarization of a polar dielectric in the dispersion range, 5=5388

Ekertova,L.I. The additive effect of photoemission and secondary electron emission of metals, 7=1309

Ekhlakov,A.D., Gladkovskiĭ, V.A. and Rodionov,K.P. On the influence of pressure on Young's modulus of certain metals, 8=8481

Ekiel,J. See Keller,J., 6=2598

Ek'ken,K.Yu. See Lushchik,Ch.B., 6=7021

Eklund,K. Use of operational amplifiers in precision current regulators, 9=7086. Use of operational amplifiers in accelerator beam control systems, 9=7100

Eklund,K.E. and Bent,R.D. Search for electric monopole pairs from the 3.82 MeV state of Ca^{48}, 9=4973. Search for a $0^- \rightarrow 0^+$ pair transition in O^{16}, 9=5006

Eklund,S. The Swedish reactor, 5=4082. Power reactors, 9=706

Ekspong,A.G. On multiple scattering measurements in nuclear research emulsions, 5=4270. Energy loss of fast electrons. An investigation into the absolute total cross-section for bremsstrahlung in nuclear research emulsions, 5=7115. See also Barkas,W.H., 7=3225; Chamberlain,O., 6=5830

Ekspong,A.G., Frisk,A. and Ronne,B.E. ${}_{\Lambda}H^4$ hyperfragment emitted from an antiproton capture star, 9=13623

Ekspong,A.G. and Goldhaber,G. Decay modes of negative K-mesons, 6=6191

Ekspong,A.G., Johansson,S. and Ronne,B.E. Antiprotons in nuclear emulsions, 8=3294

Ekspong,A.G. and Nilsson,S. Protonic Σ-decay with an associated electron pair, 8=7287

Ekspong,A.G. and Ronne,B.E. A microscope for the scanning of nuclear research emulsions, 9=7229. Antiproton interaction cross sections, 9=11368.

Ekspong,G. A note on mean life-time determinations on small samples of radioactive nuclei, 5=4887

Ekstein,H. Theory of time-dependent scattering for multichannel processes, 6=2678. Theory of remagnetization of thin tapes, 6=3842. Scattering in field theory, 7=2990. Ergodic theorem for interacting systems, 7=7630

Ekstein,H. and Rostoker,N. Quantum theory of fluctuations, 6=941

Ekstein,H. and Schiffman,T. Free vibrations of isotropic cubes and nearly cubic parallelepipeds, 6=6438

Ekstein,H., Swihart,J. and Tanaka,K. Representationless formalism in the field theory of fixed nucleons, 8=8587

Ekstein,H. and Tanaka,K. Insensitivity of the scattering

matrix, 7=1068
Elagin,Yu.P. See Nemirovskiĭ,P.É., 8=1897
Elbaum,C. and Chalmers,B. The topography of solid–liquid interfaces of metal crystals growing from the melt, 5=5702
El Bedewi,F.A. Magnetic analysis of the inelastically scattered deuterons and disintegration protons from the deuteron bombardment of fluorine, 6=6159
El Bedewi,F.A. and El Wahab,M.A. An investigation of the neutron groups from the disintegration of phosphorus by 8 MeV deutrons, 5=9083. An investigation of the reaction ^{23}Na(d,n)^{24}Mg, 7=9388
El Bedewi,F.A. and Hussein,I. Magnetic analysis of tritons and alpha particles emitted from the deuteron bombardment of Teflon, 7=4721
El Bedewi,F.A. and Tadros,S. Inelastic deuteron scattering from chromium and cobalt, 8=5359. Magnetic analysis of the reaction V^{51}(d,p)V^{52}, 9=657. Low energy levels in cobalt 60, 9=1721
Elbek,B. See also Huus,T., 7=1501; Ramšak,V., 8=5356
Elbek,B. and Bockelman,C.K. Inelastic proton scattering from gold at 6 MeV, 7=3644
Elbek,B., Madsen,B.S. and Nathan,O. Positrons from ^{25}Al and ^{26m}Al, 5=6428
Elbek,B., Nielsen,K.O. and Olesen,M.C. Inelastic scattering of 4 MeV protons and deuterons from separated isotopes of Dy^{161}, Dy^{163}, Yb^{171}, and Yb^{173}, 8=7366
Elbeck,B., Olesen,M.C. and Skilbreid,O. Inelastic scattering from separated lutecium isotopes, 9=8591
Elbel,A.W. Optical investigations on potassium layers of atomic thickness, 7=7027
Elbert,D.D. See Chandrasekhar,S., 5=8690, 9=5852
Elbinger,G. Temperature dependence of the magnetocrystalline anisotropy of nickel ferrite, 9=9790. See also Andrä,W., 9=13884
Elbrus,D.T. The self-absorption factor for β-rays from radioactive gold, measured by the photographic method, 5=6431. The photographic effectiveness of the β-rays of Au^{198} and UX$_2$, 6=2356
Elcock,E.W. Antiferromagnetism and ferrimagnetism of non-stoichiometric compounds, 5=1983. A note on the Ising model with second nearest neighbour interactions, 8=1124. The cooperative behaviour of a two-dimensional defect crystal, 8=5478. Vacancy diffusion in ordered alloys, 9=2952
Elcock,E.W. and Landsberg,P.T. Temperature dependent energy levels in statistical mechanics, 7=3016
Elcock,E.W. and McCombie,C.W. Vacancy diffusion in binary ordered alloys, 8=2674
Elder,F.R. See Baldwin,G.C., 5=2783
Elder,G.E. See Stansbury,E.E., 9=8049
Elder,J.W. Halide activated halide phosphors, 7=1195
Elder,S.A. Cavitation microstreaming, 9=2182
Eldred,K. Acoustical factors in jet airport design, 9=6664
Eldred,K.M. Comments on "Comparison of takeoff noise characteristics of the Caravelle Jet Airliner and of the conventional propeller-driven airliners", 8=2930
Eldred,V.W. and Curtis,G.C. Some properties of neptunium metal, 7=8207
Eldredge,D.H. See Benson,R.W., 5=4258; Deatherage,B.H., 7=4923, 7=8338, 9=7713; Tasaki,I., 5=1418
Eldredge,K.R. and Tabor,D. The mechanism of rolling friction. I. The plastic range, 5=5004
Eldridge,J.S. See Lyon,W.S., 8=2538
Eldridge,R.G. and Johnson,J.C. Diffuse transmission through real atmospheres, 8=6544
Elenbaas,W. The behaviour of the high pressure discharge in Xe-Hg mixtures, 7=3340
Eleonskiĭ,V.M. Possibility of constructing a chain of equations for the model operators, 8=1525. See also Zȳryanov, P.S., 6=6395
Eleonskiĭ,V.M. and Zȳryanov,P.S. Application of the Hartree–Fock equations to a system of quasiparticles, 8=1537. Contribution to the theory of collective motion of particles in quantum mechanical systems, 8=4755. Energy spectrum of a Bose gas, 9=9256
El-Fattah El-Nadi, Abd. See Abd El-Fattah El-Nadi.
Elfner,L.F. See Thurlow,W.R., 9=13981
Elford,M.T. See Crompton,R.W., 8=1545; White,G.K., 9=1358
Elfving,G.E. An expansion principle for distribution functions with application to student's statistic, 6=866
Elgaröy,Ö. Duration of transients in solar radio noise, 8=4. Frequency drift of short-time transients in solar radio noise, 8=5. On the fine structure of solar bursts in the 200 Mc/s range and their drift in frequency, 8=2735
Elgarøy,Ø. and Hauge,Ø. On the features of storm bursts in the 200 Mc/s range, 9=4208
El-Hussaini,J. See Snelgrove,P., 5=314
El-Hussaini,J.M. and Stephenson,S.T. Single-crystal orientation effects in K X-ray absorption spectra of Ge, 8=8803
Elias,D. See Macris,C., 6=12
Elias,I. Acoustical resonances produced by combustion of a fuel–air mixture in a rectangular duct, 9=6648
Elias,P. Coding and information theory, 9=10555
Eliashberg,G.M. The decay law for band models of crystal phosphors, 7=4222. Investigation of the initial stages of luminescence rise in the ZnS:Cu, Co phosphor, 9=9470
Eliason,M.A. and Hirschfelder,J.O. Approximate natural spin orbitals for the hydrogen molecule, 9=8740. General collision theory treatment for the rate of bimolecular, gas phase reactions, 9=8765
Eliason,M.A., Stogryn,D.E. and Hirschfelder,J.O. Some molecular collision integrals for point attraction and repulsion potentials, 7=3479
Eliassaf,J., Silberberg,A. and Katchalsky,A. Negative thixotropy of aqueous solutions of polymethacrylic acid, 6=1706
Eliezer,C.J. A consistency condition for electron wave functions, 8=2786
Eliezer,I. See Hayman,H.J.G., 8=4397
Elings,G.A. See Jansen,C.G.J., 5=5493
Ellinson,M.I., Gor'kov,V.A. and Vasil'ev,G.F. Autoelectronic emission of rhenium, 9=4682
Elinson,M.I. and Vasil'ev,G.F. Auto-electron [thermionic] emission of tantalum, 7=2370. An investigation of the auto-electronic emission of lanthanum hexaboride, 9=7055
Elioff,T. See Agnew,L., 8=6142; Agnew,L.E., Jr, 8=7249; Button,J., 8=7256
Eliseev,G.P. See also Alikhanov,A.I., 5=358, 8=2552, 8=7345, 9=623, 9=12440; Lyubimov,V.A., 7=5650
Eliseev,G.P., Lyubimov,V.A. and Frolov,A.M. Primary ionization spectrum of fast μ mesons, 6=5424
Eliseiev,G.P. See Alikhanov,A.I., 8=2553
Elison,J.McK. Light scattering by polydisperse dust clouds, 5=875
Elizar'eva,V.N. Temperature determination from the vibrational structure of N$_2$, CO and CN bands in a glow discharge, 8=4933
El Khalafawi,T. and Johannin-Gilles,A. Emission spectra in the ultraviolet of carbon tetrachloride and dichlorodifluoromethane, 6=4297. Utilization in the far ultraviolet of an emitting lamp of the Schüler type, 6=7265
El Khishin,M. See El Nadi,M., 9=7348
El Komoss,S.G. See Barriol,J., 7=6392; Nikitine,S., 5=7246
Elle,D. An X-ray impulse tube with synthetic insulator and a double anode, 6=5137
Elleman,D.D. and Williams,D. Proton positions in brucite crystals, 7=903
Eller,G. von. See von Eller,G.
Ellet,W.H. See Brownell,G.L., 9=5972
Ellickson,R.T. See Nelson,J.T., 6=432
Ellinger,F. See Morgan,J.E., 7=445; Zachariasen,W.H., 7=9982
Ellinger,F.H. See Zachariasen,W.H., 9=7649
Ellington,J.P. The flexural vibrations of an end-loaded vertical strip, 6=2728. The vibration of segmented beams, 6=8039
Elliot,H. See also Crawshaw,J.K., 6=2983; Lambie,M., 7=514*
Elliot,H. and Quenby,J.J. The Samoan artificial aurora, 9=9100
Elliot,H. and Rothwell,P. The solar daily variation of the cosmic ray intensity, 7=2385
Elliot,J.O. Differential elastic scattering of 14-MeV neutrons in Bi, Ta, In, Fe, and S, 6=1602
Elliott,A. See also Abbott,N.B., 6=4322; Malcolm,B.R., 7=3181
Elliott,A., Hanby,W.E. and Malcolm,B.R. The near infra-red absorption spectra of natural and synthetic fibres, 5=843
Elliott,A. and Robertson,P. Note on a reflecting optical diffraction spectrometer, 6=4105
Elliott,D.F. and Schumacher,R.T. Proton resonance of fluorobenzene in the earth's magnetic field, 7=8061
Elliott,G. Oxygen as a donor element in germanium, 8=1054. Spiral etch-pits in germanium, 8=6506
Elliott,H.A. Stress rupture in glass, 8=3469
Elliott,J.B., Maenchen,G., Moulthrop,P.H., Oswald,L.O., Powell,W.M. and Wright,R.W. Thirty-six atmosphere diffusion cloud chamber, 5=8046
Elliott,J.F., Legvold,S. and Spedding,F.H. Magnetic properties of erbium metal, 6=1372
Elliott,J.P. Milne's problem with a point-source, 5=3147.

Electric monopole transitions in C^{12} and O^{16}, 6=4578. The long β-lifetime of ^{14}C and the ^{14}N spectrum, 6=8357. Collective motion in the nuclear shell model. I. Classification schemes for states of mixed configurations, 8=5264. II. The introduction of intrinsic wave-functions, 8=5265

Elliott,J.P. and Flowers,B.H. The structure of the nuclei of mass 18 and 19, 5=5585. The odd-parity states of ^{16}O and ^{16}N, 8=717

Elliott,J.P., Judd,B.R. and Runciman,W.A. Energy levels in rare-earth ions, 7=8787

Elliott,J.P. and Lane,A.M. Evidence for two-body spin-orbit forces in nuclei, 5=2072

Elliott,J.P. and Skyrme,T.H.R. Centre-of-mass effects in the nuclear shell-model, 6=3085. Effect of centre-of-mass motion on nuclear moments, 6=7627

Elliott,K.W.T. and Wilson,D.C. An optical probe for accurately measuring displacements of a reflecting surface, 7=9024

Elliott,L.G., Preston,M.A. and Wolfson,J.L. A note on the spin and parity of 2.69 day Au^{198}, 6=1481

Elliott,N. Magnetic behavior of the system CoO-MgO at elevated temperatures, 5=1050. See also Corliss,L., 7=2423, 9=429; Donnay,G., 9=4802; Hastings,J.M., 9=12465; Lewis,W.B., 8=231

Elliott,R. See Dudley,R.S., 5=5044

Elliott,R.J. Theory of the effect of spin-orbit coupling on magnetic resonance in some semiconductors, 5=289. Spin-orbit coupling in band theory – character tables for some "double" space groups, 5=409. Theory of g-values and spin-lattice relaxation for paramagnetic resonance in conduction electrons, 5=6300. Theory of neutron scattering by conduction electrons in a metal and on the collective-electron model of a ferromagnet, 6=4488. The vibrations of a perturbed lattice, 6=5524. Theory of nuclear magnetic resonance in Eu^{3+}, 7=4633. Intensity of optical absorption by excitons, 8=4952

Elliott,R.J. and Loudon,R. Theory of fine structure on the absorption edge in semiconductors, 9=12017

Elliott,R.J. and Lowde,R.D. The inelastic scattering of neutrons by magnetic spin waves, 5=6533

Elliott,R.J., Lowde,R.D. and Marshall,W. On the multiple spin wave scattering of neutrons in ferromagnets, 7=3738

Elliott,R.J., McLean,T.P. and Macfarlane,G.G. Theory of the effect of a magnetic field on the absorption edge in semiconductors, 9=1435

Elliott,R.J. and Marshall,W. Theory of critical scattering, 8=6029

Elliott,R.J., Matthews,I.G. and Mitchell,E.W.J. The polarization of luminescence in diamond, 8=2972

Elliott,R.O. See Kempter,C.P., 9=6831

Elliott,R.S. Azimuthal surface waves on circular cylinders, 5=5531

Elliott,T.A. See McDaniel,E.W., 8=4331

Ellis,A.J., Fyfe,W.S., Rutherford,R.I., Fischer,A. and Vaughan,J. Influence of pressure on the Hammett reaction constant, 9=8955

Ellis,A.T. Production of accelerated cavitation damage by an acoustic field in a cylindrical cavity, 5=9512

Ellis,C.P. See also Raw,C.J.G., 8=6715

Ellis,C.P. and Raw,C.J.G. High-temperature gas viscosities. II. Nitrogen, nitric oxide, boron trifluoride, silicon tetrafluoride, and sulfur hexafluoride, 9=5419

Ellis,F. The introduction of the rad in radiotherapy practice: a symposium. IV. Conversion of Röntgens to rads, 7=984

Ellis,G.R. The Z propagation hole in the ionosphere, 6=8504. On the propagation of radio waves through the upper ionosphere, 6=9076. On the propagation of whistling atmospherics, 6=9147. Cosmic radio-noise intensities below 10 Mc/s, 8=3642. See also Duncan,R.A., 9=11661; Reber,G., 8=3643

Ellis,G.R. and Newstead,G. Discrete sources of cosmic radio noise at 18.3 and 10.5 Mc/s, 7=6826

Ellis,J. and Henderson,C. The nuclear scattering of electrons and positrons at 0.7 and 1.4 MeV, 5=4727

Ellis,J.W. See Shields,J.H., 6=2817; Vanderberg,R.M., 5=3285

Ellis,R.A. See Coor,T., 9=4743

Ellis,R.A.E., Hillier,K.W. and Thompson,A.B. An instrument for the continuous measurement of shrinkage of textile yarns, 7=311

Ellis,R.B., Smith,J.E. and Baker,E.B. Surface tension of fused alkaline earth metal halides, 8=7738

Ellis,R.C., Jr. Etching of single crystal germanium spheres, 5=1346, 8=450

Ellis,R.E. and Schecter,L. Elastic scattering of 48.2 MeV alpha particles, 5=9050. Elastic scattering of 48-MeV alpha particles, 6=2391

Ellis,R.H., Jr. Measuring refractive index of plastic films, 7=9592

Ellis,R.H., Jr, Ross,H.H. and Failla,G. Stopping power of water films, 5=3833

Ellis,S.C., Lanham,A.F. and Pankhurst,K.G.A. A rotational viscometer for surface films, 5=2456

Ellis,S.G. Dislocations in germanium, 5=9238. Electrolytic etching at small-angle grain boundaries in germanium, 6=1728. Microscopic examination of germanium crystals and transistors, 7=1281. On spiral etch pits in germanium and silicon, 8=1366. Surface studies on single-crystal germanium, 8=9148. On the growth of gallium arsenide crystals from the melt, 9=8992

Ellis,S.G., Herman,F., Loebner,E.E., Merz,W.J., Struck,C.W. and White,J.G. Photovoltages larger than the band gap in zinc sulfide crystals, 8=3140

Ellis,W.C. See also Breidt,P., Jr. 8=5504

Ellis,W.C., Williams,H.J. and Sherwood,R.C. Evidence for subgrains in MnBi crystals from Bitter patterns, 8=229. Growth of MnBi crystals and evidence for subgrains from domain patterns, 8=8928

Ellison,A.H. See Francis,S.A., 9=5530

Ellison,C.V. See Halperin,J., 9=13689

Ellison,F.O. Molecular calculations. II. Methods of approximation of molecular integrals, 6=2299. See also Companion,A.L., 8=2015; Parr,R.G., 6=5328

Ellison,F.O. and Companion,A.L. Use of one-electron AO-product functions in calculations on the hydrogen molecule, 9=10185

Ellison,F.O. and Shull,H. Molecular calculations. 1. LCAO MO self-consistent field treatment of the ground state of H$_2$O, 6=2298

Ellison,J.McK. Extinction of light by suspensions of silica dust, 7=4246

Ellison,M.A. Sudden ionospheric disturbances in relation to solar flare radiations, 6=7064. Solar flares, 7=3914. The Lyot Hα heliograph at the Cape of Good Hope, 9=3028

Ellison,M.A. and Reid,J.H. A long-wave anomaly associated with the arrival of cosmic-ray particles of solar origin on 23 February, 1956, 7=950

Ells,C.E. and Perryman,E.C.W. Effects of neutron-induced gas formation on beryllium, 9=10270

Ellyett,C.D. See also Seed,T., 8=6562

Ellyett,C.D. and Fraser,G.J. The influence of noise on radar meteor observations, 5=8446

Ellyett,C.D. and Keay,C.S.L. Radio echo observations of meteor activity in the southern hemisphere, 7=4986

Ellyett,C.D. and Roth,K.W. The radar determination of meteor showers in the southern hemisphere, 6=2615

El-Mofty,Osman. See Osman El-Mofty, 5=8886

el Mohandis,M.G.S. Magnetohydrodynamic disturbances due to the sudden introduction of a magnetic dipole in a fluid of finite conductivity, 9=4833

Elmore,W.C., Little,E.M. and Quinn,W.E. Neutrons of possible thermonuclear origin, 8=7400

Elmore,W.C., Tuck,J.L. and Watson,K.M. On the inertial-electrostatic confinement of a plasma, 9=8249

El-Nadi,Abd El-Fattah. See Abd El-Fattah El-Nadi.

el Nadi, Abdel Fattah. See Abdel Fattah el Nadi, 5=10125

El Nadi,M. Some aspects of the stripping reactions, 7=3654. On inelastic scattering of deuterons, 8=8328. See also Mohamed El-Nadi.

El Nadi,M. and Abou Hadid,L. The (d,t) reactions and the internal structure of the triton, 9=1689

El Nadi,M. and El Khishin,M. The stripping reaction of ^{3}He and alpha particles, 9=7348

El-Nadi,M. and Wafik,M. The characteristic level and the nuclear level density, 9=2703

Elpat'evskaya,O.D. On the mechanism of formation [and carrier mobilities] of thin layers of mercury selenide and telluride, 9=11014. Electrical properties of thin layers in the system HgSe—HgTe, 9=11015. See also Ablova,M.S., 7=2224*

Elpat'evskaya,O.D., Konikova,R.A., Regel',A.R. and Yavorskiĭ,I.V. On stability of crystal structure in systems of solid solutions Hg Se—Hg Te, 7=4906*

Elpat'evskaya,O.D. and Regel',A.R. On certain possibilities of measuring magnetic field strengths using thin-film Hall-e.m.f. probes prepared from HgSe, HgTe and their solid solutions, 7=7211. Some peculiarities of the electrical properties of films of HgSe–HgTe, 7=7918

Elpern,B.S. See Schubert,E.D., 9=10468

Él'piner,I.E. Biological action of ultrasonic waves, 6=8069. See also Sokol'skaya,A.V., 8=5507

Elrod,H.G. Drag unit for the artificial generation of turbulent shear flow, 9=1137

El-Sabban,M.Z. See Narasimham,N.A., 6=4323; Nielsen,J.R., 5=2602

El Saffar,Z.M. See Eades,R.G., 9=12494

El-Said,M.A.H. Geophysical prospecting of underground water in the desert by means of electromagnetic interference fringes, 6=7861

Elsässer,H. Fraunhofer corona and zodiacal light, 5=7644

Elsässer,H. and Siedentopf,H. The height of emission of the 5577 line of the air-glow as observed on the Jungfraujoch, 6=8518. The height of the layer emitting [OI] - 5577 in the night-airglow, 6=9089

Elsasser,W., Ney,E.P. and Winckler,J.R. Cosmic-ray intensity and geomagnetism, 7=2854

Elsasser,W.M. Hydromagnetism. A review, I, 6=1401; II, 6=3383. Hydromagnetic dynamo theory, 7=920

Elsasser,W.M. and Takeuchi,H. Nonuniform rotation of the earth and geomagnetic drift, 6=9055

Elschner,B. See also Albold,E., 9=4815

Elschner,B. and Herzog,S. Electron resonance in aromatic chromium complexes, 9=5914

Elschner,B. and Unangst,D. The domain structure of thin iron films, 6=3007

Elsen,H. and Ledoux,P. On the application of the Rayleigh–Ritz method to the determination of the frequency of radial oscillations of gaseous stars with great mass concentration, 7=1031

Elsken,J. van der. See van der Elsken,J.

Elsken,R.H. See also Shaw,T.M., 5=4796

Elsken,R.H. and Shaw,T.M. Technique for continuous intensity standardization in quantitative analysis by nuclear magnetic absorption, 5=7483

Elsmore,B. Radio observations of the lunar atmosphere, 7=8357 See also Shakeshaft,J.R., 7=21

Elsmore,B. and Whitfield,G.R. Lunar occultation of a radio star and the derivation of an upper limit for the density of the lunar atmosphere, 6=878

Elsner,B. See Timm,U., 5=2177

Elste,G. Centre–limb variation of weak to moderately strong Fraunhofer lines on the solar disk, 5=8455. See also ten Bruggencate,P., 9=1003

Elston,J. See Sicard,L., 9=12165

El-Sum,H.M.A. See Kirkpatrick,P., 7=217

Elton,G.A.H. and Hirschler,F.G. Electroviscosity in dilute heterodisperse suspensions, 5=1261

Elton,G.A.H., Mason,B.J. and Picknet,R.G. The relative importance of condensation and coalescence processes on the stability of a water fog, 9=5624

Elton,L.R.B. On the infinity in the second Born approximation for the Coulomb field, 5=4375. Effect of finite nucleus on the radiative correction, 5=7113. Effect of electron mass on high energy electron scattering, 5=8823. A semi-empirical formula for the nuclear radius, 8=5271. Interpretation of scattering cross sections in terms of nuclear size, 9=513. See also Brown,G.E., 5=2794, 9=3761

Elton,L.R.B. and Gomes,L.C. Scattering of nucleons by nuclei in the 30-MeV region, 7=3646

Elton,L.R.B., Hiley,B.J. and Price,R. On the distribution of protons in the nuclide ^{12}C, 9=8505

Elvey,C.T., Leinbach,H., Hessler,J. and Noxon,J. Preliminary studies of the distribution of auroras in Alaska, 6=9146

Elving,P.J. Applicability of megacycle frequency oscillator circuits to reaction rate measurement, 5=5028

Elvius,A. Diffraction of light by interstellar particles in spiral galaxies, 6=872*. Preliminary results of polarization measurements in comets, 8=4652

El Wahab,M.A. See El Bedewi,F.A., 5=9083, 7=9388

Elwert,G. Calculation of the matrix elements of the retardation factor with hydrogen eigenfunctions, 5=7704. The X-ray radiation of the solar corona and hot coronal condensations, 6=6315. On the observation of radial-symmetric radio sources with the Michelson interferometer. II, 9=1999. The ionization balance of the solar corona, and the origin of the yellow coronal line, 9=5324. X-rays associated with coronal condensations, 9=5326

Elwert,G. and Siedentopf,H. On the observation of radial-symmetric radio sources with the Michelson interferometer, I, 9=1998

Elworthy,P.H. Diffusion measurements by a sampling technique, 8=3770

Elwyn,A. See Alburger,D.E., 9=6069

Elwyn,A.J. See also Landon,H.H., 9=7364; Shull,F.B., 9=3898

Elwyn,A.J., Landon,H.H., Oleksa,S. and Glasoe,G.N. Study of some (p,n) reactions by neutron time of flight, 9=6108

Elwyn,A.J. and Shull,F.B. Proton angular distribution from Cr^{52,53}(d,p) reactions, 9=2795

Ely,R. See Hyman,L.G., 9=13532

Elyash,L.J. See Markovitz,H., 5=6786

El'yashevich,M.A. and Nikitina,O.N. Triplet-quintet transitions in the spectrum of atomic silicon, 7=4127

Emanuel',N.M. Stimulation of branched-chain reactions by the action of penetrating radiations in the initial period of the process, 7=9444

Emara,S.H. See Tolansky,S., 5=9230, 9=9587, 8=6450

Embleton,T.F.W. An improved mirror mounting for optical interferometers, 5=2637. The radiation force on a spherical obstacle in a cylindrical sound field, 6=3583. The propagation and reflection of sound pulses of finite amplitude, 6=4903. See also Thiessen,G.J., 8=8655

Embleton,T.F.W. and Thiessen,G.J. Efficiency of a linear array of point sources with periodic phase variation, 9=2177

Emeis,R. and Herlet,A. The effective emitter area of power transistors, 9=5715. The reverse voltage limits of alloy type silicon power transistors, 9=5716

Emeis,R., Herlet,A. and Spenke,E. The effective emitter area of power transistors, 8=5002

Emeleus,K.G. Oscillations and fluctuations in gas discharges, 7=429. Plasma electron oscillations, 7=1338. Note on the cathode glow, 9=11080. See also Allen,T.K., 5=8796; Bailey,R.A., 6=6033; Cairns,R.B., 9=7064; Cooper,A.W.M., 8=4046; Coulter,J.R.M., 9=3537; Daly,N.R., 5=9730, 6=8810; Mahaffey,D.W., 8=5990, 9=2434; Martin,H., 6=6675; Sayers,N.D., 5=3552; Stewart,D.T., 5=5432

Emeléus,K.G. and Allen,T.K. Note on plasma-electron oscillations, 6=501

Emeleus,K.G. and Bailey,R.A. High-frequency plasma-electron oscillations, 5=4697

Emeléus,K.G. and Daly,N.R. Ion oscillations in a cathode potential minimum, 6=2905

Emeléus,K.G., Love,B. and Witherspoon,A.E. The striated positive column, 6=7447

Emeleus,K.G. and Mahaffey,D.W. A transit time relation for plasma electron oscillations, 9=1547

Emeleus,K.G. and Oleson,N.L. Empirical relations for moving striations, 9=9675

Emel'yanenko,O.V. See also Averkieva,G.K., 9=3465

Emel'yanenko,O.V. and Nasledov,D.N. The electrical properties of GaAs at low temperatures, 8=7937

Émel'yanov,A.A. On the spatial distribution of photons in the vicinity of the axis of extensive air showers, 9=11175

Emel'yanov,A.A. and Rozental',I.L. On the role of nucleons in the process of multiple production of particles, 8=2456

Emel'yanova,G.S. See Gramenitskiĭ,I.M., 5=1974

Emendörfer,D. On nuclear binding by static two-body forces, 6=6830. Note on the physical significance of the "importance" in linear reactor kinetics, 9=11502

Emendörfer,D., Höcker,K.H. and Ritzi,M. The critical size of a homogeneous reactor according to the four-group diffusion theory, 9=711

Emendörfer,D. and Kirchenmayer,A. The influence of effective fractions of delayed neutrons on the short-term behaviour of reactors, 9=12716

Emersleben,O. With what precision does one need the Madelung constant of a crystal such as rocksalt? 5=5102; How are the coefficients of the lattice-energy terms influenced by the accumulation of ions of the same sign on the surface of neutral ionic lattices? I. General survey, 6=787; Formulae giving the approximate electrostatic energy of a space charge, 9=11543

Emerson,W.H. See Rado,G.T., 6=8274, 7=4542

Emerton,H.W. Summarized proceedings of a conference on electron microscopy—Bangor, September 1957, 8=7549

Emery,A.H.,Jr. Entropy of mixing of dilute polymer solutions, 7=7072. Thermal diffusion column theory for liquids, 9=13069

Emery,A.H.,Jr and Drickamer,H.G. Thermal diffusion in polymer solutions, 6=1889*

Emery,A.R. and Taylor,R.C, Raman spectroscopy in liquid ammonia solutions. Vibrational frequencies and force constants for isotopic species of the borohydride ion having tetrahedral symmetry, 8=6854

Emery,E.W. Measurement of energy absorption by ionization chambers, 7=474

Emery,E.W., Bradley,J.E.S. and Veall,N. Radiation dosimetry

of rubidium-86, 5=4010
Emery,E.W. and Veall,N. Radiation dosimetry of iodine-132, 5=2117; The branching ratios of ^{886}Rb and ^{42}K, 5=6423
Emery,V.J. A variational approach to the nuclear many-body problem, 8=3314. On the existence of soluions of the Brueckner equations for a many-fermion system, 9=9239
Emma,V. See also Cavallaro,S., 9=671
Emma,V., Milone,C. and Rubbino,A. Angular distribution of photoprotons from silicon, 9=670
Emmart,E.W., and Crisp,L.R. Improved freeze-drying and embedding apparatus for frozen tissues, 6=6273
Emmerich,W.S. and Sinclair,R.M. Compound elastic scattering of neutrons, 7=2716
Emrich,R.J. See also Chabai,A.J., 5=8562
Emrich,R.J. and Wheeler,D.B.,Jr. Wall effects in shock tube flow, 8=5726
Emschermann,H.H. The display of measured values in digital form, 7=1039
Emsley,J.W. and Smith,J.A.S. Proton resonance in single crystals of thiourea, 9=12487
Emslie,A.G. See also Franzen,W., 8=9079
Emslie,A.G., Bonner,F.T. and Peck,L.G. Flow of a viscous liquid on a rotating disk, 8=2838
Enander,B. See Brundell,P.-O., 7=1498
Enatsu,H. Mass spectrum of elementary particles. II, 5=3433. Relativistic quantum mechanics and mass-quantization, 7=1056
Enatsu,H. and Ihara,C. Models of hyperons, 5=4087
Ender,H. See Brill,R., 6=963
Enderby,J.A. The domain model of hysteresis. I. Independent domains, 5=7709
Endo,H. See Nakayama,Y., 9=11872
Endow,N. See Ford,H.W., 7=7472, 7=7473, 8=824, 8=825
Endres,W. Problems of speech communication (dealt with at the Second International Acoustics Congress in conjunction with a seminar on speech communication), 7=9587
Endt,P.M. Capture reactions, 8=1950. See also de Raad,B., 5=3052; Kluyver,J.C., 5=3091; Konijn,J., 7=8797; Middelkoop,W.C., 6=3937; Muller,T., 8=8288; Paris,C.H., 5=511, 5=512, 6=1575; Smith,P.B., 8=5351, 8=5352; van den Bold,H.J., 8=3333; van der Leun,C., 7=8824, 7=9385, 9=651; van Nooijen,B., 6=6130
Endt,P.M. and Braams,C.M. Influence of the statistical factor on (d,p) cross sections, 6=4642. Energy levels of light nuclei ($Z = 11$ to $Z = 20$). II, 8=3322
Endt,P.M., Buechner,W.W., Braams,C.M., Paris,C.H. and Sperduto,A. Atomic masses in the S-Ti region from precision Q-value measurements, 7=3571
Endt,P.M., Kluyver,J.C. and van der Leun,C. The reaction ^{25}Mg (p,γ) ^{26}Al. II. Conclusions, 5=3092
Endt,P.M. and Paris,C.H. Nuclear levels in Si^{28} and P^{31}, 7=6442. Nuclear levels in P^{30}, S^{33}, and S^{35}, 8=9018
Endt,P.M., Paris,C.H., Sperduto,A. and Buechner,W.W. Nuclear levels in S^{32}, S^{34}, Cl^{35}, and Cl^{37}, 6=8371
Endter,F. and Gebauer,H. A simple apparatus for the statistical evaluation of photographs in microscopy or electron microscopy, 6=4041
Éneev,T.M. See Okhotsimskii,D.E., 8=4689, 8=4690
Ener,C., Busala,A. and Hubbard,J.C. Ultrasonic dispersion in methyl alcohol vapor, 5=2507
Ener,C. and Taşköprülü,N.Ş. Measurements of the velocity of ultrasound in sea water (Black Sea and the Sea of Marmara), 5=3505
Engardt,R.D. See Barnes,R.G., 8=8434, 9=11588
Enge,H.A. On heavy particle spectroscopy technique, its application to scattering mass analysis and to the Al^{27}(d,α) Mg^{25} and Al^{27}(d,p)Al^{28} reactions, 5=2804, 6=2190. Combined magnetic spectrograph and spectrometer, 9=4724. Ion focusing properties of a quadrupole lens pair, 9=7097
Enge,H.A. and Graue,A. Numerical calculation of non-Coulomb stripping cross section, 7=1608. Numerical calculation of non-Coulomb stripping cross-sections, 7=4722
Engel,A.von. See von Engel,A.
Engel,H. P_3-approximation for the calculation of thermal utilization [of a reactor], 9=6151. Some aspects of the choice of an economically working heavy water, heterogeneous reactor with natural uranium, 9=8655. Calculation of infinite multiplication factor for double lattice, 9=8657
Engel,O.G. Waterdrop collisions with solid surfaces, 5=7735. Fragmentation of waterdrops in the zone behind an air shock, 8=5694. Erosion damage to solids caused by high-speed collision with rain, 9=4081. Pits in metals caused by collision with liquid drops and soft metal spheres, 9=10339
Engelbrecht,A. See Javan,A., 5=846; Lotspeich,J.F., 9=12056
Engelbrecht,J. See Schmidt,H., 9=6441
Engelhard,E. Interferometric calibration of quartz end standards, 9=13190
Engelkemeir,D. Nonlinear response of NaI(Tl) to photons, 6=8255. See also Magnusson,L.B., 6=6109
Engelkemeir,D. and Magnusson,L.B. Observation of a 193-millimicrosecond metastable level in Pu^{239}, 5=8203
Engelkemeir,D.W. See also Gindler,J.E., 9=598; Huizenga,J.R., 7=9823
Engelkemeir,D.W. and Magnusson,D.B. The resolution of alpha-particle spectra by ionization pulse analysis of collimated samples, 5=4754
Engelman,F. Investigations in the theory of the energy levels of electrons in ideal and perturbed crystal lattices, 6=7568. Remarks on the introduction of the three-dimensional charge-space, 8=7683. On a theorem of Bloch's, 9=9662
Engelmann,F. and Fick,E. Time in quantum mechanics, 9=12989
Engelmann,J.J. and Grinberg,B. $\beta-\gamma$ ionization chamber, 9=4862
Engelman,P. On the slowing of neutrons into the eV range, in hydrogenous scattering media, 9=12560
Engen,G.F. A self-balancing direct-current bridge for accurate bolometric power measurements, 8=3027
Engfeldt,B. See Engstrom,A., 7=1821
England,C.J. See Meads,R.E., 6=7734
England,P.G. and Jones,H.N. A laboratory electron bombardment furnace, 8=3625
Englefield,M.J. Direct evaluation of fractional parentage coefficients using young operators: normalization of four-particle wave functions, 5=6772
Engleman,R. and Sondheimer,E.H. The electrical conductivity of anisotropic thin films, 6=5084
Engler,A. See also Brisbout,F.A., 7=2392, 2619, 6=6928; Davis,D.F., 7=8868; Edwards,B.P., 7=8886
Engler,A. and Haber-Schaim,U. Primary cosmic ray spectrum deduced from an analysis of jets, 5=364
Engler,A., Haber-Schaim,U. and Winkler,W. Nuclear collisions of high energy protons, mesons and α-particles, 5=2211
Engler,A., Kaplon,M.F. and Klarmann,J. Flux of cosmic-ray particles with $Z \geq 2$ over Texas, 9=3620. Some considerations on the analysis of primary cosmic ray intensity experiments, 9=8269
Engler,A.R. and Kevane,C.J. Direct reading minority carrier lifetime measuring apparatus, 8=3101
Engler,H.D. Measurement of the f-value of the PbI resonance line $\lambda = 2833$ A, 6=5327
Englert,F. Application of group theory to calculation of spin–orbit coupling in crystals, 8=6401. Interaction between a small and a large effective Hamiltonian, polarization and absorption, 9=3120
Englert-Chwoles,A. On the entropy of mixing of liquid solutions, 5=6798. See also Prigogine,I., 6=4240
Englert-Chwoles,A. and Prigogine,I. On the statistical theory of the surface tension of binary mixtures, 9=3196
Englman,R. The absorptivity of anisotropic metals, 8=7826. The transport theory of temperature waves in insulators, 9=243. The eigenvalues of a randomly distributed matrix, 9=2106
Engstrom,A., Bellman,S. and Engfeldt,B. Microradiography. I. Microradiography: A review, 7=1821
Engström,A. and Greulich,R.C. High-resolution microradiography using low-voltage X-rays, 6=7927
Engstrom,R.W. Luminous microflux standard, 5=7807. Calculation of radiant photoelectric sensitivity from luminous sensitivity, 6=2764
Engstrom,R.W., Stoudenheimer,R.G., Palmer,H.L. and Bly,D.A. Recent work on photoemission and dark emission problems, 9=4684
Engstrom,R.W. and Weaver,J.L. Are plateaus significant in scintillation counting, 9=11316
Enikeev,Z.Kh., Margolis,L.Ya. and Roginskii,S.Z. The charging of the surfaces of oxide semiconductors in the adsorption of gases and vapours, 9=13292
Ennos,A.E. Highly-conducting gold films prepared by vacuum evaporation, 7=7089. See also Haine,M.E., 9=1526
Enns,J.H. and Katz,E. Photographic sequence exposure experiment, 8=1405
Enoch,J., Sachs,R.G. and Wali,K.C. Theory of photoproduction of pions from nucleons, 8=1190
Enoch,J.M. Summated response of the retina to light entering different parts of the pupil, 8=5558. Effect of the size of a complex display upon visual search, 9=6418. See also

Boynton,R.M., 5=664
Enoch,J.M. and Fry,G.A. Characteristics of a model retinal receptor studied at microwave frequencies, 9=5283
Enright,D.P. See Dixon,J.R., 9=6973, 13303
Enslein,K. A time scaler for nuclear track length measurements, 7=7537
Enz,C. Thermal scattering of electrons in semiconductors, 5=3725. Charge carrier susceptibility and cyclotron resonance of germanium, 5=7046
Enz,C.P. The interaction strength and renormalization in photon pair theory, 7=1053. Fermi interaction with non-conservation of "lepton charge" and of parity, 8=505. Magnetic susceptibility of electrons in periodic fields, 9=393. The production and absorption of neutrinos in beta-decay theory, 9=7245
Enz,H. and Rossel,J. Luminescence of CsI and NaI, 9=6761
Enz,U. Ultrasonic generation with ferrites, 6=4270. Generation of ultrasonic vibrations with ferrites, 7=5139. Time dependent constricted hysteresis loops in a single crystal of manganese ferrous ferrite, 8=4133. Relation between disaccomodation and magnetic properties of manganese-ferrous ferrite, 8=7181
Epel,J.N. See Heller,W., 5=230
Epelboin,I. Study of some properties of thin strips and fine wires, 6=5114. See also Bluet,J.C., 8=6940; Defrain,A., 9=12176; Erny,M., 7=2738
Epelboin,I. and Vapaille,A. On the measurement of the thermal convection coefficient using metallic wires of different characters, 7=7043
Epelboin,I. and Erny,M. On the study of the electric anistropy of gallium near the melting point, 6=2076
Epelboin,I., Pham,D.H. and Vapaille,A. Influence of the metal/gas interface on the convection from fine wires, 6=6557
Epelboin,I. and Vapaille,A. On convection by fine wires, and the nature of the metal–gas interface, 5=1756. The influence of the interface metal/gas on the convection from fine wires, 6=1149
Epifanov,G.I. Experimental checking of the two-term law of friction, 8=6680
Eppe,R. Conductivity of X-ray irradiated amorphous selenium layers, 8=7950
Eppelsheimer,D.S. and Gould,D.S. Deformation characteristics of hafnium, 6=4048
Eppler,K. Ultrasonic absorption in liquid mixtures, 5=807. Absorption of ultrasonics in liquid mixtures, 6=998
Eppler,R.A. and Drickamer,H.G. The effect of pressure on the spectra of the Tl^+ ion in alkali halide lattices, 9=7959
Eppley,M. and Karoli,A.R. Absolute radiometry based on a change in electrical resistance, 7=9054
Epprecht,G.W., Kurtze,G. and Lauber,A. The construction of a free-space room for sound waves and electric decimetre waves, 5=1643
Epstein,A.S., Fritzsche,H. and Lark-Horovitz,K. Electrical properties of tellurium at the melting point and in the liquid state, 8=627
Epstein,D.J. Ferromagnetic materials, 5=2700. Digest of the literature on dielectrics. Volume XVII–1954. Ferromagnetic materials, 7=9152
Epstein,D.J. and Frackiewicz,B. Some properties of quenched magnesium ferrites, 9=425
Epstein,E.S., Osterberg,C. and Adel,A. Note on the variations of atmospheric ozone as a function of height, 7=398
Epstein,L.F., See Lukesh,J.S., 6=957; Zimm,B.H., 6=4070
Epstein,L.I. Improvements in heat-reflecting filters, 5=6023
Epstein,P.S. On the possibility of electromagnetic surface waves, 5=4818. Theory of wave propagation in a gyromagnetic medium, 7=559
Epstein,P.S. and Berk,A.D. Ferrite post in a rectangular wave guide, 7=1469
Epstein,R.J. See Burgy,M.T., 8=1173
Epstein,S.T. Note on perturbation theory, 5=752. Derivation of the Feynman-Dyson rules from time-independent theory, 5=4386. Theory of rearrangement collisions, 7=5837. Harmonic oscillator wave packets, 9=6533. Thomson atom, 9=12719
Epsztein,B. Instability of electron beams under a magnetic field, 6=5143. Transverse instability of electron beams, 8=4067
Erb,E. See also Motchane,J.L., 9=510; Uebersfeld,J., 5=7188, 6=3022, 8871, 7=1717, 2555, 2722, 5714
Erb,E., Motchane,J.L. and Uebersfeld,J. Nuclear polarization effects in liquids and gases adsorbed on charcoals, 8=7315. A new method of polarizing nuclei in fluids adsorbed on carbon. An extension to solids and in particular to irradiated organic substances, 8=7317
Erbe,W.W. See Bradford,A.P., 9=11983
Erber,T. Coherent Compton amplitude at high energies, 9=8442
Ercoles,A.M., Fiorentini,A. and Toraldo di Francia,G. Visual experiments with a vibrating test object, 6=3413
Ercoles,A.M., Ronchi,L. and Toraldo di Francia,G. The relation between pupil efficiencies for small and extended pupils of entry, 6=8535
Erdelyi,E. See Alger,P.L., 7=4101
Erdman,K.L. The angular correlation of annihilation radiation, 5=4927
Erdmann,J. The magnetothermoelectric effect in germanium at low temperatures, 9=4640
Erdmann,J., Schultz,H. and Appel,J. On the variation with magnetic field of the thermoelectric effect in Ge single crystals at low temperatures, 9=4638
Erdös,P. Mirror anastigmat with two concentric spherical surfaces, 9=10728. Ronchi test of fifth order aberrations, 9=10743. See also Dvoretzky,A., 5=2445, 8=5664; Schmouker,J., 5=6464
Erdös,P., Jordan,P., Maeder,D. and Stoll,P. Investigation into the decay of Co^{61} by means of a scintillation spectrometer, 6=601
Erdös,P., Jordan,P. and Stoll,P. (γ, α) processes in heavy nuclei, 6=660
Erdös,P., Scherrer,P. and Stoll,P. The induced alpha-activity of gamma-excited nuclei, 9=6122
Erdös,P., Stoll,P., Wächter,M. and Wataghin,V. Investigations on the reaction $^7Li(\gamma, \alpha)^3H$, 5=1207
Eremeev,M.A. In connection with the paper of Arifov, Ayukhanov and Starodubtsev, 6=5958
Eremeeva,G. and Berdyshev,A. Antiferromagnetism of the transition metals [based] on the collective electron model, 9=11224
Eremenko,V.V. The spectral distribution of photoconductivity in Cu_2O crystals at 20°K, 9=9646. See also Broude,V.L., 9=4609, 8154, 7=9083, 8=5913
Erez,A. See Birk,M., 5=2513
Ergakov,V.A. See Vishnevsky,M.E., 8=5318
Ergen,W.K. See Bernstein,S., 6=1583
Ergun,M. See Fischer,E., 9=5118
Ergun,S. Application of the principle of least squares to families of straight lines, 7=7545
Ergun,S. and Tiensuu,V.H. Determination of X-ray absorption coefficients of inhomogeneous materials, 9=331
Ericksen,J.L. Stress deformation relations for solids, 6=3511
Erickson,G.F., Kaufmann,S.G. and Pahis,L.E. Recent neutron detector studies at Argonne National Laboratory, 9=2554
Erickson,G.W. See also Glassgold,A.E., 7=7377
Erickson,G.W. and Cheston,W.B. Scattering of protons in a spin-orbit potential, 9=2686
Erickson,R.A. See also Heer,C.V., 8=2286
Erickson,R.A., Roberts,L.D. and Dabbs,J.W.T. Mutual inductance bridge and cryostat for low-temperature magnetic measurements, 5=3873
Erickson,R.E. See Person,W.B., 8=2238
Erickson,W.C. A mechanism of non-thermal radio-noise origin, 8=4627
Ericson,M. See also Cribier,D., 9=12825
Ericson,M., De Gennes,P.G., Herpin,A., Jacrot,B. and Mériel,P. Neutron studies of magnetism, 9=4783
Ericson,M. and Jacrot,B. Experimental study of the kinetics of the magnetic moments of iron above the Curie point, 8=4128
Ericson,T. On the level density of deformed nuclei, 8=5279. Level density of degenerate Fermi systems, 9=1077. A statistical analysis of excited nuclear states, 9=8517
Ericson,T. and Strutinski,V. On angular distributions in compound nucleus processes, 9=1756
Ericson,T. and Strutinsky,V. On angular distributions in compound nucleus processes. (Addendum), 9=8566
Ericson,W.B. See Bazer,J., 9=7211
Ericsson,U. Explosive shock travel times at different ambient densities, 5=6827. On the possibility of expansion and shock flow in prominences, 9=9
Eriks,K. See Hirshfeld,F.L., 8=796
Eriksen,E. The Pauli principle and the symmetry properties of many-electron wave functions, 5=1545. Foldy–Wouthuysen transformation. Exact solution with generalization to the two-particle problem, 9=2071. The evaluation of the vacuum polarization effects on scattering phase shifts, 9=2591. Foldy–Wouthuysen transformation in closed form for spin

$\frac{1}{2}$ particle in time-independent external fields, 9=11823. See also Foldy,L.L., 5=5869

Eriksen,E., Foldy,L.L. and Rarita,W. Vacuum polarization and proton-proton scattering in the ^3P state, 6=7961

Eriksen,G., Hauge,O. and Tandberg-Hanssen,E. Radio-frequency observations of the solar eclipse of June 30, 1954, 7=1012

Eriksen,V.O. and Hälg,W. The thermal conductivity and electrical resistivity of uranium, 5=6077

Eriksen,W.T. Field modulation of liquid induced excess surface currents on germanium p–n junctions, 8=8778

Eriksen,W.T., Statz,H. and deMars,G.A. Excess surface currents on germanium and silicon diodes, 7=6178

Eriksson,H.A.S. On spinor wave equations containing reflection operators, 9=5364

Eriksson,K.B.S. Coupling of electrons with high orbital angular momentum, illustrated by 2 p nf and 2p ng in N11, 6=3920. The spectrum of the singly-ionized nitrogen atom, 8=6805. Revised energy levels for the neutral nitrogen atom, 9=714

Eriksson,T. Polarization of high energy protons scattered by iron, 6=2944. Polarization of fast protons scattered by nuclei with inclusion of the electromagnetic spin-orbit coupling, 7=6547

Eriksson,T. and Swiatecki,W.J. Polarization of neutrons in high energy scattering, 5=4979

Erkman,J.O. Explosively induced nonuniform oblique shocks, 9=4385. Simultaneous detonation along a line, 9=11936

Erkovich,S.P. The oscillator strength of the γ-system of NO bands, 9=13162

Erlandsson,G. Microwave spectrum of chlorobenzene, 5=1699. Microwave spectrum of cyclopentene oxide, 5=4537. A microwave spectrometer and its applications to some organic molecules, 5=6017. Extended energy level tables for the rigid asymmetric rotor, 6=1425. Millimeter wave spectrum of formic acid, 6=8107. Millimeter wave spectrum of formaldehyde, 7=1185. Millimeter-wave spectrum of formic acid, 8=581

Erlandsson,G. and Cox,J. Millimeter-wave lines of heavy water, 7=2045

Erlandsson,G. and Gordy,W. Submillimeter wave spectroscopy: rotation-inversion transitions in ND_3, 7=6006

Erler,W. The development of an apparatus for measuring "clearness", 7=3116

Erling,Y. See Hovi,V., 9=4561

Erlykin,A.D. See Goryunov,N.N., 9=8405

Erma,V.A. Electron effects on barrier penetration, 7=4673. On the Thomas–Fermi equation for high temperatures, 8=7437

Ermakova,K.I. See Zhdanov,A.P., 8=3376

Ermisch,W. and Seiwert,R. The molecular beam method and its application to the measurement of the degree of polarization of sodium resonance fluorescence, 9=5107. The depolarization of the sodium resonance fluorescence, 9=12098

Ermolaev,A.M. See Demkov,Yu.N., 9=11855

Ermolaev,V. and Terenin,A. Transfer of energy between triplet levels, 9=1317

Ermolaev,V.L. See Terenin,A.N., 6=6533

Ermolina,A.V., Markova,G.S. and Kargin,V.A. Electron diffraction investigation of polymers. IV. Study of the structural changes in polytrifluorchlorethylene in the temperature range of melting of the crystals, 8=6446

Ermolov,P.F. See Gustova,L.V., 9=10077

Erné,F. See Blaisse,B.S., 9=13347

Ernest,J. Radiation from a fine slit traversed by a progressive wave, 8=5146. An experimental study of the radiation from a fine slit traversed by a progressive wave, 8=5147. Conical radiation from a progressive wave in a slit, 9=9881

Ernsberger,F.M. Mechanism of frictional electrification of dielectric liquids, 7=337

Ernsberger,F.M. and Pitman,H.W. New absolute manometer for vapor pressures in the micron range, 5=7729

Ernst,E.W. and Von Foerster,H. Time dispersion of secondary electron emission, 5=8020

Ernst,F.J.Jr, Variational calculations in geon theory, 7=3945. Linear and toroidal geons, 7=3946, 8=1484

Ernst,H. See Havemann,R., 9=1258

Ernst,W.S. See Shapiro,G., 7=985

Ernstein,N.E. See Mickelsen,W.R., 6=285, 8151

Ernstene,M.P. See Clegg,A.B., 8=291

Erny,M. See also Epelboin,I., 6=2076

Erny,M., Cabarat,R., Defrain,A. and Epelboin,I. Anisotropy of elastic properties of single crystals of gallium, 7=2738

Erö,J. The energy spectrum of the ion beam of a high frequency ion source, 7=1399. See also Keszthelyi,L., 9=2814

Erö,J. and Keszthelyi,L. Cross section of the $I^{127}(\gamma, n)I^{126}$ reaction, 7=6571

Erokhina,K.I. See Alkhazov,D.G., 8=6314, 9=12631

Eros,S. and Reitz,J.R. Elastic constants by the ultrasonic pulse echo method, 8=4475

Erpenbeck,J.J. See also Wall,F.T., 9=7479-80

Erpenbeck,J.J. and Kirkwood,J.G. Statistical mechanics of irreversible processes in polymer solutions, 9=1148

Ershler,B.V. See Alikhanov,A.I., 8=2552-3, 7345; Anikina,M.P., 7=9397

Ershov,R.E. Influence of a circular field on the form of the longitudinal magnetization curve, 5=7198

Ertel,H. The symmetry character of the turbulence tensor, 5=100. Statistical thermodynamics of the vertical temperature gradient of the atmosphere, 5=654. A theorem on field strength in potential fields, 5=1563. A relation between phase velocity, particle velocity and energy for progressive permenent waves, 7=5911

Ertugrul,A. See Wallace,J.D., 9=7898

Erusalimchik,I.G. See Efimov,E.A., 9=11002

Erwall,L.G. See Aniansson,G., 9=4860

Erwin,A. See Abashian,A., 7=6605

Erwin,A.R., Jr and Kopp,J.K., π^--Proton scattering at 950 MeV, 8=8989

Erwin,A.R.,Jr, Kopp,J.K. and Shapiro,A.M. Production of Σ^+ hyperons by 990-MeV positive pions in liquid hydrogen, 9=13581

Erzen,C.Z. An expression for evaporation, 9=11658

Esaki,L. New phenomenon in narrow germanium p–n junctions, 8=2314. See also Yajima,T., 9=12276

Esche,R. and Kimmel,H. Erosion of metal surfaces by ultrasonic cavitation, 6=7769

Eschenfelder,A.H. Ionic valences in manganese-iron spinels, 9=426

Eschke,W. A pulsed u.v. dosimeter, 9=5474

Escobar,V.I. See Harris,F.B., 6=2221, 7=2386

Esel'son,B.N. Properties of solutions of He^3 in He^4. III. Vapour pressure, 5=895. See also Bereznyak,N.G., 7=4278-9; Klyucharev,A.P., 7=1599

Esel'son,B.N. and Bereznyak,N.G. Dew points of mixtures of helium isotopes, 5=6087. Diagram of state for liquid-vapour system of helium isotopes, 5=6087. Diagram of state for liquid-vapour system of helium isotopes He^3-He^4. I, 6=7353

Esel'son,B.N., Bereznyak,N.G. and Kaganov,M.I. λ-temperatures of solutions of helium isotopes, 7=4280

Esel'son,B.N., Kaganov,M.I. and Lifshits,I.M. Thermodynamics of the phase transition He I–He II in solutions of helium isotopes, 8=4930. Answer to a letter of M.P. Mokhnatkin, 9=8044

Esel'son,B.N., Lazarev,B.G., Sinel'nikov,K.D. and Shvets,A.D. Peculiar properties of rotating He II, 7=4284

Esel'son,B.N., Shvets,A.D. and Bablidze,R.A. The rate of film transfer in helium isotopes, 8=7867

Esepkina,N.A. Concerning a method of measurement of polar diagrams of radio-telescopes with high resolving power, 7=9496. Tuning a large radio-telescope, 9=10507

Eshbach,F.E. and Fisher,R.A. The first spectrum of iodine in the region between $0{\cdot}8$ and $2{\cdot}2\mu$, 5=174

Eshelby,J.D. Supersonic dislocations and dislocations in dispersive media, 7=1746. The twist in a crystal whisker containing a dislocation, 8=3518. The elastic model of lattice defects, 9=791

Eshelby,J.D., Newey,C.W.A., Pratt,P.L. and Lidiard,A.B. Charged dislocations and the strength of ionic crystals, 8=1322

Eshleman,V.R. See Manning,L.A., 8=4641, 9=4134; Villard,O.G., Jr, 8=4639

Eshler,D.C. See Bateman,J.B., 9=8974

e Silva,J.Andrade. See Andrade e Silva,J.

Esin,O.A. See Krasovskii,N.N., 7=4013; Zyazev,V.L., 8=6959

Esipova,N.G. See Andreeva,N.S., 8=3590

Eskenazi,M. Account and criticism of Professor Max Landolt's "Théorie des Grandeurs", 5=23. M.Eskenazi's reply ["Grandeur mesure et unité"], 5=8465. Primary photometric standard and the theory of dimensions, 5=8577

Eskinazi,S. Turbulence measurement in electrically conducting fluids, 8=3760

Eskowitz,A. and Wangsness,R.K. Effective gyromagnetic ratio for triangular ferrimagnetic states, 8=650

Esnouf,M.P. A method for determining ^{24}Na and ^{42}K when

present together in liquid samples, 8=4284
Espagne,H. Observation of several aspects of the crystalline lattice of copper phthalocyanin, 9=8808
Español,C.E. See also McMillan,J.A., 6=4891
Español,C.E. and Carjuzaa,C.R. Theoretical calculations and experimental verification for a demonstration thermal diffusion column, 9=3215
Espe,I. Electronic motion in the rotating H_2, molecule, 6=8912. See also Skavlem,S., 6=3485
Espe,W. Technology and application of mercury in vacuum technique, 5=5269. Compound metals in high vacuum technique, 5=7750. Surface treatment of metals in vacuum technology, 5=7753. Copper as a high-vacuum material. I, 7=1120; II, 3059. Silica glass, vitreous silica and a glass similar to silica glass as materials for high-vacuum techniques, 8=5570
Espersen,G.A. and Rogers,J.W. Electron emission of materials for electron tubes, 9=9686
Espinola,R.P. and Waterman,P.C. Ultrasonic interferometer for the measurement of the temperature dependence of elastic constants, 8=3807
Esprester,A. and Haug,A. The influence of the inhomogeneity of plasmas on their resonance frequency, 5=7082
Essen,L. A new aether-drift experiment, 5=6717. Atomic time and the definition of the second, 7=1873. The units of time and length, 8=20. The clock paradox of relativity, 8=868. Report on the precision of atomic standards of frequency, 9=10551. See also Barrell,H., 9=5492; Hartshorn,L., 5=7941; Markowitz,W., 8=8571; Pierce,J.A., 5=3406
Essen,L. and Parry,J.V.L. An atomic standard of frequency and time interval. A caesium resonator, 6=104. Atomic and astronomical time, 6=5664. The caesium resonator as a standard of frequency and time, 7=9509
Essen,L., Parry,J.V.L., Holloway,J.H., Mainberger,W.A., Reder,F.H. and Winkler,G.M.R. Comparison of caesium frequency standards of different construction, 8=7664
Essen,L., Parry,J.V.L., Markowitz,W. and Hall,R.G. Variation in the speed of rotation of the earth since June 1955, 8=3667
Essen,L., Parry,J.V.L. and Pierce,J.A. Comparison of caesium resonators by transatlantic radio transmission, 8=21
Essig,F.C. See Conger,R.L., 7=2399, 8=2414
Essler,W.O. A versatile audio spectrometer, 6=2759
Estabrook,F.B. Two-group diffusion in slab lattice reactors, 6=6918. Nonclassical transformation in special relativity, 6=8567
Estle,T.L. See also Wheatley,J.C., 7=2429, 4277
Estle,T.L., Hart,H.R.,Jr and Wheatley,J.C. Nuclear magnetic resonance in cerous magnesium nitrate at temperatures below 1°K, 9=5949
Éstrin,M.I. On the statistical theory of the scale factor, 9=8939
Estulin,G.V. See Tyutyunnik,A.D., 8=4458
Éstulin,I.V. See also Kalinkin,L.F., 9=2761; Shapiro,I.S., 6=6944
Éstulin,I.V., Chernov,G.M. and Pastukhova,Z.V. On the decay scheme of Mo^{99}, 9=2738
Éstulin,I.V., Kalinkin,L.F. and Melioranskiĭ,A.S. Emission of γ-quanta by nuclei of I, Rh and Co resulting from capture of thermal neutrons, 7=4678. Soft γ-rays emitted by nuclei on capture of thermal neutrons, 8=1981
Estulin,I.V., Kalinkin,L.F. and Melioransky,A.S. Soft γ-rays from the capture of thermal neutrons by nuclei, 8=3352
Estulin,I.V. and Moiseeva,E.M. Measurement of the coefficients of internal conversion of γ-rays of Sr^{87*}, In^{113*}, In^{115*} and V^{51*} on the electrons of the atoms, 6=3972
Éstulin,I.V., Popov,V.S. and Chukreev,F.E. Correlation of polarization and direction of emission of gamma quanta from Co^{60} and Na^{24}, 6=8361
Estulin,U. See Antonova,I., 5=9890
Étienne,A. See Uebersfeld,J., 5=388
Etkin,B. See also McGregor,D.M., 8=3786
Etkin,B., Korbacher,G.K. and Keefe,R.T. Acoustic radiation from a stationary cylinder in a fluid stream (aeolian tones), 7=4071
Ettinger,G.M. Some properties of light guides, 5=8678
Ettre,K. See Adam,J., 9=9689
Etzel,H.W. Detection of vacancies created by X-rays in sodium chloride, 6=1740. See also Schulman,J.H., 8=8703
Etzel,H.W. and Allard,J.G. Color center formation in sodium chloride, 9=11570
Etzel,H.W. and Geiger,F.E.,Jr. K band in additively colored KC1, 5=2608
Etzel,H.W. and Patterson,D.A. Optical properties of alkali halides containing hydroxyl ions, 9=6722
Eubank,H.P. See also Haling,R.K., 7=7395; Peck,R.A., Jr, 5=6531, 9=11318
Eubank,H.P., Peck,R.A.,Jr and Hassler,F.L. Proton distributions from $S^{32}(n,p)P^{32}$, 9=3922
Eubank,H.P., Peck,R.A.,Jr and Truell,R. Operating characteristics of a high yield rf ion source, 5=347
Eubank,H.P., Peck,R.A., Jr and Zatzick,M.R. (n, p) cross sections near Z = 50, 9=8638
Eugster,H.P. Heterogeneous reactions involving oxidation and reduction at high pressures and temperatures, 7=9439
Eukel,W.W. See Bronner,W.L., 9=12388
Euler,F. Simple geometric model for the effect of porosity on material constants, 8=6435
Euler,J. The accuracy of radiation pyrometers, 5=4603. Small filament lamps with lenses in torches with reflectors, 6=3666. The axial temperature distribution in the interior of the anode of carbon arcs and the coefficient of thermal conductivity of graphite at high temperatures, 7=6207. The graphite-carbon arc as a standard (source)of intense radiation, 8=4853. More accurate adjustment of filament pyrometers by means of contrasting plates, 9=1386. On the current distribution in porous electrodes, 9=2980
Euranto,E.K. See also Laurikainen,K.V., 6=3488
Euranto,E.K. and Koukila,J. Notes on the accuracy of some calculations concerning the deuteron problem, 7=9310
Eustache,H. Production of single crystals of barium titanate, 7=7490
Euston,C.B. See Hildenbrand,D.L., 5=3688
Euthymiou,P. See Alexopoulos,K., 5=1078
Euwema,R.N. and Wheeler,J.A. First-order vacuum polarizability from the the principle of causality, 6=7122
Evans,B.L. Structure and stability of inorganic azides, 8=7580
Evans,B.L. and Yoffe,A.D. Optical and electrical properties of single crystals of tri-p-methoxy phenyl methyl perchlorate and triphenyl methyl azide, 9=8854
Evans,D. See also Bhowmik,B., 6=5413, 7=8858, 8866, 8=704, 2450, 3310; Davies,J.H., 6=3270*; Intrater,J., 5=7517; K-collaboration, 9=13575; Prowse,D.J., 8=6175
Evans,D., Hassan,F., Nagpaul,K.K., Shafi,M., Helmy,E., Mulvey,J.H., Prowse,D.J. and Stork,D.H. On the scattering of 200-300 MeV K^+ mesons, 9=3795
Evans,D.F. Absorption spectra of iodine and bromine in the gas phase and "inert" solvents. I. Iodine, 5=8610; II. Bromine, 5=8611. Perfluoroheptane as a spectroscopic solvent, 5=8613. "Donor-acceptor" complex formation by high polymers, 6=6242. Direct observation of static nuclear susceptibilities at room temperature, 6=6828. Magnetic perturbation of the lowest triplet states of aromatic molecules by dissolved oxygen, 7=2041
Evans,D.J. A comparison of dry stripped, unbacked collodion and Formvar replicas, 6=2474. Collodion replicas from cross-sections of thin metallic strip and coatings, 6=2475
Evans,D.L. See Weissmann,S., 5=1365
Evans,D.M. The temperature dependence of the mobility of electrons in germanium, 7=1289. Measurements on alloy-type transistors with varying collector voltage, 7=7109. The measurement of the temperature dependence of the mobility and effective lifetime of minority carriers in the base region of silicon transistors, 9=6917
Evans,E.J. and Bazley,E.N. The absorption of sound in air at audio frequencies, 9=1198
Evans,G.E. See Barnett,C.F., 5=1717; Stier,P.M., 5=9981
Evans,G.R. Report on the high pressure cloud-chamber at the Marmolada, 5=6481. See also Donald,R.A., 9=9970
Evans,G.W., II, Faulkner,F.D., Lockhart,B.J. and Perry,C.L. Shock produced by a spherical piston of radius a(t), 7=1135
Evans,H.D. See Mayneord,W.V., 5=3036; Taft,R.W., Jr, 8=7452
Evans,J. See George,E.P., 5=8885
Evans,J.A. The evaporation theory of photo-nuclear reactions, 9=2815
Evans,J.C. Thermodynamic and spectroscopic study of vinylidene chloride. II. Vibrational spectra, 9=6735
Evans,J.C. and Morgan,I.G. The application of pneumatic gauging to high precision linear measurement, 7=128
Evans,J.C. and Wahr,J.C. Thermodynamic and spectroscopic study of pyrrolidine. II. Vibrational spectra and configuration, 9=12052
Evans,J.E. See also Bonner,T.W., 6=3243; Brugger,R.M., 7=2673; Joki,E.G., 7=725; Smith,M.S., 7=9396; Waters, J.R., 9=13691
Evans,J.E., Joki,E.G. and Smith,R.R. Evidence for a second naturally occurring isotope in tantalum, 5=3986

Evans,J.E., Kinsey,B.B., Waters,J.R. and Williams,G.H. Radiation widths of neutron resonances in Ta, 9=2824

Evans,J.E., Kinsey,B.B. and Whitmore,B.G. Measurement of the energies of nuclear states excited by inelastic neutron scattering, and a search for electric monopole transitions in Pb, 9=8515

Evans,J.F., Hadley,C.F., Eisler,J.D. and Silverman,D. A three-dimensional seismic wave model with both electrical and visual observation of waves, 5=1371

Evans,J.I. and Yuill,A.M. Initiation of condensed explosives by compression of the surrounding gas, 8=7580

Evans,J.V. The measurement of the electron content of the ionosphere by the lunar radio echo method, 7=2863. The scattering of radio waves by the moon, 8=855. See also Browne,I.C., 9=11295, 7=1017

Evans,J.W. Measurement of metallurgical equilibria by thermal conductivity gas analysis, 5=10052. Solc birefringent filter, 8=1635. See also Billings,D.E., 5=2546

Evans,M.G. Newton, and the cause of gravity, 9=3090

Evans,M.W., Given,F.I. and Richeson,W.E., Jr. Effects of attenuating materials on detonation induction distances in gases, 5=9500

Evans,N.T.S. and French,A.P. Nucleon exchange effects in the B^{10}(d, p) stripping reaction, 8=2565

Evans,P.R. and Freeman,N.J. The branching ratio of thorium C, 8=9030

Evans,P.R., Freeman,N.J., McGinty,G.K., Armitage,B.H. and Richardson,H.O.W. A prolate spheroidal field magnetic spectrometer with source near the equatorial plane, 9=2409

Evans,R.A. New method of flow visualization for low-density wind tunnels, 8=82

Evans,R.M. Fluorescence and gray content of surface colors, 9=13201. See also Burnham,R.W., 7=2891; Newhall, S.M., 9=4499, 10884

Evans,S. Scale heights and pressures in the upper atmosphere from radio-echo observations of meteors, 5=2333. See also Browne,I.C., 6=1802; Kaiser,T.R., 5=10107

Evans,T. See also Brame,D.R., 8=8464

Evans,T., Hedges,J.M. and Mitchell,J.W. A further contribution to the theory of photographic sensitivity, 5=7588

Evans,T. and Mitchell,J.W. Crystal imperfections and chemical reactivity, 5=5731

Evans,W.H. See also Alston,M.H., 7=1647, 1653, 8681, 8854

Evans,W.H., Jacobson,R., Munson,T.R. and Wagman,D.D. Thermodynamic properties of the alkali metals, 6=3699

Evans,W.W. See Chick,D.R., 7=702; Hunt,S.E., 7=7374

Eve,C.F. and Duckworth,H.E. The luminescent response of silver activated zinc sulphide to lithium ions of different energies, 6=8125. The luminescence response of phosphors to low energy ion bombardment, 8=1619

Eveno,M. See Meinnel,J., 7=5302

Everett,D.H. A general approach to hysteresis. III. A formal treatment of the independent domain model of hysteresis, 5=1557. Entropy production in irreversible mechanical processes, 9=1105

Everett,D.H. and Whitton,W.I. A thermodynamic study of the adsorption of benzene vapour by active charcoals, 5=6586

Everett,G.W. See Reilley,C.N., 5=7481

Everett,H., III. The "relative state" formulation of quantum mechanics, 8=2163

Everhart,E. See also Carbone,R.J., 6=5986; Fuls,E.N., 7=8687; Jones,P.R., 9=4752; Ziemba,F.P., 9=11523

Everhart,E., Carbone,R.J. and Stone,G. Differential cross-section measurements for large-angle collisions of helium, neon, and argon ions with argon atoms at energies to 100 keV, 5=6232. Classical calculation of differential cross section for scattering from a Coulomb potential with exponential screening, 5=8845

Everhart,T.E. See Oatley,C.W., 8=1093

Everitt,C.W.F. and Hanssen,K.J. Experimental determination of focal lengths and principal planes of asymmetric electron einzel lenses, 7=454

Everling,F. Linear relationships between nuclear energy levels, 9=2709. See also Bieri,R., 6=1301; Mattauch, J., 7=1528

Everling,F. and Mattauch,J. Explanation of discrepancies in the mass-spectrographic doublet measurements, 6=3125

Everling,F. and Wende,H. Adjustment of mass spectrographs, 9=2419

Evernden,J.F. and Verhoogen,J. Electrical resistivity of meteorites, 7=917

Evers,E.C. and Frank,P.W., Jr. Solutions of metals in amine solvents. II. A conductance function for dilute solutions of sodium in liquid ammonia, 9=6345

Eveson,G.F. See also Williams,J.L., 8=2832

Eveson,G.F. and Hall,E.W. A continuous-flow rotational viscometer for use with downward-settling suspensions, 6=2708

Evett,A.A. Ground state of the helium hydride ion, 5=8123, 6=1438. Alternate proof of the existence of the entropy function, 9=6862. Hindered rotator model for adsorbed hydrogen at low temperatures, 9=12741. See also Bills,D.G., 9=7715

Evseev,Z.Ya. The effect of a transverse magnetic field on the thermal conductivity of metals, 7=2107

Evstigneev,Yu.F. See Vavilov,Yu.N., 8=1757

Evva,F. Contribution to the theory of the optics of white sols. II, 5=3654

Ewald,A.W. Germanium-stabilized gray tin, 5=1761. See also Goland,A.N., 7=2262; Kohnke,E.E., 6=5884

Ewald,A.W. and Kohnke,E.E. Measurements of electrical conductivity and magnetoresistance of gray tin filaments, 5=2723

Ewald,A.W. and Tufte,O.N. Gray tin single crystals, 9=919. Electronic properties of gray tin single crystals, 9=6982

Ewald,H. Recent developments in high resolution mass spectrography, 5=5066. On the correction of aberrations of double-focusing mass-spectrographs, 9=9716. Spherical condensers free from spherical aberration, 9=12385. See also Liebl,H., 9=1538-9, 9717, 6=8334; Sauermann,G., 9=8237; v.Schierstedt,G., 6=6099

Ewald,H., Felkel,G., Hebeda,E. and Kocher,H. On the age estimation of minerals by the rubidium–strontium method, 9=6386

Ewald,H. and Liebl,H. The astigmatism of the toroidal condenser, 6=1300. The aberrations of the toroidal condenser, 8=638*

Ewald,H., Liebl,H. and Sauermann,G. Computation of a double-focusing, stigmatic mass spectrometer, 9=8236

Ewald,H. and Sauermann,G. A stigmatic image double focusing mass spectrograph, 6=5949

Ewald,P.P. Group velocity and phase velocity in X-ray crystal optics, 9=7610

Ewan,G.T. The decay of Au^{193} and level scheme of Pt^{193}, 7=8126. See also Geiger,J.S., 9=3860

Ewan,G.T., Geiger,J.S., Graham,R.L. and MacKenzie,D.R. The K–LL Auger spectrum of $_{94}$Pu^{239}, 9=5001

Ewan,G.T., Knowles,J.W. and MacKenzie,D.R. Internal conversion coefficients of γ-rays in Pu^{239}, 8=1939

Ewbank,W.B. See also Marino,L.L., 8=6211

Ewbank,W.B., Marino,L.L., Nierenberg,W.A., Shugart,H.A. and Silsbee,H.B. Nuclear spins of silver-104 and silver-106, 9=13597

Ewbank,W.B., Nierenberg,W.A., Shugart,H.A. and Silsbee,H.B. Spins of silver-105, silver-106, and silver-110 m, 8=5267

Ewing,R.D. See Spence,R.D., 9=2504

Ewing,V.C. and Ubbelohde,A.R. Hydrogenation through metal septa, 5=7458

Ewles,J. and Barmby,D.S. Optical and electrical properties of some oxygen activated alkali halides, 6=8111

Ewles,J. and Jain,S.C. Diffusion of negative ion vacancies in potassium chloride, 8=3477

Ewles,J., Jain,S.C. and Joshi,R.V. Electron traps produced in KCl by quenching or pressure, 8=5799

Ewles,J. and Stead,J.C. Luminescence and electrical conductivity associated with defects in alkali halide crystals, 6=5013

Exley,D. and Sproat,D. An ultra-micro flame spectrophotometer, 8=3852

Extermann,R. See Beeler,R., 6=1380, 5240; Cagnac,B., 6=3916; Dick,L., 5=1979; Fischer,G., 5=4864; Geneux,E., 6=1359; Hochstrasser,G., 9=11257; Manus,C., 5=452, 6=3915; Ryter,C., 6=3838; Winter,J., 5=1121

Extermann,R.C., See Béné,G.J., 5=3885

Eyeions,D.A., Owen,B.G., Price,B.T. and Wilson,J.G. The ionization loss of relativistic μ-mesons in neon, 5=9143

Eyer,J.A. Spatial frequency response of certain photographic emulsions, 9=6428. See also Kapany,N.S., 7=4258, 5951

Eyfrig,R. Contribution to the study of the effect of geomagnetism on the F1 layer, 6=1764

Eyfrig,R., Harnischmacher,E. and Rawer,K. Information obtained with the aid of ionization charts, 5=5756

Eyges,L. Some nonseparable boundary value problems and the many-body problem, 8=1531. Solution of Schrödinger equation for a particle bound to more than one spherical potential, 9=61

Eyraud,C. Separating effect of ultrasonics on a gaseous mixture, 6=3582. See also Sicard,L., 9=12165

Eyraud,I. See Janin,J., 5=2571
Eyraud,L. Mobility of the spontaneous polarization in ferroelectric barium titanate, 7=2173. See also Mesnard,G., 6=5071, 7=2171-2; Sicard,L., 9=12165
Eyring,H. See also Barker,R.S., 5=2929, 5=2965, 5=8958, 5=9809; Hahn,S.J., 9=10333; Hirai,N., 8=2846; Ree,T., 5=8329, 5=8330; Rosenstock,H.M., 6=2207
Eyring,H., Giddings,J.C. and Tensmeyer,L.G. Flame propagation: The random walk of chemical energy, 6=4365
Eyring,H. and Ree,T. A generalized theory of plasticity involving the virial theorem, 6=1658
Ezawa,H. To introduce the impact parameter into the analysis of multiple meson processes, 9=7266
Ezawa,H., Tomozawa,Y. and Umezawa,H. Quantum statistics of fields and multiple production of mesons, 7=7577
Ezhkova,Z., Zhdanov,G.S. and Umanskii,M.M. Thermal expansion of triglycine sulphate crystals in the region of the ferroelectric transition, 9=13218
Ezoe,H. and Hayashi,T. Velocity modulation type mass spectroscope, 9=13378

Fabelinskiĭ,I.L. Correlation of intensities in the fine-structure components of the Rayleigh-scattering line, 6=8711. Depolarized scattering of light in liquids and relaxation processes, 8=1000. Certain problems of molecular scattering of light in liquids, 8=4905. See also Ablekov,V.K., 9=9525; Motulevich,G.P., 5=1623, 7=340, 8=3820; Zaĭtsev,V.P., 8=6765

Faber,T.E. The supercooling effect in superconductors close to the transition temperature, 8=620. The phase transition in superconductors. IV. Aluminium, 5=8781

Faber,T.E. and Pippard,A.B. The penetration depth and high-frequency resistance of superconducting aluminium, 5=8780

Fabre,D. Variations, as a function of the thickness, of the reflecting power in the far ultraviolet of thin films of magnesium fluoride, 8=992. See also Kandare,S., 6=4336

Fabre,D. and Romand,J. Measurement of the reflectivities, in the far ultraviolet, of evaporated layers of tantalum, tungsten and zirconium, 6=4335

Fabre,H. Photonic action in gravitation and cosmology, 5=3413

Fabre,R. and Guyot,C. The installation of a fixed monitoring system in the high-activity laboratories at Saclay, 6=5587

Fabre de la Ripelle,M. Stationary states of a particle system in interaction with a field, 5=7695. Electromagnetic scattering of particles with a structure, 7=6890. Improvement of the Born approximation for scattering by a potential well of spherical symmetry, 8=3714. Excitation of the giant resonance by electrons, 8=5369. Resonance energy of the nuclear giant resonance, 9=667. Effect of nuclear deformation on the energy of the photonuclear giant resonance, 9=3911. The solution of equations by the method of perturbations, 9=11708

Fabri,E. The phenomenological treatment of τ-meson decay, 5=4957. Time reversal and complex numbers in quantum theory, 9=11798. See also Amaldi,E., 5=8278

Fabri,E. and Guerri,L. Use of the C.S.C.E. Pisa smaller computer in the solution of some problems, 9=7727

Fabricand,B.P. See also Yergin,P.F., 7=2660

Fabricand,B.P., Allison,B.A. and Halpern,J. Angular distribution of photoneutrons from carbon and beryllium, 7=1611

Fabrikant,V.A. On the theory of experiments on the deactivation of metastable atoms in collisions with atoms or molecules, 9=7397. See also Butaeva,F.A., 7=1176; Rozgachev,K.I., 7=9340; Titushina,V.P., 9=12024

Fabrikov,V.A., Kudryavtsev,V.D. and Gushchina,Z.M. Nickel-copper ferrites with a narrow resonance absorption curve at u.h.f., 9=446

Facchini,U. See also Badoni,C., 7=4737; Colli,L., 7=723, 7=8820, 7=9886, 8=1977, 9=13688; Lonati,R.D., 8=1238

Facchini,U., Forte,M., Malvicini,A. and Rossini,T. Analysis of U and Th minerals by alpha spectrum, 7=3578

Facchini,U. and Malvicini,A. A-N_2 fillings make ion chambers insensitive to O_2 contamination, 5=6241. A gas mixture for filling rapid ionization chambers, insensitive to contamination with oxygen, 5=7142. The fast ionization chamber in the study of α-radioactivity in air, 6=584

Faddeev,L.D. On the dispersion relations in non-relativistic scattering theory, 9=2086. On the relation between the S-matrix and potential for the one-dimensional Schrödinger operator, 9=7807

Fadeev,V.I. See Krisyuk,É.M., 8=6242; Zhernovoĭ,A.I., 8=7359

Faerman,G.P. See Godina,D.A., 9=13164-5

Faessler,A. See also Renner,H., 5=4829

Faessler,A. and Goehring,M. The K a doublet of sulphur in metal sulphides, 6=2146

Fafarman,A. Absolute intensity of low-energy cosmic-ray μ mesons, 7=3408

Fafarman,A. and Shamos,M.H. Low-energy differential range spectrum of cosmic-ray μ mesons, 5=1019. Mesonic X-rays from capture of cosmic-ray μ mesons in a chemical compound, 6=4430

Faget,J. See also Durand,M., 9=5134

Faget,J., Ferré,J. and Fert,C. The Fresnel biprism in electron optics; influence of source size; effect of an alternating voltage applied to the wire on the biprism, 8=4069

Faget,J. and Fert,C. Interference and diffraction fringes in electron optics: Fresnel diffraction, Young's pinholes, Fresnel biprism, 7=5377. Interference microscopy and measurement of the phase difference introduced by a film in electron microscopy, 7=9233. Diffraction and interference in electron optics, 9=336

Faget de Casteljau,P. de. See de Faget de Casteljau,P.

Fagg,L.W. Coulomb excitation of Sb, Cs, and Ba, 8=1969. See also Butler,J.W., 9=4979; Wolicki,E.A., 7=3633

Fagg,L.W., Geer,E.H. and Wolicki,E.A. Coulomb excitation of V, Ni, Ga, and Rb, 7=2531

Fagg,L.W. and Hanna,S.S. Polarization measurements on nuclear gamma rays, 9=12536

Fagg,L.W., Wolicki,E.A., Bondelid,R.O., Dunning,K.L. and Snyder,S. Coulomb excitation of tellurium and silver, 6=1609

Faggiani,D. The language of relativity and physical reality, 9=7771

Fagot,B. See Durandeau,P., 9=3569, 9=7081

Fahlenbrach,H. The fundamental magnetization processes in Alnico permanent magnet alloys, 5=4801. The origin of the permeability change of iron-silicon single crystals by means of magnetic annealing, 5=6293

Fahrenfort,J. See also Ketelaar,J.A.A., 5=3584

Fahrenfort,J. and Ketelaar,J.A.A. Simultaneous vibrational transitions in the infrared absorption spectra of compressed gases, 5=193

Fahrig,R.H. See Medcalf,W.E., 9=4102

Faĭdȳsh,A.N. The effect of association of anthracene molecules in naphthalene crystals on the luminescence spectra, 8=982. See also Kucherov,I.Ya., 8=584, 9=10815

Faĭdȳsh,A.N., Kucherov,I.Ya. and Terskiĭ,A.A. Disturbances in the transfer of excitation energy in a solid solution of naphthacene in anthracene, 7=7013

Faĭdȳsh,O.M. See also Ahranovȳch,V.M., 8=6871

Faĭdȳsh,O.M. and Kucherov,I.Ya. The temperature dependence of the luminescence-quantum outputs of solid solutions of condensed hydrocarbons, 8=6865

Failla,G. See Ellis,R.H.,Jr, 5=3833; Rossi,H.H., 6=5343; Wingate,C., 7=4501, 9=4754

Faiman,Z. An equipment for measuring reverberation time, 7=3117

Fain,J. See also Lefkovits,H.C., 5=9802

Fain,J. and Matsen,F.A. Complete π-electron treatment of the butadiene molecule and ion, 7=5526

Faĭn,V.M. Velocity distribution of electrons in the presence of an alternating electric and constant magnetic field, 5=9783. Radiation of molecules in the presence of a strong high-frequency field, 7=235. On the question of natural line-width in the radiofrequency region, 8=116. Radiation emitted by molecules in the presence of a strong high-frequency field, 8=2020. On oscillation equations of a molecular generator, 8=5144. A saturation effect in a system with three energy levels, 8=6074. Quantum phenomena in the radiofrequency range, 8=7116. See also Ginzburg,V.L., 7=7242; Zhevakin,S.A., 6=7085

Fain,W.W., Brown,S.L. and Lockenvitz,A.E. U-effect, II, an electrokinetic phenomenon, 8=3150

Fain,W.W., Crain,C.M. and Duesterhoeft,W.C. Electromagnetic noise and propagation observations in the vicinity of a nuclear reactor, 8=8365

Faĭnberg,V. and Fradkin,E. Dispersion relations for Fermi particles, 7=1055

Faĭnberg,V.Ya. On the theory of excited states of nucleons. I, 5=2408, II, 5=2409. Non-linear equations in the quantum theory of fields, 6=7965. See also Silin,V.P., 5=8502, 6=2657; Tamm,I.E., 5=1243

Faĭnberg,Ya. B. See also Rutkevich,B.N., 9=9886

Faĭnberg,Ya. B. and Khizhnyak,N.A. Energy loss of a charged particle passing through a laminar dielectric. I, 8=5055

Faĭnshteĭn,S.M. and Fistul',V.I. The determination of gaseous micro-impurities in surface layers of germanium, 7=5717

Faĭnshteĭn,S.M. and Lȳsogorov,O.S. The effect of ionic bombardment on the current–voltage characteristics of silicon point-contact diodes, 8=7006

Fairbairn,A.R. and Gaydon,A.G. The spectrum of the decomposition flame of ozone, 5=2574. Comparison of the spectra produced by shock waves, flames and detonations, 5=3551. Spectra produced by shock waves, flames and detonations, 7=5971

Fairbairn,W.M. The D-D reaction, 5=1194. The stripping theory of deuteron reactions and the inelastic scattering of deuterons, 7=6564

Fairbank,H.A. Second sound in ^{3}He–^{4}He mixtures, 9=1382

Fairbank,H.A. and Wilks,J. Heat transfer in liquid helium below 1°K, 5=8709

Fairbank,W.M. See also Blevins,G.S., 6=1253; Dessler,A.J., 7=1236; Walters,G.K., 6=8737-8

Fairbank,W.M. and Walters,G.K. Nuclear alignment in liquid and solid ^{3}He, 9=5943

Fairbanks,G. Experimental studies of time compression of speech, 6=6481. Test of phonemic differentiation: the rhyme test, 9=972

Fairbanks,G., House,A.S. and Melrose,J. Auditory detection of the presence and absence of signals in noise, 6=6487

Fairbanks,G. and Kodman,F.,Jr. Word intelligibility as a function of time compression, 7=8490

Fairbanks,G. and Miron,M.S. Effects of vocal effort upon the consonant–vowel ratio within the syllable, 7=8489

Fairbanks,H.V. and Dewez,F.J.,Jr. Effects of acoustical waves on the annealing of steels, 7=8967

Fairbrother,J.A.V., Parkyn,D.G. and O'Connor,B.M. The K Auger yield for tin, 7=4430

Faire,A.C. and Champion,K.S.W. Measurements of dissociative recombination and diffusion in nitrogen at low pressures, 9=4757

Faire,A.C., Fundingsland,O.T., Aden,A.L. and Champion,K.S.W. Electron recombination coefficient measurements in nitrogen at low pressures, 8=8848

Faires,R.A., Johnston,J.E. and Millett,R.J. Advances in isotope techniques, 5=1173

Fairhall,A.W. Fission of bismuth with 15- and 22-MeV deuterons, 6=6156. See also Ball,J B., 9=7353; Debs,R.J., 5=4067; Halpern,I., 5=6465; Jensen,R.C., 8=1987

Fairlie,D.B. and Polkinghorne,J.C. The solutions of the Low equation. I, 8=3720; II, 8=5643

Fairstein,E. Nonblocking double-line linear pulse amplifier, 7=2353

Fairweather,A. Dielectric absorption in dilute, liquid, polar solutions: a new approach, 6=2069

Fairweather,D. and Richards,R.C. Quartz crystals as oscillators and resonators, 7=6962

Fairweather,I.L. See Connor,R.D., 8=1930

Faissner,H. and Bothe,W. On the "higher maxima" in the shower transition curve, 6=1339

Faissner,H. and Gönnenwein,F. Angular distribution in the photofission of thorium, 9=11488

Faissner,H., Lauterjung,K.H. and Schimmer,B. The form of the shower produced (Rossi) curve with large thicknesses of lead, 7=509. Emission of cosmic ray showers in lead, 7=1430

Faivre-Blancheton,É. Variational equations of general relativity, 7=9514

Faĭzullov,F.S. See Sobolev,N.N., 8=3949

Faians.J. Focusing of thermal [sound] waves in superfluid helium, 8=2282. See also Neumark,G., 5=9582

Fakidov,I.G. See also Margolin,S.D., 7=2604; Samokhvalov,A.A., 8=4035

Fakidov,I.G. and Grazhdankina,N.P. The physical properties of the chromium–germanium alloys. I, 9=9786

Fakley,D.C. Comparison between the performances of a time-averaged product array and an intraclass correlator, 9=13117

Falco,F. A method for the measurement of surface potentials and its applications, 7=1246

Faler,K.T. See Toth,K.S., 9=12640

Falge,R.L. See Hein,R.A., 7=4317

Falge,R.L.,Jr. See Hein,R.A., 9=12302

Falgueirettes,J. Scattering of X-rays by a nematic liquid single crystal, 6=961. Distribution of molecules, in a liquid single crystal, obtained from measurements of the scattering of X-rays, 6=962. Diffraction of X-rays by a liquid monocrystal of the nematic type, 9=11907

Falk,G. On the quantum mechanics of many-body problems, 6=88. Third law of thermodynamics, 9=13241

Falk,G. and Mann,A. On the viscosity ratio between ortho- and para-hydrogen, 6=123

Falk,G. and Meixner,J. Classification of relaxation processes in crystals, 9=4039

Falk,G. and Schwering,F. Theory of an electrical high-frequency mass-spectrometer, 8=7121

Falk,R.B. See Lever,R.C., 8=8885

Falk,S. Bending, buckling and oscillation of a multi-span straight beam, 9=9262

Falkenhagen,H. and Kelgb,G. On a deviation from the Boltzmann distribution, 5=4389. Remarks on the statistics of solutions, 5=5261

Falkenhagen,H. and Ulbricht,H. Theory of the field strength effect of strong electrolytes, 7=8240

Falkoff,D. Integral over path formulation of statistical theory of irreversible processes, 7=5893. Statistical theory of irreversible processes. I. Integral over fluctuation path formulation, 9=1097

Falk-Vairant,P. Contribution to the study of the disintegration schemes of some α-emitters, 5=2129. See also Alvarez,L.W., 7=5651, 7=8881; Valladas,G., 5=4903

Falk-Vairant,P. and Petit,G.Y. Study of α-γ angular correlations in $L_0(\mathrm{Th}^{230}_{90})$. III. 250 keV level, 5=4020

Falla,D. See K-collaboration, 9=13575

Falla,D.F., Friedlander,M.W., Anderson,F., Greening,W.D.B., Limentani,S., Sechi-Zorn,B., Cernigoi,C., Iernetti,G. and Poiani,G. Parent stars of K^+-mesons, 7=8887

Falla,L. Techniques of measurement of resolving power, description and performance of an interference resolumeter, 7=4118

Falleni,M. See Caracciolo,A., 9=7724

Famularo,K. See Zipoy,D., 7=6545

Famularo,K.F. See Bolmgren,C.R., 7=3641; Freier,G.D., 8=4311; Holmgren,H.D., 5=2163; Simmons,B.E., 5=2166; Stratton,T.F., 5=5630

Fan,C.Y. Is helium a component of auroral particles?, 6=845. Origin of cosmic radiations, 6=2617. Nonthermal radio emission of the galaxy and the origin of cosmic radiations, 6=5619. Laboratory studies of auroral excitation, 6=9142. Emission spectra excited by electronic and ionic impact, 7=220. Time variation of the intensity of auroral hydrogen emission and the magnetic disturbance, 9=12912. See also Chamberlain,J.W., 5=5803

Fan,C.Y. and Schulte,D.H. Variations in the auroral spectrum, 5=5805

Fan,H.Y. Infra-red absorption in semiconductors, 6=8771. Properties of semiconductors, 9=289. See also Caldwell,R.S., 9=9636; D'Altroy,F.A., 7=382; Fisher,P., 9=12068; Kaiser,W., 5=6134; Laff,R.A., 9=1453; Spitzer,W.G., 6=346, 7=7094, 8=3122, 8=4878; Stöckmann,F., 9=5729

Fan,H.Y. and Fisher,P. Absorption spectra of Group V donors in germanium, 9=5534

Fan,H.Y. and Lark-Horovitz,K. Fast particle irradiation of germanium semiconductors, 5=5407. Irradiation of semiconductors, 9=11004

Fan,H.Y., Navon,D. and Gebbie,H. Recombination and trapping of carriers in germanium, 5=2744

Fan,H.Y. and Ramdas,A.K. Infrared absorption in neutron irradiated silicon, 9=6731. Infrared absorption and photoconductivity in irradiated silicon, 9=10783

Fan,H.Y., Shepherd,M.L. and Spitzer,W. Infrared absorption and energy band structure of germanium and silicon, 7=7924

Fan,H.Y., Spitzer,W. and Collins,R.J. Infrared absorption in n-type germanium, 6=2101. See Kolomenskii,A.A., 9=13373

Fan,T.Y.Teng. See Teng Fan,T.Y.

Fanchenko,S.D. See Zavoiskii,E.K., 5=9344, 7=3037

Fand,R.M. and Kaye,J. Hot wire method for visualizing intense stationary sound waves, 9=7906

Fane,R.W. A sintered nickel matrix cathode, 8=3206

Faneuff,C.E. See also McLean,E.A., 6=2829, 8=2257

Faneuff,C.E., McLean,E.A. and Scherrer,V.E. Some aspects of surface boiling, 8=3934

Fang,P.H. Conductivity of plasmas to microwaves, 9=4740

Fang,P.H. and Brower,W.S. Temperature dependence of the breakdown field of barium titanate, 9=4659

Fang,P.H., Marzullo,S. and Brower,W.S. Domain conversion of multidomain barium-titanate single crystals, 8=7505

Fanguin,R. See Raoult,G., 5=8937

Fano,G. See Buccafurri,A., 9=11799

Fano,L. See Hilsenrath,J., 8=3913; Mann,D.E., 7=8044, 7=8046-7

Fano,U. Note on the quantum theory of irreversible processes, 5=912. Differential inelastic scattering of relativistic charged particles, 6=4201. Atomic theory of electromagnetic interactions in dense materials, 6=8575. Description of states in quantum mechanics by density matrix and operator techniques, 7=6915. Angular correlation of radiations with parallel angular momenta, 7=9846

Fano,U., Koch,H.W. and Motz,J.W. Evaluation of bremsstrahlung cross sections at the high-frequency limit, 9=3723

Fano,U. and Nelms,A.T. An approximate expression for gamma-ray degradation spectra, 9=627

Fant,G. Modern instruments and methods for acoustic studies of speech, 8=4835

Fantappiè,L. On a new theory of "definitive relativity", 5=5210. Deduction of Newton's law of gravitation from the property of the Galilean group. I, 5=7719. II, 6=100. Construction of a fundamental system of physical differential operators for any universe with a simple basic group. Autonomous deduction of the generalized Schrödinger equation in the theory of definitive relativity, 7=69

Fanti,F. and Porreca,F. Behaviour of suspensions crossed by a

small light beam modulated by ultrasonics, 5=5292

Fara,H. and Balluffi,R.W. Further note on the application of the Boltzmann–Matano analysis to vapor–solid diffusion couples, 7=778. Analysis of diffusion in media undergoing deformation, 8=7561. On the effect of nonequilibrium vacancies on the kinetics of Kirkendall diffusion, 9=7534

Faraday,B.J. and Gregan,D.J.G. Experimental study of mechanical dissipation in butt-joined ADP crystal plates, 8=2880. Modulus of rupture of zxt 45 ADP crystals, 9=883

Farag,M.S. On the determination of the space-group by the statistical method, 9=932

Faraggi,H. Some examples of the application of autoradiography in metallurgy, 9=13988. See also Berthelot,A., 5=7367; Beydon,J., 6=2390, 7=7323, 7=7366; Chaminade,R., 6=2954; Crut,M., 7=8150

Faraggi,H., Olkowsky,J., Beydon,J., Crut,M., Chaminade,R. and Papineau,A. Study of the transmutation of copper by nitrogen, oxygen and neon, 7=1585

Farago,P.S. Proposed method for direct measurement of the g-factor of free electrons, 9=5992. See also Zrelov,V.P., 8=8221

Faragó,P.S., Gécs,M. and Mertz,J. Investigation of magnetic moments of atomic nuclei, 6=7626

Faragó,P.S. and Jánossy,L. Review of the experimental evidence for the law of variation of the electron mass with velocity, 7=8370

Faragó,P.S. and Marx,G. Quantum effects in the interaction between free electrons and electromagnetic fields, 5=8495

Faraone,G. See Bruno,M., 8=7329

Farber,J. and Davis,B.I. Analysis of large aperture parabolic mirrors for solar furnaces, 7=5267

Farber,M. See also Altman,D., 6=8746

Farber,M. and Darnell,A.J. Heat of formation and entropy of titanium tetrachloride from an investigation of the equilibrium: $TiO_2(s) + 4HCl(g) = TiCl_4(g) + 2H_3O$ (g), 5=8716. Disproportionation and vapor pressure of $TiCl_2$, 6=8731

Farber,M., Darnell,A.J. and Brown,F. X-ray diffraction patterns of $TiCl_2$ and $TiCl_3$, 5=9272

Farinelli,U. On the "infinite retardation" approximation in the study of the transient of a nuclear reactor, 8=7415. See also Cappellani,F., 9=3878; De Benedetti,S., 8=731

Farinelli,U., Ferrero,F., Malvano,R., Menardi,S. and Silva,E. Photoexcitation of Pb^{207m}, 9=3917

Farinelli,U., Ferrero,F., Ferroni,S., Malvano,R. and Silva,E. On the (γ, pn) reaction in ^{32}S, 9=8627

Farinelli,U. and Gamba,A. Physics and mathematical logic, 5=6716. Entropy in quantum mechanics, 6=4843

Faris,F.E. Starting up S.R.E., 8=1273

Faris,J.J. See Alpern,M., 7=1815

Fark,H. Investigation of the relationship between the number of modes of vibration of a linear, elastic body and the stress applied to the individual elements of mass, particularly as applied to transverse vibrations on a wire, 6=4255

Farkas,I. See Nagy,K., 8=2465

Farley,F.J.M. Nomogram for nuclear reaction calculations, 5=1174. A high pressure methane ionization chamber, 6=6728. See also Harding,G.N., 7=2645; White,R.E., 7=8899

Farley,F.J.M. and Storey,J.R. The sidereal correlation of extensive air showers, 5=1025. Time variations of extensive air showers, 7=8707

Farley,F.J.M. and White,R.E. Neutron alpha particle angular correlation in the reaction $^7Li(d, \alpha)$ and the ground state of ^5He, 8=3370

Farley,T.A. See Senftle,F.E., 7=4659

Farlow,N.H. An improved halide ion-sensitive sampling surface for water aerosols, 5=1336

Farmelo,D.R. See Smith,G.W., 8=7350

Farmer,F.T. A sub-standard X-ray dosemeter, 5=7996. See also Fowler,J.F., 5=6141-2, 5=7026, 5=7467

Farmer,J.B., Henderson,I.H.S., Lossing,F.P. and Marsden,D.G.H. Free radicals by mass spectrometry. IX. Ionization potentials of CF_3 and CCl_3 radicals and bond dissociation energies in some derivatives, 6=4542

Farmer,J.B., Henderson,I.H.S., McDowell,C.A. and Lossing,F.P. Benzyl-hydrogen bond dissociation energy, 5=2928

Farmer,J.B., Lossing,F.P., Marsden,D.G.H. and McDowell,C.A. Free radicals by mass spectrometry. VIII. The ionization potentials of para-, ortho- and meta- xylyl radicals, 6=3067

Farmer,J.B., Lossing,F.P., Marsden,D.G.H. and Steacie,E.W.R. Mass spectrometric detection of radicals in the mercury photosensitized decomposition of acetone, 5=8349

Farmer,J.B., Marsden,D.G.H. and Lossing,F.P. Thermal stability of ortho-, para-, and meta- xylyl radicals and the formation of quinodimethanes, 5=4142

Farnell,G.C. Low-temperature reciprocity failure of photographic emulsions and the temperature dependence of sensitivity, 8=1406

Farnell,G.W. Calculated intensity and phase distribution in the image space of a microwave lens, 8=1795. Measured phase distribution in the image space of a microwave lens, 8=7848. On the axial phase anomaly for microwave lenses, 9=168. See also Bekefi,G., 6=8291

Farney,G.K. See also Givin,H.H., 5=1162

Farney,G.K., Givin,H.H., Kern,B.D. and Hahn,T.M. High-energy gamma rays from the proton bombardment of fluorine, 5=3076

Farnsworth,H E. Comments on the paper by J.C.Rivière: "Contact potential difference measurements by the Kelvin method", 8=3965. See also Allen,R.B., 6=5103; Dillon,J.A., Jr, 7=5373, 9=3546, 9=7528; Fowler,H.A., 8=5935; George,T.H., 9=8977; Madden,H.H., 9=6274; Schlier,R.E., 7=7862, 9=7530, 9=9029; Wallis,G., 6=5139

Farnsworth,H.E., Schlier,R.E. and Dillon,J.A., Jr. Surface-structure and work-function determinations for silicon crystals, 9=7546

Farnsworth,H.E., Schlier,R.E., George,T.H. and Burger,R.M. Ion bombardment-cleaning of germanium and titanium as determined by low-energy electron diffraction, 5=4993. Application of the ion-bombardment cleaning method to titanium, germanium, silicon, and nickel as determined by low-energy electron diffraction, 9=2944

Farnsworth,H.E., Schlier,R.E. and Tuul,J. Tests with low-energy electron diffraction for adsorbed hydrogen and nickel hydroxide formed on the (100) surface of a nickel crystal at 25°C, 9=8979

Farnsworth,H.E. and Tuul,J. Influence of lattice-defect density on the chemisorption and oxide formation on a clean (100) crystal face of nickel as determined by low-energy electron diffraction, 9=8978

Farooqi Afzal. See Afzal Farooqi.

Farquhar,I.E. and Landsberg,P.T. On the quantum-statistical ergodic and H- theorems, 7=5088

Farquharson,J. and Kermicle,H.A. Precise automatic manometer reader, 7=5904

Farr,H.K. Comments on "Electrolytic tank, design and applications", 7=7842

Farr,J.D. See Pidd,R.W., 9=13366

Farr,R.F. The distribution of dose-rate across the field of an X-ray therapy tube, 6=8540

Farrands,J.L. Asymmetric fringes in multiple beam systems, 9=9515

Farrands,J.L. and Cawsey,G.F. Microwave observation of detonation, 6=2495

Farrar,R.T. Spin–lattice relaxation time in yttrium iron garnet, 8=8904

Farrar,T.C. See Stejskal,E.O., 9=8366

Farrelly,B. See also Benczer,N., 6=1516; Koerts,L., 5=7319

Farrelly,B., Koerts,L., Benczer,N., van Lieshout,R. and Wu,C.S. Radiations from Sb^{122}, 5=9858

Farrelly-Pessoa,E. See Hayward,R.W., 9=5023

Farringer,L.D. See Yu.Ting, 5=3889

Farris,V.D. Diffusion in moving striations, 5=7085. Note on moving striations, 5=8795

Farrow,L.A. Mean free path of high-energy nucleons in the atmosphere, 8=5086

Farvis,W.E.J. See Pringle,D.H., 5=6182, 6=2141

Farwell,G.W. See Bodansky,D., 9=6118; Kerlee,D.D., 8=326; Yavin,A.I., 9=8612

Fasana,A. and Sangiust,V. Intensity of Po–Be neutron source with n–γ coincidence method, 9=9961

Fasham,J.A.L. See Wooster,W.A., 8=3579

Fasoli,U., Maroni,C., Modena,I., Pohl,E. and Pohl-Ruling,J. On the correlation of the intensity of μ^-- and μ^+-mesons with the pressure at sea-level, and with the height of the 100 mb layer, 7=8002

Fasoli,U., Modena,I., Pohl,E. and Pohl-Rüling,J. The differential and directional positive excess of mesons at sea level, 8=648

Fasoli,U. and Pohl-Rüling,J. On the correction of the intensity of cosmic rays at sea level by means of atmospheric data, 8=1111

Fassbender,J. The effect of a glow discharge on the conductivity of cadmium sulphide single crystals and the formation of ohmic contacts, 6=5866. See also Ecker,G., 8=5919

Fassel,V.A. See Kniseley,R.N., 6=176; Layton,E.M.,Jr, 6=6827

Fast,J.F. See Rathenau,G.W., 6=3006; Wijn,H.P.J., 7=7233

Fastie,W.G. Surface bloom on evaporated aluminum, 7=2728. See also Crosswhite,H.M., 6=1036

Fastie,W.G., Crosswhite,H.M. and Gloersen,P. Vacuum Ebert grating spectrometer, 8=946

Fateev,A.P. See Bolotovskiĭ,B.M., 8=2359

Fateev,N.P. See Kolomoets,N.V., 6=6425

Fateeva,L.N. See Nikolaev,V.S., 8=1730, 8=4090, 8=5986; Teplova,Ya.A., 8=1744, 8=7136

Fatehally,R.A. See Garlick,G.F.J., 9=6228

Fatehchand,R. See Ahmend,R., 9=10470

Fatehchand,R.R.T. The electrical breakdown of gaseous dielectrics at high frequencies, 7=6145, 7=7846

Fateley,W.G., Bent,H.A. and Crawford,B.,Jr. Infrared spectra of the frozen oxides of nitrogen, 9=9436

Fateley,W.G., Curnutte,B. and Lippincott,E.R. Vibrational spectrum and structure of the tropylium ion, 7=7753

Fatt,P. Physics of nerve processes, 8=6566

Fattah el Nadi,Abdel. See Abdel Fattah el Nadi, 5=10125

Fattakhov,K.Z. The dipole moments of some polymers of halogenated styrenes, 5=2061

Fatzer,G.D. Concerning amidol development of nuclear emulsions, 9=8423

Fatzer,G.D., Weill,R., Gailloud,M. and Haenny,C. Developing faults using an amidol developer. The effect of sodium sulphite concentration, temperature and duration of development, 9=13992

Fauble,L.G. See Peed,W.F., 7=3341

Faucher,G.A. See Sagalyn,R.C., 5=1406, 9=9089

Faucher,J.A., McManus,G.M. and Trurnit,H.J. Simplified treatment of ellipsometry, 8=1003

Fauconnier,C. and Harrand,M. Action of water on the Raman frequencies of dioxan, 6=5019

Faughnan,B.W. See Strandberg,M.W.P., 8=8161

Faulkner,E.A. Nuclear magnetic resonance in rolled copper sheet, 9=9845

Faulkner,F.D. See Evans,G.W.,II, 7=1135

Faulkner,J.E. S.C.F. L.C.A.O. M.O. study of Li_2, 7=8756

Faull,N. An experimental study of neutron induced activities in water, 7=7393

Faure,P. and Savelli,M. Remarks on the use of characteristic functions and generating functions in certain physical problems, 8=478

Fauris,M. Rotational structure of the emission bands of formaldehyde, 5=5309. The origin of the continuous emission spectrum of acetone, 5=8603

Faust,R.C. Refractive index determinations by the central illumination (Becke line) method, 6=1949

Faust,R.C. and Marrinan,H.J. The determination of the order of interference in white light, 5=9584

Faust,W.R. See Griem,H.R., 9=12410; Scherrer,V.E., 5=523; Theus,R.B., 5=4925

Fava,G. See Nardelli,M., 9=13950

Favella,L. On the stability of the Nordström Reissner singularity, 9=25

Favella,L. and Olivetti,M. On the elastic p–d scattering at high energies, 9=7259

Favero,P. and Grifone,G. A microwave spectrograph with auxiliary modulation, 7=3123

Favero,P., Mirri,A.M. and Baker,J.G. Millimeter wave spectrum and structure of formyl fluoride, 9=12013

Favero,P.G., Mirri,A.M. and Gordy,W. Millimeter-wave rotational spectrum of NO in the $^2\pi_{3/2}$ state, 9=12055

Favini,G. See also Simonetta,M., 7=4148, 7=9614

Favini,G., Carrà,S., Pierpaoli,V., Polezzo,S. and Simonetta,M. Electronic spectra of mono-, di- and tri-azines of the naphthalene series, 8=2958

Favini,G. and Simonetta,M. Application of the self consistent field method to the molecules cis and trans dichloroethylene and tetrachloroethylene, 9=2884

Favre,H. On the application of the theory of errors to the solution of a system of equations used in photoelasticity, 5=6971

Favre,R. An arrangement for the reduction of the time of resolution of electronic scalers of impulses, 5=2822. See also Biasutti,M., 5=2838

Fawcett,E. The surface resistance of normal and superconducting tin at 36 kMc/s, 6=2898. Cyclotron resonance in tin and copper, 7=2396. Cyclotron resonance in aluminum, 9=13793

Faxén,H. Turbulent flashes, 8=5686

Fay,H. On the heavy nuclei in the primary cosmic radiation, 5=8881. Electron–photon cascades of high energy in photographic emulsions, 7=9861. Statistical fluctuations occurring in electron-photon cascades of 1000 GeV primary energy, 8=4221

Fay,J.A. Two-dimensional gaseous detonations: velocity deficit, 9=7889

Fay,J.A. and Lekawa,E. Ignition of combustible gases by converging shock waves, 6=2748

Fay,P.S. See Grant,G., 8=6607

Fay,R.D. Successful method of attack on plane progressive finite waves, 7=174. Oppositely directed plane finite waves, 8=2887. Spherical waves of finite amplitude, 9=13119

Fay,R.D. and Hall,W.M. Historical note on the Haas effect, 6=2763

Fayers,F.J. See Rymer,T.B., 7=3845; Tomlin,D.H., 6=8641

Fayolle,P. See Devaux,P., 5=10160

Fayram,R. See Biehl,A.T., 7=3688

Fazzini,T. Some remarks on circuits for electro-retinographs, 7=1814. See also Carrara,N., 5=7691; Ferretti,L., 7=8878

Fazzini,T., Fidecaro,G., Merrison,A.W., Paul,H. and Tollestrup,A.V. Electron decay of the pion, 9=2615

Fazzini,T.F. See Della Corte,M., 6=4632

Feast,M.W. The spectra of AM Cen and GP Ori, and the opacity in the violet region of N-type stars, 6=1819

Feaster,G.R. See Wiseman,G.G., 7=5305

Feather,N. See also Ross,M.A.S., 5=8224, 6=632

Feather,N., Miller,N. and Peat,S.W. Search for a rare α-emission in ^{228}Ra (MsTh1), 7=8798

Featherston,F.H. See Webb,F.H., 8=7279

Featherstone,R.P. See Day,E.A., 8=5984

Fechter,H.R. See Tautfest,G.W., 5=4731

Fechtig,H. See Gentner,W., 9=4212

Fedchenko,E.D. See Vanetsian,R.A., 6=7478

Feddersen,W.E. See also Sandel,T.T., 5=10152

Feddersen,W.E., Sandel,T.T., Teas,D.C. and Jeffress,L.A. Localization of high-frequency tones, 8=842

Fedeli,R.P. See also Aliverti,G., 9=6385; Bonancini,C., 9=12427; Perilli-Fedeli,R.

Feder,D.P. Automatic lens design methods, 8=103. Calculation of an optical merit function and its derivatives with respect to the system parameters, 8=3846

Feder,R. See also Muldawer,L., 5=10077

Feder,R., Mooney,M. and Nowick,A.S. Ordering kinetics in long-range ordered Cu_3Au, 8=3481

Feder,R. and Nowick,A.S. Use of thermal expansion measurements to detect lattice vacancies near the melting point of pure lead and aluminum, 9=803

Feder,R., Nowick,A.S. and Rosenblatt,D.B. Study of order in annealed and irradiated alpha brass by lattice parameter measurements, 9=856

Federbush,P., Goldberger,M.L. and Treiman,S.B. Electromagnetic structure of the nucleon, 9=2585

Federbush,P.G. and Grisaru,M.T. Representations of symmetry operators, 9=2042

Federici,M. Directional characteristics and mechanical impedance of a cylindrical source with radial vibration, 6=151. Directional characteristics and [acoustic] impedance of an artifically-compensated vibrating cylindrical source, 8=5736. On the sound wave reflected by a sphere struck by a sound pulse, 9=5465

Federighi,T. See Panseri,C., 9=7515

Fedin,E.I. and Konstantinov,Yu.S. Apparatus for nuclear quadrupole resonance observation, 9=9846

Fedin,L.A. On the application of a thin Lummer-Gehrcke plate, 8=4899

Fedorchenko,A.M. See Tolpy̆go,K.B., 7=4873

Fedorenko,N.V. Single scattering of positive ions in a gas, 5=331. See also Afrosimov,V.V., 8=8077, 9=5841, 9=8261; Dukel'skiĭ,V.M., 6=2209, 6=7496; Il'in,R.N., 9=11153

Fedorenko,N.V. and Afrosimov,V.V. Ionization of gases by He^+, Ne^+ and A^+ ions, with formation of multiply charged ions during single interaction, 7=2368

Fedorenko,N.V., Afrosimov,V.V., Il'in,R.N. and Kaminker,D.M. Dissociation of the molecular ion H_2^+ in collisions with gases, 9=13761

Fedorenko,N.V., Afrosimov,V.V. and Kaminker,D.M. Capture of electrons and ionization in interaction of singly charged positive ions with the atoms of a gas, 7=2367

Fedorev,G.V. See Volkenshteĭn,N.V., 9=2315

Fedorov,A.A. See Fok,V.A., 9=9879

Fedorov,F.I. Reduction of wave equations for spin 0 or 1 to the Hamiltonian form, 7=1078. The optics of magnetic crystals. I. Equation of normals, 7=9122; II. Binormals and

biradials. Optical surfaces, 7=9123; III. Uniaxial and singly-refracting magnetic crystals, 7=9124. Optics of absorbing crystals. I. General relations, 8=932; II. Crystals of medium syngonies, 8=933. Projective operators in elementary particle theory, 9=2072. Invariant methods in the optics of transparent non-magnetic crystals, 9=12153. Theory of the optical activity of crystals. I. The law of conservation of energy and optical activity tensors, 9=13195; II. Crystals of cubic syngony and planar classes of middle syngonies, 9=13196. See also Bokut',B.V., 9=13197; Sotskii,B.A., 9=9365

Fedorov,F.I. and Tomil'chik,L.M. Theory of the optical properties of biaxial magnetic crystals, 9=9505

Fedorov,G.B. See Gruzin,P.L., 8=4454

Fedorov,G.V. See Orlov,A.N., 7=4682; Palatnik,L.S., 7=5902

Fedorov,V.M. See Kirillov-Ugryumov,G.V., 6=5179

Fedorov,V.N. See Alikhanyan,A.I., 7=3411

Fedorova,E.O. Method of determining an index of scattering of light by large particles of arbitrary shape, 7=299

Fedorova,M.F. See Borovy̆k,Ye.S., 8=7754; Lazaryev,B.H., 8=6720

Fedorova,N.I. Infrared spectrum of the northern night sky in the region 9500-11 500 A, 8=6547. Spectra of the night sky in the region 8200-11 200 A, 9=9081. See also Bagariazky,B.A., 6=9099

Fedorova,N.M. See Mikhaĭlov,I.G., 9=2181, 9=4389

Fedorova,N.N. See Goryunova,N.A., 9=4112

Fedorovich,N.A. See Stil'bans,L.S., 8=7994

Fedorovich,V.N. A method of measuring acoustic resistance based on a measurement of the geometric difference of acoustic pressures, 6=4948

Fedorus,G.A. See Lashkarev,V.E., 8=1066; Sal'kov,E.A., 9=12291

Fedorus,H.A. See Lashkar'ov,V.Ye., 8=7014, 9=318

Fedorus,Z.P. See Habovy̆ch,M.D., 8=7123

Fedoseev,V.A. and Polishchuk,D.I. Evaporation of drops of combustible liquids, 7=1227

Fedotov,I.V. See Baranul'ko,V.A., 6=4121

Fedotov,P.I. See Zhdanov,A.P., 5=8883

Fedyanin,V.K. Radiative corrections in the dispersion relations for $\pi^{\pm} + p \to \pi^{\pm} + p$, 9=5377. See also Tavkhelidze,A.N., 8=6116

Feenberg,E. Superallowed beta transitions in the N—Z = 3 series, 5=8207. Shell theory of the nucleus, 6=543. Invariance property of the Brillouin–Wigner perturbation series, 6=7157. Analysis of the Schrödinger energy series, 8=3722. See also Bolsterli,M., 5=2998, 6=3095; Clark,J.W., 9=4301; Goldhammer,P., 6=1866; Robinson,J.D., 8=490; Young,R.C., 7=6912

Feenberg,E. and Goldhammer,P. Further refinements on the Brillouin–Wigner perturbation procedure, 7=3982

Feenberg,E. and Primakoff,H. $\pi^{\pm} \to \pi^0 + e^{\pm} + \nu + 8m_ec^2$?, 8=3307

Feeny,H., Madigosky,W. and Winters,B. Evaluation of molecular quadrupole moments from microwave line breadths. II. Experimental, 8=387

Fefer,A.M. See Borisov,N.D., 9=8827; Bory̆sov,M.D., 8=7074

Fegeš,J. See Knop,L., 9=8047

Feher,G. Method of polarizing nuclei in paramagnetic substances, 6=7617. Observation of nuclear magnetic resonances via the electron spin resonance line, 6=8873. Sensitivity considerations in microwave paramagnetic resonance absorption techniques, 7=5469. Electronic structure of F-centers in KCl by the electron spin double-resonance technique, 7=5737. Donor wavefunctions in silicon by the ENDOR technique, 9=6266. Electron spin resonance experiments on donors in silicon. I. Electronic structure of donors by the electron nuclear double resonance technique, 9=9823. Nuclear polarization via "hot" conduction electrons, 9=12478. See also Eisinger,J., 9=592; Scovil,H.E.D., 7=4876

Feher,G., Fletcher,R.C. and Gere,E.A. Exchange effects in spin resonance of impurity atoms in silicon, 6=2111

Feher,G., Fuller,C.S. and Gere,E.A. Spin and magnetic moment of P^{32} by the electron nuclear double-resonance technique, 8=718

Feher,G. and Gere,E.A. Polarization of phosphorus nuclei in silicon, 6=7618. Electron spin resonance experiments on donors in silicon. II. Electron spin relaxation effects, 9=9824

Feher,G., Gordon,J.P., Beuhler,E., Gere,E.A. and Thurmond,C.D. Spontaneous emission of radiation from an electron spin system, 8=2653

Feher,G. and Kip,A.F. Electron spin resonance absorption in metals. I. Experimental, 5=6334

Feher,G. and Knight,W.D. Measurement of electronic susceptibilities by means of nuclear resonance absorption, 5=4795

Feher,G. and Scovil,H.E.D. Electron spin relaxation times in gadolinium ethyl sulfate, 7=4875

Feher,G., Wilson,D.K. and Gere,E.A. Electron spin resonance experiments on shallow donors in germanium, 9=13456

Fehér,K. The determination of the amplitude distribution over plane surfaces from the directional pattern of their radiation fields, 6=5735

Fehr,R.O. Noise, shock, and vibration, 8=6784

Fehrenbach,C. See also Lallemand,A., 8=6603

Fehrenbach,C. and Duflot,M. The measurement of stellar radial velocities with a normal-field objective prism, 6=23

Feibelman,W.A. Calculator for thin film measurements, 7=1677. A 27 kc/s sudden enhancement of atmospherics anomaly, 9=6404

Feĭgin,L.A. and Rozhanskiĭ,V.N. On the possibility of a complete X-ray analysis of the dispersion of graphite powders and colloidal preparations, 7=9464

Feĭgin,L.A. and Shal'nikov,A.I. On the size of the critical current in thin superconducting films, 7=408

Feĭgina,F.I. See Morozova,A.M., 8=8118

Feik,K. Directional sound, 6=152. On the directional characteristics of a circular-arc array of acoustic radiators, 8=95

Feik,K. and Brodhun,D. On the direction factor and acoustic power-concentration of a circular [line] group of radiators, 5=9501

Fein,A.E. Influence of a variable ejection probability on the displacement of atoms, 9=825

Feinberg,E.L. On the collision of fast nucleons with nuclei, 5=5496. Interaction of fast deuterons with nuclei, 5=9079. Inelastic diffraction processes at high energies, 6=6888. Collective vibrations of electrons in crystals, 8=8420. Propagation of radio waves along an inhomogeneous surface, 9=9874. See also Aliev,A.I., 6=5387; Dorman,L.I., 5=1030, 8=6023; Gershman,S.G., 6=4952; Lazareva,L.E., 6=7738; Sobel'man,I.I., 8=8428

Feĭnberg,E.L. and Chernavskiĭ,D.S. Higher approximations in the method of the self-consistent field of meson theory, 6=8584

Feinberg,G. Selection rules implied by CP invariance, 8=510. Electromagnetic interaction of the neutral K meson, 8=2502. Internal pair creation in Σ^0 decay, 8=2508*. Decays of the μ meson in the intermediate-meson theory, 8=7260. Effects of an electric dipole moment of the electron on the hydrogen energy levels, 9=2859. See also Lee,T.D., 7=9529; Weinberg,S., 9=13560

Feinberg,G. and Behrends,R.E. Some consequences of symmetries of the strong interactions, 9=13004

Feinberg,G. and Gürsey,F. Space time properties and internal symmetries of strong interactions, 9=9209

Feinberg,R. Photoelectric response of selenium-type photovoltaic cells to X-rays, 8=4024. The effect of trigger pulse polarity on the anode breakdown time of the cold cathode arc conduction tetrode, 9=7024. See also Dudley,M.D., 7=7042

Feiner,F. See Ashkin,J., 5=1228, 6=2443, 7=3719

Feingold,A.M. Effect of the tensor force on the level structure of Li^6 and Li^7, 6=3099. Tensor coupling and the vector shell model, 7=3522. Evidence for three-body vector forces in light nuclei, 9=8494

Feingold,A.M. and Frankel,S. Geometrical corrections in angular correlation measurements, 5=3995

Feinstein,A. On the coding theorem and its converse for finite-memory channels, 9=6542

Feitelberg,S. See Loevinger,R., 5=8179

Feiter,L.D. de. See de Feiter,L.D.

Feix,M. Theory of counting random events, 6=1321. See also Boulègue,G., 9=5080; Bouquet,G., 7=6586; Frelot,T., 7=1358

Feix,M., Kessler,P. and Nicourd,P. Calculation of the imaginary part of the amplitude of the Delbruck effect, 8=7233

Feix,M., Nicourd,P. and Valentin,S. Chain reactions by fast neutrons in enriched uranium, 7=9399

Feix,M. and Valentin,S. The diffusion of neutrons through a plate, 6=3298

Fejer,J.A. The interaction of pulsed radio waves in the ionosphere, 6=8501. Life-time of an artificial earth satellite, 8=1463

Feld,B.T. High-energy nuclear physics, 5=8277. Photomeson production from hydrogen, 5=9922. The photodisintegration of the deuteron at high energies and associated phenomena, 5=9923. Kinematics of β decay and parity nonconservation in weak interactions, 7=8803. Mesons and the structure of nucleons, 7=8997. II. The nucleon isobar and pion dynamics,

8=7257. Isotopic spin selection rules and parity non-conservation in the decay of the strange particles, 8=709. Some prospects for the production and observation of new particles, 9=11341. See also Christie,E.R., 6=4028; Costa,G., 8=2501; Odian,A.C., 6=4647
Feld,B.T. and Costa,G. Photoproduction of K mesons and the intrinsic parities of the strange particles, 8=8999
Feld,B.T., Julian,A., Odian,A.C., Osborne,L.S. and Wattenberg,A. Search for the production of μ-meson pairs by a 345-MeV synchrotron beam, 5=1242
Feld,B.T. and Maglić,B.C. Asymmetry in scattering of 150 MeV polarized protons in nuclear emulsions, 9=2594
Feld,B.T., Odian,A.C., Ritson,D.M. and Wattenberg,A. Spin of the τ^+ meson, 6=1624
Fel'd,Ya.N. The incidence of electromagnetic waves on a pair of infinite grids, 6=6806
Feldman,A.S. See Zwislocki,J., 8=2722
Feldman,C. Formation of thin films of $BaTiO_3$ by evaporation, 5=6545. Experimental study of the electrical conductivity of complex metal–dielectric layers obtained by evaporation, 5=8767. Time changes in thin films of $BaTiO_3$, 6=7379. Bilayer bichromatic cathode screen, 8=2986. Development and applications of transparent cathode-ray tube screens, 9=3317
Feldman,C. and O'Hara,M. Formation of luminescent films by evaporation, 7=4174. Luminescent phases in willemite films, 9=2216
Feldman,D. Nonrelativistic interaction between two nucleons, 5=6760. Consequences of charge independence for strange-particle reactions, 6=6201. See also Ohnuma,S., 6=5954
Feldman,G. Antiproton production, 5=2407. A survey of field theory. V. High energy experiments, 5=8481. See also Arnowitt,R., 8=4744; Bocchieri,P., 5=1240; Ebel,M.E., 8=3351
Feldman,G. and Fulton,T. Determination of the relative $\Sigma-\Lambda$ parity, 9=1684. S-matrix poles in the determination of parities, 9=13019
Feldman,G. and Matthews,P.T. Crossing symmetry in meson–nucleon scattering, 6=7145. No-recoil approximations to charged scalar meson scattering, 7=752. Hyperon production in nucleon–nucleon collisions, 8=708
Feldman,J. An adiabatic scalar neutral meson–nucleon interaction, 8=3716
Feldman,L. See Smotrich,H., 7=3060
Feldman,R.S. See Zwislocki,J., 7=979
Feldman,S. On the existence of recombination shocks, 9=7870
Feldman,T. See also Allin,E.J., 7=279; Romanko,J., 5=1724, 6=249; Welsh,H.L., 5=6046
Feldman,T., Romanko,J. and Welsh,H.L. The ν_2 Raman band of methane, 5=3642. The Raman spectrum of ethylene, 6=8124
Feldman,T., Shepherd,G.G. and Welsh,H.L. The Raman spectrum of acetylene, 7=3156
Feldmann,J. See Grunewald,H., 8=6962
Feldmann,W.L. See Pearson,G.L., 6=4413, 9=8067
Feldt,W. and Raether,H. On the statistics of [spark] breakdown processes, 7=6201
Feldtkeller,E. Energy transformation of X-ray photochemical processes in KBr crystals, 8=6424
Feldtkeller,R. On the analysis of the sound spectrum into frequency groups by hearing, 6=3584. Constant-loudness curves for sustained notes and for single pressure pulses, 7=4936. See also Zwicker,E., 6=7242
Feldtkeller,R. and Sorger,G. Jordan-type after-effect in ferromagnetic sheets, 5=1992
Feldtkeller,R. and Zwicker,E. The ear as information-receiver. (Das Ohr als Nachrichtenempfänger), 6=6279
Feldtkeller,R., Zwicker,E. and Port,E. Loudness levels, loudness ratios and loudness summation, 9=11971
Félici,N. Physical problems of electrostatic generators, 5=2699
Felix,F. Diffusion of fission-produced xenon in uranium oxide, 9=4053
Felkel,G. See Ewald,H., 9=6386
Fell,E.A. See Jones,E.R.W., 8=4135
Feller,H.G., Heumann,T. and Wever,H. Electrolytic transport in the α-phase of the system Ag–Zn, 9=6348
Fellgett,P. A proposal for a radial velocity photometer, 5=6683. The question of correlation between photons in coherent beams of light, 7=6970. On numerical Fourier transformation, with special reference to Lipson–Beevers strips, 8=5575. Equivalent quantum-efficiencies of photographic emulsions, 9=13986
Fellgett,P.B. Servo-mechanisms and the design of large telescopes, 7=2915
Fellgett,P.B. and Linfoot,E.H. On the assessment of optical images, 5=2550. Stellar scintillation, 7=4916
Felsen,L.B. Backscattering from wide-angle and narrow-angle cones, 5=2904
Felsner,G. See Bienlein,H., 9=4713, 9=9938
Feltham,P. On the representation of rheological results with special reference to creep and relaxation, 5=2259. Relation between the initial instantaneous extension in creep and the yield stress and coefficient of work-hardening in polycrystalline metals, 6=5463. On the mechanism of high-temperature creep in metals with special reference to polycrystalline lead, 7=2756. On the activation energy of high temperature creep in metals, 7=8914. On the fatigue limit of metals, 9=4078
Feltham,P. and Meakin,J.D. On the mechanism of work hardening in face-centred cubic metals, with special reference to polycrystalline copper, 8=4485; II, 8=4486
Feltham,R.D., Sogo,P. and Calvin,M. Electron spin resonance spectrum of dibenzene chromium cation, 7=8062
Felthauser,H.E. See Coon,J.H., 8=6333
Feltinsh',I.A. See Nasledov,D.N., 9=10993
Feltynowski,A. and Glass,I. Coal surface analysis by means of an electron microscope, 6=8433
Feltynowski,A., Glass,I. and Grelewicz,L. Electron diffraction investigation of semiconductive PbTe layers, 7=1760. The microstructure of photoconducting PbTe layers, 8=6518
Feltynowski,A., Glass,I., Piwkowski,T. and Toruń,A. Microstructure of photoconductive lead sulphide layers, 5=2233. Microstructure of photoconductive lead sulphide layers, 7=5740
Fender,D.H. See Ditchburn,R.W., 6=857, 7=2884
Fendler,H.G. See Stuart,H.A., 7=7792
Feng,I.-M. Analysis of the effect of various factors on metal transfer and wear between specimen pairs of same metal and same shape. I. The basic scheme of formulation of metal transfer and wear, 5=3200; II. Effect of the surrounding atmosphere, 5=3201. Technique for making surface replicas from comparatively small objects, 6=4690
Feng,P.Y. Polymer degradation–wide-range dosimeter, 9=3697
Feng,P.Y. and Kennedy,J.W. Electrical and chemical effects of β-radiation in polystyrene, 5=5047
Feng,P.Y. and Mamula,L. Radiolysis of $CF_4-C_6H_6$ systems, 8=6482
Feng Wang Shou. See Wang Shou Feng.
Fennema,J.W.R. See Ong Ping Hok, 6=3148
Fenning,F.W. The United Kingdom research reactors and their uses, 8=4343. See also Booker,D.V., 7=1625; Derham,J., 8=1996
Fenning,F.W., Horton,C.C. and McCullen,J.D. A two group analysis of Z.E.T.R. experiments, 7=735
Fenoglio,M. Crystal-structural relations between diphenyl and a series of new derivatives of it, 8=454
Fenstermacher,C.A. See also Draper,J.E., 9=2765
Fenstermacher,C.A., Bennett,R.G., Walters,A.E., Bockelman,C.K. and Schultz,H.L. Absolute intensities of resonance neutron capture gamma rays from Cd, Te, and Sm, 8=4301
Fenstermacher,C.A., Draper,J.E. and Bockelman,C.K. Resonant neutron capture in Er and Hf, 9=8632
Fenton,A.G. See also Jacklyn,R.M., 7=6324; Storey,J.R., 8=3214, 8=7158
Fenton,A.G., Fenton,K.B. and Rose,D.C. The variation of sea level cosmic ray intensity between 1954 and 1957, 8=8095
Fenton,A.G., McCracken,K.G., Parsons,N.R. and Trost,P.A. Cosmic-ray increase observed at high southern latitudes on February 23, 1956, 6=8857
Fenton,A.G., McCracken,K.G., Rose,D.C. and Wilson,B.G. Transient decreases in cosmic ray intensity during the period October 1956 to January 1958, 9=7138. The onset times of Forbush-type cosmic ray intensity decreases, 9=12437
Fenton,K.B. See Fenton,A.G., 8=8095; Rose,D.C., 6=8854; Simpson,J.A., 6=5995
Fényes,I. On the divergence problem of the W.K.B. method, 5=2955. An approximation method of W.K.B. type, 6=4563. The determination of the radial and azimuthal parts of the zero-point energy in the statistical model of the atom, 6=4592. On the Le Chatelier–Braun principle, 9=1917. On the relation of the wave mechanical eigenvalue problem to classical mechanics, 9=9240. See also Bozóki,G., 9=1755, 9=2465, 9=8270, 9=12429
Fenyves,E. The efficiency of self-quenching G.M.-counters for

cosmic ray particles, 5=8035. See also Bozóki,G., 6=8266, 7=4507
Fenyves,E., Gombosi,E. and Surányi,P. Investigation of nuclear interactions of energies between 10 and 100 GeV, 9=3622
Feodoritova,M.I. See Dmitriev,N.A., 7=5008
Feofanov,G.N. See Mikhaĭlov,I.G., 6=8055, 8=7770
Feofilov,P.P. Anisotropic emission of colour centres in crystals of cubic symmetry, 5=2307. Polarized luminescence of cubic crystals, 6=6534. The nature of the elementary oscillators and the polarization of the photoluminescence in cubic crystals, 7=1194. Optical anisotropy of luminescence centres in cubic crystals, 7=4188. Luminescence of trivalent ytterbium, 9=9486. Absorption and luminescence spectra of the Ce^{+++} ions, 9=10785. See also Arkhangel'skaya,V.A., 7=264, 7=9078, 9=9427; Arkhanguelskaia,V.A., 7=4219; Bonch-Bruevich,A.M., 7=9625; Galkin,L.N., 8=133; Grechushnikov,B.N., 6=8100; Neoporent,B.S., 9=10801; Stepanov,I.V., 7=263; Tarasova,L.I., 9=9479
Feoktistov,V.A. See Nelipa,N.F., 9=2640
Fer,F. Construction of a solution with mobile singularity of the equation u-ku=0, 5=1552. The general form of the singular solutions of the wave equation, 5=3381. Formation of a nonlinear wave-mechanical equation in the theory of the double solution, 6=1865. Gyroscopic analogies for circular accelerators, 7=5402. Stability and isochronism in cyclotrons with star-shaped fields, 9=1544
Ferebee,S.F. See also Davis,C.M., 6=3825; Davis,C.M.,Jr, 7=8008
Ferebee,S.F. and Davis,C.M.,Jr. Effect of divalent ion substitutions on the magnetomechanical properties of nickel ferrite, 8=8143
Ferentz,M. and Raboy,S. On the consequences of the possible existence of the hyperdeuteron, 6=8398
Ferguson,A.J. The elastic scattering of charged particles by nuclei, 5=7698. See also Almqvist,E., 9=10037; Bromley,D.A., 7=3631; Gove,H.E., 9=2786; Litherland,A.E., 9=10110
Ferguson,A.J. and Gove,H.E. Analysis of two interfering 1/2+ levels in the disintegration of C^{14} by protons, 9=8576
Ferguson,A.J., Gove,H.E., Kuehner,J.A., Litherland,A.E., Almqvist,E. and Bromley,D.A. Gamma-ray branching and some spin and parity assignments in B^{11}, 9=2736
Ferguson,A.T.G. See also Allen,W.D., 5=9156, 5=9721, 5=9978, 6=1601, 6=3195, 7=8845, 7=8901
Ferguson,A.T.G. and Morrison,G.C. The spectrum of neutrons from the reaction $p + d \rightarrow p + p + n$, 8=6293
Ferguson,A.T.G. and Paul,E.B. A study of the energy levels of A^{37}, Sc^{48} and Cr^{51}, 9=12627
Ferguson,D.E. See Halperin,J., 9=13689, 9=13706
Ferguson,E.E. Infrared spectra of polyethylene and long chain n-paraffins, 7=252. Geometrical structure of benzene-halogen charge transfer complexes, 7=1485. Infrared spectrum of hexadeuterobenzene–iodine solution, 7=7007. Intensities of infrared bands in solution. I. Benzene solutions, 7=7749. Relative intensities of absorption bands in liquid and gas phases from dispersion theory, 9=7948
Ferguson,E.E. and Kagarise,R.E. Infrared dispersion due to the asymmetric stretching vibration of CS$_2$, 9=9432
Ferguson,E.E. and Matsen,F.A. Enhancement of infrared absorption bands of charge transfer complexes, 9=1287
Ferguson,E.T. Directional ordering in iron–nickel alloys, 7=9260. Uniaxial magnetic anisotropy induced in Fe–Ni alloys by magnetic anneal, 8=8878
Ferguson,G.A.,Jr and Hass,M. Magnetic structure and vacancy distribution in γ-Fe$_2$O$_3$ by neutron diffraction, 9=5885
Ferguson,G.A.,Jr and Jablonski,F.E. Electron mobility in boron trimethyl, 8=4091
Ferguson,H. See Blanch,G., 9=3190
Ferguson,H.I.S. See Brannen,E., 7=1360, 7=2084, 9=164
Ferguson,J. Solvent effects in aromatic π-π electronic spectra, 6=5775. Absorption and fluorescence spectra of crystalline pyrene, 8=3866. Some experiments related to the problem of internal conversion of excitation energy in aromatic molecules and crystals, 9=6764
Ferguson,J., Iredale,T. and Taylor,J.A. The phosphorescence spectra of naphthalene and some simple derivatives, 5=860
Ferguson,J. and Schneider,W.G. Polarization of anthracene crystal fluorescence, 7=2060. Absorption spectrum of crystalline anthracene. Measurements on the absorption edge, 8=3865. The polarized fluorescence of very thin anthracene crystals, 8=7833. On the spectral response of photoconduction in thin single crystals of anthracene, 9=1468
Ferguson,J.M. Al^{28} decay scheme, 9=2735. Co^{57} decay scheme, 9=8546. Fe^{59} decay scheme, 9=13649. See also Kern,B.D., 9=8636
Ferguson,R.B., Traill,R.J. and Taylor,W.H. Charge balance and the stability of alkali felspars: a discussion, 9=13944
Ferguson,R.E. On the origin of the electronically excited C$_2$* radical in hydrocarbon flames, 6=1031
Ferguson,W.F.C. See Hall,J.F.,Jr, 5=2553, 5=8621
Fergusson,G.J. Radiocarbon dating system, 5=4218. Reduction of atmospheric radiocarbon concentration by fossil fuel carbon dioxide and the mean life carbon dioxide in the atmosphere, 8=838. See also Rafter,T.A., 9=4152
Fergusson,G.J. and McCallum,G.J. The cosmic ray flare of 23 February 1956 and its effect on the New Zealand radiocarbon dating equipment, 9=2473
Feridun,L. See Constable,F.H., 9=3483
Fériet,J.Kampé de. See Kampé de Fériet,J.
Ferigle,S.M. See also Krupp,R.H., 6=3080; Malhiot,R.J., 5=2937; Weber,A., 5=4837, 6=1109
Ferigle,S.M. and Weber,A. Calculation of depolarization factors in the Raman spectra of polyatomic molecules, 5=1722
Fermi,E. Multiple production of pions in pion-nucleon collisions, 5=2208. Lectures on pions and nucleons, 5=9424
Fernández,A. A study of the directional effects in the electrical rupture of KCl, 9=11084. See also Alba Andrade,F., 5=348, 6=8375*, 8=7372*; Bonner,T.W., 5=4072; Cooper,R., 8=5943; Diaz Losada,E., 5=330
Fernández,C.Graef. See Graef Fernández,C.
Fernandez,J. and Becker,R.S. Unique luminescences of dry chlorophylls, 9=12100
Fernandez,J., Myers,R.J. and Gwinn,W.D. Microwave spectrum and planarity of the ring of trimethylene oxide, 5=6018
Fernández Alonso,J.I. See also Olcina Amador,P.V., 9=13445
Fernandez-Alonso,J.I., Oliete,J.L. and Domingo,R. The calculation of interatomic distances from bond indices and densities, 9=11535
Fernández Biarge,J. See also Morcillo,J., 9=4422
Fernández Biarge,J., Herranz,J. and Morcillo,J. On the experimental determination of the intensity (Crawford's Γ) of vibration-rotation bands, 9=5522. Theory of the infrared intensities of the fundamental vibration-rotation bands, 9=4451
Fernández Ferrer,J. and Pujal Carrera,M. Concerning the shrinkage factor of a nuclear emulsion, 5=680
Fernández-Morán,H. Fine structure of biological lamellar systems, 9=11665
Fernández y Marcos Mazari,A. See Bonner,T., 6=8390
Fernando,Q. See Devanathan,M.A.V., 6=7001
Fernbach,S. Nuclear radii as determined by scattering of neutrons, 8=9012. See also Bjorklund,F., 8=8318, 8=8978; Bjorklund,F.E., 6=5312; Culler,G., 6=2456
Fernback,S., Heckrotte,W. and Lepore,J.V. Theory of polarization of nucleons scattered elastically by nuclei, 5=3832
Fernbach,S. and Proctor,W.G. Spin-echo memory device, 5=3977
Ferradini,C. See Pagès,M., 8=440
Ferrante,W.R. See Morgan,G.W., 5=7767
Ferrari,E. Radiative β-decay of the π-meson, 8=3306. See also Cini,M., 9=4904
Ferrari,E. and Jona-Lasinio,G. On the causal propagation function of a Dirac field, 9=2068
Ferrari,F. See also Bassi,P., 6=5198; Beretta,L., 5=3830; Dallaporta,N., 7=7605, 7=9415, 8=296
Ferrari,F. and Fonda,L. The binding energy of sigma hyperons with nucleons, 8=1211. Two-nucleon potential from a model of pion–nucleon interaction, 8=1840. The stimulated decay of the lambda hyperon. I, 8=1884. The Λ-hyperon–nucleon problem from meson theory, 9=2663. On the hyperon–nucleon scattering and reaction cross-sections, 9=10005
Ferrari,F. and Tonin,M. On the Σ-hyperon–nucleon interaction cross-section. II, 8=7288
Ferrari,F. and Villi,C.C. A note on the generalized statistics, 5=45. Nonuniform charge distributions and μ-meson capture, 5=2198
Ferrari,G., Manaresi,E. and Quareni,G. On the measurements of the pion–proton elastic scattering in nuclear emulsions, 7=8876
Ferrari,I. Multipoles and Schelkunoff waves, 5=4820. Multipoles and asymmetric Schelkunoff waves, 5=8101. Multipoles and Schelkunoff waves. The general case, 6=2259. On the electromagnetic field of a dipole immersed in a nonhomogeneous medium, 7=8030
Ferraro,V.C.A. On the emission of electric currents from the

sun, 5=7564. Hydromagnetic waves in rare ionized gas and galactic magnetic fields, 6=3850. The origin of magnetic storms and aurorae, 7=1765. Theories of variable stellar magnetic fields, 7=5010
Ferraro,V.C.A. [Conf. rep.] Magneto-hydrodynamics, 5=8928. See also Plumpton,C., 5=5191
Ferraro,V.C.A. and Kendall,P.C. On azimuthal solar magnetic fields, 7=31
Ferraro,V.C.A. and Plumpton,C. Hydromagnetic waves in a horizontally stratified atmosphere, 8=2430
Ferré,J. See Faget,J., 8=4069
Ferre,M. and Kinnaird,R. Dipmeter curve comparator, an optical aid to the interpretation of dipmeter data, 8=4547
Ferreira,E. See Amerighi,M.C., 9=9980
Ferreira,E.M. Radiation field of an oscillating dipole. I, 8=4163. On the coupling between (Λ^0, p) field and the K-meson field, 8=6192. μ-Meson decay with non-conservation of parity, 8=8982. The attractive K$^-$-meson proton interaction, 9=9989
Ferreira,J.Gomes. See Gomes Ferreira,J.
Ferreira,J.Leal. See Leal Ferreira,J.
Ferreira,P.Leal. See Leal Ferreira,P.
Ferreira de Souza,M. See Mascarenhas,S., 8=3914
Ferrell,J.K. See Richardson,F.M., 5=9459
Ferrell,R.A. Angular dependence of the characteristic energy loss of electrons passing through metal foils, 6=1290. Theory of positron annihilation in solids, 7=2319. Time-dependent Hartree–Fock theory of nuclear collective oscillations, 8=302. Long lifetime of positronium in liquid helium, 8=682. Characteristic energy loss of electrons passing through metal foils. II. Dispersion relation and short wavelength cutoff for plasma oscillations, 8=1833. Ortho-parapositronium quenching by paramagnetic molecules and ions, 9=526. Predicted radiation of plasma oscillations in metal films, 9=1858. Rigorous validity criterion for testing approximations to the electron gas correlation energy, 9=4312. See also Quinn,J.J., 9=6244; Tinkham,M., 9=12296; Visscher,W.M., 8=1934
Ferrell,R.A. and Chaos,F. Paschen–Back effect as a means of detecting muonium, 8=6358
Ferrell,R.A. and Glover,R.E., III. Conductivity of superconducting films: a sum rule, 8=4032
Ferrell,R.A. and Quinn,J.J. Characteristic energy loss of electrons passing through metal foils: momentum-exciton model of plasma oscillations, 8=1165
Ferrell,R.A. and Visscher,W.M. Theory of the 0$^+$ states of O^{16}, 6=4579. Theory of inelastic electron scattering by the C^{12} nucleus, 7=1374
Ferrell-Bryan,B.L. See Cohen,B.L., 5=6450
Ferrer,J.Fernández. See Fernández Ferrer,J.
Ferrero,F. See also Cappellani,F., 9=3878; Cortini,G., 9=669; De Benedetti,S., 8=731; Di Caporciacco,G., 9=12684; Farinelli,U., 9=3917, 9=8627; Hanson,A., 7=3661
Ferrero,F., Ferroni,S., Malvano,R., Menardi,S. The ^{35}Cl(γ, n)^{34}Cl and ^{35}Cl(γ, n)^{34}Cl^m reactions investigated up to 31 MeV, 9=6123
Ferrero,F., Gonella,L., Malvano,R., Tribuno,C. and Hanson,A.O. Fast neutron component in photonuclear reactions, 7=8163
Ferrero,F., Hanson,A.O., Malvano,R. and Tribuno,C. Fast photoneutrons from bismuth, 6=8379. Photoprotons from ^{100}Mo, 8=761
Ferrero,F., Malvano,R., Menardi,S. and Terracini,O. The nuclear photoeffect in Al^{27}, 9=1777
Ferrero,F., Malvano,R., Silva,E., Goldemberg,J. and Moscati,G. Photonuclear reactions in Pr^{141}, 9=8623
Ferrero,F., Malvano,R. and Tribuno,C. A neutron detection method to be used with pulse accelerators, 6=4027. Ionization chamber for X-rays up to 31 MeV, 7=7976. Evidence of a second maximum in the cross section for fast photoneutron emission in Cr, As, I, Ta, 8=339
Ferrero,M.A. and Sacerdote,G.G. Measurements on acoustic quadripoles by a resonance method, 6=5742
Ferretti,B. On the field measurements and the state definition in quantum electrodynamics, 5=724. On the renormalization technique in quantum electrodynamics, 5=729. On the conservation of the nucleons, 7=5050, 7=9004. On gauge invariance of second kind, 8=878. On the conservation of lepton number, 8=1178. On quantization with an indefinite metric and the Lee model, 9=9237. On the possibility of energy depending symmetry properties, 9=12992
Ferretti,L. and Manaresi,E. Interaction of π mesons on photographic plates, 5=4973
Ferretti,L., Manaresi,E., Puppi,G., Ranzi,A. and Quareni,G. Coulomb interference in the pion-proton scattering at 120 MeV, 5=7396
Ferretti,L., Quareni,G., Della Corte,M. and Fazzini,T. π^+–proton scattering at 83 MeV, 7=8878
Ferretti,L. and Veronesi,P. Influence of a transverse magnetic field on the breakdown voltage of the discharge in a gas at high frequency, 5=9679
Ferris,H.G. See Eckart,C., 6=4113
Ferriso,C.C. and Hornig,D.F. Infrared spectra of oxonium halides and the structure of the oxonium ion, 5=8619
Ferro,A. Theory of diffusion constants in interstitial solid solutions of b.c.c. metals, 8=6434. See also Biorci,G., 9=2485
Ferro,A. and Montalenti,G. On the variation of magnetic and mechanical properties of iron due to dissolved hydrogen, 7=8911. Magnetic after effect and internal friction at high temperatures in iron and some iron alloys, 9=439
Ferro-Luzzi,M. See also Amaldi,E., 8=272; Baroni,G., 9=9951; Castagnoli,C., 8=6106, 9=2619
Ferro-Luzzi,M. and Muchnik,M. A semi-automatic device for nuclear emulsion scattering measurements, 9=504
Ferroni,E. Chemical test to reveal the Kramer effect, 7=450
Ferroni,S. See also Amaldi,U., Jr, 9=5989, 9=7243; Bernardini,M., 7=8816, 8=4302, 8=7342, 9=1651; Brovetto,P., 6=6935, 7=8055; Colombino,P., 5=2209, 5=6265; Farinelli,U., 9=8627; Ferrero,F., 9=6123
Ferroni,S. and Fubini,S. High energy electron scattering by polarized nuclei, 5=2791
Ferry,J.D. Rheology of macromolecular systems, 9=9277. See also Ninomiya,K., 9=11605; Williams,M.L., 5=2240, 5=10019
Ferry,J.D., Landel,R.F. and Williams,M.L. Extension of the Rouse theory of viscoelastic properties to undiluted linear polymers, 5=5676
Ferry,J.D., Williams,M.L. and Stern,D.M. Slow relaxation mechanisms in concentrated polymer solutions, 5=3242
Fert,C. Progress of research in reflection electron microscopy, 7=2295. See also Cousinié,P., 9=13368; Durand,M., 9=5134; Durandeau,P., 8=8183, 9=7081, 9=8222; Faget,J., 7=5377 7=9233, 8=4069, 9=336
Fert,C. and Marty,B. Use of a cylindrical lens to reduce image distortion in reflection electron microscopy, 6=2169
Fert,C., Marty,B. and Saporte,R. Electron microscopy by reflection: grazing angle, observation under a large angle, 5=7105
Fert,C. and Pradal,F. Construction of a magnetic electron-velocity spectrograph, 7=5389. Energy spectrum of an electron beam having traversed a thin metallic film, 8=2355. Influence of a scattering angle on the energy spectrum of a beam of electrons transmitted by a thin film, 9=8902
Fert,C. and Saporte,R. The use of a 4-pole magnetic lens to reduce the "distortion" of the image in reflection electron microscopy, 7=4446
Fert,C. and Simon,R. Improvement in the resolving power of the emission electron microscope, 7=4445. Resolving power of an emission electron microscope fitted with a diaphragm, and velocity spectrum of transmitted electrons, 7=7149
Fesefeldt,H. and Krappatsch,H. Conversion filter on gelatine base, 5=4542. A new monochromatic filter for the mercury line 4358 A, 9=1262
Fesenko,A.I. See Grigor'ev,A.P., 8=1915
Fesenko,E.G. See also Khodakov,A.L., 7=344, 7=4907; Sholokhovich,M.L., 7=4857
Fesenko,E.G. and Kolesova,R.V. Optical investigation of single crystal lead titanate, 9=13139
Fesenko,E.G. and Slabchenko,A.G. An X-ray structural study of (Ba, Pb)TiO$_3$ solid solutions, 5=4122
Fesenko,Z.N. See Kucherov,I.Ya., 8=584
Fesenkov,V.G. The orientation in space of the filaments of certain gas–dust nebulae, 7=1867. On polarization of zodiacal light, 9=999. On the reduction of observations of zodiacal light, 9=9146. Zodiacal light as the product of disintegration of asteroids, 9=9147. On the composite polarization of light, 9=9531
Feshbach,H. Relativistic wave equations, 5=5859. Magnetic moments of the deuteron and nucleon–nucleon spin-orbit potentials, 8=298. Unified theory of nuclear reactions, 9=1753. See also Lamarsh,J.R., 7=3527
Feshbach,H., Goertzel,G. and Yamauchi,H. Estimation of Doppler effect in fast reactors, 9=13717
Feshbach,H. and Lomon,E. Nucleon–nucleon scattering, 6=4204
Feshbach,H. and Nichols,W. A wave equation for a particle of

maximum spin one, 9=57

Feshbach,H. and Villars,F. Elementary relativistic wave mechanics of spin 0 and spin $\frac{1}{2}$ particles, 8=2787

Feshbach,H., Porter,C.E. and Weisskopf,V.F. Model for nuclear reactions with neutrons, 5=524

Feshbach,H. and Rubinow,S.I. Equivalent two-body method for the triton, 5=4379

Fessenden,R.W. See also Cotton,F.A., 9=12753

Fessenden,R.W. and Stein,R.S. On the absolute turbidity of water, 5=231

Fessenden,R.W. and Waugh,J.S. Strong coupling in nuclear resonance spectra. I. The five-spin system of trans-propenylbenzene, 9=8367

Fessler,H. (Conf. rep.). Summarized proceedings of a Conference on Stress Analysis—Cranfield, September 1956, 7=9434

Fessler,H. and Haines,D.J. A photoelastic technique for strain measurement on flat aluminium alloy surfaces, 8=5668

Fessler,H. and Lewin,B.H. Stress distribution in a tee junction of thick pipes, 6=1873

Fessler,H. and Ollerton,E. Contact stresses in toroids under radial loads, 8=895

Fetz,H. Electron liberation by low energy ions at metal surfaces and in gases, 5=8008. See also Bemerl,W., 7=4130-1; Bemerl,W.F., 9=2371

Feuer,P. Electronic states in a perturbed periodic lattice, 5=9234

Feuillade,G. A study of the surface conditions during the diffusion of an impurity into silicon, 9=12814

Feure,J. See Durand,M., 9=5134

Feuvrais,L. See also Yuasa,T., 5=4006, 6=6133, 7=1565, 7=6525

Feuvrais,L. and Spighel,M. The decay scheme of Os^{193} by fast $\beta-\gamma$ and $\gamma-\gamma$ coincidences, 9=605

Feuvrais,L. and Yuasa,T. Correction of continuous β-spectra due to the limited resolving power of the spectrograph, 5=3059

Fèvre,J.J.Le. See Le Fèvre,J.J.

Fewer,J.R. See Blackwell,J.H., 5=8439

Feyerabend,P.K. A note on Neumann's proof, 6=7159. On the quantum theory of measurement, 7=8431

Feyfer,G.D.De. See De Feyfer,G.D.

Feynman,R.P. Slow electrons in a polar crystal, 5=3261. Atomic theory of liquid helium, 5=9391. Superfluidity and superconductivity, 7=8569. See also Cohen,M., 7=7827; Mercereau,J.E., 7=1449

Feynman,R.P. and Cohen,M. Energy spectrum of the excitations in liquid helium, 6=5820. The character of the roton state in liquid helium, 7=324

Feynman,R.P. and Gell-Mann,M. Theory of the Fermi interaction, 8=507

Feynman,R.P., Vernon,F.L., Jr and Hellwarth,R.W. Geometrical representation of the Schrödinger equation for solving maser problems, 7=3981

Fiala,W.T. See Hilliard,J.K., 7=3098, 8=777

Fialho,G.E.A. Phase space calculations, 7=3014

Fialko,E.I. The distribution of meteor radio echoes according to their duration, 8=5581. The mean characteristic height of meteors detected by radio observations, 9=9145. A new method for determining the radiant of a meteor stream, using an antenna of low directivity, 9=11727

Fich,S. See Badoyannis,G.M., 6=6482

Fichtel,C. and Friedlander,M.W. The scattering constant for multiply-charged particles in photographic emulsion, 9=3701

Fick,E. The polarization of light by means of aspherical ferromagnetic particles in a homogeneous magnetic field. II. Theory, 5=6058. Term splitting in an electrostatic crystal field, 7=6711. See also Engelmann,F., 9=12989

Fickel,H.R. and Tomlinson,R.H. Thermal neutron absorption cross section of Xe^{135}, 9=8631. The cumulative fission yields of light mass fragments in the thermal neutron fission of Pu^{239}, 9=11489. The cumulative fission yields of 21 heavy mass nuclides produced in the thermal fission of Pu^{239}, 9=11490

Ficken,G.W., Jr and Hiedemann,E.A. Simple form of the "sing-around" method for the determination of sound velocities, 7=190

Fickett,W. See also Cowan,R.D., 6=4715; Salsburg,Z.W., 9=3156

Fickett,W. and Cowan,R.D. Values of thermodynamic functions to 12 000°K for several substances, 5=7927

Fickett,W. and Wood,W.W. A detonation-product equation of state obtained from hydrodynamic data, 9=4384

Fickett,W., Wood,W.W. and Salsburg,Z.W. Investigations of the detonation properties of condensed explosives with equations of state based on intermolecular potentials. I. R.D.X. with fixed product composition, 8=3535

Fidecaro,G. See Cassels,J.M., 7=7431; Cervasi,M., 5=3862, 5=6243; Fazzini,T., 9=2615; Fidecaro,M.C., 9=385

Fidecaro,M. See Alston,M.H., 7=1647; Keller,R., 9=11144

Fidecaro,M.C., Fidecaro,G., Marini,G. and Mezzetti,L. The zenithal distribution of the cosmic ray neutrons in the high energy range, 9=385

Fidone,I. On the 3d wave functions in atoms of the iron group, 9=8676

Fidone,I. and Stevens,K.W.H. The g-value of S-state ions, 9=10267

Fiebiger,K. Investigation of the neutron yield of the reaction $D(d,n)He^3$ in bombarding various metals with deuterons, 7=710. The formation of "self-targets" for the nuclear reaction $D(d,n)He^3$ and its connection with the problem of hydrogen diffusion in metals, 8=9055

Fiedler,H. An adjustable X-ray low-angle camera of simple construction, 7=8283

Fiedler,H.C. (110) [001] secondary recrystallization texture in three per cent silicon—iron, 8=9177. See also Walter,J.L., 8=8894

Fiedman,A.S. Chemiluminescence as a tool in the study of liquid flow boundaries, 7=136

Fiehrer,M. Nuclear physics and electronics, 6=3911. See also Lehmann,P., 6=558, 7=1543

Fiehrer,M., Lehmann,P., Lévêque,A. and Pick,R. Measurement of the mean life on the second excited state of fluorine 19, 6=3135

Field,F.H. See also Lampe,F.W., 8=5999

Field,F.H. and Franklin,J.L. Electron impact studies of some aromatic hydrocarbons. Implications regarding certain aromatic reactions, 5=1012

Field,G. (Transl.). Theory of relativity, 9=9169

Field,G.B. Radiation by plasma oscillations, 7=5482. Excitation of the hydrogen 21 cm line, 8=1447. The time relaxation of a resonance-line profile, 9=6714. See also Purcell,E.M., 7=4635; Spitzer,L., Jr, 5=4286

Field,L.M. See Boyd,G.D., 8=5070

Field,N.J. See Levin,S.B., 5=8628; Wolff,G.A., 9=11545

Fielder,G. and Kurth,R. On the mass-distribution in the interiors of the Jovian planets, 9=4211

Fieldhouse,P. See Marsden,P.L., 7=515*

Fielding,P., Fischer,G. and Mooser,E. Semiconductors of the type A B, 9=6937

Fielding,P.E. and Gutman,F. Electrical properties of phthalocyanines, 7=5338

Fields,P. See also Cox,S., 9=5076; Smith,A., 9=3934

Fields,P., Friedman,A., Smaller,B. and Low,W. Paramagnetic resonance spectrum of curium, 7=4877

Fields,P.R. See also Diamond,H., 7=3583; Friedman,A.M., 6=6108; Ghiorso,A., 5=9846; Magnusson,L.B., 5=2120, 6=6109; Mech,J.F., 6=6861; Smith,A.B., 6=4632, 7=2600, 7=6584, 8=324, 9=10138; Vandenbosch,S.E., 9=12659

Fields,P.R., Friedman,A.M., Milsted,J., Atterling,H., Forsling,W., Holm,L.W. and Aström, B. Production of the new element 102, 8=317

Fields,P.R., Gindler,J.E., Harkness,A.L., Studier,M.H., Huizenga,J.R. and Friedman,A.M. Electron capture decay of Am^{244} and the spontaneous fission half-life of Pu^{244}, 6=590

Fields,P.R., Pyle,G.L., Inghram,M.G., Diamond,H., Studier,M.H. and Manning,W.M. Pile neutron cross sections of the heavier plutonium isotopes, 9=13704

Fields,P.R., Studier,M.H., Diamond,H., Mech,J.F., Inghram,M.G., Pyle,G.L., Stevens,C.M., Fried,S., Manning,W.M., Ghiorso,A., Thompson,S.G., Higgins,G.H. and Seaborg,G.T. Transplutonium elements in thermonuclear test debris, 6=3933

Fields,P.R., Studier,M.H., Magnusson,L.B. and Huizenga,J.R. Spontaneous fission properties of elements 97, 98, 99 and 100, 5=527*

Fields,R.E. See Adair,R.K., 5=510

Fields,T.H. See also Kane,J.A., 5=337; Stallwood,R.A., 8=2492; Sutton,R.B., 5=2805

Fields,T.H., Fox,J.G., Kane,J.A., Stallwood,R.A. and Sutton,R.B. Reaction $p + p \rightarrow \pi^+ + d$ with polarized protons, 5=2210. Reaction $p + p \rightarrow \pi^+ + d$ in the 425 MeV energy region, 8=8242. Total cross section for the reaction $p + p \rightarrow \pi^+ + p + n$ at 437 MeV, 8=8243

Fierz,M. The ergodic theorem in quantum mechanics, 6=3500. Statistical fluctuations in a condensing system, 6=6039. On the physical interpretation of P.Jordan's extended theory of gravitation, 6=7111. Connection between pair density and pressure for a Bose gas consisting of rigid spherical atoms,

7=5932. The number of invariants formed from 2*l* Dirac spinors, 9=7792
Fieschi,R. Thermodynamical theory of galvanomagnetic and thermomagnetic phenomena, 5=3892, 6=3714. Electronic states of diatomic molecules: the lithium molecule, 7=8750. On the thermodynamical theory of thermal conduction of dielectrics under electric fields, 8=3917. Matter tensors in the crystallographic groups of Cartesian symmetry, 8=4516
Figgins,B.F. See also Dobbs,E.R., 7=2117, 9=4000
Figgins,B.F., Jones,G.O. and Riley,D.P. The thermal expansion of aluminium at low temperatures as measured by an X-ray diffraction method, 7=2118
Figgis,B.N. Magnetic properties of spin-free transition series complexes, 9=3633
Figielski,T. On a possible explanation of strong photovoltaic effects in PbS layers, 9=9647
Figueiredo,R.P. de. See de Figueiredo,R.P.
Fike,C.T. Energy levels of an asymmetric rotor, 9=12742
Fikhtengol'ts,I.G. On the dependence of the motion of bodies in a gravitational field on their mass, 8=1543. Application of the Dirac–Fock–Podolsky method to a mechanical many-body problem, 8=2155. The coordinate conditions in Einstein's theory of gravitation, 9=9191
Fiks,V.B. On the influence of convection on diffusion, 9=5410
Filatov,V.M. See Vernov,S.N., 7=3420
Filbert.R.B.,Jr. See Sense.K.A., 5=2667
Filho,A.G.Pinho. See Pinho Filho,A.G.
Filimonov,A.A. See Rez,I.S., 9=13269
Filimonov,G.F. Level shifts in helium. Triple forces, 7=6478
Filimonov,G.F. and Shirokov,Yu.M. Plural interaction Hamiltonians in quantum electrodynamics, 7=5041
Filimonov,S.I. See Alekseevskiĭ,N.E., 5=8837
Filimonov,V.A. Deviations from Mayer's scheme for filling nuclear shells and the interaction of levels, 6=6072. The Λ–nucleon potential according to meson theory and the energy of the Λ-particle in light hypernuclei, 9=10014. See also Lyul'ka,V.A., 9=2717; Rapoport,L.P., 5=1109
Filimonov,V.N. Electronic absorption bands of ZnO and TiO_2 in the infrared region, 9=6732
Filimonov,Yu.I. See also Gvozdev,V.S., 8=4277
Filimonov,Yu.I. and Pshenichnikov,B.V. Lower excited states of Th^{231}, 9=12629
Filiński,I. Modulation of light reflected from germanium by injected current carriers, 8=4975
Filipkowski,A. See also Bogdanowicz,J., 9=10000
Filipkowski,A., Gierula,J. and Zieliński,P. Survey of the hyperfragment experimental data, 9=11431
Filipkowski,A., Skrzypczak,E., Somogyi,A. and Wróblewski,A. Two events of mesonic decay of hyperfragments in flight, 9=2713
Filipovich,G. and Sanders,T.M.,Jr. $O^{16}O^{18}$ molecules as intensity standards in electron spin resonance spectroscopy, 9=8333
Filipovich,V.N. The theory of the small-angle scattering of X-rays, 6=7453. On the theory of X-ray scattering in gases, liquids, amorphous solids and polycrystals. I-II, 6=8816. On the calculation of interatomic distances from the radial (X-ray scattering) distribution curves, 6=8817. Collimation correction in low-angle X-ray scattering, 8=4054. See also Sinel'nikov,N.N., 8=6928
Filipovich,V.N. and Porai-Koshits,E.A. The theory of the scattering of X-rays by macroscopic isotropic bodies, 7=1755
Filippov,A. See Kozodaev,M., 6=5415
Filippov,A.I. See Kozodaev,M.S., 7=4771, 8=7272
Filippov,G. See Davydov,A., 9=7297
Filippov,G.F. First excited levels of axially-symmetric even-even nuclei, 8=1909. See also Davydov,A.S., 7=3739, 7=9806, 8=1953, 8=4750, 9=1722, 9=2700, 9=2710
Filippov,S.S. On the Fermi-Yang hypothesis, 6=2433. See also Osipenkov,V.T., 8=8350
Filippova,K.V. See Gerlit,Yu.B., 8=1971; Tarantin,N.I., 8=7398; Volkov,V.V., 9=13676
Filler,F.M. See Vereshchagin,L.F., 7=4006, 9=7829
Fillmore,F.L. See Yockey,H.P., 5=605
Filmer,A.J. See also Hutchison,T.S., 6=1919
Filmer,A.J., Hutton,G.J. and Hutchison,T.S. Internal friction in aluminum at low temperatures, 8=2686
Filonov,V.S. Industrial specimens of detectors for thermal and fast neutrons, 9=9907
Filosofo,I. A Cerenkov counter as high energy photon spectrometer, 8=753. See also Brini,D., 5=8065
Filosofo,I., Modena,I., Pohl,E. and Pohl-Rüling,J. The increase in the total cosmic ray intensity and in the positive excess due to the solar flare of 23rd February 1956, 6=5199
Filosofo,I., Pohl,E. and Pohl-Rüling,J. On the positive excess of mesons of high energy, 5=1975
Filov,R.A. See Ostroumov,V.I., 8=6338, 9=13666*
Filson,D.H. See Lax,E., 9=10320
Filthuth,H. The energy spectrum of cosmic ray protons at sea level, 5=6263. See also Cooper,W.A., 6=7708, 7=3700, 7=8852, 8=5246
Finagin,B.A. On the doublet splitting of resonance vibrational frequencies of a tourmaline piezoelectric plate, 9=5668
Finch,C.R. See Bierlein,J.A., 6=3539
Finch,G.I. and Sinha,K.P. On reaction in the solid state, 7=6658
Finch,G.I., Sinha,K.P. and Goswami,A. The transition structure of nickel, 5=5119
Finch,J., Green,D.W., Holmes,K.G. and North,A.C.P. (Conf. rep.) Summarized proceedings of a conference on biological structures and computational methods–London, November 1956, 8=3581
Finch,J.N. and Lippincott,E.R. Hydrogen bond systems: temperature dependence of OH frequency shifts and OH band intensities, 6=4571
Finch,L.G. See Lomas,T.W., 7=4289
Finch,N.D. See Andrew,E.R., 8=720; Eades,R.G., 9=12494
Finckh,E. and Steudel,A. Isotope shift in the hafnium II spectrum, 5=6902
Findler,N.V. Nuclear binding energies on the statistical model, 9=1705
Findley,W.N. and Khosla,G. Application of the superposition principle and theories of mechanical equation of state, strain, and time hardening to creep of plastics under changing loads, 5=9189
Fine,J. See also Wagner,R., 7=5537
Fine,J., Goldstein,J.H. and Simmons,J.W. Microwave spectrum of s-trans acrolein, 5=4539
Fine,M.E. Apparatus for measuring the elastic moduli and internal friction of solids from 1.7 to above 77°K and some values for α-quartz, 5=2243. Elastic constants of germanium between 1.7° and 80°K, 5=8320. Apparatus for precise determination of dynamic Young's modulus and internal friction at elevated temperatures, 7=9936. Electrical resistivity changes from formation of zones in aluminium alloys, 9=9613. See also Kuczynski,G.C., 6=5438
Fine,M.E. and Chiou,C. Acoustic relaxation effect in Mn_3O_4, 7=3092
Fine,M.E. and Kenney,N.T. Low-temperature acoustic relaxation in Ni–Fe ferrites, 5=2230
Fine,S. See Hendee,C.F., 6=7484; Rittner,E.S., 5=5422
Fine,S. and Hendee,C.F. Instability in methylal quenched X-ray detectors, 5=1003. X-ray critical-absorption and emission energies in keV, 5=5434
Finegan,J.D. and Hoffman,R.W. Stress anisotropy in evaporated iron films, 9=8909
Fink,H.J. The destruction of superconductivity in tantalum wires by a current, 9=7002. Quasi-persistent currents in rings composed of superconducting and non-superconducting regions, 9=8161
Fink,L. Development and international status of fundamental quantities and units in illumination, 8=2935
Fink,R.W. Absolute intensities of L X-rays and gamma ray in RaD decay, 7=6512. See also Beggs,W.C., 6=3159; Bronner,W.L., 9=12388; Nurmia,M.J., 8=6238, 9=1779; Robinson,B.L., 6=4601; Scalan,R.S., 9=2825; Schmied,H., 8=2539, 8=3534; Wille,R.G., 9=5067
Fink,R.W. and Robinson,B.L. K and L X-ray intensities in cesium-131 decay, 5=7321. Compton backscattered photons in precision proportional counter spectrometry, 7=670. On the half-life of Tl^{204}, 9=7317
Fink,R.W., Warren,G.W., Edwards,R.R. and Damon,P.E. Gamma radiation in RaD and RaE decay, 6=6875
Finke,G. and Lautz,G. On the low temperature behaviour of the magnetoresistance variation of silicon single crystals, 9=3482. On the impact ionization in single crystal germanium at temperatures in the region from 4.2 to 10°K, 9=4585. The behaviour of single crystals of n-type germanium in the temperature range of liquid helium, 9=11000
Finke,R.G. See Benveniste,J., 6=2402
Finkelnburg,W. Behaviour of matter at extremely high temperatures, 6=3679. See also Busz,G., 5=1858; Busz-Peuckert,G., 5=8793, 6=2901, 7=6230; Müller,G., 5=7986, 6=6679
Finkelnburg,W. and Humbach,W. Ionization energies of atoms

and atomic ions, 5=3851

Finkel'shteĭn,A.I. On a derivation of Badger's formula, 9=8702

Finkel'shteĭn,A.I., Malachevskaya,F.L., Fisher,A.M., and Rabovskii,B.G. A simple method of preparation of potassium bromide plates for infrared spectroscopy of solids, 9=13154

Finkel'shteĭn,B.N. See Polesya,A.F., 8=8757

Finkelstein,A. and Lesimple,M. The dosimetry of tritium in tritiated water, 6=7636

Finkelstein,A.P. See Bauer,W.H., 9=4335

Finkelstein,D. Internal structure of spinning particles, 6=73. Past–future asymmetry of the gravitational field of a point particle, 9=23

Finkelstein,D. and Misner,C.W. Some new conservation laws, 9=6509

Finkelstein,D., Sawyer,G.A. and Stratton,T.F. Supersonic motion of vacuum spark plasmas along magnetic fields, fields, 8=7127

Finkelstein,N.A. and Brumley,C.H. Analog Fourier transformer for apodisation studies, 9=9375

Finkelstein,R. Permutation symmetries of generalized beta interactions, 8=2141. General covariance and elementary particles, 8=4736

Finkelstein,R., Fronsdal,C. and Kaus,P. Nonlinear spinor field, 7=92

Finkelstein,R.J. On non-local form factors, 5=6747. Generalized beta invariants, 5=6771. See also Behrends,R.E., 6=908

Finkelstein,R.J. and Behrends,R.E. Radiative corrections to muon decay, 5=3131*

Finkelstein,R.J. and Moe,M. Scattering by a symmetric potential, 6=1649

Finkelstein,R.J. and Moszkowski,S.A. Mesonic corrections to the beta-decay coupling constants, 5=489

Finlay,E.A. See Allen,K.R., 7=6535

Finlay-Freundlich,E. On the empirical foundation of the general theory of relativity, 7=5030. On the general red-shift of lines in the solar spectrum, 8=2106. See also Fürth,R., 7=3922

Finlay-Freundlich,E. and Forbes,E.G. On the red shift of the solar lines, 7=4999

Finlayson,D.M. and Greig,D. Electrical measurements on natural galena at low temperatures, 7=1294. Thermoelectric measurements on natural galena at low temperatures, 9=2365

Finlayson,D.M., Greig,D., Llewellyn,J.P. and Smith,T. Some electrical characteristics of single crystal iron monotelluride, 7=1293

Fintz,P. See Gorodetzky,S., 9=5045

Fiora,V.C. See Turner,T.E., 6=1084

Fiorentini,A. The influence of the retinal illumination gradient and its variations on the subjective sensation of brightness, 5=4248. Measurement of visual acuity with moving images, 6=5579. Further measurements of the differential threshold in the presence of a spatial illumination gradient, 7=3868. The effect of contract in vision of a field with fixed or moving blurred edge, 9=6415. A vocabulary of optical prisms, 9=10885. See also Ercoles,A.M., 6=3413

Fiorentini,A., Jeanne,M. and Toraldo di Francia,G. Visual photometric measurements of a field of variable luminance gradient, 5=4491. Measurements of differential threshold in the presence of a spatial illumination gradient, 6=4128

Fiorentini,A. and Toraldo di Francia,G. The appearance of interference fringes formed directly on the retina, 7=6787

Fiorini,E. See also Conversi,M., 9=3612, 9=8267-8, 9=9975

Fiorini,E., Giacconi,R., Sichirollo,A.E. and Succi,C. Observations on the operation of a cloud chamber with overcompression, 7=9244

Fiorini,E., Giacconi,R. and Succi,C. A new Wilson chamber of large dimensions, 8=2441

Fiorini,E., Giori,C., Succi,C. and Moriggia,C. The "Sabbione" cosmic ray laboratory, 8=4095

Fireman,E.L. Tritium production by 2.2-BeV protons on iron and its relation to cosmic radiation, 5=4057. Distribution of helium-3 in the Carbo meteorite, 8=6590

Fireman,E.L. and Rowland,F.S. Tritium and neutron production by 2.2-BeV protons on nitrogen and oxygen, 5=3097

Fireman,E.L. and Zähringer,J. Depth variation of tritium and argon-37 produced by high-energy protons in iron, 8=8313

Firestone,F.A. 'Twixt earth and sky with rod and tube; the mobility and classical impedance analogies, 7=3992

Firk,F.W.K. A test pulse generator for use with the Harwell 15 MeV linear accelerator and the associated neutron time-of-flight equipment, 8=8033. Neutron resonance parameters of tantalum from 20 to 100 eV, 9=2823. See also Lynn,J.E., 8=2579, 9=1778

Firk,F.W.K. and Moxon,M.C. The determination of neutron resonance parameters of tungsten by the transmission method, 9=13690

Firle,T.E. Low-frequency power spectrum analyzer, 6=5851. See also Spitzer,W.G., 5=5408

Firle,T.E. and Winston,H. Noise measurement in semiconductors at very low frequencies, 5=7949

Firmin,J.C. and Oatley,C.W. Effect produced by metal electrodes in studies of electron bombardment conductivity, 5=8772

Firor,J. Brightness distribution of the sun at 1.45 meters, 6=3440

Firsov,A.I. See Vereshchagin,L.F., 7=4006

Firsov,O.B. The positive ion current on the electrodes of a vacuum arc, 6=5908. Calculation of the interaction potential of atoms, 8=2003. Interaction energy of atoms at small nuclear separations, 8=2603. Scattering of ions on atoms, 8=7433

Firsov,Yu.A. Magnetic susceptibility in tellurium type semiconductors, 8=1698. On the structure of electron spectra of tellurium-type lattices, 8=2328. Correction to the paper, 8=6981. The value of the Hall constant in semiconductors for strong magnetic fields, 8=7918. See also Ansel'm,A.I., 5=7224, 6=7818; Korovin,L.I., 9=8861

Firsova,M.M. See Zubov,V.G., 7=1685, 7=7789, 7=8221

Firth,K. See Chick,D.R., 8=4329; Hunt,S.E., 5=6231, 5=9072, 6=5950; Millar,B., 5=5453

Fisch,A. Remarks about atomic weight, 5=3030. The course of the binding energy, 6=545

Fischbach,D.B. and Nowick,A.S. Deformation-induced charge flow in NaCl crystals, 5=50073. Some transient electrical effects of plastic deformation in NaCl crystals, 9=8094

Fischbacher,R.E. The ultrasonic flowmeter, 9=10663

Fischbeck,H. See Heintze,J., 7=7337

Fischell,R.E. See Gordon,D.I., 8=8115

Fischer,A. Electroluminescence, 5=6952. Electroluminescence of diamond, 7=9641. Production of crystals from unstable compounds, 9=6363. Problems of p–n electroluminescence in the visible spectral region, 9=13184. See also Ellis,A.J., 9=8955; Schwager,E.A., 8=4889, 8=6495

Fischer,C.R. See Hull,M.H.,Jr, 9=12607

Fischer,D. and Baldwin,J. Proton-proton polarization at 170 MeV, 6=1308

Fischer,D. and Goldhaber,G. Small angle proton-proton scattering at 330 MeV, 5=335

Fischer,E. On the association of aniline, 5=1586. Atomic dipole moments in molecules and dielectric relaxation, 6=5845. The three dimensional stabilization of charge carriers in a [h.f. electric] quadrupole field, 9=12384. See also Hirshberg,Y., 6=1717, 9=4437; Rembser,J., 9=13715

Fischer,E. and Ergun,M. An investigation of the mobility of the NH_2 group in aniline and various substituted anilines by measurement of dielectric loss, 9=5118

Fischer,E., Frankel,M. and Wolovsky,R. Wavelength dependence of photoisomerization equilibria in azocompounds, 5=8354

Fischer,E. and Frei,Y. Photoisomerization equilibria in azodyes, 7=9947. Photoisomerization equilibria involving the C = N double bond, 7=9948

Fischer,E. and Zengin,N. On the association of polar molecules studied by dispersion and absorption of their solutions in the decimetre wavelength region, 7=6936

Fischer,E.W. Step-wise and spiral crystal growth in high polymers, 9=6362

Fischer,E.W. and Richter,H. Structural changes in evaporated films of germanium in the electron microscope, 6=1653

Fischer,F. The influence of lattice distortions on the ultraviolet absorption lines of potassium iodide, 5=1695. On the kinetics of F-centre formation by electron irradiation, 9=11571

Fischer,F.W. and Lord,J.J. Spurious scattering of 6.2 GeV protons in nuclear emulsions, 9=3703

Fischer,G. On phase transformations, 7=3193. $FeSe_2$, a semiconductor containing iron, 9=1459. See also Fielding,P. Fielding,P., 9=6937

Fischer,G., Beeler,R., Manus,C., Béné, G., Denis,P. and Extermann,R. New arrangements for nuclear resonance with frequency modulation, 5=4864

Fischer,G. and MacDonald,D.K.C. Hall effect and magnetoresistance in indium-antimonide, 8=1690. Magnetoresistance and field dependence of the Hall effect in indium antimonide, 8=4983

Fischer,G. and Pearson,W.B. The electrical conductivity of

manganese arsenide and antimonide, 9=312
Fischer,G., White,G.K. and Woods,S.B. Thermal and electrical resistivity of tellurium at low temperatures, 7=6093
Fischer,G.E. Scattering of 10-MeV protons on carbon and magnesium, 5=1181
Fischer,G.E. and Fischer,V.K. Study of (d, α) reactions on some light nuclei, 9=8606
Fischer,G.E., Fischer,V.K., Remler,E.A. and Tatcher,M.D. Anomalous behavior of Al^{27}(p, α)Mg^{24} differential cross sections, 8=6297
Fischer,G.J. Cross section for the (n, 2n) reaction in Be^{9}, 8=345
Fischer,H. Simple submicrosecond light source with extreme brightness, 8=146
Fischer,J. Concerning the existence of a negative Barkhausen effect, 6=8863. Equations for the Green functions in quantum electrodynamics, 9=3117. See also Burgman,J.O., 9=6017; Ciulli,S., 9=7810; York,C., 9=6036
Fischer,J. and Dosch,F.P. The transport of heat, by free convection, from thin wires heated by an electric current in air under normal conditions, 6=5813
Fischer,J., March,R. and Marshall,L. Measurement of Panofsky ratio: Nuclear absorption of π^- from K shell in hydrogen, 9=543
Fischer,J. and Moser,H. The representation of magnetization curves by simple algebraic or transcendental functions, 6=7535
Fischer,J. and Vogel,R.C. Phase equilibria in the condensed systems uranium hexafluoride-bromine trifluoride and uranium hexafluoride-bromine pentafluoride, 5=2265
Fischer,K. The calculation of the free energy of crystals with defects, 9=13774. See also Andress,K.R., 5=4121
Fischer,K.A. and Brandes,G. Emission in the infrared, 7=221
Fischer,L. See Hoffmann,K., 6=2526
Fischer,V.K. Decay of Pm^{150}, 5=2118. Metastable states of Re^{180}, Ir^{191}, Au^{193}, Pb^{201}, and Pb^{203}, 5=9046. See also Fischer,G.E., 8=6297, 9=8606; Lidofsky,L.F., 7=2573
Fischer,W. See also Lundén,A., 9=5099
Fischer,W. and Walcher,W. On extraction of ions from plasma-like media, 6=1267
Fischer-Hjalmars,I. Theoretical study of the ozone molecule, 5=3946. Electronic structure of ozone, 7=6379. The electronic structure of the ozone molecule, 7=6398. On the possible formation of H$^-$ by way of H$_2^-$, 9=4755. Theoretical investigation of the negative hydrogen molecule ion, 9=10179. Ground state and low excited states of the negative hydrogen molecule ion, 9=13745
Fischer-Hjalmars,I. and Flodmark,S. Covalent boron-boron bonds in crystals of certain metal borides, 5=2916
Fischmeister,H.F. The thermal expansion of sodium chloride and some other alkali halides at high temperatures, 7=310. X-ray measurements of the thermal expansion of trigonal potassium, lithium and silver nitrates, 9=4519
Fish,H.R. See Goslovich,S.J., 8=7408
Fish,R.F. See Colichman,E.L., 7=9447, 8=5508
Fish,K., Miller,R.C. and Smyth,C.P. Microwave absorption and molecular structure in liquids. XXIV. The dielectric relaxation of liquid ammonia, 9=1412
Fisher,A.M. See Finkel'shtein,A.I., 9=13154
Fisher,B.B. and McMillan,W.G. Transitions in adsorbed monolayers. I. Experimental, 8=4510; II. Theoretical, 8=4511; III. Results and comparisons, 8=4512
Fisher,D.E., Zucker,A. and Gropp,A. Nuclear reactions induced by the nitrogen bombardment of sulfur, 9=5049
Fisher,D.J. X-ray precession techniques, 5=3278. Precession camera settings, 6=806. See also Kelley,M.T., 9=6698
Fisher,E.M.R. See Stewart,N.G., 5=9312
Fisher,E.S. See also Rothman,S.J., 9=13843
Fisher,E.S. and McSkimin,H.J. Adiabatic elastic moduli of single crystal alpha-uranium, 9=4072
Fisher,F. and Valkó,I.P. New mechanism for the generation of flicker noise, 9=7059
Fisher,F.H. Effect of high pressure on sound absorption and chemical equilibrium, 8=8649
Fisher,H.L. See Nixon,H.L., 8=3496
Fisher,I.Z. Stability of the homogeneous phase. I. General theory, 5=5901. II. Determination of the limit of stability, 5=8522. III. Theory of the crystallization curve, 5=8523. The relation between our criterion of stability for a homogeneous phase and that of S.V. Tyabikov, 7=124. Mobility of electrons and holes in a liquid semiconductor, 8=3092. The polar model of a metal, 8=3454. The propagation of sound at the critical point, 8=3801. [Contribution to the] molecular theory of the velocity of sound in liquids, 8=3804. Effects of screening of a Coulomb field by free charges in metals and semiconductors, 8=5878. See also Karpman,V.I., 7=4685; Prokhorenko,V.K., 8=6736, 9=13064; Ryabushko,A.P., 8=6619
Fisher,I.Z. and Krȳlovich,V.I. The hydrogen-like system with partially screened Coulomb potential, 9=10257
Fisher,I.Z. and Prokhorenko,V.K. Structure of water, 9=9308
Fisher,J.C. Antiferromagnetic ground state, 9=7174. See also Bean,C.P., 6=2072
Fisher,L.H. Formative time lags of spark breakdown, 7=3316. See also DeBitetto,D.J., 7=2364, 9=1560; Rose,D.J., 6=6744
Fisher,M.E. The optimum design of quarter-squares multipliers with segmented characteristics, 7=8352. Chain configurations of polymers and polyelectrolytes, 8=4401. Transformations of Ising models, 9=5875. See also Sykes,M.F., 9=4778
Fisher,M.E. and Sykes,M.F. Excluded-volume problem and the Ising model of ferromagnetism, 9=7154
Fisher,P. Resolution and dispersion of a concave grating spectrometer using a photomultiplier detector, 5=830. Magnetically operated vacuum valve, 6=4879. See also Fan,H.Y., 9=5534
Fisher,P., Crisp,R.S. and Williams,S.E. A photon-counting, grazing incidence spectrometer for the 50-1000 A range, 9=5774
Fisher,P. and Fan,H.Y. Optical and magneto-optical absorption effects of group III impurities in germanium, 9=12068
Fisher,P.C. Cloud chamber track measuring instrument, 7=2354*
Fisher,P.S. See also Shute,G.G., 8=6273
Fisher,P.S., Hadley,D.W. and Speers,G. The positron decay of the ground state of aluminium-26, 8=1240
Fisher,P.S. and Knapp,V. The decay of the isomeric state of ^{183}Tl, 6=8348
Fisher,P.S. and Naumann,R. A. 4+ excited state in osmium-188, 9=2708
Fisher,P.S. and Shute,G.G. The angular correlation of the gamma cascade in sulphur 34, 8=1250
Fisher,R.A. Interference method for calibration of recording spectrographs, 9=13142. See also Eshbach,F.E., 5=174
Fisher,R.A., Knopf,W.C.,Jr, and Kinney,F.E. Laboratory wave lengths and intensities in the near infrared spectra of nine elements, 9=13150
Fisher,R.D. See Lippincott,E.R., 9=1292
Fishman,E. and Drickamer,H.G. Effect of pressure on the frequency of the O-H band in butanol solutions, 6=4321. Equipment for high pressure optical and spectroscopic studies, 7=5980
Fiske,M.D. See Corbett,J.W., 7=4315, 8=8451; Schmitt,R.W., 5=3718
Fisser,H. and Kippenhahn,R. Allowed and forbidden regions for the motion of electrically charged particles in axially symmetrical magnetic fields, 9=3577
Fistul',V.I. See Faĭnshteĭn,S.M., 7=5717; Rubinshtein,R.N., 9=13287
Fitch,A.H. and Meissner,H. Paramagnetic effect in superconductors. IV. Measurements on aluminum, 7=7124
Fitch,E.B. Interpreting rotating spindle viscometer data, 9=10645
Fitch,R.A., Slykhouse,T.E. and Drickamer,H.G. Apparatus for optical studies to very high pressures, 8=937
Fitch,T.E. See Hill,J.E., 5=9108; Roberts,L.D., 5=9109
Fitch,V. See also Motley,R., 7=3711
Fitch,V. and Motley,R. Mean life of K$^+$ mesons, 6=3268
Fitch,V.L. See Panofsky,W.K.H., 8=2505
Fite,W.L. See also Brackmann,R.T., 8=5769, 9=6174; Yoshikawa,H.H., 6=6999
Fite,W.L. and Brackmann,R.T. Ionization of atomic oxygen on electron impact, 9=5848. Collisions of electrons with hydrogen atoms. I. Ionization, 9=6172; II. Excitation of Lyman-alpha radiation, 9=6173
Fite,W.L., Brackmann,R.T. and Snow,W.R. Charge exchange in proton—hydrogen-atom collisions, 9=7410
Fitton,S.L. See Egerton,G.S., 7=827
Fitz,H.C.,Jr, Good,W.B., Kassner,J.L.,Jr and Ruark,A.E. Cloud chamber search for particles ionizing less than an electron, 9=3714
Fitzgerald,D. An apparatus for measuring the visco-elastic properties of coal in the course of carbonization, 5=9191
Fitzgerald,E.R. Mechanical resonance dispersion in metals at audio-frequencies, 8=9152. Mechanical resonance dispersion in crystalline polymers at audio-frequencies, 8=9153.

Dynamic mechanical properties of polyvinyl stearate at audio-frequencies, 9=5192. Mechanical resonance dispersion in quartz at audio-frequencies, 9=5429. Mechanical resonance dispersion in single crystals, 9=6619
Fitzgerald,E.R., Ackerman,E. and Fitzgerald,J.W. Preliminary measurements on the viscoelastic properties of animal tissues at audio-frequencies, 7=4921
Fitzgerald,J.W. See Fitzgerald,E.R., 7=4921
Fitzgerald,M.E., Griffing,V. and Sullivan,J. Chemical effects of ultrasonics—"Hot spot" chemistry, 7=2779
Fitzgerald,R.B. See Blankenship,J., 5=7801
Fitzgerald, W.E. See Janz, G.J., 6=1078
Fitzky,H.G. Design and application of a frequency standard for a microwave spectrometer, 8=7812. The microwave rotation spectrum of the Tl (univalent) halides, 8=7819. 100 kc/s square wave modulator and receiver for Stark effect microwave spectrometer, 9=3272
Fitzky,H.G. and Happ,H. The microwave spectrum of methyl alcohol, 8=129
Fitzky,H.G., Honerjäger,R. and Wilke,W. The inversion spectra of $N^{14}H_3$, 8=6849
Fitzroy,D. Reverberation formula which seems to be more accurate with nonuniform distribution of absorption, 9=9358
Fitzsimmons,A.E. See Hawksley,P.G.W., 5=1278
Fiutak,J. Dirac and Gürsey equations for bosons, 9=2069
Fiveǐskii,M.B. See Mokul'skii,M.A., 9=10272
Fivel,D. and Fulton,T. The polarization of knock-on electrons arising from scattering by polarized μ-mesons, 9=2607
Fivel,D.I. See Plass,G.N., 5=9297
Fixman,M. Excluded volume in polymer chains, 5=9816. Molecular theory of light scattering, 6=274. On the regression of fluctuations, 7=7626. On time smoothing. A model for momentum transport, 8=2185. Theory of diffusion near walls, 9=105
Fjelstadt,P. See Kleppner,D., 9=1808
Flack,F.C. See also Bellamy,E.H., 5=4075; Grant,P.J., 5=5626; Mason,P., 9=10018
Flack,F.C. and Mason,P. Angular correlations of gamma rays in ^{103}Rh, 8=1253
Flack,F.C., Rutherglen,J.G. and Grant,P.J. Radiations from the proton bombardment of ^{23}Na, 5=1179
Flad,F.R. and Beyer,R.T. Ultrasonic absorption in concentrated sugar solutions, 8=5729
Flaks,I.P. and Solov'ev,E.S. Measurement of the cross-section of electron capture by singly and doubly charged ions in their own gases, 8=3203. Determination of the cross-section of capture of one and two electrons on single collisions of doubly charged ions with [foreign] gas atoms, 8=3204
Flamant,F. Study of the distribution of light in the retinal image of a slit, 6=5571. See also Arnulf,A., 7=6795
Flammersfeld,A. See Bonhoeffer,F., 9=10061
Flanagan,J.E. Coding to achieve Markov type redundancy, 5=2362
Flanagan,J.L. A difference limen for vowel formant frequency, 5=6854. Difference limen for the intensity of a vowel sound, 6=1014. Automatic extraction of formant frequencies from continuous speech, 6=1932. Evaluation of two formant-extracting devices, 6=1933. Band width and channel capacity necessary to transmit the formant information of speech, 6=6483. Note on the design of "terminal-analog" speech synthesizers, 7=4094. Estimates of the maximum precision necessary in quantizing certain "dimensions" of vowel sounds, 7=7701
Flanagan,J.L. and House,A.S. Development and testing of a formant-coding speech compression system, 7=3109
Flanagan,J.L. and Saslow,M.G. Pitch discrimination for synthetic vowels, 9=160
Flanagan,T.B. and Lewis,F.A. Electrode potentials of the palladium–hydrogen system, 9=5222
Flanagan,W.F. and Averbach,B.L. Hall effect in solid solutions, 6=5441
Flanary,J.R. See Bresee,J.C., 7=3745
Flanders,D.A. and Fricke,H. Application of a high-speed electronic computer in diffusion kinetics, 9=910
Flanders,P.J. See Berkowitz,A.E., 8=8889; Otter,F.A.,Jr, 5=8897
Flaschen,S.S. and Van Uitert,L.G. New low contact resistance electrode, 6=6625
Flautt,T.J. See Dessy,R.E., 9=7201; O'Konski,C.T., 7=9793
Fleagle,R.G. Inferences concerning the dynamics of the mesosphere, 8=5545
Fleck,J.A.,Jr. Kinetics of circulating reactors at low power, 5=1223
Fleeman,J. and Dienes,G.J. Effect of reactor irradiation on the white-to-grey tin transformation, 5=7500
Flegenheimer,J. See Gatti,O.O., 7=651
Flegenheimer,J., Baró,G.B. and Medina,A. The short-lived molybdenum and technetium isobars of mass-number 105, 6=2340
Flegenheimer,J. and Geithoff,D. The determination of 18 and 4.5 min technetium and a new short-lived technetium isotope (103), 9=3866
Flegenheimer,J. and Seelmann-Eggebert,W. A new technecium isotope (Tc^{104}), 7=650
Fleischer,A.A. See Burns,F.P., 8=4985
Fleischer,R. Auroral absorption of 18 Mc/s cosmic radio waves on February 11, 1958, 8=4634
Fleischer,R.L. Single crystal lattice rotation during compression, 8=6456
Fleischer,R.L. and Chalmers,B. Grip effects in the deformation of single crystals, 8=7567
Fleischman,O. See Bazer,J., 9=11280
Fleischmann,R. See also Bienlein,H., 8=9033, 9=9938; Clausnitzer,G., 6=4673
Fleischmann,R. and Wegener,H. Measurement of absolute phase by phase contrast, 5=8680
Fleishman,D.G. and Shakhidzhanyan,L.G. Reduction of background for measurements of small activities in liquid scintillation counters, 9=9899
Fleming,G. See Baird,D.C., 7=9622
Fleming,G., Anderson,M.M., Harrison,A.J. and Pickett,L.W. Effect of ring size on the far ultraviolet absorption and photolysis of cyclic ethers, 9=5518
Fleming,W.H. See also Blades,A.T., 7=730
Fleming,W.H. and Thode,H.G. The relative yields of the isotopes of xenon in plutonium fission, 7=727. The mass asssignment of the chain 2 min. Sb → 77.7 hr. Te → 2.25 hr. I, 7=3593
Flerov,G.N. See also Baraboshkin,S.A., 8=1970; Druin,V.A., 8=1985; Gerlit,Yu.B., 8=1971; Parfanovich,D.M., 8=1733; Tarantin,N.I., 8=7398; Volkov,V.V., 8=1972
Flerov,G.N., Kalashnikova,I.V., Podgurskaya,A.V., Vorob'ev,E.D. and Stolyarov,G.A. High-energy neutrons in cosmic rays, 9=11173
Flerov,G.N., Klochkov,D.S., Skobkin,V.S. and Terent'ev,V.V. Spontaneous fission of Th^{232} and nucleon stability, 8=3388
Flerov,G.N., Polikanov,S.M., Karamyan,A.S., Pasyuk,A.S., Parfanovich,D.M., Tarantin,N.I., Karnaukhov,V.A., Druin,V.A., Volkov,V.V., Semchinova,A.M., Oganesyan,Yu.Ts., Khalizev,V.I. and Khlebnikov,G.I. Experiments to obtain element 102, 8=6316
Fletcher,G.C. Calculation of magnetostriction constants for nickel, 6=2240. The thermal expansion of solids, 7=8556
Fletcher,J.G. Dirac matrices in Riemannian space, 8=4733
Fletcher,J.G. and Larson,D.C. Influence of electron interactions on metallic properties, 9=1862
Fletcher,J.M. and Martin,F.S. The chemistry of ruthenium, 7=1714
Fletcher,N.H. General semiconductor junction relations, 7=8626. Size effect in heterogeneous nucleation, 8=8726. Entropy effect in ice crystal nucleation, 9=7599. On ice-crystal production by aerosol particles, 9=7600. See also Somerville,J.M., 7=3317
Fletcher,N.R. See Meier,O.,Jr, 9=6726
Fletcher,P., Solt,I.H.,Jr and Bell,R. Identification of the magnetostatic modes of ferrimagnetic resonant spheres, 9=9798
Fletcher,P.C. See also Aamodt,L.C., 5=7288, 5=7291
Fletcher,P.C. and Amble,E. Spin and quadrupole moment of I^{125} and the magnetic moment of I^{131}, 8=4268
Fletcher,P.C. and Bell,R.O. Ferrimagnetic resonance modes in spheres, 9=7178
Fletcher,R.C. See also Feher,G., 6=2111
Fletcher,R.C., Yager,W.A. and Merritt,F.R. Observation of quantum effects in cyclotron resonance, 6=330
Fletcher,W.H. See also Arendale,W.F., 6=4546, 7=5198; Begun,G.M., 8=1608; Narahari Rao,K., 7=8042
Fletcher,W.H. and Begun,G.M. Fundamental of N^{15}O, 7=8746
Fletcher,W.H. and Garrett,T.P. Some vibration-rotation bands of diazomethane, 6=7578
Fletcher,W.P. and Gent,A.N. Dynamic shear properties of some rubber-like materials, 7=7465
Fleury,P. Development of the uses of infrared radiation, 5=3658
Flewett,T.H. and Tymms,P. Use of gold sols as an aid to focusing in high-resolution electron microscopy, 6=2472
Flicker,H. See Atkins,K.R., 9=5440
Flietner,H. Surface conductivity under conditions of charge-

carrier scattering at the surface, for small distortion of the bands at the surface, 9=12242. Field effect and reactions at the surface of germanium, 9=12266
Flinn,E.A. Dispersion curves for longitudinal and flexural waves in solid circular cylinders, 8=7762
Flinn,P.A. Electronic theory of local order, 7=1676. Solute hardening of close-packed solid solutions, 9=11591
Flint,H.G. See Hauffe,K., 5=3748
Flint,H.T. Foundations of a linear field theory, 6=892
Flint,H.T. and Williamson,E.M. A note on the relativistic cut-off, 5=5849. A relativistic theory of charged particles in an electromagnetic and gravitational field, 6=4817. A new uncertainty relation, 7=1934. The theory of relativity, the electromagnetic theory and the quantum theory, 8=5603
Flint,O. Electrolytic current flow by bubble migration, 6=6993. See also Charlesby,A., 5=5615
Flint,O. and Varley,J.H.O. On the mechanism of oxide film formation on zirconium, 9=8907
Flinta,J. A pressure electrolyzer unit, 5=5692
Flippen,R.B. See Wasilik,J.H., 9=284
Flodin,B. Neutral polyelectrons, 5=2080
Flodmark,S. A quantum theoretical study of the covalent boron-boron bonds in crystals of some metal borides, 5=4852. Electron distribution and energy bands in crystals of metal borides of the type MB$_6$, 9=6246. See also Fischer-Hjalmars,I., 5=2916
Flom,D.G. Apparatus for studying friction and sliding electrical contacts, 5=7447. Note on the wear of Teflon sliding on Teflon, 8=2693
Flom,D.G. and Porile,N.T. Effects of temperature and high-speed sliding on the friction of "Teflon" on "Teflon", 5=7448. Friction of Teflon sliding on Teflon, 5=9199
Flood,E.A. See also Benson,G.C., 5=118
Flood,E.A. and Huber,M. Thermodynamic considerations of surface regions. Adsorbate pressures, adsorbate mobility, and surface tension, 5=5060
Flood,W.A. Meteor echoes at ultra-high frequencies, 8=3646
Flood,W.F. Simple way of measuring the [absolute] power of high-intensity light beams, 9=7917. See also Haynes,J.R., 9=8107
Flood,W.F.,Jr. See Hrostowski,H.J., 5=196
Flook,W.M.,Jr and Hornig,D.F. Experimental determination of the thickness of weak shock fronts in liquids, 5=5916
Flora,J.W. and Shortall,J.W. Testing operating safety of a water-boiler research reactor, 6=8395
Florence,J.M., Glaze,F.W. and Black,M.H. Infrared transmittance of some calcium aluminate and germanate glasses, 6=3632
Florence,M.G. See Hyde,E.K., 5=4016
Florescu,N.A. Some theoretical and experimental observations on the ultimate vacuum obtainable in vapour pumps, 7=159. On the measurement of speed of a vacuum pump, 8=909
Florian,A. and Urban,P. Matrix elements and integrals for the shell model of light nuclei, 5=2067
Florian,A., Urban,P. and Wildermuth,K. On the higher excited states of light nuclei, 5=2069
Florides,P.S. and McCrea,W.H. Observable relations in relativistic cosmology. III, 9=11716
Florin,R.E. See Wall,L.A., 9=7180
Florinskaya,V.A. See Sevchenko,N.A., 7=3165, 9=9438, 9=12065, 9=12133
Florinskii,F.S. See Adrova,N.A., 9=10844
Florio,J.V., Baenziger,N.C. and Rundle,R.E. Compounds of thorium with transition metals. II. Systems with iron, cobalt and nickel, 6=9050
Florisson,C. Procedure for the calibration of an acoustic probe by means of an absolute pendulum for radiation pressure, 7=1154
Florman,E.F. A measurement of the velocity of propagation of very-high-frequency radio waves at the surface of the earth, 5=8930
Flory,P.J. The configuration and properties of polymer molecules in dilute solution, 5=9391. Phase equilibria in solutions of rod-like particles, 6=2717. Statistical thermodynamics of semi-flexible chain molecules, 6=2842. See also Ciferri,A., 9=13842; Orofino,T.A., 7=7655
Flotow,H.E., Abraham,B.M. and Carlson,R.D. Differential pressure gauge for use with liquids and corrosive fluids, 9=3179
Flotow,H.E., Lohr,H.R., Abraham,B.M. and Osborne,D.W. The heat capacity and thermodynamic functions of β-uranium hydride from 5 to 350°K, 9=12189
Flottorp,G. See Zwicker,E., 7=8493
Flournoy,J.M. See Piette,L.H., 9=9813
Flowers,B.H. Proportional neutron counters, 5=5466. See also Elliott,J.P., 5=5585, 8=717
Floyd,A.L. and King,R.B. Relative vibrational transition probabilities of the CN violet bands, 5=4514. Relative transition probabilities of the violet CN bands, 5=7829
Floyd,J.J. See Sher,R., 6=3987
Flügge,J. The theory of astigmatic bifocal spectable lenses, 9=169
Flügge,S. and Jekeli,W. On the calculation of the effect of the static Coulomb field on β-spectra, 5=9871
Flügge,S. and Zickendraht,W. Calculation of term values and fine-structure splittings in mesonic atoms, 6=2324
Flügge,W. On the theory of the stationary microwave discharges, 7=6214
Fluharty,R.G. See also Simpson,O.D., 6=8386, 7=3669
Fluharty,R.G., Simpson,F.B. and Simpson,O.D. Neutron resonance measurements of Ag, Ta, and U^{238}, 7=726
Flunkert,H. See Müser,H.E., 8=7885
Flyagin,V.B. See also Dzelepov,V.P., 5=8504; Dzhelepov,V.P., 6=3294, 8=5233; Kiselev,V.S., 8=1958
Flyagin,V.B., Dzhelepov,V.P., Kiselev,V.S. and Oganesyan,K.O. Investigation of the $n + p \rightarrow \pi^0 + d$ reaction for 660 MeV effective energy neutrons and the hypothesis of charge independence, 9=2834
Flynn,E.A. See Shankland,R.S., 9=9354
Flynn,K.F. See also Glendenin,L.E., 5=5071
Flynn,K.F., Glendenin,L.E. and Steinberg,E.P. Search for Be^{10} as a product of ternary fission, 6=3242
Flynn,P.D. and Guernsey,R.,Jr. A photoelastic method of two-dimensional separation of stresses along a line of symmetry by using the isochromatic fringes only, 7=3019
Flynn,P.T.G. The discharge mechanism in the high-vacuum cold-cathode pulsed X-ray tube, 6=8224
Flynt,W.E. See Hanson,H.P., 9=4667
Focardi,S. See also Bassi,P., 9=6568
Focardi,S., Rubbia,C., Torelli,G. and Bella,F. Methods of fast triggering of track detectors, 7=9242
Foch,A., Rateau,J. and Counord,R. On the use of integrating and differentiating circuits in acoustic technique, 5=815
Fochs,P.D. The measurement of the energy gap of semiconductors from their diffuse reflection spectra, 6=2091
Fock,M. External quenching, activator interaction, and wandering of holes in the ZnS:Cu and ZnS:Cu,Co phosphors, 9=12801
Fock,M.V. See Fok,M.V.
Fock,(Fok),V. On the movement of rotating bodies according to Einstein's theory of gravitation, 7=6854, On systems of preferred coordinates in Einstein's theory of gravitation, 7=6856, Three lectures on relativity theory, 8=1475, On the Schrödinger equation of the helium atom. I-II, 9=12723. See also Fok,V.A.
Fock,V.A. Homogeneity, covariance and relativity, 9=4261
Fock,W. Criticism of Bohr's view of quantum mechanics, 5=5213, The question of the motion of bodies in Einstein's theory of gravitation, 5=5213
Focke,J. The problem of critical aperture, 7=5957, Wave-optical investigation of apertural defects, 9=3259, The effect of aperture aberrations on image quality, 9=5484, On wave-optical imagery in systems with large relative aperture, 9=7921, Total illumination in an aberration-free diffraction image, 9=7924
Foderaro,A. See Donahue,T.M., 5=5148
Fodor,I. See Keszthelyi,L., 9=8582
Foerster,H.M.Von. See Von Foerster,H.M.
Foëx,G. Diamagnetism and paramagnetism, 8=2410
Foëx,G. and Wucher,J. Paramagnetism and electron distribution in the compounds CrAl$_4$, Co$_2$Al$_5$ and Co$_4$Al$_{13}$, 7=1451
Foëx,M. See also Trombe,F., 6=4371
Foëx,M. and Wucher,J. Magnetic properties of titanium sesquioxide between 300° and 1700°K, 5=8910
Fogel',Ya.M. On the applicability of the principle of detailed balance to a beam of ions of stationary composition, 8=1732. See also Korsunskiĭ,M.I. 7=1440; Timofeev,A.D., 9=6170
Fogel',Ya.M., Ankudinov,V.A. and Pilipenko,D.V. Capture and loss of electrons in collisions between fast carbon and oxygen atoms with gas molecules, 9=2456
Fogel',Ya.M., Ankudinov,V.A., Pilipenko,D.V. and Topolya,N.V. Electron loss and capture in collisions between fast hydrogen atoms and molecules of gases, 8=7137
Fogel,Ya.M., Ankudinov,V.A. and Slabospitskiĭ,R.E. Loss of

two electrons in single collisions between negative hydrogen ions and molecules of gases, 8=5080
Fogel',Ya.M. and Krupnik,L.I. Formation of negative oxygen ions in the collision of positive oxygen ions with gas molecules, 6=441
Fogel',Ya.M., Krupnik,L.I. and Ankudinov,V.A. Formation of negative H ions during the passage of positive H ions across a supersonic jet of mercury vapour, 7=1412
Fogel',Ya.M., Krupnik,L.I., Kovel',A.G. and Slabospitskiĭ,R.P. The composition of an equilibrium beam formed during the passage of singly-charged oxygen ions across a gaseous target, 8=7138
Fogel',Ya.M., Krupnik,L.I. and Slabospitskiĭ,R.P. The formation of negative hydrogen ions during the passage of positive hydrogen ions across a supersonic stream of oil vapours, 8=7128
Fogel',Ya.M. and Mitin,R.V. Formation of negative hydrgoen ions in collisions of protons with gas molecules, 6=6746
Fogel',Ya.M., Mitin,R.V. and Koval',A.G. Investigation of the two-electron capture in collisions between positive carbon and oxygen ions with gas molecules, 7=2365
Fogel',Ya.M., Mitin,R.V. and Kozlov,V.F. On the problem of the technique of measurement of the effective cross-sections of processes of formation of negative ions by atomic collisions, 9=3610
Fogel',Ya.M., Mitin,R.V., Kozlov,V.F. and Romashko,N.D. On applicability of Massey's adiabatic hypothesis to double charge-exchange processes, 9=2455
Fogel',Ya.M., Safronov,B.G. and Krupnik,L.I. Formation of negative hydrogen ions in the passage of protons through thin metal strips, 5=8848, Capture of electrons and ionization by protons in hydrogen, 5=8877
Fogg,P.G.T. and Lambert,J.D. Ultrasonic dispersion in haloethylene vapours, 6=2741
Foglesong,G.M. and Foxwell,D.G. Magnetic analysis of the Co^{59} (d,p)Co^{60} reaction, 5=1198
Foglia,C. See Cazzola,P., 9=5051
Fogo,J., Benson,S.W. and Copeland,C.S. Concerning the coexistent phases in the system NaCl-H_2O above 374°C, 5=3206
Foitzik,L. The reach of narrow beam searchlights, 5=4581. The representation of the spectral energy distribution of sources of radiation, 9=4412
Foitzik,L. and Zschaeck,H. Variation with time of the absolute and spectral sensitivities of photocells and photoelements, 9=4601
Fok,(Fock),M.V. Investigation of the Eu^{+++} afterglow in a thorium oxide phosphor, 7=9624. On recombination-interaction of the centres of blue and green luminescence in the phosphor ZnS : Cu, 8=586. See also Alentsev,M.N., 5=6932; Bukke,E.E., 9=10852; Georgobiani,A.N., 9=9495; Manenkov,A.A., 8=585; Vinokurov,L.A., 7=4168, 9=12087
Fok,(Fock),V.A. A criticism of Bohr's quantum-mechanical concepts, 6=7150. See also Fock,V.
Fok,V.A. and Fedorov,A.A. Diffraction of a plane electromagnetic wave at an ideally contacting paraboloid of revolution, 9=9879
Fokker,A.D. Nomenclature of strain parameters, 5=9177. Accelerated spherical light wave clocks in chronogeometry, 7=2961, 7=8563. Geodetic annual variation of the sidereal day, 8=2749. See also Neubauer,F.R., 9=5308
Fokker,A.D., de Munck,J.C. and de Feiter,L.D. Eclipse observations of solar radio frequency radiation on 200, 545, 3000 and 9100 Mc/s, 6=6304
Foland,W.D. and Present,R.D. Hydrodynamic theory of spontaneous fission, 9=5077
Fol'b,R.L. Application of S.I.Vavilov's method to the determination of rod spectral sensitivity of the eye, 5=9317
Folberth,O.G. Mixed crystal formation in the $A^{III}B^{V}$ compounds, 5=9224. On the influence of the polarization on the semiconducting properties of $A^{III}B^{V}$ compounds, 9=5691. Vapour pressures of InAs, GaAs, InP and GaP, 9=8035. The existence of tetrahedral phases, 9=13776
Folberth,O.G., Madelung,O. and Weiss,H. The electrical properties of indium arsenide. II, 5=3768
Folbert,O.G. and Oswald,F. On the semiconducting properties of gallium phosphide, 5=3765
Folberth,O.G. and Pfister,H. On new semiconducting compounds with the chalcopyrite structure, 9=12254
Folberth,O.G. and Schillmann,E. The doping of $A^{III}B^{V}$ compounds with elements in the fourth group of the periodic system, 9=5690
Folberth,O.G. and Weiss,H. Preparation and electrical properties of InP and GaAs, 6=347. The electrical properties of In As. III, 6=8199
Folberth,O.G. and Welker,H. Binding and semiconductor properties of $A^{III}B^{V}$ compounds, 9=6936
Foldy,L.L. Synthesis of covariant particle equations, 6=4195. Photodisintegration of the lightest nuclei, 7=9884. Neutron–electron interaction, 9=531. Fermi–Segrè formula, 9=2858. Electric polarizability of the neutron, 9=13557. See also Eriksen,E., 6=7961; Nigam,B.P., 6=5694; Tobocman,W., 9=13024
Foldy,L.L. and Eriksen,E. Vacuum polarization and proton-proton scattering, 5=5869
Foldy,L.L., Ford,K.W. and Yennie,D.R. Effect of recoil on the elastic scattering of high-energy electrons by zero-spin nuclei, 9=6119
Foldy,L.L. and Tobocman,W. Application of formal scattering theory to many-body problems, 7=3968
Folen,V.J. See also Rado,G.T., 6=8274, 7=4542
Folen,V.J. and Rado,G.T. Magnetocrystalline anisotropy of Mg-Fe ferrites: temperature dependence, ionic distribution effects, and the crystalline field model, 9=399
Foley,H.M. Nuclear moments of inertia, 8=1899. See also Sessler,A.M. 5=459, 5=4877, 8=6352; Sternheimer,R.M., 6=5292; Traub,J., 9=1803
Folger,R.L., Stevenson,P.C. and Seaborg,G.T. High-energy proton spallation-fission of uranium, 5=4933
Folk,R. See also Sawicki,J., 9=8493
Folk,R., Fox,G., Schook,C.A. and Curtis,C.W. Elastic strain produced by sudden application of pressure to one end of a cylindrical bar. I. Theory, 8=8639
Folkierski,A. An input amplifier for a pulse-height analyser, 6=5174
Folman,M. See Garbatski,U., 5=2286
Foltz,H.L. and Hertz,M.R. Measurement of carbon–metal contact resistance, 9=11029
Fomenko,B.D. Changes in the coefficient of transparency of the atmosphere during the total solar eclipse on 30th June 1954, 8=2711
Fomenko,D.E. See Sklyarevskiu,V.V., 7=6517
Fomenko,L.A. Temperature dependence of the magnetic spectra of NiZn ferrites in the radio-frequency range, 5=381. Investigation of the magnetic spectra of solid solutions of some NiZn ferrites in the radio-frequency range, 6=5228. The problem of the mechanism of magnetization processes in certain Ni-Zn ferrites in very weak fields, 7=4544. Radio-frequency [2×10^5-6×10^7 c/s] spectra of permeability and permittivity of the body and substance of MnZn ferrites, 8=3068
Fomin,N.V. High [electric] fields in the theory of the electrical conductivity of semiconductors, 8=6977
Fomin,P.I. Radiative corrections to bremsstrahlung, 8=8206. Radiative corrections to bremsstrahlung, 9=2569
Fonda,G.R. Energy transfers in the calcium halophosphate phosphors, 5=3610. Two arsenate phosphors and the significance of their emission, 7=8528. Influence of activator environment on the spectral emission of phosphors, 7=9637
Fonda,L. Effective potential approach to the threshold behaviour of cross sections, 9=13652. See also Budini,P., 7=7582, 7=8989, 7=9540, 8=9001; Ferrari,F., 8=1211, 8=1840, 8=1884, 9=2663, 9=10005
Fonda,L. and Newton,R.G. Threshold behaviour of cross sections of charged particles, 9=8562
Fonda,L. and Reina,I. Nucleon recoil in the pion–nucleon scattering, 7=3717
Fonda,L. and Russell,J.E. Possible determination of KΛ relative parity, 9=6040
Foner,S. Hall effect in Permalloys, 5=8923. Hall effect and magnetic properties of Armco iron, 6=3009. Vibrating sample magnetometer, 7=1434. Hall effect in titanium, vanadium, chromium, and manganese, 7=9682. High-field antiferromagnetic resonance in MnF_2 using pulsed fields and millimeter wavelengths, 8=2404. Versatile and sensitive vibrating-sample magnetometer, 9=9747. See also Keyes,R.J., 7=2211; Zwerdling,S., 7=2229
Foner,S., Allison,F.E. and Pugh,E.M. Hall effect in Ni_3Mn and Fe–Co as a function of order, 8=2024
Foner,S. and Artman,J.O. Magnetization processes in heat-treated single crystal cobalt ferrite, 9=456
Foner,S. and Kolm,H.H. Coils for the production of high intensity pulsed magnetic fields, 8=5123
Foner,S., Momo,L.R. and Mayer,A. Multilevel pulsed-field maser

for generation of high frequencies, 9=13462
Foner,S.N. See also Cochran,E.L., 9=6280; Jen,C.K., 7=3557, 9=7188
Foner,S.N., Cochran,E.L., Bowers,V.A. and Jen,C.K. Electron spin resonance spectra of the NH_2 and ND_2 free radicals at 4.2°K, 9=740
Foner,S.N. and Hudson,R.L. Ionization potential of the free HO_2 radical and the $H\text{-}O_2$ bond dissociation energy, 5=8871. OH, HO_2, and H_2O_2 production in the reaction of atomic hydrogen with molecular oxygen, 6=2488. Ionization potential of the OH free radical by mass spectrometry, 7=2358. Metastable oxygen molecules produced by electrical discharges, 7=2360. Diimide – identification and study by mass spectrometry, 8=7588. Mass spectrometric detection of triazene and tetrazene and studies of the free radicals NH_2 and N_2H_3, 8=8832
Foner,S.N., Jen,C.K., Cochran,E.L. and Bowers,V.A. Electron spin resonance of nitrogen atoms trapped at liquid helium temperature, 8=8367
Foner,S.N., Mauer,F.A. and Bolz,L.H. Argon deposition on a 4.2°K surface, 9=13765
Fong,P. Statistical theory of nuclear fission: asymmetric fission, 6=4629
Fonger,W.H., Loferski,J.J. and Rappaport,P. Radiation induced noise in p–n junctions, 9=313
Font,R. See Catalá,J. 5=9104, 6=4677, 8=8270, 9=5046
Fontaine,J. See Arnoult,R., 5=2705
Fontana,B.J. Thermometric study of the frozen products from the nitrogen microwave discharge, 9=5752. Magnetic study of the frozen products from the nitrogen microwave discharge, 9=8699
Fontana,P. See Margenau,H., 9=12733
Foord,T.R. A portable Van de Graaff generator, 5=994
Foote,H.L.,Jr. Neutron scattering cross section of U^{235}, 9=688 See also Sailor,V.L., 5=1215, 6=1637
Forafontov,N.V. See also Delyagin,N.N., 7=6496
Forafontov,N.V. and Sorokin,A.A. On the problem of the decay scheme of Ce^{144}, 9=10053
Forbes,E.G. See Finlay-Freundlich,E., 7=4999
Forbes,L.M. See Mote,F.A., 7=4934
Forbes,S.G. See also Nyer,W.E., 6=8394
Forbes,S.G., Schroeder,F. and Nyer,W.E. Instability in SPERT-I, 7=4749
Forbush,S.E. World-wide cosmic-ray variations, 1937-1952, 5=3867. Large increase of cosmic-ray intensity following solar flare on February 23, 1956, 8=4103. Cosmic-ray intensity variations during two solar cycles, 9=3618. See also Graham,J.W., 5=7172; Neher,H.V., 9=2458
Forbush,S.E. and Burke,B.F. Absorption of cosmic radio noise at 22.2 Mc/sec following solar flare of February 23, 1956, 8=3650
Force,R.J. See Stone,K.F., 9=12387
Force,R.La. See La Force,R.,
Ford,A., White,C.T. and Lichtenstein,M. Analysis of eye movements during free search, 9=4171
Ford,C.A. and Glass,I.I. On the interaction of two similarly-facing plane shock waves, 5=1615
Ford,G.P. See Los Alamos Radiochemistry Group., 8=768
Ford,G.W. Circular polarization of inner bremsstrahlung, 7=9851. See also Lewis,R.R.,Jr, 8=3342, Meecham,W.C., 8=8654
Ford,G.W. and Mullin,C.J. Scattering of polarized Dirac particles on electrons, 8=7235. Energy distribution of inelastically scattered electrons, 9=521
Ford,H.W., Doyle,G.J. and Endow,N. Rate constants at low concentrations. I. Rate of reaction of ozone with nitrogen dioxide, 7=7472; II. Reaction between nitric oxide and ozone in air at room temperature, 7=7473
Ford,H.W. and Endow,N. Rate constants at low concentrations. III. Atomic oxygen reactions in the photolysis of nitrogen dioxide at 3660 A, 8=824; IV. Reactions of atomic oxygen with various hydrocarbons, 8=825
Ford,J. Approach of one-dimensional systems to equilibrium, 9=4311. Density of electronic energy levels for a one-dimensional liquid, 9=6589; See also Ingraham,R., 7=6872
Ford,J. and Berlin,T.H. Note on the canonical ensemble for the ideal Einstein–Bose gas, 8=58
Ford,K.W. Predicted 0+ level in ${}_{40}Zr^{90}*$, 5=8999. Problem of ghost stages in field theories, 7=1884. See also Foldy,L.L., 9=6119; Levinson,C., 5=8993, 6=549; True,W.W., 8=9006; Wall,N.S., 5=3089
Ford,K.W., Hill,D.L., Wakano,M. and Wheeler,J.A. Quantum effects near a barrier maximum, 9=10606
Ford,K.W. and Konopinski,E.J. Evaluation of Slater integrals with harmonic oscillator wave functions, 9=2684
Ford,K.W. and Levinson,C. Independent-particle model of the nucleus. II. Weak surface coupling, 6=548
Ford,K.W. and Wheeler,J.A. Semiclassical description of scattering, 9=10607. Application of semiclassical scattering analysis, 9=10608
Ford,M.A., Price,W.C., Seeds,W.E. and Wilkinson,G.R. Double-beam infrared microspectrometer, 8=2236
Ford,M.A., Price,W.C. and Wilkinson,G.R. A high-resolution grating spectrometer for the infra-red region, 8=2945
Ford,M.G. See Grove,D.M., 9=3216
Ford,P.T. and Powell,H.M. The unit cell of potassium borohydride, KBH_4, at 90° K, 5=2321
Ford,P.W. Use of a digital computer for the calculation of aberration coefficients, 9=10741
Ford,R.A. Photochemical processes in solids at room temperature, 6=1696
Foreman,A.J.E. and Lomer,W.M. Dislocation energies and choice of slip plane in face-centred cubic metals, 5=3267. Lattice vibrations and harmonic forces in solids, 8=1307
Foreman,W.T. See Shaw,C.H., 9=7970
Forestier,H., Eischen,G. and Guiot-Guillain,G. Effect of pile irradiation on the magnetic properties of zinc ferrite, 7=5454
Forestier,H. and Nury,G. Anomaly in chemical reactivity of certain alloys at the Curie point of the pure magnetic metal, 6=4710
Forgacs,R.L. A system for the accurate determination of ultrasonic velocity in solids, 9=7908
Forgeng,W.D. See Webb,W.W., 8=403, 8=7594
Forkman,B. The ratio of deuterons to protons in photo-nuclear reactions determined by the method of grain-counting, 7=4727. See also Johansson,S.A.E., 5=9093, 8=6319
Forman,R. Measurement and theoretical study of electrical conductivity and Hall effect in oxide cathodes, 5=1954
Fornaguera,R.Ortiz. See Ortiz Fornaguera,R.
Forneris,R. See Stammreich,H., 5=215, 5=6045, 7=2067, 7=3155, 7=4607
Forrat,F. See Bertaut,E.F., 8=2400; Bertaut,F., 6=4111, 6=5539, 7=2414
Forrer,M.P. and Tomiyasu,K. Determination of higher order propagating modes in wave-guide systems, 8=8948
Forrest,J.W. A linear refractometer, 5=3547. Shielding errors in critical angle refractometry, 6=6499
Forrest,J.W. and Straat,H.W. Refractometer for glass control, 6=5756
Forrest,J.W., Straat,H.W. and Dakin,R.K. Autocollimating spectrometer, 6=1950
Forrest,P.G. Speed effects in fatigue, 8=3523
Forrest,R.N. and Easterday,H.T. Radiations of Xe^{127}, 9=2759
Forrester,A.T. On coherence properties of light waves, 6=4283. Superconducting energy gap inferences from thin-film transmission data, 8=5924. See also Biondi,M.A., 8=194, 9=2354
Forrester,A.T., Gudmundsen,R.A. and Johnson,P.O. Photoelectric mixing of incoherent light, 6=1018. High efficiency microwave excitation of light sources, 6=4354
Forrester,P.A. See also Ditchfield,C.R., 9=3664
Forrester,P.A. and Schneider,E.E. Paramagnetic resonance of manganese in single crystals of alkali halides, 7=1743
Forrez,G. See van Itterbeek,A., 5=1642, 7=165, 7=6964 7=8470, 8=2897
Forsén,S. Proton magnetic resonance spectra of symmetrical hydrogen bonds, 9=13469
Forshaw,C.R. A wavelength discrimination spectrometer, 6=5576
Forsling,W. See Bhar,B.N., 6=1421, 7=4829; Fields,P.R. 8=317
Forst,G. Energy distribution of hydrogen ions from a high frequency ion source, 9=7093
Forstall,W. See Gaylord,E.W., 5=4415
Forstat,H. Length effect in the heat transport in helium II, 9=1381. See also Spence,R.D., 9=11225
Forstat,H. and Reynolds,C.A. Compressibility and heat transfer of helium 11, 6=1169
Forster,D.C. See Currie,M.R., 9=2392
Forster,H.H. and Oswald,A. Beta spectrum of C^{14}, 5=1153
Forster,H.H. and Rosen,A. Decay of 103 Ru, 5=6416
Forster,H.H. and Wiggins,J.S. Decay of ^{134}Cs, 6=3946
Forster,J.H. and Veloric,H.S. Effect of variations in surface potential on junction characteristics, 9=8143
Forster,L.S. Singlet-triplet absorption in biacetyl solutions, 7=9093
Forster,M.J. Unilateral compression of rubber, 5=10018
Forster-Brown,A.D. See Cayless,M.A., 7=9245

Forsyth,D.M. and Brown,C.R. Flicker contours for intermittent photic stimuli of alternating duration, 9=10456
Forsyth,J.B. and Wells,M. On an analytic approximation to the atomic scattering factor, 9=12874
Forsyth,P.A. The forward-scattered radio signal from an overdense meteor trail, 8=7655. See also Hines,C.O., 6=2261, 8=1449
Forsyth,P.A., Hines,C.O. and Vogan,E.L. Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. 11. experiment, 6=881
Forsyth,P.A. and Vogan,E.L. Forward-scattering of radio waves by meteor trails, 5=5180. The duration of forward-scattered signals from meteor trails, 6=5626. The frequency dependence of radio reflections from aurora, 7=7522
Forsyth,P.D. See Barros,F. de S., 9=7346, 9=8609
Forsyth,P.J.E. Some observations on the nature of fatigue damage, 7=6652. Slip-band damage and extrusion, 8=3523
Forsyth,R.H. See Cooper,W.J., 9=9566
Fort,E. See Blanc,D., 9=12393
Forte,M. Light pulses excited by α particles in argon. A gaseous scintillation detector, 6=6868. The dependence of the decay period of organic scintillators on the intensity of excitation, and the application to the discrimination of fast neutrons in a background of γ-rays, 9=12121. See also Facchini,U., 7=3578
Fortescue,R.L. See Mansfield,W.K., 7=7129
Fortini,T. and Caprioli,G. Variation,from the centre to the limb of the sun, of the profile of the spectral line $\lambda = 4227$ of CaI. I-II, 7=3919
Förtsch,O. The causes of the absorption of elastic waves, 8=542
Fortunatova,N.N. See Glinchuk,K.D., 8=1058, 8=3118, 8=8768
Forty,A.J . The generation of dislocations during cleavage, 8=3528
Forty,A.J. and Frank,F.C. The interpretation of etch patterns on aluminium, 5=10063
Foster,E.L. See also Berman,R., 5=5725, 5=6076, 5=7889, 7=6094
Foster,E.L. and Heap,H. High-temperature tensometry and its application to amorphous polyethylene terephthalate, 8=1333
Foster,F.G. See Williams,H.J., 8=8126
Foster,J.S. See also Crawford,G.J.B., 6=6822; Dahlstrom,C. 9=2722; Danby,G.T. 9=2723; Pate,B.D. 9=1784; Whitehead,A.B. 9=2776
Foster,J.S., Hilborn,J.W. and Yaffe,L. Radioactive isotopes of rhenium and osmium formed by the bombardment of rhenium with protons, 9=2721
Foster,K. See Pavlovic,D., 8=8896
Foster,J.S., Hilborn,J.W. and Yaffe,L. Radiocative isotopes of rhenium and asmium formed by the bombardment of rhenium with protons, 9=2721
Foster,K. See Pavlovic,D., 8=8896
Foster,L.V. See Coleman,H.S., 5=9596
Fotchenkov,A.A. Apparatus for measuring very small displacements of vibrating crystals, 8=6731
Fouché,V. See also Besson,C., 8=1187; Crussard,J. 6=5430, 7=3697; Leprince-Ringuet,L. 6=5403
Fouché,V. and Trembley,J. A new example of a χ meson in photographic emulsions, 5=7386
Foucher,R. Anomalous internal conversion coefficient of 29 keV radiation from Pa^{234} (UX_2), 9=10087. See also Dick,L. 5=1979, 5=7330, 6=6102, 7=1535; Perrin,N., 7=1573; Vartapétian,H., 6=3939, 7=1542, 8=4275
Foucher,R., Dick,L., Perrin,N. and Vartapetian,H. $\alpha-\gamma$ spectrometry. Some measurements on Pa^{231}, RAc, 7=1552
Foucher,R. and Vartapetian,H. The influence of α recoil from a nucleus emitting internal-conversion electrons on the form of the electron spectrum, 8=4306
Foulds,K.W.H. Moving striations in low pressure mercury vapour, 7=2272
Fountain,S.J. See Barnes,G., 8=3747
Fourage,R. and Miramond,L. Study of the coefficient of ionic multiplication in counters filled with CO_2, 5=2811
Fourès-Bruhat,Y. Cauchy's problem in the relativistic theory of electromagnetism and in the Jordan-Thiry unified theory, 7=6846. Problem of initial conditions, 8=33. The problem of evolution in the case of a pure matter field, 8=3683. Helmholtz equations. Determination of velocities from vorticity. The problem of evolution, 8=6615. Continuity conditions and shock equations, 9=7763. Charged fluids of infinite conductivity, 9=9184
Fourie,D.J. The photo-effect in thin metal films, 5=301
Fourie,J.T. Method for making successive replicas of the same spot, 8=3499
Fournet,D.M. See also Iloff,E.L., 6=5410
Fournet,D.M. and Widgoff,M. Interactions of K^--Mesons in nuclear emulsion, 6=5428
Fournet,G. The theory of liquids and the prediction of diffuse X-ray scattering, 5=7743. The limiting value, for very small angles, of the observable intensity of X-rays scattered by fluids, 7=5104. See also Antzenberger,P., 5=4992
Fournier,F. A note on the military applications of infrared, 5=6006
Fournier,G. On the classification of nuclides and their characteristics, 6=6097
Fournier,d'Albe,E.M. and Rasool,S.I. Observations of atmospheric ozone during a total eclipse of the sun, 7=1773
Fousek,J. The dielectric properties of single crystals of $BaTiO_3$ at a frequency of 1000 Mc/s, 9=12220
Fowler,A. and Levesque,P. Optical determination of base width in grown n-p-n silicon crystals, 5=6135
Fowler,A.B. Contact potential measurements on graphite, 8=6934. Contact potential measurements on cleaned germanium surfaces, 9=6951
Fowler,C.A.,Jr and Fryer,E.M. Magnetic domains in thin films of iron-nickel, 6=476. Magnetic domains in thin films by the Faraday effect, 7=2418
Fowler,C.A.,Jr, Fryer,E.M. and Stevens,J.R. Magnetic domains in evaporated thin films of nickel-iron, 7=2422
Fowler,C.M. See Kehsishian,V. 5=1114
Fowler,E.C. See also Fowler,W.B., 7=701; Lea,R., 8=5241; Morris,T.W., 7=698; Mosburg,E.R.,Jr, 8=1888; Walker,R.M. 5=4101; Willis,W.J., 8=1801
Fowler,E.C., Taft,H.D. and Mosburg,E.R. Production of heavy mesons and hyperons by protons on deuterium via secondary pions, 7=7372
Fowler,G.N. Note of the relation between certain forbidden beta transitions and the nuclear spin orbit interaction, 5=1157. On star production by μ-mesons underground, 5=6283. On the scattering of high energy electrons, 5=8015. On the anomalous magnetic moment of the μ-meson, 6=3272. On the anomalous scattering of μ-mesons, 6=3273. On the ionization of loss of fast μ-mesons, 6=7719. A possible explanation of the anomalous scattering of μ-mesons, 7=6609
Fowler,G.N. and Wolfendale,A.W. On the interactions of fast μ-mesons, 7=8884
Fowler,H.A. and Farnsworth,H.E. Reflection of very slow electrons, 8=5935
Fowler,I.L. See also Grummitt,W.E., 7=1402
Fowler,I.L., Pearson,A. and Watt,L.A.K. Halogen beta-counter monitors for Chalk River reactors, 9=12518
Fowler,J.F. X-ray induced conductivity in insulating materials, 6=8796. See also Clayton,C.G., 9=10990; Fukada,E., 8=2290
Fowler,J.F. and Day,M.J. High-dose measurement by optical absorption, 6=3164
Fowler,J.F. and Farmer,F.T. Conductivity induced unplasticized "Perspex" by X-rays, 5=6141. Conductivity induced in mica by X-rays, 5=6142. Conductivity induced by X-rays in polyethylene terephthalate: a possible insulator for radiological apparatus, 5=7026. Conductivity induced in polystyrene by X-rays, 5=7467
Fowler,J.L. See also Cohn,H.O., 9=7365
Fowler,J.L. and Brolley,J.E.,Jr. Monoenergetic neutron techniques in the 10- to 30- MeV range, 6=7737
Fowler,J.L. and Cohn,H.O. Oxygen differential neutron scattering and phenomenological nuclear potentials, 9=562
Fowler,J.L. and Johnson,C.H. Differential elastic scattering cross section for neutrons on nitrogen, 5=6470
Fowler,J.M. See also Daehnick,W.W., 9=2797;

Zeidman,B., 9=3900

Fowler,J.M., Primakoff,H. and Sard,R.D. The polarization of cosmic ray muons, 9=2460

Fowler,J.M. and Roos,C.E. Response of anthracene and stilbene to low-energy protons and X-rays, 5=6048

Fowler,P.H. New results on elementary particles at the Pisa conference (12-18 June, 1955), 6=3249. See also Brisbout,F.A., 6=6928; Davies,J.H., 6=3270*; Freier,P.S., 8=4110

Fowler,P.H., Freier,P.S., Lattes,C.M.G., Ney,E.P. and St Lorant,S.J. Angular correlation in the $\pi-\mu-$decay of cosmic ray mesons, 7=8867

Fowler,P.H. and Hansen,K.H. Two examples of mesonic decay of hyperfragments, 6=7711

Fowler,P.H., Hillier,R.R. and Waddington,C.J. Interactions of the heavy nuclei of the cosmic radiation, 7=4695

Fowler,P.H. and Ortel,W.C.G. An example of the associated production of a heavy meson and a hyperon, 6=3284

Fowler,P.H. and Perkins,D.H. Mass measurements by the ionization versus scattering method, on fast particles emerging from nuclear disintegrations, 5=4964. Measurement of ionization in nuclear emulsions, 5=7608. The associated production of a χ-meson and Σ-particle in a nuclear disintegration, 6=3286. Mass measurements on fast particles from stars, 8=1176

Fowler,P.H. and Waddington,C.J. The energy distribution of cosmic ray particles over Northern Italy, 7=2376. An artificial aurora, 9=7699

Fowler,P.H., Waddington,C.J., Freier,P.S., Naugle,J. and Ney,E.P. The low energy end of the cosmic ray spectrum of alpha-particles, 7=4509

Fowler,R.G. Constriction of the positive column of a glow discharge at high pressure, 5=3810. See also Atkinson,W.R., 9=8257

Fowler,R.G. and Atkinson,W.R. Electron recombination in atomic hydrogen, 9=6162

Fowler,R.G. and Sakuntala,M. Plasma augmentation of the surface conductivity of glasses, 8=1043

Fowler,T.B. See Claiborne,H.C., 8=5406

Fowler,T.K. Mesonic vs nonmesonic hyperfragment decay, 6=4660. Optical model of inelastic scattering, 9=1701. Quasi-elastic scattering of pions by nuclei, 9=4940

Fowler,W.A. See also Baade,W., 7=3924; Barnes,C.A., 9=3864; Bosman-Crespin,D., 5=4046; Burbidge,E.M., 8=861; Burbidge,G.R., 6=8560; Cook,C.W., 8=1924, 9=610; Hagedorn,F.B., 7=3642; Lauritsen,T., 9=611; Marion,J.B., 8=2113; Martin,H.J., 7=7378; Peterson,R.W., 5=1187; Webb,T.S., 5=8234

Fowler,W.A., Burbidge,G.R. and Burbidge,E.M. Stellar evolution and the synthesis of the elements, 5=9387

Fowler,W.A. and Greenstein,J.L. Element-building reactions in stars, 7=54

Fowler,W,B. See also Agnew,L., 8=6142; Agnew,L.E.,Jr, 8=7249; Block,M.M., 5=8295, 7=700; Eisberg,L.M., 5=3085; Goldhaber,G., 9=13553; Maenchen,G., 8=697; Powell,W.M., 9=1641

Fowler,W.B., Lander,R.L. and Powell,W.M. Neutral K meson as a particle mixture, 9=6037

Fowler,W.B., Maenchen,G., Powell,W.M., Saphir,G. and Wright,R.W. Multiple pion production in n-p collisions at the bevatron, 6=3290. Production of a θ^0 particle without an associated hyperon in a π^-−p collision, 6=6937

Fowler,W.B., Powell,W.M. and Shonle,J.I. The production of cascade particles by 5.5 GeV/c pions, 9=6023

Fowler,W.B., Shutt,R.P., Thorndike,A.M. and Whittemore,W.L. Diffusion cloud chambers for cosmotron experiments, 5=351. Production of heavy unstable particles by 1.37-BeV pions, 5=4976. Proton−proton interactions at 1.5 BeV, 7=699

Fowler,W.B., Shutt,R.P., Thorndike,A.M., Whittemore,W.L., Cocconi,V.T., Hart,E., Block,M.M., Harth,E.M., Fowler,E.C., Garrison,J.D. and Morris,T.W. Interpretation of proton−proton interactions as cosmotron energies, 7=701

Fowles,G.R. Interference measurements in the spectrum of mercury, 5=173. See also Doran,D.G., 9=5445; Shorthill,R.W., 8=4858

Fowweather,F. The use of general programmes for crystallographic calculations on the Manchester University electronic digital computer (mark II), 5=10087

Fox,D. Production of antiprotons in p-p collisions, 5=2424. Conducting states in organic molecular crystals, 9=6984

Fox,D. and Schnepp,O. Exciton bands in crystalline benzene, 5=1349. Theory of the lower excited electronic states of the benzene crystal, 5=6607

Fox,D. and Yatsiv,S. Symmetry assignments of the second excited singlet electronic state of anthracene, 6=5298. Anisotropic effects in optical excitation of excitons in molecular crystals, 8=9115

Fox,F.E. See also Connolly,W., 5=102

Fox,F.E., Curley,S.R. and Larson,G.S. Phase velocity and absorption measurements in water containing air bubbles, 5=6822

Fox,F,E. and Herzfeld,K.F. Gas bubbles with organic skin as cavitation nuclei, 5=1577

Fox,F.E. and Wallace,W.A. The absorption of finite amplitude sound waves, 5=1621

Fox,G. See also Folk,R., 8=8639

Fox,G. and Curtis,C.W. Elastic strain produced by sudden application of pressure to one end of a cylindrical bar. II. Experimental observations, 8=8640

Fox,J.D. See also Axel,P., 5=4013, 6=4645; Hughes,D.J., 9=12626

Fox,J.D., Zimmerman,R.L., Hughes,D.J., Palevsky,H., Brussel,M.K. and Chrien,R.E. Measurement of spins of levels excited by slow neutron capture, 8=8263

Fox,J.G. See Fields,T.H., 5=2210, 8=8242-3; Kane,J.A., 5=337; Stallwood,R.A., 8=2492; Sutton,R.B., 5=2805

Fox,J.K. See Thomas,J.T., 9=13712

Fox,J.W. Experiments with modified form of simple pendulum, 9=1118

Fox,J.W., Smith,A.C.H. and Smith,E.J. The variability of the recombination of hydrogen atoms on metal surfaces, 9=10166

Fox,L. Mathematical tables. Volume 2. Tables of Everett interpolation coefficients, 9=7722. See also Barnard,G.P., 5=5066

Fox,M. Effect of expansion of the universe on the distribution of images of galaxies on photographic plates−a simplified model, 9=3038

Fox,M. and Alexander,P. After-effects of the X-ray induced polymerization reactions of methacrylic acid in aqueous solution, 6=6236

Fox,M. and Tebble,R.S. The demagnetizing energy and domain structure of a uniaxial single crystal, 9=2489

Fox,R.E. Negative ion formation in hydrogen chloride by electron impact, 7=7988. Dissociative attachment of electrons in iodine. II. Mass spectrographic determination of the energy dependence of the cross section, 9=370. See also Biondi,M.A., 9=371; Hickam,W.M., 7=495; Schulz,G.J., 7=7310

Fox,R.E. and Hickam,W.M. Study of carbon monoxide, nitrogen, propylene, and benzene ionization probability curves near threshold, 5=1946

Fox,R.E., Hickam,W.M., Grove,D.J. and Kjeldass,T.K., Jr. Ionization in a mass spectrometer by monoenergetic electrons, 6=1330

Fox,S. and Frank,R.B. A dynamic condenser electrometer system for beta particle detection, 8=8182

Fox,T.G. and Loshaek,S. Isothermal viscosity−molecular weight dependence for long polymer chains, 5=10006

Foxwell,D.G. See Foglesong,G.M., 5=1198

Foy,R.R. Geiger counters, 5=3838

Foy,R.R. and Camarena,F. Radioactivity detector, 5=3990

Fozard,J.L. See Small,A.M.,Jr, 9=7708

Fracassini,M. and Hack,M. A calculation of the profile of the Hδ line for models of a stellar atmosphere in radiative equilibruim and in adiabatic equilibrium in the convective zone, 8=6604

Fracastoro,M.G. Influence of the Terrestrial atmosphere on astronomical observations, 6=4153. Traditional elements, photometric requirements and astronomical limitations in the problem of stellar magnitudes, 7=2939

Frackiewicz,B. See Epstein,D.J., 9=425

Frackowiak,D. On the fluorescence yield of organophosphors, 9=211. See also Bauer,R., 8=135; Drabent,R., 6=7301

Frąckowiak,M. Further investigations on the decay of phosphorescence of rigid solutions, 8=136. Decay of phosphorescence of rigid solutions, 9=10839

Frąckowiak,M., Grzywacz,J. and Heldt,J. Emission anisotropy of photoluminescence of acridine yellow in gelatine in the preexcited state, 9=12103

Fradkin,B.M. A ferromagnetic sphere in a strong magnetic field, 7=543

Fradkin,E. See Faĭnberg,V., 7=1055

Fradkin,É.E. A particle of spin 3/2 in an electromagnetic field, 7=7599. Matrix algebra of the theory of spin 3/2 particles, 8=1808. On the Rarita−Schwinger method in the theory of half-integral spin particles, 8=2148

Fradkin,É.E. and Izmaĭlov,S.V. On admissible transformations for the equations of particles with higher spin, 7=9003

Fradkin,E.S. On renormalization in quantum electrodynamics, 5=44. Quantum theory of fields. I, 5=8485. On some general relations in quantum electrodynamics, 6=59. On the problem of the asymptotic Green's function in meson theory with weak pseudoscalar coupling, 6=915. Green's functions for the interaction of nucleons with mesons, 6=7987. On the problem of interaction of two quantum fields, 6=7991. The asymptotic Green's function in quantum electrodynamics, 7=1050. Dispersion relation for arbitrary scattering angle, 7=3974. On the theory of transfer processes in a plasma located in a magnetic field, 8=2372. The Green's function method in quantum statistics, 9=11831. Functional equations and operator solutions for the statistical sum, 9=11832. A Green's function method in quantum statistics, 9=11833. On a correlation in quantum statistics, 9=11863. See also Avrorin,E.N., 6=7129

Fradkin,M.I. On the problem of anti-protons in the primary stream of cosmic rays, 6=5193. See also Ginzburg,V.L., 7=2373; Vernov,S.N., 8=6015

Fraenkel,B.S. Double reflection X-ray camera, 9=1937

Fraenkel,B.S., Halperin,A. and Alexander,E. Ultraviolet absorption and double X-ray reflections in diamond, 7=4160

Fraenkel,G.K. See Gardner,D.M., 6=8314; Hirshon,J.M., 5=2004; Venkataraman,B., 5=4794, 6=3891, 9=8335

Fraenkel,L.E. On the flow of rotating fluid past bodies in a pipe, 6=2709

Fraenz,I. See Carminatti,H., 6=7647

Frager,L. Stability and stabilization of aerodynes, 6=978

Fragstein,C.v. See v.Fragstein,C.

Frahn,W.E. On the nucleon–nucleus interaction, 6=7973. Nucleon–nucleus interaction from the statistical model, 7=8091. Diffraction of electromagnetic waves using Braunbek's approximation. I. 9=11290, II, 9=12512. See also Jordan,H.L., 5=65

Frahn,W.E. and Lemmer,R.H. Velocity-dependent nuclear interaction, 7=8765. II. Level schemes, 8=1910. Effective nuclear potentials, 7=8769. Non-static effects on individual nucleons in a spheroidal potential, 8=712

Frait,Z. A spectrometer for studying paramagnetic and ferromagnetic resonance in the 8700-9500 MHz band, 9=4805. On the problem of non-homogeneity of demagnetizing fields in ferromagnetic resonance, 9=4807. Ferromagnetic resonance in certain Fe–Ni alloys, 9=8326

France,W.L. See also Rossmann,K., 6=4558

France,W.L. and Dickey,F.P. Fine structure of the 2.7 micron carbon dioxide rotation-vibration band, 5=4528

Franceschi,L.De. See De Franceschi,L.,

Franchetti,S. Rôle of exchange forces in the problem of helium II, 5=896. Tentative on the role of exchange forces in the problem of He II, 5=7908. Problems of film formation and flow in liquid helium II, 6=3686. On the problem of the static helium film. I. General considerations and density distribution in the film, 7=2127; II. Effects due to the smallness of one dimension, 7=8563; III. The profile of the film and its dependence on temperature, 7=8564. Simple treatment of central force collisions with particular reference to phase shift calculation, 8=518. On the structure of liquid ^{4}He, 9=2273. On the helium film in non-static conditions, 9=3394

Francia,G.Toraldo di. See Toraldo di Francia,G.

Francini,M. See Piontelli,R., 7=824

Francis,E.L. Uranium data manual, 9=6479. Thorium data manual, 9=6480. Niobium data manual, 9=6481. Vanadium data manual, 9=6482

Francis,E.W.R. See Haine,M.E., 9=6609

Francis,G. The growth of electrodeless discharges in hydrogen, 5=3807. The growth of an electron avalanche retarded by its own space charge, 5=6253. Multiplication of electrons in the presence of space charges, 7=3322

Francis,G. and von Engel,A. The origin of streamers in spark discharges, 6=8220

Francis,J.E., Bell,P.R. and Harris,C.C. Medical scintillation spectrometry, 6=2373

Francis,J.R.D. Wave motions on a free oil surface, 7=3049

Francis,N.C. See Brueckner,K.A., 5=7351, 5=8156, 6=676; Eden,R.J., 5=3958

Francis,P.D. See Walters,G.S., 8=3218

Francis,P.G. and McGlashan,M.L. Second virial coefficients of vapour mixtures, 5=5941

Francis,S.A. See also Eischens,R.P., 5=608

Francis,S.A. and Ellison,A.H. Infrared spectra of monolayers on metal mirrors, 9=5530

Francis,W.E. Viscosity equations for gas mixtures, 9=1157

Francis,W.E. and Marsden,L.L. Gamma-ray dose and heating from spent M.T.R. [Materials Testing Reactor] fuel elements, 8=349

Franck,E.U. Properties of gases and liquids within the range of pressures used in industry, 6=1881

Franck,E.U. and Jost,W. Transport phenomena in fluid mixtures, 9=13066

Franck,J. and Sponer,H. Remarks on radiationless transitions in complex molecules, 6=8899

Franck,J.P. and Hertz,H.G. Measurement of critical supersaturation of vapours with the diffusion cloud chamber, 6=2830

Franck,J.V. See Alvarez,L.W., 5=4732

Francken,J.C. and Bathelt,R.R. Measurement and evaluation of colour purity in colour tubes, 9=5596

Franco,G. Construction work on the reactor Ispra-I, 9=11498

Franco,G. and Pedretti,A. Measurements of the temperature in an aluminium-clad bar of uranium, 7=3214

Franco,J.Pastor. See Pastor Franco,J.,

Francois,P.E. See Dahanayake,C., 5=6517, 5=9144, 7=6592; Davies,J.H., 6=3270*

François-Rossetti,J. See Imelik,B., 7=7450

Francombe,M.H. High-temperature structure transitions in sodium niobate, 6=7848

Francombe,M.H. and Lewis,B. Structure and phase transitions of ferroelectric sodium—lead niobates and of other sodium niobate type ceramics, 7=5298

Francombe,M.H. and Rooksby,H.P. Lattice magnetostriction in spinel-type iron chromites, 7=2816

Françon,M. Polarization apparatus for interference microscopy and macroscopy of isotropic transparent objects, 7=6058. Studies and applications of polarized-light interference-microscopes, 8=6899. See also Aguilar,M. 5=6070

Françon,M. and Gandon,Y. Study of the angles of contact of liquid surfaces with solid surfaces by the interference of polarized light, 8=6696. Study of the angles of contact of liquid surfaces with solids by interference in polarized light, 9=6586

Françon,M. and Royer,H. Microspectrography, 5=4501

Françon,M. and Sergent,B. Birefringent compensator with large field, 5=9585. A large-field birefringent compensator, 6=275*

Françon,M. and Vázquez,D. An achromatic half-wave plate, 9=6799

Franeau,J. See Grard,F., 6=1519

Frank,D. On the statistics of spin waves, 7=6707

Frank,D. and Meyer,K. The spin wave theory of ferromagnetism, 7=3429

Frank,F.C. Hexagonal networks of dislocations, 5=5715. On the X-ray diffraction spikes of diamond, 7=1759. Dislocations and point defects, 8=4424. Dislocation theory, 9=795. On the theory of liquid crystals, 9=4348. See also Braun,I., 8=2086, 9=6371; Forty,A.J., 5=10063

Frank,F.C. and Kasper,J.S. Complex alloy structures regarded as sphere packings. II. Analysis and classification of representative structures, 9=10385

Frank,F.C. and Keller,A. Periodicity in ice–flowers, 7=3816

Frank,F.C., Keller,A. and O'Connor,A. Deformation processes in polyethylene interpreted in terms of crystal plasticity, 8=1349

Frank,F.C. and Puttick,K.E. Comments on "transformations in plain carbon steels," 6=2213. Etch pits and trigons on diamond. II. 9=6370

Frank,F.C., Puttick,K.E. and Wilks,E.M. Etch pits and trigons on diamond. I. 9=6369

Frank,F.C. and Turnbull,D. Mechanism of diffusion of copper in germanium, 7=2725

Frank,F.C. and Vreeland,T. Etching patterns in high purity zinc, 8=5520

Frank,H. Photoconductivity of cadmium sulphide, 5=2763. Photoelectric conductivity of cadmium sulphide, 5=7043. On the question of the static rectification characteristics of germanium p-n junctions, 6=358. Photoelectric measurement of the internal electric field in inhomogeneous semiconductors, 7=7904. On the multiple scattering and back-diffusion of fast electrons, 9=4712

Frank,H.P. and Ullman,R. Determination of dissymmetry of scattering in colored solutions, 5=6057

Frank,H.S. Thermodynamics of a fluid substance in the electrostatic field, 6=1182

Frank,I.M. The duration of a flash in the Vavilov–Cherenkov

effect, 6=6715. See also Belovitskii,G.E., 5=9066, 6=2385
Frank,M. Automatic gamma-ray spectrometer, 9=8560
Frank,P.J. See Rocard,J.M., 8=7318
Frank,P.W.,Jr. See Evers,E.C., 9=6345
Frank,R.B. See Fox,S., 8=8182
Frank,R.C., Lee,R.W. and Williams,R.L. Ratio of the diffusion coefficients for the diffusion of hydrogen and deuterium in steel, 9=851
Frank,R.C. and Swets,D.E. Hydrogen permeation through steel during abrasion, 7=6632
Frank,R.C., Swets,D.E. and Fry,D.L. Mass spectrometer measurements of the diffusion coefficient of hydrogen in steel in the temperature range of 25°-90°C, 9=850
Frank,R.M. and Gammel,J.L. Elastic scattering of protons by He^3 and T, 5=9915
Frank,R.M., Gammel,J.L. and Watson,K.M. Optical model potential for pion-nucleus scattering, 6=926
Frank,S.G.F. See Culligan,G., 8=277, 9=3757
Frank,V. Hall coefficient and resistivity of α- and β-brass from 20-600°C, 7=2187. A Fourier analogue-computer of the Hägg–Laurent type, 7=8289. Hall coefficient of technically pure metals from 80°K to 800°K. I. Results for Cu, Ag, Au, Pd and Pt, 8=1070; II. Results for Zr, W, Mo, Ta, Nb and Al. Survey of results for the 4d- and 5d-transition group of metals, 8=1071
Frank,W.J. See Bandtel,K.C. 7=6544, 9=696
Franke,E.K. Response of the human skill to mechanical vibrations, 7=4090
Franke,G. Illumination of square surfaces by line sources, 9=2256
Franke,H.W. A hydrodynamic model of wave mechanics, 5=2443. The stress tensor in wave mechanics, 5=3462
Franke,P.G. Frictional losses of head in steady uniform flow, 9=1133
Frankel,J.P. Multiple slip in bicrystals, 9=12763
Frankel,M. See Fischer,E., 5=8354
Frankel,S. Effect of spin-orbit interaction on photonuclear electric dipole absorption, 5=8157. See also Coburn,H.H., 7=4674; Feingold,A.M., 5=3995; Goldberg,N., 6=3168; Golden,R.K., 6=5376; Snyder,E.S., 7=6497
Frankel,S., Hansen,P.G., Nathan,O. and Temmer,G.M. Detection of Ga^{66} positron polarization by the annihilation-in-flight rate in polarized matter, 8=1926
Frankel,S.P. See Alder,B.J., 5=4411
Franken,P. and Liebes,S.,Jr. Magnetic moment of the proton in Bohr magnetons, 7=3542
Franken,P., Sands,R. and Hobart,J. Polarisation of free potassium atoms by exchange collisions with sodium atoms and free electrons, 8=9077
Franken,P.A. See also Dyer,I., 9=1219
Franken,P.A. and Boyne,H.S. Effect of nuclear electric dipole moments on nuclear spin relaxation in gases, 9=11422
Franken,P.A. and Colegrove,F.D Alignment of metastable helium atoms by unpolarized resonance radiation, 9=722
Franken,P.A. and Ingard,U. Sound propagation into a moving medium, 6=2737
Frankevich,E.L. See Tal'roze,V.L., 7=5425
Frank-Kamenetskii,D.A. Beta-processes and astrophysics, 6=6295. Numerical values of the constant of the triplet beta-interaction, 6=6871. See also Dmitriev,N.A., 7=5008; Gandel'man,G.M., 6=6450
Frankl,D.R. Electroluminescence of zinc sulfide single crystals, 6=1114. Some considerations regarding a method of abridged spectroradiometry, 8=1639. Electroluminescence of ZnS single crystals with cathode barriers, 9=1321. See also Lempicki,A., 7=4230, 7=9640; Neumark,G., 5=9582, 7=4231
Frankl,D.R., Birman,J.L., Neumark,G.F. and Lempicki,A. Brightness waves in the electroluminescence of ZnS single crystals, 7=4229
Frankl',F.I. Isentropic relativistic gas flow, 7=1967
Franklin,A.D. Ferroelectricity of barium titanate single crystals, 9=6874. See also Canty,B.F., 8=5763
Franklin,A.D. and King,K.A. Digest of the literature on dielectrics. Ferroelectric and piezoelectric materials, 8=2291
Franklin,J. Pion production in pion–nucleon scattering, 7=4774
Franklin,J. and Keller,H.B. A priori bounds for temperature in circulating fuel reactors, 7=3694
Franklin,J. and Margolis,B. Scattering of μ-mesons by nuclei, 8=6158
Franklin,J., Margolis,B. and Oberthal,H. Scattering of μ-mesons by nuclei, 8=6159
Franklin,J.L. See Dibeler,V.H., 8=4086; Field,F.H., 5=1012; Herron,J.T., 8=8500, 9=7569; Lampe,F.W., 8=5999; Reese,R.M., 9=5845
Franklin,J.N. See Plesset,M.S., 9=6339
Franklin,J.S. Automated universal distribution photometer, 9=6676
Franklin,K.L. An account of the discovery of Jupiter as a radio source, 9=7732. See also Burke,B.F., 5=7630
Franklin,K.L. and Burke,B.F. Radio observations of the planet Jupiter, 9=3042
Franklin,P.J. Digest of the literature on dielectrics. Ferroelectric materials, 9=5649. See also Conrad,E.E., 6=7374
Franklin,R.E. and Gordon,R.L. (Conf. rep.) Summarized proceedings of a Conference on the Structures of Semi-crystalline and Non-crystalline Materials – London, November 1955, 7=2732
Franks,A. An optically focusing X-ray diffraction camera, 6=2554. Some developments and applications of microfocus X-ray diffraction techniques, 9=929. A modified X-ray powder camera, 9=10366. See also Thomas,K., 9=7045
Franks,A. and Holden,J. Investigation of the fatigue of metals by X-ray scattering, 6=1647
Franks,A. and McLean,D. Polygonization in copper, 6=4707
Franks,A. and Thomas,K. Low-angle X-ray scattering from cold-worked metals, 8=6510
Franks,J. Metal whiskers, 6=7009. The infra-red luminescence of iodine, 7=9636. Growth of whiskers in the solid phase, 9=2987. See also Bradley,D.E., 7=9963
Franks,J., Geach,G.A. and Churchman,A.T. Lamellar defects in single crystals of silicon, 5=3270
Frankson,K.D. See Schossberger,F., 9=7543
Frantz,L.M. Field theory of deuteron exchange currents, 8=5633
Frantz,L.M., Mills,R.L., Newton,R.G. and Sessler,A.M. Exclusion principle and phenomenological optical-model potentials, 9=1700
Franz,A. See Gebauer,R., 9=12365
Franz,G.J. Splashes as sources of sound in liquids, 9=10717
Fränz,I. and Münzel,H. The isomers of Sb^{126}, 9=3837
Fränz,I., Rodriguez,J. and Carminatti,H. The isobaric series Sn^{130}-Sb^{130}, 5=4863
Fränz,I., Rodriguez,J. and Radicella,R. The two antimony isomers with the mass number 128, 9=3835. A new antimony isotope Sb^{126}, 9=3836
Franz,W. On the Green's functions of the cylinder and the sphere, 5=2023. Theory of the Trentini absorption grating, 5=2030. On the existence of Zener emission, 7=569. Influence of an electric field on an optical absorption edge, 8=6822. The Zener effect and impact ionization, 9=9607. On the quantization of the Dirac field, 9=10586. The theory of the inner field-emission from the valence band, 9=12233. See also Beckmann,P., 9=1614, 9=4846
Franz,W. and Galle,R. Semi-asymptotic series for the diffraction of a plane wave at a cylinder, 5=8936
Franze,C. and Wagner,H.G. Propagation of laminar flames in premixed gases. Measurements and theory of flame speed, 7=817
Franzen,W. and Emslie,A.G. Atomic orientation by optical pumping, 8=9079
Franzen,W., Huber,P. and Schellenberg,L. Production of monoenergic d-d neutrons with the aid of n-He^3 coincidences, 6=652. A coincidence arrangement for the production of monochromatic neutrons with the (d,d) reaction, 6=3986
Franzinetti,C. See also Amaldi,E., 5=1233, 5=3871, 5=49 54, 7=3888, 8=272; Astbury,P., 5=6483; Barford,N.C., 8=6021; Barkas,W.H., 7=3225; Baroni,G., 6=7480; Block,M., 9=12581; Carlson-Lee,D., 7=1836; Castagnoli,C., 5=6493, 5=9948, 6=6183, 7=8175; Chamberlain,O., 6=3787, 6=4637, 6=5830, 6=6186; Davies,J., 5=6259
Franzinetti,C. and Morpurgo,G. An introduction to the physics of the new particles, 8=3300
Franzini,P. See Bertanza,L., 9=9912; Borelli,V., 9=2556; Eisler,F., 8=1208, 8=1212*, 9=2658, 9=2662, 9=2667
Franzosini,P. See Clusius,K., 7=9665, 9=3390, 9=7406
Frasco,D.L. and Wagner,E.L. Interpretation of the infrared spectra of the solid hydroxylammonium halides, 9=6728
Fraser,A.R. Radiation fronts, 8=4918
Fraser,G.J. See Ellyett,C.D., 5=8446
Fraser,J.S. See Milton,J.C.D., 5=1941, 9=2844
Fraser,M.H. A useful correlation of some physical properties of liquids, 7=133
Fraser,P.A. Vibrational transition probabilities of diatomic molecules III, 5=422. See also Jarmain,W.R., 5=8122; Romanowski,M., 6=1399
Fraser,R.D.B. Interpretation of infrared dichroism in fibrous

proteins - the 2μregion, 6=2301. Interpretation of infrared dichroism in axially oriented polymers, 8=6861. Determination of transition moment orientation in partially oriented polymers, 9=7478. Use of fiber specimens for infrared absorption measurements, 9=7969
Fraser,R.D.B. and MacRae,T.P. Hydrogen → deuterium exchange reaction in α keratin, 9=892. Hydrogen → deuterium exchange reaction in fibrous proteins. I, 9=5218; II, 9=8948
Fraser,R.P. See also Dombrowski,N., 5=9345
Fraser,R.P. and Dombrowski,N. High-speed photography in the study of moving fluids, 5=8434
Frasson,E. and Bezzi,S. Estimation of the absorbing power of single crystals for weak and medium absorption, 9=9012
Frauenfelder,H. See also Levine,N., 8=8269
Frauenfelder,H., Bobone,R., von Goeler,E., Levine,N., Lewis,H.R., Peacock,R.N., Rossi,A. and DePasquali,G. Parity and the polarization of electrons from Co^{60}, 7=6504. Parity and electron polarization: Au^{198}, 8=746
Frauenfelder,H., Hanson,A.O., Levine,N., Rossi,A. and DePasquali,G. Parity and electron polarization: Møller scattering, 7=9853. Parity and electron polarization: O→O transition in Ga^{66}, 8=747
Frauenfelder,H., Jackson,J.D. and Wyld,H.W.,Jr. Polarization effects following beta decay, 8=4298
Frauenfelder,H., Levine,N., Rossi,A. and Singer,S. Decay of Co^{58}, 6=6864
Fraunberger,F. and Kellerer,A. The problem of the electron emission of nickel in the Curie region, 9=9687
Frautschi,S.C. See Bjorken,J.D., 9=3734
Fray,S.J. See Roberts,L.M., 6=2827
Frazer,B.C. Magnetic structure of Fe_4N, 9=4801; See also Shirane,G., 5=5753, 6=7846
Frazer,B.C., Danner,H.R. and Pepinsky,R. Single-crystal neutron analysis of tetragonal $BaTiO_3$, 6=1755
Frazer,J.F., Hofmann,J.A., Livingston,M.S. and Vash,A.M. Measurement of magnetic field gradients, 5=7177
Frazer,W.R. and Fulco,J.R. Effect of a pion-pion scattering resonance on nucleon structure, 9=11358
Frazer,W.R. and van Hove,L. The stationary states of interacting fields, 8=2771
Frazier,D. See Grant,G., 8=6607
Freaijs de Veubeke,B. Kinematic and energy considerations for flexure without torsion, 5=7718
Fred,M. See also Goodman,G.L., 9=7441; Manning,T.E., 6=5320; Meggers,W.F., 7=7727; Tomkins,F.S., 8=5759
Fred,M. and Tomkins,F.S. Preliminary term analysis of Am I and Am II spectra, 8=108
Fred,M., Tomkins,F.S. and Meggers,W.F. Nuclear moments of Ac^{227}, 5=7287
Freda,A. See Cullity,B.D., 8=9145
Freden,S.C., Gilbert,F.C. and White,R.S. Decay of a negative π' meson, 9=1681
Freden,S.C. and Ticho,H.K. Capture of negative K mesons, 5=9138. Mass value for the Σ^- hyperon, 7=5645
Freden,S.C. and White,R.S. Protons in the earth's magnetic field, 9=12903
Fredericks,W.J. See also Kelly,R.L., 9=12292; Sancier,K.M., 9=7972
Fredericks,W.J. and Scott,A.B. Transference experiments on lead and thallous ions in potassium chloride crystals, 8=9117
Frederikse,H.P.R. See also Blunt,R.F., 5=948-9, 6=1234; Breckenridge,R.G. 5=947, 5=3766
Frederikse,H.P.R. and Blunt,R.F. Photoeffects in intermetallic compounds, 6=3745. Photoconductivity and photovoltaic effect in intermetallic compounds, 7=7924
Frederikse,H.P.R. and Hosler,W.R. Galvanomagnetic effects in n-type InSb at 4.2°K, 7=9691. Oscillatory galvanomagnetic effects in n-type indium arsenide, 8=4988. Galvanomagnetic effects in n-type indium antimonide, 8=5893. Galvanomagnetic effects in p-type indium antimonide, 8=5894
Frederikse,H.P.R., Hosler,W.R. and Roberts,D.E. Electrical conduction in magnesium stannide at low temperatures. 6=5882. Frederikse,H.P.R. and Mielczarek,E.V. Thermoelectric power of indium antimonide, 6=345
Fredga,K. On some observations made with a polarizing double image flare photometer, 9=11738
Fredricks,R.W. See Knopoff,L., 9=131
Fredrickson,A.G. and Bird,R.B. Friction factors for axial non-Newtonian annular flow, 9=2126
Free,L.J. Background noise measurements at the sea horizon, 9=12173
Freed,S. See Bernstein,S., 6=4652; Miller,D.G., 8=9103; Sayre,E.V., 6=1062-3*, 6=5776-7, 7=4150, 8=7817
Freedman,H.P. See Ahlers,N.H.E., 5=2563
Freedman,M.S. See also Novey,T.B., 6=8351; Porter,F.T., 5=7326, 6=8350, 7=8131
Freedman,M.S., Novey,T.B., Porter,F.T. and Wagner,F.,Jr. Correction for phosphor backscattering in electron scintillation spectrometry, 7=455
Freedman,M.S., Porter,F.T., Wagner,F.,Jr and Day,P.P. Transition in 26-min U^{235m} of less than 23 electron volts, 8=8291
Freeman,A.J. Configuration interaction study of the electronic structure of the OH radical by the atomic and molecular orbital methods, 8=4390. Compton scattering of X-rays from nonspherical charge distributions, 9=4675. Compton scattering of X-rays from aluminum, 9=4676. Atomic scattering factors for spherical and aspherical charge distributions, 9=5100
Freeman,A.J. and Löwdin,P.O. Quantum-mechanical kinetic energy transformation, 9=1089
Freeman,A.J. and Wood,J.H. An atomic scattering factor for iron, 9=5101
Freeman,H.C. and Smith,J.E.W.L. A polynomial approximation to atomic scattering factor curves, 9=7607
Freeman,I.M. The tippe top again, 6=4222. Acoustic behavior of a rubber string, 9=1173
Freeman,I.M. (collab). See Joos,G., 8=488
Freeman,J.B. and Serfass,E.J. Analytical mass spectrometry utilizing relative abundance ratios, 5=6597
Freeman,J.M. Inelastic neutron scattering in manganese, 5=2187. Inelastic neutron scattering in F^{19}, 5=9928. The levels of ^{19}F from inelastic neutron scattering, 7=2532. The excitation of a 2.79 MeV level in ^{19}F by inelastic neutron scattering, 7=8773
Freeman,J.M. and Hanna,R.C. Excited states of N^{16}, 8=5275
Freeman,J.M., Hanna,R.C. and Montague,J.H. The nuclear reaction of $He^4(\alpha,p)Li^7$ and its inverse. II. The reaction of $Li^7(p,\alpha)He^4$, 8=6310
Freeman,J.M., Lane,A.M. and Rose,B. Inelastic neutron scattering in lithium seven, 5=2188
Freeman,J.M. and Montague,J.H. Gamma-rays from inelastic neutron scattering in Na^{23}, 9=2764
Freeman,J.R. See Kallmann,H., 8=8782
Freeman,J.W. See Towe,G.C., 5=4269
Freeman,M.P. See Kwan,T., 5=10044
Freeman,M.W. See Watson,J.H.L., 8=8926
Freeman,N.J. The beta rays of praseodymium-144 and the axial vector beta interaction, 9=6086. See also Evans,P.R., 8=9030, 9=2409
Freeman,R., Murray,G.R. and Richards,R.E. Cobalt nuclear resonance spectra, 8=309
Freeman,R.D. See Searcy,A.W., 5=3685
Freemantle,R.G., Gibson,W.M. and Rotblat,J. Interaction of 19 MeV deuterons with carbon, 5=2180
Freemantle,R.G., Grotdal,T., Gibson,W.M., McKeague,R., Prowse,D.J. and Rotblat,J. The scattering of deuterons and protons by alpha-particles, 5=339
Freemantle,R.G., Prowse,D.J., Hossain,A. and Rotblat,J. Scattering of 9.5-MeV protons by neon and argon, 5=1190
Freemantle,R.G., Prowse,D.J. and Rotblat,J. Scatteridng of 9.5-MeV protons by nitrogen, 5=1189
Freese,E. Many-point correlation-functions in quantum field-theory, 5=7681
Fregeau,J.H. Elastic and inelastic scattering of 187-MeV electrons from carbon-12, 7=1584
Fregeau,J.H. and Hofstadter,R. High-energy electron scattering and nuclear structure determinations. III. Carbon-12 nucleus, 5=9832
Frei,A.H. and Strutt,M.J.O. Skin effect in semiconductors, 9=9600
Frei,C.J., Staub,H.H. and Winkler,H. The effective cross-section for pair production by 6.3 MeV gamma quanta in the Coulomb field of the electron, 9=5997
Frei,E.H. See also Aharoni,A., 8=8107; Eisenberg,H., 5=6783
Frei,E.H., Shtrikman,S. and Treves,D. Critical size and nucleation field of ideal ferromagnetic particles, 7=6352. Method of measuring the distribution of the easy axes of uniaxial ferromagnetics, 9=9770
Frei,Y. See Fischer,E., 7=9947-8
Freiberg,E. and Goebel,K. The branching ratio of praseodymium 142, 9=13633
Freiberger,W. Bounds for the collapse load of a beam compressed by three dies, 7=5684
Freidenfel'd,É.Zh. See Apsit,A.A., 9=8074

Freier,G. See Zipoy,D., 7=6545
Freier,G.D. Useful diagram, 9=2560. See also Bolmgren,C.R., 7=3641
Freier,G.D., Famularo,K.F., Zipoy,D.M. and Leigh,J. Elastic scattering of protons by A^{40}, 8=4311
Freier,P.S. See also Danielson,R.E., 6=8850, 8=1115; Fowler,P.H., 7=4509, 7=8867; Naugle,J.E., 5=1235, 7=2702; Ney,E.P., 9=13407
Freier,P.S., Ney,E.P. and Fowler,P.H. Cosmic rays and the sunspot cycle. Primary α-particle intensity at sunspot maximum, 8=4110
Freier,P.S., Ney,E.P. and Waddington,C.J. Lithium, beryllium, and boron in the primary cosmic radiation, 9=7132. Flux and energy spectrum of cosmic-ray α-particles during solar maximum, 9=7136
Freiling,E.C. Nomogram for radiocativity induced in irradiation, 7=3741. See also Bunney,L.R., 7=9376; McIsaac,L.D., 7=3579; Pascual,J., 8=257
Freise,V. See Bambynek,W., 6=4459
Freistadt,H. Classical field theory in the Hamilton-Jacobi formalism, 5=3420. Quantized field theory in the Hamilton-Jacobi formalism, 6=3476. The meaning of relativity. Invariance and covariance, 7=1045. The causal formulation of quantum mechanics of particles (the theory of de Broglie, Bohm and Takabayasi), 8=39. Poisson brackets in field theory, 9=2041
Freistadt,H. and Struik,R.R. Meta-derivatives and anti-commutators, 9=977
Freitag,E.H. See Bowden,F.P., 6=1667
Freitag,W.O. and Nixon,E.R. Infrared spectra of gaseous and crystalline cyaanogen halides, 6=1979
Freiwald,H. and Ude,H. Generation of spherical explosive (detonation) waves in gaseous mixtures, 6=1683. The initiation of spherical detonation waves in gas mixtures, 6=2492
Frelot,T., Combe,R. and Feix,M. A 2.3 MeV linear electron accelerator, 7=1358
Fremlin,J.H. Relativity and space travel, 8=35. Spallation and heavy ion reactions, 8=1982. Sub-surface temperatures on the moon, 9=9144. See also Chackett,G.A., 5=2169; Chalklin,L.P., 7=635; Effat,K.E.A., 5=9708, 8=1097; Milsted,J., 7=686
Fremlin,J.H. and Spiers,V.M. The break-up of negative ions in the cyclotron, 5=5483
French,A.P. Nucleon exchange in deuteron stripping reactions, 8=758. See also Dearnaley,G., 8=1255; Evans,N.T.S., 8=2565
French,D.M. See Wissbrun,K.F., 5=1321
French,J.B. Deuteron reactions and the A=14 polyad, 6=8953. See also Auerbach,T. 5=7370; Halbert,E.C., 7=5543; Pandya,S.P., 8=1906
French,J.B. and Fujii,A. Angular momentum coupling in the nuclear p shell, 7=3521
French,J.B., Halbert,E.C. and Pandya,S.P. Intermediate coupling shell model for Be^9, 5=9825
French,J.B. and Raz,B.J. Deuteron reactions and the j-j coupling shell model, 5=9084. Angular momentum coupling and the internucleon interaction in the calcium isotopes, 7=3513
French,J.C. See Udelson,B.J., 8=204
Frenk,H. Remarks on "A light modulator for use with an infrared detector", by R.Kessler, 8=6800
Frenkel',V.Ya. The emission properties of aluminum oxide at high temperatures, 9=5619
Frenkiel,F.N. Ozone theory in the troposphere, 6=1762
Frenkiel,F.N. and Schwarzschild,M. Additional data for turbulence spectrum of solar photosphere at long wave lengths, 5=5182
Frenkin,A.R. See Logunov,A.A., 9=516
Frennet,A. See Adam,J., 6=7783; Coekelbergs,R., 6=1672
Frentrop,A.H. See Los Alamos Physics and Cryogenics Groups, 9=11478
Fréon,A. A method of continuously controlling pulsed counting equipment, 6=2203. See also Auger,P., 5=8069
Fréon,A., Berry,J. and Coste,J.P. On the recurrent variations of the primary cosmic ray intensity during a period of maximum solar activity, 9=11179
Frerichs,R. and Handy,R. Electroluminescence in cuprous oxide, 9=5576
Frerichs,R. and Weichman,F. Excitation of short infrared pulses with high repetition rate by electron bombardment of cuprous oxide, 8=8817
Fresco,J.M. See Marcus,R.A., 7=8520
Fresh,D.L. Methods of preparation and crystal chemistry of ferrites, 7=3805
Fretter,W.B. See also Aggson,T.L., 6=4004; Kepler,R.G., 8=1107
Fretter,W.B. and Friesen,E.W. Cloud chamber for precision measurements, 5=8047
Freudenstein,F. and Calcaterra,P. Tracer-type instrument for changing scales in two mutually perpendicular directions, 5=9351
Freudenthal,A.M. Internal stresses and fatigue in metals, 9=5212
Freudenthal,A.M. and Gumbel,E.J. Failure and survival in fatigue, 5=3196
Freudenthal,A.M. and Weiner,J.H. On the thermal aspect of fatigue, 6=1664
Freund,H.G. See Box,H.C., 9=8016, 9=12471
Freund,K. See Crandell,F.F., 7=7706
Freund,R.E. Thermoluminescence measurements on electroluminescent, ZnS;Mn films, 6=1112. See also Schwertz,F.A., 5=6951
Freund,T. Diffusion and gas sorption obeying the Elovich equation, 7=5707
Frey,G.W.,Jr. See Barlow,J.S., 5=3336
Frey,H.M. Deuteration of azulene and the structure of the azulinium ion, 7=2516
Frey,J. A demonstration experiment of the Faraday effect with microwaves, 5=8938. See also Kornetzki,M., 6=464
Frey,W.F., Johnston,R.E. and Hopkins,J.I. K-series fluorescence yields of vanadium,manganese, and neon, 9=5780
Freymann,M. The structure of solids and dipolar absorption in the Hertzian region of organic compounds: Camphor and its derivatives, 6=8762. See also Freymann,R., 7=4346; Rohmer,R., 6=1197
Freymann,M. and Freymann,R. Debye's dipolar absorption in the Hertzian spectrum. I. Lattice defects in mineral compounds. II. Camphor and fenchone, thiophene and pyridine, 7=6153
Freymann,R. Energy levels in semi-conductors computed from Debye absorption at radio-frequencies, 5=3737. Debye's dipolar absorption, 6=5073. Debye dipolar absorption of zinc oxide, selenium and silicon carbide, 9=10953. See also Freymann,M., 7=6153; Grillot,E., 9=3324; Rohmer,R., 6=1197
Freymann,R., Balcou,Y., Blanchard,M.L., Corneteau,H., Freymann,M., Hagène,B., Hagène,M., Lepage,M., Meinnel,J. and Rohmer,R. Electrical and optical properties of some semi-conductors: zinc oxide, zinc sulphide, selenium, 7=4346
Freymann,R. and Grillot,E. Photodipolar absorption of zinc sulphide, 9=10954
Freymann,R., Grillot,E., Hagène,M. and Le Bot,J. On two distinct types of photodielectric effect in cadmium sulphide, 8=1033
Freytag,D. and Ziock,K. The influence of a magnetic field on the lifetime of positronium in solids, 9=2582
Freytag,E. The spectra of Li III and Li II, 9=10755
Freytag,J. See Huber,H., 5=5486
Friauf,R.J. Diffusion of silver in silver bromide and evidence for interstitialcy migration, 7=3754. Midwest Solid-State Physics Conference, 9=6222. See also Cole,G.R., 7=4898, 8=616
Fric,C. See Benoit,H., 9=13461
Frick,G. See Gorodetzky,S., 9=5045
Fricke,G. A universal detector for molecular beams, 5=7399. See also Ehrenstein,D., 8=8371
Fricke,G. and Friedburg,H. A conductivity detector for the detection of molecular beams, 5=7400
Fricke,G., Kopfermann,H. and Penselin,S. Determination of the hyperfine structure and Zeeman g_J-factors of the ^2D ground state of Y^{89} by the atomic beam resonance method, 8=6821
Fricke,G., Kopfermann,H., Penselin,S. and Schlüpmann,K. Determination of the hyperfine-structure splitting of the $^2D_{3/2}$ and $^2D_{5/2}$ ground states of scandium and the quadrupole moment of the Sc^{45} nucleus, 9=11521
Fricke,H. See also Flanders,D.A., 9=910; Gerold,V., 8=7544
Fricke,H. and Gerold,V. Experiments on double Bragg reflections in deformed and undeformed metal foils, 9=7047
Fricker,S.J., Ingalls,R.P., Stone,M.L. and Wang,S.C. U.H.F. radar observations of aurora, 8=5556
Frid,A.A. See Klyarfel'd,B.N., 7=2281
Fridberg,I.D. See Bogoroditskiĭ,N.P., 5=6113, 7=2183, 7=2185 8=6938, 9=9588
Fridge,D.L. See Coleman,H.S., 5=9596
Fridkin,V.M. Some results of investigating the photoelectret state of single sulphur crystals, 7=7085. The depolarization of photopolarized monocrystals of sulphur at different temperatures, 7=7086. Electrophotography on photoelectrets,

7=10000. Photo-electrets and the formation of the latent electrophotographic image, 8=3132. Theory of the formation of the latent electrophotographic image and the law of mutual substitution, 9=12928. See also Froĭman,A.I., 7=7084; Zheludev,I.S., 8=5862, 9=10956, 9=12226
Fridkin,V.M. and Gerasimova,T.N. Electrophotography using phosphors, 7=9483
Fridkin,V.M., Kashukeev,N.T. and Zheludev,I.S. On the theory of photo-electrets, 8=3075
Fridlender (Friedländer),E. Analysis of some cases of anomalous decay of θ^0 particles, 6=7710
Fridlender (Friedländer),E. and Bercha,S. An extraordinary V^0 decay, 6=5406
Fridlender,É. and Rukenshteĭn,É. On the nature of the particles which carry away most of the energy in the intermediate-energy nuclear collisions, 9=1570
Fridlender (Friedländer),E.M. Statistical method to evaluate the energy of particles generating showers of electrons and nucleons, 6=8269
Fridman,G.Kh. See Deryugin,L.N., 7=5490
Fridman,H.D. and Levesque,P. Reduction of static friction by sonic vibrations, 9=13870
Fridman,V.M. See Novitskiĭ,B.G., 8=921
Fridman,Ya.B. See Zilova,T.K., 9=8938
Fridrichsons,J. High-temperature adapter for X-ray powder cameras, 7=2836
Fridrikhov,S.A. See also Shul'man,A.R., 8=7105, 9=4695; Zakirova,I.R., 9=11129
Fridrikhov,S.A. and Goryacheva,G.N. Secondary electron emission from monocrystals of alkaline-halide compounds at low energies of the primary electrons, 9=12361
Frie,W. Calculation of the influence of anisotropy and an additional magnetic field on the electrical breakdown with application to germanium, 9=10999
Fried,B.D. General formulation of powered flight trajectory optimization problems, 9=2116. Mechanism of instability of transverse plasma waves, 9=9728. See also Culler,G.J., 8=5669
Fried,B.D. and Richardson,J.M. Optimum rocket trajectories, 6=8011
Fried,H.M. and Yennie,D.R. New techniques in the Lamb shift calculation, 9=6154
Fried,S. See Fields,P.R., 6=3933
Fried,S.M. See Ghiorso,A., 5=9846
Friedberg,S.A. See Burk,D.L., 9=1390; Darnell,F.J., 5=7990; Guthrie,G.L., 9=4534
Friedburg,H. See also Fricke,G., 5=7400
Friedburg,H. and Kuiper,H. The g_J-factor of xenon in the metastable $^3P_2$-state, 8=355
Friedel,J. Electronic structure of primary solid solutions in metals, 5=408. Use of an effective mass in semiconductors, 5=3730. Deviations from Vegard's law, 5=6541. Knight's displacement in alloys, 5=8953. The origin of ferromagnetism of the transition metals, 6=1352. On the linear work hardening rate of face-centred cubic single crystals, 6=3324. Action of high-energy radiations on solids. Defects in crystals, 7=770*. Dislocations. [Les dislocations], 7=6714. On some electrical and magnetic properties of metallic solid solutions, 7=9162. The mechanism of work-hardening and slip-band formation, 8=3523. Metallic alloys, 9=769. Electronic structure of transition metals and alloys and heavy metals, 9=5141. See also Daniel,E., 8=6130; de Faget de Casteljau,P., 6=2856; De Gennes,P.G., 8=5864
Friedel,R.A. Absorption spectra and magnetic resonance spectra of asphaltene, 9=10775. Reflectivity spectrum and optical constants of bituminous coal; estimation of aromaticity, 9=12136
Friedel,R.A. and Pelipetz,M.G. Special-purpose infrared cells, 6=4996
Friedewold,H. See Vogt,E., 6=6782
Friedl,W. See also Hartenstein,B., 7=6069
Friedl,W. and Hagen,S. On the transfer of excitation energy in rare gas mixtures through collisions of the second kind, 9=6157
Friedl,W. and Hartenstein,B. Energy distribution of diffraction gratings as a function of groove form, 5=6054
Friedl,W. and Schmidt,K. The excitation mechanism in impacts of fast electrons with xenon, 9=6163
Friedland,S.S. See also Jacobson,A., 6=5183; Katzenstein,H.S. 5=5457
Friedland,S.S., Katzenstein,J. and Zatzick,M.R. Pulsed searchlighting the atmosphere, 8=4554
Friedländer,E. On multiple meson production in meson–nucleon collisions at very high energies, 7=4773. See also Fridlender,E., Hulubei,H., 8=280, 8=7263
Friedländer,E. and Kiss,D. An investigation of multiple spurious discharges in GM-counters, 7=4469
Friedländer,E. and Ruckenstein,E. A possibility of interpreting the S-star, 9=8451
Friedländer,E.M. On pion-pair production in nuclear emulsions, 7=756. On the transverse momentum of secondaries in cosmic ray jets, 9=12422. See also Fridlender,E.M.,
Friedlander,F.G. Diffraction of pulses by a circular cylinder, 5=2527
Friedlander,G. See also Baker,E., 9=7336; Caretto,A.A., 8=5355, 8=9047; Cumming,J.B., 9=2780; Markowitz,S.S., 9=3890; Metropolis,N., 9=654-5; Piccioni,O., 5=5452; Sugarman,N., 5=509; Wolfgang,R., 6=7677
Friedlander,G., Hudis,J. and Wolfgang,R.L. Disintegration of aluminum by protons in the energy range 0.4 to 3.0 BeV, 5=8237
Friedlander,M. Report on the Bristol group work on hyperons, 5=6479. See also Astbury,P., 5=6483; Castagnoli,C., 5=6484*
Friedlander,M.W. The lifetime of $^3H_\Lambda$ hyperfragments, 7=9407. See also Brisbout,F., 7=5640; Davies,J.H., 6=3270*; Edwards,B.P., 7=8886; Falla,D.F., 7=8887; Fichtel,C., 9=3701
Friedlander,M.W., Fujimoto,Y., Keefe,D. and Menon,M.G.K. Some aspects of the nuclear capture of hyperons and K-mesons, 5=8228
Friedlander,M.W., Keefe,D. and Menon,M.G.K. Hyperon events in photographic emulsions, 5=4095. The interaction of fast K-mesons, 5=5623. The production of a pair of heavy mesons in a high energy nuclear interaction, 6=2434. On the associated production of a meson-active $^4H_1$ fragment and a K-meson in a nuclear disintegration, 6=2447. The range in G5 nuclear emulsion of protons with energies 87, 118 and 146 MeV, 7=8671
Friedlander,M.W., Keefe,D., Menon,M.G.K., Johnston,R.H.W., O'Ceallaigh,C. and Kernan,A. Observations on negative $\underline{K}$–mesons, 5=3134
Friedlander,P.H., Love,W. and Sayre,D. Least-squares refinement at high speed, 6=4102
Friedlander,S.K. Theory of aerosol filtration, 8=8511
Friedman,A. See Cox,S., 9=5076; Fields,P., 7=4877; Smith,A., 9=3934
Friedman,A.M. See also Diamond,H., 7=3583; Fields,P.R., 6=590, 8=317; Magnusson,L.B., 5=2120, 6=6109; Smith,A.B., 6=4631, 7=2600, 7=6584
Friedman,A.M., Gindler,J.E., Barnes,R.F., Sjoblom,R. and Fields,P.R. Properties of Fm^{252}, 6=6108
Friedman,A.S. Intermolecular forces in air, 7=5504. See also Haar,L., 5=6997; Johnson,V.R., 8=4502; Michels,A., 5=8551, 6=3672
Friedman,A.S. and Haar,L. High-speed machine computation of ideal gas thermodynamic functions. I. Isotopic water molecules, 5=2977
Friedman,H. The solar spectrum below 2000 angstroms, 6=20. Rocket observations of the ionosphere, 9=9072. See also Blifford,I.H.,Jr, 6=9131; Bryam,E.T., 5=7554, 7=1863, 9=7744; Chubb,T.A., 5=7140, 7=6827, 8=15, 8=4668; Havens,R.J., 5=5778; King,P., 6=7898*; Patterson,D.A., 8=3168
Friedman,H. and Chubb,T.A. Solar X-ray emission and the height of D layer during radio fade-out, 5=5766
Friedman,H., Chubb,T.A., Kupperian,J.E.,Jr, Kreplin,R.W. and Lindsay,J.C. X-ray and ultraviolet emission of solar flares (IGY project 10.3), 9=10
Friedman,H.L. Nonideality of liquid ortho-parahydrogen solutions, 8=906. The singularities of the integrals in Mayer's ionic solution theory, 9=7841
Friedman,H.L., Bernstein,R.B. and Gunning,H.E. C^{13} isotope effect in the thermodecomposition of ethyl bromide, 5=3210. Comments on the C^{13} isotope effect in the thermodecomposition of ethyl bromide, 6=1675. C^{13}-Isotope effect in the photolysis of ethyl bromide, 7=5702
Friedman,H.L. and Zeltmann,A.H. Hydrogen conversion and exchange reactions in aqueous solutions induced by gamma rays, 8=9169
Friedman,J. See Horwitz,L., 5=9578
Friedman,J.I. Phenomenological evidence for polarization of 310 MeV protons by elastic scattering in G5 emulsion, 5=8844. Polarization of protons elastically and inelastically scattered in G5 emulsion, 7=2334. See also Ammar,R., 8=297;

De Carvalho,H.G., 5=4741
Friedman,J.I. and Telegdi,V.L. Nuclear emulsion evidence for parity nonconservation in the decay chain π^+-μ^+-e^+, 7=5643, 7=7416
Friedman,L. The mass spectrum of lithium iodide, 5=4763. Experimental limit of the neutrino rest mass, 8=8965. See also Gordon,B.M., 9=646; Koski,W.S., 6=333
Friedman,L., Henkes,W., and Christman,D. $C^{14}-N^{14}$ mass difference and mass excesses of some light nuclides, 9=12614
Friedman,L., Long,F.A. and Wolfsberg,M. Ionization efficiency curves and the statistical theory of mass spectra, 7=5420*. Study of the mass spectra of the lower aliphatic alcohols, 7=9739. Statistical theory of mass spectra: difficulties in interpretation of spectra of the lower alkanes, 9=8983. Variation of appearance potentials of alkane fragment ions with the repeller voltage of the mass spectometer ion source, 9=12395
Friedman,L. and Smith,L.G. Mass difference $T-He^3$ and the mass of the neutrino, 8=6361
Friedman,M.H. Nucleon anomalous moment in a cut-off meson theory, 5=3449. μ-Meson decay and the two-component neutrino, 7=6598. See also Butler,S.T., 5=5230; Drell,S.D., 7=1907; Haller,K., 6=912
Friedman,M.H. and Butler,S.T. Bose-Einstein condensation of an imperfect gas, 5=5231
Friedman,M.H., Lee,T.D. and Christian,R. Scattering of pions by nucleons in intermediate coupling, 6=1623
Friedman,R. Analysis of flame-traverse studies with gas-sampling probes, 6=9006
Friedman,R. and Cyphers,J.A. Flame structure studies. III. Gas sampling in a low-pressure propane-air flame, 6=1166. On the burning rate of carbon monoxide, 6=8735
Friedman,R.H. See Miller,J., 8=3421
Friedman,R.M. See also Hagerman,D.C., 7=6618; Williams,W.S.C., 7=4787
Friedman,R.M. and Crowe,K.M. Photoproduction of pion pairs in hydrogen, 7=4780
Friedmann,G. See Daniel,R.R., 5=4274
Friedmann,H. On the meaning of the "discrete energy loss" of medium fast electrons in solids, 5=3822. The characteristic energy losses of medium velocity electrons in Se layers of various structures, 6=6706
Friedmann,N.E. Analog methods for study of transient heat flow in solids with temperature-dependent thermal properties, 5=2654*
Friedrich,H. and Seiwert,R. Fluorescence investigation on cadmium vapour and a cadmium-caesium vapour mixture, 8=2975. Collisions between excited cadmium atoms and caesium atoms, 9=8691
Friedrich,J. Note concerning certain integrals in the kinetic theory of gases, 9=6616. Evaluation of lateral observations of cylindrical arcs, 9=13345. See also Schirmer,H., 8=5995-6, 9=8254
Friedrichs,K.O. and Hyers,D.H. The existence of solitary waves, 5=5917
Friedrichs,K.O. and Keller,J.B. Geometrical acoustics. II. Diffraction, reflection, and refraction of a weak spherical or cylindrical shock at a plane interface, 5=7775
Frieman,E.A. See Berger,J.M., 9=358, 9=1555; Bernstein,I.B., 8=4159; Johnson,J.L., 9=1601
Friemel,W. and Stranski,I.N. On the formation of needle-like potassium crystals, 6=6246
Friend,J.P. See also Lerner,R.G., 5=3931, 7=7010
Friend,J.P. and Dailey,B.P. Microwave studies of the structure of cyclopropyl derivatives, 9=203
Friend,J.P., Schneider,R.F. and Dailey,B.P. Microwave spectrum of cyclopropyl chloride, 6=238
Friend,P.S. See Metzner,A.B., 9=10905
Fries,D. See Karolus,A., 9=11979
Fries,G. See Israël,H., 6=8085
Friesen,E.W. See Aggson,T.L., 6=4004; Fretter,W.B., 5=8047
Friesen,S.v. See v.Friesen,S.
Friesen,S.von, See von Friesen,S.
Frieser,H. The action of electrons on emulsion plates, 9=12923
Frieser,H. and Klein,E. The properties of photographic emulsions under electron irradiation, 8=8479
Friess,H. Recording and reproduction with stereophonic sound film, 5=3534
Frilley,M. Construction of a Laporte cine-nucleograph, 5=2107. Spectrography of the fluorescent radiations of the radio-elements, 5=9876
Frilley,M. and Lefort,M. Absolute dosimetry for X-rays of 23 keV mean energy. Standardization of ferrous sulphate, 9=11085
Frilley,M., Rosenblum,S., Valadares,M. and Bouissières,G. On the radiations emitted during the transmutation RAc → AcX. II, 5=7318
Frilley,M. and Valadares,M. On the γ-radiation emitted by the RaD→RaE transmutation, 7=8804. Internal conversion coefficients for L_I, L_{II}, L_{III} levels, 9=10086
Frimer,A.I. See also Stoyanova,I.G. 5=5442
Frimer,A.I., Belavtseva,E.M. and Gerasimova,A.M. Electron-microscopic investigation of the structure of photo-cathodes subjected to gas discharges, 6=5890
Frimer,A.I. and Gerasimova,A.M. Electron microscope study of the structure of photocathodes, 7=402
Frings,H.W. See Danner,P.A. 5=142
Frinken,H. and Kappler,E. Elastic hysteresis, 5=3192. Elastic hysteresis and internal stresses, 5=3193
Frisby,H., Bisson,A. and Caillat,R. Precipitation of helium in neutron irradiated beryllia, 9=10269
Frisch,D.H. Possible origin of L.S forces in nuclei, 6=4830. See also Burrowes,H.C., 9=6027, 9=6043; Hyman,L.G., 9=13532; Pugh,G.E., 5=1006, 7=4729
Frisch,D.H. and Wilets,L. Development of the Maxwell–Lorentz equations from special relativity and Gauss's law, 7=3458
Frisch,H.L. N-Particle distribution functions, 5=114. Poincaré recurrences, 7=1079. The time lag in diffusion, 7=5114. Time lag in nucleation, 8=78. An approach to equilibrium, 8=525. See also Kaiser,W., 9=4033; Lebowitz,J.L., 8=84; Liehr,A.D., 9=723; Pollak,H.O., 9=13070; Reiss,H., 9=10624
Frisch,H.L. and Simha,R. Monolayers of linear macromolecules, 6=4068. Statistical mechanics of flexible high polymers at surfaces, 8=441
Frisch,H.L. and Vidale,G.L. Coupled anharmonic vibrations as a cause of broadening of spectral bands: Hydrogen bonded systems, 7=2476
Frisch,J. See Maslach,G.J., 5=8550
Frisch,O.R. Artifical radioactivity and physics, 6=1503
Frisch,O.R. and Olson,D.N. Detection of coherent bremsstrahlung from crystals, 9=13537
Frische,R.H. and von Buttlar,H. A theoretical study of induced electrical polarization, 9=281
Frischmann,P.G. See Walter,J.L., 8=8894
Frisco,L.J. See Chapman,J.J., 8=2291, 9=5649
Frish,S.É. The rôle of the effective cross-sections of atoms during excitation of spectra, 7=9061; See also Bochkova,O.P., 9=11616; Penkin,N.P., 8=4859
Frish,S.É. and Matveeva,N.A. Investigation of the mechanism of the separation of inert gases in a direct current discharge, 9=12325
Frishman,I.G. Distribution of energy in the spectra of Aurora Borealis in the region 3900-8700 A, 9=12916
Frisk,A. See Ekspong,A.G., 9=13623; Nilsson,S., 9=551, 9=1677, 9=2651
Frisken,W.R. See Taylor, H.W., 9=7332
Frisman,É.V. New data relating to the orientation of the double refraction of rays in streaming solutions of polymers, 8=2263. See also Tsvetkov,V.N., 6=8137, 9=3360
Frisman,É.V. and Tsvetkov,V.N. The deformation of macro-molecules by flow and its influence on the sign of the dynamical double refraction of polymer solutions, 6=7329
Fristrom,R.M. Note on the validity of one-dimensional flame front models, 5=7905. Flame zone studies. II. Applicability of one-dimensional models to three-dimensional laminar bunsen flame fronts, 6=5046. See also Lide,D.R.,Jr., 7=5201
Fritsberg,V.Ya. See Apsit,A.A. 9=8074
Fritsch,V. Geoelectric consolidation of soil by means of effective simultaneous mechanical pressure, 5=9282
Fritschen,L.J. and van Wijk,W.R. Use of an economical thermal transducer as a net radiometer, 9=12891
Fritts,B.K. and Peattie,C.G. A system for the rapid reduction of mass spectrometric data, 7=6279
Fritz,J.J., Rao,R.V.G. and Seki,S. Magnetic susceptibilities at low temperatures of "complex" inorganic salts of the first transition group, 8=7185
Fritz,J.J. and Taylor,R.G. Magnetic and thermodynamic properties of copper (II) acetonylacetone, 9=2287
Fritz,N.L. An analog computer for nonlinear coordinate transformation, 5=3388
Fritz,S. Illuminance and luminance under overcast skies, 5=10120
Fritz,W. See Bode,K.H., 9=2263
Fritze,K. and Strassman,F. Indirect determination of the half-life of rubidium, 7=1544

Fritzsche,C. On some semiconducting properties of cuprous oxide, 5=3753. The semiconducting properties of ZnAs$_2$, 6=5100

Fritzsche,H. Electrical properties of germanium semiconductors at low temperatures, 5=7954. Resistivity and Hall coefficient of antimony-doped germanium at low temperatures, 9=8119. The effect of uniaxial tensile stress on impurity conduction in germanium, 9=8139. Piezoresistance of n-type germanium, 9=13301. See also Epstein,A.S., 8=627

Fritzsche,H. and Lark-Horovitz,K. The electrical properties of germanium semiconductors at low temperatures, 5=2742. Electrical properties of p-type indium antimonide at low temperatures, 5=7955. Effect of minority impurities on impurity conduction in p-type germanium, 9=5704

Friz,W. See Klein,W., 7=431

Fröberg,C.E. Numerical treatment of coulomb wave functions, 6=1863*

Froehlich,F.E. See also Sitte,K., 5=1977

Froehlich,F.E. and Sitte,K. Mean free path for shower production by high-energy pi mesons, 5=1962

Froese,C. The limiting behaviour of atomic wave functions for large atomic number, 7=6477; II. 8=4364. The self-consistent field with exchange for some 10 and 12 electron systems, 7=9345. On the calculation of the velocity of sound in sea water, 9=9320. See also Wait,J.R., 5=4813

Froese,C. and Hartree,D.R. Wave functions for the normal states of Ne^{+3} and Ne^{+4}, 8=5431

Froese,C. and Wait J.R. Calculated diffraction patterns of dielectric rods at centimetric wavelengths, 5=2028

Fröhlich,F. Stray-light measurements on a Zeiss spectrophotometer, 9=1259. See also Brauer,K.H., 9=9415

Frölich,H. Dielectric polarization in polar substances. Remark on a paper by F.E.Harris and B.J.Alder, 5=929. Theory of secondary electron emission from solids, 5=8830. Electrons in dielectrics, 5=9391. Remarks on the theory of superconductivity, 5=9391. Remark on the calculation of the static dielectric constant, 7=8580. Speculations on the masses of particles, 8=7229. A powerful source for ion and electron beams, 9=11134. A survey of the theory of dielectrics, 9=12201

Fröhlich,H. and Doniach,S. Plasma interaction and conduction in semi-conductors, 7=2200

Fröhlich,H. and Kittel,C. Remark on the paper by Prof.G.Busch, 5=3728

Fröhlich,H. and Paranjape,B.V. Dielectric breakdown in solids, 6=2144

Fröhlich,H., Paranjape,B.V., Kuper,C.G. and Nkajima,S. The influence of interelectronic collisions and of surfaces on electronic conductivity, 7=1267

Fröhlich,H. and Pelzer,H. Plasma oscillations and energy loss of charged particles in solids, 5=6340

Fröhlich,W. See van Calker,J., 9=12225

Frohnmeyer,G. and Richter,H. A high-intensity focusing system for structure determination with the counter-tube goniometer, 5=8400

Froĭman,A.I. and Fridkin,V.M. Investigation of the heterocharges of electrets in carnauba wax, 7=7084

Froissart,M. and Omnès,R. Certain properties of the solutions of the equation of Chew and Low, 8=883. Analytical properties of the solutions of the Chew–Low equations, 8=6643

Frolen,L.J. See Goodman,L., 9=10184

Frolov,A.M. See Eliseev,G.P., 6=5424

Frolov,D.P. See Roĭ,N.A., 8=4047

Frolov,G.V. Polarization effects in scattering of electrons by protons, 9=11357

Frolov,I.S. The refractive index of water and water solutions of sodium sulphate in the region of metre waves, 5=4625

Fröman,A. Correlation energies of some He- and Ne-like systems, 9=5105

Fröman,P.O. A simple derivation of a general equilibrium equation, with two astrophysical applications, 5=756. Concerning the statistical calculation of cohesive energies of ionic crystals, 5=2910. Alpha decay of deformed nuclei, 7=6499. See also Bohr,A. 5=6425

Fröman,P.O. and Ryde,H. An investigation of the decay scheme of Ta^{182} by means of a coincidence scintillation spectrometer, 8=7335

Froment,M. The abnormal anodic dissolution of certain metals, 9=5223

Frommhold,L. On the statistics of electron avalanches in a uniform field, 6=4467. The potential of a charge between parallel plates and the "wall effect" of electron avalanches, 6=6587. The statistics of electron avalanches in uniform fields. II, 8=7131. An investigation of the electron component of electron avalanches, 9=12401

Frondel,C. and Hurlbut,C.S.,Jr, Determination of the atomic weight of silicon by physical measurements on quartz, 5=8371

Fronsdal,C. On the theory of higher spin fields, 9=3129. Unitary irreducible representations of the Lorentz group, 9=5349. A generally relativistic field theory, 9=12987. See also Behrends,R.E., 7=6596; Finkelstein,R., 7=92

Fronsdal,C. and Überall,H. Circular polarization of bremsstrahlung from high-energy electrons with arbitrary polarization, 8=7239. Polarization of bremsstrahlung from polarized electrons, 9=2566. μ-meson decay with inner bremsstrahlung, 9=4924

Frontas'ev,V.P. New data on the thermal conductivity of water in the range of 10 to 60°C, 9=5611

Froome,K.D. The refractive indices of water vapour,air, oxygen, nitrogen and argon at 72 kMc/s, 6=2059. Microwave determinations of the velocity of "light", 7=1160. Precision determination of the velocity of electromagnetic waves, 8=4178 A new determination of the free-space velocity of electromagnetic waves, 9=11286

Frosch,C.J. See also Spitzer,W.G., 9=4450

Frosch,C.J. and Derick,L. Diffusion control in silicon by carrier gas composition, 9=4191

Frössling,N. Calculation by series expansion of the heat transfer in laminar, constant-property boundary layers at nonisothermal surfaces, 9=5617

Frost, A.A. Delta potential function model for electronic energies in molecules, 5=432. Free electron theory, finite differences, and LCAO molecular orbitals, 5=2958. Note on the branching condition in the one-dimensional free electron gas model, 5=7248. Delta potential function model for electronic energies in molecules, 7=6379. Delta-function model. I. Electronic energies of hydrogen-like atoms and diatomic molecules, 7=6410

Frost,A.A. and Leland,F.E. Delta-potential-function model. II. Aromatic hydrocarbons, 7=6411

Frost,A.A. and Lykos,P.G. Derivation of the virial theorem from the generalized Hellmann–Feynman theorem, 7=4036

Frost,A.D. Analog circuit representation for wall panels, 7=4102

Frost,B.R.T. and Maskrey,J.T. The measurement of vapour pressures by a modified dew-point method with particular reference to the system mercury-magnesium, 7=318

Frost,D.C. See also Coope,J.A.R., 7=9740; McDowell,C.A., 6=3068

Frost,D.C. and McDowell,C.A. Studies of the ionization of molecules by electron impact. I. Excited states of the nitrogen molecular ion, 5=9732. II. Excited states of the molecular ions of methane and the methyl halides, 7=9249. The dissociation energy of the nitrogen molecule, 6=7605. Electron capture processes in the hydrogen halides, 8=8838. Formation of I$^-$ ion from I$_2$ by resonance capture, 9=2448. Negative ion formation by an electron capture process in nitric oxide. Dissociation energy of the nitric oxide molecule, 9=7127. The ionization and dissociation of oxygen by electron impact, 9=11150

Frost,H.H. See White,J.E., 7=169

Frost,L.S. Effect of variable ionic mobility on ambipolar diffusion, 7=4498

Frost,N.E. and Phillips,C.E. Some observations on the spread of fatigue cracks, 8=3523

Frost,R.T. and Hanna,S.S. Alpha spectrum in the decay of Li^8, 5=8196. Reaction Li^6(d,t)Li^5(p)He^4, 8=5360

Frota-Pessôa,E. See also Amerighi,M.C., 9=9980

Frota-Pessôa.E. and Margem,N. Diffusion of ^{214}Pb in nuclear emulsions, 9=3702

Frumkin,A. Adsorption phenomena and electrochemical-kinetics, 6=4730

Frumkin,A.L. See Valeev,S.Kh., 9=5896

Frumkin,A.N. and Nikolajeva,N.V. On the electroreduction of anions, 7=8241

Früngel,F. A new high-frequency spark apparatus for long spark trains (25 000/sec), and the application of controlled single sparks in "voltage optics", 6=5119

Früngel,F., Bailitis,E. and Thorwart,W. Shock-wave source with spring electrodes, plastic or fluid lenses and a wire lens for shaping the wave field, 8=6751

Früngel,F. and Keller,H. Impulse sound sources, fundamentals and analogy to explosive transformations, 8=6750

Fry,D.B. Duration and intensity as physical correlates of linguistic stress, 5=7795. See also Kalmus,H. 5=9319

Fry,D.B. and Denes,P. On presenting the output of a mechanical speech recognizer, 7=5146

Fry,D.B. and Manén,L. Basis for the acoustical study of singing, 7=9581

Fry,D.L. See Frank,R.C., 9=850

Fry,D.W. A review of work towards nuclear energy from controlled thermonuclear reaction, 9=5085, 9=12698. See also Thonemann,P.C., 8=773

Fry,F.J. See also Dunn,F., 6=3576

Fry,F.J., Dunn,F. and Fry,W.J. Design of large variable resonant frequency transducers, 5=6838

Fry,G.A. Dichromatism and the mechanisms subserving color vision, 9=960. See also Enoch,J.M., 9=5283; Fugate,J.M., 6=9150

Fry,G.A. and Alpern,M. Effect of a peripheral glare source upon the apparent brightness of an object, 5=3539

Fry,N. See Harwood,M.G. 5=2833

Fry,T.M. See Booker,D.V., 7=1625

Fry,W.F. See also Baldo-Ceolin,M., 7=8861, 7=8882, 8=1885, 9=3794; Ceolin,M.B., 9=593; Schneps,J., 7=7421; Swami,M.S., 7=663

Fry,W.F. and Sachs,R.G. Method for determing the $\theta_1 - \theta_2$ mass difference, 8=6187

Fry,W.F. and Schneps,J. The mass of a π^- meson determined from a σ-star, 5=3136

Fry,W.F., Schneps,J., Snow,G.A. and Swami,M.S. $\pi - \mu$ decay with an associated electron pair, 5=9131. Observations of negative k-mesons and charged hyperons, 6=1611. Nuclear interaction in flight of a Σ-hyperon, 6=1627. Nuclear capture of negative K-mesons in emulsion, 6=3183. A τ^+ decay with a very low energy π^--meson, 6=3259. Mass of the Σ^+ hyperon, 6=6925

Fry,W.F., Schneps,J., Snow,G.A., Swami,M.S. and Wold,D.C. Mass difference between the Σ^+ and Σ^- hyperons and the mass of the K^- meson, 7=2692. Charged Σ hyperons from 1001 K-meson stars, 7=8195

Fry,W.F., Schneps,J. and Swami,M.S. $\underline{K}$-mesonic decay of a slow secondary particle, 5=5650. Disintegration of hyperfragments, 5=9945; II. 6=4659. Further evidence for the existence of a heavy K-meson or heavy hyperon, 6=686. Evidence for a long-lived neutral unstable particle, 7=2684

Fry,W.F. and Swami,M.S. Energetic disintegration of a heavy nuclear fragment, 5=2200. $\underline{K}$-mesons and a charged hyperon produced by 3-BeV protons in emulsions, 5=2214

Fry,W.F. and Wold,D.C. Search for double stars produced by fast π-mesons, 7=3698

Fry,W.J. Comments on a recent paper by Hueter et al. on ultrasonic lesions in the central nervous system, 6=7907. Biological and medical acoustics, 8=6565. See also Dunn,F., 6=3576, 9=7901; Fry,F.J., 5=6838.

Fry,W.J. and Dunn,F. Ultrasonic irradiation of the central nervous system at high sound levels, 6=3398

Fryar,R.M. Plutonium recycle test reactor, 8=4350

Fryburg,G.C. Enhanced oxidation of platinum in activated oxygen, 6=2498

Frye,G. Radiative capture of K^-mesons from orbital P states of K-mesonic atoms, 9=4951. See also Cranberg,L., 6=7700

Frye,G.M.,Jr. Antiproton annihilation into neutral pions, 8=7250. See also Armstrong,A.H., 6=6910, 9=9955

Frye,G.M.,Jr. and Armstrong,A.H. Evidence for the production of a neutral pion in an antiproton annihilation event, 8=2494

Frye,G.M.,Jr. and Gammel,J.H. $B^{10}(n, t2\alpha)$ and $B^{10}(n, dn'2\alpha)$ reactions for 6-20 MeV neutrons, 6=6909

Frye,G.M.,Jr., Rosen,L. and Stewart,L. Disintegration of carbon into three alpha particles by 12-20 MeV neutrons, 5=9927

Fryer,E.M. See Fowler,C.A.,Jr, 6=476, 7=2418, 7=2422; Wyman,M.E., 9=2827

Fubini,S. Non-linear integral equation in field theory, 5=7696. The structure of the nucleon, 6=6351. See also Bosco,B., 9=662, 9=7280; Cini,M., 5=7697, 5=8256, 6=4184, 6=4826, 6=6361, 6=7146, 7=9536, 9=11360; Drell,S.D., 9=4900; Ferroni,S., 5=2791

Fubini,S., Nambu,Y. and Wataghin,V. Dispersion theory treatment of pion production in electron-nucleon collisions, 8=6174

Fubini,S. and Thirring,W.E. Theory of p-wave pion-nucleon interaction, 7=3950

Fuchs,E. See Politycki,A., 8=4468, 9=13825

Fuchs,L.H. See Primak,W., 5=5694, 6=7397, 6=9039

Fuchs,M. See Bardon,M., 8=6181

Fuchs,R. Theory of the beta band in alkali halide crystals, 9=1300

Fucks,M. and Niesters,H. Square-root law and breakdown current, 7=6199

Fucks,W. Statistical distributions with bounded components, 6=6290. Dependence of breakdown on dark current and frequency, 7=1327. Gas discharges applied to measurement, 7=3313

Fucks,W., Graf,L., Mues,G. and Müller,H.G. The striking of electrical gaseous discharges in homogeneous A.C. fields, 6=5904

Fucks,W. and Tesch,K. Electrical conductivity in electrolytes at high field strengths. Limiting effect. Higher concentrations, 7=7474

Fudge,A.J. The determination of radioactivity due to fission product niobium, 7=1724

Fueki,K. See Yasumori,I., 5=587*

Fues,E. and Stumpf,H. Investigation of the eigenfrequencies and eigenvibrations of a distorted crystal lattice, 5=2299. Classical nonlinear lattice statics of distorted crystal structures, 5=5080. Electron–lattice equilibrium states in distorted crystals, 9=10242

Fues,E., Stumpf,H. and Wahl,F. Classical non-linear lattice statistics for one-dimensional lattice faults, 9=6267

Fugate,J.M. A masking technique for isolating the pupillary response to focused light, 5=663

Fugate,J.M. and Fry,G.A. Relation of changes in pupil size to visual discomfort, 6=9150

Fujii,A. See also French,J.B., 7=3521

Fujii,A. and Kawaguchi,M. Decay of hyperons and mesons from the universal Fermi interaction, 9=7267

Fujii,A. and Marshak,R.E. Photoproduction of K mesons in hydrogen near threshold, 7=8891. Adsorption of slow negative kaons in hydrogen and deuterium, 8=6191

Fujii,A. and Primakoff,H. Muon capture in certain light nuclei, 9=8472

Fujii,S. See also Otsuki,S., 5=3443; Sawada,S., 9=276

Fujii,S. and Sugimoto,O. Note on the electric quadrupole absorption in the nuclear photo-reaction, 9=10118

Fujii,S. and Takagi,S. On the nuclear photo-reaction. I, 7=715; II, 7=716

Fujii,T. See Anderson,H.L., 9=6020

Fujii,T.A. Elastic scattering of 150 MeV negative pions by nuclei, 9=5070

Fujii,Y. See Hara,O., 7=6875-6, 9=10598

Fujikawa,H. The forces acting on two equal circular cylinders placed in a uniform stream at low values of Reynolds number, 6=4862. The forces acting on two circular cylinders of arbitrary radii placed in a uniform stream at low values of Reynolds number, 6=6410. Expansion formulae for the forces acting on two equal circular cylinders placed in a uniform stream at low values of Reynolds number, 8=5680

Fujimoto,M. See also Ingram,D.J.E., 9=12467; Morigaki,K., 9=9819

Fujimoto,M. and Ingram,D.J.E. Electron resonance studies of the change in free radical spectra of solid alcohols with variation of temperature and time of u.-v. irradiation, 9=830

Fujimoto,T. See also Shingu,H., 9=12737; Takao,K., 9=1366

Fujimoto,T. and Takao,K. Heat transfer in rarefied gases. I-II, 9=13210

Fujimoto,Y. Deuteron reactions, 5=9391. See also Brisbout,F.A., 7=2619; Burge,E.J., 6=3100; Dahanayake,C., 5=6517, 5=9144, 7=6592; Friedlander,M.W., 5=8228; Minakawa,O., 9=12425

Fujimoto,Y., Fukuzawa,F. and Okai,S. Some remarks on the nuclear level spacing, 7=6443

Fujimoto,Y. and Hossain,A. On the optical model for nucleon scattering by oxygen, 5=7282

Fujimura,O. Sound synthesizer with optical control, 8=2925. See also Hattori,S., 8=2216

Fujimura,T. and Torizuka,Y. Ferromagnetic resonance absorption in a pyrrhotite single crystal, 6=5220

Fujioka,G. The lateral distribution of various components in extensive air showers at sea level, 5=5497. Observation of lateral spreads of air showers, 5=9391

Fujisaki,H. See Matsumura,T., 9=6364

Fujisawa,Y. The cm-wave field measurements with the use of Kerr effect in crystals of ammonium dihydrogen phosphate, 9=4558

Fujita,F.E. On the formation of dislocation networks in some crystal lattices, 5=7510. A possible mechanism for the fracture of metals, 7=5688. Dislocation theory of fracture of crystals, 9=10223. See also Ogawa,S., 5=7420, 9=8906

Fujita,F.E. and Gonser,U. Small-angle scattering of X-rays by deuteron-irradiated germanium crystal, 9=5169

Fujita,F.E., Watanabe,D., Yamamoto,M. and Ogawa,S. Study of plastic deformation in aluminium crystals by electron diffraction and electron microscopy, 6=5450

Fujita,H. Contribution to the theory of upper and lower bounds in boundary value problems, 5=2357. Counter-ion distribution in dilute solutions of rigid spherical macromolecular ions in the absence of added salt, 5=6572. On the error of the finite difference method in 1-dimensional boundary value problems 6=1781. Effects of a concentration dependence of the sedimentation coefficient in velocity ultracentrifugation, 6=4727. The zero-time correction in free diffusion experiments, 7=3055. Notes on the calculation of electrophoresis of polyelectrolytes with partial free-drainage, 8=5936. Higher approximation to relaxation spectra from dynamic measurements, 9=869. Concentration-dependent sedimentation in two-component systems, with reference to differential boundaries, 9=8971. Evaluation of diffusion coefficients from sedimentation velocity measurements, 9=10677. See also Asada,T., 9=351; Hermans,J.J., 5=7984; Kato,T., 9=13057; Nakata,Y., 6=985

Fujita,H. and Kishimoto,A. The relaxation of stress in undrawn Amilan, 5=3190

Fujita,H. and MacCosham,V.J. Extension of sedimentation velocity theory to molecules of intermediate sizes, 9=6352

Fujita,J. Comparative study of five carbon stars: RY Dra, V Aql, U Hya, U Cyg and WZ Cas in the visual and infrared regions, 6=872*. Nuclear matrix element for β-decay and the ratio of coupling constants, 6=3957. On quantum-mechanical nuclear dipole vibrations, 6=8926. On quantum-mechanical nuclear dipole vibrations, 7=6429. See also Kobayashi,M., 5=8622; Murata,H., 7=2039; Nakamoto,K., 8=2013; Soga,M., 8=1974

Fujita,J. and Miyazawa,H. Spin–orbit coupling in heavy nuclei, 9=11412

Fujita,J., Nakahara,A. and Tsuchida,R. Intramolecular O–H–O hydrogen bonds in bis (dimethylglyoximate) cobalt (III)-complexes, 5=9815

Fujita,J.-I., Yamada,M., Matumoto,Z.-I. and Nakamura,S. Parity nonconservation and the β spectrum of RaE, 8=1249*

Fujita,S. On the photoelectric measurement of spectrum line intensity, 5=1659. Criticism on the expressions of the second law of thermodynamics, 5=5383. Quasi-stationary process. I. On entropy production, 5=9621. See also Mitsuishi,A., 9=4452-3, 9=13187; Yoshinaga,H., 8=2228

Fijiwara,H. Theoretical study of residual resistance of binary alloys containing foreign atoms in small concentration, 5=6544*. On the application of the Thomas–Fermi–Dirac method to the study of the residual resistance of binary alloys containing foreign atoms in small concentrations, 6=5272. On the screened field around an impurity atom in metal, 9=10222. An application of the cellular method to a vacancy in metal, 9=10259

Fujiwara,H. and Ichiki,T. On producing thin single crystal foils of aluminium which have any desired crystallographic orientations, 5=7498

Fujiwara,I. On the wave equation for spin 1 in Hamiltonian form, 6=8007. On the basic formulation of classical and quantum theories, 7=5078. On the space-time formulation of non-relativistic quantum mechanics, 9=11853. See also Tsuneto,T., 6=6393

Fujiwara,K. On the period of out-of-step of ordered alloys with anti-phase domain structure, 7=5499

Fujiwara,K., Hirabayashi,M., Watanabe,D. and Ogawa,S. Study on the ordered alloy Ag_3Mg, 9=9026

Fujiwara,S. See also Gutowsky,H.S., 5=414

Fujiwara,S., Amamiya,A. and Shinohara,K. Nuclear magnetic resonance in irradiated polyethylene, 7=8206

Fujiwara,S., Katayama,M., Hayashi,S. and Shimizu,H. High resolution spectrum of proton resonance in benzene, 9=743

Fukada,E. The relation between dynamic elastic modulus, internal friction, creep and stress relaxation in polymethyl methacrylate, 5=3181. On the piezoelectric effect of silk fibers, 7=7853

Fukada,E. and Fowler,J.E. Triboelectricity and electron traps in insulating materials: some correlations, 8=2290

Fukada,E. and Yasuda,I. On the piezoelectric effect of bone, 8=4944

Fukada,F. Piezoelectricity of wood, 5=2715

Fukano,Y. Variation in the lattice constant of evaporated potassium chloride, 5=7536

Fukatsu,M. See Notuki,M., 6=7107

Fuke,T. See also Kôi,Y. 5=8131

Fuke,T. and Kôi,Y. Line width of the pure quadrupole resonance of chlorine in sodium chlorate, 9=1832

Fukiki,Y., Suganuma,R. and Yoshida,T. A new compound in the Au–Pb alloy system, 9=13822

Fukuchi,M. The energy band structure of the metallic copper. The orthogonalized plane wave method, 7=7500

Fukuda,K. See also Yosimura,H., 5=2562

Fukuda,K., Matumoto,H., Uchida,Y. and Yoshimura,H. Cyclotron resonance in gas discharge, 9=13399

Fukuda,N. Theoretical analysis of pion-nucleon scattering, 5=9391. Formal theory of nuclear models, 6=6834. Some relations between the bound state problem and scattering theory, 7=1069. See also Chiba,S., 5=5878; Sawada,K., 8=399; Yamanouchi,T., 6=80

Fukuda,N., Goto,S., Okubo,S. and Sawada,K. Theoretical analysis of pion-nucleon scattering, 5=736

Fukuda,N. and Kovacs,J.S. Integral equations for the transition matrices in the static meson theory, 7=2995

Fukuda,N. and Newton,R.G. Energy level shifts in a large enclosure, 7=104

Fukuda,N., Sawada,K. and Taketani,M. On the construction of potential in field theory, 5=1504

Fukuda,T. See Iwata,M., 9=7988

Fukui,K., Nagata,C., Yonezawa,T., Kato,H. and Morokuma,K. Novel perturbation theory in simple LCAO treatment of conjugated molecules–method of perturbed secular determinant, 9=10186

Fukui,K., Yonezawa,T. and Nagata,C. Interrelations of quantum-mechanical quantities concerning chemical reactivity of conjugated molecules, 7=5532. MO-theoretical approach to the mechanism of charge transfer in the process of aromatic substitutions, 8=3431

Fukui,S. See also Watase,Y., 8=1747

Fukui,S., Kitamura,T. and Murata,Y. On the momentum spectrum of μ-mesons near sea-level at 24°N, 5=9747. On the range spectrum of μ-mesons at sea-level at geomagnetic latitude 24°N, 8=7154

Fukui,S., Kitamura,T. and Ozaki,S. The magnetic cloud chamber equipment for the momentum measurement of the cosmic ray particles, 5=3847

Fukui,S., Kitamura,T. and Watase,Y. "Anomalous" scattering of μ mesons, 9=4927

Fukui,S. and Miyamoto,S. A new type of particle detector: the "discharge chamber", 9=5968

Fukumura,T. See Ochiai,Y., 7=7700

Fukuoka,N. See Uchida,E., 6=3730

Fukuroi,T. and Saito,Y. The de Haas–van Alphen effect of zinc, 7=9761

Fukuroi,T. and Yamanouchi,C. The relationship between the Hall coefficient and resistivity of semiconductors, taking various scattering mechanisms of the charge carriers into account, 7=9687. Electrical properties of p-type indium antimonide, 8=184

Fukushima,E. See also Christy,R.W., 9=5746

Fukushima,E. and Ookawa,A. Some characters of the soap bubble raft in a vibrating state, 6=1732. Observation of the grain boundary in soap bubble raft. III. The grain boundary in vibrating state, 8=6432

Fukushima,K., Nimua,T., Shibayama,K., Kido,K., Sugai,I., Sakamizu,H. and Ishigaki,T. The design of sound barriers for power transformer a.f. noise, 6=6489

Fukutome,H. Low's scattering equation and S-Matrix, 9=10615

Fukutome,H. and Nogami,Y. Remarks on the fixed extended source pion theory, 7=8402

Fukuzawa,F. See Fujimoto,Y., 7=6443

Fulbright,H.W. See also Baumgartner,E., 7=8826; Seward,F.D., 7=8156

Fulbright,H.W., Lassen,N.O. and Poulsen,N.O.R. Scattering of 20 MeV α-particles, 9=7349

Fulco,J.R. Theoretical angular distribution of nucleon–antinucleon scattering at 140 MeV, 8=6139. Effective mean free path of antinucleons in nuclear matter, 9=7261. See also Ball,J.S., 9=4907; Frazer,W.R., 9=11358

Fulk,M.M. and Reynolds,M.M. Emissivities of metallic surfaces at 76°K, 8=8724

Fullam,E.F. See Luborsky,F.E., 9=436

Fuller,A.T. Conditions for aperiodicity in linear systems, 5=6814, 6=6435

Fuller,C.S. See also Feher,G., 8=718; Reiss,H. 5=3741, 6=6635, 7=781; Wolfstirn,K., 9=3467

Fuller,C.S. and Ditzenberger,J.A. Diffusion of boron and phosphorus into silicon, 5=1827. Diffusion of donor and acceptor elements in silicon, 6=4403. Effect of structural defects in germanium on the diffusion and acceptor behavior of

copper, 7=4797

Fuller,C.S. and Doleiden,F.H. Interactions between oxygen and acceptor elements in silicon, 8=7953

Fuller,C.S. and Logan,R.A. Effect of heat treatment upon the electrical properties of silicon crystals, 8=8771

Fuller,C.S. and Morin,F.J. Diffusion and electrical behavior of zinc in silicon, 7=3283

Fuller,C.S. and Whelan,J.M. Diffusion, solubility, and electrical behavior of copper in gallium arsenide, 9=8881

Fuller,E.G. Photodisintegration of helium, 5=1209; See also Hayward,E., 7=7297

Fuller,E.G. and Hayward,E. Nuclear elastic scattering of photons, 6=3228. Elastic scattering of photons by tantalum, 9=5058

Fuller,E.G., Hayward,E., and Koch,H.W. Shape of the high-energy end of the electron-bremsstrahlung spectrum, 9=520

Fuller,E.G., Petree,B. and Weiss,M.S. Photoneutron yields in the rare-earth region, 9=3916

Fuller,E.G. and Weiss,M.S. Splitting of the giant resonance for deformed nuclei, 9=5054

Fuller,H.W. See Hale,M.E., 9=8298; Meyer,M.A., 5=3389

Fuller,J.C., Dance,W.E. and Ralph,D.C. Angular distribution of the D(d,n)He^3 reaction below 1 MeV, 7=9878

Fulmer,C.B. Scintillation response of CsI(T1) crystals to fission fragments and energy vs range in various materials for light and heavy fission fragments, 9=490; See also Cohen,B.L., 8=3189

Fulmer,C.B. and Cohen,B.L. Magnetic analysis of the long-range particles from fission of U^{235}, 8=8356. Equilibrium charges of fission fragments in gases, 8=8833. (p,α) reactions induced by 23 MeV protons, 9=3887

Fulop,W. The rubber membrane and the solution of Laplace's equation, 5=1560. Some further results on the rubber membrane theory and Laplace's equation, 8=897. A magnetic gauge utilizing the magnetron effect, 8=3226

Fuls,E.N. See also Carbone,R.J., 6=5986

Fuls,E.N., Jones,P.R., Ziemba,F.P. and Everhart,E. Measurements of large-angle single collisions between helium, neon, and argon atoms at energies to 100 keV, 7=8687

Fulton,J. See Eason,G., 6=7210

Fulton,T. Self-energy of the polaron for intermediate temperatures, 7=859. Polarization of the recoil nucleus in μ^--capture, 8=6336. See also Feldman,G., 9=1684, 9=13019; Fivel,D., 9=2607; Newton,R.G., 8=5204

Fulton,T. and Newton,R.G. Explicit non-central potentials and wave functions for given S-matrices, 6=4825

Fulton,T. and Owen,G.E. Stripping-type nuclear reactions, 8=8324

Fultz,D. and Nakagawa,Y. Experiments on over-stable thermal convection in mercury, 5=8689

Fultz,S.C. See Austin,N.A., 9=8240; Hickock,R.L., 8=1920

Fumelli,M. See Arcipiani,B., 9=9715

Fumeron-Rodot,H. and Rodot,M. Some properties of mercury telluride, 9=9622

Fumi,F.G. Lattice defects in ionic solids, 5=625. Vacancies in monovalent metals, 5=8950. See also Bassani,F., 5=8384 6=5287; Chiarotti,G. 5=6618, 5=8385; Tosi,M.P., 8=1317

Fumi,F.G. and Tosi, M.P. On the Naor relations between Madelung constants for cubic ionic lattices, 7=5720. Multipole order of lattice cells of ionic crystals, 7=6713

Funabashi,K. See also Magee,J.L., 9=12400; Monchick,L., 7=9953

Funabashi,K. and Magee,J.L. Central-field approximation for the electronic wave functions of simple molecules, 7=4599

Funatogawa,Z. See also Miyata,N. 5=2874, 5=6298

Funtaogawa,Z., Miyata,N. and Sando,H. Some magnetic properties of Mn−Mg ferrite with rectangular hysteresis loop, 8=3238

Funck,E. A mechanical slit control for a recording single-beam infrared spectrometer, 7=2015. Infrared absorption cells for measurements at different temperatures, 7=5204

Fundingsland,O.T. See Faire,A.C., 8=8848

Fünfer,E. See also Herold,H., 9=13396

Fünfer,E., Herold,H., Lehner,G., Tuczek,H. and Andelfinger,C. Neutron emission of high current deuterium discharges, 9=4748

Fünfer,E. and Rössler,F. Investigation of powder combustion in a pressure bomb with the spectro-oscillograph, 5=6082

Fung,S., Pevsner,A., Ritson,D. and Mohler,N. $K^+ - \tau^+$ mass difference, 6=3271

Fung,S.C, See Ritson,D.M., 6=2439

Funk,E,G.,Jr, and Wiedenbeck,M.L. Directional correlation of the gamma rays of Se^{76}, 8=9037. Decay of Ag^{110m}, 9=2767

Funk,H.L. See Drougard,M.E., 5=279

Funke,P.T. See Pollara,L.Z., 9=13759

Funstein,B.L. See Nemilov,Yu.A., 6=8377; Zherebtsova,K.I. 9=12681

Funt,B.L. Scintillating gels, 7=3574; See also Pringle,R.W., 5=10101

Funt,B.L. and Hetherington,A. The influence of chain length on the luminescent output of plastic scintillators, 9=3328. Spiral capillary plastic scintillation flow counter for beta assay, 9=8411

Funt,B.L. and Neparko,E. Kinetics of luminescence quenching in liquid scintillators, 6=7305

Funt,B.L., Sobering,S., Pringle,R.W. and Turchinetz,W. Scintillation techniques for the detection of natural radiocarbon, 5=7311

Funt,B.L. and Sutherland,T.H. A dielectric study of plasticized polyvinylidene chloride, 7=1716

Fuoss,R.M. Conductivity of strong electrolytes at moderate concentrations, 6=7200. The velocity field in electrolytic solutions, 9=7577. Conductance of dilute solutions of 1−1 electrolytes, 9=8960. See also Nichol,J.C., 5=1316; Sharbaugh,A.H., 5=7991; Zwolenik,J.J., 9=9564

Furduev,V.V. Survey of methods of estimating and measuring the diffuseness of a sound field, 6=4944. Correlation criterion of reverberation optimum, 8=929. Interference and coherence of acoustic signals, 9=13112

Furlan,G. See Budini,P., 9=13678

Furlani,C. On the origin of the absorption band in the visible spectrum of the VO^{++} ion, 9=199. Some considerations on the validity of the electrostatic model for the study of complexes, 9=7461

Furlong,L.R. and Ravilious,C.F. Low-temperature luminescence and absorption of CdS, 5=6041

Furman,A.M. On the extraction of electrons from metals by fast molecules, 8=1735

Furnas,T.C.,Jr. Point-focusing two-crystal X-ray monochromator for X-ray diffraction, 8=2060

Furnas,T.C.,Jr and Harker,D. Apparatus for measuring complete single-crystal X-ray diffraction data by means of a Geiger counter diffractometer, 5=6621

Furry,W.H. Lorentz transformation and the Thomas precession, 6=46. Isotropic rotational Brownian motion, 7=7628

Fursey,A. See Kingsbury,G.W.J., 8=7796

Furst,M. See also Brown,F.H., 9=1310; Kallmann,H.P., 6=5973, 9=10802

Furst,M. and Kallman,H. Magnitude of excitation energy and energy transfer by collision, 5=858. Enhancement of fluorescence in solutions under high-energy irradiation, 5=2621. Fluorescent behavior of solutions containing more than one solvent, 5=5337. Cross quenching of fluorescence in organic solutions, 8=7835

Furst,M., Kallmann,H. and Brown,F.H. Increasing fluorescence efficiency of liquid-scintillation solutions, 5=6031. Fluorescence efficiencies of organic compounds, 7=6026

Fürstenberg,F. See Hachenberg,O., 7=29

Furth,H.L. Proposal for a new aether drift experiment, 5=24

Furth,H.P. Magnetic analysis of scattered particles, 6=2951; See also Anderson,O., 9=6867; Anderson,O.A., 8=2596, 9=4744

Furth,H.P., Levine,M.A. and Waniek,R.W. Production and use of high transient magnetic fields. II, 8=6058

Furth,H.P. and Waniek,R.W. Application of high magnetic fields to nuclear track analysis and solid state research, 6=4143. Production and use of high transient magnetic fields. I, 6=6789. High-field longitudinal magnetoresistance of germanium, 7=1288

Fürth,R. Statistical analysis of star scintillations as a means for investigating atmospheric disturbances, 5=5844. Temperature dependence of coherent light scattering in monocrystals and intrinsic block structure, 6=3654. On the theory of diffusion and sedimentation of condensation nuclei in cylindrical containers, 7=1796. On the determination of the diffusion coefficient of condensation nuclei using the static and dynamic methods. Appendix, 8=8555

Fürth,R. and Finlay-Freundlich,E. On a possible improvement of Michelson's method for the determination of stellar diameters in poor visibility, 7=3922

Furui,S. See Kanazawa,A., 9=11844

Furuichi,J. See Sugai,S., 5=7415, 6=1673, 8=6705

Furuichi,S. On the decay interactions of neutral K_{e3} and $K_{\mu3}$, 8=1882

Furuichi,S., Kodama,T., Ogawa,S., Sugahara,Y., Wakasa,A. and Yonezawa,M. On the spins and decay interactions of $K_{\mu3}$ and K_{e3}, 8=6184

Furuichi,S., Kodama,T., Sugahara,Y., Yonezawa,M. and

Wakasa,A. The decay interaction of $K_{\mu 3}$ and K_{e3} and Fermi interaction, 7=6600

Furuichi,S., Sawada,S. and Yonezawa,M. The study of polarizations of secondary muons in K-meson decay processes, 8=1182. Note on the polarization of the muon in $K_{\mu 3}$, 8=2487. Some features of the electron energy spectrum in the K_{e3} decay process, 9=3788

Furuichi,S., Sugahara,Y., Wakasa,A. and Yonezawa,M. An analysis of Rochester $K_{\mu 3}$ and K_{e3} data, 7=9907

Furukawa,G.T., Douglas,T.B., McCoskey,R.E. and Ginnings,D.C. Thermal properties of aluminum oxide from 0° to 1200°K, 7=7834

Furukawa,M. See Saito,N., 8=6283

Furuoya,T. See Shida,S., 8=9167

Furusyo,K. See Kanai,Y., 5=4651

Furuta,J. See Asada,T., 9=351

Furuya,A., Sekiguchi,S. and Hayashi,Y. The magnitude of charge of conduction particles moving in an a.c.field, 5=4616

Fuschillo,N. Multiple target nuclear magnetic resonance cryostat, 6=6516. See also Aston,J.G., 6=5525. Sauer,J.A., 9=4030, 9=13220

Fuschillo,N. and Aston,J.G. Nuclear magnetic resonance as a method for detecting relaxation phenomena of molecules adsorbed on surfaces, 7=5706

Fuschillo,N., Bierly,J.N. and Donahoe,F.J. Transport properties of the pseudo-binary alloy system $Bi_2Te_{3-y}Se_y$, 9=6945

Fuschillo,N. and Krautkopf,D.W. General purpose immersion cryostat, 8=1660

Fuschillo,N. and Renton,C.A. Nuclear magnetic resonance of methane adsorbed on titanium dioxide, 8=5512

Fuschillo,N. and Sauer,J.A. Proton resonance in neutron and gamma-irradiated polyethylene, 7=8246. Nuclear magnetic resonance, radiation damage, and rigidity in branched polyethylene as a function of temperature, 8=405

Fuschini,E. See Brini,D., 8=2457, 9=5985

Fuson,N. See Josien,M.L., 6=7199, 7=3489

Fuss,E. See Bock,R., 9=6292

Futagami,T. See Yoneda,Y., 5=9256

Futama,H. and Tanaka,H. The thermal decomposition of polyvinyl alcohol using mass spectrometer, 8=4513

Futch,A.H. and Grant,F.A. Mean life of the $^3P_2$ metastable argon level, 7=1521

Futschik,F., Lintner,K. and Schmid,E. Electron emission during changes of state, 6=5917

Fuwa,H. See Kimura,I., 7=5102

Fuwa,K. See Baker,M.R., 9=914

Fuyat,R.K. See Swanson,H.E., 5=3282, 5=5106

Fyfe,W.S. Some comments on the strength of single coordinate bonds, 8=4392. See also Ellis,A.J., 9=8955

Fyrsenkov,V.A. See Neporent,B.S., 8=4856

Gabathuler,E. See Scobie,J., 9=620; Stewart,D.T., 8=7450
Gabbard,F., Davis,R.H. and Bonner,T.W. Study of the neutron reactions $Li^6(n,\alpha)H^3$, $F^{19}(n,\gamma)F^{20}$, and $I^{127}(n,\gamma)I^{128}$, 9=7366
Gabbe,J.D. Some measurements of atmospheric neutrons, 9=4771
Gabillard,R. and Germain,C. Absolute measurement of magnetic fields by electron resonance. Calibration of Helmholtz coils, 6=4490
Gabor,D. Collective oscillations and characteristic electron-energy losses, 6=3775; Theory of electron interference experiments, 7=2300; See also Ash,E.A., 5=3824; Sims, G.D., 7=490; Whyte,L.L., 5=985
Gabor,D., Ash,E.A. and Dravott,D. Langmuir's paradox, 6=1271
Gabor,D. and Hampton,B. A Wilson cloud chamber with time-marking of particle tracks, 8=258
Gabor,D. and Jull,G.W. Experimental evidence for the collective nature of the characteristic electron-energy losses in solids, 5=7121
Gabor,D. and Sims,G.D. Theory of the preoscillating magnetron. I, 6=6737, 6=6739
Gabovich,M.D. The efficient use of a magnetic field in high-frequency proton sources, 8=8063
Gabovich,M.D. and Kucherenko,E.T. On the influence of flowing plasma on the focusing power of an ion source, 7=2342; Investigation of penetrating plasma during a discharge in mercury vapour, 7=9218
Gabriel,A.H. and Heddle,D.W.O. An extension of Noar's method of calibrating plates for spectrophotometry, 6=1961
Gabrielli,I. and Iernetti,G. Measurements of ultrasonic absorption in rubber, 5=3516
Gabrielli,I., Iernetti,G., Clementel,E. and Villi,C. Phase-shift analysis of pion–nucleon scattering experiments. II. Operational procedure, 7=750
Gabrielli,I. and Verdini,L. On the technique of ultrasonic velocity measurements in liquids, 5=7768; Velocity of propagation and absorption coefficient of ultrasonics in mesomorphic liquids, 5=9492
Gabrysh,A.F. and Davis,F.J. Radon released from concrete in radiant heating, 5=4044
Gadamer,E.O. See Schumacher,B.W., 9=2141
Gadovich,M.D. The effect of space charge during the propagation of intense beams of charged particles, 6=2161
Gadsden,M. Chart calibration of a photographic recording microphotometer, 8=2936; See also Unwin,R.S., 8=2076
Gadsden,M. and Salmon,K. Presence of 6707 A radiation in the twilight sky, 9=4148
Gadžuk,B. Measurement of the thickness of very fine transparent films by the interference method, 9=7999
Gaek,Yu.V. and Timan,B.L. Effect of multiple thermal ionization on the specific heat of gases, 7=5288
Gaertner,W. Frequency dependence of ultrasonic cavitation, 5=1610
Gaerttner,E.R. See Albert,R.D., 5=8300; Baldwin,G.C., 7=3737: Yeater,M.L., 7=1624, 8204
Gaeta,F. See Carrelli,A., 9=7578
Gaeta,F.S. See Carrelli,A., 6=2756, 7=8486
Gafee,D.I. and Monroe,A.G. Measurement of small differential pressures at low absolute pressure, 5=1592
Gaffney,J. See Clement,J.R., 6=292; Overton,W.C.,Jr. 5=6549
Gafner,G. The application of a transient method to the measurement of the thermal conductivity of rocks and building materials, 8=1008. Gas occlusion in irreversible solid-state decomposition, 9=10684
Gager,W.B., Jastram,P.S. and Daunt,J.G. Paramagnetic resonance spectrum of cobalt in cerium magnesium nitrate at 4°K, 9=2935
Gager,W.B. and Rice,F.O. Paramagnetic resonance spectra of active species. Blue material from hydrozoic acid, 9=11246
Gaĭbullaev,F. and Regel',A.R. On some peculiarities of the temperature dependence of the electrical conductivity of the systems of continuous atomic solutions silver–gold, indium–lead and bismuth–antimony in the solid and liquid states, 8=2299. Characteristics of the temperature–resistivity relationship for liquid eutectic systems, 9=4615
Gaĭdukov,Yu.P. Temperature anomaly of resistance and the Hall effect in gold, 8=6956; See also Alekseevskiĭ,N.E. 5=962, 7=2258, 3252, 8=1777, 9=1333-4-5
Gailar,N. See Benedict,W.S., 6=5780
Gailar,O.H., Bleuler,E. and Tendam,D.J. Scattering of 18·7 MeV alpha particles from Al, Cu, and Ag, 9=3903
Gailit,T.A. See Gusev,V.D. 9=11644
Gaille,R. and Perrier,A. Measurement of the Nernst–von Ettinghausen effect with a low demagnetizing field and without rotation of the thermal gradient, 5=2895
Gailloud,M. Absolute determination of the number of neutrons emitted per unit time by a standard RaαBe source, 7=7442; See also Fatzer,G.D., 9=13992; Rosselet,P., 6=6202; Weill,R., 8=5183-4, 9=12547
Gailloud,M., Haenny,C. and Weill,R. Measurement of the shrinkage of nuclear emulsions, 5=1431. Calculation of the number of events of a certain type, produced in a given volume of nuclear emulsion, from enumeration of the tracks, 5=3380
Gain,R. Investigation of a special deflection system for electron beams, 7=6258. See also Picht,J., 9=1514
Gaines,G.B. See Sims,C.T., 9=8180
Gaines,G.L., Jr. See also Speece,A.L. 7=9562
Gaines,G.L., Jr and Rutkowski,C.P. Method for the rapid and precise determination of the densities of liquids, 8=5675
Gaines,G.L. Jr and Thomas,H.C. Adsorption studies on clay minerals. V. Montmorillonite-cesium-strontium at several temperatures, 6=1711
Gaj,M. On a quasi-symmetrical reflecting objective, 9=11985
Gajewski,R. On transient radiation of a dipole inside a wave guide. I, 6=8292; II, 9=11283. Influence of wall losses on pulse propagation in wave guides, 8=6081. See also Deloff,A., 9=3720, 9=12573
Gajewski,T. On the asymptotic phase-shifts in the method of partial waves in case of scattering of electrons on the Thomas–Fermi atom, 8=7420. On the relativistic phase-shifts of partial waves in a static Thomas–Fermi scattering field, 8=8589
Galaiko,V.P. and Pargamanik,L.É. On the correlation functions for systems of singly-charged particles, 9=11856
Galaktionov,V.A. See Vereshchagin,L.F., 7=4006, 9=7829
Galambos,R. and Rupert,A. Action of the middle ear muscles in normal cats, 9=6422
Galanin,A.D. On the expansion parameter in pseudoscalar meson theory with pseudoscalar coupling, 5=53. Some remarks on the infinities in the theory of the pseudoscalar meson with pseudovector coupling, 5=54. On the possibility of formulating a meson theory with several fields, 8=4748· See also Abrikos̀ov,A.A., 6=7970, 8=6628
Galanin,A.D., Ioffe,B.L. and Pomeranchuk,I.Ya. Asymptotic Green's function of the nucleon and meson in pseudoscalar theory with weak interaction, 7=1070
Galanin,A.D. and Lapidus,L.I. Observations on mixed meson theories, 7=3973
Galanin,A.D. and Lokhov,Yu.N. On convergence of the perturbation series in the theory with a non-relativistic nucleon, 8=1512
Galanin,A.D. and Solov'ev,V.G. Radiative correction to the lifetime of the π^0-meson, 5=1230
Galanin,M.D. The problem of the effect of concentration on the luminescence of solutions, 6=5007. On the causes of the dependence of the luminescence yield of organic substances on the energy of ionizing particles, 9=12122. See also Antonov-Romanovskii,V.V., 9=10837; Belikova,T.P., 7=4163, 9=10845; Chizhikova,A.A., 6=7300
Galanin,M.D. and Chizhikova,Z.A. Photoluminescent yield of some organic crystals, 5=1717. Transfer of excitation energy in anthracene crystals with admixture of naphthacene, 7=4215. On the quenching of luminescence of organic substances excited by α-particles, 9=10818
Galanin,M.D. and Grishin,A.P. The absolute luminescence yield of γ-scintillations in naphthalene and anthracene crystals, 6=5173
Galashin,E.A. and Tatevskiĭ,V.M. On the phenomena of photographic reversal. Photographic reversal by the simultaneous action of long and short wavelength light, 7=1818
Galasiewicz, Z. On the collective motion in a system of particles having different masses and charges, 6=7160. Generalization of the method of supplementary variables to systems composed of two kinds of particles, 6=7983. On the equivalence of the Zubarev method and the Bohm–Pines method for systems of two types of particles, 6=7984. Supplementary boson-field method and collective oscillations, 7=5827. Interaction with the sound quanta in a system consisting of two kinds of charged particles. The method of supplementary variables, 9=12784
Galatry,L. Descriptive approach to the mechanism of the effects of solvent on the infrared spectra of vibration, 8=7811. Influence of disperson interactions on molecular properties, 8=8407. Calculation of the intensity of bands induced by

pressure in mixtures of polar gases. Effect of quadrupole moments and dispersion forces, 9=9431. See also Coulon,R., 6=224, 7=5183, 8=3869

Robin,J. 8=3867

Galatry,L. and Noury,J. Possible influence of structural relaxation processes on the velocity of propagation of sound at the critical point, 6=7213

Galatry,L. and Schuller,F.G. Restoring field and displacement of vibration frequency of a polar molecule in a non-polar medium, 7=7255. Restoring field and displacement of the vibration frequency of a polar molecule in a polar environment, 8=367. Calculation of the quadrupolar field of the HCI molecule, 9=12755

Galatry,L. and Vodar,B. On the vibration-rotation spectrum of a system of two diatomic molecules in electrostatic interaction, 5=5313. On the rotation spectrum of a system of two diatomic molecules in electrostatic interaction, 5=5313, 6=5774

Galavanov,V.V. Forbidden-band width in indium antimonide, 8=5896. See also Vinogradova,K.I, 9=1989

Galbraith,W. See also Coombes,C.A., 8-1194, 9=6005; Cranshaw,T.E., 5=1026, 7=513, 8=218-20, 8=3211, 9=377; Jelley,J.V., 5=10123; Porter,N.A., 8=221

Galbraith,W. and Jelley,J.V. Light-pulses from the night sky and Cerenkov radiation, 5=6653

Gale,A.J. See Kelliher,M.G., 9=3706

Gale,B and Trotter,J. Soft X-ray spectroscopy of solid solutions of aluminium and magnesium, 7=2726

Gale,G.O. An elastomagnetic effect, 5=4804

Gale,N.H. See Dolphin,G.W., 9=3587

Galen,J. van. See van Galen,J.

Galenko,P.P. See Akulov,N.S., 7=5685

Gales,R.S. Techniques for noise measurement and evaluation of data, 6=4961

Galibina,G.I. See Vodop'yanov,K.A., 9=13248

Galifret,Y. and Piéron,H. Systematic error inherent in the flicker method of heterochramatic photometry, 9=6674

Galindo Tixaire,A. See Garrido Arilla,L.M, 9=10605

Galishev,V.S. See also Cherepanov,V.I., 8=7499; Orlov,A.N. 9=13531. Seidov,Yu.M., 6=7567; Vonsovskiĭ,S.V., 5=936

Galishev,V.S., Ogievestskiĭ and Orlov,A.N. Theory of multiple scattering of γ-rays, 7=6523

Galitskiĭ,V.M. Energy spectrum of a non-ideal Fermi gas, 8=6648

Galitskiĭ,V.M. and Migdal,A.B. Application of quantum field theory methods to the many-body problem, 8=6647

Galkin,A.A. See also Bezuglȳĭ,P.A., 8=7008, 8=7494-5

Galkin,A.A. and Bezuglȳĭ,P.A. The kinetics of destruction of superconductivity by a magnetic field, 5=7975

Galkin,A.A., Kan,Ya.S. and Lazarev,B.G. Jumps in the decay of current in a superconducting ring, 8=1069

Galkin,A.A., Shamfarov,Ya.L. and Stefanishina,A,V. Electron resonance in solutions during current flow, 8=2051

Galkin,E.M. See Barchuk,I.F., 7=4472

Galkin,G.N. See Vavilov,V.S., 7=2924, 8=4027, 7512

Galkin,L.N. and Feofilov,P.P. The luminescence of tervalent uranium, 8=133

Galkina,O.S. See Kondorskiĭ,E.I., 8=7902; Kondorsky,E., 8=8758

Gall,D.C. and Watson,J.D. An instrument for the automatic recording of hysteresis loops, 6=6763

Gall,R. See also Vallarta,M.S., 8=5097

Gall,R. and Lifshitz,J. Albedo of cosmic rays in the earth's dipole and quadrupole magnetic field, 6=3803. The simple cones of albedo of cosmic rays, 8=2377

Gallagher,C.J, See Collins,C.B., 7=4348; Tweet,A.G., 6=8980

Gallagher,C.J., Jr, See also Thulin,S., 7=1548

Gallagher,C.J., Jr and Moszkowski,S.A. Coupling of angular momenta in odd-odd nuclei, 9=2678

Gallagher,C.J., Jr, Newton,J.O. and Shirley,V.S. Decay of 13 hour Re^{182}, 9=6078

Gallagher,C.J., Jr, and Rasmussen,J.O. High-resolution electron spectroscopic study of the 60-hour electron-capturing isomer Re^{182}, 9=3852

Gallagher,C.J., Jr, Strominger,D. and Unik,J.P. Decay scheme of 50-day Re^{184}, 8=5305

Gallagher,C.J., Jr, Sweeney,M. and Rasmussen,J.O. New 20-hour electron-capturing rhenium isotope, Re^{181}, 8=8287

Gallagher,J.D. See Koontz,P.G. 5=8044

Gallagher,J.J. and Johnson,C.M. Uncoupling effects in the microwave spectrum of nitric oxide, 7=1183

Gallagher,J.S. See Minkoff,G.J; 9=7016

Gallagher,K., Ubbelohde,A.R. amd Woodward,I. Effects of temperature on some hydrogen-bond networks in crystals 5=10068

Gallagher,L.R. See Alyea,E.D., Jr, 8=1145

Gallagher,W.J. Mass of the moon from satellite observations, 9=2010

Gallagher,L.J., Whittle,C., Beun,J.A., Diddens,A.N., Gorter,C.J. and Steenlands,M.J. Alignment of ^{58}Co nuclei. I. Experimental results- determination of magnetic moment. 5=3972

Gallaway,W.S. See White J.U. 9=9411

Galle,R. See Franz, W. 5=8936

Gallet,R. See Delobeau,F. 5=2337

Gallet,R.M. Aerodynamical mechanisms producing electronic density fluctuations in turbulent ionized layers, 6=1767. The very low-frequency emissions generated in the earth's exosphere, 9=7213

Gallet,R.M. and Helliwell,R.A. Origin of "very-low-frequency emissions", 9=13974

Galletly,G.D. Flexural vibrations of stiffened cylinders, 8=6729 Flexural vibrations of stiffened cylinders, 8=8636

Galli,J. See Barnhart,P.E., 7=1869

Gallic,Y.Le. See Le Gallic,Y.

Gallily,I. and La Mer,V.K. On the behaviour of liquid droplets after impinging on solid surfaces, 9=10673

Gallmann, A. The application of the angular correlation method to the experimental investigation of levels in several light nuclei, 9=13611. See also Alburger,D.E., 9=6069; Gorodetzky,S., 5=3079, 6=635, 6=2198, 6=2201, 6=4626, 6=5967, 6=7683, 7=1609, 7=5600, 7=7342, 8=3353, 8=5333, 9=1451-2, 9=5045

Gallone,S. A criterion for calculating a heavy-water heterogeneous reactor, 6=6176. See also Businaro,U.L., 5=5644, 5=9095, 5=9105, 7=8766

Gallone,S., Prosperi,G.M and Scotti,A. Evaluation of nuclear fusion probability in mesic molecules, 7=8883

Gallop,J.W. Variable-energy particle accelerators, 7=6276

Gallop,J.W., Vonberg,D.D., Post,R.J., Powell,W.B., Sharp,J. and Waterton,P.J. A cyclotron for medical research, 7=3364, 7=8661

Galloway,F.T. See Butler,R.A., 8=1574

Galloway,W.J. An experimental study of acoustically induced cavitation in liquids, 5=103

Galloway,W.J., Watters,B.G. and Baruch,J.J. An explosive noise source. 5=4483

Gallup,G.A. Effect of change in moment of inertia on the intensity distribution in P and R branches of $C_{\infty}v$ molecules. 8=3415

Gallup,G.A. Structure of CH$_2$, 7=5539. Matrix and eigenfunctions of multidimensional oscillators by operational methods. I. Two dimensional isotropic harmonic oscillator, 9=7418. II. Three dimensional isotropic harmonic oscillator, 9=7419

Gallup,G.A. and Keonig,J.L. Effect of change in moment of inertia on line intensities of parallel vibration-rotation. bands of symmetric top molecules, 9=12740

Galonsky,A. See also Johnson.C.H., 9=648

Galonsky,A. See also Glassgold,A.E., 6=7621; Moak,C.D., 8=8276

Galonsky,A. and Judish,J.P. Angular distribution of n-p scattering at 17·9 MeV, 6=707

Galonsky,A., Douglas,R.A., Haeberli,W., McEllistrem,M.T. and Richards,H.T. Deuteron-Helium differential scattering cross sections, 5=5632

Galonsky,A. and McEllistrem,M.T. Energy levels of Li^{6} from the deuteron-helium differential cross sections, 5=5633

Galonsky,A., Willard,H.B. and Welton,T.A. S-wave detector of deuteron polarization and 14 MeV polarized-neutron source, 9=11404

Galonsky,A. and Johnson,C.H. Cross sections for the T(d,n)He^{4} reaction, 7=2649

Galperin, B., Saurel,J., Lecocq,A. and Vodar,B. Adjustment at a distance of small displacements in a medium subjected to high hydrostatic pressure, 5=8527

Gal'perin,E.L. and Terminasov,Yu,S. Influence of extinction on the intensity of X-ray interferences in the investigation of steel, 9=8913

Gal'perin,F., Dmitrakova,G. and Molodtsova,L. Investigation of the paramagnetism of certain ferrites, 7=2428

Gal'perin,F.M. Atomic magnetic moments of ferromagnetic metals and alloys, 7=1524. s -d exchange in ferromagnetic metals, 7=8023

Galperin,G.I. The ratio of the intensities of the components

of the sodium doublet in the twilight spectrum, 6=9122
Gal'perin,Yu.I. On the profiles of hydrogen lines in auroral spectra, 9=1967
Gal'pern,D.Yu. Geometrical optics of anisotropic media with one axis of symmetry, 5=6876. Application of the higher-order aberration theory to calculation of optical systems, 9=10736
Gal'pern,V.V. See Sinyakov,E.V., 6=7380
Galster,S. See also Schopper,H., 8=6252
Galster,S and Schopper,H. Circular polarization of external bremsstrahlung produced by beta rays, 9=2567
Galt,J.A. and Welsh,H.L. Selective reflection from mercury vapor at high pressures, 7=3134. Influence of foreign gases at high pressures on the selective reflection from mercury vapor, 7=3135
Galt,J.K. Motion of individual domain walls in a nickel-iron ferrite, 5=1049. Erratum, 5=7182. See also Boyle,W.S., 8=5472; Bozorth,R.M., 6=1366; Yager,W.A., 5=8902
Galt,J.K., Merritt,F.R., Yager,W.A. and Dail,H.W., Jr. Cyclotron resonance effects in zinc, 9=11565
Galt,J.K., Yager,W.A. and Dail,H.W., Jr. Cyclotron resonance effects in graphite, 7=2190
Galt,J.K., Yager,W.A., Merritt,F.R., Cetlin,B.B. and Brailsford,A.D. Cyclotron absorption in metallic bismuth and its alloys, 9=11564
Galt,J.K., Yager,W.A., Merritte,F.R., Cetlin,B.B. and Dail,H.W. Jr. Cyclotron resonance in metals: Bismuth, 6=1212
Galtieri,C.A. See Beneventano,M.,Bismuth, 6=1212, 9=8415
Galula,M., Jacrot,B. and Netter,F. Relative measurements of the effective fission cross-section of plutonium for slow neutrons, 5=2192. The time-of-flight velocity spectrometer for slow neutrons used at the Centre d'Etudes Nucléaires de Saclay, 5=3152. Spectrum of neutrons from the Saclay pile, 5=6478. A neutron spectrometer used at the Saclay pile, 6=4026
Galula,M. and Netter,F. Mechanical filter for the spectrometry of cold neutron, 5=6534
Galvão,J.P. See Baptista,A.M., 6=5165, 9=3684
Galzenati, E. See also Amati,D., 9=12594
Galzenati,E. and Vitale,B. Heavy-meson–hyperon relative parity and the sign of the Coulomb interference in K^-–p scattering, 9=7287
Gaman,V.I. See Presnov,V.A., 7=9151, 7=9170
Gamba,A. Information theory and knowledge: remarks on a paper by D.K.C. Macdonald, 5=3470. Thermodynamics and quantum mechanics, 5=4388. Strange particles and the conservation of isotopic spin, 6=7130. Cooperative phenomena in quantum theory of radiation, 8=4775. See also Bose,S.K., 9=6524; Farinelli,U., 5=6716, 6=4843
Gamba,A., Marshak,R.E. and Okubo,S. On a symmetry in weak interactions, 9=10593
Gamba,A. and Moncassoli,A. The a-particle model of ^{20}Ne, 6=3912
Gamba,A. and Sudarshan,E.C.G. Quantum numbers for a system of nucleons and anti-nucleons, 9=3127
Gambaryan,N.P. See Bochvar,D.A., 9=9247
Gambirasio,F. See Mascarenhas,S., 9=1401
Gambling,W.A. Cathodic glow-to-arc transitions, 7=3338. Similarity relations and the cathode dark space, 7=5365. See also Edels,H., 8=1065; Price,W.L., 5=8792
Gambling,W.A. and Crawford,F.W. Minimum spark breakdown and glow voltages, 7=7940
Gambling,W.A. and Edels,H. Formation of the high pressure arc column in hydrogen, 6=7441. The properties of high-pressure steady-state discharges in hydrogen, 7=433
Gammel,J.H. See Frye,G.M., Jr, 6=6909
Gammel,J.L. See also Brueckner,K.A., 7=5541, 8=2278, 8=2515, 8=4261; Frank,R.M., 5=9915, 6=926
Gammel,J.L., Christian,R.S. and Thaler,R.M. Calculation of phenomenological nucleon–nucleon potentials, 7=2997
Gammel,J.L. and Thaler,R.M. Calculation of nucleon–nucleon scattering from the Gartenhaus potentials, 7=105. Spin–orbit coupling in the proton–proton interaction, 7=7971. p–p Triple scattering predictions at 100-170 MeV, 8=270. Phase shifts for p–α scattering and polarization in p–α scattering for proton laboratory energies from 0 to 40 MeV, 8=2473. Spin–orbit coupling in the neutron–proton interaction, 8=6137
Gamō,H. Intensity matrix and degree of coherence, 8=101. Transformation of intensity matrix by the transmission of a pupil, 8=2938
Gamo,I. On the fundamental vibrations of phosphine, 5=2049. On the fundamental vibrations of hydrogen sulphide, 6=1430. Calculation of transition moments of harmonic bands of a diatomic molecule as a function of anharmonicity constants, 6=2286. On the treatment of triply degenerate vibrations in spherical coordinates, 6=7151. See also Shimanouchi, T., 7=3486
Gamon,A. See Havemann, R., 9=1258
Gamow,G. The physics of the expanding Universe, 7=4978
Gamtsemlidze,G.A. Experimental verification of Landau's formula for the determination of the coefficient of viscosity of liquids by the method of damped torsional oscillation of a disk, 5=8704. On the existence of a tangential velocity discontinuity of the superfluid component of helium near a wall, 9=263
Gance, M. See Perio,P., 7=770*
Gandara,M.J. Otera de la. See Otera de la Gandara, M.J.
Gandel'man,G.M. The Compton scattering of a circularly polarized quantum by an electron with a given spin direction 5=496. Correlation between the direction of an internal bremsstrahlung quantum and circular polarization of a γ-quantum emitted by an excited nucleus after K-capture, 9=13644
Gandel'man,G.M. and Frank-Kamenetskiĭ,D.A. Production of shock waves at stellar surfaces, 6=6450
Gandolfo,S. Use, for the recording of the atmospheric electric field potential, of a Benndorf electrometer, originally having mechanical registration, 5=7552. On the equilibrium time of a probe activated with polonium in relation to the reduction of the distance to be traversed by the alpha rays, 6=4747. On the diurnal variation regime of the potential of the normal atmospheric electric field, at Messina, 7=1805. Electric fields in enclosed surroundings, resulting from starting up of ovens with bare metallic wires, 9=1398
Gandon,Y. See Françon,M., 8=6696, 9=6586
Gandy,H.W. Cathodoluminescence of strontium oxide, barium-strontium oxide, and magnesium oxide, 9=2223. Optical transmission of heat-treated strontium titanate, 9=5544
Gandy,R.O. Out-of-focus diffraction patterns for microscope objectives, 5=826
Ganesen,A.S. The normal electron configurations of atoms, 5=4882
Ganesan,N. Calculation of true heights of electron density in the ionosphere, 8=8549
Ganesan,S. Thermal expansion of sodium chlorate and bromate, 9=6832
Gangi,A.F. See Knopoff,L. 9=131
Gangrskiĭ,Yu.P. See Alkhazov,D.G., 8=6317
Ganguly,A.K. and Magee,J.L. Theory of radiation chemistry. III. Radical reaction mechanism, in the tracks of ionizing radiations, 7=2774
Ganguly,N.K. See Ghose,A.M., 7=8143
Ganguly,S. Nucleon–pion cascades in the atmosphere produced by α-particles, 7=5443. The problem of fluctuations of a mixed meson–nucleon cascade in the atmosphere, 9=384
Gani,J. The condition of regularity in simple Markov chains, 7=3896
Ganichev,D.A. and Utkin,K.G. On the possibility of the analysis of the total energy distribution of electrons in a quasi-spherical condenser, 9=13372
Gans,F. Infrared lamps of improved performance, 5=3664. See also Dewulf,G., 7=5260*
Gans,P. See Hoyaux,M., 5=1929, 7=7136, 9=4655
Ganson,A. Absorption spectrum of lead, 8=7069
Ganssauge,E. See Cappeller,U. 9=4985
Ganssen,A. Determination of the proton spin-lattice relaxation time of liquids by a streaming method, 5=4220
Gantayet,U. See Dutta,A.K., 7=1996
Ganz,D. and Brenner,R. Texture and magnetization curves of silicon–iron, 7=2436
Gaponov,A.V. On the theory of thin aerials in cavity resonators, 7=560. Excitation of a cavity resonator by thin aerials, 7=561.
Gaponov,A.V. and Levin,M.L. On the theory of thin aerials in resonant cavities, 6=8881
Gaponov,A.V. and Miller,M.A. Potential wells for charged particles in a high-frequency electromagnetic field, 8=8146. Use of moving high-frequency potential wells for the acceleration of charged particles, 9=8233
Gaponov,Yu.V. β–γ-correlation in first forbidden β-transitions, 9=12662
Gaponov,Yu.V. and Popov,V.S. β–γ correlation of allowed

transitions in the case of non-conservation of parity, 8=4292, 8=5310.

Garabedian,P.R. An integral equation governing electromagnetic waves, 5=6314. On steady-state bubbles generated by Taylor instability, 8=534

Garaycochea,I. See Joel,N., 9=7589

Garbatski,U. and Folman,M. Multilayer adsorption of water near saturation pressure on plane glass surfaces, 5=2286

Garbe,S. See Wald,H.E., 6=8335

Garber,M. See also Gerritsen,H.J. 6=4500-1, 6=6767; Kropschot,R.H., 9=5672.

Garber,M. and Gerritsen,H.J. Some further details of the antiferromagnetic resonance diagram in $\mathrm{Cucl_2 . 2H_2O}$ at 9500 MHz, 6=4499

Garber,R.I., Gindin,I.A., Kogan,V.S. and Lazarev,B.G. The time of liquids by a streaming method, 5=4420

Garber,R.I., Gindin,I.A. and Shubin,Yu.V. Slipping of beryllium single crystals at low temperatures, 9=12835

Garber,R.I., Kogan,V.S. and Polyakov,L.M. Growth and dissolution of pores in crystals, 9=12817. Dislocations or pores? 9=13816

Garber,R.I. and Mogil'nikova,T.T. Internal friction and plastic deformation of overstressed micro-regions of a solid, 9=10311

Garber,R.I., Obreimov,I.V. and Polyakov,L.M. Formation of submicroscopic inhomogeneities in plastic deformation of rocksalt, 7=799.

Garbuny,M., Vogl,T.P. and Hansen,J.R. Method for the generation of very fast light pulses, 8=5830

Garcia de Quevedo,J.L. See Unterberger,R.R., 8=1806

García García,J.M. See Brú,L., 6=539

Garcia Moliner,F. On the Fermi surface of copper, 8=2652 On the irreversible production of entropy, 9=4539. Magneto-resistance and Fermi Surface of alkali metals, 9=3513

Garcia Moliner,F. and Simons,S. An extension of the general variational principle of transport theory, 8=5470

Garcia Muñoz,M. See Gerber,H.J., 6=1529

García-Riquelme,O., The spectrum of doubly ionized manganese (Mn III), 6=7270. Lowest term of the $3d^{n-2} 4s^2$ configuration, in the Ni III spectrum, 8=1596

García Riquelme,O., Iglesias,L. and Velasco,R. The $3d^{n-1}$ nh electronic configurations of Mn II, 7=9066

García-Riquelme,O. and Velasco,R. Description of the tertiary spectrum of nickel (Ni III) between 2300 and 9000 Å, 5=5983. New lines classified in the spectrum of Ni III, 5=5984

Garcia Santesmases,J. and Alique Page,M. A new method of determining the hysteresis loop of a ferromagnetic body subjected to an alternating magnetic field - I. Theory, 5=7193, II. Experimental, 5=8920

Gard,G.A. See Cavanagh,P.E., 7=9848

Gard,J.A. Calibration of the specimen tilt device of the EM-3 electron microscope, 6=6968. The use of the stereoscopic tilt device of the electron microscope in unit-fell determinations, 7=910

Garde,L. See Dehors,R., 6=3841

Gardener,M., Kisdnasamy,S., Rössle,E., and Wolfendale,A.W., The neon flash tube as a detector of ionizing particles, 7=7179

Garder,A.O. See Meyer,H.I, 5=1576

Gardiner,A.J. and Johnson,H.L. Integrator-type d.c. amplifier, 6=4152

Gardner,C.C. See Anderson,J.D., 8=9061, 9=691; Nakada,M.P. 8=5353, 8=5392

Gardner,C,S. See Auer,P.L. 5=10049-50

Gardner,D.G. and Meinke,W.W. Decay scheme of $\mathrm{Co^{62}}$, 7=9843. Search for the isotope $\mathrm{Ir^{196}}$, 9=10050

Gardner,D.M. See also Heindle,C.J., 6=8413

Gardner,D.M. and Fraenkel,G.K. Paramagnetic resonance of liquid sulfur: Determination of molecular properties, 6=8314

Gardner,F.F. Ionospheric thermal radiation at radio frequencies. II. Further observations, 5=1390

Gardner,F.F. and Shain,C.A. Further observations of radio emission from the planet Jupiter, 8=4637

Gardner,F.T. See also Hill,R.D., 6=3283, 6=3786, 6=5832

Gardner,F.T. and Hill,R.D. Gap density measurements in nuclear emulsions, 6=3431

Gardner,G. and Hopkins,J.I. Evidence for the 258-keV gamma ray of $\mathrm{Sn^{113}}$, 6=2368

Gardner,G.H.F. See Wylie,M.R.J., 9=7660

Gardner,I.C. Light waves and length standards, 5=8526

Gardner,J.H. See Woodford,H.J., 6=7477

Gardner,J.W. Transport of energy by knock-on electrons, 6=2931 On the solutions of the fluctuation problem in cascade showers, 7=9721. The electromagnetic cascade with tridents, 8=1159. Pinched discharge and thermonuclear reactors, 8=2347

Gardner,J.W., Gellman,H. and Messel,H. Numerical calculations on the fluctuation problem in cascade theory, 5=8067

Gardner,L.R.T. See Bilby,B.A., 8=4429, 9=11553

Gardner, M. See Antill,J.E., 7=990

Garelli,C.M. See also Bisi,V., 9=2646, 9=3614, 9=7285; Cester,R., 8=1761; Debenedetti,A., 5=548, 5=2841, 5=3128, 5=9740, 5=9946, 6=5196, 7=3413-14

Garelli,C,M., Quassiati,B. and Vigone,M. On the energy determination of the heavy primaries, 8=6013

Garfinkel,B. On the life-time of an artificial satellite, 9=3068

Garfinkel,M. and Lindenfeld,P. Lattice conductivity of tin, 8=4911

Garfinkel,S.B. Semiautomatic Townsend balance system, 9=8428. See also Hasegawa,S., 6=967; Mann,W.B., 9=5030; Wexler,A., 6=3545

Garfunkel,M.P. See Biondi,M.A., 6=3752, 8=193-4, 9=2354, 9=5737; Corak,W.S. 5=6995

Garg,J. See also Eberhard,P., 8=1266

Garg,J. and Torki,B. Inelastic scattering of 14 MeV neutrons in iron, 8=4319

Garg,S.N. Correlation of vibrations of a molecule with those of its parts: Calculation of some vibration frequencies of mono-substituted benzenes, 5=420

Garibyan,G.M. Bremsstrahlung and the creation of pairs in the field of the electron, 5=498. Contribution to the theory of transition radiation, 8=5969. Radiation from a charged particle traversing a lamellar medium, 9=12533. See also Afrikyan,L.M., 8=1813.

Garibyan,G.M. and Gol'dman,I.I. The spectrum of π and μ-mesons in cosmic rays, 5=359

Garif'yanov,N.C. and Starikov,M.A. Electronic paramagnetic resonance in alloys of alkali metals, 9=13458

Garif'yanov,N.S. Paramagnetic absorption in some Gd salts in parallel fields, 5=1054. Hyperfine structure of the lines of the paramagnetic resonance in cooled solutions of $\mathrm{V^{51++}}$, $\mathrm{Cr^{53+++}}$ and $\mathrm{Mn^{55++}}$; 7=1488. Paramagnetic resonance in alkali metals, 7=6348. The appearance of additional absorption peaks in electron resonance under saturation conditions, 8=376, Paramagnetic relaxation in chromium-potassium and iron-ammonium sulphates, 9=2937

Garif'yanov,N.S. and Kozÿrev,B.M. Paramagnetic resonance in anthracite and other carbonaceous substances, 6=5244. Relaxation times T_1 and T_2 in anthracite, 7=1491

Garif'yanov,N.S. and Zarinov,M.M. Hyperfine structure of paramagnetic resonance in copper tutton salts at intermediate fields, 6=6021

Garif'yanov,N.S., Zaripov,M.M. and Kozÿrev,B.M. Value of the spin of the $\mathrm{Fe^{57}}$ nucleus, 7=8782

Garin,P. and Prugne,P. State of the surface, and condensation of molecular jets, 5=3167

Garin-Bonnet,A. See Chaminade,R., 6=2954

Garing,J.S. See also Narahari Rao,K., 9=3279

Garing,J.S and Nielsen, H.H. 1-Type doubling in $\mathrm{NH_3}$, 8=7447

Garino-Canina,V. Absorption band at $2{\cdot}72\mu$ of vitreous silica, 5=179. Luminescence of short and long duration in vitreous silica, 5=1712. A new effect connected with the luminescence and the 2400 Å absorption band of vitreous silica, 5=6914. On the nature of absorption centres in vitreous silica, 5=6915. Homogeneity defects in vitreous silica, 5=6974. The absorption of ultraviolet in quartz and vitreous silica, 5=9572. Contribution to the knowledge of vitreous silica, 6=4680. The absorption band of vitreous silica at 2420A; Germanium impurity and oxygen loss, 6=5773. Some optical properties in the ultraviolet of pure, vitreous germanium dioxide, 9=3283. Action of aluminium and boron impurities on the optical absorption of vitreous germanium dioxide, 9=4454

Garkunov,D.N. and Kragel'skiĭ,I.V. Atomic capture of materials on friction, 7=9436

Garland,C.W. See also Dalven,R., 9=7552; Slutsky,L.J., 7=5721, 8=422, 9=5195

Garland,C.W. and Dalven,R. Elastic constants of zinc from 4·2°K to 77·6°K, 9=1903

Garland,C.W and Slutsky,L.J. Lattice dynamics of hexagonal close-packed metals. II. Frequency spectrum, 8=1305

Garland,G.D. The figure of the earth's core and the non-dipole field, 8=6528

Garland,G.D. and Cook,A.H. A determination of the differences in gravity between the National Physical Laboratory, Teddington, the Dominion Observatory, Ottawa, and the National Bureau of Standards, Washington, 5=5206

Garlick,G.F.J. Absorption, emission and storage of energy in phosphors, 5=3613. Excitation of phosphors by electrons, 5=3617. The physics of the scintillation counter, 5=9722. Cathodoluminescence, 6=2802. Infrared emission and common level scheme of ZnS, CdS, ZnCdS, etc., phosphors, 7=4192. Solid state image amplifiers, 8=2989. Infrared phosphor-semiconductors, 9=5559. See also Halperin,A. 6=4304.

Garlick,G.F.J., Hough,J.M. and Fatehally,R.A. The nature of binding in cadmium telluride, 9=6228

Garn,W.B. Determination of the unreacted Hugoniot for liquid TNT, 9=6860

Garner,C.S. See Grossman,J.J., 9=896; Sloth,E.N., 5=2062; Wiesendanger,H.U.D., 8=3531

Garner,F.H., Mathur,K.B. and Jenson,V.G. Distortion of fluid drops in the Stokesian region, 7=9560

Garner,F.H., Nutt,C.W. and Mohtadi,M.F. Pulsation and mass transfer of pendent liquid droplets, 5=5920

Garner,W.E. Thermal decomposition, inflammation, and detonation, 8=7580

Garner,W.R. Advantages of the discriminability criterion for a loudness scale, 9=4182. On the lambda loudness function, masking, and the loudness of multicomponent tones, 9=6661

Garnier,G.A.B. See Margues,A., 8=2490

Garnir,H.G. See also Boigelot,A.M., 7=3986

Garnir,H.G. and Thyssen,M. Solution of Cauchy's problem for some operators in mathematical physics, 7=3892

Garofano,T. See Ciccarello,I.S. 9=9820

Garren,A. Coulomb interference effects in proton-proton scattering, 5=1921. Coulomb interference in high-energy proton-proton scattering, 6=2948

Garrett,C. Modification of the basis for roentgen calibrations between 0·5 and 3 MeV, 8=5159

Garrett,C. and Geiger,K.W. A new Canadian primary radium standard, 7=2568

Garrett,C.G.B. High-frequency relaxation processes in the field-effect experiment, 8=2302. See also Brattain,W.H. 5=2729, 5=4650, 6=8781; Brown,W.L., 7=7861; Law,J.T., 6=7408.

Garrett,C.G.B. and Brattain,W.H. Physical theory of semiconductor surfaces, 5=7947. Some experiments on, and a theory of, surface breakdown, 6=6641. Distribution and cross-sections of fast states on germanium surfaces, 6=8782. Interfacial photoeffects in germanium at room temperature, 7=7924

Garrett,C.G.B., Brattain,W.H., Brown,W.L. and Montgomery,H.C. Field effect and photo effect experiments on germanium surfaces. II. Non-equilibrium conditions within the semiconductor, 7=7868

Garrett,M.W. Solid angle subtended by a circular aperture, 5=1440

Garrett,T.P. See Fletcher,W.H., 6=7578

Garrido,L.M. A note on strong coupling, 8=8581. Strong coupling nucleon's propagator, 9=2076

Garrido,L.M. and Pascual,P. Diagonalization of Hamiltonian, 9=7793. Unitary phase shift scattering approximation, 9=9233

Garrido Arilla,L.M. Nucleon propagators. I-II 9=35

Garrido Arilla,L.M. and Galindo Tixaire, A. On the adiabatic hypothesis, 9=10605

Garrido Arilla,L.M. and Pascual de Sans,P. The electron of the universal Fermi interaction. 9=7783

Garrigou-Lagrange,C. See Lebas,J.M., 7=6381

Garrigue,H. Anomalies in the natural radioactivity of the free atmosphere, 5=1405. β and γ-sensitive apparatus for the study of radioactive deposits corrected in flight, 5=3034. On atmospheric radioactivity of atomic origin, 5=4240. Fresh outbreak of activity of atomic origin in the atmosphere, 5=6656. Radioactivity of the atmosphere, 6=2597. Radioactivity of the air and precipitations, 7=964. New equipment for the study of radioactive cloud, 7=9349.

Garriott,O.K. A note on whistler propagation in regions of very low electron density, 9=7218. See also Bracewell,R.N. 9=2021

Garrison,A.K. and Gordy,W. High-temperature molecular beam microwave spectrometer, 8=4871

Garrison,G.R. See Murphy,S.R., 9=147

Garrison,J.D. See Chamberlain,O. 5=334, 7=472; Fowler,W.B., 7=701; Morris,T.W., 7=698

Garrison,W.M. See also Jayko,M.E., 7=3793

Garrison,W.M., Bennett,W., Cole,S., Haymond,H.R. and Weeks,B.M. Indirect and direct action of heavy particle radiation on acetic acid in aqueous solution, 5=7470

Garrison,W.M. Bennett,W. and Jayko,M. Mechanism of the radiolysis of aqueous formic acid solutions, 6=5481

Garrison,W.M., Haymond,H.R., Bennett,W. and Cole,S. Radiation-induced oxidation of acetic acid–oxygen solutions, 7=4839

Garrison,W.M. and Weeks,B.M. Mechanism of the radiolysis of aqueous glycine solutions, 6=5479. Mechanism in the radiolysis of aqueous glycine solutions. II, 7=1710

Garrison,W.M., Weeks,B.M., Ward,J.O. and Bennett,W. Water decomposition yields in the radiolysis of aqueous formic acid-oxygen solutions by cyclotron-produced radiations, 8=2698

Garrod,R.I. Anomalous interplanar spacings in evaporated deposits of face-centred cubic metals, 6=4040

Garrod,R.I. and Auld,J.H. The effect of intensifying screens on X-ray line breadths, 5=2311

Garrod,R.I. an d Nankivell,J.F. Sources of error in electron stereomicroscopy, 9=339. Some remarks on the accuracy obtainable in electron stereomicroscopy, 9=12826

Garsou,J. See Duchesne,J., 6=9034, 7=2504

Garstang,R.H. The effect of configuration interaction on forbidden line strengths, 6=3611. Transition probabilities of auroral lines, 6=9144. The calculation of atomic energy transition probabilities, 7=1179. The computation of quadrupole line strengths, 7=9346. Transition probabilities for forbidden lines of Fe III and Fe V, 8=950. Transition probabilities for forbidden lines of Ni II and Ni III, 9=13146

Garstens,M.A. Method for calculating simultaneous resonance conditions in a three-level ruby maser, 9=8350

Garstens,M. A. and Kaplan,J.I. Low-field magnetic resonance, 5=9015

Gartenhaus,S. Two-nucleon potential from the cut-off Yukawa theory, 6=921. See also Yennie,D.R., 9=53

Gartenhaus,S. and Lindner,C.N. Nucleon form factors from electroproduction of pions, 9=6002

Gartenhaus,S. and Schwartz,C. Centre-of-mass motion in many-particle systems, 8=8260

Garth,R.C. See Seth,K.K., 8=5272

Gartlein,C.W. See also Bless,R.C., 5=9309; Booker,H.G., 5=5806

Gartlein,C.W. and Sprague,G. Hydrogen in auroras, 8=5555

Gärtner,W. Spectral distribution of the photomagnetoelectric effect in semiconductors: Theory, 7=3262. Ambipolar carrier transport through the base region of a junction transistor, 7=3287. Concerning differential interferometry, its attainment and comparison with interference fringes of equal thickness, 9=3364

Gärtner,W.W. See Goldstein,S., 9=6953; Hambleton,G.E., 9=6965; Mette,H., 9=13302

Garton,W.R.S. and Latham,R. (Conf.rep.) Ionization phenomena in gases, 8=1073

Garton,W.R.S. and Rajaratnam,A. On the levels of the p^2-configuration in the arc spectra of Zn, Cd and Hg, 6=1963. Flash-absorption spectra of the plasmas of arcs and other discharges, 8=564

Garton,W.R.S., Webb,M.S.W. and Wildy,P.C. The application of vacuum ultra-violet techniques to the continuous monitoring of trace concentrations of water in several gases, 8=3551

Garver,R.V. High-speed microwave switching of semiconductors. II, 9=9109

Garver,R.V., Spencer, E.G. and LeCraw,R.C. High-speed microwave switching of semiconductors, 8=3125

Garvin,D. See also Greaves, J.C., 9=6711; McKinley,J.D., Jr. 5=5988, 6=9104

Garvin,D., Guinn,V.P. and Kistiakowsky,G.B. The temperature pattern method in the study of fast chemical reactions, 5=5016

Garvin,D. and McKinley,J.D., Jr. Rate of the reaction: $H+O_3\rightarrow OH+O_2$. An analysis of a product emitter flame, 6=9005

Garvin,H.L., Green,T.M. and Lipworth,E. Spins of some radioactive iodine isotopes, 9=569. Nuclear spin of 12·6 hour iodine-130, 9=4965

Garvin,H.L., Green,T.M., Lipworth,E. and Nierenberg,W.A. Nuclear spin of astatine-211, 8=7299. Level inversion in the hyperfine structure of bromine-76. Nuclear moments of bromine-76, 9=2693

Garvitch,Z.S. A field instrument for measuring temperatures of natural boiling pools, 5=7550

Garwin,E.L. Gamma-ray excitation of the 15·1 MeV level in C^{12}, 9=7362. See also Penfold,A.S., 9=10119, 9=10121, 9=13681

Garwin,E.L. and Penfold,A.S. Linear gate of 200 millimicrosecond duration, 7=4482

Garwin,R.L. Calculation of heat flow in a medium the conductivity of which varies with temperature, 7=2106. Production

of beams of polarized protons by the acceleration of protons derived from polarized hydrogen molecules, 8=8819. See also Anderson,A.G., 6=4587; Berley,D., 7=7415, 8=8985 Coffin,T., 7=8182, 8=1862; Reich,H.A., 9=2284

Garwin,R.L., Gidal,G., Lederman,L.M. and Weinrich,M. Space properties of the π meson, 8=1864

Garwin,R.L., Hutchinson,D.P., Penman,S.. and Shapiro,G. Precise determination of the muon magnetic moment, 9=11382

Garwin,R.L. and Lederman,L.M. The electric dipole moment of elementary particles, 9=7240

Garwin,R.L., Lederman,L.M. and Weinrich,M. Observation of the failure of conservation of parity and charge conjugation in meson decays: the magnetic moment of the free muon, 7=5642

Gashev,M.A. See Arkhangel'skiĭ,F.K., 8=1727

Gasiorowicz,S. See also Arnowitt,R. 5=2405; Chew,G.F., 8=2785; Ruderman,M.A., 8=6634

Gasiorowicz,S., Neuman,M. and Riddell,R.J. Jr. Dynamics of ionized media, 6=2973

Gasiorowicz,S. and Noyes,H.P. Dispersion relation for potential scattering, 9=2078.

Gasiorowicz,S. and Petermann,A. Electromagnetic mass correction for spin 0 particles, 9=3713

Gasiorowicz,S. and Ruderman,M.A. Uniqueness of solutions to dispersion relations for potential scattering, 7=8416. Identical scattering from causal and non-causal interactions, 8=2796

Gasiorowicz,S.G., Yennie,D.R. and Suura,H. Magnitude of renormalization constants, 9=11808

Gaskins,F.H. See Philippoff,W., 8=532

Gasnier,R. and Vassy,E. A new principle in the experimental determination of oblique visibility, 7=5753

Gáspár,R. and Csavinszky,P. On the theory of bonding of bivalent diatomic ionic molecules. Bonding of alkaline earth metal oxides, 6=2300. The calculation of the electron density distribution of the O^{2-}-ions by the variational method, 7=1522

Gáspár,R., Koltay-Gyarmati,B. and Tamássy-Lentei,I. Determination of electrostatic potentials by series, 9=6864

Gáspár,R. and Molnár,B. On the theory of the electron affinity of the Na and K atoms, 6=562. The binding of metallic silver, 7=1472

Gáspár,R. and Molnár-Ivanecsko,K. Eigenfunctions and energy eigenvalues of the electrons of the Ag atom with electron exchange, 6=8938

Gáspár,R. and Tamássy-Lentei,I. Theory of the hydride molecules, based on the united atom model, 9=11525

Gaspard,L. French National Railways acoustic noise recording car, 5=7799

Gaspary,R. Lifetime measurements on photo-electrons in CdS crystals with a Kerr cell apparatus, 9=11036

Gasperin,M. Synthesis and identification of two double oxides of tantalum and tin, 5=8414

Gass,H. See Cassen,B. 5=5661

Gassmann,F. Theoretical gravity inside masses, 9=21. The measurement of the gravity difference between two points with a static gravimeter, 9=5263

Gasson,D.B. See Billig,E., 8=9199, 9=1988

Gåsström,R.V. A new type of pulse-height analyser utilizing a cathod-ray tube with a photo-transistor sorting element, 7=484

Gast,P.F. and Bournia.A. Finding the Buckling of an elliptic cylinder, 6=5706

Gast,T. [Spring-dashpot] models for the viscoelastic behaviour of high-polymer materials, 5=5001. Increase of sensitivity and relative accuracy of the electric microbalance, 6=5710

Gasten,B.R. See Douglas,R.A. 7=3587; Herring,D.F., 9=2807

Gasting,N.L. Decay of afterglow of ZnS:Cu and ZnS:Cu,Co phosphors near and in the region of temperature quenching, 9=10838. See also Vergunas,F.I., 6=5018

Gatchell,E.K. Charged-pion production in lithium, 7=3730

Gates,D.M., Murcray,D.G., Shaw,C.C. and Herbold,R.J. Near infrared solar radiation measurements by balloon to an altitude of 100 000 feet, 9=1961

Gates,D.M., Shaw,C.C. and Beaumont,D. Infrared reflectance of evaporated metal films, 8=1625

Gates,E.E. See Slowinski,E.J., Jr, 8=67

Gates,H.F. and Hiedemann,E.A. Application of two ultrasonic methods to the determination of the ratio p/q of the photoelastic constants of optical glasses, 7=4251

Gates,J.W. Reverse-shearing interferometry,6=264. The measurement of comatic aberrations by interferometry, 6=1947. Fringe spacing in interference microscopes, 7=7038

Gates,J.W. and Middleton,S.P. A compact monochromator employing rhombic, constant deviation prisms, 5=3557

Gatha,K.M. On the masses of mesons and hyperons, 5=5651. See also Advani,M.K. 6=4444, 6=5311, 7=1500; Gokhale,N.R., 9=3181; Harihar,P., 6=4648; Patel,N.J., 5=6212; Shaw,G.Z., 5=2991, 5=5581, 5=8986, 7=5632

Gatha,K.M. and Kelkar,V.B. The anomalous nuclear scattering of high energy muons, 9=9971

Gatha,K.M. and Mathur,A.L. Glauber approximation for scattering, 5=5521

Gatha,K.M., Patel,N.J. and Patel,P.F. The elastic scattering of 125 MeV electrons by beryllium, 5=1903

Gatha,K.M. and Shaw,G.Z. Total cross-sections for nuclear scattering, 5=3098. The total cross sections for the nuclear scattering of high energy nucleons, 5=4930

Gatineau,L. and Mering,J. A method of correcting for the effects of extinction on the intensities of X-rays reflected by a single crystal, 6=5533

Gatland,I.R. The effect of a scalar meson interaction between muons and baryons, 9=2091

Gatos,H.C. See Harvey,W.W. 9=5225; Kafalas,J.A., 8=9174; Lavine,M.C., 8=7514; Robinson,P.H., 7=988; Rosenberg,A.J., 9=913

Gatti,E. See Barabaschi,S., 6=2968, 7=3684; Colombo,S., 7=8678-9; Cottini,C., 6=5175, 7=1095, 7=3389, 9=10044

Gatti,G. See Caianiello,E.R. 9=9714

Gatti,O.O. and Flegenheimer,J. A new hafnium-isotope (Hf^{183}), 7=651

Gatti,R. See Phillips,L., 9=1730

Gatto,F. An electroacoustical study on cold-working and recrystallization of aluminium, 5=8324

Gatto,R. Matrix elements for double pion photoproduction, 5=1239. Magnetic effects in the scattering of muons by nuclei, 5=1245. Multiple pion production through osomeric states of the nucleon. Theorems following from charge independence, 5=2212. Phenomenological study of the new particles. Λ-particles and Λ-nuclei, 5=4086. The formalism of second quantization in quantum statistical mechanics, 5=9444. Double pion production in nucleon–nucleon collisions. Selection rules for production near threshold, 6=703. Phenomenological treatment of the decay of light hyperfragments, 6=1613. Angular correlation in cascade decay, 6=4006. About the capture and annihilation of antiprotons, 6=4638. Charge properties of the weak decay interactions of the new particles, 6=4658. Theory of the effect of nucleon–nucleon correlations on the scattering of high energy electrons or muons by nuclei, 6=4664. About the Λ^0-nucleon force, 6=4824. A possible method for determining the spins of the Σ and of the Λ, 6=6194. Remarks on the absorption of negative K-mesons by protons, 6=6200. Angular correlation methods for determining the spins of the hyperons, 6=7716. About the possible annihilation mode of a nucleon–antinucleon system into a K–$\bar{K}$ pair, 6=8971. Coherence effects in the Lee–Yang parity doublet theory of strange particles, 7=1896. Quantum numbers of the Lee–Yang parity doublet theory of strange particles, 7=4753. K^0 decay modes and the question of time reversal of weak interactions, 7=6595. Interference effects between members of parity doublets in the Lee–Yang theory, 7=8849. The annihilation of a nucleon—antinucleon system into a K—anti K pair, 7=8885. Test of charge-conjugation invariance in hyperon decay, 8=1209. Relations between the hyperon polarizations in associated production, 8=2510. Parity non-conservation in neutrino interactions and the $\tau-\theta$ problem, 8=4717. Possible experiments on the behaviour of the weak hyperon decay interactions under P, C, and T, 8=5243. A possible theory of weak interactions, 8=5627. Possible experimental test of universal Fermi interaction, 9=3123. Nucleon correlation effects in high energy electron scattering, 9=7356. Problems in the theory of weak interactions, 9=12532. See also Cini,M., 9=2623, 9=4904, 9=4926

Gatto,R. and Lüders,G. Invariants in muon decay, 8=2482

Gatto,R. and Ruderman,M. A suggestion on the theory of the $\pi^{\rightarrow}e+\nu$ to $\pi_{\rightarrow}\mu+\nu$ ratio, 8=6162. On electromagnetic corrections from high energy virtual photons, 9=1649

Gatto,R. and Tripp,R.D. On the question of possible charge properties of weak interactions, 8=5211

Gaudemar,M. See Guy,J., 6=8457

Gaudin,A.M. and Bergna,H.E. High frequency induction furnace

in the determination of radiocarbon, 5=5072
Gauger,J. See Ticho,H.K., 6=7486
Gaulard,M.L. On the transmission of an ultrasonic wave through an indefinitely stratified material, 7=9044
Gaulé,G.K., Breslin,J.T. and Pastore,J.R. Sintering method for semiconductor material, 9=1987
Gäumann,A. Electrolytic high-degree purification with liquid electrodes, 6=2503
Gäumann,T. See Kneubühl,F. 9=12746
Gaume,F. Air-cored coils for the production of very strong constant magnetic fields. Calculations and applications. I. Classification and use of air-cored coils. Method of excitation. Calculation of windings, 9=4773. II. Cooling of windings. Electromagnetic forces. Similarity relations, 9=4774. III. Construction of the coils, 9=7149
Gaume-Mahn,F. Magnetic transformation of cerium at high temperatures. Influence of magnesium impurities, 5=8912
Gaunt,H.M. and Craggs,J.D. Some experiments on d.c. positive point-to-plane corona discharges, 5=3801
Gaur,H.C. See Khosla,B.D., 6=3764; Ramaiah,N.A., 5=3804, 5=7988, 5=9680, 6=390
Gaus,H. See also Schulten,R., 5=4079
Gaus,H. and Schulten,R. On the relation between the temperature and output of a reactor and its reactivity and cooling, 5=2195
Gauthe,B. Electron energy losses in metallic films of silver and gold, 5=8825. New results on the loss of energy by electrons in metallic films: Interpretation, 6=6707. Electron characteristic energy losses in some intermetallic compounds, 9=11127. Contribution to the study of energy losses suffered by electrons traversing thin metallic films; comparison with the results of X-ray spectroscopy, 9=12542
Gautier,P. An induction method for the study of field distribution along the axis of a powerful magnetic lens, 5=2856. Measurement of the induction and its derivatives in the plane of symmetry of magnetic cylinder lenses, 5=8010. Relation between an arbitrary field $\vec{B}(r, \varphi, z)$ and the rotationally symmetric field $B^R(r, z)$ having $B_z^R(o, z) = B_z(o, z)$ applications, 6=2998. General conditions which must be satisfied by a search coil in order to measure an arbitrary magnetic field at a point to fourth-order accuracy. 6=5211 General solutions of the equations of a non-conservative classical electromagnetism, 7=9276. A remark about a method of calculating the magnetic field, 9=12374.
Gautier,P. and Latour,C. Theoretical and experimental study of the field of a series of magnetic cylindrical lenses, 9=9703
Gautschi,W. Exponential integral $\int_1^\infty e^{-xt} t^{-n} dt$ for large values of n, 9=6436
Gauvin,H. See also Sebaoun,W. 9=8620
Gauvin,H. and Sebaoun,W. On the preparation of "nuclear" photographic emulsions with silver chloride, 7=7536. The preparation and properties of nuclear emulsions containing pure silver chloride, 9=13993
Gauvin,J.N.L. Magnetic moments of highly deformed nuclei, 9=1710
Gauzit,M. Corpuscular microscopy using lithium ions, 5=2799. See also Huguenin,E.L., 6=722, 6=4689
Gavenda,J.D. See Morse,R.W., 8=5466, 9=11944, 9=13327.
Gavis,J. Propagation of transverse waves on viscoelastic jets, 9=10671
Gavoret,J. See Verlet,L., 9=3883
Gavreau,V. Whistles. Theory of operation and performance, 5=2498. Pressure of sound radiation according to the kinetic theory of gases, 7=5143
Gavreau,V. and Calaora,A. Sound radiation from vibrating solids in accordance with the kinetic theory of gases, 5=810. Absolute calibration of microphones at audible and infrasonic frequencies, 7=4089
Gavrila,M. On Hall's formula for the relativistic photoeffect, 8=8783. Relativistic K-shell photoeffect, 9=5056
Gavrilov,B.I. See also Valuev,B.N., 6=1586
Gavrilov,B.I. and Lazareva,L.E. Photoneutron yields for intermediate and heavy nuclei, 6=8381
Gavrilov,F.F. See Striganov,A.R., 7=9068
Gavrilovskiĭ,B.V. See also Moskalev,V.I., 7=6541; Sorokin,P.V., 8=1903
Gavrilovskiĭ,B.V., Golovnya, V.Ya., Karadzhev,K.V., Klyucharev,A.P. and Man'ko,V.I. Polarization of low energy protons scattered by carbon, 7=4708
Gavril'uk,V.M. and Kucherov,Ya.M. Ionization gauge for the measurement of pressures between 10^{-4} and 10^{-10} mm Hg, 9=9314
Gavrilyuk,V,M. See Morgulis,N.D., 6=5188
Gay,P. and Wheatley,P.J. (Conf.rep.) Summarized proceedings of a conference on X-ray analysis–Cardiff, April, 1957, 8=1368
Gay,R. The calculation of the Lorentz-polarization factor 1/LP and its application to the retigraph, 5=5100; See also Clastre,J., 6=7839; Rabaud,H., 7=6747
Gay,R. and Lemanceau,B. Preparation of monocrystals of benzene, 7=6694
Gaydon,A.G. Green and orange band spectra of CaOH, CaOD and calcium oxide, 5=8601. A laboratory source of the Herzberg bands of O_2, 6=9103. The spectroscopy of flames, 7=7718. See also Charton,M., 6=8090, 8=3853; Clouston,J .G., 8=1600, 8=3952; Fairbairn,A.R. 5=2574, 5=3551, 7=5971; Learner,R.C.M., 9=7436; Pannetier,G. 5=4516, 8=4921; Pesic,D. 9=2201; Spokes,G.N., 8=963
Gaydon,A.G. and Geudeney,F. Effect of preheating on the spectra of carbon monoxide diffusion flames, 5=9552
Gaydon,A.G. and Learner,R.C.M. Simulation of lunar craters: a blow-hole theory, 9=3052
Gaydon,A.G. and Moore,N.P.W. Spectra of cool flames and pre-ignition glows, 6=2773
Gayhart,E.L. See Berl,W.G. 7=1230; Olsen,H.L. 5=2676
Gaylord,E.W. and Forstall,W. Measurement of mass transfer by an electrical conductivity method, 5=4415
Gayrard,G. See Coulon,J., 6=6262, 7=932
Gayther,D.B. The mean lifetime and some properties of θ^0-particles: a correction to previously published data, 6=3267
Gayther,D.B. and Butler,C.C. Notes on the energy spectra and frequencies of production of V^0-particles, 5=5652
Gayther,D.B. and Nicholson,K.P. The average neutron total cross-sections of heavy elements at low energy, 7=3671
Gaythorpe,S.N. Optical properties of "cellophane", 7=6078
Gazaryan,Yu.L. Surface waves in the ocean excited by underwater earthquakes, 6=4865. Waveguide propagation of sound in non-uniform media, 6=8045. Waveguide propagation of sound for one class of inhomogeneous lamellar media, 8=4798. Generation of a sound pulse of a given shape using a piezo-electric plate, 8=5733. The field of a point radiator in the layer lying in a semispace, 9=11946.
Gazis,D.C. Exact analysis of the plane-strain vibrations of thick-walled hollow cylinders, 9=126. Three-dimensional investigation of the propagation of waves in hollow circular cylinders. I. Analytical foundation, 9=6641. II. Numerical results, 9=6642.
Gazith,M. See Sandler,Y.L. 9=11595
Gazzard,A.D. Lunar tides in E2s at Brisbane, 8=8542
Geach,G.A. See Franks,J. 5=3270
Geake,J.E. and Wilcock,W.L. An astronomical photoelectric spectrophotometer, 7=4974. A photoelectric stellar spectrophotometer, using a Fabry–Perot etalon, 8=848
Gealer,R.L. See Churchill,S.W. 8=1020
Geballe,R. Statics and dynamics of a helical spring, 8=3737; See also Burch,D.S., 7=5431,7=5435
Geballe,T.H. Radiation effects in semiconductors: thermal conductivity and thermoelectric power, 9=10979; See also Carruthers,J.A., 7=5264; Herring,C., 9=306, 9=8175; Hrostowski,H.J., 6=2108; Kunzler,J.E., 7=3213; Morin,F.J., 5=7958, 7=3277
Geballe,T.H., Herring,C. and Kunzler,J.E. Phonon-drag thermomagnetic effects in n-germanium, 9=9666
Geballe,T.H. and Hull,G.W. Seebeck effect in silicon, 5=6161. Isotopic and other types of thermal resistance in germanium, 8=5834
Gebauer,H. See Endter,F., 6=4041
Gebauer,R. and Franz,A. Anomalies in the determination of the specific electronic charge with the help of a pencil beam in nitrogen, 9=12365
Gebbie,H. See Fan,H.Y., 5=2744
Gebbie,H.A. Detection of submillimeter solar radiation, 8=6; See also Burstein,E., 6=8786-7, 9=11563; Maple,T.G., 5=6133
Gebbie,H.A. and Vanasse,G.A. Interferometric spectroscopy in the far infra-red, 7=226
Gebert,G. See Reik,H.G., 5=2477
Gebhard,J.W. See also Mowbray,G.H., 6=3416
Gebhard,J.W., Duffy,M.M., Mowbray,G.H. and Byham,C.L. Visual sensitivity to the rate of electrically produced intermittence, 7=2887
Gebhardt,W. and Osberghaus,O. A semiconductor detector for sulphur and selenium molecular beams, 8=8404
Geck,F.W. On coloration and luminescence of NaCl and NaCl/Ag under electron irradiation, 9=6284

Geck,F.W. and Hanle,W. The differential excitation power of α-particles in luminescent plastic foils, 9=4758
Geckler,R.D. See Sweeny,K.H. 5=573
Gécs,M. See Faragó,P.S., 6=7626
Gedalin,E.V. See Begiashvili,G.A. 9=12508
Geddes,W.K.E. See Axon,P.E., 6=3589
Gedevanishvili,L.D. See Chikovani,G.E. 5=1229
Gee,A.E. See Yoder,P.R., Jr, 5=9533
Geel,C. van. See van Geel,C.
Geel,W.C. van. See van Geel,W.C.
Geer,E.H. See also Fagg,L.W., 7=2531; Holmgren,H.D., 7=5613 Wolicki,E.A., 7=3633
Geer,E.H., Nelson,E.B. and Wolicki,E.A. Alpha-alpha angular correlations in $B^{11}(p, \alpha\alpha)He^4$, 6=1559
Geese-Bähnisch,I. On the β-decay of rubidium 87; a check on the decay scheme and a new determination of the half life, 6=1515
Geese-Bähnisch,I. and Huster,E. A new determination of the half-life, 5=3998
Geffen,D.A. Simple nonrelativistic model for single meson production, 5=9972. Dispersion relations for pion–proton scattering, 9=3146
Geffen,D.A. and Scarf,F.L. Spurious solutions of the Bethe-Salpeter equation, 6=4845
Gegauff,C. See also Cüer,P., 5=4742, 7=3887. Gros,C.M., 9=14016; Lonchamp,J.P., 6=4447
Gegauff,C. and Boissier,J. Measurement of the size of grains in nuclear emulsions by the "envelope" method, 6=4135
Gegauff,C., Lonchamp,J.P. and Cüer,P. Demonstration of the tracks of heavy ions and its application to their discrimination, 9=9914
Gegner,E. See Witzmann,H., 9=2218
Geguzin,Ya.E. The influence of pressure on the mutual interdiffusion of metals in relation to the production of diffusion porosity, 6=6949. On the form of pores arising in the mutual diffusion of metals, 7=775. Diffusion porosity in metals and alloys, 7=6723. On excess vacancies in galvanically deposited metal, 8=8436. On the activation energy of diffusion creep of disordered substitutional solid solutions of metals, 8=8489
Geguzin,Ya.E. and Ovcharenko,N.N. On the excess vacancies produced in brass as a result of evaporation of the zinc (in a system with a "source of vacancies"), 8=4455
Gehatia,M. and Katchalski,E. Brownian motion in the centrifugal field, 9=6599
Gehauf,B. See Hilsenrod,A., 6=5482
Géhéniau,J. Various types of charged particle with spin one, 6=8577. A classification of Einstein spaces, 7=6801. Tensors of the Pauli group, 9=1061. See also Debever,R., 5=7203
Géhéniau,J. and Debever,R. The fourteen invariants of curvature of Riemannian four-dimensional space, 7=6802
Gehman,W. See Britton,D., 7=2764
Gehrcke,E. On the alternating current waveforms in the eye derived from physiological optics, 9=4161
Gehring,E. See Wittig,F.E., 9=13238
Geick,R. Measurements on CsBr in the region of the infrared resonance vibration, 9=12050
Geiderikh,V.A. See Gerasimov,Ya.I., 9=12196
Geiger,F.E.,Jr. K band in additively colored KCl at 18°K, 5=4183. Low-temperature absorption cell for the Cary recording spectrophotometer, 5=5302. F' and K centers in additively colored KCl crystals, 5=9243. Spectroscopic isotope shift in lead II, 8=2949. See also Etzel,H.W., 5=2608; Lew,H., 9=729; Robinson,G.B., 8=8282; ,
Geiger,J.S. See Ewan,G.T., 9=5001; Graham,R.L., 9=1733; Hughes,V.W., 6=235
Geiger,J.S., Ewan,G.T., Graham,R.L. and MacKenzie,D.R. Measurements on the longitudinal polarization of beta rays from P^{32},Y^{90},Pr^{144},Au^{198}, and Bi^{210} (RaE), 9=3860
Geiger,J.S., Hughes,V.W. and Radford,H.E. Electron g value in the ground state of deuterium, 7=4636
Geiger,K.W. Evaporation neutrons from cosmic ray nuclear interactions in various elements, 6=3182. Half-lives of Sc^{46}, Co^{60}, Zn^{65}, Ag^{110m}, Cs^{134}, and $Eu^{152,154}$, 7=4664. Absolute standardization of radioactive neutron sources. II. The use of the $F^{19}(\alpha,n)Na^{22}$ reaction, 9=8465. See also Dixon,W.R., 7=8200; Garrett,C., 7=2568
Geiger,K.W. and Whyte,G.N. Absolute standardization of radioactive neutron sources. I. Activation of manganese bath, 9=8464
Geiger,W. The emission of negatively charged carriers by the action of halogen molecules on alkali metal surfaces, 5=8880
Geijn,J. van de. See van de Geijn,J.
Geil,P.H., Jr, Symons,N.K.J. and Scott R.G. Solution grown of an acetal resin, 9=13891
Geĭlikman,B.T. Condensation of an ideal Bose gas in a gravitational field, 5=758. On the theory of strong coupling for meson fields. I, 6=916; II, 6=917; III, 6=918. Magnetic interaction between electrons and anomalous diamagnetism, 8=2385. Non-axially symmetric nuclei, 9=1702. Accuracy of quantum results for the many-body problem in the case of Bose statistics, 9=11830. Disruption of a charged liquid drop and nuclear fission, 9=12691. Thermal conduction of superconductors, 9=13208
Geilikman,B.T. and Kresin,V.Z. The phonon thermal conductivity of superconductors, 9=8025. Thermal conductivity and the attenuation of sound in superconductors, 9=8160
Geiss,J. See Begemann,F., 8=2103; Eberhardt,P., 5=6408; 5=9840, 6=1510; Ehrenberg,H.F., 6=417
Geissler,D. Scattering by a square well potential, 7=1057 On the theory of proton-proton scattering at high energy, 7=1391. Expansions for Coulomb wave-functions for high energies, 7=1929. Gravitational radiation according to Bel, 9=12979. The "astronomical" motion problem in the general theory of relativity, 9=12985
Geissler,D., Papapetrou,A. and Treder,H. The gravitational radiation of a temporarily non-stationary system, 9=6491
Geissler,D. and Pfeifer,H. Spin echoes in alternating current electrolysis, 8=3325
Geist,D. Barrier-layer photocells. I. 5=6144. The magnetic susceptibility and effective mass of the current carriers in silicon and germanium, 8=4980. Magnetic susceptibility of foreign atoms in semiconductors—theoretical considerations, 9=5688. The form of the conductivity band of indium arsenide, 9=5708. Are the Landau levels of free carriers useful for sub-millimetric semiconductor maser? 9=13463. See also Seiler,K. 6=4408
Geist,D. and Hehnen,J. The magnetic susceptibility of germanium doped with iron, 9=11187
Geist,D. and Preuss,E. Etching and polishing of germanium surfaces, 8=7602
Geithoff,D. See Flegenheimer,J., 9=3866
Gejji,N.V. See Tawde,N.R., 6=8304
Gela,T. Chemical reactions with white and gray tin, 6=4713
Gelbard,E.M. Three-body contributions to the triton binding energy, 6=1856
Gelberg,A. Correction of spherical aberration in short-lens β-spectrometers, 8=8047. See also Croitoru,N., 8=8465; Spivak,G.V., 7=2291
Gel'berg,A., Iosifesku,B., Komsha,G. and Mussa,G. An investigation of the temperature dependences of the work functions of metals, 9=7054
Gel'berg,A. and Kroĭtoru,N. Effect of electron bombardment on thin films of sodium chloride, 8=7526
Gel'bukh,L.A. Calculation of the induced magnetic moment of a ferromagnetic ellipsoid of revolution in an alternating magnetic field, 7=9274. Calculation of the induced magnetic moment of an oblate ferromagnetic ellipsoid of revolution in an alternating magnetic field, 9=416
Gel'd,P V. Thermal and thermoelectric properties of the alloys of silicon with the transition metals, 7=9131
Gelder,A.P. van. See van Gelder,A.P.
Gelernter,H. Two-nucleon interaction at high energies and the Lévy potential, 7=3373
Gel'fand,I.M. and Cherntsov,N.N. On the numerical calculation of continuous integrals, 7=3891
Gelfand,I.M. and Jaglom,A.M. The integration in functional spaces and its applications in quantum theory, 9=1037
Gel'fand,I.M. and Tsetlin,M.L. On the quantities with anomalous parity and possible explanation of parity degeneracy of the K-mesons, 7=6589
Gelinas,R.W. See also LaVier,E.C., 6=6117
Gelinas,R.W. and Hanna,S.S. Low-energy spectra in the $Be^9 + d$ reactions, 7=3652
Geller,M. Field emission from metals into alkali halide crystals, 6=4436
Geller,R. See Desjonquières,J., 6=5128, 7=9246
Geller,S. The crystal structures of RhTe and $RhTe_2$, 5=6630. Crystal structure of gadolinium ortho-ferrite, $GdFeO_3$, 6=5538. $GdFeO_3$, 6=5538. Comments on the preceding paper by L. Pauling entitled "The use of Atomic Radii, etc.", 9=6378. See also Gilleo,M.A., 8=8913, 9=427; Knox,K., 8=6048; Matthias,B.T., 9=9657; Wernick,J.H., 8=5880, 9=5880.

9=3457, 9=13927

Geller,S. and Bond,W.L. Crystal structure of copper fluoride dihydrate, CuF$_2$.2H$_2$O, 9=5261

Geller,S. and Cetlin,B.B. The crystal structure of RhSe$_2$, 5=6629
RhSe$_2$, 5=6629

Geller,S. and Gilleo,M.A. The effect of dispersion corrections on the refinement of the yttrium—iron garnet struc- 9=9040
ture, 9=9040

Geller,S. and Matthias,B.T. Superconductivity in the Ni—Pd—As system, 8=5009

Geller,S. and Schawlow,A.L. Crystal structure and quadrupole coupling of cyanogen bromide, BrCN, 5=6633

Geller,Z and Low,W. Amplification of 1 cm waves in the helium negative glow, 6=1275

Gelles,I.L. See Keller,S.P., 8=5427; Smith,W.V., 9=4826; Sorokin,P.P., 9=4822

Gellings,P.J. The electrical conductivity of concentrated aqueous electrolytic solutions, 7=1708

Gellman,H. See also Bullard,E., 5=1374; Gardner,J.W., 5=8067; Hurst,D.G., 7=7398

Gellman,H. and Tucker,J. Tables of the functions D$_0$(x) and D$_1$(x), 5=5163

Gellman,H.S. See Wolfson,J.L., 7=4431

Gell-Mann,M. Specific heat of a degenerate electron gas at high density, 7=6373. Model of the strong couplings, 7=7408. Change of isotopic spin in the K$_{\pi 2}$ decay, 7=9918. Test of the nature of the vector interaction in β decay, 9=2748. Status of weak interactions, 9=13006. See also Feynman, R.P., 8=507

Gell-Mann,M. and Berman,S.M. Electromagnetic corrections to the B^{12}—N^{12} β-spectrum ratio, 9=13641

Gell-Mann,M. and Brueckner,K.A. Correlation energy of an electron gas at high density, 7=6372

Gell-Mann,M. and Goldberger,M.L. Scattering of low-energy photons by particles of spin $\frac{1}{2}$, 5=745

Gell-Mann,M. and Pais,A. Behavior of neutral particles under charge conjugation, 5=4088. Theoretical views on the new particles, 5=6489

Gel'perin,I.I. and Minsker,K.S. The determination of heat transfer surface for the case of zero temperature difference between cooled and coolant fluids at the end point of flow, 9=5615

Gelsema,E.S. See Muller,T., 8=8288

Geltman,S. Theory of ionization probability near threshold, 6=3922. Continuous absorption coefficient of the hydrogen and lithium negative ions, 7=1417. Determination of electron affinities by extrapolation, 7=2552. Theory of threshold energy dependence of photodetachment of diatomic molecular negative ions, 9=3608. See also Branscomb,L.M., 9=2432

Geluk,J.J. Acoustic measurement methods and measuring apparatus, 9=6653

Gemant,A. Oxidation ions in hydrocarbons on ultraviolet irradiation, 5=596. See also Hines,E., 7=3689

Gemant,A., Burch,D.C. and Miller,E.B. Aural electrocardiograms, 6=7908

Geminov,V.N. See Oding,I.A., 9=5213

Gemmell,D.S. See also Edge,R.D., 8=4305

Gemmell,D.S., Morton,A.H. and Smith,W.I.B. Gamma radiation from the capture of 5 to 7.7 MeV protons in F^{19}, Na^{23}, Al^{27} and P^{31}, 9=7335

Gemmell,D.S., Morton,A.H. and Titterton,E.W. A study of the giant resonance regions of Be^8 and C^{12} through the inverse reactions Li^7 (p,γ) Be^8 and B^{11} (p,γ) C^{12}, 9=8579

Gemperle,R. See Kaczér,J., 6=7514

Gendreau,G. See Bruck,H., 6=5946

Genensky,W.M. A problem in self-heating of a spherical body, 8=3044

Genensky,S.M. and Newell,G.F. Vibration spectrum and heat capacity of a chain polymer crystal, 7=5722

Geneux,E., Vincenz,B., Béné,G. and Extermann,R. Dipolar magnetic resonance at 3.245 and 12.67 Mc/s with optically oriented sodium atoms, 6=1359

Gengnagel, H. Bitter patterns on thin sheets of a 16% Al—Fe alloy, 7=8022. The magnetic properties of single crystals of Fe—Al alloys in the superlattice range Fe$_3$Al, 8=8121. The magnetic properties of F—Al alloy single crystals in the superlattice range. II. Magnetostriction and resistivity, 8=8122. Hysteresis loops of picture-frame single crystals of Al—Fe alloys, 9=2513. See also Andrä,W., 9=13884

Génin,J. Angular distribution of the neutrons from the reaction Be^9 (d,n) B^{10}, 5=9080. A study of the excited states of B^{10}, 8=6301. See also Vigneron,L., 5=7604, 7606-7

Genin,R. Average ionization energy in gases. Ionization defect, 7=1415

Genkin,G.M. Energy of a molecule of the symmetrical-top type in an external electric field, 8=799

Gennes,P.G. de. See de Gennes,P.G.

Genser,M. See Allred,W.P., 8=3102

Gent,A.N. See Fletcher,W.P., 7=7465

Gentil,K. A simple experiment for the determination of the vibration of the extraordinary ray in Tourmaline, 6=7328

Gentil,M.C. Le. See Le Gentil,M.C.

Gentile,A.L. and Drost-Hansen,W. On the origin of the microstructure in ice, 7=850

Gentile,C. See Artom,M., 8=7225, 9=3270

Gentili di Giuseppe,M. and Trellis,M. Rapid temporal fluctuations of the monochromatic green corona, 7=3917

Gentner,R. See Leblond,A., 6=3861

Gentner,W. The properties of light and heavy mesons, 9=9962. See also Backenstoss,G., 5=2151

Gentner,W., Fechtig,H. and Kistner,G. Rare gases and their isotope shift in the iron meteorite Treysa, 9=4212

Gentner,W. and Kley,W. On geologic age determination by the potassium—argon method, 6=2567

Gentner,W., Maier-Leibnitz,H. and Bothe,W. An atlas of typical expansion chamber photographs, 5=5505

Gentner,W. and Trendelenburg,E.A. A mass spectrometer method for the determination of diffusion coefficients of gases in solids, 5=2228

Gentner,W. and Zähringer,J. Argon and helium determination in iron meteorites, 5=8449. The potassium—argon-age of some tectites, 9=12890

Genzel,L. Spectral investigations in the region near 1 mm wavelength. IV. Vacuum spectrometer. H$_2$S and NH$_3$ rotation spectra, 6=4326. See also Happ,H., 9=3492

Genzel,L. and Eckhardt,W. Spectral investigations in the region near 1 mm wavelength. I. Construction of the spectrometer and its basic spectrum; II. The rotation spectra of HCN and H$_2$S, 5=2561

Genzel,L., Happ,H. and Weber,R. A grating spectrometer for the region of the far infrared and short microwaves, 9=4439

Genzel,L. and Klier,M. Spectral investigations in the region near 1 mm wavelength. III. Dispersion measurements on LiF, 6=1951

Genzel,L. and Weber,R. On the theory of interference modulation in two-beam interferometry, 8=8711. Spectroscopy in the far infrared by interference modulation, 9=4440

Geodkoop,J.A. The neutron diffractometer of the Joint Establishment for Nuclear Energy Research at Kjeller, Norway, 7=9469

Geoffrion,C. See also Giroux,G., 6=3772

Geoffrion,C. and Giroux,G. An optimum parameter beta-ray spectrometer, 6=8828

Geoffrion,C. and Nadeau,G. Spectrum of L Auger electrons from $_{81}$Tl^{208} and $_{83}$Bi^{212}, 8=5309

George,E.C. See Daniel,R.R., 5=5459

George,E.P. Observations of the nuclear interactions of a 315 MeV bremsstrahlung γ-ray beam, 6=3229. On star production by μ-mesons underground, 6=8406. See also Biswas,S., 5=7596

George,E.P. and Evans,J. Further observations of cosmic-ray events in nuclear emulsions exposed below ground, 5=8885

George,E.P., Herz,A.J., Noon ,J.H. and Solntseff,N. Nuclear interactions of negative K-mesons in nuclear research emulsion, 6-3975

George,E.P. and Shrikantia,G.S. Observations of the energy-spectrum of the cosmic radiation below ground, 6=2975

George,J.W. See Cotton,F.A., 8=9094

George,K.A. Neutron production and temperature in Zeta, 9=1788

George,P. See also Bennett,J.E., 5=5517, 6=482

George,P., Bennett,J.E. and Ingram,D.J.E. Paramagnetic resonance spectra from single crystals of hemoglobin derivatives, 6=5233

George,P., Hanania,G.I.H. and Irvine,D.H. On the entropies of complexions in aqueous solution, 5=267

George,P., McClure,D.S., Griffith,J.S. and Orgel,L.E. Ligand field theory and the stability of transition metal compounds, 6=8456

George,R.C.C.St. See St George,R.C.C.

George,R.G. Magnetic viscosity displayed on hysteresis loop traces, 9=4791

George,T.H. See also Farnsworth,H.E., 5=4993, 9=2944

George,T.H., Farnsworth,H.E. and Schlier,R.E. Some measure-

ments of adsorption of nitrogen and oxygen on a (0001) titanium surface using low-energy electron diffraction, 9=8977
George,W.D. See Barber,W.C., 5=4941, 8021
George,W.H., Sound recording and "publication" of acoustical research, 9=9364
Georgieva,I. See Borisov,M., 8=7356
Georgobiani,A.N. and Fok,M.V. Investigation of relaxational processes in electroluminescence, 9=9495
Geppert,G. The structure of high-polymer–plasticizer systems in the light of dielectric measurements and their statistical analysis, 5=4623. A recording spectrophotometer for the ultraviolet, visible and near infrared region, 9=192. A simple recording double-beam infrared spectrophotometer, 9=2206
Gerace,G.B. See Caracciolo,A., 9=7724
Cecchini,G. 9=7725-6
Gerard,G. See Papirno,R., 6=1877
Gerard,V.B. A simple, sensitive, saturated-core recording magnetometer, 5=5507
Gerasimenko,V.I. See also Andreev,V.V., 9=2940; Azbel',M. Ya., 7=4577,8=2656, 9=2938
Gerasimenko,V.I. and Rozentsveĭg,L.N. Two-electron charge-exchange of α-particles in helium, 7=3400
Gerasimov,F.M. and Naumov,S.S. An interferometer with a concave diffraction grating, 9=5591
Gerasimov,F.M., Tel'tevskii,I.A., Naumov,S.S., Spizharskii,S.N. and Nesmelov,S.V. Diffraction gratings from the State Optical Institute, 9=10874
Gerasimov,I.S. Dynamical problem for a conical shell, 9=9263
Gerasimov,Ya.I. See also Alekseev,N.V., 9=9307; Vecher, A.A., 9=12197
Gerasimov,Ya.I., Vecher,A.A. and Geiderikh,V.A. Thermodynamic properties of Cu–Ni and Fe–Co solid solutions, 9=12196
Gerasimova,A.M. See Frimer,A.I., 6=5890, 7-402
Gerasimova,N.M. Solution of kinetic equations for high-energy nuclear-cascade processes, 8=1760. Electromagnetic radiation in high-energy nuclear interactions, 8=5966. See Also Belen'kiĭ,S.Z., 8=5339
Gerasimova,N.M. and Chernavskiĭ,D.S. On the distribution of particles with energy in multiple production, 6=63
Gerasimova,R.I. See Alpers,V.V., 6=8972-3. Varfolomeev, A.A., 7=1431, 1583, 4754, 4756, 8=1758
Gerasimova,T.N. See Fridkin,V.M., 7=9483
Gerathewohl,S.J. Conspicuity of flashing light signals: Effects of variation among frequency, duration, and contrast of the signals, 7=2900
Gerber,H.J. See also Brugger,H.R., 6=555
Gerber,H.J., Garcia Muñoz,M. and Maeder,D. Beta decay of Ne^{23}, 6=1529
Gerber,R. A class of solutions of the equations of motion of a heavy liquid with a free surface, 6=4228
Gerbier,J. See Gerbier,M.M., 9=10187
Gerbier,M.M. and Gerbier,J. A necessary condition for the formation of an intermolecular hydrogen bond shown by spectrographic results, 9=10187
Gercke,R.H.J. See Colichman,E.L., 6=9017
Gerdes,E. Electrostrictive generation of ultrasound in liquids, 8=6770
Gerding,H. and Houtgraaf,H. The structure of selenium tetrachloride in the solid and of tellurium tetrachloride in the liquid and the solid state, 5=3633. Investigation of the structure of the compounds $TeCl_4 \cdot AlCl_3$ and $SeCl_4 \cdot AlCl_3$ by means of the Raman effect, 5=3634. Some remarks on the Raman spectrum of solid phosphorus pentachloride. 5=3637. The Raman spectrum of liquid and solid $AlCl_3 \cdot NH_3$, 5=3638
Gere,E.A. See Feher,, 6=2111, 7618, 8=718, 2653, 9=9824, 13456
Gereth,R. and Müser,H.A. Test equipment for photoconductors, 9=5721
Gergely,G. Band-width problems in the investigation of relaxation processes, 5=200. The effect of quenchers on the absorption and emission spectra of silver-activated zinc sulphides, 7=4194. Notes on the cathodoluminescence efficiency of zinc sulphide type phosphors, 9=1318. The determination of the absorption coefficient of luminescent microcrystals, 9=7980. The calorimetric determination of the diffuse reflectance of magnesium oxide, 9=9451. See also Adám,J., 9=9689
Gergely,G. and Ádám,J., Standard plane source of light obeying Lambert's law and of uniform luminance, 9=2192
Gergely,G. and Váradi,P.F. A simple flame-photometer of high sensitivity, 5=9529
Gergen,J.L. "Black Ball": A device for measuring atmospheric infrared radiation, 6=7862. Experimental determination of atmospheric infra-red radiation, 7=8323-4. Note on radiative divergence as determined by the "black ball". Reply, 9=6393. Black-ball observations and the radiation chart, 9=11654
Gerhardt,U. Optical apparatus for depth sensing, 9=1337
Gerhart,J.B. Fierz interference of the Fermi interactions in beta decay, 8=1936. See also Naumann,R., 5=4005, Sherr,R., 6=1513
Gerhart,J.B., Schmidt,F.H., Bichsel,H. and Hopkins,J.C. Longitudinal polarization of positrons from the decay of O^{14}, 9=9940
Gerharz,R. A new effort to measure the velocity of light, 7=4109. Optical feedback in photomultipliers, 7=4375. Production of thin films of aluminium with short evaporation times, 8=8468
Gerhauser,J.M. and Matsen,F.A. Application to perturbation theory to the helium atom, 5=8167
Gerholm,T.R. High transmission coincidence spectrometer with good resolution, 6=407. Studies of nuclear disintegrations with a coincidence spectrometer, 7=646. On the annihilation of positrons in condensed materials, 7=675. See also Arbman,E., 9=6063; De Waard,H., 5=9039, 6=7616; Herrlander,C.J., 7=9325; Schmorak,M., 7=6437
Gerholm,T.R. and de Waard,H. The half life of the 163 keV excited state in 139 lanthanum, 5=9850
Gerholm,T.R. and Pattersson,B.G. Evidence for the presence of E0 in direct competition with M1 and E2, 9=641
Gerischer, H. See Schön,J., 5=7465
Gerjuoy,E. Feasibility of a nonrelativistic explanation for the advance of the perihelion of Mercury, 6=882. Outgoing boundary condition in rearrangement collisions, 8=2150. Time-independent nonrelativistic collision theory, 9=36. Inelastic atomic collision processes, 9=7407. See also Baranger,E., 7=7311, 9=717, Krall,N.A., 9=13733
Gerjuoy,E. and Stein,S. Rotational excitation by slow electrons, 5=4840. II. 5=8124
Gerlach,W. and Kranz,J. On the utilization of measurements on ferromagnetic minerals, 9=1583
Gerlich,D. Hole injection at metal–semiconductor point contact, 7=3291. Temperature dependence of point contact injection ration in germanium, 8=7943. See also Many,A., 6=325, 2873, 8=613
Gerling,É.K. and Levskiĭ,L.K. On the origin of the inert gases in stony meteorites, 7=4990. Products of cosmic radiation in the Sikhote–Alin' meteorite, 9=11732
Gerlit,Yu.B. See also Karamyan,A.S., 9=13674, Tarantin, N.I., 8=7398
Gerlit,Yu.B., Guseva,L.I.,Myasoedov,B.F., Tarantin,N.I., Filippova,K.V. and Flerov,G.N. Yield of californium isotopes in the interactions between carbon ions with uranium nuclei, 8=1971
Germagnoli,E. See also Airoldi,G., 8=8453, 9=6272; Ascoli,A., 6=6951, 7=3190-1, 7333, 8619, 9=8086; Asdente,M., 6=7693; Bacchella,G.L., 9=7512; Bisi,A., 5=73335, 9886, 6=3139, 5968, 7649, 7=3343, 4657, 9358, 8=2532, 9=7326
Germagnoli,E. and Mongini,L. On the energy spectrum of the γ-radiation emitted by the fission products of U^{235}, 7=3609
Germain,C. See Gabillard,R., 6=4490
Germain,G. See van Meerssche,M., 9=13954
Germain,P. Transonic flows with shock wave, 7=3063. On the structure of certain shock waves in a conducting fluid in the presence of a magnetic field, 9=9859
Germain-Jones,D.T. Post-war developments in geophysical instrumentation for oil prospecting, 7=3846
German,O. Kinetic theory of gaseous flow through cylindrical tubes, 9=1163
German,V.L. and Kaner É.A. Optical activity with the non-linear effect of "saturation" taken into account, 9=9535
Germer,L.H. Electrical breakdown between close electrodes in air, 9=5753. See also Boyle,W.S., 4=7068, 7075
Germer,L.H. and Boyle,W.S. Anode and cathode arcs, 6=2134. Two distinct types of short arcs, 6=2135
Germogenova,T.A. On the solution of the transport equation for strongly anisotropic scattering, 7=8399. Refinement of the approximation for small angles in multiple-scattering problems, 8=7704
Gérodolle,H. See d'Auriac,P.A., 9=4080
Gerold,V. The evaluation of X-ray low-angle scattering by means of Fourier analysis, 7=895. The small-angle scattering of X-rays and its use for particle size determination, 8=8025.

See also Fricke,H., 9=7047
Gerold,V. and Fricke,H. Double reflection as the cause of small-angle X-ray scattering by deformed metals, 8=7544
Gerosa,G. See Barzilai,G., 8=2436
Gerrard,J.A.F., Strickland,L., Wade,A.L. and Reynolds,H.K. Gravity anomaly simulator, 7=8306
Gerrard,J.H. Measurements of the sound from circular cylinders in an air stream, 5=7759
Gerri,N.J. See Kaufman,F., 6=2499*, 7781
Gerritsen,A.N. Resistance and magneto-resistance of dilute alloys of gold with iron at low temperatures, 8=3087. See also Los,G.J., 7=8599
Gerritsen,A.N. and Linde,J.O. Thermal conductivity of some dilute silver alloys, 7=1221
Gerritsen,A.N., and van der Aa,J.M.L.C. The temperature-dependent and temperature-independent parts of the increase of resistance due to impurities in a metal. A simple method of obtaining their ratio, 9=286
Gerritsen,H.J. On the interpretation of some data obtained with antiferromagnetic resonance in hydrated copper chloride, 5=9767. See also Garber,M., 6=4499; Meijer,P.H.E., 6=524, Ruppel,W., 9=6983
Gerritsen,H.J. and Garber,M. Measurements on the intensity of the resonance absorption in $CuCl_2 . 2H_2O$ at 9400 MHz., 6=4500. Theoretical study on the antiferromagnetic rotator with rhombic symmetry, 6=6767
Gerritsen,H.J., Garber,M. and Drewes,G.W.J. Antiferromagnetic resonance line widths in $CuCl_2 . 2H_2O$ at 9400 MHz., 6=4501
Gerritsen,H.J., Harrison,S.E., Lewis,H.R. and Wittke,J.P. Fine structure, hyperfine structure, and relaxation times of Cr^{3+} in TiO_2 (Rutile), 9=5917
Gerritsen,H.J., Okkes,R., Bölger,B. and Gorter,C.J. Antiferromagnetic resonance in hydrated copper chloride at 32000 MHz, 5=9766
Gerritsen,H.J., Ruppel,W. and Rose,A. Photoproperties of zinc oxide with ohmic and blocking contacts, 9=6989
Gersch,H.A. Bose–Einstein gas in a gravitational field, 8=57
Gersch,H.A. and Koehler,W.C. Types of magnetically ordered configurations on simple lattices, 9=8796
Gersch,H.A., Shull,C.G. and Wilkinson,M.K. Critical magnetic scattering of neutrons by iron, 6=7527
Gersch,U. and Lösche,A. Investigations of the nuclear paramagnetic resonance absorption in the field of a condenser, 9=5925
Gershman,B.N. Notes concerning waves in a homogeneous magnetoactive plasma, 7=4561. The propagation of magnetohydrodynamic waves in cosmic conditions, 9=11271
Gershman,B.N. and Ginzburg,V.L. The mechanism of the generation of inhomogeneities in the ionosphere, 5=9287
Gershman,B.N., Ginzburg,V.L. and Denisov,N.G. The propagation of electromagnetic waves in plasma (ionosphere), 7=9279
Gershman,S.G. and Feĭnberg,E.L. The measurement of a correlation coefficient., 6=4952
Gershman,S.G. and Orlov,E.F. A correlation method of measurement of the acoustic ratio, 9=7912
Gershteĭn,É.Z., Stavitskaya,T.S. and Stil'bans,L.S. A study of the thermoelectric properties of lead telluride, 9=5748
Gershteĭn,S.S. Cross-section for the transfer of a μ-meson from a proton to a deuteron, 8=3304. Transition between hyperfine structure levels in μ-mesic hydrogen, atoms, 8=7427. See also Zel'dovich Ya.B., 9=2892
Gershteĭn,S.S. and Zel'dovich,Ya,B. On corrections from mesons to the theory of β- decay, 6=2357
Gershun,S.S. and Popov,O.I. On the question of the dispersion of light by matt glasses, 5=6931
Gershuni,G.V. Some new methods of measuring human hearing and results obtained from them, 6=8539
Gershuni,G.Z. and Zhukhovitskiĭ,E.M. Steady-state convective motion of an electrically conducting liquid between parallel planes in a magnetic field, 8=7859. On stability of steady-state convective motion of an electrically conducting liquid between parallel vertical planes in a magnetic field, 8=7860. Forced oscillations in an elastic-plastic system, 9=5200
Gersing,R. A self-striking carbon arc lamp of constant intensity for microscopy, 9=1355
Gerson,N.C. Sporadic E movements, 5=5138. Energy and duration of a sudden ionospheric disturbance, 5=5787. Diurnal variation in auroral activity, 5=9308. The ionized aurora, 8=4598. See also Coroniti,S.C., 8=1379
Gerson,R. and Rohrbaugh,J.H. Experiments on the carnauba wax electret, 6=2071
Gerstein,B.C., Griffel,M., Jennings,L.D., Miller,R.E., Skochdopole,R.E. and Spedding,F.H. Heat capacity of holmium from 15 to 300°K, 7=8572
Gerstein,G., Niederer,J. and Strauch,K. Elastic scattering of 96 MeV protons, 8=1258
Gerstenberg,D. Magnetic investigations of mixed crystals of Pd and transition elements, 9=11192. See also Vogt,E., 9=11195
Gerstenkorn,H. Changes in the earth–moon system through tidal friction in the past in the case of a time-dependent gravitational constant, 9=4210
Gerstenkorn,S. See Blaise,J., 7=8738
Gersuni,G.V. Concerning new methods of the measurement of hearing in man, 7=4939
Gerthsen,P. An experimental investigation of the broadening of resonance terms, 5=168. See also Schulz,P., 7=3332
Gerthsen,P. and Schulz,P. Electrode [voltage] drops and arc gradients in high-pressure mercury discharges, 5=7989
Gertsberg,[Herzberg],G. Lamb shifts of the ground states of He^4 and He^3, 9=10156. See also Herzberg,G.
Gertsenshteĭn,M.E. Energetic relations in a space-dispersive medium, 5=270. The dielectric constant of a plasma in a steady magnetic field, 5=4620. See also Bonch-Bruevich,V.L., 8=7168
Gertsriken,S.D. and Progrushchenko,A.V. Some peculiarities in the electrical resistivities of nickel-chromium alloys, 8=3986
Gervais,H. See Trillat,J.-J., 5=6601, 6=5448
Gerven,L.van. See van Gerven,L.
Geschwind,S. See also Dillon,J.F., Jr, 6=1364, 9=9799; Rosenblum,B., 9=3298
Geschwind,S. and Clogston,A.M. Narrowing effect of dipole forces on inhomogeneously broadened lines, 8=3219
Geschwind,S., Gunther-Mohr,G.R. and Townes,C.H. Determination of atomic masses by microwave spectroscopy, 5=2100
Geshkenbeĭn,B.V. Polarization of internal-conversion electrons emitted after β-decay, 9=2771. Influence of finite nuclear size on effects connected with parity non-conservation in beta decay, 9=7328. On the 0-0β- transitions with change of parity, 9=10069. See also Berestetskiĭ,V.B., 7=2974; Geškenbein,B.V., 9=2746
Geshkenbein,B.V., Nemirovskaya,S.A. and Rudik,A.P. Polarization of β-electrons from RaE., 9=13642
Geske,D.H. See Maki,A.H., 9=8958
Geškenbein,B.V. On β-transitions 0-0 with change of parity, 9=2746. See also Geshkenbein,B.V.
Gessaroli,R. See also Alles,W. 9=3800, 7284
Gessaroli,R., Quareni,G., Dascola,G., Mora,S. and Todesco,G. π^+– proton scattering at 100 MeV, 7=8877
Gesse,I.A. See Kosman,M.S., 9=10944
Gessert,W.L. and Hiedemann,E.A. Ultrasonic stroboscopes for the study of ultrasonic fields, 7=1155
Gething,P.J.D. Greenwich observations of the horizontal and vertical diameters of the sun, 7=28
Getmantsev,G.G. On some pecularities of the magnetodecelerating mechanism of non-thermal radio emission, 9=11726
Gettner,M., Holloway,L., Kraus,D., Lande,K., Leboy,E., Selove,W. and Siegel,R. Measurement of the π^0 mass, and search for a π_0^0, 9=12578
Geudeney,F. See Gaydon,A.G., 5=9552
Geusic,J.E. Paramagnetic fine structure spectrum of Cr^{+++} in a single ruby crystal, 6=6018
Geusic,J.E. and Brown,L.C. Computation of the principal components of an asymmetric g tensor from paramagnetic resonance data, 9=5911
Geusic,J.E., Peter,M. and Schulz-Du Bois,E.O. Paramagnetic resonance spectrum of Cr^{+++} in emerald, 9=9809
Geusic,J.E., Schulz-Du Bois,E.O., De Grasse,R.W., Scovil,H.E.D. Three level spin refrigeration and maser action at 1500 Mc/sec, 9=9826
Gevantman,L.H. and Sam.D. The penetration of concrete by radionuclides in solution, 5=4984
Gevers,R. X-ray diffraction by close-packed crystals with 'growth-' and 'deformation or transformation stacking faults' assuming an 'n-layer influence', 5=1359. The transport of injected electrons and holes in a semiconductor, 6=2866. The advance of mono-molecular steps on the surface of a growing Kossel crystal as a random walk problem, 7=1729
Gey,W.A. See also Cook,M.A., 8=7580, 9=13873
Gey,W.A. and Bennett,A.L. Sensitivity of explosives to pure shocks, 6=1684
Ghabrial,A.M. Attenuation of the (1,0) and 2,0) modes in rectangu-

lar ducts, 5=9491

Ghabrial,A.M. and Richardson,E.G. A study of acoustic streaming in liquids over a wide frequency range, 5=4470

Gharpurey,M.K. See Bhatnagar,H.L., 8=1547; Moorti,V.R.G., 7=6698, 9=2960, 12824

Gheorghita,S.I. On the impact theory on perfect incompressible fluids, 9=10646

Gheorghiu,O.C. See Ionescu,T.V., 8=123, 7129

Gheri,H. See Steinmaurer,R., 5=8068

Ghigo,G. See Ageno,M., 9=13383; Alberigi,A., 9=11143; Colombino,P., 5=2209

Ghiorso,A. See also Amiel,S., 7=6491; Choppin,G.R., 5=7314; Fields,P.R., 6=3933; Harvey,B.G., 5=9042, 7=2580 Hulet,E.K., 5=474; Sikkeland,T., 9=3906

Ghiorso,A., Harvey,B.G., Choppin,G.R., Thompson,S.G. and Seaborg,G.T. New element mendelevium, atomic number 101, 5=7357

Ghiorso,A., Sikkeland,T., Walton,J.R. and Seaborg,G.T. Attempts to confirm the existence of the 10-minute isotope of 102, 8=6236. Element No. 102, 8=6237

Ghiorso,A., Thompson,S.G., Higgins,G.H., Seaborg,G.T., Studier,M.H., Fields,P.R., Fried,S.M., Diamond,H., Mech, J.F., Pyle,G.L., Huizenga,J.R., Hirsh,A., Manning,W.M., Browne,C.I., Smith,H.L. and Spence,R.W. New elements einsteinium and fermium, atomic numbers 99 and 100, 5=9846

Ghiţă,C. See Agîrbiceanu,I., 6=10762

Ghormley,J. See Livingston,R., 6=3026

Ghormley,J.A. Thermal behavior of amorphous ice, 7=2148. See also Hochanadel,C.J., 5=8358

Ghose,A., Palevsky,H., Hughes,D.J., Pelah,I. and Eisenhauer, C.M. Lattice vibrations in germanium by scattering of cold neutrons, 9=5131

Ghose,A.M. and Ganguly,N.K. Absorption coefficients of Co^{60} gamma rays, 7=8143

Ghose,T. See also Das,T.P., 9=9757; Saha,A.K., 7=626

Ghose,T., Ghosh,S.K. and Roy,D.K. A method for measuring the [magnetic resonance] relaxation time T_1, 7=9795. Spin-echoes with any number of pulses, 7=9831. A study on the effects of off-resonance on the spin-echo signals, 8=7321. Spin echoes with four and more pulses, 9=8352

Ghosh,A.K. See Dutta,B.C., 7=7783, 9=10855

Ghosh,B.K. See Bhattacharyya,K.L., 6=4941

Ghosh,B.M. Evaluation of true zeta potential of the particles of a diaphragm, taking surface conductivity and phase volume ratio into account, 5=6164

Ghosh,B.N. Derivation of an expression for the evaluation of exact ζ potential of two pores of different average diameters connected in series, 6=5897

Ghosh,B.N. and Ray,K.C. Electrophoretic measurement of the true zeta-potential of arsenious sulphide sol in the region of slow coagulation, 6=1255

Ghosh,D.K. Absorption of 3,18 cm microwaves in some aromatic and aliphatic compounds in the liquid state, 5=3711. Absorption of microwaves and u.h.f. radiowaves in phenol, cyclohexanol and 1-bromo 2-chloroethane, 5=8626. On the absorption of 3.18 cm microwaves in some substituted phenols in the liquid state, 6=6598. New evidence for the preponderance of the cis form in ortho-chlorophenol molecule, 6=6826

Ghosh,G.C. See Bandopadhyay,K.G., 6=4757

Ghosh,M. and Ray,K.D. Dynamics of the vibration of a bar excited by transverse impact of a hard load. I., 7=7671. Dynamics of the vibration of a bar excited by transverse impact of an elastic load. II, 7=7672

Ghosh,N.N. On the solution of Γ's for a type of nonsymmetric tensor field g $\mu\nu$, 6=6336. On a solution of field equations in Einstein's unified field theory. I, 7=6859

Ghosh,P.K. (ø)-convergent integrals and their application to mathematical physics, 7=6806

Ghosh,S. and Sengupta,S. On the variation of binding energy of the last nucleon and the nuclear exchange forces, 6=3098

Ghosh,S.K. Deformation of a fixed-free bar under a compressive impact of short duration, 7=8224; See also Bannerjee, B.M., 9=8351; Ghose,T., 7=9795, 9831, 8=7321, 9=8352

Ghosh,S.N. Methods for the measurement of upper atmospheric characteristics, 5=10102; See also Dillon,J.A., Jr, 5=6566. Nicodemus,F.E., 6=9112

Ghosh,S.N. and Sheridan,W.F. Symmetric character in certain unsymmetric charge transfer reactions, 7=3780. Experimental determinations of charge transfer cross sections and secondary electron emission by ion bombardment, 7=5426. Cross sections of certain charge transfer reactions, 8=7134. Charge transfer reactions, 9=8692

Ghosh,U. Microscopic method of studying anomalous viscosities, 7=5101

Ghosh Roy,S.K. See Das,T.P., 6=3356, 7=3824; Saha,A.K., 7=626

Ghoshal,S.N. and Baliga,B.B. Elastic scattering of 32 MeV protons from gold, 7=6553. On the elastic scattering of charged particles by nuclei in the intermediate energy region, 9=11462

Ghoshal,S.N. and Saxena,A.N. Beta energetics and nuclear shell structure, 5=9055. On neutron–proton pairing interaction in heavy nuclei., 6=5315

Giacconi,R. See also Fiorini,E., 7=9244, 8=2441; Reynolds,G.T., 9=9901*

Giacconi,R., Blum,W. and Reynolds,G.T. Detection of high energy μ-mesons by an air Čerenkov counter, 9=3693

Giacconi,R., Lovati,A., Mura,A. and Succi,C. High energy nuclear interactions in lead by cosmic ray protons at 3500 m, 7=3423

Giacoletto,L.J. Study of p-n-p alloy junction transistor from d.c. through medium frequencies, 5=6137. Junction capacitance and related characteristics using graded impurity semiconductors, 8=1062. Analog solution of space-charge regions in semiconductors, 8=4958

Giacomello,G., Liquori,A.M. and Ripamonti,A. Isosterism and molecular Fourier transform: Crystal structure determination of 2-4-dihydroxy benzoic acid as related to that of 2-hydroxy-4-amino benzoic acid, 6=7030

Giacometti,G. New hybrid π orbitals of tetrahedral symmetry, 5=4850. Note on the dodecahedral σ hybrids, 5=6366. Hybrid π orbitals and partial double bond character in covalent complexes, 6=1458. Methylic affinity of quinones, 6=8445

Giacometti,G. and Rigatti,G. Electronic structure of thiothiophten, 9=8728

Giacomo,P. A simple property of dielectric multilayer thin films, 6=1124. Reflecting multi-dielectric layers applied to the Fabry–Perot interferometer. Theoretical and experimental study of real films, 7=295. Scattered light in thin, dielectric multilayers, 7=6051. Reflecting multidielectric layers applied to the Fabry–Perot interferometer: theoretical and experimental study of real films, 7=6064

Giacomo,P., Baumeister,P.W. and Jenkins,F.A. On the limiting band width of interference filters, 9=6788

Giambiagi,J.J. Note on the non-relativistic equation for spin $\frac{1}{2}$ and 1 particles with anomalous magnetic moment, 8=8584; See also MacDowell,S.W., 7=9380

Giambiagi,J.J. and Kibble,T.W.B. Jost functions and dispersion relations, 9=7798

Giambiagi,J.J. and Tiomno,J. Non-relativistic equation for particles with spin 1, 5=6741

Giamboni,L.A. Lunar rays: their formation and age, 9=10520

Giambuzzi,S. See Lannutti,J.E., 9=552

Giannelli,G. See Cottini,C., 6=5175, 7-1095

Giannuzzi,M.A. On the variability of the solar radius, 6=4784

Gianola,U.F. Photovoltaic noise in silicon broad area p-n junctions, 6=3735. Damage to silicon produced by bombardment with helium ions, 8=6420

Giansoldati,A. Paramagnetic susceptibility of AuCr alloys, 5=1056. Magnetic investigations on two alloys of the Au-Mn system, 5=7187

Giansoldati,A. and Linde,J.O. The electrical resistance and crystalline structure of the alloys Au_3Mn and AuMn in the temperature range −183 to 700°C, 5=7022

Giansoldati,A., Linde,J.O. and Borelius,G. The antiferromagnetic transformations of the alloy AuMn, 9=11228

Giardini,A. See Cini-Castagnoli,G., 9=13067

Giardini,A.A. Stress-optical study of strontium titanate, 8=1636; See also Poindexter,E., 9=873

Giardini,A.A. and Poindexter,E. Stress-optical behavior of synthetic periclase (MgO), 9=1349

Giauque,W.F. Measurement of heat capacity of microscopic particles at low temperatures, 7=322

Giavotto,V. See Casci,C., 9=9063

Gibalewicz,J. See Malecki,J. 9=11184, Piekara,A., 7=6362

Gibb,T.R.P., Jr. See Goon,E.J., 7=6731

Gibbins,S.G. See also Williams,R.E., 9=7464

Gibbins,S.G. and Shapiro,I. Vapor pressure, mass, and infrared spectra of hexaborane, 9=8038

Gibbons,D., Loveridge,B.A. and Millett,R.J. Radioactivation analysis—a bibliography, 8=442

Gibbons,D.F. Acoustic relaxations in ferrite single crystals, 9=872. Thermal expansion of some crystals with the diamond structure, 9=3385; See also Sylwestrowicz, W.D., 9=10318

Gibbons,D.F. and Chirba,V.G. Acoustical loss and Young's modulus of yttrium iron garnet, 8=6758

Gibbons,D.F. and Renton,C.A. Change in velocity of sound between normal and superconducting states in tin, 9=10709

Gibbons,J.E. Insulating liquids, 5=2700. Digest of the literature on dielectrics. Volume XVIII–1954. Insulating liquids, 7=9152. Volume XIX—1955. Insulating liquids, 7=9153. Insulating liquids and their applications, 8=2291, 9=5649

Gibbons,J.F. Hall effect in high electric fields, 9=4572

Gibbons,J.H. Neutron resonances in the keV region. 6=6169; See also Good,W.M., 9=683; Macklin,R.L., 6=4651, 8=1257; Newson,H.W., 6=6170, 7=3667, 8=1256

Gibbons,J.H. and Macklin,R.L. Total neutron yields from light elements under proton and alpha bombardment, 9=8466

Gibbons,J.H., Macklin,R.L., Marion,J.B. and Schmitt.H.W. Precision measurement of the Be^9 (γ, n) cross section, 9=10122

Gibbons,J.H., Macklin,R.L. and Schmitt,H.W. V^{51} (p,n)Cr^{51} reaction as a 5- to 120-keV neutron source, 6=710

Gibbons,J.J. Methods of solving the coupled equations of plane wave propagation in the ionosphere, 5=5543. Some exact solutions of the Lorentz invariant problem of the motion of two electric fluids, 6=3034; See also Cutler,P.H., 9=2398

Gibbons,J.J. and Waynick,A.H. The normal D region of the ionosphere, 9=7676

Gibbons,M.D. See Stout,V.L., 6=4246

Gibbons,M.G. Wavelength dependence of the scattering coefficient for infrared radiation in natural haze, 8=2074. Radiation received by an uncollimated receiver from a 4π source, 9=1299. Experimental study of the effect of field of view on transmission measurements, 9=9080

Gibbs,D.F. See Allsopp,H.L., 9=1388

Gibbs,J.H. Hybridization and dipole moment, 5=9813. Nature of the glass transition in polymers, 6=9023; See also DiMarzio,E.A., 8=4402; McDonald,R.S., 5=8139

Gibbs,J.H. and DiMarzio,E.A. Nature of the glass transition and glassy state, 8=4449. Theory of helix-coil transitions in polypeptides, 8=8619. Statistical mechanics of helix-coil transitions in biological macromolecules, 9=3993

Gibbs,P. See Tucker,R.N., 9=904, 5181

Gibert,R. On the thermodynamic relations of irreversible transformations and the conditions for their validity, 8=2287

Gibert,R. and Dognin,A. On the calculation of the constants of Lennard-Jones potentials, 8=6723

Gibney,R.B. See Sandenaw,T.A., 9=8091

Gibson,A. The possibility of ion runaway in Zeta, 9=10141

Gibson,A. (Conf. rep.). Controlled thermonuclear reactions, 8=3391; See also Thonemann,P.C., 8=773

Gibson,A.F. Carrier extraction in germanium, 5=3762. The absorption of 39 kMc/s radiation in germanium, 6=5843. Transistor technology. Avalanche injection, 8=1701. Infrared and microwave modulation using free carriers in semiconductors, 8=7930. The mobility, diffusion constant, and lifetime of minority carriers in heavily dislocated germanium, 9=6960; See also Arthur,J.B., 5=1834, 3774, 6=8190-1, 7=2454, 8=7940; Granville,J.W., 5=7054; Gunn,J.B., 7=7894

Gibson,A.F. and Granville,J.W. The measurement of drift mobility germanium at high electric fields, 7=1285

Gibson,A.F., Granville,J.W. and Bardsley,W. A germanium point-contact transistor to operate at high ambient temperatures, 5=7962

Gibson,A.F. and Paige,E.G.S. An interpretation of certain transport properties in germanium containing parallel arrays or edge dislocations, 8=7941

Gibson,F.C. See also Greifer,B., 7=5274

Gibson,F.C., Bowser,M.L., Summers,C.R., Scott,F.H. and Mason,C.M. Use of an electro-optical method to determine detonation temperatures in high explosives, 8=3037

Gibson,G., Lamb,W.A.S. and Lauer,E.J. Injection into thermonuclear machines using beams of neutral deuterium atoms in the range from 100 keV to 1 MeV, 9=10146

Gibson,G.L. Transistor operated null indicator for use with the multipurpose reflectometer, 6-2024

Gibson,J.B. and Keller,J.M. Modified deformable potential for thermal scattering of electrons, 7=4575

Gibson,J.E. Lunar thermal radiation at 35 kMc, 8=1431; See also Coates,R.J., 9=11724

Gibson,Q.H. Stopped-flow apparatus for the study of rapid reactions, 5=5023

Gibson,R.E. A heat conduction problem involving a specified moving boundary, 9=3374

Gibson,W.M. See also Asaro,F., 6=2352; Burcham,W.E., 7=9381, 8=6309; Duke,P.J., 5=8842, 7=4464; Freemantle, R.G., 5=339, 2180; McEwen,J.G., 7=4711; McKee,J.S.C., 9=12605; Prowse,D.J., 6=3788; Smith,W.G., 7=5591

Gibson,W.M. and McEwen,J.G. Shrinkage of nuclear research emulsions, 8=1146

Gibson,W.M. and Prowse,D.J. An analysis of the neutrons from ^{7}Li(d,n)^{8}Be at 880 keV, 5=9082

Gibson,W.M., Prowse,D.J. and Rotblat,J. The scattering of 9.5 MeV protons by He, C,N,O,F,Ne, A, Kr and Xe nuclei, 8=333

Giclas,H.L. See Hardie,R.H., 6=5630

Gidal,G. See Berley,D., 8=8985; Garwin,R.L., 8=1864

Giddings,G.W. The need for trained intelligence, 6=4165

Giddings,J.C. Stochastic considerations on chromatographic dispersion, 7=3799. Relaxation-time model for free-radical concentration, 7=8233; See also Barker,R.S., 5=2965; Eyring,H., 6=4365; Parlin,R.B., 7=2768

Gidel,A. See Abadie,P., 6=3628, 7=4307

Gielessen,J. An elastic manometer in the form of a straight cylinder with eccentric bore for pressures up to 9500 kg/cm^2. 6=5711. See also v.Klitzing,K.H., 7=540, 8=7191

Gielessen,J. and Hild,K. Piston manometer with direct indication, 7=1096

Gielessen,J. and v.Klitzing,K.H. Hall effect and electrical resistance of InSb at strong magnetic fields and high pressures, 6=7417

Gierke,G.von. See von Gierke,G.

Gierke,H.E. von. See von Gierke,H.E.

Gierula,J. See Ciok,P., 5=6496, 8=1117, 5090, 9=3930; Danysz,M., 5=6495; Filipkowski,A., 9=11431

Giese,C.F. Strong focusing ion source for mass spectrometers, 9=7092: See also Chupka,W.A., 9=6837; Quisenberry,K.S., 8=360

Giese,C.F. and Benson,J.L. Atomic masses from phosphorus through manganese, 8=5433

Gieseke,W. The interpretation of the diffusion after-effect of ferrites with divalent and trivalent manganese, 9=11217

Giess,E.A. and Strimple,J.H. Ceramic insulation, 5=2700

Giessmann,E.J. Experimental investigations of the strength under dynamic loading of circular plastic disks, 9=5210. A new method of determining the tensile strength with high deformation velocity, 9=5216

Giger,G.A. The migration of impurities to the nickel/oxide interface in oxide cathodes, 5=5488

Gigli,A. See Argan,P.E., 5=6246, 6=5980, 6734, 7=1409, 7186, 9=9910-11

Caglioti,G. 5=6280

Gigon,J. See Mayer,G., 6=1656, 7=6641

Gigor'eva,V.S. See Goryunova,N.A., 7=4804

Giguère,P.A. Spectroscopic evidence for stabilized Ho$_2$, radicals, 5=2978. See also Bain,O., 5=4529

Giguère,P.A. and Harvey,K.B. On the presumed spectroscopic evidence for trapped Ho$_2$ radicals, 6=8672

Giguère,P.A., Morissette,B.G. and Olmos,A.W. A 27°C isothermal calorimeter, 5=5379

Gilardini,A.L. and Brown,S.C. Microwave conductivity of an ionized decaying plasma at low pressures, 7=4408. Microwave determination of the probability of collision of electrons in neon, 7=4409

Gilbert,A.C. See Papirno,R., 7=1093

Gilbert,C. The stability of a spherically symmetric cluster of stars describing circular orbits, 5=9379. The general theory of relativity and Newton's law of gravitation, 7=5820. Dirac's cosmology and the general theory of relativity, 7=7547. The gravitational field of a star in the expanding universe, 7=7549

Gilbert,D.A. and Cohen,V.W. Nuclear hyperfine structure interaction in 3.1-hr Cs^{134m}, 5=3003

Gilbert,E.G. See Uberoi,M.S., 9=4313

Gilbert,E.N. See Pierce,J.R., 9=1976

Gilbert,F. See also Knopoff,L., 9=12886

Gilbert,F. and Knopoff,L. Scattering of impulsive elastic waves by a rigid cylinder, 9=11957

Gilbert,F.C. See also Freden,S.C., 9=1681; Iloff,E.L., 6=5410

Gilbert,F.C., Heckman,H.H. and Smith,F.M. Range of 14 MeV protons in nuclear emulsion, 8=8973

Gilbert,F.C., Violet,C.E. and White,R.S. Two hyperfragments from negative K-particle capture and the mass of the negative K particle, 6=6921. Negative K-particle elastic scattering from hydrogen, 7=751. Capture of negative K particles by bound and free protons in emulsion, 7=8185

Gilbert,F.C. and White,R.S. Elastic scattering of a Σ^+ hyperon from a free proton, 7=9921. K^- -meson captures by bound neutrons, 8=8998

Gilbert,M. and Altman,D. Effect of isotopic substitution in hydrogen bromine flames, 6=9003

Gilbert,N. Theory of the β^- - decay of rhenium 187, 9=1740

Gilbert,R.E. and Lonsdale,K. Anisotropic temperature vibrations in crystals. I. Direct measurements of Debye factors for urea, 7=880

Gilbert,R.L.G. An investigation into the calibration of gravity meters, 9=2996

Gilbert,R.S. See Hicks,H.G., 6=1552, 1574

Gilbert,W. New dispersion relations for pion–nucleon scattering, 8=7271. See also Deser,S., 9=13018; See also Salam,A., 6=5416

Gilbert,W. and Screaton,G.R. Yang–Fermi ambiguity, 7=1915

Gilbody,H.B. and Hasted,J.B. Anomalies in the adiabatic interpretation of charge-transfer collisions, 7=5429. Ionization by positive ions, 7=8689. Mass dependence of inelastic atomic collisions, 8=8376

Gilboy,W.B. See Hillas,A.M., 8=1180

Gilbrech,D.A. and Binder,R.C. Portable instrument for locating noise sources in mechanical equipment, 9=1221

Gilchrist,A. Design and construction of two low temperature thermostats, 5=8711

Gilchrist,A., Earley,J.E. and Cole,R.H. Effect of pressure on dielectric properties and volume of 1-propanol and glycerol, 7=3232

Gildner, D. A. See Simon, A. C., 9=4504

Giles,P.C. See Barkas,W.H., 7=5637, 8=1184, 9=4950

Gilfert,J.C. and Williams,D. Pressure modulation of infrared absorption. I. Entire vibration-rotation bands, 9=2213. II. Individual lines in vibration-rotation bands, 9=3290

Gilfillan,E.S. See Court,G.W.G., 6=8509

Gilford,C.L.S. See Axon,P.E., 3=3528, 8574; Somerville,T., 7=4106

Gilford,S.R. See Durrum,E.L., 5=2716

Gilfrich,H.P. Excitation and destruction of phosphors by hydrogen ions,, 6=5800

Gilfrich,N.T. See Swanson,H.E., 7=6740-1, 8=4533

Gilham,E.J. A high-precision photoelectric polarimeter, 8=1005

Giliham,E.J. Photoelectric polarimeter using the Faraday effect, 7=3182

Gilkerson,W.R. Application of free volume theory to ion pair dissociation constants, 7=4017. Dielectric dispersion of boric acid in water. The rate of recombination of H^+ and H_2BO_3-at 35°C, 8=3536

Gilkerson,W.R. and Davidson,N. On the structure of a detonation front, 5=5684

Gill,D. See Luz,Z., 9=7573; Meiboom,S., 8=6384, 9=509

Gill,J.C. and Davies,J.G. A radio echo method of meteor orbit determination, 8=2739

Gill,J.P. Design for a high-performance research reactor, 5=532

Gill,P.S. The lead absorption of cosmic rays, 5=1028. See also Puri,S.P., 5=8859, 6=8249-51; Sehgal,M.L., 9=11477; Singh,B.P., 9=638, 11312

Gill,P.S. and Mitra,A.N. Hemispherical distribution of cosmic rays at 25° geomagnetic latitude, 8=8097

Gill,P.S. and Puri,S.P. Photoionization versus photoelectric effect for discharge spread and output pulse measurements in G-M counters, 9=8400

Gill,S.J. See Wall,F.T., 5=1315, 5039

Gill,T.P. Some problems in low temperature pyrometry, 8=157. Observability of spontaneous temperature fluctuations, 9=252

Gilland,J.R. Transistor circuitry for radiation counting, 9=8429

Gilleo,M.A. Magnetic properties of a gadolinium orthoferrite, $GdFeO_3$ crystal, 6=6007. Superexchange interaction energy for $Fe^{3+}-O^{2-}-Fe^{3+}$ linkages, 8=2388. See also Geller,S., 9=9040

Gilleo,M.A. and Geller,S. Magnetic and crystallographic properties of substituted yttrium–iron garnet, $3Y_2O_3.xM_2O_3.(5-x)Fe_2O_3$, 8=8913. Substitution for iron in ferrimagnetic yttrium-iron garnet, 9=427

Gilles,D.C. See Buckingham,R.A., 8=1556

Gilles,P.W. See Ackermann,R.J., 7=3220; Kolsky,H.G., 6=3698, 8=1557

Gillespie,A.B. The control and instrumentation of a nuclear reactor, 6=3247, 8396

Gillespie,R.J. and White,R.F.M. The "force" method of determining the static dielectric constant of conducting liquids with particular reference to sulphuric, nitric and chlorosulphonic acids, 9=3417

Gillespie,T. On the adhesion of drops and particles on impact at solid surfaces. I, 5=9462. The role of electric forces in the filtration of aerosols by fiber filters, 5=10041. The capillary rise of a liquid in a vertical strip of filter paper, 9=6584

Gillespie,T. and Rideal,E.K. On the adhesion of drops and particles on impact at solid surfaces. II, 5=9463

Gillette,P.R. and Oshima,K. Magnetization reversal by rotation, 8=8927. Thin film magnetization reversal by coherent rotation, 9=3645

Gillette,R.H. See Votava,E., 9=1872

Gillham,E.J. A semi-conducting antimony bolometer, 6=8147

Gillham,E.J., Preston,J.S. and Williams,B.E. A study of transparent, highly conducting gold films, 5=9645

Gilliam,O.R., Walter,R.I. and Cohen,V.W. Nuclear hyperfine structure in the paramagnetic resonance absorption of triarylaminium perchlorates, 6=481

Gillis,J. Heat loss from a partially insulated solid body, 7=308. Note on the statistical approach to the phase problem, 7=2845

Gillois,M. Spectrophotometric studies of the ionization of the triphenyl methane group of dyes, 7=6673

Gilly,L. See Agnew,L., 8=6142; Agnew,L.E.,Jr, 8=7249

Gilly,L.J. See Apers,D.J., 9=4861; Capron,P.C., 6=668

Gilman,J.J. Propagation of cleavage cracks in crystals, 7=1726. Dislocation sources in crystals, 9=13780. See also Johnston,W.G., 9=4019

Gilman,J.J. and Johnston,W.G. Observations of dislocation glide and climb in lithium fluoride crystals, 6=9037. Creation of dislocations in LiF crystals at low stresses, 8=7506*. Dislocations, point-defect clusters, and cavities in neutron irradiated LiF crystals, 8=9122

Gilman,J.J., Johnston,W.G. and Sears,G.W. Dislocation etch pit formation in lithium fluoride, 8=4527

Gilman,J.J., Knudsen,C. and Walsh,W.P. Cleavage cracks and dislocations in LiF crystals, 8=9119

Gilman,J.J. and Stauff,D.W. Nucleation of dislocations accompanying electric breakdown in LiF crystals, 8=8799

Gilmer,R.M. See Kolsky,H.G., 8=1557

Gilmer,T.E.,Jr, Mace,R. and Palmatier,E.D. High-pressure proportional counter, 7=9732

Gilmore,J.S. See Los Alamos Radiochemistry Group, 8=768

Gilmore,P. See Lorrain,P., 7=7966

Gilpin,J.A. Mass spectra rearrangements of 2-phenyl alcohols, 8=7474

Gilson,J.G. Dispersion relation for nonlinear vacuum polarization effects, 9=12995

Gilson,W.E. and Morrison,P.R. Direct recording instrument for the study of clotting phenomena, 6=7096

Gil'varg,A.B., Distler,G.I. and Makarova,E.A. Interference polarizational light filter for the K-lines of ionized calcium, 5=6930

Gilvarry,J.J. Solution of the temperature-perturbed Thomas-Fermi equation, 5=760. Thermodynamics of the Thomas-Fermi atom at low temperature, 5=1127. Grüneisen's constant for some metals, 6=1670. The Lindemann and Grüneisen Laws, 6=4058; Grüneisen's Law and the fusion curve at high pressure, 6=4359. Equation of the fusion curve, 6=4360. Grüneisen parameter for a solid under finite strain, 6=4361. Amplitudes of thermal vibration at fusion, 7=856. Variation of the amplitude of thermal vibration on the fusion curve, 7=2122. Temperatures in earth's interior, 7=2855. Properties of the shock transition at low temperature, 7=4292. Asymptotic relations in the Thomas–Fermi–Dirac atom model, 7=8114. Thermodynamic functions on the generalized Thomas–Fermi–Dirac theory, 7=8115. Temperature-dependent equations of state of solids, 8=389. Verification of general relativity by means of artificial planets, 9=6493

Gilvarry,J.J. and Hill,J.E. The impact of large meteorites, 7=4988

Gilvarry,J.J. and McMillan,W.G. Thermodynamic properties of mixtures on the statistical model, 7=4644

Gilvarry,J.J. and March,N.M. Asymptotic solution of the Thomas–Fermi equation for large atom radius, 9=3953

Gilvarry,J.J. and Peebles,G.H. Solutions of the temperature-perturbed Thomas-Fermi equation, 5=9027

Gimmi,F. See also Heer,E., 5=9344

Gimmi,F., Heer,E. and Scherrer,P. The conversion-electron correlation of Hg^{197} and Ta^{181}, 6=4624. On the conversion-electron correlation, 6=6884

Ginat,M. See Avignon,Y., 7=6824; Blum,E.J., 6=8549, 8=4629; Boischot,A., 6=5620

Gindin,I.A. See Garber,R.I., 7=4858*, 9=12835

Gindin,L.G., Putilova,I.N. and Moróz,L.M. The action of a constant electric field on a suspension of metals and semiconductors in liquid dielectrics, 7=2244

Gindler,J.E. See also Diamond,H., 7=3583; Fields,P.R., 6=590; Friedman,A.M., 6=6108; Studier,M.H., 5=2124

Gindler,J.E., Huizenga,J.R. and Engelkemeir,D.W. Neptunium isotopes: 234,235,236, 9=598

Gindler,J.E., Huizenga,J.R. and Schmitt,R.A. Photofission and photoneutron emission in thorium and uranium, 7=1615

Ginell,R. Association and the equation of state, 6=1903

Ginell,R. and Shurgan,J. Linear association in nonaqueous solutions, 5=5928. Linear association in solution. II. Analytical solution, 5=7748

Ginell,W.S., Martin,J.J. and Hatch,L.P. Ultimate disposal of radioactive wastes, 5=3082

Gingrich,N.S. See Heaton,L., 5=6628

Ginnings,D.C. See Ditmars,D.A., 8=3021; Furukawa,G.T., 7=7834; Nuttall,R.L., 8=3025; West,E.D., 8=1661, 3955

Ginsburg,N. See Harned,B.W., 8=5806; Teitler,S., 7=1251, 9=3343

Ginsburgh,I. Abnormally high detonation pressures in a shock tube, 8=8646

Ginther,R.J. See also Claffy,E.W., 9=9459

Ginther,R.J. and Kirk,R.D. The thermoluminescence of CaF_2: Mn, 7=8532

Ginther,R.J. and Schulman,J.H. Glass scintillators, 9=4473

Gintsburg,M.A. Plane waves at the boundary of a gyrotropic medium, 8=7763

Ginzburg,I.F. On emergence from the region of weak coupling in the two-charge meson theory, 7=1904

Ginzburg,I.F. and Shirkov,D.V. Asymptotical behaviour of higher Green functions, 8=7681

Ginzburg,N.I. and Polyakov,A.M., The electrical properties of thin films of iron, nickel, and cobalt, 8=6961

Ginzburg,V.L. On certain questions in the theory of the propagation of a radio wave in the ionosphere in connection with their incorrect treatment by V.N.Kessenikh, 5=402. Radio-astronomy and the origin of cosmic rays, 6=1798. On the theory of superconductivity, 6=2894. The general connection between absorption and dispersion, 6=4909. Application of artificial satellites for testing general relativity, 6=6337. The surface energy associated with tangential velocity discontinuity in helium II, 6=6568. Comments on the macroscopic theory of superconductivity, 6=7433. On the macroscopic theory of superconductivity, 6=8807. On non-ionospheric variations in the intensity of radio emission from nebulae, 7=1014. On the papers by Blatt, Butler and Schafroth on the theory of superfluidity and superconductivity, 7=1313. On ferromagnetic superconductors, 7=2259. Experimental evidence for the instability of the normal phase of superconductors, 7=2260. Macroscopic theory of superconductivity valid at all temperatures, 7=3302. On relativistic wave equations with a mass spectrum, 7=5073. On the origin of cosmic rays, 7=5441. Critical current in superconducting films, 8=4031. The use of artificial earth satellites for verifying the general theory of relativity, 8=4693. The origin of cosmic rays, 8=5087. On the destruction and creation of superconductivity in a magnetic field, 8=7039. On electromagnetic waves in isotropic and crystalline media taking into account spatial dispersion of the dielectric permittivity, 9=1630. [Contribution] to the theory of Rayleigh scattering of light in liquids, 9=2248. See also Gershman,B.N., 5=9287, 7=9279; Vernov,S.N., 8=6015

Ginzburg,V.L. and Eidman,V.Ya. Cherenkov radiation emitted by dipole moments, 9=9932

Ginzburg, V.L. and Faĭn,V.M. Quantum effects in the interaction of electrons with high-frequency fields in cavity resonators, 7=7242

Ginzburg,V.L. and Fradkin,M.I. Composition of primary cosmic rays, 7=2373

Ginzburg,V.L. and Levanyuk,A.P. Light scattering near second-order phase-transition and Curie points, 9=8004

Ginzburg,V.L. and Motulevich,G.P. Optical properties of metals, 6=1092

Ginzburg,V.L. and Pitaevskiĭ,L.P. On the theory of superfluidity, 8=7869

Ginzburg,V.L. and Shabanskiĭ,V.P. The kinetic temperature of electrons in metals, and anomalous electronic emission, 5=8741

Ginzburg,V.L. and Silin,V.P. Some remarks on relativistic wave functions with a mass spectrum, 5=72*. Influence of inter-electron collisions on the electrical conductivity and the skin-effect in metals, 6=2075

Ginzburg,V.L. and Zheleznyakov,V.V. Possible mechanisms of sporadic solar radio emission (radiation in isotropic plasma), 9=12950

Ginzton,E.L. See Chodorow,M., 5=6199

Giordmaine,J.A., Alsop,L.E., Nash,F.R. and Townes,C.H. Paramagnetic relaxation at very low temperatures, 8=7516

Giori,C. See also Fiorini,E., 8=4095

Giori,C. and Succi,C. The elastic cross-section of 2 MeV positrons in argon, 8=760

Gioumousis,G. and Curtiss,C.F. Molecular collisions. I. Formal theory and the Pauli principle, 9=1846

Gioumousis,G. and Stevenson,D.P. Reactions of gaseous molecule ions with gaseous molecules. V. Theory, 9=903

Giovanelli,R.G. The attenuation of light by meteoric dust in the upper atmosphere, 5=2346. Reflection by semi-infinite diffusers, 6=3644. The intensity at the surface of a semi-infinite diffuser with an infinite line source parallel to the surface, 6=3653. Diffused radiation in semi-infinite and thick plane parallel diffusers with a line source parallel to the surface, 6=8134. Radiative transfer in discontinuous media, 8=4773. A note on the coefficient of reflection for internally incident diffuse light, 9=3307. The influence of scattering within photographic emulsions on resolving power [with special reference to low-contrast images], 9=6433. See also Bruce,C.F. (Conf. rep.), 7=6969; Jefferies,J.T., 5=1473

Giovanelli,R.G. and Jefferies,J.T. The albedo for the atomic scattering of optical radiation, 5=2088. Radiative transfer with distributed sources, 7=1087

Giovanelli,R.G. and McCabe,M.K. The distribution of flare heights as derived from limb flares, 8=5586. The flare-surge event, 8=7662

Giovannozzi,M. See Di Caporiacco,G., 6=4478

Gippius,A.A. See Vavilov,V.S., 8=3900

Girard,F. See Vidal,G., 6=4706, 7=6650, 9=10316

Girard,M. and Lecomte,J. Attempt to classify by means of their infrared absorption spectra, ordinary tartar emetic and various antimony and bismuth complexes, 5=10054. Contribution by infrared spectrography, to the study of the molecular structure of ordinary tartar emetic and of some antimony and bismuth tartaric derivatives, 6=3907

Girard,P. See Abadie,P., 6=3628, 7-4307

Girard,P.E. See Lorrain,P., 7=7966

Girardeau,M and Arnowitt,R. Theory of many-boson systems: pair theory, 9=5375

Girgis,R.K. See also Polak,H.L., 8=5304; Ricci,R.A., 9=5024; Yousef,Y.L., 5=6304; Ythier,C., 9=1729

Girgis,R.K. and van Lieshout,R. Gamma radiation from the decay of ^{113}Sn, 9=631. The level scheme of ^{136}Ba, 9=10081. The level scheme of ^{134}Ba. Some features of the NaI summing spectrometer, 9=13648

Girifalco,L.A. Potential energy of a molecule in a liquid, 6=115. Temperature dependence of viscosity and its relation to vapor pressure for associated liquids, 6=950. Potential energy of a molecule in a liquid: Calculations for argon, 6=4869. See also Metz,F.I., 7=5213

Girifalco,L.A. and Lad,R.A. Energy of cohesion, compressibility, and the potential energy functions of the graphite system, 7=566

Girifalco,L.A. and Streetman,J.R. A theoretical calculation of the relaxation of atoms surrounding a vacancy in the body-centered cubic lattice, 9=2913

Girifalco,L.A. and Weizer,V.G. Application of the Morse potential function to cubic metals, 9=8792

Girin,O.P. and Stepanov,B.I. Reflection spectra of coloured light-scattering objects. II., 5=6026

Giron,V.S. and Pauthenet,R. The field dependence of the magnetization of uniaxial substances; application to BaO. $6Fe_2O_3$, 9=7170

Giroux,G. See also Geoffrion,C., 6=8828

Giroux,G. and Geoffrion,C. Detection of electrons in the very low energy range, 6=3772

Giterman,M.Sh. "Smoothing" of the charge density in the theory of polarons, 7=1741. On multielectron theory of ionic crystals, 8=3457. See also Vinetskiĭ,V.L., 8=2032

Giterman,M.Sh. and Tolpȳgo,K.B. Band structure of the polaron energy spectrum, 8=5471

Giterman,M.Sh., Zyryanov,P.S., and Taluts,G.G. Boson excitations in ionic crystals, 9=10248
Gittelman,B. See Deutsch,M., 8=1925
Gittings,E.F. See Goranson,R.W., 6=1666
Gittleman,J. See Serin,B., 9=9656
Gittler,F.L. See Aston,J.G., 5=3932, 8119
Giulotto,L. Nuclear magnetic resonance and molecular association in liquids, 9=3211. See also Chiarotti,G., 5=390, 5922, 6618
Giulotto,L., Lanzi,G., and Tosca,L. Nuclear relaxation and molecular association in liquids, 6=5720. Nuclear magnetic relaxation in mixtures of liquids, 9=109. Nuclear relaxation in liquids at various temperatures, 9=4344
Giurgea,G. See Grigoriu,A., 9=13971
Giuseppe,M.Gentili di. See Gentili di Giuseppe,M.
Givargizov,E.I. and Pokrovskii,Ya.E. The effect of thermal treatment on the electrical properties of silicon, 8=6999
Given,F.I. See Evans,M.W., 5=9500
Givens,M.P. Note on the optical constants of copper, 5=5671. See also Agarwal,B.K., 7=7946, 8=2352, 9=8196; Axelrod, N.N., 9=12067; Carter,D.E., 6=2915; Koester,C.J., 7=5175; Woodruff,R.W., 5=1881
Givens,M.P., Koester,C.J. and Goffe,W.L. Soft x-ray absorption of tellurium and vitreous and metallic selenium, 6=393
Givin,H.H. See also Farney,G.K., 5=3076
Givin,H.H., Farney,G.K., Hahn,T.M. and Kern,B.D. Angular distribution of 12- and 16-MeV gamma rays from the proton bombardment of a thin boron target, 5=1162
Gjeldaker,G. See Scharff,M., 6=5404
Gjellestad,G. On the equilibrium of an oblate liquid spheroid with a magnetic field, 8=5127
Gjønnes,J. On the Fourier treatment of distortion broadening in X-ray diffraction, 9=9022
Gjötterud,K. See Andersen,S.L., 8=6290
Glad,S. Extension of the analysis of the third spectrum of iron, Fe III, 7=232
Gladkovskii,V.A. See also Ekhlakov,A.D., 8=8481
Gladkovskii,V.A. and Oleinik,M.I. An apparatus for the investigation of the mechanical properties of metals under high hydrostatic pressure, 8=4469
Gladkovskii,V.V. and Meiklyar,P.V. Dark conductivity of silver bromide crystals, 6=8213
Gladyshev,V.A. See Vernov,S.N., 7=3420
Gladyshevskii,E.I. and Kripyakevich,P.I. Crystal structure of the compounds MoBe$_{12}$, WBe$_{12}$ and TaBe$_{12}$, 9=11634
Glagoleva,V.P. and Zhdanov,G.S. The structure of superconductors. IX. X-ray determination of the structure of α-Bi$_4$Rh, 6=5112
Glaister,R.M., and Woolner,J.W. Relaxation polarization dielectrics. An assessment of the system (Sr, Ba, Ca) TiO$_3$–Bi$_2$O$_3$–TiO$_2$, 9=13252
Glansdorff,P. On a restrictive condition for irreversible chemical transformations, 7=3219
Glansdorff,P. and Passelecq,J. On irreversible transformations in the neighbourhood of a stationary state constrained by constant currents, 7=9667
Glansdorff,P. and Prigogine,I. On the differential properties of entropy production, 5=1790
Glansdorff,P., Rusconi-Muller,C. and Caignet,P. On the thermal gradient in a saturated column of air, 7=3184
Glaser,D.A. See also Brown,J.L., 6=5981, 8=1213*, 1889; Eisler,F., 8=1208, 1212*; Meyer,D.I., 7=8184
Glaser,D.A. and Rahm,D.C. Characteristics of bubble chambers, 5=2824
Glaser,D.A., Rahm,D.C., and Dodd,C. Bubble counting for the determination of the velocities of charged particles in bubble chambers, 6=5982
Glaser,D.V. See Barrow,R.F., 6=2277
Gläser,F. Two methods for the investigation of fluorescence decay processes, 9=2226
Glaser,G. The electric discharge in heavy-current sparks. II. Numerical treatment of the spark discharge, 6=1261
Glaser,G. and Sautter,D. The electric discharge in heavy-current sparks. I. Experimental results, 6=1260
Glaser,P.E. High radiation-flux, absolute, water-flow calorimeter, 8=2284
Glaser,V. New relativistic two-body equation, 5=6743. An explicit solution of the Thirring model, 9=2065
Glaser,V. and Jakšić,B. Electromagnetic properties of particles with spin, 7=8396. Generalization of the variation principle in the theory of electrical conductivity, 8=4948. A remark on one-dimensional quantum electrodynamics, 9=9202. Methods of solution of the Bloch integral equation at low temperatures, 9=12234
Glaser,V. and Källén,G. A model of an unstable particle, 7=7407
Glaser,V., Lehmann,H. and Zimmermann,W. Field operators and retarded functions, 8=874
Glaser,W. On the basis of the wave-mechanical electron theory, 5=1544. On the spherical aberration of magnetic electron lenses, 6=2166. A unified interpretation of light and matter, 6=5689
Glaser,W. and Braun,G. Wave-mechanical theory of electron-optical imaging. I, 5=3816, II, 6=399
Glaser,W. and Schiske,P. Rigorous calculation of a typical electrostatic unipotential lens, 5=981-2. The aberrations of the third order of a typical electrostatic einzel lens, 5=7102
Glasgow,L.E. See Yockey,H.P. 5=605
Glashow,S. and Selove,W. Interpretation of the Be^9(p,d) reaction at energies of 5 to 30 MeV, 6=3982
Glashow,S.L. The renormalizability of vector meson interactions, 9=6518. See also Barshay,S., 9=11402
Glasko,V.B. See also Bonch-Bruevich,V.L., 9=10254
Glasko,V.B., Leryust,F., Terletskii,Ya.P. and Shushurin,F. Investigation of particle-like solutions of the nonlinear scalar field equation, 9=2046
Glasko,V.B., Maslov,V.P., Panikar,V.I. and Sokolov,N.D. The type of correlation function for the helium atom, 9=11513
Glaskow,N. See Pose,H., 9=1664
Glasner,A. and Reisfeld,R. New experimental method for the evaluation of diffusion constants in alkali halides, 6=8979
Glasoe,G.N. See Elwyn,A.J., 9=6108; Landon,H.H., 9=7364; Muehlhause,C.O., 6=7735
Glass,D.G. See Kavadas,A., 9=9098
Glass,F.M. See Thompson,D.O., 9=4073
Glass,I. See Feltynowski,A., 5=2233, 6=8433, 7=1760, 5740, 8=6518
Glass,I.I. See also Clouston,J.G., 8=3952; Ford,C.A., 5=1615
Glass,I.I. and Hall,J.G. Shock sphere—An apparatus for generating spherical flows, 7=5940. Determination of the speed of sound in sulfurhexafluoride in a shock tube, 8=2194
Glass,I.I. and Heuckroth,L.E. Head-on collision of spherical shock waves, 9=13098
Glass,I.I. and Martin,W.A. Experimental and theoretical aspects of shock-wave attenuation, 5=1618*
Glass,N.W. and Richardson,J.R. Radionuclides Al^{24}, P^{28}, Cl^{32}, and Sc^{40}, 5=7320
Glass,N.W. and Rudnick,P. A high current coaxial photomultiplier, 9=4693
Glass,R.A. See also Asaro,F., 6=2352; Thomas,T.D., 7=7329; Vandenbosch,R., 9=3932; Wade,W.H., 8=6304
Glass,R.A., Carr,R.J., Cobble,J.W. and Seaborg,G.T. Spallation–fission competition in heaviest elements; helium-ion-induced reactions in plutonium isotopes, 7=2624
Glass,S.J. See also Klein,M.J., 8=3962
Glass,S.J. and Klein,M.J. Thin ferromagnetic films, 8=1766
Glasser,D.A. See Brown,J.L., 9=13571
Glasser,L.G. Automatic photoelectric ultraviolet analyzer for continuous chemical analysis of process streams, 5=7488
Glasser,L.G., McKinney,A.H., Reilly,C.D. and Schnelle,P.D. Cube-root color coordinate system, 8=8718
Glasser,L.G. and Troy,D.J. Refractometer for continuous process-stream analysis, 9=1255
Glasser,M.L. See also Callaway,J., 9=5135
Glasser,M.L. and Callaway,J. Electronic energy bands in lithium, 8=2648
Glasser,R.G. Relation between multiple Coulomb scattering and residual range in nuclear emulsion, 5=4739. Measurements on multiple scattering of stopping particles, 5=6233. See also Haskin,D.M., 6=4005; Orear,J., 5=2206; Schein,M., 5=6276, 6=4019; Seeman,N., 7=3412
Glasser,R.G., Haskin,D.M., Schein,M. and Lord,J.J. Analysis of properties of secondary particles in nucleon-nucleon collisions at very high energy, 5=9973
Glasser,R.G , Seeman,N. and Snow,G.A. Study of K$^-$ and $\bar{K}^0$ meson stars in emulsion, 7=8176. Cross sections for $\bar{K}$–p interactions, 8=1198; K$^-$ interactions with free protons in nuclear emulsion, 9=2647
Glasser,R.G. and Snow,G.A. Tables of the kinematics of the processes, $K^- + p \rightarrow \Sigma^{\pm} + \pi^{\mp}$ and $K + p \rightarrow K + p$, 8=8997
Glassgold,A.E. Scattering of high-energy electrons by nuclei, 5=7114. Interaction of antiprotons with complex nuclei, 8=3295. Nuclear density distributions from proton scattering, 8=9013. See also Cheston,W.B., 7=7368

Glassgold,A.E., Cheston,W.B., Stein,M.L., Schuldt,S.B. and Erickson,G.W. Analysis of proton–nucleus scattering at 9.8 MeV, 7=7377

Glassgold,A.E. and Galonsky,A. Alpha-particle model of C^{12}, 6=7621

Glassgold,A.E. and Greider,K.R. Generalized diffraction theory for very-high-energy collisions, 9=6139

Glassgold,A.E., Heckrotte,W. and Watson,K.M. Collective excitations of nuclear matter, 9=4970

Glassgold,A.E. and Kellogg,P.J. Proton–nucleus scattering at 17 MeV, 8=330. Nuclear scattering of 40 and 95 MeV protons, 9=528

Glassman,I. See Crocco,L., 9=10346

Glättli,H., Loepfe,E. and Scherrer,P. A new method for determining the levels of Be^8, 5=441

Glättli,H., Loepfe,E. and Stoll,P. Triple coincidence mixer for fast pulses, 6=433

Glatzel,E. and Schlechtweg,H. A simple approximation to the electron theory of the transition metals, 6=1412

Glauber,R.J. Time-dependent displacement correlations and inelastic scattering by crystals, 5=9247. Deuteron stripping processes at high energies, 5=9920. Cross sections in deuterium at high energies, 6=65. Relativistic and screening effects in radiative electron capture, 6=3170. See also Martin,P.C., 8=1928; Zemach,A.C., 6=3300-1

Glauber,R.J. and Martin,P.C. Internal bremsstrahlung accompanying electron capture, 5=9893. Radiative capture of orbital electrons, 7=2570

Glauberman,A.E. On a kinetic theory of systems of interacting particles, 5=780. On the theory of electronic spectra of condensed systems, 5=8108. Contribution to the theory of polar crystals in an external electric field, 6=7370. Contribution to the general theory of statistical equilibrium of a system of interacting particles, 6=8605. Theory of classical systems of interacting particles obeying a non-central interaction law. I., 7=1085. On the theory of a real gas with non-central law of particle interaction, 7=5928

Glauberman,A.E. and Tsvetskov,V.P. On the structure of simple liquids, 6=6420

Glauberman,A.E., Vladimirov,V.V. and Stasyuk,I.V. A new form of the polar model of crystals, 9=13775

Glaubman,M.J. Radioactive decay of 65-hour Sb^{122}, 5=5607

Glaume,J. See Barbier,D., 8=6546

Glazanov,V.N. Breakdown in vacuum, 8=5028

Glaze,F.W. See also Florence,J.M., 6=3632

Glaze,F.W., Blackburn,D.H., Osmalov,J.S., Hubbard,D. and Black,M.H. Properties of arsenic sulfide glass, 8=3013

Glazer,A.A. and Shur,Ya.S. Thermomagnetic treatment and the processes of ordering. II. The influence of thermomagnetic treatment on structural changes in ordering alloys, 9=9777

Glazer,H. See also Bell,B., 8=3603, 9=1000; Menzel,D.H., 6=7071

Glazer,H. and Reiss,H. Calculation of the dipole moment of the carbon–hydrogen bond in methane by the Thomas-Fermi method, 5=6372

Glazkov,N.P. See Poze,Kh.R., 6=8960

Glazov,A.A. and Novikov,D.L. The analysis of high-frequency resonance discharge, 9=7029

Glazov,V.M. See also Petrov,D.A., 8=7593

Glazov,V.M. and Vertman,A.A. The behaviour of the antimonides of aluminium, gallium and indium in the liquid state, 9=11896

Glazov,V.M. and Vigdorovich,V.N. The problem of the diffusionless crystallization of metallic alloys, 8=5517

Gleason,G.I. Disintegration scheme of Zn^{65}, 9=4997

Glebashev,G.Ya. The moments of the absorption curves in solid solutions, 6=8986. On the shape of paramagnetic resonance absorption curves in crystals, 7=5728

Gleissberg,W. The asymmetry of the sunspot curve, 5=5832. The rhythm of the zonal wandering of sunspots, 5=7643. On the classification of sunspot groups, 5=9369. Preliminary determination of the mean duration of the 80-year sunspot cycle, 6=15. On the constancy of the sunspot relative-number scale. 6=5632. Geomagnetic effects of the northern and southern solar hemispheres, 7=9988. Width broadening of sunspot zones, 9=4216. The corpuscular radiation from n- and S- hemispheres of the sun, 9=6454

Glembotskiĭ,I.I. See also Yutsis,A.P., 5=2081

Glembotskiĭ,I.I., Kibartas,V.V. and Yutsis,A.P. Self-consistent field of Fock in the two-configurational approximation for boron, 6=1491

Glen,J.W. The creep of polycrystalline ice, 5=4137. A survey of irradiation effects in metals, 6=1416. The creep of cadmium crystals at liquid helium temperatures, 6=6983. The mechanical properties of ice. I. The plastic properties of ice, 8=7558

Glen,J.W., (Conf. rep.). Physics of ice movement, 9=938

Glendenin,L.E. See also Flynn,K.F., 6=3242; Nasuhoglu,R., 8=8357

Glendenin,L.E., Flynn,K.F., Buchanan,R.F. and Steinberg,E.P. Radiochemical determination of cerium in fission, 5=5071

Glendenning,N.K. Theory of direct-interaction inelastic scattering, 9=10092; See also Bloom,S.D., 9=13550

Glenn,W.E. New color projection system, 9=2255

Glew,D.N. and Robertson,R.E. A constant temperature solubility cell or reaction vessel for a Beckman quartz spectrophotometer, 6=1956

Glick,H.S. See also Petschek,H.E., 5=2569; Wurster,W.H., 8=8697

Glick,H.S., Klein,J.J. and Squire,W. Single-pulse shock tube studies of the kinetics of the reaction $N_2 + O_2 \rightleftarrows 2NO$ between 2000-3000°K, 8=435

Glick,H.S. and Wurster,W.H. Shock tube study of dissociation relaxation in oxygen, 8=2630

Glick,R.E. See also Bothner-By,A.A., 7=8065-6

Glick,R.E. and Bothner-By,A.A. Fine splittings in the nuclear magnetic resonance spectra of alkyl derivatives, 7=1492

Glick,R.E. and Ehrenson,S.J. Proton nuclear magnetic resonance chemical shifts, 8=8393

Glick,R.E., Kates,D.G. and Ehrenson,S.J. Applicability of the macroscopic magnetic susceptibility model to solvent effects in proton nuclear magnetic resonance, 9=12491

Glicksman,M. Magnetoresistance of germanium-silicon alloys, 6=343. Galvanomagnetic effects in a semiconductor with two sets of spheroidal energy surfaces, 6=5860. Effect of impurity scattering on the magnetoresistance of n-type germanium, 8=3113. Mobility of electrons in germanium–silicon alloys, 8=5888. The magneto-resistance of electrons in InP and GaAs, 8=8117. The galvanomagnetic effects in the germanium–silicon alloys, 9=10994. See also Anderson,H.L., 6=695-6; Steele,M.C., 9=6974; Weisberg,L.R., 9=8127

Glicksman,M. and Christian,S.M. Conduction band structure of germanium–silicon alloys, 7=2223

Glicksman,M. and Steele,M.C. High electric field effects in n–indium antimonide, 8=5895

Glicksman,M. and Weiser,K. Electron mobility in InP, 9=3475

Gliese,W. Density, Hertzsprung–Russell diagram and velocity distribution of stars within 20 parsecs, 6=5651

Gliessman,J.R. See Hung,C.S., 5=946

Gliki,N.V. A tilting object stage for a microscope, 9=8017

Gliki,N.V., Pleteneva,I.A. and Timofeeva,V.A. Spiral growth layers on barium titanate crystals, 7=8263

Glimcher,M.J. Molecular biology of mineralized tissues with particular reference to bone, 9=11668

Glinchuk,K.D. See also Lashkarev,V.E., 9=6954

Glinchuk,K.D., Miselyuk,E.G. and Fortunatova,N.N. Investigation of the recombination of current carriers in germanium with iron impurity, 8=1058. The effect of annealing on the local energy levels and the liftime of the non-equilibrium current carriers in iron-doped germanium, 8=3118. The influence of annealing on local levels and the lifetime of non-equilibrium current carriers in p-type germanium with added iron, 8=8768

Glinchuk,K.D., Miselyuk,E.G. and Rashba,E.I. Measurement of carrier recombination velocity by conductivity modulation, 7=7097

Glinchuk,M.D. and Deĭgen,M.F. Electron spin resonance in crystals of the NaCl type containing an excess of metal atoms, 9=8852

Globe,S. Laminar steady-state magnetohydrodynamic flow in an annular channel, 9=9864. See also Dropkin,D., 9=6829

Glocker,R. Action law of fast electron rays, 6=1280. Derivation of the effective X-ray energy in a material from ionization measurements in air, 9=4672. See also Breitling,G., 5=2795, 3815, 6=762, 6=4432

Glocker,R. and Messner,D. Taking account of coherent scattering in calculating the effective X-ray beam energy, 8=7079. X-ray dosimetry by means of fluorescent foils, 9=4673

Glodyanu,A. See Balli,D., 9=9766

Gloersen,P. Electronic-recording, time-resolving spectrometer, 8=8676. See also Fastie,W.G., 8=946; Roth,W., 9=1269

Glonti,G.A. On the theory of the stability of liquid jets in an

electric field, 9=9289
Glorig,A. See also Ward,W.D., 9=4175, 7711-12, 10473, 11689
Glorig,A., Quiggle,R., Wheeler,D.E. and Grings,W. Determination of the normal hearing reference zero, 7=3871
Glotov,V.P. The theory of relaxation absorption and dispersion of sound in strong, but not fully dissociated, electrolytes, 8=3805. Reverberation tank method for investigation of sound absorption in the sea, 9=11940
Glotova,G.I., Granovskii,V.L. and Savoskin,V.I. Comparison of the decay rates of plasma in hydrogen and deuterium, 9=11168
Glover,F.N. See also Barker,W.A., 5-8516
Glover,F.N. and Chraplyvy,Z.V. Reduction of relativistic wave equations and the "contact interaction", 6=7156
Glover,K.M. Pulse analysis - a discussion of effects important in the radiochemistry of the heavy elements, 5=8863. See Milsted,J., 7=686
Glover,K,M. and Borrell,P. A method for the preparation of thin films of plutonium and uranium, 5=4988
Glover,R., III. An emperical rule for the position of the superconductors in the periodic system of the elements, 5=7976. See also Ferrell,R.A., 8=4032; Tinkham,M., 8=5925
Glover,R.E., III and Tinkham,M. Transmission of superconducting films at millimeter-microwave and far infrared frequencies, 7=2443. Conductivity of superconducting films for photon energies between 0.3 and 40 kT$_c$, 8=5923
Glover,R.N. See also McNair,A., 5=8184, 6=2339
Glover,R.N. and Watt,D.E. The natural radioactivity of lanthanum, 7=4669. A search for natural radioactivity in vanadium, 7=9350. A search for electron capture in ^{176}Lu, 7=9361
Głowacki,J. and Pohoski,R. Quenching of photoluminescence of liquid and rigid solutions, 9=12105
Glubrecht,H. A monochromator for ultraviolet microspectrometry, 8=2229
Glubrecht,H. and Niemann,E.G. Changes of the dielectric constant of organic materials induced by X-radiation, 6=1196
Gluckstein,M.E. See Weir,A., Jr, 8=1021
Gluckstern,R.L. Electron capture and loss by ions in gases, 5=7158. See also Biedenharn,L.C., 5=2441; Breit, G., 6=7623, 7=5550; Smith,L. 5=4734
Gluckstern,R.L., Lazarus,J.P. and Breit,G. Comparison of semiclassical and quantum mechanical coulomb excitation integrals for large L, 6=3177
Glueckauf,E. and Kitt,G.P. The krypton and xenon contents of atmospheric air. 6=4748. Leak testing of vacuum plant by helium analysis, 8=3779
Glueckauf,E. and Watts,R.E. Heat conduction in charcoal columns, 8=5835
Glukhovskoi,B.M. See Leiteizen,L.G. 9=11112
Glushkova,A.S. See Shamovskiĭ,L.M., 9=8996
Glusker,D.L. and Miller,A. Reaction products of γ picoline and iodine, 7=5693
Gluzman,N.G. See Strash'kevich,A.M., 6=8825
Gnagey,L.B. See Baker,W.H., 5=4751
Gnanalingam,S. and Weekes,K. D-region echoes observed with a radio wave of frequency 1.4 Mc/s, 5=6327
Gnedich,A.V., Kryukova,L.N. and Murav'eva,V.V. On the 100 keV transition in the Ce^{144} spectrum, 9=10090
Gnevy̆shev,M.N. and Gnevy̆sheva,R.S. The nature of the solar corona and of the prominences, 7=1862. Emission of calcium in the solar corona, 7=2938
Gnevy̆sheva,R.S. See Gnevy̆shev,M.N., 7=1862, 7=2938
Go,Tsi-di and Ratner,B.S. Studies of the yield of the (γ,p) reaction on various cadmium isotopes, 9=8622
Gobeli,G.W. Range– energy relation for low-energy alpha particles in Si,Ge, and InSb, 6=6867. Alpha-particle irradiation of Ge at 4.2^{0}K, 9=5702. See also Mackay, J.W., 9=7525
Goble,A., Golden,J. and Maddock,A.G. The solvent extraction of protactinium, 7=678
Goble,L. See Jacobs,H., 7=7155, 9=11124
Gobrecht,H., See also Bartschat,A., 9=13188; Bathow,G., 7=451; Boeters,K.E., 9=13321
Gobrecht,H. and Bartschat,A. On the semiconducting properties of herzenbergite (SnS) crystals, 8=7003. Some elastic properties of hexagonal cadmium sulphide crystals, 9=6323
Gobrecht,H. and Gumlich,H.E. On the enhancement and quenching of the luminescence of manganese-activated zinc sulphides by alternating electric fields, 7=4205
Gobrecht,H., Gumlich,H.E., Nelkowski,H. and Langer,D. Cathodoelectroluminescence phenomena in zinc sulphide phosphors, 8=5798
Gobrecht,H., Hahn,D. and Gretzinger,B. Temperature-dependence of the luminescence of alkali polysulphides and uranyl salt phosphors, 5=1715
Gobrecht,H., Hahn,D and Kösel,H.J. The photoconductivity of phosphors with various luminescence mechanisms. II, 7=2248. The temperature dependence of the dark and photocurrents of phosphors, 7=2249
Gobrecht,H., Hahn,D. and Scheffler,K. On the emission mechanism of zinc oxide phosphors, 5=1716
On the cathodothermoluminescence effect, 9=12117
Gobrecht,H., Hahn,D. and Seemann,F.W. Light modulation by excitation of phosphor with alternating electric fields, 5=6047
Gobrecht,H. and Hamisch,H. On the dependence of the field strength of the electrical conductivity of selenium single crystals, 7=7929
Gobrecht,H., Hamisch,H. and Tausend,A. Piezoelectric effect in Se, 7=7987
Gobrecht,H. and Heinsohn,G. On the luminescence of the alkali vanadates, 7=7017
Gobrecht,H., Niemeck,F. and Boeters,K.E. The effect of various gases and vapours on the semiconducting properties of evaporated lead selenide layers, 8=3120
Gobrecht,H., Niemeck,F. and Speer,F. On the preparation of sensitive PbSe photocells, 5=7964
Gobrecht,H. and Weiss,W. Luminescence studies of uranium activated alkaline earth tungstates and molybdates, 5=4545
Gobrecht,R. Distortion in weak electrostatic electron lenses, 8=5957. Isotropic and anisotropic distortion of weak magnetic electron lenses, 8=8812. A comparison of the spherical aberration of weak electrostatic and magnetic electron lenses, 9=337. Measurement of the astigmatism of electrostatic lenses, 9=9705
Goche,M. See Bak,T.A., 9=8821
Godard,G.M. See Statton,W.O., 8=9146
Godbole,E.W. New type of beta-, gamma-ray detector, 6=2967. The normal cathode fall in a.c. glows, 6=6678
Godby,E.A., Connock,S.H.G., Steljes,J.F., Cowper,G. and Carmichael,H. Aerial prospecting for radioactive materials, 5=5757
Godby,E.A., Levy,G.S., Carmichael,H., Cowper,G. and Steljes, J.F. Aerial prospecting for radioactive deposits in snowfalls, 5=5619
Goddard,E.D. See Benson,G.C., 7=333
Goddard,K.F. See Wright,P., 8=2298
Goddard,P.E. See Nail,N.R., 7=6687
Göddecke,H. Electric and thermal relaxation phenomena in metallic conductors carrying a current, 9=8093
Godding,R.G. See Rew,R., 5=4130
Godefroy,L. Modulation of the conductivity of a thin tellurium layer by an electric field, 6=6657. A synchronous modulation procedure applied to X-ray techniques, 9=13907
Godenir,P. See Mariens,P., 7=1142
Godfrey,C.S. Production of tritons in high-energy deuteron-deuteron collisions, 5=515. Comparison of H^3 and He^3 production in high-energy deuteron-deuteron collisions, 5=3099
Godfrey,G.H. Optical diffraction effects produced by amplitude and phase changes in the wave front, 5 =224. Recurrence formulae for the reflectance and transmittance of multilayer films with applications, 7=6047
Godfrey,W. See Dobrowolski,J.A., 7=2101
Godin,A. See Prugne,P., 6=1645
Godina,D.A. and Faerman,G.P. Investigation of the absorption spectrum of herapathite crystals, 9=13164. On the dichroism of crystalline iodine, 9=13165
Godnev,I.N. See also Orlova,I.V., 9=10172
Godnev,I.N., Sverdlin,A.S. and Ushanova,N.I. Calculation of the normal vibration frequencies and of thermodynamic functions of germanium tetraiodide, 8=1289
Godoli,G. The characteristic figures of the flocculi of hydrogen and of calcium, and the filaments of hydrogen, for the year 1954, 7=1026. Studies of some infrared Fraunhofer lines, 9=11. Area and position of calcium flocculi observed at the solar tower of the Arcetri Observatory in 1957, 9=9150
Godridge,A.M., Jackson,R. and Thurlow,G.G. A small pneumatic pyrometer, 5=6991. The Venturi pneumatic pyrometer, 8=3048
Godson,W.L. The computation of infrared transmission by atmospheric water vapor, 5=9298
Godwood,K. See Auleytner, J., 7=9449
Goebel,C. Selection rules for N$\bar{N}$ annihilation, 6=6939. Parity of the K meson from a dispersion relation, 8=4246.

Determination of the $\pi-\pi$ interaction strength from $\pi-N$ scattering, 9=546

Goebel,C.J. Pion-nucleon S-wave phase shifts from PS-PS with cutoff, 6=2677. Use of the Chew–Low equation in strong coupling, 8=2142. See also Davis,D.F., 7=8868

Goebel,C.J., Karplus,R. and Ruderman,M.A. Momentum dependence of phase shifts, 6=83

Goebel,K. See also Backenstoss,G., 6=3136; Freiberg,E, 9=13633

Goebel,W. The use of decolorization phenomena in high polymers for dosimetric purposes, 9=13522

Goehlich,H.J. A resonance method for the measurement of ultrasonic absorption in ferromagnetic specimens, 9=5460

Goehring,M. See Faessler,A., 6=2146

Goel,P.S. Radioactive sulphur produced by cosmic rays in rain water, 7=4519

Goel,P.S., Jha,S., Lal,D., Radhakrishna,P., and Rama. Cosmic ray produced beryllium isotopes in rain water, 6=3393

Goel,P.S., Narasappaya,N., Prabhakara,C., Rama Thor and Zutshi,P.K. Study of cosmic ray produced short-lived P^{32}, P^{33}, Be^7, and S^{35} in tropical latitudes, 9=7695

Geol,P.S. and Neelakantan, K.A, Analysis of τ- mesons, 5=9950

Goeler,E. von. See von Goeler,E.

Goenvec,H. See Levêque,P., 6=2525

Goeppert Mayer,M. See Mayer,M.G.

Goering,H.L. See Harman,T.C., 7=3280

Goertz,A. Theory of diffuse reflection and transmission in the case of elastic multiple scattering [of particles], 9=9923

Goertz,R.S. See Kelman,L.R., 6=5586, 6=6280-1

Goertzel,G. Minimum critical mass and flat flux, 6=7702. See also Feshbach,H., 9 =13717

Goertzel,G. and Loeb,W.A. Nonuniform fuel distributions in nuclear reactors, 5=534

Goes,M.L. See Roy,R.R., 6=1556, 2120, 2110, 7=9324, 9352, 9371

Goetz,H. Electrostriction in fluids and production of ultrasonics by electrostrictive means, 5=8569

Goetz,H. and Zahn,W. The electrostriction of dipolar fluids, 8=7894

Goetze,D. Effect of vibration amplitude, frequency, and composition of the abrasive slurry on the rate of ultrasonic machining in Ketos tool steel, 7=3102. Effect of pressure between tool tip and workpiece on the rate of ultrasonic machining in Ketos tool steel, 7=8344

Goetze,G. and Huster,E. Disintegration scheme and β-spectrum of mesothorium I (Ra^{228}), 9=6080

Goff,J.A. See Pfefferle,W.C.,Jr, 5=4425

Goff,K.W. An analog electronic correlator for acoustic measurements, 5=4472. The application of correlation techniques to some acoustic measurements, 5=4473. See also Wiener,F.M., 9=2158

Goff,K.W. and Mercer,D.M.A. Probe microphone analysis and testing at high temperatures and high intensities, 6=161

Goffaux,R. Remarks on the mechanism of electroluminescence, 5=2626. On the mechanism of electroluminescence, 7=4235. Mechanism of the electroluminescence of zinc sulphide, 7=6043. Properties of silicon carbide under the action of electric pulses, 8=1696. Electrical properties of silicon carbide. Interpretation of the dynamic characteristic. Theory of non-ohmic resistance, 8=1697

Goffe,W.L. See Givens,M.P., 6=393

Gofman,I.I., Smirnov,B.G., Spirin,G.S. and Shuppe,G.N. Electrostatic electron emission of semiconductors, 8=1091

Gofman (Hoffmann), U. See Kondorskii,E.I, 9=12458

Gogate,D.V. The uncertainty principle and Rutherford scattering, 9=10573

Gogichaishvili,Sh.M. See Kucheryaev,A.G., 9=10021

Göhr,H. and Lange,E. Critical notes on the units of electrical charge also electrochemically important, 5=7459

Göing,H. See Alles,W., 9=3800

Göing,M. See Alles,W., 9=7284

Göing,W., Meir,H. and Meinen,H. The continuum of very high pressure mercury arcs, 5=6186

Goishi,W. See also Abell,D.F., 7=9940

Goishi,W. and Libby,W.F. Negative-pion activation of silver, 7=4699

Gokhale,B.V. See Mitra,G.B., 7=8267

Gokhale,N.R. and Gatha,K.M. Correction for Stokes' law, 9=3181

Gokhberg,B.M. See Baev,B.V. 5=7129; Gorlov,G.V. 7=704, 4734, 4736

Gökmen,T. Group-sequence criterion for series of observations, 5=9355

Goland,A.N. See also Antal,J.J., 9=4048; Keating,D.T., 8=9011

Goland,A.N. and Ewald,A.W. Thermoelectric power of gray tin, 7=2262

Goland,A.N., Sondericker,J.H.,Jr, and Antal,J.J. Synthetic mica as a monochromator for long wavelength neutrons, 9=8436

Goland,D. See Gordon,J.S., 8=2635

Golant,V.E. Formation of a pulse discharge in argon at very high frequencies. I. Electron velocity distribution function, 8=4040. II. Formulation of a discharge by rectangular power pulses, 8=8041. Initiation of pulsed discharge in argon at ultra-high frequencies. III. Initiation of the discharge under the action of an exponentially increasing high-frequency power, 9=4642. See also Abramova,T.S., 8=8001

Golay,M. A study of the conditions of application of electron-multiplier cells to astronomical photometry, 5=1474. Remarks on the Q term in the 3-colour photometry of Johnson and Morgan, 5=3540

Golay,M.J.E. Ratio measuring twin-beam photometer, 5=5965 Comparison of various infrared spectrometric systems, 6=4980. Field homogenizing coils for nuclear spin resonance instrumentation, 8=4209

Gold,A. See also Alford,W.P., 9=1231

Gold,A. and Knox,R.S. Excited state wave functions, excitation energies, and oscillator strengths for Ne($2p^53s$), 9=6161

Gold,A.V. An experimental determination of the Fermi surface in lead, 9=8828

Gold,L. Macroscopic aspects of neutron interaction in magnetics, 5=2223. On the diffusion of decaying particles, 5=4103. Hall theory in n-type germanium, 5=8755. The relativistic magnetron and the effective mass anisotropy, 7=491. Secular solution of cyclotron resonances for electrons in germanium, 7=2219. Rayleigh wave propagation on anisotropic (cubic) media, 7=3073. Anisotropy of the hot-electron problem in semiconductors with spheroidal energy surfaces, 7=3259. Density of states for warped spherical energy surfaces: Zeroth order solution for holes in silicon and germanium, 7=4338. The relativistic magnetron and the effective mass anisotropy, 7=7187. Oscillations in a plasma with oriented (d.c.) magnetic field, 8=4165. Transit time and space-charge in the spherical diode, 8=5063. Nonlinear phenomenological theory of plasma oscillations, 8=5135. Plasma approach to metallic conduction, 8=5865. Constraint principle in ferromagnetic domain theory, 8=8930. Statistics of polymer molecular size distribution for an invariant number of propagating chains, 8=9157. Statistical-kinetic theory of phase change, 9=67. Solutions for the static junction, 9=1404. Current–voltage behaviour in a plasma, 9=2430. Kinetic theory of space-charge. II. Electron collisional damping in the magnetron (and diode), 9=7070. Variable reaction rate theory of polymer size distribution, 9=7570. Statistics of copolymer molecular size distribution, 9=8768. A reduced solution for the simple pendulum: new approach to elliptic functions, 9=9271. Hot-electron behavior in germanium under the influence of a magnetic field, 9=9619. Wave mechanics for hydrogen atom in cylindrical coordinates: non-separable eigensolutions, 9=12718

Gold,L., Bullis,W.M. and Campbell, R.A. Theory of cyclotron resonance absorption in many-valley semiconductors, 6=8769

Gold,L. and Roth,L.M. Galvanomagnetic theory for electrons in germanium and silicon: Magnetoresistance in the high-field saturation limit, 6=5872. Galvanomagnetic theory for n-type germanium and silicon: Hall theory and general behavior of magnetoresistance, 8=621

Gold,L.W. Some observations on the dependence of strain on stress for ice, 9=1906

Gold,R. Beryllium-hazard detection using polonium 210 alphas, 8=828. See also Dowling,J.M., 9=6185

Gold,R., Dowling,J.M. and Meister,A.G. On the "redundant coordinate" problem in the rotational–vibrational spectra of polyatomic molecules, 8=6374

Gold,T. The "horizon" of the steady-state universe, 5=5169. Theories of interstellar polarization, 6=872*. High-energy particles in solar flares, 7=1860. Origin of the radiation near the earth discovered by means of satellites, 9=7691. See also Bondi,H. 5=5212

Gold,T. and Palmer,D.R. The solar outburst, 23 February 1956. Observations by the Royal Greenwich Observatory, 6=8557

Gold,V. See Bell,R.P., 5=5027

Gold,W. See also Spruch,L., 9=6096

Gold,W. and Spruch,L. Inner bremsstrahlung and the magnetic moment of the neutrino, 8=6264

Goldanski,V.I. A tentative unified classification of elementary particles, including leptons, 8=5169

Gol'danskiĭ,V.I. On γ-p reactions with the formation of ground-state nuclei, 6=7689. Molecular neutron spectroscopy, 7=4580. Direct neutron-exchange interaction of complex nuclei, 9=13673. See also Baranov,P.S., 5=9087, 9159, 8=6097, 6326, 9=672; Belousov,A.S., 9=13686; Govorkov,B.B., 7=4679, 4785

Gol'danskiĭ,V.I., Ignatenko,A.E., Mukhin,A., Pen'kina,V.S. and Shkoda-Ulyanov,V.A. Emission of secondary neutrons from nuclei bombarded by high-energy neutrons, 9=687

Gol'danskiĭ,V.I., Koval'skiĭ,A.A., Pen'kina,V.S. and Tarumov, E.Z.. The cross-section for an inelastic interaction between nuclei and neutrons with energies of 120 and 380 MeV, 6=7690

Gol'danskiĭ,V.I., Pen'kina,V.S. and Tarumov,E.Z. Fission of heavy nuclei by high energy neutrons, 6=3238

Gol'danskiĭ,V.I. and Podgoretskiĭ,M.I. On the question of the decay of slow negative π-mesons, 5=8282. On a possible application of the correlation function to the study of nuclear transformations, 5=9905. On the correlation method for the determination of the absolute yield of nuclear reactions, 6=8366

Gol'danskiĭ,V.I. and Shkoda-ul'yanov,V.A. Maximum number of photo-neutrons and a new method of defining the integral cross-section of(γ, n) reactions for photons of high energies, 5=9096

Gol'danskiĭ,V.I., Tarumov,E.Z. and Pen'kina,V.S. Fission of heavy nuclei by high energy neutrons, 6=1605

Gol'danskiĭ,V.I. and Zhdanov,G.B. On Cherenkov radiation of cosmic ray particles in the atmosphere, 5=377

Goldansky,V I. On the direct neutron exchange interaction of complex nuclei involving a possible large change of the nuclear spins, 9=8565

Goldansky,V.I., Govorkov,B.B. and Vassilov,R.G. Photoproduction of neutral pions on hydrogen near the threshold, 9=12584

Goldberg,A. Electron–deuteron scattering by the impulse approximation, 9=4898. See also Orr,R.L., 8=2285

Goldberg,A.E. See Mitchell,G.R., 5=2762

Goldberg,C. Relaxation time anisotropy in n-type germanium, 8=7942

Goldberg,C., Adams,E.N. and Davis,R.E. Magnetoconductivity in p-type germanium, 7=3278

Goldberg,C. and Davis,R.E. Weak field magnetoresistance of n-type germanium, 6=5868

Goldberg,C. and Howard,W.E. Magnetoresistance symmetry relation in n-germanium, 8=4977

Goldberg,E. and Reynolds,H.L. Elastic scattering of C^{12} from gold, 9=3907

Goldberg,I. Transformation groups in a q-number configuration space, 8=1489. Gauge-invariant quantum electrodynamics, 9=2052. See also Bergmann,P.G., 5=5216, 6=7118

Goldberg,J.N. Gravitational radiation, 6=44. Conservation laws in general relativity, 8=6618. See also Newman,E., 9=11788

Goldberg,J.S., Snyder,H.S. and Scott,W.T. Mean-value calculations for spatial multiple scattering, 6=1309

Goldberg,L. Infrared solar spectrum, 5=4312. Turbulent velocities inferred from the H and K emission lines in stellar spectra, 9=11762. See also McMath,R.R., 6=6319; Mohler,O.C., 6=6320

Goldberg,L., Mohler,O.C. and Brown,J.D. A connexion between the granulation and the structure of the low chromosphere, 7=5809

Goldberg,L., Mohler,O.C. and Müller,E.A. The profile of Hα during the limb flare of February 10, 1956, 9=7742. The double reversal in the cores of the Fraunhofer H and K lines, 9=12961

Goldberg,N. and Frankel,S. Angular correlation measurements in Te^{121} and Te^{123}, 6=3168

Goldberg,P. Particle size effects and the distribution of barriers in electroluminescent zinc sulfide phosphors, 9=3335

Goldberg, P.A. Electromagnetic phenomena of natural origin in the 1.0-150 c/s band, 6=7905

Gol'dberg,Z.A. Acoustic equations of the second approximation and the propagation of the plane waves of finite amplitude, 7=3076. Some second-order quantities in acoustics, 8=3800. The propagation of plane waves of finite amplitude, 8=3802. The propagation of plane, finite-amplitude sound waves in a viscous thermoconducting medium, 9=11924

Goldberger,M.L. Use of causality conditions in quantum theory, 5=2439. Causality conditions and dispersion relations. I. Boson fields, 5=8486. On the second virial coefficient, 9=8061. See also Bernstein,J., 8=8588; Blankenbecler,R., 9=13554; Chew,G.F., 6=6794, 7=7428, 7438; Davidon,W.C., 7=2699; Deser,S., 5=1126; Federbush,P., 9=2585; Gell-Mann,M., 5=745

Goldberger,M.L., Miyazawa,H. and Oehme,R. Application of dispersion relations to pion-nucleon scattering, 5=8509

Goldberger,M.L., Nambu,Y. and Oehme,R. Dispersion relations for nucleon–nucleon scattering, 8=1844

Goldberger,M.L. and Treiman,S.B. Decay of the pi meson, 8=5224. Conserved currents in the theory of Fermi interactions, 8=6627. Neutral pion decay, 8=8987. Form factors in β decay and μ capture, 9=1665. A soluble problem in dispersion theory, 9=6531

Goldblith,S.A. See Davison,S., 6=3968; Lafuente,B., 9=11322

Goldburg,W.I. Experimental study of method of bubble formation in bubble chambers, 9=500. Approach to Boltzmann equilibrium of the nuclear spins in a quadrupolar solid, 9=12502

Goldburg,W.I. and Williamson,R.M. Angular distribution of gamma rays from Coulomb excitation of Pt and W, 7=6521

Goldemberg,J. Geometric efficiency of cylindrical counters, 5=2813. Variation of $\Gamma_\gamma'(El)/\Gamma_n$ with energy, 7=7345. A note on the selective absorption of photons by nuclear levels, 8=725. A photon monochromator for bremsstrahlung radiation from a betatron, 8=8205. Application of the statistical theory to the reactions of photodisintegration, 9=1772. See also Borello,O.A., 9=663-4; de Souza Santoïs,M.D., 9=665; dos Santos Villaca,S., 9=1773; Ferrero,F., 9=8623; Marquez.L., 9=7321; Silva,E., 6-3988, 7=8160, 8=5376, 9=668, 9=1775

Goldemberg,J. and Leite Lopes,J. The harmonic mean energy for photon absorption by nuclei, 5=3070. Shell effect on photonuclear reactions, 5=9094

Goldemberg,J. and Marquez,L. Measurements of $(\gamma$,d) and $(\gamma$,np) reactions in the threshold region, 8=6323

Goldemberg,J. and Nussenzveig,H.M. On the possibility of experimental observation of diffraction in time effects, 8=7231

Goldemberg,J. and Silva,E. The calculation of the photoabsorption cross section in A^{40}, 9=1774

Goldemberg,J., Silva,E. and Villaça,S.S. The detection of alpha particles with ZnS scintillators, 9=493

Golden,J. See also Goble,A., 7=678

Golden,J. and Rowe,G.W. Transfer of tungsten carbide to soft metals during single-traverse and reciprocating sliding, 8=3529

Golden,J.A. and Myerson,A. Recombination of atomic oxygen observed by means of the flash spectroscopy of molecular oxygen in the vacuum ultraviolet, 8=6811

Golden,J.A. and Myerson,A.L. Improved, single flash, continuum source for use below 2000 A, 9=178

Golden,R.K. and S.Frankel. Electron scattering in the K-electron–gamma angular correlation in Sn^{117}, 6=5376

Golden,S. Adequacy of the Born approximation in the calculation of chemical reaction rates: a reply to Yasumori and Sato, 5=3217. Statistical theory of many-electron systems. General considerations pertaining to the Thomas–Fermi theory, 7=3556. A formal theory of quantum classification. I, 7=9519. Statistical theory of many-electron systems. Discrete bases of representation, 8=3394. Spherical eigenfunctions and angular momentum distributions in the statistical theory of atoms, 8=6353. Free-radical stabilization in condensed phases, 9=891

Golden,S.A. See Martin,D.S., Jr, 7=888

Gol'denberg,A.L. See Sazhin,B.I., 9=4043

Goldenberg,H. Some numerical evaluations of heat flow in the region bounded internally by a circular cylinder, 6=3673

Goldenberg,H.M. See Wuerker,R.F., 9=13492

Goldey,J.M. and Brown,S.C. Microwave determination of the average masses of electrons and holes in germanium, 5=7049

Gol'dfarb,E.M. Heating of bodies of various shapes by gases in direct and counter current, 5=2478

Goldfarb,I.J. and Jaffé,H.H. Valence-state ionization potentials of carbon, 9=8678

Goldfarb,L.J.B. The polarization of deuterons and particles of arbitrary spin, 9=1761. On the detection of deuteron polarization, 9=13667

Goldfarb,L.J.B. and Rook,J.R. The polarization of deuterons and particles of arbitrary spin. II, 9=12604

Goldfinger,P. The evaporation of carbon, 6=2038

Goldfinger,P., Jeunehomme,M. and Martens,G. Energies and entropies of activation in chlorine atom reactions, 8=8496

Goldhaber,G. See also Barkas,W.H., 7=3225 Chamberlain,O., 6=3787, 6=4637, 6=5830, 6=6186, 9=7262; Chupp,W.W., 5=9123, 5=9135; Ekspong,A.G., 6=6191; Fischer,D., 5=335; Igo,G., 8=2504; Iloff,E.L., 6=1616, 6=5410; Lannutti,J.E., 6=5427, 9=552; Ritson,D.M., 6=2439; Webb,F.H., 6=4010, 8=7279

Goldhaber,G., Fowler,W.B., Goldhaber,S., Hoang, T., Kalogeropoulos,T.E. and Powell,W.M. Pion-pion correlations in antiproton annihilation events, 9=13553

Goldhaber,G., Kalogeropoulos,T. and Silberberg,R. Antiproton-hydrogen scattering and inelastic scattering from complex nuclei, 8=8319

Goldhaber,G. and Sandweiss,J. Elastic scattering of antiprotons from complex nuclei, 8=7370

Goldhaber,M. Gamma transitions and the shell model, 5=6383. The role of internal conversion in the study of isomeric transitions, 5=9891. Compound hypothesis for the heavy unstable particles. II, 6=3253. Possible method of measuring magnetic moments of V-particles, 6=5412. Speculations on cosmogony, 7=15. Doubling of fermions? 9=3131. See also Alburger,D.E., 9=3861; der Mateosian,E., 8=8344; Mihelich,J.W., 5=4004; Reines,F., 5=1958

Goldhaber,M., Grodzins,L. and Sunyar,W. Evidence for circular polarization of bremsstrahlung produced by beta rays, 7=7159. Helicity of neutrinos, 8=2461

Goldhaber,M., Lee,T.D. and Yang,C.N. Decay modes of a $(\theta + \bar{\theta})$ system, 9=2654.

Goldhaber,S. See Alvarez,W., 6=691*; Barkas,W.H., 7=3225; Chamberlain,O., 6=5830; Chupp,W.W., 5=9123, 5=9135; Goldhaber,G., 9=13553; Igo, G., 8=2504; Iloff,E.L., 6=1616, 6=5410; Lannutti,J.E., 6=5427, 9=552; Ritson,D.M., 6=2439; Webb,F.H., 6=4010. 8=7279

Goldhammer,P. Coupling of nucleon orbitals, 6=3096. See also Feenberg,E., 7=3982

Goldhammer,P. and Feenberg,E. Refinement of the Brillouin-Wigner perturbation method, 6=1866

Gol'din,L.L. Dependence of the α-decay rate on energy of rotational levels, 8=7338. See also Grekov,N.N., 8=6032; Kondrat'ev,L.N., 7=3599; Kondrat'yev,L.N., 9=10058; Novikova,G.I., 8=1923; Tret'yakov,E.F., 8=7308, 9=12663

Gol'din,L. L., Adel'son-Vel'skii,G.M., Birzgal,A.P., Piliya,A.D. and Ter-Martirosyan,K.A. Alpha-decay of non-spherical nuclei. 9=2739

Gol'din,L.L. and Koshkarev,D.G. Synchrotron oscillations in strong-focusing accelerators. I. Linear theory, 7=3367

Goldin,L.L. and Koškarev,D.G. Synchrotron oscillations in strong-focusing accelerators, (Linear theory), 6=2919. Linear theory of synchrotron oscillations. II. Particle losses during acceleration and tolerance theory, 7=9230

Gol'din,L.L., Novikova,G.I. and Ter-Martirosyan,K.A. On the shape of α-active nuclei, 9=12621

Goldin,L.L., Novikova,G.I. and Tretyakov,E.F. Highly excited rotational states of some nuclei. Intensity of α decay to rotational excited levels, 6=8349

Gol'din,L.L., Peker,L.K. and Novikova,G.I. Alpha-decay, 7=3598

Goldman,D.E. and Hueter,T.F. Tabular data of the velocity and absorption of high-frequency sound in mammalian tissues, 6=1913. Errata: Tabular data of the velocity and absorption of high-frequency sound in mammalian tissues, 7=5938

Goldman,D.E. and Richards,J.R. The measurement of high-frequency sound velocity in mammalian soft tissues, 5=1641

Goldman,D.T. and Simon,A. Theory of sputtering by high-speed ions, 9=2421

Gol'dman,I.I. See also Garibyan,G.M., 5=359

Goldman,I.I. and Migdal,A.B. Theory of scattering in a quasi-classical approximation, 5=6757

Goldman,J.E. See Arrott,A., 5=8081, 7=4521, 8=9175; Guthrie,G.L., 9=4534; Pugh,E.W., 7=3447; Urquhart,H.M.A., 6=3826

Goldman,K. Determination of density of liquids under elevated gas pressure, 8=2828

Goldman,L.M. See Kruskal,M.D., 9=2373

Goldman,M. Proton magnetic resonance spectra in trichloracetic acid, 9=5937

Goldman,M., Nief,G. and Roth,E. The influence of temperature on the isotopic separation by the effect of a direct current in molten gallium, 7=4648

Goldman,R.B. See Bobb,L., 6=1005

Gol'dman,Z.A. Rectifying effect and photo- e.m.f. of selenium photo-elements and non-additivity of their photoconductivity, 5=7061. Non-additivity of selenium photoelements with barrier layer under the effect of an external voltage, 6=5889

Goldring,G. Emission of electron-positron pairs from light nuclei, III. γ- transitions in the reaction. ^{15}N$(p,\gamma)^{16}$O., 5=497. Internal pair emission at small angles, 9=6083

Goldring,G. and Paulissen,G.T. Ratios of transition probabilities between rotational states in odd-A nuclei, 6=8921

Goldring,G. and Scharenberg,R.P. Gyromagnetic ratio of 2^+ rotational states, 8=5269

Goldring,G., Wolfson,Y. and Wiener,R. Search for monopole pairs from the second excited state of C^{12}, 8=7303

Goldsack,S.J. See also Batty,C.J., 7=5406, 9=2782, 9=2784; Chupp,W.W., 5=9123

Goldsack,S.J., and Lock,W.O. The capture of negative hyperons, 6=5422

Goldsack,S.J., Lock,W.O. and Munir,B.A. ^{8}Li emission from heavy element disintegrations produced by 5.7 BeV protons, 7=4710

Goldsack,S.J. and van der Raay,H.V. An automatic scanner for nuclear emulsions, 6=4142

Goldschmidt,H.J. See Brand,J.A., 6=2556

Goldschmidt,R. On the behaviour of metal cables subjected to tensile forces, 5=3188

Goldschmidt-Clermont,Y., Osborne,L.S. and Scott,M. Photo-production of π^0 mesons from protons, 5=2185

Goldsmid,H.J. Thermoelectric applications of semiconductors, 5=9673. The thermal conductivity of bismuth telluride, 6=3668. The thermal conductivity of bismuth telluride, 7=7900. The electrical conductivity and thermoelectric power of bismuth telluride, 8=2312. Heat conduction in bismuth telluride, 8=4912. See also Bowley,A.E., 9=303

Goldsmid,H.J. and Douglas,R.W. The use of semi-conductors thermoelectric in refrigeration, 5=970

Goldsmid,H.J., Jenns,C.C. and Wright,D.A. The thermoelectric power of a semiconducting diamond, 9=7014

Goldsmid,H.J., Sheard,A.R. and Wright,D.A. The performance of bismuth telluride thermojunctions, 9=1491

Goldsmith,M. See also Amat,G., 5=8118, 6=1432, 6=1434, 8=369; Nielsen, H.H., 7=7259

Goldsmith,M., Amat,G. and Nielsen,H.H. Higher order rotation-vibration energies of polyatomic molecules. I, 6=6050

Goldsmith,M. and Ryan,T.M. Thermal activation shapes in a water-moderated critical assembly, 9=8664

Goldsmith,W. See also Allen,W.A., 5=1617

Goldsmith,W. and Allen,W.A. Graphical representation of the spherical propagation of explosive pulses in elastic media, 5=2510

Goldstein,B. Electron mobility in the germanium-silicon alloys, 8=1687. Properties of photovoltaic films of CdTe, 8=2333. See also Amick,J.A., 9=12248

Goldstein,B. and Dropkin,J.J. Thermoluminescence and shallow traps in ZnS:Cu:Co, 9=12128

Goldstein,B. and Pensak,L. High-voltage photovoltaic effect, 9=2344

Goldstein,J.H. Quadrupole coupling and bond character in the vinyl halides, 6=2306. Molecular orbital treatment of conjugation in vinyl chloride, with inclusion of overlap, 6=4564. See also Fine,J., 5=4539; Howe,J.A., 5=7856, 7=3504, 8=383; Kwak,N., 6=1085, 7=3145; Morgan,H.W., 6=7295, 8=2963-4, 9=7967; Slayton,G.R., 5=192; Staats,P.A., 6=4998, 7=2024; Wagner,R., 7=5537; Whipple,E.B., 9=9833

Goldstein,J.S. Pair effects in the Lee model, 8=7687

Goldstein,L. On the theoryof liquid He^3, 5=1771. Interatomic correlations in liquid He^4, 6=1170. Nuclear spin system of liquid He^3, 6=5817. On the theory of liquids, 7=9028. On the theory of the liquid He-4 phase transformation, 8=1650. Nonreciprocal electromagnetic wave propagation in ionized gaseous media, 8=6083. Thermal excitations in liquid He^3, 9=2279. Volume anomaly of liquid He^3 arising from its nuclear spin system, 9=4524. See also Anderson,J.M., 6=2262, 6=3776, 6=5148; Dougal,A.A., 8=2368; Sommers,H.S., Jr, 5=4109

Goldstein,L. and Reekie,J. Spatial distribution of atoms in liquid He^4, 5=5929

Goldstein,L. and Sekiguchi, T. Electron-electron interaction and heat conduction in gaseous plasmas, 8=2369

Goldstein,L. and Sommers,H.S.Jr. Transmission of slow neutrons by liquid He^4. II, 6=4030

Goldstein,M. Depolarized components of light scattered by glasses. I. Measurements on twelve optical glasses, 9=6794. II. Influence of nonannealable strains on the scattering, 9=6795. See also Biedenharn,L.C., 6=1470, 7=1604; Thaler,R.M., 6=5935

Goldstein,M., McHale,J.L., Thaler,R.M. and Biedenharn,L.C. Coulomb excitation directional correlation, 6=1561

Goldstein,M. and Michalik,E.R. Theory of scattering by an inhomogeneous solid possessing fluctuations in density and anisotropy, 6=4348

Goldstein,M.H., Jr. See also Kiang,N.Y.-S., 9=10476

Goldstein,M.H.Jr, and Kiang,N.Y.-S. Synchrony of neural activity in electric responses evoked by transient acoustic stimuli, 8=9188

Goldstein,M.H., Jr, Kiang,N.Y.-S., and Brown,R.M. Responses of the auditory cortex to repetitive acoustic stimuli, 9=6423

Goldstein,P. See Chidley,B., 8=8986

Goldstein,S. See also Goshen (Goldstein),S., Lipkin,H.J., 8=4758, 8=7711

Goldstein,S., Mette,H. and Gärtner,W.W. Carrier recombination in germanium as a function of temperature between 100°K and 550°K, 9=6953

Goldstein,S., and Talmi,I. Related jj-coupling configurations in K^{40} and Cl^{35}, 6=5313. Energies of nuclei with different proton and neutron shells, 7=3523

Goldstein,S.J., Jr. The angular size of short-lived solar radio disturbances, 9=12948

Goldstone,G.T. See Dowden,R.L., 9=7697

Goldstone,J. Derivation of the Brueckner many-body theory, 7=5070. See also Bethe,H.A., 7=5546

Goldsworthy,F.A. On the propagation and structure of ionization fronts, 9=991

Goldsztaub,S. A review of progress made in the construction of X-ray tubes for crystallography, 6=7824

Goldwasser,E.L. See also Cini,M., 9=2623

Goldwasser,E.L., Koester,L.J., Jr, and Mills,F.E. Elastic photoproduction of π^0 mesons from helium, 5=1238

Goldwasser,E.L., Mills,F.E. and Robillard,T.R. Direct measurement of the effect of polarization on energy loss,, 5=7119

Goldwater,D.L. Effects of electrolysis in the thorium oxide emitter, 8=5083

Goldwater,D.L. and Danforth,W.E. Thermionic emission constants of iridium, 6=8262

Goldzahl,L. See also Eberhard,P., 5=8221, 7=1571, 7=5627, 9=4884; Hara,E., 9=4885; Lallemand, A., 9=11705

Goldzahl,L. and Banaigs,J. An illustration of inelastic scattering of γ-rays by bound atomic electrons, 9=9926

Goldzahl,L. and Eberhard,P. Scattering of 1.33 MeV γ-rays by the electric field of nuclei, 5=4923. Contribution of the electric field of nuclei to the elastic scattering of γ-rays of Co^{60}, 7=6570

Goldzahl,L., Eberhard,P., Hara,E. and Mey,J. Scattering of 2.62 MeV γ-rays by the electric field of lead nuclei, 6=3167

Goldzahl,L., Jouvet,B., Mathieu,M. and Poyen,J. A method of studying the electromagnetic properties of the charged π-meson, 9=12575

Gołębiowski,R. See Szymanowski,W., 8=6845

Golenko,D.I. See Varfolomeev,A.A. 9=9925

Gol'fand,Yu.A. Construction of propagators by the method of quasi-field, 5=5214. Evaluation of the π^+-p scattering cross-section from the π^--d scattering near resonance, 6=6199. Generalized phase-shift analysis as a consequence of the unitarity of the S-matrix, 7=1916. Transformation properties of the electron–positron field amplitudes, 7=1917. Fermi fields and spinors of unbounded regions, 7=7591. On the theory of weak interactions. I, 9=2061, II., 2062. See also Tamm,I.E., 5=1243

Golik,A.Z. and Karlikov,D.N. Correlation between viscosity coefficient and structure of a substance in the liquid state, 7=9031

Golike,R.C., Mills,I.M., Person,W.B. and Crawford,B.,Jr. Vibrational intensities. VI. Ethylene and its deuteroisotopes, 7=3488

Golikov,E.E. New coefficients for the qualitative assessment of the acoustics of rooms, 7=3114. General and particular criteria of the acoustic quality of rooms. Their adequacy, 8=3838. Apparatus for measurement of articulation in rooms, 9=5469

Golikova,É.V. See Mazurin,O.V., 9=13274

Golikova,O.I. See Tolstoĭ,N.A., 6=8801

Golitsȳn,A.G. See Zhukovitskiĭ,A.A., 6=716

Golitsȳn,G.S. Plane problems in magnetohydrodynamics, 8=8152. One-dimensional motion in magnetohydrodynamics, 9=1609

Golitsȳn,G.S. and Stanyukovich,K.P. Some problems of magnetogasdynamics allowing for finite conductivity, 8=6072*

Golling,E. Spectral analytical investigations of impurities in A III BV semiconducting compounds, 6=8780. The use of GaAs photocells in densitometry, 8=6788

Gollob,F. See Senett,W.P., 5=9477

Gollop,J.B. See Thiessen,G.J., 8=1384

Golovin,A.L. See Bezbatchenko,A.L., 7=4403

Golovin,B.M. See also Dzhelepov,V.P., 6=1589, 7=8201

Golovin,B.M. and Dzhelepov,V.P. Elastic scattering 590 MeV neutrons by neutrons, 7=2718

Golovin,B.M., Dzhelepov,V.P., Katȳshev,Yu.V., Konin,A.D. and Medved',S.V. Scattering of 590 MeV neutrons by protons in the small angle region, 9=13555

Golovin,B.M., Dzhelepov,V.P., Nadezhdin,V.S., and Satarov,V.I. Possible sets of experiments for a simultaneous analysis of data on nucleon–nucleon scattering and polarization in p–n collisions at 635 MeV, 9=12553

Golovinskiĭ,G.P. Condensation of a mixture of vapours under intense cooling, 7=1229

Golovkin,V.S. See Bȳkov,V.N., 8=6521; Lyashchenko,B.G., 9=12884

Golovnya,V.Ya. See Gavrilovskiĭ, B.V., 7=4708

Gol'tsman,F.M. Grapho-analytical method of frequency analysis of seismic waves over a wide range of frequencies, 8=6734

Golubchin,G.N. and Starik,A.M. Effectiveness of the auxiliary discharge in wide-band TR-tubes as a function of position of the keep-alive electrode, 9=4641

Golubenkov, V.N. and Smorodinskiĭ,Ya.A. Lagrangian for a system of identical charged particles, 7=1930

Golubev,V.I. See Nikolaev,M.N., 9=8647

Golubeva,L.A. See Voĭtsekhovskaya,I.A., 8=7882

Golubkov,G.E. See Andrianov,K.A., 7=3235

Golyamina,I.P. The problem of oscillations along the thickness of polarizing slabs of barium titanate, 6=4923. Ultrasonic radiator made of nickel ferrite, 6=8631

Golyamina,I.P., Sokolov,A.D. and Chulkova,V.I. Tests of experimental ferrite ultrasonic receivers, 8=4809

Goman'kov,V.I. See Abrosimov,A.T., 8=6019

Gombás,P. Extension of the Hartree-Fock equations through the correlation of the electrons, 5=3016. Solution of the equation of the statistical atom generalized for correlation in the case of pressures different from zero, 6=1490. A modification of the Weizsäcker correction in the statistical atom, 6=8330. Interaction of heavy nuclei with nucleons, 7=599. Grouping of electrons according to the principal quantum number in the statistical theory of atoms, 7=3558. Distribution of electron density in the extended statistical atomic model, with kinetic energy correction, 7=4638. Bonding of the N_2 molecule on the basis of statistical theory, 9=8749. Statistical treatment of the N_2 molecule, 9=8750. Calculation of polarizabilities. I. Free atoms, 9=13723

Gombas,P. and Kisdi,D. The statistical theory of a nucleon gas at arbitrary temperature, 9=13590

Gombás,P. and Kunvári,O. On the equation of state of the rare gas elements Ne, A, Kr and Xe at the absolute zero of temperature, 6=8751

Gombás,P. and Ladányi,K. On a statistical atom model, in which the electrons are grouped according to the principal quantum number, 7=1519

Gombás,P., Mágori, E., Molnár,B. and Szabó,É. The statistical theory of the nucleus. III, 5=8148. Statistical theory of the nucleus, 5=8983

Gombás,P. and Szépfalusy,P., 6=4593. On a derivation of the Slater semi-empirical atomic eigenfunctions, 6=4593

Gombás,P., Szépfalusy,P. and Mágori,E. The range of nuclear forces, 8=5252

Gomberg,H.J. See Orr,L., 7=3683; Towe,G.C., 5=4269

Gombosi,E. See Bozóki,G., 9=1755, 9=8564; Fenyves,E., 9=3622

Gomer,R. Electrical contact for high vacuum systems, 6=6428° Field emission from mercury whiskers, 7=7485. Field emission from mercury whiskers, 8=4520. Surface diffusion of CO on W, 9=843. Adsorption and diffusion of inert gases on tungsten, 9=11130. Scattering lengths of inert gases for electrons of negative energy. Field emission through dielectrics, 9=11131. Field desorption, 9=11132. See also Inghram,M.G., 6=2934; Melmed,A.J., 9=7056; Meyer,L., 8=9171; Wortman,R., 6=5501, 7=7480, 8=5510

mass spectrometry, 5=4762
Gomer,R. and Meyer,L. Energy exchange between cold gas molecules and a hot graphite surface, 5=8688
Gomer,R. and Wortman,R. Mobility of hydrogen on tungsten, 6=769
Gomer,R., Wortman,R. and Lundy,R. Mobility and adsorption of hydrogen on tungsten, 7=6671
Gomes,L.C. See also Elton,L.R.B., 7=3646
Gomes,L.C. and Leite Lopes,J. High energy neutron reactions and the nuclear optical model, 5=6475
Gomes,L.C., Walecka,J.D. and Weisskopf,V.F. Properties of nuclear matter, 8=4258
Gomes Ferreira,J. Contribution to the study of the satellite band intensity of the L α lines for elements of atomic number 73 to 92, 5=6191. Determination of the intensity of the satellite bands of the L α rays for elements of atomic numbers 73 to 92, 6=2148. See also Salgueiro,L., 6=3767
Gômez,I. See Alba Andrade,F., 5=348
Gomez,R. See also Pugh,G.E., 7=4729, 5=1006
Gomez,R. and Walecka,D. Separation of the cross-section for scattering of photons by protons into spin–flip and non-spin-flip parts, 7=2609
Gomis Gomis,M.T. An electrostatic type of universal function generator, 5=6677
Gommel,G. See Richter,H., 9=6295
Gomoyunova,M.V. Temperature dependence of the secondary electron emission coefficient of NaCl films, 9=5797
Gompertz,G. and Orville-Thomas,W.J. Calculated vibrational frequencies for H^2O^{18} and D_2O^{18}, 9=13739
Gonçalves,C. See Arnal,R., 7=9717
Goncharov,K.V. The theory of piezo-transducers, 8=6763. On the measurement of shear-wave attenuation using a water tank, 9=11919. The possibility of studying the frequency sensitivity characteristics of transducers by a spectrum analysis of their thermal noise, 9=11967
Goncharskiĭ, L. A. Electronic indicators of mechanical quantities, 6=4857
Gondo,Y. On the change of magnetization due to a small stress, 5=6310
Gonella,L. See Argan,P.E., 9=9911; Ferrero,F., 7=8163
Goñi Mateo, J. See Azpiroz Yoldi,M., 9=11870
Gonikberg,M.G. See also Butuzov,V.P., 7=809
Gonikberg,M.G., Sterin,Kh.E., Ukholin,S.A., Opekunov,A.A. and Aleksanyan,V.T. Excitation of Raman spectra at high pressures, 9=12062
Gönnenwein,F. See Faissner,H., 9=11488
Gonser,U. Concerning the spike formation in radiation damage by charged particles, 9=11576. See also Fujita,F.E., 9=5169
Gonser,U. and Okkerse,B. Radiation damage experiments in III–V-compounds, 7=4336. Radiation damage experiments and the nature of thermal spikes in III–V compounds, 9=828. The question of radiation-induced phase changes, 9=8870
Gontier,G. On the functioning of a Wollaston double-image prism for differential interferometry in polarized light, 7=7029. Errors in the measurement of optical thickness of a transparent isotropic plate by differential interferometry, 7=9114
Gontier,G. and Martinot-Lagarde,A. Remarks on the functioning and standardization of birefringent arrangements for the study of a transparent film by interferometry with polarized light, 6=8706
Gonzâlez,A.,Domínguez. Finite parts of Riemann-Weyl integrals and regularization processes, 5=4348
Gonzalez Miranda,L. de Miguely. See de Miguely Gonzalez Miranda,L.
Gonzalez-Vidal,J. See also Wade,W.H., 8=6304
Gonzalez-Vidal,J., Kohn,E. and Matsen,F.A. Color in olefin sulfuric acid systems, 6=9024
Good,I.J. On the substantialization of sign sequences, 5=635
Good,J.D. Pion spectrum in radiative K^+_π decay, 9=4947
Good,M.L. Regeneration of θ^0_1 mesons by a magnetic field, 7=5641. Relation between scattering and absorption in the Pais–Piccioni phenomenon, 7=6613. Method for determining the $K_+^0 - K_-^0$ mass difference, 8=4245. See also Alvarez,L.W., 6=3269, 7=5651, 9=12601; Crawford,F.S., Jr, 8=1207, 9=1687, 9=2660, 9=4953, 9=4956, 9=6039, 9=6048, 9=7282, 9=12586
Good,M.L. and Lauer,E.J. Electron–neutrino angular correlation in the beta decay of neon-19, 7=3605
Good,R.H. Continuously sensitive bubble chamber, 8=259
Good,R.H., Jr. Properties of the Dirac matrices, 5=6742. Particle aspect of the electromagnetic field equations, 7=5061
Gomer, R. and Hulm,J.K. Adsorption and diffusion of oxygen on tungsten, 8=6487
Gomer,R. and Inghram,M.G. Applications of field ionization to Electromagnetic multipole radiation, 8=1495. Transmission of electrons through metal surfaces, 8=3176. See also Barlett,R.H., 8=1530; Cutler,P.H., 7=1361; Hammer,C.L., 8=1509, 8=5639; Murphy,E.L., 6=5915; Schectman,R.M., 7=5042
Good,R.J. See Guderjahn,C.A., 8=6927; Winslow,J.W., Jr, 8=1032
Good,W.B.. See Fitz,H.C., Jr, 9=3714
Good,W.M. See also Moak,C.D. 5=1205
Good,W.M., Neiler,J.H. and Gibbons,J.H. Neutron total cross sections in the keV region by fast time-of-flight measurements, 9=683
Good,W.M. and Wollan,E.O. Range and range dispersion of specific fission fragments, 6=3241
Goodard,A.Jr. See Edwards,H.D., 6=6294
Goodbody,A.M. The influence of condenser aperture on the resolution of a pair of parallel lines, 7=4119. The influence of spherical aberration on the response function of an optical system, 9=170. The influence of spherical and chromatic aberration on the frequency response of a lens, 9=5481
Goode,J.H. How radiation affects organics in solvent extraction of fuel, 7=9952. See also Bresee,J.C., 7=3745; Brocklehurst,R.E., 8=2276
Goode,J.M. Phase transition temperature of polonium, 7=8290
Goodenough,J.B. Theory of the role of covalence in the perovskite type manganites $[La, M(11)]MnO_3$, 6=2564. Interpretation of domain patterns recently found in BiMn and SiFe alloys, 6=4517. Suggestion concerning the role of wave-function symmetry in transition metals and their alloys, 9=787. An interpretation of the magnetic properties of the perovskite-type mixed crystals $La_{1-x}Sr_xCoO_{3-\lambda}$, 9=8292. See also Huber,E.E., Jr, 9=421; Menyuk,N., 5=3881; Wold,A., 9=428
Goodenough,J.B.,Dwight,K.,Menyuk,N. and Smith,D.O. Digest of the literature on dielectrics. Ferromagnetic materials, 9=5649
Goodenough,J.B. and Loeb,A.L. Theory of ionic ordering, crystal distortion, and magnetic exchange due to covalent forces in spinels, 5=6604
Goodenough,J.B. and Smith,D.O. Digest of the literature on dielectrics. Ferromagnetic materials, 8=2291
Goodenough,J.B.,Wickham,D.G. and Croft,W.J. Some ferrimagnetic properties of the system $Li_xNi_{1-x}O$, 8=8899. Some magnetic and crystallographic properties of the system $Li^+_xNi^{++}_{1-x}Ni^{+++}_xO$, 9=1582
Goodfellow,T.L. See Caffyn,J.E., 6=1254
Gooding,T.J. Proton total reaction cross sections at 34 MeV, 9=11466
Gooding,T.J. and Eisberg,R.M. Statistical fluctuations in energy losses of 37-MeV protons, 7=3374*
Goodings,A. See Rothwell,P., 7=2375
Goodings,D.A. See Cohen,M.H., 9=7399
Goodkin,J.,Solomons,C. and Janz,G.J. Calorimetric assembly for measurement of heats of fusion of inorganic compounds, 8=3932
Goodman,A.M. Photoconductivity as a function of optical absorption, 9=2339
Goodman,B. Adiabatic vs. Bloch approximation in lattice scattering of electrons, 8=5467
Goodman,B. and Oen,O.S. Interaction of excitons with lattice vibrations, 9=8843
Goodman,B.B. The specific heat of the superconductors Al, Sn and V below 1° K, 7=9141. A correlation for the energy gap in super-conductors, 8=7029. See also Corak,W.S., 5=3791, 6=4372; Doulat,J., 9=3506 Hulm,J.K., 7=6194
Goodman,B.B.,Monpetit,L. and Weil,L. Effect of neutron irradiation on the specific heat of graphite, 9=8052
Goodman,C. Nuclear structure as revealed by electric excitation, 6=6837. See also Guernsey,J.B., 6=3236 McClelland,C. 5=4054. Mark,H., 5=7277, 6=2403. Miyatake,O. 5=9820
Goodman,C.D. See also Blosser,H.G., 6=1592, 8=4323, 9=1545
Goodman,C.D. and Need,J.L. Energy distributions of product particles from nitgoren-induced nuclear reactions on beryllium, 8=5367
Goodman,C.H.L. Bond relationships in diamond-type semiconductors, 5=9650. A new group of compounds with diamond-type (chalcopyrite) structure, 7=7102. The prediction of semiconducting propties in inorganic compounds, 9=8100. See also Austin,I.G., 7=9180; Drabble,J.R., 9=3461

Goodman,C.H.L. and Douglas,R.W. New semiconducting compounds of diamond type structure, 5=3744
Goodman,E.I. See Haendler,H.M., 5=2583
Goodman,G.L. and Fred,M. Electronic structure of neptunium hexafluoride, 9=7441
Goodman,J. and Lebenbaum,M. A dynamic spectrum analyzer for solar studies, 8=2100
Goodman,J.F. Evidence from Moiré patterns of packing faults in boron nitride crystals, 7=9972. See also Deacon,R.F., 8=821
Goodman,L. See also Brinen,J.S., 9=10194; McRae,E.G., 9=750
Goodman,L. and Frolen,L.J. Direction of halogen spectroscopic moments, 9=10184
Goodman,L. and Harrell,R.W. Calculation n → π* transition energies in N-heterocyclic molecules by a one-electron approximation, 9=7457
Goodman,L., Ross,I.G. and Shull,H. On the application of the molecular orbital method to the spectra of substituted aromatic hydrocarbons, 7=4601
Goodman,L. and Shull,H. Molecular calculations. III. A modification of the naive semiempirical MO method, 5=3944. Substituted benzene spectra, 8=1290
Goodman,L.S. See also Childs,W.J., 9=2691
Goodman,L.S. and Wexler,S. Hyperfine splitting and the sign of the magnetic moment of Cs^{134m}, 5=3002. Nuclear spin and magnetic moment of 3.1-hr Cs^{134m}, 5=8164. Nuclear spins and magnetic dipole moments of 50-day In^{114m} and 54-min In^{116m}, 8=1902
Goodman,R.H. See Nablo,S.V., 9=2731
Goodman,R.R. See Luttinger,J.M., 6=1220
Goodman,T.P. A technique for approximate measurement of correlation coefficients, 6=6291
Goodrich,F.C. Hole theory of liquids and the lattice approximation, 6=2713
Goodwin,A.,Jr. See Brode,R.B., 6=6760
Goodwin,D.W. Space charge phenomena in liquid dielectrics, 6=2055. Photo effects in indium antimonide, 7=7902. Cooled photoconductive detectors using indium antimonide, 7=8633. See also Avery,D.G., 5=300, 8=1067
Goodwin,G.L. See Aitchison,G.J., 5=7218
Goodwin,R.D. Method for maintaining level of liquefied gas refrigerants, 6=297. Design of simple resistance thermometer bridges for wide-range control of low temperatures, 8=5848
Goody,R.M. Planetary atmospheres and convection in rotating fluids. The thermal structure of Mars, 8=2102. A simple grating spectrometer for sky-emission studies, 8=2947. See also Curtis,A.R., 6=7885; Walshaw,C.D., 7=939
Goodyear,J. and Duffin,W.J. Harmonic reflexions with a camera of the Guinier type, 9=7617
Googin,J.M. See Combs,R.L., 5=2671; Smith,H.A., 5=2670
Gool,W. van. See van Gool,W.
Goon,E.J., Mason,J.T. and Gibb,T.R.P.,Jr. X-ray powder diffraction assembly for studies at elevated temperatures and high gas pressures, 7=6731
Goossens,H. See Radczewski,O.E., 7=914
Gopal,R. Correspondence in some crystalline solids at their melting points, 8=4406
Gopal,R. and Rice,O.K. Shape of the coexistence curve in the perfluoromethylcyclohexane-carbon tetrachloride system, 6=3330
Gopala Krishna,K.V. Dielectric properties of ethyl acetate in the ultra high frequency region, 6=4382. Calculation of dipole moments of the tetrasubstituted benzenes, 7=596
Gopala Menon,S. A new method of measuring ultrasonic velocity in solids, 6=4277-8
Gopla Rao,U.V. See Bhargava,B.N., 9=9066
Gopalakrishnan,C.P. The thermo-optic behaviour of calcium fluoride, ammonium chloride and zinc-blende at low temperatures, 8=2940. Temperature variation of refractive index and optical rotation of sodium chlorate, 8=2941
Gopalaswamy,T.R. See also Joglekar,G.D., 9=4568
Gopalaswamy,T.R., Subramanian,N.R. and Joglekar,G.D. Measurement of the electrical resistance of sized powders at different bulk densities: II. Graphite powders, 9=6906
Gopalkrishnan,K. See Tawde,N.R., 5=3929
Gora,E.K. The rotational spectrum of ozone, 9=5525. Simplified methods for the computation of asymmetric rotor energy levels and line strengths, 9=6183*
Goranson,R.W., Bancroft,D., Burton,B.L., Blechar,T., Houston, E.E., Gittings,E.F. and Landeen,S.A. Dynamic determination of the compressibility of metals, 6=1666
Gorazdovskiĭ,T.Ya. and Regirer,S.A. Movement of a Newtonian liquid between rotating coaxial cylinders in presence of internal thermal processes affecting viscosity, 7=1099
Gorbachev,V.M. See Baskova,K.A., 5=327
Gorban',A.N. See also Sokolov,V.A., 9=9366
Gorban',A.N. and Sokolov,V.A. On the nature of "Drummond's light", 9=5577
Gorban',I.S. Optical properties of carbonates of alkaline earths, 9=9501
Gorman',I.S. and Shishlovskiĭ,A.A. Anomalous dispersion of light in very simple solutions of inorganic compounds, 6=8082. Anomalous dispersion of light in dye solutions, 7=1217
Gorbatkina,Yu.A. Temperature hysteresis of the volume in amorphous substances, 9=13221
Gorbatskiĭ,V.G. On the interpretation of the emission spectrum of long-period variable stars. I, 8=2112. On the interpretation of the emission spectrum of long-period variable stars. II, 9=11761
Gorbatȳĭ,N.A., Reshetnikova,L.V., Sȳtaya,E.P. and Shuppe,G.N. The electrostatic emission from a tantalum single crystal, 7=9231
Gorbatȳĭ,N.A. and Shuppe,G.N. The effect of strong electric fields (~ 10^6 V/cm) on the volatility and electrical resistance of metals (Mo, Ta, W), 9=257
Gorbunov,A.N. and Spiridonov,V.M. Photodisintegration of helium, 8=3380, II, 8336, III, 8=8337
Gorbunov,B.V. See Vertsner,V.N., 8=1705
Gorbushenkov,V.A. See Rabinovich,I.B., 8=7863
Gordeev,G.V. Low-frequency plasma oscillations, 5=1065. Excitation of plasma oscillations, 5=1066. On electrical conductivity of amorphous semiconductors, 8=3100. Ionization by collision at n−p junctions, 9=13277
Gordeev,G.V. and Gubanov,A.I. On the question of the acceleration of a plasma in a magnetic field, 9=3603
Gordienko,V.I. See Pivovar,L.I., 8=8007, 9=8190
Gordon,A.S. See Knipe,R.H., 6=197, 8=7578; McNesby,J.R., 6=7778, 7=2762
Gordon,B.E. See Hodgson,T.S., 8=8188
Gordon,B.M. and Friedman,L. Mass spectrometric studies of the interaction of gold with 3.0 BeV protons, 9=646
Gordon,C.M. and Hoover,J.I. Burst-slug Cerenkov detector, 7=4475
Gordon,D.A. Determination of the magnetic anistropy of single crystals from magnetic torques measured with quartz fibers, 9=3636
Gordon,D.I., Sery,R.S. and Fischell,R.E. Radiation effects in magnetic materials, 8=8115
Gordon,E.I. See Madan,M.P., 7=7137
Gordon,F.J. See Chupp,E.L., 8=306, 8=2534, 9=2706, 8=2758, 8=5777
Gordon,G.D., Milburn,R.H., Street,J.C. and Young,L.A. Interactions of 1.3 BeV negative pions in nitrogen, 8=8238
Gordon,H. See Alvarez,L.W., 5=4732
Gordon,H.S. See Bronner,W.L., 9=12388
Gordon,I.M. Explosions of supernovae and the problem of the origin of the electronic component of cosmic rays, 7=3406. On the question of the physical nature of chromosphere eruptions, 7=4998. The non-thermal component in the radiation from non-stationary stars and the main properties of their spectra, 8=2111
Gordon,I.M. and Pichakhchi,L.D. On the polarized light in the emission lines excited by the synchrotron radiation of relativistic electrons in variable stars, 9=9164
Gordon,J.E. See Turrell,G.C., 9=6734
Gordon,J.M. Barium fluoride absorption cells for spectroscopy, 8=7813
Gordon,J.P. Hyperfine structure in the inversion spectrum of $N^{14}H_3$ by a new high-resolution microwave spectrometer, 5=8625. See also Artman,J.O., 5=847; Feher,G., 8=2653
Gordon,J.P. and Bowers,K.D. Microwave spin echoes from donor electrons in silicon, 9=2333
Gordon,J.P. and White,L.D. Noise in maser amplifiers—theory and experiment, 8=8941
Gordon,J.P., Zeiger,H.J. and Townes,C.H. The maser—new type of microwave amplifier, frequency standard, and spectrometer, 5=8607
Gordon,J.S. Thermodynamic functions of carbon tetrachloride and monochloride, 9=2289
Gordon,J.S. and Goland,D. Thermodynamic functions of carbonyl chloride, 8=2635

Gordon,M.M. Concerning the Rutherford scattering formula, 5=5621. Study of classical scattering theory, 7=2988

Gordon,P. An isothermal jacket microcalorimeter for heat effects of long duration, 5=1782

Gordon,R.B. Propagation of sound in liquid metals: the velocity in lead and tin, 9=3224

Gordon,R.B. and Nowick, A.S. Structure sensitivity of the X-ray coloration of NaCl crystals, 6=1742

Gordon,R.L. See also Franklin, R. E. (Conf.rep.), 7=2732

Gordon,R.L. and Harris,G.W. Effect of particle-size on the quantitative determination of quartz by X-ray diffraction, 5=8407

Gordon,S. See also Hart,E.J., 6=5492; McDonell, W.R., 5=3239 Maybury,R.H., 5=7847

Gordon,S. and Hart,E.J. γ Ray-induced deuterium gas-water exchange, 5=10025

Gordon,S.A. Construction of small fixed leaks of predictable throughput, 8=8625

Gordon,W.L. See also Soules,J.A., 6=2156

Gordon,W.L., Shaw,C.H. and Daunt,J.G. X-ray diffraction patterns from liquid helium, 5=3690. Radial atomic distribution in liquid helium-4 by X-ray scattering, 9=110

Gordus,A.A. and Bernstein,R.B. C^{13} and deuterium isotope effects in the photolysis of methyl and ethyl bromide, 9=8965

Gordy,W. Quadrupole couplings, dipole moments and the chemical bond, 8=5453. See also Ard,W.B., 6=484; Blevins,G.S., 5=2585, 6=1253; Burrus,C.A., 5=4524, 6=1052, 7=6009; Cowan,M., 7=2047, 8=5785; Cox,J.T., 6=2777; Erlandsson,G., 7=6006; Favero,P.G., 9=12055; Garrison,A.K., 8=4871; Jache,A.W., 5=2590, 6=7606; Luck,C.F., 6=8451; Miyagawa,I., 9=7185; Mizushima,M., 5=5992; Rexroad,H.N., 9=5909; Thomas,W.J.O., 5=190; van Roggen,A., 7=3500; Venkateswarlu,P., 5=7855, 5=8146

Gordy,W., Ard,W.B. and Shields,H. Microwave spectroscopy of biological substances. I. Paramagnetic resonance in X-irradiated amino acids and proteins, 6=1388. II. Paramagnetic resonance in x-irradiated carboxylic and hydroxy acids, 6=1389

Gordy,W., Ditto,S.J., Wyman,J.H. and Anderson,R.S. Three-millimeter wave radiation from the sun, 6=877

Gordy,W. and McCormick,C.G. Microwave investigations of radiation effects in solids. Methyl and ethyl compounds of Sn, Zn and Hg, 6=8452

Gordy,W., and Thomas,W.J.O. Electronegativities of the elements, 6=2515

Gordyakova,G.I. and Sinani,S.S. The thermoelectric properties of bismuth telluride with alloying admixtures, 8=7993

Gordyakova,G.N. See also Sinani,S.S., 7=7127

Gordyakova,G.N., Kokosh,G.V. and Sinani,S.S. A study of the thermoelectric properties of solid solutions of bismuth telluride and bismuth selenide, 8=7048

Gorelik,A.G. and Kostarev,V.V. Radio echoes from some invisible objects in the troposphere, 9=13515

Gorelik,A.G. and V.A.Zverev. The problem of interaction of sound waves, 6=4906

Gorelik,G.S. See Borovitskiĭ, S.I., 7=2441

George,C. See Huynh,V.D., 9=8514

Gor'kov,L.P. Green's function of charged particles in the region of the infra-red catastrophe, 6=7132. Two limiting momenta in scalar electrodynamics, 7=5830. Stationary convection in a plane liquid layer near the critical heat transfer point, 8=1645. On the energy spectrum of superconductors, 8=7982. See also Abrikosov,A.A., 8=6628, 9=2356, 9=9659- 60, 9=13033

Gor'kov,L.P. and Khalatnikov,I.M. Electrodynamics of charged scalar particles, 7=2969

Gor'kov,L.P. and Pitaevskiĭ, L.P. Concerning scattering of light in He^3 and He^4 mixtures, 8=1634

Gor'kov,V.A. See Elinson,M.I., 9=4682

Gorkun,Yu.I. On the theory of the fast polaron, 9=1867

Gorkun,Yu.I. and Topȳgo,K.B. Peculiarities in the motion of fast current carriers in polar crystals, 8=6409. Polaron theory of the breakdown of ionic dielectrics, 9=13349

Görlich,P. and Hora,H. Theory of photoelectric emission, 9=334

Görlich,P., Hora,H. and Macke,W. Photo-electric Richardson equation and a theory of the spectral distribution of photo-cathodes, 8=3134

Görlich,P., Krohs,A., Pohl,H.J. and Schmidt,L. Properties of mass-produced scintillation multipliers, 8=256

Gorlov,G.V., Gokhberg,B.M., Morozov,V.M. and Otroshchenko, G.A. Total effective cross-sections for interaction of neutrons with Li^6 and Li^7 nuclei in the energy range 10-450 KeV, 7=4734. A measurement of the effective cross-section of the reaction Li^6(n,t) He^4 in the neutron energy range 9 to 700 keV, 7=4736

Gorlov,G.V., Gokhberg,B.M., Morozov,V.M. and Shigin,V.A. Angular distribution of neutrons in the reaction T(p,n)He^3, 7=704

Gorman,J.G. See Ashkin,J. 5=1228

Gorman,R.L. See Overhauser,A.W., 6=5083

Gornȳĭ,N.B. Inelastic scattering of electrons from a cuprous oxide surface, 5=7110. The study by the method of electrical differentiation of the energy distribution functions of secondary electrons from a monocrystal of copper covered with a monocrystalline layer of cuprous oxide, 5=8018. Investigation of inelastic electron reflection from a cuprous oxide surface, 6=5147. Investigation of the structure of the surface of films of copper oxide on different faces of a monocrystal of copper and the determination of the contact potential difference between these surfaces, 6=9032. Discrete energy losses of electrons at reflection from MoO$_2$ surface, 7=2298. Investigation of the angular distribution of secondary electrons from cuprous oxide and their distribution in energy, 7=2314. Investigation of discrete electron energy losses in Mg, MgO, BeO and Ge, 9=11123

Gornyĭ,N.B. and Rakhovich,L.M. An electrical circuit for directly finding the distribution function of secondary electrons with energy, 5=1905

Gornyĭ,N.B. and Reitsakas,A.Yu. Investigation of characteristic electron energy losses and of secondary electron emission from GeO$_2$, 8=1725

Gorodetskiĭ,D.A. Reflection of slow electrons from the surface of pure tungsten and from tungsten covered with thin films. II, 8=5964. The reflection of slow electrons from the surfaces of metals and semiconductors, 9=4711. See also Morgulis,N.D., 6=7462

Gorodetsky,S., Armbruster,R. and Chevallier,P. On the monopole transition pairs of 0^{16}, 5=9899. Experimental study of internal conversion pairs, 7=1574

Gorodetzky,S., Armbruster,R., Chevallier,P. and Gallman,A. Angular correlation of the electrons of pairs from the 3.09 MeV γ-radiation of carbon 13. Measurement of the multipolarity of this radiation, 5=3079. Angular correlation of pair electrons from the 4.43 MeV γ -radiation of carbon 12. Measurement of the multipolarity of this radiation, 6=4626. A beta-ray scintillation spectrometer with optimum resolution, 6=5967

Gorodetzky,S., Armbruster,R., Chevallier,P., Gallmann,A. and Manquenouille,R. Angular correlation of the pair electrons from the monopole transition of 0^{16} (6.05 MeV); energy spectrum of these pairs, 6=635. On an arrangement for electronic summation on two channels permitting detection of pairs in a background of parasitic particles. Application to the monopole ray of oxygen 16, 6=2201

Gorodetzky,S., Chevallier,P., Armbruster,R., Gallmann,A. and Sutter,G. The angular correlation of monopole pairs of Ca^{40}, 9=1751. Angular correlation of internal conversion pairs from 6.09 MeV level of C^{14} and 5.69 MeV level of N^{14}, 9=1752

Gorodetzky,S., Chevallier,P., Armbruster,R. and Sutter,G. Angular correlation of internal conversion pairs detected in a neutron and gamma background. Application to N^{14}, Be^{10}, B^{10}, 9=12669

Gorodetzky,S., Croissiaux,M., Gallmann,A., Fintz,P., Samuel,J. and Grick,G. Angular distributions and correlations in the reaction B^{10}(d,p)B^{11}, 9=5045

Gorodetzky,S., Gallmann,A. and Croissiaux,M. On the reactions B^{10}(d,p)B^{11} and C^{13}(p,γ)N^{14}, 7=1609

Gorodetzky,S., Gallmann,A., Croissiaux,M. and Armbruster,R. Construction of a γ - γ and heavy-particle γ coincidence spectrometer. Application to the B^{10}(d,p) B^{11} reaction, 6=2198. The proton$-\gamma$ angular correlation in the reaction ^{10}B(d,p)^{11}B, 6=7683. γ - γ Angular correlation in the reaction C^{13}(p,γ)N^{14}, 7=5600. Angular distribution of the 8.34 MeV γ-radiation from the reaction N^{14}(p,γ)O^{15}, 7=7342. Angular distribution of 8.34 MeV γ-radiation in the N^{14}(p,γ)O^{15} reaction, 8=3353. The angular $\gamma-\gamma$ correlation in the N^{14}(p,γ)O^{15} reaction, 8=5333

Gorodetzky,S., Manquenouille,R., Richert,R., and Lefort,J. Experimental study of a fast coincidence circuit for low energies, 9=9916

Gorodetzky,S., Muller,T. and Port,M. On the reaction Ne^{20}(d,p) Ne^{21}, 5=7368. On the excitation function of the reaction Ne^{20}(d,p)Ne^{21}, 5=8243. Determination of γ-transitions in the reaction $Ne^{20}(d,p)Ne^{21*} \rightarrow (\gamma)Ne^{21}$, 6=5368. Study of some gamma spectra of excited levels of light nuclei, 7=1563

Gorodetzky,S., Port,M., Muller,T. and Bergdolt,G. Determination of γ transitions in the reaction $Mg^{24}(d,p)Mg^{25*}(\gamma)Mg^{25}$, 7=7380

Gorodinskiĭ, G. M. See also Belovich, É.E., 9=6070

Gorodinskiĭ, G. M., Murin, A.N., Pokrovskiĭ, V.N., Preobrazhenskiĭ, B.K. and Titov,N.E. Radioactive isotopes of the rare earths, formed in a spallation reaction, 7=7327

Gorokhovskiĭ,Yu.N. and Popova,K.B. Colour-distinction thresholds of macro details of colour photographs in terms of concentration, 6=8537

Goronina,K.A. See Grachev,A.A., 5=4800

Gorshkov,G.V. See also Bak,M.A., 9=9960

Gorshkov,G.V., Gritchenko,Z.G. and Shimanskaya,N.S. The calorimetric determination of the half-life of Ra^{226}, 9=10052

Gorshkov,G.V. and Matvienko,V.I. Neutron yield from Rn + B, Rn + C, Rn + CaF_2, Rn + Mg, Rn + Al, Rn + Si, Rn + SiO_2, Rn + granite sources, 8=2568

Gorshkov,M.M. See Vavilov,V.S., 8=3900

Gorshkov,N.E. The propagation of pulses in an elastic medium with absorption, 8=3797

Gorsuch, P.D. On the crystal perfection of iron whiskers, 9=900

Gorter, C.J. Some recent data on liquid helium, 5=9391. On the possibility of a dynamic variety of the intermediate superconductive state, 7=8640. On the magnitude of the contribution of a circulation effect to the thermal conductivity of a superconductor, 7=9651. Paramagnetic relaxation, 9=390. Magnetic properties of superconductors, 9=392. Antiferromagnetism, 9=406

Gorter, C.J.[Ed.]. Progress in low temperature physics, 5=9612. See also Beun, J.A., 5=9777, 6=3017; Bots,G.J.C., 6=6566; Broese van Groenou, A., 7=8566; Gallaher, L.J., 5=3972; Gerritsen, H.J., 5=9766; Hadders, H., 9=3643; Huiskamp, W.J., 6=6876; Kramers, H.C., 5=1769; Poppema, O.J., 5=4870; Postma, H., 8=321, 8=3345; Smits, L.J., 7=1452; van der Marel, L.C., 6=3000, 7=8718, 8=3253; van Peski-Tinbergen, 5=1043; Verstelle, J.C., 9=454; Winkel, P., 5=5366, 5=6089

Gorter, C.J. and Potters, M.L. On the motion of the boundary between the normal and the superconductive state in a cylindrical wire carrying a strong current, 8=3146

Gorter, C. J. and Smits, L.J. Paramagnetic relaxation, 8=2410

Gorter, C.J., van den Berg, G.J. and de Nobel, J. Remarks on the anomalous behavior of alloys containing traces of manganese or similar elements, 7=9198

Gorter, C.J., van der Marel, L.C. and Bölger, B. On paramagnetic relaxation in the temperature region of liquid helium, 5=3890

Gorter,C.J. and van Peski-Tinbergen,T. Transitions and phase diagrams in an orthorhombic antiferromagnetic crystal, 6=5209

Gorter, E.W. Saturation magnetization and crystal chemistry of ferrimagnetic oxides. II and III, 5=1061. Some properties of ferrites in connection with their chemistry, 6=3005. Saturation magnetization of some ferrimagnetic oxides with hexagonal crystal structures, 7=5472

Gorton, H.C. Unusual ring structure of vacuum-evaporated, thallium-doped selenium, 7=6690

Gorton, H.C., Shilliday, T.S. and Eggleston, F.K. High-temperature area-type titanium-dioxide rectifiers, 6=3736

Gorton, R. Effects of irradiation upon diodes of the silicon junction type, 7=7113

Goryacheva, G.N. See Fridrikhov, S.A., 9=1236

Goryainov, A.S. Diffraction of plane electromagnetic waves by a conducting cylinder, 7=1467

Goryunov, N.N. See also Abrosimov, A.T., 8=8090; Vernov, S.N., 9=12431

Goryunov,N.N. and Erlўkin,A.D. Ionization chamber for the investigation of cosmic rays, 9=8405

Goryunov, Yu. V. See Shchukin, E.D., 8=3082

Goryunova, N.A. See also Borshchevskiĭ,A.S., 8=8491; Kolomiets, B.T., 7=2236

Goryunova, N.A., Fedorova, N.N. and Sokolova, V.I. Concerning indium phosphide of stoichiometric and non-stoichiometric compositions, 9=4112

Goryunova, N.A. and Grigor'eva, V.S. On gallium arsenoselenides, 7=4804

Goryunova, N.A., Grigor'eva, V.S., Konovalenko, B.M. and Rўvkin, S.M. Photoelectric characteristics of some compounds with the structure of zinc blende, 6=5888

Goryunova,N.A. and Kolomiets,B.T. Properties and structure of ternary semi-conducting systems. II. Electrical properties and structure of materials in systems of the thallium, antimony and arsenic selenides, 7=2237. Glass-like semiconductors. IV. The laws of glass formation, 9=3454 formation, 9=3454

Goryunova, N.A., Kolomiets, B.T. and Mal'kova, A.A. Properties and structure of ternary semiconducting systems. III. Conductivity and photoconductivity in systems of the thallium, antimony and bismuth sulphides, 7=2238

Goryunova, N.A. and Radautsan, S.I. Solid solutions in the system $InAs-In_2Se_3$, 9=2958-9

Gorzhevskaya, E.G. and Panova, N.M. Photoproduction of slow π-mesons in complex nuclei, 7=4784

Gosar, P. Multiple scattering of light on the dielectric spheres immersed in a liquid of nearly the same refractive index, 6=2015. Multiple small angle scattering of waves by an inhomogeneous medium, 7=3176. A new method for solving multiple scattering problems in inhomogeneous media, 7=8543. Propagation of waves through a sheet of the medium with a cubic periodic structure, 8=2191. On the lateral photovoltaic effect in p−n junctions, 9=2343. Photomagnetomechanical forces on p−n junctions non-uniformly illuminated, 9=11030. The measurement of the lifetime of minority carriers by the surface photovoltaic effect, 9=11031

Gosar,P. and Ménaché,H. The influence of surface state on the measurement of diffusion length in silicon, 9=4594

Gose,E.E., Peterson,E.E. and Acrivos,A. On the rate of heat transfer in liquids with gas injection through the boundary layer, 8=4915

Gösele,K. State of knowledge in the field of building acoustics, 9=9357

Goshen(Goldstein),S. and Lipkin,H.J. A simple independent-particle system having collective properties, 9=7814. A simple model of a system possessing rotational states, 9=8496

Goslovich,S.J., Pingel,J.H. and Fish,H.R. Scintillation-counter analysis of E.B.W.R. radioactivity, 8=7408

Gosnet,A., Parodi,O. and Benoit à la Guillaume, Recombination emission caused through the presence of impurities in germanium, 9=13297

Goss,A.J. See Logan,R.A., 5=2756

Gossard,A.C. See also Bernheim,R.A., 7=5416

Gossard,A.C. and Portis,A.M. Observation of nuclear resonance in a ferromagnet, 9=12501

Gosse,J. On the reciprocal radiation between two partially reflecting surfaces, 9=10908

Gosselain,P.A. See Adam,J., 6=7783; Coekelbergs,R., 6=1672

Gossett,C.R. See also Butler,J.W., 8=8316, 8=9026, 9=2760; Schiffer,J.P., 6=6154; Windham,P.M., 7=696

Gossett,C.R. and Butler,J.W. Neutron thresholds in the $V^{51}(p,n)Cr^{51}$, $Mn^{55}(p,n)Fe^{55}$, $Zn^{70}(p,n)Ga^{70}$, and $As^{75}(p,n)Se^{75}$ reactions, 9=4981

Gossett,C.R., Phillips,G.C. and Eisinger,J.T. Absolute magnetic analysis of $F^{19}(p,p')F^{19*}$ reaction, 5=6451

Gossett,C.R., Phillips,G.C., Schiffer,J.P. and Windham,P.M. Magnetic analysis of the $Be^9(p,p')^*Be^9$ and $Be^9(p,pn)Be^8$ reactions, 6=650

Gossick,B. See Mayer,J., 7=658; Stubbe,L., 9=6990

Gossick,B.R. Proton recoil fast-neutron spectrometer I. Principles, 5=9160. On the transient behavior of semiconductor rectifiers, 6=1237, 6=8205. Disordered regions in semiconductors bombarded by fast neutrons, 9=11009. See also Curtis,O.L., Jr, 7=1299

Gossner,S.D. The ionospheric eclipse of 23 October 1957, 6=7070

Gosteva,M.I. See Shamovskiĭ,L.M., 6=7393, 6=8790, 7=6173

Gosting,L.J. See Baldwin,R.L., 6=3535; Dunlop,P.J., 6=3536

Goswami,A. Effects of unidirectional rubbing of cupric oxide formed anodically, 5=568. An electron diffraction study of the structures and the growth of silver films on rock salt, 5=2296. The inner potential of copper, 5 =3175. Disorientation of single crystal substrate due to epitaxial stress, 7=851. Extra reflection by dynamical scattering, 8=7614. Electron diffraction study of epitaxial growth of silver deposits on sodium chloride crystals, 9=5248. See also Aggarwal,P.S., 7=8305, 9=10381; Banerjee,B.C., 5=10061; Finch,G.I., 5=5119

Goswami,A. and Trehan,Y.N. The thermal decomposition of cupric oxide in vacuo, 8=823

Goswami,S.N. Ambipolar diffusion in a magnetic field in the

case of glow discharge, 7=8649. See also Deb,S., 7=5362
Gotlib,Yu.Ya. Evaluation of the photoelastic coefficient in the case of polymers, 7=9120. See also Bazhenov,N.M., 7=2091
Goto,E. On the observation of magnetic poles, 9=10599
Gotô,K. Wave equations with new degree of freedom, 5=1498. Wave field in de Sitter space, 5=3459. Relativistic wave equations under the inhomogeneous Lorentz group, 5=3460. On products of quantities as distributions, 6=51. Quantization of non-linear fields, 6=4803. On a regular formulation of quantum field theory. I. Non relativistic theory, 6=7119. See also Isoya,A., 6=2399, 7=694; Seya,M., 8=6886, 9=4488
Goto,S. The cut-off method in meson theory, 5=5876. A model for the weak interactions, 7=8384. Some remarks on parity non-conservation and the $\tau-\Theta$ dilemma, 8=1879. On the universality of the weak interactions, 8=5628. A remark on the lepton processes, 9=11820. See also Fukuda,N., 5=736
Gotô,T. Pion–pion interaction and multiple pion production in nucleon–antinucleon annihilation process, 8=6170. See also Araki,H., 9=10602; Nozawa,M., 9=12671; Poc Kwon,Y., 8 =736
Goto,T. and Imamura,T. Note on the non-perturbation approach to quantum field theory, 6=7963
Gotohi,R., Hanai,T. and Koizumi,N. Influence of moisture upon the dielectric properties of solid powders dispersed in liquid paraffin, 8=3064
Götte, H. and Pätze,D. Identification of radioactive atomic species by means of paper chromatography, 5=3250
Gottenberg,W.G. See Baltrukonis,J.H., 9=7874
Gottfried,D. See Holland,H.D., 5=7540
Gottfried,H.L. See Koch,G.E., 5=7145
Gottfried,H.S. See Murcott,N., 5=6881, 5=7873
Gottfried,H.T. See also Murcott,N., 5=5968
Gottfried,H.T. and Murcott,N. A method of assessing objectively the photographic resolving power of a lens, 5=3370
Gottfried,K. Ground-state properties of nonspherical nuclei, 6=8920. On the determination of the nuclear pair correlation function from the high energy photo-effect, 8=2573
Gottlieb,J. On the relativistic field of a material sphere of variable density, 8=2118
Gottlieb,M.B. See Kruskal,M.D., 9=2373; Meredith, L.H., 5=2348, 5=8062
Gottlieb,P. Sound transmission through a velocity discontinuity, 9=9331
Göttsche,H. The orientation of thin evaporated metal layers, 6=3313. Imperfection phenomena in electron-diffraction diagrams (on the meaning of continuous streaks and twin reflections), 6=7850
Gottstein,K. Measurements of the "noise" of different types of microscope stages, 5=883. Associate production of τ-meson and a charged hyperon, 5=4099. On the pair production of hyperons and heavy mesons, 5=4974. Measurements of microscope stage noise, 5=6068. An unstable heavy fragment, 5=6523. The bubble chamber and its applications to the physics of the elementary particles, 9=9909. See also Alles,W., 9=3800, 9=7284; Biswas,N.N., 6=5407, 6=7722*, 7=741, 7=3722, 7=8873; Crawford,F.S.,Jr, 8=1207, 9=7282
Gottstein,K., Roederer,B., Roederer,J., Varshneya,N. and Waloschek,P. Heavy unstable particles in cosmic radiation, 6=4657
Gotusso,G. On the tenacity of a mechanical system in motion, 9=74
Götzberger,A. On the crystallization of evaporated layers of antimony, 6=721
Goudet,G. See Blanc-Lapierre,A., 5=7166
Gougeon,J. See Servant,R., 6=6592
Gough,R.H. Entrainment and turbulence in open gas streams, 5=4429
Gould,C.L. [Development of] vacuum system for a thirty billion electron volt particle accelerator, 9=6607
Gould,D.S. See Eppelsheimer,D.S., 6=4048
Gould,G. H.F.S. separations and H.F.S. anomaly in the $6^2P_{3/2}$ metastable level of Tl^{203} and Tl^{205}, 6=5324
Gould,J.E. and McCaig,M. Production of anisotropy in a permanent magnet by pressure, 6=1377
Gould,L. and Roberts,L.W. Breakdown of air at microwave frequencies, 7=1258
Gould,N.L. Particle trajectories around close binary systems, 9=10546
Gould,R.K. See also Nyborg,W.L., 9=7904
Gould,R.K. and Nyborg,W.L. Imbedded thermistor for boundboundary layer measurements, 9=7903
Gould,R.N. and Cunliffe,A. On the coupling between two cavities, 7=2442
Gould,R.W. See Boyd,G.D., 8=5070; de Witte,L., 9=10942
Goulding,F.S. and Cowper,G. Hazard due to beta radiation from fission products deposited on the ground after an atomic explosion, 5=7582
Gourary,B.S. Dispersion relations for tensor media and their application to ferrites, 7=5449. Approximate wave functions for the U center by the point-ion-lattice method, 9=5159
Gourary,B.S. and Adrian,F.J. Approximate wave functions for the F center, and their application to the electron spin resonance problem, 7=4897
Gourary,B.S. and Luke,P.J. Approximate wave functions for the M-center by the point-ion lattice method, 8=404
Gourceaux,M. The electromagnetic heating of thin layers of conductors and semi-conductors: some generalizations on the problem of determining the ideal thickness, 5=2900. Simultaneous partial absorption, reflection and transmission of a uniform plane wave by a thin metallic sheet, 5=5535. Simultaneous partial absorption, reflection, and transmission of a non-uniform plane wave by a thin metallic sheet (or film), 5=7213. Discussion of the simplifying assumptions introduced in the study of the heating of a thin cylindrical conducting layer by a high frequency sinusoidal uniform magnetic field, 9=4830. Overall view of different conditions leading to abnormally high absorptions of incident vibratory energy, 9=8900. Absorbing thin layers: The problem of optimum thickness, in connection with a classification of these layers, 9=8901. Discussion of the effect of frequency in the problem of finding the optimum thickness of absorption for a thin metallic layer, 9=8902
Gourdin,M. Nucleon–nucleon scattering by non-central forces. I. Neutron–proton scattering, 7=5861. II. Proton–proton scattering, 7=5862. Nucleon–nucleon scattering at high energy, 8=1515
Gourdin,M., Jancovici,B. and Verlet,L. On the nucleon–antinucleon interactions, 8=6136
Gourdin,M. and Martin,A. Determination of a separable potential from the phase shifts. Shape independent approximation, 7=6887. Case where tan δ is a rational fraction of the theory, 7=6888. General theorems, 7=6889. Non-local separable interaction and the collision matrix, 8=493. Exact determination of a phenomenological separable interaction, 8=5620. K^+–deuterium scattering. I, 9=9991
Goureaux,G. See also Colombani,A., 8=6047, 9=4566, 9=13329
Goureaux,G. and Colombani,A. Thin ferromagnetic films. Electrical properties of thin nickel films, 8=6046. Magnetic properties of very thin nickel films, 9=4626. The Hall constants of thin films of nickel, 9=13330
Goureaux,G., Huet,P. and Colombani,A. Thin ferromagnetic films. Hall effect in thin films of nickel, 9=2496
Gourgé,G. Investigations of the exo-electron emission and luminescence of inorganic crystals, 9=4688
Gourgé,G. and Hanle,W. New results on exo-electron emission from non-metals, 7=6251
Gourlay,G.W. See Birks,L.S., 8=7072
Gourley,M.F. and Crozier,W.D. Evaporation of submicroscopic ice crystals, 5=8695
Goussu,O. See Bacchella,G.L., 7=3703, 8=4249; Berthelot,A., 7=7432, 9=3796
Gouterman,M. Study of the effects of substitution on the absorption spectra of porphin, 9=6723. See also Nagakura, S., 7=5179
Gouterman,M. and Moffitt,W. Origin of zero-field splittings in triplet states of aromatic hydrocarbons, 9=8724
Goutte,R. See also Bernard,R., 7=5347*, 7=8907, 8=7110
Goutte,R. and Guillaud,C. Secondary electron emission due to sodium ion bombardment of stressed metal filaments, 8=211
Goutte,R., Guillaud,C. and Arnal,R. Examination, in the photoemission microscope, of metals subjected to mechanical stress, 7=5345
Govaerts,J. Techniques used at the Institute of Nuclear Physics of the University of Liége. II. Dosage of radiocarbon C14, 5=3991. See also Guében,G., 9=7237
Gove,H.E. Elastic scattering of protons, deuterons, and alpha particles from heavy elements, 5=9907. See also Almqvist, E., 9=10037; Bartholomew,G.A., 5=2172, 5=9071, 6=1469; Bromley,D.A., 7=3631, 7=9810, 7=9815, 9=10025; Ferguson,A.J., 9=2736, 9=8576; Kuehner,J.A., 9=10026;

Litherland,A.E., 6=3960, 9=2699, 9=2701, 9=6117, 9=10110; Paul,E.B., 5=9909

Gove,H.E., Bartholomew,G.A., Paul,E.B. and Litherland,A.E. Properties of low lying levels in Mg^{25}, 7=6436

Gove,H.E., Kuehner,J.A., Litherland,A.E., Almqvist,E., Bromley,D.A., Ferguson,A.J., Rose,P.H., Bastide,R.P., Brooks,N. and Connor,R.J. Neutron threshold measurements using the Chalk River Tandem van de Graaff accelerator, 9=2786

Gove,H.E. and Litherland,A.E. Comparison of the mirror nuclei Mg^{25} and Al^{25}, 8=303. Study of levels in O^{18} through the radiative capture of alpha particles by C^{14}, 9=6061

Gove,H.E., Litherland,A.E., Almqvist,E. and Bromley,D.A. Gamma-ray branching ratio of the 3.95 MeV level in N^{14}, 7=668. Gamma rays from the proton bombardment of Mg^{24}, 9=2779

Gove,H.E., Litherland,A.E. and Batchelor,R. Proton capture rays in the giant resonance region, 9=13663

Gove,H.E. and Paul,E.B. Angular distribution of gamma rays from proton capture in B^{11}, 5=2174

Gove,N.B. See also Dillman,L.T., 9=4992; Henry,R.W., 9=6079; Smith,F.B.,Jr, 7=2582

Gove,N.B., Henry,R.W., Dillman,L.T. and Becker,R.A. Isomers in Tb^{158} and Ho^{163}, 9=4983

Govinda Ravagan,D. [Helmholtz-type] slit resonators as low frequency sound absorbers, 9=3240

Govindjee,M. See Allan,H.R., 6=7681; Sarma,N., 7=3655

Govorkov,A.B. Neutrino induced disintegration of deuterons, 6=8367

Govorkov,B.B. See also Belousov,A.S., 9=13686; Goldansky, V.I., 9=12584

Govorkov,B.B., Gol'danskiĭ,V.I., Karpukhin,O.A., Kutsenko,A.V. and Pavlovskaya,V.V. Elastic scattering of γ-rays of energies up to 120 MeV by protons, 7=4679. Dependence of photoproduction cross-sections of π^0-mesons on mass numbers of nuclei, 7=4785

Govorkov,V.G. See Regel',V.R., 9=12841

Govorun,N.N. Integral equations for aerials which have rotational symmetry and surface impedance, 9=13512

Gow,J.D. See also Alvarez,L.W., 5=4732, 7=5651, 7=8881; Ehlers,K.W., 9=1535

Gow,J.D. and Ruby,L. Simple pulsed neutron source based on crossed-field trapping, 9=8467

Gow,K.V. See Martius,U.M., 5=5515

Goward,F.K. and Wilkins,J.J. The ^{12}C (γ,3α) reaction and energy levels of ^{8}Be and ^{12}C, 5=3108

Gowing,D.M. See Schreckendgust,J.G., 8=2251

Goyan,F.M. See Strait,L.A., 7=2051

Gozani,T. and Sitte,K. On the interpretation of cosmic ray jets: The "funnel" model, 9=3623

Gozhenko,N.A. and Altaĭskiĭ,Yu.M. Resistance of a metal–semiconductor contact for large contact potential differences, 6=5864

Gozzini,A. On some magneto-optical phenomena related to the molecular resonance of gases in the hyper-frequency region, 5=6926. Magneto-optical phenomena in the radio-frequency range, 8=667. See also Battaglia,A., 6=1406, 8=960, 8=971; Conversi,M., 5=8042

Graaf,A.M.de. See de Graaf,A.M.

Graaff,W.de. See de Graaff,W.

Grabe,B. A theoretical study of the coloured alkali oxides, 5=6619

Grabner,H. and Reger,M. Physical and technical details of flash tubes with special reference to their use in cinematography, 9=10889

Grabner,H. and Schlegel,H. Spectral radiation intensity distribution and energy balance for xenon high-pressure lamps at high loadings, 9=11081

Grabowski,T. and Natanson,L. Absorption in Al of the positron radiation of ^{13}N, 5=3058

Grabscheid,J. Equilibrium and control of artificial and temperature stabilization of power (nuclear) reactors, 6=683

Grace,J.N. See Johnson,S.O., 7=9489

Grace,M.A. Some aspects of the influence of the electron cloud on the emission of nuclear radiations, 5=9881. See also Bishop,G.R., 5=9013, 7=5563; Cacho,C.F.M., 6=2318; Dagley,P., 8=3344; Lemmer,H.R., 5=2145, 5=9035

Grace,M.A., Johnson,C.E., Kurti,N., Lemmer,H.R. and Robinson,F.N.H. Nuclear orientation of ^{54}Mn, 5=1117

Grace,M.A., Johnson,C.E., Scurlock,R.G. and Sowter,C.V. A demonstration of parity non-conservation in β-decay, 7=9363

Grace,M.A., Johnson,C.E., Scurlock,R.G. and Taylor,R.T. Nuclear alignment of ytterbium 175, 7=8784. Nuclear orientation of praseodymium 142, 8=8265

Grace,M.A., Jones,G.A. and Newton,J.O. The decay of ^{58}Co and ^{57}Co, 6=5352

Grace,M.A., Taylor,R.T. and Treacy,P.B. The decay of long-lived holmium 166, 8=1233

Grachev,A.A., Goronina,K.A., Kolachevskiĭ,N.N. and Andronova,I.A. Experimental investigation of the variation of the magnetic flux in a wire when a single domain is re-magnetized, 5=4800

Gracheva,T.I. The reflection of light from absorbing liquids, 8=943

Gradmann,U. Coupled interference filter, 6=3649. A phase-contrast microscope for the measurement of phase and amplitude effect of isolated objects, 8=6898

Graef Fernández,C. Motion of a mass which annihilates its own gravitational field, 5=3411. Birkhoff's gravitational forces in physical space, 8=7677

Graetzer,H.G. and Robbins,A.B. Alpha-particle bombardment of magnesium isotopes, 7=4706

Graevskaya,Ya.I., Iveronova,V.I. and Tarasova,V.P. Specialization of the apparatus for the determination of the intensities of X-ray reflections with the aid of Geiger counters, 7=8281

Graf,A. The sea gravimeter, 9=15

Graf,L. See also Fucks,W., 6=5904

Graf,L. and Hell,L.R. Growth lamellae on copper crystals, 5=7494

Graf,L. and Morgenstern,W. Fibre-like growth forms in the electro-crystallization of silver, 5=7493

Graf,P. See Buser,W., 5=3081, 6=4067

Graf,P.E. See Strong,R.L., 7=8243

Gräff,G. Determination of the electrical dipole moments of TIF with a molecular-beam resonance apparatus, 9=10200

Gräff,G., Paul,W. and Schlier,C. Measurement of the hyperfine structure of thallium fluoride by the molecular beam resonance method, 9=5121

Graffi,D. On a minimal principle in the theory of magnetism, 7=2403

Graham,C.D.,Jr. Method for measuring saturation magnetization in ring samples, 8=8923. Surface energy of a 90° domain wall in iron, 9=2510. Magnetocrystalline anisotropy constant of 3.1% Si–Fe at room temperature and below, 9=7157. Magnetocrystalline anisotropy constants of iron at room temperature and below, 9=7158. See also DeBlois,R.W., 9=458-9; Kouvel,J.S., 7=6327, 8=8910

Graham,C.D.,Jr and Neurath,P.W. Domain wall orientations in silicon–iron crystals, 8=6036

Graham,C.H. Factors that influence the resolution of visual detail during dark-adaptation, 7=6790. See also Berger,E., 9=961-2

Graham,D.M. and Waugh,J.S. Nuclear resonance spectra of rapidly inter-converting rotational isomers, 8=3425

Graham,E.H. and Landis,C. Effect of striated fields on critical flicker frequency, 9=7702

Graham,I.C. See McKeehan,C.W., 6=1957

Graham,J. and Raynor,G.V. Indium-rich and indium–magnesium and indium–lithium alloys, 8=1339

Graham,J.W. and Forbush,S.E. Solar flare and magnetic storm effects in cosmic-ray intensity near the geomagnetic N Pole, 5=7172

Graham,R.L. See also Bell,R.E., 5=9103; Ewan,G.T., 9=5001; Geiger,J.S., 9=3860; Paul,D.A.L., 7=5604

Graham,R.L., Geiger,J.S. and Eastwood,T.A. Experimental evidence for axial vector interaction in the disintegration of Pr^{144}, 9=1733

Graham,R.L. and Stewart,A.T. Three-quantum annihilation of positrons in solids, 5=1167

Grahame,D.C. Differential capacity of mercury in aqueous sodium fluoride solutions. I. Effect of concentration at 25°, 5=2276. On the specific absorption of ions in the electrical double layer, 5=8345. The "hump" in the capacity of the electrical double layer, 6=758

Grahl,B.H. Absolute measurements of radio-astronomical surface-brightnesses at 198 Mc/s with a 90° corner reflector, 8=7652

Grahnert,W. Rules for the determination of the frequency spectrum of double-tone power series, 9=11963

Grainer,C.T. See Somerville,J.M., 6=4419, 7=2269

Gramenitskiĭ,I.M. Investigation of high-energy electron showers by the emulsion camera technique, 7=3417. See also Bayatyan,G.L., 9=13665

Gramenitskiĭ,I.M., Emel'yanova,G.S. and Podgoretskiĭ,M.I. On the question of the connected disintegration effect in cosmic rays, 5=1974

Gramenitskiĭ,I.M. and Podgoretskiĭ,M.I. On the determination of the time regression [fading] and shrinkage coefficient of thick-layer photo-emulsions, 5=4272

Gramenitskiĭ,I.M., Podgoretskiĭ,M.I. and Sharapova,Yu.F. Investigation of the "Associated Star" effect by means of moving photographic plates, 6=5195

Gramenitskiĭ,I.M., Zamchalova,E.A., Podgoretskiĭ,M.I., Tret'yakova,M.I. and Shcherbakova,M.N. Nuclear disintegration, connected with heavy unstable particles, 5=8227. Two τ-mesons detected in photo-emulsions, 6=7731

Gramenitskiĭ,I.M. Zhdanov,G.B., Tret'yakova,M.I. and Shcherbakova,M.N. The soft component of an electron—nuclear shower at an energy of the order of 10^{14} eV, 8=2381

Gramenitskiĭ,I.M., Zhdanov,G.B., Zamchalova,E.A. and Shcherbakova,M.N. Nuclear interaction of energy 8×10^{13} eV in a photographic emulsion, 7=9866

Gran,G. See Djurle,E., 8=6894

Granados,F.A.D. See Steinhardt,R.G.Jr, 6=1722

Granata,S. See Bacchella,G.L., 9=7512

Granato,A. Thermal properties of mobile defects, 9=2915. See also Hikata,A., 6=6442; Seki,H., 6=3579; Teutonico,L.J., 6=8057

Granato,A., deKlerk,J. and Truell,R. Dispersion of elastic waves in sodium chloride, 8=2188

Granato,A., Hikata,A. and Lücke,K. Determination of the activation energy of vacancy migration in copper by ultrasonic methods, 8=2662

Granato,A. and Lücke,K. Theory of mechanical damping due to dislocations, 6=5455. Application of dislocation theory to internal friction phenomena at high frequencies, 6=6970. On the orientation dependence of internal friction, 8=420

Granato,A. and Truell,R. Frequency dependence of ultrasonic attenuation in germanium, 7=1141

Granato,A.V. See Cratty,L.E., Jr, 7=3789

Grand,R. Adsorption at the surface of polarized mercury in contact with aqueous solutions of organic acids, 6=1710

Grand,Y.Le. See Le Grand,Y., 6=4286

Grandey,R.A. and Clark,A.F. Scattering of 151-MeV positive pions by protons, 5=3143

Grandmontagne,R. Reply to remarks by R. Penndorf, 5=2341. The possibility of using an inclined spherical mirror, 6=3602. Some aspects of photometry with a photoelectric (cell) monochromator, 7=215. Approximate determination of the "centre" of the Morse wave-function, 7=9772. Slight simplification of Pillow's method for the approximate calculation of wave-functions, 7=9780

Gränicher,H., Jaccard,C., Scherrer,P. and Steineman,A. Dielectric relaxation and the electrical conductivity of ice crystals, 8=3990

Grandsire,G. Experimental and theoretical study of the continuous spectrum of molecular hydrogen, 5=1676

Grange,J. See de Mallemann,R., 5=610, 5=8672, 6=733

Granger,C.W.J. A statistical model for sunspot activity, 7=9505

Gränicher,H. Introduction to the physics of ferroelectricity, 5=1794. The electric analogue to antiferromagnetism: antiferroelectricity, 9=273. See also Aboav,D., 5=9632; Herlach,F., 9=12180; Steinemann,A., 9=6898

Gränicher,H. and Jaccard,C. The complex permittivity of ice crystals, 9=12210

Gränicher,H., Jaccard,C., Scherrer,P. and Steinemann,A. Dielectric properties of ice at very low frequencies and the effect of prestressing, 5=9630

Gränicher,H. and Müller,K.A. Röntgenographic and paramagnetic resonance experiments with (Gd-La)AlO$_3$ mixed crystals, 9=820

Granier,J. See also Astoin,N., 6=1973, 7=6996

Granier,J. and Astoin,N. On the absorption spectrum of nitric oxide in the far ultraviolet, 6=4306

Granier,J. and Caillon,P. Transitory régime in dielectrics, 5=926

Grannemann,W.W. Diffraction of a longitudinal pulse from a wedge in a solid, 6=4273

Grannemann,W.W. and Watson,R.B. Diffraction of electromagnetic waves by a metallic wedge of acute dihedral angle, 5=5527

Grannis,F.H. See McGuire,T.R., 6=5226

Granovskii, V.L. See also Glotova, G.I., 9=11168; Rozanova, N.B., 6=8811, 7=4413; Timofeeva, G.G., 6=6676

Granovskiĭ, V.L., Rymina, K.P., Savoskin, V.I. and Timofeeva, G.G. Observation of the pinch effect during decrease of current, 9=2378

Granovskiĭ, V.L. and Timofeeva, G.G. Narrowing and spiralling of an arc in rarefied gas at high current strength, 5=8798

Granovskiĭ, Ya.I. On the properties of K-mesons, 9=13569

Grant, D.A. See Leibowitz, H.W., 5=3344

Grant, D.E. Dove prism viewer for investigation of space error in color matching, 7=4255

Grant, D.F., Howells, R.G. and Rogers, D. A method for the systematic application of sign relations, 9=7638

Grant, E.H. A simple and rapid method of measuring the complex permittivity of a liquid, 5=7005. Relationship between relaxation time and viscosity for water, 7=7653. The dielectric properties of methyl and ethyl alcohols in the wavelength range 3 cm–52 cm, 8=604; Bryant,T.H.E., 8=2050; Buchanan,T.J., 5=2701

Grant,E.H., Buchanan,T.J. and Cook,H.F. Dielectric behavior of water at microwave frequencies, 7=3231

Grant,F.A. Use of complex conductivity in the representation of dielectric phenomena, 8=8743. See also Dixon,J.R., 7=8110; Futch,A.H., 7=1521

Grant,G.Jones,A.L., Burhans,R.W., Fay,P.S. and Frazier,D. Determination of orbital characteristics of an earth-satellite from single-station radio-transit observations, 8=6607

Grant,H.L. and Stewart,R.W. A logarithmic photometer, 5=820

Grant,I.P. Theory of (d,p) and (d,n) reactions. I. General theory ignoring Coulomb effects, 5=1191. Coulomb corrections and numerical results, 5=4060. Relativistic radiative transitions, 7=5984. Calculation of Gaunt factors for free-free transitions near positive ions, 9=13726

Grant,P.E. Underwater ultrasonic scattering by a radial cylindrical temperature gradient, 5=4463

Grant,P.J. Gas-cooled reactor for the South of Scotland Electricity Board, 8=7410. See also Flack,F.C., 5=1179; Ward,A., 5=8245

Grant,P.J., Rutherglen,J.G., Flack,F.C. and Hutchinson,G.W. Angular distributions and angular correlations in the reaction ^{23}Na(p,γ)^{34}Mg, 5=5626

Granville,J.W. A method of making silicon junction diodes, 5=4666. See also Arthur,J.B., 7=2454, 8=7040; Gibson, A.F., 5=7962, 7=1285

Granville,J.W., Bardsley,W. and Gibson,A.F. Forming procedures for silicon point-contact transistors, 5=7054

Grard,F. Study of the optical constants characterizing thin films of gold, 7=2075. On the excitation and ionization of atoms by α-emission, 7=2551. On the optical constants of thin layers of silver, 8=2997. On the optical constants of thin layers of palladium, 8=2998. The phenomena of excitation and ionization by α-particles, 9=560. A study of the β-spectrum of Tl^{204}, 9=11442. See also Blave,A., 9=3868

Grard,F., Danguy,L. and Franeau,J. A contribution to the study of the disintegration scheme of Ir$^{192}_{77}$, 6=1519

Grasberger,W. Hydrogen lines in an atmosphere with near thermodynamic radiative equilibrium, 9=11760. See also Henyey,L.G., 6=5654

Grashin,A.F. Theory of scattering of particles by nuclei, 8=7706. Energy dependence of the cross-sections for multiple production reactions near threshold, 9=2774. See also Lomanov,M.F., 9=2570, 9=8474

Grass,G. The application of the Drude theory of free electrons to the optical properties of metals in the visible and ultraviolet, 5=1731. Recent investigation on heat transfer in water. A contribution to the problem of water-cooled reactors, 9=5613. The effect of inlet flow disturbances on the heat transfer in liquids in pipes and annular channels, 9=5614. Improving the heat transfer to water by using artificially roughened surfaces in reactors or heat exchangers, 9=12708

Grasse,R.W. De. See De Grasse,R.W.

Grassmann,P. and Olsen,J.L. Change of the shear modulus of zinc at the transition from the normal to the superconducting state, 5=4680

Grassmann,P., Olsen,J.L. and Rohrer,H. Change of length in lead at the destruction of superconductivity, 7=411

Gratot,I. See Beydon,J., 7=7323; Chaminade,R., 7=8121; Olkowsky,J., 9=10059, 9=10105, 9=12638

Gratton,L. A contribution to the problem of the classification of variable stars, 7=3923

Gratzer,W.B. See Barrow,R.F., 7=1177

Graue,A. Angular distribution of neutrons from the reaction ^{11}B(d,n)^{12}C at 0.85 MeV bombarding, 5=1192. Angular dis-

tribution of neutrons from the reactions B^{10}(d,n) C^{11} and N^{14} (d,n)0^{15} at 0.85 MeV bombarding energy, 7=1607. An investigation of neutrons from the reaction $^{10}B(d,n)^{11}C$ at 1.08 MeV bombarding energy, 7=2648. See also Enge,H.A., 7=1608, 7=4722
Graue,A. and Trumpy,B. An investigation of neutron groups from the reaction $^{10}B(d,n)^{11}C$ at 7.0 MeV deuteron energy, 7=5624
Gravel,C.L. See Brown,F., 5=1990, 5=5513; Kurtz,A.D., 9=2948
Graves,C. See Eisler,F., 8=1208, 8=1212*
Graves,E.R. See also Battat,M.E., 5=4038
Graves,E.R. and Davis,R.W. Cross sections for nonelastic interactions of 14-MeV neutrons with various elements, 5=4076
Graves,G.A. and Paxton,H.C. Critical masses of Oralloy assemblies, 8=350
Graves,J.D. See Childers,H.M., 5=8222
Graves,W.E. and Mitchell,A.C.G. Disintegration of As^{71}, 5=4015. Disintegration of Te^{129}, 6=2338
Graves,W.E. and Suri,S.K. Disintegration of Sc^{47}, 6=3145
Grawert,G. The Lorentz-invariant two-particle equation and representations of the Lorentz group, 6=904
Gray,A.J. See Landecker,K., 5=1587
Gray,A.L. and Herbert,J.M. The preparation of barium titanate as a ceramic transducer material, 9=1422
Gray,A.P. and Lord,R.C. Rotation-vibration spectra of methyl amine and its deuterium derivatives, 7=6002
Gray,B.F. Some comments on perturbation theory, 8=7422. On the approximate calculation of eigenvalues with special reference to the helium atom, 9=58. Application of Schwarz's inequality to perturbation theory, 9=59. On the approximate calculation of eigenfunctions, 9=1088
Gray,B.F. and Pritchard,H.O. Electrostatic interpretation of directed valence, 7=2784. Dipole moments of diatomic molecules, 8=6389. Excited states of H^-, 8=7421
Gray,B.F., Pritchard,H.O. and Sumner,F.H. Hybridization in the ground state of the hydrogen molecule-ion, 8=3423
Gray,E. Structure of the Raman scattering band characteristic of the vibration of the carbonyl ketonic group in the region 1700 cm^{-1}, 7=6034
Gray,E. and Bottreau,M.-M. Study of the Raman scattering band characteristic of the vibration of the carbonyl group of ketones in the region 1700 cm^{-1}, 5=7861
Gray,E.P. See Hart,R.W., 6=3120, 8=8310
Gray,I.L., Neal,R.L. and Voorhees,B.G. Inexpensive way to control oxygen in sodium heat-transfer systems, 7=3806
Gray,J.D. See Brigman,G.H., 8=8370; Hurst,R.P., 8=3393
Gray,L.H. The problem of correlating radiochemical yield with the physical aspects of radiation quality, 6=5487. The introduction of the rad in radiotherapy practice: a symposium. II. The transition from Röntgen to rad, 7=984
Gray,P.R. Auger effect in the heaviest elements, 6=3171
Gray,T.P. and Satchler,G.R. Angular correlation parameters for oriented nuclei, 5=7274
Gray,T.S., Grim,W.M.,Jr, Replogle,F.S.,Jr and Spencer,R.H. Solid-state neutron-flux measuring system, 8=5165
Graybeal,J.D. See Burrus,C.A., 8=2239
Grayson,W.C.,Jr. and Nordheim,L.W. Nuclear matrix elements for allowed β transitions, 6=5366. Unfavored factors for allowed β transitions, 6=5367
Grazhdankina,N.P. The effect of hydraulic pressure on the temperature of antiferromagnetic transformation in manganese telluride, 9=448. See also Fakidov,I.G., 9=9786
Grazhdankina,N.P. and Gurfel',D.I. X-ray crystallographic investigation of the thermal expansion coefficient of the antiferromagnetic compound MnTe, 9=2265
Graziano,W. See Alvarez,L.W., 9=12601
Greanias,E.C., Hoppel,C.J., Kloomok,M. and Osborne, J.S. The design of a logic for the recognition of printed characters by simulation, 7=3
Greaves,J.C. and Garvin,D. Chemically induced molecular excitation: excitation spectrum of the nitric oxide–ozone system, 9=6711
Grebenkemper,C.J. Superconductivity of vanadium at 24 000 Mc/sec, 5=303. High-frequency resistance of tin and indium in the normal and superconducting state, 5=968. The use of a nonlubricated carbon ring compresser on the Collins helium liquefier, 5=1780
Grebennik,I.P. See Pines,B.Ya., 9=13814
Grechishkin,V.S. Non-stationary phenomena in nuclear magnetic resonance, 8=8283. Investigation of relaxation processes in several fluorine compounds of carbon, 9=2882. Observation of pure quadrupole resonance lines, 9=9847. Width of the quadrupole-resonance lines of chlorine in barium, sodium and potassium chlorates, 13490
Grechukhin,D.P. Spin–orbit coupling effect in nuclear magnetic multipole radiation, 7=4627. Effect of the finite mass of the nuclear target on the angular distributions of the products of the (dp) and (dn) reactions, 7=4724. Electric monopole transitions of atomic nuclei, 8=1938. On the angular distribution of deuterons from the $Be^9_4(p,d)Be^8_4$ reaction, 8=2563. Some peculiarities of M1-conversion nuclear transitions, 8=4308. Conversion of LII and LIII electrons with emission of E1 quantum in EO nuclear transitions, 8=8308
Grechushnikov,B.N. Polarization of luminescence in monocrystals, 6=7298.* See also Chentsova,L.G., 9=10857.
Grechushnikov,B.N. and Brodovskiĭ,D. Thermal stresses in cubic crystals, 7=8443*
Grechushnikov,B.N. and Feofilov,P.P. Fluctuating (vibrational) structure in the absorption spectrum of ruby, 6=8100
Green,A. See also Hyder,H.R.McK, 8=6343
Green,A., Littler,D.J., Lockett,E.E., Small,V.G., Spurway,A.H., Bowell,E. The thermal neutron absorption cross-section of boron, 5=4106
Green,A.E. Hypo-elasticity and plasticity, 6=3321
Green,A.E.S. Nomogram for estimating nuclear reaction energies, 5=4928. Particle binding energies and the diffuseness of the nuclear boundary, 5=9826. Nuclear physics, 6=1501*. Realistic independent-particle model of the nucleus, 6=6069. Approximate analytical wave functions for the nuclear independent particle model, 7=3519. Single electron shakeoff probability following the beta decay of krypton, 8=5421. Nuclear sizes and the Weiszäcker mass formula, 9=581. See also Sood,P.C., 8=5258; Swamy, N.V.V.J, 9=3805
Green,A.E.S. and Lee,K, Energy eigenvalues for a spherical well with an exponentially diffuse boundary, 5=8992
Green,A.E.S., Lee,K. and Berkley,R.J. Nucleon densities in a diffuse-boundary independent-particle model, 7=3520
Green,A.E.S. and Snell,A.H. An internal conversion coefficient for the outermost electron shell in xenon, 8=3360
Green,A.E.S. and Sood,P.C. Proton potential anomaly and nonlocal potentials, 9=3803
Green,A.P. Friction between unlubricated metals: a theoretical analysis of the junction model, 5=3203. See also Hundy, B.B., 5=2251
Green,B. and Madansky,L. Lifetime of positrons in superconducting lead, 6=5111
Green,B.A. See Christensen,M.T., 7=6389
Green,B.A.,Jr. Approach to equilibrium, 9=3165
Green,C.D. See also ter Haar,D., 5=1789
Green,C.D. and ter Haar,D. Fluctuations in simple models, 5=3467
Green,D. and Richardson,J.R. Radiations from P^{30}, CI^{34} and K^{38}, 6=2350
Green,D.H. and Gregg,E.C. Scattering of high-energy gamma rays, 6=6882
Green,D.M. Detection of multiple component signals in noise, 9=4173. See also Swets,J.A., 9=7710
Green,D.M., Birdsall,T.G. and Tanner,W.P.,Jr. Signal detection as a function of signal intensity and duration, 7=8957
Green,D.M., Williams,C., and Kryter,K.D. Peak VU deflection and energy for monosyllabic words, 9=13124
Green,D.W. See also Finch,J., (Conf. rep), 8=3581
Green,D.W., Cooper,J.N. and Harris,J.C. Stopping cross sections of metals for protons of energies from 400 to 1 000 keV, 5=5462
Green,F.L. See Martin,J.A., 9=13654
Green,G.W. See also Boyd,R.L.F., 8=1742
Green,G.W., Hanna,R.C. and Waring,S. Continuously indicating precision magnetometer, 7=3425
Green,G.W., Hogarth,C.A., and Johnson,F.A. Some observations of the effects of oxygen on the minority carrier lifetime and optical absorption of silicon crystals pulled in vacuo, 7=8625
Green,H.S. Goldstein's eigenvalue problem, 5=2440. Covariant treatment of the nucleon-nucleon interaction, 5=7699. Cell and cell-cluster models for liquids, 6=3531. Molecular theory of irreversible processes in fluids, 6=4237 Renormalization with pseudo-vector coupling, 7=87. Separability of a covariant wave equation, 7=8427. Spinor fields in general relativity, 8=4701. Dirac matrices, teleparallelism and parity conservation, 8=5613. Observation in quantum mechanics, 9=2036. Propagation of disturbances at high frequencies in gases, liquids, and plasmas,

9=4372. Ionic theory of plasmas and magnetohydrodynamics, 9=11162. See also Biswas,S.N., 7=5835

Green,J.B. and Maxwell,H.N. Zeeman effect of gold, 5=2565

Green,H.S. and Hurst,C.A. Parity mixtures and decay processes, 8=5212

Green,J.J. See Schlömann,E., 9=13448.

Green,J.R. Large scintillator for observation of cosmic rays, 8=2438

Green,J.R. and Thomas,R. Squirting manometer, 7=3040

Green,J.W., Smith,A.J., Buechner,W.W. and Mazari,M. Excited states in Mn^{56}, 8=8272

Green,L.C. See also Lewis,M.N., 5=6403

Green,L.C., Chandler,C.D. and Rush,P.P. Ground state wave functions for He I and H^- obtained by the superposition of central field functions, 7=3560

Green,L.C., Matsushima,S., Stephens,C., Kolchin,E.K., Kohler, M.M., Wang,Y., Baldwin,B.B. and Wisner,R.J. Effect on the energy of increased flexibility in the separable factor of Hylleraas-type atomic wave functions from H^- to O VII, 9=6158

Green,L.C., Mulder,M.M., Milner,P.C., Lewis,M.N. and Woll,J.W., Jr. Analysis of the three parameter wave function of Hylleraas for the He I ground state in terms of central field wave functions, 5=463

Green,L.C., Stephens,C., Kolchin,E.K., Chen,C.C., Rush,P.P. and Ufford,C.W. He I ground-state wave function of the form $\Psi = f(r_1)f(r_2)g(r_{12})$, 9=8677

Green,L.L. See also Broude,C., 6=2404, 7=6520, 7=9817, 9=3831-3

Green,L.L., Scanlon,J.P. and Willmott, J.C. Angular distributions from (d,n) reactions at 0.86 MeV deuteron energy, 5=5628

Green,L.L., Singh,J.J. and Willmott,J.C. The low lying levels of ^{25}Al, 5=9002. The energy levels of ^{26}Al, 6=5384

Green,M. The interaction of oxygen with clean germanium surfaces. II. Theoretical discussion, 7=7879. Drift mobility measurements, 8=7916. Space charge in semiconductors resulting from low level injection, 9=6926. Electrochemistry of the semiconductor–electrolyte electrode. I. The electrical double layer, 9=8963. See also Seiwatz,R., 9=1436

Green,M., Kafalas,J.A. and Robinson,P.H. The interaction of oxygen with clean germanium surfaces. I. Experiment, 7=7879

Green,M. and Polk,M.L. Logarithmic sector vs. photoelectric densitometer in measuring intensity ratios, 5=832

Green,M.E. See Albrecht,A.C., 9=9642

Green,M.S. The statistical mechanics of electrical conduction in fluids, 5=1314. Boltzmann equation from the statistical mechanical point of view, 7=1933. The non-equilibrium pair distribution function at low densities, 8 =5701. Bose–Einstein condensation and the λ-transition in liquid helium, 9=1379. See also Nettleton,R.E., 9=5644

Green,P.E., Jr. See Price,R., 7=7246

Green,R.B. Intersection faulting mechanism theory of flow and fracture of face-centered cubic metals, 6 =4697

Green,R.E. Two improved methods for determining Young's modulus, 8=4482

Green,R.E. and Bell,R.E. Variations in the amounts of positronium formed in liquids and amorphous solids, 7=8144. The quenching of triplet positronium by ions in aqueous solutions, 9=2583. Notes on a fast time-to-amplitude converter, 9=11329

Green,R.E. and Stewart,A.T. Angular correlation of photons from positron annihilation in light metals, 5=5618

Green,R.E.,Jr. and Mackinnon,L. Determination of the elastic constants of ice single crystals by an ultrasonic pulse method, 7=6643

Green,R.M. See McNeill,K.G., 9=10449, 9=11696

Green,T.A. and Rose,M.E. Nuclear structure effects in internal conversion, 8=9042

Green,T.M. See also Garvin,H.L., 8=7299, 9=569, 9=2693, 9=4695

Green,T.M. and Hadley,L.N. Tolansky gauge for rapid measurement of film thickness, 5=3651

Green,T.S. See also Burrows,H.B., 6=6161

Green,T.S. and Middleton,R. An investigation of deuteron induced reactions by magnetic analysis. I. Experimental technique, 6=3218, II. Results for ^9Be, ^{12}C, ^{14}N, and ^{16}O, 6=3219

Green,W.B. Conduction and breakdown in hexane, 6=363. Controlled field emission in hexane, 6=7458

Greenberg,A.P. See Alkhazov,D.G., 7=6433

Greenberg,D.H. See van Lieshout,R., 6=608

Greenberg,G.Z. See Egan,J.P., 9=10465

Greenberg,H. See Borowitz,S., 8=8207

Greenberg,I.N. See Beer,A.C., 8=5874; Jacobs,H., 7=7155, 9=11124.

Greenberg,J. See also Sundheim,B.R., 7=242, 8=2237

Greenberg,J. and Sundheim,B.R. Absorption spectra in molten salt solutions, 9=1298

Greenberg,J., Sundheim,B.R. and Gruen,D.M. Solutions of sulfur in fused salts, 8=9135

Greenberg,J.S. and Deutsch,M. Positrons from the decay of P^{32} and Y^{90}, 6=3954

Greenberg,O.W. Haag's theorem and clothed operators, 9=12994

Greenberg,O.W. and Schweber,S.S. Clothed particle operators in simple models of quantum field theory, 8=4723

Greenblatt,M.H. On the measurement of the average time delay in secondary emission, 6=3781. On the measurement of transit time dispersion in multiplier phototubes, 8=8185. Graphical solution for high-frequency electrostatic deflection, 9=7076. See also Morton,G.A., 9=4691

Greenburg,J. Effect of a magnetic field on thermionic emission from molybdenum, 9=3550

Greene,D. Size of the focal spot in a betatron, 7=7140

Greene,E.F. See Toennies,J.P., 5=7779, 7=5536

Greene,J. Bremsstrahlung from a Maxwellian gas, 9=13536. See also Savedoff,M.P., 6=5609

Greene,J.C. Stability requirements and calibration of radiometers when measuring small noise powers, 8=102

Greene,J.M. See Bernstein,I.B., 8=6073

Greene,L.C. See also Reynolds,D.C., 7=3289, 8=9180

Greene,L.C., Reynolds,D.C., Czyzak,S.J. and Baker,W.M. Method for growing large CdS and ZnS single crystals, 9=1931

Greene,R.E. See Lamphere,R.W., 6=678

Greene,R.F. Cooling of hot electrons by acoustic scattering in degenerate semiconductors, 8=4966. Effect of anisotropy on the temperature dependence of elastic constants, 9=4058. See also Longini,R.L., 6=5858; Muss,D.R., 9=2336

Greene,S.A. See Pace,E.L., 5=5059

Greenfield,M.A., Koontz,R.L., Jarrett,A.A. and Taylor,J.K. Measuring flux absolutely with indium foils, 7=9898

Greenfield,S.M. Rain scavenging of radioactive particulate matter from the atmosphere, 8=3613. Ionization of radioactive particles in the free air, 8=4088

Greenhalgh,D. and Jeffery,P.M. A trap-current controlled emission regulator for a mass spectrometer ion-source, 5=2807

Greenhill,M. Electromagnetic pumps and flowmeters, 5=5914

Greenhow,J.S. Meteor echoes and upper atmospheric winds, 6=2588

Greenhow,J.S. and Neufeld,E.L. The diffusion of ionized meteor trails in the upper atmosphere, 5=3398. Diurnal and seasonal wind variations in the upper atmosphere, 5=5791. Phase changes and resonance effects in radio echoes from meteor trails, 7=1016. The height variation of upper atmospheric winds, 7=2869. The variation of ionization along a meteor trail, 8=856

Greening,J.R. An experimental examination of theories of cavity ionization, 7=7178

Greening,W.D.B. See Baldo-Ceolin,M., 7=8860-1, 7=8882; 8=1885; Cresti,M., 7=3627; Deutschmann,M., 6=3998, 6=5411; Falla,D.F., 7=8887

Greenland,K.M. The language of instrument calibration and performance, 6=6330

Greenless,G.W. Levels of ^{24}Mg from the $^{27}Al(p, \alpha)^{24}Mg$ reaction, 5=3093. Excitation functions for the scattering of protons and deuterons by Be and Mg, 5=3096

Greenlees,G.W., Haywood,B.C., Kuo,L.G. and Petravić,M, 7=6550

Greenlees,G.W. and Kuo,L.G. The bombardment of osmium by nitrogen ions, 7=5614

Greenlees,G.W., Kuo,L.G., Lowe,J. and Petravić,M. The elastic and inelastic scattering of protons by silicon, 8=1957

Greenlees,G.W., Kuo,L.G. and Petravić,M. The elastic scattering of protons by carbon, aluminium, nickel, copper, zinc, niobium, silver and gold, 8=332

Greenlees,G.W., Lowe,J., Robbins,A.B. and Rolph,P.M. The inelastic scattering of 9.8 MeV protons by medium weight nuclei, 8=4313

Greenlees,G.W. and Souch,A.E. The bombardment of chlorine by nitrogen ions, 5=7356. The scattering of 9.6 MeV protons by Mg, 7=1595

Greenler,R.G. Interferometry in the infrared, 5=9586. Reflection image reducer, 6=6505. Interference filters for the infrared, 7=2083. Interferometric spectrometer for the infrared, 7=7726

Greenough,A.P. The deformation of metals by self-diffusion, 8=7566

Greenough,G.B. and Smith,E.M. Deformation faults in cold-worked metals, 5=3268

Greenough,G.K. See Dawes,J.G., 7=7444

Greenspan,M. Simple derivation of the Boltzmann-Ehrenfest adiabatic principle, 5=2502. Propagation of sound in five monatomic gases, 6=6441. Comments on a recent paper by Deresiewicz on plane waves in a thermoelastic solid, 7=9571. Reply to letter by Deresiewicz, 8=2886. Rotational relaxation, oxygen, and air, 9=4374

Greenspan,M. and Tschiegg,C.E. Effect of dissolved air on the speed of sound in water, 6=6447. Sing-around ultrasonic velocimeter for liquids, 8=2210. Speed of sound in water by a direct method, 8=2896. Tables of the speed of sound in water, 9=2160

Greenspan,M., Tschiegg,C.E. and Breckenridge,F. Temperature coefficient of the speed of sound in water near the turning point, 6=6446

Greenspan,M. and Wilmotte,R.M. Distributed transducer, 8=8658

Greenspon,J.E. See Kirchman,E.J., 8=1577

Greenstein,H.B. See Barnes,C.A., 9=3864

Greenstein,J.L. The abundances of the chemical elements in the Galaxy and the theory of their origin, 7=2918. Studies of the white dwarfs. III. The recurrent Nova WZ Sge as a probable white dwarf, 8=4676. See also Fowler,W.A., 7=54

Greenstein,J.L. and Luyten,W.J. Studies of the white dwarfs. II. Some new white dwarfs, 8=4675

Greenstein,J.L. and Matthews,M.S. Studies of the white dwarfs. I. Broad features in white dwarf spectra, 8=4674

Greenstone,R. Temperatures in heated finite slabs with fourth-power loss, 9=10906

Greenwald,S. Changes in lattice constant of Cr_2O_3 near the Curie temperature, 6=3827

Greenwood,A. A circumstance in which arise conduction currents and displacement currents of comparable magnitude, 5=7067

Greenwood,D.A. The Boltzmann equation in the theory of electrical conduction in metals, 8=2294

Greenwood,H.H. Some comments on the frontier orbital theory of the reactions of conjugated molecules, 5=6369. Molecular orbital theory of the relative reactivities of substituted aromatic molecules towards radical addition, 6=1454

Greenwood,J.A. See also Williamson,J.B.P., 7=3777

Greenwood,J.A. and Tabor,D. Deformation properties of friction junctions, 5=9197. The friction of hard sliders on lubricated rubber: the importance of deformation losses, 8=4500

Greenwood,J.A. and Williamson,J.B.P. Electrical conduction in solids. II. Theory of temperature-dependent conductors, 8=5004

Greer,E.J. See Blears,J., 9=4358

Grenville-Wells,H.J. and Lonsdale,K. X-ray study of laboratory-made diamonds, 8=6515

Grenville-Wells,H.J. Mouing-strip Fourier analyzer, 5=2317. Method of obtaining X-ray rotation photographs about three orthogonal axes from one crystal mounting, 6=801. Photographic intensity scales for use with three-dimensional data, 6=810. A new graphical principle for the evaluation of Fourier transforms, 6=4106. Anisotropic temperature vibrations in crystals. II. The effect of changes in atomic scattering factors and temperature parameters on the accuracy of the determination of the structure of urea, 7=881. Electron density distributions in crystals, 8=3575. See also Lonsdale,K., 7=882, 7=1817

Grenville-Wells,J. See Lonsdale,K., 7=6738

Gresky,A.T. New physical constants from dimensional analysis, 8=2115. On explanations of electric and magnetic constants and units, 9=5341

Gretsov,V.K. See Sergienko,A.A., 9=9288

Gretzinger,B. See Gobrecht,H., 5=1715

Greulich,R.C. See Engström,A., 6=7927

Greve, L.de. See de Greve,L.

Grey Walter,W. See Walter,W.Grey

Greyber,H.D. See Alpher,R.A., 8=5728

Gribaumont,A. See Demeur,M., 9=11461

Gribben,R.J. Laminar boundary layer with suction and injection, 9=7869

Gribbon,P.W.F. and Stewart,D.T. The laboratory excitation of auroral infra-red ϕ I lines, 6=9143

Gribi,M., Heinrich,F., Loeliger,H., Pictet,J.M., Rytz,A., Wäffler,H. and Walter,M. A cloud-chamber study of penetrating showers produced by cosmic rays in lithium, 9=13406

Gribi,M., Thürkauf,M., Villiger,W. and Wegmann,L. A 70 kV electron microscope with a cold-cathode and an electrostatic objective, 9=4708

Gribkovskiĭ,V. P. See Stepanov,B.I., 9=9201

Gribnikov,E.S. and Rashba,E.I. The effect of non-uniform electric field on diffusion of excitons, 9=8847

Gribnikov,Z.S. and Topȳgo,K.B. Emission of a spherical contact in a sweeping electric field, 8=7964

Gribov,L.A. See Baranskiĭ,K.N., 7=7716

Gribov,V.N. Angular distribution in reactions involving the formation of three low energy particles, with application to τ^+ meson decay, 8=2557. Effect of the diffuseness of nuclear boundary on neutron scattering, 8=5206. Excitation of rotational states in the interaction between neutrons and nuclei, 8=5393. Determination of the phases of the matrix elements of the S-matrix, 8=6289. Causality condition and spectral representations of the Green's functions, 8=7682. Spectral representation of the two-meson Green's function, 9=2085. Angular distribution in the reactions $K^+ \rightarrow 2\pi^+ + \pi^-$ and $K^+ \rightarrow 2\pi^0 + \pi^+$, 9=9984. Renormalization of the vertex part in pseudoscalar meson theory, 9=13023. See also Gurevich,L.E., 6=4383

Gribov,V.N. and Gurevich,L.É. On theory of stability of a layer located in a gravitational field with a superadiabatic temperature-gradient, 7=3045

Griem,H. On the Stark effect of the Balmer lines emitted from a hydrogen positive-ray in an inhomogeneous electric field, 8=951. See also Kolb,A.C., 9=1273

Griem,H. and Richter,J. The intensity of magnetic proton resonance absorption at thermal equilibrium, 7=6463

Griem,H.R. See also Kolb,A.C., 9=13402

Griem,H.R., Kolb,A.C. and Faust,W.R. Bremsstrahlung from dense plasmas, 9=12410

Griessbach,D. See also Wolf,H.C., 5=7878

Griessbach,D., Will,G. and Wolf,H.C. The lowest optical excited states of naphthalene crystals, 9=3286

Griessbach,D. and Wolf,H.C. A simple method for measuring and demonstrating rotatory dispersion, 5=7880

Griest,A.J., Libsch,J.F. and Conard,G.P. Effect of magnetic field strength during condensation on the coercivity and form of vapor-deposited iron, 6=8864

Griest,E.M., Webb,W. and Schiessler,R.W. Effect of pressure on viscosity of higher hydrocarbons and their mixtures, 9=1123

Griffel,M. See also Gerstein,B.C., 7=8572; Hansen,W.N., 8=3958, 9=7153; Skochdopole,R.E., 6=1177; Vest,R.W., 8=1662

Griffel,M., Skochdopole,R.E. and Spedding,F.H. Heat capacity of dysprosium from 15 to 300°K, 6=7358

Griffel,M., Vest,R.W. and Smith,J.F. Heat capacity of calcium from 1.8 to 4.2°K, 8=599

Griffin,J.J. Oxygen-16 by the method of generator coordinates, 8=714

Griffin,J.J. and Wheeler,J.A. Collective motions in nuclei by the method of generator coordinates, 8=713

Griffin,P.M. See also McNally,J.R., Jr, 9=3955; Vander Sluis,K.L., 6=1477

Griffin,P.M. and McNally,J.R., Jr. Zeeman effects in the spectrum of plutonium, 5=3564

Griffing,D.F. See also Wheatley,J.C., 5=9007, 7=4277

Griffing,D.F. and Wheatley,J.C. Nuclear alignment of Co^{58}, 7=2549

Griffing,G.W. See Bates,D.R., 5=2829; Dalgarno,A., 6=2953

Griffing,V. Studies of the interaction between stable molecules and atoms. I. A molecular orbital theory of the activation energy between molecules and atoms, 5=6345. The application of LCAO-molecular orbital theory to some diatomic systems, 7=6379. See also Fitzgerald,M.E., 7=2779; Padgett,A.A., 9=7460

Griffing,V., Hoare,J.P. and Vanderslice,J.T. Studies of the interaction between atoms and stable molecules. VI. The interaction of a Be atom with an H_2 molecule, 6=2273

Griffing,V., Jackson,J.L. and Ransil,B.J. Magnetic interaction of H_3, 9=8336

Griffing,V. and Maček,A. Studies of the interaction between stable molecules and atoms. III. A molecular orbital treatment of the quadratic form of H_4, 5=6347

Griffing,V. and Sette,D. Luminescence produced as a result of

intense ultrasonic waves, 5=4553

Griffing,V. and Vanderslice,J.T. Studies of the interaction between stable molecules and atoms. IV. The energy of the linear H_4 complex, 5=6348. V. Molecular orbital approach to the H + H_2 reaction, 5=6349

Griffing,V. and Wehner,J.F. Studies of the interaction between stable molecules and atoms. II. Interaction between two He atoms, 5=6346

Griffith,G.L. Gamma radiation from neutron inelastic scattering, 5=5638. First excited states in Zr^{92} and Zr^{94}, 6=7620

Griffith,J.S. On the magnetic properties of some haemoglobin complexes, 6=4510. Octahedral complexes, I. Magnetic susceptibilities in the first transition series, 9=412. See also Bennett,J.E., 5=5517, 6=482; George,P., 6=8456

Griffith,J.S. and Orgel,L.E. Pairing energies in the actinide series, 7=6415. Localized electrons in body-centred cubic metals, 8=5465

Griffith,R.L. See Hopkins,M.R., 8=6957

Griffith,T.C., Banford,A.P., Uppal,M.Y. and Williams,W.S.C. Neutron–proton scattering in the energy range 70 to 170 MeV, 8=1848

Griffith,W., Brickl,D. and Blackman,V. Structure of shock waves in polyatomic gases, 6=5731

Griffith,W.C. and Bleakney,W. Shock waves in gases, 5=806

Griffiths,D.H. See Clegg,J.A., 6=7035

Griffiths,G.M. The pulse height distribution from a sodium iodide single crystal scintillation counter and the measurement of gamma ray fluxes, 5=5477. The resonant absorption of γ-rays by ^{14}N, 6=5374. The resonant absorption of γ-rays in ^{14}N, 9=677. See also Singh,P.P. 9=10104

Griffiths,G.M., Singh,P.P., Ssu,Y.I. and Warren,J.B. A simple gamma-ray insensitive fast-neutron counter, 9=9895

Griffiths,G.M. and Warren,J.B. The gamma radiation from the reaction $D(p, \gamma)^3$ He, 5=9076

Griffiths,J.H.E. Paramagnetic resonance, 8=5449

Griffiths,J.H.E. and Owen,J. Complex hyperfine structures in microwave spectra of covalent iridium compounds, 5=430

Griffiths,J.H.E., Owen,J., Park,J.G. and Partridge,M.F. Superexchange in ammonium chloroiridate, 8=2386

Griffiths,J.W.R. and Pryor,A.W. Underwater acoustic echo-ranging, 8=551

Griffiths,L.B. See Pfeil,P.C.L., 9=13341

Griffiths,P.M. See Bates,L.F., 8=4152, 8=8140; Craik,D.J., 8=1770, 8=6035, 9=2501

Griffiths,R.B. and Dicke,R.H. Coherent emission light source, 8=3851

Griffiths,R.J. and Eisberg,R.M. The mechanism of the direct interaction process at intermediate energies, 9=11464

Griffiths,T.R., Lott,K.A.K. and Symons,M.R.C. Diffuse reflectance spectrophotometry in the ultraviolet using powdered salts, 9=10776

Griffiths,V.S. See Calvert,R., 7=820

Griffiths,J.H.E., Owen,J. and Ward,I.M. Magnetic resonance in irradiated diamond and quartz, 5=5710

Grifone,G. See Favero,P., 7=3123

Griggs,D.T., McMillan,W.G., Michael,E.D. and Nash,C.P. Lack of metallic transition in LiH and $LiAlH_4$ under static pressure, 8=3090

Grignet,J. and Monfort,F. Some dynamometric applications of an electronic integrator-differentiator, 9=3025

Grigor'ev,A.P., Toporkova,É.P. and Fesenko,A.I. Anomalous decay of a hypernucleus, 8=1915

Grigor'ev,E.L. Detection of polarization of beams of fast particles by means of nuclear photo-emulsions, 5=8846. See also Mitin,N.A., 8=5229; Sidorov,V.M., 8=6340

Grigor'ev,E.L. and Mitin,N.A. Elastic scattering of 310 MeV positive π-mesons by protons, 7=753

Grigor'ev,E.L. and Solev'eva,L.P. Nuclear disintegrations produced by 660 MeV protons in photographic emulsions, 7=3649

Grigor'ev,E.P. See also Abotina,M.P., 8=6246

Grigor'ev,E.P., Dzhelepov,B.S., Zolotavin,A.V., Kratsik,B., Preobrazhenskiĭ,B.K. and Yanchevskaya,I.S. Conversion spectrum of Ho^{160}, 8=5334

Grigor'ev,E.P., Gustova,L.V., Zolotavin,A.V., Kratsik,B., Poleshchuk,T.V. and Chubinskiĭ,O.V. The emission from As^{76}, 8=739

Grigor'ev,E.P. and Zolotavin,A.V. On the relative probabilities for the photoeffect in shells and subshells of an atom, 9=12727

Grigor'ev,E.P., Zolotavin,A.V., Kuz'min,I.I. and Pavlitskaya,E.D. On the decay of Rh^{106}, 9=10075

Grigor'ev,V.I. Generalized method of calculation of damping in the quantum theory of fields, 5=42. On the question of the role of damping in the theory of bound particles, 5=43. Generalized method of calculation of damping in relativistic quantum field theory, 6=8003. Solutions in quantum field theory without recourse to perturbation methods, 7=5874

Grigor'ev,V.N. See also Bogoyavlenskiĭ,I.V., 8=2000

Grigor'ev,V.N., Kan,Ya.S., Rudenko,N.S. and Safronov,B.G. Variation of the isotopic composition of mercury on evaporation, 8=1999

Grigor'eva,V.S. Solid solutions in the system $Ga_2Te_3-In_2Te_3$, 9=2957. See also Goryunova,N.A., 6=5888

Grigoriev,V.K. See Vishnevsky,M.E., 8=5318

Grigoriu,A., Giurgea,G. and Stăniloae,L. Influence of air movements on coalescence in clouds and mists. I. The case of accelerated motion, 9=13971

Grigorov,K.V., Blokhin,G.P. and Korzun,É.A. The effect of "collective" recrystallization on the texture produced by primary recrystallization, 9=11220

Grigorov,N.L. The mean characteristics of the act of interaction of primary cosmic particles of various energies (2-1000 BeV) with light atomic nuclei, 6=8273. Mechanism of collision of high-energy nucleons with light nuclei, 7=2390. See also Alekseeva,K.I., 7=8154, 8=1748, 8=3216, 8=3366, 9=2478; Birger,N.G., 7=3623; Vernov,S.N., 9=1566, 9=13969

Grigorov,N.L., Murzin,V.S. and Rapoport,I.D. A method for the measurement of the energy of particles in a range above 10^{11} eV, 9=9893

Grigorov,N.L., Podgurskaya,A.V., Savel'eva,A.I. and Poperekova, L.M. Interaction of cosmic-ray particles with various nuclei, 9=2837

Grigorov,N.L. and Shestoperov,V.Ya. On a possible mode of development of extensive atmospheric showers, 9=379

Grigorov,N.L., Shestoperov,V.Ya., Sobinyakov,V.A. and Podgurskaya,A.V. Interaction of particles of 10^{12}-10^{13} eV energy with light nuclei, 8=6018

Grigorovich,R. and Kristesku,Dzh. On the theory of the high-frequency "flame" discharge, 9=11071

Grigorovici,R. and Aricescu-Savopol,I. Luminosity and chromaticity in the mesopic range, 9=5284

Grigorovici,R., Croitoru,N., Dévényi,A. and Trutia,A. The changes in lead layers due to annealing, 9=11597

Grigoruk,L.V. See Kokhanenko,P.N., 6=7287

Grigoryan,S.S. Axially-symmetric motion in sand-like substances, 9=9267. On exact solutions of certain gas-dynamical equations, 9=9323

Grigoryan,S.S., Sokolov,A.G. and Spasibukhov,Yu.I. On modelling the motion of a heavy rigid body under the action of a shock wave, 9=11932

Grigor'yev,E.P., Dzhelepov,B.S., Zolotavin,A.V., Kraft,O.E., Kratsik,B. and Peker,L.K. The decay of Tb^{160} and Ho^{160} and the level scheme of Dy^{160}, 9=10062

Grilli,M. See also Baldo,M., 5=8280, 5=9117; Baldo Ceolin,M., 7=8880; Bhowmik,B., 7=8866; Ceccarelli,M., 5=6522, 5=9967, 6=3258; Davies,J.H., 6=3270*; K-collaboration, 9=13575; Keefe,D., 9=8480

Grilli,M., Guerriero,L., Merlin,M., O'Friel,Z. and Salandin, G.A. Preliminary results on K^+ interaction at high energy (200-350 MeV), 8=8996, 9=3791

Grilli,M., Guerriero,L., Merlin,M. and Salandin,G.A. Analysis of inelastic interactions of K^+-mesons with emulsion nuclei (40-150 MeV), 9=2648

Grilli,M., Sechi,B. and Zorn,G.T. Two unstable fragments, 5=6524

Grilli,M. and Setti,R.L. Report of the Committee on unstable fragments, 5=6485

Grilli,M., Vitale,B., Hodgson, P.E. and Ladu,M. Recoil tracks in stars of nuclear disintegrations from protons of defined energy (50, 100, 150, 250 and 450 MeV), 5=2173. Emission of α-particles from nuclei excited by 50, 100, 150 and 450 MeV protons, 5=4049

Grillot,E. Crystalline mineral substances with infrared luminescent emission, 7=260. Comparative study of Ag and Cu luminescence centres in CdS and ZnS phosphors, 7=4178. Fluorescence of the exciton in pure CdS, 7=4213. Energy transfer by excitons in pure cadmium sulphide, 9=2921. On the nature of the fluorescent emission of pure CdS at very low temperature, 9=10829. See also Bancie-Grillot,M., 6=8116, 9=9461; Freymann,R., 8=1033, 9=10954; Gross,E.F., 9=9460

Grillot,E. and Bancie-Grillot,M. Use of radioactive isotopes for research on inorganic phosphors, 5=3615. Fluorescent emission ascribable to exciton annihilation in pure CdS

crystals, 9=6767
Grillot,E. and Freymann,R. Phosphorescence and photodipolar effect, 9=3324
Grillot,E. and Guintini,P. Existence of two types of infra-red luminescence centres due to copper in cadmium sulphide, 5=201
Grillot-Bancie,M. Quenching factors in the fluorescence of CdS:Ag, 9=12091. See also Bancie-Grillot,M.
Grilly,E.R. See also Mills,R.L., 5=7896, 6=2037
Schuch,A.F., 8=6516
Grilly,E.R. and Mills,R.L. Volume change on melting of N_2 up to 3500 kg/cm^2, 7=4272
Grim,W.M.,Jr. See also Gray,T.S., 8=5165
Grim,W.M.,Jr, Barrow,B.B., and Simons,J.C.,Jr. Random fluctuations in period meter indications, 9=13527
Grimeland,B. Absolute counting of α-particles and neutrons with a scintillation counter, 5=1138. Activation cross-sections of sodium and phosphorus, 5=6473. Average cross-sections for the reactions $^{32}S(n,p)^{32}P$ and $^{31}P(n,p)^{31}Si$ with fission neutrons, 6=4650. See also Boreli,F., 6=431
Grimes,D.M. Miniaturized resonant antenna using ferrites, 8=8949. See also Westrum,E.F.,Jr, 9=9568
Grimes,D.M., Legvold,S. and Westrum,E.F.,Jr. Molecular field fluctation effects in mixed nickel–zinc ferrites, 7=7218
Grimes,D.M. and Martin,D.W. Reversible susceptibility of ferromagnetics, 5=1044
Grimes,D M., Thomassen,L., Jefferson,C.F. and Kothary,N.C. Effect of V_2O_5 on nickel-zinc ferrite formation, 6=1689
Grimes,D.M. and Westrum,E.F,Jr. Effect of thermal history on the antiferromagnetic transition in zinc ferrite, 8=8900
Grimes,L.G. See Jackson,L.C., 9=6845
Grimley,T.B. Homopolar effects in crystals having the sodium chloride type of lattice, 7=4870. The electronic structure of crystals having the sodium chloride type of lattice, 8=4411. The molecular orbital theory of the interaction between an atom and a crystal surface, 8=5476
Grimm,E. and Oster,H. Magnetic oxygen measurement over small ranges, 5=7482
Grimm,K.W. A spectrometer for the 20 cm range with extremely high resolution and sensitivity, 7=3904
Grimm,V.R. and Nasledov,D.N. A study of the rectifying properties of p–n junctions between selenium and the sulphides and selenides of tin, 7=391
Grimminger,G. Density of the upper atmosphere, 9=7665
Grimminger,H., Grüninger,H. and Richter,H. The structure of amorphous selenium, 5=8303
Grimminger,H. and Richter,H. The structure of thin evaporated layers of arsenic and iodine at low temperatures, 7=9934
Grimod,Y. A machine for measuring interference fringes, 6=4340
Grimshaw,A.G. See Smith,B.O., 8=4612
Grin',A.V. and Pavlov,V.A. Internal friction in deformed Al–Mg alloys, 9=6319
Grinberg,A.A. Calculation of transient processes in transistors, 9=13316
Grinberg,A.P. See also Alkhazov,D.G., 6=7670, 9=7307, 9=12631
Grinberg,A.P. and Lemberg,I.Kh. Coulomb excitation of nuclei by heavy ions, 6=7669
Grinberg,B. See also Engelmann,J.J., 9=4862
Grinberg,B. and Y.Le Gallic. Absolute standardization of β-emitting nuclides by the method of defined solid angle, 6=5340
Grinberg,G.A. On some classes of static axially symmetric electric and magnetic fields, for which the basic equation of electron optics admits of solution in terms of known functions, 5=1886. In connection with the criticism by P.P.Kas'yankov of my method of obtaining the principal electron-optical equations for beams with a curvilinear axis, 8=8043. A method of solving the problems of the diffraction of electromagnetic waves at ideally conducting plane screens, based on a study of shadow currents induced on the screens. I. General principles of the method, 9=1617. II. Diffraction at a semiplane and at a plane with an infinite rectilinear slit, 9=1618. A new method for solving problems related to the diffraction of electromagnetic waves by a plane [screen] with an unbounded straight slit, 9=5964
Grinberg,G.A., Lebedev,N.N., Skal'skaya,I.P. and Uflyand,Ya. S. The electromagnetic field of a linear emitter located inside an ideally conducting parabolic screen, 6=6802
Grinberg,G.A. and Pimenov,Yu.V. The diffraction of electromagnetic waves at infinitely thin, ideally conducting plane screens, 9=1616. The plane diffraction problem for the parabolic cylinder of finite extension, 9=3671
Gringauz,K.I. Rocket measurements of electron concentration in the ionosphere using a v.h.f. dispersion interferometer, 9=4127
Gringauz,K.I. and Zelikman,M.Kh. Measurement of the positive ion density along the orbit of an artificial earth satellite, 8=6557
Grings,W. See Glorig,A., 7=3871
Grisar,U. See Günther,P., 9=2232
Grisaru,M. See Ballam,J., 6=4000
Grisaru,M.T. Fourth-order nucleon–nucleon dispersion relations, 9=2082. See also Federbush,P.G., 9=2042; Northwood,T.D., 9=6667
Grishin,A.P. See Galanin,M.D., 6=5173
Grishin,E.S. See Soltamov,U.B., 9=3471
Grishin,V.G. Diffraction scattering of 6.15 BeV protons on protons, 9=2593. See also Grishin,V.G.
Grishin,V.G. and Saitov,I.S. Diffraction scattering of high-energy protons by protons, 8=7246
Grishin,V.G., Saitov,I.S. and Chuvilo,I.V. Use of an optical model [of the nucleon] for analysis of π–p and p–p scattering at high energies, 8=8225
Grishuk,G.I. See Tret'yakov,E.F., 8=7308
Grišin,V.G. See Blohincev,D.I., 9=512; Grishin,V.G.
Grismore,R. and Parkinson,W.C. Medium-energy neutron time-of-flight-spectrometer, 7=6625
Gritchenko,Z.G. See Gorshkov,G V., 9=10052
Grivet,P. (Ed.). Paramagnetic nuclear resonance. Dipole and quadrupole moments, 6=2315
Grivet,P. See also Benoit,H., 8=8160, 9=8346-7
Grivet,P., Bernard,M.Y. and Septier,A. Electron optics. I. Electron lenses, 5=8009
Grivet,P. and Blaquière,A. Random noise, 9=10634
Grjebine,T. See Barloutaud,R., 5=506, 5=7359, 6=5377, 7=7291; Berthelot,A., 5=7367; Lehmann,P., 8=2542
Grjotheim,K. See also Borgen,O., 6=8431
Grjotheim,K. and Krogh-Moe,J. On colour-centre formation, 6=799. A structural explanation of the boron oxide anomaly, 6=8421
Grobbelaar,C. See Leeman,E.R., 7=8226, 8=3519
Grobben,N. see Nussbaum,R.H., 6=3143
Gröbner,W. See Cap,F., 5=6763
Grodstein,G.W. X-ray attenuation coefficients from 10 keV to 100 MeV, 7=9229
Grodzins,L. Lifetime of a 1^- level in Sm^{152}, 8=5282. The history of double scattering of electrons and evidence for the polarization of beta rays, 9=13540. See also Deutsch,M., 8=1925; Goldhaber,M., 7=7159, 8=2461
Grodzins,L. and H.Motz. Decay of In^{114m} and In^{114}, 6=4606
Grodzins,L. and Sunyar,A.W. Evidence concerning the spin and parity of Eu^{152m}, 9=12617
Grodzinski,P. Indentation hardness of diamond, 6=8438
Groen,P. See Heyna,B., 8=4785
Groenewold,H.J. Quasi-classical path integrals, 9=4294. See also Nijboer,B.R.A., 9=11795; van Wageningen,R., 8=2797
Groenou,A.Broese van. See Broese van Groenou,A.
Groetzinger,G. See also Aron,J., 6=340; Wiener,B., 5=6159, 5=9186
Groetzinger,G.Kahn,D. and Schwed,P. New criterion for superconductivity in metals, 5=966
Grögler,N. and Stauffer,H. An unusual thermoluminescence phenomenon, 9=6772
Grohe,J.H. See Holzmüller,W., 8=3975
Grois,O.Sh. See Shpinel',V.S., 7=4450
Groma,G.A. and Pócza,E.F. Use of β spectrometers with linearly increasing magnetic field, 9=8431
Gromov,K.Ya., Dzhelepov,B.S., Dmitriev,A.G. and Preobrazhenskiĭ,B.K. On the decay $Nd^{140} \rightarrow Pr^{140} \rightarrow Ce^{140}$, 8=7336
Gromov,V.A. Mechanism of discharge in a hollow cathode, 7=9216. A new method of spectrum excitation in an atomic beam, 8=1593
Gromova,I.I. The photodissociation of nitrogen, 7=7476
Grønvold,F. See also Westrum,E.F.,Jr, 8=8740, 9=6854
Gronvøld,F., Westrum,E.F.,Jr and Chou,C. Heat capacities and thermodynamic properties of the pyrrhotites FeS and $Fe_{0.877}S$ from 5 to 350°K, 9=5639
Groocock,J.M. The effect of high energy X-rays and pile radiation on the thermal decomposition and thermal detonation of α-lead axide, 8=7580
Groot,D.G.de. See de Groot,D.G.

Groot,M.S. de. See de Groot,M.S.
Groot,S.R.de. See de Groot,S.R.
Groot,T. de. See de Groot,T.
Gropp,A. See Fisher,D.E., 9=5049
Gros,C.M. and Gegauff,C. Medical applications of the "track-histophotography" method, 9=14016
Groschwitz,E. On the theoretical temperature coefficients of semi-conductors, 5=7031. On the theoretical temperature coefficients of junction transistors, 5=7032. On impact ionization in silicon and germanium, 6=2105. Amplification of space-charge waves in semiconductors, 9=298. On the plasma theory of electronic semiconductors, 9=12241. See also Hofmeister,E., 9=314; Wiesner,R., 6=4407
Groschwitz,E. and Ebhardt,R. Theory of surface currents at semiconductor surfaces, 9=13288
Groschwitz,E. and Siebertz,K. The problem of plasma oscillations and waves in semiconductors. I, 6=8185
Groschwitz,E. and Wiesner,R. On the contribution of electrons to the optical properties of semiconductors, 6=8773
Groseclose,B.C. See Berko,S., 8=6209
Groshev,L.V. Thermal neutron capture γ-rays and the structure of the atomic muclei, 5=9059
Grosjean,C.C. Transformation of a frequency equation in corrugated wave guide theory, 5=2033. On the theory of circularly symmetric TM waves in infinite irisloaded guides, 5=3901. Mathematical transformation of a system of equations appearing in the theory of TM wave propagation in corrugated guides, 5=3902. Theory of circularly symmetric standing TM wave in terminated iris-loaded guides, 5=8099. Note on the properties of two functions appearing in the theory of TM wave propagation through periodically iris-loaded guides, 5=8100. A high accuracy approximation for solving multiple scattering problems in infinite homogeneous media, 6=6360. On a new approximate one-velocity theory of multiple scattering in infinite homogeneous media, 6=8586. Further development of a new approximate one-velocity theory of multiple scattering, 7=7604. Theory of the velocity distribution of neutrons undergoing multiple scattering in extended media subjected to thermal motion, 9=3745
Grosjean,C.C. and Vanhuyse,V.J. Experimental verification of a frequency equation for corrugated wave guides, 5=2034
Grosjean,D. See Monfils,A., 7=591
Grosjean,P.V. "Semi-metric" geometry and the Einstein–Schrödinger unified theory, 9=2031
Grosof,G.M. See also Hubbs,J.C., 7=2540
Grosof,G.M., Buck,P., Lichten,W. and Rabi,I.I. Quadrupole moment of Ne^{21}, 9=1713
Gross,B. Mathematical structure of the theories of visco-elasticity, 5=1301. Field-induced melting of dielectrics, 5=6114. Linear systems, 7=1936. Irradiation effects in borosilicate glass, 7=7852. Measurements of radial temperature distribution in an electric arc, stabilized with water and "expansin", 7=9705. Thermovoltaic effect in gamma-irradiated borosilicate glass, 8=8791. The Compton current, 9=13370. See also Aron,A., 9=4154; Guy,J., 6=8457
Gross,B., Aron,A., Meyer,E., Roser,F.X., Costa Ribeiro,S. and Olinto,A.C. Fallout particles of high specific activity, 9=12908
Gross,B. and Wright,K.A. Charge distribution and range effects produced by 3 MeV electrons in plexiglas and aluminum, 9=9707
Gross,D. See Robertson,A.F., 9=5604
Gross,E.E. Circuits and attenuators in the modern sound level meter, 8=4828
Gross,E.F. The excitation spectrum of excitons in a solid body, 7=4880. Optical spectrum due to the formation of excitons in crystal lattices, 7=4881. Optical spectrum and magneto-optical properties of excitons, 9=6258. See also Bancie-Grillot,M., 9=9461
Gross,E.F., Abolin'sh,Ya.Ya. and Shultin,A.A. Observation of the optico-acoustic effect in liquids, 9=1230
Gross,E.F., Grillot,E., Zakhartchenia,B.P. and Bancie-Grillot, M. Effect of a magnetic field on the lines of blue fluorescence or luminous absorption of certain pure crystals of cadmium sulphide cooled to 4.2^0K, 9=9460
Gross,E.F. and Kaplyanskiĭ,A.A. A spectroscopic study of absorption and luminescence of cuprous chloride introduced into a crystal of rocksalt, 8=578
Gross,E.F., Kaplyanskiĭ,A.A. and Novikov,B.V. Photoconductivity, luminescence and light absorption in HgI_2 crystals, 6=8804. Structure of the spectral curve of the internal photoeffect in cadmium sulphide crystals, 7=403. Exciton structure of spectral curves of the internal photoeffect in crystals, 7=5346
Gross,E.F. and Novikov,B.V. On the problem of the structure of the spectral curve of the internal photoeffect in CdS crystals, 8=5914
Gross,E.F., Novikov,B.V., Razbirin,B.S. and Suslina,L.G. Absorption spectra of crystals of certain gallium chalcogenides, 9=9429
Gross,E.F. and Razbirin,B.S. Effect of deformation on the spectrum of CdS crystals, 8=2960. Absorption edge spectra in cadmium sulphide crystals and their relation to crystal surface and deformation, 9=5542. A hydrogen-like series of lines in the spectrum of a cadmium sulphide crystal at the fundamental absorption edge, 9=7960
Gross,E.F., Razbirin,B.S. and Yakobson,M.A. The line spectrum of the basic absorption edge and the structure of cadmium sulphide crystals, 7=8516. Line spectrum of the edge of fundamental absorption of cadmium sulphide crystals, 8=6842
Gross,E.F. and Shultin,A.A. The interaction of intramolecular and lattice oscillations of crystals from infrared spectral data, 8=3448
Gross,E.F. and Sobolev,V.V. The absorption and emission spectra of excitons in the CdSe crystal, 7=2815
Gross,E.F. and Suslina,L.G. Monocrystals of ZnS and the spectrum of their absorption edge at low temperatures, 9=12066
Gross,E.F. and Yakobson,M.A. Emission spectrum of an exciton, 7=2814
Gross,E.F. and Zakharchenya,B.P. Linear quadratic Zeeman effects and the diamagnetism of the exciton of a crystal of cuprous oxide, 7=4135, 7=5985. Ionization of excitons in a Cu_2O crystal by an electric field, 8=3456. Diamagnetic Zeeman effect and exciton structure in the crystal of cuprous oxide, 9=5541
Gross,E.F., Zakharchenya,B.P. and Pavinskiĭ,P.P. Diamagnetic exciton levels and cyclotron resonance, 9=6253
Gross,E.F., Zakharchenya,B.P. and Reĭnov,N,M. Zeeman effect in the yellow exciton series of cuprous oxide crystals, 6=7819
Gross,E.P. Shape of collision-broadened spectral lines, 5=2580. Inertial effects and dielectric relaxation, 5=8733. Small oscillation theory of the interaction of a particle and scalar field, 6=1844. Unified theory of interacting bosons, 7=6116. Classical theory of boson wave fields, 8=4763
Gross,E.P. and Jackson,E.A. Kinetic theory of the impulsive motion of an infinite plane, 9=121. Kinetic models and the linearized Boltzmann equation, 9=10693
Gross,E.P., Jackson,E.A. and Ziering,S. Boundary value problems in kinetic theory of gases, 7=9039
Gross,E.P. and Krook,M. Model for collision processes in gases: small-amplitude oscillations of charged two-component systems, 6=5187
Gross,E.P. and Lebowitz,J.L. Quantum theory of dielectric relaxation, 7=3243
Gross,E.P. and Ziering,S. Theory of transfer processes, 6=3437. Kinetic theory of linear shear flow, 8=6725
Gross,F. Investigation of the diffusion of water vapour in high boiling point liquids, 8=7746
Gross,F.L. See Saunders,J.B., 9=6784
Gross,R. See Schmitz,W., 5=6818
Gross,R.A. and Eisen,C.L. On the speed of sound in air, 9=7883
Gross,W. See Wingate,C., 7=4501, 9=4754
Gross,W.A. Use of capacity-controlled r.f. energized ionization transducer for balancing rotors, 9=9276. A gas film lubrication study. I. Some theoretical analyses of slider bearings, 9=10647
Grossart,D.T. See Cooper,R., 7=3234, 7=4302
Grosse,F.A. See Jahn,R.G., 9=12392
Grosset,G. Application of diffraction theory to the correction of spherical aberration, 9=6691
Grossetti,E. Determination of the ultrasonic absorption coefficient of benzol with thermal method, 5=5280. Determination of the ultrasonic absorption coefficient in liquids by the thermal method, 6=4918. Born–Lertes effect on the dipolar rotation of liquids, 9=2309. Dipolar rotation effect in liquids, 9=12228. See also Carrelli,A., 6=7180
Grosskreutz,J.C. Angular distribution of the protons from the $O^{16}(d,p)O^{17}$ reaction as a function of the bombarding energy, 6=1577. See also Weller,C.E., 6=6127
Grosskreutz,J.C. and Rollins,F.R. Small angle X-ray scatter-

ing from copper and aluminum under cyclic stress, 9=7048

Grossman,J.J. and Garner,C.S. Exchange of radiocobalt between the hexammines of cobalt (II) and cobalt (III) in liquid ammonia, 9=896

Grossman,L.M. The first law of thermodynamics for a continuous medium in mass motion, 7=6141

Grossman,P.U.A. A simple instrument for the periodic application of controlled bi-axial strains, 8=3525

Grossman,P.U.A. and Kingston,R.S.T. Mechanical conditioning of high polymers, 8=8486

Grossmann-Doerth,U. The density of heavy water between 95 and 160°C, 6=952. Maximum of the density ratio of heavy to light water, 6=5714

Grossweiner,L.I. Metastable states of photo excited ovalbumin and constituents, 6=7788. See also Reinberg,A.R., 9=8856

Grossweiner,L.I. and Matheson,M.S. Short-lived species from the photolysis of aqueous alkali halide and halogen solutions, 6=1698

Grosvalet,J. The photomagnetoelectric effect for sinusoidal conditions in semiconductors. Application to the measurement of minority carrier lifetime, 5=1809. A method of measuring the surface recombination velocity of semiconductors using the photomagnetoelectric effect in the sinusoidal regime, 6=2082

Groszek,A.J. A calorimeter for determination of heats of wetting, 9=269

Grotdal,T. See Freemantle,R.G. 5=339; Nybö,K., 5=4035; Risti,H., 9=2801, 9=8603

Grote,C. Decays of hyperfragments in nuclear emulsion, 9=2712

Groth,R. Experiments on total reflection of soft X-rays, 9=12344

Groth,W. Enrichment of uranium isotopes by the gas centrifuge method, 9=3965

Groth,W.Ihle,H. and Murrenhoff,A. Determination of the temperature-dependence of the vapour-pressure ratios ρ_{12CO}/ρ_{13CO} and $\rho_{12CH4}/\rho_{13CH4}$, 5=1758

Groth,W., Nann,E. and Welge,K.H. Enrichment of the uranium isotopes in a counter-current gas centrifuge, 8=1286

Groth,W.E. and Schierholz,H. Photochemical formation of nitrous oxide, 8=3547

Groth,W. and Weyssenhoff,H.v. The light absorption of quartz glass between 1470 A and 1750 A, 6=5788

Groth,W.E. and Oldenberg,O. Dissociation by impacts of the second kind, 5=5481

Grotovski,K. See Berlovich,E.Ye., 8=6228

Grotovskii,K.M. See Berlovich,É.E., 9=6070

Grotowski,K. See Budzanowski,A., 7=9297, 9=11309

Groubert,E. See Gaillon,P., 6=4381, 6=5838

Grouse,P.J. and Rathgeber,H.D. A Geiger counter design giving a definite counting length, 7=7975. Counting rate curves for Geiger counters and their geometry, 8=668

Grove,D.J. See Burnett,C.R., 9=2375; Fox,R.E., 6=1330

Grove,D.M. and Ford,M.G. Evidence for permeability minima in low-pressure gas flow through porous media, 9=3216

Grove,F.J. and Jellyman,P.E. The infra-red transmission of glass in the range room temperature to 1400°, 5=5328

Grove,G.R. See Daggett,E.H., 5=8210; Kirby,H.W., 6=6165. See also Pidd,R.W., 9=13366

Grover,G.M., Roehling,D.J., Salmi,E.W. and Pidd,R.W. Properties of a thermoelectric cell, 9=9691

Grover,N.B. See also Harnik,E., 9=3446

Grover,N.B. and Harnik,E. Sweep-out effects in the phase shift method of carrier lifetime measurements, 8=7920

Groves,G.V. Geometrical theory of sound propagation in the atmosphere, 6=4123. Theory of the rocket-grenade method of determining upper-atmospheric properties by sound propagation, 6=8499. Introductory theory for upper atmosphere wind and sonic velocity determination by sound propagation, 6=8521. Effect of the earth's equatorial bulge on the life-time of artificial satellites and its use in determining atmospheric scale heights, 8=3665. Irregularities of satellite drag and diurnal variations in density of the air, 9=3076. See also Parkyn,D.G., 9=9168

Groves,R.D. See Drabble,J.R., 8=1685

Grozina,I.S. See Sokolov,V.A., 9=9366

Grubb,W.T. and Zemany,P.D. X-ray emission spectrography using ion exchange membranes, 5=8807

Grubbs,W.J. Hall effect devices, 9=11050

Grube,W.L. and Rouze,S.R. Application of the two-beam interference microscope to the study of surfaces, 5=239

Grudtsin,N.P. See Smolenskiĭ,G.A., 5=7009

Gruen,D.M. Magnetic properties of uranium hydride, 5=9776. See also Cunningham,B.B., 7=1202; Greenberg,J., 8=9135

Gruen,D.M., Conway,J.G. and McLaughlin,R.D. Color centers and luminescence in single crystals of lanthanum trichloride containing dipositive europium, 7=2828

Gruen,D.M., Conway,J.G., McLaughlin,R.D. and Cunningham,B.B. Fluorescence spectrum of Am^{+3} in $LaCl_3$, 7=274

Gruen,D.M., Malm,J.G. and Weinstock,B. Magnetic susceptibility of plutonium hexafluoride, 6=5230

Gruetzmacher,J.J. On the movement of electricity, 5=1009

Grumer,J., Singer,J.M., Richmond,J.K. and Oxendine,J.R. Photographic studies of turbulent flame structure, 7=7826

Grumet,A. Penetration of transient electromagnetic fields into a conductor, 9=7204

Grum-Grzhimaĭlo,N.V. Residual electrical resistivity of binary systems of metallic alloys, 8=3985

Grum-Grzhimailo,S.V., Brilliantov,N.A. and Sviridova,R.K. The absorption spectra of vanadium-coloured corundum at low temperatures (down to 1.7° K), 9=12043

Grum-Grzhimailo,S.V., Brilliantov,N.A., Sviridova,R.K. and Dzhamalova,A.S. The absorption spectra of rubies at low temperatures (down to 1.7° K), 9=12044

Grum-Grzhimailo,S.V. and Plyusnina,I.I. The absorption spectra of cobalt compounds, 9=9425

Grümm,H. Electron and ion bundles with curved axes—considered in terms of wave mechanics, 5=7101. Application of "knife-edge" method to the estimation of aberrations of deflected electron beams, 6=1285. On the estimation of the lower limit of spherical aberration of magnetic electron lenses, 6=2770. Plane electrostatic fields for which rigorous calculation of electron trajectories is possible, 6=5918. Rotationally symmetrical electrostatic fields for which rigorous calculation of electron trajectories is possible, 6=5919. A rigorously soluble model for cylindrical immersion electron lenses, 6=6696. A reactivity programme for changes of reactor output, 9=1791. The importance function of a reactor with reflector, using the two-group-diffusion method, 9=1796. On the calculation of the conversion of matter in a nuclear reactor, 9=8660

Grümm,H. and Höcker,K.H. The importance function in reactor kinetics, 8=8364

Grümm,H. and Kremser,H. Examples of rigorously soluble ion and electron paths in plane electrostatic fields, 6=7459

Grümm,H. and Spurny,H. Examples of rigorously calculable ion and electron paths in plane electrostatic fields, 7=6257

Grümm,H. and Wagner, J. The deformation of electron diffraction rings by lens aberrations, 5=3819

Grummitt,W.E. See also Brown,R.M., 7=1529; Cruikshank,A.J., 7=1806

Grummitt,W.E., Brown,R.M., Cruikshank,A.J. and Fowler,I.L. Recent developments in low background Geiger-Müller counters, 7=1402

Grün,A.E. Some gas-dynamical and spectroscopic observations on excited gas streams, 5=1666. The Gaydon bands of N_2, 5=2572. On the fluorescence of air, excited by fast electrons: light yield as a function of pressure, 9=214. Luminescence photometry measurements of the energy absorption in the radiation field of electron sources. One dimensional case in air, 9=3574. See also Schüler,H., 5=4518

Grün,F. and Moppert,K.F. On the treatment of Brownian motion with the help of the Langevin equation, 5=1558

Grun,J.B. See Sieskind,M., 9=10773

Grünbaum,A. Logical and philosophical foundations of the special theory of relativity, 5=9404. Relativity of simultaneity within a single Galilean frame. A rejoinder, 7=2950. See also Hill,E.L., 7=7623

Grünbaum,E. The growth of an oriented monolayer of lead on a silver single-crystal substrate, 8=8515. See also Blackman, M., 7=2432, 8=651, 8=1129, 8=4535, 8=5117

Grunbaum,E., Newman,R.C., and Pashley,D.W. The initial stages of growth of oriented copper nuclei on single crystal surfaces of silver, 9=13900

Grunberg,L. The viscosity of regular solutions. Systems involving carbon tetrachloride, benzene and cycle-hexane, 5=3477. A survey of exo-electron emission phenomena, 8=1722. The study of freshly deformed metal surfaces with the aid of exo-electron emission, 8=4063

Grunberg,L. and Wright,K.H.R. Crystal defects in freshly worked surfaces, 5=624. A study of the structure of abraded metal surfaces, 6=3305. The similarity of the emission centres in aluminium surfaces for different methods of preparation, 7=6245

Grundl,J.A., Henkel,R.L. and Perkins,B.L. $P^{31}(n,p)Si^{31}$ and $Al^{27}(n,\alpha)Na^{24}$ cross sections, 8=1979

Gründler,K.-H. See Schäfer,K., 9=13211

Gruner,L. See Weil,L., 7=7230

Grunewald,H. and Feldmann,J. On the electrical conductivity of lead (II)-oxide with additions of K_2O, 8=6962

Grunewald,H. and Neumann,W. On the electrical conductivity of lead (II)-oxide with additions of Cr_2O_3, 8=6963. On the electric conductivity of lead (II)-oxide with additions of high-order impurity cations, 9=311

Grüninger,H. See Grimminger,H., 5=8303

Gruntfest,I.J., Young,E.M., Jr and Kooch,W. Mechanical behavior of plastics, 8=6459

Grunwald,E. See also Purlee,E.L., 8=3544

Grunwald,E. and Berkowitz,B.J. Rayleigh interferometer for the analysis of liquids, 7=9057

Grunwald,E., Lowenstein,A. and Meiboom,S. Study of the protolysis of methylammonium ion in water by proton magnetic resonance, 6=9004. Application of nuclear magnetic resonance to the study of acid–base equilibria, 8=434. Rates and mechanisms of protolysis of methylammonium ion in aqueous solution studied by proton magnetic resonance, 8=1358

Grupinski,L. A calibration apparatus for a fire-damp interferometer, 9=3342

Gruzin,P.L., Polikarpov,Yu.A. and Fedorov,G.B. An investigation of the diffusion of carbon in nickel and its alloys by means of the radioactive isotope C^{14}, 8=4454

Grygołajtys,J. Application of Langmuir's electrical probe to the determination of plasma parameters in an electrical discharge, 8=8830

Gryziński,M. Stopping power of a medium for heavy, charged particles, 8=5176. Fusion chain reaction— chain reaction with charged particles, 9=2846, 9=3936. Classical theory of electronic and ionic inelastic collisions, 9=13737

Grzedzielski,S. Remarks on polarization in the H II medium, 8=6578

Grzywacz,J. The influence of torsional vibrations of luminescent molecules on the fundamental polarization of fluorescence, 9=10813. See also Czajkowski, M., 8=3889; Frąckowiak,M., 9=12103

Guan'Din-Khua, Diffraction of surface sound waves on a semi-infinite impedance tube and rod, 9=13113

Guard,R.W. See Smith,E.A., 6=6979

Guastalla,J. See Guastalla,L. 5=4153

Guastalla,L. Wetting of commercial polymethylmethacrylate: adsorption of ionized and non-ionized long-chain compounds, 6=7188

Guastalla,L. and Guastalla,J. On the effect of molecular interaction in concentrated adsorbed films, 5=4153

Gubanov,A.I. Theory of formation of the "valve" e.m.f. in semi-conductors, 5=935. The diffusion and the drift of photo electrons in partially illuminated semi-conductors, 5=937. Theory of the zone structure of a three-dimensional model of a liquid, 5=8541. Scattering of electrons in a liquid due to violation of long-range order, 6=8038. Mean free path of electrons in liquid and amorphous conductors, 7=1266. Electron scattering on thermal oscillations in a liquid, 7=1955. Theory of semiconductors of the type $A^{III}B^{V}$, 7=2206. Electrical conductivity, thermal conductivity, thermal e.m.f. and Hall and Nernst constants for amorphous substances with electronic conductivity, 7=7808. Change in properties of semiconductors on fusion, 8=1047. Reflection and refraction of shock waves at the boundary of two media. I. Normal impact, 9=9328. Dependence of the zone structure of an alloy of the AB_3 type on the degree of order, 9=8829. See also Gordeev,G.V., 9=3603

Gubanov,A.I. and Lun'kin,Yu.P. The kinetic equations of gas dissociation including diffusion, 9=5427

Gubanov,A.I. and Makovskiĭ,L.L. On the reasoning in the paper of K.B. Tolpȳgo and I.G.Zaslavskaya "Ambipolar diffusion in semiconductors at large currents", 7=1301

Gubernator,K. The range of low-energy electrons and positrons in aluminium, 8=8968

Gubkin,A.N. The phenomenological theory of electrets, 9=4557. Surface breakdown of polycrystalline dielectrics of different permittivities, 9=9680. See also Skanavi,G.I., 5=6104, 5=7015

Gubkin,A.N. and Skanavi,G.I. New electrets from inorganic dielectrics, 7=6155. The anomalous stabilities of new inorganic polycrystalline electrets, 9=5664. The production and properties of new electrets from inorganic dielectrics, 9=12223

Gucker,F.T.,Jr and Peterson,A.H. A comparison photometer to measure light scattering of aerosols and gases, using the latter as light-scattering standards, 5=4568

Gucker,F.T., Jr and Rose,D.G. A photoelectronic instrument for counting and sizing aerosol particles, 5=1280

Gudden,F. and Eichler,J. The distributions in angle and energy of the photoprotons from the process $A^{40}(\gamma,p)Cl^{39}$, 8=338. Angular and energy distributions of the photo-protons from the process $A^{40}(\gamma,p)Cl^{39}$, 8=9059

Gudefin,E. and Haug,R. Design of automatic plotters of equipotential lines of any shape, 8=2

Gudemchuk,V.A., Podoshevnikov,B.F. and Tartakovskii,B.D. On the role of turbulence in the phenomenon of acoustic coagulation of aerosols, 9=11960

Guderjahn,C.A., Paynter,D.A., Berghausen,P.E. and Good,R.J. Heat of bulb breaking in heat-of-immersion calorimetry, 8=6927

Gudkov,L.S. See Makarov,E.S., 7=8214

Gudkova,T.I. See Bokshtein,S.Z., 9=10287

Gudmundsen,R.A. See also Forrester,A.T., 6=1018, 6=4354

Gudmundsen,R.A. and Maserjian,J., Jr. Semiconductor properties of recrystallized silicon in aluminum alloy junction diodes, 8=8776

Gudris,N.M. and Shul'ts,I.N. Optical absorption of $PbCl_2$ with a stoichiometric excess of metal or halogen, 9=9446

Guében,G. See also Legros,M., 9=11333; Mahaux,C., 9=12654; Robinet,Y., 7=4676

Guében,G. and Govaerts,J. The techniques utilized at the Institute of Nuclear Physics of the University of Liège. IV. A screening system for the R.C.L. nucleometer, 9=7237

Guelfi,J. See Lucas,R., 5=6781

Guelke,R.W. and Huyssen,R.M.J. Development of apparatus for the analysis of sound by the sense of touch, 9=7907

Guénebaut,H. See Pannetier,G., 5=4516, 8=4921

Guengant,L. and Vodar,B. Contribution to the X-ray crystallographic study of allotropic transformations induced by pressure, 5=576

Guentert,O.J. Effects of layer faults in diamond structures on X-ray diffraction patterns, 8=5522

Guentert,O.J. and Warren,B.E. X-ray study of faults in body-centered cubic metals, 9=865

Guenther,A.H. See also Rank,D.H., 7=1482, 7=2011, 7=4111, 7=7790, 7=8519, 7=9065; Shearer,J.N., 7=584

Guenther,A.H., Wiggins,T.A. and Rank,D.H. Internuclear distance and l-type doubling in carbon disulfide, 8=3440

Guenthershulze,A. Cathodic sputtering. An analysis of the physical processes, 7=789

Guentner,W.S., Hardwick,T.J. and Nejak,R.P. On the decrease in hydrogen yield during cyclohexane radiolysis, 9=7581

Guérin,P. On obtaining recordings of stellar spectra, and the determination of gradients by the use of a photoelectric spectrophotometer, 5=7651

Guérineau,F. See Bayet,M., 5=1862

Guernsey,E.O. and Ball,R.M. Reactor-irradiator for meat, 8=352

Guernsey,J.B. and Goodman,C. Neutron cross sections for zirconium, 6=3236

Guernsey,J.B. and Wattenberg,A. Excitation of some low-lying levels by inelastic neutron scattering, 6=3237

Guernsey,R., Jr. See Flynn,P.D., 7=3019

Guéronnière.E. de la. See de la Guéronnière.E.

Guerra Vieira,A.H. and Orsini,L.Q. The construction of a radio-interferometer for the localization of extra-terrestrial sources, and the registrations obtained in the case of the Sun and of artificial satellites , 9=5307

Guerri,L. See Caracciolo,A., 9=7723; Fabri,E., 9=7727

Guerriero,L. See Baldo-Ceolin,M., 7=8880; Bhowmik,B., 7=8866; Ceolin,C., 9=13576; Cresti,M., 7=3627; Deutschmann,M., 6=3998, 6=5411; Grilli,M., 8=8996, 9=2648, 9=3791; K-collaboration, 9=13575; Keefe,D., 9=8480

Guess,A.W. See Sen,H.K., 8=6745

Guest,J. The solution of linear simultaneous equations by matrix iteration, 6=4768

Guest,P.G. A differential refractometer of high sensitivity, 5=8583. Methods for numerical calculations with the type I counter, 8=8567

Guffy,J.C. See Lindeman,L.P., 8=8398

Gugan,D. The change of spontaneous magnetization with hydrostatic pressure, 9=2492. See also Dugdale,J.S., 8=608

Gugan,D. and Dugdale,J.S. The influence of the martensitic transformation on the electrical resistance of sodium, 9=2310

Gugan,D. and Rowlands,G. The pressure dependence of the ferromagnetic anisotropy energy, 8=8139

Gugelot,P.C. Medium energy reactions and scattering, 8=1955. See also Schrank,G., 5=2171

Gugelot,P.C. and Phillips,P.R. Inelastic scattering of 18 MeV protons by Mg^{24}, 6=4457

Gugelot,P.C. and Rickey,M. Inelastic scattering of 42-MeV α'S by Mg, 6=4456

Guggenberger,T. The bremsstrahlung of electrons in an ionic field at the short-wave limit, 8=5967

Guggenbühl,W. and Strutt, M.J.O. Measurements of the spontaneous fluctuations in currents with various carriers in semiconductor barrier layers, 6=3721

Guggenheim,E.A. The diffusion coefficient of sodium chloride, 5=785. The computation of electric dipole moments, 5=4857. On Brönsted's principle of specific interaction, 7=3781. See also Ashton,H.M., 7=166*; Bates,R.G., 6=9013

Guggenheimer,K.M. Meson mass spectrum, 9=7268. Interpretation of resonance energies in the photoproduction and scattering of pions from hydrogen, 9=12580

Guha,S. and Basu,S. Diamagnetic susceptibility of position isomers, 9=12445

Guhl,H. An investigation of the excited states of Mn^{55} and Fe^{55}, and a description of a coincidence measuring apparatus, 9=10028. See also Brunner,J., 5=5613, 6=3945

Guibé,L. See Benoit,H., 8=8160

Guichardet,A. Some properties of quantum mechanical probabilities, 8=1534. Some properties of predictions in quantum mechanics, 8=2803

Guidarelli,S. Thermal problems in the design of a new stellar spectrograph for the Observatory at Merate, 8=3. The effect of atmospheric pressure on a spectroscope, 8=5761. The geometric width of a spectral line, 8=7795. Movement and adjustment of the new stellar spectrograph at the Astronomical Observatory at Merate, 9=4198. The possibility of correcting an error due to compensating prisms, 9=12160

Guienne,P. and Bouniol,F. Determination of the velocity field behind a detached shock wave, 7=5131

Guier,W.H. See also Hart,R.W., 5=3468, 6=3120, 8=8310

Guier,W.H. and Hart,R.W. Energy dependence of cross sections near threshold: neutral particles, 7=5609

Guier,W.H. and Weiffenbach,G.C. Theoretical analysis of Doppler radio signals from earth satellites, 8=5594

Guilbot,A. See Abadie,P., 6=3628, 7=4307

Guild,J. The interference systems of crossed diffraction gratings, 6=5027

Guildner,L.A. The thermal conductivity of carbon dioxide in the region of the critical point, 9=1367

Guile,A.E. See also Secker,P.E., 8=5939

Guile,A.E., Lewis,T.J. and Mehta,S.F. Arc movement and electrode magnetism, 7=7134. Arc motion with magnetized electrodes, 8=1075

Guile,A.E. and Secker,P.E. Arc cathode movement in a magnetic field, 9=4651

Guillaud,C. See also Bernard,R., 7=5347*, 7=8907; Goutte,R., 7=5345, 8=211

Guillaud,C. and Paulus, M. Initial permeability and grain size of manganese-zinc ferrites, 6=6773

Guillaud,C., Paulus,M. and Vautier,R. The reduction of eddy-current losses in manganese–zinc ferrites by the addition of calcium, 7=2415

Guillaud,C., Vautier,R. and Kagan,W. Hyperfrequency properties of some nickel-zinc ferrite chromites, 7=9261

Guillaud,C. and Villers,G. Effect of Al^{3+} ions substituted for Fe^{3+} ions on the magnetic properties of the compounds $^6Fe_2O_3$.BaO, $6Fe_2O_3$.SrO and $6Fe_2O_3$.PbO, 6=7522

Guillaud,C., Zega,B. and Villers,G. Effect of alkaline and alkaline earth ions on the initial permeability of manganese-zinc ferrites, 6=6005

Guillaume,C.Benoit à la. See Benoit à la Guillaume,C.

Guillery,P. The temperature of, and current density at, the cathode of high-current carbon arcs, 5=6169

Guillon,H. 2 Mc/s bandwidth amplifier type A.P.T.1, 7=1408. See also Thenard,J., 7=2352

Guillot, M. and Delaval,A. On the structure of certain radioactive dusts, 9=12909

Guinand,S. and Tonnelat,J. On the experimental study of macromolecular solutions by scattering of light. III. Experimental determination of Rayleigh's ratio. Application to benzene, 5=2643

Guinier,A. Effects of crystal imperfections on X-ray diffraction , 9=797. See also Belbeoch,B., 9=864; Lambert,M., 6=2157, 7=770*, 7=2733*, 7=9455, 7=9969, 8=6418; Merlini,A., 7=8935

Guinier,A. and Guyon,E. Internal double reflection in a perfect crystal, 9=7612

Guinn,V.P. See Garvin,D., 5=5016; Wagner,C D., 6=2962

Guinot,B. The impersonal astrolabe of A.Danjon, 8=2092

Guintini,P. See Grillot,E., 5=201

Guiochon,M.A., Blamont,J.E. and Brossel,J. On the coherence of the phenomenon of multiple scattering of light in optical resonance, 7=5974. On the coherence of the phenomenon of multiple scattering of light in resonance radiation, 7=6071

Guiot-Guillain,G. Comparative study of crystal structures of ferrites of lanthanum, praseodymium and samarium, 6=4110. See also Forestier,H., 7=5454

Guiot-Guillain,G. and Wache, X. Thermal expansion study of samarium ferrite and the magnetic transitions of the rare-earth ferrites, 6=475

Guirguis,G.K. and Hammad,A. Investigations on the height of the luminescent layer, 6=4756

Guittard,J. Pipes and resonators. Calculation and measurement of some acoustic resistances, 5=4445

Guitton,J. See Audubert,R., 6=7786

Guizonnier,R. A study of the influence of temperature on the conductivity of liquid insulation, 6=362. Distribution of potential in carbon tetrachloride subjected to a D.C. voltage (fields less than 1500 V/cm), 6=1188. Analogies between phenomena due to conduction currents in insulating liquids, between electrodes covered with a thin film of varnish and diffusion phenomena, 6=7421. The d.c. conductivity of liquid insulants when the electrodes are covered with a thin film of solid insulation. Comparison with the usual conductivity of these insulating solids and liquids, 7=6180

Guizonnier,R. and Mourcin,P. Study of the conductivity of carbon tetrachloride (fields less than 1500 V/cm, 6=364

Gukhman,A.A. On P.V. Dvornichenko's paper "Some considerations regarding the methods of evaluating the heat exchange and hydraulic resistance for a high-velocity gas flow", 8=3926

Gulbis,F. See Keech,G.L., 5=5500

Guldner,W.G. See Wooten,L.A., 5=8060

Guliev,N.A. Polarization of neutrons scattered by carbon taking into account the nuclear volume, 7=1660

Gullikson,C.W. See Nielsen,J.R., 6=1075

Gulmanelli,P. See also Bocchieri,P., 7=8369; Dell'Antonio, G.F., 8=2139, 9=6511; Duimio,F., 6=3492

Gulmanelli,P. and Montaldi,E. Gravitational forces and quantum field theory, 7=8375

Gulyamov,U.G. See Azimov,S.A., 7=4700; Bannik,B.P., 8=8281

Gum,C.S. The extent and excitation of the large H II region in Vela–Puppis, 7=1843

Guman,W.J. Shock waves in the presence of ionization in monatomic gases, 6=6452. Further comments on ionizing shock waves in monatomic gases, 8=6742

Gumbel,E.J. See Freudenthal,A.M., 5=3196

Gumenyuk,V.S. See Mitropan,I.M., 7=6287, 8=8061

Gumiński,K. and Romanowski,W. The electric conductivity of crystalline methylene blue, 5=4640

Gumlich,H.E. Contribution to the study of the extinguishing and sensitizing effects of electric fields, 6=3640. See also Destriau,G., 6=2801; Gobrecht,H., 7=4205, 8=5798

Gummel,H. and Lax,M. Thermal ionization and capture of electrons trapped in semiconductors, 5=4644. Thermal capture of electrons in silicon, 8=1693

Gundersen,W. See Brun,J., 7=7316, 9=3963

Gundiah,S. and Kapur,S.L. Critical concentration effects in dilute solution viscosities of polymers, 9=2119

Gundry,H.A. See Challoner,A.R., 5=4607, 8=3924

Gunn,E.L. See Beck,B.L., 9=11628

Gunn,J.B. The field-dependence of electron mobility in germanium, 7=379. Avalanche injection in semiconductors, 7=1277. On carrier accumulation, and the properties of certain semiconductor junctions, 8=2301. Effect of electron and impurity density on the field-dependence of mobility in germanium, 9=6962. See also Arthur,J.B., 6=8190-1; Avery,D.G., 6=2085

Gunn,J.B. and Gibson,A.F. High field effects in semiconductors, 7=7894

Gunn,J.C. Theory of radiation, 5=7687

Gunn,K.L.S. and East,T.W.R. The microwave properties of precipitation particles, 5=1394

Gunn,R. Diffusion charging of atmospheric droplets by ions, and the resulting combination coefficients, 5=1401. The statistical electrification of aerosols by ionic diffusion, 5=5050. The systematic electrification of mist and light rain in the lower atmosphere, 5=5155. Droplet-electrification processes and coagulation in stable and unstable clouds, 6=8522. Initial electrification processes in thunderstorms, 6=8529. Raindrop electrification by the association of randomly charged cloud droplets, 6=9116. Comments on "Initial electrification processes in thunderstorms", 7=5772. The electrification of precipitation and thunderstorms, 8=462. Electrification of aerosols by ionic diffusion, 8=3968. See also Phillips,B.B., 5=1402; Webb,W.L., 5=9306; Woessner, R.H., 8=5553

Gunn,S.R. Rocking-bomb calorimeter for measuring heats of solution, 8=3954. See also Higgins,G.H., 5=8191

Gunn,S.R., Hicks,H.G., Levy,H.B. and Stevenson,P.C. Calorimetric determination of the average total kinetic energy of fragments from fission of U^{235}, 8=6339

Gunnersen,E.M. The de Haas-van Alphen effect in aluminium, 7=4558

Gunning,H.E. See Friedman,H.L., 5=3210, 6=1675, 7=5702; Hirata,T., 8=2054; McDonald,C.C., 5=5045; Osborn,K.R., 5=7485, 7=3124; Pertel,R., 7=4650

Gunst,S.B., Connor,J.C. and Bayard,R.T. Thin scintillators of ZnS in fused B_2O_3 for thermal neutron detection, 6=713

Gunter,W.D.,Jr and Hubbs,R.A. Revised Weizsäcker semiempirical formula for diffuse nuclear surfaces, 9=4964

Günthard, H.H. See also Kneubühl,F., 9=12646; Primas,H., 8=1805, 9=8277, 9=8356, 8=11805

Günthard,H.H., Lord,R.C. and McCubbin,T.K.Jr. Rotation-vibration spectra and the molecular constants of cyclopropane and cyclopropane-d_6, 7=1481

Günther,K.G. The condensation behaviour high melting-point substances, 8=6912. The intensity distribution of vapour and molecular beams, 8=8406. Evaporated layers of semiconducting III-V compounds, 9=3455. Evaporated layers of semiconducting III-V compounds InAs and InSb, 9=4589. See also Hänlein,W., 7=9035

Günther,K.G., Jaeckel,R. and Oetjen,G.W. Flow of gas at high subsonic speeds through short pipes, in a pressure range between 10^{-2} and 10 torr, 5 =4428

Günther,M. Two-quantum interaction correction for the ground-state energy of the helium atom, 8=6354

Günther,N. Optical space perception, 9=1969

Günther,P., Heim,E. and Eichkorn,G. Phase correlation sound pressure and sonoluminescence, 9=13185

Günther,P., Heim,E., Schmitt,A. and Zeil,W. Sonoluminescence experiments, 9=1325

Günther,P., Zeil,W., Grisar,U., Langmann,W. and Heim,E. On sonoluminescence, 9=2232

Günther,R. See Steubing,W., 5=7832

Günther,W. Stress functions and compatibility conditions of continuum mechanics, 5=5234. On the statics and the kinematics of a "Cosserat continuum", 9=11868

Gunther-Mohr,G.R. See Geschwind,S., 5=2100

Güntherschulze,A. Cathode sputtering and electron emission, 5=8879

Gunton,R.C. See also Ollom,J.R., 6=3631; Rexroad,H.N., 6=5303

Gunton,R.C., Ollom,J.F. and Rexroad,H.N. The microwave spectrum and molecular structure of $(CH_3)_3SiF$, 5=1702

Guntz,A. On the luminescence of the natural calcined phosphates of North Africa, 7=4180

Günzel,E. See Schubert,K., 5=4204

Gunzel,F.H., Jr. See Misch,R.D., 9=3487

Gupta,A.S. Effect of buoyancy forces on certain viscous flows with suction, 9=10651

Gupta,B.K. See also Venkiteshwaran,S.P., 5=4221

Gupta,B.K. and Rao,V.S.R. Configuration interaction in the ground state and two excited states $(1s,2s)^1S$ and $(1s,3s)^1S$ of He atom, 8=6355

Gupta,I.C. See also Snyder,A.L., 7=5639

Gupta,I.C., Chang,W.Y. and Snyder,A L. Double-plate cloud-chamber study of V^0 particles: Classification and related results, 7=5638

Cupta,K.Das. See Das Gupta,K.

Gupta,K.K. The Green's functions for equations of particles of arbitrary spin, 6=69

Gupta,K.K. and Lawson,R.D. Effect of configuration mixing on magnetic multipole radiation, 9=8509

Gupta,K.K. and Mathur,V.S. Electromagnetic properties of superconductors, 9=12295

Gupta,M.K.Das. See Das Gupta,M.K.

Gupta,M.K. Sen. See Sen Gupta,M.K.

Gupta,M.P. and Dube,G.P. X-ray crystallographic data on rubidium fumarate, monohydrate $(Rb_2C_4H_2O_4,H_2O)$, 9=10391

Gupta,M.R. Analysis of bursts produced by mesons, 8=1109. See also Chakrabarty,S.K., 6=1343

Gupta,P.K. Sen. See Sen Gupta,P.K.

Gupta,P.Sen. See Sen Gupta,P.

Gupta,R.C. See also Pradhan,B.P., 9=9581

Gupta,R.C. and Pradhan,B.P. Effect of addition of talc on the dielectric properties of rosin, 9=2302

Gupta,R.K. On the determination of the electron capture decay energy: ^{196}Au, 8=1929. See also Bhatki,K.S., 7=3594, 8=1232

Gupta,R.K. and Jha,S. A high energy γ-ray in the decay of barium 131, 6=2365. Studies with scintillation spectrometer, 6=3165. On the electron capture decay energy of $^{153}_{64}Gd$, 6=6862. On the neutron deficient isotopes of thallium, ^{200}Tl and ^{202}Tl, 7=8805

Gupta,R.K., Jha,S. and Madan,B.K. Note on the electron capture decay of $^{121}Te^m$, 9=3871

Gupta,R.K., Jha,S., Joshi,M.C. and Madan,B.K. On the decay of ^{133}Ba, 8=3332

Gupta,S. The shrinking horizon in the steadystate theory of the expanding universe, 6=4155. See also Majumdar, R.C., 5=735*

Gupta,S.C. Das. See Das Gupta,S.C.

Gupta,S.N. Gravitation and electromagnetism, 5=1499. Multiple photon production in electron-positron annihilation, 5=4041. Multiple photon production in quantum electrodynamics, 5=6737. Multiple bremsstrahlung, 5=8834. Quantum field theory in terms of ordered products, 7=9522. Quantum mechanics with an indefinite metric, 7=9547. Anomalous magnetic moments of nucleons in nucleon—photon interaction, 8=268. Einstein's and other theories of gravitation, 8=1476. Conservation of parity in strong interactions, 8=1491. Effect of strange particles on magnetic moments of nucleon, 9=2586. Pion production in high-energy processes, 9=2634. Theory of the spin-orbit interaction in nuclear forces, 9=6052

Gupta,S.Sen. See Sen Gupta,S.

Gupta,S.N.Sen. See Sen Gupta,S.N.

Gupta,S.R. and Hills,G.J. A precision electrode-less conductance cell for use at audio-frequencies, 6=6991

Gupta,U.C. See Miller,D.W., 6=2394; Rasmussen,V.K., 6=1557

Gupta,V. See Blin-Stoyle,R.J., 9=8540

Gupta,V.S. Boiling point and critical temperature of N-paraffins, 6=2039. Empirical relation for calculation of specific heat of normal paraffins, 6=8745

Guptill,E.W. See also Keyston,J.R.G., 9=6833; Lim,C.C., 8=7766

Guptill,E.W., Hallett,A.C.H. and Lim,C.C. Velocity of sound in a $^3He-^4He$ mixture, 9=1193

Guptill,E.W., Hoyt,C.K. and Robinson,D.K. The velocity and attenuation of sound in solid argon, 5=8560

Gurari,M. Self-energy of electrons in lattice fields, 7=1739

Gural,S., Ward,S.G. and Whitmore,R.L. Studies of the viscosity and sedimentation of suspensions. III. The sedimentation of isometric and compact particles, 5=3479

Gur'ev,A.V. On the coefficient of transverse deformation in the elastic range, 5=2242

Gur'eva,M.K. See Rautian,G.N., 7=8954

Gurevich,A.V. The destruction of superconductivity of thin films by a magnetic field, 5=3788. On the effect of radio waves on the Plasma (ionosphere), 6=8884. The velocity distribution function for electrons in a variable electric and constant magnetic field, 7=5358. Simplification of the equations for the distribution function of electrons in plasma, 8=526. On the electron temperature of a plasma in an alternating electric field, 9=2446. Instability and hysteresis of the electron temperature in inert gas plasmas, 9=9731

Gurevich,D.B. See also Bobovich,Ya.S., 5=4556

Gurevich,D B. and Prokof'ev,V.K. Temperature distribution in the plasma of low- and high-voltage spark discharges, 7=9704

Gurevich,I.I. Impossibility of explaining the stability of hyperons by large spins, 6=5409. See also Alpers,V V., 6=8968, 6=8970, 6=8972-3, 7=6315

Gurevich,I.I., Kutukova,V.M., Mishakova,A.P., Nikolskiĭ,B.A. and Surkova,L.V. Asymmetry in the angular distribution of $\mu^+ \rightarrow e^+$ decay electrons observed in photographic emulsions, 8=8235

Gurevich,I.I., Mishakova,A.P., Nikol'skiĭ,B.A. and Surkova,L.V.

Explosion showers produced by high-energy cosmic-ray particles, 8=8088

Gurevich,I.I. and Pevzner,M.I. Repulsion of nuclear levels, 7=1510, 7=7292

Gurevich,I.M. Emission from a powerful pulse lamp at the moment of explosion, 9=13203

Gurevich,L.E. See also Gribov,V.N., 7=3045

Gurevich,L.E. and Gribov,V.N. Dielectric losses in ionic dielectrics in strong electric fields, 6=4383

Gurevich,L.E. and Uritskiĭ,Z.I. The oscillation of the absorption coefficient of a crystal in a magnetic field in the region of the direct photoeffect, 8=9116

Gurevich,L.V. See Veĭts,I.V., 6=9001

Gurevich,M.A. and Malyus-Malitskiĭ,K.P. [Self-] recording magnetoelectrical balances, 5=6780

Gurevich,M.A. and Ormont,B.F. Precision measurements of unit cell dimensions of polycrystalline samples using an X-ray back-reflection camera of high resolving power, 7=1751. The lattice constant of pure metallic vanadium and the influence of oxygen on change of this constant, 8=4531

Gurevich,V.L. Nuclear capture of neutrons of several MeV, 6=8391. The skin effect and ferromagnetic resonance, 8=5909. Oscillations of the conductivity of metallic films in magnetic fields, 9=2357. Anomalous skin effect in ferromagnetics, 9=8330

Gurevich,V.L. and Obraztsov,Yu.N. The influence of the dragging of electrons by phonons on the thermomagnetic effects in semiconductors, 7=9189

Gurevich,V.M. See Smolyanskii,R.E., 9=9009

Gurewitsch,A.M. A study of the photodisintegration of C^{12} into three alpha-particles, 5=3103

Gurfel',D.I. See Grazhdankina,N.P., 9=2265

Gurinovich,G.P. See Sevchenko,A.N., 8=2971, 9=12075

Gurnee,E.F. Theory of orientation and double refraction in polymers, 5=3159. Solution of an integral equation arising in optical studies of oriented filaments, 5=8669. See also Rudd,J.F., 8=5820

Gurnee,E.F. and Magee,J.L. Interchange of charge between gaseous molecules in resonant and near-resonant processes, 7=7987

Gurnee,E.F., Patterson,L.T. and Andrews,R.D. Apparatus for making simultaneous stress and birefringence measurements on polymers, 5=9594

Gurney,T.R. Improvement of the fatigue strength of notched specimens by artificially induced residual stresses, 9=7556

Guro,G.M. Decay law for concentration of non-equilibrium charge carriers in semiconductors, 8=3098. On the theory of the photoelectromagnetic effect in semiconductors, 8=6979. See also Adirovich,E.I., 7=364, 7=1291

Gurov,K.P. See Borovskiĭ,I.B., 8=4462

Gurp,G.J.Van. See van Gurp,G.J.

Gürsey,F. Connection between Dirac's electron and a classical spinning particle, 5=4360. On a conform-invariant spinor wave equation, 6=4842. General relativistic interpretation of some spinor wave equations, 7=7621. Relativistic kinematics of a classical point particle in spinor form, 7=8393. Coulomb scattering of polarized electrons, 8=1163. Relation of charge independence and baryon conservation to Pauli's transformation, 8=2778. Possible connection between strangeness and parity, 8=7695. On the group structure of elementary particles, 9=2070. See also Feinberg, G., 9=9209

Gürsey,S. On giant pulses produced in alcohol vapour filled counters, 9=3682

Gursky,J.M. See Northrop,J.A., 9=4475

Guru Moorti,V.R. See Moorti,V.R.G.

Gurunadha Sarma,N.V. Investigation of vertical movements of the F2 layer, 5=10111; See also Ramachandra Rao,B., 5=2334

Guruswami[y],D.S. See Parthasarathy,S., 6=150, 6=3573

Guruswamy[i],D.S. See Parthasarathy,S., 5=8564

Gurvich,A.S. See also Tatarskii,V.I., 9=10432

Gurvich,A.S., Tatarskii,V.I. and Tsvang,L.R. Experimental investigation of the statistical character of the twinkling of light originating at the earth's surface, 9=12901

Gurvich,L.G. See Umarov,S.U., 7=2207

Gurvich,L.V. The absolute probabilities of transitions in an atom of Tl, 9=12726. See also Veits,I.V., 7=9304, 7=9785

Gurzadyan,G.A. Magnetic fields in planetary nebulae, 7=8360. Magnetic dipole fields in planetary nebulae, 9=7747. Radio interference caused by the Moon's ionosphere, 9=9138. A "lunar" radio interferometer, 9=9139

Gurzhi,R.N. On the scattering of photons by nucleons, 6=8958. On the theory of absorption of electromagnetic waves in metals in the infrared region of the spectrum, 8=1614. A quantum kinetic equation for electrons in a metal, 8=2030. On taking into account the mutual correlation of electrons in metal optics, 9=2241

Gusakow,M. See also Albuoy,G., 9=13629; Basile,R., 8=4316, 9=3912

Gusakow,M. and Basile,R. The determination of the energy of the 8.15 hours isomeric state in Ta^{180} using a betatron, 8=7310

Guseĭnov,A.G. See Kovalev,V.P., 8=7397

Guseinov,I.I. Elastic scattering of polarized Dirac particles by a short-ranged central force, by the theory of phases, 9=10619. See also Sokolov,A.A., 8=5174, 8=7230

Gusev,A.A. Quantum theory of the magnetostriction of ferromagnetic monocrystals, 5=7194. Quantum theory of magnetostriction, 6=1356. The quantum theory of the magnetostriction of cubic monocrystals of ferromagnetics at low temperatures, 7=1439

Gusev,I.A., Lilova,O.M., Murin,A.N., Preobrazhenskiĭ,B.K. and Yakolev,V.A. An isotope of gadolinium with mass number 146, 8=1943

Gusev,N.G. and Kovalev,E.E. On the paper "radiation from a sphere in the presence of self-absorption", 7=1980

Gusev,V.D., Drachev,L.A., Mirkotan,S.F., Berezin,Yu.V., Kiyanovskii,M.P., Vinogradova,M.B. and Gailit,T.A. Structure and motion of large inhomogeneities in the F_2 layer of the ionosphere, 9=11644

Guseva,L.G. See also Klyarfel'd,B.N., 6=6665

Guseva,L.G. and Klyarfel'd,B.N. Ignition voltage of the discharge in mercury vapours, 5=6172

Guseva,L.I. See Gerlit,Yu.B., 8=1971; Tarantin,N.I., 8=7398; Volkov,V.V., 9=13676

Guseva,M.I., Iopin,E.V. and Tsȳtko,S.P. Penetration Depth and the distribution of atoms injected into a So^{30} isotope target, 9=13815

Guseva,V.V. See also Birger,N.G., 6=7730, 7=3623-4

Guseva,V.V., Zatsepin,G.T. and Khristiansen,G.B. On the angular distribution of high-energy broad atmospheric showers, 9=2469

Gush,H.P. See also Allin,E.J., 9=6725; Kiss,Z.J. 9=7962

Gush,H.P., Hare,W.F.J., Allin,E.J. and Welsh,H.L. Double transitions in the infrared spectrum of solid hydrogen, 7=7748

Gush,H.P. and Jones,A.V. Infrared spectrum of the night sky from 1.0μ to 2.0,μ., 6=4119

Gush,H.P., Nanassy,A. and Welsh,H.L. Structure of the fundamental infrared band of hydrogen in pressure induced absorption, 7=7745

Gushchina,Z.M. See Fabrikov,V.A., 9=446

Gusinskii,G.M. See Alkhazov,D.G., 9=12631

Gussgard,K. See Baarli,J., 8=5673

Gustafson,T. On the potential collective flow of a rotating nucleus with non-ellipsoidal boundary, 7=3515

Gustafson,W.A. and V.Krzywoblocki,M.Z. On multiplicity theorems and an exact solution in diabatic flow. I, 8=7729, II, 8=7730

Gustafsson,S. See Sievert,R.M., 8=6267

Gustavi,S.G.M. On a modified Hulthén potential, 7=6878

Gustavson,M.R. See Bauer,S.H., 5=5008

Gustova,L.V. See also Grigor'ev,E.P., 8=739

Gustova,L.V. and Chubinskii,O.V. Hard γ-radiation from As^{76}. The As^{76} decay scheme, 9=10076

Gustova,L.V., Dzhelepov,B.S., Ermolov,P.F. and Chubinskii,O.V. Hard γ-radiation from Na^{24}, 9=10077

Gutbier,H. Mass-spectrometric investigation of the reaction $X^+ + H_2 \rightarrow HX^+ + H$, 9=7129

Gutenberg,B. Damping of the earth's free nutation, 6=6328

Güth,W. The propagation of sound impulses in metal cylinders, 5=4446. An experiment for the demonstration of cavitation bubbles and cavitation nuclei, 5=9458

Guthe,D.B. See Cobb,W.R., 7=8158

Güthner,K. See Bienlein,H., 9=4713, 9=9938

Guthrie,G.L. Heat capacity of pseudo-copper below 4.2°K, 9=5635

Guthrie,G.L., Friedberg,S.A. and Goldman,J.E. Specfic heats of some copper-rich copper-nickel alloys at liquid helium temperatures, 9=4534

Gutin,S.S. See also Mel'nik,V.G., 9=1465

Gutin,S.S., Prochakov,L.L. and Serbulenko,M.G. Measurement of the true surface of a metal, 7=772

Gutjahr,H. Photoconductivity of CdS single crystals, 9=2342.

See also Böer,K.W., 8=7975

Gutjahr,H. and Gutsche,E. An experimental contribution on the field excitation of electrons from levels in the forbidden zone, 5=7023

Gutkin,T.I. See Demirkhanov,R.A., 7=9838-9, 8=5435, 9=2688, 9=13595

Gutman,A. Using asymptotic integration of the wave equation to solve some waveguide and resonator problems, 9=12513

Gutman,F. See Fielding,P.E., 7=5338

Gutmann,F. See Buchanan,G.S., 7=1707

Gutmann,H.E. Respirator suitable for both small and large laboratory animals, 9=959

Gutmann,J.R. See Wolke,R.L., 7=8844

Gutowski,F.A. Ultrasonic dispersion in a Co_2-H_2O mixture, 6=4910. See also Carome,E.F., 8=3827; Schuele,D.E., 7=9577

Gutowski,J.A. See Greiner,E.S., 8=2313

Gutowsky,H.S. Nuclear magnetic resonance applied to chemical problems, 8=5289. See also Bernheim,R.A., 9=8362; Buchta,J.C., 8=1807; Powles,J.G., 5=9775; Stejskal,E.O., 9=744, 9=8366; Takeda,M., 7=5513; Williams,G.A., 7=1516, 7=3544, 9=7454; Woessner,D.E., 8=3463, 9=5935

Gutowsky,H.S. and Fujiwara,S. Proton magnetic resonance and structure of ammonium hydroxide, 5=414

Gutowsky,H.S. and Holm,C.H. Rate processes and nuclear magnetic resonance spectra. II. Hindered internal rotation of amides, 7=6385

Gutowsky,H.S., Kusumoto,H., Brown,T.H. and Anderson,D.H. Proton magnetic resonance and electron spin densities of hydrazyl, 9=8361

Gutowsky,H.S., Meyer,L.H. and McCall,D.W. Electron exchange coupling of nuclei in aromatic systems, 5=7252

Gutowsky,H.S., Ray,B.R., Rutledge,R.L. and Unterberger,R.R. Carbonaceous free radicals in crude petroleum, 8=7455

Gutowsky,H.S., Rutledge,R.L. and Hunsberger,I.M. Electron spin resonance studies of photochromic solids, 9=4090

Gutowsky,H.S., Saika,A., Takeda,M. and Woessner,D.E Proton magnetic resonance studies on natural rubber. II. Line shape and T_1 measurements, 8=408

Gutowsky,H.S. and Williams,G.A. Sodium nuclear quadrupole interactions in $NaClO_3$ and $NaBrO_3$, 7=3825

Gutowsky,H.S. and Woessner,D.E. Nuclear magnetic spin-lattice relaxation in liquids, 7=1954. Spin-lattice relaxation resonances in solids, 8=7521

Gutsche,E. Compressibility and pressure displacement of the absorption constant of cadmium sulphide, 9=4002. Measurement of the elastic constants of CdS single crystals, 9=6322. See also Gutjahr,H., 5=7023

Gutshabash,S.D. The scattering of light in a two-layer atmosphere, 8=837

Gütter,E. On the evaluation and the possibility of correction of diffraction patterns in the Boersch ray system, 6=7851

Güttinger,W. Convergent series expansions and singular potentials in quantum field theory. I, 5=6728. Products of improper operators and the renormalization problem of quantum field theory, 6=6340. Non-local structure of field theories with non-renormalizable interaction, 9=2055. Non-local structure of quantized field theories of the second kind, 9=7780

Guttman,N. See David,E.E.,Jr, 8=8561, 9=10475; Licklider, J.C.R., 7=4943

Güttner,W. The energy distribution in the human body with ultrasonic irradiation, 5=3364

Gutzwiller,M. Quantum theory, of wave fields in a curved space, 7=77

Guy,J. See also Baudet,J., 7=7278; Tillieu,J., 5=1104-5, 5=7266, 6=5507-8, 7=8351

Guy,J. and Tillieu,J. Calculation of integrals of the form $C_m = \int_{1}^{\infty} \lambda^m (\lambda^2 - 1)^{\frac{1}{2}} e^{-a\lambda} d_\lambda$ (m an integer), 6=2. Calculation of the magnetic susceptibility of bonds. Application to the bonds C-C, C-H, to saturated hydrocarbons and to the CH_2 radical, 6=774. New method for the calculation of molecular magnetic susceptibilities, 6=8910

Guy,J., Tillieu,J and Baudet,J. The interpretation of temperature-independent paramagnetism, 8=4116

Guy,J., Tillieu,J., Hoarau,J., Gaudemar,M. and Gross,B. Calculation and measurement of the magnetic susceptibility of allene hydrocarbons, 6=8457

Guyon,E. See Guinier,A., 9=7612

Guyot,C. See Fabre,R., 6=5587

Guzhavin,V.V. See also Guzhavina,O.A., 7=3410

Guzhavin,V.V. and Ivanenko,I.P. On the function of angular and space distribution* of particles at the maximum of a cascade shower, 7=8701. On the spatial distribution function of particles in an electron–photon shower, 8=3287. Lateral distribution function of photons at cascade shower maximum, 9=9736

Guzhavin,V.V. and Zatsepin,G.T. Altitude dependence of extensive air showers according to various models of the elementary act of nuclear collision, 7=8708

Guzhavina,O.A., Guzhavin,V.V. and Zatsepin,G.T. Comparison of the Fermi–Landau theory with some experimental data on cosmic rays, 7=3410

Gvozdanović,D.D. Ion source with no auxiliary magnetic field, for mass spectrometry, 5=8033. A mass spectrometer with improved properties for the analysis of hydrogen containing a low concentration of deuterium, 7=7969

Gvozdev,V.S., and Khazov,Yu.L. Cross-section for the formation of Te^{125m} by the (n,γ) reaction, 9=13696

Gvozdev,V.S. and Rusinov,L.I. Investigation of the nuclear isomer Hf^{180m}, 7=6446

Gvozdev,V.S., Rusinov,L.I., Filimonov,Yu.I. and Khazov,Yu.L. Investigation of nuclear isomerism in Hf^{180m}, 8=4277

Gvozdover,S.D. See also Akhmanov,S.A., 9=9804

Gvozdover,S.D. and Ievskaya,N.M. On a universal scheme for the observation of the magnetic resonance of atomic nuclei, 5=449. Determination of transverse relaxation times in the magnetic resonance of atomic nuclei in weak high frequency magnetic fields, 6=5322. Determination of the longitudinal relaxation times for magnetic resonance of atomic nuclei in an intense high-frequency magnetic field, 6=8329

Gvozdover,S.D., Pomerantsev,N.M. and Polyakova,A.L Determination of the transverse relaxation time of nuclear magnetic moments, 6=5309

Gwinn,J.A. See Jefimenko,O., 9=1279

Gwinn,W.D. See Fernandez,J., 5=6018; Tannanbaum,E., 6=7577

Gyn Ten. See Ten Gyn.

Gyorgy,E.M. Rotational model of flux reversal in square loop ferrites, 8=8128. Rotational model of flux reversal in square loop soft ferromagnets, 8=8861. Modified rotational model of flux reversal, 9=2491. See also Heinz,O., 6=2966; Humphrey,F.B., 9=8308

Gyorgy,E.M. and Hagedorn,F.B. Uniform rotational flux reversal of ferrite toroids, 9=12459

Györgyi,G. The theory of the vibrations of a balance which is attached to a vertical torsion-wire according to Eötvös-Selényi, 5=77. The motion of the energy centre of gravity and the energy momentum tensor of electromagnetic fields in dielectrics, 5=2390. Motion of Dirac particles in meson fields, 6=75. Effect of a short-range repulsive interaction in the (jj) coupling shell model, 7=604. Charge conjugation and related transformations in the nucleon field, 7=7574. Bound states in meson pair theory (a possible physical model of hyperons), 9=7801. See also Marx, G., 6=1395, 8=689

Györgyi,G. and Rupp,E. On the difference between the density distributions of neutrons and protons in the nuclear jj-coupling shell model, 7=7284

Györgyi,G. and Überall,H. Parity non-conservation and transverse polarization of β-particles, 8=6259. Added remarks, 8=8296

Gyulai,Z. Distortion effects produced by crystals in porous materials, 5=7416. New contributions to the physics of crystals, 6=9027

Gyurdzhian,A.A. Adaptation of the light- and colour-perception apparatus of the eye, 6=9153. Variation of dark adaptation after the eye has been "fatigued" by stimuli of different wavelength, 6=9154

Haag,F.G. Activity transport in sodium-cooled systems, 7=9896
Haag,R. On quantum field theories, 5=5864. The self-interaction of the electron, 6=913. On the physical significance of the redundant solutions of the Low equation, 7=7575. Quantum field theories with composite particles and asymptotic conditions, 9=2044
Haag,R. and Luzzatto,G. Differential equations for the renormalized fields in the point source Lee-model and scalar neutral meson theory, 9=11845
Haak,W.H. and Vrâtný,F. Annular jet pump, 9=7861
Haake,C.H. Frequency dependence of electroluminescent brightness, 6=3642. Secondary waves of electroluminescence, 7=3160. Build up of electroluminescent brightness, 7=5227. Temperature dependence of electroluminescence, 7=6042. Trapping action in electroluminescent zinc sulphide phosphors, 7=9639. Critical comment on a method for determining electron trap depths, 8=587
Haaland,J. On a spectrochemical method for analysis of radioactive solutions, 5=9222. Wavelength and intensity measurements in the spare excitated spectrum of plutonium, 9=3275
Haan,E.F. de. See de Haan,E.F.
Haan,Y.M.de. See de Haan,Y.M.
Haanappel,I.J.M. See Berghuis,J., 5=9268
Haanstra,H.B. See de Jong,J.J., 8=9149
Haantjes,J. and Lubben,G.J. Errors of magnetic deflection. I, 7=6263
Haar,D.ter. See ter Haar,D.
Haar,L. See also Friedman,A.S., 5=2977
Haar,L. and Friedman,A.S. High-speed machine computation of ideal gas thermodynamic functions. II. The diatomic free radicals of the isotopic hydrides of oxygen and sulfur, 5=6997
Haas,C. See also Ketelaar,J.A.A., 5=3584, 6=3601, 6=5000, 7=8513
Haas,C. and Hornig,D.F. Calculation of dipole derivatives from infrared reflection spectra or Raman spectra of crystals, 7=5538
Haas,C. and Ketelaar,J.A.A. Width of infrared reflection bands, 6=8704. The effective field and the frequency of overtones and combination bands in the vibration spectra of crystals, 7=8515
Haas,E.de. See de Haas,E.
Haas,F.A. and Robertson,H.H. Low energy elastic scattering of neutrons by deuterons with Yukawa interaction, 9=2828
Haas,G.A. Analysis of the d.c. and pulsed thermionic emission from BaO, 8=642
Haas,G.A. and Coomes,E.A. Schottky effect for SrO films on molybdenum, 6=1333
Haas,G.A. and Jensen,J.T.,Jr. Use of oxide cathodes in demountable vacuum systems, 8=8080. Preconversion of oxide cathodes, 9=9690
Haas,H. On a light-pointer arrangement for null instruments, 9=3363
Haas,P.H. See Harrington,R.D., 6=7508
Haas,R. Investigation of the energy loss of slow electrons in nitrogen, 7=7157
Haas,R. and Shore,F.J. Second-order contamination in a neutron crystal spectrometer, 9=8430
Haase,E.L. See Callaway,J., 8=392
Haase,G. See also Boettcher,A., 6=5543
Haase,G. and Schneider,G. Experiments on thermocouples made from the iridium/rhenium system, 6=2838
Haase,K.H. See Vilbig,F., 6=6477
Haase,M. and Häfele,H.G. A new H-alpha monochromator (Lyot filter), 9=12938
Haase,O. The application of cathode sputtering in electron diffraction investigations, 6=2468. The structure of thin oxide layers on monocrystalline layers of iron, 6=3312. On the orientation of metal layers evaporated on to the surfaces of copper single crystals (according to electron diffraction observations), 9=4064. On the measurement with an ionization gauge of the density in a vapour stream for the production of thin films on a substrate, 9=6313
Haase,R. On the theory of thermoelectricity, 9=322
Haasen,P. Plastic deformation of nickel single crystals at low temperatures, 8=3517. See also Seeger,A., 8=3465
Habanec,J. Resonant absorption elements employed in the acoustic equipment of broadcasting studios, 5=3533. Influence of oscillations on the production of ions in an ionization gauge, 8=3781
Habel,A. See Sloan,L.L. 5=8428-9, 7=9481
Haber,H. Safety hazard of tinted automobile windshields at night, 5=6022
Haber,J. See Bielański,A., 5=8343. Derén,J., 9=11028
Haber,M. See Kempni,K., 7=3170
Haberecht,R.R. See Herczog,A., 8=8765
Haberland,G. See Schwieger,H., 6=6399
Haber-Schaim,U. Some speculations on the nature of the $K\mu$-particle, 5=4965. Remarks on the interpretations of jets, 5=6275. The energy spectrum of the primary cosmic radiation, 6=453. A test for the "median angle" method, 7=695. Pion—nucleon coupling constant and scattering phase shifts, 7=2698. See also Engler,A., 5=364, 5=2211
Haber-Schaim,U.,Hoang,T.F.,Scarsi,L. and Teucher,M. Report of the Committee on jets, 5=8279
Haber-Schaim,U. and Thirring,W. Remarks on pion-nucleon scattering, 5=7701
Haberstroh, G. Investigation of characteristic energy losses by the opposing field method, 6=5932
Haberstroh,G. and Raether,H. Investigation of the characteristic energy losses by the opposing field method, 6=2176
Habových,M.D. See also Gabovich,M.D.
Habových,M.D. and Fedorus,Z.P. A source of protons from the thermal dissociation of water molecules, 8=7123
Habových,M.D. and Yermolových,Yu.V. The radial distribution of concentration of charged particles in a magnetic ion source, 8=8826
Hachenberg,O. Examination of solar bursts in the centimetre wave region, 9=2003. Radioastronomical measurements on the sun with special reference to the events during chromospheric eruptions, 9=10511
Hachenberg,O.,Fürstenberg,F. and Prinzler,H. Measurements of solar radiation at 20 cm and 3 cm wavelengths, at the time of the solar eclipse of 30 June, 1954, 7=29
Hack,H.R.B. An automatic null method recording manometer, 7=7641
Hack,M. Influence on the spectral characteristics, of the manner of heat transfer in the convective zone of a stellar atmosphere, 6=8563. See also Fracassini,M., 8=6604
Hack,M.N. Multiple quantum transitions of a system of coupled angular momenta, 7=1046. Modified plane waves and rearrangement collisions, 8=7702. On convergence to the Møller wave operators, 9=60. Wave operators in multichannel scattering, 9=11836
Hackerman,N. See also Hurd,R.M., 6=387. McMullen,J.J., 9=5648. Matsen,F.A., 5=1338. Popat,P.V., 9=12851
Hackerman,N. and Simpson,N.H. Rates of surface self-diffusion over the principal planes of a single crystal of copper, 7=1670
Hacking,C.A. Observations on the negatively-charged column in thunderclouds, 5=4241
Hacking,K. An optical method of obtaining the frequency response of a lens, 8=3843
Hackl,C. The extension of the paraxial imagery region as a means of representing the aberrations of the image, 5=824
Hacskaylo, M. and Schwed,P. Further observations on color center precursors, 5=9240
Haddad,E. See also Bame,S.J.Jr., 8=6152
Haddad,E. and Warren,J.L. Counter telescope efficiency calculation for a nonisotropic neutron source, 9=11339
Hadden,F.A. Machine testing for deviation of data from a Poisson distribution, 5=7620
Hadden,R.J.B. See Dunn,P.D., 7=4563
Hadden,S.T. See Simha,R., 7=147
Haddenhorst,H.G. Propagation of E.M. waves through inhomogeneous layers, 6=4528. II. Absorption of electromagnetic waves, 6=6804. See also Tamm,K., 5=3509
Hadders,H.,Locher,P.R. and Gorter,C.J. Magnetic absorption in the spin system of some paramagnetic salts at about 1325 MHz, 9=3643
Haddock,F.T. See Roman,N.G., 6=6306
Haddock,R.P. Analysis of one hundred bevatron τ^+ particles, 6=7709. See also Birge,R.W., 5=9122. Macq,P.C., 9=3756. Stork,D.H., 7=2152
Hadid,L.Abou. See Abou Hadid,L.
Hadley,C.F. See Evans,J.F., 5=1371
Hadley,C.P.,Kraner,H.W. , and Royce,M.R. Dielectric constant of barium orthosilicate, 7=2161
Hadley,D.W. See also Fisher,P.S., 8=1240. Walker,J., 6=2971
Hadley,D.W.,Bower,J.C. and Walker,J. Temperature and pressure measurements in an over-compression cloud chamber, 7=7182
Hadley,G.F. Theoretical study of the hyperfine structure in the

inversion spectra of the deutero-ammonias, 7=7758. J = 3, K = 2 line in the inversion spectrum of $N^{14}H_3$, 8=125
Hadley,L.N. See Apfel,J.H., 6=1054. Green,T.M., 5=3651
Hadlock,R.K. Diffraction patterns at the plane of a slit in a reflecting screen, 9=477
Hadni,A. Determination and interpretation of the low frequencies of the infrared absorption of dimethylether; application to the calculation of thermodynamic functions, 5=421. Grating spectrometer for the far infrared, 5=3560. Isotopic effect in trichlorofluoromethane, 5=6924. Structure of deformation bands of dichlorodifluoromethane near 447 cm^{-1}, 5=7239. Envelopes of some absorption bands of gaseous compounds between 20 and 40 : trichlorfluoromethane, acetone and carbon disulphide, 6=1073. Small grating spectrometer for the far infrared, 6=3604. Contribution to the theoretical and experimental study of the far infrared, 6=6514. K-structure of the pure rotation line J = 15→16 of ammonia, 6=7291. Remarks on instrumentation in the far infrared, 6=8663. On the role of the receiver in the determination of the parameters of a grating spectrometer: application to the far infrared ($20\mu < \lambda < 1000\mu$), 7=6981. Infrared spectra beyond 20μ. II. Grating spectrometers, 7=7005
Hadni,A.,Decamps,E. and Delorme,P. Polarization of light between 100μ and 300μ by echelette gratings, 9=9524
Hadni,A.,Taurel,L.,Paillette,M. and Lankoande,A. Study of the infrared spectrum in the region of 3μ of various samples of clear quartz and of quartz irradiated with neutrons, 9=9435
Hadži,D. See Bratož,S., 8=119
Haeberli,W. See Block,R.C., 9=686. Clement,J.D., 8=6150. Galonsky,A., 5=5632. Olness,J.W., 9=3829. Striebel,H.R., 8=6294
Haefer,R. On the thin [surface] layers formed in self-maintained high vacuum discharges in methane, 5=3808. Methods for measuring low gas pressures by means of the automatic gas discharge in a transverse magnetic field, 6=125. On experimental testing of the wave-mechanical theory of a field electron emission, 6=6690
Haefer,R. and Mohamed,A.A. The self-maintaining electric gas discharge in a magnetic field as an aid in electron microscope specimen preparation technique, 8=7548. On the formation of thin films in a self-maintaining electric gas discharge in a transverse magnetic field, 8=8459
Haeffner,E., Sjöborg,T. and Lindhe,S. The isotope effect of a direct electric current through liquid and solid metals, 6=2334
Haendler,H.M., Bukata,S.W., Millard,B., Goodman,E.I. and Littman,J. Infrared spectral studies of BrF_3 and BrF_5, 5=2583
Haenny,C. See Biasutti,M., 5=2838; Fatzer,G.D., 9=13992; Gailloud,M., 5=1431, 5=3380; Weill,R., 9=12545
Haering,R.R. Zeeman splitting of donor states in germanium, 9=305. Band structure of rhombohedral graphite, 9=781. Note on the motion of electrons and holes in perturbed lattices, 9=2903. Impurity molecule-ions and impurity molecules, 9=12244
Haering,R.R. and Volkoff,G.M. Nuclear quadrupole resonance spectrum of B^{11} in kernite, 6=6055
Haeske,H. New damping measurements with vibrating air bubbles in water, 7=186. Experimental determination of the damping of pulsating air bubbles in water in the frequency range 100 to 300 kc/s, 9=1215
Hausler,C. Measurement of the ammonia band at 1.98μ, 5=3580. Instrumentation in the far infrared, 6=1051. Study of the ammonia band at 4μ, 6=4997. See also Cornet,Y., 9=12027
Häfele,H.G. Analysis of the infrared absorption spectra of different nitrate crystals in terms of the single-cell model, 7=8522. See also Haase,M., 9=12938
Häfele,W. Analytical treatment of powerful, plane, non-stationary shock waves, 6=2743. Note on a further regular homologous solution, 6=4243. The stability of the type of shock waves included in the class of homologous solutions, 6=2744. On the stability of the Guderley spherical compression shock waves, 6=7214. On the efficiency of the control rods of thermal reactors with regard to their diameter, number and arrangement, 9=2854. Neutron spectrum in heterogeneous plate reactors, 9=11506. See also Meetz,K., 9=3945
Haffner,H. On reflection images in the Schmidt camera, 9=3032
Haffner,J.W. Angular distribution of inelastically scattered deuterons, 7=707
Hafner,E.M. Scattering of 220 MeV polarized protons by complex nuclei, 8=6298. See also Abashian,A., 9=1059; Baskir,E., 7=6284; Chesnut,W.G., 7=1594
Hafner,H.C. See Kreidl,N.J., 7=7806
Haga,E. Self-energy of slow polaron and variational method, 6=8471. On the electrical properties of degenerate semiconductors, 7=8605. On the theory of the thermoelectricity in two-band semiconductors, 9=11062. Theory of thermoelectric power of ionic crystals. I, 9=12313
Hagan,M.P. See Chernosky,E.J., 9=3056
Hage,W. Temperature and stress distribution in a cylindrical unsheathed fuel element, 9=7381
Hagedoorn,H.L. See also Konijn,J., 8=3334, 8=5308, 9=3859, 9=12661
Hagedoorn,H.L. and Konijn,J. The (ϵ/β^+) ratio in the decay of ^{48}V and the fluorescent yield in Ti, 8=7340
Hagedorn,F.B. States in O^{18} between 12.67 and 13.80 MeV, 8=1223. See also Gyorgy,E.M., 9=12459; Marion,J.B., 7=2639; Mozer,F.S., 7=4718; Webb,T.S., 5=8234
Hagedorn,F.B. and Marion,J.B. Further investigation of N^{15} + p reactions, 8=7368
Hagedorn,F.B., Mozer,F.S., Webb,T.S., Fowler,W.A. and Lauritsen,C.C. Elastic scattering of protons by N^{14}, 7=3642
Hagedorn,R. Note on symmetry operations in quantum mechanics, 9=13028. See also Cerulus,F., 9=5383-4
Hagel,W.C. See Mehl,R.F., 7=1674
Hagelbarger,D.W. See Pfann,W.G., 6=1154, 9=10487
Hagemann,G. and Huster,E. Studies of self-quenching counter tubes at temperatures up to 350°C, 9=3681
Hagen,J.P. Radial brightness distribution of the sun at 8 mm, 6=6300. See also Coates,R.J., 9=11724
Hagen,J.P., Lilley,A.E. and McClain,E.F. Absorption of 21-cm radiation by inter-stellar hydrogen, 6=5613
Hagen,J.P. and McClain,E.F. Galactic absorption of radio waves, 5=12
Hagen,K.E. See Brackmann,R.T., 8=5769
Hagen,S. See Friedl,W., 9=6157
Hagène,B. See also Freymann,R., 7=4346
Hagène,B., Corneteau,H. and Blanchard,M.L. Influence of doping with small traces of impurity (1 in 10^5 of Cu) on the Debye dipole absorption of zinc oxide, 7=2164
Hagène,B. and Le Fèvre,J.J. Effect of the intensity and the excitation time on the photodielectric properties of zinc sulphide activated with copper, 8=1034
Hagène,M. See Freymann,R., 7=4346, 8=1033; Le Montagner,S., 6=3708
Hagenow,K.U.v. See v.Hagenow,K.U.
Hagerman,D.C. and Crowe,K.M. Measurement of the high-energy end of the bremsstrahlung spectrum, 6=1295
Hagerman,D.C., Crowe,K.M. and Friedman,R.M. Angular distribution of photopions from deuterium, 7=6618
Hagerman,D.C. and Mather,J.W. Neutron production in a high-power pinch apparatus, 8=777
Hagerman,D.C. and Williams,A.H. High-power vacuum spark gap, 9=4654
Hagfors,T. and Landmark,B. Observations of direction of arrival of long-duration meteor echoes in forward scatter propagation, 9=4209
Hagg,E.L. See also Davies,K., 5=4226
Hagg,E.L. and Hanson,G.H. Motion of clouds of abnormal ionization in the auroral and polar regions, 5=2338
Hägg,G. and Schönberg,N. X-ray studies of sulfides of titanium, zirconium, niobium, and tantalum, 5=2318
Haggis,G.H. A double-beam microspectrometer, 7=3136
Hagihara,H., Yamashita,S. and Takeda,A. Use of synthetic quartz crystals as a support for specimens in powder photographs, 9=13910
Hagins,W.A. See Rushton,W.A.H., 5=4249
Hagiwara,S. See also Kojima,S., 6=533, 7=628, 8=5989
Hagiwara,S., Kato,K., Abe,Y. and Minematsu,M. Iodine quadrupole resonance in ICl_3 and AlI_3, 9=9850
Hagstrom,S. See also Shull,H., 7=6379
Hagstrom,S. and Shull,H. Single-center wave function for the hydrogen molecule, 9=7445
Hagstrum,H.D. Auger ejection of electrons from tungsten by noble gas ions, 5=345. Theory of Auger ejection of electrons from metals by ions, 5=346. Reinterpretation of electron impact experiments in Co, N_2, NO, and O_2, 5=8055. Metastable ions of the noble gases, 7=1416. Auger ejection of electrons from tungsten by noble gas ion, 7=1421. Auger ejection of electrons from molybdenum by noble gas ions, 7=2339. Electron ejection from metals by positive ions, 7=3375. Effect of monolayer adsorption on the ejection of electrons from metals by ions, 7=4467. Thermionic constants and sorption properties of

hafnium, 7=5438. State density in the valence band of silicon, 9=6239. See also Allen,F.G., 9=13892

Hahlbohm,H.D. See Yamada,O., 6=4502

Hahn,B. A carbon dioxide–hexane gas bubble chamber, 7=7185

Hahn,B., Hofstadter,R. and Ravenhall,D.G. Electron scattering from neighboring nuclei, 7=4702

Hahn,B., Ravenhall,D.G. and Hofstadter,R. High-energy electron scattering and the charge distributions of selected ~~nuclei~~ nuclei, 6=2314

Hahn,B. and Riepe,G. Fluorocarbon gas bubble chamber, 9=11324

Hahn,B., Riepe,G. and Knudsen,A.W. Some liquids for use in large bubble chambers, 9=11325

Hahn,D. On the electrothermoluminescence effect, 7=4233. See also Gobrecht,H., 5=1715-16, 5=6047, 7=2248-9, 9=12117

Hahn,D. and Kösel,H.J. The measurement of the decay of phosphors with a new phosphoroscope, 8=6874

Hahn,D. and Seemann,F.W. Temperature dependence of the light intensity waves in electroluminescence, 5=9580. The influence of charge carrier injection on alternating field electroluminescence, 7=5232. The significance of edge-layers and polarization fields in electroluminescence, 8=5797. On the phase position of the subsidiary maxima of the light waves in electroluminescence, 9=3334

Hahn,E. Numerical calculation of the electrostatic immersion objective, 9=338

Hahn,E.E. See Breckenridge,R.G., 7=7924; Morton,G.A., 7=7924

Hahn,E.L. See Anderson,A.G., 6=4587; Herzog,B., 6=6823

Hahn,G. See Mannchen,W., 9=5620

Hahn,H. See Liebfried,G., 8=8484

Hahn,H.T. Correlation of symmetrical vibration frequencies, 6=5284

Hahn,R.B. and Backer,R.O. Determination of radio-cesium in fission-product mixtures, 6=6243

Hahn,R.B. and Skonieczny,R.F. Determination of Zr^{95} in fission product mixtures, 6=5513

Hahn,S.J., Ree,T. and Eyring,H. Flow mechanism of thixotropic substances, 9=10333

Hahn,T.M. See Farney,G.K., 5=3076; Givin,H.H., 5=1162; Lafferty,D.L., 5=522; Rayburn,L.A., 5=6441

Hahner,C.H. See Cleek,G.W., 9=13138

Haï Vu. See also Johannin,P., 6=7762; Vu Haï.

Haï Vu and Johannin,P. Permanent deformations of polycrystalline solids after exposure to high hydrostatic pressure, 6=731

Haibach,T. See Zanker,V., 8=7832

Haidinger,W. A contribution to knowledge of the arc discharge without cathode spots, 9=1505

Haig,F.D. See Michel,D., 7=4815

Haig,F.R. Studies in Lithium-7 and nitrogen-13, 8=8271

Haigh,G. The effect of added titanium and a luminium on the magnetic behaviour of α ferric oxide, 7=5459. Observations on the magnetic transition in hematite at -15°C, 7=8714. The process of magnetization by chemical change, 8=1780. See also Blackman,M., 7=9753

Hain,K. Interaction of two powerful one-dimensional impact waves, 6=6453. See also Biermann,L., 9=1605

Hain,K. and v.Hoerner,S. Unstationary strong shock-wave fronts, 5=2509

Hain,K. and Lüst,R. The stability of a cylindrically symmetric plasma configuration with volume currents, 9=2445

Hain,K., Lüst,R. and Schlüter,A. On the stability of a plasma, 9=1607

Haine,M.E. Contrast arising from elastic and inelastic scattering in the electron microscope, 7=3353. Scaling of space-charge limited electron-optical systems, 7=7146. See also Bloomer,R.N., 5=3493

Haine,M.E., Agar,A.W. and Mulvey,T. An electrostatic–magnetic alinement section for the electron microscope, 9=1525

Haine,M.E., Ennos,A.E. and Einstein,P.A. Image intensifier for the electron microscope, 9=1526

Haine,M.E., Francis,E.W.R. and Bloomer,R.N. Removal of gases in high vacuum systems by metal abrasion, 9=6609

Haines,D.J. See Fessler,H., 8=5668

Haisley,W.E.,Jr. See Peck,R.W.,Jr., 5=9395

Haïssinsky,M. Kinetics of homogeneous and heterogeneous isotopic reactions, 5=3211. Investigations on the heterogeneity of electrode surfaces with radioactive indicators, 6=4721. Remarks on the recent development of the radiation chemistry of aqueous solutions, 6=5486. See also Ivanoff,N., 6=6237; Lefort,M., 7=835; Pagès,M., 8=440

Haïssinksy,M. and Mangeot,A. Chemical action of ultrasonic radiation on water and aqueous solutions, 7=3795

Haïssinsky,M. and Pujo,A.-M. Heterogeneous catalysis in radiation chemistry, 5=8359

Hajjar,A.J. See Bankoff,S.G., 9=5625

Hajko,V. and Daniel-Szabó,J. A note on the nature of demagnetization factor hysteresis, 9=13430

Hake,H.W. and Averbach,E. Spatial effects in foveal brightness discrimination, 6=3404

Hake,R.R., Mapother,D.E. and Decker,D.L. Isotope effect in superconducting lead, 7=4376. Isotope effect on the superconducting transition in lead, 9=3508

Haken,H. On the energy scheme of the system: electron–vibrating lattice, 5=411. On the problem of radiationless transitions, 5=3914. The improbability of self-trapping of electrons in a perfect crystal lattice, 5=6609. On Fröhlich's one-dimensional model of a superconductor, 6=2893, Coupling of non-relativistic particles with a quantized field. I. The exciton in a vibrating polar crystal, 6=7971. Theory of excitons in polar crystals, 7=4884. Application of Feynman's new variational procedure to the calculation of the ground state energy of excitons, 7=4888. On the quantum theory of the many electron system in a vibrating lattice. I, 7=6705. II. On Fröhlich's one-dimensional model of a superconductor, 7=6706. Calculation of the energy of the ground state of an exciton in a polar crystal by a new variational method of Feynman. I, 7=6708. The theory of the exciton in solids, 9=785. The theory of excitons and their role in the transfer of energy in the solid state, 9=2920. The mean free path of excitons in polar crystals, 9=4027. On the theory of excitons in solids, 9=6257. The effect of lattice vibrations on the energy and lifetime of excitons, 9=8846. Theory of stationary and non-stationary states of excitons in polar crystals, 9=12792

Haken,H. and Schottky,W. General optical selection rules in periodic crystal lattices, 6=3358

Haken,W. and von Haza-Radlitz,C. Ferrite specimens with temperature independent gyromagnetic properties, 9=8314

Hakoila,K.J. On the measurement of optical path lengths through the simultaneous employment of monochromatic and white light interference effects, 6=4339

Hakura,Y. On the asymmetry of the heliographic distribution of the storm-producing probability of flares, 9=4221. On the power spectrum of solar radio outburst and its relation to S.W.F. (Dellinger phenomenon) and geomagnetic storm, 9=10512

Halatnikov,I.M. See Abrikosov,A.A., 8=8594; Khalatnikov,I.M.

Halbach,K. A model-independent description of the modulation effect in nuclear induction, 6=6078

Halban,H. Low-temperature nuclear orientation and its applications, 5=9836. See also Marin,P., 5=3105

Halberstadt,E.S. See Ashton,H.M., 8=4850

Halbert,E.C. See also French,J.B., 5=9825

Halbert,E.C. and French,J.B. Shell model for the positive-parity states of N^{15}, 7=5543

Halbert,M.L. Fluorescent response of CsI(Tl) to energetic nitrogen ions, 7=8531. See also Camac,M., 5=8806; Pinajian,J.J., 9=5050

Halbert,M.L., Handley,T.H., Pinajian,J.J., Webb,W.H. and Zucker,A. Neutron-transfer reactions from the nitrogen bombardment of Be, C, O, Na, and Mg$^{24, 25, 26}$, 7=5615

Halbert,M.L., Handley,T.H. and Zucker,A. Excitation functions for two nitrogen-sodium nuclear reactions, 7=1586

Halbert,M.L. and Zucker,A. Angular distribution of N^{13} from N^{14} on Mg^{25}, 8=325. Light-particle spectra from the nitrogen bombardment of oxygen, 9=7355

Halbwachs,F. The relativistic fluid model describing the waves of a particle of spin zero, 6=5692. Relativistic fluid model describing Kemmer waves for the corpuscle of spin 0, 6=5693. Introduction of the spin vector in the Weyssenhoff fluid, 7=3939. New representation of the relativistic fluid with spin, 7=3940. On the motion of the relativistic fluid of Bohm and Vigier, 8=2130. Study of the Bohm–Vigier fluid in relation to the hydrodynamic formalism of Dirac–Takabayasi, 8=2131. A particular case of the motion of the Bohm–Vigier fluid, 8=2132

Halbwachs,F., Hillion,P. and Vigier,J.P. Lagrangian formalism in relativistic hydrodynamics of rotating fluid masses, 9=3133. Quadratic Lagrangians in relativistic hydrodynamics, 9=9182

Halbwachs,F., Lochak,G. and Vigier,J.P. Decomposition into functions of dynamical variables of the energy-momentum tensor of relativistic fluids endowed with internal angular momentum, 6=903. Model of the causal theory of relativistic micro-objects of arbitrary spin in terms of a relativistic

fluid endowed with internal angular momentum, 6=911

Halbwachs,F. and Vigier,J.P. Lagrangian for a free relativistic fluid mass, 9=6498. Lagrangian formalism for an isolated extended relativistic particle, 9=9218

Haldar,B.C. and Wiig,E.O. New neutron-deficient isotopes of rhenium, 7=4661

Hale,D.P. and Present,R.D. Mirror reactions H^3 (d,n) He^4 (d,p) He^4, 5=9918. Nuclear surface effects, 7=1499

Hale,D.R. See Augustine,F., 9=207

Hale,M.E., Fuller,H.W. and Rubenstein,H. Magnetic domain observations by electron microscopy, 9=8298

Hales,J.L. A recording double-beam attachment for the Unicam type SP500 spectrophotometer, 8=2946

Halevi,E.A. Polarity differences between deuterated and normal molecules, 9=6207

Halfhill,D.W. Magnetic tape simplifies handling of nuclear data, 9=5983

Halford,D., Hutchison,C.A.,Jr and Llewellyn,P.M. Electron nuclear double resonance of neodymium, 8=7323

Halford,J.O. Stretching force constant of the carbonyl bond in unconjugated ketones, 6=3880. Partition function for internal rotation in methanol and similar molecular models, 7=5508. Thermodynamic properties of internal rotators with small moments of inertia, 8=6373. See also De Rocco,A.G., 8=7473

Halford,J.O. and Vidale,G.L. Energy levels of the coaxial internal rotator with rectangular potential function, 7=3485

Halford,R.S. See Charney,E., 9=1427; Zwerdling,S., 6=1080, 6=2535

Hälg,W. See Eriksen,V.O., 5=6077

Haliburton,W. See Rayner,a.C., 6=955

Haling,R.K., Peck,R.A.,Jr and Eubank,H.P. Study of Al^{27}(n,p)Mg^{27} at 14 MeV, 7=7395

Halkin,O.O. and Bezuhlȳĭ,P.A. A new method of determining the topography of high frequency fields in cavity resonators, 8=8943

Hall,A.J.C. and Hayes,J.G. Interstitial graticules, 9=235

Hall,A.R. See Scott,R., 9=10328

Hall,B.I.H. Experimental investigation of the motions of electrons in a gas in the presence of a magnetic field, 5=6198. The diffusion of slow electrons in deuterium, 6=5180. The diffusion of electrons in a gas [H_2 and N_2] at low temperatures, 6=5983. See also Crompton,R.W., 8=5048

Hall,C.E. and Inoue,T. Experimental study of electron scattering in electron microscope specimens, 8=3498

Hall,D. and Wightman,A.S. A theorem of invariant analytic functions with applications to relativistic quantum field theory, 8=2158

Hall,D.A. See Bernstein,B., 9=1209

Hall,D.M. The preparation of electron microscope replicas from rough porous surfaces, 7=7457

Hall,D.N. and Lamb,J. Measurement of ultrasonic absorption in liquids by the observations of acoustic streaming, 9=6645

Hall,E.O. Domain patterns on cobalt crystals, 7=5467. See also street,R., 6=3004

Hall,E.W. See Eveson,G.F., 6=2708

Hall,G. Ionization loss by cosmic-ray mu-mesons in argon, 9=4928. Effects caused by the collection of electrons in a cylindrical ionization chamber, 9=11309

Hall,G.G. The bond orders of alternant hydrocarbon molecules, 5=4851. The form of the effective electronic potential in a crystal, 7=2811. The standard excited state theory and its application to large polycyclic molecules, 7=6379. The electronic structure of diamond, silicon and germanium, 8=3460. Applications of quantum mechanics in theoretical chemistry, 9=3970

Hall,G.R. and Walter,A.J. The mass spectrometry of the actinide elements, 7=1387

Hall,H.E. The angular acceleration of liquid helium II, 8=3040. An experimental and theoretical study of torsional oscillations in uniformly rotating liquid helium II, 8=4927

Hall,H.E., Hanson,A.O. and Jamnik,D. Most probable energy loss of fast electrons, 9=13541

Hall,H.E. and Vinen,W.F. Non-linear dissipative processes in liquid helium II, 5=6084. The rotation of liquid helium II. I. Experiments on the propagation of second sound in uniformly rotating helium II, 7=6118; II. The theory of mutual friction in uniformly rotating helium II, 7=6119

Hall,H.H. See Hardy,H.C., 6=4958

Hall,H.P. See Soderman,R.A., 9=5649

Hall,H.T. Some high-pressure, high-temperature apparatus design considerations: equipment for use at 100 000 atmospheres and 3000°C, 8=4613

Hall,I.M. Experiments on supersonic flow over flat-nosed circular cylinders at yaw. II. Pressure measurements on a cylinder at 10° yaw, 5=1598

Hall,J.A. The International Temperature Scale and a redefinition of the Kelvin scale, 6=6572. See also Moreau,H., 7=6127; van Dijk,S., 9=267

Hall,J.A. and Leaver,V.M. The emergent column correction in mercury thermometry, 8=3047

Hall,J.F.,Jr. Extension of the approximate equations for the optical analysis of thin films, 6=3646. Optical properties of zinc sulfide and cadmium sulfide in the ultraviolet, 7=1993. Optical properties of magnesium fluoride films in the ultraviolet, 8=993. Reflection coefficient of optically inhomogeneous layers, 9=219

Hall,J.F.,Jr and Ferguson,W.F.C. Dispersion of ZnS and MgF_2 films in the visible spectrum, 5=2553. Optical properties of cadmium sulfide and zinc sulfide from 0.6 micron to 14 microns, 5=8621

Hall,J.G. Transition through a contact region, 5=6829. See also Glass,I.I., 7=5940, 8=2194

Hall,J.R. See Caldwell,C.S., 8=2256

Hall,J.S. The polarization of light from stars behind filamentary structure, 6=1792

Hall,J.W. See Nicholson,K.P., 8=6092

Hall,L.A. See also Dieke,G.H., 8=985

Hall,L.A. and Dieke,G.H. Fluorescent lifetimes of uranyl salts at different temperatures, 8=137

Hall,L.D. Electronic ultra-high vacuum pump, 8=3782

Hall,L.G. See Robinson,C.F., 6=6719

Hall,L.H. Photodiffusion current Hall effect: transient behavior, 5=4676. See also Bardeen,J., 7=7924

Hall,R.B. and Eden,R.J. Momentum dependence of the nuclear shell model potential, 8=6201

Hall,R.C. Single crystal "picture frames" of ferromagnetic aluminum–iron alloys, 8=1127. Magnetostriction of aluminum–iron single crystals in the region of 6 to 30 atomic percent aluminum, 8=6061. Single crystal anisotropy and magnetostriction constants of several ferromagnetic materials including alloys of NiFe, SiFe, AlFe, CoNi, and CoFe, 9=9767. Forced magnetostriction of nickel, 9=12457

Hall,R.G. See Essen,L., 8=3667; Markowitz,W., 8=8571

Hall,R.N. Electrical contacts to silicon carbide, 8=7959. See also Carlson,R.O., 9=6979; Holonyak,N.,Jr, 9=13284

Hall,T.C. See Millea,M.F., 9=309

Hall,W.B. and Jenkins,A.E. Heat transfer experiments with sodium and sodium potassium alloy, 5=8687

Hall,W.G. See Marton,L., 7=5371

Hall,W.J. See Powell,R.L., 9=13228

Hall,W.K. See O'Reilly,D.E., 9=3984

Hall,W.M. See Fay,R.D., 6=2763

Hall,W.S. See Brolley,J.E.,Jr, 8=2566; Wegner,H.E., 9=4718

Halla,F. and Nowotny,H. On the kinetics of the decomposition of wüstite below 350°C, 9=899

Hallden,N. See Harley,J.H., 5=4025

Halldén,U. A simple device for observing the polarization of light from the sky, 8=8552

Halle,M. See also Hughes,G.W., 6=3587

Halle,M., Hughes,G.W. and Radley,J.P.A., Acoustic properties of stop consonants, 7=4099

Haller,K. Remarks on some identities in static meson theory, 9=51. Photomeson production in intermediate coupling, 9=3784

Haller,K. and Friedman,M.H. Anomalous magnetic moment of the nucleon, 6=912

Haller,M.N. See Schwertz,F.A., 5=1429

Haller,W.K. and Calcamuggio,G.L. Apparatus for the measurement of extremely small weight, volume, and density changes, 6=944

Hallett,A.C.H. See Benson,C.B., 6=6571; Donnelly,R.J., 8=3946; Eisele,K.M., 8=1651; Guptill,E.W., 9=1193; Lim,C.C., 8=7766; Woods,A.D.B., 8=3943, 8=8734

Hallett,J. See also Mason,B.J., 6=5562, 7=6688

Hallett,J. and Mason,B.J. Influence of organic vapours on the crystal habit of ice, 8=4523

Halley,R. See Sheehy,M.J., 7=7685

Hallgren,D.S. See Luborsky,F.E., 9=436

Halliday,I. Meteor wakes and their spectra, 8=4651. The orbit and spectrum of a bright sporadic meteor, 8=6591

Halliday,J.S. The measurement of frictional forces at vibrating contacts, 6=6224. See also Bradley,D.E., 6=6695

Halliday,J.S. and Hirst,W. The examination of oxide films by reflection electron microscopy, 5=4995. The fretting corrosion of mild steel, 6=7771

Halling,J. A machine for the measurement of rolling friction, 5=2263

Hallström,M.af. See af Hallström,M.

Halmshaw,R. Thulium 170 for industrial radiography, 5=1430, 5=9335. The factors involved in an assessment of radiographic definition, 6=7928. See also Morgan,R.S., 7=7139

Halmshaw,R. and Hunt,C. Fluoroscopy with an enlarged image, 7=7453

Hálová,O. Rotational vibrational energy of plane symmetrical molecule $X_2Y_2Z_2$, 9=3973

Halperin,A. Densities of trigons and ultra-violet absorption of diamonds, 6=8466. See also Braner,A.A., 8=2035; Fraenkel,B.S., 7=4160; Tolansky,S., 8=6450

Halperin,A. and Arbell,H. Excitation spectra and temperature dependence of the luminescence of ZnS single crystals, 9=5562

Halperin,A. and Braner,A. Thermal bleaching of color centers, 5=7515

Halperin,A., Braner,A.A. and Alexander,E. Thermoluminescence of X-ray-colored KCl single crystals, 8=1624

Halperin,A. and Garlick,G.F.J. The absorption spectrum of excited crystals of cadmium sulphide, 6=4304

Halperin,A. and Kristianpoller,N. Thermoluminescence spectra of X-ray colored KCl crystals, 9=3338

Halperin,A. and Schlesinger,M. Effect of thermal pretreatment on the thermoluminescence of KCl crystals, 9=5578. New color centres in KCl crystals, 9=7517

Halperin,J., Stoughton,R.W., Ellison,C.V. and Ferguson,D.E. Effective capture cross-section of Pa-233 for thermal reactor neutrons, 9=13689

Halperin,J., Stoughton,R.W., Stevens,C.M., Ferguson,D.E. and Overholt,D.C. An effective capture cross section of Np^{239} for thermal reactor neutrons, 9=13706

Halpern,F.R. Method of moments in quantum mechanics, 7=9548. Phonon–polaron problem, 8=2643. Convergence of the method of moments, 8=6410. Meson kinematics in static source meson theories, 9=9228. See also Blankenbecler,R., 9=13554

Halpern,F.R., Sartori,L., Nishimura,K. and Spitzer,R. The physical nucleon in static source meson theory, 9=9229

Halpern,I. A suggested explanation for the anomalous anisotropies in high energy fission, 9=8645. See also Ball,J.B., 9=7353; Bodansky,D., 8=8292; Coffin,C.T., 9=5071; Debs,R.J., 5=4067; Sugihara,T.T., 6=3990; Winhold,E.J., 6=8380

Halpern,I., Debs,R.J., Eisinger,J.T., Fairhall,A.W. and Richter,H.G. Yields of photonuclear reactions with 320-MeV X-rays. II. Interpretation of results, 5=6465

Halpern,J. See also Fabricand,B.P., 7=1611; Weinstock,E.G., 6=1296; Whetstone,A., 8=2575, 8=8959

Halpern,J. and Peters,E. Mechanism of the catalytic activation of molecular hydrogen by metal ions, 5=5037

Halpern,O. and Buckingham,R.A. Symmetry effects in gas kinetics. I. The helium isotopes, 5=6811

Halsey,G.D.,Jr. See Constabaris,G., 9=1926; Karasz,F.E., 9=108; Kwan,T., 5=10044; Singleton,J.H., 5=5062; Steele,W.A., 5=4154; Walling,J.F., 9=6842

Halsey,R.M. Identification of signal lights. I. Blue, green, white, and purple, 9=1974; II. Elimination of the purple category, 9=6409. See also Chapanis,A., 5=1745

Halstead,M.B. See Henderson,S.T., 9=3316

Halstead,W.C. See Symmes,D., 5=7580

Halstead,R.E. Photoluminescent modulation in nonuniformly excited ZnS phosphors, 6=1096. Temperature consideration in solar battery development, 8=5915. Electrophotoluminescent amplification, 9=3331

Halsted,R.E., Apple,E.F. and Prener,J.S. Radiative energy transfer in ZnS, 8=7830. Two-stage optical excitation in sulfide phosphors, 9=10824

Halsteinslid,A., Nybø,K. and Møllerud,R.B. Photoprotons from vanadium, 9=5060, 9=8626

Halter,J. See Brunner,J., 5=3050, 5=5613, 6=3945, 9=7319; Joly,R., 6=602

Ham,A.C. and Jackson,L.C. The thickness of the saturated helium film above and below the λ-point, 5=254. The thickness of the saturated helium film above and below the λ-point, 7=8568

Ham,F.S. Stress-assisted precipitation on dislocations, 9=8811. Theory of diffusion-limited precipitation, 9=8972. Shape-preserving solutions of the time-dependent diffusion equation, 9=10678. Diffusion-limited growth of precipitate particles, 9=13879. See also Brooks,H., 9=2906

Ham,J.S. Viscoelastic theory of branched and cross-linked polymers, 7=4847

Ham,N.S. Mobile bond orders in the resonance and molecular orbital theories, 9=1840

Ham,N.S. and Ruedenberg,K. Electronic interaction in the free-electron network model for conjugated systems. I. Theory, 6=7596. II. Spectra of aromatic hydrocarbons, 6=7597. Inclusion of electronic interaction in the free-electron theory and application to the spectra of aromatic hydrocarbons, 7=6379. Energy levels, atom populations, bond populations in the LCAO MO model and in the FE MO model. A quantitative analysis, 9=1838. Mobile bond orders in conjugated systems, 9=1839

Ham,R.K. See Broom,T., 8=3523

Hama,F.R., Long,J.D. and Hegarty,J.C. On transition from laminar to turbulent flow, 7=5910

Hamacher,E.A. See Parrish,W., 5=5746

Hamada,T. Kinematics of the neutron–deuteron scattering, 9=12558

Hamada,T. and Shôno,Y. A note on the damping of pair formation in pseudoscalar meson theory, 6=76

Hamaguchi,M. On the hydrodynamical model in multiple production of mesons, 7=2704. On the hydrodynamical description of the behaviours of elementary particles, 7=5869. On the viscous fluid model in multiple production of mesons, 7=8889

Hamaguchi,Y. See Matsuura,K., 9=10327

Hamakawa,Y. See Yamaguchi,J., 9=12277

Hamana,I. See Onogi,S., 9=4347

Hamann,S.D. See David,H.G., 8=6394, 9=7575

Hamano,H. Bond characters and nuclear quadrupole coupling constants of halogen molecules, 9=7451

Hamasaki,D. and Marg,E. Localized electroretinograms from the isolated retina of the frog, 8=5561

Hambleton,G.E. and Gärtner,W.W. Microwave Hall effect in germanium and silicon at 20 kMc/s, 9=6965

Hamburger,A.I. See Moore,W.E., 8=6307

Hammersley, J.M. Conditional Monte Carlo, 7=1005. Percolation processes. II. The connective constant, 8=4767. See also Broadbent, S.R., 8=4766

Hammersley, J.M. and Morton, K.W. The ionization loss of relativistic μ-mesons in neon (Appendix), 5=9143

Hammerton, J.C. See Trier, P.E., 5=559

Hamming, R.W. See Hopkins, I.L., 8=2692, 6463; McCall, D.W., 9=7194

Hammond, P. Electromagnetic energy transfer, 8=659, 6064

Hammond, R.H. See Knight, W.D., 7=4378

Hammond, R.P. See Busey, H.M., 6=2428

Hammond, V.J. and Carter, R. Visualization of mode conversion of an ultrasonic beam in fused quartz, 9=1186

Hammond, V.J. and Price, W.C. Oscillator strengths of the vacuum ultraviolet absorption bands of benzene and ethylene, 5=6009

Hamner,W.F. See Padgett,W.M., II, 7=6003

Hamon, B.V. A portable temperature-chlorinity bridge for estuarine investigations and sea water analysis, 6=8458

Hamon, B.V. and Brown, N.L. A temperature–chlorinity–depth recorder for use at sea, 9=1944

Hamon, J. See Terrien, J., 5=222, 7=2079*, 8=568-9

Hampe, W. Contribution to the interpretation of anomalous optical properties of highly concentrated metallic colloids of small particle size. I. Determination of the space-factor of thin films of a gold - SiO_2 colloid, 9=5581. II. Experimental investigation curve and interpretation of the absorption mechanism of the system gold - SiO_2, 9=5582

Hampton, B. See Gabor, D., 8=258

Hanai, T. See Gotohi, R., 8=3064

Hampel, B. See also Steiner, K., 8=6828

Hampel, B. and Luther, H. On the question of electrostatic charging of flowing liquids, 5=7937

Hampson, J. See Beevers, R.B., 7=1999; Cohen, D., 8=5942

Hanania, G.I.H. See George, P., 5=267

Hanau, R. See Ross, P.M., 9=7927

Hanawa, S. Mathematical formulation of the Gell-Mann–Nishijima scheme for new particles, 9=11827; See also Namiki, M., 5=5871

Hanawa, S., Namiki, M. and Chiba,S. Low energy limits of photon–nucleon and pion–nucleon collisions, 6=6379

Hanby, W.E. See Elliott, A., 5=843

Hancock, D.A. See also Chick, D.R., 7=702. Hunt, S.E., 5=3095

Hancock, D.A. and Verdaguer, F. The absolute determination of resonant energies for radiative capture of protons by sodium in the energy range below 530 keV, 6=3192

Hancock, N.H. The tensile properties of uranium from room temperature to 600°C, 8=6454. See also Barnes, R.S., 8=3503-4. Charlesby, A., 5=8321

Hancock, R.D. and Edelman, S. Simplified light reflection tech-

nique for orientation of germanium and silicon crystals, 7=6684

Hancox, R. The breakdown of liquid dielectrics and its dependence on oxidation of the electrodes, 8=1082. See also Robson, A.E., 9=4653

Handelman, G. See Cohen, H., 5=4440, 7=4038

Handler, G.S. Interaction of an electron with a physical dipole, 6=934. See also Nachtrieb, N.H., 5=8307, 9983

Handler, G.S. and Arnold, J.R. Use of polar coordinates for molecular wave functions, 8=382

Handler, H.E. and Richardson, J.R. Gamma–gamma angular correlation in the decay of chlorine-34, 6=4617

Handler, P. Electrical properties of a clean germanium surface, 7=7863. See also Heiland, G., 9=8114; Missman, R., 9=6958

Handler, P. and Hutchison, C.A., Jr. Magnetic susceptibilities of uranium (V) and uranium (III) chlorides, 7=2408

Händler, W. and Venzke, G. A nomogram for the simplified determination of the sound absorption coefficient by the reverberation chamber method, 5=1645

Handley, T.H. See also Blosser, H.G., 6=1563, 1592, 8=4323 Cohen, B.L., 5=8239. Halbert, M.L., 7=1586, 5615. Harmatz, B., 9=10109. Jones, W.H., 5=8236. Lyon, W.S., 6=1535. Mihelich, J.W., 9=597

Handley, T.H. and Lyon, W.S. Long-lived isomer of Al^{26}, 5=9045. Neutron-deficient activities of terbium, 5=9848

Handley, T.H., Lyon, W.S. and Olson, E.L. Holmium-167, 5=6417

Handley, T.H. and Olson, E.L. Neutron-deficient activities of praseodymium, 5=1146

Handy, R. See Frerichs, R., 9=5576

Haneman, D. Barkhausen noise from a cylindrical core, 5=4803. Current gain in formed point contact n-type germanium transistors, 6=8192. See also Builder, G., 5=4811

Haneman, D. and Mortlock, A.J. Point contact transistor studies using radioactive collectors, 7=4361

Hanes, R.M. and Rhoades, M.V. Color identification as a function of extended practice, 9=13977

Hangos, I. Influence of binders upon surface brightness of cathode-ray tube screens, 8=2983. The adhesion of micro-crystalline phosphors on glass surfaces, 9=8945. See also Bodó, Z., 6=7302.

Hangos, I. and Pozsgay, G. Influence of binders upon the surface brightness of cathode-ray tube screens. II, 8=6873

Hanic, F. The crystal structure of α-$Cu(NH_3)_2Br_2$, 9=13942

Hanke, L. and Urban, P. Green's function for the Dirac equation, 9=6520

Hanke, W. Anamorphic image formation, 5=7811. Optical transformation of the general quadrilateral into a parallelogram, 5=7812. Optical transformation of the general quadrilateral into another, 9=3370

Hanle, W. Exo-electron emission and luminescence, 7=6241. The effect of energetic radiation on phosphors, 9=12116. See also Geck, F.W., 9=4758. Gourgé, G., 7=6251

Hanle, W. and Jansen, H.G. Measurement of the decay of luminescence for electron excitation, 5=1711

Hanle, W., Kleinpoppen, K. and Scharmann, A. Dichroism and luminescence polarization in strained polyvinyl alcohol films, 9=4462

Hanle, W. and Kügler, I. Radio luminescence as constant-intensity light source, 9=3371

Hanle, W. and Niermann, H. On the excitation of phosphors by active gas, 6=7309

Hanle, W. and Schmidt, K. On the gas scintillation counter, 9=494

Hanle, W. and Schneider, H. New developments in scintillation counters, 9=1640

Hanle, W. and Voss, G.A. Light excitation in the bombardment of helium with light and heavy hydrogen, 9=3969

Hänlein, W. and Günther, K.G. Pump combinations for high vacuum apparatus, 7=9035

Hanlon, J.E. and Lawson, A.W. Effective ionic charge in alkali halides, 9=5151

Hanlon, J.J. See Davidson, H.R., 5=8673

Hanna, G.C. A search for α-particles from the decay of Bi^{209} Appendix: the expected α-half-life of Bi^{209}, 8=6244. See also Harvey, B.G., 7=8129. Millar, C.H., 8=6095

Hanna, G.C., Milton, J.C.D., Sharp, W.T., Stevens, N.M. and Taylor, E.A. (Eds.). Proceedings of the Symposium on the Physics of Fission held at Chalk River, Ontario, May 14-18, 1956, 9=3931

Hanna, G.C. and Runnalls, O.J.C. Measurement of the neutron yields from actinide–beryllium alloys, 6=8975

Hanna, I.I. and Sondheimer, E.H. Electron and lattice conduction in metals, 7=5493

Hanna, R.C. The disintegration of ^7Be by slow neutrons, 5=4943. See also Freeman, J.M., 8=5275, 6310. Green, G.W., 7=3425

Hanna, S.S. See also Fagg, L.W., 9=12536. Frost, R.T., Frost, R.T., 5=8196, 8=5360. Gelinas, R.W., 7=3652. Holland, R.E., 9=4978. LaVier, E.C., 6=6117. Meyer-Schützmeister, L., 8=1968. Preston, R.S., 8=8299. Segel, R.E., 7=6562. Severiens, J.C., 7=3540. Shaforth, S.M., 7=2599

Hanna, S.S. and Meyer-Schützmeister, L. Resonant absorption of gamma rays, 8=5350

Hanna, S.S. and Preston, R.S. Positron polarization demonstrated by annihilation in magnetized iron, 7=9850. Polarization of positrons from N^{13}: a mixed transition, 8=1242. Polarization of positrons and annihilation in ferromagnetic materials, 8=8971

Hannam, H.J. and van der Ziel, A. Noise in oxide cathode coatings, 9=5792

Hannan, E.J. A test for singularities in Sydney rainfall, 5=9293

Hannan, R.B.Jr. See Miller, F.A., 6=1076

Hannay, N.B. See Tanenbaum, M. 5=7961

Hannerz, K. Radiolysis of carbon tetrachloride–alcohol mixtures, 7=1711

Hannes, H. The set-up of the Mach-Zehnder interferometer, 5=3648. The measurement of light deviation in the interference refractor, 5=6052. The properties of shadowgraphs, 6=1948. On a theory of localization of Mach–Zehnder interferometer, 7=5239

Hänni, F. The breaking-up of heavy primary nuclei in cosmic radiation into α-particles, 5=9737. The fragmentation of heavy nuclei of the primary component of cosmic rays and the interaction of the α-particles thus generated, 7=504

Hänni, F., Lang, C., Teucher, M., Winzeler, H. and Lohrmann, E. On the mass of the K^--Meson, 6=6193. A high energy jet in nuclear emulsions, 7=3415

Hans, H.S. See also Khurana, C.S., 9=11137. Rothman, M.A., 6=623. Sehgal, M.L., 9=11477. Singh, B.P., 9=638, 11312

Hans, H.S., Saraf, B. and Mandeville, C.E. Coincidence studies of the disintegration of Pm^{151} and Nd^{147}, 5=4018

Hans, H.S. and Snowdon, S.C. Differential cross section for 3·7 MeV neutrons scattered from zirconium and molybdenum, 8=8979

Hänsch, H.J. See Böer, K.W., 9=2318

Hansen, D.F. See Brauer, F.L., 9=6425

Hansen, E.R. See Rasmussen, J.O., 9=613

Hansen, G. The visibility of the fringes with a Twyman interferometer, 5=3647. An approximate calculation of filter errors. 6=177

Hansen, G. and Kinder, W. Dependence of the contrast on aperture diameter of the Fizeau fringes in the Michelson interferometer, 9=1333

Hansen, J.R. See Garbuny, M., 8=5830

Hansen, K.H. See Bøggild, J.K., 8=7264. Brene, N., 7=3702. Fowler, P.H., 6=7711

Hansen, L. See Bak, B., 5=2980, 6=3906

Hansen, L.F. See Aggson, T.L., 6=4004. Kepler, R.G., 8=1107

Hansen, N.R. A simple pulse spectrograph, 8=1151

Hansen, P.G. See also Frankel, S., 8=1926

Hansen, P.G., Nathan, O., Nielsen, O.B. and Sheline, R.K. Levels in Dy^{161}. I. Experimental investigation of the decay of Tb^{161}, 8=6233

Hansen, P.G., Nielsen, O.B. and Sheline, R.K. Levels in Gd^{156} excited in the decay of 5·6 d Tb^{156}, 9=12648

Hansen, R.C. Electromagnetic field solutions for rotational coordinate systems, 6=7541

Hansen, R.T. Recurrent geomagnetic storms and solar prominences, 9=4220

Hansen, W.N. and Griffel, M. Heat capacities of CrF_3 and $CrCl_3$ from 15 to 300° K, 8=3958. Paramagnetic susceptibilities of the chromium (III) halides, 9=7153

Hansen, W.W. See also Chodorow, M., 5=6199

Hansen, W.W. and Tabor, D. Role of hydrodynamic lubrication in the friction of fibers and yarns, 7=3778

Hansen-Nygaard, L. See Bak, B., 7=3510, 4609

Hanser, U. On the γ- and α-decay of excited states of $^{130}_{84}Po^{214}$ (RaC')*, 8=8306

Hanson, A., Ferrero, F., Malvano, R. and Tribuno, C. On the

photodisintegration of $^{209}Bi_{83}$, 7=3661
Hanson, A.O. See Ferrero, F., 7=8163, 8=761, 6=8379. Frauenfelder, H., 7=9853, 8=747. Hall, H.E., 9=13541. Scott, M.B., 6=1554. Whalin, E.A., 6=3225
Hanson, A.W. and Menarry, A. Apparatus for the electronic presentation of optical diffraction patterns, 6=3375
Hanson, D.N. See also Cook, M.W., 7=5106, 5919
Hanson, D.N. and Maimoni, A. Gas analysis by optical interferometry, 9=3344
Hanson, E.E. See Kelsey, R.H., 9=13833
Hanson, G.H. See Hagg, E.L., 5=2338
Hanson, H. and Nielsen, H.H. Third-order anharmonic resonance in HCN, 7=2471
Hanson, H., Nielsen, H.H., Shaffer, W.H. and Waggoner, J. Intensities of rotation lines in absorption bands, 7=7734
Hanson, H.G. Quenching of NaI fluorescence by H_2, HCl, CO_2, and H_2O, 5=8634. Fluorescence intensity ratio of sodium doublet observed in the optical dissociation of sodium iodide vapor, 8=1615
Hanson, H.P. See also Cotton, F.A., 7=438, 8653, 8=8802
Hanson, H.P. and Economy, R. Gearing system for a continually-aligned two-crystal X-ray spectrometer, 9=930
Hanson, H.P., Flynt, W.E. and Dowdey, J.E. Improved measuring apparatus for X-ray absorption spectrometry, 9=4667
Hanson, H.P. and Herrera, J. Self-absorption in the X-ray spectroscopy of valence electrons, 7=4429
Hanson, H.P. and Knight, J.R. X-ray absorption edges of transition metal salts, 6=4428
Hanson, M.A. See McDonell, J.A., 5=6210
Hanson, N.R. Copenhagen interpretation of quantum theory, 9=1034
Hanson, R.J. and Moore, D.C. A cosmic-ray gas Čerenkov counter with adjustable velocity threshold, 7=3384
Hanson, R.L. and Kock, W.E. Interesting effect produced by two loudspeakers under free space conditions, 7=8333
Hanson, W.T., Jr. and Brewer, W.L. Subtractive color photography: spectral sensitivities and masks, 5=7614
Hanssen, K.J. The systematics of asymmetrical unipotential lenses, 9=1517. Temperature and specimen variations in the electron microscope, 9=1900. Comparative study of the spherical aberration of symmetrical and asymmetrical unipotential electron lenses on the basis of measurements of the tangent to the exit ray, 9=4706. See also Everitt, C.W.F., 7=454
Hansson, N. On the resolving power of the photographic image with special regard to the developer, 5=673. On the Eberhard effect at [with] different developers. With special regard to the influence of potassium bromide and sodium sulphite, 5=7590
Hanst, P.L. See McClure, D.S., 6=1065. Myerson, A.L., 7=7739
Hansteen, J.M. Soft radiations produced by proton bombardment, 7=3376. See also Bang, J., 9=11522
Hansteen, J.M. and Messelt, S. Characteristic X-rays produced by protons of 0·2 to 1·6 MeV energy, 7=7945
Hanstock, R.F. The detection of fatigue in metals, 8=3526
Hanszen, K.J. The influence of magnetization on galvanic chains and chemical reactions, 5=2268. Galvanic chains in an inhomogeneous magnetic field, 5=2269. The influence of surface films of foreign substances on the structural changes of thin evaporated layers of metals during annealing, 8=8466. See also Boersch, H., 5=2237
Hanus, W. On the β-formalism of Kemmer and its quantization on the basis of Schwinger's variational principle, 5=3421. Hamiltonian formalism and canonical commutation relations in the case of first order Lagrange equations, 6=6339
Hanus, W. and Rayski, J. On the mass spectra for bosons, 6=7978
Hanysz, E.A. Swept frequency eddy-current device to measure overlay thickness, 8=7723
Happ, H. The microwave spectrum of TlI and $BiCl_3$ in the 3 cm and 1·5 cm band, 7=6005. See also Fitzky, H.G., 8=129; Genzel, L., 9=4439
Happ, H., Eckhardt, W., Genzel, L., Sperling, G. and Weber, R. Crystal rectifiers as receivers for thermal radiation in the region 100-1000 μ wavelength, 9=3492
Happe, J.A. and Whittaker, A.G. Proton resonance shifts for the systems HNO_3-H_2O and HNO_3-KNO_3, 9=5939
Happel, J. Viscosity of suspensions of uniform spheres, 8=61
Hara, E. See also Eberhard, P., 7=1571, 5627, 9=4884. Goldzahl, L., 6=3167
Hara, E., Banaigs, J. and Alexandre, E. Measurement of the elastic scattering of 1·12 MeV γ-rays in lead, 8=260
Hara, E., Banaigs, J., Eberhard, P., Goldzahl, L. and Mey, J. Elastic scattering of 1·33 MeV and 1·17 MeV Co^{60} γ-rays, and Zn^{65} 1·12 MeV, by lead and tin, 9=4885
Hara, E., Banaigs, J. and Mey, J. Measurement of the elastic scattering of 1·33 MeV γ-rays in tin, 7=7387
Hara, K. and Smith, D.S. Length measurement by fringe counting, 9=10873
Hara, O. A study of charge independence in terms of Kaluza's five dimensional theory, 9=11814
Hara, O. and Fujii, Y. An attempt of generalizing the hypothesis of charge independence, 7=6875. Selection rule for the decay process, 9=10578. A conjecture on the possible existence of new hyperons, 7=6876
Hara, O., Marumori, T., Ohnuki, Y. and Shimodaira, H. An attempt to the unified description of elementary particles, 5=1505. On the conservation of heavy particles, 5=3429
Harada, K. See also Oda, N. 7=6538, 8=5348
Harada, K. and Oda, N. Radial dependence of imaginary part of nuclear optical potential [for neutrons], 9=13587
Harada, K. and Sakai, T. The effect of electric field upon the structure of thin films of some dipolar long-chain molecules, 9=4063
Harada, R.H. Surface area and particle size of evaporated lead sulfide films, 6=3308
Harada, R.H. and Minden, H.T. Photosensitization of PbS films, 6=5886
Harada, R.H. and Strauss, A.J. Preparation of indium arsenide, 9=10358
Haranath, P.B.V. See also Tiruvenganna Rao, P., 6=4298
Haranath, P.B.V. and Tiruvenganna Rao, P., The visible emission spectrum of Br_2^+, 5=5986. The emission spectrum of bromine, 5=9555. Band spectra of iodine, chlorine, and bromine in the spectral region 2400-1400A, 9=5506. New emission spectrum of chlorine in the Schumann region, 9=12006. Emission of mixed halogenes. I. ICl, 9=12011. II. IBr and BrCl, 9=12012
Haranath, P.B.V., Tiruvenganna Rao, P. and Sivaramamurty, V. New emission spectrum of the TeO molecule, 9=12010
Harang, L. Height distribution of auroral emissions, 7=2877. Height distribution of the red auroral line in polar aurorae, 8=3616. See also Omholt, A., 6=4758
Harang, L. and Pedersen, K. Drift measurements of the E-layer, 8=4568. Drift measurements of the E-layer, 9=9073
Harasawa, S. See Inui, T., 6=6785
Harasima, A. Statistical mechanics of surface tension, 5=9391
Harasima, A. and Shimura, Y. Quantum effects in the theory of surface energy, 6=3528
Harbeke, G. On the conduction mechanism in the system Cu–Te, 8=3105
Harbeke, G. and Lautz, G. The variations of crystal structure of gallium telluride (Ga_2Te_3) caused by doping with copper, 8=8438. The semiconducting behaviour of gallium telluride (Ga_2Te_3), 9=1452. Infrared measurements on the temperature dependence of the electron activation energy in trivalent [metal] tellurides, 9=4014. On the infrared absorption of gallium telluride (Ga_2Te_2) and indium telluride (In_2Te_3), 9=5549*. On the structure sensitivity of gallium telluride (Ga_2Te_3) as a function of small additions of Cu, 9=6283. Optical investigation on the semiconducting properties of As and Zn_3As_2 films, 9=8105
Harbold, G.J. Pitch ratings of voiced and whispered vowels, 9=973
Harbold, M.L. and Bohn, J.L. Capacitor microphone as a radiation detector, 8=9184
Harbottle, G. See also Scharff-Goldhaber, G., 5=8190, 9=2766
Harbottle, G., McKeown, M. and Scharff-Goldhaber, G. Disintegration scheme of Ra^{228} (1620 yr), 7=656
Hardeman, G.E.G. See also Poulis, N.J., 8=3243; van der Lugt, W., 8=4282
Hardeman, G.E.G. and Poulis, N.J. Antiferromagnetic resonance at low frequency, 6=3828
Hardeman, G.E.G., Poulis, N.J. and van der Lugt, W. Nuclear relaxation in an antiferromagnetic single crystal, 6=3010
Hardeman, G.E.G., Poulis, N.J., van der Lugt, W. and Hass, W.P.A. Further investigations on the nuclear relaxation in an antiferromagnetic single crystal, 8=3242
Harder, D. See Breuer, H., 9=4901
Hardie, R. An improved method for measuring extinction, 9=12939
Hardie, R.H. On the application of the photomultiplier to astronomical photometry, 7=3898. See also Keller, G., 5=702

Hardie,R.H. and Giclas,H.L. A search for solar variation, 6=5630
Harding,G.N. Absolute calibration of neutron counters with Po - α - Be, 5=2226. A measurement of the average number of neutrons per fission from uranium and bismuth when bombarded with 147 MeV protons, 6=5383. See also Skyrme,D.M., 9=2838; Thonemann,P.C., 8=773
Harding,G.N. and Farley,F.J.M. The angular distribution of neutrons from high energy fission, 7=2645
Harding,J.B. The second maxima in the transition curve of cosmic ray showers, 5=6270
Harding,J.B. and Robinson,P.R. The second maxima in the transition curve of cosmic ray showers, 5=5495
Harding,J.T. See Cole,T., 7=9754, 8=8368
Harding,R.S. Asymmetry measurements in the scattering of 155 MeV neutrons by carbon, aluminum, copper, cadmium, and lead, 9=3925. See also Cleland,W.W., 7=9663
Harding,S.W. See Bueche,F., 8=2629
Harding,T.T. A low-temperature apparatus for single-crystal X-ray goniometers, 7=1748
Harding,W.R., Hilsum,C. and Northrop,D.C. A new thermal image-converter, 8=6896
Hardison,H.V. See Ryder,F.D., 7=9845
Hārdtl,K.H. and Scharmann,A. Fluorescence measurements on anthracene vapour, 9=1313
Hardung,V. See Betticher,A., 5=9178. Schaffhauser,E., 5=8538
Hardwick,E.R. and McMillan,W.G. Study of the scintillation process, 7=7775
Hardwick,R. Role of collision transfer in fluorescent solutions, 7=6025
Hardwick,T.J. Measurement of the recombination of H and OH in γ-irradiated aqueous systems, 9=8967. See also Guentner,W.S., 9=7581
Hardy,H.C. Background information on the activities of Z 24-W-18, sound level meters, 8=4823. Cocktail party acoustics, 9=6666
Hardy,H.C., Tyzzer,F.G. and Hall,H.H. An evaluation technique for impact-type noises, 6=4958
Hardy,H.K. The filamentary growth of metals, 7=1727
Hardy,J., Jr. See Bowen,T., 8=8258
Hardy,J.E. Response of a liquid scintillator to fast neutrons and γ radiation, 9=1319
Hare,E.F. and Zisman,W.A. Autophobic liquids and the properties of their adsorbed films, 5=5695
Hare,W.F.J. See also Allin,E.J., 5=6005, 9=6725. Gush,H.P., 7=7748
Hare,W.F.J., Allin,E.J. and Welsh,H.L. Infrared absorption of liquid and solid hydrogen with various ortho-para ratios, 6=229
Hare,W.F.J. and Welsh,H.L. Pressure-induced infrared absorption of hydrogen and hydrogen – foreign gas mixtures in the range 1500-5000 atmospheres, 9=200
Hargens,C.W. Airborne infrared spectrograph, 5=1670. Portable liquid density instrument employing transistors, 8=2172
Hargreaves,A. Some observations on the probability distribution of X-ray intensities, 5=4189. The probability distribution of X-ray intensities: Atoms in special positions, 7=878
Hargreaves,G.B. and Peacock,R.D. The magnetic properties of the quinquevalent complex fluorides of molybdenum, tungsten, and rhenium, 9=11196
Hargreaves,J. See Batchelder,C.C., 6=5644
Hargreaves,J.K. Radio observations of the lunar surface, 9=9140. See also Browne,I.C., 7=1017
Hargreaves,M.E. See Clarebrough,L.M., 5=10008, 6=8436, 8=3523
Hargreaves,M.K. A source of lithium light, 7=6086
Hargreaves,R. See Batchelder,C.C., 6=5644
Hargrove,L.E., Zankel,K.L. and Hiedemann,E.A. Effects of a progressive ultrasonic wave on a light beam of arbitrary width, 9=13114
Hargrove,L.E., Jr. See also Thurston,G.B., 8=2839
Hargrove,L.E., Jr and Thurston,G.B. Optical method for analysis of fluid motion, 8=3008
Harigel,G., Kulenkampff,H., Scheer,M. and Seyerlein,J. On the production of continuous X-rays at an internal anticathode of a betatron, 9=2382
Harihar,P. See also Advani,M.K., 7=1500
Harihar,P., Kelkar,V.B., Shah,G.Z. and Gatha,K.M. The nuclear scattering of 14 MeV neutrons, 6=4648
Hariharan,P. An evaluation of film speeds obtained with Kodak SD-19 A developer, 5=1424. Resolution of an annulus test object, 5=1737. Resolving power of photographic emulsions, 6=4137
Hariharan,P. and Bhalla,M.S. Linear densitometer circuit, 6=1022. A wide range, recording, logarithmic photometer circuit, 6=2767. Simplified ionization gauge circuit with logarithmic pressure scale, 6=6426. An improved ionization gauge control circuit, 7=3387. Simple logarithmic ratio-recording spectrophotometer attachment, 7=5982. A precision, direct-reading, colour temperature meter, 9=2190
Hariharan,P. and Sen,D. New gauge interferometer, 9=3347. Simple photoelectric setting method for interferometric measurements, 9=12143. Triangular path macro-interferometer, 9=13189
Hariharan,P. and Singh,R.G. Achromatic fringes formed in a triangular path interferometer, 9=7996
Hariharan,T.A. Raman spectrum of fluorene, 5=3639 The force constants of some polyatomic molecules and ions, 9=11527
Haring,A. See de Vries,A.E., 6=4596
Harker,D. The determination of the phases of the structure factors of non-centrosymmetric crystals by the method of double isomorphous replacement, 6=7832. See also Furnas,T.C., Jr, 5=6621
Harker,G.S. Instrument for the study of binocular vision, 5=10144. Interrelation of monocular and binocular acuities in the making of an equidistance judgment, 8=5566
Harker,G.S. and Henderson,A.C. Effect of vertical misalignment of optical images on depth judgments, 7=976
Harker,G.S. and Weaver,L.A., Jr. Relative precision of range information obtainable with fixed ballistic and wandermark stereoscopic reticles, 6=2705
Harker,J.M. See Brunner,R.K., 9=10649
Harker,K.J. Nonlaminar flow in cylindrical electron beams, 8=636. Use of scanning slits for obtaining the current distribution in electron beams, 8=3174
Harkness,A.L. See Fields,P.R., 6=590; Wing,J., 9=7352
Harle,G.A. and Thornton,B.S. An interference optical alinement method, 6=1132
Harlen,F. The characteristics of a quartz-fibre electroscope, 5=918. The design of a condenser dose-meter, 5=7143
Harley,J.H. and Hallden,N. Analysing beta absorption graphically to identify emitters, 5=4025
Harlow,M.V., Marion,J.B., Chapman,R.A. and Bonner,T.W. Energy levels in F^{19} from a study of the O^{18}(d,n) F^{19} reaction, 6=3215
Harlow,M.V., Jr. See Ranken,W.A., 9=2757
Härm,R. See also Schwarzschild,M., 7=8361, 9=12941
Härm,R. and Schwarzschild,M. Inhomogeneous stellar models. IV. Models with continuously varying chemical composition, 5=4323
Harman,A.W. See Douglas,T.B., 9=2290
Harman,G.G. Crystal mount and techniques for measuring high-frequency-induced electroluminescence, 7=3164. Electrical properties of BaTiO$_3$ containing samarium, 7=9683. Electroluminescence from the surface layer of BaTiO$_3$, SrTiO$_3$, and associated materials, 8=5796
Harman,G.G. and Raybold,R.L. High-frequency-induced electroluminescence in ZnS, 7=3161
Harman,T.C. Special techniques for measurement of thermoelectric properties, 9=1492. Multiple stage thermoelectric generation of power, 9=3517. See also Willardson,R.K., 5=1819
Harman,T.C., Cahn,J.H. and Logan,M.J. Measurement of thermal conductivity by utilization of the Peltier effect, 9=12166
Harman,T.C., Goering,H.L. and Beer,A.C. Electrical properties of N-type InAs, 7=3280
Harmatz.B. See also Mihelich,J.W., 7=7330, 9=597
Harmatz,B., Handley,T.H. and Mihelich,J.W. Nuclear spectroscopy of odd-mass (161-173) nuclides produced by proton irradiation of Er and Yb, 9=10109
Harmer,D.E. See also Nehemias,J.V., 5=500
Harmer,D.E., Martin,J.J. and Anderson,L.C. The effect of radiations on the chlorination reaction of aromatic hydrocarbons, 6=6233
Harmer,D.S. and Perlman,M.L. Study of the K capture – positron ratio of the transition I^{126} (2−) → Te^{126} (2+), 9=10070
Harmer,J.D. and Watts,B.N. An infra-red radiation pyrometer, 5=5374
Harmon,D.B.Jr. Drop sizes from low speed jets, 5=7736
Harmon,N.F. See Annis,M., 8=1175
Harmuth,H. A statistical process for solving the Laplace differential equation with electronic calculators, 5=3390. On the solution of the equation of heat conduction by means of electronic calculators, 5=6678. The uncertainty relation for the Dirac equations and for the relativistic Schrödinger equation, 6=5700

Harn,E.L. See Bloom,M., 5=4844

Harned,B.W. and Ginsburg,N. Analysis of interference fringes from a flame, 8=5806

Harned,H.S. Relative chemical potentials of electrolytes and the application of their gradients, 5=1320. See also Bates,R.G., 6=9013

Harnik,E. A simplified computation technique for structure refinement by means of two-dimensional $f_o - f_c$ synthesis, 5=7533. On chromic isomerism in dianthrone and its analogs, 6=2522. See also Ben Sira,M.Y., 9=13318; Grover,N.B., 8=7920; Many,A., 6=325, 2873, 3723, 7=7866

Harnik,E., Many,A. and Grover,N.B. Phase shift method of carrier lifetime measurements in semiconductors, 9=3446

Harnik,E., Many,A., Margoninski,Y. and Alexander,E. Correlation between surface recombination velocity and surface conductivity in germanium, 6=3724

Harnik,E. and Margoninski,Y. The effect of some surface treatments on the characteristics of fast states on germanium surfaces, 9=6955

Harnischmacher,E. On a lunar influence on the ionization maximum of the ionospheric E-layer, 5=5137. Observation of ionospheric wind, 8=5534. See also Bibl,K., 5=5770; Busch,R., 7=1776; Eyfrig,R., 5=5756

Harnischmacher,E. and Rawer,K. The interpretation of observations of ionospheric winds by the "fading" method, 7=2860. Results of systematic observations of ionospheric winds in the E-region, 7=2861

Harper,A.F.A., Kemp,W.R.G., Klemens,P.G., Tainsh,R.J. and White,G.K. The thermal and electrical conductivity of chromium at low temperatures, 7=8550

Harper,F.R. See Sutor,D.J., 9=13947

Harper,P.G. Single band motion of conduction electrons in a uniform magnetic field, 6=379. The general motion of conduction electrons in a uniform magnetic field, with application to the diamagnetism of metals, 6=380. Effect of the electron–lattice interaction on phonon frequencies, 7=2810. The interaction of electrons with lattice vibrations, 7=4872. Collision interference effects in a Bose–Einstein gas, 8=2874. See also O'Dwver.J.J., 7=3820

Harper,P.G. and O'Dwyer,J.J. Theory of a dielectric loss in long chain polar compounds, 6=2070

Harper,R.C.,Jr. and Miller,J.G. Compressibility of gases. II. Mixtures of carbon dioxide and helium at 30°C, 7=7659

Harper,W.J. and Choyke,W.J. The resistance of semitransparent photocathodes, 7=1306. Semitransparent photocathodes at low temperatures, 7=4371. Adhesion and charging of quartz surfaces, 5=8726. The generation of static charge, 8=3057

Harpur,W.W., Moss,R.L. and Ubbelohde,A.R. Electrical conductance mechanisms in solid caesium halides, 5=9647

Harpur,W.W. and Ubbelohde,A.R. Conductance mechanisms and the thermal transition in caesium chloride, 6=2859

Harrand,M. Raman spectra of vitreous bodies at high temperature, 7=9089. See also Fauconnier,C., 6=5019

Harrand,M. and Tuernal-Vatran,L. Investigation of the characteristic frequency of the carbonyl groups of some conjugated acids, 5=4534

Harrassowitz,H. Atom bomb explosions and the pH of rain, 6=1610

Harrell,R.W. See Goodman,L., 9=7457

Harrer,J.M. Control rod mechanisms, 5=8270. Analysis of EBWR performance clarifies the future of boiling-water reactors, 9=12707

Harrer,J.W. Starting up E.B.W.R., 8=1271

Harrick,N.J. Attempt to detect high mobility holes in germanium using the drift mobility technique, 5=7047. Use of infrared absorption to determine carrier distribution in germanium and surface recombination velocity, 6=2871. Use of infrared absorption in germanium to determine carrier distributions for injection and extraction, 6=8189. Lifetime measurements of excess carriers in semiconductors, 7=3255. Characteristics of junctions in germanium, 8=4016. Reflection of infrared radiation from a germanium–mercury interface, 9=6800. Infrared polarizer, 9=6801. Effect of the metal-to-semiconductor potential on the semiconductor surface barrier height, 9=6924. Technique for measuring particle drift mobilities in near intrinsic and narrow band gap semiconductors, 9=8122. Properties of a semiconductor surface as determined from a modified drift mobility experiment, 9=12250

Harries,H.J. and Morris,D.F.C. The lattice energies of alkaline earth fluorides, 9=13767

Harriman,J.M. Numerical values for hydrogen fine structure, 6=3921

Harrington,G. See Sundheim,B.R., 9=12042

Harrington,R. Damaging effects of radiation on plastics and elastomers, 7=3744

Harrington,R.D., Powell,R.C. and Haas,P.H. A re-entrant cavity for measurement of complex permeability in the very-high-frequency region, 6=7508

Harrington,R.D. and Rasmussen,A.L. Initial and remanent permeability spectra of yttrium iron garnet, 9=3639

Harrington,R.F. and Villeneuve,A.T. Reciprocity relationships for gyrotropic media, 8=8951

Harris,C.C. See also Francis,J.E., 6=2373

Harris,C.C. and Bell,P.R. Filamentary subminiature scalers, 7=486. Transmission characteristics of light pipers, 9=2252

Harris,C.E. See Raymond,W.F., 8=3049

Harris,C.M. Acoustical properties of carpet, 6=169. Concerning a reference quantity for [sound] power levels, 7=3104. Residual masking at low frequencies, 9=10478

Harris,C.M. and Kirvida,L. Observation concerning the attenuation of elastic waves in the ground, 9=10702

Harris,D.J. and Hawkins,P.O. Use of krypton-85 in measuring gas cleanup rates, 6=4245

Harris,D.L. Effects of radioactive debris from nuclear explosions on the electrical conductivity of the lower atmosphere, 5=5153. Diffuse reflection from planetary atmospheres, 9=12899. See also Machta,L., 5=4234; Reid,W.H., 8=2835, 9=7831

Harris,D.M. See Blacker,P.T., 9=3194

Harris,D.R. See Hodson,A.L., 5=1226

Harris,E. and Kay,H.F. Size distribution of tobacco smoke particles, 9=7583

Harris,E.G. Relativistic magnetohydrodynamics, 8=1788. Unstable plasma oscillations in a magnetic field, 9=4746

Harris,E.G., Theus,R.B. and Bostick,W.H. Experimental investigations of the motion of plasma projected from a button source across magnetic fields, 7=4410

Harris,F.B. and Escobar,V.I. East-west asymmetry of positive and negative mesons at the geomagnetic equator, 6=2221. Directional intensities of positive and negative mesons in the atmosphere, 7=2386

Harris,F.E. Ring formation and molecular weight distributions in branched-chain polymers.I, 5=8981. Contributions of fluctuations and anisotropy to dielectric polarization in polar substances, 5=9623. Note on imperfect gas theory, 6=981. Molecular orbitals for the ground state of the H_2 molecule, 7=9796. See also Rice,S.A., 5=1325, 6=2504, 8=6711

Harris,F.E. and Alder,B.J. Statistical mechanical derivation of Onsager's equation for dielectric polarization, 5=928

Harris,F.E. and Brush,S.G. Dipole moments and dielectric polarization in solutions, 6=5075

Harris,F.E. and O'Konski,C.T. Measurement of high permittivity dielectrics at microwave frequencies, 5=7004

Harris,F.E. and Rice,S.A. A chain model for polyelectrolytes. I, 5=1324. IV. Skeletal distribution effects in equimolar polyampholytes, 6=2505. Model for ion-exchange resins, 6=7776. Electrostatic contributions to thermodynamic functions of systems containing polymeric ions, 7=3056

Harris,F.W., Narasimham,N.A. and Nielsen,J.R. Vibrational spectra of fluorinated aromatics. XII. m-Fluorochlorobenzene, 7=1182

Harris,G. See also Baumel,P., 8=8254; Orear,J., 6=6195, 7=3710, 9910; Taylor,S., 9=7228, 7283

Harris,G., Lee,J., Orear,J. and Taylor,S. Anomalous K^+ decay, 8=1880

Harris,G., Orear,J. and Taylor,S. Lifetimes of the π^+- and K_L^+-mesons, 6=1618. Heavy-meson fluxes at the cosmotron, 6=4020. Lifetime of the neutral pion, 7=6604. Search for mass-500 particle as a K^+ decay product, 8=2479

Harris,G.M. See also Darbee,L.R., 7=1700

Harris,G.M. and Willard,J.E. Photochemical reactions in the system methyl iodide-iodine-methane; the reactions $C^{14}H_3 + CH_4 \rightarrow C^{14}H_4 + CH_3$, 5=1330

Harris,G.C. See Gordon,R.L., 5=8407

Harris,I. See also Jastrow,R., 9=8587

Harris,I. and Brown,L.M. Radiative corrections to pair annihilation, 7=4687

Harris,J. See Williamson,J.B.P., 7=3777

Harris,J.C. See Green,D.W., 5=5462

Harris,J.D. On latent damage to the ear, 5=5158. Earphone, probe tube microphony and audiometric zero, 6=7239. Green's functions for particles of arbitrary spin, 9=3130. See also Pikler,A.G., 5=3360

Harris,K.S., Hoffman,H.S., Liberman,A.M., Delattre,P.C. and Cooper,F.S. Effect of third-formant transitions on the perception of the voiced stop consonants, 8=8660

Harris,L. Preparation and infrared properties of aluminum oxide films, 5=1708

Harris,L. and Cuff,K.F. Reflectance of goldblack deposits, and some other materials of low reflectance from 254 mμ to 1100 mμ. The scattering-unit-size in goldblack deposits, 6=2810

Harris,L. and Loeb,A.L. The evaluation and analysis of optical and electrical constants of thin films as functions of reflectance and transmission data by electronic digital computation, 5=2631

Harris,L.A. Toroidal electron guns for hollow beams, 9=9698

Harris,L.D. See Partridge,W.S., 8=6000

Harris,N.L. See Strachan,J.F., 6=9159, 7=2340*

Harris,R.D. See Thiessen,G.J., 8=1384

Harris,S.M. Sign of the nuclear quadrupole interaction by observation of polarized gamma–gamma angular correlations, 9=8553

Harrison,A.J. See also Christie,M.I., 5=8955; Fleming,G., 9=5518; Lake,J.S., 9=5521

Harrison,A.J., Cederholm,B.J. and Terwilliger,M.A. Absorption of acyclic oxygen compounds in the vacuum ultraviolet. I. Alcohols, 9=5519

Harrison,A.J., and Price,D.R.W. Absorption of acyclic oxygen compounds in the vacuum ultraviolet. II. Ethers, 9=5520

Harrison,A.W. See also Jones,A.V., 5=10131

Harrison,A.W. and Jones,A.V. The intensity ratio of the D lines in twilight, 6=9123

Harrison,D.E. and Hummel,F.A. The calcium–silicate–tungstate phosphor; Phase relationships and fluorescent properties, 8=2978

Harrison,D.E.,Jr. Theory of the sputtering process, 6=6211. Supplementary sputtering calculations, 7=4806

Harrison,D.P. and Watkins,C.D. A comparison of radio echoes from the Aurora Australis and Aurora Borealis, 8=9187

Harrison,E.R. The design of calorimeters for the determination of ion beam intensities, 7=7967. Scaling laws for space charge dynamics, 8=4066. On the space-charge divergence of an axially symmetric beam, 8=5046. Investigation of the perveances and beam profiles of an aperture disk emission system, 8=8806. Spherical plasmoids in low pressure electrodeless discharges, 9=1501. The runaway effect in a fully ionized plasma, 9=5831. Epicyclic orbits of charged particles, 9=7078. See also Hobbis,L.C.W., 7=155; King,N.M., 8=5970; Thonemann,P.C., 5=9716, 9=3576

Harrison,E.R. and Dawton,R.H. Apparatus for producing plasma beams, 8=7126

Harrison,F.B. See Argo,H.V., 9=8642; Cowan,C.L., 7=4791; Cowan,C.L.Jr, 5=1249, 6=6123; Reines,F., 5=2225

Harrison,F.B., Cowan,C.L.Jr and Reines,F. Electron spectrum from μ-meson decay, 5=2202

Harrison,F.W. Some aspects in the design of a torque magnetometer, 6=2992. The unit cell and space group of barium tetratitanate, $BaO.4TiO_2$, 6=8489

Harrison,F.W., Osmond,W.P. and Teale,R.W. Cation distribution and magnetic moment of manganese ferrite, 7=7217

Harrison,G.E. and Raymond,W.H.A. The estimation of trace amounts of barium or strontium in biological material by activation analysis, 5=8375

Harrison,G.R., Crawford,R.C. and Hopkins,J.I. K-series fluorescence yields of argon, copper-65 and indium-113, 6=3766

Harrison,G.R. and Stroke,G.W. Interferometric control of grating ruling with continuous carriage advance, 5=3472

Harrison,G.R., Sturgis,N., Baker,S.C. and Stroke,G.W. Ruling of large diffraction gratings with interferometric control, 7=2088

Harrison,G.R., Sturgis,N., Davis,S.P. and Yamada,Y. Interferometrically controlled ruling of ten-inch diffraction gratings, 9=3355

Harrison,J.A. and Craggs,J.D. Excitation in a low pressure electrodeless discharge, 8=7063

Harrison,J.R. See also Horton,C.C., 7=479

Harrison,J.R., Mills,A.M. and Bendell,D. The distribution of gamma-rays and neutrons in the control face shield of B.E.P.O., 5=9112

Harrison,M.A. Townsend's first ionization coefficient in nitrogen, 7=3398

Harrison,M.J. Magnetic field dependence of ultrasonic attenuation, 9=3231

Harrison,R.H. See also Williamson,K.D., 7=7837

Harrison,R.H. and Kobe,K.A. Thermodynamic functions of 1, 1, 2-trichloroethane, 7=7838

Harrison,R.J. See Austin,A.E., 6=2478*

Harrison,S.E. See also Callen,H.B., 6=7528; Gerritsen,H.J., 9=5917; Kriessman,C.J., 6=7529, 8=8906; Nathans,R., 6=8492, 7=4909

Harrison,S.E., Belson,H.S. and Kriessmann,C.J. Origin of ferromagnetic resonance line broadening in manganese-rich manganese ferrites, 8=8866

Harrison,S.E., Kriessman,C.J. and Pollack,S.R. Magnetic spectra of manganese ferrites, 9=443

Harrison,W. See Doherty,M., 5=3600

Harrison,W.A. Mobility in zinc blende and indium antimonide, 6=2878. Scattering of electrons by lattice vibrations in nonpolar crystals, 7=2799. Cellular method for wave functions in imperfect metal lattices, 8=2644. Resistivity due to dislocations in copper, 9=1430

Harrison,W.N. See Strauss,S.W., 6=7395

Harriss,E.B. See Lamerton,L.F., 5=679, 9333

Harrower,G.A. Measurement of electron energies by deflection in a uniform electric field, 5=9699. Auger electron emission in the energy spectra of secondary electrons from Mo and W, 6=4448. Dependence of electron reflection on contamination of the reflecting surface, 6=5929. Energy spectra of secondary electrons from Mo and W for low primary energies, 7=1378. Radio star scintillations and interstellar hydrogen, 7=5804. A consideration of radio star scintillations as caused by interstellar particles entering the ionosphere. I. Daily and seasonal variations of the scintillation of a radio star, 7=8317. II. The accretion of interstellar particles as a cause of radio star scintillations, 7=8318. III. The kind, number, and apparent radiant of the incoming particles, 7=8319

Harrower,G.A., Best,F.S. and Machalett,A.A. Shielded electrical connection into vacuum, 5=5934

Harshbarger,F. Simultaneous light-absorption and emission measurements behind a shock wave, 7=1171

Hart,A. Hysteresis loops associated with a simple domain structure, 8=8136. See also Bates,L.F., 6=6787, 7=2831

Hart,E. See Block,M.M., 7=700; Fowler,W.B., 7=701

Hart,E.J. See also Gordon,S., 5=10025

Hart,E.J., Gordon,S. and Hutchison,D.A. Formation of hydrogen peroxide in solutions of $O^{16}O^{18}$ in N_2O^{16} by gamma radiation, 6=5492

Hart,E.J. and Terandy,J. Alpha-particle irradiation apparatus, 9=3802

Hart,E.L. See also Sellen,J.M., 8=6155, 9=6034

Hart,E.L., Cocconi,G., Cocconi,V.T. and Sellen,J.M. Electron pair production in the field of the proton and in the field of the electron by photons of energy from 10 MeV to 1 BeV, 9=13545

Hart,E.W. Lattice resistance to dislocation motion at high velocity, 5=7511. Conduction band polarization in dilute alloys, 7=5497. Thermodynamics of inhomogeneous systems, 9=4538; II, 6859

Hart,H. and Schirrwitz,H. Improved apparatus for measuring the viscosity of gases by Rankine's method, 9=1156

Hart,H.R. See Benseman,R.F., 5=4433

Hart,H.R.,Jr. See Estle,T.L., 9=5949

Hart,J. Digest of the literature on dielectrics. Volume XVIII–1954. Molecular and ionic interactions in dielectrics, 7=9152; Volume XIX–1955. Molecular and ionic interactions in dielectrics, 7=9153. A new visco-electric effect, 8=3751. Production of millimeter waves by a spark generator, 8=8155. Correction to the visco-electric constant, 9=1124. See also Hoffman,J.D. (Eds.), 8=2291; Mungall,A.G., 8=1668

Hart,J. and Mungall,A.G. The electrical conductivity of

chlorobenzene, 6=5104. An electrostatic null detector, 7=3226. Digest of the literature on dielectrics. Molecular and ionic interactions in dielectrics, 8=2291
Hart,J. and Simmons,D.A. A note concerning the conductivity of liquid dielectrics, 5=2758
Hart,J. and Soderman,R.(Eds.). Digest of the literature on dielectrics. Volume XXI – 1957, 9=5649
Hart,J.F. and Herzberg,G. Twenty-parameter eigenfunctions and energy values of the ground states of He and He-like ions, 7=6475
Hart,J.F. and Worsley,B.H. Approximate wave functions of Pb^{+++} by the method of self-consistent field without exchanges, 9=13725
Hart,J.J. See Baker,C.D., 5=5237
Hart,K.H. See Baird,K.M., 6=5028
Hart,P.J. Distribution of radiation from elliptical and parabolic mirrors, 9=166. See also Tuve,M.A., 5=1380
Hart, R.W. See also Guier, W.H., 7=5609. Massey, J.T., 5=6003
Hart, R.W., Gray, E. P., and Guier, W.H. Statistical approach to collision processes: Application to atomic excitation, 6=3120. Energy dependence of cross sections near threshold: one neutral and two charged reaction products, 8=8310
Hart, R.W. and Guier, W.H. Statistical treatment of weekly interacting particles in a Newtonian potential, 5=3468
Hart, R.W. and McClure, F.T. Combustion instability: acoustic interaction with a burning propellant surface, 9=6844
Harte, W.E. See Christy, R.W., 8=7906
Harteck, P. The relative abundance of HT and HTO in the atmosphere, 5=598
Harteck, P. and Dondes, S. Decomposition of carbon dioxide by ionizing radiation. I, 5=6579; II, 7=8247. Nitrous oxide dosimeter for high levels of Betas, Gammas and thermal neutrons, 6=5345. Fixation of nitrogen by ionizing radiation as nitrogen dioxide and nitrous oxide, 6=5480. Producing chemicals with reactor radiations, 6=8963. Reaction of carbon monoxide and ozone, 7=8238. Decomposition of nitric oxide and nitrogen dioxide by the impact of fission fragments of uranium-235, 8=2055. Glass fibers — A new form for reactor fuels, 8=4348. Nitrogen pentoxide formation by ionizing radiation, 8=6484. Reply to the letter to the editor on "Slow reaction of carbon monoxide with oxygen" by R.H.Knipe and A.S.Gordon, 8=7579
Harteck, P., Reeves, R.R. and Mannella, G. Rate of recombination of nitrogen atoms, 8=8850. Reaction of oxygen atoms with nitric oxide, 9=1921
Hartel, W. Application of Hall generators, 5=2866
Harten, H.U. Influence of the ambient atmosphere on the surface recombination of silicon, 9=8137. See also Schultz, W., 6=4409
Harten, H.U. and Schultz, W. Influence of diffusion lengths and surface recombination on the photovoltaic effect in germanium, 5=8773
Hartenstein, B. See also Friedl, W., 5=6054
Hartenstein, B. and Friedl, W. The intensity distribution from a plane grating with a triangular groove profile, 7=6069
Harter, H.L., Rider, P.R. and Williamson, P.M. New model for a two-dimensional standard state, 6=983
Harter, J.A. See Hurst, G.S., 6=4676
Harth, E. See Block, M., 9=12581
Harth, E.M. See Birnbaum, M., 5=7998. Block, M.M., 5=8295; 6=1560, 6919, 7=700. Fowler, W.B., 7=701. Slaughter, G.G., 8=2511
Hartig, F. and Helwig, H.J. Cosine-corrected photometer, 5=6870
Hartig, P.A. and Noyce, R.N. Effects of low-energy gas discharges on evaporated metal-semiconductor contacts, 6=7405
Hartill, E.R. See Butt, E.P., 9=5084
Harting, D. See also Aarts, J., 5=2566
Harting, D., Holt, J.R. and Moore, J.A. The elastic scattering of 380 MeV protons by protons. I. At angles greater than 30° (c.m.), 8=4227
Hartke, J.L. Effect of oxygen in silicon on phosphorus diffusion, 9=13811
Hartley, R.V.L. A new system of logarithmic units, 5=4328. Rotational waves in a turbulent liquid, 7=4011
Hartley, W.H., Stephens, W.E. and Winhold, E.J. Cross sections for photoneutron emission induced by the lithium gamma rays, 7=2658
Hartline, H.K. Receptor mechanisms and the integration of sensory information in the eye, 9=11676
Hartman, P. An approximate calculation of attachment energies for ionic crystals, 7=867. The equilibrium forms of crystals, 9=7601. The effect of adsorption on the face development of the equilibrium form, 9=8997. The atomic structure of certain faces of crystals of the zinc blende and wurtzite type, 9=11633
Hartman, P. and Perdok, W.G. On the relations between structure and morphology of crystals. I, 5=4169. II, 5=10056. III, 5=10057
Hartman, P.L. See also Taylor, J.W., 9=6997. Tomboulian, D.H., 6=5939
Hartman, P.L. and Nelson, J.R. Hydrogen lamp of good intensity and reliability for the vacuum ultraviolet, 7=7719
Hartman, P.L., Nelson,J.R. and Siegfried, J.G. Reflection spectrum and structure in the exciton absorption peak of NaCl and KCl, 7=3138
Hartmann, B. See also Akerlind,L., 5=5602
Hartmann, B. and Asplund, I. Angular correlation measurements on Cu^{65}. 8=7347
Hartmann, B. and Wiedling, T. A note on the ground state spin of ^{177}hafnium, 6=547. An excited level of high spin of Gd^{154}, 7=3532
Hartmann, F., Rambosson, M., Brossel, J. and Kastler, A. The effect of rare gases on the degree of orientation of sodium vapour obtained by optical pumping, 8=7435
Hartmann, H. The spins of ions of the transition metals in their octahedral complex compounds, 9=3980. See also Ilse, W., 7=822
Hartmann, J. and Hertel, J. A Twyman interferometer for the testing of objectives, 7=8539
Hartmann, J.F. Concerning technical exposure problems with screens for simultaneous layer processes and improvements towards their attainment, 6=3425
Hartmann, N. See Sheer, C., 6=4225
Hartmann, W. On a photomultiplier with controllable cathode surface (area), 9=3562
Hartmans, R. See Kapadnis, D.G., 6=3681, 3695
Hartnagel, W. The influence of the curvature and material of an edge on the diffraction of light. I, 9=12148
Hartnett, J.P. See Eckert, E.R.G., 9=5603
Hartog, H.den. See den Hartog, H.
Hartogh, C.D. See also Tolhoek, H.A., 5=9880
Hartogh, C.D., de Groot,S.R. and Tolhoek, H.A. On angular effects in nuclear reactions induced by unpolarized particles, 5=5622
Hartogh, C.D. and Tolhoek, H.A. Cluster developments for Jastrow wave functions. I, 9=62. II. Introduction of irreducible cluster functions, 9=9245. III. Expressions for the distribution functions and the energy; application to nuclear matter; expansions at low temperature, 9=9246
Hartogh, C.D., Tolhoek, H.A. and De Groot, S.R. Some explicit formulae for the angular distribution and polarisation of gamma radiation emitted by oriented nuclei, 5=4908
Hartree, D.R. Approximate wave functions, with exchange for Mn^{+2}, 5=3009. The interpolation of atomic wave functions, 6=576. Approximate wave functions for some atoms of the first long period, 6=4594. Representation of the exchange terms in Fock's equations by a quasi-potential, 8=1990. Variation of atomic wave functions with atomic number, 8=3396. A method for the numerical integration of the linear diffusion equation, 8=3632. See also Douglas, A.S., 5=7306. Froese, C., 8=5431
Hartree, O.P. See Baird, J.D., 9=4067
Hartsfield, W.L. Observations of distant meteor-trail echoes followed by ground scatter, 5=4290
Hartshorn, L., Parry, J.V.L. and Essen, L. The measurement of the dielectric constant of standard liquids, 5=7941
Hartsough, W. See Cork, B., 5=1188
Hartung, R.W. See Brown, J.L., 9=13571
Hartwig, E. Model investigations of the quantitative understanding of physiological contrast errors, 9=11684
Hartwig, G. and Schopper, H. Circular polarization of the internal bremsstrahlung in the K-capture of A^{37}, 9=6097
Hartwig, W. See Borrmann, G., 9=5257
Hartz, T.R. A solar noise outburst of January 15, 1955, 5=6697. Radio star scintillations and the ionosphere, 5=8445. Auroral radiation at 500 Mc, 8=7646. See also Hay, D.R., 5=9311
Hartzler, A.J. See Siegel, R.T., 6=1634
Harvey, A.F. See Clarricoats, P.J.B., 7=562, 6357
Harvey, B. See Hicks, D.A., 7=4743
Harvey, B.G. Systematics of neutron capture cross sections, 5=9100. See also Amiel, S., 7=6491,

Asaro, F., 6=613, Chetham-Strode, A. Jr, 6=5353, Choppin, G.R., 5=7314, 6=4630, Ghiorso, A., 5=7357
Harvey, B.G., Chetham-Strode, A., Jr, Ghiorso, A., Choppin, G.R. and Thompson, S.G. New isotopes of einsteinium, 7=2580
Harvey, B.G., Jackson, H.G., Eastwood, T.A. and Hanna, G.C. The energy of alpha particles from U^{234}, U^{238}, and Th^{232}, 7=8129
Harvey, B.G., Thompson, S.G., Choppin, G.R. and Ghiorso, A. Nuclide 99^{254}, 5=9042
Harvey, F.E. See Young, O.B., 8=8083
Harvey, J.A. Movement of sporadic E ionization, 6=5551 See also Hughes, D.J., 6=671; Pilcher, V.E., 6=8959; Stolovy, A., 8=8267
Harvey, J.A. and Hughes, D.J. Spacings of nuclear energy levels, 8=8274
Harvey, J.A., Hughes, D.J., Carter, R.S. and Pilcher, V.E. Spacings and neutron widths of nuclear energy levels, 5=8155
Harvey, K.B. See also Barber, D.J., 7=9973; Giguère, P.A., 6=8672
Harvey, K.B. and Bass, A.M. Infrared absorption of oxygen discharge products and ozone at 4°K, 9=5527
Harvey, W.W. and Gatos, H.C. Electrode potential of germanium in aqueous solutions and the effect of illumination, 9=5225
Harwit, M. See Block, M.J., 8=5825
Harwood, M.G. Some methods of dispersing difficult powders, 5=1270. The crystal structure of lanthanum - strontium manganites, 5=9277. See also MacDonald, G.L., 5=5697
Harwood, M.G. and Fry, N. Growth of the barium orthosilicate interface of oxide-coated cathodes, 5=2833
Hasapis, A.A. See Bacon, J.F., 9=11878
Hase, R. Determination of the refraction of air layers near the ground, 9=11989
Hase, V.T. See Shajn, G.A., 6=872*
Hasebe, K. and Yamamuto, K. Streamer theory and the value α/ρ, 5=8791
Hasebe, T. See Yoshikawa, S., 5=49, 4357
Haseda, T. Paramagnetic relaxation in Co – Fe NH$_4$ - Tutton salts, 8=3252. See also Kanda, E., 5=7186; Watanabe, T., 9=8280
Haseda, T. and Date, M. The paramagnetic susceptibility of some nickel salts, 9=8283
Haseda, T. and Kanda, E. Paramagnetic relaxation in some cobaltous salts in the liquid helium temperature region, 6=7533. Paramagnetic relaxation in potassium ferricyanide, 7=9270. Paramagnetic susceptibility of CoCl$_2$.6H$_2$O between 290°K – 1·52°K, 8=1132
Hasegawa, A. See Wexler, A., 6=3545
Hasegawa, H. Tomonaga's approximation in the nuclear force, 5=9391. Intermediate coupling meson theory of nuclear forces. I. General formulation, 5=9427. See also Anderson, P.W., 6=1355; Komatsuzawa, A., 6=6370; Kubo, R., 9=1442, 12305; Minakawa, O., 9=12425; Nogami, Y., 6=8591
Hasegawa, H., Nakano, S. and Hashitsume, N. On the Hall effect in bismuth at low temperature, 7=7913
Hasegawa, K. See also Nakabayasi, K., 9=11843
Hasegawa, K. and Azuma, S. On the multiple scattering phase shifts and the nuclear force (scalar pair theory), 5=4366. Multiple scattering phase shifts and nuclear potential, 6=2659
Hasegawa, M. Geomagnetic distortion in region F2, its nature and origin, 6=2575
Hasegawa, M. and Maeda, H. A suggestion for the electric conductivity of the upper atmosphere from an analysis of diurnal variations of terrestrial magnetism. II, 5=3326
Hasegawa, S. On the air shower core, 9=12430. See also Minakawa, O., 9=12425
Hasegawa, S., Garfinkel, S.B. and Wexler, A. Simple humidity lag apparatus, 6=967
Hasegawa, S., Nishimura, J. and Nishimura, Y. On the angular distribution of secondary particles of high energy jet showers, 8=2378
Haselgrove, J. Ray theory and a new method for ray tracing, 5=5544. Oblique ray paths in the ionosphere, 7=7247. See also Thomas, J.O., 8=2067
Haselmann, H. Twenty years of phase-contrast microscopy, 9=1354
Haselmann, H. and Wittekind, D. Phase-contrast fluorescence microscopy, 9=3366
Haser, L. The conservation of free radicals at low temperature and the structure of the nuclei of comets, 6=883
Hashi, T. Measurement of free induction decay time and spin – lattice relaxation time of bromine nucleus in sodium bromate, 9=9842
Hashimoto, C. See Higuchi, S., 7=7670
Hashimoto, H. Stepped structure in moiré fringe, 9=11598
Hashimoto, H. and Naiki, T. A note on direct observation of dislocations by electron microscopy, 9=13838
Hashimoto, H., Yoda, E. and Maeda, H. On the elastic scattering of electrons observed in Kikuchi patterns, 6=5541
Hashimoto, H. and Yotsumoto, H. Spacing anomaly in electron microscope images of crystal lattices, 9=7545
Hashimoto, K. Electrical properties of bismuth selenides, Bi$_2$Se$_3$ and BiSe. I. Resistivity and Hall effect, 9=1448. Electrical properties of bismuth selenide, Bi$_2$Se$_3$. II. Thermoelectric power and thermal conductivity, 9=12315. Electrical properties of SnTe, SnSe and InBi at low temperatures, 9=9634
Hashimoto, K. and Hirakawa, K. Electrical properties of stannous telluride SnTe, 6=6640
Hashimoto, K., Yokoya, S., Hirakawa, K. and Okazaki, A. On the relation between crystallization and electrical resistance of selenium films. I. Pure selenium, 9=4592
Hashimoto, M., Shimanouchi, T., and Mizushima, S. Molecular form of crystalline symmetric tetrabromoethane, 6=3345
Hashimoto, T. and Kikuchi, Y. Ultrasonic propagation measurement in sea water up to 400 kc, 7=9575
Hashimoto, U. See Komastubara, K., 9=3488
Hashitsume, N. Thermal fluctuations in linear dissipative systems, 5=9391. A statistical theory of linear dissipative systems. II, 6=8603. See also Hasegawa, H., 7=7913. Kubo, R., 9=1442, 12305
Hashizume, A. See Ogawa, M., 8=6551
Hashman, J.S. See Ruehrwein, R.A., 9=7568
Hashmi, S.Z.R., Khan, S.A. and Ali, I. Application of counter-chronograph technique to measurement of sonic velocities, 9=13121
Hasiguti, R.R. Internal friction of metals due to crystal imperfections, 5=9391
Hasiguti, R.R. and Kamoshita, G. Internal friction of alpha-iron due to boron atoms, 5=1306
Hasiguti, R.R. and Matsuura, E. Lifetime measurements of minority carriers across and along a dislocation wall in a germanium crystal, 9=8113
Hasiguti, R.R., Matsuura, E. and Ishino, S. Lifetime measurements of minority carriers in deuteron irradiated germanium crystals, 8=6985
Hasiguti, R.R., Sakairi, H. and Sugai, T. A proposed explanation of irradiation growth of uranium, 9=5247
Hasimoto, H. Rayleigh's problem for a cylinder of arbitrary shape. II, 5=5908*. Note on Rayleigh's problem for a circular cylinder with uniform suction and related unsteady flow problem, 6=5717. A sphere theorem on the Stokes equation for axisymmetric viscous flow, 6=7177. Boundary layer growth on a flat plate with suction or injection, 7=5119. On the flow of a viscous fluid past a thin screen at small Reynolds numbers, 9=10653. Viscous flow of a perfectly conducting fluid with a frozen magnetic field, 9=11279
Haskin, D.M. See also Bowen, T., 8=696; Glasser, R.G., 5=9973; Kalberg, I., 9=1643; Orear, J., 5=2206; Schein, M., 5=6276, 6=3255, 4019; Teucher, M.W., 9=3755, 12419; Williams, D.B., 6=1626
Haskin, D.M., Bowen, T., Glasser, R.G. and Schein, M. Binding energy of tritium hyperfragments, 6=4005
Haskin, D.M., Bowen, T. and Schein, M. Capture of K$^-$ mesons by nuclei, 7=682
Haskin, L.A. See Wagner, P., 9=7558
Haskins, J.F. and Walsh, J.L. Vibrations of ferroelectric cylindrical shells with transverse isotropy. I. Radially polarized case, 8=2882
Haskins, J.R. Monoenergetic absorption peaks obtained with a scintillation spectrometer, 7=8133
Haskins, J.R., Heller, G. and Miller, E. Equivalent circuit for a coil cell used in rf titrimetrv, 5=6573
Haslam, C.G.T. See Large, M.I., 9=10515, 11731
Haslam, R.N.H. See Bergsteinsson, J.L., 8=7078; Roalsvig, J.P., 9=8543, 8624-5; Siddiq, A.K.M., 9=2811
Haslett, J.C. and Love, W.F. Galvomagnetic effects in n-InSb at low temperatures in strong magnetic fields, 9=6977
Hass, G. Filmed surfaces for reflecting optics, 6=278. See also Bradford, A.P., 9=11983; Cox, J.T., 7=9111, 9=222
Hass, G. and Bradford, A.P. Anodically produced multiple oxide

films for increasing the reflectance of evaporated aluminium, 5=237. Optical properties and oxidation of evaporated titanium films, 7=2074
Hass, G., Drummeter, L.F., Jr, and Schach, M. Temperature stabilization of highly reflecting spherical satellites, 9=13216
Hass, G., Hunter, W.R. and Tousey, R. Reflectance of evaporated aluminium in the vacuum ultraviolet, 7=3167. Influence of purity, substrate temperature, and aging conditions on the extreme ultraviolet reflectance of evaporated aluminium, 8=2252
Hass, G. and Jenness, J.R., Jr. Method for fabricating paraboloidal mirrors, 8=1641
Hass,G., Ramsey,J.B., and Thun,R. Optical properties and structure of cerium dioxide films, 8=2995. Optical properties of various evaporated rare earth oxides and fluorides, 9=6308
Hass, G., Schroeder, H.H. and Turner, A.F. Mirror coatings for low visible and high infrared reflectance, 6=1118
Hass, G. and Tousey, R. Reflecting coatings for the extreme ultraviolet, 9=6778
Hass, M. See also Ferguson, G.A., Jr, 9=5885; Picus, G. 9=9612
Hass, M. and Sutherland, G.B.B.M. The infrared spectrum and crystal structure of gypsum, 6=8103
Hass, W.P.A. See Hardeman, G.E.G., 8=3242; Poulis, N.J., 8=3243; van der Lugt, W., 8=4282, 9=13475
Hassan, F. See Evans, D., 9=3795. K-collaboration, 9=13575
Hassan, H.A. Some aspects of three-dimensional diabatic flows, 9=5424
Hassel, O. Structures of electron-transfer and related molecular complexes in the solid state, 9=13760
Hassion, F.X. and Cole, R.H. Dielectric properties of liquid ethanol and 2-propanol, 6=1192
Hassitt, A. Fractional parentage coefficients and their explicit evaluation, 5=4860. Diffusion in a cylindrical reactor with all-round reflector, 5=9113. An improved variational method for the solution of the one-group diffusion equations, 6=8392. Solution of the multi-group neutron diffusion equations on a digital computer, 7=1001. Solution of the two group diffusion equations for dimple, 7=1636. A programme for solving the two group diffusion equations of cylindrical reactors, 7=7394
Hassler, F.L. See Eubank, H.P., 9=3922
Hasted, J.B. Further investigations of charge exchange and electron detachment. II. Ion energies 100 to 4000 eV, 5=2831. Detachment in electronegative discharges, 7=3323. Collisons of metastable atoms, 9=6171. Inelastic ion–atom collisions, 9=6175. See also Gilbody, H.B., 7=5429, 8689, 8=8376
Hasted, J.B. and Roderick, G.W. Dielectric properties of aqueous and alcoholic electrolytic solutions, 9=274
Hasted, J.B. and Smith, R.A. The detachment of electrons from negative ions, 6=4469. Partial charge transfer of doubly charged ions, 6=4470
Hastewell, L.J. and Roscoe, R. An apparatus for measuring the elastic properties of gels, 5=4129. The elastic properties of dilute aqueous gels, 7=5705
Hastings, G.W., Ovenall, D.W. and Peaker, F.W. Aggregation of spherical particles, 6=6998
Hastings, J. See Corliss, L., 7=2423; Weiss, R.J., 6=7831
Hastings, J.M. See also Brockhouse, B.N., 5=7403; Corliss, L.M., 9=429; Donnay, G., 9=4802
Hastings, J.M. and Corliss, L.M. An antiferromagnetic transition in zinc ferrite, 6=6012. Neutron diffraction study of manganese ferrite, 7=1761
Hastings, J.M., Elliott, N. and Corliss, L.M. Antiferromagnetic structures of MnS_2, $MnSe_2$, and $MnTe_2$, 9=12465
Hasunuma, H. and Nara, J. On the sheen gloss, 6=1119. The scattering of light from metal aventurine surface and their statistical models, 9=8985
Haszeldine, R. N. and Jander, J. Further remarks on the spectra of nitrites and nitrosamines, 5=6008
Haszko, S.E. See Van Uitert, L.G., 9=7176
Hatanaka, T. A solution for the path of radio waves through the solar atmosphere by elliptic integrals, 5=5172. See also Akabane, K., 8=3640; Taketani, M., 6=7936
Hatanaka, T., Akabane, K., Moriyama, F., Tanaka, H. and Kakinuma, T. A model for the solar enhanced region at centimetre range derived from partial eclipse observations, 6=6303, 7106
Hatanaka, T., Suzuki, S. and Tsuchiya, A. Observations of polarization of solar radio bursts, 5=7641
Hatano, S. Magnetic exchange moment of order eg^4 in adiabatic approximation, 7=107. Note on the decay of Ξ particles, 7=7420. See also Iwadare, J., 7=88
Hatano, S. and Kaneno, T. On the exchange magnetic moment of the two nucleon system, 6=7999
Hatano, S., Kaneno, T. and Shindo, M. The effects of heavy particles on π-meson–proton scattering, 5=1526
Hatch, A.J. and Williams, H.B. Multipacting modes of high-frequency gaseous breakdown, 9=5763
Hatch, E.N. See also Warburton, E.K., 9=7342
Hatch, E.N. and Alburger, D.E. Lifetime of the 473 keV level in Tm^{169}, 9=602
Hatch, E.N. and Boehm, F. Rotational spectrum of Tm^{171}, 8=5328. Precision determination of energies of gamma rays in Sm^{152}, $Gd^{152, 154, 155, 156}$, Yb^{170}, and Os^{188}, 9=11460
Hatch, E.N., Boehm, F., Marmier, P. and DuMond, J.W.M. Rotational and intrinsic levels in Tm^{169} and Lu^{175}, 7=2534
Hatch, L.P. See Ginell, W.S., 5=3082
Hatchard, C.G. and Parker, C.A. A new sensitive chemical actinometer. II. Potassium ferrioxalate as a standard chemical actinometer, 6=4969
Hatcher, C.R. and Millett, W.E. Quenching of positronium lifetimes by molecular iodine, 9=4903
Hatcher, C.R., Millett, W.E. and Brown, L. Annihilation of positrons in organic compounds, 8=6131
Hatcher, E.C., Jr and Leitner, A. Radiation from a point dipole located at the tip of a prolate spheroid, 5=399
Hatcher, R.D. See also Hull, M.H., Jr, 6=8242; Rohrbaugh, J.H., 8=8714-15
Hatcher, R.D. and Rohrbaugh, J.H. Theory of the echelette grating. I, 6=2013
Hately, G.F. and Littlefield, T.A. Isotope shift in the arc spectrum of zinc, 9=2198
Hatfield, P. Transition temperature of polymethyl methacrylate at ultrasonic frequencies, 5=5000. Ultrasonic measurements on high polymers, 6=1916
Hatoyama, G.M. See Matsuura, K., 7=6008, 7759-60, 8=3868; Sasaki, W., 9=5701; Sugiura, Y., 8=3251
Hatsopoulos, G.N. See also Nottingham, W.B., 9=13371
Hatsopoulos, G.N. and Kaye, J. Analysis and experimental results of a diode configuration of a novel thermoelectron engine, 8=8827
Hatt, B.A. and Williams, G.I. The crystal structure of UPt_2, 9=13925
Hatton, J. Effect of pressure on the electrical resistance of metals at liquid helium temperatures, 6=382. Effect of pressure on the superconducting transition temperature of thallium, 6=2124. Effect of pressure on superconducting transitions and on electrical resistance at low temperatures, 6=8806
Hattori, M., Hisatake, K., Mikumo, T. and Momota, T. Gamma rays from the reaction $^{27}Al\ (p, \gamma)\ ^{28}Si$, 5=4917
Hattori, S., Yamamoto, K. and Fujimura, O. Nasalization of vowels in relation to nasals, 8=2216
Haubach, W.J. See White, D., 9=8685
Haudek, H. X-ray optical imaging on a NaCl crystal plate deformed into a spherical shell, 9=332
Hauer, F. and Keck, G. New methods of visual display of ultrasonics, 6=1921
Haufe, G. Correction of the spherical aberration of electrostatic lenses by space charge, 9=1518
Hauffe, K. Gas reactions on semiconducting surfaces and space charge boundary layers, 7=7875
Hauffe, K. and Flint, H.G. On the electrical conductivity of cadmium selenide, 5=3748
Hauffe, K. and Ilschner, B. Defect states and transport processes in ionic crystals, 5=3263
Hauffe, K. and Kofstad, P. Mechanism of oxidation of cuprous oxide at high temperatures, 5=10026
Haug, A. A quantum mechanical interpretation of radiationless electron transitions in solids, 5=406. Adiabatic approximation and interaction terms in the theory of non-polar solids, 7=570. On the determination of the effects of interaction terms for polar and non-polar solids, 8=1309. See also Esprester, A., 5=7082
Haug, A. and Sauermann, G. Investigations on the adiabatic approximation in solid state problems, 9=6223
Haug, A. and Schönhofer, A. The splitting of energy bands and ⌊appearance of⌋ levels between bands due to displacement of lattice-atoms in solids, 8=5477
Haug, R. See Gudefin, E., 8=2
Haug, S.G.M. The effect of orientation on the thickness of

prominences, 7=2936
Haug,U. On the frequency distribution of the elements of orbit for interplanetary dust particles, 9=5316
Haug,O. On short periodic variations in solar noise storms on 200 Mc/s, 8=2737. Statistical investigations of solar radio bursts on 200 Mc/s, 8=7649. See also Elgarøy,Ø., 9=4208; Eriksen,G., 7=1012
Haugerud,Ö. and Sörensen,S.O. Mesonic decay of a H_1^4 nucleus, 5=9151
Haugh,E.F. and Hirschfelder,J.O. PI-electron forces between conjugated double bond molecules, 6=2271
Haught,A.F. See Mulligan,B.W., 9=5496
Haughton,K.E. See Brunner,R.K., 9=10649
Hauk,D. and Lohmann,A. Minimum light criterion with grating spectrographs, 9=1263
Hauk,J. See Hauk,V., 5=8397
Hauk,V. and Hauk,J. Debye-Scherrer interference for Bragg-angles of about 85°, 5=8397
Hauk,V. and Krings,A. Lattice constant measurements with electron beams on thin silver layers, 5=5117
Haul,R. and Just,D. Measurement of the diffusion in oxide crystals by isotopic exchange with gaseous oxygen, 9=2950
Haun,R.D., Jr and Zacharias,J.R. Stark effect on cesium-133 hyperfine structure, 7=8109
Haupt,H. An unusual spectrogram of a prominence taken with the coronagraph, 7=3916
Hauptman,H. See also Karle,J., 7=891, 9=7622, 9=7624, 9=10364, 9=13914
Hauptman,H. and Karle,J. A relationship among the structure-factor magnitudes for $P\bar{1}$, 5=7531. Structure invariants and seminvariants for non-centrosymmetric space groups, 6=7833. A unified algebraic approach to the phase problem. I. Space group P1, 9=7621*. Phase determination from new joint probability distributions: space group P1, 9=7623. A unified program for phase determination, type 2P, 9=9021, type $3P_1$, 9=13915
Haurwitz,B. See also Sawada,R., 5=10118
Haurwitz,B., London,J., Sepúlveda,G.M. and Siebert,M. Solar activity and atmospheric tides, 8=5596
Haus,H.A. Noise in one-dimensional electron beams, 5=6122. See also Robinson,F.N.H., 6=6700
Haus,H.A. and Bobroff,D.L. Small signal power theorem for electron beams, 8=3173
Hausdorff,H. See Coates,V.J., 5=5978
Hause,C.D. See Nichols,N.L., 5=2582; Van Horne,B.H., 6=7290
Hausen,H. On the question of the equivalent diameter for heat transfer in slits heated on one side, 9=12170
Hauser,D.T. See Davis,M.V., 8=7252
Hauser,I. Directional correlations of β-rays, 7=9847
Hauser,O. On the Hall coefficient of polycrystalline graphite, 7=363. On the graphitization of carbon. II. Hall effect and electrical conductivity, 9=10988
Hauser,S.M. See Zarem,A.M., 9=4196
Hauser,U. High-energy γ-transitions of low intensity in the decay ${}^{131}_{83}Bi^{214}(RaC) \xrightarrow{\beta} {}^{130}_{84}Po^{214}(RaC^1)^*$, 8=9039
Hauser,U. and Kerler,W. Easily mounted aluminum oxide foils for windows and backings, 9=116
Hauser,W. Variational principles for guided electromagnetic waves in anisotropic materials, 9=1624
Hauser,W. and Brown,L. Perturbation of wave guides and cavities by spheres and cylinders, 9=13510
Hausman,E.A. and Davis,T.W. The radiolysis of Eder's solutions, 5=2281
Hausman,H.J. See Kerst,D.W., 9=11148; Lackner,H.A., 9=8581
Hausner,H.H. The effect on the properties of solid bodies of neutron irradiation, 7=2720
Hausner,H.H. and Mills,R.G. Steps in preparing uranium dioxide for fuel elements, 8=4611
Hausner,H.H. and Zambrow,J.L. The powder metallurgy of uranium, 9=13985
Hausser,K.H. Temperature dependence of the magnetic and optical properties of organic nitrogen radicals, 6=2521. Hyperfine structure and the relaxation mechanism of electron resonance in solution, 9=11252
Hausser,K.H. and Kainer,H. Further salt radicals with anomalous temperature-dependence of paramagnetism, 5=1994
Hausser,K.H. and Murrell,J.N. Pi complexes between organic free radicals, 8=2014
Hausser,R. and Laukien,G. Measurement and interpretation of the temperature dependence of the proton magnetic resonance relaxation times of solutions of ions of the first transition group in water, 9=8365
Häussler,W. Methods for measuring the humidity of air, 9=13073
Haussühl,S. On the measurement of elastic constants of crystals from the natural frequencies of thick plates or with the help of the Schaefer–Bergmann technique, 7=6644. On the measurement of Fourier coefficients from the dynamical electron diffraction effects in thin single crystals, 9=4117. The dielectric behaviour of alkali halides (crystals) with NaCl structure, 9=5655. Elastic properties of the guanidine aluminium sulphate hexahydrate group, 9=12829. The elasticity of alums, 9=12830. See also Spangenberg,K., 9=4075
Haussühl,S. and Trost,F. Thermal expansion coefficients of single crystals of the guanidine–aluminium–sulphate–hexahydrate group, 9=12175
Hautmann,T. See Mönch,E., 9=13044
Hautot,A. Considerations of experimental methods in the study of the latent image, 7=3884. Sulphur sensitization of silver bromide emulsions, 9=12922
Hauw,T. v.d. See v.d. Hauw,T.
Havas,P. Radiation damping in general relativity, 8=871. Equations of motion of point particles in fields of nonzero rest mass and spin, 9=4282
Havel,V. See Brož,J., 6=8987; Mašín,A., 6=7766
Havemann,R., Gamon,A. and Ernst,H. A high-intensity mirror double monochromator, 9=1258
Haven,Y. Concentration and association of lattice defects in NaCl, 5=5721. Lattice imperfections in crystals, studied on alkali halides, 9=8803. See also Botden,T.P.J., 5=859; Compaan,K., 7=1671, 8=4452, 9=6306; van Doorn,C.Z., 6=2788, 7=5994
Haven,Y. and van Santen,J.H. Dielectric relaxation of lattice defects in crystals, 9=1868
Havens,B.L. See Cedarholm,J.P., 9=1030
Havens,R.J., Friedman,H. and Hulburt,E.O. The ionospheric F2 region, 5=5778
Havens,W.W., Jr (Conf. rep.). Neutron interactions with nuclei, 8=5394
Havens,W.W., Jr. See also Melkonian,E., 9=11369
Havliček,F.I. Optical tolerances, 5=5967. A criterion for achromats, 5=7884. On a set of classical methods for the computation of optical systems, 6=190. The effect of stopping down a photographic objective with aberrations, 6=3421. An approximate entropy diagram for uranium hexafluoride, 6=5828. Extreme wide-angle objectives, 7=7036. On the design of triplet objectives, 9=1247. A 140 kV neutron generator, 9=3751. On the determination of the isotopic content ratio U^{238}/U^{234} with an alpha-spectrometer, 9=7311. On the computation of wavefronts, 9=7919
Havliček,F.I. and Dobovišek,B. Photodisintegration of C^{12} and O^{16}, 6=1581. On the angular distribution of the particles of photodisintegrated carbon, 9=2812
Havlovic,V. An ionization anemometer for biometeorological measurements, 8=1374
Havriliak,S., Swenson,R.W. and Cole,R.H. Dielectric constants of liquid and solid hydrogen sulfide, 5=2704
Havriliak,S., Jr and Cole,R.H. On dielectric properties of solid hydrogen and deuterium halides, 6=2060
Havrȳlyuk,V.M. The effect of an adsorbed film of Ba atoms and of molecules of BaO on the work function of an electron from a metal, 8=7100
Hawes,L.L. The determination of lattice constants using low angle diffraction lines, 9=9018
Hawes,L.L. and Cheesman,G.H. The thermal expansion of solid chlorine, 9=8033
Hawker,B.E. See Coleman,R.F., 9=2830
Hawkes,G.A. The measurement of surface residual stress by X-rays, 7=7460
Hawkings,R.C. See also Bartholomew,R.M., 5=3043; Merritt,W.F., 7=3588; Roy,J.C., 9=596; Yaffe,L., 5=1217
Hawkings,R.C. and Merritt,W.F. Some preliminary results on the absolute beta counting of tritium, 5=7324
Hawkins,A.E. A simple vane anemometer giving continuous and direct indication of wind velocity, 5=795. An electrical indicator for a mercury U-tube manometer, 7=3041
Hawkins,G.S. Meteor ionization and its dependence on velocity, 6=6314. Variation in the occurrence rate of meteors, 8=1453. A radio echo survey of sporadic meteor radiants, 8=2101. Radio noise from meteors, 8=6589. A search for magnetic effects from meteors, 9=1942. A search for radio emission from meteors, 9=4206. See also Cook,A.F., 7=4987; Whipple,F.L., 6=9118
Hawkins,G.S. and Cook,A.F. Inadequacy of recombination as the

source of light from enduring meteor trains, 7=27
Hawkins,G.S. and Upton,E.K.L. The influx rate of meteors in the earth's atmosphere, 9=6449
Hawkins,G.S. and Winter,D.F. Radar echoes from overdense meteor trails under conditions of severe diffusion, 8=10
Hawkins,N.J. See also Mattraw,H.C., 5=6918
Hawkins,N.J. and Carpenter,D.R. Force constants, infrared spectrum, and thermodynamic properties of TiCl$_4$, 5=5798
Hawkins,N.J., Mattraw,H.C. and Sabol,W.W. Infrared spectrum of plutonium hexafluoride, 6=1067
Hawkins,N.J., Mattraw,H.C., Sabol,W.W. and Carpenter,D.R. Spectroscopy of gaseous carbonyls. I. Infrared spectra and thermodynamic properties of chromium and molybdenum hexacarbonyls, 6=1982
Hawkins,N.J. and Sabol,W.W. OsO$_4$: infrared spectrum of the vapor and comments on the OVFF constants, 7=2025
Hawkins,P.O. See Harris,D.J., 6=4245
Hawkins,T. See Moss,T.S., 7=7901
Hawkins,T.D.F. See Houghton,J.T., 8=860; Moss,T.S., 7=8534
Hawkins,T.D.H. See Moss,T.S., 8=8669, 9=210
Hawkins,T.H. See Moss,T.S., 6=4400, 7=4342
Hawkins,W.B. Alignment of sodium atoms, 5=2083. Orientation and alignment of sodium atoms by means of polarized resonance radiation, 5=6398
Hawksley,P.G.W. Survey of the relative motion of particles and fluids, 5=1255. Theory of particle sizing and counting by track scanning, 5=1267
Hawksley,P.G.W., Blackett,J.H., Meyer,E.W. and Fitzsimmons,A.E. The design and construction of a photoelectronic scanning machine for sizing microscopic particles, 5=1278
Hawley,E.M. The variation with temperature of the electric strength of polyisbutylene subjected to discharges, 6=4386
Hawley,M.E. Speech communications in noise: Some equipment problems, 7=4091. Noise shield for microphones used in noisy locations, 8=1578
Hawley,M.S. The condenser microphone as an acoustic standard, 5=7792
Haworth,C.W. and Hume-Rothery,W. A note on transition metal alloys, 8=8458
Haworth,D.T. Inhibitor breakdown in zinc bromide shielding windows, 6=3341
Haworth,F.E. Breakdown fields of activated electrical contacts, 7=6205. See also Boyle,W.S., 6=2138
Hawthorne,W.R. The growth of secondary circulation in frictionless flow, 6=107
Haxby,B.V. See Wargo,P., 7=1377
Haxby,R.O. See Cole,F.T., 7=7949; Jones,L.W., 7=446; Kerst,D.W., 9=11148; Murray,P.C., 5=1423; Tatro,C.A., 9=5062
Haxel,O. See also Bühring,W., 8=5037
Haxel,O. and Schumann, G. Self-purification of the atmosphere, 5=10126
Hay,D.R. Air-mass refractivity in central Canada, 9=3674
Hay,D.R. and Hartz,T.R. Thunderstorm signals at very-high frequency and ultra-high frequency, 5=9311
Hay,J.J. See Carver,J.H., 5=9091
Hay,I.W. and Newton,T.D. Estimated fission fragment masses, 7=3675
Hayakawa,N. Thermoluminescence of limestones and calcites and its significance on ore-search, 9=1323
Hayakawa,S. Theory of d-p reaction, 5=9391. A possible effect of cosmic rays on celestial chemical composition, 6=5627. Supernova origin of cosmic rays, 6=7941. A possible interpretation of the multiple penetrating particles, 7=8705. Polarization of cosmic-ray μ mesons: theory, 8=1749. See also Oshima,K., 6=5017
Hayakawa,S., Hayashi,C., Imoto,M. and Kikuchi,K. Helium capturing reactions in stars, 7=7356
Hayakawa,S. and Hirata,M. Unusual temperature dependence of fluorescence of uranyl ions embedded in ice, 9=6763
Hayakawa,S. and Hokkyo,N. Electromagnetic radiation from electron plasma, 6=8886
Hayakawa,S., Ito,K. and Terashima,Y. Positive temperature effect of cosmic rays, 6=6761
Hayakawa,S., Kawaguchi,M. and Minami,S. Kinematical studies of pion-nucleon interactions, 5=552. Kinematical investigations of meson-nucleon reactions, 5=3441*
Hayakawa,S., Kawai,M. and Kikuchi,K. Nuclear reactions at moderate energies and fermi gas model, 6=3194
Hayakawa,S. and Kikuchi,K. Interpretation of the excitation of gamma-rays by 10 MeV neutrons, 5=1210. Gamma ray energy spectrum from iron bombarded by 14-MeV neutrons, 5=4916
Hayakawa,S., Kitano,Y., Nakajima,S. and Nakano,H. Remarks on the electron-lattice interaction, 5=9391
Hayakawa,S. and Kitao,K. Energy loss of a charged particle traversing ionized gas and injection energies of cosmic rays, 7=6272. Energy loss of a charged particle traversing superconductors, 7=7156
Hayakawa,S. and Marumori,T. Relation between the nuclear collective model and the individual particle model with configurational mixing, 8=6204
Hayakawa,S. and Yoshida,S. Inelastic scattering by rotational excitation, 5=9906. Inelastic scattering of neutrons by rotational excitation, 6=6914
Hayasaka,T., Ikegaya,K. and Ishii,S. Design of a standard sound source, 8=1570
Hayase,A. See Sawada,M., 8=8021; Tsutsumi,K., 8=8023
Hayashi,C. A remark on a paper by Barašenkov, 8=2135. See also Hayakawa,S., 7=7356
Hayashi,C., Nakano,T., Nishida,M., Suekane,S. and Yamaguchi,Y. The catalysis of nuclear fusion reactions by μ^--mesons, 9=12699
Hayashi,C. and Nishida,M. Formation of light nuclei in the expanding universe, 7=7357
Hayashi,H. See Sugata,E., 9=8220
Hayashi,I. See Abe,H., 5=2880; Kumagai,H., 5=8901, 9=13382
Hayashi,J. See Takaki,H., 9=9784
Hayashi,M. See also Mizushima,S., 7=6387
Hayashi,M. and Miyoshi,Y. On the fluctuation of the initial corona voltage in air, 5=3802
Hayashi,M., Shimanouchi,T. and Mizushima,S. Raman and infrared spectra of 2-thiabutane, 7=4224
Hayashi,S. See also Fujiwara,S., 9=743
Hayashi,S. and Uo,K. An approximate solution of an algebraic equation of high degree with no real root or one, 6=2601
Hayashi,T. Directional correlations of gamma rays in Te^{124}, 9=8549. See also Ezoe,H., 9=13378; Kawamura,M., 9=2702
Hayashi,T., Kawamura,M. and Aoki,A. Directional correlation of the Ti^{46} gamma-gamma cascade, 5=6440*
Hayashi,Y. See Furuya,A., 5=4616
Hayasi,N. On quantitative measurement of turbulence by means of a constant resistance hot-wire anemometer, 9=13082
Hayasi,T., Nishimura,T. and Suzuki,M. A test for resolving power of curved crystal spectrograph, 9=5775
Hayasi,T. and Okada,S. The excited states of an atomic electron in a one-dimensional crystal lattice, 5=7508
Hayasi,T. and Sagawa,T. A type of electron state at a crystal defect, 5=7509
Haybittle,J.L. Ionization chambers for the dosimetry of beta-ray applicators, 5=7144
Haybittle,J.L. and Mayr,G. Dose measurements with photographic films on a beta-ray needle, 7=8791
Haybittle,J.L., Saunders,R.D. and Swallow,A.J. X- and Y irradiation of ferrous sulfate in dilute aqueous solution, 7=2777
Hayden,R.J. See Wasserburg,G.J., 5=2327, 5=8448; Wetherill,G.W., 6=8344
Haydon,D.A. Oscillating droplets and spontaneous emulsification, 6=956
Haydon,S.C. See Blevin,H.A., 7=6306, 8=5077, 8=5998, 8=7997; Crompton,R.W., 6=1328, 6=2205, 7=3395
Haye,R. See Le Montagner,S., 5=1796
Hayes,A.G. See Clarricoats,P.J.B., 7=562, 7=6367
Hayes,F.N. Liquid scintillators: attributes and applications, 9=3326. Applications of liquid scintillation counters, 9=4863. See also Kerr,V.N., 9=3327; Swank,R.K., 8=8701
Hayes,F.N., Ott,D.G. and Kerr,V.N. Liquid scintillators. II. Pulse-height comparison of secondary solutes, 6=5170
Hayes,F.N., Ott,D.G., Kerr,V.N. and Rogers,B.S. Liquid scintillators. I. Pulse height comparison of primary solutes, 6=2964
Hayes,F.N., Rogers,B.S. and Langham,W.H. Counting suspensions in liquid scintillators, 6=5344
Hayes,F.N., Rogers,B.S. and Sanders,P.C. Importance of solvent in liquid scintillators, 5=3643
Hayes,J.G. See Hall,A.J.C., 9=235
Hayes,W. The spectrum of MnBr in the photographic infrared, 5=8600. The spectra of the manganese halides in the blue-green, 6=1967. See also Baker,J.M., 7=6459, 9=13455; Bleaney,B., 7=6725, 9978
Hayes,W. and Jones,D.A. Paramagnetic impurities in

NaF, 8=2659
Hayes,W., McCarvill,P.D. and Nevin,T.E. The structure of the $X^7\Sigma$ state of MnH and MnD, 8=2613
Hayes,W. and Nevin,T.E. New band systems of MnF and MnBr in the red, 5=8599. The spectrum of MnCl and MnBr in the near ultraviolet, 5=9554
Hayess,E. A method for comparing ultrasonic velocities in solids and liquids using a spectrometer, 7=6959. Investigation of the mechanism of ultrasonic propagation in nitrogen under high pressure, 9=3226
Hayess,E. and Winde,B. Investigations into the applicability of acoustic grating methods to gases, 9=5442
Hayman,H.J.G., Deutsch,F. and Tabor,H. A half-silvered mirror tangentimeter, 7=9025
Hayman,H.J.G. and Eliezer,I. Restricted rotation parameters from the dipole moments of d,ω-dibromoparaffins, 8=4397
Haymann,P. Effect of low energy argon ions on uranium surfaces, 9=12802
Haymond,H.R. See Garrison,W.M., 5=7470, 7=4839
Hayne,G.S. See Edwards,D.F., 9=7931
Haynes,J.R. New radiation resulting from recombination of holes and electrons in germanium, 5=7953. See also Hornbeck,J.A., 5=2750
Haynes,J.R. and Hornbeck,J.A. Trapping of minority carriers in silicon. II. N-type silicon, 6=351. The trapping of minority carriers in silicon, 7=7924
Haynes,J.R., Lax,M. and Flood,W.F. Analysis of intrinsic recombination radiation, 9=8107
Haynes,J.R. and Westphal,W.C. Radiation resulting from recombination of holes and electrons in silicon, 6=3731
Haynes,M.K. Model for nonlinear flux reversals of square-loop polycrystalline magnetic cores, 9=404
Haynes,S.K. See also Achor,W.T., 9=7325; Bellicard,J.B., 7=9360; Burford,A.O., 5=9034
Haynes,S.K. and Achor,W.T. A study of the L-level Auger electrons emitted in the disintegration of Au^{199}, 5=9895
Hays,E.E. See Tschiegg,C.E., 9=11966
Hayward,D.O. See Melmed,A.J., 9=12877
Hayward,E. See also Fuller,E.G., 6=3228, 9=520, 5058; Hubbell,J.H., 8=7071
Hayward,E. and Fuller,E.G. Photon self-absorption and scattering by the 15.1 MeV level in C^{12}, 7=7297
Hayward,R.W. See also Ambler,E., 7=9849, 8=1243, 7339; Hoppes,D.D., 7=1559; Wu,C.S., 7=5593
Hayward,R.W., Farrelly-Pessoa,E., Hoppes,D.D. and van Lieshout,R. Gamma radiation from ^{63}Zn, 9=5023
Hayward,R.W. and Hoppes,D.D. Disintegration of selenium-73, 6=3140. Radiative orbital electron capture in vanadium-49, 7=2571. Scintillation counting in experiments on parity conservation, 9=4989
Hayward,R.W., Hoppes,D.D. and Mann,W.B. Branching ratio in the decay of polonium-210, 5=4021
Haywood,B.C. See Barnard,A.C.L., 7=9368; Burcham,W.E., 7=3632; Clayton,C.G., 9=10990; Greenlees,G.W., 7=6550
Haywood,C.A. An approximation for the high order phase shifts in the elastic scattering of slow protons in the inert gases, 6=420. The electron capture cross sections for protons in helium, 9=2453
Haywood,J.H. The equations of motion of rotating bodies in general relativity, 6=1836
Haza-Radlitz,C.von. See von Haza-Radlitz,C.
Hazato,G. Molecular diamagnetic anisotropy and the proton magnetic resonance spectra of condensed aromatic hydrocarbons, 7=9792. See also Isobe,T., 9=8364
Hazel,J.F. and Schnable,G.L. Colloidal and surface phenomena in the preparation of cathode-ray screens, 5=1720
Hazelby,D. and Rawson,H. A note on the application of glass coatings to uranium, 9=11700
Hazen,M. See Correll,M., 7=4996
Hazen,W.E. Energy of electrons or photons from their cascade showers in copper, 5=9068. See also Randall,C.A., 8=7145
Hazen,W.E., Dockrill,A.G., Lapointe,M. and Thurston,L. Laboratory in elementary mechanics, 9=3084
Hazlehurst,J. and Sargent,W.L.W. Hydrodynamics in a radiation field—a covariant treatment, 9=10637
Hazlett,T.H. See Ancker,B., 6=4050
Hazzaa,I.B. See Sedra,R.N., 5=9291
Head,A.K. The effect of frequency on the fatigue of metals, 6=5462. A new form for a giant radio telescope, 7=5793. The two-mirror aplanat, 8=559. A class of aplanatic optical systems, 8=2221. See also Clarebrough,L.M., 8=3523
Head,A.K. and Louat,N. The distribution of dislocations in linear arrays, 5=6553
Head,J.W. and Oulton,G.M. Coefficients for "decomposition" of functions into Laguerre-function series, 7=6804. Coefficients for "decomposition" of functions into Laguerre-function series, 8=1408
Head,J.W. and Wilson,W.P. Laguerre functions: Tables and properties, 6=5596, 7100
Heading,J. The reflexion of vertically-incident long radio waves from the ionosphere when the earth's magnetic field is oblique, 5=8942
Heal,H.G. The chemical effects of ionising radiation in solids. I, 5=8360. The chemical effects of ionising radiation in solids. II, 6=763
Heald,M.A. Microwave measurements in controlled fusion research, 9=5829. See also Bernstein,W., 9=2374; Coor,T., 9=4743
Heald,M.A. and Beringer,R. Hyperfine structure of nitrogen, 5=1125
Healy,D.W.,Jr. See also Johnson,R.A., 7=7216
Healy,D.W.,Jr and Johnson,R.A. Anisotropy constants and g value of nickel ferrite, 7=2421
Healy,J. See Press,F., 8=5719
Healy,R.M. See also Palko,A.A., 9=719
Healy,R.M. and Palko,A.A. Separation of boron isotopes. I. Boron trihalide addition compounds, 9=718
Heap,H. See Foster,E.L., 8=1333
Heaps,H.S. Diffraction of an acoustical wave obliquely incident upon a circular disk, 5=139. Nonspecular reflection of sound from a sinusoidal surface, 5=7789. Reflection of a plane acoustic wave from a surface of nonuniform impedance, 6=6464. Reflection of plane waves of sound from a sinusoidal surface, 8=3825. See also Cook,E.O., 5=5284
Hearmon,R.F.S. The frequency of vibration and the elastic stability of a fixed-free strip, 7=1974. The elastic constants of anisotropic materials. II, 7=4810. Some applications of physics to wood, 7=7446. Equations for transforming and piezoelectric constants of crystals, 9=7548
Hearmon,R.F.S. and Adams,E.H. The flexural vibrations of an end-loaded vertical strip, 5=7762
Hearmon,R.F.S. and Burcham,J.N. The specific heat and heat of wetting of wood, 8=598
Hearn,A.B. See Shapley,H., 5=1449; Shapley,L.H., 6=872*
Hearns,C. See Trambarulo,R., 8=7464
Heasell,E.L. See also Andreae,J.H., 6=7222
Heasell,E.L. and Lamb,J. The absorption of ultrasonic waves in a number of pure liquids over the frequency range 100 to 200 Mc/s, 7=1143. Ultrasonic relaxation processes in liquid triethylamine, 7=1144
Heastie,R. The solid-liquid equilibrium diagram of argon and krypton, 6=1155. Use of vapor pressure measurements for the determination of phase equilibrium diagrams on condensed binary mixtures, 6=3332. Properties of solid and liquid solutions of argon and krypton, 9=6600
Heastie,R. and Jones,G.O. Solid solutions of argon and krypton, 9=4056
Heath,D.F. See Broida,H.P., 7=5275, 7730
Heath,G.A. and Hobson,R.M. A modified mass spectrometer ion source for the study of solid samples, 9=3582
Heath,G.G. See Walls,G.L., 6=7909
Heath,R.L. Decay of 2.7-hour Sr^{92}, 7=3585. Fission-product monitoring in reactor coolant water, 8=5408. See also Schuman,R.P., 9=12646
Heaton,L. See also Sidhu,S.S., 6=8984, 7=908
Heaton,L. and Gingrich,N.S. The crystal structure of Mn_2Sb, 5=6628
Heaton,L. and Sidhu,S.S. Thermal-neutron coherent scattering amplitudes of thallium and osmium, 7=3668
Heaton,Le R. See Sidhu,S.S., 9=12883
Heavens,O.S. Calculation of effect of irregularities in a periodically stratified medium on its optical properties, 5=1730. Some applications of single and multilayer films, 5=2651. Multilayer systems. Anti-reflecting systems, high-reflecting stacks and interference filters, 6=7920. Symposium on optical and surface methods of non-destructive testing, 8=3749. See also Collins,L.E., 7=4856; Smith,S.D., 8=3002
Heavens,O.S., Brown,M.M. and Hinton,V. The structure and density of iron films formed by thermal evaporation, 9=7542

Heavens,O.S. and Kelly,J.C. Refractive index of non-uniform films, 9=3266
Heavens,O.S. and Pandeya,D.C. Thickness measurement of epitaxially grown films, 8=5670
Heavens,O.S. and Smith,S.D. Dielectric thin films, 7=6048
Hebb,E.. Disintegration of Te^{131}, 5=4014
Hebbard,D.F. See also Povh,B., 9=13619
Hebbard,D.F. and Dunbar,D.N.F. Elastic scattering and capture of protons by C^{14}, 9=13659
Hebbard,D.F. and Wilson,P.R. The effect of multiple scattering on electron energy loss distributions, 5=6209
Hebborn,J.E. and Sondheimer,E.H. Diamagnetism of conduction electrons in metals, 9=5869
Hebeda,E. See Ewald,H., 9=6386
Hebel,L.C. and Slichter,C.P. Nuclear relaxation in superconducting aluminum, 8=192. Nuclear spin relaxation in normal and superconducting aluminum, 9=7006
Heber,G. On Tomonaga's method of treating fields with intermediate coupling. Methodical studies. I, 5=4369*. II, 5=4370. Search for a much idealized theory of the hyperons, 5=4951. On the theory of elementary particles, 5=8497; II, 6=4190. III. Quantum field theory of nucleons of finite extension, 6=3477. Remarks on the measurability of electromagnetic fields, 8=2416. Measuring process and algebraic properties of the field quantities in a simple model-field theory, 8=4722. Field equations for nonlocalizable fields, 9=9192
Heberle,J.W. See also Reich,H.A., 7=3552
Heberle,J.W., Reich,H.A. and Kusch,P. Hyperfine structure of the metastable hydrogen atom, 6=3114
Hebert,G.M. See Bernstein,S., 6=4652
Hébert,G.R. See also Misener,A.D., 6=6564
Hébert,G.R., Chopra,K.L. and Brown,J.B. Helium film flow below 1°K, 7=6125
Hebert,R.A. See Wolff,G.A., 6=255, 9=10851
Hecht,C.E. Correlation of λ-points and phase separation temperatures in $^3He-^4He$ solutions, 8=6921
Hecht,C.E. and Mayer,J.E. Extension of the W.K.B. equation, 7=6913
Hecht,K. and Lindberg,A. A model for the demonstration of the exponential law, 9=10554
Hecht,K.T. and Dennison,D.M. Hindered rotation in molecules with relatively high potential barriers, 7=4582. Vibration-hindered rotation interactions in methyl alcohol. The $J=0\rightarrow 1$ transition, 7=4583
Hechtel,R. Electron guns of high perveance, 7=7950
Heck,C. See Rupprecht,J., 9=3421
Heckel,K. Molecular orientation and self-stress in extruded polystyrol parts, 5=7410
Heckelsberg,L.F. and Daniels,F. Thermoluminescence of fourteen alkali halide crystals, 8=2992
Heckl,M. Experimental investigation of floating floors with sound bridges, 5=6857
Heckman,H. See Barkas,W.H., 8=4203
Heckman,H.H. See also Barkas,W.H., 6=5420, 7=3225, 5637, 8=1184, 9=4950, 11396; Gilbert,F.C., 8=8973
Heckman,H.H., Smith,F.M. and Barkas,W.H. The masses of positive K-particles, 6=4009. Mass and spin-parity character of the τ-meson, 6=6924
Heckmann,O. The new Schmidt telescope of the Hamburg observatory, 6=869
Heckmann,O. and Schücking,E. Remarks on Newtonian cosmology. I, 6=870. II, 8550. A world model of Newtonian cosmology with expansion and rotation, 7=6815
Heckmann,P.H. Directional dependence of the scintillation light output from anthracene crystals under bombardment with α-rays, 9=11315
Heckrotte,W. Analysis of the small-angle elastic scattering of high-energy protons by carbon, 6=2949. See also Fernbach,S., 5=3832; Glassgold,A.E., 9=4970
Heckrotte,W. and MacGregor,M. Neutrons from the $p+d$ breakup reaction, 9=2778
Heckscher,H. Infrared quenching of electroluminescence, 7=9104
Hector,F.S. See Meek,J.H., 5=8071
Hedberg,K. See Bastiansen,O., 8=3438; Smith,D.W., 7=4608
Hedberg,L. See Bastiansen,O., 8=3438
Hedberg,R.W. See Kerns,D.M., 5=3904
Heddle,D.W.O. See Ditchburn,R.W., 5=849; Gabriel,A.H., 6=1961
Hedeman,E.R. See Dodson,H.W., 8=14, 5530, 9=4217
Hedgcock,F.T. Magnetic susceptibility of low resistivity N-type germanium, 6=1391. Magnetic susceptibility of rubidium and the electrical resistance anomaly, 7=2407. Magnetic susceptibility of dilute Cu alloys at low temperatures, 7=3434. Magnetic properties of pure and n-type germanium at liquid helium temperatures, 7=8715. The effect of concentration on the magnetic susceptibility of trapped electrons and holes in semiconductors, 9=11193
Hedges,J.M. See Evans,T., 5=7588
Hedges,R.M. and Matsen,F.A. Antisymmetrized Hückel orbital calculations of ionization potentials and electron affinities of some aromatic hydrocarbons, 8=4393
Hedgran,S. See Hultberg,S., 7=4652
Hedin,L.T. See Hulthén,L., 9=8487
Hedlun,J.M. and White,C.T. Nystagmus induced by visual feedback, 9=10451
Hedrich,A.L. See Pardue,D.R., 6=8072
Hedvall,J.A. Reactions with activated solids, 5=3207
Hedvig,P. The paramagnetic Cotton — Mouton effect in diphenyl-picryl-hydrazyl at microwaves, 7=7267. Ferromagnetic resonance absorption in Permenorm at 1.64 cm wavelength, 9=1589. A simple method for increasing the sensitivity of a microwave paramagnetic resonance spectrometer, 9=13451
Hedvig,P. and Nagy,Á. Resonance of paramagnetic Faraday effect in $Cr_2(SO_4)_3$, $MnCl_2$ and $CoCl_3$ at 3.37 cm wavelength, 7=1487
Hedvig,P., Németh,L. and Schay,G. Measurement of the complex dielectric constant of liquids at microwaves using the effect of multiple reflexion, 7=7850
Hedwig,P. An investigation of electron paramagnetic resonance for various magnetic field orientations. Microwave magneto-optic effects, 9=4816
Hee Ahn Se. See Se Hee Ahn
Heel,A.C.S.van. See van Heel,A.C.S.
Heer,C.V. See also Bate,R.T., 9=7953; Rauch,C.J., 7=4894
Heer,C.V., Barnes,C.B. and Daunt,J.G. The design and operation of a magnetic refrigerator for maintaining temperatures below 1°K, 5=901
Heer,C.V. and Erickson,R.A. Hyperfine coupling specific heat in cobalt metal, 8=2286
Heer,E. The influence of the peripheral electrons of the atom on the angular correlation of successive nuclear radiations, 5=9882. On the angular correlations of conversion electrons with a special study of the Cd^{111} cascade, 5=9894. See also Albers-Schönberg,H., 5=2075, 2152, 6437, 8782; Debrunner,P., 6=3967, 9=7318; Gimmi,F., 6=4624, 6884; Lindqvist,T., 7=7344
Heer,E., Roberts,A. and Tinlot,J. $\pi^{\pm}$ production in Al and C by 209 MeV polarized protons, 9=2636. Search for evidence of parity nonconservation in π^+-meson production by polarized protons [in aluminium], 9=3782
Heer,E. and Rüetschi,R. An attempt to detect the electric 16-pole moment of Cd^{111}, 6=3109
Heer,E., Rüetschi,R., Gimmi,F. and Kündig,W. Directional correlation measurements on Ta^{181}, 5=9344
Heer,E., Rüetschi,R. and Scherrer,P. The magnetic moment of the 480 keV level of Ta^{181}, 6=1472
Heer,F.J.de. See de Heer,F.J.
Heerden,I.J.van See van Heerden,I.J.
Heerden,P.J.van See van Heerden,P.J.
Hees,G.W., Eaton,W. and Lech,J. The knife-edge vacuum seal, 7=9033
Heeschen,D.S. Some features of interstellar hydrogen in the section of the galactic center, 5=5820
Heeschen,D.S. and Dieter,N.H. Extragalactic 21 cm line studies, 8=1446
Heeschen,D.S. and Lilley,A.E. Interstellar hydrogen and the local system, 5=4285
Hefferlin,R. Plug-in basic physics course, 9=3081. Behavior of the d.c. iron arc and its usefulness in the determination of f values, 9=7935. 45 relative f values for high excitation iron lines from the d.c. arc spectrum, 9=12001
Hefferlin,R.A. and Kreger,W.E. Collimeter penetration and scattering effects, 9=11337
Heffernan,K.J. See Mossop,S.C., 7=5769; Smith E.J., 7=936
Heffner,H. See also Wade,G., 9=2535
Heffner,H. and Wade,G. Minimum noise figure of a parametric amplifier, 8=7203. Gain, band width, and noise characteristics of the variable-parameter amplifier, 8=8940
Heft,R.E. and Libby,W.F. Absolute cross sections for deuterons on beryllium, 6=1572
Hefzalla,I.M.H. See Ishak,I.G.H., 6=5580
Hegarty,J.C. See Hama,F.R., 7=5910
Hegel,U. See Brix,P., 8=7385

Hegemann, F. and von Sybel, C. On the measurement of carbon arc temperatures using the Mg emission spectrum, 7=1335
Hegenbarth, E. On some anomalies in the hysteresis loop of ceramic barium titanate and "Piezolan". 9=1421
Hegge Zignen, B.G. van der. See van der Hegge Zignen, B.G.
Hegyi, I.J., Larach, S. and Shrader, R.E. Electroluminescence of zinc sulfoselenide phosphors with copper activator and halide coactivators, 8=2988
Hehnen, J. See Geist, D., 9=11187
Heiberg, E. Angular distribution of 424 MeV polarized protons elastically scattered from various nuclei, 7=7173
Heiberg, E., Kruse, U., Marshall, J., Marshall, L. and Solmitz, F. Slowing down of polarized protons, 5=2806
Heiberg, E. and Marshall, J. Light shifter for Čerenkov radiation, 7=463
Heiberg, S.A. See also James, D.B., 5=5470
Heiberg, S.A., James, D.B. and Alexander, T.K. The angular distribution of the gamma-rays from the reaction $C^{12}(p, \gamma, p')C^{12}$, 5=3073
Heicklen, J. The fluorescence and phosphorescence of biacetyl vapor and acetone vapor, 9=12099
Heicklen, J. and Noyes, W.A. Jr. The photolysis and fluorescence of acetone and acetone–biacetyl mixtures, 9=12112
Heide, H.G. On the definition of ionic radii, 6=8467
Heide, H. van der. See van der Heide, H.
Heidelberg, E. The ignition of propane–air mixtures in brush discharges, 9=12320
Heidemann, E.A. See Breazeale, M.A., 8=3849; Zankel, K.L. Zankel, K.L., 8=3902
Heidenreich, R.D. Thermionic emission microscopy of metals. I. General, 5=7160. II. Transformations in plain carbon steels, 5=8878. See also Burbank, R.D., 9=5781; Miller, R.C., 9=345; Nesbitt, E.A., 9=8311; Williams, H.J., 6=6774
Heidenreich, R.D. and Nesbitt, E.A. Stacking disorders in nickel base magnetic alloys, 7=5461
Heidenreich, R.D., Nesbitt, E.A. and Burbank, R.D. Magnetic annealing in Perminvar. I. Structural origin, 9=8310
Heidenreich, R.D. and Storks, K.H. Note on electron diffraction patterns of CuO, 6=821
Heidmann, J. The outline of a theory to explain the origin of cosmic rays, 5=3396. A theory to explain the origin of cosmic rays, 5=3397
Heidrich, A.L. See McDade, J.C., 9=13090
Heikes, R.R. Magnetic transformation in MnBi, 5=8074. Relation of magnetic structure to electrical conductivity in NiO and related compounds, 5=8744. See also Janusz, T.P., 7=6336 Johnston, W.D., 9=9039. Miller, R.C., 8=9154, 9=9626
Heikes, R.R. and Johnston, W.D. Mechanism of conduction in Li-substituted transition metal oxides, 7=5333
Heikes, R.R. and Roberts, B.W. Comments on the Manuel model for MnBi, 7=8015
Heikkila, W.J. See also Adey, A.W., 8=8553
Heikkila, W.J. and Hollis-Hallett, A.C. The viscosity of liquid helium II, 5=8702
Heiland, G. The electrical conductivity at the surfaces of zinc oxide crystals, 6=1236. On the influence of hydrogen on the electrical conductivity at the surface of zinc oxide crystals, 7=7107. Theory of the accumulation layer at the surface of semiconductors, 7=7108. Field effect and photoconduction in ZnO single crystals, 9=8121
Heiland, G. and Handler, P. Influence of atomic hydrogen on the conductivity of cleaned germanium surfaces, 9=8114
Heilemann, J.J. Diffusion chamber observation of a short-lived radioactive gas, 6=611
Heilig, K. See Eckardt, A., 8=4288
Heilmann, G. The temperature dependence of the optical constants of LiF in the range of the infrared residual ray band, 8=8708. The optical constants n and k of LiF in the region of the infra-red residual-ray bands, 9=5580
Heilpern, W. Cascade generators for particle acceleration to 4 MeV, 6=3782
Heim, E. See Günther, P., 9=1325, 2232, 13185
Heimendahl, M.V. See v.Heimendahl, M.
Heimke, G. Anomalous magnetic properties of Ba ferrite as a function of sintering temperature, 8=7180
Heims, S.P., Ravenhall, D.G. and Yennie, D.R. Scattering of classical electrons by nuclei, 7=3355
Hein, R.A. Investigation of the superconductivity of hafnium, 6=5892. See also Wolcott, N.M., 8=3947
Hein, R.A. and Falge, R.L. Resistance minimum of magnesium: Electrical resistivity below 1° K, 7=4317
Hein, R.A., Falge, R.L., Jr, Matthias, B.T. and Corenzwit, C. Superconductivity versus ferromagnetism in lanthanum–gadolinium alloys, 9=12302
Hein, R.A., Henry, W.E. and Wolcott, N.M. Superconductivity of uranium, 7=9698
Hein, R.A. and Steele, M.C. Size effects in the superconductivity of cadmium, 7=3305
Heinberg, M. See also Page, L.A., 5=7343, 6=6140, 7=8134
Heinberg, M., McClelland, W.M., Turkot, F., Woodward, W.M., Wilson, R.R. and Zipoy, D.M. Photoproduction of π^+ mesons from hydrogen in the region 350-900 MeV, 8=6173
Heinberg, M. and Page, L.A. Annihilation of positrons in gases, 8=681
Heindl, C.J., Ruderman, I.W., Ostrowski, J.M., Ligenza, J.R. and Gardner, D.M. Neutron reflecting mirrors for determining coherent scattering cross sections, 6=8413
Heindsmann, T.E., Smith, R.H. and Arneson, A.D. Effect of rain upon underwater noise levels, 5=4487
Heine, K. Measurement of extremely short afterglow times in electron-excited phosphors, 8=5793
Heine, K., Hellwege, K.H. and Knappe, W. Diffusion through boundaries in the system plasticizer–polyvinylchloride, 9=848
Heine, U. See Mai, G., 9=12162
Heine, V. The de Haas-van Alphen effect in alloys, 6=8284. The band structure of bismuth, 6=8297. The thermodynamics of bodies in static electromagnetic fields, 6=8749. Theory of cyclotron resonance in metals, 7=7928. Irreducible representations of the full Lorentz group, 7=8428. The band structure of aluminium. I. Determination from experimental data, 7=9292. II. The convergence of the orthogonalized plane wave method, 7=9293. III. A self-consistent calculation, 7=9294. Hyperfine structure of paramagnetic ions, 7=9835. See also Cohen, M.H., 9=7399, 7497
Heine, V. (Conf. rep.). The band theory of metals, 8=4416
Heine, V. and Pippard, A.B. The Knight shift in superconductors, 9=1480
Heinecke, U. See Eckardt, A., 9=2546
Heineken, F.W. See also Bruin, F., 6=1405, Schimmel, F.M., 8=3424
Heineken, F.W. and Battaglia, A. Absorption and refraction of ammonia as a function of pressure at 6 mm wavelength, 8=7825
Heineken, F.W. and Bruin, F. The complex permittivity of liquid halogensubstituted benzenes and of some alcohols at mm-wavelengths, 7=8586
Heininger, C.G. and Wiig, E.O. Spallation of vanadium with 60-, 100-, 175-, and 240-MeV protons, 6=1566
Heinrich, F. See also Gribi, M., 9=13406
Heinrich, F. and Rubin, R. The excitation function of the reaction Li(γ, n) He, 5=9086
Heinrich, F., Wäffler, H. and Walter, M. (γ,α) process on medium and heavy elements, 6=5392
Heins, A.E. See also Baldwin, G.L., 5=6963
Heins, A.E. and Silver, S. The edge conditions and field representation theorems in the theory of electromagnetic diffraction, 5=2903. Comments on the treatment of diffraction of plane waves: Addendum to "The edge conditions and field representation theorems in the theory of electromagnetic diffraction", 8=6080
Heinsohn, G. See Gobrecht, H., 7=7017
Heintz, W. A study of the high frequency spectrum of periodic [Corona] discharges, 9=13339
Heintze, J. On the natural radioactivity of V^{50}, In^{113} and Te^{123}, 5=5603. The Rontgen-k-fluorescence yield of neon, argon, krypton and xenon, 6=1281. Demonstration of the polarization of β-particles from $Sr^{90} + Y^{90}$, 8=3343. Relative measurements of the polarization of β-particles from Tl^{204}, Au^{198}, $Sr^{90} + Y^{90}$, 8=6253. See also Bühring, W., 9=1737, 9=5009
Heintze, J. and Fischbeck, H. Absolute β-counting of preparations of saturation thickness, 7=7337
Heintzé, L.R. Thermal-neutron diffusion lengths for water, lucite, furfural, and an expanded plastic, 6=6179
Heinz, D.M. and Banks, E. Growth and some properties of a large single crystal of cadmium selenide, 6=2536
Heinz, O., Gyorgy, E.M. and Ohl, R.S. Solid-state detector for low-energy ions, 6=2966
Heinz, W. See Zwicker, E., 5=7576
Heinze, D. The temperature dependence of the reflectivity of Cu, Ag, Au, Al and Ni, 6=4338
Heinze, D. and Schmelzer, C. Damping and diffraction properties

of a thick metal slit. I. 6=2786

Heise, G.A. See Rosner, B.S., 5=3358

Heise, R. The extra mobility of H_3O^+ and OH^- ions in water in the neighbourhood of the freezing point, 9=5221

Heisen, A. An application of Tolansky's method to the measurement of films with variable thickness, 8=7847. On the formation of carbon films in a glow discharge in a benzene atmosphere, 9=5184

Heisenberg, W. The production of mesons in very high energy collisions, 5=9968. The present state of the theory of elementary particles, 6=1848. Theory of elementary particles, 6=1850. Extensions of the Hilbert space in the quantum theory of wave fields, 6=2691. Remarks on the "new Tamm – Dancoff method" in the quantum theory of fields, 7=6871. Quantum theory of fields and elementary particles, 8=2134. Lee model and quantisation of non-linear field equations, 8=4734. Application of the Tamm – Dancoff method to the Lee model, 8=4735. See also Ascoli, R., 9=2100; Dürr, H.P., 9=11822.

Heisenberg, W., Kortel, F. and Mitter, H. On the quantum theory of non-linear wave equations. III, 5=7705

Heiser, A.M. The prediction of model-atmosphere line profiles with an electronic computer, 9=11759

Heiser, C. and Kunze, P. The electric wind [effect] in room air, 5=6168

Heisler, L.H. A panoramic ionospheric recorder for the study of travelling disturbances in the ionosphere, 5=5761. Anomalies in ionosonde records due to travelling ionospheric disturbances, 8=5536. Occurrence of giant travelling ionospheric disturbances at night, 9=7672. See also Munro, G.H., 7=4912-13, 8=2068, 9=6474

Heitler, W. The quantum theory of radiation, 5=2396. Exact theory of line breadth, 5=9391. The theory of chemical bond, 6=2516. Renormalization in non-relativistic field theories, 7=8381. See also Arnous, E., 6=2644, 9=9205

Heitler, W. and Terreaux, C. On cosmic-ray jets, 5=9391

Heitsch, C.W. See Weaver, J.R., 9=8761

Helberg, H.W. On sound propagation in narrow tubes, 5=1611. On sound propagation in liquid-filled rigid tubes, 6=6439

Held, E.F.M. van der. See van der Held, E.F.M.

Held, G. See Ehrlich, M.J., 5=5528

Heldt, J. See Frackowiak, M., 9=12103

Heldt, L. See Weiss, A., 9=1542

Helf, S. See White, C.G., 7=3575

Helfer, H.L. Finaly-Freundlich red-shift hypothesis, 5=1453

Helfer, H.L. and Tatel, H.E. Preliminary 21-cm meridian plane surveys, 5=5821

Helfferich, F. See also Plesset, M.S., 9=6339; Schlögl, R., 7=3782

Helfferich, F. and Plesset, M.S. Ion exchange kinetics. A nonlinear diffusion problem, 9=908

Hell, L.R. See Graf, L., 5=7494

Helland, J.C. See Landauer, R., 5=410

Hellens, R.L. See Jennings, B., 5=5639

Hellenthal, W. The dependence of magnetoresistance changes in evaporated nickel films on thickness and structure, 8=6958. The determination of the Curie temperature of thin films by means of the magnetoresistance effect, 9=4633. The determination of the distribution of the magnetization vectors in evaporated films of nickel and iron from the magnetoresistance effect, 9=5891. Film thickness and temperature dependence of the coercivity of thin evaporated nickel films measured by means of magnetoresistance, 9=13438

Heller, C.A. Reactions of methyl with ethyl radicals, 8=8495

Heller, G. See Haskins, J.R., 5=6573

Heller, L. Equilibrium statistical mechanics of dissociating diatomic gases, 9=8696

Heller, T. The high-pressure xenon arc as a standard source of radiation, 6=195

Heller, W. The determination of particle size and refractive index near the turbidity maximum in monodisperse suspensions of spherical particles, 5=2642. Treatment of viscosity data on polymer solutions (an analysis of equations and procedures). I. Intrinsic viscosity and limiting slope constants, 5=4405. Theoretical investigations on the light scattering of colloidal spheres. II. Accurate interpolations of theoretical turbidity-data, 7=5254; III. Analytical expressions for turbidity approximating the performance of the Mie equations prior to the first maximum, 7=7031. See also Nakagaki, M., 6=8714, 9=6798; Peterlin, A., 8=4400

Heller, W., Epel, J.N. and Tabibian, R.M. Experimental verification of the Mie theory of light scattering, 5=230

Heller, W. and McCarty, H.J. Theoretical investigations on the light scattering of colloidal spheres. IV. Specific turbidities in the lower microscopic range and fine structure phenomena, 9=1344

Heller, W., Nakagaki, M. and Wallach, M.L. Theoretical investigations on the light scattering of colloidal spheres. V. Forward scattering, 9=5595

Heller, W. and Pangonis, W.J. Theoretical investigations on the light scattering of colloidal spheres. I. The specific turbidity, 7=5253

Heller, W. and Pugh, T.L. "Steric protection" of hydrophobic colloidal particles by adsorption of flexible macromolecules, 5=606. Stabilization and coagulation of colloidal solutions with polyelectrolytes, 7=837

Hellgren, G. See Svensson, S.I., 8=1432

Hellicar, N.J. See Kell, R.C., 9=1895

Helliwell, J.B. Disturbances in an expanding universe, 7=1007. An application of the Weber – Orr transform to the problem of transonic flow past a finite wedge in a channel, 9=2147

Helliwell, R.A. See also Gallet, R.M., 9=13974

Helliwell, R.A., Crary, J.H., Pope, J.H. and Smith, R.L. The "nose" whistler – a new high-latitude phenomenon, 8=6563

Helliwell, R.A. and Morgan, M.G. Atmospheric whistlers, 9=7698

Hellman, O. On the solution of the one dimensional Schrödinger equation in case of a potential well, 9=4288. The change of the state of the coolant gas [at the outlet] in certain gas cooled reactors, 9=4520. The [steady state] temperature distribution in a [homogeneous] gas cooled reactor of special form, 9=5082

Hellstrand, E. The Swedish heavy water reactor - two kinetic experiments, 5=9933. Measurements of the effective resonance integral in uranium metal and oxide in different geometries, 8=8229

Hellund, E.J. Temperature dependence of the viscosity of liquids, 6=5712

Hellwarth, R.W. See Feynman, R.P., 7=3981; Woodgate, G.K., 6=546, 7=609, 7=630

Hellwege, K.H. The orentation of radiating dipoles in crystals of low symmetry, 6=1730. See also Heine, K., 9=848

Hellwege, K.H. and Johnson, U. Dielectric anomalies of crystals containing water, with and without structural changes, 5=1793

Hellwege, K.H., Johnsen, U., Kahle, H.G. and Schaack, G. Zeeman effect and crystal field in hexagonal europium ethyl sulphate, 7=7742

Hellwege, K.H., Johnsen, U. and Pfeffer, W. Specific heats of $PrCl_3.nH_2O$ and $LaCl_3.nH_2O$ in the temperature range between 4·8° K and 260° K, 9=12192

Hellwege, K.H. and Schröck-Vietor, W. Influence of temperature and pressure on the crystalline field and electronic levels of Eu-Zn nitrate, 6=1735

Hellwig, G. On the motion of charged particles in weakly varying magnetic fields, 5=9364

Helm, R.H. Inelastic and elastic scattering of 187-MeV electrons from selected even-even nuclei, 7=3629. See also Crowe, K.M., 5=9129

Helmcke, J.G. Theory and practice of electron microscope stereo photographs. III. Methods for relief measurements on electron-microscopic objects and development of a quantitative photogrammatic apparatus, 5=9990

Helmcke, J.-G. and Orthmann, H.J. Errors in depth determination of electron microscope stereo pictures, 5=2785

Helmer, J.C. Maser oscillators, 7=5485. Maser noise measurement, 8=662. Small signal analysis of molecular beam masers, 9=2530

Helmer, R.G. See Cork, J.M., 6=607, 6=1509, 7=2586, 8=7302, 9=599

Helmers, K. On a simple model for impurity band conduction, 9=3440. A note on the spin – spin effect in the hydrogen atom, 9=5095. On symplectic invariance of the energy matrix in a nuclear j^N configuration, 9=13591

Helmholz, L. Paramagnetic resonance spectrum of the fluoroferrate ion, FeF_6^{---}, 9=8337. See also Larson, A.C., 5=2322

Helmholz, L., Brennan, H. and Wolfsberg, M. Spectra and electronic structure of fluorochromate ion, chromyl chloride, and some related compounds, 5=6357

Helmis, G. On the theory of holes. I. Optical transitions, 6=6626. II. Non-radiative transitions, 7=6168

Helms, H.H. See Davis, C.M., Jr, 7=8008

Helmy, E. See also Evans, D. 9=3795; Lannutti, J.E., 6=5427

Helmy, E., Mulvey, J.H., Prowse, J.H. and Stork, D.H. Example

of the production of a π^- meson by a K^+ meson, 9=2635
Helson, H., Judd, D.B. and Wilson, M. Color rendition with fluorescent sources of illumination, 6=8138
Helwig, G. Lanosterol, an organic, nonlinear dielectric, 9=13253
Helwig, G. and König, H. On the preparation of photosensitive cadmium sulphide layers by cathode sputtering, 5=7971
Helwig, H.J. See Hartig, F., 5=6870
Hély, J. On the representation of the unified field by a non-symmetric tensor g_{ik}, 6=39. Models and motions of charged particles in general relativity, 9=10559
Hemmendinger, A. See also Diven, B.C., 8=765
Hemmendinger, A. and Argo, H.V. Reaction D(t,α) n at 1·5 MeV, 5=4936
Hemmendinger, A. and Roensch, A. P. Thin glass windows, 5=8036
Hemmendinger, H. See Davidson, H.R., 5=2649, 9=234
Hemmer, P.C., Maximon, L.C. and Wergeland, H. Recurrence time of a dynamical system, 9=1107
Hemmer, P.C. and Wergeland, H. Brownian motion of a particle in a linear chain, 9=68
Hemmes, R.T. See Benoit, A.W., 5=6850
Hemmings, R.F. See Allen, N.L., 8=775
Hempenius, S.A. See Prins, J.A., 6=5178
Hempstead, C.F. See Parratt, L.G., 7=4428
Hemptinne, M. de. See de Hemptinne,M.
Hemstreet, H.W. See Reynolds, J.M., 5=2000
Henau,A.de. See de Henau,A.
Henck, R. See Coche, A., 9=3689
Hendee, C.F. See also Fine, S., 5=1003, 5=5434
Hendee, C.F., Fine, S. and Brown, W.B. Gas-flow proportional counter for soft X-ray detection, 6=7484
Hendel, A. See Armenteros, R., 5=6499
Henderson, A.C. See Harker, G.S., 7=976
Henderson, B.D. See Cahn, L., 8=4854
Henderson, C. See also Bullock, F.W., 7=9243; Ellis, J., 5=4727
Henderson, C. and Kalmus, G. Correlation of gas bubble chamber results with Glaser's theory, 8=672
Henderson, C. and Scott, A. The multiple scattering of positrons and electrons, 7=4455
Henderson, C.L. See Chappell, D.W.G., 6=8508
Henderson, D.J. See Mech, J.F., 6=6861; Ramler, W.J., 9=7351
Henderson, I.H.S. See Farmer, J.B., 5=2928, 6=4542; Lossing, F.P., 5=5009
Henderson, J.C. and Tillman, J.R. Minority-carrier storage in semi-conductor diodes, 7=2192, 7=5339
Henderson, J.T. and Mungall, A.G. The velocity of propagation of electromagnetic waves, 5=7207
Henderson, J.T. and Romanowski, M. A standard of mutual inductance, 6=1398
Henderson, J.W. and Koehler, J.S. Low temperature release of stored energy in cold worked copper, 7=2753
Henderson, M.C. and Klose, J.Z. Utrasonic absorption and thermal relaxation in CO_2, 9=2167
Henderson, M.C. and Peselnick, L. Ultrasonic velocity and thermal relaxation in dry CO_2 at moderate pressures, 8=2891
Henderson, R.S. Electron spin coupling in polyatomic molecules, 6=532
Henderson, S.T. The development of luminescence since the 1938 Oxford Conference, 5=3597. Electroluminescence, 8=2987; A review of non-sulphide phosphors, 9=9453. See also Ranby, P.W., 5=3601, 6=2791
Henderson, S.T. and Ranby, P.W. Cerium-activated halophosphate phosphors, 8=2977
Henderson, S.T., Ranby, P.W. and Halstead, M.B. Activation of ZnS and (Zn, Cd)S phosphors by gold and other elements, 9=3316
Henderson, W.G., Jr and Bernstein, R.B. Deuterium isotope effect in the reaction of water vapor with zinc, 5=2270
Henderson, W.J. See Duret, M.F., 7=7404, 9=10144
Hendrick, R.W. Spectral reflectance of solids for aluminium K radiation, 7=4423
Hendricks, C.D., Jr. Ionization by ultra-speed pellets, 8=6002. See also Van Valkenburg, M.E., 5=9449
Hendrie, J.M. and Kusch, P. Radio-frequency Zeeman effect in O_2, 8=124
Hendus, H. See also Müller, H.K.F., 9=3205
Hendus, H. and Müller, H. The W-K interference pattern from liquid antimony, $^{-\alpha}$, 5=7421
Hengevoss,J. See Steubing,W., 9=197, 9=12014
Henglein,A. See Bennett,R.G., 9=9812
Hengstum,J.P.A. van. See van Hengstum,J.P.A.
Henin,F. See Bak,T.A., 9=8821; Prigogine,I., 7=9020, 8=3790, 8=4729
Henisch,H.K. Rectifying semiconductor contacts, 7=4353
Henisch,H.K. and Reynolds,W.N. Surface recombination in germanium in the presence of strong electric fields, 5=7048
Henisch,H.K., Reynolds,W.N. and Tipple,P.M. Measurement of surface recombination on germanium, 5=3760
Henke,B.L. See also Lundberg,B., 7=4952
Henke,B.L. and DuMond,J.W.M. Submicroscopic structure determination by long wavelength X-ray diffraction, 5=8312
Henke,B.L., White,R. and Lundberg,B. Semiempirical determination of mass absorption coefficients for the 5 to 50 angstrom X-ray region, 7=4422
Henke,J. See also Schulze,G.E.R., 9=9015
Henke,J. and Schulze,G.E.R. An improved frame camera [Rahmenkammer] for X-ray low-angle scattering, 9=4110
Henkel,E. See Drechsler,M., 5=318
Henkel,H.J. See Drefahl,G., 6=2116
Henkel,J.H. Equation of state and the thermal dependence of the elastic coefficients of crystalline argon, 5=5548. Some theoretical considerations on induced polarization, 8=3602
Henkel,R.L. See also Beyster,J.R., 5=4071, 5=7374; Brolley,J.E.,Jr, 5=9097, 5=9107; Cranberg,L., 7=3736; Grundl,J.A., 8=1979; Los Alamos Physics and Cryogenics Groups, 9=11478; Seagrave,J.D., 5=5641
Henkel,R.L. and Brolley,J.E.,Jr. Angular distribution of fragments from neutron-induced fission of U^{238} and Th^{232}, 6=8961
Henkel,R.L., Perry,J.E.,Jr and Smith,R.K. Break-up of deuterons on H,T, He^3 and He^4, 6=655
Henkes,W. Radiations from Ba^{129}, 9=6072. See also Becker,E.W., 7=2711-12; Friedman,L., 9=12614
Henley,E.J. Gamma-ray dosimetry with cellophane-dye systems, 5=495
Henley,E.J. and Richman,D. Cellophane-dye dosimeter for 10^5 to 10^7 roentgen range, 7=3573
Henley,E.M. Λ^0-nucleon interaction, 7=8191. Nuclear radii from mesonic atoms, 9=572. See also Blair,J.S., 9=3806; Jacobsohn,B.A., 9=5034
Henley,E.M. and Jacobsohn,B.A. Time reversal in nuclear interactions, 8=1254. Time reversal in nuclear interactions, 9=5033
Henley,E.M. and Lee,T.D. Model for multiple meson production, 6=3291
Henley,R. See Biehl,A.T., 7=3688
Henneberger,W.C. Exact solutions for the dipole radiation of the harmonic oscillator, 9=9214
Henneke,H.L. See Nolle,A.W., 8=6053
Hennequin,F. On the approximation to the equations of general relativity for a quasi-Galilean field, 5=1495. Remarks on Thiry's unified [field] theory, 5=2392. Interpretation of Y. Thiry's theory in a conformal metric, 5=7672. The role of isothermal conditions in general relativity, 9=7769
Hennequin,J. See Benoit,H., 9=8348
Hennessey,J.J. and Torres,J.S. Experimental ionospheric observations of the solar eclipse of 20 June 1955 at Baguio City, Philippine Islands, 6=7051
Hennessy,J. See Alles,W., 9=3800, 9=7284; Besson,C., 8=1187; Crussard,J., 6=5430, 7=3697; Leprince-Ringuet,L., 6=5403
Hennies,H.H. See Bonhoeffer,F., 9=10061
Hennig,A. Discussion of the errors in the determination of the volumes of small spherical bodies or lacunae from the projected cross-sections, 9=7822
Hennig,G. See Montet,G., 9=13802
Hennig,G.R. See also Dzurus,M.L., 7=9190; Smaller, B., 5=2886
Hennig,G.R. and McClelland,J.D. Magnetic susceptibility and free energy of graphite bromide, 5=8917
Hennig,M. On the thickness and the dispersion of the refractive index of thin aluminium oxide layers, 6=3307
Henniger,H., Hultschig,H. and Heratsch,G. The dependence of the specific resistance of ferrites on pressure, 9=10965
Henning,P.G. Determination of the place of origin of charged particles with the aid of spark-counters, 9=8417. See also Allkofer,O.C., 9=8469
Henning,W. Magnetic measurements on ferromagnetic nickel amalgam, 9=5881
Henning,W. and Vogt,E. On the determination of particle size in highly dispersed iron and cobalt from magnetic measurements, 9=6301
Heno,Y. An attempt at a theoretical interpretation of the

anomalous scattering of X-rays by crystals, 6=5134. Study of emission after (n−1) transfers of excitation between identical atoms or molecules, 8=6825

Hénon,M. Calculation of the adiabatic coefficient of compressibility for a gaseous mixture, 5=5204

Henri,V.P. See also Bay,Z., 5=4000, 5=4924, 6=1322; Widgoff,M., 7=2697, 7=9924

Henri,V.P. and Shapiro,A.M. Evidence against the reaction $K^+ \rightarrow \mu^+ + \mu^0$, 8=6180

Henriksen,S.W. The solar photospheric gradient, 5=5181

Henrikson,A. See Cloutier,J.A.R., 8=5294, 9=1731

Henry,B. and Cole,H. Single crystal CdS as soft X-ray detector, 9=8201

Henry,D.D. Where do we get the teachers? 6=4167

Henry,G. and Plateau,J. Electron microscope examination and identification of intergranular precipitates by microfractography, 7=7458

Henry,G.E. Ultrasonic output power measurements in liquids, 8=2207

Henry,H.F., Bailey,J.C. and Rohr,R.C. A simple device for personnel monitoring of an accidental nuclear reaction, 9=9906

Henry,I.G. Radiation effects on free oscillations in synchrotrons, 7=7145

Henry,J. On isotopic effects in lattices, 7=854. On the excess free energy of isotopic mixtures, 7=3567. Polarization of starlight by ferromagnetic particles, 9=4203. See also Arzeliès,H., 9=462

Henry,K.J. See Crocker,V.S., 7=737

Henry,K.M. See Cochran,R.G., 5=9161

Henry,L. See Amat,G., 9=3972

Henry,R., Aubertin,C. and de la Guéronnière,E. A study of Szilard−Chalmers effect on bromine compounds. I. Chemical forms of radioactive bromine obtained through Szilard−Chalmers effect on potassium bromate, 7=8921

Henry,R.L. Experiment in forced oscillations, 6=4253

Henry,R.M. and Martin,D.S., Jr. Comparative yields of (γ,2n) and (γ,pn) processes for Fe^{54} induced by 70 MeV bremsstrahlung, 7=8835

Henry,R.P. Absolute pressure determination using the ionization gauge, 7=158

Henry,R.W. See also Dillman,L.T., 9=4992; Gove,N.B., 9=4983; Smith,F.B., Jr, 7=2582

Henry,R.W., Dillman,L.T., Gove,N.B. and Becker,R.A. Coincidence studies in the decay of Tb^{156} and Tb^{154}, 9=6079

Henry,W.E. Coordination quenching of the saturation magnetization of potassium ferricyanide, 7=5471. Low-temperature magnetic studies of uranium hydride, uranium deuteride, and uranium dioxide, 8=3229. Magnetic moments and apparent molecular fields in some rare earth metals and compounds, 8=8911. Magnetization studies and possible magnetic structure of barium ferrate III, 9=4800. See also Hein,R.A., 7=9698

Henry,W.E. and Boehm,M.J. Intradomain magnetic saturation and magnetic structure of γ-Fe_2O_3, 6=5224

Henry,W.G. The Sommerfeld model and the heat of solution of an alloy, 9=852. See also Craw,D.A., 6=3419

Henry,W.G. and Rogers,J.L. The magnetic susceptibilities of copper, silver and gold and errors in the Gouy method, 6=5250. The magnetic susceptibilities of some diamagnetic alloys: the primary solid solutions of zinc, gallium, germanium and arsenic in copper, 6=5251

Henry la Blanchetais,C. Magnetic properties of some rare earth metals and oxides. I, 5=1995; II, 5=1996

Henry la Blanchetais,C. and Trombe,F. On the magnetic properties of metallic europium (preliminary study), 7=2404

Henschke,E.B. New collision theory of cathode sputtering of metals at low ion energies, 7=6289. Deposit spot patterns from low-index planes of metal single crystals in a new theory of cathode sputtering, 8=3491. Crystal growth on cathode sputtered copper films by pairs of double spiral mechanisms analogous to Frank−Read sources, 9=5242

Hensel,J.C. and Parkinson,W.C. Polarization of protons from $B^{10}(d,p)B^{11}$, $C^{12}(d,p)C^{13}$, and spin-flip stripping, 9=658

Hensel,J.C. and Peter,M. Stark effect for cyclotron resonance in degenerate bands, 9=8851

Henshall,J.B. See Cranberg,L., 9=7101

Henshaw,D.E. A method of stabilizing the specimen temperature for single crystal X-ray crystallography, 7=8280

Henshaw,D.G. Atomic distribution in liquid argon by neutron diffraction and the cross sections of A^{36} and A^{40}, 7=4015. Structure of solid helium by neutron diffraction, 8=8535. Energy−momentum relation in liquid helium by inelastic scattering of neutrons, 9=262. Atomic distribution in liquid and solid neon and solid argon by neutron diffraction, 9=4346. See also Hurst,D.G., 6=289

Henshaw,D.G. and Hurst,D.G. The zero-point kinetic energy of liquid helium, 6=1168

Hensler,J.R. Synthesis of colour centres in silica and their thermoluminescence, 9=7519. See also Kreidl,N.J., 7=2099

Hensley,E.B. Conduction mechanism in oxide-coated cathodes, 6=6621. See also Reiling,G.H., 9=6753; Saum,G.A., 9=5545

Hensley,P.N. See Hurst,G.S., 6=4676

Hentschel,H.J. See also Reeb,O., 9=3249

Hentschel,H.J. and Reeb,O. Limiting distance for photometry of real images of light sources, 8=8673

Hentze,G. Development of air-cored betatrons with operating frequencies of 2·5 kc/s and 8 kc/s, 7=6234

Henvis,B.W. See Picus,G., 9=9612

Henyey,L.G. and Grasberger,W. Near thermodynamic equilibrium. II, 6=5654

Henyey,L.G., LeLevier,R. and Levée,R.D. The early phases of stellar evolution, 6=29

Hepburn,F. Classification of atmospheric waveforms, 8=2075

Hepburn,N. A photometric study of the solar corona, 6=5634

Hepler,L.G. Gas adsorption on heterogeneous surfaces, 6=772

Hepner,G. Contours of the Paschen lines of the hydrogen atom, 6=213. The spectrum of xenon between 21 000 and 27 000 A, 6=4295. Emission spectra of argon and of neon between 2 and 2·5μ, 9=7941

Hepner,G. and Herman,L. New system of emission bands of the He_2 molecule at about 4700 cm^{-1}, 7=5165. Spectrum of nitrogen between 0·9μ and 2·6μ, 9=1267

Heppner,J.P. Time sequences and spatial relations in auroral activity during magnetic bays at College, Alaska, 5=1377. Note on the occurrence of world-wide s.s.c.'s during the onset of negative bays at College, Alaska, 5=5127

Heppner,J.P. and Meredith,L.H. Nightglow emission altitudes from rocket measurements, 8=6549

Heppner,J.P., Stolarik,J.D. and Meredith,L.H. The earth's magnetic field above WSPG, New Mexico, from rocket measurements, 8=6523

Heratsch,G. See Henniger,H., 9=10965

Herber,R.H. Isotopic exchange reactions. The halogen exchange between $SiCl_4$ and HCl, 7=9939. Method of radioassay of volatile compounds, 8=8513. See also Backofen,E.W., 5=3044

Herber,R.H. and Cordes,A.W. Isotopic exchange reactions. III. The system $SiCl_4-Cl_2$, 8=8494

Herber,R.H., Sugihara,T.T., Coryell,C.D., Bennett,W.E. and Huizenga,J.R. Probable absence of K-capture in the decay of lead-205, 6=8352

Herbert,J.D. See Wright,J.K., 9=12329

Herbert,J.M. Ferroelectric crystals and ceramics, 8=7880. See also Gray,A.L., 9=1422

Herbold,R.J. See Gates,D.M., 9=1961

Herbst,R.F. Nuclear forces and β decay matrix elements, 5=490

Herbst,W. and Sommermeyer,K. On the γ-ray spectra of the radioactive fall-out from the atmosphere, 9=2750

Herbstein,F.H. A note on the structure of evaporated silver deposits prepared at high temperatures, 7=5672. Precision determination of cell dimensions by the back-reflexion Weissenberg method, 7=9980

Herbstein,F.H. and Averbach,B.L. On the ordered structure proposed for Li_3Mg_5, 7=899

Herbstein,F.H., Borie,B.S., Jr and Averbach,B.L. Local atomic displacements in solid solutions, 7=780

Herbstreit,J.W. See Barsis,A.P., 5=5786

Herchenbach,W. Air resistance of rotating circular disks, 6=964

Herchenbach,W. and Düker,H. Electrostatic high voltage generator on the electron microscope, 7=1367

Hercus,G.R. and Wilks,J. The specific heat of liquid helium II as a function of pressure, 5=908

Herczog,A., Haberecht,R.R. and Middleton,A.E. Preparation and properties of aluminum antimonide, 8=8765

Hereford,F.L. See Berko,S., 7=2318; Booth,N.E., 8=5199; McCormac,B.M., 7=2651, 8=1268; Pettus,W.G., 6=2927; Wagner,R.T., 5=9062

Herfkens,J.H.J. See Van Den Berg,G.J., 6=3687

Herforth,L. On the question of fine-structure investigation by X-rays through fluorescence measurements, 6=803. See also Bothe,H.K., 9=12101; Leistner,M., 7=7776

Herforth,L. and Krumbiegel,J. The effect of ultrasound on the conductivity and fluorescence of zinc and cadmium sulphide crystals, 5=4467

Hergenhahn,G. See Priester,W., 9=4243

Herget,P. and Musen,P. A modified Hansen lunar theory for artificial satellites, 9=3070

Herglotz,H. and Deimel,E. The dependence of the X-ray spectrum on chemical binding. (Investigation of the CoKβ_1 line of various cobalt compounds by simple means), 6=6682

Heric,E.L. See Pace,E.L., 5=5059

Herivel,J.W. Thermodynamics of the two fluid model of liquid helium II, 5=253. A general variational principle for dissipative systems. II, 5=3480. The derivation of the equations of motion of an ideal fluid by Hamilton's principle, 5=4406

Herk,L. See Szwarc,M., 9=1919

Herlach,F., Gränicher,H. and Itschner,D. Phase transitions in KIO$_3$ detected by N.Q.R., 9=12180

Herlet,A. Observation on the temperature dependence of the back current of p-i-n rectifiers, 5=7053. The dependence of the current density of a p-i-n diode on the thickness of the middle region, 5=8766. The behaviour of p–n junctions at high current densities, 7=390. Determination of diffusion length (L) and carrier density in the inversion layer (n$_i$) from the forward characteristic of alloyed-junction silicon rectifiers, 8=7004. See also Emeis,R., 8=5002, 9=5715-16

Herlet,A. and Patalong,H. The reverse conductivity of alloyed Si junction diodes, 5=9664

Herlet,A. and Reich,G. An instrument for the measurement of vapour pressure below 1×10^{-2} Torr, 8=6915

Herlin,M.A. See Chase,C.E., 5=4599; Kolm,H.H., 6=4368

Herlofson,N. Accelerated dust grains and the highest cosmic ray energies, 8=8084. See also Block,L., 8=7616

Herman,F. Some recent developments in the calculation of crystal energy bands - new results for the germanium crystal, 5=2739. Speculations on the energy band structure of zinc-blende-type crystals, 6=2544. The electronic energy band structure of silicon and germanium, 6=2875. Theoretical investigation of the electronic energy band structure of solids, 8=7490. Lattice vibrational spectrum of germanium, 9=8820. See also Braunstein,R., 8=8687; Ellis,S.G., 8=3140; Lampert,M.A., 9=12249

Herman,L. See also Akriche,J., 7=7254, 9=5110; Hepner,G., 7=5165, 9=1269; Herman,R., 6=1807, 7=7131, 7=7190; Lukacs,G., 5=212; Schram,H., 6=3633, 7=3133, 7=6378

Herman,L. and Herman,R. The spectrum of the night sky in the red. I. Structure of the (6,1) band of the vibration-rotation system of the molecule OH, 5=9301

Herman,L., Morel,J. and Herman,R. Emission of the spectrum of nitrogen in high latitude aurorae, 9=9102

Herman,L., Salmona,A. and Lucas,G. Origin of the phosphorescence of short duration of the molecule N$_2$, 7=4172

Herman,M. See Damiano,V.V., 9=7602

Herman,R. Suggested experiment on the relativistic contraction of time, 7=1878. Observations on the acoustical characteristics of the English flute, 9=1213. See also Alpher,R.A., 9=5300; Benedict,W.S., 6=7288-9, 7=7743; Herman,L., 5=9301, 9=9102; Lucas,G., 7=2932; Weniger,S., 6=4299, 9=5501

Herman,R. and Herman,L. Some new experimental results on the spectrum of carbon obtained in the laboratory, 6=1807

Herman,R., Rothery,R.W. and Rubin,R.J. Line intensities in vibration–rotation bands of diatomic molecules, 9=5526

Herman,R. and Rubin,R.J. Influence of vibration-rotation interaction on line intensities in vibration–rotation bands of a rotating Morse oscillator, 5=4836. Influence of vibration–rotation interaction on the intensities of pure rotation lines of diatomic molecules, 7=2469. Vibrational energy exchange between diatomic molecules and a surface, 8=9102. Model for vibrational relaxation of diatomic gases behind shock waves, 9=13084

Herman,R. and Shuler,K.E. Studies in nonequilibrium rate processes. IV. The rotational and vibrational relaxation of a system of rotating oscillators, 9=1845

Herman,R. and Swenson,C.A. Temperature dependence of the phase transition in cerium, 9=1375

Herman,R., Wallis,M.C. and Wallis,R.F. Intensities of the R$_1$ and R$_2$ bands in KCl crystals, 6=6255

Herman,R. and Wallis,R.F. The influence of vibration — rotation interaction on line intensities in vibration–rotation bands of diatomic molecules, 5=5317. Optical bleaching of F centers in X-rayed alkali halide crystals, 5=8395. Matrix elements of electronic transitions in the H_2^+ hydrogen molecular ion, 6=3903

Herman,R. and Weniger,S. 5=6906

Herman,R., Weniger,S. and Herman,L. The disappearance of H$^+$-ions in ionized hydrogen at atmospheric pressure, 7=7131. The formation of H_2^+ molecules during a decaying plasma in ionized hydrogen, 7=7190

Herman,R.C. See Mador,I.L., 5=627

Hermann,W. Noise investigations and linearity tests with photomultipliers, 9=5800

Hermannsfeldt,W.B., Maxson,D.R., Stahelin,P. and Allen,J.S. Electron–neutrino angular correlation in the positron decay of argon 35, 7=9856

Hermans,J.J. See also Prins,W., 5=9590

Hermans,J.J. and Fujita,H. Electrophoresis of charged polymer molecules with partial free drainage, 5=7984

Hermansen,A. A theory of interference filters, 5=7868. A polarimetric method for thickness control in the production of interference filters, 7=3757

Hermant,C. See Remenieras,G., 5=5252

Hermoch,V., Zítka,B. and Šobra,K. Changes of state on the electrodes in condensed discharges, 5=4690

Hermsen,J. See Van Duuren,K., 9=11302

Hernandez,H.P., Mark,J.W. and Watt,R.D. Designing for safety in hydrogen bubble chambers, 7=7983

Herndon,R.C. See Sekiguchi,T., 9=2264

Hernegger,F. and Wänke,H. On the uranium content of stone meteorites and their "age", 9=5313

Hernqvist,K.G. Plasma ion oscillations in electron beams, 5=6317. Plasma oscillations in electron beams, 5=8092. Discharge mechanism of mercury pool arcs, 7=1349. Hollow-cathode glow discharge in mercury vapor, 8=3159. Emission mechanism of cold-cathode arcs, 8=7996

Hernqvist,K.G. and Johnson,E.O. Retrograde motion in gas discharge plasmas, 5=7076

Herold,H. Radiography with artificial radioactive isotopes, 8=7330. See also Fünfer,E., 9=4748

Herold,H., Fünfer,E., Lehner,G., Tuczek,H. and Andelfinger,C. The influence of a longitudinal magnetic field on the linear pinch effect, 9=13396

Herold,R.C., Jones,J.B. and Knighton,C.D. Effect of ultrasonic energy applied during the after-ripening stage of photographic emulsion preparation, 5=2530

Heron,S., McWhirter,R.W.P. and Rhoderick,E.H. Measurements of lifetimes of excited states of atoms by the method of delayed coincidences, 5=197. Measurements of lifetimes of excited states of helium atoms, 6=4589

Heroux,L. Dielectric relaxation spectra of lithium borosilicate glasses, 9=4546. See also Dieke,G.H., 6=8665

Herpin,A. Action of high-energy radiations on solids. The creation of defects by radiation, 7=770*. See also Bertaut,F., 7=2414; de Gennes,P.G., 7=2397; Ericson,M., 9=4783

Herpin,A. and Jacrot,B. The inelastic scattering of neutrons by a single crystal, 6=711

Herpin,A. and Mercier,C. Some relations concerning a certain implicitly defined non-Hermitian operator, 5=8989. Theory of photonuclear reactions. I. Nuclear model, 6=2409

Herpin,A. and Mériel,P. Study by neutron diffraction at 4.2°K of the antiferromagnetic structure of FeCl$_2$, 7=9265.

Herr,W. On natural technetium, 5=2114. See also Cameron,A.E., 6=6096; Eberhardt,P., 6=1510, 9=3867; Hintenberger,H., 5=473

Herr,W., Hintenberger,H. and Voshage,H. Half-life of rhenium, 5=477

Herr,W. and Merz,E. A new method of age estimation of minerals containing rhenium by neutron activation, 6=1760. On the determination of the half-life of Re^{187}, 9=2728

Herr,W., Merz,E., Eberhardt,P. and Signer,P. On the determination of the β-half-life of Lu^{176} by the detection of radioactive Hf^{176}, 9=2729

Herranz,J. See Fernández Biarge,J., 9=4451, 9=5522; Morcillo,J., 9=4422

Herre,F. See also Breitling,G., 5=8409; Richter,H., 7=894, 7=7658, 7=8902, 9=5412, 9=6296

Herre,F. and Richter,H. Calculation of atomic distribution curves for various structure models, 8=7527. Structure of vitreous B$_2$O$_3$, 9=6294

Herrera,J. See Hanson,H.P., 7=4429

Herrey,E.M.J. Experimental studies on acoustic radiation pressure, 5=9511

Herrick,R.M., Adler,H.E., Coulson,J.E. and Howett,G.L. Detection of separations between adjacent signals on a simulated P.P.I. radar scope, 7=974

Herring,C. Theory of the thermoelectric power of semiconductors, 5=971. Transport properties of a many-valley semiconductor, 5=7040. Theoretical ideas pertaining to traps or centres, 7=7924. Transport, 9=6913. The role of low-frequency phonons in thermoelectricity and thermal

conduction, 9=9599. See also Geballe,T.H., 9=9666; Morin,F.J., 7=3277; Pearson,G.L., 5=3772

Herring,C., Geballe,T.H. and Kunzler,J.E. Phonon-drag thermomagnetic effects in n-type germanium. I. General survey, 9=306. Analysis of phonon-drag thermomagnetic effects in n-type germanium, 9=8175

Herring,C. and Vogt,E. Transport and deformation-potential theory for many-valley semiconductors with anisotropic scattering, 6=2090

Herring,D.F. Energy levels of F^{18}, 9=3827. See also Douglas,R.A., 7=2654; McEllistrem,M.T., 7=2653

Herring,D.F., Chiba,R., Gasten,B.R. and Richards,H.T. $N^{14}(\alpha,\alpha)N^{14}$ and $N^{14}(\alpha,p)O^{17}$ differential cross sections, 9=2807

Herring,J.R. and Licht,A.L. Effect of the solar wind on the lunar atmosphere, 9=12953

Herring,J.R. and Merzbacher,E. Statistical problems in energy loss and ionization processes, 9=8259

Herrington,K. See Linz,A.,Jr, 9=275

Herriott,D.R. Polyhedral satellite for more accurate measurement of orbit data of earth satellites, 9=1010. Recording electronic lens bench, 9=2187

Herrlander,C.J. See also Bergkvist,K.E., 5=4008; McDonnel,J.A., 8=3317; Ryde,H., 8=6231; Slätis,H., 5=8013

Herrlander,C.J. and Gerholm,T.R. Excited levels in Hg^{200} studied from the decay of Tl^{200}, 7=9325

Herrlander,C.J., Stockendal,R., McDonell,J.A. and Bergström,I. The isomer Pb^{204m}, 7=6492

Herrmann,G. Discrepancy in the rotational constants of bromoform, 5=2943. On some strontium isotopes in uranium fission, 5=3116. Transverse scaling of electron beams, 8=3180. Optical theory of thermal velocity effects in crylindrical electron beams, 8=8027. Ground-state inversion spectrum of $N^{14}D_3$, 9=1289. See also Mirsky,I., 8=2189, 9=7878; Weisbaum,S., 5=9569; Ythier,C., 5=3049

Herrmann,G. and Strassmann,F. Search for 6 – 10 day Sr → 100 day Y in uranium fission, 5=6476. On some strontium and yttrium isotopes from uranium fission, 8=3385

Hermann,H. Optical stress measurements on glass-metal seals at high temperatures, 5=6972

Herrmann,J. See Bonanomi,J., 8=5143

Herrmann,K.H. X-ray studies of the shock waves from sparks in gases, 9=5448. See also Schaafs,W., 5=1859

Herrmann,K.W. See Spedding,F.H., 7=898

Herrmann,O. A new method of determining a figure of merit for vacuum-pump oil, 9=6610

Herrmann,P.von. See von Herrmann,P.

Herrmann,R. On the production of spectra on an oscillograph screen with the help of an oscillating slit, 5=2558. Flame photometry with standard line calibration, 5=7487

Herrmann,R. and Schellhorn,H. An atomizer-burner combination for flame spectrometry, 6=1954

Herrmannsfeldt,W.B. See also Burman,R.L., 9=5010

Herrmannsfeldt,W.B., Burman,R.L., Stahelin,P., Allen,J.S. and Braid,T.H. Determination of the Gamow–Teller beta-decay interaction from the decay of helium-6, 8=8300

Herrnstein,R.J. See Stevens,S.S., 5=4478

Herron,J.T., Franklin,J.L., Bradt,P. and Dibeler,V.H. Kinetics of nitrogen atom recombination, 8=8500. Kinetics of nitrogen atom recombination, 9=7569

Herron,J.T. and Schiff,H.I. Mass spectrometry of ozone, 6=7492. A mass spectrometric study of normal oxygen and oxygen subjected to electrical discharge, 9=363

Hersch,P. Routine apparatus for determining the surface area of metal powders, 9=834

Herschbach,D.R. Internal barrier in CH_3CH_2F and CH_3CHF_2 from torsional satellites, 6=8894. Tables of Mathieu integrals for the internal rotation problem, 8=2606. Comments on the internal rotation problem, 8=7441. Calculation of energy levels for internal torsion and over-all rotation. III, 9=8717. See also Swalen,J.D., 7=8048

Herschbach,D.R., Johnston,H.S., Pitzer,K.S. and Powell,R.E. Theoretical pre-exponential factors for twelve bimolecular reactions, 7=814

Herschbach,D.R. and Krisher,L.C. Microwave spectrum of $CH_2DCH:CH_2$; equilibrium conformation of propylene, 8=6851

Herschbach,D.R. and Swalen,J.D. Internal barrier of propylene oxide from the microwave spectrum. II, 9=2869

Herscher,L.W., Ruhl,H.D. and Wright,N. Improved optical null infrared spectrophotometer, 8=959

Hersh,C.K. See Brown,C., 5=3246, 8337

Hersh,N.H. Color centers in X-rayed potassium iodide, 7=4896. Spectra of halogen solutions and V bands in alkali halides, 7=5174. Transparent polycrystalline alkali halide pellets in color center experiments, 7=5735. Studies of color centers in polycrystalline compressed pellets of alkali halides, 8=3466. Color centers in KI containing impurity electron acceptors: KI:Tl, 9=7516

Hersh,H.N. and Bronstein,L. Demonstration of electron and hole injection in alkali halides, 7=6167

Hershberger,W.D. Magnetic effects in phosphors under illumination, 6=2794. Paramagnetic resonance in phosphors, 7=4191

Hershinger,L.W. See Daniel,P.J., 9=1311

Hershkowitz,J. See also Levine,L.M., 7=188

Hershkowitz,J. and Levine,L.M. Attenuation of ear protectors by loudness balance and threshold methods, 8=100

Hersil,J. See Clark,G.W., 8=1750

Hersping,A. and Blank,K. Contribution to the phenomenological theory of the dielectric after-effect in ceramic dielectrics, 9=1415

Hertel,J. See Hartmann,J., 7=8539

Hertsriken,S.D. The energy of vacancy formation in metals and alloys, 8=7509. See also Gertsriken,S.D.

Hertsriken,S.D. and Slyusar,B.F. Determination of the energy of formation of vacancies and their relative number in pure metals, 8=7511

Hertweck,F. The motion of charged particles in the magnetic field of a straight [infinitely long] current-carrying conductor, 9=12383

Hertweck,F. and Schlüter,A. The "adiabatic invariance" of the magnetic orbital moment of charged particles, 9=9867

Hertz,C.H. The effect of varnish layers on the a.c. corona from wires and points, 5=3797. Method of detection of pores in varnish layers and other insulating films, 5=7417. New gas-filled cold cathode amplifier tube, 7=4468. See also Andersson,N.E., 5=10103, 7=4024

Hertz,G. The significance of Planck's quantum theory for experimental physics, 9=1032

Hertz,G. and Nann,E. New results in the isotopic displacement of heavy gases in the gas ultracentrifuge, 5=3025

Hertz,H.G. See also Franck,J.P., 6=2830

Hertz,H.G. and Nann,E. On the dependence of the separation effect on the counter-current circulation in the gas centrifuge, 5=4884

Hertz,M.R. See Breen,R.J., 5=5614; Foltz,H.L., 9=11029

Hertzberg,M. Atomic nitrogen production by ion–atom interchange reactions in the upper atmosphere, 9=12893

Hertzenstein, See under Gertsenshteĭn

Hervé,J. A hyperfrequency spectrograph of the autodyne type for the study of dispersion in electron magnetic resonance, 6=2241. The direct measurement of the characteristic moments of the line structure in paramagnetic resonance: Measurement on the "wings" of the dispersion curve, 7=7268. Sinusoidal modulation and harmonic analysis of the signal, 7=7269. Measurement of the second moment of paramagnetic resonance lines with strong exchange narrowing, 8=795

Herwig,L.O., Miller,G.H. and Utterback,N.G. Some characteristics of a gridded parallel-plate ionization chamber, 6=428

Herz,A.J. See also George,E.P., 6=3975; Noon,J.H., 7=6311, 7=8695

Herz,A.J. and Davis,G. The characteristics of tracks in nuclear research emulsions, 5=7605

Herz,A.J., May,R.M., Noon,J.H., O'Brien,B.J. and Solntseff,N. Interactions of K^- particles, 6=7723

Herz,A.J., May,R.M. and Solnsteff,N. Errors in constant-sagitta scattering measurements in nuclear emulsions, 7=4956

Herz,R.H. The spectral quantum- and energy-efficiency of calcium tungstate X-ray intensifying screens, 6=5016

Herzberg,G. Laboratory investigations of the spectra of interstellar and cometary molecules: Introductory report, 6=872*. Lamb shift of the 1^2S ground state of deuterium, 6=4588. The fine structure of the He^+ lines 1640A and 4686A, 7=2009. See also Chandrasekhar,S., 5=6399; Courtoy,C.P., 5=7240; Douglas,A.E., 7=7723 Gertsberg,G., Hart,J.F., 7=6475

Herzberg,G. and Howe,L.L. The Lyman bands of molecular hydrogen, 9=7943

Herzberg,G. and Hugo,T.J. Forbidden transitions in diatomic

molecules. IV. The $a'^3\Sigma^+ \leftarrow X^1\Sigma^+$ and $e^3\Sigma^- \leftarrow X^1\Sigma^+$ absorption bands of carbon monoxide, 6=2287
Herzberg,G. and Innes,K.K. Ultraviolet absorption spectra of HCN and DCN. I. The α-X and β-X systems, 7=9608
Herzberg,G., Lagerqvist,A. and Miescher,E. Fine structure analysis and mutual perturbation of the δ and β bands of the NO molecule, 6=6526
Herzberg,G. and Ramsay,D.A. The 7500 A to 4500 absorption system of the free HCO radical, 6=2782
Herzberg,G. and Shoosmith,J. Absorption spectrum of free CH_3 and CD_3 radicals, 6=6520. Spectrum and structure of the free methylene radical, 9=12007
Herzberg,G. and Stoicheff,B.P. Carbon-carbon and carbon-hydrogen distances in simple polyatomic molecules, 5=3955
Herzberg,L. The wavelength displacements of some infrared lines between limb and center of the sun, 7=7559
Herzberger,M. Intrinsic image-error theory, 6=3595. Analysis of spot diagrams, 7=7712. Automatic ray tracing, 7=7714
Herzenberg,A. Studies on the α-particle model of nuclei. I, 5=7280, II, 5=7281. Studies in the α-particle model of nuclei, 7=7286. Geomagnetic dynamos, 8=8538
Herzenberg,A. and Lowes,F.J. Electromagnetic induction in rotating conductors, 7=6361
Herzenberg,A. and Roberts,A.S. Studies in the α-particle model of nuclei. IV. The polarisation forces between α-clusters in nuclei, 7=9312
Herzfeld,C.M. On the dependence of the constants in the Curie-Weiss law on exchange, 5=3888. Theory of the forbidden transitions of nitrogen atoms trapped in solids, 8=5422. Incomplete equilibrium and temperature measurement, 9=264. See also Hutchison,C.A.,Jr, 6=775
Herzfeld,C.M. and Broida,H.P. Interpretation of spectra of atoms and molecules in solid nitrogen condensed at 4.2°K, 6=1964
Herzfeld,C.M. and Levine,D.B. Effect of crystal field and spin–orbit coupling on magnetic susceptibility of systems with f^2 electron configuration, 9=5872
Herzfeld,K.F. On the origin of the ultrasonic absorption in liquids. III, 8=1567. Bulk viscosity and shear viscosity in fluids according to the theory of irreversible processes, 8=2847. See also Fox,F.E., 5=1577
Herzmann,J., Pospíšil,J. and Setničková,A. A contribution to the study of the photoactivity of animal cell tissue, 7=971
Herzog,B. See also Bloom,M., 5=4844
Herzog,B. and Hahn,E.L. Transient nuclear induction and double nuclear resonance in solids, 6=6823
Herzog,R.F. and Marmo,F.F. Mass spectroscopic determination of photoionization products, 8=4084
Herzog,R.F.K. Influence of stray magnetic fields on the position and quality of images in mass spectrographs and spectrometers, 6=1302
Herzog,S. See Elschner,B., 9=5914
Herzog,W. See also Cameron,A.E., 6=6096; Lundén,A., 6=9012
Herzog,W. and Dörnenburg,E. The use of methyl chloride for the mass spectrometric isotopic analysis of chlorine, 9=6168
Herzog,W. and Klemm,A. The temperature dependence of the isotope effect for the electrolytic migration of chlorine ions in molten thallium (1) chloride, 9=6167
Hesketh,R.V. An alternating-beam spectrophotometer, 9=1260
Heslop,J. and Petch,N.J. The stress to move a free dislocation in alpha iron, 7=2750. Dislocation locking and fracture in α-iron, 7=8913
Hess,D.C. See Begemann,F., 8=2103, 9=11736; Marshall,R.R., 9=8
Hess,E. and Thomas,W. A microgram balance with jewel bearing, 6=945
Hess,S. See Tischer,M., 9=12505
Hess,V.F. The role of eddy diffusion in the distribution of ions in the atmosphere near the ground, 5=1403. See also Jaki,S.L., 8=6559
Hess,V.F. and Manning,A.W. A study of the ionization produced in various gases by cosmic radiation, 8=5079
Hess,V.F. and Parkinson,W.D. On the contribution of alpha rays from the ground to the total ionization of the lower atmosphere, 5=5151
Hess,W.B. See Swengel,R.C., 5=7737
Hess,W.M. See Ladd,W.A., 6=4431
Hess,W.N. Summary of high-energy nucleon–nucleon cross-section data, 8=8972. Neutrons from (α,n) sources, 9=4919. Van Allen belt protons from cosmic-ray neutron leakage, 9=12904. See also Atkinson,J.H., 9=6138
Hess,W.N., Martin,M.D., McFarland,G.C., Rutz,W.A. and Welch,J.A.,Jr. X-ray method for study of explosively accelerated metal systems using a 7 MeV electron linear accelerator, 9=11935
Hess,W.N. and Moyer,B.J. Production of deuterons in high-energy nucleon bombardment of nuclei and its bearing on nuclear charge distribution, 6=3211
Hess,W.N., Patterson,H.W. and Wallace,R. Delay-line chamber has large area, low capacitance, 7=9733
Hessaby,M. Model of an infinite particle, 7=8367
Hessemer,R.A.,Jr. Effects of smokes on atmospheric ionization, 5=2834
Hessler,J. See Elvey,C.T., 6=9146
Hester,A.G. End-window radioactivity in photomultipliers, 5=5476. See also Lamb,W.A.S., 8=2559, 8=8315
Hester,R.E.,Pixley,R.E. and Lamb,W.A.S. Radiative capture of protons in oxygen at 140 to 170 keV, 9=2781
Hetherington,A. See Funt,B.L., 9=3328, 9=8411
Hettler,A. Back-scattering of β-rays in matter, 9=4897. See also Perey,M., 6=7639, 7=5581
Hettner,G. On the theory of bremsstrahlung in high temperature plasmas, 8=8825
Hettner,G. and Wagner,H. Fourier analysis of the electric micro-field in a plasma. I, 9=11157
Heuckroth,L.E. See Glass,I.I., 9=13098
Heughebaert,D. and Heughebaert,J. On fixing solutions for nuclear emulsions, 9=9915
Heughebaert,J. See Heughebaert,D., 9=9915
Heughebaert,J., René,M., Sacton,J. and Vanderhaeghe,G. On the angular correlation in $\mu-e$ decays observed in nuclear emulsions exposed in magnetic field, 7=9917
Heumann,T. On the question of the partial diffusion coefficients in metallic solid solutions, 5=564. See also Feller,H.G., 9=6348; Seith,W., 6=1640
Heusinkveld,M. See Jakobson,M., 7=1383; Ruby,L., 6=7472
Heuss,K. See Rajewsky,B., 9=13353
Heuter,T.F. Sonic engineering, 8=6769. See also Wuensch,B.J., 6=4914
Heuven,E.W.van See van Heuven,E.W.
Hewish,A. The irregular structure of the outer regions of the solar corona, 5=2377. The scintillation of radio stars, 7=3906. Radio sources outside our galaxy. II. The distribution of radio stars, 8=6585. The scattering of radio waves in the solar corona, 9=3048. See also Ryle,M., 7=9
Hewitt,F.G. and Anthony,R.L. Measurement of the isothermal volume dilation accompanying the unilateral extension of rubber, 9=5198
Hewitt,F.J. Radar echoes from inter-stroke processes in lightning, 8=839
Hewitt,R.R. See also Knight,W.D., 7=2538
Hewitt,R.R. and Knight,W.D. Nuclear quadrupole resonance in metallic indium, 9=13489
Hewitt,S.J. See Rymer,T.B., 7=3845
Hexter,R.M. Relative magnitude of crystalline fields; crystal structure of methyl iodide, 7=4908*. On the infrared absorption spectra of crystalline brucite [$Mg(OH)_2$] and portlandite [$Ca(OH)_2$], 9=3292. Low-frequency librations and the vibrational spectra of molecular crystals. II, 9=6233. See also Dows,D.A., 6=4314, 7=249
Hexter,R.M. and Cheung,H. Infrared absorption anisotropy of crystalline iodoform, 6=5789
Hexter,R.M. and Dows,D.A. Low-frequency librations and the vibrational spectra of molecular crystals, 6=8897
Hey,D.H. and Williams,G.H. Methyl and phenyl affinities of aromatic compounds, 5=5683
Hey,J.S. See also Adgie,R.L., 7=5805
Hey,J.S. and Hughes,V.A. A method of calibrating centimetric radiometers using a standard noise source, 8=1419. The east–west asymmetry of solar flares and their radio emission, 9=2014
Hey,J.S. and Parsons,S.J. The radar measurement of low angles of elevation, 6=5258
Hey,J.S., Pinson,J.T. and Smith,P.G. A radio method of determining the velocity of a shock wave, 7=9573. Radio observations of hypersonic shock waves, 9=1195
Hey,J.S. and Senior,T.B.A. Electromagnetic scattering by thin conducting plates at glancing incidence, 9=2539
Hey,J.S., Stewart,G.S., Pinson,J.T. and Prince,P.E.V. The scattering of electromagnetic waves by conducting spheres

and discs, 7=2447

Heybey,W.H. and Reed,S.G.,Jr. Weak detonations and condensation shocks, 5=7776

Heyd,J.W. See Baker,W.H., 5=4751; Curtis,M.L., 5=8195

Heyda,J.F. A Green's function solution for the case of laminar incompressible flow between non-concentric circular cylinders, 9=3193

Heydenburg,N.P. See also Pieper,G.F., 8=305, 8=6312; Temmer,G.M., 5=446, 5=7279, 6=1463, 7=2528, 7=2530, 9=2705

Heydenburg,N.P. and Pieper,G.F. Coulomb excitation of rotational levels in dysprosium, 8=3320

Heydenburg,N.P., Pieper,G.F. and Anderson,C.E. Coulomb excitation of krypton, 8=759

Heydenburg,N.P. and Temmer,G.M. Coulomb excitation of rare-earth nuclei with alpha particles, 6=684. Alpha–alpha scattering at low energies, 7=2331. Coulomb excitation and cascade decay of rotational states in odd-mass nuclei, 7=2529

Heyland,G.R. and Roberts,P.W. An appendix describing counting equipment, 5=4727

Heylen,A.E.D. Electric strength of unsaturated hydrocarbon gases, 8=200. Electric strength, molecular structure, and ultraviolet spectra of hydrocarbon gases, 9=4644. Electric strength of aromatic hydrocarbon gases, 9=8184. Townsend's first ionization coefficient in pure nitrogen, 9=12397

Heylen,A.E.D. and Lewis,T.J. The electric strength of hydrocarbon gases, 7=2265. The electric strength and molecular structure of hydrocarbon gases, 9=326

Heyligers,A. See Middelkoop,W.C., 6=3937; Rietjens,L.H.T., 6=4603; van Nooijen,B., 8=3329

Heym,A. See Biasutti,M., 5=2838

Heymann,D. and Kistemaker,J. Separation of some isotopes by convection diffusion, 6=3126

Heymann,F., Rabinowicz,E. and Rightmire,B.G. Friction apparatus for very low-speed sliding studies, 5=2261

Heymann,F.F. and Jennings,R.E. The multiple scattering of 4.5 MeV electrons, 6=2928

Heymann,F.F.and Kalmus,P.I.P. Solid angle corrections to single scattering, 8=6112

Heymann,F.F. and Williams,W.F. Multiple scattering of electrons and positrons in nuclear emulsions, 6=3773

Heymann,H., Lindström,G. and Neuert,H. On the lowest level of excitation of I^{127} by the inelastic scattering of D–D neutrons, 8=2589

Heymer,G. See Schneider,A., 9=10911

Heyn,A.H.A. See Bergin,M.J., 5=1317

Heyn,A.N.J. Small particle X-ray scattering by fibers. Size and shape of microcrystallites, 6=6547. II. Radial distribution of microcrystallites, 5=9172

Heyn,E. Electromagnetic fields in curved hollow conductors, 9=2517

Heyn,F.A. and Khoe Kong Tat. Operation of a radial sector fixed-frequency proton cyclotron, 9=11146

Heyna,B. and Groen,P. On short-period internal gravity waves, 8=4785

Heyne,L. Viscosity measurements at high pressures, 9=2121

Heyningen,R.S.Van. See Van Heyningen,R.S.

Heywang,W. On the stability of floating molten zones, 6=5588. On the mechanism of the voltage dependent contact resistance of silicon carbide, 7=393. See also Kniekamp,H., 5=1795; Pfisterer,H., 7=6151; Zerbst,M., 6=8789, 9=13281

Heywang,W. and Schöfer,R. On the influence of the structure on the hysteresis behaviour of BaTiO$_3$ ceramic, 6=5847

Heywang,W. and Seraphin,B. Hydrogen-like model of the valency in semiconducting compounds of the type A^{III} B^{V}, 7=595

Heywang,W. and Zerbst,M. On the determination of volume and surface recombination effects for charge carriers in semiconductors, 6=5863. The determination of volume and surface recombination in semiconductors, 7=6169. Theory of the trapping mechanism in semiconductors, 9=13280

Heywood,H. See Jarrett,B.A., 5=1259

Hiba and Ishikawa. The effects of barium and oxygen vapours on spectral dependence of thermionic emission from (BaSr)O cathodes, 5=7162

Hibbard,W.R. See Walter,J.L., 8=8894

Hibberd,F.H. Ionospheric self-interaction of radio waves, 5=6323. On the observation of ionospheric self-interaction, 7=946

Hibberd,R.G. Methods of producing thin base layers for high frequency junction transistors, 7=7891

Hibdon,C.T. Neutron total cross sections of chromium and iron in the keV region, 8=2584. Distribution of the angular momenta, level spacings, and neutron widths of Al^{28}, 9=7301

Hibi,T. Electron diffraction pattern of mica of various thicknesses, 5=5122

Hibi,T. and Ishikawa,K. Electron microscope observation of coloured and bleached alkali-halide crystals, 9=10234

Hibi,T., Kambe,K. and Honjo,G. Interference fringes in electron micrographs of magnesium oxide, 5=3292

Hibi, T. and Takahashi, S. On a slit for objective lens, 5=1893. Shape of objective aperture, astigmatism and resolution of the electron microscope, 6=8234

Hibi, T. and Tomiki, T. Electronmicroscopic observation of the additively coloured KCl crystal, 9=12798

Hibi, T. and Yada, K. Successive electronmicroscopic observation of coloured and bleached KCl crystal, 9=12799

Hiby, J.W. and Pahl, M. Compensated ionization gauge for vacuum measurements of high relative accuracy, 5=790. Molecular flow, free and obstructed by presence of a foreign gas, through a tube bent sharply in many places as a model for a porous system, 6=2719.

Hickam,W.M. See also Fox, R.E., 5=1946, 6=1330; Scala, L.C., 9=3177

Hickam, W.M. and Berg, D. Negative ion formation and electric breakdown in some halogenated gases, 8=8839

Hickam, W.M. and Fox, R.E. Electron attachment in sulfur hexafluoride using monoenergetic electrons, 7=495

Hicklin, W.H. See also Belser, R.B., 6=5443, 9=7001

Hickling, R. Frequency dependence of echoes from bodies of different shapes, 8=4811

Hickman, G.D. and Wiedenbeck, M.L. Directional correlation of the gamma rays in Gd^{154}, 9=1746

Hickman, J.S. See also Martin, G.A. 6=154

Hickman, J.S., Risty, D.E. and Stewart, E.S. Properties of sandwich-type structures as acoustic windows, 8=1566

Hickmott, T.W. See also Ehrlich, G., 9=4841, 8=6488, 8=8060 6=7796

Hickmott, T.W. and Ehrlich, G. Binding states of diatomic molecules on tungsten, 6=7797

Hickok, R.L. See also Draper, J.E., 8=8332

Hickok, R.L. and Draper, J.E. Gamma-ray resolution of larger NaI(Tl) scintillators, 9=3691

Hickok, R.L., McKinley, W.A. and Fultz, S.C. Decay of Ce^{144} and Pr^{144}, 8=1920

Hicks, B.L. and Huber, E.A. Growth of small water waves with wind speed and fetch, 9=98

Hicks, D. See Beghian, L.E., 5=9060, 5=9102, 6=5394

Hicks, D.A. See also Choppin, G.R., 6=4630

Hicks, D.A., Ise, J., Jr, and Pyle, R.V. Multiplicity of neutrons from the spontaneous fission of californium-252, 5=4104. Spontaneous-fission neutrons of californium-252 and curium 244, 5=7402. Probabilities of prompt-neutron emission from spontaneous fission, 6=2424

Hicks, D.A., Isle, J., Jr, Pyle, R.V., Choppin, G. and Harvey, B. Correlations between the neutron multiplicities and spontaneous fission modes of californium-252, 7=4743

Hicks, H.G. See also Gunn, S.R., 8=6339; Stevenson, P.C., 9=2839

Hicks, H.G. and Gilbert, R.S. Radiochemical studies of the high-energy fission process, 6=1552

Hicks, H.G., Stevenson, P.C., Gilbert, R.S. and Hutchin, W.H. Fission product yields of uranium bombarded with deuterons of various energies, 6=1574

Hicks, H.G., Stevenson, P.C. and Nervik, W.E. Reaction Al^{27}(p, 3pn)Na^{24}, 6=6152

Hicks, J.A. and Melville, H.W. The synthesis of block copolymers in a flow system, 5=1341

Hicks, W.W. and Beckett, J.C. The control of air ionization and its biological effects, 8=5569

Hida, K. On the curved shock wave due to an infinite wedge placed in a supersonic uniform flow, 5=2488 Supplementary note to my paper:- "An approximate study of the detached shock wave in front of a circular cylinder and a sphere," 5=4431. A derivation of Guderley — Barish's solution for the sonic flow on the basis of the thinwing expansion method, 6=129. On some singular solutions of the Tricomi equation relating to transonic flow, 6=130. Asymptotic behaviour of the location of a detached shock wave in a nearly sonic flow, 6=131

Hidalgo, Á. Infrared absorption spectra of thiophene and mono- and di-substituted derivations. (Assignment of vibration modes of the measured bands), 5=6922

Hide, R. Waves in a heavy, viscous, incompressible, electrically conducting fluid of variable density, in the presence of a magnetic field, 6=3856. Planetary atmospheres and convection in rotating fluids. Experiments on convection in rotating liquids, 8=2102. An experimental study of thermal convection in a rotating liquid, 8=6689. See also Dolder, K., 7=6961, 8=2902

Hiebert, G.L. See also Hornig, D.F., 8=3434

Hiebert, G.L. and Hornig, D.F. New phase transition in HI, 7=9135. Infrared spectra of HCl−HBr mixed crystals, 8=1609. Structure of the disordered phase of HCl, 8=2667

Hiebert, R.D., Mitchell, R.N. and Tod, D.B. A simple ⌊continuous⌋ monitor for airborne alpha particles, 9=495

Hiedemann, E. and Mayer, W. On anomalous, nonlinear sound dispersion in fatty acids, 6=4912

Hiedemann, E.A. Metallurgical effects of ultrasonic waves, 5=140. See also Barnes, J.M., 7=3767, 9=228. Breazeale, M.A., 6=991, 9=1185, 9=2157, 9=2184; Ficken, G.W.Jr, 7=190; Gates, H.F., 7=4251; Gessert, W.L., 7=1155; Hargrove, L.E., 9=13114; Loeber, A.P., 6=1929; Mayer, W.G., 6=7212, 9=876; Miller, R.B., 9=2246; Zankel, K.L., 8=6775, 9=1183, 9=3223

Hiedemann, E.A. and Breazeale, M.A. Secondary interference in the Fresnel zone of gratings, 9=6791

Hiemenz, R.J. See Wilson, M.R., 9=4507

Hien, N.C. See Lang, L.G., 8=5468

Hieslmair, H. and Müller, H. The temperature dependence of X-ray stimulated exo-electron emission, 9=1511

Higa, W.H. Observations of non-linear maser phenomena, 8=3269

Higashi, S., Higashino, I., Oda, M., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. On the interaction of cosmic radiation with materials at 32 m.w.e. and 200 m.w.e. underground, 7=3422

Higashi, S., Mitani, S., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. Cloud chamber study of penetrating showers underground, 9=12424

Higashi, S., Oda, M., Oshio, T., Shibata, H. and Watanabe, K. On the absorption of cosmic rays underground, 5=2845

Higashi, S., Oda, M., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. On the energy dependence of the cross-section for the production of the penetrating shower underground, 7=7201

Higashi, S., Oshio, T., Shibata, H., Watanabe, K. and Watase, Y. On the cosmic ray penetrating showers underground, 7=8703. On the multiple penetrating particles underground, 7=8704

Higashino, I. See Higashi, S., 7=3422; Watase, Y., 8=1747

Higasi, K. See also Omura, I., 5=7249

Higasi, K., Omura, I. and Baba, H. Ionization potentials of xylenes and picolines, 6=5296. Ionization potentials of carbonyl molecules, 7=2359

Higasimura, T. See Sidei, T., 7=6268, 7=9719

Higatsberger, M.J. Determination of the relative abundance of Li^7/Li^6 with a 15° magnetic sector field mass spectrometer developed from a new aspect, 5=8174. High vacuum gaskets capable of being degassed, 7=6938

Higginbotham, G.H., Oliver, D.R. and Ward, S.G. Studies of the viscosity and sedimentation of suspensions. IV. Capillary-tube viscometry applied to stable suspensions of spherical particles, 9=80

Higgins, C.S. and Shain, C.A. Observations of cosmic noise at 9·15 Mc/s, 5=13

Higgins, G.C. See also Jones, L.A., 5=4265, 7=4951; Lamberts, R.L., 8=4846; Zweig, H.J., 9=6434

Higgins, G.C. and Stultz, K.F. Experimental study of r.m.s. granularity as a function of scanning-spot size, 9=11701

Higgins, G.C. and Wolfe, R.N. The relation of definition to sharpness and resolving power in a photographic system, 5=3372

Higgins, G.C., Wolfe, R.N. and Lamberts, R.L. Relationship between definition and resolving power with test objects differing in contrast, 6=7924

Higgins, G.H. See also Crane, W.W.T., 5=3117, 6=4628; Fields, P.R., 6=3933; Ghiorso, A., 5=9846

Higgins, G.H., Crane, W.W.T. and Gunn, S.R. Average number of neutrons per spontaneous fission of Cm^{244}, 5=8191

Higgins, T.H.S., Liesegang, E.C., Raw, C.J.G. and Rossouw, A.S. Determination of equilibrium constant of the reaction between BF$_3$ and BCl$_3$, 6=755

Higgins, T.H.S. and Raw, C.J.G. Problem of molecular association in liquid boron trifluoride, 5=5259. Intermolecular forces and the activation energy for viscous flow in liquids, 8=2854

Higginson, G.S. The effect of sulphur and oxygen on the electrical properties of oxide-coated cathodes, 7=7193. The low-temperature conductivity of oxide-coated cathodes, 8=1677

Higgs, P.W. Vibrational modifications of the electron distribution in molecular crystals. II. Mean square amplitudes of thermal motion, 5=4178. Perturbation method for the calculation of molecular vibration frequencies. II. Generalization of the theory, 5=9799; III. Skeletal stretching vibrations of normal paraffins, 5=9800. A method for calculating thermal vibration amplitudes from spectroscopic data, 5=9801. Vacuum expectation values as sums over histories, 7=1924. On four-dimensional isobaric spin formalisms, 8=2783. Integration of secondary constraints in quantized general relativity, 9=1029. Quadratic Lagrangians and general relativity, 9=6497

Higgs, R.W. See Shapiro, P., 8=764, 8=6276

Hight, R., Jr. See Schmidt, P.W., 9=8200

Higinbotham, W.A. See Chase, R.L., 8=3281

Higman, B. Note on the dodecahedral σ hybrids, 5=6367

Higuchi, J. Note on the absorption spectra of the methyl radical, 6=1060. Electronic structures of NH, NH$_2$, and NH$_3$, 6=4556. Comparative calculations of LCAO-MOs of the allyl radical, 7=3505. Semilocalized bond orbital treatment of the allyl radical, 7=9797. Electronic structures of the methyl radical: Effect of 3s atomic orbital of carbon, 8=2624. Note on the simple UAO−MO calculation of the CH$_3^+$ ion, 9=12750

Higuchi, K. The etching of ice crystals, 9=10362

Higuchi, S., Saito, H. and Hashimoto, C. A study of the approximate theory of an elastic thick beam, 7=7670

Higuchi, W.I. See O'Konski, C.T., 5=8111

Hihara, T. See also Kamigaichi, T., 6=6638, 7=5458

Hihara, T., Murakami, M. and Hirahara, E. Magnetic and electrical anisotropies of the iron sulfide single crystal, 8=1128

Hiida, K. A kinematical test for the relation between the coupling constants in meson theory, 7=7609. Some identities for renormalization constants in S(S) and PS(PS) meson theories, 8=7258. A kinematical test for the relation between the coupling constants in meson theory, 8=8593

Hiida, K., Iwadare, J. and Machida, S. On the one pion exchange potential, 6=8576

Hiida, K. and Machida, S. Ward's identity in neutral scalar meson-nucleon system, 6=82

Hiida, K. and Sawamura, M. Note on the Lehmann's modified propagators, 7=84. Some relations among Green's functions, 7=8350

Hijmans, J. An approximation method for order-disorder problems, 6=5705

Hijmans, J. and de Boer, J. An approximation method for order-disorder problems. I, 5=7715. II, 5=7716. III, 5=7717. IV, 6=5704

Hikata, A. See also Granato, A., 8=2662

Hikata, A. and Truell, R. Frequency dependence of ultrasonic attenuation and velocity on plastic deformation, 8=1560

Hikata, A., Truell, R., Granato, A., Chick, B. and Lücke, K. Sensitivity of ultrasonic attenuation and velocity changes to plastic deformation and recovery in aluminum, 6=6442

Hiki, Y. Internal friction of lead. I, 9=2973. Etch pits in lead crystals, 9=13893

Hilborn, J.W. See Foster, J.S., 9=2721

Hild, K. See Gielessen, J., 7=1096

Hildebrand, J.H. See Smith, E.B., 9=10939; Walkley, J., 9=10918; Watts, H., 5=5264

Hildebrand, R.H. Observation of nuclear events in G laser bubble chambers, 5=6411. See also Nagle, D.E., 6=6736, 7=3720; Pless, I.A., 8=690

Hildebrandt, A.F., Booth, F.B. and Barth, C.A. Paramagnetic line widths in gaseous atomic hydrogen, 9=9814

Hildebrandt, G. See Borrman, G., 6=1747, 7=870

Hildenrband, D.L., McDonald, R.A., Kramer, W.R. and Stull, D.R. Thermodynamic and spectroscopic study of vinylidene chloride. I. Thermodynamic properties of the solid, liquid and ideal gas, 9=6861

Hildenbrand, D.L., Sinke, G.C., McDonald, R.A., Kramer, W.R. and Stull, D.R. Thermodynamic and spectroscopic study of pyrrolidine. I. Thermodynamic properties in the solid, liquid and vapor states, 9=12198

Hildenbrand, D.L., Whittaker, A.G. and Euston, C.B. Burning rate studies. I. Measurement of the temperature distribution in burning liquid strands, 5=3688

Hildreth, K.M. See Misrahy, G.A., 8=2720

Hiley, B.J. See Elton, L.R.B., 9=8505

Hill, A.J. Effect of certain features of photo-optical transmission systems on characteristics related to picture quality in projected motion pictures, 6=7251

Hill, C.G.A. Applied cathodoluminescence, 5=3599

Hill, C.W. See Stern, S.C., 6=1019

Hill, D. See Baldwin, D.E., 9=4872

Hill, D.A. See Burrowes, H.C., 9=6027, 9=6043; Coor, T. 5=7377

Hill, D.E. Electron bombardment of silicon, 9=12275

Hill, D.G. and Rosenberg, A.F. Infrared absorption spectra of complex cobalt compounds, 6=5781

Hill, D.L. See Ford, K.W., 9=10606

Hill, E.L. Relativistic theory of discrete momentum space and discrete space-time, 6=896. Function spaces in quantum-mechanical theory, 7=1925. State spaces in scattering theory, 7=8418

Hill, E.L. and Grünbaum, A. Irreversible processes in physical theory, 7=7623

Hill, G.W. See also Pearcey, T., 5=3-4, 6=6411, 9=9302

Hill, G.W. and Pearcey, T. On starting routines for the C.S.I.R.O. mark I computer, 6=4145. Programme design for the C.S.I.R.O. mark I computer. IV. Automatic programming by simple compiler techniques, 7=5791

Hill, H.A. and Blair, J.M. Yields of the $O^{18}(p,\alpha)N^{15}$ and $O^{18}(p,n)$ F^{18} reactions for protons of 800 keV to 3500 keV, 7=1592. Proton–gamma ray angular correlations in the $Si^{28}(d,p\gamma)Si^{29}$ reaction, 9=2796

Hill, J.E. See also Gilvarry, J.J., 7=4988; Roberts, L.D., 5=9109

Hill, J.E., Roberts, L.D. and Fitch, T.E. Slowing down distribution of U^{235} fission neutrons from a point source in light water, 5=9108

Hill, J.E. and van Vliet, K.M. Generation recombination noise in intrinsic and near-intrinsic germanium crystals, 8=8767. Ambipolar transport of carrier density fluctuations in germanium, 9=1454

Hill, J.F. The build-up of poisons on shut-down of a reactor, 7=738*

Hill, J.J. and Schwed, P. Experimental study of the mechanism of thermoluminescence in irradiated sodium chloride, 5=5346

Hill, J.S. See Dagley, P., 8=3344

Hill, N.E. Mutual viscosity and diffusion in liquid mixtures, 5=4414. Dielectric relaxation, viscosity and freezing, 7=6143. The application of Onsager's theory to dielectric dispersion, 9=1408

Hill, P.R. and Lee, W.T. Control analysis with a digital computer, 7=9491

Hill, R. Some basic principles in the mechanics of solids without a natural time, 9=8920

Hill, R.A.W. The physics and chemistry of a self-sustained reaction between iron and potassium permanganate, 5=1310. Rapid measurement of thermal conductivity by transient heating of a fine thermo-junction, 7=6090

Hill, R.D. Model for asymmetric fission, 5=7382. Decay of hyper-^{5}He, 8=5248. See also Ascoli, G., 8=1883, 9=2645; Crew, J.E., 7=7437, 9=697; Wheatley, J.C., 5=9007

Hill, R.D., Gardner, F.T. and Crew, J.E. Evidence for nuclear interaction of a charged hyperon in flight, 6=3283

Hill, R.D., Johansson, S.D. and Gardner, F.T. Nuclear emulsion observation of annihilation of an antiproton, 6=3786. Production and annihilation of an anti-proton in a nuclear emulsion, 6=5832

Hill, R. D., Salant, E.O. and Widgoff, M. Tau meson produced by 3·0 BeV protons, 5=549. Heavy mesons produced by 2·2- and 3·0-BeV protons, 5=8293

Hill, R.D., Salant, E.O., Widgoff, M., Osborne, L.S., Pevsner, A., Ritson, D.M., Crussard, J. and Walker, W.D. Disintegrations produced in nuclear emulsions by 1·5 BeV negative pions, 6=2388

Hill, R.J. and Jacobs, P.W.M. Note on the observation of molecules by field emission microscopy, 9=7544

Hill, R.M. Calculation of absorption peaks in thin metal films, 9=2237. See also Weaver, C., 7=2731, 9=12146, 9=13829

Hill, R.M. and Weaver, C. The optical properties of chromium, 9=221. The optical properties of evaporated chromium films, 9=6309

Hill, R.S. See Booth, D.L., 8=1260, 8=3280

Hill, R.W. Angular distributions of elastic scattering of 5 MeV neutrons, 8=2587

Hill, R.W. and Lounasmaa, O.V. The specific heat of liquid helium, 7=4281

Hill, T.L. Theory of protein solutions. I. 5=5260; II, 6=1891. Molecular clusters in imperfect gases, 5=5271. On first-order phase transitions in canonical and grand ensembles, 5=5940. Surface diffusion and thermal transpiration in fine tubes and pores, 7=154. Theory of solutions, 7=5918. Application of the series method of imperfect gas theory to other problems in statistical mechanics, 7=8436. Theory of the dielectric constant of imperfect gases and dilute solutions, 8=603. Holes and cells in liquids, 8=6699. Theory of solutions. II. Osmotic pressure virial expansion and light scattering in two component solutions, 9=3209. Generalization of the one-dimensional Ising model applicable to helix transitions in nucleic acids and proteins, 9=3994. Three new partition functions in statistical mechanics, 9=4308. Exact definition of quasi-thermodynamic point functions in statistical mechanics, 9=6550. Osmotic electric or magnetic field, 9=6593. Theory of the dielectric constant of dilute solutions. II, 9=8064

Hillas, A.M. See also Cranshaw, T.E., 9=377

Hillas, A.M., Gilboy, W.B. and Tennent, R.M. The interaction rates of stopped negative muons in iron and copper, 8=1180

Hillebrand, D.M. Chemical and electric explosions, 5=7453

Hiller, L.A., Jr, See Wall, F.T., 5=6375, 6=3909, 7=8084, 9=894

Hillert, M. Thermodynamics of martensitic transformations, 9=5646

Hillert, M. and Lange, N. Direct observation of magnetic domains in cementite, 9=8299

Hilliard, J.E. See Cahn, J.W., 8=8612, 9=11893

Hilliard, J.K. and Fiala, W.T. Condenser microphones for measurement of high sound pressures, 7=3098. Methods of generating high-intensity sound with loudspeakers for environmental testing of electronic components subjected to jet and missile engine noise, 8=7777

Hillier, K.W. See Ellis, R.A.E., 7=311

Hillier, R. See Davies, J.H., 6=3270*

Hillier, R.R. See also Fowler, P.H., 7=4695

Hillier, R.R. and Waddington, C.J. On heavy primary cascades, 8=217

Hillig, W.B. See also Mackenzie, J.D., 8=7745

Hillig, W.B. and Turnbull, D. Theory of crystal growth in undercooled pure liquids, 6=5518

Hillion, P. Non-relativistic limit of the hydrodynamic representation of the Dirac equation, 8=45. Explicit solution of the Pauli equation in the hydrodynamic representation for the case of the hydrogen atom, 8=1275. Causal interpretation of the theory of the hydrogen atom, using the hydrodynamic representation of the Pauli equation, 8=1276. Problems posed by the causal interpretation of Pauli's hydrodynamical equations, 8=2464. The CPT theorem in the theory of quantized and stable excited states of rotating relativistic fluid masses, 8=3710. The limit, at the velocity of light, of a particular system of Einstein–Kramers parameters, 9=10580. See also Halbwachs, F., 9=3133, 9182

Hillion, P., Lochak, G. and Vigier, J.P. Quantized and stable excited states of rotating relativistic fluid masses, 8=3708 A new classification of the elementary particles, conceived as stable excited states of rotating relativistic fluid masses, 8=3709

Hillion, P. and Vigier, J.P. Stable excited states of relativistic fluid masses in rotation, 8=2759. Quantized and stable excited states of rotating relativistic fluid masses, 8=3707

Hillman, P. Polarization of protons from deuteron stripping in carbon, 7=1602. See also Johansson, A., 9=8593; Maris, T.A.J., 8=5346; Stafford, G.H., 7=8898; Tyrén, H. 8=327, 8=1893, 8=5347

Hillman, P., Johansson, A. and Tibell, G. Time-reversal invariance in nuclear scattering, 8=7369

Hillman, P., Johansson, A. and Tyrén, H. Polarization of high energy protons in elastic and inelastic scattering, 8=5197

Hillman, P. and Stafford, G.H. Polarization effects in neutron-proton scattering at 98 MeV, 6=5436

Hillman, P., Stafford, G.H., and Whitehead, C. A new method of measuring asymmetries in neutron polarization experiments, 6=6943

Hillmann, B.M. Relationship between stimulus size and threshold intensity in the fovea measured at four exposure times, 8=5564

Hills, G.J. See also Bockris, J.O'M., 7=2773; Gupta, S.R., 6=6991

Hills, G.J., Jacobs, P.W.M. and Lakshiminarayanaiah, N. Non-isothermal membrane potentials, 7=6934

Hills,J.F. A rotational viscometer employing a reference liquid, 9=1127
Hills,M.E. See Scott,A.B., 8=4434
Hills,T.H. See also Stanford,R.W., 7=1825
Hills,T.H., Stanford,R.W. and Moore,R.D. Xeroradiography. II. The present medical applications, 7=1822
Hilmi,A.K. See Husain,S.A., 8=1834
Hilsch,R. See also Buckel,W., 7=414, 7=9702
Hilsch,R. and Martienssen,W. Lattice imperfections in thin layers, 9=798
Hilsch,R., V.Minnigerode,G. and V.Wartenberg,H. The electrical conductivity of Ag_2F and its temperature dependence, 8=174
Hilsenrath,J. See also White,D., 9=1119
Hilsenrath,J., Beckett,C.W., Benedict,W.S., Fano,L., Hoge,H.J., Masi,J.F., Nuttall,R.L., Touloukian,Y.S. and Woolley,H.W. Tables of thermal properties of gases, 8=3913
Hilsenrod,A. Irradiation of chloral hydrate solutions, 6=5483
Hilsenrod,A. and Gehauf,B. Iodide-metaphosphate glass, 6=5482
Hilsum,C. Infrared absorption of thin metal films at non-normal incidence, 5=3592. Infrared transmission of barium titanate, 5=9573. The absorption edge of amorphous selenium and its change with temperature, 6=6528. Photoelectric effects in InAs at room temperature, 8=2334. Some effects of copper as an impurity in indium arsenide, 9=9624. See also Harding,W.R., 8=6896. Starkiewicz,J., 7=5351
Hilsum,C. and Barrie,R. Properties of p-type indium antimonide. I. Electrical properties, 8=2321
Hilsum,C., Oliver,D.J. and Rickayzen,G. The photoelectromagnetic effect in indium antimonide, 5=9671
Hilsum,C. and Rose-Innes,A.C. A new method of measuring susceptibility, 9=2480
Hilsum,C. and Ross.I.M. An infrared photocell based on the photoelectromagnetic effect in indium antimonide, 7=6183
Hiltner,W.A. Interstellar polarization, 7=1008. Polarization of the Cassiopeia radio source, 9=10517. See also Burns,J.,III, 5=6682; Johnson,H.L., 6=3450; Miller,R.H., 6=5605
Hiltner,W.A. and Johnson,H.L. The law of interstellar reddening and absorption, 7=16
Hilton,H.H. See Kohler,D., 8=9029
Hilton,J. See Bell,R.P., 5=5027
Hilton,W.A. and Clayton,G.T. Demonstration triodes, 6=439. X-ray equipment for the atomic physics laboratory, 6=4427.
Himpan,J. The calculation of sound velocity in gases and liquids by means of a new thermal equation of state, 7=145. The temperature dependence of the enthalpy of formation, free enthalpy of formation and dissociation constant of nitrogen, 9=3412. The temperature dependence of the enthalpy of formation, free enthalpy of formation and dissociation constant of fluorine, 9=5643
Hinaga,Y. See Kojima,S., 5=2948, 5=8129
Hinchcliffe,R. See Burns,W., 8=4607
Hincks,E.P. See also Millar,C.H., 7=8187, 8=6095
Hincks,E.P. and Millar,C.H. A search for α-particles from the decay of Bi^{209}, 8=6244
Hind,J.E. See Neff,W.D., 5=7577
Hinde,R.M. See Smith,G.W., 7=872
Hindman,J.V. See Kerr,F.J., 8=18*
Hindmarsh,W.R. An interferometric investigation of the effect of hyperfine structure on solar line profiles, 7=42. Pressure shift and broadening in the resonance line of calcium, 8=7810. Collision broadening and shift in the resonance line of calcium, 9=6706
Hindmarsh,W.R. and Kuhn,H. Isotope shifts and hyperfine structure in the atomic spectrum of tin, 5=5304
Hindmarsh,W.R. and Thomas,K.A. Collision shifts in the argon spectrum, 9=6707
Hinds,S. See also Burrows,H.B., 6=6161; Dalton,A.W., 7=8829, 8=1261
Hinds,S. and Middleton,R. Angular distributions of some inelastically scattered deuteron groups from ^{27}Al, 6=8373. An investigation of the energy levels of ^{28}Al, 9=7303. The energy levels of ^{18}F, 9=7304. The energy levels of ^{15}O, ^{23}Mg and ^{27}Si, 9=7305
Hinds,S., Middleton,R. and Parry,G. An investigation of the reactions $^{24}Mg(d,p)^{25}Mg$ and $^{26}Mg(d,p)^{27}Mg$ by magnetic analysis, 8=1222. Angular distributions of some inelastically scattered deuteron groups from ^{24}Mg and ^{28}Si, 8=1964
Hine,G.J., Burrows,B.A., Apt,L., Pollycove,M., Ross,J.F. and Sarkes,L.A. Scintillation counting for multiple-tracer studies, 5=4753
Hine,M.G.N. See Citron,A., 5=9714
Hines,C.O. Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. I. Theory, 5=8451. Hydromagnetic resonance in ionospheric waves, 5=10113. Electron resonance in ionospheric waves, 6=9077. Diurnal variations in forward-scattered meteor signals, 7=2926. Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. III. Ellipsoidal theory, 8=1450. On the geomagnetic storm effect, 8=5527. A theoretical rate-amplitude relation in meteoric forward-scattering, 8=7654. Motions in the ionosphere, 9=7678. See also Forsyth,P.A., 6=881; Moorcroft,D.R., 8=3645
Hines,C.O. and Forsyth,P.A. The forward-scattering of radio waves from overdense meteor trails, 8=1449
Hines,C.O., Forsyth,P.A., Vogan,E.L. and Pugh,R.E. The dependence of meteoric forward-scattering on antenna patterns and orientations, 6=2261
Hines,C.O. and O'Grady,M. Height-gain in the forward-scattering of radio waves by meteor trails, 7=7553
Hines,C.O. and Parker,E.N. Statement of differences regarding the ring-current effect, 9=4122
Hines,C.O. and Pugh,R.E. The spatial distribution of signal sources in meteoric forward-scattering, 7=1019
Hines,C.O. and Storey,L.R.O. Time constants in the geomagnetic storm effect, 9=4120
Hines,C.O. and Vogan,E.L. Variations in the intrinsic strength of the 1956 quadrantid meteor shower, 7=7556
Hines,E., Gemant,A. and Kelly,J.K. How strong must reactor housings be to contain Na-air reactions, 7=3689
Hines,K.C. Energy distribution of protons due to collision energy loss, 5=5461. See also Bird,J.R., 5=1920
Hines,K.C. and Egerton,J. The approach to criticality of Zeus, 7=1635
Hines,M.E., Hoffman,G.W. and Saloom,J.A. Positive-ion drainage in magnetically focused electron beams, 5=9696
Hines,R.L. Electrodisintegration of Cu^{63} and Mn^{55}, 7=5612. Radiation effect of positive ion bombardment on glass, 8=411
Hines,T. See Carrington,A., 8=8390
Hink,W. and Petzold,W. A simplification of the prism method for determining the refractive index for X-rays, 8=7070. Interference of divergent X-ray beams on thin plane-parallel films, 8=8805. Röntgen-ray interference at aluminium evaporated layers, 9=5788
Hinkelmann,H. A method for the electrodeless measurement of the electrical conductivity of electrolytes, 9=7576
Hinkle,B.L. See DallaValle,J.M. 5=1284
Hinman,G. See Chidley,B. 8=8986; Volpe,J. 7=2611
Hinman,G.W. Corrections to internal conversion coefficients for low-Z elements, 7=2613. See also Leamer,R.D. 5=2158
Hinnov,E. A method of determining optical cross sections, 7=3125
Hinnov,E. and Kohn,H. Optical cross sections from intensity-density measurements, 7=3126
Hinotani,K. See also Miyake,S., 6=2220, 7=8693, 9=8274, 9=11174. Watase,Y., 8=1747
Hinotani,K., Suga,K. and Tanaka,Y. A study of shower curves with the multiplate cloud chamber, 5=2840
Hinrichs,H. On luminescence in high polymers. I. 5=208; II. 5=209. The effect of X-rays on coloured Plexiglass, 9=8862. See also Dobrinski,P., 6=1105
Hinrichs,O. See Steffen,K.G., 6=6132
Hinshelwood,C. See Lindars,F.J. 5=9207-8
Hintenberger,H. See also Herr,W. 5=477; König,L.A., 6=1304, 9=2405, 9=4722, 9=1136; Rightmire,R.A., 9=2730; Voshage,H. 9=11735, 9=13881; Wänke,H., 9=5315
Hintenberger,H., Herr,W. and Voshage,H. Radiogenic osmium from rhenium-containing molybdenite, 5=473
Hintenberger,H. and König,L.A. Mass spectrometers with double focusing of the second order, 9=348. The ion-optical aberrations of a uniform magnetic sector field for arbitrary entry and exit angle of the principal ray, 9=1536. On the aberrations in double-focusing mass spectrometers and mass spectrographs, 9=1537. Further mass-spectrometers with complete double focusing of the second order, 9=1540. On mass-spectrometers with perfect double-focusing of the second order, 9=2418
Hintenberger,H. and Lang,C. On a thermal ion-source with extremely low consumption of the substance, 6=5961
Hintenberger,H., Wende,H. and König,L.A. Mass spectrometers

with second-order double focusing, 6=1305

Hintenberger,H., Wende,H. and König,L. Second-order direction focusing mass spectrographs with rectilinear image curve, 5=7134

Hinteregger,H.E. Photoelectric emission in the extreme ultraviolet, 5=1838

Hinton,V. See Heavens,O.S., 9=7542

Hintz,N.M. Proton–nucleus elastic scattering at 9.8 MeV, 7=7376. See also Blair,J.M., 5=1199; Eisberg,R.M., 6=7678

Hinzpeter,A. Ion-exchange process for the measurement of small β-ray activities in rain, 9=4150

Hinzpeter,A. and Maass,R. Apparatus for tolerance measurements for the cataract-inducing infrared radiation, 9=9120

Hinzpeter,M. Radar in meteorology, 7=3847

Hippel,A.von. See von Hippel,A.

Hippel,A.R.von. See von Hippel,A.R.

Hippel,J.A. See Langer,A., 5=1011

Hirabayashi,M. Stress-ordering effect on thermal expansion of CuAu single crystals, 9=10913. Electrical resistivity and superstructure of CuAu$_3$, 9=13273. See also Fujiwara,K., 9=9026

Hirabayashi,M. and Mutô,Y. Electrical resistance of CuAu$_3$ and Cu$_3$Au at low temperatures, 8=3086

Hirabayashi,M., Nagasaki,S. and Kōno,H. Calorimetric study of Cu$_3$Au at high temperatures, 8=812

Hirabayashi,M. and Ogawa,S. An X-ray study of ordering processes in CuAu single crystals, 7=857. On the superstructure of the ordered alloy Cu$_3$Pd. II. X-ray diffraction study, 9=9034.

Hirahara,E. See also Hihara,T., 8=1128; Kamigaichi,T., 6=6638, 7=5458; Murakami,M., 6=6844

Hirahara,E. and Murakami,M. Hall effect and electrical conductivity of lead selenide, 5=2749. Nuclear magnetic resonance experiment on the single crystal of lithium sulfate monohydrate, Li$_2$SO$_4$H$_2$O, 6=4088. Magnetic and electrical anisotropies of iron sulfide single crystals, 9=8294

Hirai,A. See Takahashi,I., 7=1038, 7=6007

Hirai,H. See Onogi,S., 9=4347

Hirai,K. See Yamaguchi,J., 5=4664

Hirai,M. See Ueta,M., 9=10240, 9=13786

Hirai,N. and Eyring,H. Bulk viscosity of liquids, 8=2846

Hirakawa,H. See also Kojima,T., 9=204; Miyahara,A., 6=5001; Oka,T., 7=4154, 8=7818

Hirawaka,H., Miyahara,A. and Shimoda,K. Microwave spectra of formaldehyde and methylamine in the s.h.f. region, 6=5002

Hirakawa,H., Oka,T. and Shimoda,K. Microwave spectra of formaldehyde -d$_1$ -d$_2$, 7=5202. l-type doubling spectra of HCN and DCN, 7=5203

Hirakawa,K. The magnetic properties of iron selenide single crystals, 8=3234. See also Hashimoto,K., 6=6640, 9=4592; Okazaki,A., 7=785

Hirakawa,Y. and Ueda,I. Some experiments on WO$_3$ single crystals, 5=2703

Hiramatsu,M. See Shigeta,J., 9=13894

Hirano,H. See Yosioka,K., 5=9510

Hirano,K. Cataphoresis of crystal nuclei, 5=619. On the rate of nucleation in supersaturated solution. I. Some trials of the theoretical estimation of nucleation rate in electrolyte solution, 5=5262; II. Experimental determination of the crystallization temperature in the alkali halides solution and trials of the theoretical estimation of the temperature, 5=5263. Specific-heat versus temperature curves of aged Cu-Be alloys, 5=9988. Aging process in quenched aluminium–zinc solid solutions, 6=4705. See also Tanaka,K., 5=7409

Hirano,K., Maniwa,H. and Takagi,Y. Precipitation from solid solution of lead in magnesium, 5=4118. Specific-heat measurements on quench-annealed Al, Cu and b-phase alloys of Cu, 6=1179

Hirano,K. and Sakai,H. On the mechanism of aging in aluminium-silver alloys. II. Nature of the Guinier-Preston zone, 5=3156

Hirano,K. and Takagi,Y. On the solid solubility of silver in aluminium, 5=3166. On the precipitation process in aluminium-zinc-magnesium alloys. I. Al-Al$_2$Zn$_3$MG$_3$ system, 5=4117

Hirano,K., Takagi,Y. and Maniva,H. Origin of Guinier-Preston zones in alloys, 5=10002

Hirao,K. and Akita,K. A new type refractive index variometer, 9=4125

Hirao,K., Akita,K. and Shiro,I. Fluctuations of [atmospheric] temperature accompanying the solar eclipse, 9=11657

Hirao,Y. See also Kikuchi,S., 9=352; Miura,I., 9=13662; Okada,E., 9=10106; Wakatsuki,T., 9=8521

Hirao,Y., Okada,E., Miura,I. and Wakatsuki,T. Excited states of ^{40}Ca, 9=10030

Hiraoka,E. See Asada,T., 9=351

Hirashima,M. Selective oxidation of silver-magnesium alloys in water vapor, 6=1644, 6=4054

Hirashima,M. and Miyashiro,S. Some factors affecting the decay of secondary electron emission of silver–magnesium alloys, 9=8210

Hirashima,Y. Interactions of the heavy nuclei of cosmic rays in carbon, 9=7143

Hirata,M. See Hayakawa,S., 9=6763

Hirata,T. and Gunning,H.E. Reaction of diborane with Hg 6(^{3}P$_1$) atoms, 8=2054

Hird,B. See also Allen,K.W., 7=2655; Bokhari,M.S., 8=5361

Hird,B., Cookson,J.A. and Bokhari,M.S. Measurement of polarizations in stripping reactions, 9=2800

Hird,B., Whitehead,C., Butler,J. and Collie,C.H. Rays from the C^{13} (p, γ) N^{14} and Na^{23} (p, γ) Mg^{24} reactions, 5=1180

Hiroike,E. Indirect nuclear spin–spin couplings in saturated hydrocarbon molecules, 9=13755

Hiroike,K. Radial distribution function of fluids. I, 8=4788; II, 8=4789. On the theory of fluids, 9=10674

Hirokawa,S. and Komori,H. Note on the properties of the μ-meson, 8=6156

Hirokawa,S., Komori,H. and Ogawa,S. The anomalous magnetic moment of the μ-meson, 6=8402. On the anomalous magnetic moment of μ-mesons, 7=3716

Hirokawa,S., Okaya,Y., Lovell,F.M. and Pepinsky,R. On the crystal structure of aureomycin hydrochloride, 9=13953

Hirone,T. See also Mizuno,J., 5=3162; Yuzuri,M., 8=6039

Hirone,T. and Adachi,K. On the magnetic properties of nickel-arsenide type crystals, 8=5114

Hirone,T. and Chiba,S. The magnetic properties of FeSe$_x$ with the NiAs structure, 6=6772

Hirone,T. and Kamigaki,K. Attenuation of the ultrasonic waves in metals. II. Stainless steel, 9=5459

Hirone,T., Kimura,M., Kitagaki,T., Kunitomi,N. and Sugita,Y. Diffusion of silver in silver-zinc and silver-cadmium alloys, 6=715

Hirone,T., Kunitomi,N. and Sakamoto,M. Diffusion of cobalt into iron–cobalt alloy, 9=10290

Hirone,T., Kunitomi,N., Sakamoto,M. and Yamaki,H. Diffusion of cadmium into single crystals of copper, 9=10289

Hirone,T., Maeda,S., Tsubokawa,I. and Tsuya,N. On the magnetic properties of the system MnSb-CrSb, 7=3437

Hirone,T., Maeda,S. and Tsuya,N. On the Λ-shaped ferrimagnetism of FeS$_{1.10}$, 5=2869

Hirono,M. Researches on the geomagnetic distortion in the ionosphere. IV. Effect of gravity and ionization pressure gradient on the vertical drift in the F2 region, 6=9082

Hirono,M. and Kitamura,T. A dynamo theory in the ionosphere, 9=947

Hirono,M. and Maeda,H. Geomagnetic distortion of the F2 region on the magnetic equator, 5=10114, 6=9072. Researches on the geomagnetic distortion in the ionosphere. III. Characteristics of the F2 layer on the magnetic equator, 6=9082

Hirose,A. A mathematical theory of multi-dimensional thermoelectricity with some experimental proofs, 5=8787

Hirosige,T. See Tsuneto,T., 6=6393

Hirota,E. Rotational structure of the infrared absorption spectrum of hydrogen peroxide vapor, 8=4379; See also Morino,Y., 5=5560, 8=2019

Hirota,E., Oka,T. and Morino,Y. Microwave spectrum, structure, dipole moment, and quadrupole coupling constant of propargyl chloride, 8=8401

Hirota,S. See Mizushima,Y., 6=6213

Hirsch,A. See Ghiorso,A., 5=9846; Mech,J.F., 6=6861

Hirsch,J. The electrical properties of tungsten trioxide, 9=3424

Hirsch,P.B. Mosaic structure, 7=1725. See also Atkinson,H.H., 8=2034, 9=802; Ball,C.J., 6=2545; Thornton,P.R., 8=6465; Whelan,M.J., 7=8950, 8=1371

Hirsch,P.B., Horne,R.W. and Whelan,M.J. Direct observations of the arrangement and motion of dislocations in aluminium, 7=2819

Hirsch,P.B., Kelly,A. and Menter,J.W. The structure of cold worked gold, I. A study by electron diffraction, 6=2469

Hirsch,P.B. and Otte,H.M. X-ray diffraction from body-centred cubic crystals containing stacking faults, 9=7603

Hirsch,P.B., Silcox,J., Smallman,R.E. and Westmacott,K.H. Dislocation loops in quenched aluminium, 9=1873

Hirsch,S. See Billings,D.E., 6=5642

Hirschberg,D. Dosage of radioelements by the distribution of the intervals between disintegration. Application to RdTh, 5=3037. Disintegration-interval-analysis of radioelements. Efficiency of the estimates, 5=6414. See also Di Corato,M. 5=8290

Hirschberg,D. and Hirschberg,L. Analysis of two K-events, 5=542

Hirschberg,J.G. Emission spectroscopy at liquid helium temperature, 6=1048

Hirschberg,J.G. and Kadesch,R.R. Synchronous wavelength sweep of a diffraction grating and Fabry – Perot interferometer, 8=1630

Hirschberg,L. See Hirschberg,D., 5=542

Hirschberg,Y. and Fischer,E. Thermochromism and photochromism, 6=1717

Hirschfeld,M.A. See Jaffe,J.H., 9=176

Hirschfelder,J.O. Pseudo-stationary state approximation in chemical kinetics, 7=4826. Heat transfer in chemically reacting mixtures. I, 7=6096. Heat conductivity in polyatomic or electronically excited gases. II, 7=6097. See also Curtiss,C.F., 9=4088; Dahler,J.S., 6=8024, 7=2465; Eliason,M.A., 7=3479, 9=8740, 9=8765; Haugh,E.F., 6=2271; Hornig,J.F., 5=4843, 6=7207; Jepsen,D.W., 9=8690, 9=13002; Linder,B., 8=4371, 8=7585; Mason,E.A., 7=3478, 7=5501, 7=6379

Hirschfelder,J.O. and Curtiss,C.F. Theory of detonations. I. Irreversible unimolecular reaction, 8=7584

Hirschfelder,J.O. and Dahler,J.S. Kinetic energy of relative motion, 6=7569. The kinetic energy of relative motion, 7=127

Hirschler,F.G. See Elton,G.A.H., 5=1261

Hirschorn,M. Use of flat splitter construction in aviation test cell silencing, 5=9519

Hirsch,I.J. Monaural temporary threshold shift following monaural and binaural exposures, 9=4174. Auditory perception of temporal order, 9=10474. See also Bilger,R.C., 6=6488; Deatherage,B.H., 9=7705

Hirsch,I.J. and Bilger,R.C. Auditory-threshold recovery after exposures to pure tones, 6=1776

Hirsh,I.J. and Burgeat,M. Binaural effects in remote masking, 9=1981

Hirshberg,Y. Formation of reversible colored modifications at low temperatures by bombardment with electrons, 7=9951

Hirshberg,Y. and Fischer,E. Absorption measurements and irradiations in the Cary and Beckman spectrophotometers, at low and high temperatures, 9=4437

Hirshberg,Y. and Weissman,S.I. Electron spin resonance observations of photo-chromic substances, 8=8506

Hirshfeld,F.L. See also Rossmann,M.G., 9=9023

Hirshfeld,F.L., Eriks,K., Dickerson,R.E., Lippert,E.L., Jr and Lipscomb,W.N. Molecular and crystal structure of B_6H_{10}, 8=796

Hirshfeld,F.L. and Schmidt,G.M.J. Geiger-counter measurements of single-crystal Bragg reflection. The geometrical problem, 5=4186. Three examples of accurate crystal-structure analysis by low-temperature X-ray photography, 6=7828. Crystal and molecular structures of heterocyclic compounds. III. α-phenazine near 80°K, 7=6420

Hirshfeld,M.A. See Kimel,S., 9=9430

Hirshfield,J.L. and Brown,S.C. Microwave method for measuring the probability of elastic collision of electrons in a gas, 9=5830

Hirshfield,J.L. and Zieman,C.M. Measurement of microwave diffraction from a long slit in a thin conducting plane, 5=3899

Hirshon,J.M. and Fraenkel,G.K. A recording high-sensitivity paramagnetic resonance spectrometer, 5=2004

Hirst,R.C. See Bartell,L.S., 9=10203

Hirst,W. The mechanical wear of metals, 8=4493. See also Archard,J.F., 6=7773; Bradley,D.E., 6=6695; Halliday,J.S., 5=4995, 6=7771

Hirst,W. and Lancaster,J.K. Surface film formation and metallic wear, 6=8998

Hirt,R.C. See also Bowman,M.G., 6=6947; Neubert,T.J., 6=6947

Hirt,R.C., King,F.T. and Cavagnol,J.C. Observed n→* bands in the ultraviolet absorption solution spectra of the Di-aza-naphthalenes, 6=8667

Hirt,R.C. and Schmitt,R.G. Observed $n-\pi^*$ bands in the ultraviolet absorption solution spectra of amino asymmetric triazines, 5=5323

Hirth,J.P. See also Lothe,J., 9=13782

Hirth,J.P. and Pound,G.M. Evaporation of metal crystals, 7=6109

Hirth,J.P. and Vassamillet,L. Correlation of thermal etch pits with dislocations in silver, 8=6504

Hisatake,K. See Hattori,M., 5=4917

Hisatsume,I.C. and Crawford,B., Jr. On the molecular complex NO_4, 6=7603

Hisatsune,I.C. See also Snyder,R.G., 7=5995

Hisatsune,I.C. and Eggers,D.F., Jr. Infrared intensities and bond moments in formaldehyde, 5=4536

Hisatsune,I.C. and Jayadevappa,E.S. Vibrational intensities in liquid benzene, 9=7426

Hisatsune,I.C., McHale,A.P., Nightingale,R.E., Rotenberg,D.L. and Crawford,B., Jr. On the inhibition of the NO - N_2O_5 reaction by NO_2, 6=2487

Hisdal,B. Relative spectral energy distribution of standard light sources for colorimetry, 9=232. On the colour measurement of daylight fluorescent materials, 9=3361

Hisdal,E. Bremsstrahlung spectra corrected for multiple scattering in the target, 7=5396

Hisdal,E. and Roalsvig,J.P. The X-ray spectrum from a 30 MeV betatron, 6=8235

Hisey,B.L. and Perl,E.R. Electronic integrator with immediate digital output, 8=4600

Hitchcock,J.A. and Jones,C. The pneumatic conveying of spheres through straight pipes, 9=1140

Hitschfeld,W. See Rigby,E.C., 5=1395

Hitotuyanagi,Z. and Suda,K. Stellar models with isothermal cores and intermediate convective zones. I, 9=5330; II, 9=5331

Hittmair,O. The matrix formulation of (d,p) interactions, 6=653. Shell-model coupling and angular distribution of the reaction $C^{13}(p\gamma)N^{14}$. 6=4640. Shell-model coupling and the polarization of the protons from stripping, 6=4643. Angular correlations, 6=6101. Types of coupling in "stripping" angular correlations, 6=3212. Stripping reaction virtual levels, 7=6530. Reduced stripping widths and the shell-model, 7=6531. Nuclear reactions in direct interaction, 8=7360. The yields of (d,2n) reactions in the continuous region, 8=9054. See also Radicella,R., 9=661*, 9=2804

Hix,P. Some news from the field of vacuum technology in Czechoslovakia, 7=5115

Hjalmar,E., Slätis,H. and Thompson,S.G. Photographic emulsion measurements of the energy distribution of neutrons from spontaneous fission of californium 252. I, 7=761

Hjalmar,E.H., Slätis,H. and Thompson,S.G. Energy spectrum of neutrons from spontaneous fission of californium-252, 6=1553

Hjalmars,S. See Brulin,O., 8=48, 9=7804

Hladik,A. Torsion of prismatic rods of U-shaped profile, 6=8606

Hlavatý,V. Maxwell's field in the Einstein unified field theory, 6=1831. The elementary basic principles of the unified theory of relativity. II. Applications, 6=1832. Report on the recent Einstein unified field theory, 6=1833

Hlȳnchuk,K.D. See also Glinchuk,K.D.

Hlȳnchuk,K.D., Ivanova,H.K. and Miselyuk,O.G. On the effect on Ge point triodes of the lifetime of minority carriers, 8=8773

Hlȳnchuk,K.D. and Miselyuk,O.H. The photoelectric method of measuring the diffusion displacement length of surface current carriers in semiconductors, 8=6971*

Hnatek,A. The absolute magnitude of cluster nebulae and the age of the universe, 9=11757

Ho,A.S. Production and decay of the strange particles, 9=8479

Ho,K.-C. Periodic focusing of high current electron beams, 9=5806

Ho,L.T. See Slawsky,Z.I., 9=10641

Ho,T.H. See Chen,J.M., 9=7239, 9=7291-2; Dye,Y.B., 9=7273; Lee,W.T., 9=4949

Hoang,T. See Goldhaber,G., 9=13553

Hoang,T.F. Study of heavy mesons stopped in photographic emulsions. II. 1. Method of estimation of mass by grain density – residual range, 5=6507. A statistical analysis of jets, 5=7384. See also Amaldi,E., 5=8278; Cester,R., 6=4670, 6=7712*, 7=697; Crussard,J., 5=4096; Davis,D.F., 7=7423, 7=8868; Haber-Schaim,U., 5=8279; Orkin-Lecourtois,A., 5=6505, 5=8287; Yekutieli,G., 6=3261

Hoang,T.F., Jauneau,L., Jouvin,J., Kayas,G., Leprince-Ringuet,L., Morellet,D., Orkin-Lecourtois,A. and Trembley,J. Study of heavy mesons stopped in photographic emulsions. I. Experimental results on the masses of primary mesons, 5=6506

Hoang, T.F., Jauneau, L., Jouvin, J. and Mabboux, C. Statistical estimation of the exponent of the energy spectrum of primary cosmic radiation, 5=1960

Hoang, T.F., Jauneau, L., Kayas, G., Leprince-Ringuet, L.,

Morellet, D., Orkin-Lecourtois, A., Tariel, G. and Trembley, J. Observation of τ-mesons, 6=4958
Hoang, T.F., Jauneau, L., Kayas, G., Orkin-Lecourtois, A., Leprince-Ringuet, L., Morellet, D., Tariel, G. and Trembley, J. Results on K^+ mesons, 5=4966
Hoang, T.F., Kaplon, M.F. and Cester, R. Interaction of K^+ mesons in the interval 30-65 MeV, 8=288
Hoang, T.F., Kaplon, M.F. and Yekutieli, G. Further evidence on the nature of the neutral particles in the decay scheme of $K_\mu{}^3$, 6=5408. Ratios of decay modes of K^+ mesons produced by the cosmotron, 6=6190. Lifetimes of $K_{\mu 3}$ and Ke decay modes, 7=3712
Hoang Pham Tan. See Pham Tan Hoang
Hoar, T.P. See also Melford, D.A., 8=1550
Hoar, T.P. and Mott, N.F. A mechanism for the formation of porous anodic oxide films on aluminium, 9=8908
Hoarau, J. See also Calas, R., 6=773; Guy, J., 6=8457; Rios, B.R., 6=2243
Hoarau, J., Joussot-Dubien, J., Lemanceau, B., Lumbroso, N. and Pacault, A. Magnetic anisotropy of benzene, 7=6349
Hoarau, J., Lumbroso, N. and Pacault, A. Measurement of principal magnetic susceptibilities of crystals of benzene between -180° and -2°C, 6=5249
Hoarau, J., Pecault, A. and Pascal, P. Magnetochemical systematics, 7=6678
Hoare, F.E. See also Booth, G.L., 6=2049*; Myers, A., 9=4375
Hoare, F.E. and Mathews, J.C. Heat capacity between 1·8 and 4·2°K of an iron–chromium alloy in the alpha and sigma phases, 8=1030
Hoare, F.E., Matthews, J.C. and Yates, B. Carbon resistor thermometers, 5=7916
Hoare, F.E. and Preston, J. Properties of palladium–rhodium alloys, 7=9664
Hoare, F.E. and Yates, B. The low-temperature (2 to 4·2°K) specific heats of palladium–silver alloys, 7=6136
Hoare, F.E. and Zimmerman, J.E. Helium temperatures from vapor pressure measurements, 9=4529
Hoare, J.P. See also Castellan, G.W., 8=9164; Griffing, V., 6=2273. Schuldiner, S., 5=10033, 7=9945, 8=9163
Hoare, J.P. and Schuldiner, S. Hydrogen overvoltage on bright iridium and rhodium, 7=1709
Hoare, J.P., Schuldiner, S. and Castellan, G.W. Electrochemical behavior of the palladium–hydrogen system. III. Gas-charged palladium alloys, 8=9165
Hoare, M.F. and Linnett, J.W. Effect of solid surfaces on the propagation of flame through ethylene-air mixtures, 5=3687
Hoare, W.E. A recording volumeter for small gas evolutions, 5=1570
Hobart, J. See Franken, P., 8=9077
Hobbins, P.C. See Craig, D.P., 5=178, 5=5322
Hobbis, L.C.W. See also King, N.M., 8=5970
Hobbis, L.C.W. and Harrison, E.R. Use of nickel diffusion tubes for the purification of hydrogen, 7=155
Hobbs, W.E. Infrared absorption spectra of chromyl fluoride and chromyl chloride, 8=8689
Hobby, G. See Burk, D., 5=1571
Hoberg, H. See Hoffmann, E.G., 5=3237
Hobson, A. and Kay, R.H. Two designs for a paramagnetic oxygen meter, 6=4732
Hobson, J.P. The reflection of slow electrons from tantalum and copper, 7=3354. First adsorbed layer of helium at 4·2°K, 9=8975
Hobson, J.P., Hubbs, J.C., Nierenberg, W.A. and Silsbee, H.B. Spin, magnetic moment, and hyperfine structure of Rb^{81}, 5=3970
Hobson, J.P., Hubbs, J.C., Nierenberg, W.A., Silsbee, H.B. and Sunderland, R.J. Spins of rubidium isotopes of masses 81, 82, 83, and 84, 7=1512
Hobson, J.P. and Redhead, P.A. Operation of an inverted-magnetron gauge in the pressure range 10^{-3} to 10^{-12} mm Hg, 8=3778
Hobson, R.M. Ionization and dissociation processes in the vapors of lithium chloride, sodium chloride and potassium chloride, 6=1326. See also Heath, G.A., 9=3582
Hobstetter, J.N. See also Breidt, P., Jr, 8=5504; Pfann, W.G., 9=4099; Wernick, J.H., 9=806
Hobstetter, J.N. and Breidt, P., Jr, Detection of both vacancies and interstitials in deformed germanium, 8=1051
Hocart, R., Roult, G. and Oberlin (Mathieu-Sicaud) A. Stratified removal of the (001) face of natural and artifical sodium chloride. Electron microscope observations, 5=8378
Hoch, M. Heat of formation of BaC_2, 9=1394
Hoch, M., Blackburn, P.E., Dingledy, D.P. and Johnston, H.L. The heat of sublimation of carbon, 5=3699
Hoch, M. and Johnston, H.L. The reaction occurring on thoriated cathodes, 5=2266
Hochanadel, C.J. and Davis, T.W. Radiolysis of solid nitrates, 7=9950
Hochanadel, C.J., Ghormley, J.A. and Sworski, T.J. The decomposition of sulphuric acid by cobalt γ-rays, 5=8358
Hochberg, B.M. See Gokhberg, B.M.
Hochberg, S., Massey, H.S.W., Robertson, H. and Underhill, L.H. The scattering of nucleons by alpha particles — determination of the spin-orbit interaction, 5=9158
Hochberg, S., Massey, H.S.W. and Underhill, L.H. The scattering of nucleons by alpha particles—the s-phases, 5=995
Hochheimer, B.F. and Moore, G.E. A simple short-path absorption cell, 6=5003
Hochman, R.F. See Kuczynski, G.C., 5=8310, 8=7528
Hochman, R.H. See Kuczynski, G.C., 9=12836
Hochstrasser, G. Nuclear relaxation in liquids at very low frequencies, 9=12496
Hochstrasser, G., Béné, G. and Extermann, R. High resolution and the measurement of weak fields by nuclear magnetic resonance, 9=11257
Hochstrasser, R.M. The luminescence of complex molecules in relation to the internal conversion of excitation energy, I, 9=12108
Hockenberry, J.H.Jr, Brown, L.C. and Williams, D. Nuclear resonance spectrum of Al^{27} in chrysoberyl, 8=4445
Höcker, K.H. The basis of a general theory of the anode fall, 7=3318. See also Bez, W., 6=1264, 5899-900, 7=6221; Emendörfer, D., 9=711; Grümm, H., 8=8364
Höcker, K.H. and Bez, W. On the theory of anode falls. II. The possibility and limits of field ionization, 6=1263
Höcker, K.-H., Kuhn, H. and Ritzi, M. Absorption analysis of the star-producing component of cosmic rays. IV. The question of the generation of sharp maxima, 5=8887
Höcker, K.H. and Wagner, F. The diffusion of fission-initiating neutrons in a homogeneous thermal reactor, 8=7418
Hocking, L.M. The collision efficiency of small drops, 9=3011
Hockly, D.A. and Bull, C.S. The ultimate vacua of two-stage rotary oil pumps, 7=160
Hockney, R.W. See Bach, D.R., 6=7473
Hodam, F. The possibility of using the gradation profile of a photographic emulsion for assessing the performance of objectives, 9=3264
Hoddaday, W.G. See Capps, R.H., 5=9417
Hodge, A.J. Fibrous proteins of muscle, 9=10441. Fine structure of lamellar systems as illustrated by chloroplasts, 9=11666
Hodge, B. and Morris, L.W. Cloud-chamber study of the second maximum, 5989
Hodge, E.S. Recording the visible spectrum on color film, 5=4268
Hodgins, J.W. See Blades, H., 5=4532; Hogg, B.G., 7=3617
Hodgkinson, R.J. Thermal acceptors in germanium, 5=3757; 5=4655. The stoichiometry of intermetallic semiconductors, 6=8180. The stoichiometry of intermetallic semiconductors, 7=3254
Hodgman, C.D., Weast, R.C. and Selby, S.M. [Eds.] Handbook of chemistry and physics, 6=4794
Hodgson, J.N. The infrared properties of some metallic films, 5=8650. A note on the polarization due to oblique reflexion at an aluminized or silvered mirror, 6=6548
Hodgson, P.E. The scattering of nucleons by alpha-particles, 8=1845. Proton–alpha reactions in light and heavy nuclei, 9=1766. See also Grilli, M., 5=2173, 5=4049; Sugie, A., 7=2999
Hodgson, T.S., Gordon, B.E. and Ackerman, M.E. Single-channel counter for carbon-14 and tritium, 8=8188
Hodnett, E.M. See Ropp, G.A., 7=2763
Hodson, A.L. See also Ballam, J., 5=3129, 5=9133; Treiman, S.B., 5=3130
Hodson, A.L., Ballam, J., Arnold, W.H., Harris, D.R., Rau, R.R., Reynolds, G.T. and Treiman, S.B. Cloud-chamber evidence for a charged counterpart of the θ° particle, 5=1226
Hoekstra, A.H. See Wanmaker, W.L., 5=3625
Hoekstra, J.J., Ke, B. and Trivich, D. A device for preparing single crystal spheres, 5=1345
Hoenig, S.A. Acceleration of dust particles by shock waves, 8=548. Use of a constant current hot wire for the measurement of extreme temperatures, 9=268

Hoerlin, H. See Larson, E.T., 5=676

Hoerner, S. v. See v.Hoerner, S.

Hoerner, S. von. See von Hoerner, S.

Hoerni, J.A. Multiple elastic scattering in electron diffraction by molecules, 6=5930; Multiple elastic scattering in electron diffraction by crystals, 6=5931. Carrier mobilities at low injection levels, 8=2329

Hoerni, J.A., and Ibers, J.A. Some calculations of atomic form factors, 5=1128

Hoerni, J.A. and Wooster, W.A. The X-rays anomalous reflexions from diamond, 5=5108

Hoesterey, H.F. See Jones, L.A., 7=4951

Hoeve, C.A.J. See Benson, G.C., 7=333

Hofacker, L. Theory of hydrogen bonding, 9=10190

Hofe, C.v. See v. Hofe, C.

Hofer, L.J.E. See Manes, M., 5=581

Höfert, H.J. G. Hansen — 60 years old, 9=10727

Hoff, R.W. See also Hulet, E.K., 6=6172, 8=347

Hoff, R.W. and Hollander, J.M. Energy levels of polonium-210, 8=3321

Hoff, R.W., Jaffe, H., Passell, T.O., Stephens, F.S., Hulet, E.K. and Thompson, S.G. Radioactive decay of the isomers of americium-242, 6=1526

Hoff, R.W., Olsen, J.L. and Mann, L.G. Electron capture and alpha decay of Np^{235}, 6=5354

Hoff, R.W. and Rasmussen, J.O. Ft. values and L/K ratios for orbital electron capture, 6=3134

Hoff, R.W. and Thompson, S.G. Orbital electron capture in the heaviest elements, 5=1142

Hoffman, C.J., Edeskuty, F.J. and Hammel, E.F. Adsorption of He^3 and He^4 on activated charcoal, 6=1712

Hoffman, D.C. See also Prestwood, R.J., 5=7327

Hoffman, D.C. and Dropesky, B.J. Electron-capture decay of Pu^{237}, 9=619

Hoffman, G.W. See Hines, M.E., 5=9696

Hoffman, H. and Theimer, O. Shielding correction to the electrical microfield in a plasma and to Holtsmark's theory of line broadening, 8=3197. Shielding correction to Holtsmark's theory of line broadening, 9=187

Hoffman, H.S. Study of some cues in the perception of the voiced stop consonants, 9=2185. See also Harris, K.S., 8=8660

Hoffman, J.D. Theory of dielectric relaxation for a single-axis rotator in a crystalline field. II, 5=7942. Thermodynamic driving force in nucleation and growth processes, 9=3123. Theory of dielectric relaxation in molecular crystals, 9=12203

Hoffman, J.D. (Ed.). See also Crowe, R.W. (Ed.), 7=9153

Hoffman, J.D. and Axilrod, B.M. Dielectric relaxation for spherical molecules in a crystalline field: theory for two simple models, 5=8734. Theory of dielectric relaxation for the three-dimensional polar rotator: lattice models leading to bimodal loss curves, 7=5304

Hoffman, J.D. and Hart, J. (Eds.). Digest of the literature on dielectrics, 8=2291

Hoffman, J.D., Weeks, J.J. and Murphey, W.M. Experimental and theoretical study of kinetics of bulk crystallization in poly(chlorotrifluoroethylene), 9=13895

Hoffman, J.H. and Nier, A.O. Production of helium in iron meteorites by the action of cosmic rays, 9=3053

Hoffman, J.M. See Dickey, F.P. 5=9567, 8=7808

Hoffman, L.C. and Statton, W.O. Structure in vitreous silicates as shown by low-angle scattering of X-rays, 6=1648

Hoffman, R. See Winckler, J.R. 8=6560

Hoffman, R.E. Self-diffusion in dilute binary solid solutions. III. Diffusion in silver germanium and silver thallium solutions, 9=11582

Hoffman, R.W. See also Crittenden, E.C., Jr, 6=6613, 6=6778 6=6961; Finegan, J.D., 9=8909; Knorr, T.G., 9=5877, 9=8090; Story, H.S., 8=816

Hoffman, R.W. and Story, H.S. Stress annealing in copper films, 6=3306

Hoffman, W.C. Scattering of electromagnetic waves from a random surface, 6=8878

Hoffmann, A. On the mode of action of n — p — n phototransistors, 9=1464

Hoffmann, B. Nature of the primitive system in Kron's theory, 5=8926. General relativistic red shift and the artificial satellite, 7=5032

Hoffmann, E.G. and Hoberg, H. Determination of the molecular weights of polyesters by means of radioactive labelling, 5=3237

Hoffmann, F. See also Schley, U., 9=3518

Hoffmann, F. and Schley, U. The measurement of very small radiation intensities with thermopiles, 5=5961. Blackbody radiation and the radiation law constants, 8=3840

Hoffmann, F. de See de Hoffmann, F.

Hoffmann, H. and Schwink, C. The magnetization of very thin iron films, 9=9772

Hoffmann, K. and Fischer, L. Determination of small quantities of water in films and organic liquids, 6=2526

Hoffmann, K.W. On the isomerism of indium^{114}, 8=735. The light output of anthracene for electrons of 20 to 160 keV, 8=988. On the polarization of electrons, 9=523

Hoffmann, L. See Duelli, B., 9=6062

Hoffmann, O. Transparency of 1000 to 3000 A thick aluminium oxide films to electrons of energy below 16 keV, 6=1292

Hoffmann, P.O. Mechanics demonstration, 6=2703

Hoffmann, R. See Cumming, J.B., 9=4868

Hoffmeister, C. On some peculiar aspects of the zodiacal light, 6=872*. Remarks on the electrophysical (radar) determination of the velocities of meteors, 6=880

Hoffrogge, C. Interference methods for the measurement of long end-standards, 7=8538

Hoffrogge, C. and Weyerer, H. A new measuring device for the separation of X-ray diffraction patterns, 5=1882

Hofman, D. See also de Nobel, D., 6=5839

Hofman, D., Lely, J.A. and Volger, J. The dielectric constant of SiC, 7=9156

Hofman, Yu. V. A high frequency ion source, 8=7124

Hofmann, A. and Stoll, P. Investigations of (γ,pn) and (γ,d) reactions with gamma energies up to 32 MeV, 9=6121

Hofmann, C.S. See Bistline, J.A., 9=6153*

Hofmann, F.W. See Schneider, J., 9=1377

Hofmann, H. The question of the domain limitation [Bereichsabgrenzung] of electrically and magnetically polarized material, 6=6793. On the interpretation of Maxwell's equations by means of electric and magnetic quantities, 8=8145

Hofmann, J.A. See Frazer, J.F., 5=7177

Hofmann, R. and Walcher, W. On the time-of-flight separator, 5=7308

Hofmeister, E. and Groschwitz, E. The influence of the geomettrical and physical conditions at the point contact of germanium diodes on the [current—voltage] characteristics, 9=314

Hofmeister, E. and Meyer, E. Determination of the refractive index of thin films of fatty acids, 8=3848

Hofsommer, D.J. A flux theorem, 8=935

Hofstadter, R. Electron scattering and nuclear structure, 7=2524. Cut-off models of the proton, 9=7258. See also Burleson, G.R., 9=7358; Chambers, E.E., 6=8924; Ehrenberg, H.F., 8=8976, 9=5052; Fregeau, J.H., 5=9832; Hahn, B., 6=2314, 7=4702; Knudsen, A.W., 9=4881; McAllister, R.W., 6=4445; McIntyre, J.A., 5=4728; Van Sciver, W., 5=4549; Yearian, M.R., 8=8977, 9=2598

Hofstadter, R., Bumiller, F. and Yearian, M.R. Electromagnetic structure of the proton and neutron, 9=573

Hofstadter, R. and McAllister, R.W. Electron scattering from the proton, 5=5447

Hogan, C.L. See also Pippin, J.E., 9=423; Rodrigue, G.P., 9=4234

Hogan, C.L., Jepsen, R.L. and Vartanian, P.H. New type of ferromagnetic amplifier, 8=4169

Hogan, R.S. See Marburger, R.E., 6=2119

Hogarth, C.A. On the measurement of minority carrier lifetimes in silicon, 7=1295. See also Arthur, J.B., 5=3774. Bell, R.L., 8=4979; Green, G.W., 7=8625

Hogarth, C.A. and Bardsley, W. The effect of illumination on the excess noise of silicon filaments, 6=2876

Hogarth, C.A. and Baynham, A.C. Electrical methods for determining the positions of dislocation regions in germanium, 8=2665

Hogarth, C.A. and Hoyland, P.J. Radial variation of minority carrier lifetime in vacuum-grown germanium single crystals, 8=3110

Hogben, A.S. See Levi, H., 7=1827

Högbom, J. See Whitfield, G.R., 8=12

Hoge, H.J. See Hilsenrath, J., 8=3913

Hogg, B.G. Energy available for beta decay of Nd^{150}, 5=8209. See also Duckworth, H.E., 5=2102

Hogg, B.G., Sutherland, T.H., Paul, D.A.L. and Hodgins, J.W. Positron decay in solutions of alkali metals in amine type solvents, 7=3617

Hogg, D.C. Effective antenna temperatures due to oxygen and water vapor in the atmosphere, 9=12514. See also Buchsbaum, S.J., 5=8098
Hogg, J.E. The mass spectrum of titanium tetrachloride, 5=1132
Hogg, W.R. See also Bellamy, E.H., 7=4500
Hogg, W.R. and Bellamy, E.H. The photoproduction of charged pions from deuterium, 9=3786
Hogg, W.R. and Sinclair, D. The photoproduction of charged mesons from calcium, 6=6936
Hogness, D.S. Induced enzyme synthesis, 9=9110
Hohanshelt, Z.W. See Ashburn, E.V., 6=2790
Höhler, G. On the motion of space charges according to Dirac's theory, 5=47. On the theory of the polaron, 5=2298. Intermediate-coupling interaction of a non-relativistic particle with a scalar field. I, 5=4371. On the calculation of the ground state and the mass of the polaron, 6=3354. Intermediate coupling interaction of a non-relativistic particle with a scalar field. II, 7=1883; III, 7=5841. On the exponential approximation in particle decays, 9=3712
Hohmann, H., Misenta, R., Pollermann, M., Springer, T. and Walther, H. Reactivity and flux measurements in the Munich research reactor [F.R.M.], 9=12706
Hohn, H., Bildstein, H., Amminger-Schlager, T. and Einhaus, H.W. The electron emission of cold liquid metal drops, 7=6244
Höhne, E. See Dornberger-Schiff, K., 9=13939
Höhne, M. Dependence of the ionic conductivity of AgBr on its previous history, 8=7932
Hoisington, D.B. High-energy particle nomograph, 9=354
Hoisington, R.W.R., Kellner, C. and Pentz, M.J. High-resolution microwave Zeeman spectrometer, 7=2017
Hoisington, R.W.R., Kellner, L. and Pentz, M.J. Criteria determining the design and performance of a source-modulated microwave cavity spectrometer, 9=1277
Hok Ong Ping. See Ong Ping Hok
Hokkyo, N. The scattering of electromagnetic waves by plasma oscillations, 9=488. See also Hayakawa, S., 6=8886
Holak, W. See also Ackerman, E., 8=550
Holak, W., Ackerman, E., Kinsloe, H.L. and Reid, J.J. Electrokinetic hydrophone used at 9 kc, 7=9580
Holander, J.M. See Smith, W.G., 5=7350
Holbeche, T.A. See MacFadyen, K.A., 7=4298
Holcomb, D.F. Magnetic resonance line shapes at the onset of saturation, 9=5944
Holcomb, D.F. and Norberg, R.E. Nuclear spin relaxation in alkali metals, 5=7227
Holdaway, H.W. A note on electromagnetic flowmeters of rectangular cross-section, 7=8447
Holden, A.N., Matthias, B.T., Anderson, P.W. and Lewis, H.W. New low-temperature ferromagnets, 6=6013
Holden, A.N., Matthias, B.T., Merz, W.J. and Remeika, J.P. New class of ferroelectrics, 5=6109. Properties of guanidine aluminium sulfate hexahydrate and some of its isomorphs, 6=2065
Holden, J. See Franks, A., 6=1647
Holden, W.R. See Atkinson, W.R., 9=8257
Holder, B.E. See also Klein, M.P., 7=7303
Holder, B.E. and Klein, M.P. Chemical shifts of nitrogen, 6=530
Holder, D.W. and North, R.J. Schlieren methods for photographing high-speed air flows, 5=8435
Holding, D.H. and Dennis, J.P. An unexpected effect in sound localization, 8=2081
Holdsworth, J.F. See also Hamilton, R.J., 5=1269
Holdsworth, J.F., Price, F.H. and Tomlinson, R.C. Interlaboratory checks on the counting of coal dust particles on thermal precipitator slides, 5=1271
Holl, W. and Mühleisen, R. A new condensation nuclei counter with continuous oversaturation, 7=1770. On the equilibrium of ionisation in air containing nuclei, 7=1798
Holladay, W.G. Nucleon anomalous moments via pion-pion attraction, 6=1859. Nucleon structure and the n-p mass difference, 6=1860. Forward–backward asymmetry in $K-\mu-e$ decay, 8=286. See also Beasley, C.O., Jr, 8=4210; Thomas, B.S., 8=5221
Holladay, W.G. and Sachs, R.G. Neutron-proton mass difference, 5=1518
Holland, D.H. Lattice space quantization of coupled meson and nucleon fields, 5=5890. Kinetic energy in nonlinear meson theory, 6=2675
Holland, H.C. The Archimedes spiral, 7=6791
Holland, H.D. and Gottfried, D. The effect of nuclear radiation on the structure of zircon, 5=7540
Holland, L. A replica tehcnique for "reflexion" electron microscopy, 6=4687. A new apparatus for cathodic sputtering, 6=7747. Vacuum deposition of thin films, 6=8429. The effect of incident atomic velocity on the structure of evaporated silver films, 7=9428. X-ray radiation hazard using vacuum deposition plant, 8=471. The effect of gettering on the reflectivity of aluminium films, 8=6444. Ionic bombardment cleaning of glass, 8=7523. Bombardment of plastics in a glow discharge, 8=8510
Holland, L., Putner, T. and Batemen, S. Titanium dioxide beam splitters, 8=991
Holland, L. and Siddall, G. The properties of some reactively sputtered metal oxide films, 7=1678. Heat-reflecting windows using gold and bismuth oxide films, 9=220
Holland, L. and van Dam, E.W. Wear resistance of magnesium fluoride films on glass, 7=787
Holland, L. and Williams, B.J. The effect of aluminium purity on the reflectivity of evaporated front surface mirrors, 5=7867
Holland, R.E. See also Lynch, F.J., 9=10033
Holland, R.E., Inglis, D.R., Malm, R.E. and Mooring, F.P. Scarcity of low-energy levels of Be^8 appearing in two boron reactions, 5=8232
Holland, R.E. and Lynch, F.J. Reaction $A^{40}(p,n)K^{40}$, 9=6076
Holland, R.E., Lynch, F.J. and Hanna, S.S. Lifetimes of the first excited states of F^{17} and B^{10}, 9=4978
Holland, S.S., Jr, Neutron penetration in infinite media; calculation by semi-asymptotic methods, 8=4232
Holland, S.S., Jr, and Richards, P.I. Neutron flux spectra in air, 7=766
Holland, T.E. Deformation of rotating mirrors resulting from centrifugal force, 7=4116. See also Campbell, A.W., 6=9008, 7=816
Holland, T.E., Campbell, A.W. and Malin, M.E. Phenomena associated with detonation in large single crystals, 8=547
Holland, T.E. and Davis, W.C. Effects of elastic distortion of rotating mirrors on time resolution in smear cameras, 8=5573
Hollander, J.M. First excited states of heavy even-even nuclei, 7=1507. Beta decay and electron capture branching to the levels of Pu^{239}, 7=5592. See also Diamond, R.M., 9=1728; Hoff, R.W., 8=3321; Kalkstein, M.I., 5=1206; Rasmussen, J.O., 7=8103; Smith, W.G., 6=1545, 7=1558, 7=5591; Strominger, D., 8=9027; Thulin, S., 7=1548
Hollander, J.M., Smith, W.G. and Mihelich, J.W. Energy levels of Pu^{239} populated by the beta decay of Np^{239}, 6=5360
Hollander, J.M., Smith, W.G. and Rasmussen, J.O. Energy levels of Np^{237} populated by alpha decay of Am^{241}, 6=6070
Hollander, L.E., Jr, Special CdS cells have high X- and gamma-ray sensitivity, 7=3342. Preparation of high-sensitivity cadmium sulfide cells for gamma-ray detection, 7=6696. Piezoresistivity in reduced single-crystal rutile (TiO_2), 9=2361
Hollander, T., Borgers, A.J. and Alkemade, C.T.J. A contribution to the application of flame photometry on Ca, Sr, Ba and Li, 7=1721
Hollas, J.M. See Craig, D.P., 9=2208
Holler, V.A. See Homiakov, K.G., 6=3694
Holleran, E.M. Interrelation of gaseous viscosity, self-diffusion and isotopic thermal diffusion, 5=5931
Holley, S.F. See Kerper, M.J., 9=2976
Holliday, J.E. and Sternglass, E.J. Backscattering of 5-20 keV electrons from insulators and metals, 8=8814. New method for range measurements of low-energy electrons in solids, 9=12378
Hollingsworth, C.A. Kinetics and equilibria of complex reactions, 8=3538
Hollingsworth, C.A. and Potter, R.L. Isoaffine reactions, 8=436
Hollis, D.P. See Ray, J.D., 9=5117
Hollis, W.W. See Yoder, P.R., Jr, 7=9645
Hollis-Hallett, A.C. See Heikkila, W.J., 5=8702
Holloway, D.G. See Terry, N.B., 6=8629
Holloway, J.H. See Daly, R.T., Jr, 5=1119; Essen, L., 8=7664
Holloway, J.T. and Laslett, L.J. Radiations from Tb^{156}, 9=7330
Holloway, L. See Gettner, M., 9=12578
Holloway, W.W., Jr, and Novick, R. Determination of the hyperfine structure of atomic nitrogen by optical orientation, 9=5094
Hollows, F.B. See Angus, W.R., 9=11191

Hollway, D.L. The determination of electron trajectories in the presence of space charge, 5=6200. See also Murray, C.T., 6=2606

Hollyer, R.N., Jr. Attenuation in the shock tube: I. Laminar flow, 6=2746

Holm, C.H. Observation of chemical shielding and spin coupling of C^{13} nuclei in various chemical compounds by nuclear magnetic resonance, 7=6402. See also Gutowsky, H.S., 7=6385; McConnell, H.M., 7=3549, 7=8064, 7=9791, 8=7458

Holm, C.H. and Ibers, J.A. Anomalous temperature dependence of the spin–lattice relaxation time in ferrocene, 7=9302. NMR study of ferrocene, ruthenocene, and titanocene dichloride, 9=7199

Holm, D.M. See also Terrell, J., 8=2585

Holm, D.M. and Argo, H.V. t-t Elastic scattering from 1.6 to 2·0 MeV, 6=4453

Holm, G. and Ryde, H. Measurements on the radiations from the decay of I^{134} and I^{133}, 9=11440

Holm, L.W. Automatic scanning device, 6=7640. See also Amiel, S., 7=6491; Chetham-Strode, A., 7=2579; Fields, P.R., 8=317

Holm, R. Electron cloud outside a metal surface, 9=8786

Holm, R.H. and Cotton, F.A. Magnetic investigations of spin-free cobaltous complexes. I. Tetrahalo cobalt (II) ions, 9=12446

Holmberg, B. On the separation of variables for a three-body quantum mechanical system, 9=4293

Holmberg, E.R.R. A new explanation of the recession of the nebulae, 7=7548

Holmes, D.K. See Cleland, J.W., 6=5094; Oen, O.S., 9=10282; Thompson, D.O., 6=729, 6=5454; 6=6972, 8=412, 9=7550

Holmes, E.L., Rutter, J.W. and Winegard, W.C. Growth conditions for stability of a cellular solid–liquid interface, 8=4792

Holmes, E.L. and Winegard, W.C. Comparisons between free energies of activation for grain growth, grain-boundary self-diffusion, and liquid self-diffusion, 9=11581. Normal grain growth in zone-refined high-purity metals, 9=8999

Holmes, J.C. See Johnson, C.Y., 8=7626

Holmes, J.E.R., Curry, M.U. and Waldegrave, M. Neutron distribution in the air spaced core assembly of Zephyr, 8=6342

Holmes, J.E.R., McVicar, D.D., Shepherd, L.R. and Smith, R.D. Electrical characteristics of fission chambers, 5=3841

Holmes, J.R. See McClung, F., 7=5162

Holmes, J.W. Calibration and field use of the neutron scattering method of measuring soil water content, 8=7636

Holmes, K.G. See Finch, J. (Conf. rep.), 8=3581

Holmes, O.G. and McClure, D.S. Optical spectra of hydrated ions of the transition metals, 7=7741

Holmes, P.J. The study of semiconductor crystal perfection by X-ray diffraction methods, 5=7039. A scanning X-ray camera for the detection of crystal imperfections, 6=7827. Dislocations in diamond-type lattices, 7=7884. The orientation dependence of etching effects on germanium crystals, 9=11623. See also Billig, E., 5=7496

Holmes, P.L. See Meltzer, B., 5=7064, 8=3179

Holmgren, H.D. Differential cross section for the $C^{13}(He^3, \alpha)C^{12}$ reaction at 2·00 MeV, 7=6569. See also Butler, J.W., 9=3896, 9=4979 Illsley, E.G., 7=8151; Johnston, R.L., 8=1967

Holmgren, H.D., Blair, J.M., Famularo, K.F., Stratton, T.F. and Stuart, R.V. The preparation of thin targets of carbon and oxygen, 5=2163

Holmgren, H.D., Bullock, M.L. and Kunz, W.E. Angular distributions of protons from $Be^9(He^3, p)B^{11}$, 6=659. Differential cross sections for the $Be^9(He^3, p)B^{11}$ reaction, 7=2626

Holmgren, H.D., Geer, E.H., Johnston, R.L. and Wolicki, E.A. $C^{13}(He^3, \alpha)C^{12}$ angular distributions at 4.5 MeV, 7=5613

Holmgren, H.D. and Johnston, R.L. $H^3(\alpha, \gamma)Li^7$ and $He^3(\alpha, \gamma)Be^7$ reactions, 9=7350

Holmgren, H.D., Wolicki, E.A. and Johnston, R.L. $B^{11}(He^3, p)C^{13}$ and $B^{11}(He^3, d)C^{12}$ reactions, 9=10116

Holmstrom, F.E. See Barrett, W.A., 9=4925

Holmwood, W.A. See Pritchard, B.S., 5=8591

Holøien, E. On the stability of the negative lithium ion, 5=1015*. Note on a search for simple analytic wave functions for configurations $(1s)^2(2s)$ and $(1s)^2(2s)^2$ in atoms and ions from He to C, 5=5589. Further remarks on atomic component orbitals for the configurations $(1s)^2(2s)$ and $(1s)^2(2s)^2$, 6=8333. Radial configurational interaction in helium and similar atomic systems, 7=2562. The $(2s)^{2\,1}S$ state solution of the non-relativistic Schrödinger equation for helium and the negative hydrogen ion, 8=1993. On the $(2p)^{2\,1}S$ state solution of the non-relativistic Schrödinger helium equation, 8=7425. Search for metastable states of the doubly excited negative hydrogen ion, 9=715. Electron affinity of atomic lithium, 9=3957. The use of the associated Laguerre functions in the method of configurational interaction, 9=10154

Holøien, E. and Midtdal, J. On a metastable energy state of the negative helium ion, 5=9021

Holonyak, N., Jr. An observation of circular patterns in the vicinity of small-area alloyed germanium p-n junctions, 5=3253

Holonyak, N., Jr, Lesk, I.A., Hall, R.N., Tiemann, J.J. and Ehrenreich, H. Direct observation of phonons during tunnelling in narrow junction diodes, 9=13284

Holonyak, N., Jr and Letaw, H., Jr. Sparked hydrogen treatment of germanium surfaces, 5=4652

Holroyd, L.V. See Bickel, P.W., 5=356; Cave, E.F., 5=1733

Holser, W.T. Proposed structure of certain spinels at high temperature, 5=5752. Packing in framework structures, 7=842

Holstein, T. Optical and infrared volume absorptivity of metals, 5=852. Theory of ultrasonic absorption in metals: the collision-drag effect, 9=4393. See also Kjeldaas, T., Jr, 9=11942

Holt, D.A., Alfrey, G.F. and Wiggins, C.S. Grain boundaries and electroluminescence in gallium phosphide, 8=1622

Holt, E.H. See Takeda, S., 9=11166

Holt, J.R. Nuclear data from deuteron stripping, 5=6457. Stripping and pick-up reactions — experimental, 8=1963; See also Culligan, G., 8=277, 9=3757; Harting, D., 8=4227

Holt, J.R., Kluyver, J.C. and Moore, J.A. The elastic scattering of 380 MeV protons by protons. II. At angles less than 30°(c.m.), 8=4228

Holt, M. The initial behaviour of a spherical explosion. I. Theoretical analysis, 6=3568; II. Application to P.E.T.N. charges in air and water, 6=3569. See also Berry, F.J., 5=1620

Holt, N. High transmission mechanical neutron-monochromator for filtering of higher order reflections, 7=2713

Holt, R.B. See Bryan, R.B., 7=5434

Holtan, H., Jr. Thermoelectric phenomena in galvanic cells, 5=4149

Holte, G. On the spatial distribution of neutrons slowed down in carbon and water, 5=3146

Holtebekk, T. See Andersen, S.L., 8=4300, 8=6290, 9=8578

Holtermann, I. See Politycki, A., 8=4468

Holthuizen, D.J. See also Bruin, M., 8=8248; Jongejans, B., 7=8711

Holthuizen, D.J., Lim, T.G. and Bosgra, S.J. Energy distribution of decay pions of some t^+-mesons, 7=9417

Holton, G. Syllabus for the one-year college course in physical science, 8=23

Holtsmark, J., Lothe, J., Tjøtta, S. and Romberg, W. A theoretical investigation of sound transmission through horns of small flare, with special emphasis on the exponential horn, 7=3096

Holuj, F. and Petch, H.E. The nuclear magnetic resonance spectrum of Na^{23} in $NaH_2PO_4 . 2H_2O$, 7=2801. A study of the boron sites in colemanite, $CaB_3O_4(OH)_3 . H_2O$, 8=5481

Holȳk, O.Z. and Rȳndȳch, N.A. Viscosity and structure of liquid solutions of zinc, cadmium, tin, bismuth and lead in mercury, 8=6688

Holyński, R. See Ciok, P., 8=5090, 9=3930

Hölz, R. and Löb, H. Investigations on a high-frequency ion source, 9=2414

Holzapfel, L. Fibre crystal formation by sonic polymerization in glasses, 5=3154

Holzapfel, L. and Schriever, K. Orientation produced by sound vibration in silica gel, 7=3797

Hölzer, R.E. and Deal, O.E. Low audio-frequency electromagnetic signals of natural origin, 6=5567

Hölzl, J. The specific heat Cp of antiferromagnetic mixed crystals MnO–CoO, 8=6931

Holzman, G.R., Anderson, J.H. and Koth, W. Spin-lattice relaxation time of the Si^{29} nucleus in pure fused silica, 5=6303

Holzman, G.R., Lauterbur, P.C., Anderson, J.H. and Koth, W. Nuclear magnetic resonance field shifts of Si^{29} in various materials, 6=8900

Holzmann, R.T. and Morris, W.F. Some precursors produced in the electrodeless discharge synthesis of B_2Cl_4, 9=898

Holzmüller, W. Magnetic after-effect phenomena, 7=535

Holzmüller, W. and Grohe, J.H. Calorimetric measurement of tan δ in the metre wavelength range, 8=3975

Holzmüller, W. and Kampf, T. Magnetization and coercive force of nickel–zinc ferrites especially with added impurities, 9=9773

Homiakov, K.G., Holler, V.A. and Troshkina, V.A. On the question of specific heat and nature of transformation of $MgCd_3$, 6=3694

Hommelen, J.R. See Defay, R., 9=2132

Hon, J.F. and Bray, P.J. Nuclear quadrupole coupling constants of Li^7 in lithium compounds, 8=5475. Nuclear magnetic resonance studies of dislocations in NaI and KI, 9=12499

Honda, K. On the breakdown potential of highly ionized gases, 7=1326. On the properties of long-gap streamers, 8=7640

Honda, K. and Naito, Y. On the nature of silent electric discharge, 6=1274*

Honda, N. See Matsubara, T., 7=7061

Honda, T. Research on the high-frequency surface discharge, 8=3156

Hone, M.A. See Horton, C.C., 7=479

Honerjäger, R. See Fitzky, H.G., 8=6849

Hones, E.W., Jr. Antiparticles in space, 9=11729

Honeycombe, R.W.K. Some observations on the fatigue of silver chloride, 8=3523

Honig, A. Polarization of arsenic nuclei in a silicon semiconductor, 5=2007. See also Combrisson, J., 6=7546

Honig, A. and Combrisson, J. Paramagnetic resonance in As-doped silicon, 6=5242

Honig, A. and Kip, A.F. Electron spin resonance of an impurity level in silicon, 5=387

Honig, A., Mandel, M., Stitch, M.L. and Townes, C.H. Microwave spectra of the alkali halides, 5=189

Honig, H. and Stupp, E. Electron spin–lattice relaxation in phosphorus-doped silicon, 9=2933

Honig, J.M. Electron trap distributions in phosphors, 5=203. Determination of adsorption energy heterogeneity of solid surfaces, 6=767. Use of interpolation theory in the analysis of gas adsorption isotherms. III. Application to low-temperature data, 6=4728. Use of interpolation theory in the study of phosphorescence, 7=7774. Application of order–disorder concepts to kinetics of diffusionless transitions in solids, 8=6916

Honig, J.M. and Rosenbloom, P.C. Use of interpolation theory in the analysis of gas adsorption isotherms, 5=5057. Use of interpolation theory in the analysis of gas adsorption isotherms. II. Estimation of certain parameters, 6=770

Honig, R.E. On the heats of sublimation and evaporation of germanium, 5=261. Sublimation studies of silicon in the mass spectrometer, 5=262. Vapor pressure data for the more common elements, 7=7823. Sputtering of surfaces by positive ion beams of low energy, 8=8823. See also Drowart, J., 7=1969

Honjo, G. See also Hibi, T., 5=3292

Honjo, G. and Kitamura, N. A method of eliminating the primary extinction effect in electron diffraction, 9=7653

Honjo, G., Kitamura, N., Shimaoka, K. and Mihama, K. Low temperature specimen method for electron diffraction and electron microscopy, 6=5445

Hönl, H. Ostwald's system of pigments in relation to the trichromatic theory of Young and Helmholtz, 5=2647-8

Hönl, H. and Maue, A.W. On the gravitational field of a rotating mass, 6=2630

Honnold, V.R. See Silver, M., 6=7795

Honsaker, J., Karr, H., Osher, J., Phillips, J.A. and Tuck, J.L. Neutrons from a stabilized toroidal pinch, 8=779

Hontoy, P. and Janssens, P. Methods of "Analysis Situs" in the solution of non-linear differential equations, 7=5790

Hood, G.C., Redlich, O. and Reilly, C.A. Ionization of strong electrolytes. III. Proton magnetic resonance in nitric, perchloric, and hydrochloric acids, 5=3222. Ionization of strong electrolytes. IV. Nuclear magnetic resonance and dissociation of trifluoroacetic acid, 6=1693

Hood, G.C. and Reilly, C.A. Ionization of strong electrolytes. V. Proton magnetic resonance in sulfuric acid, 8=3539; VI. Nuclear magnetic resonance and dissociation of heptafluorobutyric acid, 8=3540

Hooge, F.N. See also Ketelaar, J.A.A., 5=3577, 5=6004, 6=248, 6=3601

Hooge, F.N. and Ketelaar, J.A.A. Simultaneous vibrational transitions, 7=8748

Hoogenboom, A.M. Investigation of the $Si^{30}(p,\gamma)P^{31}$ reaction. Introduction of the sum-coincidence method, 9=1762

Hoogenstraaten, W. Non-electronic energy migration in phosphors, 9=9454. Electron traps in zinc sulphide phosphors, 9=9474. See also Diemer, G., 6=7406, 9=6256

Hoogsteen, K. The structure of crystals containing a hydrogen-bonded complex of 1-methylthymine and 9-methyladenine, 9=13955

Hooke, F.H. See Blunden, W.R., 7=6942

Hooke, W.M. Magnetic moments of strongly deformed odd–odd nuclei, 9=13601. See also Reynolds, J.B., 8=7297

Hooker, W., Lapp, M., Weber, D. and Penner, S.S. Multiple-path technique for the determination of physico-chemical data behind shock fronts, 7=3122

Hooker, W.J. See Thomson, A., 9=13166

Hoop, A.T. de. See de Hoop, A.T.

Hooper, C.W., Seeds, W.E. and Stokes, A.R. Photographic preparation of masks of large molecules for the Lipson diffractometer, 5=6625

Hooper, E.B., Jr. See Brown, B., 8=5161

Hooper, H.O. See also Bray, P.J., 8=9092

Hooper, H.O. and Bray, P.J. Pure quadrupole resonance determinations of molecular charge distributions. II. Substituted pyrimidines, 9=8370

Hooper, J. See Davies, J.H., 6=3270*

Hooper, J.E. See Bhowmik, B., 7=8866; Bøggild, J.K., 5=4961, 5=8281, 7=1643. Brene, N., 7=3702

Hoople, G.D. See Davis, H., 8=5568

Hooton, D.J. A new treatment of anharmonicity in lattice thermodynamics. I, 5=5081; II, 5=5082. Some vibrational properties of solid helium, 5=5369. A note on the interatomic and lattice potentials in solid helium, 5=7907. Anharmonic lattice vibrations and the linear chain, 5=8944. The use of a model in anharmonic lattice dynamics, 8=1306. See also Allcock, G.R., 8=5618. Born, M., 6=96, 7=122

Hooton, J.A. and Merz, W.J. Etch patterns and ferroelectric domains in $BaTiO_3$ single crystals, 5=5706

Hoover, J.I. See also Gordon, C.M., 7=4475

Hoover, J.I. and Dohne, C.F. Response of activated borazole to radiation, 5=1004

Hoover, R.M. High power operation of a magnetostrictive transducer, 6=3577. See also Urick, R.J., 7=4082

Hooyman, G.J. Some remarks concerning the thermodynamics of diffusion phenomena, 5=7745. Thermodynamics of diffusion in multicomponent systems, 6=8155. Thermodynamics of sedimentation in paucidisperse systems, 6=8156

Hooyman, G.J. and de Groot, S.R. Phenomenological equations and Onsager relations. The case of dependent fluxes or forces, 5=3704

Hooyman, G.J., de Groot, S.R. and Mazur, P. Transformation properties of the Onsager relations, 5=6097

Hooyman, G.J., Mazur, P. and de Groot, S.R. Coefficients of viscosity for a fluid in a magnetic field or in a rotating system, 5=5910

Hope, E.R. Spiral patterning of solar corpuscular precipitation, 6=5555. Linear secular oscillation of the northern magnetic pole, 8=4540. Rotation, pulse-disturbance, and drift in the geomagnetic secular variation, 8=4541. Westward drift and cyclic secular variation, 8=4542

Hope, J. Nuclear spin–orbit energy for oscillator wave functions, 7=6424. See also Skinner, N.J., 9=4138

Hope, J. and Longdon, L.W. Tensor operator methods and the tensor force, 6=1857. Tensor operator methods and the two-body spin–orbit interaction, 6=6068

Hopfield, J.J. Theory of the contribution of excitons to the complex dielectric constant of crystals, 9=3419

Hopkins, B.E. See Allen, N.P., 6=4049

Hopkins, B.J. and Vick, F.A. Thermionic and related properties of calcium oxide, 8=6008

Hopkins, G.R. and Jamieson, C.P. Measurement of the Xe^{135} cross-section and U^{235} fission yield of I^{135}, 8=7396

Hopkins, H.H. Interferometric methods for the study of diffraction images, 5=6960. The frequency response of a defocused optical system, 5=7813. The frequency response of optical systems, 6=6498. The aberration permissible in optical systems, 7=5966. Applications of coherence theory in microscopy and interferometry, 7=6057. Geometrical-optical treatment of frequency response, 8=942. The numerical evaluation of the frequency response of optical systems, 8=1587

Hopkins, H.H. and Kapany, N.S. Transparent fibres for the transmission of optical images, 5=3541

Hopkins, I.L. and Hamming, R.W. On creep and relaxation, 8=2692;

Note on paper, 8=6463

Hopkins,J.C. See Gerhart,J.B., 9=9940; Penning,J.R., 7=2572

Hopkins,J.I. Low-energy X-ray attenuation measurements for elements of low atomic number, 9=7049. See also Achor,W.T., 9=7325; Dicks,J.B., 6=438; Frey,W.F., 9=5780; Gardner,G., 6=2368; Harrison,G.R., 6=3766

Hopkins,M.R. The thermal and electrical conductivities of metals at high temperatures, 7=4321. Viscous flow between rotating cylinders and a sheet moving between them, 8=901

Hopkins,M.R. and Griffith,R.L. The determination of the Lorenz number at high temperatures, 8=6957

Hopkins,R.E. Telescope doublets, 9=4417. See also Carpenter,V., 6=7258. Kapany,N,S., 7=7708. Korones,H.D., 9=10739

Hopkins,R.E. and Lauroesch,T. Automatic design of telescope doublets, 6=279

Hopkins,R.E., McCarthy,C.A. and Walters,R. Automatic correction of third-order aberrations, 5=5969

Hopkins,R.L. Light diffracting striations in silicon, 9=227

Hopkins,R.L. and Clarke,E.N. Thermal acceptors in vacuum heat-treated germanium, 6=2099

Hopkinson,R.G. Glare discomfort and pupil diameter, 6=7911. Light energy and brightness sensation, 7=3865, 7=8328. Evaluation of glare, 7=8955

Hopkinson,R.G. and Petherbridge,P. Sky luminance measurements, 6=7890

Hoppe,W. Determination of the orientation of organic molecules by means of diffuse X-ray scattering, 6=1753. The interpretation of diffuse thermal-wave scattering outside the reciprocal region covered by crystal reflections, 7=3831. The determination of accurate heavy-atom parameters in isomorphous acentric crystals, 9=13918

Hoppel,C.J. See Greanias,E.C., 7=3

Hopper,E.H. See DeMarcus,W.C., 5=7751

Hopper,V.D. See also Laby,J.E., 7=7996

Hopper,V.D. and Laby,J.E. Electron background in imported G5 emulsions, 6=5591

Hopper,V.D., Laby,J.E. and Lim,Y.K. Heavy primary interactions in water loaded emulsions, 8=1762

Hoppes,D.D. See also Ambler,E., 7=9849, 8=1243, 8=7339; Hayward,R.W., 5=4021, 6=3140, 7=2571, 9=4989, 9=5023; Wu,C.S., 7=5593

Hoppes,D.D. and Hayward,R.W. Radiative electron capture in cesium-131, 7=1559

Hoppmann,H. Apparatus for checking the proportionality of response of physical receptors of radiation, 9=11982

Hoppmann,W.H.,II. Some characteristics of the flexural vibrations of orthogonally stiffened cylindrical shells, 8=6728, 8=8635

Hopwood,W. See also Wilkes,A., 6=1327

Hopwood,W., Peacock,N.J. and Wilkes,A. A study of ionization coefficients and electrical breakdown in hydrogen, 6=4468

Hora,H. See Görlich,P., 8=3134, 9=334

Horai,K. See Hukuda,K., 9=7181; Matumura,O., 9=13454

Horak,H.G. See Lundquist,C.A., 5=5202

Horák,J., Machovec,M. and Kosek,F. Zinc telluride as a semiconductor, 9=8099

Horák,Z. Calculations of the excited states of atoms, 5=5090. See also Krupka,F., 9=8059

Hordon,M.J., Lement,B.S. and Averbach,B.L. Influence of plastic deformation on expansivity and elastic modulus of aluminum, 8=6451

Horen,D.J. Decay of the radioisotopes Ge^{68} and Ga^{68}, 9=4998. See also Brun,E., 7=9842

Horen,D.J. and Meyerhof,W.E. Decay of copper-66, 9=608

Horen,D.J., Meyerhof,W.E., Kraushaar,J.J., Wells,D.O., Brun,E. and Neighbor,J.E. Decay of As^{74}, 9=6073

Hori,I. See Tuzi,Z., 8=3906

Hori,J. On a relation between fluctuation-dissipation theorem and irreversible thermodynamics, 7=7839. See also Saitô,N., 9=10938

Hori,J. and Asahi,T. On the vibration of disordered linear lattice, 9=11555

Hori,S. On the determination of the spins of Λ^0 and θ^0 particles, 7=7427. See also Öneda,S., 7=745-7; Segawa,H., 8=1498

Hori,S. and Wakasa,A. Individual mass reversal and parity non-conservation, 7=8385

Horie,C. Second sound in superfluid Ne^3-He^4 mixtures, 5=5372. Plasma oscillation in degenerate electron gas, 9=5834

Horie,H. See also Arima,A., 5=451, 5=4872*, 9=11417; Obi,S.Y., 5=4283; Sherr,R., 6=1513

Horie,H. and Arima,A. Configuration mixing and quadrupole moments of odd nuclei, 5=9009

Horie,T., Kawabe,K. and Sawada,S. Optical behaviour of multidomain single crystal of $BaTiO_3$ in dependence on temperature, 5=2614

Horie,T., Kawabe,K., Tachiki,M. and Sawada,S. Thermal transition of transparency in ferroelectric single crystal of barium titanate, 5=7901

Horie,T., Nagura,T. and Otsuka,M. Abnormal rotation in radiative collision of electrons with water molecules, 7=2480. Radiative collisions between electronic and molecular beams. I. Angular momentum distribution among OH* radicals resulting from H_2O molecules, 7=4451. II. Angular momentum distribution of OH* radicals splitting from H_2O_2 molecules, 8=7470; III. Angular momentum distribution of OH* radicals liberated from alcohol molecules, 8=7471

Horie,T., Watanabe,S. and Kurata,K. Statistical interpretation for abnormal rotation of OH* split from H_2O_2 by electron impact, 9=12743

Horiguchi,O. See Oshida,I., 6=5504

Horiuchi,K. Electromagnetic fields due to current flowing parallel to interface of two different media, 8=5129

Hörl,E. and Stangler,F. Images in the point-emission electron microscope due to the presence of organic vapours, 6=5925

Hörl,E.M. Electron bombardment of solid acetone, 9=12118. Light emission from solid nitrogen during and after electron bombardment, 9=12120. See also Peyron,M., 9=7484

Hörl,E.M. and Marton,L. Cryostat for electron bombardment and electron diffraction work, 9=3405

Horlitz,G. See Ehrenberg,H.F., 5=2093; Lundén,A., 7=639

Horn,D.D. Van. See Van Horn,D.D.

Horn,F.H. Densitometric and electrical investigation of boron in silicon, 5=4642. See also Taft,E.A., 8=3626

Horn,P. Contribution to the study of the scattering of light by solutions of anistropic macromolecules, 5=7876

Horn,R.E. See Chin,N.B., 6=852

Hornbeck,J.A. See also Haynes,J.R., 6=351, 7=7924

Hornbeck,J.A. and Haynes,J.R. Trapping of minority carriers in silicon. I. P-type silicon, 5=2750

Hornberg,H. See Weizel,W., 7=9221

Hornberg,K.O. See Barsis,A.P., 5=5786

Hornbostel,J. and Salant,E.O. Capture of negative K mesons, 5=6491. Further observations of negative K mesons, 5=9124. Interactions of negative K mesons, 6=4667

Hornbostel,J., Salant,E.O. and Zorn,G.T. Yields of K^+ and K^- mesons produced by 1.7 to 3 BeV protons, 9=2652

Hornbostel,J. and Zorn,G.T. Observation and analysis of K^- interactions, 8=705

Horn-D'Arturo,G. A new type of telescope mirror, 6=6293

Horne,B.H. Van. See Van Horne,B.H.

Horne,R.A. Effect of oxide impurities on the thermoelectric powers and electrical resistivities of bismuth, antimony, tellurium and bismuth–tellurium alloys, 9=7013

Horne,R.W. See also Cosslett,V.E., 8=1341; Hirsch,P.B., 7=2819

Horne,R.W. and Ottewell,R.H. Electron microscope studies on colloidal silver iodide employing cinematographic techniques, 8=1363

Horner,F. A table of a function used in radio-propagation theory, 5=2037. Radio noise from planets, 8=3637. Polarization of atmospherics, 8=7217

Horner,F. and Clarke,C. Some waveforms of atmospherics and their use in the location of thunderstorms, 5=10132. Radio noise from lightning discharges, 8=3614

Hornig,A.W., Jaynes,E.T. and Weaver,H.E. Observation of paramagnetic resonances in single crystals of barium titanate, 5=2006

Hornig,A.W., Rempel,R.C. and Weaver,H.E. Interpretation of electron paramagnetic resonance in $BaTiO_3$, 9=1423. Electron paramagnetic resonance in single crystals of $BaTiO_3$, 9=7187

Hornig,D.F. See also Andersen,W.H., 6=3570; Ferriso,C.C., 5=8619; Flook,W.M.,Jr, 5=5916; Haas,C., 7=5538; Hiebert,G.L., 7=9135, 8=1609, 8=2667; Mullhaupt,J.T., 6=2797; Palmer,H.B., 7=4830; Plumb,R.C., 5=6002; Reding,F.P., 5=865, 5=6000, 8=118; Wray,K.L., 6=7574, 7=1480

Hornig,D.F. and Hiebert,G.L. Structure and molecular interaction in HX–DX mixed crystals, 8=3434

Hornig,D.F. and McKean,D.C. Bond moments and molecular structure, 6=7582

Hornig,D.F. and Osberg,W.E. Infrared spectrum and the structure of the low-temperature phases of crystalline HCl, HBr, and HI, 5=5320

Hornig,D.F. and Plumb,R.C. Vibrational spectra of molecules and complex ions in crystals. IX. Boric acid, 7=6001

Hornig,J.F. and Hirschfelder,J.O. Magnetic shielding of nuclei in molecules by a variational method, 5=4843. Concept of intermolecular forces in collisions, 6=7207

Hornig,J.F., Huber,W. and Kuhn,H. Nature of the free electron approximation: the simple example of the H_2^+ ion, 7=4597

Hornig,W.A. See Birkhoff,G., 8=7740

Hornstra,J. Dislocations in the diamond lattice, 9=1871. See also van Bueren,H.G., 9=801

Hornstra,J. and Penning,P. Birefringence due to residual stress in silicon, 9=8013

Hornyak,W.F. See also Coor,T., 5=7377; Sherr,R., 6=1513

Hornyak,W.F. and Sherr,R. Inelastic scattering of 19-MeV protons by O^{16}, 6=1565

Horowitz,J. The reactions (d,p), (d,n) and the "stripping" mechanism. I. Theory, 7=7381. On the theory of stripping reactions, 8=1962. See also Abragam,A., 5=6305; Bloch,C., 9=1076; Raievski,V., 6=4029

Horowitz,M. Efficient use of a picture correlator, 7=7529. See also Diamantides,N.D., 7=6762; Tomlinson,N.P., 5=2458

Horowitz,N. See Brabant,J.M., 6=3785

Horowitz,R. See also LaGow,H.E., 9=3003

Horowitz,R. and LaGow,H.E. Upper air pressure and density measurements from 90 to 220 kilometers with the Viking 7 rocket, 8=4553. Summer-day auroral-zone atmospheric-structure measurements from 100 to 210 kilometers, 9=4126

Horridge,G.A. A polarized light study of glass fibre laminates, 5=8667

Horsford,A. See Barber,C.R., 9=13234

Horsley,G.S. See Cook,M.A., 6=2494, 6=2747

Horsley,R.J. See Bergsteinsson,J.L., 8=7078

Horst,D.T.J. ter. See ter Horst,D.T.J.

Horstmann,M., Meyer,G. and Raether,H. Measurement of the intensities of elastically and inelastically scattered electrons with a retarding-field arrangement, 9=8917

Horton,C.C. The temperature coefficient of homogeneous spherical reactors, 7=1633. The theory and practice of shielding, 7=4748. A note on the slowing-down area in iron, 7=9928. Reactor shielding analysis, 9=11697. See also Fenning,F.W., 7=735

Horton,C.C., Harrison,J.R., Mills,A.M. and Hone,M.A. Some observations on γ-ray scattering round a shadow shield in water, 7=479

Horton,C.W. On the use of Gram-Charlier series to represent noise, 6=6289. Acoustic properties of the ocean bottom at Bahia Todos Santos, Lower California, 7=4062

Horton,C.W. and Sobey,A.E.,Jr. Studies on the near fields of monopole and dipole acoustic sources, 9=1208

Horton,G.K. On the temperature dependence of the elastic constants of a cubic lattice, 7=7461. See also Betts,D.D., 7=1734; Bhatia,A.B., 5=6996

Horton,G.K. and Phibbs,E. Effect of nuclear charge on internally produced pairs, 5=1169

Horton,G.K. and Schiff,H. Low-temperature behavior and dispersion relations of face-centered cubic metals, 7=1732 Low temperature behavior of Debye characteristic temperatures, 9=772

Horton,J.W. Alpha-gamma angular correlation in Bi^{212} (ThC), 6=2354. See also Anderson,A.G., 6=4587

Horton,W.S. Least-squares calculation of OVFF force constants for XY_4 tetrahedral molecules, 6=518

Horváth,J.I. An asymptotical method for the calculation of eigenfunctions, 5=2435. Contribution to the final affine field law, 5=7666. Contributions to the unified theory of physical fields, 6=8566. Contribution to Stephenson–Kilmister's unified theory of gravitation and electromagnetism, 7=67. On the theory of the electromagnetic field in moving dielectrics, 7=5022. On the geometrization of the electromagnetic field, 8=6063. On the energy–momentum tensor of the electromagnetic field in a moving dielectric, 8=7199. An axiomatization of Maxwell's theory of the electromagnetic field, 9=1592. New geometrical methods of the theory of physical fields, 9=4269

Horwitz,L. and Friedman,J. Fluorescence quenching by blue and yellow light in a sensitized photographic emulsion, 5=9578

Horwitz,L.P. Nonlinear coupling in low-energy meson theory, 8=1519

Horwitz,N. Čerenkov counter flux measurement of cosmic-ray alphas at 41°, 5=4770. See also Brabant,J.M., 6=5977; Linsley,J., 5=8043

Horwitz,N., Miller,D., Murray,J. and Tripp,R. Low-energy antiproton interactions in hydrogen and deuterium, 9=13552

Hosemann,R. Paracrystalline structures, 5=3273. A new fine line focus X-ray tube, 6=2159. The evaluation of X-ray low-angle scattering by means of Fourier analysis, 7=895. See also Barth,H., 9=6373

Hosemann,R. and Bagchi,S.N. Determination of the Lorentz-invariant structure of the Green function of the so-called general wave equation by means of Faltung operations in Minkowski space and its Fourier space, 5=710. Quantum mechanics as diffraction phenomenon of guiding waves. I. The properties of a spin-free particle, defined by four principles, 6=927. II. The principles of classical mechanics and quantum mechanics as degenerate cases, 6=928 III. Maxwell radiation theory and Schrödinger wave mechanics as degenerate cases. Nuclear physics and experimental test of the new theory, 6=4217. Correspondence between the Kepler problem of classical mechanics and the Schrödinger eigenfunctions of the hydrogen atom, 6=5701

Hosemann,R. and Bonart,R. The fundamentals of diffraction microscopy, 7=3836

Hosemann,R., Bonart,R. and Schoknecht,G. The fold polynomial and the lattice factor for a paracrystalline lattice, 7=6739

Hosemann,R. and Schoknecht,G. X-ray analysis of crystal structure with fold integrals. I. Method of calculation and information analysis, 9=6374

Hoshino,S. Crystal structure and phase transition of some metallic halides. III. Structure anomaly in α-Ag_2HgI_4, 5=10093. Crystal structure and phase transition of some metallic halides. IV. On the anomalous structure of α-AgI, 9=9031. See also Miyake,S., 8=7606; Pepinsky,R., 9=1417, 9=2304, 9=3425

Hoshino,S., Mitsui,T., Jona,F. and Pepinsky,R. Dielectric and thermal study of tri-glycine sulfate and tri-glycine fluoberyllate, 8=5861

Hoshino,S., Okaya,Y. and Pepinsky,R. Crystal structure of the ferroelectric phase of $(\text{glycine})_3.H_2SO_4$, 9=13958

Hoshino,S., Vedam,K., Okaya,Y. and Pepinsky,R. Dielectric and thermal study of $(NH_4)_2SO_4$ and $(NH_4)_2BeF_4$ transitions, 9=6265

Hoskin,N.E. The interaction of two identical spherical colloidal particles. I. Potential distribution, 6=7792

Hoskin,N.E. and Levine,S. The interaction of two identical spherical colloidal particles. II. The free energy, 6=7793

Hosking,R.H. The mean thickness of night-time E_S clouds at Brisbane, 7=9475

Hoskins,R. Paramagnetic resonance in semiquinone ions of substituted o-benzoquinones, 6=1381. Electron spin resonance in free radicals derived from diarylamines, 7=2496

Hoskins,R. and Wiener,G. Ferromagnetic resonance in iron-nickel alloys, 5=1052

Hoskins,R.H. Two-level maser materials, 9=9827

Hoskins,R.H. and Loy,B.R. Paramagnetic resonance in solutions of oxidized pyrogallol, 6=1386

Hoskins,R.H., Pastor,R.C. and Trigger,K.R. Crystal constituent effects. I. Paramagnetic resonance of $NiM^{IV}F_6.6H_2O$, 9=7179. II. Paramagnetic resonance of Ni^{+2} in double nitrates, 9=11244

Hosler,W.R. See Blunt,R.F., 5=948-9, 6=1234; Breckenridge,R.G., 5=947, 5=3766; Frederikse,H.P.R., 6=5882, 7=9691, 8=4988, 8=5893-4

Hosoya,S. Successive orientational transitions with the discontinuous model, 5=7503. On the polygonized domain pattern in bent and annealed NaCl crystals visualized by colour centre colloids, 7=8256

Hosova,S., Satake, S. and Takagi,S. On the polygonization of rock salt crystals, 7=8255

Hospel,P.A.M. See Prins,J.A., 6=8485

Hossain,A. Proton–proton scattering at medium-high energies, 8=3292. See also Burge,E.J., 6=3100; Freemantle,R.G., 5=1190; Fujimoto, Y., 5=7282

Hossain,A. and Kamal,A.N. Energy levels in fluorine-19 nucleus, 8=308. Scattering of 9.5 MeV proton by nitrogen, 9=8589

Hossain,A. and Prowse,D.J. On the 7.7 MeV level of carbon 12, 7=8778

Hossain,A. and Syeduzzaman. Optical model analysis of proton scattering on some light nuclei, 8=5195

Hosszu,M. A comment on the communication of H.Wundt: "On a functional equation of heat conduction", 5=7888

Hostettler,H.U. See Clusius,K., 8=907, 9=7404-5
Hotinli,M. Note on the foreshortening of sunspots, 6=16
Hottenrott,H.G. See Bachman.C.H., 9=6574
Houard,J.C. See Jouvet,B., 9=13697
Hough,J.M. See Garlick,G.F.J., 9=6228; Reynolds,J.A., 7=8583
Hough,P.V.C. See also Bach,D.R., 6=6157, 6=7473; Bilaniuk,O.M., 8=8266
Hough,P.V.C., Koenig,J.A. and Williams,W. Scanner recognizes atomic particle tracks, 9=11327
Houghton,A. See Chester,G.V., 9=6243
Houghton,H.G. Cloud physics, 9=5279
Houghton,J. See also Banbury, P.C., 5=1833, 5=3735
Houghton,J. and Banbury,P.C. Influence of carrier concentration disturbances on the Ettingshausen effect, 7=7895
Houghton,J.T. The emissivity of the earth's surface, 9=11656. See also Brewer,A.W., 6=7883, 7=8324
Houghton,J.T., Moss,T.S. and Chamberlain,J.P. An airborne infra-red solar spectrometer, 9=6
Houghton,J.T., Moss,T.S., Seeley,J.S. and Hawkins,T.D.F. Some observations of the infrared solar spectrum from a high-flying aircraft, 8=860
Houk,N.B. See Wilkinson,P.G., 6=4296
Houriet,A. Method of non-separable fields [champs adhérents], 8=4730
House,A.S. See also Fairbanks,G., 6=6487; Flanagan,J.L. 7=3109; Stevens,K.N., 5=6853, 6=6478
House,A.S. and Stevens,K.N. Auditory testing of a simplified description of vowel articulation, 5=9516
House,H. Dielectric strength of organic liquids, 6=313. High-field conduction currents in hexane, 8=615. See also Morant,M.J., 6=2164
Houska,C.R., and Averbach,B.L. Neutron irradiation effects in a copper—aluminium alloy, 9=13800. Diffuse X-ray scattering in powder patterns arising from static displacements in cubic solid solutions, 9=13909
Houska,C.R. and Warren,B.E. X-ray study of the graphitization of carbon black, 5=1366
Houslip,R.C. See Underwood,C.R., 6=2721
Houston,E. See Duff, R.E., 5=8341
Houston,E.E. See Goranson,R.W., 6=1666
Houston,J.M. Theoretical efficiency of the thermionic energy converter, 9=7074
Houston,R.W. Calculating thermal utilization for large thermal reactors, 5=8264
Houston,W.V. Physics in engineering, 6=1825
Houston,W.V. and Rorschach,H.E. Motion of nuclei in liquid helium, 6=290
Houstoun,R.A. Theory of color vision, 5=8427. New chromaticity diagram, 7=8547
Housty,J. See also Clastre,J., 6=7839
Housty,J. and Clastre,J. Structure of the triclinic form of para-dichlorobenzene, 7=6749
Houtermans,F.G. The age of the earth and the universe, 5=645. See also Deutsch,S., 6=6100; Eberhardt,P., 5=6408, 5=9840; Lonati,R.D., 8=1238
Houtermans,F.G., Jäger,E., Schön,M. and Stauffer,H. Measurements of thermoluminescence as a means of investigating the thermal and radiation history of natural minerals and rocks, 9=4479
Houtermans,F.G. and Oeschger,H. A proportional counter for the measurements of weak activities involving soft β-rays, 9=9891
Houtermans,H. The activation cross-section of the thulium isotope Tm^{170} and a determination of the intensities of [its] useful radiations, 8=3383
Houtgast,J. Indication of a magnetic field of the planet Venus, 5=5827. The influence of the inner planets on the earth's magnetic field, 6=7039
Houtgraaf,H. See Gerding,H., 5=3633-4, 5=3637-8
Houtman,J. See Combee,B., 7=1821
Houven van Oordt,A.J.van der. See van der Houven van Oordt,A.J.
Houziaux,L. and Battiau,L. Scattering of light by spherical particles with a refractive index $m = 1.33$, 8=5817
Hove,J.E. Electronic density of states of graphite, 5=4831. Surface adsorption and migration energies for KCl, 5=8370. Theory of the magnetic susceptibility of graphite, 6=1358. Interstitialcy diffusion mechanism in silver chloride, 6=6209. See also Austerman,S.B., 6=1204
Hove,J.E. and McClelland,J.D. Magnetic susceptibility of neutron-damaged graphite, 7=7223
Hove,J.E. and Smith,A.W. Interpretation of the low-temperature thermal conductivity of graphite, 7=2110
Hove,L.Van. See Van Hove,L.
Hovi,V. On the thermal expansion as a function of the degree of order of atoms in binary alloys, 6=3676. X-ray studies on CsCl, CsBr, and CsCl–CsBr solid solutions, 7=9463. Velocity of sound at different temperatures in H_2, N_2, air, O_2 and CO_2, 9=5438. On the beta spectrum and disintegration energy of Sr^{90} and Y^{90}, 9=6084. On the radioactive beta disintegration energy of P^{32}, S^{35}, Pm^{147}, Ca^{45}, and Pr^{143}, 9=6089. On the deformation of the electron clouds of atoms and the potential energy of sodium chloride, 9=6247
Hovi,V. and Erling,Y. Electrical resistance during the isothermal aging of quenched Al–Zn alloys, 9=4561
Hovi,V. and Laakso,I. On the beta spectrum and disintegration energy of RaE, Cl^{36}, and Ni^{63}, 9=6085
Hovi,V., Mansikka,K. and Pautamo,Y. Electron density in atoms of sodium chloride according to the Fourier series and integral methods, 9=6248
Hovorka,F. See Del Duca,M., 8=2700; Penn,R., 9=13115; Saunders,F., 5=6847; Wolfe,W.R., 5=7466; Yeager,E., 9=11962
Howard,B.T., Ivey,H.F. and Lehmann,W. Voltage dependence of electroluminescent brightness, 5=1727
Howard,C.R. Speech analysis-synthesis scheme using continuous parameters, 7=3108
Howard,J.N. See also Burch,D.E., 6=5783; Clough,S.A., 9=7963; White,J.U., 6=8675
Howard,J.N., Burch,D.E. and Williams,D. Infrared transmission of synthetic atmospheres. I. Instrumentation, 6=3391. II. Absorption by carbon dioxide, 6=5563. III. Absorption by water vapor, 6=5564. IV. Application of theoretical band models, 6=5565
Howard,L.E. Iostope dilution, α-spectrometer for U and Th determination, 8=7589
Howard,L.N. and Matthews,D.L. On the vortices produced in shock diffraction, 6=6432
Howard,P.R. Correlations between ionizing $[\alpha]$ and attachment coefficients $[\eta]$ and breakdown characteristics for carbon tetrafluoride, 8=2373
Howard,R. Excitation temperatures and turbulent velocities in sunspots, 9=6460. Observations of solar magnetic fields, 9=10540. See also Schwarzschild,M., 7=8361; Weymann,R., 8=8935
Howard,R.E. Soret effect in doped ionic crystals, 8=4426
Howard,R.E. and Lidiard,A.B. Thermoelectric power of ionic conducting crystals, 8=2340. Thermoelectric power of ionic crystals, 8=4039
Howard,W.E. See Goldberg,C., 8=4977
Howard-Flanders,P. See Ebert,M., 5=9216
Howarth,C.I. See Bulmer,M.G., 8=1394
Howarth,D.J. Application of the augmented plane wave method to copper, 5=8946
Howarth,D.J., Jones,R.H. and Putley,E.H. The dependence of the Hall coefficient of a mixed semiconductor upon magnetic induction as exemplified by indium antimonide, 7=4344
Howe,H.A. (p,n) Cross sections of copper and zinc, 8=2561
Howe,H.A. and Pearce,C.A.R. Electrical dehydration of tar emulsions, 5=3231
Howe,J.A. See also Turner,T.E., 6=4572
Howe,J.A. and Goldstein,J.H. Microwave spectrum of propiolic aldehyde, 5=7856. Simple molecular orbital treatment of conjugation in chlorobenzene, 7=3504. Simple molecular orbital theory of conjugation in vinyl bromide and bromobenzene, 8=383
Howe,J.B. See Czyzak,S.J., 7=5156
Howe,J.P. Method of integrating the rate equations for free radical initiated polymerizations, 5=6569
Howe,L. and Myers,H.P. The magnetic properties of alloys having the compositions $Mn_{60}Al_xZn_{20-x}C_{20}$ and $Mn_{60}Ga_xZn_{20-x}C_{20}$, 7=5460
Howe,L.L. See Herzberg,G., 9=7943
Howe,P.G., Benton,D.P. and Puddington,I.E. London–van der Waals attractive forces between glass surfaces, 7=1694
Howe,W.E.W. New lines in the spectra of zirconium, 8=111
Howe,W.G. See Brown,W.R.J., 6=1147
Howell,B.J. Optical analog computers, 9=11710
Howell,K.M. Recurrence relations for oscillator-well radial integrals, 9=1692
Howell,K.M. and Shull,H. Single-center expansions for one-

electron systems. H_2+, 9=7452
Howell,P.A. See Dickerson,R.E., 7=6743, 7=8295
Howells,E.R. Vector maps of structures containing helical chains, 5=4200. See also Bunn,C.W., 5=438
Howells,R.G. See Grant,D.F., 9=7638
Howes,D. On the relation between the intelligibility and frequency of occurrence of English words, 7=4942
Howes,F.S. and Real,R.R. Noise origin, power, and spectra of ducted centrifugal fans, 9=1220
Howes,V.R. See also Tolansky,S., 7=6686
Howes,V.R. and Tolansky,S. Pressure crack-figures on diamond faces. I. The octahedral face, 5=7418. II. The dodecahedral and cubic faces, 5=7419
Howett,G.L. See Herrick,R.M., 7=974
Howgate,D.W. See Rexroad,H,N., 6=5303
Howland,J.J.,Jr. See Rubinson,W., 5=2139
Howland,L.P. Band structure and cohesive energy of potassium chloride, 8=2645
Howland,P.R., Scofield,N.E. and Taylor,R.A. Fast Compton scintillation spectrometer, 6=7656
Howland,W.H. See Lukesh,J.S., 6=957
Howland,W.S. See Sager,N., 7=2881
Howlett,J. The application of digital computers to nuclear-reactor design, 8=769, 8=5411
Howlett,L.E. See Carman,P.D., 5=235
Howling,D.H. Noise in magnetic recording tapes, 7=1446. Simple 60-c.p.s. hysteresis loop tracer for magnetic materials of high or low permeability, 7=3424. Analysis of a piezoelectric phonograph transducer as a function of the clamping position, 9=6647
Howling,D.H., Mendoza,E. and Zimmerman,J.E. Preliminary experiments on the temperature-wave method of measuring specific heats of metals at low temperatures, 5=4606
Hoxton,L.G. The "ratio of the specific heats" and thermodynamics, 8=600
Hoxton,L.G. and Weiss,R.A. New method of flow calorimetry, 6=1175
Hoyaux,M. Application of mercury arc theory to the design of industrial rectifiers, 7=1334
Hoyaux,M. and Gans,P. Theory of spontaneous oscillations in hot-cathode mercury-vapour tubes, 7=7136. An experimental study of spontaneous oscillations in hot cathode mercury vapour tubes, 9=4655
Hoyaux,M., Lemaitre,R. and Gans,P. Theory and probe measurements in a magnetic ion source, 5=1929
Hoyer,H.W. The hydrogen ion coulometer, 6=8446
Hoyer,W.A. and Nolle,A.W. Behavior of liquid-crystal compounds near the isotropic-anisotropic transition, 6=4242
Hoyland,P.J. See Hogarth,C.A., 8=3110
Hoyle,F. The horizon of the steady-state universe, 5=6685. Accretion heating in the Herbig-Haro objects, 7=1842. A possible cause of the ejection of material by late-type giants, 7=2944. Suggestion concerning the nature of the cosmic ray cutoff at sunspot minimum, 7=6322. Observational tests in cosmology, 7=6816. See also Baade,W., 7=3924; Burbidge,E.M., 8=861; Burbidge,G.R., 6=8551, 6=8560
Hoyle,F. and Sandage,A. The second-order term in the redshift-magnitude relation, 7=2920
Hoyle,F. and Wilson,O.C. Some theoretical aspects of H and K emission in late-type stars, 9=4235
Hoyle,M.G. See Sharp,W.T., 5=5591
Hoyt,C.K. See Guptill,E.W., 5=8560
Hoyt,R.C. Measurements with a modified Schilling sound apparatus, 6=1927
Hoyte,D.W. An optical semi-scaler, 6=1828*
Hrbek,A. and Vlasáková,L. The modification of a metallic surface after electron emission under atmospheric conditions, 9=8207
Hrdlička,J. See Blumová,V., 5=4496, 6=3514, 7=8346, 9=3258
Hrehuss,G., Neszmélyi,A. and Simonyi,K. A fast neutron time of-flight spectrometer, 9=7236
Hrianca,J. See Rothenstein,B., 9=2512, 9=2514
Hrivnák,L. A note on L.Valenta's paper: The spontaneous magnetization of a linear model of a ferromagnetic toroid in a magnetic field, 7=541. The mean free path and mobility of electrons in ionic crystals, 9=5137. The mean free path of excitons in the presence of dislocations, 9=8841
Hrostowski,H.J. Intermetallic semiconductors, 6=7400. See also Shulman,R.G., 9=814
Hrostowski,H.J. and Kaiser,R.H. Infrared absorption of oxygen in silicon, 8=2326. Absorption spectrum of arsenic doped silicon, 9=3289. Infrared spectra of heat treatment centers in silicon, 9=4032. Absorption spectrum of bismuth-doped silicon, 9=7966. The solubility of oxygen in silicon, 9=8894
Hrostowski,H.J., Morin,F.J., Geballe,T.H. and Wheatley,G.H. Hall effect and conductivity of InSb, 6=2108
Hrostowski,H.J., Wheatley,G.H. and Flood,W.F.,Jr. Anomalous optical behavoir of InSb and InAs, 5=196
Hrubecky,H.F. Experiments in liquid atomization by air streams, 9=95
Hruschka,A.A. See Daniels,W.B., 8=1554
Hrynkiewicz,A. Nuclear paramagnetic resonance, 5=5213
Hrynkiewicz,A.Z. Note on the Z-dependence of the cross-section for pair production, 5=1166
Hrȳtsenko,Yu.I. See Snitko,O.V., 8=7015
Hsia,Y. See Berger,E., 9=961-2; Sperling,H.G., 7=9996
Hsiao,C.C. Behavior of thin metal surface films under electron bombardment, 9=11572. Theory of mechanical breakdown and molecular orientation of a model linear high-polymer solid, 9=13864
Hsieh,C.L. See Uhlmann,E.M., 5=7096
Hsieh,D.Y. and Kolsky,H. An experimental study of pulse propagation in elastic cylinders, 8=2903
Hsieh,H. -C. See Siegman,A.E., 8=7081
Hsieh,S.-H. On the photodisintegration of the deuteron and p−p scattering, 7=2657. Nature of nuclear forces indicated by the photodisintegration of the deuteron. II, 7=6895
Hsieh,S.-H. and Nakagawa,M. Nature of nuclear force indicated by the photodisintegration of the deuteron, I, 7=719
Hsieh,Y.-C. See also Bloch,I., 5=445
Hsieh,Y.C. and Bloch,I. Single-body wave functions and two-body forces, 6=2693
Hsu,H.C. See Wang,T.M., 8=6441
Hsu,S.T. Theory of a new apparatus for determining the thermal conductivities of metals, 7=6091
Hsu Hsu-Yun, See also Syuĭ Syuĭ-Yun
Hsu Hwei-Piao. See Plonsey,R., 9=12149
Hu,C. See Takeda,M., 7=8819, 7=9868
Hu,C. See Kikuchi,S., 9=352; Oda,Y., 9=10099
Hu,H.-C. On some variational principles in the theory of elasticity and the theory of plasticity, 6=1655
Hu,K.-H. See Scott,A.B., 6=222
Hu,P.M. and Parsons,R.W. A thermostat using a resistance thermometer and a galvanometer-photocell amplifier, 7=7829. The viscosity and density of benzene near its freezing point, 9=81
Hu Ning. See Ning Hu
Huang,C., Kodis,R.D. and Levine,H. Diffraction by apertures, 5=3900
Huang,H.C. See Bright,A.W., 5=2772
Huang,K. Self-energy of Dirac particles, 6=1852. Internal pair creation in beta decay, 6=4610. See also Bohm,D., 7=8034; Born,M., 6=2538; Drell,S.D., 5=8032 Lee,T.D., 7=6893
Huang,K. and Low,F.E. Decay of the π meson and a universal Fermi interaction, 8=5223
Huang,K. and Yang,C.N. Quantum-mechanical many-body problem with hard-sphere interaction, 7=3008
Huang,K., Yang,C.N. and Lee,T.D. Capture of μ^- mesons by protons, 8=2486
Huang,K., Yang,C.N. and Luttinger,J.M. Imperfect Bose gas with hard-sphere interaction, 7=3009
Huang,L.Y. X-ray image converter microscopy, 8=3169
Huang,S.S. On the solution of an integral equation of astrophysical and statistical interest, 5=5195
Huang,S.-S. and Struve,O. A microphotometic study of the spectrum of Maia, 6=3453
Huaringa,M. Determination of chromium, vanadium and tungsten by activation analysis using low-level neutron sources, 6=1721
Hubbard,D. See Glaze,F.W., 8=3013
Hubbard,E.L. and Lauer,E.J. Charge distribution of oxygen and neon ions passing through gases, 5=7157
Hubbard,H.H. Some experiments related to the noise from boundary layers, 7=5147. See also Lassiter,L.W., 5=6861
Hubbard,H.W. and Johnson,M.H. Initiation of detonations, 9=7564

Hubbard,J. Plasma oscillations in a periodic potential: the one-zone theory, 5=2041. On the interaction of electrons in metals, 5=7122. The dielectric theory of electronic interactions in solids, 6=2264. The description of collective motions in terms of many-body perturbation theory, 7=8430. II. The correlation energy of a free-electron gas, 8=2798. III. The extension of the theory to the non-uniform gas, 8=2799. The instabilities of a cylindrical gas discharge with field penetration, 9=3593. Calculation of partition functions, 9=13037
Hubbard,J.C. See Ener,C., 5=2507; Seshagiri Rao,T., 5=4449; Sette,D., 5=5951
Hubbard,P.S. Nuclear magnetic relaxation of three and four spin molecules in a liquid, 8=8615
Hubbard,P.S.,Jr and Rowland,T.J. Solution of the Bloch equations for determination of relaxation times in liquids, 8=5696
Hubbell,H.H.,Jr. See Birkhoff,R.D., 6=406; Johnston,L.W., 8=6096
Hubbell,J.H. Response of a large sodium-iodide detector to high-energy X-rays, 8=7218. Spectrum of thin target bremsstrahlung bounded by a forward circular cone, 9=8613. See also Berger,M.J., 9=5987
Hubbell,J.H., Hayward,E. and Titus,W.F. Energy and angular distribution of X-rays scattered in lead, 8=7071
Hubbell,J.H. and Scofield,N.E. Unscrambling of gamma-ray scintillation spectrometer pulse-height distributions, 9=5027
Hubble,E. The law of red-shifts, 5=16
Hubbs, J.C. See also Albridge, R.G., 9=2690; Brink, G.O., 7=8108; Hobson, J.P., 5=3970, 7=1512
Hubbs, J.C. and Grosof, G.M. Spin of neon-21, 7=2540
Hubbs, J.C. and Marrus, R. Hyperfine structure measurements on neptunium-239, 8=6351
Hubbs, J.C., Marrus, R., Nierenberg, W.A. and Worcester, J.L. Hyperfine structure measurements on plutonium-239, 8=1994
Hubbs, J.C., Marrus, R. and Winocur, J.O. Zeeman investigations of curium-242, 9=8508
Hubbs, J.C., Marrus, R. and Worcester, J.L. Nuclear spin of gallium-68, 8=4267
Hubbs, J.C., Nierenberg, W.A., Shugart, H.A. and Silsbee, H.B. Spin of rubidium-81m, 7=2541
Hubbs, J.C., Nierenberg, W.A., Shugart, H.A., Silsbee, H.B. and Sunderland, R.J. Hyperfine-structure separations and magnetic moments of Rb^{81}, Rb^{82}, Rb^{83} and Rb^{84}, 8=722
Hubbs, J.C., Nierenberg, W.A., Shugart, H.A. and Worcester, J.L. Odd-odd isotope having zero spin, 7=6449
Hubbs, R.A. See Gunter, W.D., Jr, 9=4964
Hubenet, H. Note on the influence of the helium and metal content on the pressure in the solar atmosphere, 7=2937
Huber, E.A. See Hicks, B.L., 9=98; Whittenbury, C.G., 9=10670
Huber, E.E., Jr, Smith, D.O. and Goodenough, J.B. Domain-wall structure in Permalloy films, 9=421
Huber, E.L. Breakdown processes in nitrogen, oxygen, and mixtures, 5=2814
Huber, H. and Freytag, J. Preliminary investigations on moulded cathodes based on barium salts, 5=5486
Huber, M. See Clusius, K., 5=6800, 5=9475, 9=7403; Clusius, P.A.K., 6=3127; Flood, E.A., 5=5060
Huber, O. See Brunner, J., 5=3050, 5=5613; Deeg, E., 6=1191; Joly, R., 6=602; Wild, H., 7=8656
Huber, P. Confirmation of the polarization of neutrons from the (d, d)- reaction, 5=9391. On the saturation curves of Po α-particles in CO_2, 7=4489. See also Biber, C., 6=3953; Budde, R., 5=4070; Franzen, W., 6=652, 6=3986; Hürlimann, T., 5=4069; Meyer, K.P., 9=13627; Schellenberg, L., 9=13687; Seitz, J., 5=6471; Striebel, H.R., 7=8897; von Planta, C., 7=2714; Wagner, R., 9=10129; Widder, F., 9=7116; Würger, E., 7=8794
Huber, P. and Budde, R. Analysis of scattering phases for elastic n-C^{12} scattering between 1·9 and 3·8 MeV, 5=3111
Huber, P., Meyer, K.P. and Würger, E. α - γ coincidences and the half-life of U^{235}, 6=612
Huber, W. See Hornig, J.F., 7=4597
Hubert, P. General aspects of the use of impulse fission chambers, 6=4461. See also Auclair, J.M., 5=8260-1, 6=670, 6=712; Charon, J., 7=1618; Vendryes, G., 5=2190
Hubig, W. Transmission image converter for corpuscular radiations, 9=3580. See also Möllenstedt, G., 5=3168, 9=3579
Hübner, G. and Lübcke, E. Effect of periodic spatially distributed forces on the vibrations of mechanical structures, 6=8040
Hübner, H.-J. Measurement of the surface temperature of glass heated by radiation, 5=6990
Hübner, H.J. and Kläukens, H. Investigation of the magnetic separability of oxygen and nitrogen, 8=7186
Huby, R. Phase of matrix elements in nuclear reactions and radioactive decay, 5=2165. Time reversal and the relation between angular distributions of absorption and emission processes, 8=5337. Electromagnetic excitation of nuclei by nuclear projectiles and electrons, 8=6287
Huby, R., Refai, M.Y. and Satchler, G.R. Predictions of the distorted wave theory of deuteron stripping reactions, 9=1769
Huck, R.J. The effectiveness of variational methods for inelastic scattering problems, 7=5868
Hudda, F.G. See Ehrlich, G., 8=6488, 8=8060, 9=4094
Huddar, B.B. See Venkiteshwaran, S.P., 5=4221
Huddleston, C.M. See Eggler, C., 6=5969
Hudimac, A.A. Ray theory solution for the sound intensity in water due to a point source above it, 8=2889
Hudis, J. See also Baker, E., 9=7336; Caretto, A.A., 8=9047; Friedlander, G., 5=8237; Wolfgang, R., 6=7677
Hudis, J. and Miller, J.M. Be^7 nuclei as evaporated particles in high-energy reactions, 9=7337
Hudler, H. Copying [Nachbildung] of the human hearing level, 5=3524
Hudson, A.M. Energy loss and straggling of 150-MeV electrons in Li, Be, C, and Al, 7=2310
Hudson, D.E. See Johnson, R.G., 7=2121; Savage, W.R., 9=5636; Shaw, W.C., 8=628
Hudson, G.E. The thrust on a piston driven half-open tube, 5=6821
Hudson, R.L. See Foner, S.N., 5=8871, 6=2488, 7=2358, 7=2360, 8=7588, 8=8832
Hudson, R.P. See Ambler, E., 5=1059, 5=3973, 5=8710, 6=3105, 6=5821, 6=6563, 7=3441, 7=3450, 7=5284, 7=9257, 7=9849, 8=150, 8=1243, 8=7339; de Klerk, D., 5=900; Wu, C.S., 7=5593
Hudspeth, E.L. See Bostrom, N.A., 7=4719; Rickard, J.A., 5=1200 Williamson, C.F., 8=8348
Hue, J. See also Bernard, M.Y., 7=4443, 7=5381
Hue, J. and Seiden, J. Transitions by indirect radiation, 7=7298
Huet, P. See also Colombani, A., 7=5322, 7=7099, 8=5870, 9=1446 Goureaux, G., 9=2496
Huet, P. and Colombani, A. Change of resistance with temperature of thin bismuth films, 7=5323. Magnetoresistance in thin films of bismuth, 7=7100
Hueter, T.F. Boundary losses asssociated with acoustical streaming, 8=556. See also Ballantine, H.T., Jr, 7=4920; Goldman, D.E., 6=1913, 7=5938
Hueter, T.F., Ballantine, H.T., Jr, and Cotter, W.C. Production of lesions in the central nervous systemf with focused ultrasound: A study of dosage factors, 6=4125
Hueter, T.F. and Neuhaus, D.P. Electromechanical activity of $BaTiO_3$ ceramics due to opposite polarization, 5=2713. Ultrasonic attenuation studies in biased $BaTiO_3$ ceramics, 5=4456
Hueter, T.F., Neuhaus, D.P. and Kolb, J. An experimental study of polarization effects in barium titanate ceramics, 5=135
Huetz, J. See Aubert-Huetz, M., 5=2461; Huetz-Aubert, M., 9=4392
Huetz-Aubert, Contribution to the measurement of the specific heats of gasses, 7=6138
Huetz-Aubert, M. and Huetz, J. Ultrasonic absorption and dispersion in monoatomic gases: the three sources of classical irreversibility, 9=4392
Huey, R.M. Variable permeability transmission dynamometers, 9=10643
Huff, R.W. Neutral vector meson and nucleon form factors and magnetic moments, 9=5999
Huffer, C.M. The development of photo-electric photometry, 7=3899
Huffman, F.N., Cheka, J.S., Saunders, B.G., Ritchie, R.H. and Birkhoff, R.D. Spatial distribution of energy absorbed from an electron beam penetrating aluminium, 7=5393
Huffman, R.E. See Hunt, W.W., Jr, 9=10165
Hufnagel, F. See Klages, G., 9=12216
Hugenholtz, N.M. Variational principle in quantum mechanics, 5=1554. Perturbation theory of large quantum systems, 7=8429. Perturbation approach to the Fermi gas model of heavy nuclei, 7=8767. The many-particle problem in nuclear physics, 8=7295

Hungenholtz, N.M. and van Hove, L. A theorem on the single particle energy in a Fermi gas with interaction, 8=4263

Huggett, R.W. See Burwell, J.R., 5=4971; Kim, Y.B., 5=2199; Thompson, R.W., 8=1193

Huggins, C.M. See also Courtney-Pratt, J.S., 7=7542-3

Huggins, C.M. and Pimentel, G.C. Infrared intensity of the C–D stretch of chloroform - d in various solvents, 5=6016

Huggins, C.M., Pimentel, G.C. and Shoolery, J.N. Proton magnetic resonance studies of chloroform in solution: evidence for hydrogen bonding, 5=8130

Huggins, M.L. The structure of amorphous materials, 5=4114

Huggins, M.L. and Sakamoto, Y. Lattice energies and other properties of crystals of alkaline earth chalcogenides, 9=13769

Huggins, W.H. A note on autocorrelation analysis of speech sounds, 5=149*. See also Cramer, E.M., 9=964

Hughes, A.F. and Hughes, W.R. A driving unit for a "time-lapse" ciné camera, 5=4279

Hughes, C.J. See Morris, D.W., 9=7219

Hughes, D.G. See Eades, R.G., 8=6230

Hughes, D.J. International neutron-source calibrations, 5=3151. A method for rapid analysis of neutron resonances, 6=1596. Neutrons and nuclear structure, 8=1891. See also Carter, R.S., 7=2715, 7=8269; Eisenhauer, C.M., 9=775; Fox, J.D., 8=8263; Ghose, A., 9=5131; Harvey, J.A., 5=8155, 8=8274; Levin, J.S., 6=3094; Palevsky, H., 9=11557; Pelah, I., 8=2641; Pilcher, V.E., 6=8959; Seth, K.K., 8=5272

Hughes, D.J., Brussel, M.K., Fox, J.D. and Zimmerman, R.L. Strengths of high-energy capture gamma rays in W^{184}, 9=12626

Hughes, D.J. and Harvey, J.A. Size distribution of neutron widths, 6=671

Hughes, D.J., Zimmerman, R.L. and Chrien, R.E. Strength functions for deformed nuclei, 9=3823

Hughes, D.S. and Kennel, J.M. Variation of elastic wave velocity with frequency in fused quartz and Armco iron, 6=144

Hughes, D.S. and Maurette, C. Dynamic elastic moduli of iron, aluminium, and fused quartz, 7=2739

Hughes, D.S. and Robertson, W.W. Apparatus for obtaining optical absorption spectra at pressures to 6000 bars, 6=7282

Hughes, E.E. See Weaver, E.R., 8=7750

Hughes, E.W. A new type of inequality relationship between unitary structure factors, 9=7626

Hughes, F.L. Mean adsorption lifetime of Rb on etched tungsten single crystals: neutrals, 9=6279. See also Johnson, P.D., 7=5217

Hughes, F.L. and Levinstein, H. Mean adsorption lifetime of Rb on etched tungsten single crystals: ions, 9=6278

Hughes, F.L., Levinstein, H. and Kaplan, R. Surface properties of etched tungsten single crystals, 9=6277

Hughes, G. and Spurr, R.T. An experimental investigation of non-metallic wear, 5=3199

Hughes, G.W. See also Halle, M., 7=4099

Hughes, G.W. and Halle, M. Spectral properties of fracative consonants, 6=3587

Hughes, H. The pressure effect on the electrical conductivity of peridot, 5=9283

Hughes, H.A. Reduction of counting time in low activity assays, 7=2567

Hughes, H.K. and Wilczewski, J.W. K-capture spectroscopy iron-55 X-ray absorption determination of sulfur in hydrocarbons, 5=5065

Hughes, I.S. See also Bosley, W., 6=2173; Brown, G., 7=9414; Duke, P.J., 5=8842, 7=4464

Hughes, I.S. and March, P.V. Photoproduction of π-mesons from boron, 9=676

Hughes, I.S., March, P.V., Muirhead, H. and Lock, W.O. The production of π-mesons in proton–proton collisions at 925 MeV, 7=4777

Hughes, I.S. and Sinclair, D. The polarization of γ-radiation from the reactions $^{27}Al\ (p,\gamma)^{28}Si$, $^{26}Mg\ (p,\gamma)\ ^{27}Al$, $^{23}Na\ (p,\gamma)\ ^{24}Mg$, 6=3205

Hughes, J. See Ross, M.A.S., 5=8224, 6=632

Hughes, J.R. Auditory sensitization, 5=3357

Hughes, J.R. and Rosenblith, W.A. Electrophysiological evidence for auditory sensitization, 7=4924*

Hughes, J.W., Lewis, I.E. and Wilson, A.J.C. Errors in the A.S.T.M. index of x-ray powder diffraction patterns, 6=4094. Comments on the A.S.T.M. powder data file, 7=7504

Hughes, J.W. and Pike, E.R. A monitored geiger-counter X-ray powder diffractometer with automatic recording, 6=5531

Hughes, R.E. and Lauer, J.L. Characterization of polymer structures on helical point nets, 9=7483

Hughes, R.H. Isotope shift in the first spectrum of atomic lithium, 6=210. Structure of ozone from the microwave spectrum between 9000 and 45 000 Mc, 6=2305. Isotope shifts in the spectra of strontium, 7=4125

Hughes, R.H., Martin, R.J. and Coggeshall, N.D. Temperature dependence of infrared absorption, 6=3622

Hughes, T.P. See also Allen, N.L., 8=775

Hughes, T.P. and Kaufman, S. New investigations with Sceptre III. Axial positive ion velocities in Sceptre III, 9=3950

Hughes, V.A. See Hey, J.S., 8=1419, 9=2014

Hughes, V.W. Experimental limit for the electron–proton charge difference, 7=4295. Positronium formation in gases, 7=4686. Considerations on depolarization of positive muons in gases; effect of molecular ions, 8=1185. Considerations on the design of a molecular frequency standard based on the molecular beam electric resonance method, 9=10552. See also Breit, G., 7=7417; Drake, C.W., 9=3959; Geiger, J.S., 7=4636; Marder, S., 6=8949; Radford, H.E., 9=10159; Teutsch, W.B., 6=8950

Hughes, V.W. and Geiger, J.S. Two-quantum transitions in the microwave Zeeman spectrum of atomic oxygen, 6=235

Hughes, V.W., Marder, S. and Wu, C.S. Static magnetic field quenching of the orthopositronium decay: angular distribution effect, 5=7348. Hyperfine structure of positronium and its ground state, 7=7308

Hughes, W. and Taylor, C.A. Jigs for making crystallographic wire models, 8=6497

Hughes, W.J. and Johnson, P. The construction and testing of a "universal" light scattering apparatus, 8=3006

Hughes, W.R. See Hughes, A.F., 5=4279

Hugo, T.J. See Herzberg, G., 6=2287; Naudé, S.M., 5=8597, 7=3130

Hugon, L. and Jaffray, J. The thermal conductivity of nickel on both sides of the Curie point, 5=7890

Huguenin, E.L. Observation of crystalline structures in a photoemission electron microscope, 5=9174. A photoemission electron microscope, 7=9232

Huguenin, E.L. and Gauzit, M. Etching by ionic attack for metallographic observations in the photoelectric emission microscope, 6=722. A method of observing uranium in the photoemission electron microscope, 6=4689

Huguenin, E.L. and Valat, J.G. Electron emission of solids after mechanical working or after irradiation (exo-electrons and photoelectrons), 7=5374

Hugus, Z.Z., Jr, See Scott, P.C., 8=6708

Huibregtse, E.J. See also Drougard, M.E., 8=1674

Huibregtse, E.J., Bessey, W.H. and Drougard, M.E. Electromechanical behavior of single crystals of barium titanate from 25 to 160° C, 9=8080

Huibregtse, E.J. and Young, D.R. Triple hysteresis loops and the free-energy function in the vicinity of the 5° C transition in $BaTiO_3$, 7=319

Huijer, P. See also de Haan, E.F., 5=8860

Hijer, P., de Haan, E.F. and Jonker, C.C. Coincidence resolving times, 5=8861

Huijer, P., Jonker, C.C., van den Berg, J. and Rethmeier, J. Total cross sections for fast neutrons by a time of flight method, 8=4233

Huiskamp, W.J. See also Diddens, A.N., 8=6270; Postma, H., 8=321, 8=3345; Wheatley, J.C., 6=3156

Huiskamp, W.J., Diddens, A.N., Severiens, J.C., Miedema, A.R. and Steenland, M.J. Anisotropy and polarization of gamma rays emitted by orientated ^{52}Mn nuclei, 7=8806

Huiskamp, W.J., Steenland, M.J., Miedema, A.R., Tolhoek, H.A. and Gorter, C.J. Measurements of the anisotropy of gamma radiation emitted by orientated ^{52}Mn nuclei, 6=6876

Huiszoon, C. See Boeschoten, F., 7=9167

Huizenga, J.R. Isotopic masses III. A > 201, 5=6406. Correlation of the competition between neutron emission and fission, 8=9065. See also Andre, C.G., 6=3204; Fields, P.R., 5=527*, 6=590; Ghiorso, A., 5=9846; Gindler, J.E., 7=1615, 9=598; Herber, R.H., 6=8352; Magnusson, L.B., 5=2120; Mech, J.F., 6=6861; Nijgh, G.J., 9=8555; Ramler, W.J., 9=7351; Studier, M.H., 5=2112; White, F.A., 8=3335; Wing, J., 9=2733, 9=7352

Huizenga, J.R. and Diamond, H. Spontaneous-fission half-lives of Cf^{254} and Cm^{250}, 7=9894

Huizenga, J.R., Krohn, V.E. and Raboy, S. Angular correlation of gamma rays in Pb^{204m}, 6=5372

Hizenga, J.R., Rao, C.L. and Engelkemeir, D.W. 27-minute isomer of U^{235}, 7=9823

Huizenga, J.R. and Stevens, C.M. New long-lived isotopes of lead, 5=2109

Huizenga, J.R. and Wing, J. Long-lived lead-205, 6=5350. Radioactivity of Ti^{44}, 7=5583

Huizenga, W. See de Heer, F.J., 7=4491, 7=8688

Hukuda, K., Horai, K. and Miduno, Z. On a new method of the paramagnetic resonance measurements, 9=7181

Hulatt, M.J. See Rabinovich, B.S., 7=9943

Hulbert, J.A. See also Dugdale, J.S., 7=7922

Hulbert, J.A. and Jones, G.O. The superconducting bolometer as a detector of thermal radiation from low-temperature sources, 6=2033

Hulburt, C.W. See Beams, J.W., 6=2706

Hulburt, E.O. See Havens, R.J., 5=5778

Huldt, L. Growth curves at high optical densities, 5=2578. Optical method for determining carrier lifetimes in semiconductors, 9=4574. See also Lagerqvist, A., 5=2048, 5=3565, 5=10053, 8=113

Huldt, L. and Knall, E. Pressure-broadening of the yellow sodium lines in the acetylene flame, 5=176. On self-absorption and line-shape in the band spectrum of OH in flames, 5=2573. Possible polymer formation of strontium and calcium in planes, 7=4845

Huldt, L. and Lagerqvist, A. Term schemes of CaO, SrO and BaO, 5=3567. On the origin of the band spectra of calcium and strontium, 7=5164

Huldt, L. and Staflin, T. Infrared absorption of photogenerated free carriers in germanium, 9=1456. Valence band structure of silicon, 9=2332. Optical constants of evaporated films of zinc sulphide and germanium in the infrared, 9=3340

Hulet, E.K. New isotope of berkelium, 6=3941. See also Hoff, R.W., 6=1526

Hulet, E.K., Bowman, H.R., Michel, M.C. and Hoff, R.W. Thermal neutron fission cross section of Pu^{240}, 6=6172 Thermal-neutron fission cross sections for isotopes of plutonium, americium and curium, 8=347

Hulet, E.K., Thompson, S.G. and Ghiorso, A. Isotopes of curium, berkelium, and californium, 5=474

Huleux, A. The problem of proper values associated with Cauchy–Poisson waves, 6=6416. See also Demeur, M., 6=8952

Hull, D. Annealing in slip bands in copper fatigued at 90°K, 8=3513. See also Cottrell, A.H., 8=3523

Hull, D. and Mogford, I.L. Ductile–brittle transition in steels irradiated with neutrons, 9=6290

Hull, D. and Rosenberg, H.M. Microscopy at liquid helium temperatures: phase transition in sodium, 9=12181

Hull, D.E. The total-count technique: A new principle in flow measurement, 9=5401

Hull, G.W. See Geballe, T.H., 5=6161, 8=5834; Kunzler, J.E., 7=3213

Hull, J.A. See Campbell, A.W., 6=8051

Hull, M.H., Jr, See also Biedenharn, L.C., 5=2441; Breit, G. 5=1531, 5=3446-7, 9=10152; Daitch, P.B., 5=3969; Ebel, M.E., 5=9437; Tankano, Y., 7=5659; Wertheim, M.S., 7=2333

Hull, M.H., Jr, Ehrman, J.B., Hatcher, R.D. and Durand, L. Analysis of proton–proton scattering data at 300 MeV, 6=8242

Hull, M.H., Jr, Pyatt, K.D., Jr, Fischer, C.R. and Breit, G. Nucleon–nucleon spin–orbit interaction potential, 9=12607

Hull, M.H., Jr and Saperstein, A.M. Formula for polarization in p-p scattering for P and F waves, 5=1530

Hull, M.H., Jr and Shapiro, J. Polarization in proton–proton scattering at 3 and 4 MeV, 8=1846

Hull, R.J. and Stroke, H.H. Hyperfine structure of thallium^{203} and thallium^{205} in the $7^2S_{1/2}$ state, 9=13158

Hull, R.L. See Morgan, L.O., 6=7197

Hull, T.E. and Julius, R.S. Enclosed quantum mechanical systems, 6=8004

Hulliger, F. See Busch, G., 9=11054

Hullings, M.K. See Cohen, B.L., 5=6450

Hulm, J.K. See also Chandrasekhar, B.S., 9=3432; Gomer, R., 8=6487

Hulm, J.K. and Goodman, B.B. Superconducting properties of rhenium, ruthenium, and osmium, 7=6194

Hulme, K.F. On the distribution of impurity in crystals grown from impure unstirred melts, 5=8379. A reliable method for the production of high purity indium antimonide, 9=13896. See also Mullin, J.B., 8=2725

Hulme, K.F. and Mullin, J.B. The role of evaporation in zone refining indium antimonide, 7=8968

Hulst, H.C. van de. See van de Hulst, H.C.

Hulsteyn, D.B. Van. See Van Hulsteyn, D.B.

Hultberg, S. An investigation of the longitudinal angular distribution of photoelectrons at gamma ray energies of 0·41, 0·66 and 1·33 MeV, 5=4905. See also Bergkvist, K.E., 5=4008; Nathan, O., 9=7329; Novakov, T., 8=6268; Olsson, O.M., 9=11453

Hultberg, S. and Hedgran, A. Measurements of the gamma radiations from Br^{82} by the method of external conversion, 7=4652

Hultberg, S. and Novakov, T. The longitudinal angular dependence of the photoelectric effect and its influence on the determination of gamma ray intensities, 8=3139

Hultberg, S. and Stockendal, R. Absolute determinations of K-shell photoelectric cross-sections for uranium at the gamma-ray energies 1173 and 1332 keV, 9=8548

Hultgren, G.O. See Pitzer, K.S., 9=10682

Hultgren, R. See Orr, R.L., 8=2285

Hulthén, E. and Neuhaus, H. Diffraction gratings in immersion, 5=2639. Magnetic hyperfine structure in bismuth hydride and deuteride, 6=7272

Hulthén, L. and Hedin, L.T. Phenomenological eigenfunctions and potentials for the deuteron ground state. I-II, 9=8487

Hultqvist, B. The spherical harmonic development of the geomagnetic field, epoch 1945, transformed into rectangular geomagnetic coordinate systems, 9=5266. The geomagnetic field lines in higher approximation, 9=6383

Hultqvist, B. and Ortner, J. Observations of intense ionization of long duration below 50 km altitude after some strong solar flares, 9=9071

Hultsch, R.A. See Barnes, R.G., 9=1709, 9=11588

Hultschig, H. See Henniger, H., 9=10965

Hulubei, H., Ausländer, J., Balea, E., Friedländer, E. and Titeica, S. New results in the study of the disintegration chain $\pi^+-\mu^+-e^+$, 8=7263

Hulubei, H., Ausländer, J., Balea, E., Friedländer, E., Titeica, S. and Visky, T. Observation of an asymmetry in the angular distribution of $\pi\rightarrow\mu$ decay, 8=280

Hum, D.M. Fermi–Thomas angular-dependent potential for iron, 9=6229

Humason, M.L. Red-shifts in the spectra of extragalactic nebulae, 7=5810

Humbach, W. An approximation method for determining the screening effect from the isotopic shift of spectral lines, 5=6904. Radiation damping in a particle accelerator with a circular magnetic focusing field, 5=7130. A clear picture [anschauliche Deutung] of the fine structure anomaly in positronium, 5=7301. Permissible tolerances for a strong-focusing synchrotron, 5=9707. On the linear kinetics of homogeneous reactors, 9=712. See also Finkelnburg, W., 5=3851

Humbach, W. and Oldekop, W. On the theory of the reactivity contribution by cavities and a method for the determination of k_∞, 9=13721

Humber, P. See Schmid, P., See Schmid, P., 5=9061

Humblet, J. Definition of the virtual level of the deuteron, 5=3965. See also Bosman-Crespin, D., 5=4046

Humblet, J. and Mannino, G. Slow variations in the spectra of bright-line O stars, 7=6828

Hume, W. See Crozier, W.D., 8=3744

Hume-Rothery, W. See also Altmann, S.L., 7=8740; Basinski, Z.S., 5=5357; Haworth, C.W., 8=8458; Sutton, A.L., 6=2464

Hume-Rothery, W. and Burns, J. Liquid $\rightleftharpoons$ solid equilibrium in copper and silver alloys; with an appendix on the equilibrium diagram of the system copper-arsenic, 8=1337

Hummel, F.A. See Harrison, D.E., 8=2978; Sarver, J.F., 9=8855

Hummel, J.P., Stephens, F.S., Jr, Asaro, F., Chetham-Strode, A., Jr, and Perlman, I. Alpha and gamma spectra of Cf^{246}, 5=4904

Hummel, R.W. See Cormack, D.V., 5=4150

Humphrey, F.B. Transverse flux change in soft ferromagnetics, 8=8881

Humphrey, F.B. and Gyorgy, E.M. Flux reversal in soft ferromagnetics, 9=8308

Humphrey, J.N. and Petritz, R.L. Photoconductivity in lead selenide: Theory of the dependence of sensitivity on film thickness and absorption coefficients, 7=4367. Theory of the mechanism of sensitization, 7=4370

Humphrey, J.N. and Scanlon, W.W. Photoconductivity in lead

selenide. Experimental, 7=3298
Humphrey,R.W. See Chapman,N.G., 7=966
Humphreys,C.J. Infrared atomic spectroscopy based on use of photoconductive detectors, 6=1041
Humphreys,C.J. and Paul,E.,Jr. Newly observed lines in He I, 7=2002
Humphreys,D.L.O. See Champion,F.C., 7=4147
Humphreys,F.E. and Stone,N. Measurement of high viscosities by shearing between parallel plates, 7=3043
Humphreys-Owen,S.P.F. The concentration of the solution round a growing crystal, 5=3491. The scattering of light in sodium chloride monocrystals, 5=6055. The scattering of light by single crystals, 6=5031
Hunaerts,J. See Coutrez,R., 8=1430
Hundy,B.B. and Green,A.P. A determination of plastic stress-strain relations, 5=2251
Hung,C.S. and Gliessman,J.R. Resistivity and Hall effect of germanium at low temperatures, 5=946
Hunger,K. The theory of curves of growth, 6=5639
Hunger,K. and Traving,G. Simple approximate solutions of the non-grey radiative equilibrium problem, 7=57
Hungerford,H.E. and Mantey,R.F. Shielding the Enrico Fermi fast breeder reactor, 9=3943
Hunsberger,I.M. See Gutowsky,H.S., 9=4090
Hunt,A.L. See Anderson,P.A., 6=4377, 9=13362
Hunt,C. See Halmshaw,R., 7=7453
Hunt,C.d'A. See Yockey,H.P., 5=605
Hunt,D.J. See also Charles,G.W., 5=9547, 7=4129
Hunt,D.J. and Pish,G. Isotopic analysis of polonium-208-209 mixtures, 6=3928
Hunt,F.R. See Brannen,E., 5=7297
Hunt,F.V. Elastic-plastic instability caused by the size effect and its influence on rubbing wear, 5=9182. Notes on the exact equations governing the propagation of sound in fluids, 6=142. Electroacoustics and transducers, 8=6768
Hunt,G.H. See Corner,W.D., 5=772, 5=3883
Hunt,G.R. and Ross,I.G. Fluorescence of azulene in the vapour phase, 9=1312
Hunt,H.D., Peterson,D.L. and Simpson,W.T. Theoretical electronic spectrum of the allyl system, 7=8054
Hunt,K.H. Exact linear simple harmonic motion by a space-linkage, 9=6558
Hunt,P.H. See Roberts,D.H., 8=186
Hunt,R.W.G. Light energy and brightness sensation, 7=8328
Hunt,S.E. See also Chick,D.R., 7=702, 7=9816; Jones,W.M., 8=9050
Hunt,S.E. and Firth,K. Resonant capture of protons by fluorine in the energy range 0·5 to 2·2 MeV, 5=9072
Hunt,S.E. and Hancock,D.A. Proton-gamma resonances in magnesium, 5=3095
Hunt,S.E., Petrie,D.P.R., Firth,K. and Trott,A.J. An electrostatic analyser for the absolute measurement of proton energies and the establishment of fixed points on the high-voltage scale, 6=5950
Hunt,S.E., Petrie,D.P.R., Firth,K. and Trott,A.J. An electrostatic analyser for the absolute measurement of proton energies and the establishment of fixed points on the high-voltage scale, 5=6231
Hunt,S.E., Pope,R.A. and Evans,W.W. Investigation of the gamma radiation produced by irradiating B^{10} with protons in the energy range 0·7 to 3·0 MeV, 7=7374
Hunt,W.W.,Jr, and Huffman,R.E. Relationship between ionization potentials and atomic radii, 9=10165
Hunten,D.M. Excitation of the sodium D lines in the nightglow, 5=5797. Some photometric observations of auroral spectra, 6=4122. Automatic auroral recorder, 6=7902 Seasonal variations of twilight sodium emission, 6=9125. The interpretation of twilight measurements of sodium emission, 6=9126. Resonance scattering by atmospheric sodium. III. Supplementary considerations, 7=1793. Recent work at the University of Saskatchewan [at Saskatoon and at Churchill] on auroral and night sky spectra, 9=952. See also Scrimger,J.A., 6=887, 7=2867, 7=9991; Shepherd,G.G., 5=10130
Hunten,D.M., Roach,F.E. and Chamberlain,J.W. A photometric unit for the airglow and aurora, 6=9114
Hunten,D.M. and Shepherd,G.G. Vibrational temperatures from second positive bands, 5=4245
Hunter,A.N. Measurements of the velocity and absorption of high-frequency ultrasonic waves in supercooled liquids, 7=1977. Some observations on the Debye effect in electrolytes, 8=4505. See also Matsukawa,E., 7=1133
Hunter,A.N., Legge,R.D. and Matsukawa,E. Loss factor measurements in dry sand, 8=2201
Hunter,C.A.,Jr. See Marx,T.I., 9=1986
Hunter,L.P. Anomalous transmission of X-rays by single crystal germanium, 8=7611. Direct measurement of the angular dependence of the imaginary part of the atomic scattering factor of germanium, 9=7613. X-ray measurement of microstrains in germanium crystals, 9=8912
Hunter,R.S. Description and measurement of white surfaces, 9=233. Photoelectric color difference meter, 9=4498
Hunter,S.C. Energy absorbed by elastic waves during impact, 8=1354. See also Berry,D.S., 9=6328
Hunter,W. See Parkin,D.W., 9=7738
Hunter,W.F. See Clouston,J.G., 7=9045
Hunter,W.R. See Cox,J.T., 9=9509; Hass,G., 7=3167, 8=2252
Hunting,C.E. and Wall,N.S. Reaction $Al^{27}(\alpha,p)Si^{30}$ and $P^{31}(\alpha,p)S^{34}$ at 30.5 MeV, 8=2569
Huntington,H.B. Modification of the Peierls-Nabarro model for edge dislocation core, 6=2547
Huntington,H.B., Dickey,J.E. and Thomson,R. Dislocation energies in NaCl, 6=1739
Huntington,H.B., Shirn,G.A. and Wajda,E.S. Calculation of the entropies of lattice defects, 5=9237
Huntington,H.B. and Southwick,R.D. Ultrasonic velocities in polarized barium titanate ceramics, 5=7771
Huntley,H.W. and Untermyer,S. Water supplies for reactors, 5=8269
Huntley,R. See Ingard,K.U., 9=2186
Huntoon,R.D. See McNish,A.G., 8=3668
Hunzinger,J.J. Interference comparator of the test laboratory of the Conservatoire National Des Arts Et Metiers, 6=4343. A new interferometer with three waves, 9=6789
Hüper,R. Validity of the shell model as approximation for some light nuclei, 9=3808
Hupert,J.J. The parallel-circuit equivalent of mechanical vibrations, 9=11917
Huq,M. See also Booth,N.E., 8=5199
Huq,M. and Hutchinson,G.W. An energy sensitive Čerenkov detector with improved optical focussing, 9=7224
Huq,M.S. Radiation from ^{192}Pt and proposed decay scheme, 7=8795
Hurd,D.T. and Corrin,M.L. A recording vacuum gauge, 5=792
Hurd,F.K. See Orr,C.,Jr, 9=11613
Hurd,J.D., Simpson,A.W. and Tredgold,R.H. Anomalous polarization in ferroelectrics and other oxides, 9=6891
Hurd,R.A. The propagation of an electromagnetic wave along an infinite corrugated surface, 5=2032. Radiation patterns of a dielectric-coated axially-slotted cylinder, 6=6811. Diffraction by a metal plate lens for arbitrary incidence and polarization, 8=8163. The magnetic fields of a ferrite ellipsoid, 9=413. Scattering from a small anisotropic ellipsoid, 9=475
Hurd,R.M. and Hackerman,N. Electrokinetic potentials of bulk metals by streaming current measurements. I. Method, 6=387
Hurlbut,C.S.,Jr. See Frondel,C., 5=8371
Hurlbut,F.C. Studies of molecular scattering at the solid surface, 8=9101. Electron beam density probe for measurements in rarefied gas flows, 9=6612. See also Kunkel,W.B., 8=540
Hurle,I.R. and Sugden,T.M. A microwave spectrometer for the study of free radicals, 9=193
Hurley,A.C. The electrostatic calculation of molecular energies. I. Methods of calculating molecular energies, 5=1089; II. Approximate wave functions and the electrostatic method, 5=1090; III. The binding energies of saturated molecules, 5=1091. Role of atomic valence states in molecular energy calculations, 8=2625. IV. Optimum paired-electron orbitals and the electrostatic method, 6=4566. On the method of atoms in molecules, 5=3949. II. An intra-atomic correlation correction, 6=1446. III. The ground state of hydrogen fluoride, 6=5288. The binding energy of the nitrogen molecule, 7=1493. On the binding energy of the helium hydride ion, 7=3481
Hurlimann,T. See also Verbinski,V.V., 8=7389
Hürlimann,T. and Huber,P. The reaction cross-sections of $S(n,\alpha)Si$ and $S(n,p)P$ for neutron energies of 2.2 to 4.0 MeV, 5=4069
Hurst,C. Phase transitions of the first and second orders, 5=8705. Effects of pressure on the superconducting transition in tin, 7=2254. Phase changes of the second order, 7=7125
Hurst,C.A. See Green,H.S., 8=5212
Hurst,D.G. An estimate of the total cross-section of accumulated fission products in U^{235}, 7=7397. Calculated cross-sections of irradiated thorium (revised), 7=7399. See also

Henshaw,D.G., 6=1168

Hurst,D.G. and Gellman,H. Calculated cross-sections of irradiated thorium, 7=7398

Hurst,D.G. and Henshaw,D.G. Atomic distribution in liquid helium by neutron diffraction, 6=289

Hurst,G.S. See also Barr,T.A., 5=560; Bortner,T.E., 7=4439; Cure,J.W., 5=561; Melton,C.E., 5=1014; Wagner,E.B., 8=6091

Hurst,G.S. and Bortner,T.E. Negative ions of oxygen, 9=7115. Attachment of low-energy electrons in mixtures containing oxygen, 9=7128

Hurst,G.S., Harter,J.A., Hensley,P.N., Mills,W.A., Slater,M. and Reinhardt,P.W. Techniques of measuring neutron spectra with threshold detectors—tissue dose determination, 6=4676

Hurst,R.P. Coherent atomic scattering factors for the lithium hydride crystal field, 9=13772. See also Brigman,G.H., 8=8370; Miller,J., 8=3421; Platas,O., 9=10181

Hurst,R.P., Gray,J.D., Brigman,G.H. and Matsen,F.A. Open shell calculations for the two- and three-electron ions, 8=3393

Hurst,R.P., Miller,J. and Matsen,F.A. Dipole moment of lithium hydride, 7=7279. Calculations of coherent scattering factors for helium-like ions from a radially correlated wave function, 9=7606

Hurst,V.J. See Donnay,G., 5=9261

Huruhata,M. Photoelectric studies of the night sky light, 5=5146

Huruhata,M. and Nakamura,J. Airglow observation on board the "Soya", expedition ship to Antarctic, 9=953

Huruhata,M., Tanabe,H. and Nakamura,T. Photoelectric studies of the night sky light. IV, 6=8520. Photoelectric study of the night-airglow, 6=9088

Hurvieh,L.M. See also Jameson,D., 5=7570, 6=5573, 7=2890, 9=9118, 9=11685

Hurvich,L.M. and Jameson,D. Some quantitative aspects of an opponent-colors theory. II. Brightness, saturation, and hue in normal and dichromatic vision, 5=9315. A psychological color specification system, 6=5574

Hurwitz,H.,Jr. See also Auer,P.L., 9=2393, 9=2442, 9=3535; Dwork,J.S., 5=7406

Hurwitz,H., Jr and Roe,G.M. Absorption of neutrons by black control rods, 6=7701

Hurwitz,H., Jr and Zweifel,P.F. Slowing down of neutrons by hydrogenous moderators, 5=8298

Hurwitz,J.K. See Cragg,B., 7=420

Hürzeler,H. See also Clusius,K., 9=7403-4; Clusius,P.A.K., 6=3127, 6=3543

Hurzeler,H., Inghram,M.G. and Morrison,J.D. Study of photoionization efficiencies using a mass spectrometer, 7=9742. Photon impact studies of molecules using a mass spectrometer, 8=4085

Husain,A. Electron scattering in photographic emulsions, 5=2792. Scattering of high energy electrons in nuclear emulsion, 8=7237

Husain,A., Jarvis,C.J.D. and Pickup,E. Mass measurements of particles and existence of 1450 mesons, 6=1621

Husain,A. and Pickup,E. Mass spectrum of shower particles from cosmic ray-interactions, 5=4775. Nuclear interaction of K mesons, 5=7354

Husain,A. and Siddique,M.H. Interaction of 4.5 GeV pions with emulsion nuclei, 9=9977

Husain,S.A. and Hilmi,A.K. Absorption of beta particles in liquids, 8=1834

Husain,S.A. and Putman,J.L. The absorption of beta particles as a function of atomic number, 7=5394

Husain,S.I. Conservation laws and other identities in Bonnor's unified field theory, 7=2953. On the discontinuities of the curvature tensors in Einstein's unified theory, 8=5605. On the discontinuities of the curvature tensors in the unified theory of Einstein (weak system of field equations), 9=4257. On the propagation of the discontinuities of the curvature tensor in Einstein's unified field theory, 9=10560

Husband,L.J.B. The use of a manometric densitometer for molten salts, 8=7728

Hush,N.S. Successive ionization potentials of unsaturated hydrocarbons, 7=9738. Adiabatic rate processes at electrodes. I. Energy–charge relationships, 8=4506

Hush,N.S. and Blackledge,J. Electron interaction in hydrocarbon multiple ions, 5=4848

Hush,N.S. and Pople,J.A. Ionization potentials and electron affinities of conjugated hydrocarbon molecules and radicals, 5=6250

Hush,N.S. and Pryce,M.H.L. Radii of transition ions in crystal fields, 7=3818. Influence of the crystal-field potential on interionic separation in salts of divalent iron-group ions, 8=9109

Hush,N.S. and Rowlands,J.R. Electronic spectra of hydrocarbon anions, 7=3141

Hushfar,F. See Walker,W.D., 7=2622

Husimi,K. Statistical mechanics of condensation, 5=9391. Ultra-low-velocity component of spontaneous polarization in BaTiO$_3$ single crystal, 8=8749. Dynamic properties of the polarizability in BaTiO$_3$ crystal, 9=8073. See also Kiyasu,Z., 8=1035; Zen'iti,K., 9=13255

Husimi,K. and Kataoka,K. Ultrasonic measurement of polarization switching processes in barium-titanate single crystal, 9=3426. Pulse width dependence of the switching velocity in BaTiO$_3$ crystal, 9=6893. Piezoelectric properties of triglycine sulphate crystal, 9=13268

Husimi,K., Kitano,Y. and Nishiyama,T. Theory of density matrices, 9=2035

Husimi,K. and Nishiyama,T. Hydrodynamical and collective description, 9=4306

Huss,J. See Jacquez,J.A., 5=9575, 6=180, 6=2599, 6=3400

Hussain,M. See Astbury,A., 9=9967

Hussein,I. See El Bedewi,F.A., 7=4721

Huster,E. See also Beckmann,W., 5=4747, 5=4891; Geese-Bähnisch,I., 5=3998; Goetze,G., 9=6080; Hagemann,G., 9=3681

Huster,E., Lehr,G. and Walcher,W. A β-spectrometer with wide-angle double focusing, 5=4723

Huster,E. and Ziegler,E. Discharge spreading in self-quenched counter tubes. I, 7=2347; II, 8=6090

Huszagh,D.W. Heat-balance flowmeter for molten bismuth, 9=10661

Huszty,D. The rigid circular ring radiating into an infinite wall, 9=10716

Hutcheon,I.C. An iterative analogue computer for use with resistance network analogues, 8=1

Hutcheon,I.C. and Spalding,D.B. Prismatic fin with non-linear heat loss analysed by resistance network and iterative analogue computer, 8=3928

Hutcheon,J.M. See Beirne,T., 5=1262, 7=7445

Hutchin,W.H. See Hicks,H.G., 6=1574

Hutchinson,D.P. See Garwin,R.L., 9=11382

Hutchinson,E. and Manchester,K.E. Semi-micro calorimeter, 5=5378

Hutchinson,E. and Pringsheim,P. Color centers in alkali halides containing NO$_2^-$ ions in small concentration, 5=6620

Hutchinson,F. See Corner,W.D., 9=2494; Ross,D.A., 8=6483

Hutchinson,G.W. Nonlinear amplifier design for pulse-height analyzers, 7=485. A soft valve scaler for intermittent fast counting, 7=4479. Highly directional detector for cosmic ray particles, 9=5973. See also Booth,N.E., 8=1980, 8=5199, 9=8538; Grant,P.J., 5=5626; Huq,M., 9=7224; Law,M.E., 9=8586

Hutchinson,W.P. A quartz fibre ultra microbalance for use inside an evacuated container, 7=1094

Hutchinson,W.P., Pulsford,E.W. and White,A.G. Temperature control of a large water bath using a resistance thermometer, 5=904

Hutchinson,W.P. and White,A.G. A simple microcalorimeter for heat of solution measurements, 5=7920. A calorimetric determination of the half life of Cm^{242}, 7=1540

Hutchison,C.A.,Jr. See also Anderson,J.H., 5=2005; Bleaney,B., 7=2486; Candela,G.A., 9=5871; Dorain,P.B., 7=4628; Halford,D., 8=7323; Handler,P., 7=2408

Hutchison,C.A., Jr and Candela,G.A. Magnetic susceptibilities of uranium (IV) ions in cubic crystalline fields, 8=1279

Hutchison,C.A.,Jr and Herzfeld,C.M. Magnetic susceptibilities of some uranium (IV) compounds, 6=775

Hutchison,C.A.,Jr, Judd,B.R. and Pope,D.F.D. Paramagnetic resonance absorption in gadolinium trichloride, 7=6710

Hutchison,C.A.,Jr and Lewis,W.B. Paramagnetic resonance absorption in sodium plutonyl acetate, 5=385

Hutchison,C.A.,Jr, Llewellyn,P.M., Wong,E. and Dorain,P. Paramagnetic resonance absorption in uranium (III) chloride and the nuclear spin of uranium-235, 6=6080

Hutchison,C.A.,Jr and Mangum,B.W. Paramagnetic resonance absorption in naphthalene in its phosphorescent state, 9=2219

Hutchison,C.A.,Jr and Wong,E. Paramagnetic resonance in rare earth trichlorides, 9=1883

Hutchison,D.A. Natural abundance of the lithium isotopes, 5=1134. Electron-induced water decomposition and its relation to mass spectrometric C$_3^+$ measurements in

graphite vapor, 5=6595. Critical ionization potentials using a parallel-plate energy selector, 6=5182. See also Hart,E.J., 6=5492
Hutchison,D.A. and Wolff,J.R. An electron current and energy regulator for mass spectrometer ion sources, 5=1930
Hutchison,T.S. See also Chopra,K.L., 8=6754, 9=8162; Filmer,A.J., 8=2686
Hutchison,T.S. and Filmer,A.J. Attenuation of 5 MC. sound in aluminum at low temperatures, 6=1919
Hutchison,T.S. and Hutton,G.J. Mechanism of dislocation locking in attenuation of high frequency sound at low temperatures, 7=8225. The effect of heat treatment on low temperature internal friction maxima, 9=874
Hutchisson,E. Teaching performance, 6=4166
Huth,J.H. See Van Valkenburg,M.E., 7=1698
Hutson,A.R. Velocity analysis of thermionic emission from single-crystal tungsten, 5=6256. Effect of water vapor on germanium surface potential, 6=3757. Hall effect studies of doped zinc oxide single crystals, 8=3123. Electronic properties of ZnO, 9=5711
Huttly,N.A. A review of recent investigations into sun-spot cycles, 8=1455
Hutton,G.J. See Filmer,A.J., 8=2686. Hutchison,T.S., 7=8225, 9=874
Hutton,U.O. A tilting air-lubricated piston gage for pressures below one-half inch of mercury, 9=11908. See also Lloyd,E.C., 9=12846
Huus,T. Coulomb excitation, 8=1908. See also Alder,K., 7=6435
Huus,T., Bjerregaard,J.H. and Elbek,B. Measurements of conversion electrons from Coulomb excitation of the elements in the rare earth region, 7=1501
Huxley,L.G.H. Comment on the theory of radio-wave interaction, 5=5547. Measurements of winds in the upper atmosphere by means of drifting meteor trails, 6=2589. Formulae for the mean losses of energy in collisions of slow electrons moving in diatomic gases, 6=6705. Electronic motion in gases and the method of free paths, 7=460. The interpretation of measurements of radio-wave interaction, 7=945. Free path formulae for the coefficient of diffusion and velocity of drift of electrons in gases, 7=6236. Free path formulae for the electronic conductivity of a weakly ionized gas in the presence of a uniform and constant magnetic field and a sinusoidal electric field, 8=5073
Huxley,L.G.H. and Crompton,R.W. A note on the diffusion in a gas of electrons from a small source, 5=7155
Huxtable,G.B. See Ashmore,A., 8=8224
Huybrechts,M. Statistical theory of counting of alpha-particles emitted by successive disintegrations of radioactive elements, 8=1236
Huyett,M.J. See Sobel,M., 7=4967.
Huynh,V.-D. See also Corge,C., 9=13613
Huynh,V.-D., Julien,J., Corge,C., Netter,F. and Sinue,J. Determination of the spins of the excited levels for neutron capture by tungsten 183, 9=8514
Huyssen,R.M.J. See Guelke,R.W., 9=7907
Huzimura,R. and Sidei,T. Effects of impurities and temperature on the spectra of electroluminescence, 9=2230
Huzinaga,S. One-center expansion of molecular wave function, 6=8306. A device to avoid difficult integrals in calculations on molecular structure, 7=574. Interaction between electrons in two-dimensional free-electron model for conjugated systems, 7=594. Methods of approximation of molecular integrals. I, 9=11526. He–He repulsive potential, 9=12734. See also Araki,G., 6=8669
Huzita,H. On the analysis of the cosmic ray jets, 8=645. See also Baldo-Ceolin,M., 7=8861, 7=8882, 8=1885, 9=3794; Ceolin,M.B., 9=593; Nakagawa,S., 6=3814, 8=8103
Huzita,T. On the ricochet motion of a projectile striking a water surface, 8=4777
Hwa,R.C. Effects of electron–electron interactions on cyclotron resonances in gaseous plasmas, 8=4043
Hwang,C.F., Ophel,T.R., Thorndike,E.H., Wilson,R. and Ramsey,N.F. p–p triple scattering at 143 MeV, 9=11366
Hwang,J.-L. Revised Houston method for counting lattice frequencies, 5=9233
Hyams,B.D. See Barker,P.R., 5=3858, 5=4093; Barros,F.de S., 8=3627
Hyde,E.K. See also Mathur,H.B., 5=2127, 5=4915; Momyer,F.F.,Jr, 6=3133
Hyde,E.K., Florence,M.G. and Larsh,A.E. Isomeric state of Y^{88} in the decay of Zr^{88}, 5=4016
Hyde,F.J. Measurement of noise spectra of a germanium p–n junction diode, 6=3737. Excess noise spectra in germanium, 6=4397. Shot noise in a germanium filament, 7=7889
Hydén,H. See Bourghardt,S., 5=6662
Hyder,H.R.McK., Weale,J.W., Green,A., Jones,E.D., Kenward,C.J. and Oram,P.J. Lido—the engineering and physics design, 8=6343
Hyder,S.B. See Cohen,A.V., 7=724
Hyers,D.H. See Friedrichs,K.O., 5=5917
Hylleraas,E.A. On the practical solution of the relativistic one-electron equation, 5=8498
Hylleraas,E.A. and Midtdal,J. Ground-state energy of two-electron atoms, 6=8936. Corrective results, 8=6350
Hyman,L.G. See also Janes,G.S., 6=7665
Hyman,L.G., Ely,R., Frisch,D.H. and Wahlig,M.A. Scattering of 50 to 150 MeV photons by protons and deuterons, 9=13532
Hyman,M.,Jr and Ryan,J.J. Heavy elements in plastic scintillators, 9=4471
Hyman,R.A. The electrical conductivity of hexagonal selenium, 6=8201. Epitaxial growth of crystals of hexagonal selenium, 7=846. Bending of single crystals of selenium, 7=852. Optical absorption in liquid sulphur–selenium copolymers, 7=2042
Hyman,R.A. and Tomlin,D.H. Fixation of iodine in selenium, 6=1638
Hyman,S.C., Minushkin,B. and Certaine,J. How drill-hole diameter affects gamma-ray intensity, 5=4920
Hyne,J.B. See Saunders,M., 8=8512, 9=6199, 9=8748
Hyslop,J. See Arthurs,A.M., 7=7270, 7=9786, 8=1287
Hyvärinen,L. The effect of grain boundaries on the X-ray diffraction pattern, 8=5523. Ionization chamber for X-ray diffraction measurements in the presence of strong radioactivity, 9=11308. See also Rautala,P., 6=2551
Hyvärinen,L. and Rautala,P. The separation of the interference function and the structure function from the X-ray diffraction picture, 7=3833. Crystallite size determination from X-ray interference function, 7=3834
Hyvärinen,L.P. See Suoninen,E.J., 9=12110

Iball,J. See Burns,D.M., 5=2064; Clark,S.M., 6=3429

Iben,I., Jr. Higher order effects in the β decay of P^{32}, 8=2551. Beta–gamma correlation and time-reversal invariance, 9=6066

Ibers,J.A. Estimates of the standard deviations of the observed structure factors and of the electron density from intensity data, 7=886. Anharmonic oscillations of nuclei, 9=7490. See also Cowley,J.M., 7=902; Hoerni,J.A., 5=1128; Holm,C.H., 7=9302, 9=7199

Ibers,J.A. and Stevenson,D.P. Motional corrections to distances derived from N.M.R. data: NH_4Cl, NH_4F, and $N_2H_6F_2$, 8=4398

Ibl,N. Theory of steady state limiting current at stationary wire electrodes, 9=10349

Ibragimov,Sh.Sh. and Livshits,B.G. Changes in the properties and structure of nickel-based solid solutions, 8=4463

Ibrahim Ali Abdel Kerim. See Ali Abdel Kerim Ibrahim.

Ibuki,S. See also Yamashita,H., 9=2988; Yoshimatsu,S., 5=7965

Ibuki,S. and Awazu,K. A method of growing CdS single crystals by sublimation, 7=8260

Ibuki,S. and Yoshimatsu,S. Photoconductivity of stibnite (Sb_2S_3), 5=7968

Ichige,K. See Tsuchikura,H., 8=4467

Ichikawa,Y. See Sato,I., 5=6753

Ichikawa,Y.H. Characteristic energy loss of electrons in graphite, 9=790

Ichiki,T. See Fujiwara,H., 5=7498

Ichimura,H. A method in quantum statistical mechanics. III. Virial expansion for the quantum gas, 5=759. Statistical mechanics of electron-lattice system, 5=9391. Quantum statistical mechanics of electron–phonon system, 6=8300

Ichinokawa,T. and Uyeda,R. On the inelastic scattering in electron diffraction, 5=6208

Ichishima,I. See also Naito,K., 6=1077; Yamaguchi,A., 9=13153

Ichishima,I., Kamiyama,H., Shimanouchi,T. and Mizushima,S. Torsional frequencies of 1, 2-dihalogenethanes, 9=3974

Ichisima,I. See Mizushima,S.-I., 5=426

Iczkowski,R.P. and Margrave,J.L. Absorption spectrum of fluorine in the vacuum ultraviolet, 9=3281

Ida,M. X-ray studies of long chain compounds solidified under an alternating electric field, 5=7527

Iddings,C.K. and Platzman,P.M. Nuclear structure correction to the hyperfine structure in hydrogen, 9=5093

Iddings,G.M. See Crane,W.W.T., 5=476; West,H.I., Jr, 9=6074

Idlis,G.M. Effect of the structural characteristics of the Galaxy of the dispersion of the random velocities of the stars and interstellar clouds, 5=8456

Iernetti,G. See Falla,D.F., 7=8887; Gabrielli,I., 5=3516, 7=750

Ievskaya,N.M. On the shape of dispersion signals in the magnetic resonance of atomic nuclei in a high frequency magnetic field, 6=8934. See also Gvozdover,S.D., 5=449, 6=5322, 6=8329

Ifland,R. See Becherer,G., 5=3283

Igarashi,Y. See Yoshida,S., 5=988, 5=5449, 6=6714

Igarasi,S. and Takano,T. Elastic scattering of 24.6 MeV alpha particles by Au, 8=6210 .

Iglesias,L. Third spectrum of niobium (Nb III), 5=9545. Singlets in the Mn II spectrum, 6=4985. New atomic energy levels in the Mn II spectrum, 7=9069. New extreme ultraviolet lines in the spectrum of Nb II, 9=1266. See also Garcia-Riquelme,O., 7=9066

Iglitsyn,M.I., Kontsevoi, Yu.A. and Kudin,V.D. Measurement of the charge-carrier lifetimes in monocrystalline silicon, 8=7922

Iglitsȳn,M.I., Kontsevoi,Yu.A., Kudin,V.D. and Meier,A.A. Measurement of the charge-carrier lifetime in semiconductors, 8=7921

Iglitsȳn,M.I., Kontsevoi,Yu.A. and Sidorov,A.I. Lifetime of non-equilibrium charge carriers in germanium for arbitrary injection levels, 8=1059. Distribution of non-equilibrium charge carriers in the base region of a p–n junction with a high injection coefficient, 8=1063

Ignatenko,A.E. See also Gol'danskii,V.I., 9=687

Ignatenko,A.E., Egorov,L.B., Khalupa,B. and Chultém,D. Investigation of depolarization of negative μ-mesons in liquid hydrogen, 9=2610. Measurement of the polarization of negative μ-mesons in carbon, oxygen, magnesium, sulphur, zinc, cadmium and lead mesic atoms, 9=2867

Ignatenko,A.E., Mukhin,A.I., Ozerov,E.B. and Pontekorvo [Pontecorvo], B.M. Total interaction cross-sections of negative π mesons with hydrogen in the energy range from 140 to 400 MeV, 5=9141. The interaction of negative π-mesons with nuclei of beryllium, carbon and oxygen in the energy range from 140 to 400 MeV, 6=637. Total cross-sections of positive pions in hydrogen, 6=5421. Interaction of π-mesons with lead, copper, carbon and beryllium nuclei, 7=2623

Ignatenko,V.P. See Berestetskii,V.B., 7=1645

Igo,G. Slow neutron resonances in rhenium, 6=1597. Inelastic scattering of 40.2 MeV alpha particles, 7=6537. Optical model potential at the nuclear surface for the elastic scattering of alpha particles, 8=9004. See also Eisberg, R.M., 6=641, 6=3184; Wegner,H.E., 5=9049; Wertheim, M.S., 5=4709

Igo,G. and Landon,H.H. Radiation widths in the slow neutron resonances of hafnium, 6=1598

Igo,G., Ravenhall,D.G., Tiemann,J.J., Chupp,W.W., Goldhaber, G., Goldhaber,S., Lunnutti,J.E. and Thaler,R.M. Scattering of K^+ mesons in emulsion, 8=2504

Igo,G. and Thaler,R.M. Optical model analysis of the elastic scattering of alpha particles, 7=5616

Igo,G. and Wegner,H.E. Anomaly in energy level density measurements, 6=6143

Igo,G., Wegner,H.E. and Eisberg,R.M. Elastic scattering of 40-MeV alpha particles from light elements, 6=3190

Igras,E. See also Spivak,G.V., 9=4550, 9=13265

Igras,E., Spivak,G.V. and Zheludev,I.S. Micro-relief and domain structure on the surface of barium titanate single crystals, 9=13264

Iguchi,K. Vibration force constants of $SiO_4(CH_3)_4$, 5=2927. The force constants of the molecular vibration of $SiO_4(CH_3)_4$, 5=7234. Electronic structure of the HCN molecule, 6=2296. Dipole moment of the HCN molecule, 6=7607. Lifetime of phosphorescence of substituted naphthalenes, 9=6762. The lower excited states and the phosphorescent state of diphenyl. I, 9=8722. II. Scheme of modification of MO, 9=11534

Ihara,C. See Enatsu,H., 5=4087

I'haya,Y. Note on hyperconjugation, 5=8137. Third-order conjugation energies, 5=8138

Ihle,H. See Groth,W., 5=1758

Ihln,A. See Rompe,R., 9=4506

Ihrig,L.C. See Tolles,W.E., 7=1987

Ihsan,M.A. An investigation of $^7Li(d,n)^8Be$ and $^{11}B(d,n)^{12}C$ nuclear reactions, 5=5629. Nuclear energy levels of Be^8 from $Li^7(d,n)Be^8$, 5=6459

Iida,S. Formation energy of superlattice in Ni_3Fe. III. Kinetics of the superlattice at the formation stage with long range order, 5=3259. IV. A theoretical treatment of vacancy migration and disorder-order transformation in alloys, 5=10069. Phase diagram of iron–cobalt–oxygen system. I. Experimental study, 7=782. Note on superexchange interactions and magnetic lattices of the rhombohedral sesquioxides, 7=8007. Layer structures of magnetic oxides, 8=9182. See also Aiyama,Y., 8=1133; Inoue,T., 9=9567. Sekizawa,H., 9=13443

Iida,S., Sekizawa,H. and Aiyama,Y. Origin of the uniaxial anisotropy in iron-cobalt ferrites, 6=1367. Uniaxial anisotropy in iron–cobalt ferrites, 9=8319

Iida,Y. See Yamada,N., 6=6674

Iijima,T. On electromagnetic fields in case of existence of a semi-infinite hollow conductive circular cylinder. II, 5=3896. On the stationary electric current distribution in the solid helicoid with infinite length, 9=4600

Iimura,F. See Urushibara,Y. 5=3239*, 6=778

Iizima,S. See Kikuchi,M., 8=4614, 9=5249

Ikebe,T. and Kato,T. Application of variational method to the Thomas–Fermi equation, 7=8788

Ikeda,C.K. See Phillips,W.D., 8=7457

Ikeda,K. On the theory of condensing systems, 5=246. On the theory of condensation, 5=9391, 7=6946. Molecular distribution in Bose–Einstein and Fermi–Dirac gases, 9=3158. See also Urushibara,Y., 5=3239*, 6=778

Ikeda,M. On static solutions of Einstein's generalized theory of gravitation. I, 5=706. On static solutions of Einstein's generalized theory of gravitation. 11, 6=3460. On boundary conditions in the non-symmetric unified field theory, 6=7947

Ikeda,M. and Miyachi,Y. On an extended framework for the description of elementary particles, 7=6899

Ikeda,S. See Suzuki,H., 6=5457

Ikeda,T. Thermal membrane potential, 8=6703. Some studies on the ternary system (Ba-Pb-Ca)TiO_3, 8=7888. New method of determining the Soret coefficients, 9=6595. Studies on (Ba-Pb) (Ti-Zr)O_3 system, 9=10297. The internal friction of barium titanate ceramics, 9=10319. See also Marutake,M., 5=7432, 6=8992, 8=7887; Yoshida,S., 9=8866, 12805

Ikeda,Y. On the effective diffusion tensor of a segment in a chain molecule and its application to the non-Newtonian viscosity of polymer solutions, 8=6713. See also Yamada, N., 6=6674

Ikegami,H. Second-order properties of double-focusing spectrometer with nonuniform magnetic field, 9=4725. See also Kinbara,T., 7=5433; Sakai,M., 9=7234; Yamazaki,T., 9=7324

Ikegaya,K. The swelling effect of the vibrating plate as standard sound source, 8=5735. See also Hayasaka,T., 8=1570

Ikenberry,E. Six types of Fourier series representations, 7=2908. Note on the dual natures of light and of matter, 9=6478

Ikenoue,T. See Isobe,T., 9=8364; Toyoda,K., 8=9093

Ikornikova,N.Yu. and Popova,A.A. Obtaining "uniaxial" crystals of synthetic corundum, 6=7803

Ikushima,A. Diffusion of manganese in single crystals of copper, 9=13812. See also Tomono,Y., 9=13813

Ilakovac,K. See Cindro,N., 8=2574

Il'chenko,P.A. Preparations of free (without substrate) metal films, 5=4990

Iles,P.A. and Coppen,P.J. On the delineation of p–n junctions in silicon, 9=9637

Ilias,D. See Anastassiades,M., 7=2240; Boudouris,G., 7=8733, 8=4185

Iliffe,C.E. Thermal buckling of a rod heat source in a tubular coolant duct, 5=9616

Il'in,K.I. See Krisyuk,E.M., 8=6242

Il'in,N.P. See Yavnel',A.A., 9=6451

Il'in,R.N. See also Afrosimov,V.V., 8=8077, 9=8261; Fedorenko,N.V., 9=13761

Il'in,R.N., Afrosimov,V.V. and Fedorenko,N.V. Ionization of air by H^+ and H_2^+ ions, 9=11153

Il'in,V.A. Diffraction of electromagnetic waves from a non-ideally conducting wedge and the problem of coastal refraction, 6=8294. On the excitation of non-ideal radio waveguides, 6=8880

Il'ina,V.A. See also Kurdyumov,G.V., 7=8271

Il'ina,V.A. and Kritskaya,V.K. Determination of the static defects of crystal lattice using X-ray radiation of different wavelength, 7=6736

Il'ina,V.A., Kritskaya,V.K., Kurdyumov,G.V., Osip'yan,Yu.A. and Stelletskaya,T.I. An investigation of the dependence of the binding force on the crystal composition in metals and solid solutions, 8=4407

Iliovici,A. Rational magnitudes characterizing the electric and magnetic fields. Their nature. Units, 8=4156

Ilisavskii,Yu.V. The current–voltage characteristic of a metal–aluminium antimonide point contact, 8=7966. See also Bogomolov,V.N., 7=9133

Illenberger,A. See Knappwost,A., 8=7171

Illinger,K.H. Digest of the literature on dielectrics. Table of dielectric constants and dipole moments, 9=5649

Illsley,E.G. See also Johnston,R.L., 8=1967

Illsley,E.G., Holmgren,H.D., Johnston,R.L. and Wolicki,E.A. Differential cross sections for the $C^{13}(He^3,p)N^{15}$ reaction, 7=8151

Iloff,E.L. See also Lannutti,J.E., 6=5427; Webb,F.H., 8=7279

Iloff,E.L., Chupp,W.W., Goldhaber,G., Goldhaber,S., Lannutti, J.E., Pevsner,A. and Ritson,D. Mean lifetime of positive K mesons, 6=1616

Iloff,E.L., Goldhaber,G., Goldhaber,S., Lannutti,J.E., Gilbert, F.C., Violet,C.E., White,R.S., Fournet,D.M., Pevsner,A., Ritson,D. and Widgoff. Mean lifetime of negative k-mesons, 6=5410

Ilschner,B. Kirkendall effect in precipitation processes from supersaturated mixed crystals, 5=6540. On the diffusion of electrically charged lattice defects of different mobilities, 5=9981. Determination of the electronic conductivity in silver halides by means of polarization measurements, 9=1433. See also Hauffe,K., 5=3263

Ilschner,B.R. and Wagner,C. The electrical conductivity of liquid magnesium-bismuth alloys, 9=9593

Ilse,W. and Hartmann,H. On the electrolytic conductivity of triphenylmethylchloride and related compounds in liquid sulphur dioxide, 7=822

Ilyina,I.L. See Vladimirsky,V.V., 8=6331

Il'yushenko,V.L. See Drokin,A.I., 6=6788

Imaeda,K. See also Minakawa,O., 9=12425

Imaeda,K., Kazuno,M. and Aiba,T. Analysis of three hypertriton decays, 8=9002

Imaeda,Y. See Koi,Y., 7=9303; Kushida,T., 5=2953; Shimomura, K., 5=2053

Imai,I. On a refinement of the transonic approximation theory, 5=2486. Application of the M^2-expansion method to compressible flow past isolated and lattice aerofoils, 7=4028. See also Ishiguro,K., 9=11026

Imai,N. See also Oosawa,F., 5=2475

Imai,N. and Onishi,T. Analytical solution of Poisson–Boltzmann equation for two-dimensional many-center problem, 9=7837

Imai,T. and Mitsufuji,I. On the release of alkaline earth metals by the electron dissociation of oxide films evaporated from the oxide-coated cathodes, 7=4505

Imai,T. and Mizushima,Y. On the electron bombardment effect for deposited barium oxide films. II, 5=6258

Imai,T. and Shibata,N. Effect of the base metal on the electron dissociation of deposited BaO films, 5=7128

Imaizumi,M. See Kumagai,H., 9=13382; Ono,K., 9=10112

Imamura,A. See Muto,J., 8=5370

Imamura,T. Potential in quantum field theory, 6=53. See also Goto,T., 6=7963; Sunakawa,S., 5=4350, 9=1648

Imanishi,S. and Ito,M. Near ultraviolet absorption spectrum of tropolone vapor, 6=7285

Imbò,G. and Vittozzi,P. The saturation potential in ionization chambers, 5=8037

Imobersteg,U. See Buser,W., 5=3081

Imelik,B. and Francois-Rossetti,J. Study of the porosity of solids. II. Remarks on the method of calculation of the distribution of the pores and on the form of the isotherms, 7=7450

Imhof,W. See also Knapp,E., 7=9416

Imhof,W., Easterday,H.T. and Perez-Mendez,V. Z dependence of positive pion production by 340 MeV protons, 7=5620

Imhof,W., Kalibjian,R. and Perez-Mendez,V. Stable multichannel positive pion detector, 8=8956

Imhof,W., Knapp,E.A., Easterday,H. and Perez-Mendez,V. Z dependence of positive pion production by photons, 8=8240

Imhof,W.L., Johnson,R.G., Vaughn,F.J. and Walt,M. Cross sections for the $Li^7(n,\gamma)Li^8$ reactions, 9=10131

Immirzi,F. See Cutolo,M., 8=248

Imoto,M. See Hayakawa,S., 7=7356

Impeduglia,G., Plano,R., Prodell,A., Samios,N., Schwartz,M. and Steinberger,J. β decay of the pion, 9=2616

Impeduglia,J. See Lande,K., 7=2683*

Imrie,K.S. See Landecker,K., 8=5721

Imura,T. See Suzuki,T., 5=6613

Imyanitov,I.M. Measurement of electrostatic fields in the upper layers of the terrestrial atmosphere, 8=5550. The mechanism of electrostatic charging, 9=1402

Inaba,H. The curve of growth and the excitation temperature for the Fraunhofer lines of the solar atmosphere, 5=4311

Ince,A.N. The effect of intense magnetic fields on electroluminescent powder phosphors, 5=1729

Ince,A.N. and Oatley,C.W. The electrical properties of electroluminescent phosphors, 5=9631

Inchauspe,N. Photoconduction in KBr and KI containing F centers, 7=7119. See also Bassani,F., 7=3821; Chiarotti,G., 8=8444

Indenbom,V.L. On the possibility of detecting Dauphiné twinning in quartz by an optical method, 7=9959. Macroscopic theory of formation of dislocations during crystal growth, 8=6501 Dislocations in crystals, 9=10226. Mobility of dislocations in the Frenkel-Kontorova model, 9=10227. See also Kitaigorodskii,I.I., 7=9432

Indenbom,V.L. and Chernȳsheva,M.A. The importance of optical investigation of Rochelle salt domains for the theory of ferroelectrics, 8=3061. Construction of the thermodynamic potential of Rochelle salt from the results of the optical investigation of [ferroelectric] domains, 8=4937

Indenbom,V.L. and Metelkin,I.I. Application of artificial anisotropy to directed fracture of materials (the artificial "cleavage" effect), 9=10284

Indenbom,V.L., Silvestrova,I.M. and Sirotin,Yu.I. Thermoelastic stresses in anisotropic plates, 7=8444

Indenbom,V.L. and Tomilovskii,G.E. Macroscopic edge dislocations in crystals of corundum, 8=3574. The microstructure of strains in lines of slip and dislocation, 9=12765

Indenbom,V.L. and Urusovskaya,A.A. What are "irrational twins"?, 9=13858

Indig,G.S. See Pfann,W.G., 9=4099

Indovina Addario,M.M. See Curatolo,M., 5=362

Infeld,L. On the motion of bodies in general relativity theory, 5=705. On the latest developments of classical electrodynamics, 5=5213. Equations of motion for linear field-theories, 5=7678. The history of the theory of relativity, 6=34. Some remarks on the theory of relativity, 6=891.

On equations of motion in general relativity theory, 7=6855. On the Lagrangian in special relativity theory, 7=8974. Equations of motion in general relativity theory and the action principle, 8=1479. The Lagrangian with higher order derivatives and the mechanical spin of a particle, 9=1063. The Lagrangian as a function only of coordinates and the mechanical spin of a particle, 9=1064. The equations of motion in general relativity theory and the action principal, 9=6487. Equations of motion and gravitational radiation, 9=7758
Infeld,L. [Ed.] Topics from the conference of physicists at Spała [Poland] held on 1-14th September, 1952, 5=5213
Infeld,L. and Plebański,J. Unitary transformations and spinor calculus, 5=6739. On a certain class of unitary transformations, 5=9349. On an operational method of solving the Klein–Gordon equation, 7=96. A simple derivation of the equations of motion in classical electrodynamics, 7=544. On modified Dirac δ-functions, 7=5023. On a covariant formulation of the equations of motion, 7=5024. On the "dipole procedure" in general relativity theory, 7=5025. Expansion of singular functions associated with the Klein–Gordon equation, 7=5038. On a further modification of Dirac's δ-functions, 7=6864
Infeld,L. and Sosnowski,L. On the development of the concept of matter in physics, 5=5213
Ingalls,R.P. See Fricker,S.J., 8=5556
Ingard,K.U., Huntley,R., Jack,W.A., Summerfield,M.B., Tyzzer,F. and Waterhouse,R.V. American standard recommended practice for laboratory measurement of airborne sound transmission loss of building floors and walls, 9=2186
Ingard,U. Influence of fluid motion past a plane boundary on sound reflection, absorption and transmission, 9=9329. Simple examples of magnetomechanical wave motion, 9=9862. Attenuation and regeneration of sound in ducts and jet diffusers, 9=11974. See also Beranek,L.L., 5=2542; Franken,P.A., 6=2737; Oleson,S.K., 8=2203; Pridmore-Brown,D.C., 5=2526
Ingard,U. and Lamb,G.L.,Jr. Effect of a reflecting plane on the power output of sound sources, 8=2202
Ingard,U. and Maling,G.C.,Jr. Noise generated by two interacting air jets, 9=9351
Ingard,U. and Pridmore-Brown,D. Sound radiation from the acoustic boundary layer, 6=2753. Scattering of sound by sound, 6=4272
Ingarden,R. Five-dimensional field theories (with special reference to Rumer's theory), 5=5213. On Fényes' interpretation of quantum mechanics, 5=5213
Ingarden,R.S. A generalization of the Young-Rubinowicz principle in the theory of diffraction, 5=9589. A new type of relativistically invariant linear localized field equations, 6=7137. Theory of hyperons, 6=7138. On the geometrically absolute optical representation in the electron microscope, 8=637
Ingarden,R.S. and Krzywicki,A. On the vectorial intensity law in geometrical optics, 6=4287
Ingarden,R.S. and Ochman,H. Optimal optical systems, 5=2547
Ingelman,B. See Nilsson,R., 8=5549
Ingelstam,E. Measurements of optical path gradients by means of birefringence interferences. I. General and approximately linear gradients. II. Liquid gradients, in particular determination of diffusion constants, 5=3652. Some quantitative measurements of path differences of gradients by means of phase contrast and new interferometric devices, 7=6059. See also Bryngdahl,O., 8=5816
Ingelstam,E. and Djurle;E. On the choice between different functions of light diffusion in photographic emulsions, 7=7711
Ingelstam,E., Djurle,E. and Sjögren,B. Contrast-transmission functions determined experimentally for asymmetrical images and for the combination of lens and photographic emulsion, 6=7253
Ingelstam,E. and Johansson,L. The differential sensitivity of the eye to colours in the Newtonian scale particularly for the sensitive colours, 6=849. Correction due to aperture in transmission interference microscopes, 8=3015
Ingersoll,L.R. See also Cole,M.B., 6=2844
Ingersoll,L.R. and Liebenberg,D.H. Faraday effect in gases and vapors. II, 6=6552; III, 8=3011
Inghram,M. See Patterson,C., 5=4217
Inghram,M.G. See also Berkowitz,J., 7=5271, 7=7821, 8=1298; Chupka,W.A., 5=3700, 5=6596, 6=872*, 6=3879, 7=7836; De Maria,G., 9=7123; Drowart,J., 9=5638, 9=6216; Fields,P.R., 6=3933, 9=13704; Gomer,R., 5=4762; Hurzeler,H., 7=9742, 8=4085; Porter,R.F., 5=2837, 5=3679, 5=9200; Stanton,H.E., 6=5957
Inghram,M.G., Chupka,W.A. and Berkowitz,J. Thermodynamics of the Ta–O system: the dissociation energies of TaO and TaO$_2$, 8=1299
Inghram,M.G., Chupka,W.A. and Porter,R.F. Mass spectrometric study of barium oxide vapor, 6=2206
Inghram,M.G. and Gomer,R. Mass spectrometric investigation of the field emission of positive ions, 6=2934
Inghram,M.G., Long,E. and Meyer,L. Adsorption of mixtures of He^3 and He^4, 5=4600
Inghram,M.G., Porter,R.F. and Chupka,W.A. Mass spectrometric study of gaseous species in the B$-$B$_2$O$_3$ system, 6=8732
Ingle,G.W. Accuracy of tristimulus computations, 9=1350
Inglis,D.R. Particle derivation of nuclear rotation properties associated with a surface wave, 5=1110. Dynamics of nuclear deformation, 5=2997. Theories of the earth's magnetism, 5=6638. Nuclear moments of inertia due to nucleon motion in a rotating well, 7=623. Shifting of the earth's axis of rotation, 7=5812. Rotation of elongated atomic nuclei, 8=4265. Fission asymmetry, 9=703. Nuclear moments of inertia and effective nucleon mass, 9=1696. See also Holland,R.E., 5=8232; Lee,K., 8=7301; Lee,L.L.,Jr., 5=8233
Ingold,C.K. Changes of shape of molecules due to electronic excitation, 7=598; See also Cohn,H., 6=3063; Dunn, T.M., 5=8970
Ingold,K.U. See also Bryce,W.A., 6=751
Ingold,K.U. and Bryce,W.A. Mass spectrometric investigation of the hydrogen-oxygen and methyl-oxygen reactions, 6=2496
Ingold,K.V. See Lossing,F.P., 5=5009
Ingraham,L.L. Spectra of the paracyclophanes, 8=3407
Ingraham,R. Classical Maxwell theory with finite-particle sources, 6=5688. On the derivation of rate equations, 9=65. Theory of the cosmic ray equator, 9=8266. Derivation of rate equations: corrections and further comments, 9=13032
Ingraham,R. and Ford,J. Boson family from quantized finite-particle Maxwell theory, 7=6872
Ingraham,R.L. Taylor instability of the interface between superposed fluids – solution by successive approximations, 5=97. Conformal geometry and elementary particles, 5=1503. The behavior of finite particles in conformal-covariant weak field theory, 5=1521. Relation of isotopic spin space to space-time, 7=5853. On the classification of the new particles, 9=3711
Ingram,D.J.E. Spectroscopy at ratio and microwave frequencies, 6=5784. See also Bamford,C.H., 5=7190; Bennett,J.E., 5=3886-7, 5516-17, 6=482, 6=5238, 6=8278, 7=3499; Bleaney,B., 5=2888; Doyle,W.T., 9=11566; Fujimoto,M., 9=830; George,P., 6=5233
Ingram,D.J.E., Fujimoto,M. and Saxena,M.C. Motional effects in free radical spin resonance, 9=12467
Ingram,D.J.E. and Tapley,J.G. Study of gaseous discharges by magnetic resonance, 5=1871. Electron resonance in gas discharges, 5=3891. Paramagnetic resonance at ratio frequencies in low temperature carbons, 7=6347
Ingram,D.J.E., Tapley,J.G., Jackson,R., Bond,R.L. and Murnaghan,A.R. Paramagnetic resonance in carbonaceous solids, 5=6299
Inman,D. See Bockris,J.O'M., 7=2773
Inman,F.W. See Barkas,W.H., 7=5637, 8=1184; Dudley, J.M., 6=5934
Innas Ali,M. See Rafiqullah,A.K., 7=4303
Innes,F.R. and Ufford,C.W. Microwave Zeeman effect and theory of complex spectra, 8=5774
Innes,K.K. See Herzberg,G., 7=9608
Ino,T. Studies on the radial distribution analysis in diffraction methods. I. Errors due to the approximation of integration by summation, 8=8402
Inoki,M., Yasaki,T., Machida,M. and Matsukawa,Y. Mass measurements of slow cosmic-ray mesons, 7=5442
Inokuchi,K. See Tachibana,T., 6=2466
Inokuchi,T. See Tachibana,T., 6=2466
Inokuti,M. On the viscosity of irradiated polymers, I, 9=11541. Excitation of π electons in benzene by fast electron according to FE model, 9=13746
Inokuti,M. and Watanabe,T. Theoretical considerations on radiation-induced reactions of saturated long-chain hydrocarbons, 9=5168
Inomata,H. See Matumura,O., 5=2306

Inönü,E. On the validity of the second fundamental theorem for small reactors, 9=7392

Inopin,E.V. Scattering of fast neutrons by a partially transparent non-spherical nucleus, 6=6206. Excitation of nuclear vibration levels by fast-neutron scattering, 7=5551. Scattering of neutrons on non-spherical nuclei, 9=693. See also Guseva,M.I., 9=13815; Vysotskii,G.L., 9=13694

Inoue,K. See also Miyamoto,G., 8=323

Inoue,K., Machida,S., Taketani,M. and Toyoda,T. Pion theory of nuclear forces, 6=8590

Inoue,M. See Uemura,Y., 9=296-7

Inoue,N. See Shimomura,K., 5=2053, 9=11270

Inoué,S. Motility of cilia and the mechanism of mitosis, 9=11664. See also Kubota,H., 9=5601; Masumoto,H., 5=2014; Sakai,T., 7=1156

Inoué,S. and Koester,C.J. Optimum half-shade angle in polarizing instruments, 9=6806

Inoué,S. and Kubota,H. Diffraction anomaly in polarizing microscopes, 9=2254

Inoue,T. See also Hall,C.E., 8=3498

Inoue,T. and Iida,S. Specific heats of copper ferrite, 9=9567

Inoue,T. and Takahashi,T. Vibrational relaxation in polyatomic gas (methane), 5=3924

Inoue,Y. The vertical distributions of the temperature and density in the lower ionosphere, 5=10109

Inskeep,R.G., Kelliher,J.M., McMahon,P.E. and Somers,B.G. Molecular association of methanol vapor, 8=8629

Inthoff,W. Contribution to the statistical theory of the nucleus, 5=8149. Fission-neutron reaction cross-sections, 6=2420. Application of a simple variation principle to the binding energies of light nuclei, 9=11408

Intonti,R. First analytical application of the "effective line widths", 7=1723

Intonti,R. and Lais,A. The effective width of a line as a measure of the photographic effect, 9=11992

Intrater,J. and Evans,D. The application of an X-ray method to the study of lattice bending, 5=7517

Intrater,J. and Weissmann,S. An X-ray diffraction method for the study of substructure of crystals, 5=1358

Inui,T. See also Mimura,H., 9=10237; Uemura,Y., 5=9391

Inui,T., Harasawa,S. and Obata,Y. Note on the electron spin resonance of the V_1-center, 6=6785

Inuishi,Y. On the pulse breakdown of plastic films at higher temperatures, 7=7845. Noise from Ge pn Junction and γ-ray irradiation effect, 7=8628; See also Nakai,J., 5=7168

Inuishi,Y. and Powers,D.A. Electric breakdown and conduction through Mylar films, 8=208

Inuishi,Y. and Suita,T. The effect of mechanical stress on dielectric breakdown of alkali-halide single crystals, 5=9634. Effects of mechanical stress on dielectric breakdown of alkali-halides. II. Time effect, 5=9635. Dielectric breakdown of X-ray coloured crystals, 6=6681. Dielectric breakdown of KCl crystals irradiated with γ-rays, 8=8753

Inuishi,Y., Sung,Y.K. and Suita,T. The effects of γ-ray irradiation on the dielectric strength of KCl, 9=3540

Inuishi,Y. and Uematsu,S. Electric breakdown in $BaTiO_3$ single crystals, 9=13351

Inukai,K. See Isobe,T., 8=3426

Ioffe,A.F. Two new applications of the Peltier effect, 6=7434. Thermoelectric generators, 7=3310. Further development of the theory of semiconductors, 8=7908. See also Ioffe,A.V. 5=7028, 6=6628, 9=4511; Joffe,A.F.

Ioffe,A.F., Airapetyants,S.V., Ioffe,A.V., Kolomoets,N.V. and Stil'bans,L.S. On increasing the efficiency of semiconducting thermocouples, 6=8216

Ioffe,A.V. and Ioffe,A.F. The measurement of the thermal conductivity of semiconductors close to room temperature, 9=4511

Ioffe,A.V. See also Ioffe,A.F., 6=8216

Ioffe,A.V. and Ioffe,A.F. Some relationships about the value of the thermal conductivity of semiconductors, 5=7028. The thermal conductivity of semiconductors, 6=6628

Ioffe,B., Okun,L. and Pomeranchuk,I. Concerning the number of different types of K-mesons, 7=7406

Ioffe,B.F. See Rautian,G.N., 7=1169, 7=1994

Ioffe,B.L. On the divergence series of perturbation theory in quantum electrodynamics, 7=2989. Dispersion relations for scattering and photoproduction, 7=3721. Systems of covariant equations in quantum field theory, 7=5035. Two possible schemes of non-conservation of parity in weak interactions, 8=496. On the capture of polarized μ-mesons by nuclei, 8=2592. On the proof of the absence of renormalization of the constant in the vector-variant of β-interaction, 9=2057, 9=10072. See also Berestetsky,V.B., 8=6253, 9=1741; Galanin,A.D., 7=1070; Vaks,V.G., 9=2613, 9=2617

Ioffe,B.L. and Ljubimov,V.A. On corollaries from the two-component nature of the electron in β-interactions, 9=2574. Conclusions from the two component electron character in β-interactions, 9=11446

Ioffe,B.L., Okun',L.B. and Rudik,A.P. On the question of non-conservation of parity in weak interactions, 7=8386

Ioffe,B.L. and Pomeranchuk,I.Ya. On a possible transition dipole-moment of A-particles, 7=8871

Ioffe,B.L., Pomeranchuk,I.Ya. and Rudik,A.P. Dispersion relations for scattering of π-mesons by deuterons, 7=3002

Ioffe,B.V. See Ioffe,B.F.

Ioffe,I.A. Plane non-stationary problem of thermal conduction for a semi-bounded body with internal isothermal cylindrical heat source, 9=13205

Ioffe,R.S. and Shklover,D.A. Photo-electric installation for testing the colour and light characteristics of the radiation of fluorescent lamps, 5=9531

Ioffe,V.A. Dielectric losses in alkaline boron glasses at low temperatures, 6=8170. The nature of the dielectric losses in sodium aluminium silicate glasses, 8=7881

Ioffe,V.A. and Khvostenko,G.I. Anomalous dispersion of the dielectric constant in felspar, 9=9583

Ioffe,V.A., Khvostenko,G.I. and Zonn,Z.N. Electrical properties of certain single crystals and polycrystalline ferrites, 9=4549

Ioffe,V.A. and Yanchevskaya,I.S. Dielectric losses in fluorspars, 9=4556

Iogansen,L.V. Quantal corrections to the radiation of a relativistic rigid rotator, 9=9936

Iogansen,L.V. and Rabinovich,M.S. Coherent radiation of electrons in a synchrotron. I, 9=2426

Ion,I.X., Ionescu-Pallas,N.J. and Potoceanu,C.C. About the μ-meson spin from ionization bursts,data, 9=6015

Ionesco-Pallas,N. The formulation of isotope shifts for heavy atoms, 9=8675. See also Ionescu-Pallas,N.

Ionescu,T.V. On the scattering of very high frequency radio waves in the ionosphere, 8=664. On a possible explanation of the ionospheric layers, 9=9078. The propagation of high-frequency currents in ionized gas [discharge] tubes, 9=13393

Ionescu,T.V. and Gheorghiu,O.C. The characteristic frequencies of negative molecular ions of oxygen between 3 and 13 Mc/s observed in ionized air discharge tubes, 8=123. Certain phenomena observed due to the coupling between an oscillator and an ionized gas tube introduced in the oscillator inductance, 8=7129

Ionescu-Pallas,N. See Agarbiceanu,I.I., 8=109

Ionescu-Pallas,N.J. See Ion,I.X.,, 9=6015

Ioniţă-Bârsan,G. See Vescan,T.T., 8=780

Ionov,N.I. Surface ionization of molecules of potassium chloride and caesium chloride in an electric field, 7=4506. See also Agishev,E.I., 7=468, 9=2420; Bakulina,I.N., 8=3406; Zandberg,E.Ya., 9=9709

Iordanishvili,E.K. See also Stil'bans,L.S., 7=3307

Iordanishvili,E.K. and Stil'bans,L.S. Thermoelectric microrefrigerators, 6=8809. Thermoelectric microrefrigerators, 7=2264

Iordanishvili,E.K. and Tkalich,L.G. A semiconducting thermostat for oscillator circuits, 8=5012

Iordanskii,S.V. Zemplen's theorem in magnetohydrodynamics, 9=4836. The asymptotic form of divergent waves of axial symmetry in a luid subject to gravity, 9=13060

Iori,I. See also Barbanti-Silva,L., 7=506; Colli,L., 8=1977, 9=13688; Lonati,R.D., 8=1238

Iori,I. and Roveri,A. Grain counting in groups in nuclear emulsions, 5=9339

Iosifesku,B. See Gel'berg,A. 9=7054

Ipatova,I.P. Theory of excitons in ionic crystals, 7=4889

Irani,K.S., Sinha,A.P.B. and Biswas,A.B. Entropy of hausmannite to spinel transformation, 8=2668

Irani,R.R. and Adamson,A.W. Transport processes in binary liquid systems. I. Diffusion in the sucrose–water system at 25°, 9=7839

Iredale,P. See Brisbout,F., 7=5640; Dahanayake,C., 5=6517, 5=9144, 7=6592; Davies,J.H., 6=3270*; Peirson,D.H., 8=2555

Iredale,T. Correlation of nuclear quadrupole interaction frequencies with polarographic half-wave potential, 6=2294. See also Alderdice,D.S., 9=7203; Ferguson,J., 5=860

Ireland,F.H. Electronic double flash generator for monocular and binocular stimulation, 5=7886

Ireland,H.J.D. See Mayneord,W.V., 7=1824
Irie,F. The existence domain of complex dielectric constant of binary mixture, 7=5293
Irie,T. Magnetoresistance effect of lead sulphide group of semiconductors. I. Measurements on natural specimens of lead sulphide, 6=8788
Irkhin,Yu.P. and Turov,E.A. The many-electron theory of semiconductors. II. Ferromagnetic semiconductors, 8=3995
Irland,M.J. See also Lindberg,V.L., 5=5329; Parsons, J.L., 6=3346
Irland,M.J. and Lindberg,V.L. Oblique interference filter for nonparallel light, 8=975
Irmay,S. Dynamic behaviour of linear rheological bodies under periodic stresses, 5=6558
Irmler,H. Deep energy levels in silicon, 9=4593. See also Borrmann,G., 9=5257
Irsa,A.P. Electron impact studies on C_2H_5Cl, C_2H_5Br, and C_2H_5I, 7=3397. See also Koski,W.S., 6=3331
Irvin,J.C. See Burkhard,D.G., 5=8967
Irvine,D.H. See George,P., 5=267
Irvine,J.W.,Jr. See Kafalas,P., 7=2650; Maletskos,C.J., 6=6282; Sangster,R.C., 6=3635
Irvine,T.F., Jr. See Eckert,E.R.G., 9=5603; Eichhorn,R., 8=1546
Irving,J. and Boucher,F.B. A variation–iteration method for short range potential problems, 7=6882
Irving,J. and Schonland,D.S. Energy of the ground state of Li^6, 5=2996
Irwin,G.R. See Krafft,J.M., 7=6647
Irwin,J.B. Standard light-time curves, 9=10542
Isaev,P.S. and Zlatev,I.S. Form factor influence on processes of bremsstrahlung and pair production on protons, 9=9929
Isakov,A.I. See Bergman,A.A., 8=3323
Isakovich,M.A. Use of layers preventing the formation of transverse waves during reflection of a longitudinal wave at the boundary of a solid body, 6=8060. The scattering and radiation of waves by statistically non-uniform and statistically oscillatory surfaces, 6=8064. Scattering of sound waves on small irregularities in a waveguide, 8=555
Isard,J.O. The orientation of fibres in an electric field, 5=5396. Electrical conduction in the aluminosilicate glasses, 9=6907
Isard,J.O. and Douglas,R.W. The relaxation of stress in fused silica. I. Experimental, 5=7435. II. Theoretical, 5=7436
Isbell,H.S. See Schwebel,A., 5=4162
Isbell,W. See Bradner,H., 8=8226
Isbell,W.M. See Bradner,H., 9=8441
Ise,J. and Uretsky,J.L. Vacuum electrodynamics on a merry-go-round, 9=461
Ise,J., Jr. See Anderson,O.A., 8=2596, 9=534. Choppin,G.R., 6=4630; Hicks,D.A., 5=4104, 5=7402, 6=2424; Schecter,L., 5=2175
Isenberg,C.R. See Trumbore,F.A., 9=8895, 9=9002
Isenor,N.R. See also Eastman,P.C., 6=6098; Kerr,J.T., 6=1500
Isenor,N.R., Bainbridge,G.R., Eastman,P.C. and Duckworth,H.E. A note on the effect of the residual gas pressure upon the spacing of mass spectroscopic doublets, 7=1386
Isetti,G. and Neubert,T.J. Light-scattering and color centers in sodium cyanide, 7=4891
Ishak,I.G.H. See also Rady,A.A., 5=7575
Ishak,I.G.H., Hefzalla,I.M.H. and Badawy,Y.K.M. Role of convergence in stereoscopic vision, 6=5580
Ishfaq,A. and Morand,M. Influence of the mean diameter of background grains in a nuclear emulsion on the structure of gaps, 9=11326
I-Shi Duan'. See Duan' I-Shi.
Ishida,Y. Ultrasonic velocity and adiabatic compressibility of mixture of sulphuric acid and water, 9=13091-2
Ishidzu,T. See Obi,S.Y., 5=4283
Ishigaki,T. See Fukushima,K., 6=6489
Ishiguro,E. Electron-coupled interaction between nuclear spins in HD molecule, 8=6387. See also Kotani,M., 8=6381; Sakamoto,M., 6=7575
Ishiguro,E., Kayama,K., Kotani,M. and Mizuno,Y. Electronic structure of simple homonuclear diatomic molecules. II. Lithium molecule, 8=6382
Ishiguro,K., Sasaki,T., Arai,T. and Imai,I. Optical and electrical properties of tin oxide films, 9=11026
Ishiguro,M. and Sugioka,E. Color centers in KCl containing Li^+ or Na^+, 8=5488
Ishii,S. See Hayasaka,T., 8=1570; Sakamoto,M., 5=5423
Ishii,T. See also Tokunaga,S., 7=9378*, 8=5179
Ishii,T., Tomiki,T. and Ueta,M. Dichroism of color centers in KCl crystal, 9=13796
Ishii,Y. See Minakawa,O., 9=12425
Ishii,Z. See Sawaguchi,E., 7=7849
Ishikawa. See Hiba, 5=7162
Ishikawa,G. and Maeda,K. The average multiplicity and inelasticity in π-meson production in the atmosphere, 8=1118
Ishikawa,K. See Hibi,T., 9=10234
Ishikawa,Y. Electrical properties of $FeTiO_3-Fe_2O_3$ solid solution series, 9=8116. Magnetic properties of $NiTiO_3-Fe_2O_3$ solid solution series, 9=9765. See also Shirane, G., 9=7173
Ishikawa,Y. and Akimoto,S. Effect of heat treatments on the magnetic properties of the $FeTiO_3-Fe_2O_3$ solid solution series, 8=4130. Magnetic properties of the $FeTiO_3-Fe_2O_3$ solid solution series, 9=8289. Magnetic properties and crystal chemistry of ilmenite ($MeTiO_3$) and haematite (αFe_2O_3) system, 9=11594
Ishikawa and Sawada,S. The study on substances having the ilmenite structure. I. Physical properties of synthesized $FeTiO_3$ and $NiTiO_3$ ceramics, 6=5072. Effective use of radiation and thermal shields in a vacuum furnace, 7=4270
Ishimatsu,T. See Nonaka,I., 6=1576, 8=3375
Ishimura,T. See also Shiraiwa,T., 8=8022, 9=13361
Ishimura,T., Shiraiwa,T. and Sawada,M. The input power limit of the cylindrical rotating anode of an X-ray tube, 9=9684
Ishino,S. See Hasiguti,R.R., 8=6985
Ishishi,E. See Dahl,L.F., 7=8947
Ishiwari,R., Yamashita,S., Yuasa,K. and Miyake,K. On the ionization–energy relations for alpha-particles in air, 6=5161
Ishiwatari,K. See Kawamura,H., 7=3823, 9=8340, 9=9821
Ishizawa,K. See Nomura,Y., 9=11647
Ishlinskiĭ,A.Yu. On the focusing of electrified particles, 5=5438
Ishmukhametov,B.Kh. See Svirskiĭ,M.S., 8=7483; Vlasov,K.B., 5=1041
Isida,S. See Kurata,M., 5=5923
Isihara,A. Statistical mechanics of rubber elasticity, 5=9391. Effect of defects of spin interactions in a simple cubic lattice, 8=806. Defects on a dipole lattice, 8=4425
Isihara,A. and Koyama,R. Theory of dilute high polymer solutions (The pearl necklace model), 7=152. Intermolecular potential between large molecules, 7=5503
Isikawa,H. Lightning mechanism and atmospherics radiation, 9=957
Isizaki,A. Vibration and noise in squirrel-cage induction motors, 6=6492
Iskenderian,H.P. Effectiveness of control-rod materials, 8=771
Islam,M.M. The parity of K-mesons and disperson relations, 9=11392
Isle,J.,Jr. See Hicks,D.A., 7=4743
Ismailzade,I.G. X-ray investigation of the effect of unilateral pressure on the structure of polycrystalline barium titanate, 8=822. Crystalline structures of the systems $Cd_2Nb_2O_7-Sr_2Nb_2O_7-NaBiNb_2O_7$, 9=10387
Iso,C. See also Namiki,M., 8=49
Iso,C. and Iwao,S. On the effects of heavy unstable particles to the anomalous magnetic moments of nucleons, 7=5839
Iso,C. and Kawaguchi,M. Note on the decay interactions of hyperons and heavy mesons, 7=7419
Iso,C. and Namiki,M. Hydrodynamical model and inelasticity in multiple production of particles, 9=9966
Iso,C. and Sato,M. Hydrodynamical theory of the multiple production of particles in high energy nucleon–nucleus collision, 7=680
Isobe,K. See also Motokawa,K., 5=3346
Isobe,K. and Motokawa,K. Functional structure of the retinal fovea and Maxwell's spot, 5=4247
Isobe,T. See also Ito,K., 9=13480; Toyoda,K., 8=9093
Isobe,T., Ikenoue,T. and Hazato,G. Proton magnetic resonance in the mixtures of aniline and N-alkylated anilines with glacial acetic acid, 9=8364
Isobe,T., Inukai,K. and Ito,K. F^{19} nuclear magnetic shielding in fluoronaphthalenes, 8=3426
Isono,K. On ice-crystal nuclei and other substances found in snow crystals, 6=9119. Mode of growth of ice crystals in air and other gases, 9=1932. Microphysical processes in precipitation mechanism, 9=11659
Isoya,A. Analysis of the yield curves and the angular distributions of the reactions $F^{19}(p,\alpha_0)O^{16}$ and $F^{19}(p,\alpha_\pi)O^{16}$, 8=7364
Isoya,A., Goto,K. and Momota,T. The angular distribution of α-particles from the reaction ${}^{19}F(p,\alpha){}^{16}O^*(\pi){}^{16}O$, 6=2399, 7=694
Isoya,A., Ohmura,H. and Momota,T. The angular distribution

of the long-range alpha-particles from the reaction $F^{19}(p,\alpha_0)O^{16}$, 8=7363

Israël,H. An experimental problem in the atmospheric-electrical synopsis. The separation of conduction and Maxwell's displacement current in measurements of the air-earth current, 5=10124. Apparatus and methods of measurement for atmospheric electrical investigations. II. Measurements of electric fields (potential gradients) in the atmosphere, 6=840. Condensation nuclei as a connecting link in atmospheric-electrical meteorological relationships, 7=1802. Electrical atmospheric effects of artificial radioactivity, 9=1963. Determining the radioactivity in earth, water and air. I, 9=13973

Israël,H. and Fries,G. An apparatus for the spectroscopic observation of various stages of spark discharges, 6=8085

Issendorff,H.v. See v.Issendorff,H.

Isted,G.A. Irregularities in the E region caused by atmospheric electricity, 5=6646. The measurement of world-wide thunderstorm activity at a single locality, 8=2714

Isted,G.A. and Millington,G. The "dawn chorus" in radio observations, 8=465

Istomin,V.G. See Mirtov,B.A., 8=5544

Isupov,V.A. Causes of formation of the Curie region in some ferroelectric solid solutions, 7=1254. A geometrical criterion of the pyrochlore type of structure, 9=10389. See also Smolenskiĭ,G.A., 5=2707*, 6=8167, 7=9157, 7=9159, 9=1418, 9=1420

Isupov,V.A. and Khomutetskiĭ,O.K. Dielectric polarization of [ferroelectric] cadmium pyroniobate [$Cd_2Nb_2O_7$] and certain solid solutions based on it, 8=3072

Isupov,V.A. and Kosyakov,V.I. Dielectric polarization and piezoelectric properties of ferroelectric solid solutions of calcium, strontium and barium metaniobates in lead metaniobates, 9=9587

Itabashi,K. On the renormalization in the Tamm-Dancoff approximation for one-nucleon problem, I. A covariant generalization of the Tamm-Dancoff method, 5=3432. II. Subtraction of divergences in the generalized Tamm-Dancoff equations, 5=4349. Electromagnetic properties of deuteron. II, 8=6197. See also Sato,I., 6=3489, 6=6375

Itô,A. See Ôno,K., 9=10112

Itô,D. On double pion production in nucleon-nucleon collision, 6=1629

Itô,D. and Minami,S. A tentative analysis of $\pi-2\pi$ process, 6=1628. Phenomenological analysis of elastic $\pi^- - p$ scattering at 1.4 BeV, 6=6372. On the angular distribution of double pion production in pion–nucleon collisions at 1.4 BeV, 6=6938. Situation of Rarita — Schwinger particle as a model of nucleon isobar, 6=8589. Meson–nucleon scattering in low energy region, 7=6900

Ito,D., Minami,S. and Tanaka,H. Proton–proton collision in high energy, 8=3291. A note on an acausality test. I, 8=5648; II, 8=7698. Nucleon structure and pion-phenomena, 8=7696. Test on the global symmetry, 9=33

Ito,D., Miyamoto,Y. and Watanabe,Y. On the intermediate coupling theory of pseudo-scalar meson field and a nucleon, 6=6366

Ito,D., Ono,M., Kato,T. and Takahashi,Y. The photodisintegration of deutron at high energy, 7=717

Ito,D. and Tanaka,H. Covariant subtraction of "overlapping divergences" appearing in the pion-nucleon scattering, 5=62. Low frequency divergence in quantum field theory, 5=5861. Theory of meson multiple production, 8=4237

Itô,H. Remarks on quantum hydrodynamics, 6=7354. Asymptotic behaviour of the response function of an optical system with a primary spherical aberration, 9=10735

Ito,K. A new simple measuring method for temperature dependence of mechanical behaviors of high polymer solids, 5=3189. See also Hayakawa,S., 6=6761; Isobe,T., 8=3426; Kanaya,K., 9=340; Uyeda,R., 9=10307

Ito,K., Isobe,T. and Sone,K. Nuclear magnetic resonance spectra of 1,10-phenanthroline and some methylated 1,10-phenanthrolines, 9=13480

Ito,M. See also Imanishi,S. 6=7285

Ito,M. and Mizushima,W. Analysis of the near ultraviolet absorption spectrum of pyridine N-oxide vapor, 6=4307

Ito,M., Shimada,R., Kuraishi,T. and Mizushima,W. Vibrational spectra of diazine, 7=2038. Ultraviolet absorption in pyrazine vapor due $n-\pi$ transition, 7=7740

Ito,N. A remark on convergence factor, 5=6752

Ito,S. See Takemoto,S., 6=2408

Itoh,J. See also Morigaki,K., 9=9819; Yukitoshi,T., 8=7459

Itoh,J. and Kusaka,R. Nuclear magnetic double resonance experiment on two proton system, 9=12492

Itoh,J. and Yamagata,Y. Nuclear magnetic resonance studies of bromine nuclei in ammonium bromide, 6=5289. Nuclear magnetic resonance experiments of I^{127} in KI, 9=5945. Nuclear magnetic resonance studies of iodine ions in aqueous solution, 9=9843

Itoh,N. See also Suita,T., 6=5076

Itoh,N. and Suita,T. Photoconduction of silver chloride, 7=5348. Effect of plastic deformation on the dielectric breakdown of silver chloride crystals, 7=8590

Itoh,R. A method of evaluating the dissociation constant in the excited state of a molecule, 8=4373. Effect of the basic strength of attached groups on light absorption spectra. I. Light absorption of triphenylmethane dyes, 8=8385; II. Near ultraviolet absorption spectra of para-substituted aniline derivatives, 8=8386; III. Dissociations in the excited states of naphthalene derivatives, 8=8387. See also Chikayama,A., 9=8730

Itoh,T. Microwave spectrum of $SPCl_3$, theoretical, 5=2588. Molecular structure of methylamine, 6=3908. See also Nishikawa,T., 6=540; Ohno,K., 5=8973; Shimoda,K., 5=2607; Yoshizumi,H., 5=3947

Itoh,T. and Kambe,K. Electron coupled interaction in solid iodine, 8=8395

Itoh,T. and Ohno,K. Modified atomic orbital method. II. The electronic structure of the oxygen molecule, 7=2505

Itoh,T., Ohno,K. and Yoshizumi,H. Non-empirical calculation of the diamagnetic anisotropy of benzene, 5=2857

Itoh,T. and Yoshizumi,H. Application of the alternant orbital method to benzene, 5=3948

Itschner,D. See Herlach,F., 9=12180

Itsikovich,A. See Nadol'skiĭ,V., 9=6675

Itskevich,E.S. and Kontorovich,V.M. [Contribution] to the theory of the specific heat of laminated structures at low temperatures, 7=7835

Itskevich,E.S. and Strelkov,P.G. Thermal capacity of a layer structure for low temperatures, 6=6575. Heat capacity of laminar lattices at low temperatures, 8=4936

Itskovich,F.I. See Zil'berman,G.E., 7=6333

Itterbeek,A.van. See van Itterbeek,A.

Itterbeek,Z.van. See van Itterbeek,Z.

Ittner,W.B. Superconducting to normal phase transition in tantalum, 9=2350. See also Jones,R.E., 9=7007

Ittner,W.B., III. Bridge and short arc erosion of copper, silver, and palladium contacts on break, 6=6666. See also Seaman,W.B., 5=10134

Ittner,W.B., III. and Marchand,J.F. Effects of dissolved gas on the superconducting characteristics of tantalum, 9=11047

Ivanchenko,A.M. Improving the stability of operation of scintillation counters, 9=9900

Ivanchik,I.I. Absolute values of cross-sections of stripping and of diffractive disintegration of the deuteron, 7=6567. Diffraction stripping of relativistic particles, 9=13668

Ivanchik,I.I. and Popov,V.S. Energy and angular distributions in diffractional disintegration processes, 9=13722

Ivanchuk,V.I. The variability of the [sun's] magnetic field and the heating of the solar atmosphere, 8=2420

Ivanenko,D. and Brodskiĭ,A. On the nonlinear theory of elementary particles, 8=8586

Ivanenko,D. and Kolesnikov,N. Binding energy of hypernuclei, 6=7707

Ivanenko,D., Kolesnikov,N. and Larin,S. Remarks on a nuclear model, 5=7269

Ivanenko,D. and Mirianashvili,M. Non-linear generalization of Dirac's spinor equation, 6=6350

Ivanenko,D. and Sokolik,G. The theory of particles of arbitrary isotopic spin and the method of fusion, 6=7979

Ivanenko,D. and Sokolik,H. Unified description of ordinary and isotopic space, 7=9518

Ivanenko,D. and Tsytovich,V.N. On the loss of energy by charged particles traversing ferromagnetics, 5=8826. The relativistic equation of three coupled bodies, 6=8581

Ivanenko,D.D. See also Brodskiĭ,A.M., 8=4216; Sokolov, A.A., 7=3980

Ivanenko,D.D. and Brodskiĭ,A.M. On a non-linear quantum theory of the electron, 5=48

Ivanenko,D.D. and Kerimov,B.K. Two-nucleon potential of intermolecular type and nuclear saturation, 7=603

Ivanenko,D.D. and Kurdgelaidze,D.F. The basic equations of mesodynamics, 6=7988

Ivanenko,D.D. and Pustovalov,G.E. Mesoatoms, 7=7282

Ivanenko,I.P. Cascade curves of electrons and photons for lead, 6=8270. Cascade showers produced by electrons and photons in light and heavy elements, 7=510. The equilibrium spectrum of electrons and photons with account of scattering, 7=6319. Energy spectrum of cascade electrons in light substances, 8=3288. On the angular distribution function of particles in the maximum of a cascade shower, 8=4102. The energy spectrum of cascade electrons in lead, 8=5185. On the cascade theory of showers, 9=1571. On the equilibrium functions for the angular distribution of particles in cascade showers, 9=9735. See also Guzhavin, V.V., 7=8701, 8=3287, 9=9736; Vernov,S.N., 9=13969

Ivanenko,I.P. and Malkov,M.A. Energy spectrum of cascade photons in light materials, 7=6320

Ivanenko,I.P. and Samosudov,B.E. Cascade curves for copper, 9=2810

Ivanoff,A. Night binocular convergence and night myopia, 5=10145. On the subject of spherical aberration of the eye, 6=5582. Degree of polarization of submarine illumination, 6=5804. Study of the penetration of light in the sea, 7=1767. Factor of polarization of submarine residual daylight, 7=1768. About the spherical aberration of the eye, 7=2882. Optical method of investigation of the oceans: the p$-\beta$ diagram, 9=10407

Ivanoff,A. and Bourdy,C. On the increase of the amount of night myopia at levels lower than 10^{-3} cd/m^2, 5=4250

Ivanoff,A. and Lenoble,J. On the subject of the influence of the aperture of the incident beam on the depolarization factor of the light scattered by molecules, 7=7032

Ivanoff,N. and Haissinsky,M. Observations on Szilard and Chalmers effect in chromic acid and chromium sulphate, 6=6237

Ivanov,A.P. Influence of absorption of luminescence on intensity of emission in powder phosphors, 7=1197. Some spectrophotometrical problems in light-scattering media, 8=566. On the influence of re-absorption on kinetics of luminescence, 8=981. Theoretical investigation of the luminescence characteristics of dispersed luminescent systems, 9=10820. Experimental investigation of the luminescence characteristics of dispersed luminescence systems, 9=10821. On the spatial distribution of emission of phosphor powders, 9=12088 Spectrophotometric properties of dispersion light-filters, 9=13173

Ivanov,A.P. and Mosunova,S.M. On a relationship between the intrinsic and technical yields of luminescence of infinitely thick light-scattering layers, 9=9475

Ivanov,A.P. and Toporets,A.S. Investigation of diffuse reflection by means of polarized light. I, 6=8109; II, 6=8110

Ivanov,D.P. See Bezbatchenko,A.L., 7=4403

Ivanov,G.A. See also Mokievskií,L.I., 9=1447

Ivanov,G.A. and Mokievskií,L.I. Thermoelectric properties of bismuth, 7=417

Ivanov,I.D. See Brekhovskikh,L.M., 6=4913

Ivanov,L.I. and Matveeva,M.P. Changes in the partial values of thermodynamic quantities for iron in solid iron–chromium alloys, 7=4291

Ivanov,L.I. and Pruzhinina-Granovskaya,V.I. The influence of impurities on electrical conductivity and non-linearity of carborundum, 6=6639

Ivanov,N.I. Motion of electrons in the discharge space of a diode with a rapidly changing anode voltage, 6=8839

Ivanov,V.E. See Sinel'nikov,K.D., 8=8375

Ivanov,V.G. See also Dzhelepov,V.P., 7=3625

Ivanov,V.G., Osipenkov,V.T., Petrov,N.I. and Rusakov,V.A. Total inelastic interaction cross-section of 225 ± 10 MeV π^--mesons with the nuclei C, Al, Cu, Sn and Pb, 7=4701

Ivanov,V.G., Petrov,N.I., Rusakov,V.A., Budagov,Yu.A., and Osipenkov,V.T. Showers in lead, produced by electrons with 360 ± 30 MeV energy, 7=4459

Ivanov,V.I. See Vereshchagin,L.F., 7=810

Ivanov,Yu.L. and Ry̆vkin,S.M. Generation of an oscillating current in germanium specimens placed in electric and longitudinal magnetic fields, 8=6991

Ivanov,Yu.M. and Kirillov-Ugryumov,V.G. Dependence of the angular correlation in $\mu^- - e^-$ decays on energy, 8=8230

Ivanova,H.K. See Hly̆nchuk,K.D., 8=8773

Ivanova,M.K., Lomonosova,T.N. and Yakovleva,A.V. Action of ultraviolet radiation on metallic mirrors, 9=9512

Ivanova,N.I. and Shvist,P. Narrow luminescence bands of the NaBr–CuBr phosphor, 9=10828

Ivanova,N.S. Cross-section for fission of uranium induced by high energy (140-660 MeV) protons, 7=2646. Mean excitation energy of the uranium atom undergoing fission by absorption of slow π-mesons, 7=3628. Fission of uranium nuclei and formation of multicharged fragments on photographic emulsion nuclei, both induced by high-energy π^+-mesons, 8=8354. See also Denisenko,G.F., 9=699. Perfilov,N.A., 5=9067, 6=2386

Ivanova,N.S., Perfilov,N.A. and Shamov,V.P. The fission of uranium nuclei by protons of energy 460 MeV, 6=643

Ivanova,N.S. and P'yanov,I.I. Fission of uranium nuclei induced by high-energy protons, 7=2647

Ivanova,T.M. See Shory̆gin,P.P., 9=1296

Ivanova,V.S. The nature of the distortions on the gliding planes of metals, 7=2748

Ivanova,V.V. See Venevtsev,Yu.N., 9=10952

Ivanovskaya,I.A. See also Abrosimov,A.T., 8=6019

Ivanovskaya,I.A. and Chernavsky,D.S. Interpretation of cosmic ray jets observed in photographic emulsions, 8=3210

Ivanovskaya,I.A., Kulikov,G.V., Rakobol'skaya,I.V. and Sary̆cheva,L.I. Wilson cloud-chamber investigation of the electron–photon component of extensive atmospheric showers at sea level, 8=1759*

Ivanovskaya,I.A., Sary̆cheva,L.I. and Chikin,P.S. Cloud-chamber investigation of the nuclear-active component of atmospheric showers, 8=7150

Ivanovskaya,I.L. and Novikov,A.G. A large rectangular Wilson's (cloud) chamber, 6=6735

Ivanovskií,A.I. On the connection of acoustic streaming with absorption of sound, 8=6776

Ivanovskií,V.I. On magnetic properties of the orderable Fe_3Al alloy, 9=5878

Ivanovskií,V.I. and Denisov,P.P. The magneto-caloric effect at phase changes in ferromagnetic alloys, 8=4155

Ivanter,I.G. The inner bremsstrahlung of a polarized μ-meson and the non-conservation of parity, 8=6157. On K_{e3} decay, 8=8251. On the possibility of determining the interaction constants from experiments on $K_{\mu3}$-decay, 9=2643

Ivanter,I.G. and Okun',L.B. On the theory of scattering of particles by nuclei, 7=7616

Ivanto,O. See Kohonen,T., 9=6150

Ivash,E.V. Internal conversion angular correlations, 9=637. Dissociation of the hydrogen molecule ion by electron impact, 9=3981. See also Richter,J.L., 8=6306

Ivash,E.V., Li,J.C. and Pitzer,K.S. Thermodynamic properties of ideal gaseous methanol, 6=1427

Iveronova,V.I. See also Batsur,D., 9=13832; Graevskaya,Ya.I., 7=8281; Zvyagina,A.P., 8=6398

Iveronova,V.I. and Katsnel'son,A.A. Short-range order and characteristic temperature of the alloy Ni_3Pt, 9=13824

Iveronova,V.I., Zvyagina,A.P. and Katsnel'son,A.A. Distortion of the crystalline lattice in solid solutions, 8=3584

Ives,D.J.G. See Bates,R.G., 6=9013

Ives,R.L. "Shutoff pulse illusion", 9=5286

Ivey,D.G. Experiments on viscoelasticity, 6=4698. Modification of the ballistic pendulum experiment, 7=3033. See also Cunningham,J.R., 6=8991; Stevens,J.R., 9=5211

Ivey,H.F. Bibliography on electroluminescence and related topics, 9=9488. See also Destriau,G., 6=2803; Howard, B.T., 5=1727

Ivlev,D.D. A particular solution of the general equations in cylindrical polar coordinates of the theory of ideal plasticity, 9=12838. The relations which determine plastic flow under Tresca's plasticity criterion and its generalizations, 9=13849

Ivlev,V.F. See also Kirenskií,L.V., 6=6650

Ivlev,V.F. and Rudyak,V.M. On the existence of a most probable magnetization jump, 8=7195

Ivleva,S.A. See Borin,A.V., 5=2351

Ivory,J.E. See Baldwin,F.P., 5=7431

Iwadare,J. Nonadiabatic treatment of nuclear forces. I. Static limit, 6=79. II. Nonstatic corrections, 6=6368. Nonstatic corrections to the fourth order nuclear forces, 6=81. Suppression effect of the ionization produced by electron–positron pairs of extremely high energy, 8=6133. On the elasticity in the high energy jet events, 9=12433. See also Hiida,K., 6=8576

Iwadare,J. and Hatano,S. Interaction of antinucleons in matter. I, 7=88

Iwadare,J., Otsuki,S., Tamagaki,R. and Watari,W. Determination of the pion coupling constant in nuclear forces, 7=108. Pion theory of nuclear forces and n–p polarization, 7=2991. Two-nucleon problem with pion theoretical potential. I. Determination of coupling constant and deuteron problem,

7=6896; II. Singlet even state, 7=6897; III. p−p scattering at 18.2 MeV, 7=6898
Iwamoto,F. and Yamada,M. Cluster development method in the quantum mechanics of many particle systems. I, 9=11852
Iwanaga,K. See Abe,H., 5=2880; Kumagai,H., 5=8901
Iwanowska,W. High-velocity stars and interstellar dust, 6=872*
Iwao,S. On the interaction of V-particles, 6=61. See also Iso,C., 7=5839
Iwasaki,H. Thermoelastic loss in quartz vibrators, 9=13086
Iwata,G. A formulation of field theory in Hilbert space, 5=723. Orbits of an electron in static electromagnetic fields, I, 7=6274. See also Miyamoto,G., 8=323
Iwata,H. See Chikazumi,S., 9=8293
Iwata,K., Ogawa,S., Okonogi,H., Sakita,B. and Oneda,S. On the universality of the weak boson-fermion interaction, 5=9426
Iwata,M., Katsube,S. and Fukuda,T. Reflectivity curves by multiple layers of alternating refractive indices on image basis and Lippmann photography, 9=7988
Iwayanagi,S. On the viscoelastic properties of polymethyl methacrylate, 5=10010. Dynamical measurements on the viscoelasticity of polymethyl acrylate, 5=10011. On the viscoelastic properties of linear amorphous polymers in relation to their molecular structure (polymethyl methacrylate and acrylate), 5=10012
Iwersen,J.E. See also Nelson,J.T., 5=5001
Iwersen,J.E. and Koski,W.S. Gamma rays in the decay of Na^{25}, 5=7331
Iyengar,K.S. Refraction of light in solids by ultrasonic waves, 5=4499. Photo-elastic dispersion in cubic crystals, 6=2019. See also Bansigir,K.G., 8=1002
Iyengar,K.S. and Bansigir,K.G. Stress and wavelength dependence of birefringence in cubic crystals in the visible region, 9=10882
Iyengar,K.S. and Richardson,E.G. Measurements on the air-nuclei in natural water which give rise to cavitation, 8=2840
Iyengar,K.V.K. See Kondaiah,E., 8=5386, 9=8633
Iyengar,P.K. See Brockhouse,B.N., 8=5463, 9=2897; Ramanna,R., 5=5635, 6=8411
Iyengar,S.B.D. See also Ramanna,R., 5=2221, 6=8411
Iyengar,S.B.D. and Mani,G.S. Thermal neutron distribution due to time-dependent fast neutron sources in non-multiplying media, 6=4675
Izard,J.O. The orientation of fibres in an electric field, 7=1260
Izbicki,H. Note on "double binomial coefficients", 9=11706
Izhak,I.A. Effect of pressure on the dielectric characteristics of ferroelectric ceramics, 7=351. The thermodynamic theory of ferroelectrics, 7=6152. Investigation of the effect of one-sided compression on the dielectric constant of $BaTiO_3$ ceramics in strong fields, 8=7891. See also Sinyakov,E.V., 5=7008
Izhak,I.A. and Shugurov,O.A. Dependence of the [d_{33}] piezomodulus of polycrystalline $BaTiO_3$ on unilateral pressure, 8=3077
Izhar Husain Saiyid. See Husain,S.I., 9=10560
Izmaĭlov,S.V. See Fradkin,É.E., 7=9003
Izrailevich,E.A. See Landsberg,G.S., 6=8683
Izrailevitch,E.A. See Broude,V.L., 9=10780
Izumi,S. See Matsuura,K., 9=5206
Izyumov,T.G. See Skrotskii,G.V., 9=12157
Izyumov,Yu.A. Generalization of the spin-wave model to the case of several electrons surrounding each [lattice] site, 8=1769. On the interaction between external and internal electrons in ferromagnetic transition elements, 9=2487. See also Berdȳshev,A.A., 8=9114

Jabłoński,A. Quenching of photoluminescence of solutions, 5=854. Yield of anti-Stokes fluorescence of dye solutions, 5=3595. Virtual oscillators in the metallic model of luminescent molecules, 6=3066. Self-depolarization and decay of photoluminescence of solutions, 6=6530. Note on the theory of the polarization of photoluminescence of solutions, 6=8119. A note on the diffusion controlled processes in luminescent solutions, 7=5211. Yield of photoluminescence of solutions, 7=9095. Corrections and additional remarks to the paper: Self-depolarization and decay of photoluminescence of solutions, 9=5557. The metastable state of dye molecules, 9=8720. Quenching of photoluminescence of solutions by energy transfer, 9=9463

Jablonski,F.E. See Ferguson,G.A., 8=4091; Peters,C.W., 9=11310

Jabotinsky,E. A tentative explanation of the Weissenberg and Reiner effects by postulating the existence of gyroscopic phenomena in viscous flow, 7=7644

Jaccard,C. Theoretical and experimental study of the electrical properties of ice, 9=6877. See also Gränicher,H., 5=9630, 8=3990, 9=12210

Jaccarino,V. Direct observation of the h.f.s. of a paramagnetic ion in an antiferromagnet. Nuclear magnetic resonance of Co^{59} in CoF$_2$, 9=5947. Effects of the Co^{59} h.f.s. on the F^{19} high-frequency N.M.R. in antiferromagnetic CoF$_2$, 9=9840. See also Dillon,J.F., 6=1364; Dillon,J.F.,Jr. 9=8046*, 9=9799; Eisinger,J., 8=9009; Shulman,R.G., 7=858, 8=7322, 9=1590; Stroke,H.H., 7=3555

Jaccarino,V. and Shulman,R.G. Observation of nuclear magnetic resonance in antiferromagnetic Mn(F^{19})$_2$, 8=656

Jaccarino,V., Shulman,R.G. and Stout,J.W. Nuclear magnetic resonance in paramagnetic iron group fluorides, 7=6458

Jacchia,L. On the numerical integration of functions tabulated in logarithmic form, 6=3

Jacchia,L.G. The physical theory of meteors. VIII. Fragmentation as cause of the faint-meteor anomaly, 5=5179. On the two parameters used in the physical theory of meteors, 9=998. Two atmospheric effects in the orbital acceleration of artificial satellites, 9=6472. Corpuscular radiation and the acceleration of artificial satellites, 9=11765

Jaccodine,R. Observations of spiral growth steps in ethylene polymer, 5=9231

Jache,A.W. See also Blevins,G.S., 5=2585

Jache,A.W.,Blevins,G.S. and Gordy,W. Millimeter wave spectra of SbH$_3$ and SbD$_3$, 5=2590

Jache,A.W.,Moser,P.W. and Gordy,W. Millimeter wave spectrum, molecular structure, and dipole moment of hydrogen selenide, 6=7606

Jachter,M.H. and Cohen,A.E. Encapsulation makes monitor independent of environment, 8=4195

Jack,K.H. and Wachtel,M.M. The characterization and crystal structure of caesium antimonide, a photo-electric surface material, 7=6187

Jack,W. See Storey,R.S., 8=4892; Varma,J., 8=1225

Jack,W.A. See Ingard,K.U., 9=2186

Jacka,F. Variations of intensity of the aurora at Macquarie Island, 5=660

Jacklyn,R.M. Cosmic rays and air-mass effects at Macquarie Island, 5=7169. The diurnal variation of the barometer coefficient for cosmic rays at Hobart, 7=5444

Jacklyn,R.M. and Fenton,A.G. Changes in the high-latitude east—west asymmetry of cosmic rays, 7=6324

Jackman,E.A. and Roberts,J.P. The strength of a single crystal and polycrystalline corundum, 5=9185

Jackson,D.A. Isotope effect in the spectrum of indium I, 6=3613. Isotope effects in the hyperfine structure of the resonance lines of gallium I, 7=1515. The Zeeman effect in the hyperfine structure of the 4101 A indium line ($5^2P_{1/2}$—$6S_{1/2}$), 7=5163. Isotope shift in the spectrum of indium I, 7=5976. Structure of the resonance line of the arc spectrum of barium, 7=6990. Hyperfine structure in the spectrum of Indium II, 7=8507. Isotope shift in the spectrum of indium I, 7=8509. Hyperfine structures of the resonance lines of indium 115, 8=787, 8=5772

Jackson,D.S. and Schiff,H.I. Mass spectrometric investigation of active nitrogen, 6=2208

Jackson,E.A. See Gross,E.P., 7=9039, 9=121, 9=10693

Jackson,E.M. See Mitchell,J.T.D., 9=5086

Jackson,F.J. See also Nyborg,W.L., 9=7904

Jackson,F.J. and Nyborg,W.L. Small scale acoustic streaming near a locally excited membrane, 9=157. Microscopic eddying near a vibrating ultrasonic tool tip, 9=9287

Jackson,H.E. See also DeWire,J.W., 8=6171

Jackson,H.E.,Martin,R.L. and Waggoner,J. Self-excited 150-kilovolt resonant cavity for operation at 87 megacycles, 9=4732

Jackson,H.G. See Butler,J.P., 6=8342; Eastwood,T.A., 8=7331; Harvey,B.G., 7=8129; Jones,M., 6=3934

Jackson,H.K. See Bernstein,S., 6=2413

Jackson,H.L. Presentation of the concept of mass to beginning physics students, 9=4251

Jackson,H.L.W. See Power,G., 9=4318

Jackson,J.D. On the interpretation of nuclear resonance fluorescence experiments, 5=9822. A schematic model for (p, xn) cross sections in heavy elements, 6=7675. On the use of the complete interaction Hamiltonian in atomic rearrangement collisions, 7=3401. Spallation yields from high energy proton bombardment of heavy elements, 7=3634. Catalysis of nuclear reactions between hydrogen isotopes by μ^- mesons, 7=6534. See also Frauenfelder,H., 8=4298; Sharp,R.T., 5=6770

Jackson,J.D.,Ravenhall,D.G. and Wyld,H.W.,Jr. Phenomenological discussion of the scattering and absorption of K-mesons by protons, 9=2649

Jackson,J.D.,Treiman,S.B. and Wyld,H.W.,Jr. Possible tests of time reversal invariance in beta decay, 7=6508. Proposed experiment to determine the direction of μ-meson polarization in pion decay, 7=9911. Coulomb corrections in allowed beta transitions, 8=3350. Note on relativistic Coulomb wave functions, 8=7716

Jackson,J.D. and Wyld,H.W.,Jr. Effect of K^0—K^- mass difference on K^-—N interactions at low energies, 9=11394. Negative K meson—nucleon interaction at low energies, 9=11395

Jackson,J.E. Measurements in the E-layer with the Navy Viking rocket, 5=1385. Some multivariate statistical techniques used in color matching data, 9=6811. See also Brown,W.R.J., 6=1147; Seddon,J.C.,5=4224, 5=5139, 6=825

Jackson,J.E. and Seddon,J.C. Ionosphere electron-density measurements with the Navy Aerobee-Hi rocket, 8=6536

Jackson,J.L. Dynamic stability of frozen radicals. I. Description and application of the model, 9=8700. II. The formal theory of the model, 9=12735. See also Griffing,V., 9=8336

Jackson,J.L. and Montroll,E.W. Free radical statistics, 9=760

Jackson,J.L. and Yovits,M.C. Properties of the quantum statistical impedance, 5=1064

Jackson,J.M. and Suran,J.J. Gamma-ray monitor has high reliability, 8=251

Jackson,K.A. Kinetics of alloy solidification, 9=853. See also Lindenmeyer,C.S., 7=9964

Jackson,K.A. and Chalmers,B. Kinetics of solidification, 6=5044. Freezing of liquids in porous media with special reference to frost heave in soils, 9=2266

Jackson,L.C. See also Ham,A.C., 5=254, 7=8568

Jackson,L.C. and Grimes,L.G. The properties of the saturated helium film, 9=6845

Jackson,R. See Godridge,A.M., 5=6991, 8=3048; Ingram,D.J.E., 5=6299

Jackson,R.C. See Lee,E.W., 8=7172

Jackson,R.N. See Jacobs,T., 9=6412

Jackson,R.W. Simple method of revealing P-N junctions in germanium, 6=5102

Jackson,W.D. The three-dimensional or solid-image microscope, 9=9541

Jacob,B. Infrared spectra of solutions of non-polar gases, 9=13169

Jacob,G. The diffusion of neutrons in moderating and multiplying media with a periodic neutron source, 9=4917. See also Dillenburg,D., 9=3937

Jacob,K.C. See Beyer,R.T., 8=2199

Jacob,K.P. See Mihelich,J.W., 6=8947

Jacob,L. The electron bombardment of thin barium films, 7=4458. Electron optical transfer: a study of electron bombardment of surfaces, 8=5056. See also Clarke,W.W.H., 6=2160, 7=3350; Noble,R., 7=2285

Jacob,M. Angular distributions in strange particles two body-decays, 9=2670. See also Auclair,J.M., 6=2421, 7=1622

Jacob M. and Wick,G.C. On the general theory of collisions for particles with spin, 9=12531

Jacobi,W. On ice formation in pure supercooled water, 5=6984

Jacobi,W.M.,Roarty,J.D.,Sher,N.C.,Treadwell,K.M. and Zerbe,J.E. Thermal design criteria for pressurized-water reactors, 9=10142

Jacobs,G. Dielectric relaxation in sodium chloride

crystals, 6=1200. Dielectric losses in additively colored NaC1 and KBr, 6=5074. On the additive coloration of KBr crystals, 7=2826. Dielectric losses of doped colored crystals, 8=1671. Dielectric relaxation in CaF$_2$ single crystals, 8=6949. Dielectric losses and added coloration of calcium fluoride, 8=8751
Jacobs,H. See also Brand,F.A., 5=1884; Ramsa,A.P., 9=8111
Jacobs,H.,Greenberg,I.N.,Goble,L. and Ramsa,A. Resonance potentials in thin films of potassium chloride, 7=7155. Resonance potentials in thin films of potassium chloride, 9=11124
Jacobs,I.S. See also Bean,C.P., 7=4794; Schmitt,R.W., 8=233
Jacobs,I.S. and Bean,C.P. An approach to elongated fine-particle magnets, 6=2236. Antiferromagnetic domain walls and the magnetization process in α-Fe$_2$O$_3$, 9=460
Jacobs,I.S. and Lawrence,P.E. Measurement of magnetization curves in high pulsed magnetic fields, 9=387
Jacobs,I.S. and Luborsky,F.E. Magnetic anisotropy and rotational hysteresis in elongated fine-particle magnets, 8=1779
Jacobs,I.S. and Schmitt,R.W. Low-temperature electrical and magnetic behavior of dilute alloys: Mn in Cu and Co in Cu, 9=4780
Jacobs,J. The effect of 3pπ electrons: energy levels of ethylene, 5=2970
Jacobs,J.A. Effect of altitude on the position of the magnetic pole, 7=926. See also Bashkin,S., 8=8705; Duwalo,G., 9=5265. See Obayashi,T., 8=3604, 8=5529
Jacobs,J.A. and Allan,D.W. The thermal history of the earth, 6=1756
Jacobs,J.A. and Obayashi,T. The diurnal behavior of sudden commencements of magnetic storms at Agincourt, 6=7859. The average electric current system for the sudden commencements of magnetic storms, 8=7617
Jacobs,J.A.H. See MacNichol,E.F.Jr, 6=4224
Jacobs,J.H. Resolving power, 7=8504
Jacobs,P.W.M. See also Bray,A.R., 8=2053; Hill,R.J., 9=7544; Hills,G.J., 7=6934
Jacobs,P.W.M. and Tompkins,F.C. Ionic conductance of some solid metallic azides, 5=9214
Jacobs,R.B. Single-phase transfer of liquefied gases, 9=3192
Jacobs,S.J. See Michels,A., 5=2480
Jacobs,T. and Jackson,R.N. An investigation into the subjective effects of some differences between the red, green and blue transfer characteristics of a colour television system, 9=6412
Jacobsen,E.H. Elastic spectrum of copper from temperature-diffuse scattering of X-rays, 5=3258. Lattice dynamics and thermal diffuse scattering of X-rays, 8=3446. Piezoelectric production of microwave phonons, 9=11953
Jacobsen,E.H.,Shiren,N.S. and Tucker,E.B. Effects of 9.2 kMc/s ultrasonics on electron spin resonances in quartz, 9=12472
Jacobsohn,B.A. Nuclear fine structure in the M-musonic atom, 5=2086. See also Henley,E.M., 8=1254, 9=5033
Jacobsohn,B.A. and Henley,E.M. Gamma-ray angular correlation tests for time-reversal invariance in nuclear forces, 9=5034
Jacobson,A., Steigman,J., Strakna,R.A. and Friedland,S.S. Appearance potential study of CBrF$_3$, 6=5183
Jacobson,B. On the interpretation of dielectric constants of aqueous macromolecular solutions. Hydration of macromolecules, 5=7940
Jacobson,J.D. See Salsburg,Z.W., 9=3156; Wood,W.W., 8=5698, 9=10626
Jacobson,J.J. See Dempsey,R.H., 7=9897
Jacobson,L.E. and Knauer,I. Absorption in different tissues of cobalt 60 gamma radiation and roentgen rays with half-value layers from 1mm A1 to 5 mm Cu, 7=673
Jacobson,M.J. Analysis of a multiple receiver correlation system, 8=4821. Correlation of a finite distance point source, 9=6668
Jacobson,M.J. and Talham,R.J. Use of pressure gradient receivers in a correlator receiving system, 9=13130
Jacobson,R. See Evans,W.H., 6=3699
Jacobson,R.A. See also Rossmann,M.G., 9=9023
Jacobson,R.A. and Lipscomb,W.N. Molecular and crystal structure of B$_8$C1$_8$. II. Solution of the three-dimensional structure, 9=12880
Jacques,J.K. and Barrow,R.F. The transition V$^1\Sigma^+$--X$^1\Sigma^+$in hydrogen chloride, 9=10178
Jacques,R. Influence of the physical state on the half life of Be^7, 5=9849. Determination of the electronic wave-function and density of beryliium in its various physical and chemical states. Application to the variation of the captive half-life of Be^7, 7=9339
Jacquesson,J. Application of the back-scattering of gamma-rays to the measurement of soil densities, 7=5751. A method for the determination of the shock adiabatic and its application to metals, 9=13093
Jacquesson,R. See Caisso,J., 5=9171
Jacquet,P.A. See Mencarelli,E., 9=8914
Jacques,J.A. See also Dimitroff,J.M., 6=3399
Jacquez,J.A.,Huss,J.,McKeehan,W.,Dimitroff,J.M. and Kuppenheim,H.F. Spectral reflectance of human skin in the region 0.7-2.6u, 6=3400
Jacquez,J.A. and Kuppenheim,H.F. Theory of the integrating sphere, 5=5964. Spectral reflectance of human skin in the region 235-1000 mμ, 5=6957. Effect of elimination of the specular component on efficiency and error of the integrating sphere, 6=4981
Jacquez,J.A.,McKeehan,W.,Huss,J.,Dimitroff,J.M. and Kuppenheim,H.F. An integrating sphere for measuring diffuse reflectance in the near infrared, 5=9575. Integrating sphere for the measurement of reflectance with the Beckman model DR recording spectrophotometer, 6=180. Spectral reflectance of human skin in the region 235-700 mμ, 6=2599
Jacquinot,P. The luminosity of spectrometers with prisms, gratings, or Fabry-Perot etalons, 5=165. Luminosities compared for prism and grating spectrometers, 5=8588. Luminosity of spectrometers, 6=1035. Application of low temperatures in optical spectroscopy, 6=4978. See also Blaise,J., 5=2567; Brochard,J., 6=1965
Jacquinot,P. and Chabbal,R. Spectrophotometry by means of the Fabry–Perot interferometer, 6=8649
Jacrot,B. Measurement of the energy of very slow neutrons after inelastic scattering by polycrystals and monocrystals, 5=4981. See also Cribier,D., 9=12825; Ericson,M., 8=4128, 9=4783; Galula,M., 5=2192, 5=3152, 5=6478, 6=4026;He Herpin,A., 6=711
Jaeckel,R. See also Diels,K., 8=6718; Günther,K.G., 5=4428; Jawtusch,W., 5=2216, 5=7398
Jaeckel,R. and Junge,H. Measurement of the emission of nitrogen dissolved in pure iron into a vacuum, 9=7849
Jaeckel,R. and Reich,G. Measurement of vapour pressures in the region below 10^{-2} mm Hg, 7=7822
Jaeckel,R. and Schittko,F.J. Gas evolution from materials in vacuum, 9=4357
Jaeger,J.C. Conduction of heat in an infinite region bounded internally by a circular cylinder of a perfect conductor, 6=6553. Sub-surface temperatures on the moon, 9=9144. See also Almond,M., 7=2853; Beck,A., 6=7034
Jaeger,J.C. and Beck,A. The calculation of heat flow through disks and its application to conductivity measurements, 5=1751
Jaeger,R. Standard dosimetry of Grenz rays and soft X-rays, 5=1883
Jaeger,R.G. Problem of protection against radiation in the peaceful application of atomic energy, 8=8564
Jaeger,T. Concrete in radiation-shielding technique, 9=10480-4
Jaeglé,P. Diffraction of soft X-rays produced by two successive concave gratings, 8=634
Jaenicke,W. and Schott,C. Photographic developing as an electrode process, 6=4763
Jaffe,A.A. The $\underline{M}$ X-ray from radium D and the $\underline{M}$ X-ray fluorescence yield of bismuth, 5=2782. See also Barros,F.de S., 9=7346, 9=8609; Calvert,J.M., 6=2405-7, 7=3656; Maslin,E.E., 7=1606
Jaffe,B., Roth,R.S. and Marzullo,S. Properties of piezoelectric ceramics in the solid-solution series lead titanate–lead zirconate–lead oxide: tin oxide and lead titanate–lead hafnate, 6=6607
Jaffe,H. See also Berlincourt,D., 8=7892; Cook,W.R.,Jr, 5=2700, 7=9152-3, 9=5649; Hoff,R.W., 6=1526
Jaffe,H., Berlincourt,D. and KcKee,J.M. Effect of pressure on the Curie temperature of polycrystalline ceramic barium titanate, 7=3239
Jaffe,H., Passel,T.O., Browne,C.I. and Perlman,I. Gamma and X-radiation in the decay of Am^{241}, 5=2148
Jaffé,H.H. Some theorems concerning the mutual polarizabilities of atoms and bonds in conjugated molecules, 5=2975. On the separation of inductive and mesomeric effects by molecular orbital theory, 5=3945. Valence forces in three- and four-membered rings, 6=4569. Steric inhibition of hyperconjuga-

tion, 7=6379. See also Dessy,R.E., 9=7201; Goldfarb,I.J., 9=8678; Roberts,J.L., 8=384

Jaffe,I. See Seliger,H.H., 6=1992; Ziegler,C.A., 6=5975

Jaffe,J.H. See also Kimel,S., 9=9430; Oppenheim,U., 7=3168

Jaffe,J.H., Hirschfeld,M.A. and Kimel,S. Optical dispersion of gases in the infrared, 9=176

Jaffe,J.H. and Kimel,S. Infrared intensities in liquids, 6=8674

Jaffe,J.H. and Oppenheim,U. Infrared dispersion of liquids by critical angle refractometry, 7=9056

Jaffe,J.H., Rank,D.H. and Wiggins,T.A. High resolution in the infrared by interferometry. Unambigious display without overlapping orders, 5=7819. Direct unambiguous display: a new method with the Fabry-Perot interferometer for emission and absorption, 5=7871

Jaffe,J. H., Wiggins,T.A. and Rank,D.H. Extreme resolution of infra-red absorption spectra, 5=6908

Jaffe,L., Prosen,E.J. and Szwarc,M. Heats of combustion of some peroxides and the heats of formation of acetate, propionate, and butyrate radicals, 7=9666

Jaffe,P.M. Electric field enhancement of cathodoluminescence (cathodoelectroluminescence), 9=12089

Jaffe,S. See Kramer,B., 7=4365

Jaffee,R.I. See Sims,C.T., 9=8180

Jaffray,J. The transition points of ammonium dichromate crystals, 6=2034. Remarks on a polymorphic transformation of camphor crystals, 8=1018. The polymorphic transformation of lead sulphate and of mixed crystals of lead-sulphate–barium-sulphate, 9=9556. See also Bernard,M., 6=7007, 9=9016; Hugon,L., 5=7890; Roche,J., 5=7902

Jaffray,J. and Bertrand,R. Investigation of a transition of crystals of beryllium oxyformiate, 6=2040

Jaffray,J. and Labary,A. The polymorphism of potassium dichromate crystals, 6=6245

Jaffray,J. and Montmory,R. Oreintated freezing of supercooled water on crystalline surfaces. I. On muscovite mica, 6=8150. Orientated freezing of supercooled water on crystalline surfaces. The case of PbI$_2$, 7=2123. Oriented solidification of supercooled water on a crystalline surface. Silver and silver iodide, 7=5270*

Jaffray,J. and Rodier,N. The transition points of crystals of nickel nitrate hexahydrate, 5=9610

Jagannathan,P., Chacko,O. and Venkiteshwaran,S.P. Insolation measurements at Poona during the solar eclipse on 14 December 1955, 7=8321

Jager,C.de. See de Jager,C.,

Jäger,E. See Houtermans,F.G., 9=4479

Jager,F. On the thermic measurement of the elastic limit in metals, 6=738

Jäger,F.W. Theory and observations of polarization in solar Fraunhofer lines, 9=6453

Jaggi,R. See also Busch,G., 6=3727, 9=11054

Jaggi,R., Müller,J. and Sommerhalder,R. Critical field strength of superconducting hollow cylinders in a traverse magnetic field, 9=9655

Jaggi,R. and Sommerhalder,R. Hall effect and self Hall effect in normal and super-conductors, 9=13331

Jaglom,A.M. See Gelfand,I.M., 9=1037

Jahn,H. Measurement of instantaneous dosage rate from pulsed X-rays, by means of a scintillation counter, 5=7994

Jahn,H.A. Direct evaluation of fractional parentage coefficients using Young operators. General theory and $\langle 4|2,2\rangle$ coefficients, 5=3964

Jahn,R.G. and Grosse,F.A. Response of electrostatic probes to ionized gas glows in a shock tube, 9=12392

Jahn,R.G. and Weimer,D. On the performance of thin-film gauges in high-temperature shock tube flows, 8=6753

Jahoda,F.C. Fundamental absorption of barium oxide from its reflectivity spectrum, 8=4883

Jahrreiss,H. On the calculation of electron interference patterns from twinned crystals, 5=2324. A "survey" nomogram for electron diffraction investigations, 6=7032. The investigation of crystal points with a fast electron beam, 9=5187

Jain,A.L. Temperature dependence of the electrical properties of bismuth–antimony alloys, 9=12257. See also Lawson,A.W., 9=6827

Jain,P.C. Gravitational instability of an infinite homogeneous and stationary turbulent medium, 9=75. A theory of homogeneous isotropic turbulence, 9=4337

Jain,P.L. Decay of heavy hyperfragment, 9=1726. Mesonic decay of hilium hyperfragment, 9=3843. Nuclear interaction of heavy primary cosmic radiation, 9=13412-13. See also Wertz,J.E., 6=5308

Jain,P.L., Lee,J.C. and Spence,R.D. Proton magnetic resonance in liquid crystals–orientation effects, 5=5930

Jain,P.L., Lohrmann,E. and Teucher,M.W. Energy spectrum of the heavy nuclei in the cosmic radiation between 7- and 100-BeV/nucleon, 9=13408. Heavy nuclei and α particles between 7 and 100 BeV/nucleon. II. Fragmentations and meson production, 9=13671

Jain,S.C. Simple solutions of the partial differential equation for diffusion (or heat conduction), 8=3478. See also Ewles,J., 8=3477, 8=5799; Krishnan,K.S., 5=889, 6=3802

Jain,S.C. and Krishnan,K.S. The distribution of temperature along a thin rod electrically heated in vacuo. V. Time lag, 5=1750. V1. End-losses, 5=5351

Jain,V.K. See Sodha,M.S., 9=9273

Jainski,P. Threshold of perception by the eye of a number of objects in the field of view, 6=855

Jäkel,T. On the measurement of the dielectric constants of liquids in the decimetre wave region, 6=1190

Jakeman,D. Production of cosmic ray mesons at large zenith angles, 6=5203

Jaki,S.L. and Hess,V.F. A study of the distribution of radon, thoron, and their decay products above and below the ground, 8=6559

Jakits,O. On the dielectric properties and phase-changes in mixed-crystal systems of the pervoskite type, 5=7010

Jakob,H. The importance of the diaphragm in the scale method of Lamm, 7=7717

Jakobi,G. Study of the Proca fluid, 7=5055

Jakobi,G. and Kolesnikov,N. On the structure of the electron, 7=9002

Jakobi,G. and Lochak,G. Introduction of relativistic Cayley–Klein parameters in the hydrodynamic representation of the Dirac equation, 7=90. Decompositions in Clebsch parameters of the Dirac momentum and the physical interpretation of the gauge invariance of the equations of wave mechanics, 7=1076

Jakobson,M. See also Ruby,L., 6=7472

Jakobson,M., Heusinkveld,M. and Ruby,L. Modes of acceleration of ions in a three-Dee cyclotron, 7=1383

Jakšić,B. Selection rules for meson decays into two bosons imposed by the conservation of angular momentum and parity, 5=4090. Selection rules for decays into spin 0 and polarized spin 1 particles due to the conservation of angular momentum and parity, 5=4953. Selection rules for decays into more than two bosons, 6=2437. On the Bloch integral equation at low temperatures, 8=4421. See also Alaga,G., 7=662, 9=11443; Glaser,V., 7=8396, 8=4948, 9=9202, 9=12234

Jakšić,B. and Soln,J. On the polarization of electrons in μ-meson decay, 8=5220. μ-Meson decay and the non-conservation of parity, 9=3111

James,A.M. See Loveday,D.E.E., 7=3311

James,C.G. See also Bulewicz,E.M., 6=4714

James,C.G. and Sugden,T.M. Photometric investigations of alkali metals in hydrogen flame gases. I. A general survey of the use of resonance radiation in the measurement of atomic concentrations, 5=1762. Use of the nitric oxide/oxygen continuum in the estimation of the relative concentrations of oxygen atoms in flame gases, 5=4164

James,D.B. See also Heiberg,S.A, 5=3073; Neilson,G.C., 6=1635

James,D.B., Jones,G.A. and Wilkinson,D.H. The reaction ^{9}Be(α,n)^{12}C, 7=2630

James,D.B., Kubelka,W., Heiberg,S.A. and Warren,J.B. The pulse height distribution from boron trifluoride proportional counters irradiated with 4.87-MeV neutrons, 5=5470

James,G.D. and Salmeron,R.A. The production of hyperons and heavy mesons, 5=6518

James,H. Note on the statistical mechanics of semiconductor crystals with electron-vibration coupling, 7=7924

James,H.J. See Buchanan,J.S., 9=13869

James,H.M. See also Lehman,G.W., 6=2088

James,H.M. and Keenan,T.A. Theory of phase transitions in solid heavy methane, 9=9555

James,J.A. Oriented overgrowths of iron by electrodeposition, 5=8348

James,J.A. and Richards,D.H. Radioactivation analysis of arsenic in silicon, 5=6594. Radioactivation analysis of phosphorus in iodine, 6=7798. Radiochemical analysis of silicon, 8=5514

James,J.A. and Williams,I. Impurity determination in silicon, 7=7882

James,J.F. Laboratory experiments on the day airglow, 6=9106

James,R.A. See Linder,B., 9=7344

James,T.C. and Klemperer,W. Line intensities in the Raman effect of $^1\Sigma$ diatomic molecules, 9=9443

James,W.J. and Straumanis,M.E. Lattice parameter and coefficient of thermal expansion of thorium, 6=9047.

Jameson,D. See also Hurvich,L.M., 5=9315, 6=5574

Jameson,D. and Hurvich,L.M. Some quantitative aspects of an opponent-colors theory. I. Chromatic responses and spectral saturation, 5=7570. III. Changes in brightness, saturation, and hue with chromatic adaptation, 6=5573. Theoretical analysis of anomalous trichromatic color vision, 7=2890. Note on factors influencing the relation between stereoscopic acuity and observation distance, 9=9118. Perceived color and its dependence on focal, surrounding, and preceding stimulus variables, 9=11685

Jameson,W.J.,Jr. See Aroeste,H., 9=6210

Jamieson,C.P. See Hopkins,G.R., 8=7396

Jamieson,J.C. and Lawson,A.W. High-temperature head conductivity of some metal oxides, 9=247

Jamnik,D. See also Hall,H.E., 9=13541

Jamnik,D. and Zupančič,C. Excitation of charactersitic K X-rays by the impact of heavy charged particles, 9=4664

Jan,J.P. Small-angle X-ray scattering from precipitates in cold-worked Al-Ag and Al-Zn, 6=740. See also Christian,J.W., 8=5014

Jan,J.P., Pearson,W.B. and Templeton,I.M. Thermoelectricity at low temperatures. V. The suitability of lead as a standard reference material, 8=5013

Jancel,R. On ergodic theory in quantum mechanics, 5=6768. On the fundamental hypothesis of statistical quantum mechanics, 5=6769, On the H-theorem in quantum mechanics, 6=4211. See also Lozzi,M., 5=3907, 7=3469

Jancel,R. and Kahan,T. Chains of quantal measures and the principle of negentropy, 5=2448. The deduction of Appleton's formula for ionospheric birefringence from a non-Maxwellian magnetoionic theory. (Conditions and scope of validity), 5=2907. Non-Maxwellian theory of homogeneous and anisotropic plasmas, 5=3906. Theory of coupling of ordinary and extraordinary electromagnetic waves in an inhomogeneous and anisotropic plasma and the conditions of reflection. Applications to the ionosphere, 5=4822. Statistical mechanics of Lorentzian electron plasmas and their applications to the ionosphere, 5=8102. Analysis of the coupling of ordinary and extraordinary electromagnetic waves in a Lorentzian plasma and its application to the ionosphere, 5=8103. A critical examination of the theory of plasmas based on the mean-free-path concept, in the light of the method based on the distribution function obtained by solving the Boltzmann equation, 6=982. Development of a general solution of Boltzmann's transport equation in the presence of electric and magnetic fields, 7=7128. On a generalized theory of a Lorentzian plasma subjected to a nonperiodic force in which certain inelastic collisions occur, 7=9213. Conditions for discharge in an electromagnetic cavity and progressive waves in Lorentzian plasmas,. 7=9214. Theoretical study of the electron distribution in a heterogeneous and anisotropic Lorentzian plasma, 9=3594

Jancke,H. The state of spectral photometry in the infrared region, 9=2205

Jancovici,B. On the dilation of the s shell of O^{16}, 5=6391. On the calculation of the electrostatic energy of light nuclei, 5=7275. On the dilation of the s-shell of O^{16}, 6=4577. Spin−orbit coupling and tensor forces, 8=301, 8=5250. See also Gourdin,M., 8=6136; Oquidam,B., 9=10016

Jancovici,B.G. Spin−orbit forces and β-lifetimes of B^{12} and Li^8, 5=6436

Jandeleit,O. and Lenz,F. Calculation of the aberration coefficients of magnetic electron lenses as functions of pole-piece geometry and of operating conditions, 9=4705

Jander,J. See Haszeldine,R.N., 5=6008

Jänecke,J. See also Bock,R., 8=8807

Jänecke,J., Bothe,W. and Lauterjung,K.H. Investigations of cosmic-ray showers with a counter-controlled cloud chamber, 6=1340

Janeff,W. The production of metallic nitrides in glow discharges, and data on their properties, 6=2140

Janes,G.S. See also Pugh,G.E., 7=4729

Janes,G.S., Hyman,L.G. and Strumski,C.J. Helium-cooled liquid hydrogen-deuterium target, 6=7665

Janeschitz-Kriegl,H. On the avoidance of thermal effects in the measurements of flow birefringence, 7=8546. On the utilization of the time lag in the thermal disturbance effect for the measurement of streaming birefringence, 9=12155

Janik,J. Chemical binding, the polarization of particles and the scattering of neutrons, 5=5213. See also Riste,T., 9=8302

Janik,J.A. Scattering of 80° K-neutrons by CH_3OH and CH_3I molecules, 5=1251. Scattering and thermalization of neutrons by bound nuclei, 9=11500. See also Budzanowski,A., 7=9297

Janik,J.A., Kraśnicki,S. and Murasik,A. The influence of polarization of liquid crystal molecules on the scattering of slow neutrons, 9=11906

Janik,J.A., Maniawski,F. and Rzany,H. Theoretical calculations of the slow neutron scattering cross section of the ethylene molecule, 9=11370

Janik,J.A. and Szkatuła,A. Two sided spark counter with large counting area for registering slow neutrons, 7=5411

Janin,J. See also Bernard,R., 5=202, 7=4176; Crozet,A., 5=1713

Janin,J. and Bernard,R. Optical properties of calcium metaantimonate, 5=3626

Janin,J. and Cotton,L. Photoconduction in calcium metaantimonate, 7=395. Photoconductivity of cadmium oxide, 8=4021

Janin,J. and d'Incan,J. Observation of a new band system of ionized nitrogen, N_2^+, 8=7804

Janin,J. and Eyraud,I. Bands of the negative nitrogen system which are displaced towards the red, 5=2571

Janis,A. See Bergmann,P.G., 6=7118

Janis,A.I. See Bergmann,P.G., 9=2043

Jankiewicz,C. On the connection of field-dependent proper mass with conformal Minkowski space, 9=7756. The equations of motion in linear field theories, 9=9172. On the motion of the field singularities in covariant field theories, 9=9194. The variational principle of relativistic hydrodynamics, 9=10556. On the connection between the equations of motion and the field equations, 9=10557

Janković,Z. A contribution to the theory of nuclei with a diffuse surface, 5=5582. A contribution to the theory of neutron reactions, 6=2419

Jankus,V.Z. Calculation of electron-deuteron scattering cross-sections, 6=6146

Jannelli,S. and Mezzanares,F. Characteristics of nuclear disintegrations produced by protons of 140 ± 6 MeV, 7=9871. II. Heavy nuclei, 7=9872. III. Light nuclei, 7=9873. Emission of a Li^8 in a disintegration of a C^{12} induced by a 140 ± 6 MeV proton, 9=1763

Janner,A. See Choquard,P., 9=6912

Janner,K., Magun,S. and Schopper,E. Van de Graaff generator with liquid charge carrier, 6=413

Janney,D.H. Accuracy of a microwave resonant cavity measurement of the velocity of light, 7=4112

Jannuzzi,N. See Porto,S.P.S., 9=10173

Jánossy,J. and Náray,Z. Decade light attenuator, 6=3665

Jánossy,L. Remarks on the foundations of probability calculus, 5=7622. Remark on the three observed effects of general relativity, 6=2625. On the classical fluctuation of a beam of light, 7=8499. The fluctuations of intensity of an extended light source, 9=7915. See also Adám,A., 5=7803, 6=171; Bozóki,G., 6=8266, 7=4507, 9=8270; Faragó,P.S., 7=8370; Yanoshi,L.,

Jánossy,L. and Kiss,D. On the measurement of efficiency of G.M. counters, 5=1932

Jánossy,L. and Nagy,K. On a form of Einstein's paradox of quantum theory, 6=4179

Jánossy,L. and Nagy,L. The form of the Rossi curve with large thicknesses of lead, 7=508. Experiments on the Rossi curve, 7=4511

Jánossy,L. and Náray,Z. Investigation into interference phenomena at extremely low light intensities by means of a large Michelson interferometer, 9=4484

Jánossy,L., Sándor,T. and Somogyi,A. On the photon component of extensive air showers, 7=4508

Janot,C. See Doucet,Y., 7=6937

Janovec,V. On the theory of the coercive field of single-domain crystals of $BaTiO_3$, 9=4544. Different behaviour of $BaTiO_3$ single crystals on pulsed and continuous duty, 9=8071

Jansen,C.G.J., Loosjes,R., Zaalberg van Zalst,J.J. and Elings,G.A. An oscillographic method for measuring work function as a function of temperture, 5=5493

Jansen,H.G. See Hanle,W., 5=1711

Jansen,L. Interactions between permanent multipole moments, 7=8743. Tensor formalism for Coulomb interactions and asymptotic properties of multipole expansions, 9=763. Molecular theory of the dielectric constant, 9=2295. See also Castle,B.J., 6=132, 6=4250; McGinnies,R.T., 6=3056; Mazur,P., 5=4856; Solem,A., 7=573

Jansen,L. and Dawson,J.M. On intermolecular forces and crystal structures of rare gases, 5=407, 5=4832*

Jansen,L. and de Wette,F.W. On the theory of transitions in molecular crystals, 5=4825

Jansen,L. and McGinnies,R.T. Validity of the assumption of two-body interactions in molecular physics, 7=2466. On the validity of the assumption of two-body interactions in molecular physics, 7=6379

Jansen,L. and Mazur,P. On the theory of molecular polarization in gases. I. Effect of molecular interactions on the polarizability of spherical nonpolar molecules, 5=4855

Jansen,L., Michels,A. and Lupton,J.M. Contribution to the analysis of molecular interactions in compressed nitrogen and carbon monoxide. I. The molecular field in the high density gas state, 5=2920. II. Quadrupole moments and properties of the solid states, 5=2921. III. Quadrupole orientation and induction effects at high temperatures, 5=2922

Jansen,L. and Slawsky,Z.I. Deviations from additivity of the intermolecular field at high densities, 5=413

Jansen,L. and Solem,A.D. Molecular theory of the dielectric constant of nonpolar gases, 7=2156

Jansky,C.M.,Jr. The discovery and identification by Karl Guthe Jansky of electromagnetic radiation of extra-terrestrial origin in the radio spectrum, 8=1414

Janssen,R. See Rutgers,A.J. 5=7983

Janssen,S. See Darmois,G., 7=5310; Pečijare,O., 8=2295

Janssens,P. See also Demeur,M., 9=9922; Deutsch,S., 9=6289; Hontoy,P., 7=5790

Janssens,P. and René,M. Establishment of a semi-empirical range-energy relation for composite media, 6=2952

Jansz,H. See Hamers,H.C. 5=4105

Janusz,T.P., Heikes,R.R. and Johnston,W.D. Reinvestigation of reported ferromagnetism in $Li_xNi_{(1-x)}O$, 7=6336

Janz,G.J. See also Bates,R.G., 6=9013; Duncan,N.E., 5=4838; Goodkin,J., 8=3932; Solomons,C., 8=3032; Wait,S.C.,Jr, 7=7755

Janz,G.J. and Fitzgerald,W.E. Infrared spectrum and molecular structure of succinonitrile, 6=1078

Janz,G.J. and Wait,S.C.,Jr. Space-time yield and reaction rate, 6=753. Thermodynamic functions for some halogenated methyl cyanides, 7=9147

Janžekovič,J. Induction and emission of an electromagnetic wave, 8=4164

Jaoul,B. Free slip in monocrystals, 5=10003. Influence of the substructure of single crystals of aluminium on the shape of the curves of plastic deformation, 6=7761. Plastic deformation at a low temperature of single crystals of refined aluminium, 6=7764. Variations in the slope of the curves of plastic deformation of metals, 6=7765

Jarczyk,L. and Lewandowski,Z. Application of the Herschel effect for selective erasing of background in nuclear emulsion, 7=1830

Jardetzky,O. See Takeda,M., 7=8059; Wertz,J.E., 7=2771

Jarmain,W.R. See also Nicholls,R.W., 5=9814, 6=6052, 7=2481

Jarmain,W.R., Fraser,P.A. and Nicholls,R.W. Vibrational transition probabilities of diatomic molecules; collected results. III. N_2, NO, O_2, O_2^+. OH, CO, CO^+, 5=8122

Jarman,P. Sonoluminescence, 9=1324. Measurements of sonoluminescence from pure liquids and some aqueous solutions, 9=5579

Jarman,R.T. The evaporation of sprays, 8=3034

Jarmie,N. Excitation function of O^{16} (t,n) F^{18}, 5=4935. Mass measurement and excited states of F^{21}, 5=9003. Energy levels of O^{18} and F^{21}, 7=4620.

Jarmie,N. See Allen,R.C., 9=2806

Jarmie,N. and Allen,R.C. $T(t,\alpha)n,n$ reaction, 9=2805. $T(p,p)T$ scatterning near the $T(p,n)He^3$ threshold, 9=7341

Jarmie,N. and Silbert,M.G. Oxygen-20, 9=13669

Jarmolow,K. Dynamics of a spinning rocket with varying inertia and applied moment, 7=5095

Järnefelt,G. An attempt to work out a finite system corresponding to a special case of Schrödinger's non-relativistic model of the linear harmonic oscillator, 5=4280

Jarre,G. A simplified model of a multiple gas mixture, 7=3067. The dissociation of a pure diatomic gas behind a strong normal shock wave, 8=7475

Jarrell,R.F. Stigmatic plane grating spectrograph with order sorter, 5=4510. See also Beal,H.B., 7=4114

Jarrett,A.A. See Greenfield,M.A., 7=9898

Jarrett,A.H. and von Klüber,H. Interferometric measurements of the green corona line during the total solar eclipse of 1954 June 30, 7=47

Jarrett,B.A. Flash photomicrography of rat liver sinusoids, 5=3376

Jarrett,B.A. and Heywood,H. A comparison of methods for particle size analysis, 5=1259

Jarrett,H.S. Hyperfine structure in paramagnetic resonance absorption spectra, 7=3496. Paramagnetic resonance in trivalent transition metal complexes, 8=4387. Paramagnetic resonance in copper dimethylglyoxime, 8=8388

Jarrett,H.S. and Sloan,G.J. Paramagnetic resonance absorption in triphenylmethyl and dimesitylmethyl, 5=389. Paramagnetic resonance absorption in some organic biradicals, 7=2487

Jarrett,H.S. and Waring,R.K. Ferrimagnetic resonance in $NiMnO_3$, 9=2499

Jarry,R.L. All metal apparatus for the determination of the density of liquified gases, 7=9558

Jarvis,C.J.D. See Husain,A., 6=1621

Jarvis,R.G. See Ashmore,A., 8=274, 8=346; Craig,D.S., 7=636, 7=672

Jarvis,S.,Jr. Note on the papers: I. "Combined translational and relaxational dispersion of sound in gases," by M.Greenspan; II. "The effects of viscosity and heat conduction on the transmission of plane sound pulses," by J.R.Knudsen, 5=6819

Jasiński,S. See Borowski,S., 6=8295

Jaśkiewicz,A. Domain formation in ferroelectrics, 9=5661 9=12209

Jason,A.C. See also Cutting,C.L., 6=2720, 6=7863

Jason,A.C. and Wood,J.L. Some electrical effects of the adsorption of water vapour by anodized aluminium, 6=2112

Jaspers,A.J.M. See Van Duuren,K., 9=11302

Jastram,P.S. See also Gager,W.B., 9=2935

Jastram,P.S., Sapp,R.C. and Daunt,J.G. Angular correlation of gamma radiations from oriented nuclei, 6=3161

Jastrow,R. Λ^0 production in nuclei, 5=2215. Many-body problem with strong forces, 5=6762. See also Block,M.M., 6=3285

Jastrow,R. and Harris,I. Nuclear cross sections for the scattering of neutrons and protons, 9=8587

Jastrow,R. and Pearse,C.A. Atmospheric drag on the satellite, 8=4688

Jastrzębski,J. See Pająk,Z., 7=5300

Jaswon,M.A. The thermodynamic behaviour of solids, 9=13766

Jaswon,M.A. and Aghajanian,H. The interaction of two excited hydrogen atoms, 5=7262

Jaswon,M.A. and Dove,D.B. The geometry of lattice planes, I, 5=4176. II. crystallogrphy of edge dislocations, 6=3348. Twinning properties of lattice planes, 7=843. The prediction of twinning modes in metal crystals, 9=7593

Jatar,D.P. Werner's equation for low frequency silent electric discharge in hydrogen, 7=2276. Starting potential for the coaxial cylinder coronas in hydrogen under low frequency silent electric discharge, 8=4045. Space charge relations for the low-frequency silent electric discharge in hydrogen, 9=1503. Influence of gas pressure and applied potential on Joshi effect in hydrogen using an all glass ozonizer, 9=7027. Joshi effect in hydrogen: oscillographic studies and a review of the mechanisms for pulse production, 9=8187. See also Prasad,B.B., 7=6220

Jatar,D.P. and Sharma,H.D. Generalized secondary electron emission coefficient for the low frequency silent electric discharge in air, 7=2277. Threshold potential for the low-frequency electric discharge in air, 7=3312. Probe studies under silent electric discharge, 7=4395. Change in light output associated with a current change of irradiation under low-frequency discharges in air, 7=4404. Collisional processes and similarity under the low-frequency silent electric discharge in air, 7=4416. Possible processes for the secondary electron emission in air excited by external sleeves, 7=6209. Silent electrical discharge in air at low frequency, using insulating electrodes, 7=9215. Starting potential for the low frequency silent electric discharge in air, 9=5765. The fall in potential on glass electrodes for the low frequency silent electric discharge in air, 9=7028

Jauch,J.M. Covariant hyperquantization, 7=76. On the relation between scattering phase and bound states, 7=8400. Theory of the scattering operator, 9=6526; II. Multichannel scattering, 9=6527

Jauch,J.M. and Rohrlich,F. The infrared divergence, 5=1511

Jauch,J.M. and Zinnes,I.I. The asymptotic condition for simple scattering systems, 9=5370

Jauho,P. A remark on the definition of entropy in Bose-Einstein and Fermi-Dirac statistics, 5=3469. A statistical theory of artificial nuclear reactions, 5=7352. See also Ahmavaara,Y., 5=6754

Jaumann,J. See also Kronmüller,H., 6=5883

Jaumann,J. and Kessler,R. The contribution of free charge

carriers to the light absorption in germanium, 6=7412
Jaumann,J. and Neckenbürger,E. The dielectric behaviour of hexagonal selenium in the 10 cm wavelength region, 8=6941
Jaumot,F.E.,Jr. See also Sawatzky,A., 6=1641
Jaumot,F.E.,Jr and Sawatzky,A. Diffusion of gold in single crystals of silver, 7=1669
Jauneau,L. See also Chamberlain,O., 9=7262; Hoang,T.F., -5=- 5=1960, 5=4958, 5=4966, 5=6506
Jauneau,L. and Trembley,J. Study of heavy mesons stopped in photographic emulsions. III. Experimental results on heavy meson secondaries, 5=6511
Jaunzemis,W. See Ruedenberg,K., 6=5294
Jauquet,C. Transverse-magnetic surface wave on an infinitely conducting cylinder, 7=7244. The launching of a transverse magnetic surface wave on a dielectric cylinder, 9=1611
Javan,A. Effects of the bending mode of vibration on the hyperfine structure of ICN, 5=8964. Theory of a three-level maser, 8=1794. See also Lotspeich,J.F., 9=12056
Javan,A. and Engelbrecht,A. Microwave absorption spectra of MnO_3F and ReO_3Cl, 5=846
Javorský,P. and Klier,E. The study of torsional vibration of EDT, 5=4439
Jawtusch,W., Jaeckel,R. and Schuster,G. The interaction cross-sections for the collisions K-Zn and K-Hg from scattering measurements on thin and thick atomic beams, 5=2216. The large interaction cross-section for the collision between neutral atoms, 5=7398
Jayadevappa,E.S. See Hisatsune,I.C., 9=7426
Jayaraman,A. See Raman,C.V., 5=1367, 5=4208, 5=4572, 5=5115, 5=7539
Jayaraman,J. See Mohanty,S.R., 5=308
Jayko,M. See Garrison,W.M., 6=5481
Jayko,M.E. and Garrison,W.M. Indirect action of radiation on the $-NH-CH_2-$linkage in diethylamine (a mechanism for radiation-induced decomposition of the peptide chain), 7=3703
Jaynes,E.T. Matrix treatment of nuclear induction, 5=7285. Information theory and statistical mechanics, 7=5895; II, 8=59. Relativistic clock experiments, 9=9181. See also Hornig,A.W., 5=2006
Jean,M. Pseudoscalar meson theory and intermediate coupling, 5=2426. Notes on the theory of intermediate coupling, 5=3444. See also Wilets,L., 6=4580
Jean,M. and Touchard,J. On the introduction of collective variables for describing nuclei, 8=1218
Jean,M. and Wilets,L. The excited states of even–even nuclei and the Bohr–Mottelson model, 6=2311
Jean,R. Detection of small leaks filled by a liquid, 9=7856
Jeanne,M. See Fiorentini,A., 5=4491, 6=4128
Jech,C. Changes of surface properties by irradiation with α-rays, 5=2463. The natural background during measurement of radioactive aerosols, 9=12910
Jeener,J. Velocity of sound in the liquid mixture $CCl_4-C(CH_3)_4$, 7=1132. Low temperature mixing calorimeter for liquids, 7=8129
Jefferies,J.T. On the diffusion of radiation from a point or a line source in an infinite medium, 6=271. The high temperature excitation of helium, 6=3119. Radiative transfer in two dimensions, 6=3652. Radiative transfer with central sources of non-uniform directional intensity, 6=6547. Temperatures and electron densities in flares as derived from spectroscopic data, 8=858. The $H\alpha$ emission of prominences, 9=2017. See also Giovanelli,R.G., 5=2088, 7=1087
Jefferies,J.T. and Giovanelli,R.G. The emission of radiation from model hydrogen chromospheres. II. 5=1473
Jefferies,J.T. and Loughhead,R.E. Correlation patterns in the chromospheric granulation, 6=1814
Jefferies,J.T. and Orrall,F.Q. On the interpretation of prominence spectra. I. Balmer series line widths, 9=7743
Jefferies,J.T., Smith,E.v.P. and Smith,H.J. The flare of September 18, 1957, 9=4219
Jefferies,J.T. and Thomas,R.N. Source function in a non-equilibrium atmosphere. II. Depth dependence of source function for resonance and strong subordinate lines, 9=11743. III. The influence of a chromosphere, 9=11744
Jeffers,H.R. See Logan,J.K., 7=4318
Jefferson,C.F. See Grimes,D.M., 6=1689
Jefferson,S. See Putman,J.L., 5=9450
Jefferson,T.B., Witzell,O.W. and Sibbitt,W.L. Thermal conductivity of graphite–silicone oil and graphite–water suspensions, 9=1364
Jefferson-Loveday,D.W. See Thompson,M.W., 9=2849
Jeffery,P.M. See Greenhalgh,D., 5=2807
Jeffree,H. A wide range Schlieren system, 6=2023
Jeffress,L.A. Medial geniculate body–a disavowal, 8=8563. See also Blodgett,H.C., 6=7916; Feddersen,W.E., 8=842; Sandel,T.T., 5=10152
Jeffress,L.A., Blodgett,H.C., Sandel,T.T. and Wood,C.L,III. Masking of tonal signals, 6=4761
Jeffress,L.A., Blodgett,H.C. and Wood,C.L.,III. Detecting a signal in noise, 8=8562
Jeffress,L.A., Lane,R.N. and Seay,F. Articulation scores for two similar, reverberant rooms, one with polycylindrical diffusers on walls and ceiling, 5=7802
Jeffrey,G.A. See also Craven,B., 9=13952
Jeffrey,G.A. and McVeagh,W.J. Dimorphism of para-dichlorobenzene, 5=8415
Jeffrey,G.A. and Parry,G.S. Crystal structure of aluminium nitride, 5=4207
Jeffrey,G.A., Parry,G.S. and Mozzi,R.L. Study of the Wurtzite-type binary compounds. I. Structures of aluminium nitride and beryllium oxide, 7=2850
Jeffreys,B. The use of the Airy functions in a potential barrier problem, 6=8600
Jeffreys,H. Elastic waves in a continuously stratified medium, 8=919. Rock creep and thermal instability, 8=6529
Jeffreys,H. and Lapwood,E.R. The reflexion of a pulse within a sphere, 8=552
Jeffries,C.D. Polarization of nuclei by resonance saturation in paramagnetic crystals, 7=6453. See also Abraham,M., 7=6454*, 7=9334, 8=311, 9=3817; Dobrov,W., 8=315; Dobrowolski,W., 6=3101, 7=2543; Jones,R.V., 6=5241; Kedzie,R.W., 8=310; Sogo,P.B., 5=7290
Jeffries,T.O., Derrick,M. and Musgrave,B. Surface tension of ether and pentane, 6=113
Jefimenko,O. On the possibility of electromagnetic damping of the moon's motion, 9=3027. Effect of the earth's magnetic field on the motion of an artificial satellite, 9=6470. Diffuse bands in arc spectra, 9=9399. See also Ch'en,S.Y., 7=4145; Shang Yi Ch'en., 6=2781
Jefimenko,O. and Ch'en,S.Y. Modifications of the Cs absorption spectrum due to interatomic interactions, 7=5173
Jefimenko,O. and Curtis,W. Modifications of the Rb emission spectrum due to atomic interactions, 8=110
Jefimenko,O. and Gwinn,J.A. Absorption spectrum of rubidium in the presence of isomeric hydrocarbons, 9=1279
Jehle,H., Yos,J.M. and Bade,W.L. Specificity of charge fluctuation forces. I, 9=764
Jehu,V.J. Simple glare meter, 5=162
Jekeli,W. See Flügge,S. 5=9871
Jelley,J.V. Čerenkov radiation and its applications, 5=8022. The design of a Čerenkov counter for the proton synchrotron at Birmingham University, 7=4474. See also Barclay,F.R., 5=8285; Galbraith,W., 5=6653
Jelley,J.V. and Galbraith,W. Light pulses from the night sky and Čerenkov radiation. II, 5=10123
Jellinek,F. On some errors in X-ray analysis. I. Systematic errors in observed structure factors, 9=7646. The structures of the chromium sulphides, 9=7652
Jellinek,G., Menzel,E. and Menzel-Kopp,C. The mutual overgrowth of Cu and Cu_2O after oxidation and reduction, 6=2533
Jellinek,H.H.G. The influence of imperfections of the strength of ice, 8=4488. Adhesive properties of ice, 9=8944
Jellinek,H.H.G. and Brill,R. Viscoelastic properties of ice, 7=1689
Jellinghaus,W. and de Andrés,M.P. Crystal anisotropy and magnetostriction from the Hall effect in ferromagnetic materials, 9=3433
Jellyman,P.E. See also Grove,F.J., 5=5328
Jellyman,P.E. and Procter,J.P. Infra-red reflection spectra of glasses, 7=250
Jeltsch,E. The photochemical behaviour of sensitized silver bromide and silver chloride crystals on irradiation with X-rays, 9=4674. Conductivity measurements of AgCl crystals, 9=5724. Conductivity measurements on AgCl crystals, 9=10967. Electronic conduction in AgBr crystals, 9=11035. On the photochemical behaviour of sensitized silver halides under varied irradiation and after pre-illumination, 9=11612
Jen,C.K. Classical model for rotational magnetic moments in molecules, 5=437. See also Cochran,E.L., 9=6280; Foner,S.N., 8=8367, 9=740
Jen,C.K., Foner,S.N., Cochran,E.L. and Bowers,V.A. Paramagnetic resonance of hydrogen atoms trapped at liquid helium temperature, 7=3557. Electron spin resonance of atomic and

molecular free radicals trapped at liquid helium temperature, 9=7188

Jen,C.K. and Lord,N.W. Color-center magnetic resonance in LiF, 5=2010

Jenkins,A.C. See also Birdsall,C.M., 5=4426

Jenkins,A.C. and Birdsall,C.M. The liquid system ozone-oxygen, 5=579

Jenkins,A.C. and DiPaolo,F.S. Some physical properties of pure liquid ozone and ozone-oxygen mixtures, 6=8015

Jenkins,A.C., DiPaolo,F.S. and Birdsall,C.M. The system ozone-oxygen, 6=748

Jenkins,A.D. See Bamford,C.H., 5=7190

Jenkins,A.E. See Hall,W.B., 5=8687

Jenkins,D.P. The electronic band structure of silicon, 5=3919. Calculations on the band structure of silicon, 6=8298. See also Avery,D.G., 5=8764

Jenkins,E.N. See Phillips,G., 5=5698

Jenkins,F.A. See Barr,W.L., 6=1989; Baumeister,P.W., 7=2071; Giacomo,P., 9=6788; Speck,D.R., 6=5318

Jenkins,F.E. See Darbee,L.R., 8=1700

Jenkins,H.O. Bond energies, internuclear distances, and force constants in series of related molecules, 5=9811

Jenkins,J. and Jones,T.B. Glow–arc transition in current-stabilized electrical discharges, 8=201

Jenkins,R. See Wallick,G.C., 5=2326

Jenkins,R.O. See Brodie,I., 7=499, 7=3404-5, 7=7192, 7=7194, 9=5793

Jenkins,R.T. A new sound integrator, 5=3522

Jenkins,W.D. and Johnson,C.R. Creep of annealed nickel, copper, and two nickel-copper alloys, 8=6464

Jenkinson,I.S. See Burke,M.J., 8=5535

Jenness,J.R.,Jr. Auxiliary optical system for measurement of the infrared transmittance of flat plates with the Perkin–Elmer 12-C spectrometer, 5=8590. Reflection-reducing coatings of magnesium fluoride and lithium fluoride in the near infrared, 6=2809. Method for measurement of the rate of drying of surface coatings, 7=2904. See also Hass,G., 8=1641

Jennings,A.E. A review of 20th Century [Electronics Ltd] photomultipliers, 9=4694

Jennings,A.P.H. See Smith,B.O., 8=4612

Jennings,B., Weddell,J., Alexeff,I. and Hellens,R.L. Scattering of 4.4-MeV neutrons by iron and carbon, 5=5639

Jennings,D.A. and Tanttila,W.H. Change in acoustic impedance detected by nuclear induction, 8=3831. Particle size effect on nuclear spin lattice relaxation time, 8=8431

Jennings,D.A., Tanttila,W.H. and Kraus,O. Ultrasonically induced spin transition in sodium iodide, 9=591

Jennings,H.Y.,Jr. Apparatus for measuring very low interfacial tensions, 8=1548

Jennings,J.C.E. and Pratt,R.G. Numerical ray tracing in electron lenses, 5=8820

Jennings,K.R. and Linnett,J.W. Production of high concentrations of hydrogen atoms, 9=1502

Jennings,L.D. See also Gerstein,B.C., 7=8572

Jennings,L.D., Stanton,R.M. and Spedding,F.H. Heat capacity of terbium from 15 to 350°K, 8=159

Jennings,L.D. and Swenson,C.A. Effects of pressure on the superconducting transition temperatures of Sn, In, Ta, Tl and Hg, 9=4619

Jennings,R.E. See Aitken,D., 8=8097; Bhiday,M.R., 9=2397; Heymann,F.F., 6=2928

Jennison,R.C. Corpuscular streams, 6=885

Jennison,R.C. and Das Gupta,M.K. The measurement of the angular diameter of two intense radio sources. I. A radio interferemeter using post-detector correlation, 6=1799; II. Diameter and structural measurements of the radio stars cygnus A and Cassiopeia A, 6=1800

Jenns,C.C. See Goldsmid,H.J., 9=7014

Jenny,D.A. Triboluminescence in semiconductors, 8=2993

Jenny,D.A. and Braunstein,R. Some properties of gallium arsenide–germanium mixtures, 8=3486

Jenny,D.A. and Bube,R.H. Semiconducting cadmium telluride, 5=940

Jenny,D.A., Loferski,J.J. and Rappaport,P. Photovoltaic effect in GaAs p-n junctions and solar energy conversion, 6=4412

Jensen,A.O. and Lambert,R.F. Acoustical studies of the tractrix horn. II, 5=1626

Jensen,B.S. See Nielsen,O.B., 9=8533

Jensen,E. On tubes of magnetic force embedded in stellar material, 5=9390. Radial pulsations of a cylindrical magnetic tube of force in temperature equilibrium with a plasma, 8=1136

Jensen,E., Nord,J. and Ringnes,T.S. Variations in the structure of sunspots in relation to the sunspot cycle, 7=1023

Jensen,E. and Ringnes,T.S. On the dependence of the magnetic field strength of sunspots on their areas in relation to the solar cycle, 8=2742. The variation of the penumbra–umbra ratio of regular sunspots with heliocentric latitude, 8=2743

Jensen,E.N. See Jones,J.T.,Jr. 5=4028; Nichols,R.T., 5=8012, 6=1529; Pohm,A.V., 5=3060, 6=3150; Waddell,R.C., 6=4608

Jensen,H. The measurement of radius of cuvature of proof glasses with the spherometer, 5=1568. The measurement of Abbe inverting and erecting prisms, 5=4493. The relation of physiological optics to, and the objects of technical optics in, the introduction of image-converters in the intensification of X-ray images, 5=6667. The measurement of reflection coefficient of some new projection screens, 6=3645. A slide rule for film projection, 7=5261

Jensen,H.C. Production of Chladni figures on vibrating plates using continuous excitation, 6=136. Production of Chladni figures, 7=5935. Theory for simple machines, 8=3736. See also Kannewurf,C.R., 8=87

Jensen,H.C. and Cashman,R.J. Distribution of trapping levels in cadmium selenide, 5=1842

Jensen,J.E. See Courant,H., 9=8421

Jensen,J.H.D. Nuclear shell models, 7=8094. See also Jenson,J.H.D; Moellering,W., 6=3163; Stech.B., 5=6435. 5=9126

Jensen,J.H.D. and Øverås,H. The polarization of a muon beam arising from the decay of pions in flight, 9=11378

Jensen,J.T.,Jr. See Haas,G.A., 8=8080, 9=9690

Jensen,N. Vapor pressure of plastic materials, 7=3198

Jensen,P. See Berthold,F., 9=6012; Däublin,F., 9=10127

Jensen,P., Terfloth,H.P. and Averdung,H. A simple measurement of the absolute output of neutron sources, 6=1631

Jensen,R.C. and Fairhall,A.W. Fission of Ra^{226} by 11 MeV protons, 8=1987

Jenson,J.H.D. Nuclear structure and nuclear transformations, 5=2986. See also Jensen,J.H.D.,

Jenson,V.G. See Garner,F.H., 7=9560

Jentschke,W. New methods of accelerating particles, 9=1543. See also Juveland,A.C., 6=3791, 8=9052; Nilson,R., 7=3370; Zimmerman,E.J., 5=996

Jentschke,W., Juveland,A.C. and Kinsey,G.H. Alpha-emitting isomer polonium 211, 5=2131

Jentschke,W.K. See Eby,F.S., 5=867; Maxson,D.R., 5=2140; Nilson,R., 9=582

Jephcott,D.F. Alfvén waves in a gas discharge, 9=11276

Jeppesen,M.A. Measurements on the Kerr electro-optical effect, 7=3246. Some optical, thermo-optical and piezo-optical properties of synthetic sapphire, 9=173. Effect of ultraviolet radiation on Hoshino–Yoshida filters, 9=9449

Jeppson,M.R., Mather,R.L. Andrew,A. and Yockey,H.P. The creep of aluminum under cyclotron irradiation, 5=5679

Jepsen,D.W. and Hirschfelder,J.O. Idealized theory of the recombinations of atoms by three-body collison, 9=8690. Set of coordinate systems which diagonalize the kinetic energy of relative motion, 9=13002

Jepsen,R.L. See Hogan,C.L., 8=4169

Jepson,W.B., Richardson,M.J. and Rowlinson,J.S. The solubility of mercury in gases at moderate pressures, 8=3772

Jepson,W.B. and Rowlinson,J.S. Calculation of the correction to be applied to gas isotherms measured in the presence of mercury, 5=9479

Jeřábek,V. See Malý,J. 9=12641

Jeramec,A. Christiansen filters and their application to the determination of the refractive indices of solids and liquids in the infrared, 9=4460

Jerger,J.F. The influence of stimulus duration on the pure-tone threshold during recovery from auditory fatigue, 5=3363. Auditory adaptation, 7=8335. See also Lightfoot,C., 5=1646

Jerger,J.F. and Carhart,R. Temporary threshold shift as an index of noise susceptibility, 6=6486

Jerger,J.F., and Tillman,T.W. Effect of earphone cushion on auditory threshold, 9=13983

Jerison,H.J. Performance on a simple vigilance task in noise and quiet, 8=1386

Jerlov,N.G. A transparency-meter for ocean water, 8=7619

Jerrard,H.G. Apparatus for the simultaneous study of streaming double refraction and viscosity 6=1143. Determination of extinction directions in a doubly-refracting medium of small phase difference: Application to flow birefringence studies, 6=2816. Position of the optic axes in a liquid showing flow

double refraction, 7=9121
Jess,L. See Clementel,E., 7=8404; Kind,A., 6=8919
Jesse,W.P. Absolute energy to produce an ion pair in various gases by beta particles from S^{35}, 8=8845
Jesse,W.P. and Sadaukis,J. Absolute energy to produce an ion pair by beta particles from S^{35}, 8=3195
Jesse,W.P. and Sadauskis,J. Ionization in pure gases and the average energy to make an ion pair for alpha and beta particles, 5=4764. Ionization by alpha particles in mixtures of gases, 6=1329. Recoil particles from Po^{210} and their ionization in argon and helium, 6=3799
Jessel,M. On a general approximation method for the resolution of diffraction problems, 5=1632. An analytical formulation of Huygens' principle, 5=1654. On a possible extension of the notion of invariance, 5=8463. A method for the study of various interaction problems, 7=5085. Application of Born's method to various problems in propagation, 7=5086
Jessey,M.E. See Rabinowicz,J., 6=2835
Jessop,H.T. A tilting stage method for three-dimensional photo-elastic investigations, 7=6921
Jessup,R.S. A new Bunsen-type calorimeter, 6=6574
Jette,E.R. Some physical properties of plutonium metal, 5=3366
Jetter,L.K., McHargue,C.J. and Williams,R.O. Method of representing preferred orientation data, 6=4103
Jeunehomme,M. See Goldfinger,P., 8=8496
Jezak,E.V. See McCarthy,I.E., 9=11465
Jezewski,M. New low dead capacity condensers for measuring dielectric constants of liquids, 6=7372
Jezewski,M. and Piech,T. Dependence of the dielectric properties of ceramic BaTiO$_3$ for high frequency currents on the technology of the preparation of samples, 6=6596
Jha,S. See also Bhatki,K.S., 7=3594, 8=1232; Goel,P.S., 6=3393; Gupta,R.K., 6=2365, 6=3165, 6=6862, 7=8305, 8=3332, 9=3871
Jha,S., Devare,H.G., Narayana Rao,M. and Singru,R.M. On the decay of xenon 133, 9=7320
Jin,Y.S. Dispersion relations for associated production, 9=10008
Jira,R. See Mönch,E. 5=9592
Jirlow,K. Experimental investigation of the inhibition of convection by a magnetic field, 8=8151
Jnanananda,S. See Nagesvara Rao,B.D., 8=261; Sastry,K.S.R., 9=11348
Jobert,N. Effect of the earth's curvature on Love waves, 5=5124
Jobling,A., Oppenheimer,E. and Roberts,J.E. Mechanical testing of materials in the transition region between steady flow and failure, 9=1907
Jodra,L.G. and Sugarman,N. High-energy fission of bismuth. Proton energy dependence, 5=9917
Joel,N. See also Wooster,W.A., 9=2969
Joel,N. and Garaycochea,I. The "extinction curve" in the investigation of the optical indicatrix, 9=7589
Joel,N. and Wooster,W.A. Theories of crystal elasticity, 8=1343. Number of elastic constants required in crystal elasticity, 9=2968
Joerchel,D. The diffraction microscopy of polydisperse systems. I. Interference theory of a collection of globular particles, 9=4065. II. Experimental part and evaluation, 9=4066
Joerges-Heyden,M., Markgraf,H.G., Nikuradse,A. and Ulbrich,R. On some physical properties of methyl siloxanes, 5=4627
Joffe,A. Thermoelectric and thermal properties of semiconductors, 7=8641. Properties of various semiconductors, 9=6929
Joffé,A.F. Heat transfer in semiconductors, 7=9652. See also Ioffe,A.F.,
Joffe,A.F. and Stil'bans,L.S. Physical problems of thermoelectricity, 9=4635
Joffe,B.L. See Abrikosov,A.A., 8=8594
Jog,E.S. The dispersion of the piezo-optic constants of vitreous silica, 9=171. The dispersion of the stress optical coefficient of vitreous silica, 9=1348
Joglekar,G.D. See also Gopalaswamy,T.R., 9=6906
Jogelkar,G.D. and Marathe,B.R. Nomographs for particle size analysis by sedimentation and permeability methods, 9=1886
Joglekar,G.D., Sen,D. and Gopalaswamy,T.R. Measurement of electrical resistance of sized powders at different bulk densities. I. Petroleum coke and retort carbon powders, 9=4568
Johannesen,N.H. Experiments on supersonic flow past bodies of revolution with annular gaps of rectangular section, 5=1597
Johannin,P. Thermal conductivity of nitrogen between 75° and 700°C and up to 1000 to 1600 atm. 7=9656. Thermal conductivity of nitrogen between 75°C and up to 1000 to 1600 atmospheres, 9=3380. See also Hal Vu, 6=731; Johannin-Gilles,A., 5=1759, 5=4605, 5=6080; Saurel,J., 8=3925
Johannin,P. and Haï Vu. Permanent deformations in solids after the application of high hydrostatic pressures, 6=7762
Johannin-Gilles,A. Absorption of the vapour of heavy water in the Schumann ultraviolet, 5=6913. Absorption in the Schumann ultraviolet. Study of the vapour of water and heavy water, 5=7843. Application of neutron diffraction to the study of antiferromagnetism, 6=3815. See also El Khalafawi,T., 6=4297, 6=7265
Johannin-Gilles,A., Astoin,N. and Vodar,B. Discussion of the absorption spectra of H$_2$O and D$_2$O in the far ultraviolet, 7=5988
Johannin-Gilles,A. and Johannin,P. Measurements of the vapour pressure of heavy ice, 5=1759. A variable-temperature cryostat, 5=4605. Arrangement for the measurement of vapour pressures, 5=6080
Johannsen,D.E., McBride,P.I. and Wulfeck,J.W. Studies on dark adaptation. I. The pre-exposure tolerance of the dark-adapted fovea, 6=854. II. The pre-exposure tolerance of the human fovea adapted to different brightness levels, 6=5577
Johansen,A. Force acting on a sphere suspended in a sound field, 7=1151
Johansen,A., Olsen,H. and Wergeland,H. The force on obstacles in a sound field, 7=5944
Johansen,H. Variations in the total amount of ozone over Tromsø, and their correlations with other meteorological elements, 5=5130
Johansen,K. See Krog,J., 9=8964
Johansson,A. See Alphonce,R., 5=4108, 7=9382, 8=5196, 8=5343; Hillman,P., 8=5197*, 8=7369; Tyrén,H., 8=327
Johansson,A., Tibell,G. and Hillman,P. Polarization of high energy protons in elastic and inelastic scattering, 9=8593
Johansson,B. See also Alväger,T., 9=3849; Kjellman,J., 8=6257; Novakov,T., 9=604; Stockendal,R., 9=603
Johansson,B., Alväger,T. and Zuk,W. The half-lives of some electric quadrupole transitions in the lead region, 9=6068
Johansson,C.H. See also Selberg,H.L., 8=8733
Johansson,C.H. The initiation of liquid explosives by shock and the importance of liquid break-up, 8=7580
Johansson,C.M. See also Lindgren,I., 9=3815
Johansson,C.M. and Lindgren,I.P.K. Spins of bismuth isotopes of masses 203, 204, 205 and 206, 9=1707
Johansson,G. A refinement of the crystal structure of danburite, 9=9044
Johansson,G. and Lipscomb,W.N. Structure of Roussin's black salt, 8=6517
Johansson,K.E. An investigation of the photoelectric absorption of gamma-rays in thallium-activated sodium iodide, 6=7658
Johansson,L. See Ingelstam,E., 6=849
Johansson,L.P. See Ingelstam,E., 8=3015
Johansson,S. See Ekspong,A.G., 8=3294
Johansson,S.A.E. Decay of U_1, UX$_2$, and UZ, 5=1147. Experiments on the direct photonuclear effect, 5=3106. Yield of photoprotons from some light elements, 5=4939. The RaC-RaC' decay, 5=9853. Rotational states in Tm169, 6=1533. The decay scheme of uranium 235, 6=3137. Rotational states in Tm^{171}, 7=3581. On the width of the giant resonance in photonuclear reactions, 8=7380. On the influence of cosmic radiation on the isotopic composition of the elements, 9=7696. On spontaneous fission rates, 9=12697. See also Persson,B., 9=12658
Johansson,S.A.E. and Forkman,B. Fine structure in the photoproton spectrum of oxygen, 5=9093. Photodisintegration of oxygen, 8=6319
Johansson,S.D. See Hill,R.D., 6=3786, 6=5832
Johansson,T. A method to determine the charge of particles stopping in nuclear emulsions, 8=6111. A [photometric] method to determine the charge of particles stopping in nuclear emulsions, 9=502. See also Kristiansson,K., 7=4770
Johansson,T. and Kristiansson,K. Identification of fast charged particles in nuclear emulsions, 7=4954
John,K. The modern ultra-microtome, 9=6817
John,R.M. St. See St John,R.M.,
John,T.L. See Bransden,B.H., 8=4368
John,W. and Stoppini,G. A p, γ coincidence method for the measurement of π^0 photoproduction, 8=1192
John,W., Jr. Excitation functions for (α,xn) reactions on lead, 6=7671
Johns,D.H. See McCracken,K.G., 9=11177
Johns,H.E. See also Bruce,W.R., 7=677; Cormack,D.V., 5=4150, 6=8815

Johns,H.E., Aspin,N. and Baker,R.G. Currents induced in the dielectrics of ionization chambers through the action of high-energy radiation, 9=9892

Johns,H.E., Bernier,J.P. and Cormack,D.V. A direct measurement of the energy locally absorbed from a gamma-ray beam, 6=1542

Johns,H.E., Till,J.E. and Cormack,D.V. Electron energy distributions produced by gamma-rays, 5=1165

Johns,J.W.C. See also Barrow,R.F., 9=9406

Johns,J.W.C. and Barrow,R.F. Ultra-violet band systems of HF^{+} and DG^{+}, 7=5993. Ionization potentials of hydrogen fluoride and the ground state of the HF^{+} ion, 7=9740. The band spectrum of silicon monofluoride, SiF, 8=1603

Johns,M.W. See also King,W.J., 9=8516; Nablo,S.V., 9=2731; Williams,I.R., 7=8796

Johns,M.W., McMullen,C.C., Williams,I.R. and Nablo,S.V. The decay of Re^{186} and Re^{188}, 6=2347

Johns,M.W. and Nablo,S.V. Disintegration of Ir^{192} and Ir^{194}, 5=2122

Johns,M.W., Nablo,S.V. and King,W.J. The decay of Os^{185}, 8=8289

Johns,M.W., Williams,I.R. and Brodie,D.E. The role of the 1.30 MeV gamma-ray in the decay of In^{114}, 6=2348

Johns,R.H. See Reilley, C.N., 5=7481

Johns,T.F. Calculations of solid-state data of neon, and the vapour pressure ratio of its isotopes, 8=1649. Vapour pressure ratios of ^{14}N ^{14}N, ^{14}N ^{15}N and ^{15}N ^{15}N, 8=5840

Johnsen,U. Spectrum and Zeeman effect of trivalent thulium in thulium ethyl sulphate, 9=5540. See also Hellwege,K.H., 5=1793, 7=7742, 9=12192

Johnson,A.C.J. Thermal relaxation in gases: a new method of analysing the experimental data, 9=2150

Johnson,B.H. See Taylor,R.D., 5=7930

Johnson,C.C. Impedance and dispersion characteristics of the flattened helix, 9=9884

Johnson,C.E. See Bishop,G.R., 5=1158, 5=9013, 7=5563; Cacho,C.F.M., 6=2318; Grace,M.A., 5=1117, 7=8784, 7=9363, 8=8265

Johnson,C.E.,Jr and Bovey,F.A. Calculation of nuclear magnetic resonance spectra of aromatic hydrocarbons, 9=1833

Johnson,C.E.,Jr and Brown,W.F.,Jr. Magnetic determination of shape distribution of single domain powders, 8=8888. Shape distribution of magnetic powders, 9=4788

Johnson.C.H. See also Fowler,J.L., 5=6470; Galonsky,A., 7=2649

Johnson,C.H. and Banta,H.E. Tritium target for neutron production, 6=4024

Johnson,C.H., Galonsky,A. and Ulrich,J.P. Proton strength functions from (p,n) cross sections, 9=648

Johnson,C.H., Judish,J.P. and Snyder,C.W. Focusing procedures for electrostatic accelerators, 8=5951

Johnson,C.H, and Trail,C.C. Proton-recoil neutron spectrometer, 6=7740

Johnson,C.H., Willard,H.B. and Bair,J.K. Total cross section of Li^{6} for neutrons, 5=1213

Johnson,C.M. See Gallagher,J.J., 7=1183

Johnson,C.M.P. The lifetime of the 200 keV excited state of ^{19}F, 7=2577. See also Jones,G.A., 5=2071

Johnson,C.R. See Jenkins,W.D., 8=6464

Johnson,C.Y. Mass determination of [ionospheric] ions detected by Bennett ion r.f. mass spectrometer, 8=7624. See also Davis,L.R., 6=2219

Johnson,C.Y. and Meadows,E.B. First investigation of ambient positive-ion composition to 219 km by rocket-borne spectrometer, 5=9303

Johnson,C.Y., Meadows,E.B. and Holmes,J.C. Ion composition of the arctic ionosphere, 8=7626

Johnson,D.J. See Olsen,A.L., 6=4291

Johnson,D.P. See Lloyd,E.C. 9=12846

Johnson,E.F. Molecular transport properties of fluids, 9=5394

Johnson,E.O. Externally heated hot cathode arcs, 7=1347. Contamination gauge, 7=5925. Simplified treatment of electric charge relations at a semiconductor surface, 8=1681. Comparison of the semiconductor surface and junction photovoltage, 8=1704. Large-signal surface photovoltage studies with germanium, 8=5889. Measurement of minority carrier lifetimes with the surface photovoltage, 8=8760. See also Hernqvist,K.G., 5=7076

Johnson,E.P. and Bartlett,N.R. Effect of stimulus duration on electrical responses of the human retina, 6=3401

Johnson,E.P. and Cornsweet,T.N. Electroretinal photopic sensitivity curves, 5=3343

Johnson,F.A. The new isotopes Cd^{104} and Ag^{104}, 6=610. Lattice absorption bands in silicon, 9=2211. The thermal conductivity of aqueous thoria suspensions, 9=3379. See also Green,G.W., 7=8625

Johnson,F.A. and Lock,J.M. The vibrational spectrum and specific heat of germanium, 9=4007

Johnson,F.M. and Nethercot,A.H.,Jr. Antiferromagnetic resonance in MnF$_2$, 7=2419. Antiferromagnetic resonance in MnF$_2$, 9=9801

Johnson,F.S. The solar constant, 5=5144. Spectral radiance of the carbon arc from 1900 to 2500 angstroms, 6=3591. Temperature distribution of the ionosphere under control of thermal conductivity, 8=4567. Temperatures in the high atmosphere, 8=4584

Johnson,F.S., Malitson,H.H., Purcell,J.D. and Tousey,R. Emission lines in the extreme ultraviolet spectrum of the sun, 9=6465

Johnson,G.D. See Ajzenberg-Selove,F., 6=6899; Rubin,A.G., 8=2643

Johnson,H.,Jr. See Trevoy,D.J., 9=101

Johnson,H.L. See also Gardiner,A.J., 6=4152; Hiltner,W.A., 7=16

Johnson,H.L. and Hiltner,W.A. Observational confirmation of a theory of stellar evolution, 6=3450

Johnson,H.L. and Morgan,W.W. Some evidence for a regional variation in the law of interstellar reddening, 5=7628

Johnson,H.R. and Rohrlich,F. Atomic electron affinities, 9=7394. Negative atomic ions, 9=8693

Johnson,I. See Campbell,C.E., 7=9609

Johnson,J.B. Convection type manometer, 6=4859

Johnson,J.C. See also Eldridge,R.G., 8=6544

Johnson,J.C. and Terrell,J.R. Transmission cross sections for water spheres illuminated by infrared radiation, 5=6020

Johnson,J.H. See Class,C.M., 9=13607

Johnson,J.L. See also Kruskal,M.D., 9=2373; Porter,W.S., 9=1770

Johnson,J.L., Oberman,C.R., Kulsrud,R.M. and Frieman,E.A. Some stable hydromagnetic equilibria, 9=1601

Johnson,J.R. A high-temperature X-ray camera, 5=3274. See also Kuiper,G.P., 6=5656; Miller,P.H.,Jr. 5=3549

Johnson,J.S., Kraus,K.A. and Scatchard,G. Distribution of charged polymers at equilibrium in a centrifugal field, 5=3243

Johnson,J.W. See also Moak,C.D., 9=12380

Johnson,J W., Agron,P.A. and Bredig,M.A. Molar volume and structure of solid and molten cesium halides, 5=7422

Johnson,K.A. Nucleon-antinucleon scattering and vacuum polarization, 5=1534. Renormalization of the mass operator, 6=2648. Consistency of quantum electrodynamics, 9=2053. See also Bernstein,J., 8=695

Johnson,K.L. A note on the adhesion of elastic solids, 8=4494

Johnson,L. See Beyen,W., 9=8031

Johnson,L.B. See Pollack,I., 9=4188

Johnson,M. Problems of stark broadening for experimental and astronomical spectra liable to self-absorption, 7=11

Johnson,M.A. See Clemmow,P.C., 5=8422

Johnson,M.H. See also Hubbard,H.W., 9=7564

Johnson,M.H. and Teller,E. Classical field theory of nuclear forces, 5=5889

Johnson,N.R. See also Cumming,J.B., 8=5306

Johnson,N.R. and O'Kelley,G.D. Nuclear decay of Br^{84} and the level scheme in Kr^{84}, 8=318. Decay properties of I^{136}, 9=7315

Johnson,N.R., Sheline,R.K. and Wolfgang,R. Decay of Ni^{66}, 6=4600

Johnson,O.E. See also Johnson,R.G., 6=6120

Johnson,O.E., Johnson,R.G. and Langer,L.M. Evidence for a 0+ first excited state in Zr^{90}, 5=9000. Small deviations observed in beta spectra: In^{114}, Y^{90}, and P^{32}, 9=3862

Johnson,P. The calibration and use of an air-driven ultracentrifuge, 7=4948. See also Hughes,W.J., 8=3006

Johnson,P.A. and Babb,A.L. Self-diffusion in liquids. I. Concentration dependence in ideal and non-ideal binary solutions, 6=7193

Johnson,P.D. See also Piper,W.W., 8=8699, 9=6751; Williams,F.E., 8=2981, 9=5912

Johnson,P.D. and Hughes,F.L. Energy states and luminescent processes in the ZnF$_2$: Mn phosphor, 7=5217

Johnson,P.D., Piper,W.W. and Williams,F.E. The effect of electron traps on electroluminescence, 6=6541

Johnson,P.D. and Smith,F.H. Mechanism of luminescence in the ZnF$_2$: Mn phosphor, 7=9632

Johnson,P.O. See Forrester,A.T., 6=1018, 6=4354

Johnson,R.A. A note concerning the Dirac delta function, 7=1839.

The Dirac delta function, 7=3894. See also Healy,D.W.,Jr. 7=2421
Johnson,R.A. and Healy,D.W.,Jr. Magnetic dipole effects in ferrites, 7=7216
Johnson,R.G. See also Beard,D.B., 9=12859; Imhof,W.L., 9=10131; Johnson,O.E., 5=9000, 9=3862
Johnson,R.G., Hudson,D.E., Caldwell,W.C., Spedding,F.H. and Savage,W.R. Mass spectrometric study of phase changes in aluminum, praseodymium, and neodymium, 7=2121
Johnson,R.G., Johnson,O.E. and Langer,L.M. Beta spectrum of Cl^{36}, 6=6120
Johnson,R.H. Instability in hypersonic flow about blunt bodies, 9=13081
Johnson,S.D. See Singer,J.R., 9=8359
Johnson,S.M. See White,W.B., 8=4503
Johnson,S.O., Curlee,N.J. and Reihing,J.V. Simulation of hot channel boiling in water-cooled reactors, 9=707
Johnson,S.O. and Grace,J.N. Analog computation in nuclear engineering, 7=9489
Johnson,S.W. See Rydz,J.S., 9=1994
Johnson,V.R., Brown,L.M. and Friedman,A.S. Bibliography of research on deuterium and tritium compounds. 1953 and 1954, 8=4502
Johnson,V.R., Lavik,M.T. and Vaughn,G.W. Mechanism of WS_2 lubrication in vacuum, 8=429
Johnson,V.R. and Vaughn,G.W. Investigation of the mechanism of MoS_2 lubrication in vacuum, 7=1696
Johnson,V.R., Vaughn,G.W. and Lavik,M.T. Apparatus for friction studies at high vacuum, 6=8440
Johnson,W. See Andrews,K.W. 5=4170
Johnson,W.B. Observations on the plasma produced in a magnetic mirror geometry, 9=360
Johnson,W.C. See Morgan,M.G., 5=8420
Johnson,W.H.,Jr and Bhanot,V.B. Neutron separation energies and pairing energies for heavy nuclei, 8=7293
Johnson,W.H.,Jr and Nier,A.O. Atomic masses in the region xenon to europium, 7=3572
Johnson,W.R. Multiple meson production in emulsions exposed to the bevatron beam, 5=9150. See also Chupp,W.W., 5=9135
Johnson,W.R. and Laporte,O. Interaction of cylindrical sound waves with a stationary shock wave, 8=2904
Johnsrud,A.E. See Northrop,J.A., 9=4475
Johnston,A.R. The display of logarithmic Langmuir probe characteristics on a cathode-ray oscillograph, 6=6667
Johnston,D.F. The structure of the π-band of graphite, 5=2043. A theory of the Hall effect in graphite, 5=2044. A calculation of the density of electron-trapping defects in neutron-irradiated graphite from measurements of the temperature variation of the Hall coefficient, 5=8388. The effect of the mixing of π-and σ-orbitals on the Fermi surface in the l.c.a.o. model for graphite, 6=8889. Space-group operations and time-reversal for a Dirac electron in a crystal field, 8=808
Johnston,H.L. See Chou,C., 8=8787; Hoch,M., 5=2266, 5=3699; Powers,R.W., 5=3669-71; Speiser,R., 9=3387; White,D., 8=8788
Johnston,H.S. Photoelectric methods for following fast gas-phase reactions, 5=5014. See also Herschbach,D.R., 7=814
Johnston,H.S., Bonner,W.A. and Wilson,D.J. Carbon isotope effect during oxidation of carbon monoxide with nitrogen dioxide, 7=7469
Johnston,H.S. and White,J.R. Statistical interpretations of unimolecular reaction rates, 5=2271
Johnston,J.E. See Faires,F.A., 5=1173
Johnston,L.H. See also Day,E.A., 8=5984
Johnston,L.H., Service,D.H. and Swenson,D.A. Inelastic nuclear reactions of protons in scintillators, 9=5038
Johnston,L.H. and Swenson,D.A. Proton–proton scattering at 40 MeV, 8=6143
Johnston,L.W., Birkhoff,R.D., Cheka,J.S., Hubbell,H.H.,Jr and Saunders,B.G. Response of an anthracene scintillation counter to 10-120 keV electrons, 8=6096
Johnston,R.E. See Frey,W.F., 9=5780
Johnston,R.G. See Stair,R., 5=1393, 5=3537, 7=5758
Johnston,R.H.W. See also Alexander,G., 7=8347, 8=703; Davies,J.H., 6=3270*; Friedlander,M.W., 5=3134; K-collaboration, 9=13575; Wataghin,A., 8=5237
Johnston,R.H.W. and O'Ceallaigh,C. Further evidence for nuclear interaction of a charged hyperon arrested in photographic emulsion, 5=4094. Further evidence for the electron-decay of K-mesons, 5=4970
Johnston,R.L. See also Holmgren,H.D., 7=5613, 9=7350, 9=10116; Illsley,E.G., 7=8151
Johnston,R.L., Holmgren,H.D., Wolicki,E.A. and Illsley,E.G. Differential cross sections for the $C^{12}(He^3,p)N^{14}$ reaction, 8=1967
Johnston,T.F. See Cramer,W.S., 6=5747
Johnston,T.L. See also Stokes,R.J., 8=6430
Johnston,T.L., Li,C.H. and Knudson,C.I. Spiral etch pits in silicon, 8=449
Johnston,T.W. Nonlaminar flow in magnetically focused electron beams from magnetically shielded guns, 9=12371
Johnston,W.D. See also Heikes,R.R., 7=5333; Janusz,T.P., 7=6336; Miller,R.C., 9=9626
Johnston,W.D., Heikes,R.R. and Sestrich,D. The preparation, crystallography, and magnetic properties of the $Li_xCo_{(1-x)}O$ system, 9=9039
Johnston,W.G. Effect of plastic deformation on the electrical conductivity of silver bromide, 5=7025. See also Gilman,J.J., 6=9037, 8=4527, 8=7506, 8=9122
Johnston,W.G. and Gilman,J.J. Dislocation velocities, dislocation densities, and plastic flow in lithium fluoride crystals, 9=4019
Johnston,W.H. See Kiser,R.W., 6=5164, 9=7314 Levengood,W.C., 7=6628
Johnstone,C.W. See Koontz,P.G., 5=8044; Weber,W., 6=8256
Johnstone,H.F. See Wong,J.B., 5=3233, 6=1707
Joigneau,S. and Thouvenin,J. Electrical conductivity of sulphur under the action of a shock wave, 8=7905
Joki,E.G. See also Brugger,R.M., 7=2673; Evans,J.E., 5=3986; Smith,M.S., 7=9396
Joki,E.G. and Evans,J.E. Total neutron cross section of thulium in the energy region 0.038 to 1.56 eV, 7=725
Joly,M. See Renaud,P., 5=2690, 5=8466, 6=7361, 8=3054
Joly,R. See also Auclair,J.-M., 5=8261, 6=670; Brunner,J., 5=3050; Charon,J., 7=1618
Joly,R., Brunner,J., Halter,J. and Huber,O. A study of the isotopes 197 of gold and mercury, 6=602
Jona,F. See also Hoshino,S., 8=5861; Pepinsky,R., 6=5068, 7=5299; Shirane,G., 6=2849
Jona,F. and Pepinsky,R. Ferroelectricity in the Langbeinite system, 7=342. Symmetry of the low-temperature phase of $BaTiO_3$, 7=3842
Jona,F., Shirane,G., Mazzi,F. and Pepinsky,R. X-ray and neutron diffraction study of antiferroelectric lead zirconate, $PbZrO_3$, 7=3843
Jona,F., Shirane,G. and Pepinsky,R. Optical study of $PbZrO_3$ and $NaNbO_3$ single crystals, 5=4574. Dielectric,X-ray, and optical study of ferroelectric $Cd_2Nb_2O_7$ and related compounds, 5=6111
Jona-Lasinio,G. See Ferrari,E., 9=2068
Jonassen,N. See Rasmussen,R.E.H., 6=3544
Jones,A. and De Croës,M. Excited states of $^{50}Sn^{116}_{66}$, 9=3873
Jones,A.L. See Grant,G., 8=6607
Jones,A.R. Radiation-induced reactions in the $N_2-O_2-H_2O$ system, 9=13876
Jones,A.V. Infra-red spectrum of the night-sky near 10 000 Å, 5=7558. Ca II emission lines in the twilight spectrum, 7=961. Calcium and oxygen in the twilight airglow, 9=954. Observations on the lithium lines in the twilight airglow in the northern hemisphere, 9=9083. See also Gush,H.P., 6=4119; Harrison,A.W., 6=9123
Jones,A.V. and Harrison,A.W. Rotational temperatures of the auroral N_2+ bands, 5=10131
Jones,C. See Hitchcock,J.A., 9=1140
Jones,C.M. See Moak,C.D., 8=8276
Jones,C.S. See Cladis,J.B., 6=2822
Jones,C.W. On the propagation of shock waves in regions of non-uniform density, 5=2512
Jones,D. See Cosslett,V.E., 5=3821
Jones,D.A. Growth of lead fluoride crystals from the melt, 5=4175. Anisotropic field plotting in the electrolytic tank, 9=10300. See also Bleaney,B., 7=2489; Hayes,W., 8=2659
Jones,D.A. and Mitchell,J.W. The etching of dislocations in crystals of silver halides, 7=9974. Observations on helical dislocations in crystals of silver chloride, 8=1321
Jones,D.A. and Smith,T. An X-ray study of the structure of a sodium chloride crystal grown by the Kyropoulos method, 7=1757
Jones,D.D. Transistor technology. The effect of physical properties of a semiconductor on device characteristics, 8=1701
Jones,D.P. See also Nitka,H.F., 8=4207
Jones,D.P., Murphy,P.G. and O'Neill,P.L. Conservation of parity in a nuclear interaction at 350 MeV, 9=678
Jones,D.R. Neutron production by μ mesons stopped in sodium and magnesium, 7=4696. See also Stearns,B.F., 7=7364
Jones,D.S. The scattering of a scalar wave by a semi-infinite rod

of circular cross section, 5=4464. On the scattering cross section of an obstacle, 5=8932. Note on Whitham's 'The propagation of weak spherical shocks in stars', 5=9385. Approximate methods in high-frequency scattering, 7=5142. High-frequency scattering of electromagnetic waves, 7=8732

Jones,D.S. and Whitham,G.B. An approximate treatment of high-frequency scattering, 8=6079*

Jones,E. Latent energy of flames, 7=6113. See also Dutton,J., 9=3525; Edelman,S., 5=7723; Smith,E.R., 9=130

Jones,E. and Jones,F.Llewellyn. The experimental determination of the primary ionization coefficients at low gas pressures, 9=366

Jones,E.A. See Lovell,R.J., 5=2050

Jones,E.D. See Hyder,H.R.McK., 8=6343

Jones,E.E. The resistance of an elliptic plate, 5=3716. The inductance of two elliptic tubes, 6=2254. Mechanical forces on a current-carrying conducting cylinder, 6=3032

Jones,E.R. See Toye,T.C., 8=899

Jones,E.R.W., Clark,C.A. and Fell,E.A. Calculated and observed effects of texture on the magnetic properties and Young's modulus of nickel sheet, 8=4135

Jones,F.E. See also Wexler,A., 6=3545

Jones,F.E. and Roberts,V. A discussion on "radiative balance": Solar infra-red spectroscopy from high-altitude aircraft, 6=7882

Jones,F.Llewellyn. Electrical discharges and the vacuum physicist, 5=3492. The physics of electrical contacts, 7=6181

Jones,F.Llewellyn. [Conf.refs.]. Gaseous electronics. Conference in New York, 5=2770. See also Davies,D.K., 9=3609; Jones,E., 9=366

Jones,F.Llewellyn and Jones,R.H. The formation and rupture of molten metal bridges in electrical contacts, 7=4363

Jones,G. and Warren,J.B. The lifetime of positrons annihilating in aluminum, 7=459. A fast coincidence system for the measurement of short lifetimes, 7=3386

Jones,G.A. Energy dependence of the (p,n) reaction near $A = 70$, 9=10107. See also Carver,J.H., 9=8604; Clegg,A.B., 5=7364; Grace,M.A., 6=5352; James,D.B., 7=2630; Phillips,W.R., 6=8327

Jones,G.A. and Mandl,F. Parity violation in β-decay: correlation of the electron direction with the polarization of a subsequently emitted neutron, 8=5319

Jones,G.A. and Phillips,W.R. Electrical octupole Coulomb excitation in rhodium, 7=6434

Jones,G.A., Phillips,W.R., Johnson,C.M.P. and Wilkinson,D.H. Some properties of nuclei of mass 19, 5=2071

Jones,G.L. See Dearnaley,G., 8=1255

Jones,G.O. An improved miniature liquefier-cryostat, 5=6092. See also Dobbs,E.R., 7=2117, 8=1304, 9=4000; Figins,B.F., 7=2118; Heastie,R., 9=4056; Hulbert,J.A., 6=2033

Jones,G.O. and Walker,P.A. Specific heats of fluid argon near the critical point, 7=2146

Jones,H. The thermoelectric power of monovalent metals, 6=3755. The specific heat of metals and alloys at low temperatures, 7=9143

Jones,H. (Conf.rep.). Crystal dynamics, 7=6370

Jones,H.C. See Kelley,M.T., 9=6698

Jones,H.J., Morrison,J.A., Sarrafian,G.P. and Spieker,L.J. Magnetic delay line filtering techniques, 6=5544

Jones,H.N. See England,P.G., 8=3625

Jones,H.Spencer. Definition of the second of time, 6=1823*. Non-seasonal changes in the earth's rotation, 7=1037

Jones,I.L. The height variation of drift in the E region, 8=2069

Jones,J.B. See Herold,R.C., 5=2530

Jones,J.L. See also Leslie,C.B., 6=7230

Jones,J.L., Leslie,C.B. and Barton,L.E. Acoustic characteristics of a lake bottom, 8=9183

Jones,J.T.,Jr and Jensen,E.N. Radiations from cerium 141, 5=4028

Jones,J.T.,Jr and Keller,J.M. Binding energies of the light hyperfragments, 7=2992

Jones,J.T.,Jr and Knipp,J.K. Note on hyperfragments, 6=3251

Jones,K.W. See also Benenson,R.E., 6=3222; McEllistrem,M.T., 7=2653; Newson,H.W., 8=1256; Weil,J.L., 8=726, 8=4322, 9=3899

Jones,K.W., Kruse,T.H., Weil,J.L., Baicker,J.A. and Lidofsky,L.J. Neutron production from proton and deuteron bombardment of nickel, 7=6555

Jones,K.W., Lidofsky,L.J. and Weil,J.L. $N^{15}(p,n)O^{15}$ reaction study, 9=3889

Jones,L.A., Higgins,G.C. and Stultz,K.F. Photographic granularity and graininess. VIII. A method of measuring granularity in terms of the scanning area giving a threashold luminance gradient, 5=4265

Jones,L.A., Higgins,G.C., Stultz,K.F. and Hoesterey,H.F. Photographic granularity and graininess. IX. Techniques and equipment for the objective measurement of graininess, 7=4951

Jones,L.H. Infrared spectrum of $Ni(CO)_4$ vapor, 6=1069. Infrared spectra and structure of the crystalline sodium acetate complexes of U(VI), Np(VI), Pu(VI) and Am(VI). A comparison of metal-oxygen bond distance and bond force constant in this series, 6=1072. Determination of accurate water vapor calibration points for prism spectrometers in the region 1330-2100 cm^{-1}, 6=5782. Polarized infrared spectrum of $KAg(CN)_2$, 6=8677. Infrared spectrum and structure of the thiocyanate ion, 7=2029. Vibrational spectrum and structure of metal-cyanide complexes in the solid state. I. $KAg(CN)_2$, 7=7746; II. $KAu(CN)_2$, 7=9081; III. $Hg(CN)_2$, 7=9082. Calibration of prism spectrometers from 1300-2100 cm^{-1}, 8=2226. Vibrational spectrum of nickel carbonyl, 8=8688. Polarized infrared spectrum of potassium thiocyanate, 8=8690. Vibrational spectrum and structure of metal-cyanide complexes in the solid state. IV. $K_3Cu(CN)_4$, 8=9081. See also Penneman,R.A., 6=4317

Jones,L.H. and Chamberlain,M.M. Formation of mixed crystals in the use of the alkali-halide disk technique for preparing samples of $KAu(CN)_2$ for infrared spectra, 6=9030

Jones,L.H. and McLaren,E. Infrared spectra of CH_3COONa and CD_3COONa and assignments of vibrational frequencies, 5=844. Infrared absorption spectra of SO_2 and CO_2 in aqueous solution, 8=5780

Jones,L.H. and Robinson,E.S. Infrared spectra and molecular constants of gaseous tritium bromide and tritium chloride, 6=5779

Jones,L.J. See Bleiberg,M.L., 7=1663

Jones,L.M. Transit-time accelerometer, 6=6404. See also Bartman,F.L., 6=7040

Jones,L.W. See also Cole,F.T., 7=7949; Kerst,D.W., 6=5157; Perl,M.L., 9=5858; Symon,K.R., 7=1382; Terwilliger,K.M., 8=1720

Jones,L.W. and Perl,M.L. Experimental demonstration of electron-optical regenerative image amplification, 9=8219

Jones,L.W., Terwilliger,K.M. and Haxby,R.O. Experimental test of the fixed field alternating gradient principle of particle accelerator design, 7=446

Jones,M. Non-electronic computing methods in mass spectrometric analysis, 5=5066

Jones,M., Schuman,R.P., Butler,J.P., Cowper,G., Eastwood,T.A. and Jackson,H.G. Isotopes of einsteinium and fermium produced by neutron irradiation of plutonium, 6=3934

Jones,M.E. See Butler,J.P., 6=7644

Jones,N.T., Kingston,R.H. and Neustadter,S.F. Anomalous forward switching transient in p-n junction diodes, 5=3779

Jones,P.B. Absorption of negative K-mesons and the neutron and proton distributions in heavy nuclei, 8=1202. See also Brisbout,F.A., 6=6928; Chadwick,G.B., 7=8862, 9=6042

Jones,P.R. See also Fuls,E.N., 7=8687

Jones,P.R., Ziemba,F.P., Moses,H.A. and Everhart,E. Total cross-sections for multiple electron stripping in atomic collisions at energies to 100 keV, 9=4752

Jones,R.A. See Morton,J.Y., 7=184

Jones,R.B. See Dyson,B.F., 9=8922

Jones,R.C. New method of describing and measuring the granularity of photographic materials, 5=10156. New calculus for the treatment of optical systems. VIII. Electromagnetic theory, 6=3657. Transmittance of a train of three polarizers, 6=5805. On the point and line spread functions of photographic images, 9=6427. Quantum efficiency of human vision, 9=9119. See also Mielenz,K.D., 9=3248

Jones,R.E. The development of an E-region model consistent with long wave phase path measurements, 5=4225. See also Mitra,A.P., 5=1386, 5=3328

Jones,R.E. and Ittner,W.B. Superconductivity of In_2Bi, 9=7007

Jones,R.E. and Templeton,D.H. Optimum atomic shape for Bertaut series, 7=2796

Jones,R.F. Radar echoes from lightning, 5=1409. Radar echoes from atmospheric inhomogeneities, 9=11642

Jones,R.H. The effect of oxygen on an evaporated PbSe layer, 7=9693. The reaction of oxygen with lead selenide, 8=617. See also Howarth,D.J., 7=4344; Jones,F. Llewellyn, 7=4363

Jones,R.M. See Taylor,A., 9=855, 9=8897

Jones,R.V. Angle-spring hinges, 5=10154. A large optical slit

mechanism employing spring movements, 6=4292. A possible far infra-red detector using thermal expansion, 8=2934. See also Dobrowolski,W., 6=3101, 7=2543
Jones,R.V., Dobrowolski,W. and Jeffries,C.D. Paramagnetic resonance hyperfine structure of Co^{56}, 6=5241
Jones,R.V., Rodrigue,G.P. and Wolf,W.P. Ferrimagnetic resonance in single crystals of rare earth garnet materials, 9=431
Jones,R.V. and Young,I.R. Some parasitic deflexions in parallel spring movements, 6=1875
Jones,T.B. See Jenkins,J., 8=201
Jones,T.O. and Willard,J.E. Cryostat for spectrophotometric measurements, 7=4143
Jones,W.B., Kratz,H.R., Lawson,J.L., Miller,D.H., Miller,R.D., Ragan,G.L., Rouvina,J. and Voorhies,H.G. 300-MeV non-ferromagnetic electron synchrotron, 5=9692
Jones,W.B., Kratz,H.R. and Rouvina,J. Total absorption Čerenkov counter, 7=6299
Jones,W.D. See Turrell,G.C., 7=7754
Jones,W.H. See also Wiesendanger,H.U.D., 8=3531
Jones,W.H., Timnick,A., Paehler,J.H. and Handley,T.H. Bombardment energy and fission product yield pattern for protons on natural uranium and U^{235}, 5=8236
Jones,W.H.,Jr. See Lauer,J.L., 9=6742, 9=7424
Jones,W.M. Half-life of tritium, 6=596. The flow of air through beds of charcoal, 7=779. See also Isaac,P.J., 9=6613
Jones,W.M., Barnard,A.C.L., Hunt,S.E. and Chick,D.R. Measurement of the energy spectrum of protons emitted from the fusion reaction in Sceptre III, 8=9050
Jones,W.M. and Waters,D.G. A nuclear plate camera for angular distribution measurements with gaseous or solid targets over a wide range of angles, 8=9201
Jones,W.R.D. and Davies,J.B. The viscosity of lead, tin, and their alloys, 8=2833
Jong,J.J.de. See de Jong,J.J.,
Jonge,B.R.De. See De Jonge,B.R.,
Jongejans,B. Hyperons and hyperfragments, 9=553. See also Bruin,M., 8=8248
Jongejans,B. and Schurink,F., Measurements on extensive air showers at mountain altitudes at the geomagnetic equator, 8=3212
Jongejans,B., Schurink,F. and Holthuizen,D.J. Cosmic ray stars in nuclear emulsions at the equator and high altitude, 7=8711
Jongen,H.F. See Assies,M.A., 6=5990
Jongenburger,P. Resistivity in metals. Extra resistivity due to interstitial atoms in copper, 5=6158. Energy of formation of vacancies in copper and gold, 7=5498. See also van Beuren,H.G., 5=6158
Jongenburger,P. and Berghout,C.W. A null-coil magnetometer, 9=8275
Jongerius,H.M. See also Smit,J.A., 7=3149
Jongerius,H.M., van Egmond,W. and Smit,J.A. Measurement and analysis of the optical excitation function of the 2537 A mercury line, 7=1997
Jonker,C.C. See Blok,J., 7=9887; de Haan,E.F., 5=8860; Hamers,H.C., 5=4105; Huijer,P., 5=8861, 8=4233; van der Vegt,A. 7=9419
Jonker,G.H. Semiconducting properties of mixed crystals with perovskite structure, 5=3745. Magnetic compounds with perovskite structure. IV. Conducting and non-conducting compounds, 6=7530. Analysis of the semiconducting properties of cobalt ferrite, 9=8102
Jonker,G.H., Wijn,H.P.J. and Braun,P.B. A new class of oxidic ferromagnetic materials with hexagonal crystal structures, 7=5466
Jonker,J.L.H. The similarity law of secondary emission, 5=989. On the theory of secondary emission of metals, 7=7963
Jonscher,A.K. Drift of minority carriers in the presence of trapping, 7=3266. Diffusion of minority carriers in the presence of trapping, 7=3267. Analysis of current flow in a planar junction diode and a high forward bias, 8=7002. Drift of minority carriers in the presence of trapping, 9=10975
Jönsson,C. See Möllenstedt,G., 9=12377
Joos,G. with the collaboration of Freeman,I.M. Theoretical physics, 8=488
Joos,G. and Ringler,H. The temperature of the OH-radical in different light sources, 9=6187
Joos,H., Leal Ferreira,J. and Zimerman,A.H. On the kinematic properties of a system of two Dirac particles, 7=7307. A special representation for the treatment of a system of two Dirac particles, 7=7581
Joos,P. On the micro-hardness of glass surfaces, 8=7571
Jopson,R.C. See Chupp,E.L., 8=2534, 9=2706, 9=2758, 9=5777
Jorand,M. Contribution to the study of solar radiofrequency storms, 7=2923. Influence of turbulence on the attenuation of sound in free air, 9=6405
Jorba,J.Perez y. See Perez y Jorba,J.,
Jordan,C.E. and McLay,A.B. Diffraction of 3.2 cm electromagnetic waves by dielectric rods. III. Lucite $1\frac{1}{2}$ in diameter semicylinder, fields very close to surface, 8=4179
Jordan,D.W. The adhesion of dust particles, 5=1283
Jordan,H.L. and Frahn,W.E. Non-local field theory based on the Salpeter-Bethe equation. II. Exchange effect with localized particles, 5=65
Jordan,J.E. See Amdur,I., 7=8742
Jordan,K.C. See Eichelberger,J.F., 5=1145
Jordan,P. On the hypothesis of a variability of the so-called gravitation constant, 7=6849
See also Erdös,P., 6=660-1; Schmouker,J., 5=6464
Jordan,P. and Pochon,M. Determination of the diffusion coefficients of silver and iodine in the three modifications of silver iodide by the method of heterogeneous isotopic exchange, 7=9421
Jordan,R.D. See Alger,R.S., 5=3272
Jordan,W.C. See also Burson,S.B., 5=2119
Jordan,W.C., Burson,S.B. and LeBlanc,J.M. Decay of $_{22}Ti^{51}$ (5.8 min), 5=2121
Jorge,M.P. See Barceló,J.R., 8=8691
Jörgens,K. Axially symmetric solutions of the magneto-hydrostatic equation with surface currents. II, 9=4838. See also Biermann,L., 9=1605, 9=2099; Trefftz,E., 9=10157
Jørgensen,C.K. Absorption spectra of lanthanide and actinide ions, 5=3581. Studies of absorption spectra VI. Actinide ions with two 5-f-electrons, 5=4527. VII. Systems with three and more f-electrons, 5=5315. See also Ballhausen,C.J., 5=5316
Jørgensen,M.H. See Bell,R.E., 9=12649
Jørsboe,H. Equivalent circuits of magnetostrictive transducers, 6=2754
Jortner,J. Model for metal ammonia solutions, 7=9566. Energy levels of bound electrons in liquid ammonia, 9=6588
Jortner,J. and Stein,G. Electrons in solutions, 5=6794
Jortner,J., Stein,G. and Treinin,A. Spectrophotometric determination of the electron affinity of fluorine, 9=8961
Jory,F.S. Influence of geomagnetic quadrupole fields upon cosmic-ray intensity, 6=5993. Selected cosmic-ray orbits in the earth's magnetic field, 6=8265
Joseph,C. See Weill,R., 9=13991
Joseph,D.W. Two-pair decay and the spin of the neutral pion, 9=3768
Joseph,J. Multiple photon production by electron pair annihilation in flight, 6=8364
Joseph,J. and Rohrlich,F. Pair production and bremsstrahlung in the field of free and bound electrons, 9=525
Joseph,P.J. See Windham,P.M., 8=8844
Joseph,V. Physical properties of some empty space-times, 8=4696. On apparent luminosity in general relativity, 9=3100
Joseph,W.F. and Bond,R.M. A gamma-discriminating beta survey meter, 7=3577
Josephson,V. Production of high-velocity shocks, 8=8644
Joshi,B.V. See Ramanna,R., 6=8411
Joshi,G.H. The electromagnetic interaction between two crossing electron streams. I, 7=7948. The electromagnetic interaction between two crossing electron streams (with Lorentz term). II, 8=5040. See also Bresler,A.D., 8=8170
Joshi,M.C. Decay of thallium 204, 5=9855. See also Gupta,R.K., 8=3332
Joshi,M.C. and Subba Rao,B.N. The 97 keV transition in the decay of gadolinium-153, 8=8307
Joshi,M.C., Subba Rao,B.N. and Thosar,B.V. M1 transitions in ^{141}Pr and ^{191}Ir, 9=1750. Conversion coefficient of the 87 keV transition in ^{160}Dy, 9=3881
Joshi,M.C. and Thosar,B.V. Gamma-ray energies in the decay of Cs^{134}, 5=1161. Conveyor belt method for studying short-lived activities: Ag^{108}, Ag^{110} and In^{116}, 6=8343
Joshi,M.N. See Mitra,A.P., 9=10537
Joshi,R.M. See Naik,Y.G., 5=9299
Joshi,R.V. See Ewles,J., 8=5799
Josien,M.L. Infrared spectroscopy and chemical reactivity, 8=117. See also Castinel,C., 7=6382; Deschamps,J., 7=7258; Lascombe,J., 7=6376; Lebas,J.M., 7=6381; Pineau,P., 7=6660
Josien,M.L. and Joussot-Dubien,M. An example of chelation C=O. . . H-N detected by infrared spectroscopy, 7=6672
Josien,M.-L. and Lascombe,J. Influence of solvents on the C=O

valence vibration of acetone, acetophenone and cyclohexanone, 5=7243

Josien,M.L., Lascombe,J. and Fuson,N. Effect of pressure on the O−H stretching frequency of butanol in nonpolar solvent, 7=3489

Josien,M.-L., Lascombe,J., Lecomte,J. and Mathieu,J.-P. The C=O valence vibration of ketones in the liquid state, 5=7242

Josien,M.L., Pineau,P., Paty,M. and Fuson,N. Comparison of infrared and cryoscopic studies of solutions of pyrrole in nonpolar solvents. Formation of polymers, 6=7199

Joslet,C., Weniger,S. and Herman,R. Process of disappearance of electrons during the phosphorescence in argon, 6=6748

Jossem,E.L. See Parratt,L.G., 5=3814, 5=3921, 7=4428

Josso,E. and Waché,X. Hardening of iron−nickel alloys near Ni_3Fe composition by cold work and superstructure, 6=5460

Jost,K. The process and size distribution of Barkhausen discontinuities, 7=6342

Jost,K.H. See Krumbiegel,J., 5=10092

Jost,R. Mathematical analysis of a simple model for the stripping reaction, 6=1570. A remark on the relation between the scattering phases and the potential, 7=1906. A remark on the C.T.P. theorem, 8=495. An example on the nucleon vertex, 9=10611. See also Newton,R.G., 5=5223

Jost,R. and Lehmann,H. Integral representation of causal commutators, 8=38

Jost,W. See Franck,E.U., 9=13066

Joussot-Dubien,J. Electronic apparatus for the measurement of magnetic susceptibilities at low temperatures, 9=13414. See also Calas,R., 7=6679; Hoarau,J., 7=6349; Pacault,A., 6=4512

Joussot-Dubien,J. and Lemanceau,B. Measurement of diamagnetic anisotropy at high frequencies, 6=5248

Joussot-Dubien,J., Lemanceau,B. and Pacault,A. Electronic apparatus for the measurement of magnetic susceptibilities, 6=3839

Joussot-Dubien,M. See Josien,M.L., 7=6672

Jouty,R. On the observation of a new type of relief on the surface of crystals of silicon carbide, 5=7495

Jouvet,B. Realistic theory of pseudoscalar mesons, 5=741. Equivalence of the "complete" theory of Fermi and the Yukawa theory [of nuclear forces], 5=1533. A realistic theory of mesons, 6=3494. On the meaning of fermi coupling, 6=5691. Fermi coupling and mass and charge spectra of bosons, 7=7602. A possible dissymmetry between electron and positron, 8=263. See also Goldzahl,L., 9=12575

Jouvet,B., and Houard,J.C. Emission of electrons in the capture of μ-mesons and the range of the Fermi interaction, 9=13697

Jouvin,J. See Hoang,T.F., 5=1960, 5=6506

Jovanovich,J.V. See Standing,K.G., 9=628

Jowsey,J. The use of the milling machine for preparing bone sections for microradiography and microautoradiography, 5=6671

Jowsey,J., Sissons,H.A. and Vaughan,J. The site of deposition of Y^{91} in the bones of rabbits and dogs, 6=8533

Joy,A.S. Methods and techniques for the determination of specific surface by gas adsorption, 5=7722

Joy,H.W. See also Parr,R.G., 7=4602

Joy,H.W. and Parr,R.G. A one-center wave function for the hydrogen molecule, 8=2017

Joyner,W.T. See also de Zafra,R.L., 9=2580

Joyner,W.T. and Lewis,H.W. Measurement of (p,γ) coincidences employing time of flight, 5=2144

Judd,B.R. Operator equivalents and matrix elements for the excited states of rare-earth ions, 5=3011. The theory of the spectra of europium salts, 5=3012. The magnetic and spectroscopic properties of certain rare-earth double nitrates, 6=3025. The structures of the ground multiplets of certain rare-earth ions, 6=3117. A crystal field of icosahedral symmetry, 7=9450. The splittings induced in levels by crystal fields of high symmetry, 8=393. An analysis of the absorption spectrum of praseodymium chloride, 8=576. See also Elliott,J.P., 7=8787; Hutchison,C.A.,Jr, 7=6710

Judd,B.R. and Wong,E. Magnetic properties of certain rare earth double nitrates, 8=7184

Judd,D.B. Entoptic color-perceptions of the macular pigment by observers of normal and color-defective vision according to a three-components theory, 7=6788. Some color demonstrations I have shown, 9=6410. See also Helson,H., 6=8138

Judd,D.B. and Wyszecki,G. Extension of the Munsell renotation system to very dark colors, 6=3661

Judd,D.L. See Cohen,S., 8=7476; Rosenbluth,M.N., 7=8462

Judek,B. Mass measurements of particles stopping in the emulsion by the constant sagitta method, 7=8869. Multiple scattering measurements of π and μ mesons stopping in nuclear emulsions, 7=8870. Experiments on processing and mounting of nuclear emulsions, 9=5292

Judish,J.P. See Galonsky,A., 6=707; Johnson,C.H., 8=5951

Judson,L.V. Units of weight and measure (United States customary and metric). Definitions and tables of equivalents, 5=9397

Juenker,D.W. Surface barrier analysis for metals by means of Schottky deviations, 5=8815. Electron emission in moderate accelerating fields, 8=5049

Juenker,D.W. and Parsons,E.W. Ultraviolet transmission properties of conducting coatings on glass, 9=5550

Juenker,D.W., van Swaay,M. and Birchenall,C.E. On the use of palladium diffusion membranes for the purification of hydrogen, 6=8621

Juillard,A. See Moussa,A., 7=6501

Julg,A. Electronic structure of heptafulvene. Study by the self-consistent molecular field method, 5=5571. A new method of semi-theoretical calculation of the monocentric and dicentric Coulomb integrals, 9=5116. A new method of semi-theoretical calculation of electron integrals, 9=13748

Julien,A. See Feld,B.T., 5=1242

Juliano,J.O. See also Mitchell,A.C.G., 9=4999

Juliano,J.O., Kocher,C.W., Nainan,T.D. and Mitchell,A.C.G. Disintegration of iron-52 and iron-53, 9=4991

Juliano,J.O. and Stephens,F.S.,Jr. Decay of europium-154, 8=319

Julien,J. See Corge,C., 9=13613; Huynh,V.D., 9=8514; Netter,F., 7=1623

Julienne,C. See Brossel,J., 6=6016

Julius,R.S. See Hull,T.E., 6=8004

Jull,C.W. An experimental investigation of characteristic electron energy losses in solids, 7=2311. See also Gabor,D., 5=7121

Jullien,Y. Effect of a concentrated mass on the characteristic modes of vibration of a beam resting on an elastic support, 6=5727

Juna,J. Fundamental relations for the construction of mechanical neutron selectors, 9=11340

Jung,B. Nuclear spectroscopic measurements on mass separated Pb^{198} sources, 9=8544. See also Andersson,G., 7=4666, 8=1921, 8=3356

Jung,E., Plesse,H. and Reule,A. Bi-filter photometer for clinical and analytical chemistry, 9=5477

Jung,H. Comparison of methods for calculating the pressure variations on a membrane, 7=3069

Jung,J.J. See also Cüer,P., 5=7369

Jung,J.J. and Bockelman,C.K. Energy levels of Be^{10}, 5=1116

Jung,J.J. and Cüer,P. Some information about the weakly excited levels of Be^8 and Li^7 obtained by the reactions $Be^9\ (d,\gamma)\ Li^{7*}$, $Be^9\ (d,t)\ Be^{8*}$, 7=1505

Jung,L. On the photoconduction of silver bromide crystals, 5=6151. Electronic conduction in AgBr containing impurities after irradiation at liquid hydrogen temperatures, 7=6159. The production of conduction electrons in AgBr crystals by irradiation at -170°C, 7=6189

Junge,H. See Jaeckel,R., 9=7849

Junger,G. See Möllenstedt,G., 8=8055

Junger,M.C. Note on the paper by L.Y.Tu, J.N.Brennan and J.A.Sauer on dispersion of ultrasonic pulse velocity in cylindrical rods, 6=992. Sound propagation in a fluid-filled tube with massive wall reactance, 6=3566

Junger,M.C. and Rosato,F.J. The propagation of elastic waves in thin-walled cylindrical shells, 5=126

Junger,M.C. and Smith,P.W.,Jr. Concerning the article by A.Bergassoli, F.Canac and T.Vogel "The transmission of sound by spherical shells", 5=4454

Jungerman,J.A. Two channel homogeneous field axial focusing pair spectrometer, 7=676. See also Steiner,H.M., 6=1568

Jungerman,J.A. and Beard,D.B. Use of a ring source in a homogeneous field ring focusing beta-ray spectrometer, 7=1370; II, 7=1371

Jungerman,J.A. and Steiner,H.M. Photofission cross sections of U^{235}, U^{238}, Th^{232}, Bi^{209}, and Au^{197} at energies of 150 to 500 MeV, 7=6576

Jüngst,W. and Schopper,H. The $\beta-\gamma$ circular polarization correlation of Sc^{46}, 9=11445

Junkermann,W. Heat transfer problems in reactor technology, 9=2853

Junkes,G. The effect of rotating a dispersing prism upon the spectrum, 5=1668

Junkes,J. On the theoretical resolution limit of prisms, 9=11984

Junkins,J.H. Automatic-reading viscosimeter, 5=5932

Jüntgen,H. See Schäfer,K., 5=9461

Jupnik,H. See Creutz,E. 5=4110, 5=4112-13; Wigner,E.P., 5=4111
Jurak,A. See also Ciok,P., 8=1117, 8=5090, 9=3930
Jurak,A., Miesowicz,M., Stanisz,O. and Wolter,W. An electron-photon shower of very high energy registered in nuclear emulsions, 7=2374
Juren,J.De. See De Juren,J.,
Juretschke,H.J. Symmetry of galvanomagnetic effects in antimony, 6=2999. See also Coren,R., 8=4136; Nisteruk,C.J., 5=3007
Juretschke,H.J., Landauer,R. and Swanson,J.A. Hall effect and conductivity in porous media, 6=7391
Juretschke,H.J. and Steinitz,R. Hall effect and electrical conductivity of transition-metal diborides, 8=5879
Jürgens,G. The measurement of the oscillator strength of OI lines in water stablized arcs, 5=170
Jürgensen,K.H. See Steeb,S., 8=1336
Juric,M., Winterhalter,D. and Dordevic,M. Measurement of neutron flux using a [loaded] nuclear emulsion prepared from gel, 9=14014
Jurić,M.K. Elastic scattering of alpha-Po particles on hydrogen, 5=4023. Angular distribution of disintegration products from the $O^{16}(d,p)O^{17}$, $Be^9(d,p)Be^{10}$ and $Be^9(d,t)Be^8$ reactions, 5=4934. Angular distribution of protons and tritons from reactions $Be^9(d,p)Be^{10}$ and $Be^9(d,t)Be^8$, 5=7366. A contribution to the interpretation of the (d,p) reaction produced by low energy deuterons, 7=8155
Jurić,M.K. and Čirilov,S.D. Polarization of protons from $C^{12}C(d,p)C^{13}$ reaction with deuterons of 1060 keV, 9=2799
Jurić,M.K. and Petrović,M.M. Angular distribution of protons from the reaction $O^{16}(d,p)O^{17}$, 5=7365
Jurić,M.K. and Stanojević,D.M. Internal conversion radiation of radium, 5=7339
Jurkiewicz,L. On the influence of low-energy (2-7 MeV) photons on the absorption curve of extensive air showers in lead, 5=2844. See also Babecki,J., 7=7196, 9=11178; Miesowicz,M., 5=8063, 7=2605
Jurney,E.T. Failure and disassembly of Los Alamos fast reactor, 5=531
Jursa,A. See LeBlanc,F., 8=6810; Marmo,F.F., 6=9130; Pressman,J., 6=9128; Tanaka,Y., 9=9404
Jursa,A.S. See also Tanaka,Y., 6=4986, 7=4128, 7=5177, 8=2952, 8=9080
Jursa,A.S., LeBlanc,F.J. and Tanaka,Y. Results of a recent attempt to record the solar spectrum in the region of 900-3000 A, 6=886
Just,D. See Haul,R., 9=2950
Just,K. On the choice of the field equations of projective relativity theory, 5=2389. An absorber model of hydrogen atoms, 5=3982. New field equations in Jordan's theory of gravitation, 5=7668. On planetary motion in the case of a variable "constant" of gravitation, 5=7669. On cosmology with variable "constant" of gravitation, 5=8477. Superpotentials in (Jordan's) extended theory of gravitation, 6=36. Hertz dipole in expanding space, 6=38. Jordan's cosmology with new field equations, 6=898. On the question of the finiteness of the universe, 6=2633. (Jordan's) extended gravitation theory and perihelion rotation, 6=4174*. The eötvös torsion balance (experiment) in the case of variable gravitational number, 6=4175. Rigorous spherically symmetric solutions of Einstein's field equation, 6=5676. Classical solutions of Heisenberg's non-linear field equation, 9=1049. See also Ludwig,G., 6=3461, 7=6850
Justi,E. See Bischoff,K., 5=7893
Juston-Coumat,F. On the use of a copper sulphate, cobalt sulphate filter to obtain ultraviolet in high concentration, 7=6774
Juveland,A.C. See also Jentschke,W., 5=2131
Juveland,A.C. and Jentschke,W. The polarization of 5.3 MeV protons elastically scattered from helium, 6=3791. Polarization of protons from (d,p) reactions on C^{12} and Si^{28}, 8=9052
Juza,M. See Edwards,H.D., 6=6294
Juza,R. and Puff,H. Ferrimagnetism of Mn_4N, 7=534

K-collaboration (Bhowmik,B.,Evans,D.,Falla,D.,Hassin,F., Kamal,A.A.,Nagpaul,K.K.,Prowse,D.J.,René,M.,Alexander,G., Johnston,R.H.W.,O'Ceallaigh,C.,Keefe,D.,Burhop,E.H.S., Davis,D.H., Kumar,R.C., Lasich,W.B., Shaukat,M.A., Stannard,F.R.,Bacchella,G.,Bonetti,A.,Dilworth,C., Occhialini,G.,Scarsi,L.,Grilli,M.,Guerriero,L.,von Lindern,L., Merlin,M. and Salandin,A.) The interaction and decay of K^- mesons in photographic emulsion. I. General characteristics of K^--interactions and analysis of events in which a charged π-meson is emitted, 9=13575
Kaagjärv,L. and Ma,S.T. Relativistic calculation of the imaginary part of radiative level displacement for the hydrogen atom, 8=5419
Kaasa,R.A. See Mooney,H.M., 8=3600
Kabadi,M.B. See Venkatachalam,K.A., 5=9755
Kabalkina,S.S. See Vereshchagin,L.F., 7=9466
Kabanov,A.N. See Milyutin,V.I., 7=9234
Kabanov, B.N. and Kokoulina,D.V. Mechanism of the anodic dissolving of magnesium, 8=8505
Kabiel,Abdel Monem I. See Abdel Monem I. Kabiel.
Kabin,S.P. Dynamic mechanical properties of polyethylene and polytetrafluoroethylene, 7=6642. See also Mikhaĭlov,G.P., 5=9633, 9=1416. Sazhin,B.I., 9=4043
Kabin,S.P. and Mikhailov,G.N. Dielectric losses of crystalline non-polar polymers, 9=13250
Kabin,S.P. and Mikhaĭlov,G.P. Mechanical and dielectric losses of polyisobutylene, 6=8764
Kabir,P. See Baldin,A., 9=8473
Kabir,P.K. See also Baldin,A.M., 9=541. See Lee,T.D., 7=9529
Kabir,P.K. and Salpeter,E.E. Radiative corrections to the ground-state energy of the helium atom, 8=784
Kac,M. Some remarks on the use of probability in classical statistical mechanics, 7=1080. On the partition function of a one-dimensional gas, 9=3219. Remark on recurrence times, 9=11861
Kachanov,L.M. Stability of thin-walled beams subjected to elasto-plastic deformations, 6=6974
Kachenelenbaum,B.Z. Perturbation of an electromagnetic field by small deformations of a metal surface, 6=8875
Kachinskiĭ,V.N. See Peshkov,V.P., 7=6124
Kachurin,L.G. Solution of the problem of the solidification of a sphere, allowing for the change in the temperature of the crystallization front during the process of solidification, 7=9134
Kacprowski,J. Analysis of the wave-parameters of the exponential norn, 7=6963
Kacser,C. Higher Born approximations in non-relativistic Coulomb scattering, 9=11837
Kaczér,J. A new method for investigating the domain structure of ferromagnetics, 5=8892. A contribution to the theory of the coercive force of thin sheets, 7=3430. On the theory of double Bloch walls in thin films, 8=8874. The interaction energy of parallel Bloch walls, 9=4794. On the domain structure of thin ferromagnetic films, 9=7160
Kaczér,J. and Gemperle,R. Vibrating permalloy probe for mapping magnetic fields, 6=7514
Kaczér,J. and Málek,Z. A rotating probe for measuring the inhomogeneity of a magnetic field, 9=7144
Kaczmarek,F. See Pajak,Z., 7=5300
Kadambi,V. See Soo,S.L., 9=11889
Kadesch,R.R. See Hirschberg,J.G., 8=1630
Kadomtsev,B.B. Hydrodynamic description of plasma oscillations, 7=4562. Principle of invariance for homogeneous medium of arbitrary geometric form, 7=5860. The influence function in the theory of radiant energy transfer, 7=8555. On fluctuations in a gas, 7=9569. On the effective field in a plasma, 8=3201.
Kadyk,J.A. See also Brown,J.L., 9=13571
Kadyk,J.A.,Trilling,G.H.,Leighton,R.B. and Anderson,C.D. Cloud chamber investigation of anomalous 0° particles, 7=4760
Kaempffer,F.A. Some considerations regarding the principle of phase invariance, 5=8467. Elementary particles as self-maintained excitations, 6=71. On possible realizations of Mach's program, 9=17
Kaempffer,F.A. and Kennedy,E.M. Numerical analysis of a unitary particle model, 7=2979
Kaeppeler,H.J. On the problem of energy transport in chemically reacting plasma, 8=2045
Kaeser,R.S. See Cochran,J.F., 8=3145
Kafalas,J.A. See also Green,M., 7=7879
Kafalas,J.A. and Gatos,H.C. Apparatus for the direct measurement of adsorption on solid surfaces from liquids, 8=9174
Kafalas,P. and Irvine,J.W.,Jr. Nuclear excitation functions and thick target yields: (Cr + d), 7=2650
Kaftal,S.,Somigliana,R. and Terrani,S. On the use of radio isotopes for the determination of the wear on cutting tools, 7=3776
Kagan,W. See Guillaud,C., 7=9261. Vautier,R., 7=9262
Kagan,Yu. On the theory of the bubble chamber, 8=6102
Kagan,Yu.A. and Smorodinskii,Ya.A. On the anisotropy of the even photomagnetic effect, 9=9641
Kagan,Yu.M.,Kal'vinova,T.Ya. and Randanen,I.S. Determination of the parameters of plasma in inert gases, 8=3193
Kagan,Yu.M. and Perel',V.I. Theory of the probe in a plasma. I, 5=1865. On the theory of a spherical probe in plasma, 6=6668. On the theory of Langmuir probes, 6=6669. Mobility and space charge of ions in a non-uniform field, 6=8844. Concerning the cross-section of overcharging [charge exchange] of slow ions in their own gas, 7=1418. The ion movements and the shape of their [spectral] lines in the positive column of a discharge. I. Directed ion movement in a low-pressure discharge, 7=9706. The motion of ions and the shape of ion lines in the positive discharge column. II. Radial motion of ions in a low-pressure discharge, 8=5024 . III. A directed motion of ions in a discharge at arbitrary pressure, 8=5025. On the motion of ions in a mixture of isotopes, 8=7119
Kaganov,M.A. Contribution to the problem of employing the method of an "instantaneous" source of heat for the measurement of thermal properties of thermal insulators, 6=7340. A theoretical consideration of the method of measuring the thermal conductivity of semi-conductors proposed by A.V.Ioffe and A.F.Ioffe, 9=4512
Kaganov,M.I. See also Akhiezer,A.I., 8=4806, 9=9794. Azbel',M.Ya., 8=2275. Bar'yakhtar,V.G., 9=2572. Bass,F.G., 8=2308; 8=7896; 8=7967. Esel'son,B.N., 7=4280; 8=4930; 9=8044. Kaner,E.A., 7=2157. Lifshits,I.M., 7=360; 6=6569; 6=6658. Sitenko,A.G., 5=8827
Kaganov,M.I. and Azbel',M.Ya. Conductivity of thin metallic films, 5=7021. Towards the theory of the anomalous skin effect, 7=1269
Kaganov,M.I.,Lifshits,I.M. and Sinel'nikov,K.D. On the possibility of observing the change in the chemical potential of electrons in a metal in a magnetic field, 8=809
Kavanov,M.I.,Lifshits,I.M. and Tanatarov,L.V. Relaxation between electrons and the crystal lattice, 7=2812
Kaganov,M.I. and Peschanskiĭ,V.G. On non-linear effects in metals at low temperatures, 8=5922
Kaganov,M.I. and Slezov,V.V. Surface impedance of metals in the infrared region, 8=3085
Kaganov,M.I. and Tsukernik,V.M. Contribution to the theory of antiferromagnetism at low temperatures, 8=7163. On the thermodynamics of the ferromagnetic state at low temperatures, 8=8108. Contribution to the phenomenological theory of kinetic processes in ferromagnetic dielectrics. I. Relaxation in a gas of spin waves, 9=1579. Influence of thermoelectric forces on the skin effect in metals, 9=2337. The magnetic susceptibility of a uniaxial antiferromagnetic substance, 9=9792. Contribution to a phenomenological theory of kinetic processes in ferromagnetic dielectrics. II. Interaction between spin waves and phonons, 9=12447
Kaganskiĭ,M.G. See Kaminskiĭ,D.L., 9=2743, 9=9919
Kagarise,R.E. On the structure of sym-tetrabromoethane, 5=4156. Infrared spectra of crystalline symtetrabromo and tetrachloroethane, 6=1983. Rotational isomerism in 1, 2-dibromo-2, 2-difluorethane, 6=7576. Spectroscopie studies of rotational isomerism in fluorinated ethanes. III. $CF_2Cl—CF_2Cl$ and $CF_2Br—CF_2Cl$, 7=5709. Infrared spectrum of trifluoroacetic acid vapor, 7=8525. Infrared intensity of the C—H stretching band of chloroform in some halogenated acetones, 7=9620. Rotational isomerism in 1 -fluoro-1,1,2,2-tetrachloroethane, 9=755. See also Ferguson,E.E., 9=9432
Kagarise,R.E. and Daasch,L.W. Spectroscopic studies of rotational isomerism in fluorinated ethanes. I. 1,2-difluoro-1,1,2,2-tetrachloroethane, 5=3240. II. 1,2-dibromo-1,1,2,2-tetrafluoroethane, 5=3241
Kagarise,R.E. and Mayfield,J.W. Simple interferometer for dispersion measurements of liquids in the 2-22 μ region, 8=5756
Kageyama,S. The multiple scattering of fast electrons, 6=5146
Kahalas,S.L. and Kashian,H.C. On the approach of electrons to equilibrium, 9=8445

Kahan,T. On the electrodynamics of turbulent ionized media, 6=3045. Electromagnetic cavities and their applications in physics, 6=3863. Ionospheric turbulence and the propagation of electromagnetic waves, 8=458. See also Chevalier,A., 5=7212. Jancel,R., 5=2448, 5=2907, 5=3906, 5=4822, 5=8102-3, 6=982, 7=7128, 7=9213-14, 9=3594. Lozzi,M. 5=3907, 7=3469. Unal,B., 7=5881, 9=5965. Unal,B.C., 8=5821

Kahana,S. See also Wait,J.R., 5=3905

Kahana,S. and Coish,H.R. Classical meson theory. I. 6=4197. II. 6=4198

Kahana,S. and Polkinghorne,J.C. A method for calculating the anomalous magnetic moment of the electron, 7=8579

Kahana,S.,Polkinghorne,J.C. and Martin,J.L. Cauchy's problem in quantum field theory, 8=500

Kahana,S. and Pursey,D.L. Coupling constant invariants in β-decay, 8=1247

Kahl,G.D. and Bennett,F.D. Coherence requirements for interferometry, 9=1334

Kahl,G.D. and Sleator,D.B. Spectral effects in interferometry, 9=224

Kahle,H.G. Analysis of the spectra and states of some rare earths in monoclinic chloride single crystals. I. Holmium chloride, $HoCl_3 6H_2O$, 6=5770. II. Erbium chloride, $ErCl_3 6H_2O$, 6=5771. See also Hellwege,K.H., 7=7742

Kahn,A. and Lewis,D.R. The size of sodium montmorillonite particles in suspension from electro-optical bireflingence studies, 5=2285

Kahn,A.H. Theory of the infrared absorption of carriers in germanium and silicon, 5=4653

Kahn,B. See also Lyon,W.S., 5=8193

Kahn,B. and Lyon,W.S. Decay of Y^{91}, 5=4899

Kahn,D. See Groetzinger,G., 5=966

Kahn,F.D. The correction of observational data for instrumental band width, 5=6714. Solid grains and the balance of interstellar H_2 molecules, 6=872*. On the basic approximation in the theory of the phase contrast microscope, 6=2025. Collision of two highly ionized clouds of gas, 9=2002. Long-range interactions in ionized gases in thermal equilibrium, 9=4733. On photon coincidences and Hanbury Brown's interferometer, 9=6669. The signal: noise ratio of a suggested spectral analyzer, 9=10750. Velocity changes of charged particles in a plasma, 9=11158

Kaibe,Y. See Mataga,N., 5=6037

Kaĭdanov,V.I. and Regel',A.R. The effect of thickness on the electrical properties of bismuth films, 8=4005

Kaidanovskii,N.L. See Khaikin,S.É., 9=10506

Kaifu,Y. The ultraviolet absorption spectra of formic acid, 5=1698

Kaila,K.L. Ionisation loss of α-particles at low energies below 4 MeV, 6=6866. See also Saha,N.K., 6=6116

Kaila,K.L. and Saha,N.K. Ionization loss and the range—energy relation for low energy protons in metals, 7=2341

Kainer,H. See Bijl,D., 5=2003, 9=7184. Hausser,K.H., 5=1994

Kainuma,Y. The theory of Kikuchi patterns, 5=5742

Kainz,J. Barium titanate as an ultrasonic oscillator, 7=3244

Kaipov,D. and Takibaev,Zh. Meson creation in Pb, Cu and C nuclei by cosmic rays in the stratosphere, 6=6754

Kaipov,D.K. and Takibaev,Zh.S. Generation of slow π-mesons by cosmic ray particles, 8=5234

Kaischew,R., Budewski,E. and Malinowski,J. Excess voltage and spiral growth fronts during the electrolytic crystallization of silver, 6=783

Kaischew,R. and Mutaftschiew,B. Electrolytic formation of nuclei on spherical Pt single crystal electrodes, 6=1695

Kaiser,H. See Rosendahl,F., 5=2557

Kaiser,H.F. Orbital periods in the microtron, 5=979

Kaiser,H.F. and Mayes,W.T. General purpose X-band laboratory microtron with facilities for electron extraction, 5=8003

Kaiser,R. The mechanical input impedance of pickups, 5=6839. On the doublet at 13.8 μ in the infrared spectrum of polyethylene, 6=232. Increase and deformation of absorption curves, 7=258. See also Brockes,A., 6=5498

Kaiser, R.H. See Hrostowski, H.J., 8=2326, 9=3289, 9=4032, 9=7966, 9=8894

Kaiser, T.R. Theory of the meteor height distribution obtained from radio-echo observations. I. Shower meteors, 5=2331. II. Sporadio meteors, 5=2332. Radio investigations of aurorae and related phenomena, 6=9133. Relationships between auroral ionization and magnetic disturbance, 8=4597. See also Browne, I.C., 6=1802; Bullough, K., 5=5807

Kaiser, T.R. and Bullough, K. Radio echoes from aurorae, 7=1810

Kaiser, T.R. and Evans, S. Upper atmospheric data from meteors, 5=10107

Kaiser, T.R. and Seaton, M.J. Interplanetary dust and physical processes in the earth's upper atmosphere, 6=2569

Kaiser, W. Electrical and optical properties of heat-treated silicon, 7=4351. See also Spitzer, W.G., 9=1327

Kaiser, W. and Breslin, J. Factors determining the oxygen content of liquid silicon at its melting point, 9=4103

Kaiser, W. and Fan, H.Y. Infrared absorption of indium antimonide, 5=6134

Kaiser, W., Frisch, H.L. and Reiss, H. Mechanism of the formation of donor states in heat-treated silicon, 9=4033

Kaiser, W. and Keck, P.H. Oxygen content of silicon single crystals, 8=9138

Kaiser, W., Keck, P.H. and Lange, C.F. Infrared absorption and oxygen content in silicon and germanium, 6=2785

Kaiser, W. and Thurmond, C.D. Nitrogen in silicon, 9=7597

Kaishev, R. The thermodynamics of crystal nuclei, 6=4076

Kaishev, R., Budevski, E. and Malinovski, I. Spiral-type growth fronts in the electrolytic crystallization of silver, 6=2528

Kaishev, R. and Mutafchiev, B. On the electrolytic formation of mercury nuclei on spherical Pt single crystal electrodes, 6=2506

Kaĭtmazov, S.D. See Kocharyan, N.N., 5=371

Kajfosz, J. See also Kopecky, J., 9=4869

Kajfosz, J. and Kopecký, J. Scintillation spectrometer with pulse summation from two crystals, 9=11334

Kajikawa, R., Sasakawa, T. and Watari, W. Inelastic scattering of nucleons by nuclei, 7=6554

Kajikawa, T. See Teramoto, E., 6=1729

Kakinuma, T. See Hatanaka, T., 6=6303, 6=7106

Kakiuchi, Y. See Nishioka, A., 8=4280

Kakiuti, Y. Binary combination bands of the out-of-plane CH vibrations of benzene derivates, 7=2473. See also Shimanouchi,T., 7=3486

Kakiuti,Y. and Shimanouchi,T. Out-of-plane force constants of benzene, 7=3487

Kaku,K. Studies on the hydrogen bond. I. Potential function of the hydrogen bond, 5=4833

Kakuschadse,T.I. The $K\alpha_3$ and $K\beta'$ satellites of X-ray spectrum lines, 9=11087

Kakutani,S. See Dvoretzky,A., 5=2445, 8=5664

Kakutani,T. Effect of transverse magnetic field on the flow due to an oscillating flat plate, 9=9863

Kalaba,R. See Bellman,R., 8=273, 8=6673

Kalabukhov,N.P. Some peculiarities of the movement of electrons in coloured crystals of alkali halides during photoconductivity, 5=956. Mechanism of colouring of alkali halide crystals by X-rays, 5=5088

Kalachev,A.I. See Zverev,V.A., 9=5461

Kalashnikov,A.G. The measurement of the magnetic characteristics of rocks. (Universal torsin magnetometer method), 7=4530

Kalashnikov,S.G. Recombination of electrons and holes in the presence of traps of different types, 6=8776. Studies on the recombination of electrons and holes in germanium, 9=5698. See also Alekseeva,V.G., 9=1457*, 9=12265; Kurova,I.A., 8=4970; Ostroborodova,V.V., 6=2094-5; Zhdanova, N.G., 9=13298

Kalashnikov,S.G. and Landsberg,E.G. Investigation of the photo-magneto-electric effect as a method for determination of the body diffusion length in germanium, 9=3470

Kalashnikov,S.G., L'vova,E.Yu. and Ostroborodova,V.V. Electrical properties of germanium with zinc impurity, 9=307

Kalashnikov,S.G. and Tissen,K.P. Volume recombination in aluminium-doped germanium, 9=4036. Recombination of electrons and holes on nickel atoms in germanium, 9=12263

Kalashnikov,Ya.A. See also Vereshchagin,L.F., 7=2126

Kalashnikov,Ya.A. and Vereshchagin,L.F. Temperature measurement at high pressures by the emission method and some optical phenomena occurring in gases under these conditions, 7=2138

Kalashnikova,V.I. See Flerov,G.N., 9=11173; Lebedev, V.I., 9=12696

Kalbach,R.M., Lord,J.J. and Tsao,C.H. Elastic proton—proton collisions at 6.2 BeV in nuclear emulsions, 9=4912. Inelastic proton—proton collisions at 6.2 BeV, 9=4913

Kalberg,I., Haskin,D.M., Schein,M. and Zorn,G.T. Precision microscope for [analysis of] large nuclear plates, 9=1643

Kalbfleisch,G.R. See Crawford,F.S.,Jr, 9=2660, 9=12586

Kalebin,S.M. See Vladimirskii,V.V., 9=9749

Kalibjian,R. See Imhof,W., 8=8956

Kalikhman,L.E. The turbulent boundary layer of an incompressible fluid on a porous wall, 7=6099

Kalinin,S.P. See Bogdanov,G.F., 6=6162, 6=8376, 9=10111; Vlasov,N.A., 5=9069

Kalinin,V.A. Equation of state for solid argon, 8=8412

Kalinkin,L.F. See also Estulin,I.V., 7=4678, 8=1981, 8=3352

Kalinkin,L.F., Melioranskii,A.S. and Estulin,I.V. γ-emission in radiative capture of thermal neutrons by Mo^{95}, Ag^{107}, Te^{123} and Cs^{133} nuclei, 9=2761

Kalinkina,I.N. and Strelkov,P.G. Specific heat of bismuth between 0.3 and 4.4°K, 8=7875

Kalinyak,A.A. See Butslov,M.M., 9=10499

Kaliteevskii,N.I. See also Zaïdel',A.N., 8=5513

Kaliteevskii,N.I. and Chaika,M.P. Investigation of the hyperfine structure of the spectra of plutonium and of uranium isotopes, 6=212. The ratios of the magnetic spin and quadrupole moments of the nuclei U^{233} and U^{235}, 7=7306. Spectroscopic determination of nuclear spin in Lu^{176}, 9=13596

Kaliteevskii,N.I. and Razumovskii,A.N. Spectral analysis of small samples of actinium, 8=6494

Kalitsin,N.S. On the interaction of an electron with the fluctuations of the electromagnetic field in a vacuum, 5=2406. On the five-dimensional theory of nuclear interaction and a new solution of the dipole difficulty, 6=74. Relativistic mechanics of material points with variable mass, 6=3458, 6=4800. On some new methods to remove the divergences in quantum electrodynamics, 7=7579. Interaction of a nucleon with the meson field, 7=7580. On the structure of nucleons and hyperons, 9=9944-5

Kalitzin, N.St. The relativistic wave equation of the nucleon, 6=1861. Interaction of a nucleon with the meson field, 7=95. Fundamental equations of the relativistic mechanics of a material point with variable mass, 8=6616. On the influence of the rotation of the central body on the motion of satellites according to Einstein's theory of gravitation, 9=22. On the motion of rotating satellites and binary stars according to Einstein's theory of gravitation, 9=6494. Generalization of the basic equation of the dynamics of rockets, 9=6564. Application of the method of W. Ritz in the quantum theory of fields, 9=9195. Application of the V.Ritz method in the quantum theory of fields and some generalizations of the Tamm – Dankoff equation, 9=9236. Generalization of the basic formula of relativistic mechanics for some practically important non-inertial systems, 9=11793

Kalitzȳn,N.S. and Todorov,I. Investigations on the possibility of representing the photon by an electromagnetic model, 8=5178

Kalkstein,M.I. and Hollander,J.M. New chain barium 126 – cesium 126, 5=1206

Kalkuhl,A. See Scheil,E., 9=13419

Kallén,G. See also Glaser,V., 7=7407

Källén,G. and Pauli,W. On the mathematical structure of T.D. Lee's model of a renormalizable field theory, 7=1052

Kallén,G. and Sabry,A. Fourth order vacuum polarization, 5=9408

Källén,G. and Wightman,A. The analytic properties of the vacuum expectation value of a product of three scalar local fields, 9=32

Kallenbach,W. The horizontal periodic forces acting on a tower by ringing of bells, 7=1975. The horizontal periodic forces acting on a tower by ringing of bells, 8=8637

Kallistratova,M.A. See Tatarskii,V.I., 9=10432

Kallman,H.K. Quantitative estimate of frequency and mass distribution of dust particles causing the zodiacal light effect, 6=1811

Kallmann,H. See also Furst,M., 5=858, 5=2621, 5=5337, 5=6031, 8=7835; Kramer,B., 7=4365

Kallmann,H. and Brucker,G.J. Decay times of fluorescent substances excited by high-energy radiation, 8=1620

Kallmann,H. and Dresner,J. Excitation of luminescent materials by ionizing radiation, 9=6771

Kallmann,H. and Freeman,J.R. Electric field distribution in polarized photoconductors, 8=8782

Kallmann,H., Kramer,B. and Mark,P. A.C. impedance measurements on CdS crystals, 5=9665. De-excitation of ZnS and ZnCdS phosphors by electric fields, 8=8781. Calculation of the photoconductivity from a.c. impedance changes induced in ZnS and ZnCdS phosphors, 9=6995

Kallmann,H., Kramer,B. and Perlmutter,A. Infrared stimulation and quenching of photoconductivity in luminescent powders, 5=7860

Kallmann,H., Kramer,B. and Sucov,E. Long time phosphorescence of organic crystals, 5=6034

Kallmann,H. and Mark,K. De-excitation of ZnS and ZnCdS phosphors by electric fields, 7=4368

Kallmann,H. and Pope,M. Preparation of thin anthracene single crystals, 9=4105. Photovoltaic effect in organic crystals, 9=6992

Kallmann,H. and Rennert,J. Application of inorganic phosphors to infrared photography, 9=4195

Kallmann,H. and Rosenberg,B. Persistent internal polarization, 5=5085

Kallmann,H. and Silver,M. Hole motion in anthracene crystals, 9=10983

Kallmann,H. and Spruch,G.M. Number of traps and behavior of excited electrons in luminescent materials, 6=5799. Long-time components in the emission of luminescent materials, 6=7307

Kallmann,H. and Sucov,E. Energy storage in ZnS and ZnCdS phosphors, 8=2250

Kallmann,H.K. A new model of the atmosphere and ionosphere, 9=945

Kallmann,H.K., White,W.B. and Newell,H.E., Jr. Physical properties of the atmosphere from 90 to 300 kilometers, 8=4555. Erratum, 8=4556

Kallmann,H.P. Optical excitation of zinc and cadmium sulphides, 7=4208. See also Brown,F.H., 9=1310

Kallmann,H.P., Furst,M. and Brown,F.H. Liquid scintillators with heavy elements, 6=5973. Investigation of energy transfer in liquid organic systems, 9=10802

Kallweit,J.H. See Cario,G., 5=4120

Kalman,E. See Borneas,M., 8=2842

Kálmán,G., Pócs,L., Schmidt,G. and Simonyi,K. On the possibility of controlled power production using thermonuclear fusion, 8=5413

Kalman,P.G. The calculation of stresses induced in glass by quenching, 9=12811

Kalmus,G. See Bullock,F.W., 7=9243; Henderson,C., 8=672

Kalmus,G.E. See Bullock,F.W., 9=2557

Kalmus,H., Denes,P. and Fry,D.B. Effect of delayed acoustic feed-back on some non-vocal activities, 5=9319

Kalmus,P.I.P. See Bhiday,M.R., 9=2397; Heymann,F.F., 8=6112

Kalnach,L.P. See Alekseeva,V.G., 9=1457*

Kalnajs,J. See Smakula,A., 6=807, 6=1727, 9=8801

Kalogeropoulos,T. See Chamberlain,D., 9=7262; Goldhaber, G., 8=8319

Kalogeropoulos,T.E. See Goldhaber,G., 9=13553

Kalos,M.H. See also Biedenharn,L.C., 8=5254; Tobocman,W., 5=2183

Kalos,M.H., Biedenharn,L.C. and Blatt,J.M. Numerical calculations for the neutron–proton system with tensor forces, 6=7614

Kalos,M.H. and Blatt,J.M. The angular distribution of high energy electrons in air showers, I. Landau approximation, 5=1961

Kalos,M.H. and Dalitz,R.H. Pion-nucleon scattering calculations in the Tamm-Dancoff theory, 6=3277

Kalpagam,V. See Krishna Rao,K.V., 5=9593

Kalra,S.N., Bailey,R. and Daams,H. Caesium beam standard of frequency, 9=5391

Kalra,S.N., Pattenson,C.F. and Thomson,M.M. Canadian standard of frequency, 9=2023

Kal'vinova,T.Ya. See Kagan,Yu.M., 8=3193

Kamada,K., Teranishi,T. and Yoshizawa,Y. Beta and gamma ray spectroscopy of Co^{60}, 9=11441

Kamada,O. Spectral intensity distribution of bremsradiation, 8=5947

Kamada,Y. and Umeda,K. Elongated Lichtenberg figures, 9=9578

Kamadzhiev,P.R. Electrical conductivity and thermal E.M.F. of white tin, 5=4638

Kamadziev,P.R. The temperature dependence of the thermal e.m.f. of grey tin alloyed with cadmium, 7=4384

Kamai,T. See Murakawa,K., 7=3543

Kamal,A.A. See Edwards,B.P., 7=8886. K-collaboration, 9=13575

Kamal,A.N. See Hossain,A., 8=308, 9=8589

Kamalyan,V.Sh. A transmission effect of π-mesons produced by the neutral component of cosmic rays in lead, 7=5446. See also Alikhanov,A.I., 9=12440

Kamata,K. See Nishimura,J., 5=9391

Kambe,K. Cohesive energy of noble metals, 5=8105. Study of simultaneous reflexion in electron diffraction by crystals.

I. Theoretical treatment, 7=5748; II. Experimental confirmation, 7=5749. See also Hibi,T., 5=3292; Itoh,T., 8=8395; Koide,S., 5=9391

Kambe,K. and Ollom,J.F. Dipolar broadening of the central line of a magnetic resonance for half-integral spin, 6=1445

Kamberský,V. See Málek,Z., 9=4796

Kamefuchi,S. Reformulation of the theory of the neutrino, 8=6118. A comment on Landau's method of integration in quantum electrodynamics, 9=4271. See also Oneda,S., 8=5238; Umezawa,H., 5=3422, 6=4814, 7=89

Kamefuchi,S. and Oneda,S. Decay interaction of the pi-meson, 8=6164

Kamefuchi,S. and Tanaka,S. On the Jauch field, 6=4196, 6=6354

Kamefuchi,S. and Umezawa,H. On the limit of applicability of quantum electrodynamics, 6=5687. On the renormalization theory of quantum electrodynamics, 7=86

Kamei,T. Quadrupole moment of Ta^{181} and Lu^{175}, 5=9010

Kamel,R. Origin of relaxation processes in solids, 9=6335

Kamel,R. and Attia,E.A. Dislocation mobility and release of cold work in cadmium, 8=6458

Kameneva,Z.I. See Vitkevich,V.V., 9=3043

Kameny,S.L. α-Particle model of O^{18}, 6=6832

Kametani,H. See Azuma,K., 8=4919

Kamigaichi,T., Hihara,T., Tazaki,H. and Hirahara,E. Electrical conductivity of iron sulfides single crystals at the temperature range of α-transformation, 6=6638. Magnetic anisotropy of the iron sulfide single crystal at [the] α-transformation temperature, 7=5458

Kamigaki,K. See Hirone,T., 9=5459

Kamimura,H. On the magnetic moment and g-value of complex ions, 7=4531. See also Tanabe,Y., 9=10789

Kamimura,H., Koide,S., Sugano,S. and Tanabe,Y. An application of the Thomas–Fermi method to complex ions, 9=739

Kaminer,N.S. See Dorman,L.I., 7=512, 7=516

Kaminir,G.I. and Tartakovskiĭ,B.D. Experimental study of ultrasonic transition layers, 6=8052

Kaminir,L.B. and Orlovskii,G.N. On some characteristics of the operation of the r.f. system of a synchroton when a large number of electrons is accelerated per cycle, 9=12391

Kaminker,D.M. See Fedorenko,N.V., 7=2367, 9=13761

Kaminskii,A.K. and Shirokov,Yu.M. Electromagnetic radii of the lightest nuclei in the ground and lowest excited states, 9=13593

Kaminskiĭ,D.L. See also Kel'man,V.M., 5=323

Kaminskiĭ,D.L. and Kaganskii,M.G. Positron spectrum of $Eu^{152,154}$, 9=2743. Sectored beta-spectrometer with double focusing, 9=9919

Kaminskiĭ,M.K. See Mints,A.L., 9=5821

Kaminsky,M. Investigations on ion–solvent interaction, particularly on the basis of viscosity measurements, 9=5415

Kamiryo,K. See Torizuka,Y., 5=6928

Kamitsubo,H. See Ôno,K., 9=10112

Kamiya,K. See Nishiyama,T., 5=9391

Kamiya,Y. Scattering of electrons by carbon films, 9=11126. See also Sekido,Y., 5=373, 6=1804, 9=5857

Kamiyama,H. See Ichishima,I., 9=3974

Kamiyoshi,K. Nuclear magnetic resonance study of water adsorbed on silica gel, 9=9837

Kamiyoshi,K. and Miyamoto,T. Dielectric anomaly of ammonium sulfate at its transition temperature, 5=7006

Kamiyoshi,K. and Ripoche,J. Radiofrequency absorption study of the adsorbed water on silica gel, 9=4547

Kamiyoshi,K.I. Effect of electric field on the phase transition of ammonium sulfate, 7=4273

Kamke,D. and Rose,H.J. The [charge] carrier density in a plasma and its measurement with the impulse probe, 6=5984

Kammer,E.W. The effect of cold worked surfaces upon ultrasonic echoes in single crystal specimens of lead, 5=1613. Effect of elastic strain upon electrical resistance when cold-work-induced imperfects are present, 5=8785. Changes in thermoelectric power of copper with cold work at liquid nitrogen temperature, 7=1315. Changes in thermoelectric power of silver and gold with cold work at liquid nitrogen temperature, 8=7045. See also Salkovitz,E.I., 7=3755, 7=9703

Kammerer,A. Note on the mechanical and optical anisotropy of materials submitted to constraint, 5=7879. Note on the latent stresses in prismatic bars after thermal treatment, 6=725. On the solution of the problem concerning a semi-infinite solid supporting a load distributed along a straight line in the bounding plane, 6=4221

Kämmerer,J. The occurrence of multiple image planes in a photographic objective, 9=1249

Kammerer,O.F. See Keating,D.T., 9=79; Levy,P.W., 6=781, 6=2461

Kamoshita,G. See Hasiguti,R.R., 5=1306

Kampé de Fériet,J. Random integrals of the diffusion equation, 7=1931

Kampen,N.G. van. See van Kampen,N.G.

Kamper,R.A. See also Bowers,K.D., 7=3448, 8=3254

Kamper,R.A., Lea,K.R. and Lustig,C.D. Hyperfine structure and nuclear electric quadrupole moment of ^{17}O, 7=9828

Kamperman,G.W. Sound level meter tolerances, 8=4826. See also Beranek,L.L., 5=4482

Kampf,T. See Holzmüller,W., 9=9773

Kamphusmann,J. On the theory of the internal field emission, 9=8824

Kamps,E.C. Statistical evaluation of near-field sound pressures generated by the exhaust of a high-performance jet engine, 9=2176

Kan,L.S. and Lazarev,B.G. The influence of isotropic pressure on the electric conductivity of metals at low temperatures, 8=7989

Kan,Ya.S. See Galkin,A.A., 8=1069; Grigor'ev,V.N., 8=1999

Kanai,E. and Satoh,T. Density analysis of glass in transformation range, 6=1639

Kanai,Y. On the inductive part of the a.c. characteristics of the semiconductor diodes, 5=9661. On the galvanomagnetic effects in n-type indium antimonide, 5=9763. Electrical conductivity in p-type InSb under strong electric field, 9=1458. Electrical conductivity in n type InSb under strong electric field, 9=13304. See also Sasaki,W., 7=377

Kanai,Y. and Furusyo,K. On the Hall effect of p-type germanium in the near intrinsic range, 5=4651

Kanai,Y. and Nii,R. Anomalous electrical properties of lead telluride, 7=8624. Electrical properties of nickel doped germanium at low temperatures, 8=4973. Experimental studies on the thermal conductivity in semiconductors, 9=6825

Kanai,Y. and Sasaki,W. Oscillatory galvanomagnetic effects in n-type indium antimonide, 7=5329. Galvanomagnetic effects in n-type indium antimonide at very low temperatures, 9=9623

Kanaka Durga,K. and Tiruvenganna Rao,P. New visible band systems of the PO molecule, 9=9422

Kanaka Durgavathi,B. and Ramakrishna Rao,V. Band spectrum of CrF molecule, 5=5308

Kanamori,J. See also Moriya,T., 6=3816; Nagamiya,T., 5=9391

Kanamori,J., Moriya,T., Motizuki,K. and Nagamiya,T. Methods of calculating the crystalline electric field, 5=3262

Kanamori,J. and Yosida,K. Note on the spin wave theory of antiferromagnetism, 6=6769

Kanavets,V.P. See Barmin,V.V., 8=7266, 9=13565

Kanavina,N.G. See Spivak,G.V., 6=4496

Kanaya,K., Kawakatsu,H., Itō,K. and Yotsumoto,H. Experiment on the electron phase microscope, 9=340

Kanazawa,A. A note on the static approximation of the nucleon anomalous magnetic moment, 7=93

Kanazawa,A., Sakuma,T. and Furui,S. The pion–nucleon dispersion relation and small p-wave phase shifts, 9=11844

Kanazawa,A. and Sugawara,M. Nucleon magnetic moments in ps–ps intermediate coupling meson theory, 7=5870

Kanazawa,H. On the theory of plasma oscillations in metals, 6=3047. Coulomb interactions and the diamagnetism of free electrons, 6=8890; II. 8=6026

Kanazawa,T. See Yamaguchi,J., 5=4664

Kanda,E. See also Haseda,T., 6=7533, 7=9270, 8=1132; Ohtsuka,T., 9=6259; Sugawara,T., 5=7250

Kanda,E., Haseda,T. and Otsubo,A. Paramagnetic susceptibility of solid oxygen, 5=7186

Kanda,T. On the halogen nuclear magnetic resonance of some metal halides. I, 5=2952. See also Sugawara,T., 5=7250

Kanda,Y. See also Sponer,H., 9=212

Kanda,Y. and Sponer,H. Triplet–singlet emission spectra of solid toluene at 4°K and 77°K and in E.P.A. solution at 77°K, 8=8702

Kandare,S. Reflectivity of vacuum-evaporated selenium films at wavelengths from the visible to the far ultraviolet, 7=5234. Reflectivity at normal incidence in the visible and u.v. regions of vacuum evaporated films of selenium and tellurium, 7=8533. The reflecting power at normal incidence from the visible to the far ultraviolet of deposits of germanium obtained by evaporation in vacuo, 8=2994

Kandare,S. and Fabre,D. Measurement of reflecting power in

the far ultraviolet of silicon films evaporated in vacuo, 6=4336
Kandaurova,G.S. On the dependence of the coercive force of cobalt and cobalt–chromium alloy powders,on the particle size, 8=4127. See also Shtol'ts,E.V., 9=417; Shur,Ya.S., 8=4151, 9=418
Kandel,G. See Boynton,R.M., 7=4933, 9=10457
Kandel,R.J. Appearance potential studies. II. Nitromethane, 5=2825
Kändler,J. See Rüdorff,W., 8=228
Kandÿba,V.V. and Kovalevskii,V.A. A photoelectric spectropyrometer of high accuracy, 7=330
Kane,A. See Petschek,H.E., 5=2569
Kane,E.O. The semi-empirical approach to band structure, 9=6236. The influence of exchange on the effective mass formalism, 9=9601
Kane,J.A. Arctic measurements of electron collision frequencies in the D-region of the ionosphere, 9=6389. See also Fields,T.H., 5=2210, 8=8242-3; Stallwood,R.A., 8=2492; Sutton,R.B., 5=2805
Kane,J.A., Stallwood,R.A., Sutton,R.B., Fields,T.H. and Fox,J.G. Polarization in p-p scattering at 415 MeV [15 MeV], 5=337
Kane,J.S. and Reynolds,J.H. Mass spectrometer study of the vapors from red phosphorus and arsenic, 6=7495
Kane,J.V. See Alburger,D.E., 9=6069; Coburn,H.H., 7=4674; Segel,R.E., 8=1978
Kane,P.P. Scattering of 31.5 MeV positive pions from carbon, 9=6025. Polarization of neutrons produced in the d–d reaction, 9=8599
Kane,R.P. Recurrence phenomenon in the 24-hour variation of cosmic-ray intensity, 5=4773. 27-day recurrence tendency in the daily variation of cosmic ray meson intensity, 7=5445
Kane,R.P. and Ahluwalia,H.S. Solar flare effect on the cosmic ray meson intensity at Gulmarg, 7=8692
Kane,R.P. and Rao,U.R. Zenith angle response of a vertical meson telescope, 8=6012
Kane,W.R. and Clark,K.C. Nitrogen afterglow in a magnetic field, 5=6181
Kaneda,S. See Sugata,E., 9=8220
Kanekar,C.R. See Mathur,R.M., 6=1719
Kaneko,M. The study of the transition phenomena of chain polymers by the photoelastic method, 9=11579
Kaneko,M., Murai,R., Kishi,K. and Mori,D. Study of the second order transition temperature of high polymer by the photoelastic method, 5=6983
Kaneko,S. A calibration measurement of multiple scattering of slow μ-mesons by the constant sagitta method, 5=6519*. The maximum disturbance growth rate for an unstable plasma column, 9=357. The multiplicity of mesons produced in the nuclear interaction of high energy nucleons and α-particles in cosmic radiation, 9=11385. See also Kihara,T., 5=6371, 6=5275, 9=9250; Koba,S., 7=3065; Kubozoe,T., 5=3870; Takayanagi,K., 5=2045
Kaneko,S. and Kihara,T. Second virial coefficient of helium from the square-well potential, 6=4894
Kaneko,S., Kubozoe,T., Okazaki,M. and Takahata,M. Observations of slow particles and stars in nuclear emulsions exposed at 17 m.w.e. underground, 5=9750. The nonmesonic photonuclear reactions initiated by high energy μ-mesons, 6=4669
Kaneko,S., Kubozoe,T. and Takahata,M. Intensities of low energy μ-mesons and N-component near sea level at 24°N, 6=2215
Kaneko,S., Kusumoto,O. and Matsumoto,S. Observation of the high-energy proton–proton collision in photographic emulsion, 7=4513
Kaneko,S. and Okazaki,M. The energy dependence of meson multiplicity in the high-energy interactions, 8=6154
Kaneko,T. See Miyake,S., 9=8274, 9=11174
Kanellopoulos,T. See Wildermuth,K., 8=6205, 9=8518
Kanellopoulos,T.V. See also Brown,G.E., 7=8669
Kanellopoulos,T.V. and Brown,G.E. Polarization experiments in proton–proton scattering, 7=8668
Kaneno,T. See Hatano,S., 5=1526, 6=7999
Kaner,É.A. Cyclotron resonance in a plasma, 8=4081. Cyclotron resonance in films, 8=6405. Concerning the theory of cyclotron resonance, 8=6407. On the theory of galvanomagnetic and thermomagnetic effects in metallic films, 8=7043. On some peculiarities of cyclotron resonance in metals with non-convex Fermi surfaces, 9=2934. See also Azbel', M.Ya., 7=1270, 7=2395*, 8=5473, 9=8850; German,V.L., 9=9535
Kaner.É.A. and Azbel',M.Ya. On the theory of cyclotron resonance in metals, 8=6406
Kaner,É.A. and Kaganov,M.I. On the possibility of introducing an effective dielectric constant at high frequencies, 7=2157
Kanev,S. See Borissov,M., 6=8805. See also Kuner,S.; Kÿnev,S.,
Kanev,V. Influence of ultrasound on the inertia of the Malter effect [in secondary electron emission] in alkali halide dielectrics, 9=12363
Kanevskii,I.N. Calculation of diffraction of a converging cylindrical [acoustic] wave on a [infinite] cylinder, 9=11955
Kanevskii,I.N. and Rozenberg,L.D. Calculation of the acoustic field in the focal region of a cylindrical focusing system, 8=924
Kangro,W. and Rosskopf,F. The measurement of specific heats of poor heat conducting substances, 8=7877
Kaniyoshi,K.-I. Dielectric properties of ammonium iodide, 6=7376
Kanki,T. Theory of scattering in the quantized field and Low–Chew–Wick's formalism, 8=513
Kanki,T., Murata,K. and Sunakawa,S. The functional integrals in quantum theory, 8=5615
Kannan,L.V. See Mohanty,S.R., 7=5363
Kannebley,G. and Schaaffs,W. Sound velocity and constitution in organo-silicon compounds, 5=3510
Kanner,H. See Bay,Z., 6=1322
Kannewurf,C.R. and Jensen,H.C. Coupled oscillations, 8=87
Kanno,M., Kawabata,S. and Kogure,T. The formation of forbidden lines in the out-flowing envelopes, 9=10545
Kannuna,M.M. Measurements of the absorption of ultrasonic waves in liquids by the method of isochromates, 5=2514
Kano,K. Dipolar broadening of the quadrupole resonance line in crystals NaCO$_3$, NaBrO$_3$, 9=13488
Kanou,K. See Kawasaki,K., 9=5233
Kanta Rao,M.V.S.S. See Choudhury,N.K.D., 9=10726
Kanter,H. The back-scattering of electrons in the energy range from 10 to 100 KeV, 9=1531
Kanter,M.A. Diffusion of carbon atoms in natural graphite crystals, 8=414
Kantor,W. Inertia of energy, 5=28
Kantor,W. and Szekeres,G. Cosmic time and the field equations of general relativity, 7=1879
Kantrowitz,A. See Lin,S.C., 5=2830; Petschek,H.E., 5=2569
Kantserevichyus,A.I. See Vizbaraĭte,Ya.I., 7=634
Kantůrek,J. Electronic conductivity, thermoluminescence and thermionic emission in ionic crystals, 7=5313
Kanwal,R.P. Absorption and dispersion of forced spherical and cylindrical sound waves according to the Navier–Stokes equations, 8=93. On curved shock waves in three-dimensional gas flows, 9=4386.
Kanzaki,C. See Yoshimatsu,S., 5=7965
Kanzaki,H. On the plasticity of silver bromide, 5=10005. Observation of dislocations in silver halides. I. Annealed crystals, 6=2549; II. Strained crystals, 6=2550. Electron traps in silver chloride, 7=866. Dichroism of the F and M bands in KCl, 8=5487
Känzig,W. Space charge layer near the surface of ferroelectric, 5=6110. Electron spin resonance of V$_1$-centers, 6=1390. See also Castner,T.G., 9=812; Cohen,M.H., 8=1314 Ueta,M., 5=5086; Woodruff,T.O., 9=8341
Känzig,W. and Woodruff,T.O. Electron spin resonance of H centers, 8=2654. The electronic structure of an H-center, 9=8858
Kao,K.-Y. See Tang,T.-Y., 8=3116
Kao,L.P. and Katz,E. Phenomenological theory of anisotropic isothermal galvanomagnetic effects, 9=8166
Kao,S.K. and Clark,A.F. Proton-proton scattering in nuclear emulsions at 432 MeV, 5=8843
Kapadnis,D.G. The effect of fluid motion on heat transmission. III. Solids of different shapes and sizes, 6=2825. Heat capacities of three paramagnetic alums at low temperatures, 6=4366. See also Dokoupil,Z., 5=2679
Kapadnis,D.G. and Hartmans,R. The low temperature heat capacities of two diamagnetic alums, 6=3681. The low temperature specific heat and entropy of MnBr$_2$.4H$_2$O, 6=3695
Kapany,N.S. Fiber optics. I. Optical properties of certain dielectric cylinders, 7=5950. V. Light leakage due to frustrated total reflection, 9=9502. VI. Image quality and optical insulation, 9=9503. See also Hopkins,H.H., 5=3541; Keim,R.E., 8=2219
Kapany,N.S., Eyer,J.A. and Keim,R.E. Fiber optics. II. Image

transfer on static and dynamic scanning with fiber bundles, 7=5951

Kapany,N.S., Eyer,J.A. and Shannon,R.R. Production of sinusoidal test charts, 7=4258

Kapany,N.S. and Hopkins,R.E. Fiber optics. III. Field flatteners, 7=7708

Kapany,N.S. and Pike,J.N. Scanning integrator for producing sinusoidal test objects, 7=301. Fiber optics. IV. A photo-refractometer, 8=1590

Kapitsa,M.L. The peculiarities of velocity distribution of secondary electrons originating from metallic surfaces covered with an oxide film, 9=11109

Kapitsa,M.L., Mel'nikov,A.I., Morozov,A.V., Popov,B.N., Sobolevskaya,R.B., Tsarev,B.M. and Shul'man,A.R. The thermo-electronic properties of barium tungstate, 9=7062

Kapitsa,P.L. On the nature of ball lightning, 6=1771

Kaplan,D. See Koch,W., 8=2872

Kaplan,D.A. See Zingerman,A.S., 9=3539

Kaplan,D.E. See also Venable,D., 5=6828

Kaplan,D.E. and Browne,M.E. Electron free precession in paramagnetic free radicals, 9=11251

Kaplan,H. A study of the electronic ground state of the ammonia molecule, 7=8073

Kaplan,I. Nuclear physics, 6=1502. See also Chernick, J., 5=9934

Kaplan,J. Exchange broadening in nuclear magnetic resonance, 8=2010. See also Barth,C.A., 7=5166, 9=6710; Brook,M., 5=2047.

Kaplan,J.I. Magnetic dipolar interactions in MnO and in ferrites, 5=428. R.F. induced transitions of nuclear spins at the electronic resonance frequency, 5=2008. Spin resonance in metals as a function of the Overhauser effect, 5=9016. Thermomagnetic anisotropy, 6=514. Spin resonance line shape, 6=2244. Rotational narrowing in nuclear magnetic resonance, 8=5290. Generalized Bloch-type equations for chemical exchange, 8=8408. Application of the diffusion-modified Bloch equation to electron spin resonance in ordinary and ferromagnetic metals, 9=13452. See also Garstens,M.A., 5=9015

Kaplan,J.I. and Meiboom,S. Double-quantum transitions in nuclear magnetic resonance spectra of liquids, 7=5522

Kaplan,L. and Wilzbach,K.E. Lithium isotope determination by neutron activation, 5=4163

Kaplan,L.D. Inference of atmospheric structure from remote radiation measurements, 9=12896. See also Benedict,W.S., 9=5524; Kostkowski,H.J., 7=5997

Kaplan,L.D. and Eggers,D.F.,Jr. Intensity and line-width of the 15-micron CO_2 band, determined by a curve-of-growth method, 7=2027

Kaplan,L.D., Migeotte,M.V. and Neven,L. 9.6-micron band of telluric ozone and its rotational analysis, 6=6051

Kaplan,M. See Kleppa,O.J., 7=9424

Kaplan,R. See Hughes,F.L., 9=6277; Kim,Y.W., 9=1878

Kaplan,R.M. Approximate calculation of the distribution of dust deposited by a horizontal jet of air, 5=3234

Kaplan,S.A. A system of spectral equations for magneto gas-dynamic isotropic turbulence. Spectral theory of gaseous magnetic isotropic turbulence, 5=6807. Theory of the acceleration of charged particles by isotropic gas magnetic turbulent fields, 6=6796. Shock waves in interstellar space. III. Gasomagnetic discontinuities, 8=5580. On the formation of interstellar gas clouds, 9=988. Shock waves in magnetogasodynamic turbulence, 9=993

Kaplan,S.A. and Stanyukovich,K.P. The solution of inhomogeneous one-dimensional motion problems in magnetic gas dynamics, 6=4880. Solution of equations of magnetoaerodynamics for unidimensional motion, 7=5476

Kaplan,S.N. See also Diaz,J., 9=13700; Tai,Y.-K., 8=2562

Kaplan,S.N., Moyer,B.J. and Pyle,R.V. Neutron emission following μ-meson capture in silver and lead, 9=6142

Kaplan,T.A. Relationship between the reciprocity theorems of onsager and of Callen-Greene, 6=5826. Approximate theory of ferrimagnetic spin waves, 8=1767

Kaplon,M.F. See also Cester,R., 6=7712;* Davis,D.F., 7=7423, 7=8868; Engler,A., 9=3620, 9=8269; Hoang,T.F., 6=5408, 6=6190, 7=3712, 8=288; Koshiba,M., 5=1965, 6=451; Noon,J.H., 5=2851; Yekutieli,G., 6=3261

Kaplon,M.F., Klarmann,J. and Yekutieli,G. β decay of K-mesons and the classification of K-meson decays, 5=9959

Kaplon,M.F., Noon,J.H. and Racette,G.W. Abundance of lithium, beryllium, and boron in the primary cosmic radiation, 5=1023

Kaplunova,E.I. See also Dȳkman,I.M., 7=5733, 9=9688

Kaplunova,E.I. and Tolpȳgo,K.B. Kinetics of the ambipolar photoelectromotive force in a semiconductor with metallic electrodes, 7=6191. Temperature dependence of the Hall coefficient in semiconductors with constant carrier concentration, 8=1684

Kaplunova,O.I. and Topȳgo,K.B. The kinetics of the bipolar photo-e.m.f. in a semiconductor with metallic electrodes, 8=6972

Kaplyanskii,A.A. See Gross,E.F., 6=8804, 7=403, 7=5346, 8=578

Kappler,E. See also Bonse,U., 9=6268; Frinken,H., 5=3192-3

Kappler,E. and Mock,R., An X-ray method of obtaining the distribution curve of lattice constants and the distribution curve of lattice orientation at the same place on a crystal specimen, 5=630. X-ray study of the recovery of plastically deformed aluminium single crystals, 5=631

Kappler,E. and Pampus,G. On the scattering of light by NaCl crystals, 9=13795

Kaprielian,Z.A. Dielectric properties of a lattice of anistropic particles, 6=6589. Electromagnetic transmission characteristics of a lattice of infinitely long conducting cylinders, 7=4569. Anisotropic effects in geometrically isotropic lattices, 9=272

Kaptsov,N.A. See also Popov,N.A., 6=5126; Vasil'eva, M.Ya., 7=6200

Kaptsov,N.A. and Popov,N.A. Initiation of an electric discharge in gases with a.c. of acoustic frequency in vessels with external and internal electrodes, 5=973

Kapur,J.N. Superposability in magnetohydrodynamics, 9=4831

Kapur,K.N. and McGrath,J.W. Wide r.f. level r.f. unit for an n.m.r. spectrometer, 9=9831

Kapur,S.L. See Gundiah,S., 9=2119

Kapustin,A.P. The degassing of liquids in an ultrasonic field, 5=3520. Detection of dislocations by means of ultrasonics, 9=13781

Kapustin,A.P. and Kavalyunaĭte,V.E. The effect of ultrasound on the crystallization of aluminium potassium alums, 7=9962

Kapustinskiĭ,A.F. The rotation of the plane of polarization in electrolytic solutions by a magnetic field, 7=823. Sizes of the atoms and ions of transuranium elements in crystals, 7=7508. The effective electron radius in crystal lattices, 9=8823

Kapuy,E. Application of one-center wave functions to tetrahedral symmetric hydrid molecules. I. Theoretical basis of the method, 9=7442; II. Numerical computations for methane, 9=7443. Diamagnetic susceptibility of perturbed systems, 9=8279. Density matrices for wave functions built up from non-orthogonal two-electron orbitals, 9=13029

Kapȳshev,A.G. See Venevtsev,Yu.N., 8=3586

Kar,K.C. Note on the minimum bowing pressure, 5=2497

Kar,K.C. and Banerjee,S.P. The theory of alpha disintegration, 7=8130

Kar,K.C. and Basu,A. On the summation rule for B_p and B_n. I, 7=8088; II, 7=8089

Kar,K.C. and Mukherjee,H. The generalised interaction potential between nucleons, 5=2425

Kar,K.C. and Roy,D. The nature of Yukawa potential, 6=3491

Kar,K.C., Santani,S. and Bhattacharyya,R.K. A simple derivation of Klein-Nishina formula without matrices, 5=5218

Kar,K.R. and Rangan,L.K. Entrainment of radiophosphorus (P^{32}) on copper sulphide, 5=2160

Kar,S.C. On the electrodynamics of moving bodies based on the metric of four-space, 6=6792

Kara,R. See Pesteil,P., 5=4550

Karabanov,N.I. See Sokolov,M.M., 9=9896

Karadshev,K.V. See Gavrilovskiĭ,B.V., 7=4708; Sorokin, P.V., 8=1903

Karal,F.C.,Jr and Keller,J.N. Elastic wave propagation in homogeneous and inhomogeneous media, 9=7875

Karal'nik,S., Nakhodkin,N. and Meleshko,L. The radiographic study of X-ray photoelectron emission, 6=8802

Karal'nik,S.M. and Nȳzhnȳk,S.B. The origin of satellites in X-ray spectra, 8=7075

Karam,H.J. Flow properties of linear polymers, 9=10332

Karamyan,A.S. See also Baraboshkin,S.A., 8=1970; Flerov,G.N., 8=6316

Karamyan,A.S., Gerlit,Yu.B. and Myasoedov,B.F. On the formation of compound nucleus for reactions with heavy ions, 9=13674

Karandikar,R.V. Luminance of the sun, 5=5830. Search for discontinuities in the brightness of the twilight sky, 5=6650. A Fabry–Perot etalon for the study of the green line of the

night-sky light, 6=8709. Use of a recording Fabry–Perot interferometer for the measurement of $\lambda 5577$ A emission temperatures in airglow and aurorae, 6=9110

Karanikolov,Kh. On Onsager's phenomenological relations, 5=8718

Karantassis,T. See Perakis,N., 5=6301, 6=4507

Karasek,F.W. See Wherry,T.C., 5=7136

Karasev,V.V. The separation of gases in the cleavage of crystalline quartz, 9=10355. See also Deryagin,B.= Deryagin,B.V., 5=6560, 7=1691

Karasik,V.R. See Borovik-Romanov,A.S., 7=538

Karassev,V.V. See Deryaguin,B.V., 8=4498

Karasz,F.E. and Halsey,G.D.,Jr. Solubility of helium and neon in liquid argon. An approximation to the entropy of lattice vacancy formation in liquid argon, 9=108

Karatoteva,T. See Peeva,A., 9=8397

Karavaunikov,V.N. Fluctuations of amplitude and phase in a spherical wave, 8=3803

Karayianis,N. See Morrison,C.A., 8=8867

Karazin,I.V. See Bonch-Bruevich,A.M., 9=9457

Karbowiak,A.E. Propagation coefficient in a waveguide of finite conductivity, 7=558. See also Barlow,H.E.M., 5=5530

Karchagina,E.V. See Telesnin,R.V., 8=7182

Karchevskii,A.I. Magnetocaloric effect in the hydride and deuteride of uranium, 9=13425

Karchevskii,A.I.,Artyushkov,E.V. and Kikoln,L.I. Isotope shift of the basic point in the hydride and deuteride of uranium, 9=13424

Kard,P.G. On the question of the mass spectrum of elementary particles, 5=731. Graphical method of calculating multilayer coatings, 6=8128. Analytical theory of optical properties of multilayer dielectric coatings, 7=9109. A theory of translucent multilayer coatings, 7=9110. A theory of an improved interference light filter with total reflection, 9=7993. On the effect of thin films on the total reflection, 9=9514.

Kargin,V.A. See also Ermolina,A.V., 8=6446. Voyutskiĭ,S.S. 7=278

Kargin,V.A. and Sogolova,T.I. The flow of polyvinylchloride under the effect of strong forces, 6=8993

Karim,S.M. A discussion on the first and second viscosities of fluids: Experimental determination of the second viscosity, 5=88

Karimov,M.G. Observations of the structure of the inner corona outside eclipse [at times other than ellipse] in the 5303 A line, 7=40

Karle,I.L. Anomalous electron scattering from iodine vapor, 6=408. See also Swick,D.A., 5=8978

Karle,J. See also Hauptman,H., 5=7531, 6=7833, 9=7621*, 9=7623, 9=9021, 9=13915

Karle,J. and Hauptman,H. A theory of phase determination for the four types of non-centrosymmetric space groups 1 P222, 2P22, $3P_12$, $3P_22$, 7=891. A unified algebraic approach to the phase problem. II. Space group P1, 9=7622. Phase determination from new joint probability distributions: space group P1, 9=7624. A unified program for phase determination, type 1P, 9=10364; type $2P_1$, 9=13914

Karlikov,D.N. See Golik,A.Z., 7=9031

Karlovitz,B. See Denniston,D.W., Jr, 7=4276

Karlqvist,O. Calculation of the magnetic field in the ferromagnetic layer of a magnetic drum, 5=2864

Karlson,E. The eigenvalues of the charge operator, 5=6738. The angular correlation between electron pairs created by γ-rays from the π^0-decay, 8=6132

Karlsson,E. See Lindqvist,T., 8=7354

Karlȳkov,D.M. X-ray investigation of the short-range order of Cd amalgams in the liquid state, 8=7612. See also Skrȳshevskȳi,A.F., 8=6701

Karlȳkova,D.P. See Skrȳshevskȳi,A.F., 8=6701

Karmen,K.N. Electrical after-effects in Rochelle salt, 6=8757 See also Dobrer,E.K., 7=9160

Karmohapatro,S.B. On two directional focussing magnetic analysers, 6=5947. Charge-exchange cross sections of argon ions in hydrogen molecules, 9=5854

Karmohapatro,S.B. and Das,T.P. Asymmetric charge-exchange reactions, 8=7135

Karmohapatro,S.B. and Majumder,S.K. Measurement of gradients of inhomogeneous magnetic fields, 6=7516

Karnatak,R.C. Effect of chemical combination on the X-ray K-absorption edge of zirconium in its compounds, 5=6194. See also Doedhar,G.B., 7=4424; Varshni,Y.P., 9=4714

Karnatak,R.C. and Varshni,Y.P. On screening constants in X-ray spectra, 6=5136

Karnaukhov,V.A. See also Flerov,G.N., 8=6316

Karnaukhov,V.A., Ter-Akop'yan,G.M. and Khalizev,V.I. Two-neutron capture reaction in the interaction between N^{14} and nuclei of some elements, 9=13675

Karnovskii,M.I. Calculation of the radiation resistance of certain distributed systems of radiators, 7=3093. See also Bondareva,L.N., 6=4936; Vollerner,N.F., 9=13109

Karo,A.M. Configuration interaction in the lithium hydride molecule. II. An SCF LCAO-MO approach, 9=8738. Electron population analysis of LiH and HF, 9=8739

Karo,A.M. and Allen,L.C. Configuration interaction in the hydrogen fluoride molecule, 9=2883

Karo,A.M. and Olson,A.R. Configuration interaction in the lithium hydride molecule. I. A determinantal AO approach, 9=8737

Karoli,A.R. See Eppley,M., 7=9054

Karolus,A. and Fries,D. A new arrangement for determination of the velocity of light, 9=11979

Karp,A. Concerning magnetic field exploration using electron paramagnetic resonance at centimetre and millimetre wavelengths, 9=2482

Karp,I.L. Low-rate neutron dosimeter, 8=4197. Ground state of liquid helium, 9=13230

Karp,S.N. See also Shmoys,J., 8=5538

Karp,S.N. and Russek,A. Diffraction by a wide slit, 6=7553

Karp,S.N. and Williams,W.E. Equivalence relations in diffraction theory, 8=4816

Karpenko,B.V. See Berdȳshev,A.A., 9=11197

Karpinskiĭ,O.G. and Levitskiĭ,B.M. Residual stresses after the polishing of metals, 6=8990

Karpíškovà,K. See Bohun,A., 5=6204

Karplus,M. Charge distribution in the hydrogen molecule, 7=2512. Interpretation of the electron-spin resonance spectrum of the methyl radical, 9=3983. Contact electron-spin coupling of nuclear magnetic moments, 9=6201. See also Belford,R.L., 9=10193; Das,T.P., 9=7450; Kuppermann,A., 9=8734

Karplus,M. and Anderson,D.H. Valence-bond interpretation of electron-coupled nuclear spin interactions; application to methane, 9=6200

Karplus,M., Kuppermann,A. and Isaacson,L.M. Quantum-mechanical calculation of one-electron properties. I. General formulation, 9=1815

Karplus,R. See also Case,K.M., 6=1851, 6=3250, 7=8395; Chew,G.F., 8=2785; Goebel,C.J., 6=83; Ruderman,M., 6=4013

Karplus,R., Kerth,L. and Kycia,T. K-meson nucleon interaction, 9=9990

Karplus,R. and Ruderman,M.A. Applications of causality to scattering, 5=5888

Karplus,R., Sommerfield,C.M. and Wichmann,E.H. Spectral representations in perturbation theory. I. Vertex function, 9=3152; II. Two-particle scattering, 9=6538

Karplus,R. and Watson,K.M. Structure of a many-particle quantum-mechanical medium, 7=9549. Two-nucleon forces and nuclear saturation, 8=4225

Karplus,W.J. The use of electronic analogue computers with resistance network analogues, 5=9352

Karpman,G. Motion of a compression wave in a fluid contained within a rigid toroid of square section, 7=1946. Magnetic interaction in a system of dipoles, 7=7204

Karpman,G. and Raman,V.V. On a possible generalization of the Weyssenhoff theory of fluids with spin, 7=5054

Karpman,G. and Vigier,J.P. The propagation of classical magnetic waves in a fluid of magnetic dipoles, 7=8712

Karpman,V.I. The θ-meson and the Fermi–Yang hypothesis, 6=7706. Correlation between the planes of production and decay of Λ^0-particles, 6=7713. On the S-matrix for particles with arbitrary spin, 6=8602. On the theory of strange particles, 7=9905

Karpman,V.I. and Fisher,I.Z. On the annihilation of positrons in metals, 7=4685

Karpov,M.V. See Kel'man,V.M., 9=2404

Karpov,V.L. See Koretskaya,T.A., 7=4610

Karpov,V.L. See Varshavskiĭ,Ya.M., 8=3403

Karpova,I.V. See Alekseeva,V.G., 7=9457, 9=1457, 9=12265

Karpova,L.A. See Varfolomeev,A.A., 7=4754, 7=4756

Karpova,V.I. See Zamchalova,E.A., 6=700

Karpovich,I.A. See Vartanyan,A.T., 7=4364, 7=9200

Karpovich,J. Investigation of rotational isomers with ultrasound, 5=133. Resonance reverberation method for sound absorption measurements, 5=146

Karpukhin,O.A. See Govorkov,B.B., 7=4679, 7=4785

Karpushkina,E.I. See Sokolov,Yu.L., 6=8326, 7=4617

Karr,H. See Honsaker,J., 8=779

Kärrholm,G. A flow problem solved by strip method, 9=5398

Karstensen,F. Preferential diffusion of Sb along small angle boundaries in Ge and the dependence of this effect on the direction of the dislocation-lines in the boundary, 8=1335

Kartaschoff,P. See Bonanomi,J., 8=5143

Kartha,G. and Ramachandran,G.N. Applications of the difference-Patterson technique in structure analysis, 5=5105

Kartuzhanskii,A.L. Effect of ionic conductivity on deviations from reciprocity law in photographic emulsions, 5=1428. The photographic action of ionizing particles. I. The form of the blackening curve for photographic film exposed to radiation, 6=7921. On the rearrangement of the latent image by the photographic action of ionizing particles, 7=1819. On a quantitative examination of the process of formation of the latent photographic image by ionizing particles, 8=475. See also Zel'tser,G.I., 9=13990

Karzas,W.J., Watson,W.K.R. and Zachariasen,F. Scattering of light by protons, 9=517

Kasabov,I. On the rectification effect of Se – CdSe and Se – HgSe contacts with artificial barrier layers, 7=7920

Kasai,P.H. See also Brackett,F.B., 8=1604

Kasai,P.H. and Myers,R.J. Microwave spectrum, structure, and internal rotation of dimethyl ether, 9=9439

Kaisai,P.H., Myers,R.J., Eggers,D.F., Jr and Wiberg,K.B. Microwave spectrum, structure, and dipole moment of cyclopropene, 9=3300

Kasatochkin,V.I. and Kaverov,A.T. Electrical properties and structure of the intermediate forms of carbon, 8=6950

Kaschluhn,F. On the statistics of a Fermi-Dirac gas in interaction with a Bose-Einstein gas, 6=98. On an approximate variational principle in quantum statistics, 6=937. On the specific heat of electrons in metals, 7=9288. Impulse approximation and dispersion relations for pion – deuteron scattering, 9=1673. Disperson relations for the scattering of π-mesons on deuterons, 9=3771. Dispersion relations for pion – deuteron scattering. II, 9=3775. On the asymptotic and causality conditions in quantum field theory, 9=9238

Kasha,M. Relation between exciton bands and conduction bands in molecular lamellar systems, 9=9609. See also Brealey,G.J., 6=538; Clementi,E., 7=6403; McGlynn,S.P., 5=5562, 6=3614, 7=6379; McRae,E.G., 8=6879; Padhye, M.R., 6=4557. Viswanath,G., 6=4328

Kashaev,S.Kh.G. Exchange interaction in certain paramagnetics, 7=4546

Kashcheev,B.L. See Proshkin,E.G., 8=7628-9

Kashian,H.C. See Kahalas,S.L., 9=8445

Kashkarov,V.P. On the equations of motion of a system of finite masses in Einstein's theory of gravitation, 5=6720

Kashtanova,A.M. See also Skanavi,G.I., 7=1317

Kashtanova,A.M. and Skanavi,G.I. The dielectric constant of the bismuthates of some metals, 9=12212

Kashukeev,N.T. See Fridkin,V.M., 8=3075; Nadzhakov,G., 5=4629, 6=1239, 6=1241-2

Kashy,E., Miller,P.D. and Risser,J.R. Energy levels in F^{18} from the $N^{14}(\alpha,\alpha)N^{14}$ and $N^{14}(\alpha,p)O^{17}$ reactions, 9=2707

Kashy,E., Perry,R.R. and Risser,J.R. A method for the preparation of very thin foils, 9=7539

Kaskan,W.E. Line shape in the OH $^2\Pi - ^2\Sigma$ transition, 8=6815

Kasner,W.H. See Curran,R., 9=8455

Kaspar'yants,A.A. Propagation of sound in "van der Waals' gases and liquids", 9=5435

Kasper,J.E. The earth's simple shadow effect on cosmic radiation, 9=12416

Kasper,J.S. See also Decker,B.F., 9=10370; Frank,F.C., 9=10385

Kasper,J.S. and Roberts,B.W. Antiferromagnetic structure of α-manganese and a magnetic structure study of β-manganese, 6=2239

Kasper,J.S. and Waterstrat,R.M. Ordering of atoms in the σ phase, 6=7746. Antiferromagnetism in the body-centered cubic Mn – Cr solid solution, 8=2407

Kasper'yanc,A.A. On the propagation of sound waves in a viscous gas in the presence of heat conduction, 6=1910

Kassander,A.R. See Smith,E.J., 6=1769

Kassecker,T. and Urban,P. On the calculation of nuclear moments according to the shell model, 6=6842

Kassner,D. See Piccioni,O., 5=5452

Kassner,J.L., Jr. See Fitz,H.C., Jr, 9=3714

Kasteleijn,P.W., Constant coupling approximation for ising spin systems, 6=6001. The statistics of an adsorbed monolayer with repulsive interaction between the adsorbed particles, 6=6239

Kasteleijn,P.W. and J.van Kranendonk. Constant coupling approximation for Heisenberg ferromagnetism, 6=5210. Constant coupling approximation for antiferromagnetism, 6=6000

Kasteleyn,M.L. See van den Eijk,J., 6=7240

Kastha,G.S. On the intensity-distribution in the wing of the Rayleigh line due to liquid oxygen, 5=873. Raman spectra of frozen solutions of carbon disulphide in aliphatic solvents, 6=6538. Raman spectra of frozen solutions of toluene and benzene in aliphatic solvents, 6=8123. Evidence for formation of molecular groups in liquids at low temperatures, 9=10680. See also Sirkar,S.C., 6=1996

Kastler,A. Optical methods of atomic orientation and their applications, 5=2617. The methods of paramagnetic resonance, 6=4505. Optical methods of atomic orientation and of magnetic resonance, 7=6469. Optical methods of radiofrequency resonance, 9=716. See also Barrat,J.-P., 5=2084; Brossel,J., 6=1486; Cagnac,B., 8=6213; Cohen-Tannoudji,C., 7=7318; Hartmann,F., 8=7435; Margerie,J., 6=1484; Pebay-Peyroula,J.C., 7=6465, * 8=781*; Rollet,N., 6=3612

Kastler,D. On the usual representation of the commutation rules in quantum field theory, 6=5682. Multilinear algebra and the quantization of the photon field, 6=6341. Multilinear algebra and the quantization of the Dirac field, 6=7121 Localization domain of a class of field states, 8=4719

Kästner,S. The reflection and transmission of a plane sound wave incident at any angle on a layered viscoelastic medium, 7=3087; II, 7=9046. On the theory of relaxation. I. The thermodynamic foundations and their mathematical solutions, 9=63; II. Electrical network models for the relaxation properties of matter, 9=6539. III. The inclusion of microscopic inertial effects in the framework of the statistical-thermodynamic theory, 9=11866

Kastner,S.O., Russell,A.M. and Trischka,J.W. Variation with vibration of the fluorine spin – rotation interaction in Li^6F, 6=520

Kasuya,T. The relaxation process in ferromagnetic resonance absorption, 5=7180-1. On the theory of thermal conductivity of monovalent metals, 6=6554. Temperature dependence of anisotropy energy of ferromagnetics, 7=527. Electrical resistance of ferromagnetic metals, 7=6158. A theory of metallic ferro- and antiferromagnetism on Zener's model, 7=7209. The general theory of transport; the difference between electric field and density gradient, 9=12231. A theory of impurity conduction. I, 9=12239

Kasuya,T. and Yamada,K. Electrical and thermal conductivity of monovalent metals; the influences of Coulomb interaction, 9=12232

Kas'yankov,P.P. The calculation of electron lenses from given paraxial focusing properties, 5=322. On certain focusing problems in electron optics theory, 6=8824. On the conditions for the existence of stigmatic imaging in electron optical systems with curved axes, 8=7109. In connection with the letter of Professor G.A.Grinberg, 8=8044. On the electron-trajectory equations in electron-optical systems with curved axis, 9=9701*

Kas'yanova,V.I. See Blazhnova,E.I., 7=7770

Katada,K. Studies on the radial distribution analysis in diffraction methods. II. Effect of non-nuclear scattering and analysis of the radial distribution curve, 8=8403

Katagiri,S. Experimental investigation of chromatic aberration in the electron microscope, 5=9698. See also Kimura,H., 9=9704

Katanoi,S. See Nomura,Y., 9=11647

Kataoka,K. See Husimi,K., 9=3426, 9=6893, 9=13268; Kiyasu,Z., 8=1035; Zen'iti,K., 9=13255

Katarzhis,A.K., Kosterin,S.I. and Sheinin,B.I. An electric method of recording the stratification of the steam-water mixture, 5=8696

Katasev,L.A. Determination of the height of a homogeneous atmosphere from photographic observations of meteors, 9=11643

Katayama,K. See Tanaka,K., 9=9017

Katayama,M. See Fujiwara,S., 9=743

Katayama,Y. Quantum numbers for lepton processes, 9=11821. See also Taketani,M., 9=12568

Katayama,Y., Taketani,M. and Leal Ferreira,J. On the origin of the electron mass, 9=12537

Katayama,Y., Tokuoka,Z. and Yamazaki,K. Over-all space-

time description and third quantization, 6=2639
Katchalski,E. See Gehatia,M., 9=6599
Katchalsky,A. See Eliassaf,J., 6=1706
Katcoff,S. Radiations from long-lived Tc$^{(98)}$, 6=604. Fission-product yields from U, Th, and Pu, 8=7394. Decay of Tc^{97} ground state, 9=600. Energy distributions of Li^{8} fragments emitted from C, Al, Cu, Ag, Au, and U bombarded by 2.2 BeV protons, 9=8585
Katcoff,S. and Abrash,H. Decay of neutron-deficient isotopes of Pd and Rh, 6=8942
Kates,D.G. See Glick,R.E., 9=12491
Katlafsky,B. See Beachell,H.C., 6=522, 7=7756
Kato,H. See Fukui,K., 9=10186
Kato,K. See Hagiwara,S., 9=9850; Kojima,S., 6=3765, 6=8684, 8=5989
Kato,N. Integrated intensities of the diffracted and transmitted X-rays due to ideally perfect crystal (Laue case), 5=3280. Fibrous growth of NaClO$_3$ on single crystal, 6=1726. Anomalous enhancement of X-ray reflection intensity at the boundary of ground and etched regions on crystal surface, 6=7829
Kato,N. and Lang,A.R. A study of Pendellösung fringes in X-ray diffraction, 9=13902
Kato,P.H. See Anders,E., 6=5511
Kato,S. On the solar Lyman beta radiation and the ionosphere, 6=824. Horizontal wind systems in the ionospheric E region deduced from the dynamo theory of the geomagnetic S$_q$ variation. II. Rotating earth, 9=1953; IV, 9=1955. Prevailing wind in the ionosphere and geomagnetic S$_q$ variations, 9=4137. Magnetic spectrometer having inclined plane pole-faces for low-energy electrons, 9=11120. See also Kikuchi,S., 9=352; Oda,Y., 9=10099; Shinoda,G., 6=6685; Takeda,M., 7=8819
Kato,T. See Ikebe,T., 7=8788; Ito,D., 7=717; Kikuchi,S., 9=352; Saitô,N., 9=7842
Kato,T. and Fujita,H. Maximum principles for vorticity in viscous fluid, 9=13057
Kato,W.Y. and Butler,D.K. Measurement of the Doppler temperature effect in an EBR-I type assembly, 9=8665
Kato,Y. See also Nakamura,T., 8=4518
Kato,Y. and Morita,M. On the β - γ angular correlations of Tm^{170} and Sb^{124}. VT interaction, 6=3956
Kato,Y., Ossaka,J. and Sakurai,T. Preliminary report on the effect of the solar eclipse of 20 June 1955 on the earth's magnetic field, 6=7038
Kato,Y. and Watanabe,T. Studies on geomagnetic storm in relation to geomagnetic pulsation, 9=4123
Kato,Y., Yamanaka,S. and Shinoda,G. A fine focus X-ray tube for shadow microscopy, 5=984
Katoh,T., Nozawa,M., Yoshizawa,Y. and Koh,Y. Beta interaction in the decay of Cs^{137}, 8=745. Gamma ray spectroscopy of Mn^{54}, 9=10079
Kats,A. See also Stevels,J.M., 7=1745; van Wieringen,J.S., 9=452, 9=13467
Kats,A. and Stevels,J.M. The effect of u.v. and X-ray radiation on silicate glasses, fused silica and quartz crystals, 7=2288
Kats,M.L. The effect of non-activating Ca^{++} and Sr^{++} ions on the thermal luminescence of X-ray irradiated NaCl—Ag phosphors, 7=4165. Atomic centres of absorption and luminescence in alkali-halide phosphors activated by heavy-metal ions and their formation under the action of high-energy radiation, 8=4872. Phosphorescence and thermal de-excitation of KBr:In phosphors, 9=12115
Kats,M.L. and Semenov,B.Z. Atomic centres of nickel in the phosphors NaCl-Ni, 7=261. Investigation of the absorption and luminescence spectra of alkali-halide crystals activated with nickel, 9=9484
Kats,M.Ya., Kukavadze,G.M. and Serdyuk,R.L. Enrichment of boron with the isotope B^{10}, 7=4651
Katsnel'son,A.A. See Iveronova,V.I., 8=3584, 9=13824
Katsube,S. See Iwata,M., 9=7988
Katsumata,I. See Miyake,S., 9=8274, 9=11174
Katsumori,H. Composite states of two fermions through Fermi-type interaction, 5=63. Effect of the Pauli moment on the γ-decay of neutral meson, 5=3126. A possible parity assignment for strange particles and a new kind of heavy meson, 9=10007
Katsura,S. On the theory of cooperative phenomena, 5=9391. Phase transition of Husimi-Temperley model of imperfect gas, 6=6433. On the Bose-Einstein condensation, 7=6920. See also Nomura,Y. 5=5526, 8=4180
Katsura,T. See Akimoto,S., 7=6745
Katterbach,K. See Lüst,R. 7=7202
Katti,M.R. See Tawde,N.R., 7=8747, 9=6178
Katti,P.K. See also Bhagat,S.M. 5=252, 5=3689, 5=7713
Katti,P.K. and Bhagat,S.M. Note on the temperature variation of the configurational energy of regular solutions, 5=2474
Katti,P.K. and Rustigi,O.P. A note on the boiling points of regular solutions, 6=4241
Katti,P.K. and Wanchoo,V.N. Depolarization of light scattered by polymolybdates in acid and basic solutions, 5=6056
Kattwinkel,W. Possibility of smoothing [Abflachung] neutron fluxes by means of heterogeneously distributed absorbers (breeder material) at the core of cylindrical thermal reactors, 9=6149. Thermal stresses in a long cylindrical fuel element, without canning, during heating, 9=6317. The question of temperature distribution in very long unsheathed, cylindrical fuel element in the unsteady state (heating up) 9=11494
Katŷshev,Yu.V. See Golovin,B.M. 9=13555
Katz,B. Mechanisms of synaptic transmission, 9=10447. Nature of the nerve impulse, 9=11674
Katz,E. Self-diffusion and ionic conduction in crystals, 5=9986. See also Enns,J.H., 8=1405; Kao,L.P. 9=8166
Katz,H. Evaporation of barium with metallic capillary cathodes, 5=5489
Katz,J.J. See Adams,R.M. 5=10024, 7=1173; Maybury,R.H. 5=7847
Katz,L. See also Chidley,B.G. 8=2571; King,H.J., 8=2572; McNeill,K.G., 7=8124; Parsons,R.W., 9=10128; Randall,J.J., Jr. 9=9037; Rybka,T.W., 8=5378
Katz,L., Kavanagh,T.M., Cameron,A.G.W., Bailey,E.C. and Spinks,J.W.T. Photofission of U^{238}, 5=8251
Katz,L., McNeill,K.G., LeBlanc,M. and Brown,F. Photoneutron emission from Th^{232}, U^{233}, U^{238}, and Pu^{239}, 7=8161
Katz,M.S. See also Morris,A. 5=10146
Katz,M.S. and Schwartz,I. New observation of the Pulfrich effect, 5=7574
Katz,S., Doran,D.G. and Curran,D.R. Hugoniot equation of state of aluminium and steel from oblique shock measurement, 9=7487
Katz,T.J. and Margrave,J.L. Free energy functions for gaseous atoms from hydrogen (Z=1) to niobium (Z=41), 5=6812
Katzenstein,H.S. and Friedland,S.S. New time-of-flight mass spectrometer, 5=5457
Katzenstein,J. See Friedland,S.S., 8=4554
Katzin,L.I. Regularities in the absorption spectra of halides, 6=217
Katzman,J. A cosmic ray increase related to solar activity, 8=8094. See also Rose,D.C., 6=8853-5; Simpson,J.A., 6=5995
Kauder,L.N., Taylor,T.I. and Spindel,W. Iostope enrichment factors for nitrogen-15 in the nitric oxide—nitric acid exchange system, 9=8686
Kauer,E. Reflection from X-ray spectrometer crystals, 5=10078
Kauer,E. and Rabenau,A. A contribution to the semiconducting properties of chalcogenides of aluminium, gallium, and indium 9=4577. The band energy gap of gallium nitride and aluminium nitride, 9=5547
Kauffmann,J.W, and Koehler,J.S, Quenching-in of lattice vacancies in pure gold, 5=3195
Kaufman,A.N. Effect of charge separation on plasma diffusion in a strong magnetic field, 8=8069. See also Chandrasekhar,S., 8=1784, 8=5068, 9=473; Rosenbluth,M.N., 8=2421
Kaufman,B. Mathematical structure of the non-symmetric field theory, 7=6841. See also Einstein,A. 5=6721; Lifson,S., 8=3774
Kaufman,F. Origin of afterglows in mixtures of nitrogen and oxygen, 8=7576. Air afterglow and kinetics of some reactions of atomic oxygen, 8=9159
Kaufman,F., Gerri,N.J. and Bowman,R.E. Role of nitric oxide in the thermal decomposition of nitrous oxide, 6=7781
Kaufman,F., Gerri,N.J. and Pascale,D.A. Halogen catalyzed decomposition of nitrous oxide, 6=2499*
Kaufman,F. and Kelso,J.R. The reaction between nitric and nitrous oxide, 5=5689. Thermal decomposition of nitric oxide, 5=10028. Excitation of nitric oxide by active nitrogen, 8=6472. Vibrationally excited ground-state nitrogen in active nitrogen, 8=7442
Kaufman,I. and Coleman,P.D. Electron cyclotron as a source of megavolt bunched electron beams, 7=3345. Design and evaluation of an S-band rebatron, 8=5039
Kaufman,J.J. See also Koski,W.S., 6=3331
Kaufman,J.J. and Koski,W.S. Infrared study of the B$_2$D$_6$-B$_5$H$_9$ exchange reaction, 6=3336
Kaufman,J.V.R. The effect of nuclear radiation on

explosives, 8=7582

Kaufman,M.H. and Whittaker,A.G. Vapor pressure of sebaconitrile, 7=317

Kaufman,R.N. A dielectric layer with a spherical cavity in a homogeneous electrostatic field, 6=8160

Kaufman,S. Multipole radiation from high-current gas discharges, 8=4864. See also Allen,N.L., 8=775; Hughes,T.P., 9=3950; Payne,R.M., 9=4652

Kaufman,S. and Williams,R.V. The electron temperature in Sceptre III, 9=2379

Kaufman,V. See Meissner,K.W. 9=6781, 9=12731

Kaufmann,A.R. See Lin,S.T., 6=4509, 8=1772

Kaufmann,S.G. See also Brunson,G.S., 8=770; Erickson,G.F., 9=2554

Kaufman,S.G. and Pahis,L.E. Neutron detectors for operation at 400°C, 8=7227

Kaul,R.K. See Cadambe,V. 5=4575, 6=5707

Kaula,W.M. Gravity formulas utilizing correlation with elevation, 9=5264

Kaulitz,D.C. See Cummings,W.V.,Jr. 5=2312

Kauman,W.G. Aspects of the phenomenological theory of diffusion, 9=11899. See also Bak,T.A., 8=6704, 9=11067

Kaus,P. Role of negative effective mass in negative resistance, 9=13791. See also Finkelstein,R., 7=92

Kaus,P.E. Theory of interstitial impurity states in semiconductors, 8=2304

Kauw,G. See Riezler,W. 9=3855, 9=6082, 9=11437

Kauzmann,W. Chemical specificity in biological systems, 9=10442

Kauzmann,W.J. See Levy,J.B. 9=3416

Kavadas,A. See also Lyon,G.F., 9=2005

Kavadas,A. and Glass,D.G. Polarization of radar echoes from aurora, 9=9098

Kavadas,A.D. See Anderson,J.M., 8=1078

Kavalyunaĭte,V.E. See Kapustin,A.P., 7=9962

Kavanagh,R.W. See also Marion,J.B., 7=1590

Kavanagh,R.W. and Barnes,C.A. Boron plus deuteron reactions, 9=3897

Kavanagh,R.W., Mills,W.R. and Sherr,R. Isomerism in Al^{26}, 5=3064

Kavanagh,T.M. See Katz,L. 5=8251; DeMille,G.R., 9=12624

Kaverin,S.V. See Pinsker,Z.G., 8=3502, 8=3596

Kaverkin,I.P. See Andronikashvili,É.L. 5=6088

Kaverov,A.T. See Kasatochkin,V.I., 8=6950

Kavetskis,V.I. See also Kibartas,V.V., 6=2325 Vizbaraĭte,Ya,I., 7=4641-2

Kavetskis,V.I. and Yutsis,A.P. Analytical one-electron wave functions in a multi-configurational approximation for atoms of the type of helium and beryllium, 5=455

Kawabata,K. See Sekido,Y., 6=7507

Kawabata,S. See Kanno,M. 9=10545

Kawabe, K. See also Horie,T. 5=2614, 5=7901

Kawabe,K. and Sawada,S. Preparation of BaTiO$_3$ single crystals in coal gas atmosphere, 7=8925

Kawada,H. See Kawamura,R. 9=7887

Kawaguchi,I. On the contour of the emission lines of hydrogen in the solar chromosphere, 5=1467

Kawaguchi,M. Kinematical investigation of the s-matrix, 5=5877. Isotopic spin selection rule $|\Delta I| = 1/2$ for the decays of strange particles, 7=8864. On the possibility of the charge dependent correction to the gravitational forces, 8=5610. Polarization of the proton from photodisintegration of the deuteron, 9=3742. See also Araki,H. 9=10602; Fujii,A., 9=7267; Hayakawa,S., 5=552, 5=3441*; Iso,C. 7=7419

Kawaguchi,M. and Minami,S. On the relation between meson–nucleon scattering and photomeson production, 5=5879

Kawaguchi,M. and Moravcsik,M.J. Photoproduction of K mesons from single nucleons, 7=8890

Kawaguchi, M. and Nishijima,K. Note on the decay interactions of hyperons and heavy mesons, 7=743. Note on the decays of Σ particles, 7=744. Pion–electron decay, 8=1866

Kawaguti,M. The critical Reynolds number for the flow past a sphere, 5=9457. On the viscous shear flow around a circular cylinder. II. Oseen's approximation, 6=5716

Kawai,K. See Murata,H., 6=2278, 7=2037, 7=2039, 7=7262, 7=9299, 8=7443

Kawai,M. See also Hayakawa,S., 6=3194

Kawai,M., Nagasaki,M. and Ui,H. The cloudy crystal ball model for 14 MeV neutron reactions, 6=8388

Kawai,N. On the acoustic field by a vibrating source arbitrarily distributed on a ribbon plate. I. 9=11948. See also Nonaka,I., 6=1576, 8=3375; Takaki,H. 9=10168

Kawaji,S. See Kobayashi,A. 5=5415, 6=5101, 6=5503, 8=1053

Kawakatsu,H. See Kanaya,K., 9=340

Kawamura,H. On the electric conduction of dielectrics under strong electric field, 5=9391. The deformation potential of potassium chloride, 9=8787. See also Otsuka,E., 9=8812

Kawamura,H. and Ishiwatari,K. Electron spin resonance of M centers in potassium chloride, 9=8340. Electron spin resonance of Z$_1$-centers in potassium chloride, 9=9821

Kawamura,H. and Kikuchi,T. The trapping centers of electrons in glass, 9=10858

Kawamura,H., Okada,J., Okura,H. and Uemura,Y. The carrier trapping due to the dislocations in polar and nonpolar semiconductors, 9=10977

Kawamura,H. and Okura,H. Trapping of photoelectrons around dislocation lines in alkali-halides, 9=6993

Kawamura,H. and Onuki,M. Drift mobility of conduction electron[s] in KCl, 5=5413

Kawamura,H., Otsuka,E. and Ishiwatari,K. The quadrupolar effect in alkali halide mixed crystals, 7=3823

Kawamura,M. See also Hayashi,T. 5=6440*

Kawamura,M., Aoki,A. and Hayashi,T. Excited states of Pt^{192}, 9=2702

Kawamura,R. and Kawada,H. A study on the attenuation of shock waves due to obstacles in the passage, 9=7887

Kawamura,R. and Salto,H. Reflection of shock waves. I. Pseudo-stationary case, 6=4888

Kawano,M. The local anomaly of the diurnal variation of the atmospheric electric field, 9=6395

Kawano,M. and Nakatani,S. The absolute measurement of the concentrations of the radioactive substances in the atmosphere, in Tokyo, 9=7693

Kawasaki,K., Kanou,K. and Sekita,Y. Liquid-like layers in the adsorbed film of H$_2$O on glass, 9=5233

Kawasaki,S., Kondo,I., Wada,M. and Miyazaki,Y. On the standard cosmic-ray meson monitor, 9=9734

Kawasaki,S. and Miyazaki,Y. On the μ-meson telescope using plastic scintillators, 8=6011

Kawasima,Y. See Yosioka,K. 5=9509-10

Kawata,K. See Tuzi,Z., 8=3906

Kawski,A. Calculation of the degree of polarization from the compensation adjustment of a set of glass plates, 7=6074. The measurement of the degree of polarization with the help of a compensating pile of glass plates, 7=6075. Measurement of the degree of polarization with the help of a compensating set of glass plates. II, 9=1346. On the dependence of emission anisotropy of fluorescence on the concentration of luminescent molecules in Plexiglass luminophors, 9=9464. On the effect of concentration on the polarization of the fluorescence of rigid solutions, 9=10812. Measurement of the degree of polarization with the help of a compensating set of glass plates. III, 9=10881

Kay,E. and Tingle,E.D. The use of polytertrafluoroethylene as a lubricant, 8=3622

Kay,H.F. Electrostriction, 5=7944. See also Coates,R.V. 9=13261; Harris,E. 9=7583

Kay,H.F. and Miles,J.L. Growing of perovskite-type crystals, 5=5701

Kay,I. On the measurement of virtual height, 9=10416. See also Keller,J.B., 6=3497

Kay,I. and Moses,H.E. The determination of the scattering potential from the spectral measure function. I. Continuous spectrum, 6=2662. II. Point eigenvalues and proper eigenfunctions, 6=3493. III. Calculation of the scattering potential from the scattering operator for the one-dimensional Schrödinger equation, 6=4199. The determination of the scattering potential from the spectral measure function. IV. "Pathological" scattering problems in one dimension, 8=52. Reflectionless transmission through dielectrics and scattering potentials, 7=4570

Kay,I. and Silverman,R.A. Multiple scattering by a random stack of dielectric slabs, 9=11959

Kay,R.H. See also Hobson,A. 6=4732

Kay,R.H. and Coxon,R.V. Optical and instrumental limitations to the accuracy of "oximetry", 7=8326

Kayama,K. See Ariyama,M., 9=8679; Ishiguro,E., 8=6382; Kotani,M., 8=6381

Kayas,G. Study of heavy mesons stopped in photographic emulsions. II. 2. Method of estimation of masses by gap counting, 5=6508. See also Besson,C. 8=1187; Crussard,J., 6=5430, 7=3697; Hoang,T.F. 5=4958, 5=4966, 5=6506. Leprince-Ringuet,L., 6=5403. Orkin-Lecourtois,A. 5=6505, 5=8287

Kaye,J. See Fand,R.M., 9=7906; Hatsopoulos,G.N., 8=8827;

Nottingham,W.B., 9=13371

Kaylor,H.M. and Nielsen,A.H. Infrared spectrum and molecular constants of CD_4, 6=3621

Kazachenko,L.P. See also Stepanov,B.I., 7=7003

Kazachenko,L.P. and Stepanov,B.I. Mirror symmetry and shape of absorption and luminescence bands in complex molecules, 7=9597

Kazakevich,F.P. Influence of the angle of attack of a gas flow on the heat transfer of a circular cylinder, 5=6810

Kazakov,A.N. See Kogarko,S.M. 9=9324

Kazakov,N.F. Investigation of the wearing resistance of cutting tools by the method of radioactive isotopes and irradiation, 5=9194

Kazamaki,T. and Kondo,F. New series of distortionless telephoto lenses, 6=2820

Kazan,B. See also Nicoll,F.H. 5=9672

Kazan,B. and Nicoll,F.H. Solid-state light amplifiers, 8=1621

Kazankin,O.N., Pekerman,F.M. and Petoshina,L.N. Electroluminescent phosphors based on sulphides and selenides, 9=10853

Kazankin,O.N. and Petoshina,L.N. Effect of temperature on electroluminscence of powder phosphors, 9=9494

Kazanskiĭ,Yu.A. See Burmistrov,V.R., 8=5329

Kazantsev,B.I. and Meĭklyar,P.V. Regression of the latent-image centres, 5=7591

Kazantsev,V.A. Investigation of the $K\beta$-group of X-ray spectra of manganese in Mn–Ni systems, 9=12346. Investigation of the $K\beta_5$-band and the K-absorption edge of nickel metal at the transition through the Curie point, 9=12347. K absorption edge of iron in the alpha and sigma phases of the Fe–Cr system, 9=13355

Kazantsev,V.F. See Rozenberg,L.D. 9=13868

Kazarinoff,N.D. and Ritt,R.K. On the theory of scalar diffraction and its application to the prolate spheroid, 9=7215

Kazarinov,Yu.M. See also Amaglobeli,N.S., 8=7253; Dzhelepov,V.P. 5=8504, 7=7171

Kazarinov,Yu.M. and Simonov,Yu.H. Elastic scattering of 580MeV neutrons by protons, 7=2717

Kazarinov,Yu.M. and Simonov,Yu.N. Measurement of the total charged π-meson production cross section in n–p collisions at neutron energy 586 MeV, 9=2638

Kazarnovskiĭ,M.V. Relation between the scattering of neutrons in polycrystals and specific heat, 7=4739. Space–energy distribution of neutrons in a heavy gaseous moderator„ 9=6011

Kazarov,R.E. A hodoscope investigation of the penetrating component of extensive air showers, 9=12428

Kazarov,R.E. and Andronikashvili, É.L. Index of the energy spectrum of the penetrating component in extensive air showers with a specified number of particles, 9=7135

Kazato,K. See Takahashi,N., 7=4808

Kazbekov,É.N. See Bresler,S.E., 9=5905

Kazek,C.S., Jr. See Leachman,R.B., 7=4744

Kazes,E. Dispersion relations for meson–nucleon scattering 7=9538. Meson production in meson–nucleon collision, 7=9927. Generalization of the Levinson-Jauch theorem to an arbitrary number of channels, 9=13013

Kazès,I. Study of the scintillation of the sun observed on a wavelength of 3.2 cm, 8=481. See also André.P., 6=7889

Kazes,I. and Steinberg,J.-L. A study of solar radio radiation on 9350 Mc/s, near sunset and sunrise, 5=4291. Study of the scintillation of the sun observed with several aerials on a wavelength of 3.2 cm, 8=482

Kazhdan,Ya.M. See Khukov,A.I., 7=3084

Kazhlaev,M.A. See Amirkhanov,Kh.I. 8=2272, 9=12168

Kazimierski,A. Boron trifluoride neutron counters type NUM-12, NUM-30, NUM-72, NUM-12W, NUM-30W, NUM-72W, 9=3686. The design, technology, and properties of boron-trifluoride proprtional counters, 9=11305. See also Dabek,W., 9=1636

Kazuno,M. See Imaeda,K. 8=9002; Minakawa,O., 9=12425

Ke,B. See Hoekstra,J.J. 5=1345

Ke,T.-S. See also Yun',P.-T. 9=6302

Kê,T.-S., Tsien,C.-T. and Misek,K. On the internal friction peak associated with the presence of carbon in nickel, 7=1684

Kê,T.-S. and Wang,C.-M. Internal friction peaks associated with the stress-induced diffusion of carbon in face-centered cubic alloy steels and metals, 7=1683

Keam,D.W., Dwyer,L.J., Martin,J.H., Stevens,D.J., and Titterton, E.W. Experiments on the "sticky paper" method of radioactive fallout sampling, 9=12525

Keane,A. The gravitational compression of an elastic sphere, 5=5826

Keane,B.E. See Belcher,E.H. 5=10153

Kear,G. The scattering of waves by a large sphere for impedance boundary conditions, 9=4848

Kearns,D. and Calvin,M. Photovoltaic effect and photoconductivity in laminated organic systems, 9=2345

Kearsley,M.J. Energy levels of Pb^{206}, 7=6441. The energy levels of Pb^{206}, 8=3318. See also Coulson,C.A., 8=807

Keary,T.J. and Wirth,H.J. The random occurrence of meteors in the upper atmosphere, 8=5583

Keast,D.N. Calibration of accelerometers in a simulated space environment, 9=6567. See also Wiener,F.M., 9=2158, 9=7879

Keating,D.T. X-ray measurements of pile-irradiated LiF, 5=5111. X-ray measurements on low-temperature neutron-irradiated graphite, 5=8390. Elimination of the $\alpha_1\alpha_2$ doublet in X-ray patterns, 9=14626

Keating,D.T. and Antal,J.J. Correlation of diffraction and transmission experiments for X-ray and neutron elastic scattering, 5=9252

Keating,D.T. and Kammerer,O.F, Film thickness determination from substrate X-ray reflections, 9=79

Keating,D.T., Neidhardt,W.J. and Goland,A.N. Neutron cross sections and scattering lengths of Cu^{63} and Cu^{65}, 8=9011

Keay,C.S.L. Meteor radiant determination from high echo-rate observations, 8=4650. See also Ellyett,C.D., 7=4986

Kebuladze,N.A. See Shakhulov,O.A., 7=1646

Keck,C. The discharge process in proportional counter tubes, 8=8181

Keck,G. Localization of particles in standing ultrasonic waves, 5=2531. The location of particles and solutions in the field of stationary ultrasonic waves, 5=6836. The arrangement of particles and solutions in a standing ultrasonic field, 6=4267. See also Hauer,F., 6=1921

Keck,J., Camm,J. and Kivel,B. Absolute emission intensity of Schumann–Runge radiation from shock heated oxygen, 8=6814

Keck,J.C. Statistical theory of chemical reaction rates, 8=9161. See also Tollestrup,A.V. 5=8292; Watson,K.M., 6=2450

Keck,J.C., Camm,J.C., Kivel,B. and Wentink,T., Jr. Radiation from hot air. II. Shock tube study of absolute intensities, 9=9405

Keck,J.C. and Tollestrup,A.V. Photodissociation of the deuteron from 150 to 450 MeV, 6=3223

Keck,J.C., Tollestrup,A.V. and Bingham,H.H. Neutral pion production in deuterium and hydrogen: Ratios, 7=757

Keck,P.H. Floating zone crystallization of silicon, 5=4174. See also Kaiser,W., 6=2785, 8=9138; Peterson,A.W., 8=2175; Schwuttke,G.H. 9=3357

Kedesdy,H. See Peterson,A.W., 8=2175

Kedesdy,H.H. See Tauber,A., 8=8901

Kedrov,V.P. See Konozenko,I.D. 9=3875

Kedzie,R. See Abraham,M., 8=311

Kedzie,R.W. See also Abraham,M., 7=6454, 7=9334, 9=3817

Kedzie,R.W., Abraham,M. and Jeffries,C.D. Paramagnetic resonance hyperfine structure of Ce^{141} and Nd^{147}, 8=310

Keech,G.L. and Gulbis, F. On anomalies in the absorption of cosmic rays in lead, 5=5500

Keefe,D. See also Anderson,F., 7=5610; Bhowmik,B., 7=8866, 8=704, 8=3310; Davies,J.H., 6=3270*; Friedlander,M.W., 5=3134, 5=4095, 5=5623, 5=8228, 6=2434, 6=2447, 7=8671 K-collaboration, 9=13575

Keefe,D., Kernan,A. and Montwill,A. Preliminary results on nuclear interactions of K^+-mesons in the energy region 240-300 MeV, 9=3926

Keefe,D., Kernan,A., Montwill,A., Grilli,M., Guerriero, L. and Salandin,G.A. The interactions of positive K-mesons with nuclei in photographic emulsion at energies in the region (240-300) MeV, 9=8480

Keefe,R.T. See Etkin,B., 7=4071

Keeling,R.O., Jr. Cobalt K-absorption edges in supported cobalt-on-alumina and cobalt-on-silica catalysts, 9=11090

Keelty,M.C. See Robinson,G.W., 8=2959

Keenan,T.A. See James,H.M., 9=9555

Keepin,G.R. Prediction of delayed-neutron precursors, 7=9893. See also Koontz,P.G. 5=5475, 5=8004

Keepin,G.R. and Wimett,T.F. Reactor kinetic functions: a new evaluation, 9=3940

Keepin,G.R,, Wimett,T.F, and Zeigler,R.K. Delayed neutrons from fissionable isotopes of uranium, plutonium, and thorium, 8=5399

Keesom,P.H. See also Seidel,G., 9=1391, 9=5634, 9=12191

Keesom,P.H. and Bryant,C.A. Contribution of the nucleus to the specific heat of rhenium, 9=12190

Keesom,P.H. and Pearlman,N. Atomic heat of bismuth between

1° and 4°K, 5=907. Anomaly in the low-temperature atomic heat of wilver, 5=6095. Atomic heat of graphite between 1 and 20°K, 5=8714. Low-temperature heat capacity of pure and reduced rutile, 9=4533
Keesom,P.H. and Seidel,G. Superfluid helium inside neutron-irradiated silicon, 9=2942. Specific heat of germanium and silicon at low temperatures, 9=4583
Keet,W.de V. See Lochner,J.P.A. 5=8317
Keffer,F. Temperature dependence of ferromagnetic anisotropy in cubic crystals, 6=2225. See also Cohen,M.H. 5=8893-4; Eisele,J.A. 5=1045
Keffer,F. and O'Sullivan,W. Problem of spin arrangements in MnO and similar antiferromagnets, 8=8110
Keffer,F. and Portis,A.M. Study of the wirtzite-type binary compounds. II. Macroscopic theory of the distortion and polarization, 7=9983
Keffer,R.M. and Allen,T.L. Absorption spectra of I$_2$ and I$_4$ in CCl$_4$ solution, 7=2021
Kegel,G. Measurements of long-range fallout in Rio de Janeiro, 7=9375
Kegel,G.H.R. See Beghian,L.E., 9=497
Kehler,P. See Citron,A. 5=8889
Kehoe,R.B. On the texture of evaporated films, 7=5719
Kehoe,R.B., Newman,R.C. and Pashley,D.W. An electron diffraction specimen chamber with a specimen vacuum lock, 5=1298. The automatic recording of electron diffraction patterns applied to the study of evaporated copper layers, 6=2565. The migrations of copper atoms on the surface of silver, 7=4854
Keidel,F.A. and Bauer,S.H. Structures of toluene, phenylsilane, and diphenyldichlorosilane, 7=2517
Keiffer,D.G. See also McCormick,P.T., 6=5937
Keiffer,D.G. and Parzen,G. Energy distribution at large angles of high-energy electrons in Bremsstrahlung, 6=2181
Keii,T. A statistical derivation of the B.E.T. equation, 5=607. Fine structure of olefine deuteration, 5=4146. On the double-maxima distribution of deutero-paraffins, 7=1715. Relation between adsorption isotherm and adsorption rate equation, 7=3708
Keilis-Borok,V.I. Asymmetric interference waves in a layered medium, 6=8624
Keiller,C.Q. Dielectric test cell for bituminous material, 5=920
Keilson,J. On diffusion in an external field and the adjoint source problem, 5=5399
Keilson,J., and Row,R.V. Transfer of transient electromagnetic surface waves into a lossy medium, 9=13514
Keim,R.E. See also Kapany,N.S., 7=5951
Keim,R.E. and Kapany,N.S. Image synthesis and lens response using spot diagrams, 8=2219
Keinath,G. The measurement of thickness, 8=2170
Keister,G.L., Lee,E.B. and Schmidt,F.H. Radioactive decay of Cs^{134} and Cs^{134m}, 5=3040
Keister,G.L. and Stewart,H.V. The effect of nuclear radiation on selected semiconductor devices, 7=8613
Keitel,G.H. On the dipole resonant mode of an ionized gas column, 6=7545
Keith,H.D. An X-ray study in high vacuum of the structure of evaporated copper films, 6=3310. Simplified theory of ship waves, 8=535. See also Padden,F.J., Jr. 9=13890
Keith,H.D., Padden,F.J., Jr., Walter,N.M. and Wyckoff,H.W. Evidence for a second crystal form of polypropylene, 9=13957
Keith-Walker,D.G. See Chick,D.R., 7=9727
Kelber,C.N. See Armstrong,R.H., 7=9899
Keldȳsh,L.V. On the behaviour of nonmetallic crystals in strong electric fields, 8=4964. Effect of a strong electric field on the optical properties of non-conducting crystals, 8=7827. Effect of crystal lattice vibrations on electron–hole pair production in a strong electric field, 8=7913
Kelbg,G. See Falkenhagen,H. 5=4389, 5=5261
Kelen,A. A photoelectric compensator with good zero stability, 5=6712. On the theory of photoelectric compensators and their accuracy, 5=6713. An electrically regulated thermostat for isothermal calorimetry, 5=7918
Kelen,A. and Romberg,W. A study of thermal stresses in cylinders, 7=5093
Kelen,A. and Svedberg,P. The thermoelectric transistor. A possible batteryless amplifying semiconductor device, 8=1064
Kelkar,V.B. See Gatha,K.M. 9=9971; Harihar,P., 6=4648
Kell,R.C. See also Brown,C.S. 5=6600
Kell,R.C. and Hellicar,N.J. Structural transitions in barium titanate–zirconate transducer materials, 9=1895
Kell,R.C., Luck,G.A. and Thomas,L.A. The use of ferroelectric ceramics for vibration analysis, 7=7675
Keller,A. Phase shifts in p-p scattering, 6=419. A note on single crystals in polymers: evidence for a folded chain configuration, 7=8929. See also Frank,F.C., 7=3816, 8=1349
Keller,D.V. See Agnew,L.E., 8=8975; Chamberlain,O., 6=6145, 8=8227
Keller,E.A. Noise level and mechanical stresses in plastic sound records, 5=155
Keller,F.L. and Nielsen,A.H. Grating measurements on ν_2 of NO$_2$ at 200°C, 6=4313
Keller,F.L., Nielsen,A.H. and Shaffer,W.H. New terms in the potential function of the Y$_2$X$_2$ molecule, 6=8892
Keller,G. Relation between the structure of stellar shadow band patterns and stellar scintillation, 5=9359
Keller,G. and Hardie,R.H. Experimental verification of a recently proposed theory of astronomical seeing, 5=702
Keller,G. and Meyerott,R.E. A table of the radiative opacities of a number of gas mixtures, 5=7804
Keller,H. See Früngel,F., 8=6750
Keller,H.B. See Franklin,J., 7=3694
Keller,J. and Ekiel,J. The spatial vectorcardiograph, 6=2598
Keller,J.B. Reflection and transmission of sound by a moving medium, 6=156, Diffraction by a convex cylinder, 7=4565, Diffraction by an aperture, 7=6065. Bounds on phase shifts, 7=7584. Acoustic torques and forces on disks, 7=9585. Teapot effect, 8=65. Corrected Bohr–Sommerfeld quantum conditions for nonseparable systems, 8=6654. Propagation of a magnetic field into a superconductor, 9=2483. How dark is the shadow of a round-ended screen? 9=12147. See also Friedrichs,K.O, 5=7775; Karal,F.C., Jr, 9=7875; Kranzer,H.C., 9=6578; Seckler,B.D., 9=3234-5
Keller,J.B., Kay,I., and Shmoys,J. Determination of the potential from scattering data, 6=3497
Keller,J.B. and Kolodner,I.I. Damping of underwater explosion bubble oscillations, 7=1108
Keller,J.B., Lewis,R.M. and Seckler,B.D. Diffraction by an aperture, II. 7=6066
Keller,J.B. and Zumino,B. Determination of intermolecular potentials from thermodynamic data and the Law of Corresponding States, 9=7476
Keller,J.M. See Carlson,B.C., 7=3893; Gibson,J.B., 7=4575 Jones,J.T., Jr, 7=2992
Keller,J.W. and Nielsen,A.H. Anharmonic constant x$_{22}$ of N^{14}O$_2$, 8=9083
Keller,M. See also Möllenstedt,G., 7=7958
Keller,M. and Ploke,M. Visible X-ray image production by means of an X-ray actuated television tube, 6=7451
Keller,P. Estimation of uranium and thorium by γ-spectrometry, 7=7482
Keller,R. The anharmonic motion of ions in a cyclotron and the phase diagram, 9=7103
Keller,R., Dick,L. and Fidecaro,M. Stochastic acceleration in a 5 MeV cyclotron, 9=11144
Keller,R.N., Cleveland,J.M. and Burlingame,F. Two liquid scintillators, 9=10859
Keller,S.P. Fluorescence spectra, term assignments, and crystal field splittings of rare earth activated phosphors, 9=1314. Variation of valence state of Eu in SrS phosphors, 9=5571. Stimulated infrared emission from Sm centers in SrS phosphors, 9=6765. See also Cheroff,G., 7=6027, 7=9965, 8=7972
Keller,S.P. and Clemmons,J.J. Thermoluminescence and fluorescence in alkali halide crystals induced by soft X-ray, 5=4558
Keller,S.P., Gelles,I.L. and Smith,W.V. Paramagnetic resonance absorption in Mn-activated hexagonal Zns, 8=5427
Keller,S.P., Mapes,J.E. and Cheroff,G. Studies on some infrared stimulable phosphors, 8=2985
Keller,S.P. and Pettit,G.D. Quenching, stimulation, and exhaustion studies on some infrared stimulable phosphors, 9=3319. Phosphor with fluorescence larger than the energy gap, 9=5560. Low-temperature fluorescence spectra and crystal field splittings of rare-earth activated SrS phosphors, 9=5568. Optical properties of activated and unactivated hexagonal ZnS single crystals, 9=13160
Keller,W. Measurement of carrier lifetime in silicon monocrystals with high frequencies, 9=13310
Keller,W.E. Pressure-volume isotherms of He^4 below 4.2°K, 5=1588. Pressure-volume isotherms of He^3 between 1.5 and 3.8°K, 5=6813. Second virial coeffecicients of He^3-He^4 mixtures between 2 and 4°K, 6=1167. Calculation of the viscosity of gaseous He^3 and He^4 at low temperatures, 7=3058.

The battle of the millidegree, 7=4287. See also Kilpatrick,J.E., 5=1601

Kellerer,A. See Fraunberger,F. 9=9687

Kellerman,A. Barrier-layer photocells. II. 6=366

Kellermann,E.W., Shaw,T. and Walker,G.O. On the structure of extensive cosmic ray air showers: lateral structure of the ionizing component, 8=1755

Kellermann,T., Shaw,T. and Dickinson,N. On the structure of extensive cosmic ray air showers: core detection and core structure, 7=7200

Kellershohn,C. and Pellerin,P. Application of scintillators to the determination of distributions of radioactive material in vivo, 5=7312. Scintillator grid localizes gamma emitters photographically, 6=3427. Collimation of gamma radiation by a circular cylindrical channel, 7=2595

Kelley,E.M. See Williams,H.J., 8=8126

Kelley,G.G. See also Davis,R.C., 9=2762

Kelley,G.G., Bell,P.R., Davis,R.C. and Lazar,N.H. Intrinsic scintillator resolution, 9=2551

Kelley,J.M. Rotational losses in 4-79 molybdenum permalloy at low frequencies, 6=8276

Kelley,J.P. See Trout,E.D., 9=3544

Kelley,M.T., Fisher,D.J. and Jones,H.C. High-sensitivity, recording,scanning flame spectrophotometer, 9=6698

Kelley,R.E. See Berko,S., 7=7354

Kelley,R.J. See Churchill,S.W., 8=1020

Kelley,W.E. Separating and purifying reactor fuel from uranium-ore concentrates, 6=2427

Kelliher,J.M. See Inskeep,R.G., 8=8629

Kelliher,M.G., Nygard,J.C. and Gale,A.J. The electron linear accelerator as a pulsed radiation source, 9=3706

Kellner,C. See Hoisington,R.W.R., 7=2017

Kellner,L. See Hoisington,R.W.R. 9=1277

Kellogg,D.J. See Kellogg,P.J. 5=2446

Kellogg,P.J. Mechanism for production of X-rays by ion clouds striking the earth, 8=1380. Possible explanation of the radiation observed by Van Allen at high altitudes in satellites, 9=3613. Van Allen radiation of solar origin, 9=10429. See also Glassgold,A.E., 8=330, 9=528

Kellogg,P.J. and Kellogg,D.J. Entropy of information and the odd ball problem, 5=2446

Kellogg,P.J. and Ney,E.P. A new theory of the solar corona, 9=9156

Kellogg,P.J., Ney,E.P. and Winckler,J.R. Geophysical effects associated with high-altitude explosions, 9=7686

Kellogg,P.J. and Schwartz,M. Theoretical study of the cosmic ray equator, 9=13410

Kellogg,W.N. Auditory perception of submerged objects by porpoises, 9=4159

Kelly,A. The mechanism of work softening in aluminium, 7=2743 See also Hirsch,P.B., 6=2469

Kelly,B.T. Ultrasonic velocity,absorption, and rotational dispersion in methane, 8=546

Kelly,D.C., Margenau,H. and Brown,S.C. Cyclotron resonance: method for determining collision cross sections for low-energy electrons, 8=8049

Kelly,D.H. Effects of sharp edges in a flickering field, 9=10455

Kelly,D.H., Lynch,M.E. and Ross,D.S. Improved sinusoidal test charts, 9=4416

Kelly,L., Pyle,R.V., Thornton,R.L., Richardson,J.R., and Wright,B.T. Two electron models of a constant-frequency relativistic cyclotron, 6=8818

Kelly,F.M. Isotope shift in the resonance lines of Mg I, 8=1595

Kelly,F.M. and Pearson,W.B. The rubidium transition at $\sim$180°K, 5=1760

Kelly,F.M. and Sutherland,J.B. A note on optical hyperfine structure in Cd II, 6=7277

Kelly,H.P. See Armstrong,B.H. 9=12721

Kelly,J.C. The interferometric measurement of metal oxide films, 9=6787. See also Heavens,O.S. 9=3266; Thornton,B.S., 6=2813

Kelly,J.K. See Hines,E., 7=3689

Kelly,J.M., Jr. New technique for measuring rotational hysteresis in ferromagnetic materials, 8=8137

Kelly,M. See Spruch,L., 8=2793

Kelly,P. and Armstrong,B.H. Fractional parentage coefficients for mixed configurations in LS coupling, 9=7312

Kelly,R.L. and Fredericks,W.J. Polarization of photoconductivity excitation bands in CdS single crystals, 9=12292

Kelly,W.H. See also Beard,G.B., 9=1639; Lu,D.C. 5=2147

Kelly,W.H., Beard,G.B. and Peters,R.A. The beta decay of K^{40}, 9=8541

Kelly,W.H. and Wiedenbeck,M.L. Directional correlation of the Gamma rays of La^{140}, Ce^{140}, Pt^{192}, and As^{75}, 6=6129

Kelman,L.R., Wilkinson,W.D., Shuck,A.B. and Goertx,R.C. Handling alpha-active, pyrophoric materials. I. What is the best approach? 6=5586. II. Glovebox design and construction, 6=6280. III. Glovebox-atmosphere control, 6=6281

Kel'man,V.M. See also Dolmatova,K.A., 7=8657

Kel'man,V.M., Kaminskii,D.L. and Romanov,V.A. A β-spectrometer with great resolving power, 5=323

Kel'man,V.M., Kolyunov,V.A. and Karpov,M.V. Application of magnetic slits in the production of circular particle trajectories, 9=2404

Kel'man,V.M. and Lyubimov,K.V. Similar trajectories of charged particles in magnetic fields, 5=320

Kel'man,V.M., Metskhvarishvili,R.Ya., Romanov,V.A., Rusinov,L.I. and Konoplev,K.S. Determination of the ratios of internal conversion coefficients for the In^{114} isomeric transition, 6=5375

Kel'man,V.M., Metskhvarishvili,R.Ya,, Romanov,V.A. and Tuchkevich,V.V. Investigation of conversion lines in the β-spectrum of Ir^{192}, 8=1941, 8=3359

Kel'man,V.M., Peregud,B.P. and Dolmatova,K.A. Accelerators with radially increasing fields and additional electron-optical elements for vertical focusing of the beam, 8=7090

Kel'man,V.M., Romanov,V.A., Metskhvarishvili.R.Ya. and Kolyunov,V.A. Investigation of conversion lines in the β-spectrum of a Eu^{152}$-$Eu^{154} mixture, 7=5599, 7=7336

Kel'man,V.M., Utkin,K.G. and Loginova,L.N. Simple design for a rubber-sheet apparatus for determining the trajectories of charged particles in the presence of space charge, 9=5804

Kel'man,V.M. and Yavor,S.Ya. The motion of charged particles in a homogeneous magnetic field with a superimposed linear current magnetic field and an electric field from a cylindrical condenser, 5=9701

Kel'ner,N.A. See Vertsner,V.N., 8=3490

Kelsall,D. Interferometric measurement of frequency response, with automatic recording, 9=5480. Optical frequency response characteristics in the presence of spherical aberration measured by an automatically recording interferometric instrument, 9=6696

Kelsey,P.A. and Schwartz,I. Nature of the limit of the color zone in perimetry, 9=10459

Kelsey,R.H. and Hanson,E.E., Improved semiautomatic histogram plotter, 9=13833

Kelso,J.R. See Kaufman,F. 5=5689, 5=10028, 8=6472, 8=7442

Kemball,C. See Anderson,J.R. 5=1312; Wright,P.G., 9=6312

Kemmer,N. A remark on quantum-mechanical perturbation theory, 5=73

Kemmer,N., Polkinghorne,J.C. and Pursey,D.L. Invariance in elementary particle physics, 9=4281

Kemmer,N. and Salam,A. On the relativistic equation for scattering, 5=5892

Kemp,J. See Yariv,A., 9=8344

Kemp,J.C. Theory of maser oscillation, 9=13460

Kemp,J.F. The Leon tube: an instrument for measuring flow speeds in water, 8=902. A sensitive aerodynamic drag balance as an indicator of low air speeds, 8=912

Kemp,K.W. See Culpin,M.F., 7=2724, 8=7547

Kemp,L.A.W. Guarded-field ionization chambers: A new principle applied to both free-air and thimble versions, 7=2349

Kemp,L.A.W. and Barber,B. Guarded-field thimble ionization chambers, 8=3273

Kemp,M.A.R. See Astbury,A., 9=1671, 9=9967

Kemp,W.R.G. See also Birch,J.A. 8=3921; Harper,A.F.A., 7=8550; Rayne,J.A., 7=2143, 7=6131

Kemp,W.R.G., Klemens,P.G., Sreedhar,A.K. and White,G.K. The thermal and electrical conductivity of palladium at low temperatures, 5=7891. The thermal and electrical conductivity of silver-palladium and silver-cadmium alloys at low temperatures, 6=3670

Kemp,W.R.G., Klemens,P.G. and Tainsh,R.J. Lattice thermal conductivity of some copper alloys, 8=4910

Kemp,W.R.G., Klemens,P.G. and White,G.K. Thermal and electrical conductivities of iron, nickel, titanium, and zirconium at low temperatures, 6=6555

Kempni,K. and Haber,M. Interference phenomena exhibited by Fresnel mirrors displaced from one another, 7=3170

Kempter,C.P. and Elliott,R.O. Thermal expansion of $\langle UN\rangle$, $\langle UO_2\rangle$, $\langle UO_2.ThO_2\rangle$, and $\langle ThO_2\rangle$, 9=6831

Kemsley,D.S. The nature of persistent slip bands in fatigued copper, 7=6651. Observations on the distribution of slip in polycrystalline copper, 7=9937

Kenawi,M. See Omar,M., 7=8930

Kendall,B.R.F. Mass spectrometer ion source for solid samples, 9=2413. Ion current stabilization for a surface ionization mass spectrometer, 9=5814

Kendall,G.L. See Moody,J.W., 9=3698

Kendall,H.W. Lifetime of the 0^+ excited state in Ge^{70}, 8=7309. Multichannel spectrometer detector, 9=4878

Kendall,H.W. and Deutsch,M. Annihilation of positrons in flight, 6=3173

Kendall,J.M. See Leslie,C.B., 6=7230

Kendall,J.T. Transistor technology. Silicon transistors, 8=1701

Kendall,P. See Cusack,N. 9=4637

Kendall,P.A. See Litovitz,T.A., 7=5136

Kendall,P.C. See Chandrasekhar,S., 8=5109. Ferraro,V.C.A., 7=31

Kendell,R. See Tucker,D.G., 8=7780

Kendig,P.M. See Pigott,M.T. 5=1630

Kendrew,J.C. Three dimensional structure of globular proteins, 9=8777

Kendrick,W.M. See Turner,T.E., 6=1084

Kennan,A. See Bhowmik,B., 7=8866

Kennard,D.C., Jr. Sonic vibration as exemplified by the RB-66B airplane, 8=8664

Kennedy,A.J. The physical and computing significance of an electrical analogue of creep and recovery, 5=3197. A single-profile crystal extensometer adjustable for orientation, , 5=5239. Recovery and recrystallization in metals examined in terms of the restoration of the transient creep properties, 5=5680. A general creep and recovery property of metals, 5=6556. Effect of fatigue stresses on the recovery properties of metals, 7=2752. See also Marcus,P.M., 9=8057

Kennedy,A.J. and Slade,R.F. An automatic electromechanical stressing unit for creep and fatigue testing, 7=3773

Kennedy,E.M. See Kaempffer,F.A., 7=2979

Kennedy,J. See Rohan,J.J., 9=12816

Kennedy ,J.M. See also Sharp,W.T. 5=5591

Kennedy,J.M., Sears,B.J. and Sharp,W.T. Tables of X coefficients, 5=6407

Kennedy,J.M. and Sharp,W.T. Statistical factors for electromagnetic transitions, 5=5617

Kennedy,J.W. See Feng,P.Y. 5=5047

Kennedy,P.A. and Kent,G. Electrolytic tank, design and applications, 7=2153

Kennedy,R.J. See Miller,W. 5=1792, 6=6727, 7=440

Kennedy,S.W, and Calvert,L.D. An oxidizing atmosphere furnace for use with an X-ray diffractometer, 8=3577

Kennedy,W.D. See Watson,M.T. 5=7439

Kennedy,W.L. See Belinfante,F.J., 8=1494

Kennel,J.M. See Hughes,D.S., 6=144

Kennett,T.J. and Bollinger,L.M. The multiple scattering of neutrons at resonances, 9=11476

Kennett,T.J., Bollinger,L.M. and Carpenter,R.T. Gamma-ray spectra from neutron capture in resonances of Mn^{55}, 8=8305

Kennett,T.J. and Thode,H.G. Mass spectrometrically determined independent yields of I^{128}, I^{130}, Br^{80}, and Br^{82}, for U^{233}, U^{235}, and Pu^{239} fission, 6=6917. The cumulative yields of the krypton and xenon isotopes produced in the fast neutron fission of Th^{232}, 7=9891

Kenney,M.J., Sarjant,R.J. amd Thring,M.W. The viscosity of mixtures of gases at high temperatures, 6=8031

Kenney,N.T. See Fine,M.E. 5=2230

Kenney,R.W. See Anderson,J.D., 6=6137, 6=6141; Brabant,J.M., 7=8811; Dudley,J.M., 6=5934; Knapp,E., 7=9416; Knapp,E.A., 9=8476; Uretsky,J.L., 8=7274

Kenney,V.P. Meson production in deuterium by 1.4-BeV pions, 7=2706. See also Brunhart,G., 8=5316

Kenny.A.W. and Maton,W.R.E., The absorption curves of Ru^{103} and Ru^{106}, 7=644

Kenschitzki,C.H.von. See von Kenschitzki,C.H.

Kent,D.W., Jr. See Machwe,M.K., 9=11480

Kent,G. See Kennedy,P.A., 7=2153

Kent,J.H. The measurement of magnetic fields in aluminium reduction furnaces, 9=11186

Kent,P.W. See Little,K. 5=8357

Kent,R.L. See Badessa,R.S., 9=12974

Kent,T.B. A hydrogen Pirani leak detector using a charcoal trap, 5=4427

Kenttamaa,J., Tommila,E. and Martti,M. Some thermodynamic properties of the system t-butanol + water, 9=12194

Kenty,C. Streamer and brush flames excited by active nitrogen in the rare gases, 5=9549. Active nitrogen in the rare gases and its excitation of metal vapors, 5=9550

Kenward,C.J. See Hyder,H.R.McK., 8=6343

Kechane,K.W. and Metcalf,W.K. The characteristics of photomultiplier tubes and their use for absorption measurements, 5=7063

Kepes,J.J., Waldman,B. and Miller,W.C. Absolute electron–electron differential scattering cross sections at 1.00 MeV, 1.50 MeV, and 2.00 MeV. III, 9=4896

Kephart,J.F. See Hammel,J.E., 6=589

Kepler,R.G. See also Aggson,T.L., 6=4004

Kepler,R.G., d'Andlau,C.A., Fretter,W.B. and Hansen,L.F. Relativistic increase of energy loss by ionization in gases, 8=1107

Keppel,H. See Riehl,N., 6=2004

Kereiakes,J.G. X-ray analysis of compressed KCl powder crystals, 5=6631. X-ray analysis of sheared-compressed KCL powder crystals, 7=3341

Kerf,J.L.F.De. See De Kerf,J.L.F.

Kerim Ibrahim Ali Abdel. See Ali Abdel Kerim Ibrahim.

Kerimov,B. See Sokolov,A., 7=7607

Kerimov,B.K. Levy–Klein potential of pseudoscalar meson theory and nuclear saturation, 7=8099. See also Ivanenko,D.D., 7=603; Sokolov,A.A., 5=1107, 6=8583, 7=1064, 7=3976 8=1529, 8=5174, 8=7230

Kerimov,B.K. and Dzhavadov,A.B. Nuclear density and the distribution of orbital momentum in nuclei, 7=606

Kerimov,B.K. and Dzhavadov,A.V. On the statistical theory of the atomic nucleus. III, 6=8324

Kerimow,B. See Sokolow,A., 9=1060

Kerker,M. Scattering functions for spherical particles of refractive index of 1.46-4.30i, 6=270. See also Chou,A., 6=7261

Kerker,M. and Cox,A.L. Eleven additional light scattering functions for spherical particles of refractive index of 2, 6=269

Kerlee,D.D., Blair,J.S. and Farwell,G.W. Elastic scattering of alpha particles, 8=326

Kerler,W. See Hauser,U., 9=116

Kerman,A.K. Rotational perturbations in nuclei. Application to wolfram [tungsten] 183, 7=4618. See also Brink,D.M. 9=13585

Kerman,A.K., McManus,H. and Thaler,R.M. Polarization of nucleons in inelastic scattering from nuclei, 9=6105

Kerman,R.O. See also Nilson,R., 7=3370, 9=582 Zimmerman,E.J. 5=996

Kerman,R.O. and Nilson,R. Deuteron–proton scattering at 11.7 MeV, 7=8666

Kermicle,H.A. See Farquharson,J., 7=5904

Kern,B.D. See also Brunhart,G., 8=5316; Farney,G.K., 5=3076; Givin,H.H., 5=1162; Kreger,W.E., 9=6135

Kern,B.D. and Cochran,L.W. Gamma rays from the proton bombardment of phosphorus, 7=2601

Kern,B.D. and Kreger,W.E. $Li^6(n,t)He^4$ cross section for 12.5-to 18.3 MeV neutrons, 9=2826

Kern,B.D., Thompson,W.E. and Ferguson,J.M. Cross sections for some (n,p) and (n,α) reactions, 9=8636

Kern,E. The determination of the optical constants of neodymium in the visible and near infrared, 7=7024

Kern,J. The properties of a hydrogen lamp for [spectral] measurements, 5=1672

Kern,R. Influence of the medium of growth on the correspondence between morphology and crystalline structure. I. Interaction between the crystal and solvent, 6=779. See also Busch,G., 6=3727; Busch,G.A., 9=11189; Comper,W., 9=4223

Kernan,A. See Anderson,F., 7=5610; Bhowmik,B., 8=704, 8=3310; Cester,R., 6=4670, 7=697; Friedlander,M.W. 5=3134; Keefe,D. 9=3926,9=8480

Kernan,W. See York,C., 9=6036

Kernel,G. See Mihailović,M.V. 9=11472

Kerner,E.H. The band structure of mixed linear lattices, 6=6040. The electrical conductivity of composite media, 7=1268. The elastic and thermo-elastic properties of composite media, 7=1687. Note on the forces and damped oscillator in quantum mechanics, 8=2157. Dynamical Feynman's theorem, 9=5376

Kerner,K. On electron emission from cold metallic surfaces under moderate field strengths ($\sim 10^4$ V/cm), 6=4438

Kerner,M. A new apparatus for optical image formation with variable magnification scale and automatic focusing, 6=3596

Kernevez,J. See Benoit,R., 8=3617

Kernohan,R.H. See also Wechsler,M.S., 9=5633, 9=8085

Kernohan,R.H., Billington,D.S. and Lewis,A.B. Effect of neutron irradiation on the precipitation-hardening reaction in alloys containing beryllium, 6=1418

Kerns,D.M. See also MacPherson,A.C. 5=3910

Kerns,D.M. and Hedberg,R.W. Propagation constant in rectangular waveguide of finite conductivity, 5=3904

Kerns,Q.A. See also Linlor,W.I., 7=7984

Kerns,Q.A., Kirsten,F.A. and Cox,G.C. Generator of nanosecond light pulses for phototube testing, 9=9545

Kerper,M.J., Mong,L.E., Steifel,M.B. and Holley,S.F. Evaluation of tensile,compressive, torsional, transverse, and impact tests and correlation of results for brittle cermets, 9=2976

Kerr,E.C. Orthobaric densities of He^3 1.3°K to 3.2° K, 5=897. Density of liquid He^4, 7=5281. See also Bigeleisen,J., 6=1161; Yarnell,J.L., 9=6846, 8=6924

Kerr,F.J. See also Shain,C.A. 5=10117

Kerr,F.J. and Vaucouleurs,G.de. Rotation and other motions of the magellanic clouds from radio observations. 6=4780. The masses of the Magellanic clouds from radio observations, 6=6311

Kerr,F.J., Hindman,J.V. and Carpenter,M.S. The large-scale structure of the Galaxy,8=18*

Kerr,F.J. and Shain,C.A. Reflexion of radio waves from the moon, 7=5801

Kerr,I.S. The origin of the hydrated oxide formed when anodic aluminium oxide films are "sealed" in boiling water, 7=3800

Kerr,I.S. and Wilman,H. The structure and growth of oxide layers formed on beryllium, 6=8988

Kerr,J. and Wert,C. Effect of nitrides on the coercive force of iron, 5=8903

Kerr,J.T. and Duckworth,H.E, Atomic masses of Kr^{84}, Kr^{86}, Xe^{129}, Xe^{132}, Hg^{200}, Hg^{201} and Hg^{204}, 8=8374

Kerr,J.T., Isenor,N.R. and Duckworth,H.E. Concerning the masses of the stable zinc isotopes, 6=1500

Kerr,J.T., Taylor,J.G.V. and Duckworth,H.E. Reliability of atomic masses in the chromium-germanium region, 6=580

Kerr,L.W. Non-magnetic mass spectrometers, 7=2327

Kerr,R.J. See Brosi,A.R. 9=4996

Kerr,R.P. On spherically symmetric solutions in Moffat's unified field theory, 8=5607. The Lorentz-covariant approximation method in general relativity. I, 9=11790. II. Second approximation, 9=11791

Kerr,V.N. See also Hayes,F.N., 6=2964, 6=5170

Kerr,V.N., Hayes,F.N. and Ott,D.G. Liquid scintillators. III. The quenching of liquid-scintillator solutions by organic compounds, 9=3327

Kerr,W. See Orr,L. 7=3683

Kerridge,D.H. See Addison,C.C., 6=3526-7, 6=7187

Kerridge,M. Metal transfer and the wear process, 5=8332. See also Chick,D.R., 8=4329

Kerridge,M. and Lancaster,J.K. The stages in a process of severe metallic wear, 6=7772

Kerry,J.P. See Putman,J.K., 5=9450

Kerscher,R. and Kulenkampff,H. The spectrum and angular distribution of the Röntgen bremsstrahlung from a thin anticathode, 5=8831

Kerst,D.W. See also Scott,M.B., 6=1554; Symon,K.R. 7=1382

Kerst,D.W., Cole,F.T., Crane,H.R., Jones,L.W., Laslett,L.J., Ohkawa,T., Sessler,A.M., Symon,K.R., Terwilliger,K.M., and Nilsen,N.V. Attainment of very high energy by means of intersecting beams of particles. 6=5157

Kerst,D.W., Hausman,H.J., Haxby,R.O., Laslett,L.J., Mills,F.E., Ohkawa,T., Peterson,F.L., Sessler,A.M., Snyder,J.N. and Wallenmeyer,W.A. Operation of a spiral sector fixed field alternating gradient accelerator, 9=11148

Kersten,H.J. and Klingenberg,E.W. Circuit for measuring high resistance or low capacitance, 6=2056

Kersten,M. Reversible and irreversible magnetization charges along the hysteresis curve, 5=9778. The curvature of the Bloch wall as an elementary process of reversible magnetization changes (initial permeability and Δ E-effect), 6=7536. The interpretation of the temperature variation of the initial permeability of Mn$_2$Sb, cobalt, iron and nickel, 6=7537. On the importance of the density of dislocations for the theory of the coercive force of recrystallized materials, 7=2402. Remarks on the paper by Z.Malek: "On the dependence of coercive force on the density of dislocations", 8=8113. The effect of dislocations on the initial permeability of nickel in the recrystallized and in the plastically deformed state, 9=4803

Kerstens,J.B.S.M. Mechanical phenomena in gramophone pick-ups at high audio frequencies, 7=1985

Kertes,L. See Zhuravlev,N.N., 8=1713

Kerth,L. See Karplus,R. 9=9990

Kerth,L.T. See also Birge,R.W. 5=9122. Stork,D.H., 7=2152

Kerth,L.T., Kycia,T.F. and van Rossum,L. Total cross sections for 190 MeV positively charged K mesons in complex nuclei, 8=9063

Kertz,W. Model for induced terrestrial magnetic electric current in lower strata, 5=10100

Kerwin,E.M.,Jr. Damping of flexural waves by a constrained viscoelastic layer, 9=9343

Kerwin,L. Some mass spectrometric data on phosphorus, 5=2103. Some upper limits of isotopic abundance. I. A, Mn, and Cd, 7=2564. On the displacement of an ion beam image by magnetic fringing fields, 9=346

Kerwin,L. and Cottin,M. Mass spectrometric analysis of some hydrogen oxides . I, 9=1928

Kerwin,L. and McElcheran,D.E. Some upper limits of isotopic abundance. II. Ne, Cl, and Ga, 7=7314

Kerwin,L., McElcheran,D.E. and Cottin,M. Some upper limits of isotopic abundance. III. C, O, and Zn, 7=9347

Kesaev,I.G. On causes of regular motion of the cathode spot of an electric arc in a magnetic field, 7=5364. Splitting of the cathode spot of an electric arc, 7=7941

Keshishian,V., Kruse,H.W., Klotz,R.J. and Fowler,C.M. Energy levels in $_{66}$Dy^{160}, 5=1114

Kessemeier,H. On the effect of a double grid on charge carriers in a non-self-maintained discharge, 8=8794

Kessenikh,A.V. and Pomerantsev,N.M. A quantitative comparison of the theory of magnetic resonance of atomic nuclei with experiment, 7=6462

Kessenikh,V.N. A possible way of measuring the concentration of slow neutrons in the F$_2$ layer of the ionosphere, 9=9065

Kessler,D. See also Kessler,P., 7=6874

Kessler,D. and Kessler,P. On the nuclear interactions of relativistic mu mesons, 6=7136. On the validity of the Williams – Weizsäcker method and the problem of the nuclear interactions of relativistic μ-mesons, 7=681

Kessler,D. and Maze,R. Electromagnetic interactions of μ-mesons in arrangements of counters, 5=6282. Remarks on the multiple electromagnetic interactions of μ mesons, 5=7388. An experiment with counters on penetrating showers produced by μ mesons, 6=3812. Experiment on penetrating showers produced by μ-mesons in a large cloud-chamber underground, 7=8706

Kessler,F.R. Emission and absorption of long wave infrared radiation of germanium in the photoconducting state, 9=5728. Infrared absorption of free carriers produced in semiconductors by photoeffect, 9=9611

Kessler,F.R. and Schnell,J. Infrared spectrum and carrier mobility in the intrinsic range of silicon, 8=7960

Kessler,H.B. See Beer,M., 9=1288

Kessler,J. Externally excited Van de Graaff generator with high belt charge densities, 5=8811. Single scattering of medium fast electrons on heavy atomic nuclei, 9=9939

Kessler,J.O. Internal friction and defect interaction in germanium: experimental, 7=6718; theoretical, 7=6719

Kessler,J.O. and Moore,A.R. Magnetic susceptibility of photo-generated current carriers in germanium, 9=12264

Kessler,K.G., Barger,R.L. and Schweitzer,W.G. Atomic beam sources and the standard of length, 9=11520

Kessler,K.G., Meggers,W.F. and Moore,C.E. Extension of the arc spectra of palladium and platinum (6500 to 1200 A), 5=3563

Kessler,K.G., Prusch,S.B. and Stegun,I.A. Analysis of atomic spectra with electronic digital computers, 7=2000

Kessler,K.G. and Schweitzer,W.G., Jr. Zeeman-split absorption lines as very narrow pass filters, 9=9448

Kessler,P. Approximate calculation of the second-order term in perturbation theory, 5=5225. Applications of a method of approximation to the second order term in perturbation theory, 5=6767. Excitation probabilities of the two-electron atom, 6=2326. Calculation of the ground state of a 3-electron atom by the perturbation method, 6=3122. Calculation of the ground state of an atom with four electrons by the perturbation method, 6=3123. Contribution of the imaginary part of the amplitude of the Delbruck effect to the elastic scattering of photons, 9=4886. See also Feix,M., 8=7233; Kessler,D., 6=7136, 7=681

Kessler,P. and Eberhard,P. An expression for the imaginary part of the amplitude for Delbruck scattering, 8=1158

Kessler,P. and Kessler,D. Generalization of the method of Williams and Weizäcker, 7=6874

Kessler,R. Infrared light emission from germanium at low temperatures, 5=4547. A light-modulator for use with an infrared detector, 6=8087. The behaviour of thermocouples

in intermittent irradiation under the influence of internally generated heat waves, 8=7050. The contribution of free holes to the infra-red absorption in germanium, 9=3468. On the temperature dependence of the p-absorption bands in germanium, 9=12261. See also Jaumann,J., 6=7412

Kessler,R. and Riccius,D. Absorption of germanium in the near infrared and crystal defects, 9=5546

Kestin,J. and Wang,H.E. On the correlation of experimental viscosity data, 8=6717

Keszthelyi,L. Absorption measurements with Co^{60} gamma radiation, 6=7659. See also Erö,J., 7=6571

Keszthelyi,L. and Erö,J. (γ,p) Reactions in Na^{23}, K^{39}, I^{127} and Cs^{133}, 9=2814

Keszthelyi,L. and Fodor,I. Investigation of the 16.1 excitation level of C^{12}, 9=8582

Keszthelyi,L. and Zimányi,J. Polarization of β^--particles in ^{8}Li-decay, 9=3858. On the excited levels of Pt^{192}, 9=12665

Ketelaar,J.A.A. See also Colpa,J.P., 8=2962; Fahrenfort,J. 5=193; Haas,C., 6=8704, 7=8515; Hooge,F.N., 7=8748

Ketelaar,J.A.A., Colpa,J.P. and Hooge,F.N. Pure rotational absorption spectrum of hydrogen, 5=3577

Ketelaar,J.A.A. and Haas,C. Infrared emission spectrum of calcite, 7=8513

Ketelaar,J.A.A., Haas,C. and Fahrenfort,J. Relation between the infrared spectrum and the Raman spectrum of crystals. Variation of frequency with the incidence in the infrared spectrum of sodium nitrate, 5=3584

Ketelaar,J.A.A., Haas,C., Hooge,F.N. and Broekhuijsen,R. Far infrared emission spectrum of flames. Rotational spectrum of OH-radicals and determination of flame temperatures, 6=3601

Ketelaar,J.A.A., Haas,C. and van der Elsken,J. Infrared absorption spectra of bifluorides in alkali halide disks; the formation of mixed crystals. 6=5000

Ketelaar,J.A.A. and Hooge,F.N. Simultaneous vibrational transitions in liquids, 5=6004. Simultaneous transitions in liquids. A new kind of molecular spectrum, 6=248

Ketelaar,J.A.A. and van der Elsken,J. Frequency shifts in the infrared absorption spectrum of complex ions in solid solution, 9=6730

Ketelle,B.H. See also Brosi,A.R., 6=588, 6=8944, 9=4996

Ketelle,B.H., Thomas,H, and Brosi,A.R. Decay of the cerium-139 isomers, 6=6860

Ketskeméty,I. See Budó,A., 7=2065, 9=5565

Ketskeméty,I. and Szalay,L. Polarization of luminescence and the character of the absorption and emission processes, 6=8689

Kettel,F. The thermal conductivity of germanium at high temperatures, 9=6824

Kettleborough,C.F. An analogue study of the temperature distribution in cooled gas-turbine blades, 5=5352

Kettner,M.E. Atomic masses from C^{12} to Ne^{22}. 6=5334

Ketudat,S. and Pound,R.V. Electric quadrupole interactions of deuterons and molecular motion in $Li_2SO_4D_2O$, 7=5517

Keuffel,J.W. See also Barrett, W.A. 9=4925; Mezzetti,L., 5=4967, 7=3709

Keuffel,J.W., Call,R.L., Sandmann,W.H. and Larson,M.O. Search for mass-550 particles, 9=1666

Keuffel,J.W., Morris,G.J., Stitt,R.K., Call,R.L. and Sandmann,W.H. Cosmic-ray measurement of τ^- and K-meson mean lives, 8=8252

Keuffel,J.W., Sandmann,W.H. and Stitt,R.K. Millimicrosecond timing with large scintillation detectors, 6=2963

Keussler,V.v. See v.Keussler,V.

Kevane,C.J. See Engler,A.R., 8=3101

Kevelson,D. See Lide,D.R.,Jr. 6=1433

Kevroleva,K.M. Dielectric strength of Seignette [Rochelle] salt crystals for D.C., A.C. (50 c/s) and impulse voltages of 10^{-4} to 10^{-7} sec duration, 7=3237

Keyes,R.J. See also Stevenson,D.T. 5=2745, 5=3761; Zwerdling, S., 7=2229

Keyes,R.J., Zwerdling,S., Foner,S., Kolm,H.H. and Lax,B. Infrared cyclotron resonance in Bi, InSb and InAs with high pulsed magnetic fields, 7=2211

Keyes,R.T. See Cook,M.A., 6=2747, 6=3335, 9=4326

Keyes,R.W. Effect of pressure on the electrical conductivity of InSb, 5=7956. Temperature dependence of the elastoresistance in N-type germanium, 6=1224. Elastogalvanomagnetic effect and intervalley scattering in n-type germanium, 6=8784. Elastoresistance and magnetoresistance in multivalley semiconductors with an axis of symmetry, 7=1275. Piezoresistance in bismuth, 7=2210. Interpretation of magnetoconductivity in n-type germanium and silicon, 8=5886. Isotropic approximation to the magnetoresistance of a multivalley semiconductor, 8=7928. Morse potentials for excited states of diatomic molecules, 8=9098. Volumes of activation for diffusion in solids, 8=9136. An antibonding Morse potential, 9=1825. Correlation between mobility and effective mass in semiconductors, 9=8123. Effects of electron–electron scattering on the electrical properties of semiconductors, 9=8133. Laws of corresponding states for the thermal conductivity of molecular solids, 9=10892. The effects of elastic strain on the conductivity of homopolar semiconductors, 9=10972. High-temperature thermal conductivity of insulating crystals: relationship to the melting point, 9=13206

Keyman,J.Q. See van der Tweel,L.H., 5=5810

Keymeulen,J. van. See van Keymeulen,J.

Keyston,J.R.G., Macpherson,J.D. and Guptili,E.W. Coefficient of thermal expansion of barium titanate, 9=6833

Keywell,F. Measurements and collision–radiation damage theory of high-vacuum sputtering, 5=4744. Improved diffusion boundary junctions in silicon due to scratch-free polishing, 8=5906

Kgol',F. Apparatus for mechanical determination of interplanar distances in the lattice, 8=7610

Khachkuruzov,G.A. Vibrational constants of the water molecule, 9=8710

Khaidarov,A.A. See Zhdanov,G.B., 8=5092

Khaĭkin,M.S. Concerning investigations on anisotropy in the surface impedance of tin at low temperatures, 5=7065. Surface resistance of superconducting cadmium, 8=7983. See also Rodionov,S.F. 5=6242

Khaĭkin,M.S. and Abaulina,É.I. Self-extinguishing light meter with adjustable red limit, 5=6869. An attempt to detect combination (Raman) scattering of light by a superconductor, 6=6654

Khaĭkin,S.Ê. Radio-astronomy, 5=7634. See also Labedev,S.V. 5=960, 5=1018

Khaikin,S.Ê. and Kaidanovskii,N.L. A new radio-telescope of high resolving power, 9=10506

Khaçkina,R.M. See Konozenko,I.D., 8=7543

Khaimov-Mal'kov,V.Ya. See Aleksandrov,K.S., 7=6957; Bagdasarov,Kh.S., 8=3571

Khalafawi,T.El. See El Khalafawi,T.

Khalatnikov,I.M. Contributions to the relativistic hydrodynamics, 5=5856. Representation of the Green's function in quantum electrodynamics in the form of functional integrals, 5=7690. The second viscosity of monatomic gases, 6=6423. Propagation of sound in flowing helium II and the effect of heat flow on the propagation of second sound, 6=7352. Theory of kinetic phenomena in He II, 7=2132. The hydrodynamics of He II, 7=2133. Concerning the elastic scattering of high energy particles, 8=677. Hydrodynamical fluctuations in a superfluid, 8=1656. On magnetohydrodynamic waves and magnetic tangential discontinuities in relativistic hydrodynamics, 8=1789. Hydrodynamics of solutions of two superfluid liquids, 8=4931. See also Abrikosov,A.A., 6=7970, 8=1652 8=5666, 8=7850, 9=2356, 9=4527, 9=13233; Arkhipov,R.G., 8=1564; Gor'kov,L.P., 7=2969; Landau,L.D., 5=8482, 6=7966-9, 7=1049

Khalatnikov,I.M. and Abrikosov,A.A. Dispersion of sound in a Fermi liquid, 8=2898. The thermodynamics of liquid He^3, 8=4928. The modern theory of superconductivity, 9=4617. Theory of diffusion and thermal conductivity of dilute He^3 solutions in helium II, 8=2279

Khaletskiĭ,M.M. Measurement of total cross-sections σ_t for $E_n = 14.8$ MeV neutrons by counting (n,α) - coincidences, 7=8895. Determination of the differential elastic scattering cross-section for 14.8 MeV neutrons by counting (n,α) coincidences, 7=8896

Khalfin,L.A. Causality conditions and physical realizibility criteria in quantum field theory, 7=3948*. On the theory of the decay of quasi-stationary states, 8=1538. Causality condition and the criteria of physical realizability, 8=2810. Theory of decay of a quasi-stable state, 8=5662.

Khalilov,A.Yu. See Nasledov,D.N., 6=5880-1

Khalizev,V.I. See Flerov,G.N., 8=6316; Karnaukhov,V.A., 9=13675

Khalkin,V.A. See Kuznetsova,M.Ya., 8=9049

Khalupa,B. See Ignatenko,A.E., 9=2610, 9=2867

Khalupovskii,M.D. Effect of the nature of decay on the luminescence spectra of boron phosphors, 9=10836

Khambátá,S.J. Raman spectrum of magnesium oxide, 6=8122

Khaminov,D.V. Dependence of the amplification factor of an acoustic focusing system on the ultrasonic intensity in water, 9=7892
Khamrui,S.R. On the slow steady motion of an infinite viscous liquid due to the rotation of a cylinder, 9=1130. On the flow of a viscous liquid through a tube of elliptic section under the influence of a periodic pressure gradient, 9=1131. On the flow of a viscous liquid through a tube of elliptic section under exponential pressure gradient, 9=1132
Khan,G.A. See Spence,R.D. 9=11225
Khan,M.Aslam. See Aslam Khan,M.
Khan,M.Y. See Chandhri,R.M. 6=7482, 7=3377*, 7=8672, 8=6089
Khan,N.A. Initiation processes in the autoxidation of fatty acid esters and allied substances, 5=3212. Mechanism of the conversion of cis-to transmodifications of the unsaturated higher fatty acid esters by nitrogen dioxide, 6=2519
Khan,S.A. See Hashmi,S.Z.R. 9=13121
Khandeker,P.V. See Bhide,V.G. 6=4406; Das,J.N., 7=4362
Khandelwal,D.P. See Pant,D.D., 8=7838
Khangil'din,U.V. See Salomonovich,A.E. 9=10509
Khanin,Ya.I. The problem of determining the electron density in the ionosphere, 9=9077
Khanolkar,D.D. See Angus,W.R., 9=11191
Khansevarov,R.Yu. See also Ryvkin,S.M., 7=7120, 9=1467
Khansevarov,R.Yu., Ry̆vkin,S.M. and Ageeva,I.N. On dependence of the forbidden-band width on composition of [semiconducting] CdS–CdSe solid solutions, 8=4006
Khare,R.C. The expansion of a semi-infinite gas-cloud into a vacuum, 5=687. The expansion of an interstellar gas-cloud-viscosity taken into account, 5=688
Kharionovskiĭ,Yu.S. See Vertsner,V.N., 8=3903
Kharitonov,V^{0}.M. On the orientations of the planes of decay of double V -events, 6=3266
Kharlamov,S.P. See also Adamovich,M.I. 9=4931
Kharlamov,S.P., Adamovich,M.I. and Larionova,V.G. On the magnitude of the ratio σ^- / σ^+ near the π-photoproduction threshold, 9=13568
Kharlamova,E.I. A particular integrable case of the Euler–Poisson equation, 9=9268
Khartman,V.G. See also Kyul'ts,E.F., 6=1473
Khartman,V.G., Leont'eva,I.N., Sinyavskii,A.P. and Vasil'ev,L.V. A pulse height analyzer with an electron beam tube, 6=4465
Khartsiev,V.E. Simple methods of investigation of the band structure of some semiconductor compounds, 9=1434. On the statistics of impurity centres with several levels in germanium-type semiconductors, 9=3473
Khasanovich,T.N. Note on the article by Hewitt and Anthony: "Measurement of the isothermal volume dilation accompanying the unilateral extension of rubber", 9=10337
Khashaba,S. and Massey,H.S.W. The excitation of the 2p state of hydrogen by slow electrons–distorted wave treatment, 8=2600
Khaskind,M.D. About some principles of electron current in vacuo, 8=4079. Diffraction and radiation of sound waves in liquids and gases. I, 8=4813; II, 4814
Khastgir,S.R. Leader stroke current in a lightning discharge according to the streamer theory, 7=6780. Abnormal polarization of the atmospheric pulses reflected successively from the ionosphere, 8=4192. Polarization of atmospherics, 8=7217. See also Srivastava,C.M. 5=7563
Khastgir,S.R., Tantry,B.A.P. and Srivastava,R.S. Electric field changes during cloud-to-cloud lightning discharges, 8=1382
Khatskevich,M.V, See Korshunov, N.S., 9=10662
Khavkin,L.P. Theory of an ionization manometer, 7=4026. See also Penchko,E.A., 9=7854
Khawaja,A. See Chaudhri,R.M., 8=6089
Khazanov,V.S. Determination of the contrast sensitivity of the eye in conditions of photometric comparison, 5=9528
Khazanov, V.S. and Yurov,C.G. On the constancy of spectral characteristic of oxygen–caesium and antimony–caesium vacuum photoelements, 7=406
Khazanova,N.E. See Krichevskiĭ,I.R., 6=8733
Khazov,L.D. See Vanyukov,M.P., 6=2132
Khazov,Yu.L. See Gvozdev,V.S., 8=4277, 9=13696
Kheifets,S.A. See Orlov,Yu.F., 9=9718-9
Kheĭker,D,M. and Zevin,L.S. X-ray diffractometer and its application to the solution of some problems of X-ray analysis, 7=8282
Kheiralla,A.A. A new theory of fatigue, 7=3774
Khenokh,M.A. Effect of gamma-radiation from radioactive cobalt on carbohydrates, 7=834
Khimunin,A.S. See Isaev,A.A., 9=5468
Khishin,M.El. See El Khishin,M.
Khizhnyak,N.A. The Green's function for Maxwell's [electromagnetic] equations for inhomogeneous media, 9=464. Artificial anisotropic dielectrics. I, 9=6886, II, 9=6887, III, 9=6888. See also Fainberg,Ya.B., 8=5055
Khlebnikov,A.K. See Berestetskiĭ,V.B., 6=7127
Khlebnikov,G.I. See Flerov,G.N., 8=6316; Tret'yakov,E.F. 9=12663
Khlebnikov,N.S. New photo [electron]-multipliers, 9=11111
Khmelevskiĭ,A.N. See Agrest,M.M., 9=3245
Khodakov,A.L. Non-linear characteristics of ferrolectrics at high field strengths, 6=5840. See also Novosil'tsev,N.S. 5=925, 6=5842; Sholokhovich,M.L., 7=4857
Khodakov,A.L., Sholokhovich,M.L., Fesenko,E.G. and Kramarov,O.P. Obtaining monocrystals of solid solutions of barium and strontium titanates and their dielectric and optical properties, 7=344. Single crystals of strontium titanate, 7=4907
Khodov,Z.L. See Polotskii,I.G., 8=7765, 9=11928
Khoe Kong Tat. See Heyn,F.A., 9=11146
Khokhlov,M.Z. The question of the possibility of measuring the temperature of the column of a jet discharge using the 3064 A hydroxyl band, 6=7444. Rotational temperatures of hydroxyl and nitrogen and conditions of their excitation in high-frequency discharges over a wide range of pressures, 8=5026. See also Bulkin,P.S., 9=7021
Khokhlov,R.V. Synchronization of the external force of two connected self-oscillatory systems, 7=5933. See also Klimontovich,Yu.L., 8=2435; Lyubimov,G.P., 8=63921
Khokhlov,Yu.K. Description of the interaction of a system of particles with the electromagnetic field, 5=55. Some sum rules for the cross-sections of electric quadrupole transitions in the nuclear photoeffect, 7-5631. On the moment of inertia of a non-spherical nucleus, 9=2698
Khokhlova,Z.S. See Zhadnov, A.P., 8=3376
Kholnov,Yu.V. See Dželepow,B.S., 9=8547
Khol'nov, Yu.V. See Džhelepov,B.S., 9=11454; Prikhodtseva,V.P. 9=10074
Kholodenko,L.P. Contribution to the thermodynamical theory of the ferroelectric properties of barium titanate, 7=2176. Contribution to the theory of phase phenomena in barium titanate, 7=3240. Theory of hysteresis phenomena in barium titanate, 7=7081
Kholodenko,L.P. and Shirobokov,M.Ya. Theory of the ferroelectric properties of polarized barium titanate ceramics, 8=7890
Khomenko,L.O. See Zhy̆dkov,V.A., 8=7510
Khomutetskiĭ,O.K. See Isupov,V.A., 8=3072
Khormushko,S.P. See Timofeeva,T.V. 9=11313
Khosla,B.D. Influence of applied potential on the characteristics of photosensitive non-self-maintained region of a low frequency electric discharge, 5=8797. Influence of light intensity on the characteristics of non-self-maintained region of a low frequency electric discharge, 6=3761. See also Ramaiah,N.A., 5=3804, 5=9680, 6=390
Khosla,B.D., Gaur,H.C. and Ramaiah,N.A. Surface dependence of Joshi effect in water vapour under low frequency electric discharge, 6=3764
Khosla,B.D. and Ramaiah,N.A. Studies of secondary processes of low frequency electric discharge with glass electrodes, 5=6166. Oscillographic studies of Joshi effect and secondary processes in a low frequency electric discharge, 6=1276
Khosla,G. See Findley,W.N. 5=9189
Khozyainov,V.T. On the theory of collision of particles with a given angular momentum, 5=746. Formation of mesons in periphery collisions of nucleons, 5=2207. Remarks on the theory of the scattering of particles with a given total angular momentum, 7=1072. Transfer of heat between the normal and super-fluid phases of liquid helium, 9=8042. On the theory of the multiple formation of elementary excitations, 9=11858
Khrenov,B.A. See Abrosimov,A.T., 8=8090
Khrimyan,A.V. Generation of penetrating pairs by the neutral component of cosmic radiation, 7=2391. Investigation of the products of nuclear interactions caused by the neutral component of the cosmic radiation, 7=6533. See also Alikhanov,A.I., 9=12440
Khrimyan,G.V. Investigation of nuclear disintegrations produced by charged cosmic rays, 9=2479. See also Asatiani,T.L., 8=1763
Khristiansen,G.B. On the spatial distribution of particles in extensive atmospheric showers, 8=8089. See also

Abrosimov,A.T., 6=7502, 8=8090, 9=12432; Antonov,Yu.N., 7=6318; Guseva,V.V. 9=2469; Kulikov,G.V., 9=3617; Vernov,S.N. 9=12431

Khristov,Kh. and Nikolov,N. Establishment of certain probabilities and mean values, relating to collisions and free paths of gas molecules, 7=7668

Khristov,Kh.Ya. Approximate expression for Green function in the neutron kinetic equation, 7=5056. On the Green function of the neutron kinetic equation, 7=5846. On Green's function of the cascade kinetic equations, 8=1527. On the diffusion of charged particles in a homogeneous electromagnetic field, 8=1818. On the propagation of cascades in a multi-layer medium, 8=4751. On correlations in the distribution of cascade particles, 8=4752

Khristov, L.G. On the dependence of the gas-amplification factor with proportional counter voltage, 9=8402

Khrobak,L. The problem of ions in crystals, 9=12761

Khromchenko,L.M. Magnetic analysis study of the energy levels of the S^{33} nucleus, 6=7624. An investigation of the energy levels of aluminium and boron nuclei by magnetic analysis, 7=3533. Investigation of the energy levels of the F^{20} nucleus by magnetic analysis, 7=6444

Khromchenko,L.M. and Blinov,V.A. A study of the energy levels of the lithium nucleus by the method of magnetic analysis, 6=6073

Khrustalev,A.V. See Margulis,A.Ya. 9=11346

Khu Nin. Strong and weak interactions involving hyperons, 8=6630

Khuan Nyan-Nin. See Barashenkov,V.S., 9=11367

Khuan Shen Nyan. See Kuznetsov,E.V., 7=4485

Khubchandani,P.G. See also Bhandari,R.C., 9=1781; Shankar,J., 7=8279

Khubchandani,P.G., Kothari,L.S. and Singwi,K.S. Thermal inelastic scattering of cold neutrons in polycrystalline graphite. II, 8=8980

Khukhareva,I.S. Measurement of the depth of penetration of a magnetic field into mercury films, 8=3148

Khurana,C.S. and Hans,H.S. 150 kV Cockroft–Walton type particle accelerator, 9=11137

Khuri,N.N. Analyticity of the Schrödinger scattering amplitude and nonrelativistic dispersion relations, 7=9545

Khuri,N.N. and Treiman,S.B. Dispersion relations for Dirac potential scattering, 8=515

Khutsishvili,G.R. Thermodynamical theory of magnetic relaxation, 6=4486. On the angular distribution of β-radiation, I, 6=5361; II, 6=5362. Polarization of the nuclei of ferromagnetic atoms, 7=625. On nuclear magnetic relaxation in ionic crystals, 7=2802. β-Radiation of polarized nuclei, 8=1932. On the Overhauser effect in non-metals, 8=8435 On the Overhauser effect in non-metals. II, 9=2939. On the Overhauser stationary effect in paramagnetic salts and semiconductors, 9=5922. See also Cheishvili,O.D., 9=6050; Matinyan,S.G. 9=13022

Khutsishvili,G.R. and Cheishvili,O.D. Double elastic scattering of deuterons in a magnetic field, 9=2673

Khutsishvili,G.R. and Matinyan,S.G. On the form of β-interaction, 8=6266

Khvashchevskaya,Ya.S. See Stepanov,B.I. 8=2235

Khvashchevskiĭ,S. See Koval'skiĭ,N.G., 9=2370

Khvostenko,G.I. See Ioffe,V.A., 9=4549, 9=9583

Khvostenko,V.I. and Dukel'skiĭ,V.M. Formation of negative H^- ions in electron collisions with hydrogen molecules, 8=5082

Khvostikov,I.A. Ozone in the stratosphere, 8=4561

Khvostikov,I.A. and Megrelishvili,T.G. New bands and lines in the twilight sky spectrum, 9=9082

Khÿzhnyak,M.A. See Dushin,L.O. 8=7092

Kiang,N.Y.-S. See also Goldstein,M.H.,Jr, 8=9188, 9=6423

Kian,N.Y.-S. and Goldstein,M.H.,Jr. Tonotopic organization of the cat auditory cortex for some complex stimuli, 9=10476

Kibartas,V.V. See also Glembotskiĭ,I.I., 6=1491; Tsyunaĭtis,G.K., 7=633; Yutsis,A.P. 5=2081

Kibartas,V.V., Kavetskis,V.I. and Yutsis,A.P. Self-consistent field of Fock in the three-configurational approximation for beryllium, 6=2325

Kibartas,V.V. and Yutsis,A.P. Solution of the Fock equations for the beryllium atom in a two-configurational approximation, 5=456

Kibble,T.W.B. Dispersion relations for inelastic scattering, 8=4236. On the consistency of Schwinger's action principle, 9=2037. See also Glambiagi,J.J., 9=7798

Kibble,T.W.B. and Polkinghorne,J.C. On Schwinger's variational principle, 8=56. Higher order spinor Lagrangians, 8=2782

Kibblewhite, A.C. Noise generation in crystals and in ceramic forms of barium titanate when subjected to electric stress, 5=1800

Kichenassamy, S. On the existence conditions for the solution of $g_{+-}^{\mu\nu}:\rho = 0$, 7=6852. On a particular case of the solution of $g_{+-}^{\mu\nu}:\rho = 0$, 7=6853. Choice and interpretation of coordinate systems in general relativity, 9=7770. On the singular electromagnetic field in the Born–Infeld theory, 9=11274

Kidder,R.E. Flow of immiscible fluids in porous media; Exact solution of a free boundary problem, 6=7175. Motion of the interface between two immiscible liquids of unequal density in a porous solid, 7=4003

Kiddle,R.F. and Proctor,W.G. Nuclear quadrupole interactions in two Tutton's salts, 7=2803

Kido,K. See Fukushima,K. 6=6489

Kiefer,B. See Schubert,K. 5=2232

Kiefer,H. and Maushart,R. A new large-surface flow-through counter as a means to the better determination of the gross radioactivity in water after the evaporation process, 9=3680

Kiefer,H. and Ziegler,B. A combination of a quartz fibre with a Knudsen manometer for the determination of vapour curves of organic substances, 5=4401

Kieffer,J. See also Bergeon,R., 6=966; Dapoigny,J. 5=7772, 6=965, 7=2761, 8=6467; Saurel,J., 8=3925

Kieffer,J. and Dapoigny,J. Progressive plane waves in a continuous medium, 8=916

Kieffer,J., Dapoigny,J. and Vodar,B. Shock waves in a dense medium. I. Reference to some theoretical considerations, 5=5915. Nature and process of formation of shock waves initiated by detonation of an explosive, 9=142

Kieffer,L.J. See also Childs,W.J., 9=2691; Perkins,K.L., 7=5502

Kieffer,L.J. and Bushkovitch,A.V. Critical analysis and applications of a quasi-resonant theory of pressure broadening of linear molecules, 9=3998

Kielich,S. See Piekara,A., 9=4343, 9=12204

Kienel,G. Two-material films. V. Diffusion of silver in selenium, 5=9167

Kienle,H. The problem of stellar temperatures, 7=3930. The Happel radiation laboratory, 8=3859. Absolute spectrophotometry in astronomical research. (The problem of stellar temperatures), 8=4680. Continuous spectrum light sources for spectrophotometry, 9=3035

Kienle,P. Measurements on the temporal discharge spread in Geiger-Müller counter tubes and their application to the representation of radioactive radiation fields, 9=5969

Kienle,P. and Segel,R.E. Relative pulse height of protons and electrons in KI(Tl), 9=5572. Decay of Co^{56} and Mn^{56}, 9=11435

Kienlin,A.v. See v.Kienlin,A.

Kiepenheuer,K.O. Experiments with a Lyot Hα-filter and preliminary results on the structure of the chromosphere, 9=5322

Kiepenheuer,K.O. and Deubner,F.L. Photoelectric recording and photometry of faculae and (chromospheric) eruptions, 8=3656

Kiepenheuer,K.O. and Kuenzer,G. Observation in integrated light of a solar eruption on the solar limb, 9=4224

Kiepenheuer,K.O. and Rabben,H.H. A radio-telescope for λ 11.5 cm (2600 Mc/s), 9=5297

Kiess,C.C. New descriptions and analyses of the third and fourth spectra of zirconium, Zr III and Zr IV, 6=8088

Kiess,C.C. and Corliss,C.H. Description and analysis of the first spectrum of iodine, 9=13151

Kiess,N.H. and Broida,H.P. Analysis of the (0,1) and (1,2) bands of the $^2\Delta-^2\pi$ system of Ch. 6=5766. Spectrum of the C_3 molecule between 3600 Å and 4200 Å, 7=4133

Kigoshi,K. See Sakata,T. 5=3721

Kihara,T. Virial coefficients and models of molecules in gases. B, 6=4251. Geometrical theory of convex molecules in non-uniform gases, 7=8461. Macroscopic foundation of plasma dynamics, 8=8066. Thermodynamic foundation of the theory of plasma, 9=9727. On the coefficients of irreversible processes in a highly ionized gas, 9=11155. See also Kaneko,S., 6=4894; Koba,S., 7=3065; Midzuno,Y., 7=3064; Ohkawa,T., 8=8067

Kihara,T. and Kaneko,S. Confirmation of the existence of a helium double-molecule, 5=6371. Temperature variation of Mayer's cluster integrals, 9=9250

Kihara,T. and Koba,S. Second virial coefficient between unlike molecules, 5=2491. Convex-core model of molecules in crystalline state, 9=13768

Kihara,T., Midzuno.Y and Kaneko,S. Virial coefficients and intermolecular potential for small nonspherical molecules, 6=5275

Kihara,T., Midzuno,Y. and Shizume,T. Statistics of two-dimensional lattices with many components, 5=3254. Virial coefficients and intermolecular potential of helium, 5=5272

Kihara,T. and Ouchi,A. Convex molecules in non-uniform gases, – Supplement, 7=9568

Kihô,H. The crystallographic aspect of the mechanical twinning in metals, 5=3251. The crystallographic aspect of the mechanical twinning in Ti and α-U, 9=11620. See also Maruyama,S., 6=5514

Kiho,H. and Maruyama,S. Consecutive observations on crystal twin intersections, 9=5244

Kiive,P. See Pinnick,H.Y., 6=3840

Kikoin,A.K. See Likhter,A.I. 7=9931

Kikoin,I.K. and Bȳkovskiĭ,Yu.A. On the transverse photomagnetic effect in n- and p-germanium, 7=1283. On the anisotropy of the even (transverse) photomagnetic effect in germanium monocrystals, 8=2331

Kikoln,L.I. See Karchevskii,A.I. 9=13424

Kikuchi,C. See also Lambe,J., 9=8343; Makhov,G. 8=4174; Singer,L.S., 6=485

Kikuchi,C., Lambe,J., Makhov,G. and Terhune,R.W. Ruby as a maser material, 9=8349

Kikuchi,H. See Mori,N., 9=4490-1

Kikuchi,K. The penetration of the diffuse nuclear potential barrier, 9=11416. Distribution of the imaginary part of the optical potential, 9=13588. See also Hayakawa,S., 5=1210, 5=4916, 6=3194, 7=7356; Nakasima,R., 6=6915, 7=6536

Kikuchi,K., Kobayashi,S. and Matsuda,K. Elastic and inelastic scattering of 14.1 MeV protons by medium weight nuclei, 9=10102

Kikuchi,M. Long period effects in germanium crystal rectifiers, 5=2757. Some experiments on the germanium surface layer, 7=378. Observation of the drift of germanium surface by field effect experiment, 7=8617. Peripheral inhomogeneities of the alloyed germanium p–n junction, 8=5901. Some experiments on the surface field effects in germanium single crystals, 8=7938. Observation of the lateral photovoltage by surface field effect, 9=2346. On the backward leakage current in the alloyed germanium p–n junction, 9=11003

Kikuchi,M. and Denda,S. A micriscope study of etched germanium surfaces, 7=4860. Spiral etch pits on germanium surface, 7=4861

Kikuchi,M. and Iizima,S. A simpler method for removing copper from germanium, 8=4614. Some observations on germanium bicrystals, 9=5249

Kikuchi,M. and Tarui,Y. Transient phenomena in the backward direction of germanium crystal rectifiers, 5=954

Kikuchi,R. λ Transition of liquid helium, 5=255. Statistical mechanics of liquid He^3, 6=288. Theory of one-dimensional fluid binary mixtures, 6=1888. Shape distribution of two-dimensional soap froths, 6=3529. On the mimum of magnetization reversal time, 7=1456. Heisenberg's model of ferro- and antiferromagnetism, 8=5103. See also Sato,H., 9=7150

Kikuchi,S. The distribution of latent images produced by β-particles of various energies between the surface and bulk of silver halide grains in nuclear emulsions, 9=11328

Kikuchi,S., Wakatsuki,T., Yamaguchi,S., Oda,Y., Sanada,J., Yamabe,S., Yoshizawa,Y., Takeda,M., Nozawa,M., Okada,E., Hirao,Y., Kobayashi,S., Kondo,M., Ozaki,S., Kato,T., Okano,K., Kato,S., Hu,C. and Koh,Y. Osaka University 44 inch cyclotron, 9=352

Kikuchi,T. The thermoluminescence of glasses, 8=3897. See also Block,M. 9=12581; Kawamura,H. 9=10858

Kikuchi,Y. Objective allocation of sound-image from binaural stimulation, 7=4945. Performance of magnetostrictive transducers made of aluminium–iron alloy or nickel–copper ferrite, 8=1569. See also Hashimoto,T., 7=9575

Kikuchi,Y. and Shimizu,H. On the variation of acoustic radiation resistance in water under ultrasonic cavitation, 9=13122

Kikuchi,Y., Uchida,R., Tanaka,K., and Wagai,T. Early cancer diagnosis through ultrasonics, 8=2083

Kikuta,T. A variation principle in deutron problem, 5=60. Super-stationary variational method, 5=747. Upper and lower bounds of Born approximation, I, 5=1548. II, 5=1549. Extensions of variational methods. I. Super-stationary variational method, 6=6292. II. Two parameter eigenvalue problem for the deuteron state, 6=8008. See also Ohmura,T.

Kikuta,T., Yamada,M. and Morita,M. Effect of hard core on the binding energies H^3 and He^3, 6=3092, 6=8322

Kilb,R.W. Internal barrier height of methyl mercaptan, 6=541 See also Lin,C.C. 6=4550

Kilb,R.W., Lin,C.C. and Wilson,E.B.,Jr. Calculation of energy levels for internal torsion and over-all rotation. II. CH$_3$CHO type molecules; acetaldehyde spectra, 7=8045

Kilb,R.W. and Pierce,L. Microwave spectrum, structure, and internal barrier of methyl silane, 7=8049

Kilimov,A.P. and Shimanskaya,N.P. The extinction of photoluminescence in stilbene by extraneous substances, 9=12104

Kilin,S.F., Prosin,G.P. and Rozman,I.M. A multi-frequency phase fluorometer with double frequency conversion, 9=9458

Kilin,S.F. and Rozman,I.M. On the law of de-excitation of polystyrene excited by electrons, 9=12123. The effect of reabsorption on the duration of fluorescence of organic substances, 9=12124

Killpatrick,D.H. and Balluffi,R.W. On the Kirkendall effect in the hexagonal close-packed phase of cadmium and mercury, 9=8878

Kilmister,C.W. The application of certain linear quarternion functions of quarternions to tensor analysis, 5=8436. See also Bastin,E.W. 5=6715, 8=3686, 9=5351; Newman,D.J. 9=9185; Stephenson,G., 8=5597

Kilmister,C.W. and Stephenson,G. Field equations in general relativity, 5=4337

Kilpatrick,E.L. A technique for sweep frequency polarization measurements at low frequencies, 5=1381

Kilpatrick,J.E. A progress report on some accurate calculations on some simple molecules, 7=6379. Term series for a rotating-vibrating diatomic molecule by perturbation, 9=7422. See also Putnam,W.E., 8=160; Taylor,R.D. 5=7930-1

Kilpatrick,J.E., Hammel,E.F. and Mapother,D. Superconductivity of uranium, 5=4683

Kilpatrick,J.E., Keller,W.E. and Hammel,E.F. Second virial coefficients of helium from the exp-six potential, 5=1601

Kilpatrick,M. See Palm,A. 5=9619

Kilpatrick,W.D. Criterion for vacuum sparking designed to include both r.f. and d.c., 8=5938

Kim,C.-S. Experimental studies of supersonic flow past a circular cylinder, 6=4887. See also Tamaki,F., 8=3785

Kim,C.-S. and K.Oshima, Experimental studies of the interaction of a plane shock wave with a circular cylinder. 6=4247

Kim.J.S. See also Pinkus,A.G., 9=9028

Kim,J.S. and Currie,B.W. Horizontal movements of aurora, 8=4599

Kim,Y.B. Energy distribution of neutral mesons produced in cosmic-ray stars, 6=4671. Simultaneous utilization of magnetic deflection and Coulomb scattering in the estimate of particle momenta, 9=514

Kim,Y.B., Burwell,J.R., Huggett,R.W. and Thompson,R.W. Magnetic cloud chamber study of $V^{\pm}$ events, 5=2199

Kim,Y.B. and Platner,E.D. Flux concentrator for high-intensity pulsed magnetic fields, 9=9746

Kim,Y.W., Kaplan,R. and Bray,P.J. V-type center resonance of neutron-irradiated LiF at room temperature, 9=1878

Kim Shoon Kyung. See Shoon Kyung Kim.

Kinmata,M. and Nomura,T. On the electroluminescence in ZnS phosphor, 6=5022

Kimball,D.S. See Bless,R.C. 5=9309

Kimball,G.E. and Neumark,G.F. Use of Gaussian wave functions in molecular calculations, 7=7276

Kimball,G.E. and Trulio,J.G. Quantum mechanics of the H$_3$ complex, 8=2623

Kimbel,K.H. and Willenbrink,J. Continuous measurement of weak β rays in liquids with a scintillation tube, 9=5971

Kimel,S. See also Jaffe,J.H., 9=176, 6=8674

Kimel,S., Hirshfeld,M.A. and Jaffe,J.H. Pressure induced shifts of HCl absorption lines in the infrared, 9=9430

Kimmel,H. Quantitative investigations on plastic replicas, 5=3172. A method for the evaluation of line displacement when using the Tolansky method with incident light, 5=7870 On the faithfulness of reproduction in lacquer replicas, 6=216. On the Faraday effect in semiconductors, 9=3453. See also Esche,R., 6=7769

Kimoto,K. An electron diffraction study on the plastic deformation of aluminium single crystals, 6=5449

Kimura,H. On the plastic deformation of α-brass single crystals by compression, 6=1662. See also Miyauchi,T., 7=5324

Kimura,H. and Katagiri,S. An electron lens system excited by permanent magnets with a new astigmatism compensator, 9=9704

Kimura,I. See also Maeda,K., 9=4139

Kimura,I. and Fuwa,H. An electromagnetic vibrating viscometer, 7=5102

Kimura,I. and Kumagai,S. Spark ignition of flowing gases, 6=5048

Kimura,K. Isotope effect on the mean-square amplitude [of molecular vibration], 8=3413. See also Kimura,M., 6=5302; Sasaki,Y., 9=10204

Kimura,K. and Kimura,M. Approximate method in calculating

mean-square amplitudes of bonded interatomic distances, 6=8914

Kimura,K., Kokame,J. and Yamashita,S. Observation of the deflected ion beam trajectory from a cyclotron, 8=1729

Kimura,K. and Kubo,M. Structures of dimethyl ether and methyl alcohol, 9=3990

Kimura,K., Kumabe,I., Miyake,K., Ogata,H. and Miyasita,K. The reaction $O^{16}(n,\alpha)C^{13}$, 7=8167

Kimura,K., Suzuki,S., Kimura,M. and Kubo,M. Molecular structure of tropone, 7=9804

Kimura,M. See also Hirone,T., 6=715; Kimura,K., 6=8914, 7=9804

Kimura,M., Kimura,K. and Shibata,S. On the bond length and the mean square amplitude of C -O bond in methyl alcohol. 6=5302

Kimura,M., Kitagaki,T., Shōda,K., Musturo,N. Onuki,Y. and Tōhei,T. Initial performance of the Tōhoku electron synchrotron and the visible rays caused by the circulating electrons, 8=4061

Kimura,M., Mutsuro,N., Ohnuki,Y., Shoda,K., Sugawara,M., Tohei,T. and Yuta,H. Measurement of bremsstrahlung spectra with sodium iodide scintillation crystal, 9=9931

Kimura,T. On the quantum field theory of the interaction between the graviton and the matter field, 7=5883. II. Formulation without the coordinate audition, 7=5884. See also Shibata,T., 7=5027

Kimura,Y., Yanase,Y. and Shimauchi,M. The production of charged π-mesons by proton-nuclei collisions, 9=3780

Kinard,F.E. Temperature dependence of photomultiplier gain, 8=255

Kinase,W. On interactions among ions of a $BaTiO_3$ crystal and on its 180° and 90° domain boundaries, 6=7015. See also Nakamura,T., 8=4518

Kinase,W. and Takahashi,H. Theory of spontaneous deformation of barium titanate, 6=2063

Kinase,W. and Takahasi,H. On the 180°-type domain wall of $BaTiO_3$ crystal, 8=6944

Kinbara,A. Variation of the optical properties of iron at transition temperature, 9=10747

Kinbara,T. and Ikegami,H. On the positive and negative ions in diffusion flames, 7=5433

Kinbara,T. and Nakamura,J. On the ions in diffusion flame, 5=1763. On liquid-fuel flames in longitudinal electric field, 5=1764

Kinber,B.E. The solutions of an inverse problem in geometrical accoustics, 6=4933

Kinchin,G.H. Changes in the electrical properties of graphite due to neutron irradiation, 5=3746

Kinchin,G.H. and Pease,R.S. The mechanism of the irradiation disordering of alloys, 5=4826. The displacement of atoms in solids by radiation, 6=1417

Kind,A. The low energy nuclear mechanics and the independent particle model, 5=9823. On the sign of the real central part of the neutron–nucleus complex potential, 7=9307

Kind,A. and Jess,L. On the real part of the complex potential well of the nucleus, 6=8919

Kind,A. and Villi,C. The optical model and the nucleon–nucleon scattering, 5=5885

Kind E.G. See also Lau, E., 9=3250

Kind,E.G. and Schulz,G. The formation of images of interference effects and image defects, 9=7922

Kinder,E. The electrostatic charging of photographic materials in the electron microscope, 8=9151

Kinder,E. and Puff,A. Artifice and artefact in the silica replica method, 5=3171

Kinder,W. See Hansen,G., 9=1333

Kinderman,E,M. See also Lefevre,H.W., 6=2363

Kinderman, E.M., Lefevre,H.W. and Van Tuyl,H.H. Pile neutron capture cross sections of Np^{239}, 9=8646

Kindermann,L. See Baumgärtner,F. 9=6100

Kindler,H. A recording unit for infrared spectra for use with a Zeiss mirror monochromator, 9=179

Kineke,E. See Cole,H., 9=2898

King,A.B. and Long,F.A. Mass spectra of some simple esters and their interpretation by quasi-equilibrium theory, 9=364

King,A.D., Jr. See Robertson,W.W., 9=10208

King,A.J. Attenuation of sound in lined air ducts, 8=8663

King,A.M. and Voigt,A.F. Relative yields of nuclear isomers of Br^{80} produced by a (γ,n) reaction, 7=4731

King,D.T. Iostropy of pion emission at 6 BeV, 8=8992. See also Block,M.M., 5=2852, 5=5649

King,F.T. See also Hirt,R.C., 6=8667

King,F.T. and Lippincott,E.R. Sodium vapor lamp Raman excitation source for the study of colored compounds, 6=7262

King,G. See Beck,A.H. 5=5485

King,G.A.M. Electron distribution in the ionosphere, 5=650. Electron distribution in the ionosphere, 7=948

King,G.A.M. and Cummack,C.H. Electron distribution in the ionosphere, 6=7867

King,G.W. A 20 ft Ebert grating spectrograph, 8=2944. See also Craig,D.P. 9=2208

King,H.J. and Katz,L. Photoneutron threshold and cross section for $_{71}Lu^{175}$, 8=2572

King,I. The escape of stars from clusters. III. Expansion versus contraction in the evolution of a star cluster, 9=3037

King,I.R. Ion recombination rates in methane–air flames, 8=1359. Effect of pressure on ion formation in propane–air flames, 9=261

King,I.R. and Calcote,H.F. Effect of probe size on ion concentration measurements in flames, 6=1331. Effect of initial temperature on minimum spark-ignition energy, 6=1687

King,I.R., McVittie,G.C., Swenson,G.W., Jr and Watt,S.P., Jr. Further radio observations of the first satellite, 8=1460

King,J and Davidson,N. On the T_1/T_2 ratio for protons in aqueous Mn^{++} solutions, 9=5938

King,J.C. Anelasticity of synthetic crystalline quartz at low temperatures, 9=871. The anelasticity of natural and synthetic quartz at low temperatures, 9=7549

King,J.I.F. The Gaussian quadrature formula for an Elsasser band-absorption model, 5=4319. Radiative equilibrium of a line-absorbing atmosphere. I. 5=5843. Radiative equilibrium of a line-absorbing atmosphere, II, 6=6327. The source function for an equilibrium gray atmosphere, 7=50

King,J.W. The fading of radio waves reflected at oblique incidence, 8=1797

King,K.A. See Franklin,A.D., 8=2291

King,K.M. See Tycko,D.H., 8=1992

King,L.A. The positive column of high- and low-current arcs, 5=1860, 7=1333. Theoretical calculation of arc temperatures in different gases, 9=3531.

King,M.B. and Strickland-Constable,R.F. Relation between the volume of a liquid and its internal energy, 7=148

King,M.V. Two charts for setting the Buerger precession camera, 6=805. Improved resolution of X-ray diffraction patterns of protein crystals at low temperature, 8=4529

King,N.M. Random errors and misalignments in the A/G [alternating gradient] proton linear accelerator, 5=9706. Proton dynamics in the linear accelerator. II. A/G-focussed section, 10-50 MeV., 6/412. Non-linear effects in spiral ridge cyclotrons. II, 8=5975. See also Bransden,B.H. 5=1951. Walkinshaw,W., 7=7166

King,N.M., Hobbis,L.C.W. and Harrison,E.R. Trajectories in the accelerating and drift space of a proton injector, 8=5970

King,N.M. and Walkinshaw,W. Non-linear effects in spiral-ridge cyclotrons. I, 8=5974

King,P., Lockhart,L.B., Jr, Baus,R.A., Patterson ,R.L., Jr, Friedman,H. and Blifford,I.H. RaD, RaE and Po in the atmosphere, 6=7898*

King,R. Gap problem in antenna theory, 5=5533. See also Chalmers,B. 6=7097, 7=2905; Lipsett,F.R., 7=7466

King,R.B. See also Bell,G.D., 9=10759, 9=12002; Davis,M.H., 5=7828; Floyd,A.L. 5=4514, 5=7829; Olsen,K.H. 5=7827, 9=13156

King,R.B., Parnes, B.R., Davis,M.H. and Olsen,K.H. Relative gf-values for lines of Co I, 5=5980

King,R.E.J. Equivalent circuit for the oxide-coated cathode, 6=6749. Current–voltage characteristics of the oxide coated cathode at low activation energies, 7=500

King,R.F. See Moak,C.D., 9=12380

King,R.J. Variation in contrast of photographic emulsions in the ultra-violet, 6=7922

King,R.W. Table of total beta-disintegration energies, 5=2098. Supermultiplets and spin dependent forces, 5=8206. See Lauer,J.L., 7=4122

King,R.W. and Peaslee,D.C. Compound model for heavy particles, 7=6588

King,R.W. and Perkins,J.F. Inverse beta decay and the two-component neutrino, 9=5990

King,T.A. See Rodney,W.S., 9=174

King,W.J. See also Johns,M.W., 8=8289

King,W.J. and Johns,M.W. Spins of excited states of Os^{188}, 9=8516

King,W.T., Mills,I.M. and Crawford,B.Jr. Normal coordinates in the methyl halides, 8=2018

King Tien Ping. See Ping King Tien

Kingery,W.D. Densification during sintering in the presence

of a liquid phase. I. Theory, 9=7537

Kingery,W.D. and Berg,M. Study of the initial stages of sintering solids by viscous flow, evaporation-condensation, and self-diffusion, 6=741

Kingery,W.D. and Narasimhan,M.D. Densification during sintering in the presence of a liquid phase. II. Experimental, 9=7538

King-Hele,D.G. Progress of Sputnik 2 (1957β), 8=3661. Density of the atmosphere at heights between 200 km and 400 km, from analysis of artificial satellite orbits, 9=9062. The effect of the earth's oblateness on the orbit of a near satellite 9=11766. See also Merson,R.H., 9=2997, 9=5338

King-Hele,D.G. and Leslie,D.C.M. Effect of air drag on the orbit of an earth satellite, 9=3073

King-Hele,D.G. and Merson,R.H. A new value for the Earth's flattening, derived from measurements of satellite orbits, 9=6475

King-Hele,D.G. and Walker,D.M.C. Irregularities in the density of the upper atmosphere: results from satellites, 9=6473

Kingsbury,E.P. Some aspects of the thermal desorption of a boundary lubricant, 9=889

Kingsbury,G.W.J. and Fursey,A. An electrode holder for the porous cup technique of spectrographic analysis. 8=7796

Kingsbury,R.F. Oscillator strengths for transitions between $2p^3p$ and $2p^33s$ in oxygen I, including configuration interaction, 6=579

Kingston, A.E. See Dalgarno,A. 9=2861, 9=7411

Kingston,R.H. Water-vapor-induced n-type surface conductivity on p-type germanium, 5=7056. Review of germanium surface phenomena, 6=2104. A u.h.f. solid-state maser, 8=5142. See also Jones,N.T. 5=3779; McWhorter,A.L. 5=1836

Kingston,R.H. (Ed.) with the assitance of Burstein,E., (Ed.), McWhorter,A.L., (Ed.), Miller,P.H., Jr, (Ed.), Stevenson,D.T. (Ed.) and Weisz,P.B. (Ed.). Semiconductor surface physics, 7=8601

Kingston,R.H. and McWhorter,A.L. Relaxation time of surface states on germanium, 6=7410

Kingston,R.H. and Neustadter,S.F. Calculation of the space charge, electric field, and free carrier concentration at the surface of a semiconductor, 5=7035

Kingston,R.H. and Tannenwald,P.E. Ferromagnetic resonance at u.h.f. in thin films, 8=3241

Kingston,R.S.T. See Grossman,P.U.A., 8=8486

Kingston,J.D. See also Bair,J.K., 6=647, 7=3639; Willard,H.B., 5=507, 5=5642, 6=2416, 7=3640

Kington,J.D., Bair,J.K., Cohn,H.O. and Willard,H.B. Proton-neutron threshold measurements, 5=9914

Kinman,T.D. An attempt to detect deuterium in the solar atmosphere, 8=2109

Kinman,T.H. The high power germanium power rectifier, 7=7892

Kinnaird,R. See Ferpe,M., 8=4547

Kinney,F.E. See Fisher,R.A. 9=13150; Roberts,J.H. 7=9929

Kinney,J.A.S. Sensitivity of the eye to spectral radiation at scotopic and mesopic intensity levels, 5=7568. Calculated effect of the color temperature of the stimulus on scotopic thresholds, 7=4932. Comparison of scotopic, mesopic, and photopic spectral sensitivity curves, 8=2077

Kino,G.S. See Kirstein,P.T., 9=3554

Kinoshita,T. Ground state of the helium atom, 7=5574. Commutation relation of different fields and the TCP theorem, 8=4715. Radiative corrections to $\pi-e$ decay, 9=12576. Ground state of the helium atom. II, 9=13729

Kinoshita,T. and Peierls,R.F. Spin and parity of the neutral pion, 8=281

Kinoshita,T. and Sirlin,A. Polarization of electrons in muon decay and the two-component theory of the neutrino, 7=8863. Muon decay with parity nonconserving interactions and radiative corrections in the two-component theory, 7=8865. Radiative corrections to the asymmetry parameter of low-energy positrons in muon decay, 7=9912. Polarization of electrons in muon decay with general parity-nonconserving interactions, 8=5219. Radiative decay of the muon, 9=6014 Radiative corrections to Fermi interactions, 9=7278

Kinosita,K. See also Nomura,S. 9=13243; Sidei,T., 7=6268, 7=9719

Kinosita,K. and Nakayama, J. Spiral cleavage of mica, 7=3808

Kinosita,K. and Nomura,S. Half-shade device for the precise measurement of the principal angle of incidence, 9=12152

Kinsey,B.B. Resonances in the elastic scattering of protons 5=8841. See also Evans,J.E., 9=2824, 9=8515; Rae,E.R., 8=6328; Waters,J.R., 9=13691

Kinsey,B.B. and Stone,T. Elastic scattering of protons at 31.5, 20, and 14.5 MeV, 6=8369

Kinsey,G.H. See Jentschke,W. 5=2131

Kinsey,J.L. See Schott,G.L., 9=5219

Kinsloe,H.L. See Holak,W. 7=9580

Kinson,J.B. See Colley,D.C. 9=7227

Kint,L.van der. See van der Kint,L.

Kintner,R.C. See Mhatre,M.V. 9=10672

Kinzer,G.D. See Phillips,B.B. 9=3012

Kip,A.F. Experimental work on cyclotron resonance in semiconductors, 5=2728. Electron spin resonance experiments on metals and semiconductors, 5=6333. See also Dexter,R.N. 5=1811; Dresselhaus,G. 5=5409, 5=6308, 6=329, 6=1223; Feher,G. 5=6334; Henig,A. 5=387

Kip,A.F., Langenberg,D.N., Rosenblum,B. and Wagoner,G. Cyclotron resonance in tin, 8=394

Kipfer,P. See Deutsch,S., 8=977

Kipfer-Bogaert,M. A beta ray spectrograph using a transistor current regulator, 7=5390

Kipling,J.J. and Peakall,D.B. Chemical and physical adsorption on solid oxides and hydroxides, 5=9220

Kippenhahn,R. On the dynamics of a medium permeated by radiation, 5=1482. Investigations of rotating stars. I. Zero-order theory, 6=5645. Investigations of rotating stars. II. First-order theory, 8=8569. Plasma configurations with surface currents, which are in equilibrium with a [exterior] magnetic field, 9=11167. See also Fisser,H., 9=3577

Kippenhahn,R. and Schlüter,A. A theory of solar prominences, 9=5323

Kippenhahn,R., Temesváry,S. and Biermann,L. Star models. I. The evolution of type II stars, 9=4241

Kirakosyan,Z.A. See Kocharyan,N.M., 6=5194, 7=2621, 7=2635, 9=12418; Kocharyan,N.N. 5=371

Kirby,H.W. See also Salutsky,M.L. 5=7349

Kirby,H.W., Grove,G.R. and Timma,D.L. Neutron-capture cross section of actinium-227, 6=6165

Kirby,H.W. and Kremer,D.A. Simplified procedure for computing the growth of radioactive decay products, 5=7313

Kirby,P.L. Internal friction in glass. II. Flexural and torsional vibrations, 5=1305. III. Strain relaxation, 5=3204. Apparatus for the measurement of time of impact, 6=5453. Relaxation processes in glass, 7=2721

Kirchenmayer,A. On the time behaviour of boiling water reactors 9=7378. The time dependence of the heat transfer from the fuel element to a constant (boiling) temperature coolant in the case of unidimensional heat flow, 9=12709. See also Emendörfer,D. 9=12716

Kirchhof,G. A contribution to the Seidel theory of the thin-lens triplet, 9=167

Kirchman,E.J. and Greenspon,J.E. Nonlinear response of aircraft panels in acoustic noise, 8=1577

Kirchner,F. Electron emission from metal surfaces as a result of electric fields in traces of insulating impurity, 7=6243

Kirchner,F. and Kirchner,H. On ionization and desorption through strong electric fields, 5=8050. On the counting of individual particles in mass-spectroscopic investigations, 5=9715. The measurement of very low gas and vapour pressures, 7=1962. On the image force of ionized and polarized atoms, 9=3575

Kirchner,F. and Ritter,H.A. On the desorption of positive and negative ions by strong electric fields. 6=4472

Kirchner,F. and Wilhelmy,W. The gyromagnetic ratio of the proton, 5=9833. The gyromagnetic ratio of the proton, 6=2317

Kirchner,H. See Kirchner,F. 5=8050, 5=9715, 7=1962, 9=3575

Kireev,P.S. Relative intensity of the components of the five structure of the He II 4686A line, 6=8659. Isotope shift in the spectrum of He II, 6=8660. Fine structure of the line He IIλ = 4687 A with a calculation of Lamb's difference term $nS_{\frac{1}{2}}$, 7=240. Fine structure and Lamb shift of the 2 $s_{\frac{1}{2}}$ level in the T_{α}-line of tritium λ 6560A, 7=4138

Kirenskii,L.V. and Degtyarev,I.F. On the temperature stability of the domain structure in silicon iron crystals, 9=2515

Kirenskii,L.V. and Ivlev,V.F. Temperature hysteresis of the galvanomagnetic effect, 6=6650

Kirianenko,A. See Adda,Y. 9=11586

Kirillov,V.D. See Bezbatchenko,A.L., 7=4403

Kirillova,G.K. Electrical properties of mullite [sillimanite], 9=6889

Kirillova,M.M. See Skornyakov,G.P., 9=12137

Kirillov,-Ugryumov,V.G. See also Alikhanyan,A.I., 7=6591,

8=8234, 8=8236; Ivanov,Yu.M., 8=8230

Kirillov,-Ugryumov,V.G., Dolgoshein,B.A., Moskvichov,A.M. and Morozova,L.P. Scattering of μ-mesons with momenta of about 100 MeV/c in copper and iron, 9=8471, 9=12571

Kirillov-Ugryumov,V.G., Fedorov,V.M. and Deryagin,B.N. Rectangular Wilson chamber with bilateral expansion, 6=5179

Kirillov-Ugryumov,V.G. and Moskvichev,A.M. Scattering of μ-mesons in beryllium, 8=7393

Kiritch,D.M. On the interpretation of the ionization and the luminescence produced by hydration of the organic salts of quinine and quinidine, 6=5008

Kirk,A. See Alston,M.H. 7=8854; Astbury,A., 9=1671, 9=9967

Kirk,M. See Tolbert,B.M. 9=12919

Kirk,R.D. See Ginther,R.J. 7=8532

Kirk,R.E. Learning, a major factor influencing preferences for high-fidelity reproducing systems, 7=3105. Difference limen for tone diminution, 9=4177

Kirkaldy,J.S. Diffusion in multicomponent metallic systems, 7=8211. The time-dependent diffusion theory for condensation on spherical and plane surfaces, 9=258. Diffusion in multicomponent metallic systems. I. Phenomenological theory for substitutional solid solution alloys, 9=835. II. Solutions for two-phase systems with applications to transformation in steel, 9=836. III. The motion of planar phase interfaces, 9=837. IV. A general theorem for construction of multicomponent solutions from solutions of the binary diffusion equation, 9=2947. Crystal growth and the thermodynamics of irreversible processes, 9=8987

Kirkbride,J. Borazole and boron nitride scintillators, 5=5335

Kirkham,D. Potential and capacity of concentric coaxial capped cylinders, 8=5856

Kirko,I.M. Magnetohydrodynamic phenomena on the terrestrial laboratory scale, 9=13500. See also Vitol,V.G., 9=3637

Kirkova,E. See Blisnakov,G. 9=6365; Bliznakov,G., 6=2530

Kirkpatrick,P. Notes on jumping, 8=4603. On colleagues and clients, 9=11769

Kirkpatrick,P. and El-Sum,H.M.A. Image formation by reconstructed wave fronts. I. Physical principles and methods of refinement, 7=217

Kirkwood,J.G. The statistical mechanical theory of the liquid state, 5=9391. The theory of visco-elastic properties of high polymers, 5=9391. See also Bade,W.L., 8=2632; Bearman,R.J., 8=2173; Cowan,R.D., 8=8829, 9=2109; Erpenbeck,J.J., 9=1148; Hammerle,W.G., 6=314, 6=7386; Maxo,R.M., 6=2044, 8=2176; Rice,S.A., 9=11864; Salsburg,Z.W., 7=7656; Wood,W.W. 7=4828, 7=5909; 5=804; Wojtowicz,P.J., 8=76

Kirkwood,J.G. and Plock,R.J. Non-Newtonian viscoelastic properties of rod-like macromolecules in solution, 6=3517

Kirkwood,J.G. and Rice,S.A. The statistical mechanical basis of the Enskog theory of transport in dense gases, 9=3160

Kirkwood,J.G. and Wood,W.W. Structure of a steady-state plane detonation wave with finite reaction rate, 5=803

Kirkwood,J.G., Zwanzig,R.W. and Plock,R.J. Intrinsic viscosity of flexible macromolecules: Corrected tables, 5=3489

Kirn,F.S. See Wyckoff,H.O., 7=5370

Kirschner,F. See Korn,T.S. 3=3525

Kirschning,H.J. New ways of producing visual images of radioactive indicators in inactive base materials, 9=11698

Kirsh,D.P. See Waterman,T.E. 9=1362

Kirste,E. See König,H., 7=794

Kirstein,P.T. The complex formulation of the equations for two-dimensional space-charge flow, 8=5064. Comments on "A general theorem for dense electron beams" by A.R.Lucas, B.Meltzer, and G.A.Stuart, 8=7084. A perturbation analysis of the equations for electrostatic space-charge flow and its application to the production of hollow beams from a toroidal cathode, 8=7085. Paraxial formulation of the equations of electrostatic space-charge flow, 9=8213

Kirstein,P.T. and Kino,G.S. Solution to the equations of space-charge flow by the method of the separation of variables, 9=3554

Kirsten,F.A. See Kerns,Q.A., 9=9545

Kirvida,L., See Harris,C.M., 9=10702

Kiryashkin,V.I. See Kir'yashkina,E.I., 7=8587

Kir'yashkina,E.I., Popov,F.M., Bilenko,D.I. and Kir'yashkin,V.I. An investigation of the dielectric constant of semiconductors, 7=8587

Kir'yashkina,E.I., Popov,F.M., Bilenko,D.I. and Kir'yashkin,V.I. An investigation of the dielectric constant of semiconductors, 7=8587

Kirzhnits,D.A. On the question of meson-nucleon interactions, 5=57. The mass of the photon in quantum electrodynamics, 6=7125. Mass renormalization in the Tamm–Dancoff method, 6=7977. Quantum corrections to the Thomas–Fermi equation, 7=5083. Contributions to field theory involving a cut-off factor, 8=4725. On the behaviour of the distribution function of a many-particle system near the Fermi surface, 9=39. Correlation energy of an inhomogeneous electron gas, 9=2910. On correlation effects in two-electron atoms, 9=10151. On the limits of applicability of the quasiclassical equation of state of matter, 9=11862

Kischel,K. The theory of electric waves in inhomogeneous plasmas, 7=9210

Kisdi,D. The determination of the characteristic vibrations of atomic nuclei on the basis of the statistical theory of the nucleus, 9=1716. The statistical model of nuclei with angular momentum, 9=12609. See also Gombas,P. 9=13590

Kisdnasamy,S. See Ashton,F., 8=6100

Kisdi,D. The theoretical determination of some constants of* the $_{82}Pb^{208}$ nucleus based on the statistical nuclear model, 7=600. The proton density calculated on the basis of the statistical model of the nucleus. I. Calculation of the energy levels of mesonic atoms, 7=6472. An investigation of spontaneous nuclear disintegration based on the statistical model, 7=6532.

Kisdi-Koszó,E. On some problems of the operation of microtrons, 5=8812

Kisdnasamy,S. See Gardener,M., 7=7179

Kiselev,M.I. The calculation of shock waves in magnetohydrodynamics, 9=13503

Kiselev,M.I. and Tseplyaev,V.I. Oblique shock waves in a plasma with finite conductivity, 9=1558

Kiselev,V.S. See also Flyagin,V.B., 9=2834

Kiselev,V.S. and Flyagin,V.B. Energy distribution of neutrons emitted from beryllium bombarded by 680 MeV protons, 8=1958

Kiseleva,V.A. and Kondorskii,E.I. Investigation of temperature dependence of some properties of ferrites in the centimetre region, 8=6076

Kiser,R.W. and Johnston,W.H. Chemical aspects of the Geiger–Müller discharge. I. The ethanol–argon counter, 6=5164. The radioactivity of argon-37, 9=7314

Kishi,K. See Kaneko,M. 5=6983

Kishi,T. See Sugata,E. 9=8220

Kishimoto,A. See Fujita,H. 5=3190

Kishimoto,T. See also Asano,S., 8=2973; Nomoto,O., 7=7682

Kishimoto,T. and Nomoto,O. Ultrasonic absorption in glycols, cyclohexanol and cresol, 5=2515. Absorption of ultrasonic waves in organic liquids. II. Liquids with negative temperature coefficient of sound absorption (a) glycols, cyclohexanol and cresol, 5=2516. Absorption of ultrasonic waves in organic liquids. III. Liquids with negative temperature coefficient of sound absorption (b) o-chlorophenol and aniline, 6=1000

Kishita,M. See Shibata,S., 7=6751

Kishkin,S.T. See Bokshtein,S.Z., 9=10287

Kisliuk,P. Dipole moment of NF_3, 7=2509. Using contact resistance to measure adsorption of gases on metals, 9=1927. Chemisorption of nitrogen on tungsten, 9=4095. Electron emission at high fields due to positive ions, 9=7067. See also Boyle, W.S. 5=1877, 5=7068

Kislovskii,L.D. A representation of the optical characteristics of absorbing media in the infrared region on the basis of a model of a resonator with viscous friction. I. Method, 7=9105. II. Alkali halide crystals, 7=9106. On the problem of determination of optical characteristics from reflection, 9=6780. Optical characteristics of copper halides in the absorption bands at the temperature of liquid nitrogen, 9=9504. Certain optical properties of corundum, 9=12131

Kiss,A.I. and Muth,B.R. Spectroscopic studies of some aromatic acids with a heteroatom in the side-chain, 6=1058. Spectroscopic studies of aromatic sulfides and selenides, 6=1059

Kiss,D. Measurement of the mean lifetime of μ-mesons, 6=7714. See also Friedländer,E., 7=4469; Jánossy,L. 5=1932

Kiss,D. and Szivek,J. Experimental investigations of the dead time of univibrators, 7=4478

Kiss,Z.J., Gush,H.P. and Welsh,H.L. The pressure-induced rotational absorption spectrum of hydrogen. I. A study of the absorption intensities, 9=7962

Kiss,Z.J. and Welsh,H.W. Pressure-induced infrared absorption of mixture of rare gases, 9=5523

Kissinger,C.W. See Perls,T.A. 5=1414, 6=1773

Kisslinger,L.S. Scattering of mesons by light nuclei, 5=6520. Spin–orbit interaction in nuclei, 7=2522. Nuclear structure effects in internal conversion coefficients by configuration mixing, 9=7299

Kistemaker,J. Potential distribution in magnetic arc discharges, 7=1348. See also de Heer,F.J., 7=4491, 7=8688; Hamers,H.C. 5=4105; Heymann,D., 6=3126; Schutten,J. 5=1135

Kistemaker,J., Rol,P.K., Schütten,J. and de Vries,C. The ion source of the Amsterdam isotope separator, 6=1313

Kister,J.M. See Beyster,J.R. 5=7374

Kistiakowsky,G.B. See also Bayes,K.D., 9=6708; Berkowitz,J., 6=8812; Cher,M. 9=5628; Chesick,J.P., 9=897; Garvin,D., 5=5016; Smith,F.T., 9=12850

Kistiakowsky,G.B. and Kydd,P.H. Gaseous detonations, VI. The rarefaction wave, 5=2511. IX. A study of the reaction zone by gas density measurements, 7=2767. The reaction zone in gaseous detonations, 5=3214

Kistiakowsky,G.B. and Mahan,B.H. Stability of ethylidene radicals, 6=5476

Kistiakowsky,G.B. and Mangelsdorf,P.C.,Jr. Gaseous detonations. VIII. Two-stage detonations in acetylene–oxygen mixtures, 6=8444

Kistiakowsky,G.B. and Tabbutt,F.D. Gaseous detonations. XII. Rotational temperatures, of the hydroxyl free radicals, 9=5629

Kistiakowsky,G.B. and Volpi,G.G. Reactions of nitrogen atoms. I. Oxygen and oxides of nitrogen, 8=3532; II. H_2, CO, NH_3 NO, and NO_2, 8=3533

Kistiakowsky,G.B. and Warneck,P. Lewis–Rayleigh nitrogen afterglow, 8=6809

Kistiakowsky,G.B. and Williams,R. The kinetics of coordinate bond formation. II. 5=5010

Kistiakowsky,G.B. and Zinman,W.G. Gaseous detonations, VII. A study of thermodynamic equilibration in acetylene-oxygen waves, 6=1165

Kistler,A.L. Fluctuation measurements in a supersonic turbulent boundary layer, 9=7868

Kistner,G. See Gentner,W. 9=4212

Kistner,O.C. and Rustad,B.M. Decay of Ca^{39}, 9=4995. Ratio of the Gamow–Teller and Fermi coupling constants determined from ft values, 9=10071

Kistner,O.C., Schwarzschild,A. and Rustad,B.M. Decay of A^{35}, 7=1547

Kistner,O.C., Schwarzschild,A., Rustad,B.M. and Alburger,D.E. Positron spectrum of O^{15}, 7=4675

Kita,H. Remarks on Heisenberg's non-linear field theory, 7=74

Kita,H. and Wakano,M. On the Bethe–Salpeter equation and the excited states of the hydrogen atom, 8=6356

Kitaeva,V.F. and Sobolev,N.N. Form and width of spectral lines in a d.c. arc, 7=4142

Kitagski,T. See Hirone,T., 6=715; Kimura,M., 8=4061.

Kitaĭgorodskiĭ,A.I. Determination of the signs of structure amplitürdes, 7=6733. The theory of the connection of structure amplitudes and the direct method of crystal structure analysis, 8=3582. Packing of chain molecules. II. Layers of paraffin molecules, 8=8531. See also Kitajgorodskij,A.I.

Kitaígorodskiĭ,I.I. and Indenbom,V.L. Internal stresses in hardened glasses, 7=9432

Kitaigorodskii,A.I. and Kozhin,V.M. Structure of mixed crystals in the system anthracene–phenanthrene, 9=13956

Kitaigorodskii,M.M. Stability of the piezoelectric effect in pressed barium titanate, 9=13267. See also Kogan,A.I. 5=2714

Kitajgorodskij,(Kitaĭgorodskiĭ),A.I. Is "super-refinement" legitimate in X-ray crystal analysis?, 7=6737. See also Kitaĭgorodskii,A.I.

Kitamura,M.Y. See Nakayama,T., 9=7118

Kitamura,N. See Honjo,G., 6=5445, 9=7653

Kitamura,R. and Nagata,S. On the transformation function of harmonic oscillators obeying Wigner-Yang's commutation relation, 5=1546

Kitamura,T. See also Fukui,S., 5=3847, 5=9747, 8=7154; 9=4927; Hirono,M., 9=947

Kitamura,T. and Oda,M. On the nuclear interaction of μ-meson below ground 7=6619

Kitano,Y. On the phase transition of the electron-lattice vibration system, 5=9391. See also Hayakawa,S., 5=9391; Husimi,K., 9=2035; Yoshimori,A., 6=5523

Kitao,K. See Hayakawa,S., 7=6272, 7=7156

Kitchener,J.A. See also Borucka,A.Z., 6=7785; Talbot,A., 6=3534

Kitchener,J.A. and Prosser,A.P. Direct measurement of the long-range van der Waals forces, 8=3443

Kitchener,S.A. and Strickland-Constable,R.F. Growth and evaporation of crystals from the vapour phase, 8=4524

Kitova,A.I. See Toropov,A.P., 7=6928

Kitsopoulos,S. Type testing and calibration methods for production phonometers with particular regard to the measurement of traffic noise, 5=7798

Kitt,G.P. see Glueckauf,E. 6=4748, 8=3779

Kittaka,S. The generation of static charge on high polymer, 9=12199

Kittel,C. Experimental evidence on the band structure of germanium and silicon, 5=2741. Microwave resonance and the electronic structure of colour centres and impurity states in solids, 5=7516. Thermal equilibrium in nuclear magnetic cooling of metals, 7=4285. Dorfman''s proposal regarding cyclotron resonance in ferromagnetic substances, 8=1121. Paramagnetic centers as detectors of ultrasonic radiation at microwave frequencies, 8=6771. Excitation of spin waves in a ferromagnet by a uniform r.f. field, 8=8876. Ferromagnetism, 9=405. Interaction of spin waves and ultrasonic waves in ferromagnetic crystals, 9=411. Cyclotron resonance in crystals, 9=788. Energy absorption by charge carriers of negative effective mass in crystals, 9=8833. Mechanism for anomalous magnetocrystalline anisotropy peaks in ferromagnetic crystals, 9=13429. See also Dresselhaus,G. 5=5409, 5=6308, 6=329; Fröhlich,H., 5=3728; Owen,J., 6=6019

Kittel,C. and Marshall,W. On the number of 3d electrons in iron, 9=9764

Kittel,C. and Mitchell,A.H. Theory of donor and acceptor states in silicon and germanium, 5=1828. Ferromagnetic relaxation and gyromagnetic anomalies in metals, 6=5203

Kittel,J.H. Damaging effects of radiation on solid reactor materials, 7=3743

Kivel,B. Electron broadening and shift of spectral lines of helium, 5=5995. See also Hammerling,P., 8=3185, 8=8627, 9=10710; Keck,J., 8=6814; Keck,J.C., 9=9405; Lin, S.C., 9=10164; Margenau,H. 5=7833; Wentink,T.Jr., 8=6819

Kivel,B., Bloom,S. and Margenau,H. Electron impact broadening of spectral lines, 5=5311

Kivel,B., Mayer,H. and Bethe,H. Radiation from hot air. I. Theory of nitric oxide absorption, 8=1599

Kivelson,D. Theory of the interaction of hindered internal rotation with over-all rotations. I. Symmetric rotors: methyl silane, 5=424. Theory of internal over-all rotational interactions. II. Hamiltonian for the nonrigid internal rotor, 6=3882. III. Nonrigid asymmetric rotors, 6=3883. IV. Stark effect in nonrigid internal rotors, 7=3491. Theory of the effects of exchange on the nuclear fine structure in the paramagnetic resonance spectra of liquids, 8=72

Kivelson,D. and Lide,D.R.,Jr. Structure of the methylamine molecule. II. Theory of internal motions and application to CD_3ND_2, 7=8763

Kiyama,R., Minomura,S. and Oura,M. The after-effect of hydrostatic pressure on the color centers in alkali halides and calcium fluoride, 5=6617

Kiyama,R., Minomura,S. and Ozawa,K. Induced infrared absorption in gaseous acetylene at pressure, 5=6920

Kiyanovskii,M.P. See Gusev,V.D. 9=11644

Kiyasu,Z., Husimi,K. and Kataoka,K. Quasi-static hysteresis in barium-titanate single crystals, 8=1035

Kiyono,S. $K\alpha$ lines of potassium in compounds, 9=5778

Kizel',V.A. Study of the structure of a liquid surface by the method of reflection of light, 6=8618

Kizel',V.A. and Stepanov, A.F. Contribution to the problem of the existence of a transition layer on the surface of a liquid, 7=1950. Reflection of light from a liquid surface and its connection with the process of crystalization, 7=9108

Kjällquist,K. On the calculation of the Y_{40} deformation in strongly deformed heavy nuclei, 9=1714

Kjelberg,A. and Pappas,A.C. Fission of uranium with 170 MeV protons, 6=7676

Kjeldaas,T.,Jr. Theory of ultrasonic cyclotron resonance in metals at low temperatures, 9=7496

Kjeldaas,T.,Jr and Holstein,T. Oscillatory magneto-acoustic effect in metals, 9=11942

Kjeldaas,T.,Jr and Kohn,W. Interaction of conduction electrons and nuclear magnetic moments in metallic sodium, 6=3051. Theory of the diamagnetism of Bloch electrons, 7=3427

Kjeldaas,T.K.,Jr. See Fox, R.E., 6=1330

Kjellman,J. and Johansson,B. Application of the Siegbahn–Slätis beta-ray spectrometer to pair spectroscopy, 8=6257

Klaboe,P. and Nielsen,J.R. Infrared and Raman spectra of fluorinated ethanes. XI. Pentafluorobromoethane, 9=6741

Klabunde,C.E. See Bauerle,J.E., 6=5894; Blewitt,T.H. 7=8205, 9=13805

Kladnik,R. Escape of virgin neutrons, 9=12717

Kladnitskaya,E.N. See Van Gan-Chan, 9=2626

Klages,G. The theory of the Kerr effect in nonpolar liquids, 5=282

Klages,G., Hufnagel,F. and Kramer,H. Intramolecular dipole motion in amines and ethers from dielectric microwave measurements on dilute solutions, 9=12216

Klages,G. and Küster,R. Measurement of the Kerr effect in some ketones by an impulse procedure, 9=5669

Klanke,G. Induction due to thermal fluctuations of a magnetic field, 5=4810

Klann,A. See Vickery,R.C., 8=3247-8, 8=6037

Klante,K. The scattering of scalar waves by a paraboloid of revolution, 9=11287

Klarmann,J. See Davis,D.F., 7=8868; Engler,A., 9=3620, 9=8269; Kaplon,M.F., 5=9959

Klasens,H.A. Temperature dependence of the luminescence and chemical stability of basic magnesium arsenate activated with tetravalent manganese, 5=855. The intensity-dependence of photoconduction and luminescence of photoconductors in the stationary state, 9=3502. The temperature-dependence of the fluorescence of photoconductors, 9=7978. Electroluminescence of sulphide phosphors in suspension, 9=12125. See also Bril,A., 6=1104, 9=3333; Kröger,F.A., 6=6630; Zalm,P., 6=2000

Klassen-Neklyudova,M.V. and Urusovskaya,A.A. Influence of heterogeneous state of stress on the mechanism of plastic deformation in thallium and caesium halides, 7=8223. Investigation of the formation of kink bands in thallium halide crystals, 7=8274. Plastic deformation of crystals caused by rotation of the lattice without formation of slip lines, 8=424

Klátil,J. The temperature field established in an infinite plane film consisting of two layers with a normal temperature distriburion at the boundary walls, 9=8027

Klátsmanyi,Á. See Bardócz,Á., 6=1148, 6=7487

Klätte,G. Measurements on dielectric and ferromagnetic materials at frequencies around 10^4 Mc/s, 5=8729

Klauder,J. and Wheeler,J.A. On the question of a neutrino analog to electric charge, 8=1511

Kläukens,H. See Hübner,H.J., 8=7186

Klechkovskií,V.M. On the question of the sequence of terms in the spectra of many-electron atoms, 5=454. On the first electrons with a given l in a neutral atom, 5=1124. First appearance of atomic electrons with given l, n, n_r and n + l, 6=6094. On the relationship between Z and the atomic distribution of electrons, 7=9343

Kleef,T.A.M. van. See van Kleef,T.A.M.

Kleen,W. and Pöschl,K. Focusing of electron beams by magnetic fields, 6=2922

Kleíman,Ya.Z. Attenuation of harmonic waves in mixtures, 9=5451. Certain pecularities of the motion of mixtures, 9=11927. The propagation of weak discontinuity in a multi-component medium, 9=13088

Klein,A. Low-energy theorems for renormalizable field theories, 5=8493. Derivation of low scattering formalism, 6=4832. Scattering matrix in the Heisenberg representation for a system with bound states, 6=6380. Dispersion relations for fixed-source meson theories, 7=1911. Dispersion relations for fixed-source meson theories: effective-range relations, 7=1912. See also Bernstein,J. 5=8998; Bludman,S., 8=691; Kobayashi,T. 8=5649; Lee,B.W. 9=13653; Moellering,W.M., 6=1485; Norton,R., 8=1522; Norton,R.E., 8=8592; Pearlstein,L.D., 8=1857; Prange,R., 9=5372; Tzoar,N., 8=5218, 9=12547; Zemach,C., 9=5369

Klein,A. and McCormick,B.H. Meson pair theory, 5=6759. Construction of the adiabatic nuclear potential: Formalism, 7=2994

Klein,A. and Prange,R. Perturbation theory for an infinite medium of fermions, 9=5371

Klein,A. and Zemach,C. Many-body problem in quantum field theory, 8=40. Analytic properties of the amplitude for the scattering of a particle by a central potential, 9=11829

Klein,A.G. See Pryor,A.W., 9=7232

Klein,B. Vibration of simply supported isosceles trapezoidal flat plates, 6=986. Vibration of simply supported flat plates simultaneously tapered in planform and thickness, 7=4042. See also Cox,H.L. 5=4438

Klein,C.A. A phase shift analysis of the scattering and polarization in proton-proton collisions at high energy, 5=6234. A phase shift analysis of the scattering and polarization in neutron-proton collisions at high energy, 5=9157. Radiation-induced energy levels in silicon, 9=10279

Klein,E. See Frieser,H. 8=8479

Klein,F.S. See Bigeleisen,J., 9=7572

Klein,G. A contribution to flame theory, 7=6114

Klein,G.E. See Bredig,M.A. 5=9255

Klein,H.M. See Milne,T.A., 8=7757

Klein,J.J. See Glick,H.S., 8=435

Klein,L. See also Margenau,H. 9=12733

Klein,L. and Margenau,H. Theory of pressure effects on alkali doublet lines, 9=6715

Klein,M.J. Principle of detailed balance, 5=4393. Overhauser nuclear polarization effect and minimum entropy production, 5=7256. Generalization of the ehrenfest urn model. 6=5599. Entropy and the Ehrenfest urn model, 6=6581. Negative absolute temperatures, 7=2150. Note on a problem concerning the Gibbs paradox, 8=3960. Remarks on the Gibbs paradox, 9=9251. See also Glass,S.J., 8=1766

Klein,M.J. and Glass,S.J. Grüneisen's law and the third law of thermodynamics, 8=3962

Klein,M.J. and Meijer,P.H.E. Principle of minimum entropy production, 5=268

Klein,M.M. See also Borowitz,S., 6=7464

Klein,M.M. and Brueckner,K.A. Interaction of slow electrons with atomic oxygen and atomic nitrogen, 9=2449

Klein,M.P. See also Holder,B.E., 6=530; Ward,R.L., 8=2615

Klein,M.P. and Holder,B.E. Determination of the sign of the He^3 nuclear magnetic moment, 7=7303

Klein,O. On the Eddington relations and their possible bearing on an early state of the system of galaxies, 7=6820. Generalisations of Einstein's theory of gravitation considered from the point of view of quantum field theory, 7=6836. Some remarks on the inversion theorems of quantum field theory, 8=4724. The Dirac theory of the electron in general relativity theory, 9=9222

Klein,R. See also Benoît,H., 7=9335

Klein,R., McNesby,J.R., Scheer,M.D. and Schoen,L.J. Kinetics of D atom reactions with H_2, CH_4, and D_2CO, 9=5220

Klein,R. and Scheer,M.D. Reaction of hydrogen atoms with solid oxygen at 20°K, 9=12848

Klein,R. and Schoen,L.J. Photodecomposition of formaldehyde; stability of the HCO radical. 6=4723

Klein,R. and Simpson,J.A. Production of a square temperature wave in filaments operating at low temperatures, 8=7870

Klein,S. Some new results on the demodulation in air of two ultrasons of different frequency of which one at least is in the stationary state, 5=5289

Klein,W. and Friz,W. Gas discharge tubes as a standards in noise measurement in the cm-wavelength range, 7=431

Kleine,E.H.De. See De Kleine,E.H.

Kleiner,W.H. Magnetic scattering of slow neutrons from O_2 gas, 5=3149. Excited donor levels in silicon, 5=4661. See also Button,K.J. 9=6254

Kleiner,W.H. and Roth,L.M. Deformation potential in germanium from optical absorption lines for exciton formation, 9=12797

Kleinheins,P. Intensity measurements in 180° β-spectrographs by means of counting electron tracks in nuclear emulsions, 6=6122

Kleinknecht,H. and Seiler,K. Single crystals and crystals with p-n junctions of silicon, 5=1829

Kleinman,D. See Spitzer,W.G. 9=4449

Kleinman,D.A. See Logan,R.A., 9=8125; Spitzer,W.G. 9=4450

Kleinpoppen,K. See Hanle,W. 9=4462

Kleinwächter,H. Making electromagnetic waves visible, 5=8939

Kleitman,D. Heavy-fermion mass spectrum, 8=47

Kleitman,D. and Yearian,H.J. Radiation-induced expansion of semiconductors, 8=2672

Kleitman,D.J. Some results on analytic functions in local field theory, 9=7782

Klema,E.D. Gamma-gamma angular correlation in Ba^{134}, 6=622 Gamma-gamma angular correlation in Sr^{88}, 6=3961. Angular correlations of gamma rays in cascade from levels in Lu^{175} and Hf^{177}, 9=629. See also Lazar,N.H. 5=6424; Osborn,R.K., 6=560, 7=6450, 9=2682

Klema,E.D. and Osborn,R.K. Empirical determination of nuclear moments of inertia and intrinsic quadrupole moments, 6=8931. Empirical determination of nuclear shape factors and moments of inertia, 8=4271

Kleman,B. Laboratory excitation of the blue-green bands observed in the spectra of n-type stars, 6=5649

Kleman,B. and Liljeqvist,B. Emission spectra in the near infrared, 5=4500. On the band spectrum of CrH, 5=4515

Kleman,B. and Lindkvist,S. The band-spectrum of the Cu_2, molecule, 5=1685. The band spectrum of the Ag_2 molecule, 5=4513

Kleman,B., Lindkvist,S. and Selin,L.-E. The band spectrum of the Au_2-molecule, 5=2570

Kleman,B. and Uhler,U. A $^6\Sigma$-$^6\Sigma$ transition in CrH, 9=8718

Kléman,M. On the notion of spin in relativistic hydrodynamics of fluid masses in rotation, 9=2124. On the idea of a central axis in the relativistic hydrodynamics of rotating fluid masses, 9=3107. Study of the world velocity at each point of a relativistic rotating fluid mass, 9=6499. Concept of internal movement in rotating relativistic fluid masses, 9=7760

Klemens,P.G. The contribution of phonons to the Thomson coefficient, 5=304. Kinetic theory of liquid helium, 5=4596. The transport of heat through narrow channels by liquid helium II, 5=8708. The scattering of low-frequency lattice waves by static imperfections, 6=2546. Density changes in neutron irradiated quartz, 7=4901. On the theory of thermal conductivity of pure metals at low temperature, 7=6095. Some scattering problems in conduction theory, 7=7855. Electrical resistance due to lattice imperfections in metals, 8=171. Thermal resistance due to isotopic mass variation, 8=4909. Thermal resistance due to isotopes and other point defects, 9=6931. See also Birch,J.A., 8=3921; Harper,A.F.A., 7=8550; Kemp,W.R.G. 5=7891, 6=3670, 6=6555, 8=4910

Klement,F.D. On the methods of preparation of phosphorescent crystals, 7=4182

Klement'eva,A.Yu. See Korolev,F.A. 5=9583, 7=3148

Klemm,A. Preparation and use of Li^6 and Li^7 concentrates, 5=3024. Isotope transport and self-diffusion in metals, 5=5040. The electrokinetics of liquid metals, 9=8181. See also Herzog,W. 9=6167.

Klemm, A. and Lundén,A. Isotopic enrichment in chlorine by electrolytic transport in molten lead chloride, 5=7463

Klemm,A. and Monse,E.U. Transport measurements for the determination of mobilities of Li^6, Li^7 and Pb in molten $LiCl-PbCl_2$ mixtures, 9=6346

Klemperer, O. See Dolder,K.T., 6=400, 6=8261, 8=8051

Klemperer,W. Infrared spectrum of LiH, 6=1047. Infrared spectrum of gaseous aluminum chloride, 6=4312. Comparison of force constants in radicals and molecules. The halides of zinc, cadmium, and mercury, 7=2478. Central force fields and bending motions, 9=7425. See also Berry,R.S., 7=5989; Büchler,A., 9=1283; James,T.C., 9=9443; Norris,W.G., 8=7468; Rice,S.A., 7=8518, 8=914

Klemperer,W. and Lindeman,L. Infrared spectrum of mercuric chloride and bromide, 6=8673

Klemperer,W. and Rice,S.A. Infrared spectra of the alkali halides. I. Lithium halides, 7=4151

Klemperer,W.A. See Pimentel,G.C. 5=2604

Klepikov,N.P. The solution of the system of equations for the vacuum functional, 5=8489. On the theory of the vacuum functional, 6=7990, Application of singular integral equation theory to problems of scattering of particles in an external field, 6=8002. Mechanical phase analysers for treatment of experimental data on scattering of spinless particles by particles of spin 0 or $\frac{1}{2}$, 7=1003. In connection with P.V.Vavilov's letter "Interaction cross-section of π-mesons with nucleons at high energies", 9=9978

Klepp,H. See Alder,F. 5=1220

Klepp,H.B. See Batson,A.P. 7=4483

Kleppa,O.J. A new high-temperature reaction calorimeter. The heats of mixing of liquid lead-tin alloys, 5=3695

Kleppa,O.J. and Kaplan,M. Volume change, heat and entropy of mixing in liquid indium-mercury alloys, 7=9424

Klepper,D.L. First Presbyterian Church, Stamford, Connecticut, 9=9355

Kleppner,D., Ramsey,N.F. and Fjelstadt,P. Broken atomic beam resonance experiment, 9=1808

Klerk,A.Dammers-de. See Dammers-de Klerk,A.

Klerk,D.de. See de Klerk,D.

Klerk,J.de. See de Klerk,J.

Klerk,M. See van Boort,H.J.J., 7=1339

Kleshchevnikova,S.I., Pokrovskiĭ,Ya.E. and Rumyantseva,E.I. Preparation of pure silicon by thermal decomposition of silane, 9=1463

Klett,C. Concerning the sharpness from X-ray intensifying sheets, 5=3378. Intensification and resolution improvement by means of X-ray intensifying screens, 5=6190

Klewer,H. A new multichannel pulse height analyser and its application in the determination of the differential β-γ angular correlation of Rb^{86}, 9=12529

Kley,J. See de Boer,A.G., 6=8247

Kley,W. See Gentner,W., 6=2567; Palevsky,H. 9=11557; Pelah,I., 9=6232

Klick,C.C. Divalent manganese as a luminescent centre, 5=3611 Energy-level positions of silver luminescent centers in sulfides, 9=10823. See also Claffy,E.W., 7=7769; Compton,W.D., 8=4435, 9=2918; Dexter,D.L., 6=244; Lambe,J., 5=6035, 7=4189; Lambe,J.J., 7=373; Patterson,D.A., 7=3152; Russell,G.A., 6=3362; Schulman,J.H. 5=4919, 7=2063

Klick,C.C. and Compton,W.D. Polarized luminescent emission from KCl:Tl at low temperatures, 9=3311

Klick,C.C., Peake,H.J., Cole,P.T., Rabin,H. and Lambe,J.J. Simple fall-out meter uses CdS, 6=2960

Klier,E. Alternating current measurements on cadmium sulphide cells, 7=3292. See also Javorský,P. 5=4439

Klier,E. and Shaki,M. On some properties of ethylene diamine tartrate (EDT) crystal growth, 5=10059

Klier,M. The temperature dependence of the optical constants of lithium fluoride and sodium fluroide in the infrared, 8=7844. See also Genzel,L., 6=1951

Kligman,F.I. Statistical theory of heavy nuclei and nuclear forces, 5=6385. On the distribution of the nucleon density in nuclei, 9=2687

Klíma,R. Phase motion in a synchronous accelerator with tilted accelerating gap, 9=3584

Klimin,A.I. Field emission from cadmium sulphide and cadmium selenide, 8=5954

Klimontovich,Yu.L. "Acoustic excitations" in superconductors, 6=5893. Second quantization in phase space, 6=8571. Determination of specific values of physical quantities by the method of quantum distribution function, 6=8598. The correlation function for quantum mechanical systems, 7=118. On the new phenomenological theory of superconductivity 7=6192. The method of "secondary quantization" in phase space, 8=4754. On space-time correlation functions for a system of particles with magnetic interaction, 8=7705

Klimontovich,Yu.L. and Khokhlov,R.V. Contribution to the theory of the molecular generator, 8=2435

Klimontovich,Yu.L. and Temko,S.V. Quantum kinetic equation for a plasma with correlation taken into account, 8=3200. On the kinetic equations for a system of particles interacting with lattice oscillations, 9=2901

Klimova,L.A. See Shpol'skii,E.V., 7=7767

Kline,D.E. and Remick,F.J. Gamma-dose enhancement from neutron capture in Cd, 8=7357

Kline,R.M. and Zaffarano,D.J. Decay characteristics of some short-lived nuclides of low atomic number, 5=2123

Klingelhöfer,R. See Cappeller,U. 5=2130, 5=4033, 8=322, 8=9038

Klingelhöffer,H. Chromatographic investigation of bonding in papering, 6=6244

Klingenberg,E.W. See Kersten,H.J., 6=2056

Klinger,M.I. Theory of the Hall effect in ionic semiconductors, 6=4390. Contribution to the theory of galvanomagnetic phenomena in semiconductors, 7=3270. Magnetic susceptibility of semiconductors with an impurity band in a strong magnetic field, 8=1683. The theory of transport phenomena, 8=5469. Remarks on the low-temperature anomalies in the impurity semiconductors. I-II, 9=1443. Some properties of relaxation functions and kinetics coefficients, 9=13271. See also Samoĭlovich,A.G. 6=4392, 8=4002

Klinger,M.I. and Chaban,M.M. The question of the Faraday effect in semiconductors, 7=1280

Klinger,M.I. and Makarycheva,G.A. On the theory of semiconductors with an excited impurity band, 8=4003

Klinger,M.I., Novikova,V.G. and Agarkova,V.N. Theory of Hall and Nernst effects in a semiconductor with an impurity band, 7=2208

Klinger,M.I. and Voronyuk,P.I. Magnetoresistive effects in n-Ge type semiconductors located in strong magnetic fields, 8=3117. Galvanomagnetic effects in n-type germanium and silicon single crystals for strong magnetic fields, 8=7946

Klinger,M.I. and Zozulya,Yu.I. Theory of semiconductors with excited impurity band, 8=2310

Klinkenberg,P.F.A. Analysis of the arc spectrum of lutetium, 5=3562. See also van Kleef,T.A.M., 6=3113

Klinov,F.Ya. Polar snow, 9=1372

Klint,R.V. and Owens,R.S. Bearing dynamometer, 9=11874

Klitzing,K.H.v. See v.Klitzing,K.H.

Kliya,M.O. The question of the healing of cracks in ice, 9=13898

Kliya,M.O. and Lemmlein,G.G. Change of form of liquid inclusions [in crystals] on change of temperature, 9=12863

Kliya,M.O. and Sokolova,I.G. Capture of drops of emulsion by a growing crystal on crystallizing from solution, 9=12864

Klochkov,D.S. See Flerov,G.N., 8=3388

Kloepper,R.M., Day,R.B. and Lind,D.A. Lifetimes of the first excited 0+ states of Ca^{40} and Zr^{90}, 9=7308

Klokholm, E. See Otter,F.A., Jr. 5=8897

Klontz,E.E. See Mackay,J.W. 9=7525*, 9=10281; Stöckmann, F., 9=5729

Kloomok,M. See Greanias,E.C., 7=3

Klose,G. A few remarks about the proton magnetometer, 9=5866

Klose,J.Z. Ultrasonic dispersion and absorption in n-hexane vapor, 9=144. See also Henderson,M.C., 9=2167

Klose,W. On the question of the equilibrium state in He II, 9=4525. See also Brauer,W., 7=9723

Klotz,R.J. See Keshishian,V. 5=1114

Klotzbaugh,G.A. Theory of continuous-tone reverberation, 5=9524

Klötzer,F. A contribution to the explanation of the Sabattier effect, 6=9160

Kløve,A. and Storruste,A. Investigation of gamma rays from radioactive isotopes, 9=3872

Klüber,H.von. See von Klüber,H.

Klüber,O. See Beckurts,K.H. 9=6008

Kluckow,R. On the measurement of the time-dependent increase in current at static breakdown, 8=7062

Klug,A. Joint probability distributions of structure factors and the phase problem, 9=7645

Klug,A., Crick,F.H.C. and Wyckoff,H.W. Diffraction by helical structures, 9=7609

Kluge,W. State of photoelectric research, 5=7058

Kluge,W. and Schulz,A. The state of affairs in gas-filled photocells in the régime of self-maintained discharges, 5=975. The decrease in operating voltage of a normal slow discharge due to cathode irradiation, 5=4700. On the reduction in cathode drop of a normal glow discharge due to cathode irradiation, 5=8800. The confirmation of the breakdown law of Rogowski and Fucks with technical cold cathode discharge tubes, 6=6724. The superposition of cathode secondary and photoemission in low pressure discharges, 7=2280.

Kluge,W. and Weber,S. On the properties of vacuum photocells irradiated with pulsed light, 5=6145. The behaviour of vacuum photocells for pulsed light illumination, 5=6868

Kluitenberg,G.A. and De Groot,S.R. Relativistic thermodynamics of irreversible processes. IV. Systems with polarization and magnetization in an electromagnetic field, 5=4613. V. The energy-momentum tensor of the macroscopic electromagnetic field, the macroscopic forces acting on the matter and the first and second laws of thermodynamics, 5=4614

Kluiver,H.de. See de Kluiver,H.

Klumb,H. and Mix,G. A continuous Wilson chamber with machine cooling, 5=7149

Klumb,H. and Neubeck,K. Experiments for studying the surface of insulators by means of field emission, 7=3348

Klumpp,R.G. See also Bertsch,W.F., 6=6471; Webster,J.C., 9=7899

Klumpp,R.G. and Eady,H.R. Some measurements of interaural time difference thresholds, 7=978

Klüver,J.W. Small signal power conservation theorem for irrotational electron beams, 8=8028

Kluyver,J.C. The determination of isotope ratios by infrared gas analysis, 5=8175. See also Culligan,G., 8=277; Endt,P.M. 5=3092; Holt,J.R., 8=4228; Reitjens,L.H.Th. 5=4039; van der Leun,C., 7=8824

Kluyver,J.C. and van der Leun,C. The mass difference $41_A - 41_K$, 5=9029

Kluyver,J.C., van der Leun,C. and Endt,P.M. The reaction $^{25}Mg(p,\gamma)\ ^{26}Al$, I. Experimental, 5=3091

Klyachkin,V.I. The effect, on a receiving system, of aggregate independent noise sources situated on the surface of a sphere of finite radius, 8=6766

Klyarfel'd,B.N. See also Guseva,L.G. 5=6172; Pokrovskaya-Soboleva,A.S., 8=1715

Klyarfel'd,B.N. and Frid,A.A. A filiform anode in a gas discharge, 7=2281

Klyarfel'd,B.N., Timofeev,A.A., Neretina,N.A. and Guseva,L.G. Characteristics of probes at positive potential and measurement of the gas density in a discharge, 6=6665

Klyarfel'd,V.N. and Neretina,N.A. The anode region in low-pressure gas discharges. I. Effect of the anode shape on the sign and magnitude of the anode drop, 9=1500

Klyatskin,I.G. On the universal system of units, 5=5209

Klyucharev,A.P. See also Gavrilovskii,B.V., 7=4708

Klyucharev,A.P., Bolotin,L.I. and Lutsik,V.A. Elastic scattering of 5.4 MeV protons by various nuclei, 6=6903

Klyucharev,A.P., Esel'son,B.N. and Val'ter,A.K. Study of the He^3 reaction with deuterons, 7=1599

Klyuchnikov,N.G. Asymmetry in the conductivity of some selenides, 5=1830

Kmak,W.S. See Tichacek,L.J., 6=8028

Knaap,H.F.P. See Coremans,J.M.J., 8=6716

Knacke,O. and Stranski,I.N. The mechanism of evaporation, 7=1226

Knall,E. See Huldt,L. 5=176, 5=2573, 7=4845

Knapecz,G. A delinearization of quantum mechanics, 6=929. A "free hypothetical world" of elementary particles, 6=930. Note on the weak affine conservation laws of the multimoments within the framework of a generally relativistic covariant Lagrange formalism, 9=10571

Knapp,D.G. The synthesis of external magnetic fields by means of radial internal dipoles, 6=9063

Knapp,E., Imhof,W., Kenney,R.W. and Perez-Mendez,V. Small-angle photoproduction of positive mesons from hydrogen, 7=9416

Knapp,E.A. See also Imhof,W., 8=8240; Uretsky,J.L., 8=7274

Knapp,E.A., Kenney,R.W. and Perez-Mendez,V. Angular distributions of photopions from hydrogen, 9=8476

Knapp,H. Use of X-ray small-angle scattering for the investigation of technical preparations, 8=8472

Knapp,M.W. and Powell,W.M. Negative pions from neutron bombardment of deuterons, 6=2418

Knapp,V. Nuclear resonant scattering of gamma rays in ^{199}Hg, 7=4680. Nuclear gamma ray resonance in ^{48}Ti, 8=1226. See also Fisher,P.S., 6=8348

Knappe,W. Hydrodynamic model representing diffusion processes with diffusion coefficients depending upon concentration, 5=6791. See also Heine,K. 9=848

Knappwost,A. Correction for ferromagnetic susceptibility [due to ferromagnetic impurities] in magnetochemical investigations using the cylinder method, 5=6289. The influence and the elimination of the ferromagnetic susceptibility in magnetochemical investigations by the cylinder method, 5=10051. The minimum size of Weiss-Heisenberg domains of cobalt, 6=463. The problem of the coexistence of the quantum mechanical and classical treatments of anomalous diamagnetism. 6=6022. Simultaneous determination of particle size and magnetization in the Angström range by measurement of superparamagnetism, 9=9760

Knappwost,A. and Illenberger,A. Temperature independent spontaneous magnetization of cobalt precipitates in a copper matrix, 8=7171

Knappwost,A. and Lipke,H. Friction between solids at high pressures and the equilibrium diagram of the two substances, 7=806

Knapschaefer,D.H. See Denniston,D.W., Jr, 7=4276

Knau,H. Energy transport in the fluorescence of organic solutions, 9=5566

Knauer,I. See Jacobson,L.E., 7=673

Knauer,W. A belt generator with field equilization, 5=6999 See also Knechtli,R.C. 9=12367

Knauss,J.A. An estimate of the effect of turbulence in the ocean on the propagation of sound. 6=4907

Knecht,D.J., Messelt,S., Berners,E.D. and Northcliffe,L.C. Proton—proton scattering from 1.4 to 2.4 Mev, 9=8453

Knecht,O. See Bock,R., 8=8807

Knechtli,R.C. and Knauer,W. Electron cooling by heat exchange, 9=19367

Kneller,E. Temperature dependence of the spontaneous magnetization in small ferromagnetic particles, 9=4789

Kneser,H.O. A discussion on the first and second viscosities of fluid: Transport and relaxation phenomena, 5=86. See also Bauer,H.J., 9=7428

Kneser,H.O., Magun,S. and Ziegler,G. Mechanical relaxation of single crystals of ice, 6=159

Knestrick,G.L. See Curcio,J.A., 8=8551

Kneubühl,F., Gäumann,T. and Günthard,H.H. A program for automatic digital computation of transition frequencies and analysis of microwave rotational spectra of rigid asymmetric tops, 9=12746

Kneubühl,F. and Müller,K.A. Field stabilization for low-ohm electromagnets, 6=7539

Knewstubb,P.F. and Sugden,T.M. Mass-spectrometric observations of ions in flames, 8=3941. Mass-spectrometric observations of ions in hydrocarbon flames, 8=6917

Kniekamp,H. and Heywang,W. Depolarization effects in polycrystalline $BaTiO_3$, 5=1795

Knight,B.E. Extension of field of application of relaxation methods of computation, 7=1840

Knight,H.T. See also Duff,R.E. 5=583, 7=3784, 9=4380

Knight, H.T. and Duff,R.E. Precision measurement of detonation and strong shock velocity in gases, 5=4452

Knight,H.T. and Rink,J.P. Heat of sublimation of carbon [L] and the dissociation energy of CO [D] by X-ray densitometry of shock waves, 8=8728

Knight,H.T. and Venable,D. Apparatus for precision flash radiography of shock and detonation waves in gases, 8=8647

Knight,J.D. and Baker,E.W. Radiochemical study of Tl^{195}, Tl^{197}, and Tl^{198m}, 6=2346

Knight,J.D., Mize,J.P., Starner,J.W. and Barnes,J.W. Radiations of Te^{127} and Te^{127m}, 6=6113

Knight,J.D., Smith,R.K. and Warren,B. $U^{238}(n,2n)U^{237}$ cross section from 6 to 10 MeV, 9=1782

Knight,J.M. and Toll,J.S. Causality and the dispersion relation: S-matrix for Klein–Gordon and Dirac fields, 8=2788

Knight,J.R. See Hanson,H.P. 6=4428

Knight,R.B.D. See Bowers,K.D., 7=3448

Knight,W.D. See also Androes,G.M., 9=12500; Cotts,R.M. 5=1096; Feher,G. 5=4795; Hewitt,R.R., 9=13489; Owen,J., 6=6019

Knight,W.D., Androes,G.M. and Hammond,R.H. Nuclear magnetic resonance in a superconductor, 7=4378

Knight,W.D., Hewitt,R.R. and Pomerantz,M. Nuclear quadrupole resonance in metals, 7=2538

Knighton,C.D. See Herold,R.C. 5=2530

Knipe,R.H. On the semiempirical treatment of the PI electrons of some halogen substituted benzenes, 6=1452

Knipe,R.H. and Gordon,A.S. Spectrum of carbon monoxide-oxygen explosion. I. The visible spectrum, 6=197. On the slow reaction of carbon monoxide with oxygen, 8=7578

Knipp,J.K. See Jones,J.T., Jr. 6=3251

Knipper,A.C. Excited levels of cadmium 110, 8=1224. See also Bishop,G.R. 5=9013; Cacho,C.F.M., 6=2318

Kniseley,R.N. and Fassel,V.A. Rorating step-spector for use with a.c. or other intermittent spectrographic light sources, 6=176

Knittl,Z. The use of the principle of reversibility in deriving known relations for a system of optical thin films, 9=7991. Fourier expansions for the interference film, 9=12142

Knizak,J. The measurement of inhomogeneous magnetic fields in narrow gaps, 7=7210

Knobeloch,G.W. See Los Alamos Radiochemistry Group, 8=768

Knoblaugh,A.F. See Martin,D.W. 5=156

Knoepfel,H. See also Balzer,R. 9=10080; Beusch,W., 7=9736

Knoepfel,H., Loepfe,E. and Stoll,P. Caesium iodide as scintillation phosphor, 9=2227. Investigation of inorganic scintillation phosphors, with special reference to caesium iodide, 9=6760

Knoll,H.A., Stimson,R. and Weeks,C.L. New photokeratoscope utilizing a hemispherical object surface, 7=4927

Knop,L. and Fegeš,J. An application of the "temperature float" as a thermometer, 9=8047

Knopf,W.C., jr. See Fisher,R.A. 9=13150

Knopoff,L. Diffraction of elastic waves, 6=3581. Surface motions of a thick plate, 8=2881. The interaction between elastic wave motions and a magnetic field in electrical conductors, 8=3799. Equation of state for water at high pressure, 8=6698. Scattering of compression waves by spherical obstacles, 9=6621. Scattering of shear waves by spherical obstacles, 9=6622. See also Gilbert,F., 9=11957; Slichter,L.B., 9=7147

Knopoff,L., Fredricks,R.W., Gangi,A.F. and Porter,L.D. Surface amplitudes of reflected body waves, 9=131

Knopoff,L. and Gilbert,F. First motion methods in theoretical seismology, 9=12886

Knopoff,L. and MacDonald,G.J.F. The magnetic field and the central core of the earth, 9=935. Attenuation of small amplitude stress waves in solids, 9=3236

Knopoff,L. and Uffen,R.J. The densities of compounds at high pressures and the state of the earth's interior, 5=4219

Knops,R.J. A method for solving linear thermoelastic problems, 9=8921

Knorr,G. On the ionization state and the radiation from impurity gases in a hydrogen plasma, 9=5837

Knorr,T.G. and Hoffman,R.W. Dependence of geometric magnetic anisotropy in thin iron films, 9=5877. Variation in the temperature derivative of resistivity, 9=8090

Knott,H.W. See Mueller,M.H. 5=2235

Knott,R.D., Colson,I.D. and Young,M.R.P. Breakdown effect in p-n alloy germanium junctions, 5=3763

Knowles,H.B. Energy stabilization of the Berkeley proton linear accelerator, 8=1728

Knowles,J.E. A mechanical version of the Smith Chart, 8=4897

Knowles,J.W. Anomalous absorption of slow neutrons and X-rays in nearly perfect single crystals, 6=8478. A high resolution flat crystal spectrometer for neutron capture γ-ray studies, 9=4879. See also Bartholomew,G.A., 9=8635; Campion,P.J. 9=8634; Ewan,G.T., 8=1939

Knowles,J.W., Manning,G., Bartholomew,G.A. and Campion,P.J. γ-rays following thermal neutron capture in titanium, 9=10132

Knox,B.E. and Burtt,B.P. Negative ion formation in N_2O and in NO by electron impact, 8=8837

Knox,F.B. A method of heating matter of low density to temperatures in the range 10^5-10^6 ^{0}K, 7=9741, 8=5074

Knox,K. Structure of K_2CuF_4. New kind of distortion for octahedral copper (II), 9=9038

Knox,K. and Geller,S. Ferrimagnetic fluoride— $Na_5Fe_3F_{14}$, 8=6048

Knox,R.S. Direct-reading Planck distribution slide rule, 7=211. Excited-state wave functions, excitation energies, and oscillator strengths for argon $(3p^54s)$, 8=4361. Inversion symmetry of the M center, 9=5161. Exciton states in rare-gas crystals, 9=8844. Exciton states in crystalline argon, 9=8845. See also Gold,A. 9=6161

Knox,R.S. and Dexter,D.L. Solid state luminescence theory and oscillator strengths in KCl:Tl, 7=2057

Knox,W.J., Quinton,A.R. and Anderson,C.E. Emission of alpha particles from a compound system of high angular momentum, 9=12683

Knudsen,A.W. Fast-closing vacuum valve, 6=3549. See also Hahn,B. 9=11325

Knudsen,A.W. and Hofstadter,R. A sodium iodide (Tl) total absorption spectrometer for high energies, 9=4881

Knudsen,C. See Gilman,J.J., 8=9119

Knudsen,E. See Norinder,H., 9=9095, 9=9097, Norinder,O., 9=9093

Knudsen,H.L. Earth currents near a top-loaded monopole antenna with special regard to electrically small L- and T-antennas, 9=11294

Knudsen,V.O. Review of architectural accoustics during the past twenty-five years, 5=3526

Knudsen,W.C. Propagation of a pressure transient in a two-layer, liquid model, 8=2890

Knudson,A.R. and Kupperian,J.E., Jr. Ultraviolet transmission of calcium fluoride crystals at low temperatures, 7=6012

Knudson,C.I. See Johnston,T.L., 8=449

Knuth,E.L. Nonstationary phase changes involving a condensed phase and a saturated vapor, 9=4521. Multicomponent diffusion and Fick's law, 9=9304

Ko,H.C. The distribution of cosmic radio background radiation, 8=1441. See also Kraus,J.D. 5=3395, 5=4289 5=7632, 5=9363

Ko,H,C. and Kraus,J.D. Radio-frequency radiation from the Rosette nebula, 5=9362

Ko,R. Americium electrodeposition, 6=9011. Electrodeposition of the actinide elements, 7=4833

Koba,S. See also Kihara,T. 5=2491, 9=13768

Koba, S., Kaneko,S. and Kihara,T. Non-additive intermolecular potential in gases. II. Cluster integrals, 7=3065

Koba,Z. Velocity of the Dirac electron, 6=3483. Supplementary remark on my previous note "velocity of the dirac electron 6=4191. Variation principle in relativistic hydrodynamics, 6=8568. Remarks on the pion-pion interaction, 6=8592. Interactions of π-mesons with π-mesons, 7=1648

Koba,Z. and Takagi,S. Possible consequences of the isobar and fire ball models, 9=3753. Theory of multiple particle production at extremely high energy, 9=13412

Kobak,J. Modifications to a sedimentation apparatus, 5=6582

Kobashi,Y. Measurements of pressure fluctuation in the wake of cylinder, 8=6691

Kobatake,Y. Irreversible electrochemical processes of membranes, 9=905. II. Effects of solvent flow, 9=906

Kobayashi,A. See also Takaishi,T., 7=8249

Kobayashi,A. and Kawaji,S. Adsorption and surface potential of semi-conductors. I. Photo-enhanced adsorption of oxygen

and change of contact potential of Zns phosphors with illumination, 5=5415. Adsorption and surface potential of semi-conductors. II. Surface vacancies and its reaction with oxygen on ZnS. 6=5101. Adsorption and photoexcited adsorption on zinc sulfide. 6=5503. Free bonds on the clean surfaces of germanium single crystals, 8=1053

Kobayashi,H. On the electronic spectra of porphine, 9=8726. On the electronic structure of porphine, 9=8727. See also Watanabe,Y., 5=1875, 5=9678

Kobayashi,H. and Wagner,C. Investigations on the reduction of silver sulfide and cuprous sulfide by hydrogen, 7=8236

Kobayashi,J. Growing of ferroelectric $PbTiO_8$ crystals, 8=7598. See also Nomura,S., 8=3974

Kobayashi,J., Okamoto,S. and Ueda,R. Dielectric behavior of lead titanate at low temperature, 6=8761

Kobayashi,J. and Ueda,R. X-ray study of phase transition of ferro-electric $PbTiO_3$ at low temperature, 6=2561

Kobayashi,K. Annealing of irradiation effects in sodium chloride irradiated with high-energy protons, 6=4734. Density change of sodium chloride produced by proton irradiation and its thermal annealing, 7=8208. See also Brown,F.C., 9=6939

Kobayashi,K. and Brown,F.C. Hall effect for electrons in silver chloride, 9=4625

Kobayashi,M. See also Nakamoto,K., 8=2013; Tanaka,J., 6=1976; Tanaka,S., 9=13293

Kobayashi,M. and Fujita,J. Infrared absorption spectra of hexammine metal complexes, 5=8622

Kobayashi,S. Some coefficients of the series expansion of the TFD function, 6=573. Fermi part η_0 of the TF (Thomas–Fermi) function for free positive ion, 6=6856. Hartree–Fock values of diamagnetic susceptibilities of neon-like ions, 8=1122. Series expansion of the Fermi part η_0 of the TF function, 8=7423. Calculation of the energy band structure of the β-SiC crystal by the orthogonalized plane wave method, 9=10252. See also Akao,Y., 9=7023; Kikuchi,K., 9=10102; Kikuchi,S., 9=352; Sakamoto,M., 5=5423, 9=5176, 9=10225; Umeda,K., 6=571, 9=8800

Kobayashi,S., Matsukuma,T., Nagai,S. and Umeda,K. Accurate value of the initial slope of the ordinary T.F. (Thomas-Fermi) function, 6=572,

Kobayashi,T. and Klein,A. Remarks on a model for S-wave meson–nucleon scattering, 8=5649

Kobayasi,S. Madelung energy of cuprous sulphide β-Cu_2S, 5=6343. Energy band structures of the carborundum SiC crystal, 6=4083

Kobe, K.A. See Harrison,R.H. 7=7838

Kobelev,L. Description of system of interacting particles by means of Green's function, 9=2047. See also Voloshinskiĭ,A. 9=2048

Kobelev,L.Ya. On correlation corrections to the Hartree–Fock equation, 9=10150

Kobiashvili,M.Ya. The electrodisintegration of nuclei at high energies, 9=6120

Kobrick,J.L. See Teichner,W.H. 5=10147, 6=3409, 7=975

Kobzarev,I.Yu. Problem of K_{η} -decays: 7=6601. On the possibility of $\eta \rightarrow e + \nu + \gamma$ decay, 8=2489. On the determination of the variants of K_{e3}-decay, 9=9985

Kobzarev,I.Yu. and Okun',L.B. Spin of the Λ-particle, 6=7717. On the associated production of Λ and Θ particles, 8=293. On the probability of decay of Σ-hyperons with non-conservation of parity, 8=1887. Lifetime of the K_2^0-meson, 9=9986

Kobzarev,I.Yu. and Tamm,I.E. Strange particle decays in the Feynman and Gell-Mann theory, 8=8250

Koc,S. On the influence of adsorbed molecules on photoemission, 6=8820. The quantum efficiency of the [internal] photoelectric effect in germanium for the 0.3-2μ wavelength region, 9=4610

Koc,St. and Roubínek,F. Influence of the gradient of the external electric field on the chemo-emission, 7=6250

Koch,D.A. See Stultz,K.F., 7=1837

Koch,F.A. Investigations on the temperature dependence of the Procopiu effect, 9=11208

Koch,G.E., Gottfried,H.L., Lamb,W.R., Rhoads,F.A. and Valdivia,J. Phototube high-intensity gamma survey instrument, 5=7145

Koch,H.W. See also Fano,U., 9=3723; Fuller,E.G., 9=520; Starfelt,N., 6=5936

Koch,H.W. and Wyckoff,J.M. Response of a sodium-iodide scintillation spectrometer to 10- to 20-million-electron-volt electrons and X-rays, 6=8226. Response functions of total absorption spectrometers, 9=4880

Koch,K.M. The problem of the galvanomagnetic effects in ferromagnetics, 5=8904. See also Rindner,W., 9=5609

Koch,K.M., Rindner,W. and Strnat,K. Remarks on the measurement of the Hall effect in ferromagnetics, 9=447

Koch,L. Semiconductors and nuclear radiations, 6=3717. Deposition of uranium dioxide on aluminium by electrolysis, 6=8448. See also N''Guyen Van Dong, 9=9617

Koch,W. A high resolution emission microscope for viewing surfaces by means of electrons released by u.v. radiation, 8=8046. Ferroelectric after-effects in polycrystalline barium titanate, 9=5662. See also Eisenberg,Y., 8=6177, 9=2644 9=6041, 9=9988; Möllenstedt,G., 8=4842

Koch,W. and Kaplan,D. A rhodium-plated kata thermometer for measuring true air velocity, 8=2872

Kochanova,L.A. See also Likhtman,V.I., 8=7572

Kochanova,L.A., Andreeva,I.A. and Shchukin,E.D. Brittle rupture of pure and alloyed zinc single crystals, 9=13863

Kochanovská,A. Improvement of roentegenometric methods of determining lattice defects of the third type in polycrystalline and powdered materials, 5=5096. Determining lattice defects of the third type and the size of coherent lattice domains in powdered tungsten, 5=5101. A contribution to the study of the influence of impurities on allotropical changes in cobalt, 5=7899. Changes in the fine structure of cobalt, 5=8412

Kocharov,G.E. See also Bochagov,B.A., 8=743; Komar,A.P., 9=10039

Kocharov,G.E., Komar,A.P. and Korolev,G.A. Energy spectra of α-particles emitted from the long lived isotopes Th^{232} and U^{238}, 9=12651

Kocharyan,N.M. The proton component of cosmic radiation at an altitude of 3200m over sea level, 5=8882

Kocharyan,N.M., Aĭvazyan,M.T., Kirakosyan,Z.A., and Aleksanyan,A.S. Meson component of the cosmic radiation at an altitude of 3200m above sea level, 6=5194

Kocharyan,N.M., Saakyan,G.S., Aĭvazyan,M.T., Kirakosyan,Z.A. and Aleksanyan,A.S. Nuclear interactions of π-mesons in copper, 7=2621. Nuclear interactions of high-energy protons in copper, 7=2635

Kocharyan,N.M., Saakyan,G.S. and Kirakosyan,Z.A. Energy spectra and nuclear interactions of cosmic ray particles, 9=12418

Kocharyan,N.N., Aĭvazyan,M.T., Kaĭtmazov,S.D. and Kirakosyan,Z.A. East-west asymmetry and angular distribution of protons and mesons, 5=371

Kocher,C.W. See Juliano,J.O. 9=4991; Mitchell,A.C.G., 9=3847, 9=4999

Kocher,G. Measurements of the homogeneous thermo-electric effect of the third degree. (First Benedicks effect), 6=384. See also Kocher,H. 9=10890; Lang,W. 9=10488

Kocher,H. Determination of age by the rubidium–strontium method using spectrum analysis with a Volta luminescence light source, 9=1929. See also Ewald,H., 9=6386

Kocher,H. and Kocher,G. The entropy of flash lamps, 9=10890

Kocherzhevskiĭ,G.N. Diffraction of a slit out in an ideally conducting circular disk, 5=8096

Kochina,N.N. The characteristic conditions near the centre of an explosion, giving rise to two shock waves, 9=13095. Exact similarity solutions of the magnetohydrodynamic equations of motion, 9=13495

Kochnov,V.E. Heterogeneities of stress distribution in polycrystalline grains in the initial stages of the process of plastic deformation, 8=3515

Kochnov,V.E. and Shaskol'skaya,M.P. Investigation of slip lines in silver chloride crystals, 8=3512

Kock,W.E. Binaural localization [steady state sounds] and space-frequency equivalence, 8=4834. Related experiments with sound waves and electromagnetic waves. 9=11926. See also Hanson,R.L., 7=8333

Kockel,B. The ground-state of the hydrogen molecule, 5=3933 Comments on the paper: "The ground state of the hydrogen molecule", 6=6053. The Sommerfeld ground-wave, 8=7207. A further calculation of the ground state of the hydrogen molecule, 9=728. The ^1S-states of helium, 9=1800

Kocks,U.F. Polyslip in polycrystals, 9=11603

Kockum,J. and Starfelt,N. The response to high-energy gamma rays of a NaI(Tl) scintillation spectrometer, 9=7235. Measurement of photonuclear absorption cross sections, 9=12686

Koczkás,E. The rotational analysis of the bands (2,5) and (2,6) in the γ band system of the NO molecule, 9=13163

Koda,S. See also Matsuura,K. 9=5206, 9=10327

Koda,S. and Takeyama,T. Interaction between slip bands and particles of precipitate in an aluminium alloy, 6=732

Kodama, M. World-wide distribution of cosmic-ray neutron intensity at sea level, 9=7139

Kodama,M., Kondō,I. and Wada,M. Cut-off rigidities of cosmic-ray particles calculated for the eccentric dipole model of the earth's magnetic field, 9=9737

Kodama, M., Murakami,K. and Sekido,Y. Observation of cosmic-ray neutron intensity at geomagnetic latitude 25°N. I. Atmospheric effects, 7=8694

Kodama,S.P. See Royer,G.L. 5=6887

Kodama,T. See Furuichi,S., 7=6600, 8=6184

Kodes,J., Kroczek,J. and Slavík,J.B. Optical control of the change of selenium rectifiers, 9=12282

Kodis,R.D. Additional comments on "Diffraction of electromagnetic waves by an aperture in a plane screen", 5=2027. Variational principles in high-frequency scattering, 9=1613. See also Huang,C. 5=3900

Kodman,F.,Jr. See Fairbanks,G., 7=8490; Sherwin,C.W., 6=7237

Kodzhespirov,F.F. The problem of the temperature dependence of photo-e.m.f., 8=1707. See also Kolomoĭtsev,F.I., 8=4028

Koechlin,Y. A proportional counter with beryllium walls for the detection of fast neutrons, 6=1315. Characteristics of the optical system of a scintillator, 6=1319. See also Mougin,B., 7=5410

Koeckelenbergh,A. See Coutrez,R., 8=1430

Koedam,M. Sputtering of a polycrystalline silver surface bombarded with monoenergetic argon ions of low energy (40-240 eV), 9=4060

Koehler,J.S, The velocity of dislocations, 5=10004. See also Bauerle,J.E., 6=5894, 8=4428; Cooper,H.G. 5=2724; Henderson,J.W., 7=2753; Kauffmann,J.W., 5=3195 Magnuson,G.D., 9=880; Noggle,T.S., 7=4812; Sosin,A., 6=2127

Koehler,J.S. and Seitz,F. Radiation disarrangement of crystals, 5=6612

Koehler,J.S., Seitz,F. and Bauerle,J.E. Interpretation of the quenching experiments on gold, 8=2666

Koehler,W.C. See also Gersch,H.A., 9=8796; Wilkinson,M.K., 9=4784; Wollan,E.C., 6=2563, 8=6041, 9=5899

Koehler,W.C. and Wollan,E.O. Neutron diffraction by metallic erbium, 5=5123

Koehler,W.C., Wollan,E.O. and Wilkinson,M.K. Paramagnetic and nuclear scattering cross sections of holmium sesquioxide, 9=450

Koehler,W.F. Multiple-beam fringes of equal chromatic order. IV. Use of multilayer films, 6=262; VII. Mechanism of polishing glass, 6=1134. VIII. Method of coincidence, 8=590. See also Bennett,J.M. 9=6782

Koehler,W.F. and Odencrantz,F.K. Constants of the Hartman formula and the correction curve by I.B.M. calculation, 8=107

Koehler,W.F., Odencrantz,F.K. and White,W.C. Optical constants of evaporated selenium films by successive approximations, 9=3339

Koehler,W.F. and White,W.C. Multiple-beam fringes of equal chromatic order. V. Fringe fine-structure, 6=263. VI. Method of measuring roughness, 6=1133

Koelmans,H. and Cox,A.P.M. Luminescence of modified tin-activated strontium orthophosphate, 7=7768

Koelmans,H. and Verhagen,C.M.C. The fluorescence of binary and ternary germanates of group II elements, 9=12095

Koelsch,A.C. A high speed low voltage light modulator, 8=1037

Koelsch,C.F. See Wertz,J.E., 6=1383

Koenig,H.P. See Boivin,E., 6=6034

Koenig,J.A. See Hough,P.V.C. 9=11327

Koenig,J.L. See Gallup,G.A. 9=12740

Koenig,S.H. Rate processes and low-temperature electrical conduction in n-type germanium, 8=5884. Recombination of thermal electrons in n-type germanium below 10°K, 8=5885 Hot and warm electrons,—a review, 9=5679

Koenigsfeld,L. The measure of the conductivity by radiosonde, 7=3848

Koeppe,W. An I–T diagram of neon, 8=6913. The Joule–Thomson effect and its measurement, 9=1396. On the use of iron–constantan thermocouples for measurement of low temperatures, 9=4530. See also Eder,F.X., 9=1159

Koeppe,W. and Eder,F.X. New measurements of the Joule–Thomson effect of hydrogen, 8=3961

Koerts,L. See also Benczer,N., 6=1516; Farrelly,B. 5=9858

Koerts,L., Macklin,P., Farrelly,B., van Lieshout,R. and Wu,C.S. Radiations of I^{126}, 5=7319

Koerts,L.A.C. See van Lieshout,R., 6=608

Koester,C.J. Phase shift effects in fringes of equal chromatic order, 8=2254. Achromatic combinations of half-wave plates, 9=6803. Half-shade eyepieces for the AO Baker interference microscope, 9=6807. See also Givens,M.P., 6=393; Inoue,S., 9=6806

Koester,C.J. and Givens,M.P. Extreme vacuum ultraviolet absorption spectra of silver chloride and silver bromide films, 7=5175

Koester,L. See Bock,R., 8=8807

Koester,L.J., Jr. Low-energy photoproduction of π° mesons in hydrogen: differential cross sections at 135°, 5=6514. See also Goldwasser,E.L., 5=1238; Mills,F.E., 5=6513

Koester,L.J., Jr. and Mills,F.E. Photoproduction of π° mesons in hydrogen, 7=5656

Kofink,W. Studies of the spherical harmonics method in neutron transport theory, 9=4916

Kofoed-Hansen,A. and Winther,A. On the coupling constants in β-decay, 9=5004

Kofoed-Hansen,O. Neutrino recoil spectrometer. Investigation of A^{37}, 5=1248. Alternative interpretations of slow-neutron cross sections, 5=8257. Shell effects in nuclear Coulomb energy differences, 7=7289. Mirror nuclei determinations of nuclear size, 8=9015. See also Ambrosen,J. 5=1938; Nielsen,O.B., 5=5445

Kofoed-Hansen,O. and Nielsen,A. Construction of a spectrometer for neutrino recoils: Investigation of the decay of A^{37}, 7=1557

Kofstad,P. See Hauffe,K. 5=10026

Koga,I., Aruga,M. and Yoshinaka,Y. Theory of plane elastic waves in a piezoelectric crystalline medium and determination of elastic and piezoelectric constants of quartz, 9=134

Koga,T. A proposal for fundamental equations of dynamics of gases under high stress (a proposal for statistical mechanical treatment of systems not in thermal equilibrium associated with transport phenomena), 5=119. Extended interpretation of the Boltzmann-Maxwell equation (a theory of nonstationary random processes), 6=3505. The Bolzmann–Maxwell equation as the fundamental equation of gasdynamics, 9=1170. Boundary conditions of flows accompanied with slip on wall surfaces, 9=2148. See also Asada,T. 9=351

Koga,Y. See Moriguchi,Y. 7=7917

Kogan,A.I. and Ķitaĭgorodskiĭ,M.M. Piezoelectric materials made of pressed barium titanate, 5=2714

Kogan,A.V. Neutron emission by a short lived radioactive radium deposit, 7=655. See also Aĭrapetyants,A.A., 8=7965

Kogan,A.V., Reĭnov,N.M., Sokolov,I.A. and Stelmakh,M.F. On a problem of operation of helium-filled proportional counters at low temperatures, 7=9240

Kogan,A.V. and Rusinov,L.I. Neutron emission by excited RaD nuclei, 8=5292

Kogan,A.V. and Sokolov,I.A. The total energy of β-transition RaC–RaC', 7=5585

Kogan,I.N. and Menes,L.I. Ultrasonic barium titanate radiator of high intensity, 8=925

Kogan,M.G. Transient heat conduction in solids bounded by orthogonal coordinate surfaces, 7=305. II. Temperature field depending on a single coordinate, 7=2111

Kogan,R.M. and Pereyaslova,N.K. Application of the film–scintillator system to the detection of γ-rays, 8=4206

Kogan, S.Kh. The theory of spiral lines, 6=7552

Kogan,S.Ya. Use of spherical harmonics in atmospheric optics, 6=9121

Kogan,V.I. Theory of broadening of spectral lines in plasma, 8=3856. The electron temperature and degree of ionization in the initial stage of a powerful pulsed discharge, 8=5940. See also Borzunov,N.A., 8=5941

Kogan,V.S. See also Garber,R.I., 7=4858*, 9=12817, 9=13816

Kogan,V.S., Lazarev,B.G. and Bulatova,R.F. Crystal structure of hydrogen and deuterium, 7=2849. On the diagram of state of the system hydrogen–deuterium, 9=5259

Kogan,V.S., Selivanov,V.P. and Bulatova,R.F. Fine-focus X-ray tube with an adsorption pump, 9=9685

Kogan,Ya,I. and Repina,R.S. An effect in the motion of aerosol particles, 7=4035

Kogarko,S.M. See also Zel'dovich,Ya.B., 7=1702

Kogarko,S.M. and Novikov,A.S. Acceleration of flames in the predetonation period, 5=250

Kogarko,S.M. and Skobelkin,V.I. Relaxational interaction of shock waves with a combustion zone, 9=1194

Kogarko,S.M., Skobelkin,V.I. and Kazakov,A.N. The interaction of shock waves with a flame front, 9=9324

Kogure,T. See Kanno,M. 9=10545

Kogut,M. and Oleś,A. On the measurements of cosmic radiation in horizontal direction, 6=7500

Koh,P.K. Orientation study of ultra-thin molybdenum Permalloy tape, 9=916

Koh,Y. See Katoh,T., 8=745, 9=10079; Kikuchi,S. 9=352

Kohara,S., Parthasarathi,M.N. and Beck,P.A. Anistropy of boundary mobility, 8=8449

Köhl,G. Mass-spectrometric investigations on Ge, 5=2290

Köhler,D. The electron-diffusion after-effect of over-sintered high-permeability ferrites, 9=11219

Kohler,D. and Hilton,H.H. Lifetime of the 6.14 MeV 3^- state of O^{16} by a recoil method, 8=9029

Kohler,F. Shape of the consolute curve and its consequences for the theory of binary liquid mixtures of nonelectrolytes, 5=8545

Kohler,F. and Rice,O.K. Coexistence curve of the triethylamine — water system, 7=7825

Köhler,H. A practical criterion of the twilight performance of field glasses, 5=4580. The theory of image formation in anamorphic systems, 6=4973. New methods in binocular construction. 6=5811. The relationship between the extra-axial disk of confusion and the axial correction of an optical instrument, 9=1253. Notes on the correction of distortion in telescopes, 9=1254. Some thermodynamic formulae and their interpretation, 9=1397. See also Witzmann,H. 9=2231

Köhler,H. and Leinhos,R. Studies of the laws of vision in telescopes, 9=8018

Köhler,H.J. Construction and mode of operation of a microwave frequency standard, 9=6476

Köhler,H.S. Polarisation of high energy nucleons scattered by nuclei, 6=8243. Approximate optical model expressions for the elastic scattering and polarization of fast protons by nuclei in the forward scattering peak, 8=6207. On the inelastic scattering of nucleons by nuclei at high energies, 9=1659

Köhler,J. See Niese,H., 8=4838

Kohler,M. Invariant surfaces of electrodynamics, 7=9764. Invariant planes of electrodynamics, 8=8933. On the propagation of light in a gravitational field, 9=24. See also Bischoff,K. 5=7893; Krautz,E., 9=8083

Kohler,M.M. See Green,L.C., 9=6158

Köhler,S. Polarization of high energy nucleons scattered by nuclei, 6=2945. See also Sjölander,A. 5=2422

Kohler,T.R. See also Parrish,W., 7=1750, 7=2348

Kohler,T.R. and Parrish,W. X-ray diffractometry of radioactive samples, 5=5749. Conversion of quantum counting rate to roentgens, 7=477

Köhler,W. Television microscopy, 6=5808

Kohlsdorf,E. Wedge-shaped (acoustic) cavity resonators, 6=157. The appearance of coupled vibrations in hollow resonators with gratings, 6=5745. The sound absorption coefficient of hollow resonators and its dependence on the arrangement, 6=5746. See also Reichardt,W. 5=9522

Kohman,T.P. See also Rightmire,R.A., 9=2730, 9=6077; Roy,J.C., 7=8123; Simanton,J.R. 5=3039

Kohman,T.P., Mattauch,J. and Wapstra,A.H. C^{12} as the basis of a common scale for isotopic masses and atomic weights 8=4366

Kohman,T.P., Mattauch,J.H.E. and Wapstra,A.H. New reference nuclide, 8=7429

Kohn,A. and Doumerc,J. Study of some phenomena observed on metallic specimens irradiated in air by deuterons of about 3 MeV, 6=1720

Kohn,E. See Gonzalez-Vidal,J., 6=9024

Kohn,H. See Hinnov,E., 7=3126

Kohn,W. Interaction of conduction electrons and nuclear magnetic moments in metallic lithium, 5=1077. Interpretation of donor state absorption lines in silicon, 5=7959. Effective mass theory in solids from a many-particle standpoint, 7=3474. Interaction of charged particles in a dielectric, 8=8418. Shallow impurity states in semiconductors, 9=291. Theory of Bloch electrons in a magnetic field, 9=3630. Motion of electrons and holes in semiconductors from a many-electron point of view, 9=5680. Image of the Fermi surface in the vibration spectrum of a metal, 9=12778. See also Ambegaokar,V., 9=11568; Kjeldaas,T.Jr., 6=3051, 7=3427 Luttinger,J.M. 5=2009, 5=3742, 8=5867

Kohn,W. and Luttinger,J.M. Quantum theory of cyclotron resonance in semi-conductors, 5=1813. Hyperfine splitting of donor states in silicon, 5=3773. Theory of donor states in silicon, 5=4660, 5=6337. Quantum theory of electrical transport phenomena, 8=5866

Kohn,W. and Michaelson,S. Properties of Wannier functions, 8=8425

Kohn,W. and Schechter,D. Theory of acceptor levels in germanium, 6=338

Kohnke,E.E. See also Ewald,A.W. 5=2723

Kohnke,E.E. and Ewald,A.W. Hall effect in gray tin filaments, 6=5884

Kohenen,T. and Ivanto,O. An analogue device for determination of buckling, 9=6150.

Kohra,K. Simultaneous reflexion in electron diffraction as a cause of the failure of Friedel's law, 5=3291. See also Kuriyama,M., 7=8908; Yoneda,Y. 5=9256

Köhrmann,W. Electrical breakdown in air at small and medium overvoltages, 5=9677. The limit of the streamer mechanism in the electrical breakdown in air, 7=4390. The influence of atmospheric moisture on the electrical breakdown in air, 7=6203

Köhrmann,W. and Raether,H. On the significance of channel formation in [electrical] breakdown of air, 5=2771

Kôi,Y. Line width of the pure quadrupole resonance of bromine in $NaBrO_3$, 7=4630. See also Fuke,T., 9=1832; Kushida,T. 5=2953

Kôi,Y., Tsujimura,A. and Fuke,T. Origin of the line width of pure quadrupole resonance, 5=8131

Kôi,Y., Tsujimura,A. and Imaeda,Y. Line width of the pure quadrupole resonance of bromine in $KbrO_3$, 7=9303

Koiava,V.K. See Dorman,L.I., 7=516

Koički,S., Simič,J. and Kukoč,A. Gamma—gamma angular correlations in Tm^{169}, 9=8552

Koidan,W. See Corliss,E.L.R., 6=1012

Koide,S. A lattice theory of quantum fluids, 6=959. See also Kamimura,H., 9=739; Yokota,M. 5=2892

Koide,S. and Pryce,M.H.L. Intensity calculation of some optical absorption lines in hydrated manganous salts, 8=4873

Koide,S., Sekiyama,H. and Nagashima,T. One-center molecular orbital wave function for methane, 9=8735

Koide,S., Usui,T. and Kambe,K. Resonance line width in the paramagnetic single crystal $K_2CuCl_4.2H_2O$, 5=9391

Koike,M. See Odajima,A. 6=4560, 8=5452

Koike,Y. and Shibata,T. On the positive ion emission from hot platinum in various gases, 6=5191

Koĭkov,S.N. and Tsikin,A.N. Dielectric strength of thin layers of aluminium oxide, 7=2168. The breakdown of thin alundum-layers, 9=12352

Koizumi,M. See Mataga,N. 5=6037

Koizumi,N. Dielectric properties of polyethylene glycols at microwave frequencies, 8=165. See also Gotohi,R., 8=3064

Kojima,H. Effects of some additionals for the magnetic properties of Ba and Sr oxide magnets, 9=11222

Kojima,M. See Shimomura,Y., 7=4905

Kojima,S., Abe,Y., Minematsu,M., Tsukada,K. and Shimauchi,A. Structure of nuclear quadrupole resonance line. II. Solid bromine, 9=8372

Kojima,S. and Kato,K. Statistical study of electron avalanches in gaseous discharge, 6=3765

Kojima,S., Kato,K. and Annaka,S. Radio frequency absorption in barium chlorate, 6=8684

Kojima,S., Kato,K. and Hagiwara,S. Oscillations in plasma. I. 8=5989

Kojima,S., Minematsu,M., and Tanaka,M. Nuclear quadrupole resonances of nitrogen in amino and amido compounds, 9=9848

Kojima,S., Ogawa,S., Hagiwara,S., Abe,Y. and Minematsu,M. Structure of nuclear quadrupole resonance line. I. Solid iodine, 7=628

Kojima,S., Ogawa,S., Minematsu,M. and Tanaka,M. Effects of impurities on nuclear quadrupole resonance in p-dichlorobenzene, 8=8394

Kojima,S., Shimauchi,A., Hagiwara,S. and Abe,Y. Observation of nuclear quadrupole resonances with a coaxial-cavity spectrometer, 6=533

Kojima,S., Takayama,K. and Shimauchi,A. Noise of gas discharge plasma, 5=2901

Kojima,S. and Tsukada,K. On the interpretation of the spectrum of bromoform, 5=2944. Fine structure of pure quadrupole spectrum in iodine crystal, 5=9571

Kojima,S., Tsukada,K. and Hinaga,Y. Zeoeman splitting of nuclear quadrupole resonance in paradibromobenzene, 5=8129*

Kojima,S., Tsukada,K., Ogawa,S. and Shimauchi,A. Nuclear quadrupole resonances in solid iodine compounds, 6=1441

Kojima,S., Tsukada,K., Ogawa,S., Shimauchi,A. and Abe,Y. Nuclear quadrupole resonance in arsenic tribromide and arsenic tri-iodide, 5=2949

Kojima,S., Tsukada,K., Ogawa,S., Shimauchi,A. and Matsumiya,H. On the piezoelectric lines at sub-microwave frequences, 5=5319

Kojima,S., Tsukada,K., Shimauchi,A. and Hinaga,Y. Zeeman splitting of nuclear quadrupole resonance line of bromine, 5=2948

Kojima,T. Mechanism for self-diffusion in metallic lithium, 6=7743. Electronic states of the F-center in lithium fluoride. I. 8=5482. II. 8=5483. See also Nagamiya,T. 5=9391

Kojima,T., Hirakawa,H. and Oka,T. Microwave spectrum of hydrazine, 9=204

Kojima,T. and Nishikawa,T. Microwave spectrum of methyl mercaptan. I. 5=4540. Potential barrier and molecular structure of methyl mercaptan from its microwave spectra, 8=6391

Kojima,Y. See Torizuka,Y. 5=6928

Kok,J.A. and Corbey,M.M.G. Dipoles and electric breakdown, 8=1072. Breakdown of liquid insulating and dielectric material, 8=3161. Testing the electric strength of liquid dielectric or insulating material, 8=3162. Aspects of electrical breakdown of liquid insulating material, I. 9=4658

Kokaku,T. See Nomura,Y. 9=11647

Kokame,J. See also Kimura,K., 8=1729

Kokame,J. and Yamashita,S. Electrostatic deflection of a cyclotron ion beam, 6=5156

Kokhanenko,P.N. Action of water vapour on the absorption spectrum of copper chloride containing an excess of copper, 6=4995

Kokhanenko,P.N. and Grigoruk,L.V. Absorption spectrum of the excess silver in the low temperature and the high temperature modifications of the silver iodide, 6=7287

Kokin,A.A. On the theory of electron paramagnetic resonance in electrolyte solutions, 9=12466. See also Chirkov,A.K., 9=2936; Skrotskii,G.V. 9=11267, 9=12443

Kokina,N.G. See Lifshits,T.M. 9=1477, 9=9694

Kokosh,G.V. See Gordyakova,G.N., 8=7048

Kokoulina,D,V. See Kabanov,B.N., 8=8505

Kolachevskii,N.N. Measurement of the noise from cyclic remagnetization of ferromagnetic substances at low temperatures, 9=13435. See also Grachev,A.A. 5=4800

Kolb,A.C. Production of high-energy plasmas by magnetically driven shock waves, 8=630. Propagation of strong shock waves in pulsed longitudinal magnetic fields, 8=632. Magnetically confined plasmas, 9=1553. See also Griem,H.R. 9=12410

Kolb,A.C., Dobbie,C.B. and Griem,H.R. Field mixing and associated neutron production in a plasma, 9=13402

Kolb,A.C. and Griem,H. Theory of line broadening in multiplet spectra, 9=1273

Kolb,E.D. See Bridgers,H.E., 6=359, 7=375

Kolb,J. See also Hueter,T.F. 5=135

Kolb,J. and Nyborg,W.L. Small-scale acoustic streaming in liquids, 7=4052

Kolb,W. Scintillation spectrometry of soft X-rays. 6=5914

Kölbel,H. A light filter combination for the observation of fluorescence in the whole visible spectral region, 5=2653

Kolchin,E.K. See Green,L.C., 9=6158, 9=8677; Lewis,M.N. 5=6403

Kol'chinskaya,T.I. See Sergeev,A.G. 9=2769

Kolchinskaya,T.I. See Sergeyev,A.G., 9=8554

Kolenko,E.A., Shcherbina,A.G. and Yur'ev,V.G. A method for removing heat from semiconductor cooling devices, 9=9559

Kolenko,E.A. and Yur'ev,V.G. An investigation of some vacuum properties of epoxy resins, 9=7860

Kolesnikov,A.G. and Belyaev,V.I. Crystallization of supercooled water, subjected to turbulent stirring, 7=2125

Kolesnikov,A.P. See Korenblit,L.L., 7=1454

Kolesnikov,N. See Ivanenko,D. 5=7269, 6=7707; Jakobi,G., 7=9002

Kolesnikov,N.N. Properties of energy surfaces of heavy nuclei 6=8323. The effect of the size of the proton on the position of electron levels in hydrogen and deuterium 8=2601. See also Larin,S.I. 5=7272; Teodorovich,É.V., 7=8098

Kolesnikov,N.N. and Krȳlova,A.P. Nuclear subshells and deformation in the region beyond lead, 8=1901

Kolesnikov,N.N. and Larin,S.I. Probability of spontaneous fission and β-stability, 5=7315

Kolesnikov,N.N. and Zhakobi,Zh.A. On the interaction between the electron and other particles at short ranges, 9=2575

Kolesnikov,V.N. See also Egorov,V.N. 9=9674

Kolesnikov,V.N. and Pokhil'ko,L.G. On the measurement of the concentration of Na atoms in the column of an arc discharge, 8=1081

Kolesova,R.V. See Fesenko,E.G., 9=13139

Kolganova,É.D. See Vaĭsenberg,A.O. 9=2620

Kolin,A. Separation and concentration of proteins in a pH field combined with an electric field, 5=588*. Method for elimination of thermal convection, 5=1755. Electrophoretic "line spectra", 5=4148. Magnification of resolution of electrophoretic sorting patterns, 5=8344

Koliverdov,V.F. See Popov,B.N. 9=11105

Kölle,H.W. Photographic methods for the representation of the ultrasonic field, 9=2180

Koller,A. and Pospíšil,Z. The mechanism of degradation of titanate dielectrics, 9=4552

Koller,L.R. and Coghill,H.D. Electron excitation of bilayer screens, 9=215

Kollmann,W. See Dänzer,H., 6=2732

Kolm,C., Kulin,S.A. and Averbach,B.L. Studies on Group III-V intermetallic compounds, 8=7931

Kolm,H.H. Rotating electrometer for comparative work function measurements, 7=4297. See also Foner,S., 8=5123; Keyes,R.J., 7=2211; Pratt,G.W., Jr, 7=7877; Zwerdling,S., 7=2229

Kolm,H.H. and Herlin,M.A. New method for measuring the absolute viscosity of liquid helium II, 6=4368

Kolmer,F. The sound absorption coefficients of (various) materials measured by the reverberation method, 7=4104

Kolobkov,B.P. See Zelinskiĭ,V.V., 6=6531

Kolobkov,V.P. See Zelinskiĭ,V.V., 7=4220, 8=2984 8=5790, 9=13180

Kolodner,I.I. See Keller,J.B. 7=1108

Kolodziejczyk,L. The coherent scattering coefficient in the Thomas–Fermi model, 9=3951

Kołodziejski,R. Collisions and nuclear forces, 5=5213

Kolomenski,A.A. and Lebedev,A.N. Concerning the influence of radiation in cyclical accelerators, 9=11140

Kolomenskiĭ,A.A. Excitation of synchrotron oscillation due to electron radiative fluctuations, 6=6689. Emission of radiation by an electron moving at uniform speed in an electron plasma in presence of a magnetic field, 6=6713. On the influence of radiative quantum fluctuations on the motion of electrons in periodic magnetic systems, 6=7456. On the elimination of the critical energy in a strong focusing synchrophasetron, 7=469. Theory of betatron oscillations of particles in magnetic systems. I. 7=4436. II. 7=4437. "Symmetrical" ring phasotron with crossing beams, 8=3188 See also Burshteĭn,E.L., 6=2184; Sitenko,A.G., 6=6701

Kolomenskii,A.A. and Fan,S. Cyclic motion of charged particles in an electric field, 9=13373

Kolomenskiĭ,A.A. and Lebedev,A.N. On the influence of quantum fluctuations on the path of electrons in a magnetic field, 6=8229. On the influence of radiation on the movement of relativistic electrons in a magnetic field, 6=8230. On the role of radiative losses in orbital accelerators, 7=1384

Kolomenskiĭ,A.A., Petukhov,V.A. and Rabinovich,M.S. The ring phasotron - a new accelerator for charged particles, 6=2938

Kolomenskii,A.A. and Sabsovich,L.L. On passage through the critical energy in a strong focusing accelerator, 7=465

Kolomenskij,A.A. and Lebedev,A.N. The theory of electron motion in cyclic accelerators in presence of radiation, 8=4060

Kolomiets,B,T. See also Goryunova,N.A., 7=2237-8, 9=3454; Tolstoĭ,N.A., 6=8801; Vengel',T.N., 8=1048

Kolomiets,B.T. and Goryunova,N.A. Properties and structure of ternary semiconducting systems. I. Electrical properties and structure of some materials in the system Tl–Sb–Se, 7=2236

Kolomiets,B.T. and Larichev,V.N. An investigation of the photoelectric properties of the lead sulphide group of semiconductors by the condenser method, 8=7019. (A contribution to) the question of the mechanism of conduction and photoconduction in polycrystalline layers of semiconductors of the PbS group, 9=3480

Kolomiets,B.T. and Mal'kova,A.A. Properties and structure of ternary semiconducting systems. IV. Electric and photoelectric properties of substitutional solid solutions in the system ZnTe–CdTe, 9=3486

Kolomiets,B.T. and Mamontova,T.N. An internal photoeffect in a fused chalcogenide glass, 9=13324

Kolomiets,B.T., Sheftel',I.T. and Kurlina,E.V. Electrical properties of certain compound oxide semiconductors, 7=8616

Kolomiĭtsov,Yu.V. and Dukhopel,I.I. A non-contact interference method of checking spherical lens surfaces, 7=293

Kolomoets,N.V. The thermoelectric properties of some com-

pounds and alloys with a highly degenerate electron gas, 8=7992. See also Ioffe,A.F., 6=8216

Kolomoets,N.V., Neshpor,V.S., Samsonov,G.V. and Semenkovich,S.A. The thermoelectric properties of some metal-like compounds, 9=11065

Kolomoets,N.V., Starnzas,M.S., Stil'bans,L.S. and Fateev,N.P. Measurement of air humidity with the aid of semiconducting thermocouples, 6=6425

Kolomoets,N.V., Stavitskaya,T.S. and Stil'bans,L.S. An investigation of the thermoelectric properties of lead telluride and lead selenide, 7=8642

Kolomoĭtsev,F.I. and Kodzhespirov,F.F. The occurrence of electromotive forces in amorphous selenium under the action of X-radiation, 8=4028

Kolontsova,E.V. and Telegina,I.V. Influence of the deformation conditions on the mechanism of kink band formation, 8=6411. The investigation of deformed crystals of NaCl by means of an X-ray microbeam, 9=10304

Kolontsova,E.V., Telegina,I.V. and Plavnik,G.M. The structure of kink bands in some ionic crystals, 7=8273

Kołos,W. The influence of hindered rotation on the scattering of slow neutrons by bound protons, 5=557, 5=4980. Some remarks on the structure of NH$_3$ and PH$_3$ molecules, 5=9806. The influence of hindered rotation on the scattering of slow neutrons by bound protons II, 6=3299. Statistical method and molecular binding, 6=5280. The localized molecular orbitals and the structure of some XH$_3$ molecules, 6=7594. The Weizsäcker inhomogeneity correction in the statistical molecular model, 7=581. On the Weizsäcker correction in the statistical theory of molecular structure, 7=1479. Cross-section of the methyl mercaptan molecule for the scattering of slow neutrons, 7=1958. Excitation energies of ethylene, 7=9300. Excitation energies of benzene, 7=9301. Electron correlation in molecules. I. The ethylene molecule, 9=6190. II. The benzene molecule, 9=6191. On the one-centre interaction integrals in the molecular orbital method, 9=7447

Kolosov,A.A. and Myasnikov,L.L. Study of the half-widths of microwave absorption lines of ammonia, 7=7008

Kolosov,M.N. See Shigorin,D.N., 7=583

Kolossvary,B.G. Eötvös balance, 9=6563

Kolotikhina,Z.V. Vibrations of a cylindrical shell in water and its emission of sound of complex spectral composition, 9=5428

Kolotilova,V.G. See Adirovich,É.I., 7=365, 7=368

Kolpakov,P.E. Acceleration of charged particles in the electro magnetic field of sunspots, 8=4654. On the generation of corpuscular streams by the magnetic fields of sunspots, 9=10529

Kolsky,H. The propagation of stress pulses in viscoelastic solids, 7=2749. Some aspects of the mechanical testing of non-metallic solids, 8=3505. See also Hsieh,D.Y., 8=2903

Kolsky,H. and Shi,Y.Y. Fractures produced by stress pulses in glass-like solids, 9=833

Kolsky,H.G. and Gilles,P.W. Thermodynamic properties of gaseous zirconium, 6=3698

Kolsky,H.G., Gilmer,R.M. and Gilles,P.W. Free energy functions for 54 gaseous elements, 8=1557

Kolsrud,M. Exact quantum dynamical solutions for oscillator-like systems, 7=1926. Variational methods for scattering problems, 9=4310. On adiabatic invariance in quantum mechanics, 9=11849

Koltay-Gyarmati,B. See Gáspár,R. 9=6864

Kolthoff,I.M. and Reynolds,W.L. The use of rotating and stationary electrodes for fast reactions, 5=5029

Koltypin,E.A. and Morozov,V.M. An estimate of the upper limit of the cross-section for radioactive capture of neutrons of resonance energy (275 keV) by the isotope Li^7, 7=4735

Kolyadin,A.I. Anomalous scattering of light in glass, 7=1215

Kolyunov,V.A. See Kel'man,V.M., 7=5599, 7=7336, 9=2404

Komar,A. Necessity of singularities in the solution of the field equations of general relativity, 7=1043. Construction of a complete set of independent observables in the general theory of relativity, 9=3104. Covariant conservation laws in general relativity, 9=5348

Komar,A.A. Bremsstrahlung and pair production of particles of spin $\frac{3}{2}$, 9=1645

Komar,A.A. and Markov,M.A. An example of a field theory with indefinite metric in Hilbert space. II, 9=10581. A certain variant of nonlocal electromagnetic field theory, 9=10583

Komar,A.P. See also Bazhanov,E.B., 7=8162; Bochagov,B.A., 8=743; Kocharov,G.E., 9=12651; Vorob'ev,A.A. 7=9860; Yavor,I.P., 8=4201

Komar,A.P. and Dragnev,T.N. Fine structure of the energy spectrum of photoprotons from Ca^{40}, 9=13682

Komar,A.P. and Korobochko,Yu.S. On two effects leading to capture of electrons in the betatron mode of acceleration, 9=12390

Komar,A.P., Korolev,G.A., and Kocharov,G.E. Inferior excited (rotation) levels of Th^{234}, 9=10039

Komar,A.P. and Krivko,N.I. Temperature dependence of the g-factor and relaxation time for ferromagnetic resonance for some ferrites, 7=9266

Komar,A.P. and Shrednik,V.N. An investigation on the allotropic transformation $\alpha \rightleftharpoons \beta$ Zr by means of an electron emitter, 7=6112. The $\alpha \rightleftharpoons \beta$ transition in zirconium observed by means of the electron projector, 8=8731

Komar,A.P., Stabnikov,M.V. and Yashin,D.A. A low pressure diffusion chamber, 6=8837

Komar,A.P. and Talanin,Yu.N. Pictures of autoelectronic emission of crystals of tungsten carbide and molybdenum carbide, 9=11097

Komar,A.P. and Yavor,I.P. Photoprotons from A^{40}, 7=2665. Photodisintegration of the neon nucleus, 7=9885

Komar,E.G. See Arkhangel'skiĭ,F.K., 8=1727

Komarov,N.N. See Braude,S.Ya., 9=3670

Komarov,V.V. See also Vasil'ev,S.S., 8=4325, 8=6327, 8=6335, 9=8422

Komarov,V.V., Neudachin,V.G., Popova,A.M. and Teplov,I.B. On the mechanism of stripping in reactions involving capture of two nucleons, 9=2835

Komastubara,K. See also Komatsubara,K.

Komastubara,K. and Hashimoto,U. Study on annealing of radiation induced 1/f noise in Ge p−n junction, 9=3488

Komata,T. Internal friction of white tin single crystal, 5=7442

Komatsu,C. See also Tanaka,I. 5=7261

Komatsu,C. and Shimokawa,J. Hydration energy of ions, 6=7360

Komatsu,H. Proton magnetic resonance absorption spectra of long chain normal primary alcohol of probable carbon number 32, 6=7592. See also Nishioka,A., 8=4280

Komatsu,K. Theory of the specific heat of graphite. II. 5=6094*. Particle-size effect of the specific heat of graphite at low temperatures, 9=8056

Komatsubara,K. Study on the correlation between the noise by hole generation and surface recombination velocity at Ge fused junction, 9=13283. See also Komastubara,K.

Komatsuzawa,A., Munakata,Y. and Hasegawa,H. Double meson production on the intermediate-coupling theory. I, 6=6370

Komel'kov,V.S. Return discharge in long sparks, 7=4392. Self-contracting discharges in deuterium at high current-rise rates, 9=2376

Komel'kov,V.S. and Parfenov,D.S. Broadening of a spark channel in air at currents of about 2 and 10^6 amperes, 7=5356

Komesaroff,M. Polarization measurements of the three spectral types of solar radio burst, 8=7647

Komesaroff,M.M. and Shain,C,A. Refraction of extra-terrestrial radio waves in the ionosphere, 9=11651

Kommandeur,J. and Schneider,W.G. Photoconductivity of anthracene. IV. Bulk photoconduction in single crystals, 8=3136. V. Effect of imperfections on the bulk photocurrent, 8=3137

Komnik,Yu.F. See Palatnik,L.S. 9=13826

Komoda,T. See Tsuzuku,T. 5=5076, 7=896

Komori,H. The energy balance of cosmic rays, 6=445. See also Hirokawa,S., 6=8402, 7=3716, 8=6156

Komoss,S.G.El. See El Komoss,S.G.

Kompaneets,A.S. The self-consistent field method for tensor forces, 5=720. Multiple scattering by the Coulomb field in very thin foils, 5=6211. Shock waves in a plastic compressible medium, 7=1134. Establishment of thermal equilibrium between quanta and electrons, 7=2976. Strong gravitational waves in vacuum, 8=7676. Radio emission from an atomic explosion, 9=12700. See also Zel'dovich,Ya.B., 8=7861-2

Kompaneets,A.S. and Pavlovskiĭ,E.S. Atomic self-consistent field equations, 7=2559

Komsha,G. See Gel'berg,A., 9=7054

Komukhaev,É.I. See Baranskiĭ,P.I., 9=4588

Kon,H. Simplified SCF calculation for fulvene, 5=8140

Kon,H. amd Blois,M.S.,Jr. Paramagnetism of hydrocarbon−conc. H$_2$SO$_4$ systems, 8=6838

Konava,V.K. See Dorman,L.I., 7=512

Kondaiah,E. Excited states of C^{12} in the region 11 to 14 MeV from B" (d,n) C^{12} reaction, 7=709

Kondaiah,E., Iyengar,K.V.K. and Badrinathan,C. (n,α) and (n,p) Reactions in fluorine, 8=5386. Interaction of fast

neutrons with fluorine, 9=8633

Kondaraki,N.I. See Zelinskiĭ,V.V.,

Kondo,F. See Kazamaki,T., 6=2820

Kondo,H. History and the physicist, 5=9396

Kondo,I. See Kawasaki,S., 9=9734; Kodama,M. 9=9737; Yoshida,S. 5=372

Kondo,J. See Yamashita,J., 8=2387

Kondo,K. On Lorentz force due to internal magnetic field acting on a conduction electron [in metals]. 5=1985

Kondo,M. See also Kikuchi,S., 9=352; Takeda,M., 7=8819, 7=9868; Yamabe,S. 9=13658

Kondo,M. and Yamazaki,T. Elastic and inelastic scattering of protons from neon, 9=13657

Kondo,M., Yamazaki,T., Toi,A., Nakasima,R and Yamabe,S. Elastic scattering of 5.7 MeV protons from Fe, Cr and Ti, 9=10096

Kondo,S. A statistical-mechanical theory of surface tension of curved surface layer. I. 5=5918*. Thermodynamical fundamental equation for spherical interface, 7=142. Fading of coloration of irradiated glass, 9=6286. See also Skolnick,L.P., 9=1940

Kondoh,H. See also Uchida,E. 5=6295*, 6=3019, 6=3730

Kondoh, H., Uchida,E., Nakazumi,Y. and Nagamiya,T. Magnetic anisotropy measurements of NiO single crystal, 9=9768

Kondoh,I. See Sekido,Y., 6=7507

Kondorskii,E. and Rosenberg,M. On the temperature dependence of the coercive force in thin specimens of nickel and nickel-iron alloys, 8=7173

Kondorskiĭ,E.I. See also Bekeshko,N.A., 8=721; Kiseleva,V.A., 8=6076

Kondorskii,E.I., Galkina,O.S. and Chernikova,L.A. Electrical resistance of iron, nickel and nickel–copper alloys at low temperatures, 8=7902

Kondorskiĭ,E.I. and Pakhomov,A.S. Contribution to the theory of ferromagnetism of metals and alloys at low temperatures, 7=6335

Kondorskiĭ,E.I. Pakhomor,A.S. and Shiklosh,T. Theory of spontaneous magnetization of ferro-magnetic semiconductors in the low temperature region, 7=3455

Kondorskii,E.I., Rode,V.E. and Gofman, (Hoffmann), U. The saturation magnetization of nickel–copper alloys at low temperatures, 9=12458

Kondorskiĭ,E.I. and Sedov,V.L. Changes of the saturation magnetization and the electrical resistance of iron–nickel alloys on omnidirectional compression at low temperatures, 9=2516. Antiferromagnetism of the gamma phase of iron, 9=13446

Kondorsky,E., Galkina,O.S. and Tchernikova,L.A. Nature of electrical resistivity of the ferromagnetic metals at low temperatures, 8=8758

Kondratenko,V.M. See Samoilovich,A.G., 7=3268

Kondrat'ev,B.V. See Shestopalov,V.P., 9=9883

Kondrat'ev,K.Ya. See also Dmitrev,A.A., 8=3031

Kondrat'ev,K.Ya. and Manolova,M.P. The angular distribution of the intensity of radiation reflected by natural surfaces, 8=836

Kondrat'ev,L.N. See also Novikova,G.I., 8=1923; Tret'yakov,E.F., 9=12663

Kondrat'ev,L.N., Novikova,G.I., Sobolev,Yu.P. and Gol'din,L.L. Alpha-decay of Pu^{240}, 7=3599

Kondrat'ko,M.Ya. See Kovrigin,B.S. 9=13702

Kondrat'yev,L.N., Dedov,V.B. and Gol'din,L.L. The alpha decay of curium-242, 9=10058

Kondurar,V.T. The expansion [in series] of the potential function of the mutual attraction of two ellipsoids (homogeneous and non-homogeneous), 9=11869

Koníček,O. Some remarks on the symbolic method, 8=2728. Construction of the closed-form solution of the linear integral equation with constant coefficients and a periodic right-hand side term, 9=3. Construction of the closed-form solution of the linear integral equation with constant coefficients and anti-periodic right-hand-side term, 9=4

König,A. See Antal,J., 8=3780

König,E. The variations of bone conduction as a function of the pressure exerted on the vibrator, 6=3415. Effect of time on pitch discrimination thresholds under several psychophysical procedures; comparison with intensity discrimination thresholds, 7=8962

König,H. The visual manifestation of magnetic fields, 5=378. See also Brockes,A., 8=8461; Ebert,K.H., 9=6354; Helwing,G., 5=7971; Olbricht,K.H., 7=868; Thelen,A., 7=788

König,H. and Kirste,E. Surface structure of silver mirrors, 7=794

König,L. See Hintenberger,H. 5=7134

König,L.A. The Newtonian image equation for a sector magnet, taking the fringing field into account, 6=1306. See also Hintenberger,H., 6=1305, 9=348, 9=1536-7, 9=1540, 9=2418

König,L.A. and Hintenberger,H. On the imaging defects of arbitrarily bounded homogeneous magnetic sector fields, 9=2405. Variation of image aberration coefficients and line broadening along the photographic plate in mass spectrographs having double focusing of the first order for all masses, 9=4722. Mass-spectrographs with aberration corrections, 9=11136

König,L.A. and Hintenberger,H. The image properties of magnetic sector-fields including the fringing field, 6=1304

König,V. See Conrad,B., 8=6292

Konijn,J. Experiments on nuclides decaying by positron emission and electron capture, 9=3857. See also Hagedoorn,H.L., 8=7340; van Nooijen,B., 8=3329, 8=4304

Konijn,J., Hagedoorn,H.L., van Krugten and Slobben,J. On the electron capture to positron emission ratios in the decays of ^{58}Co and ^{84}Rb, 9=12661

Konijn,J., Hagedoorn,H.L. and van Nooijen,B. Further study on the decay of ^{57}Ni, 8=3334. Some measurements of the decay of Mn^{52}, 8=5308

Konijn,J., Van Nooijen,B., Hagedoorn,H.L. and Wapstra,A.H. Branching ratios of electron capture to position emission, 9=3859

Konijn,J., van Nooijen,B., Mostert,P. and Endt,P.M. The radioactive decay of ^{57}Ni, 7=8797

Konikova,R.A. See Elpat'evskaya,O.D. 7=4906*

Konin,A.D. See Golovin,B.M. 9=13555

Konitzer,J.D. See also Markham,J.J., 9=1297

Konitzer,J.D. and Markham,J.J. Effect of bleaching on the optical band width of the F centre in KCl, 7=8942

Konjukov,M.V. See also Konyukov,M.V

Konjukov,M.V. and Terletskij,J.P. On the theory of the linear betatron, 9=2424

Kóno,H. On the ferromagnetic phase in manganese-aluminium system, 9=11198. See also Hirabayashi,M., 8=812

Kono,R. See Soeya,T., 9=8769

Kono,S. Scintillation spectrometer studies on the beta-activity of K^{40}, 5=8200

Konobeev,Yu.V. See Agranovich,V.M. 9=12794

Konobeevskiĭ,S.T. On the representation of atoms in crystals in the form of symmetric figures, 8=3576

Konobeevskiĭ,S.T., Levitskiĭ,B.M. and Martÿnyuk,Yu.A. A new method of X-ray diffraction examination of radioactive materials, 7=1749

Kononenko,V.A. See Savel'ev,V.Ya., 9=8403

Konopinski,E.J. Fermi's theory of beta-decay, 5=8458. See also Ford,K.W. 9=2684; Newby,N.,Jr. 9=13638

Konoplev,K.S. See Kel'man,V.M. 6=5375

Konoplyasova,N.S. See Baranskii,P.I., 9=5749

Konorov,P.P. Electrical properties of the chalcogenides of bismuth. I. Electrical properties of bismuth sulphide Bi_2S_3, 7=372. II. The electrical properties of Bi_2Se_3. 7=2213 III. The electrical properties of Bi_2Te_3, 7=2214

Konorova,E.A. Statistical lag in electrical breakdown of solid dielectrics, 7=8593

Konorova,E.A. and Sorokina,L.A. Dependence of electric strength on temperature for crystals of KBr and KCl, 7=6149. The effect of electrode material and thermal treatment of samples on the electric strength of alkali-halide crystals, 9=4661

Konorski,B. Limit angles in the electrostatic field of two spheres bearing charges of opposite polarity, 7=1244. A generalization of Coulomb's fundamental law, 7=5292. Certain properties of the electrostatic field of two spheres, 8=601

Konosenko,I.D. Modern bolometers, 9=251. See also Konozenko,I.D.

Konovalenko,B.M. See Goryunova,N.A., 6=5888; Ryvkin,S.M., 5=4648, 9=1748

Konovalov,P.F. See Vasenin,R.K., 7=2851

Konovich,E.V. See Shklovskiĭ,I.S., 8=6598

Konozenko,I.D. and Khaĭkina,R.M. Reply to P.A.Kurov's letter regarding the paper on "The structure and properties of indium antimonide films prepared by evaporation in vacuo", 8=7543

Konozenko,I.D. and Mikhnovs'kÿĭ,S.D. The structure and electrical properties of thin layers of InSb, 8=6992

Konozenko,I.D. and Ust'yanov,V.I. Electrical properties of the lead–antimony system, 9=1460

Konozenko,I.D., Ust'yanov,V.I. and Kedrov,V.P. Absorption of the gamma radiation of Co^{60} in CdS, 9=3875

Konrad,M. Ion phase measurements on the Birmingham cyclotron, 9=5820. Equations for the ion motion in a fixed frequency cyclotron, 9=11145

Konstantinov,B.D. See Korol'ov,O.M., 8=8981

Konstantinov,B.P., Baikov,Yu.M. and Rȳskin,G.Ya. Flotation method of measuring compression coefficients of hard substances and liquids, 9=13860

Konstantinov,B.P., Efremova,Z.N. and Rȳskin,G.Ya. Measurement of the coefficients of expansion of NaCl, LiF, KCl and KBr by the flotation method, 9=5621

Konstantinov,B.P. and Rȳskin,G.Ya. Measurements of volume expansion of crystals by flotation method, 7=312

Konstantinov,I.E. See Stolyarova,E.L., 9=8434

Konstantinov,Yu.S. See Akhmanov,A.A. 9=9804; Fedin,Ė.I., 9=9846

Konstantinova,Ė.L. and Sokolik,G.A. Schrödinger's equation in two dimensions and the representations of a group of displacements of a plane, 6=6394.

Konstantinova,V.P. See also Shubnikov,A.V., 9=9592

Konstantinova,V.P., Sil'vestrova,I.M. and Aleksandrov,K.S. Production of triglycine sulphate crystals and their physical properties, 9=13257

Konstantinova,V.P., Sil'vestrova,I.M. and Yurin,V.A. Twinning and dielectric properties of triglycine sulphate crystals 9=13258

Konstantinova,V.P. and Yurin,V.A. Polarization characteristics of Rochelle salt crystals containing impurities, 8=3071

Kontorova,T.A. On the limits of the practical applicability of Pisarenko's formula. On the question of the temperature dependence of thermo-electric power in impure semiconductors, 5=6160. On the question of the rational definition of the mobility of the current carriers in semiconductors, 6=8186. On the thermal expansion and thermal conductivity of some crystals, 7=2790. On the question of the scattering of current carriers in semiconductors with the ionic type of bond, 7=9176. See also Zhuze,V.P., 9=10334

Kontorovich, N.P. See Agafonova,E.N. 8=7910

Kontorovich,V.M. The effect of the rate of movement of a film of He II upon its thickness, 6=8152. Stability of shock waves in relativistic hydrodynamics, 8=7773. On the use of two auxiliary fields to obtain emission states in quantum mechanical amplifiers and generators, 8=8162. On the interaction between small perturbations and the discontinuities in magnetohydrodynamics and the stability of shock waves, 9=2525. Concerning the stability of shock waves, 9=5446. Reflection and refraction of sound by a shock wave, 9=5447. Interaction of fields in the Overhauser effect, 9=9828. See also Itskevich,E.S., 7=7835

Kontorovich,V.M. and Prokhorov,A.M. On non-linear effects of the interaction of resonance fields in a molecular generator or amplifier, 8=6075

Kontsevoĭ,Yu.A. See Iglitsȳn,M.I., 8=1059, 8=1063, 8=7921-2

Konuma,M. The range of the interaction between different fermions, 7=5838. On the conservation of the lepton number 8=5622. See also Umezawa,H., 6=4814, 7=89, 8=6193

Konuma,M., Miyazawa,H. and Orsuki,S. Two-pion exchange potential, 7=9812

Konuma,M., Nakamura,S. and Umezawa,H. Conservation laws for lepton processes, 8=4714. On the "neutrino charge" in weak and strong interactions, 8=5630

Konuma,M. and Umezawa,H. High energy behaviour of renormalizable fields. II. 7=1890

Konwent,H. and Lopuszanski,J. Some remarks on the asymptotic behaviour of the electron–photon cascade for large depth of the absorber, 7=5045

Konyukov,M.V. Contribution to the theory of positive column in a longitudinal magnetic field, 8=1716. On low-frequency oscillations in the plasmas of electronegative gases, 8=5071. Sign of the space charge on the axis of a positive column in a longitudinal magnetic field, 8=7066. Concentration of negative ions in the plasma of a positive column, 8=8079. The theory of the positive column in electronegative gases, 9=329. A remark on I.M. Chapnik's theory of the striated positive column, 9=5767

Konyukov,M.V. and Terletskiĭ,Ya.P. On electro-acoustic waves in gas discharge plasma, 5=5946. Electroacoustic waves in a gas discharge plasma with consideration of volume recombination, 7=430

Kooch,W. See Gruntfest,I.J., 8=6459

Kooi,C.F., Moss,R.W. and Stinson,D.C. Study of oriented polycrystalline ferrites with cubic anisotropy, 9=8318

Kooi,J.B.van der. See van der Kooi,J.B.

Koomen,M.J. Visibility of stars at high altitude in daylight, 9=6468

Koomen,M.J., Lock,C., Packer,D.M., and Scolnik,R. and Tousey,R. An attempt to measure some airglow emissions during a solar eclipse, 6=9098

Koomen,M.J., Packer,D.M. and Tousey,R. The use of birefringent filters in measurements of the airglow, 6=9108

Koomen,M.J., Scolnik,R. and Tousey,R. Spherical aberration of the eye and the choice of axis, 7=2883

Koonce,S.E. See Arnold,S., 7=845

Koontz,P.G. Johnstone,C.W., Keepin,G.R., Jr and Gallagher,J.D. New multichannel recording time-delay analyzer, 5=8044

Koontz,P.G., Keepin,G.R. and Ashley,J.E. ZnS (Ag) phosphor mixtures for neutron scintillation counting, 5=5475

Koontz,R.L. See Greenfield,M.A., 7=9898

Kooy,C. Direct observation of Weiss domains by means of the Faraday effect, 8=4126

Kopácek,J. See Brandejs,S., 5=5145

Kopal,Z. A study of the Roche,model, 5=2379. On the possible role of solid particles in the system of epsilon Aurigae, 6=1785. Physics of the sun, 6=3443. On the nature of the physical processes underlying the nova phenomenon, 7=5014. Planetary atmospheres and convection in rotating fluids. The basic observational data on planetary atmospheres, 8=2102. Origin of the lunear craters and maria, 9=7736.

Kopaleĭshvili,T.I. The nuclear reaction Be^9(p,d)Be^8, 7=1597. Nuclear photoeffect in Be^9 at high energies, 8=343. The nuclear reaction Li^6(n,t)He^4, 8=6334. See also Mamasakhlisov,V.I., 8=8327

Kopaleĭshvili,T.I. and Mamasakhlisov,V.I. Inelastic scattering of deuterons on the Mg^{24} nucleus, 9=2802

Kopczynski,S. See Dickey,F.P., 7=222

Kopeć,Z. On problems of transistors in semi-conductors, 5=5213. Criticism of the Copenhagen School according to Blokhintsev, 5=5213. On the dependence of transfer phenomena in semiconductors upon magnetoconcentrational effects, 9=11051

Kopecký,J. See also Kajfosz,J., 9=11334

Kopecký,J. and Kajfosz,J. The resolution of photo multipliers in scintillation spectrometers, 9=4869

Kopecký,L. Dependence of the torsion modulus of steel on the torsional stress, 5=9179

Kopelman,B. See McCullough,H.M., 7=3690

Kopelman,R. See also Schnepp,O., 9=7955

Kopelman,R. and Schnepp,O. Infrared spectrum of hexachlorobenzene, 9=6733

Kopets,Z. The problem of the effective mass of electrons and holes in germanium, 7=4341

Kopfermann,H. Nuclear properties obtained from high resolution atomic spectroscopy, 6=1040. Nuclear quadrupole resonance, 6=8933

Kopfermann,H. (Ed) Nuclear moments, 7=2537. See also Brix,P., 8=9016; Bucka,H., 9=6056, 9=12620; Ehrenstein,D., 8=8371; Fricke,G. 8=6821, 9=11521

Kopfermann, H., Krüger,L. and Steudel,A. On the isotope displacement in the spectrum of Gd, 6=5765. On the isotope shift in the spectrum of gadolinium, 9=4430

Kopfermann,H., Steudel,A. and Trier,J.O. On the fine and hyperfine structure of the RbII spectrum and the nuclear quadrupole moment of Rb^{87}, 6=1968

Kopp,H.J. See Slawsky,Z.I. 9=10641

Kopp,J. See Abashian,A., 7=6605

Kopp,J.K. See Erwin,A.R., Jr, 8=8989, 9=13581

Koppe,E. The derivation of the minimal principles of non-linear elasticity theory by means of a canonical transformation, 7=7459

Koppe,H. The stability of superconducting regions, 5=963. Theory of half-quantized systems, 5=6731. The inversion problem in generalized electrodynamics, 5=8925. On the definition of spin direction in the dirac theory, 6=5696. The ground state of an electron gas, 7=7634. On the theory of β-interaction, 8=2768. An extreme property of the free energy, 8=8601. See also Mühlschlegel, B., 8=7238; Saroléa,L., 8=7722

Koppe,H. and Blässer,G. The P$_N$ method to solve the transport equation for neutrons, 9=3750

Koppe,H. and Mühlschlegel,B. On the theory of superconductivity, 8=7985

Koppel,D., Bingham,R. and Booth,E.T. Low-energy meson beam from cyclotron, 7=9728

Koppelmann,G. and Krebs,K. The influence of dispersion on the optical determination of the thickness of thin films, 6=6544.

Determination of the weak absorption in thin dielectric films, 9=12139

Koppen,G.M. van. See van Koppen,G.M.

Kopra,L.L. Hearing loss among Air Force flight-line personnel, 8=1399

Kopstad,P.K. See Mathur,H.B., 5=2127

Koptsik,V.A. On the superposition of symmetry groups in crystal physics, 7=9958

Kopy̆lov,G.I. On the energy distributions in two-particle decay reactions, 8=1811. A model of the mutliple production process, 8=12535

Kopy̆lova,D.K. See Bannik,B.P., 8=3384, 8=8281

Kor,G.J.W. See MacLean,C., 7=1742

Kor,S.K. Effect of variation of the dielectric constant of the solvent on sound absorption in $MnSO_4$ solutions, 8=6739. Ultrasonic absorption measurements in $MgSO_4$, $ZnSO_4$, $CoSO_4$ and $NiSO_4$ at 3 Mc/s, 9=1200. See also Verma,G.S., 6=2740 7=8471, 8=4805

Kor,S.K. and Verma,G.S. Ultrasonic absorption in $MnSo_4$ solutions, 9=149

Korablev,L.N. See Belovitskii,G.E., 9=11331

Korbacher,G.K. See Etkin,B., 7=4071

Korchak,A.A. The electromagnetic emission by cosmic particles in the Galaxy, 8=5099. On the composition of cosmic radiation in sources of primary acceleration, 9=9142. On the composition of primary cosmic radiation, 9=9143

Korchak,A.A. and Sy̆rovatskii,S.I. On the possibility of preferential acceleration of heavy elements in cosmic ray sources, 9=12420

Korchovei,A. Parallel susceptibility of an antiferromagnetic crystal with two magnetic sub-lattices at low temperatures, 9=7175

Kordes,E. On a one-term approximate form of the dispersion equation for the visible and ultra-violet region, 6=4974

Körding,A. See Brix,P., 9=8618

Korenblit,L.L. On the theory of the magnetic properties of atomic semiconductors. I, 5=7029. The magnetic susceptibility of Mott excitons in semiconductors, 8=3998. See also Samoilovich,A.G., 5=8952, 6=5091, 8=3999, 9=12156

Korenblit,L.L. and Kolesnikov,A.P. Magnetic properties of Mg_2Sn, 7=1454

Korenblit,L.L. and Shraĭfel'd T.Ya. Theory of well-conducting semiconductors. I. Equilibrium of the electron gas in semiconductors, 6=2080. II Electrical conductivity. Thermo - e.m.f. Hall effect, 6=2081

Korenblit,L.L. and Shteĭnberg,A.A. A graphical method of determining the chemical potential in semiconductors, 7=1279

Korenchenko,S.M. See Reut,A.A., 5=9037; Zinov,V.G., 8=1871, 8=7278, 9=6028-9, 9=12583

Korenev,B.G. On the stationary temperature field in a thin plate or rod resting on a continuous homogeneous foundation, 6=7355. Two-dimensional problems in the theory of thermal waves, 7=4265

Koretskaya,T.A. and Karpov,V.L. Study of the form and dimensions of macro-molecules by electron microscopy, 7=4610

Korevaar,B.M. The influence of lattice defects on the electrical resistivity of a gold—copper alloy (7 at. % Cu), 9=10960

Korff,G. Notes on tables of triganometrical functions, 5=5813

Korff,S.A. See Mendell,R.B., 9=8404; Neuburg,H.A.C., 5=3859; Soberman,R.K., 6=456

Korhonen,U. On the determination of the atomic scattering factor on the basis of the measured structure factors by using Fourier series, 5=7532. On the deformation of the electron distribution of ions in some alkali halide cyrstals, 7=1736. The determination of the X-ray atomic scattering factors in crystals from experimental data, 7=1753

Korhonen,U. and Vihinen,S. A diffractometer for accurate X-ray intensity measurements, 9=1936

Koritskii,A.T. See Molin,Yu.N., 9=12759

Korivin,L.I. and Firsov,Yu.A. Concerning the structure of the hole zone of tellurium, 5=8861

Kormakova,E.G. and Pavolovskaya,V.G. The behaviour of the composite emitters of secondary electrons in long lasting operation, 9=11106

Kormer,S.B. See Zel'dovich,Ya.B., 9=5444

Korn,G.A. and Korn,T.M. Relay time-division multiplier, 5=5

Korn,T.M. See Korn,G.A., 5=5

Korn,T.S. Effect of psychological feedback on conversational noise reduction in rooms, 5=151

Korn,T.S. and Kirschner,F. Measurements of the input impedance of the soil with the object of vibration insulation, 5=3525

Korn,T.S. and Van de Plas,R. Acoustical field at normal modes in rooms, 8=2217

Kornberg,A. Biosynthesis of nucleic acids, 9=8783

Kornei,O. Survey of flux-responsive magnetic reproducing heads, 5=6840

Kornelsen,E.V. and Weeks,J.O. High-temperature laboratory vacuum furnace, 9=7862

Körner,H.J. See Bodenstedt,E., 9=2694, 9=8551, 9=10023

Kornetzki,M. A relation between the Jordan hysteresis constant and the initial permeability [of ferromagnetic media] II. Further results, 5=2011. A note on the rectangular magnetization loop of ferrite cores, 5=6311*. A new demonstration model for the optical Faraday effect, 5=8671. A relation between the Jordan hysteresis constant and the initial permeability [of ferromagnetic media]. III Ferrite cores with rectangular hysteresis loop. IV. Influence of the coercivity, 6=4513. The magnetomechanical hysteresis loop of nickel, 7=803. A relation between hysteresis constant and coercive force, 8=657

Kornetzki,M., Brackmann,J. and Frey,J. Magnetic ferrites with hysteresis loops characteristic of perminvars, 6=464

Kornetzki,M. and Burger,H. The behaviour of ferrite cores with rectangular magnetization loops in an inhomogeneous magnetic field and on cutting, 6=472

Kornetzki,M. and Lucas,I. The theory of the hysteresis losses in a rotating magnetic field, 5=8919

Kornev,Yu.V. and Vintaikin,E.Z. The study of sublimation of Ag using radioactive indicators and a mass-spectrometer, 6=6560

Korneva,L.A. On the part of the geomagnetic field in the arctic region and the world ocean, which is asymmetric with respect to the earth's axis, 6=7857. See also Shuleĭkin,V.V., 6=7082

Kornfel'd,M. Methods and results of research on the volume elasticity of matter, 5=6562. How does a soap bubble burst? 5=6796. Resolving power of the eye, 6=8538. See also Bogomolov,V.N. 7=9133

Kornfel'd,M. and Triers,V.I. Bulging of the surface of a liquid under the influence of ultrasound, 7=4010

Kornfel'd,M.I. Design of a radiation bolometer, 8=1011

Kornfel'd,M.I. and Chudinov,A.A. Change in the elastic constants of sodium nitrate in a second-order phase transformation, 8=3509

Kornhauser,E.T. See also Proud,J.M., 6=1911

Kornhauser,E.T. and Raney,W.P. Attenuation in shallow-water propagation due to an absorbing bottom, 5=7781

Kornhauser,E.T. and Van Hulsteyn,D.B. Variational treatment of arbitrary mass-loaded membranes, 8=2878

Kornienko,L.S. See also Zverev,G.M. 9=2536

Kornienko,L.S. and Prokhorov,A.M. Fine structure of the electron paramagnetic resonance spectrum of Fe^{3+} ions in an Al_2O_3 lattice, 8=2658. A paramagnetic amplifier and generator using Fe^{3+} ions in corundum, 9=12476

Kornilov,S.G, Polarization method for measuring speed of particles having intrinsic magnetic moment, 7=4752

Kornoukhov,P.V. Non-linear distortions caused by linear resistance of a photoconductive cell, 5=4486

Korobeĭnikov,V.P. The problem of a strong point-explosion in a gas with zero temperature-gradient, 7=1701. Self-confining motion of a conducting gas in a magnetic field, 9=7108

Korobeĭnikov,V.P. and Ryazanov,E.V. Solutions of the equations of magnetic gas dynamics for zero temperature gradient, 9=8384

Korobochko,Yu.S. On the mechanism of capture of electrons in a betatron, 8=4062. See also Komar,A.P., 9=12390

Korobov,M.A. See Mashovets,V.P., 9=8022

Korolev,A.M. Photo-disintegration of the deuteron by high energy γ-rays, 5=517. Dynamic magnetic moment of the deuteron, 7=1073

Korolev,F.A. and Klement'eva,A.Yu. Optical properties of dielectric mirrors with obliquely incident light, 5=9583. Dispersed light filters of high monochromaticity, 7=3148

Korolev,F.A., Kozlov,B.A., and Odintsov,A.I. On the shape of the line profile in an atomic beam, 9=13735

Korolev,F.A., Markov,V.S., Akimov,E.M. and Kulikov,O.F. Experimental investigation of angular distribution and polarization of optical radiation of electrons in a synchrotron, 7=5400

Korolev,F.A. and Odintsov,V.I. Measurements of the hyperfire structure and isotope shift of Hg lines with a complex Fabry—Perot etalon, 7=233

Korolev,F.A. and Osipov,Yu.I. Some results of an investigation of the isotope shift in the spectrum of neodymium, 7=4139

Korolev,F.A. and Sukhanovskiĭ,V.V. A Fabry–Perot etalon with dielectric mirrors, 7=5242
Korolev,G.A. See Kocharov,G.E., 9=12651; Komar,A.P. 9=10039
Korolev,V.A. See Vorob'ev,A.A., 7=9860
Korol'kova,O.S. See Leiteizen,L.G. 9=11112
Korol'kova,Z.S. See Marinin,V.A., 9=3430
Korol'ov,O.M. On the quasi-stationary states of the nucleus, 8=7296
Korol'ov,O.M. and Konstantinov,B.D. Elastic scattering of neutrons at spherical scatterer, 8=8981
Korones,H.D. and Hopkins,R.E. Some effects of glass choice in telescope doublets, 9=10739
Koronkevich,V.P. Dispersion of air in the visible region of the spectrum, 7=219
Korostyleva,L.A. Isotope shift in the cerium spectrum, 8=4868. See also Striganov,A.R. 5=6900, 6=1969, 7=5975*
Korostyleva,L.A., Striganov,A.R. and Yashin,N.M. Hyperfine structure of spectral lines and spins of the nuclei U^{233} and Pu^{239}, 5=6896
Körösy,F. Symbols for lattice disorders, 7=2818
Korotaev,A.D. See Makogon,M.B., 9=5199
Korotkova,V.A., Cherenkov,P.A. and Chuvilo,I.V. The effective cross-section for the photo-fission of the nuclei of unranium and thorium, 6=7686. The energy distribution of the fragments from the fission of nuclei of thorium and uranium by γ-rays, 6=7687
Korovin,L.I. Interaction of impurity centre electrons with accoustic vibrations in a uniaxial crystal, 8=4423
Körper,K. Oscillations of a plasma cylinder in an external magnetic field, 9=361
Korringa,J. On the resistivity anomalies in some diluted alloys, 8=1040. Dispersion theory for electrons in a random lattice with applications to the electronic structure of alloys, 9=4013
Korringa,J. and Daunt,J.G. Susceptibility and entropy of F-centers in alkali halides below 1°K, 6=3702
Korsching,H. A direct determination of thermal-diffusion coefficients in liquids, 5=5924
Korshunov,N.S. and Khatskevich,M.V. A remotely operating flow meter, 9=10662
Korst,W.L. and Warf,J.C. The crystal structure of the deuterides of ytterbium and europium, 7=900
Korsunskii,M.I. See also Borovikova,G.P., 8=209, 8=3165
Korsunskiĭ,M.I. and Bazakutsa,V.A. On the use of differential electrostatic fields in the spectroscopy of beams of charged particles, 7=8663. Investigation of the ion-optical properties of the sector electrostatic field of the dispersive type, 9=3578
Korsunskiĭ,M.I., Fogel',Ya.M., Bykova,G.A., Livshits,L.I., Lozovskiĭ,N.S. and Chovnik,A.A. Study of the topography of the non-uniform plane magnetic field of a six-pole electromagnet, 7=1440
Korsunskiĭ,M.I., Leviant,Kh.L. and Pivovar,L.I.. On the applicability of the relationship$(\sigma_{12}\sigma_{31}.\sigma_{23})(\sigma_{21}\sigma_{13}.\sigma_{32}) = 1$ which is valid in the case of detailed equilibrium, to a group of ions with steady-state composition, 7=1414
Korsunskiĭ,M.I., Pivovar,L.I., Markus,A.M. and Leviant,Kh.L. Determination of effective cross-section for electron loss of ions of atomic nitrogen in the range of energy 485-1180 keV, 7=1413
Korte,H. Latest developments in technical photometers, 7=214
Korte,H. and Schmidt,M. Research on light measurement with a receptor of pre-determined spectral sensitivity, 5=161
Kortel,F. On some solutions of Gürsey's conformal-invariant spinor wave equation, 6=8006. See also Heisenberg,W., 5=7705
Kortüm,G. See also Mauser,H. 5=4416, 5=8335, 6=6227*
Kortüm,G. and Littmann,G. On photomagnetism and phototropy. I., 9=5873
Kortüm,G., Littmann,G. and Theilacker,W. On photomagnetism and phototropy, II., 9=5598
Kortüm,G. and Schreyer,G. On the validity of the Kubelka–Munk function for reflection spectra of powders, 9=2236
Kortüm,G., Theilacker,W. and Braun,V. Thermochromism and photochromism, 6=1718
Korvezee,A.E. and Meijering,J.L. Validity and consequences of Schreinemakers' theorem on ternary distillation lines, 9=10341
Korzun,É.A. See Grigorov,K.V. 9=11220
Kosály,G. On the statistical theory of neutron transport, 9=8649
Kosály,G. and Némath,G. On the average and the fluctuation of slowing down time of neutrons in heavy moderators, 9=8654
Kosek,F. See Horák,J., 9=8099
Kösel,H.J. See Gobrecht,H., 7=2248-9. Hahn,D., 8=6874
Kosenko,V.E. A study of the characteristics of wafer-type germanium diodes, 8=5903. See also Bugai,A.A., 7=9426, 9=849
Kosevich, A,M. The de Haas–van Alphen effect in a varying magnetic field, 8=1783. De Haas–van Alphen effect in pulsed magnetic fields, 9=2484. Influence of deformations on oscillation effects in metals at low temperatures, 9=2917. See also Lifshits,E.M. 8=5929; Lifshits,I.M., 6=8862, 8=3084
Kosevich,A.M. and Lifshits,I.M. The de Haas–van Alphen effect in thin metal layers, 6=8858
Kosevȳch,A.M. Quasi-classical quantization in a magnetic field, 8=6629. Oscillations of the magnetic quantities of a degenerate electron gas in a parabolic potential hole, 8=7160
Koshiba,M. The application of charge independence to the nuclear capture of negative K-mesons, 6=7721. See also Williams,D.B., 6=1626
Koshiba,M. and Kaplon,M.F. Analysis of a high-energy cosmic-ray shower. I. Soft component and trident process, 5=1965. High-energy electromagnetic phenomena in cosmic radiation, 6=451
Koshiba,M. and Schein,M. Time variation of primary heavy nuclei in cosmic radiation, 7=520
Koshiba,M., Schultz,G. and Schein,M. The charge spectrum of the cosmic radiation at 41°N, 9=375
Koshino,S. On the low temperature conduction phenomena in semiconductors, 6=7402
Koshkarev,D.G. See Gol'din,L.L., 7=3367. See also Koskarev,D.G.
Koshkin,N.I., Nozdrev,V.F., Sobolev,V.D., Shirkevich,M.G. and Yakovlev,V.F. A pulse method of fixed separations, its physical basic and practical application, 6=8054
Koškarev,D.G. See Goldin,L.L., 6=2919, 7=9230. See also Koshkarev,D.G.
Koski,W.S. See also Carlson,T.A. 5=10037, 6=3334; Cheever,G.D., 8=5297; Hamlen,R.P., 6=8906, 7=3563; Iwersen,J.E. 5=7331; Kaufman,J.J., 6=3336
Koski,W.S., Kaufman,J.J., Friedman,L. and Irsa,A.P. Mass spectrometric study of the B_2D_6-B_5H_9 exchange reaction, 6=3331
Koslov,J. See Basel,L., 8=5414
Kosmachevskiĭ,V.K. See Lyubimov,V.A., 7=5650
Kosmahl,H.G. Propagation of space-charge waves in diodes and drift spaces, 9=11113
Kosmák,L. See Doležal,V., 7=6
Kosman,M.S. and Bursian,E.V. Coloration of $BaTiO_3$ crystals, 8=1328
Kosman,M.S. and Gesse,I.A. The dielectric constant of zinc oxide with an addition of bismuth oxide, 9=10944
Kosman,M.S. and Petrova,N.A. The dielectric constant of rock salt at high temperatures, 9=10943
Kosman,M.S. and Pisarenko,V.F. Contact phenomena in alkali-halide crystals at high temperatures, 8=3128
Kosman,M.S. and Shevardin,A.N. On the upper Curie point of Rochelle salt, 7=3236
Kosourov,G.I. See Alekseevskii,N.E. 5=8837
Kosov,N.D. See Vulis,L.A. 6=8145
Kosower,E.M., Martin,R.L. and Meloche,V.W. Interpretation of absorption spectra of anions, 7=7000
Kossel,F. and Krebs,K. The influence of secondary electrons on the initiation of high frequency discharges, 5=1864
Kossel,W. The growth of crystals, a molecular phenomena, 6=5516
Kossel,W., Menzel,E. and Naumann,G. Contact rectification as a function of crystal orientation, 5=8768
Kossel,W. and Walz,K. On the process of crystal growth, 5=8377
Kostanashvil,N.I. See Varsimashvili,T.V. 9=5861
Kostarev,A.I. and Borovskii,I.B. Theory of X-ray absorption spectra, 5=7094
Kostarev,V.V. See Gorelik,A.G. 9=13515
Koster,G.F. Density of states curve for nickel, 5=6338. Extension of Hund's rule, 5=7259. Matrix elements of symmetric operators, 8=520
Koster,G.F. and Slater,J.C. Simplified impurity calculations, 5=2303
Koster,G.F. and Statz,H. Method of treating Zeeman splittings of paramagnetic ions in crystalline fields, 9=4825
Koster,J.R. See also Wright,R.W., 6=8511
Koster,J.R. and Storey,L.R.O. An attempt to observe whistling atmospherics near the magnetic equator, 5=5156
Köster,W. and Braun,E. Manganese–arsenic–antimony alloys with invar-characteristics, 9=13219
Kosterin,S.I. See Katarzhis,A.K. 5=8696
Kostić,V.N. See Kovačević,O.Ž. 5=7405

Kostina,T.I. See Alekseevskiĭ,N.E. 7=3286, 9=9668
Kostkowski,H.J. See also Broida,H.P. 5=5301, 7=223
Kostkowski,H.J. and Bass,A.M. Slit function effects in the direct measurement of absorption line half-widths and intensities, 7=2012
Kostowski,H.J. and Broida,H.P. Spectral absorption method for determining population "temperatures" in hot gases, 6=2834
Kostkowski,H.J. and Kaplan,L.D. Absolute intensities of the 721 and 742 cm^{-1} bands of CO_2, 7=5997
Kostomarov,D.P. See Dnestrovskii,Yu.N. 8=1814
Kostryukova,M.O. Investigation of the temperature dependence of magnetic susceptibility of $MnCl_2$ below 4.2°K, 5=7200. Specific heat of solid oxygen between 20 and 4°K, 7=335
Kostylev,K.V. Equipment for radio-echo observations of meteors with automatic recording at the Engel'gardt Astronomical Observatory, 9=3050
Kostȳshin,M.T. The optical constants of germanium in the 2-25 μ region, 9=9387. The infrared dispersion of sulphides and selenides of certain metals, 9=11987
Koswig,H.D. The absorption spectra of silver halides, with addition of divalent anions, at low temperatures, 8=4874
Koswig,H.D. and Stasiw,O. The absorption spectrum of electron defects in ionic lattices, 8=4875. The position of the absorption bands of impurity centre electrons in ionic lattices, 9=3305
Kosyakov,V.I. See Isupov,V.A. 9=9587
Kosyakov,V.N. See Yakovlev,G.N., 8=3542
Kot,M.V. and Sorokin,G.P. The electrical conductivity and photoconductivity of films of the aluminium–antimony system prepared by Vekshinskii's method, 9=3459
Kotadia,K.M. Sporadic echoes from the E region over Ahmedabad (23° 02' N, 72° 38' E), 6=9074. The ionospheric F_2 layer over Ahmedabad, Delhi and Tiruchirapalli during the sunspot minimum period (1953-54), 7=8314. Meteors and E_s ionization, 9=4130. See also Ramanathan,K.R., 6=8514
Kotaka,T. Note on the normal stress effect in the solution of rodlike macromolecules, 9=7485
Kotani,M. Electronic structure of some simple diatomic molecules, 7=6379. See also Ishiguro,E., 8=6382
Kotani, M., Mizuno,Y., Kayama, K. and Ishiguro,E. Electronic structure of simple homonuclear diatomic molecules. I. Oxygen molecule, 8=6381
Kotani,T. On the extension of the Casimir trick. I. On the definition of density matrix and its reduction, 6=6356. Deviation from the ξ approximation in first forbidden β decay, 9=10063
Kotani,T. and Ross,M. Simple approximation for the non-unique first forbidden transition, 8=9034. $\beta-\gamma$ correlations in the first forbidden transition, 9=5015
Kotas,D.E. See Stergis,C.G. 5=6655
Kotel'nikov,K. See Birger,N.G. 7=3624
Kotel'nikov,N.V. The creation of a magnetic structure by a magnetic field in thin layers of iron, obtained by an electrolytic method, 7=8020. Production of magnetic texture by means of a magnetic field in thin layers of iron, obtained by the electrolytic method, 9=5887
Kotenko,L.P. See Alikhanyan,A.I., 8=8234, 8=8236
Kotera,Y. Activations by anions in the oxy-acid phosphors, 5=3622
Kotera,Y. and Sekine,T. Antimony oxide phosphor with red emission, 6=1991
Koth,W. See Holzman,G.R. 5=6303, 6=8900
Kothari,D.S. See also Auluck,F.C., 6=4162, 9=5959
Kothari,D.S. and Auluck,F.C. Effect of radiation on the self-energy of an electron, 6=304
Kothari,L.S. See also Khubchandani,P.G., 8=8980
Kothari,L.S. and Singwi,K.S. Thermal inelastic scattering of cold neutrons in polycrystalline solids, 5=9280. Thermal inelastic scattering of cold neutrons in polycrystalline graphite, 7=5747, 7=6621. Cold neutron scattering in aluminium, 7=9418
Kothari,L.S., Singwi,K.S. and Visvanathan,S. Scattering of cold neutrons in liquid metals and the entropy of disorder, 6=8025
Kothary,N.C. See Grimes,D.M., 6=1689
Kotin,C.M. On the fluctuations of a quantized field and the "structure" of the photon, 6=2642. Localization of a quantized field and its fluctuations, 8=7685
Kotkin,G.L. Ultrasonic absorption in metals, 9=13106
Kotłowski,J. See Szpor,S., 8=4596
Kotlyar,B.I. See Vaĭnshteĭn,É.E., 7=5367
Kotlyar,S.Ya. See Tsvetkov,V.N. 9=3360
Kotlyar,Ya.M. The possibility of obtaining exact integrals of Reynold's equation in a closed form, 9=13052
Koton,M.M. Properties of scintillation plastic materials, 7=1198. See also Adrova,N.A. 9=10844
Kotov,V.I., Kuznetsov,A.B. and Rubin,N.B. The physical principles of modern resonance accelerators, 8=5985
Kotov,V.I. and Rubin,N.B. The eigenfunctions of the equation of free oscillations in a weak-focusing accelerator with sectional magnet, and their applications, 8=7089
Kotov,Yu.I., Tyulin,V.I. and Tatevskiĭ,V.M. Raman spectrum of gaseous CO_2, 8=3878
Kotova,I.P. See Pokrovskiĭ,E.I., 7=2883
Kotova,L.I. and Deryagin,B.V. Theory of a cylinder rolling on a surface covered with a layer of plastic lubricant, 9=5390
Kotschy,H. See Wilke,K.T., 9=1304
Kotter,F.R. Instrumentation for high-field conductance measurements, 7=8918
Koukila,J. See Euranto,E.K., 7=9310
Kouřím,V. See Malȳ,J. 9=12641
Koutecký,J. A note on the approximation solution of the equation $u''_{nl} + \frac{2}{r} u''_{nl} + [E_n - \frac{l(l+1)}{r^2} + V(r)] u_{nl} = 0$, 7=113. Contribution to the theory of the surface electronic states in the one-electron approximation, 8=4417. Application of the self-consistent field method to the theory of surface states of electrons in a crystal, 9=5138. A method for the calculation of localization energies, 9=7462. Comment on T.B.Grimley's paper"The molecular orbital theory of the interaction between an atom and a crystal surface", 9=10263
Kouts,H., Price,G., Downes,K., Sher,R., and Walsh,V. Reactor parameters of a light water–normal uranium lattice, 7=739
Kouvel,J.S. On the dynamic temperature response of a vacuum calorimeter, 6=5053. Specific heat of a magnetite crystal at liquid helium temperatures, 6=5824. Minimum saturating fields for ferromagnetic crystals, 8=6059
Kouvel,J.S. and Graham,C.D., Jr. On the determination of magnetocrystalline anisotropy constants from torque measurements, 7=6327
Kouvel,J.S., Graham,C.D., Jr and Becker,J.J. Unusual magnetic behavior of disordered Ni_3Mn, 8=8910
Kouwenhoven,W.B. and Milnor,W.R. Electric defibrillation, 6=859
Kovačević,O.Z. and Kostić,V.N. Fluorescent uranium glass, 5=7405
Kovács,I. On the spin–orbit interaction in diatomic molecules. I, 8=2616, II, 8=2617. See also Budó,A. 5=5561, 5=7245
Kovács,I. and Scari,O. The intensity distribution of a certain intercombination band, 9=1275. Intensity formulae for $^7\Pi \rightarrow {}^7\Sigma$ band, 9=6717
Kovacs,J.S. Meson production in nucleon-nucleon collisions at high energies, 6=3289. See also Fukuda,N., 7=2995
Kovacs,J.S. and Lichtenberg,D.B. Scattering of $\Lambda°$ hyperons by nucleons at intermediate energies, 9=12598. Interaction of antilambda hyperons with nucleons at intermediate energies, 9=12599
Koval',A.G. See Fogel',Ya.M. 7=2365, 8=7138
Koval'chik,T.L. and Maslakovets,Yu.P. The influence of impurities on the electrical properties of lead telluride, 7=4345
Kovalenko,G.M. The influence of grinding on the dielectric properties of polycrystalline barium titanate, 9=13263
Kovalev,E.E. The intensity of gamma radiation emitted by a cylindrical source, 9=11455. See also Gusev,N.G., 7=1980
Kovalev,E.E. and Osanov,D.P. On the effect of multiple scattering on the attenuation of γ-rays from extended sources, 9=3718
Kovalev,O.V. and Lyubarskii,G.Ya. The contact of energy bands in crystals, 8=8424
Kovalev,V.P. Measurement of the neutron spectra in the fission of U^{233}, U^{235}, Pu^{239} within the range 50-700 keV, 9=5075. See also Bonch-Bruevich,A.M. 9=9456
Kovalev,V.P., Andreev,V.N., Nikolaev,M.N. and Guseĭnov,A.G. Comparison of neutron spectra in the fission of U^{233}, U^{235}, Pu^{239}, 8=7397
Kovalevskiĭ,V.A. See Kandy̆ba,V.V., 7=330
Koval'skiĭ,A.A. See Gol'danskiĭ,V.I., 6=7690
Kovalskiĭ,N.G., See also Podgorn̆yi,I.M. 9=7015
Kovalskiĭ,N.G., Podgorny̆i,I.M. and Khvashchevskiĭ,S. Energy of the X-ray radiation emitted by a powerful pulsed discharge in hydrogen, 9=2370
Kovaly,J.J. See Sherwin,C.W., 6=7237
Kovar,F.R., Beaty,E.C. and Varney,R.N. Drift velocities of ions in nitrogen at various temperatures, 7=9745
Kovarik,A.F. and Adams,N.I., Jr. Redetermination of the disintegration constant of U^{238}, 5=4890
Kovarik,M. Thermal transducers, 9=245

Kovarskiĭ,V.A. Non-radiative recombination of electrons on impurity centres in n-type germanium, 8=5890. The theory of radiationless transitions in an F-centre, 9=7520

Kovásznay,L.S.G. See also Uberoi,M.S. 5=2487

Kovásznay,L.S.G. and Arman,A. Optical autocorrelation measurement of two-dimensional random patterns, 8=2091

Kovda,A.V. See Lyubimov,V.A. 7=5650

Kover,F. Electrical properties of aluminium antimonide, 7=2209 See also Rodot,M., 6=7414

Kover,F. and Quilliet,A. Electrical and optical properties of aluminium antimonide; effect of lithium, 7=7098

Kovner,M.A. Vibration spectra of aromatic compounds. I. Evaluation and interpretation of vibration spectra of benzene and deuterobenzenes (planar vibrations), 5=1087. II. Evaluation and interpretation of the vibration spectra of toluene, 5=1088. The vibration spectra of aromatic compounds. III. The calculation and interpretation of the vibration spectra of mesitylene and durene, 7=4585. The metallic model and the π-electron polarizability of the benzene molecule, 7=9799

Kovner,M.A. and Bagomdov,A.M. General theory of the vibration spectra of normal monoalkybenzenes, 7=4586

Kovner,M.A. and Snegirev,B.N. Depolarizations and intensities in the combination scattering [Raman] spectra of benzene and hexadeuterobenzene, 7=5226

Kovrigin,B.S., Kondrat'ko,M.Ya. and Petrzhak,K.A. The energy spectrum of fragments from the photo-fission of U^{238}, 9=13702

Kovrizhnykh,L.M. On the dynamics of a bounded plasma in an external field, 8=3199. Oscillations of a cylindrical cavity in a completely ionized plasma, 9=9869. See also Veksler,V.I., 9=2427

Kovrizhnўkh,L.M. and Lebedev,A.N. Account of collective interaction of electrons in cyclic accelerators, 8=8036

Kovtun,R.I. The effect of elastic deformations on the electrical conductivity of monovalent metals at high temperatures, 8=6955

Kowal,J. See Young,N.O. 9=12158

Kowalchik,M. See Thurmond,C.D., 7=1675; Trumbore,F.A., 7=811

Kowalski,S. See Chidley,B.G., 8=2571

Kowalski,T. See Chaloupka,P. 9=13409

Kowarski,L. Development of the second French reactor, 5=528

Koyama,R. Theory of dilute polymer solutions, 7=7657. Effect of velocity gradient on the radial distribution of polymer molecules in dilute solution, 9=10683. See also Isihara,A., 7=152, 7=5503; Nishioka,A., 6=1716

Koyama,S. On the stability of the atmospheres of helium stars, 5=9383

Koyasu,M. See Sato,K. 9=9360, 9=13128

Kozai,Y. On the motion of a certain close [artificial earth] satellite, 9=5340

Kozak,M.I. See Zhuravlev,V.A., 9=9598

Kozel,S.M. On the fluctuation resolution limit of an optical modulation interferometer, 8=4902

Kozhevnikov,N.I. The decrease in brightness of the solar disk from the centre to the limb in the spectral region 1-4μ, 8=2107

Kozhevnikov,O.A. See Dovzhenko,O.I., 8=8091

Kozhin,V.M. See Kitaigorodskii,A.I. 9=13956

Kozima,K. and Saito,S. Nuclear quadrupole resonance of dichlorocyclohexanone, 9=11269

Kozima,K. and Sakashita,K. On the dynamic equilibrium of inverted isomers in the solid state, 6=9021

Kozin,V.I. See Mokul'skii,M.A. 9=10272

Kozlobaev,I.P. The problem of the dielectric constant of barium titanate, 6=4378. Stability of the piezoelectric effect in polycrystalline barium titanate, 7=1261

Kozlov,B.A. See Korolev,F.A. 9=13735

Kozlov,V.F. See Fogel',Ya.M., 9=2455, 9=3610

Kozlovskaya,M.N. See Bogoroditskiĭ,N.P. 7=9938

Kozlovskaya,S.V. Interior structure and chemical composition of the giant planets, 6=8555

Kozlovskiĭ,M.I. Observation of the layer-spiral growth of crystals from solution, 8=3564. Kinetics of crystallization at constant temperature and supersaturation, 8=5519. Formation of screw dislocations through overgrowing of solid particles by the crystal, 9=10228. Formation of screw dislocations by the encounter of two layers spreading over the surface of a crystal, 9=12768

Kozlovskiĭ,V.Kh. Dynamics of ionic lattices of ferroelectric crystals in limiting cases, 6=7813. The problem of dielectric losses in solid amorphous structures, 7=4304. Dynamic theory of ionic lattices of ferroelectric crystals under static conditions, 7=8585. On stability of states in ferroelectric crystals, 9=8066. Structural losses in amorphous dielectrics, 9=13247. See also Smolenskiĭ,G.A., 5=921

Kozlowitz,I. See Roy,R.R., 7=9371

Kozodaev,M., Sulyaev,R., Filippov,A. and Shcherbakov,Yu. Scattering of negative π-mesons in hydrogen studied by means of a diffusion chamber, 6=5415

Kozodaev (Kozodayev),M.S. See also Bayukov,Yu.D., 8=3308, 8=5225; Dzhelepov,V.P. 7=3625; Tyapkin,A.A. 5=9147

Kozodaev,M.S., Sulyaev,R.M., Filippov,A.I. and Shcherbakov,Yu.A. Interaction of 330 MeV negative π-mesons with helium nuclei, 7=4771. Elastic scattering of $\pi^{\pm}$ mesons by helium nuclei at 300 MeV, 8=7272

Kozўrev,B.M. See also Garif'yanov,N.S., 6=5244, 7=1491, 7=8782

Kozўrev,B.M. and Rivkind,A.I. Proton resonance in solutions of paramagnetic salts, 5=1055

Kozўrev,B.P. and Vershinin,O.E. Determination of the spectral coefficients of diffuse reflection of infrared radiation from blackened surfaces, 9=9452

Kozўrev,P.T. Isothermal changes with time of the electrical conductivity of polycrystalline selenium following sudden changes in temperature. I., 6=7428. Isothermal changes with time of the carrier concentration and electrical conductivity of polycrystalline selenium following sudden changes in temperature. II, 6=7429. Equilibrium and non-equilibrium properties of polycrystalline selenium, 7=7919. Preparation of single crystals of hexagonal selenium, 8=7599

Kozўrev,P.T. and Nasledov,D.N. Dependence of electrical conductivity of polycrystalline selenium on pressure up to 30 000 atm., 7=4382

Kozyreva,E.F. The mechanism of particle interaction in discharge plasma, 7=9604

Kraak,W. Contribution to the statistical treatment of reverberation phenomena, 6=1936. Electroacoustic measurements in model rooms, 7=5151

Kraakevik,J.H. The airborne measurement of atmospheric conductivity, 8=5552. See also Clark,J.F. 5=10097

Kraakevik,J.H. and Clark,J.F. Airborne measurements of atmospheric electricity, 9=3014

Kracík,J. The complex conductivity of the plasma of a d.c. sustained arc discharge, 7=4400. Dependence of temperature on the radius of the positive column of a low pressure glow discharge, 9=8186. The time dependence of the temperature of an electron of a low pressure discharge for a change in voltage of the source, 9=12331

Krafft,J.M. Weigh-bar apparatus for measuring forces resisting ballistic penetration, 5=7725. Surface friction in ballistic penetration, 6=101

Krafft,J.M., Sullivan,A.M. and Irwin,G.R. Relationship between the fracture ductility transition and strain hardening characteristics of a low carbon steel, 7=6647

Kraft,O.E. See Dzhelepov,B.S., 8=4291, 9=12657; Grigor'yev,E.P. 9=10062

Krag,W.E. See Bullis,W.M., 6=2102

Kragel'skiĭ,I.V. See Garkunov,D.N., 7=9436

Kraichnan,R.H. Special-relativistic derivation of generally covariant gravitation theory, 5=5855. On the statistical mechanics of an adiabatically compressible fluid, 5=6777. Electromagnetic analogy to sound propagation in moving media, 5=6820. Pressure field within homogeneous anisotropic turbulence, 6=1897. Possibility of unequal gravitational and inertial masses, 6=2632. Pressure fluctuations in turbulent flow over a flat plate, 6=4886. Noise transmission from boundary layer pressure fluctuations, 7=4049. Irreversible statistical mechanics of incompressible hydromagnetic turbulence, 8=2426. Relation of fourth order to second order moments in stationary isotropic turbulence, 8=4782. Higher order interactions in homogeneous turbulence theory, 8=8150. Statistical mechanics of coupled bosons in the Heisenberg representation, 9=2110. Statistical mechanics of coupled particles in the Schrödinger representation, 9=4309. Classical fluctuation-relaxation theorem, 9=5387. Condensation of an imperfect boson gas, 9=10629*. Comments on "space-time correlations in stationary isotropic turbulence", 9=10656

Kraitchman,J. See also Berg,D., 7=9153

Kraitchman,J. and Dailey,B.P. The microwave spectrum of ethyl fluoride, 5=2606

Krall,N.A. and Gerjuoy,E. De-excitation of μ-mesonic atoms, 9=13733

Krall,N.A. and Salpeter,E.E. Dispersive effects in electron-nucleus interactions, 9=13679

Kramářř,J.and Láska,S. Electron emission from graphite caused by incidence of mercury ions, 9=4690

Kramarov, O.P. See Blokhin,M.A. 9=13354; Khodakov,A.L., 7=344, 7=4907; Sholokhovich,M.L., 7=4857

Kramer,B. See also Kallmann,H. 5=6034, 5=7860, 5=9665, 8=8781, 9=6995

Kramer,B., Jaffe,S. and Kallmann,H. Impedance measurements on CdS crystals, 7=4365

Kramer,G. On the theory of [internal] conversion coefficients, 7=674. On the theory of conversion coefficients, 7=7353. See also Banerjee,B., 9=10125-6; Böckmann,K., 8=7236; Stech,B. 9=10596

Kramer,G., Rollnik,H. and Stech,B. γ_5-invariance and parity conservation in strong interactions, 9=9213

Kramer,G.M. and Miller,J.G. Compressibility of gases. III. The second and third virial coefficients of mixtures of helium and nitrogen at 30°, 7=8456

Kramer,H. See Klages,G. 9=12216

Kramer,H.P. Note on the emission of noise by supersonic jets, 5=8568

Kramer,J. Exo-electrons after irradiations, 7=6240. Application of exo-electrons, 7=6246. See also Corbet,H.C., 5=7108

Kramer,L. See Rothe,H., 8=4055

Kramer,P. See also de Haan,E,F., 6=3153; Ong Ping Hok, 5=3051, 5=9862,6=3148

Kramer,P., Hamers,H.C. and Meijer,G. On the decay of ^{202}Tl, 6=3950

Kramer,V. See Bozorth,R.M., 8=6043

Kramer,W.R. See Hildenbrand,D.L. 9=6861, 9=12198

Kramers,H.C. Some properties of liquid helium below 1°K. IA-IB, 7=3208. IIA-IIB, 7=3204. IIIA-IIIB, 7=3205 IVA-IVB, 7=3206. See also Brewer,D.F., 8=4926; Wiebes,J., 7=8562

Kramers,H.C., van Peski-Tinbergen,T., Wiebes,J., van den Burg,F.A.W. and Gorter,C.J. On heat pulses in liquid helium between 0.1 and 1.0°K, 5=1769

Kramers,W.J. and Dennard,F. A high temperature resistance-heated high vacuum furnace, 5=3494

Kranendonk,J.van. See van Kranendonk,J.

Kraner,H.W. See Hadley,C.P., 7=2161

Kranjc,A. The theory of resolving power, 6=186. On the theoretical instrumental profile of an astronomical spectrograph, 6=5604. A microphotometer with automatic recording of intensity, 8=5766. Theoretical considerations regarding the choice of photographic plates for spectrophotometry, 8=6573

Kranjo,K. A theoretical possibility of correcting the collimation error in small-angle X-ray scattering, 5=1360. The chromatic error in small-angle X-ray scattering analysis, 5=7525. The collimation error of circular apertures in small-angle X-ray scattering, 5=7526. Properties of bromine and other elements as filters for monochromatization of X-rays from copper target, 6=2150

Krantz,B.Å. and Åslund,N. A method of indicating wave-numbers in in spectrophotometric recording, 6=6503. Indicating of wave-numbers in spectrophotometric recording at high resolution, 7=4124

Kranz,A.Z. See Bernstein,W., 9-2374, 9=3601; Coor,T., 9=4743

Kranz,J. Investigations of irreversible magnetization changes and after-effect, 5=2012. The magnification of the magneto-optic Kerr rotation by means of evaporated layers, 7=3440. See also Gerlach,W., 9=1583

Kranz,J. and Bodewig,C. The reduced magnetization-temperature curve of ferromagnetic alloys, 6=2232

Kranz,J. and Drechsel,W. On the observation of Weiss domains in polycrystalline material through the intensified magneto-optical Kerr rotation, 8=8117

Kranz,J. and Schauer,A. The existence of negative Barkhausen jumps, 9=11211

Kranzer,H.C. and Keller,J.B. Water waves produced by explosions, 9=6578

Krappatsch,H. See Fesefeldt,H., 5=4542, 9=1262

Krasavina,L.D. See Lavrukhina,A.K., 8=6337

Krasil'nikov,D.D. Variation of the Global intensity of the hard component of cosmic rays during the passage of air mass fronts, 6=5202

Krasil'nikov,V.A. The propagation of waves in a medium with random non-uniformities of refractive index, 6=8532. All-Union Acoustics Conference, 8=6727. See also Burov,V.A., 8=4799, 9=13104; Zarembo,L.K., 7=1130, 7=1140, 8=544

Krasner,L.V. See Mikhaïlov,G.P., 7=2751

Krasner,S. Electron loss cross sections for helium atoms passing through gases, 5=8053

Kraśnicki,S. See Janik,J., 9=11906

Krasnitskaya,N.D. See Zelinskii,V.V., 9=13180

Krasnokut-skiĭ,V.A. Luminescence of Al alloys in an electrolytic bath, 6=8127

Krasnov,V.M. and Stepanov,A.V. An optical investigation of the stress condition of an anisotropic plate subjected to a concentrated force, 5=233

Krasnov,V.M. ., Stepanov,A.V. and Shvedko,É.F. Experimental determination by an optical method of the stresses in an anistropic plate subjected to the action of a concentrated force. II, 8=6678

Krasovsovskaya,L.R. See Vergunas,F.I., 9=10822

Krasovskiĭ,N.N., Nikitin,Yu.P., Esin,O.A. and Popel,S.I. Calculation of surface tension by shape of drop, 7=4013

Krasovskiĭ,V.I. Interaction of dusty and gaseous interstellar-matter, 5=8. Infra-red radiation of the night sky, 5=6649. Characteristics of the properties of corpuscular solar emission from the spectra of aurorae, 8=6595. Cold interstellar gas and light absorption, 9=11720

Krasovskii,Yu.P. Solutions for small elasto-plastic deformations in plane media, 9=13851. See also Vorovich,I.I., 9=13850

Krassilnikov,V.A., Shklovskaya-Kordy,V.V. and Zarembo,L.K. On the propagation of ultrasonic waves of finite amplitude in liquids, 7=9574

Krassovsky,V.I. On the detection of the infra-red night-airglow, 6=9096. Infra-red night airglow as a manifestation of the process of oxygen recombination, 6=9100. Ozone–hydrogen hypothesis of the hydroxyl night-airglow, 6=9101. Exploration of the upper atmosphere with the help of the third Soviet sputnik, 9=7669

Krat,V. Heterogeneity of solar chromosphere and the problem of helium excitation, 6=8559

Kratky,O. Determination of the shape of corpuscular and fibrous macromolecules by the X-ray small-angle method, 6=8432

Kratky,O. and Skala,Z. A new apparatus for the graphical differentiation of empirically given curves, 9=12934

Kratochvîl,P. See Boćek,M., 9=5243

Kratsik,B. See Abotina,M.P., 8=6246; Grigor'ev,E.P., 8=739, 8=5334; Grigor'yev,E.P., 9=10062

Kratz,H.R. See Jones,W.B., 5=9692, 7=6299

Krauch,H. Spectral comparison of polyenes, cumulenes and polyynes, 9=753

Kraus,A.A., See Martin,H.J., 7=6278

Kraus,A.A.,Jr. See also Bonner,T.W., 6=3220, 6=6149; Schiffer,J.P., 7=4707

Kraus,A.A.,Jr, Schiffer,J.P., Prosser,F.W.,Jr and Biedenharn, L.C. Angular correlation for the $(a,b\gamma)$ type nuclear reaction, 7=3619

Kraus,C.A. Electrolytes: From dilute solutions to fused salts, 5=1319

Kraus,D. See Gettner,M., 9=12578

Kraus,F. Conditions of excitation and intensity distribution in the infrared OH bands, 9=6186

Kraus,G. See Collins,R.L., 9=7486

Kraus,J.D. Radiation from the galaxy and supergalaxy at 250 megacycles per second, 5=690. Distribution of radio brightness across the Andromeda nebula, 5=5175. A preliminary study of the magnitude distribution of celestial radio sources, 6=7939. Impulsive radio signals from the planet Venus, 7=1845. Radio observations of the planet Venus at a wave-length of 11 m, 7=1846. Class II radio signals from Venus at a wave-length of 11 metres, 7=1847. Rotation period of the planet Venus as determined by radio observations, 7=1857. Relation of 11-metre solar system phenomena to solar disturbances, 7=5800. Reflexion of radio waves from the moon, 7=5801. Planetary and solar radio emission of 11 meters wavelength, 8=1429. See also Eaton,J.J., 9=10514. See also Ko,H.C., 5=9362

Kraus,J.D. and Dreese,E.E. Sputnik I's last days in orbit, 8=8570

Kraus,J.D. and Ko,H.C. A detailed radio map of the sky, 5=4289. The radio position of the galactic nucleus, 5=7632

Kraus,J.D., Ko,H.C. and Matt,S. Galactic and localized source observations at 250 megacycles per second, 5=3395

Kraus,J.D., Ko,H.C. and Stoutenburg,D.V. A fluctuating celestial radio source at 242 megacycles per second, 5=9363

Kraus,K.A. See Johnson,J.S., 5=3243

Kraus,L. and Watson,K.M. Plasma motions induced by satellites in the ionosphere, 9=2441

Kraus,O. Nuclear magnetic resonance in semiconductors, 9=6942. See also Jennings,D.A., 9=591

Kraus,O. and Tanttila,W.H. Nuclear magnetization in the presence of ultrasonic excitation, 9=590
Kraus,T. On the evacuation speed of a vacuum system, 9=3218
Krausbauer,L. A high-precision schlieren appartus using minimum-ray indication, 8=7853
Krause,B. Electric charge effects during the crystallization and solution of pentaerythritol, (PE), 5=2294
Krause,B. and Renninger,M. Crystal lattice models resulting from electrical charging during crystallization, 6=7802
Krause,I.Y. The hardness of the secondary radiation from Co^{60} γ-radiation, 6=1543. The internal conversion ratio for the 40 keV transition of Tl^{208}, 8=9043. The γ-spectrum of RaD and the internal conversion factor for the 46.5 keV transition in Bi^{210}_{83}, 9=3882
Krause,J.T. See Brady,G.W., 7=9565
Krause,L. and Welsh,H.L. The Raman spectrum of dideuteroacetylene, 7=3157
Krause,R. A method for the selection and preparation of a particular area in the optical microscope for [subsequent] electron microscope investigations, 8=7552
Kraushaar,J.J. See also Brun,E., 6=4616, 7=9842; Horen,D.J., 9=6073
Kraushaar,J.J., Brun,E. and Meyerhof,W.E. Decay scheme of gallium-72, 6=3141
Kraushaar,W. See Clark,G., 7=9750
Kraushaar,W.L. High latitude impact zones for solar cosmic rays, 6=8267. The magnetic field in the vicinity of the solar system, 7=24
Krauskopf,J. Effect of retinal image motion on contrast thresholds for maintained vision, 7=9479
Krauss,M. Electronic structure of some diatomic hydrides, 8=7449
Krauss,M. and Kropf,A. Vibrational structure in the ionization efficiency curves of hydrogen and deuterium molecules, 8=1288
Krauss,M. and Wehner,J.F. Correlation correction study of CH, NH, and OH, 9=6179
Kraut,J. See also Dandliker,W.B., 6=7325
Kraut, J. and Dandliker,W.B. Light scattering by water, 6=273
Krautkopf,D.W. See Fuschillo,N., 8=1660
Krautz,E. and Schultz, H. Deviations from Matthiessen's rule for gold and silver in the temperature range 10-300°K, 9=5673. The detection of impurities in sintered tungsten bars and wires by means of measurements of residual resistance, 9=12773
Krautz,E., Schultz,H. and Kohler,M. The deviations from Matthiessen's rule for lead in the temperature range 14°-353°K, 9=8083
Krautz,E. and Zollfrank,G. Microscopic and oscillographic investigations of the electroluminescence of insulating diamonds, 9=3336
Kravtchenko,J. and Apté,A. Note on the Fourier method of integration of the equations of mathematical physics, 8=7644
Kravtchenko,J. and Daubert,A. Approximate laws relating to the Gertsner billow of finite depth, 7=5103
Kravtsov,V.A. On the masses of chlorine-39 and argon-39, 5=2096. Comparison of stability of nuclear shells and subshells, 6=6074. Tabulated mass differences, 9=6055
Kravtsov,V.A. and Lemberg,I.Kh. On the masses of scandium-48 and vanadium-48, 5=2097
Kraybill,H.L. See Lanou,R E., Jr, 9=4753; Lea,R., 8=5241; Mosburg,E.R.,Jr, 8=1888; Walker,R.M., 5=4101
Krayer,G. See Arams,F.R., 8=5140
Krebs,A.T. Early history of the scintillation counter, 5=8041
Krebs,H. Chemical binding and semi-conductor properties, 5=3738. The influence of the homopolar part of the binding on the structure of inorganic salts. II. Semiconducting and alloyed phases, 6=7572
Krebs,H. and Schultze-Gebhardt,F. The structure of the amorphous phase of semi-metals, 5=3284
Krebs,K. Frequency multiplication in the centimetre wave region, by secondary electrons, 9=4697. See also Koppelmann,G., 6=6544, 9=12139; Kossel,F., 5=1864
Krebs,K. and Meerbach,H. The oscillatory multiplication of secondary electrons, 5=4696. Electron density and velocity distribution in the case of the oscillatory multiplication of secondary electrons, 7=3360
Krebs,K. and Nelkowski, H. On the hyperfine structure of ytterbium, 5=3561. The hyperfine structure of the resonance lines of ytterbium II, 5=6897. The isotope shift in the resonance lines of Yb II and in the singlet system of Yb I, 6=8658
Krebs,K., Nelkowski,H. and Winkler,R. The connection between electrical resistance and optical constants in evaporated silver films, 6=4686
Krebs,K. and Villiez,H.V. The excitation of cavity resonators by the pendulum multiplication of secondary electrons, 9=4698
Krebs,K. and Winkler,R. The optical properties of so-called Hochheim alloys, 9=1330. The hyperfine structure of the ground state of europium, 9=1804
Kreevoy,M.M. See Mason,E.A., 6=3881
Kreger,M. See Mihailovic,M.V., 9=11472
Kreger,W.E. K-capture to positron ratio for Na^{22}, 5=2141. See also Hefferlin,R.A., 9=11337; Kern,B.D., 9=2826
Kreger,W.E. and Cook,C.S. Gamma radiation from Ce^{144} and Pr^{144}, 5=2146
Kreger,W.E. and Kern,B.D. $C^{12}(n,p)B^{12}$ cross section for 14.9 to 17.5 MeV neutrons, 9=6135
Kreher,K. See Thielemann,W., 9=13319
Kreidl,N.J. and Blair,G.E. System of megaroentgen glass dosimetry, 6=3969. Recent developments in glass dosimetry, 6=5346
Kreidl,N.J. and Hensler,J.R. Gamma-radiation insensitive optical glasses, 7=2099
Kreidl,N.J., Weidel,R.A. and Hafner,H.C. Infrared transmitting glasses, 7=7806
Kreines,N.M. Magnetic anisotropy of single crystals [of anhydrous] $CuSO_4$ in the antiferromagnetic state, 9=9793. See also Borovik-Romanov,A.S., 6=8859, 7=538, 8=6044
Kreisinger,V. The calculation of electromagnetic identities in electric circuits by means of relativistic electrodynamics, 6=6026
Kreith,F. and Romie,F.E. A study of the thermal diffusion equation with boundary conditions corresponding to solidification or melting of materials initially at the fusion temperature, 5=5361
Krejčí,V. Low-frequency positive column oscillations in a glow discharge in gases, 9=12334
Kremer,D.A. See Kirby,H.W., 5=7313
Kremheller,A. and Levine,A.K. Hydrothermal synthesis of photoconductive cadmium sulfide, 8=190
Kremnev,L.Ya., Nerpin,S.V. and Kuibina,N.I. Nature of ageing of highly concentrated emulsions, 7=2780
Krempl,H., Dorsch,D. and Pfundt,H. Investigations on photoelectric methods of measuring line intensities in emission spectrum analysis, 6=1960
Kremser,H. See Grümm,H., 6=7459
Krenz,F.H. Energy transfer in polystyrene, anthracene, 5=3624
Kreplin,R.A. See Chubb,T.A., 8=15
Kreplin,R.W. See Byram,E.T., 9=7744; Chubb,T.A., 7=6827, 8=4668; Friedman,H., 9=10; Kupperian,J.E., Jr, 7=2859
Kresin,V.Z. See Geilikman,B.T., 9=8025, 8160
Kresnin,A.A. See also Vysotskiĭ,G.L., 8=1726, 9=13694
Kresnin,A.A. and Rozentsveĭg,L.N. Polarization effects in the scattering of electrons and positrons on electrons, 7=6270
Kressin,G. On the radiation from [fluorescent] luminous substances in mercury low pressure discharges, 9=12079. See also Lange,H., 6=1095
Krestnikov,Yu.S. See Blinov,G.A., 7=3402, 7=6301, 8=1802
Kretschmar,G.G. Determination of the velocity of sound in hydrazine-water mixtures by means of the Debye-Sears ultrasonic light diffraction phenomenon, 6=993
Kretschmar,G.G. and Schilberg,L.E. Preparation and photoconductive properties of cadmium telluride films, 8=4022
Kretschmer,C.B. and Wiebe,R. Thermodynamics of alcohol-hydrocarbon mixtures, 5=263
Kretzschmar,M. Simplified calculation of stripping-processes, 6=3217. On the multiple meson production in nucleon—nucleon collisions and in nucleon—antinucleon annihilation, 8=7259. A simple formulation of the elementary particle scheme of Gell-Mann and Nishijima, 9=3709
Kreuger,A. A Weissenberg camera for use at constant temperatures between about - 150°C and 300°C, 5=7522
Kreuzer,H. Appearance potential of BF_3^+ and BF_2^+ from BF_3 by electron collision, 9=5844
Kreyszig,E. Slit diaphragm condensers. A contribution to the practice of calculation of potential fields, 5=4617
Krichevskiĭ,I.R. and Khazanova,N.E. Mist formation at high pressures, 6=8733
Krieg,A. A new arrangement for fluorescent microscopy in transmitted and reflected light, 5=6975

Krieger,I.M. Configuration of a polyelectrolyte chain in solution, 7=3512
Krieger,L.A. See Armstrong,G.T., 9=9562
Krieger,R. The light distribution in the image of a slit as a function of the 3rd-order aberrations of an optical system, 6=3598
Krieger,T.J. and Nelkin,M.S. Slow-neutron scattering by molecules, 7=5658
Kriegsmann,H. See Simon,A., 5=3635, 6=8120-1
Kriessman,C.J. See also Callen,H.B., 6=7528; Harrison,S.E., 8=8866, 9=443; Nathans,R., 6=8492, 7=4909
Kriessman,C.J. and Harrison,S.E. Cation distributions in ferrospinels. Magnesium–manganese ferrites, 6=7529
Kriessman,C.J., Harrison,S.E. and Belson,H.S. Relationship between single crystal and effective polycrystalline anisotropy constants in ferrites, 8=8906
Kriessman,C.J. and McGuire,T.R. Magnetic susceptibility of hafnium and manganese, 5=6290
Krieve,W.F. and Mason,D.M. Measurement of equilibrium of the reaction: $TiCl_3$ (s) + HCl(g) $\rightleftharpoons$ $TiCl_4$ (g) + 1/2H_2(g), 6=9009
Krieve,W.F., Vango,S.P. and Mason,D.M. Calorimetric determinination of heats of formation of titanium chlorides, 6=8748
Krigbaum,W.R. Configuration of polymer molecules with excluded volume, 6=1460. See also Bueche,F., 6=1185; Carpenter, D.K., 6=4350, 8=6710
Krigbaum,W.R. and Roig,A. Dipole moments of atactic and isotactic polystyrene, 9=11537
Krikorian,N.H. See Pidd,R.W., 9=13366
Krikorian,O.H. See Zalkin,A., 9=13929
Krilov,J. See Auleytner,J., 7=9449
Krim,S. Frequency shift of the CO stretching band in polypeptides and proteins, 5=8980. See also Liang,C Y., 6=8680, 6=8682, 7=9955, 8=5786
Krimm,S. and Liang,C.Y. Infrared spectra of high polymers. VIII. Polyvinyl nitrate, 9=2212
Krimm,S., Liang,C.Y. and Sutherland,G.B.B.M. Infrared spectra of high polymers. II. Polyethylene, 6=8681. Assignment of the OH in-plane deformation frequency, 7=2474
Krimm,S. and Schor,R. Structure of feather Keratin, 6=5305
Krimmel,E. See Schüler,H., 9=6349
Krinchik,G.S. The electronic structure of nickel and its alloys, 8=4410
Krinchik,G.S. and Chetkin, M.V. On the theory of propagation of electromagnetic waves in gyrotropic media, 9=9887
Krings,A. Microcinematography of dynactive pairs of fluids, 8=8611. See also Hauk,V., 5=5117
Krinsky,A. See Wexler,A., 6=3545
Kripyakevich,P.I. See Andrievskii,A.I., 9=10395; Gladyshevskii, E.I., 9=11634
Krisement,O. Some remarks about electron-correlation, 7=3954
Krisher,L.C. See Herschbach,D.R., 8=6851
Krishna,B. and Srivastava,K.K. Range of validity of Higashi's equation for a quick determination of dipole moment in solution, 8=3970
Krishna,K.V.Gopala. See Gopala Krishna,K.V. The crystal structure of anthracene at different temperatures, 7=8299. The crystal structure of diphenyl at different temperatures, 7=8300. Crystal structure of frozen cyclohexane at - 180°C, 9=116376
Krishna Murti,G.S.R. and Sen,S.N. On the crystal structure of para dichlorobenzene at different temperatures, 7=906
Kirshna Murty,Y. See Bhagavantam,S., 6=8136, 9=230
Krishna Pillay,M.G. See Venteswarlu,K., 5=8957
Krishna Rao,G.V.G. See Mohanty,S.R., 5=308
Krishna Rao,K.V. See also Bhagavantam,S., 5=1742
Krishna Rao,K.V. and Kalpagam,V. Photolastic constants of thallium alum, 5=9593
Krishnaji and Srivastava,G.P. Microwave absorption in ethyl chloride, 7=7011. Temperature variation of microwave absorption coefficient in ethyl chloride, 7=8527. Microwave absorption in methyl halides, 8=2243. A three centimetre microwave bench for studying the pressure and temperature effects on dielectric behaviour of gases, 8=3062. Millimeter wave dispersion in ethyl chloride, 9=1414
Krishnaji and Swarup,P. The dielectric behaviour of acetaldehyde vapour at 9000 Mc/sec, 5=276
Krishnamachari,S.L.N.G. Force constants for methyl cyanide and methyl isocyanide, 5=3926. Force constants for substituted germanes. I. GeH_3Cl and GeD_3Cl, 5=8956. Force constants for substituted germanes. II. $GeCl_3H$ and $GeCl_4$, 6=6043. The ultraviolet absorption spectrum of o-fluoro-chloro-benzene, 6=6524. The ultraviolet absorption spectrum of metafluorochlorobenzene, 7=244. The ultraviolet absorption spectrum of parafluorochlorobenzene, 7=245. The ultraviolet absorption spectra of o-, m-, p-fluorobromobenzenes, 7=5992
Krishnamachari,S.L.N.G. and Ramakrishna Rao,V. Raman spectrum of o-chloroethyl-benzene, 6=246
Krishnamurthi,M. Relaxation effects in aqueous solutions of sulphur dioxide, 5=6834. Transmission of ultrasonics through binary liquid mixtures, 6=7217
Krishnamurthi,M., Sastry,G.S. and Scshagina Rao,T.T. Radio emission from the sun at 30 Mc/s, 9=3044
Krishnamurthi,M. and Suryanarayana,M. Ultrasonic relaxation in aqueous solutions of N_2O_4, 6=4266
Krishnamurthy,P.V. and Asundi,R.K. A π-type of mass spectrometer for isotope abundance measurements, 5=8030
Krishnamurthy,S.G. See S.G. See Swaminathan,T.M. 5=1687; Vittalachar,V, 5=1689
Krishnamurthy,V.G. Ultraviolet bands of mercury chloride, 8=6816. Ultraviolet bands of mercury bromide, 9=186
Krishnamurti,D. The Raman spectrum of diamond, 5=3640. The Raman spectrum of calcite and its interpretation, 8 =131. The Raman spectrum of quartz and its interpretation, 8=7821. See also Raman,C.V., 6=3315
Krishnamurti,K. A theoretical expression for solubility product, 9=2138
Krishnamurty,B. Ultrasonic studies in electrolytes: nonaqueous solutions, 9=4377. Ultrasonic studies in liquid mixtures, 9=10707
Krishnamurty,B. and Satyanarayana Murty,M. Ultrasonic studies in electrolyte solutions— salts of heavy metals, 9=140
Krishnamurty,C. See Ramachandra Rao,B., 9=7585
Krishnan,A. See Daniel,R.R., 5=4963
Krishnan,K.S. Polarization field in ionic crystals, 5=9391. See also Jain,S.C., 5=1750, 5=5351
Krishnan,K.S. and Jain,S.C. Determination of thermal conductivities at high temperatures, 5=889. Thermionic constants of semi-conductors, 6=3802
Krishnan,K.S. and Roy,S.K. The Drude dispersion formula shown to be applicable to any medium irrespective of the polarization field, 7=3121
Krishnan,R.S. Elastic constants of crystals from light scattering measurements, 5=6550. See also Narayanaswamy, C.K., 7=9593
Krishnan,R.S., Chandrasekharan,V. and Rajagopal,E.S. The four elastic constants of diamond, 8=8483
Krishnan,R.S. and Narayanan,P.S. Raman spectra of alkali halides, 9=205
Krishnan,R.S., Narayanan,P.S. and Sivarajan,S.R. Elliptic polarisation of light scattered by colloidal solutions, 5=878
Krishnan,R.S. and Srinivasan,R. Thermal expansion of caesium bromide, 7=1223
Krishnan,T.S. and Narayanan,P.S. Raman spectrum of crystalline cadmium sulphate, 5=6945
Krishnaswamy,N.R. See Singh,S., 6=6986
Kristensen,P. Configuration space representation for nonlinear, 5=3416
Kristesku,Dzh. See Grigorovich,R., 9=11071
Kristi,N.M. See Mints,A.L., 7=1963
Kristianpoller,N. See Halperin,A., 9=3338
Kristiansson,K. Photo-electric mass determinations in nuclear emulsions. I. An investigation of the accuracy of mass determinations, 5=1435. A thorough investigation of the accuracy of photoelectric mass determinations, 5=8286. Photo-electric mass determinations in nuclear emulsions. IV. Determinations of K-particle masses, 7=1831. Elastic and enelastic scattering of K^{+-}-particles in nuclear emulsions, 8=6182. See also Johansson,T., 7=4954; See v. Friesen,S., 8=2500
Kristiansson,K. and Johansson,T. The capture of a Σ^- -hyperon without any visible interaction, 7=4770
Krisyouk,E.M., Sergeyev,A.G., Latyshev,G.D. and Vorobyov,V.D. Decay scheme of Pb^{212}, 8=5303
Krisyuk,E.M. See also Latȳshev,G.D., 8=7358; Sergeev, A.G., 8=6241; Zhernovoĭ,A.I., 8=7359
Krisyuk,E.M., Sergeev,A.G., Latȳshev,G.D., Il'in,K.I. and Fadeev,V.I. The decay scheme of Tl^{208}, 8=6242
Kritskaya,V.K. See Il'ina,V.A., 7=6736, 8=4407; Kurdyumov, G.V., 7=8271

Krivitskiĭ,V.V. and Reut,A.A. Production of $\pi^{\pm}$ mesons by 308 MeV π^{-}-mesons on carbon, 7=5654

Krivko,N.I. Ferromagnetic resonance in some ferrites at low temperatures, 9=449. See also Komar,A.P., 7=9266

Krivoglaz,M.A. Theory of thermal transitions, 5=620. Comparison of the theory of the liminescence of solid bodies with experiment, 7=266. Theory of diffuse X-ray scattering in solid solutions. I, 7=2287. Theory of diffuse scattering of X-rays and thermal neutrons in solid solutions. II. Microscopic theory, 8=2679. III. Account of geometrical distortions of the lattice, 8 =7538. The thermodynamics of almost completely ordered solid solutions, 8=2676. On the magnetic scattering of thermal neutrons near the Curie point in ferromagnetics and antiferromagnetics, 8=3296. The theory of diffuse scattering of X-rays by ternary alloys, 8=4050. Scattering of X-rays and thermal neutrons by single-component crystals near phase-transition points of the second kind, 8=7515. Effect of inhomogeneities of the crystal lattice on the thermodynamics of a gas of quasi-particles in the crystal, 8=8413. See also Danilenko,V.M., 8=4461

Krivoglaz,M.A. and Matȳsina,Z.A. On the theory of the electrical resistance of ordered alloys, 5=7020

Krivoglaz,M.A. and Pekar,S.I. The relation between the parameters of longitudinal and transverse optical oscillations of the ions in a crystal, 7=4866

Krivoglaz,M.A. and Rȳbak,S.A. On the theory of scattering of light near points of phase transitions of the second kind, 8=3005. The effect of static inhomogeneities of the crystalline lattice on the electronic properties of a semiconductor, 8=8442

Krivoglaz,M.A. and Smirnov,A.A. The theory of the diffusion of atoms in alloys, 6=2462. The effect of interstitial atoms on the self-diffusion of a metal, 7=774

Krizhanskiĭ,L.M., Malȳĭ,Ya., Murin,A.N. and Preobrazhenskiĭ, B.K. The rare-earth isotope yields from Pu^{239} fission by pile neutrons, 7=9398

Krochmann,J. Measurements on retro-reflecting materials, 9=4413

Kroczek,J. See Kodes,J., 9=12282

Kroebel,W. Simple electrical method for the direct measurement of the velocity of light for use in lectures and laboratory demonstrations, 9=4411

Kroebel,W., Arp,F. and Baurmeister,H. The recognizability of image detail in television pictures, 8=9193. Vision in the human eye applied to the problem of the evaluation of the quality of projection and television pictures, 9=6419

Kroemer,H. Some aspects of thermal conversion in germanium, 7=2216. Quasi-electric and quasi-magnetic fields in nonuniform semiconductors, 8=611

Kroener,E. Dislocations and the Biot-Savart law, 5=1562

Kroepelin,H., Neumann,K.K. and Winter,E. Thermodynamic functions and auxiliary data for their calculation for carbon and hydrogen and some of their compounds for the temperature range 1000 to 50 000°K, 9=12195

Kroepelin,H., Wienke,K. and Wildt,A. On the behaviour of benzene and its homolognes in the positive column of a glow discharge, 9=5756

Krog,J. and Johansen,K. Construction and characteristics of Teflon-covered polarographic electrode for intravascular oxygen determination, 9=8964

Krogdahl,W.S. Stellar pulsation as a limit-cycle phenomenon, 5=7661. Kinematic relativity and the operational formulation of a Lorentz invariant dynamics, 9 =6501

Kröger,F.A. The physical chemistry of sulphide phosphors, 5=3608. The physical chemistry of crystal phosphors, 6=2792. Some optical and electrical measurements on blue fluorescent ZnS-Cl single crystals, 6=7308. On the relation between non-stoichiometry and the formation of donor and acceptor centres in compounds, 9=12247. See also Bloem,J., 5=5414, 7=7893, 7=9103, 9=1890-1; Lely,J.A., 9=10778, 9=11025. van den Boomgaard,J., 5=9232

Kröger,F.A. and de Nobel,D. Preparation and electrical properties of CdTe single crystals, 5=9653

Kröger,F.A., Diemer,G. and Klasens,H.A. Nature of an ohmic metal—semiconductor contact, 6=6630

Kröger, F.A. and Meyer,H.J.G. The edge emission of ZnS, CdS and ZnO and its relation to the lattice vibrations of these solids, 5=2623

Kröger,F.A. and Vink,H.J. Physico-chemical properties of diatomic crystals in relation to the incorporation of foreign atoms with deviating valency, 5=2730. Relations between the concentrations of imperfections in solids, 9=8802. The incorporation of foreign atoms in crystalline solids, 9=10219

Kröger,F.A., Vink,H.J. and van den Boomgaard,J. Controlled conductivity in CdS single crystals, 5=2738

Kröger,F.A., Vink,H.J. and Volger,J. Resistivity, Hall effect and thermo-electric power of conducting and photoconducting single crystals of CdS from 20-700°K, 5=3749. Temperature dependence of the Hall effect and the resistivity of CdS single crystals, 5=3752

Krogh-Moe, J. See Björnhaug,A., 6=816; Borgen,O., 6=8431; Grjotheim,K., 6=799, 6=8421

Krohn,J. See Rust,H.H., 5=4398

Krohn,V.E. See also Burgy,M.T., 8=1173, 8=7251, 9=2597; Crouch,M.F., 6=6166; Huizenga,J.R., 6=5372; Raboy, S., 5=442, 5=4909, 9=2751

Krohn,V.E., Novey,T.B. and Raboy,S. Atenuation of Am^{241} $\alpha-\gamma$ angular correlation in liquid film sources, 7=4670

Krohn,V.E. and Raboy,S. Decay scheme of Pb^{204m}, 5=479. Gyromagnetic ratio of an excited state and other angular correlation, measurements for Pb^{204m}, 5=3974. Gyromagnetic ratio of the 10^{-8}-sec state of Ta^{181}, 8=2520

Krohs,A. See Görlich,P., 8=256

Kroĭtoru,N. See also Croitoru,N; Gel'berg,A., 8=7526

Krokhin,O.N. See Berestetskiĭ,V.B., 6=7127

Krokhina,A.I. See Spivak,G.V., 8=213

Krokowski,E. On the question of the fluorescence yield of sodium salicylate in the u.v. and X-ray region, 9=3318

Krolak,L.J. See Davis,T.P., 5=661, 5=6072*

Królikowska,Z. Relations between the polynomial method and the factorization method, 9=12933

Królikowski,W. The wave function of photons and their configurational equation, 5=1555. Connections between the Einstein-Infeld approximation method and the perturbation method, 5=2434. Radiation theory in crystals, 5=9415. The configurational equation of photons, 6=2652. On "Potentials" in the theory of quantized fields, 6=4183. The representation leading to isobars of the nucleon in the fixed-source theory, 7=5051. The separation of non- interacting pion degrees of freedom in the fixed-source theory, 7=5052. Low's general equation, 7=8410. An approximation for the physical nucleon in the fixed-source theory, 7=8998. An estimate of masses of isobars of the nucleon in the fixed-source theory, 7=8999. On the weak interactions of elementary particles, 9=37. On the isobars of the nucleon in the fixed-source theory, 9=48. On the elementary particles and their strong interactions, 9=1080. On the classification of elementary fermions, 9=3125. On the second neutral pion, 9=6021. On the universal Fermi interaction, 9 =9207. On isobars of the nucleon caused by the kaon [K-meson] field in a fixed-source theory, 9=10609. A fixed-source approach to scattering of kaons, 9=11397

Królikowski,W. and Rzewuski,J. Covariant one-time formulation of the many-body problem in quantum theory, 5=9409. On the equation for the distinguished component of the state vector, 7=1886. One-time formulation of the relativistic two-body problem. Separation of angular variables, 7=2968. Co-variant one-time formulation of the many-body problem in the quantum theory, 7=3978. A new proof of the one-time equation in the theory of bound states, 7=5037. Relativistic two-body problem in one-time formulation separation of angular variables in the case of one-quantum interaction in electrodynamics, 7=5039

Kroll,N.M. See also Mills,R.L., 5=7305; Wichmann,E., 5=1509; Wichmann,E.H., 6=906

Kroll,N.M. and Wada,W. Internal pair production associated with the emission of high-energy gamma rays, 5=7346

Krom,M.N. Field fluctuations near the focus of a lens, 9=9338

Krom,M.N. and Chernov,L.A. Effect of fluctuations in the incident wave on the distribution of mean intensity near the focus of a lens, 9=5466

Krömer,H. Proposed negative-mass microwave amplifier, 8=4167. The physical principles of a negative-mass amplifier, 9=5960

Kromhout,R.A. Exact-energy self-consistent field, 7=8090. See also Moulton,W.G., 6=7589

Kromhout,R.A. and Moulton,W.G. Nuclear magnetic resonance: structure of the amino group. I, 5=9804. Effect of fringing field on capacitance and a measurement of ϵ_0, 7=4306

Kromminga,A.J. See McCarthy,I.E., 9=11465

Kron,G. Detailed example of interconnecting piece-wise solutions, 5=5815

Kronberg,M.L. Atom movements and dislocation structure for

plastic slip in single crystals of β-uranium, 9=10371
Kronberger,H. Vacuum techniques in the atomic energy industry, 9=114. See also Davies,M.G., 9=3400
Krone,H.V. See Rawcliffe,R.D., 9=12161
Krone,R.W. See Baumann,N.P., 7=1593; Prosser,F.W.Jr, 7=2598; Read,W.G., 7=2542; Singh,J.J., 9=12628
Kronenberg,K.J., See also Sixtus,K.J., 6=8865; Tenzer,R.K., 8=9139
Kronenberg,K.J. and Tenzer,R.K. Relation between colloid pattern and permanent magnet precipitate during the magnetization reversal in Alnico V, 8=8925
Kronenberg,S. and Accardo,C.A. Dielectric changes in onorganic phosphors, 6=1993
Kronenberger,K. See Drawin,H.W., 9=11909
Kröner,E. The stressfunctions of three-dimensional isotropic elasticity theory, 5=1561. Internal stresses and the incompatibility tensor in elasticity theory, 5=7429. Stress-functions of three-dimensional anistropic elasticity, 5=8525. The fundamental connection between dislocation density and stress functions, 6=1654. Analysis of the generalized distortion tensor, 6=4692. Calculation of the elastic constants of a polycrystalline material from the elastic constants of the single crystal, 8=8485. The dislocation as an elementary strain source, 9=4020. See also Seeger,A, 9=8815
Kröner,E. and Rieder,G. Continuum theory of dislocations, 6=8996
Krongauz,A.N., Lyapidevskiĭ,V.K. and Deev,Yu.S. Photoconductivity of cuprite, 8=1706
Kronheimer,E.H. Many-parameter wave functions in the independent-particle model, 5=1556
Kronig,R. See also Van Gelder,A.P., 9=11291
Kronig,R. and Sonnen,R.K.M. Calculations on the double refraction of solid helium, 8=5818
Kronmüller,H. The magnetic law of approach of plastically deformed nickel and nickel—cobalt single crystals, 9=13441
Kronmüller,H., Jaumann,J. and Seiler,K. The action of impurities and heat treatment on the electrical properties of highly purified tellurium, 6=5883
Kronqvist,E. Paramagnetic susceptibility measurements on PdAg alloys, 6=3015
Kronsbein,J. Relativity in static spherical and elliptic space (Einstein's universe), 8=2123. Relativity in a stationary or elliptic space, 9=2034
Krook,M. Dynamics of rarefied gases, 6=980. On the solution of equations of transfer. I, 6=5606. Structure of shock fronts in ionized gases, 9=5828. See also Bhatnagar,P.L., 7=3929, Gross,E.P., 6=5187; Layzer,D., 6=3849; Parker,E.N., 6=7515
Krook,M. and Pecker,J.C. On the calculation of models of an atmosphere in radiative equilibrium (non-grey case), 9=1008
Kropf,A. See Krauss,M., 8=1288
Kropschot,R.H., Garber,M. and Blatt,F.J. Influence of cold work on the resistivity of dilute copper alloys, 9=5672
Kropschot,R.H. and Mikesell,R.P. Strength and fatigue of glass at very low temperatures, 8=426
Kropveld,R.E.W. See Nussbaum,R.H., 5=4912
Kross,R.D. See Layton,E.M.,Jr, 6=6827
Krotkov,R. Low energy neutron cross section of manganese, 6=675
Krotova,N.A. See Deryagin,B.V., 5=6560, 7=1691; Morozova, L.P., 8=1353
Krötzsch,M. The determination, by a vibration method, of the dependence of the viscosity of liquids upon pressure, 9=1122
Kroupa,F. Plane deformation in the non-linear theory of elasticity, 5=4395. Etch figures on silicon steel, 6=7808. The problem of mixed boundary conditions for a ring-shaped body in the two-dimensional theory of elasticity, 6=8607. Etch figures on silicon iron, 9=5252. Dipole forces between macromolecules, 9=6218. Maximum contrast condition by multiple-beam interfernece in reflection, 9=7994. The deformation of a whisker with screw dislocation, 9=13779
Kroupa,V. Tachometer for 200 to 20 000 R.P.M. having an accuracy of ±1 R.P.M. over the whole range, 6=947
Krucoff,D. Armour dust-fueled reactor, 9=12705
Krueger,H.H.A. See Berlincourt,D., 7=3245
Krug,W. Multiple-beam interference and equidensities, 6=2006
Krug,W. and Schusta,J. Electronic determination of lines of equal density. I, 9=3253; II, 9=3254
Krugden,H. van. See van Krugden,H.
Krüger,G. Design of a measuring apparatus for the 4π counting of radioactive isotopes, 9=4874. Application of VYNS films 4π flow counter, 9=4875. Detection of fast neutrons with spark counters, 9=13518
Krüger,G. and Laukien,G. Non-stationary precessional motion of paramagnetic nuclei, 6=6850
Krüger,H. Intensity ratios in the high-frequency spectrum of excited atoms measured by the double resonance method, 5=6396. See also Althoff,K.-H., 5=175; Böckmann, K., 7=8107,9=2696
Kruger,H. and Crowe,K.M. Preliminary results on the momentum dependence of the asymmetry in muon decay, 9=4923
Krüger,H. and Lautz,G. Controlling the electrical and mechanical properties of bismuth by means of small additions of nickel, 9=9665
Krüger,H. and Meyer-Berkhout,U. Determination of the electric quadrupole moments of the Rb^{85} and Rb^{87} nuclei through the measurement of the high-frequency transitions in the $6^2P_{3/2}$ term of the Rb atom, 5=4520
Krüger,H.G. and Maennchen,K. Apparatus for measurements with horizontally arranged objects by means of a Leitz infrared spectrograph and its application in practice, 8=8685
Kruger,J. Effect of illumination on the oxidation of copper single crystals in water, 8=3546
Krüger,L. See Banerjee,B., 9=10125; Kopfermann,H., 6=5765, 9=4430
Kruger,P. See also Stanley,C.W., 7=4850
Kruger,P. and Sugarman,N. High-energy fission of heavy elements. Nuclear charge dependence, 5=9916
Kruger,P.G. See Zimmerman,E.J., 5=996
Krüger,W. See Biermann,M., 6=2214; Kruglak,H. Problems on artificial satellites of the earth, 9=3067
Kruglov,S.P. Comparison of calorimetric and ionization measurements of the energy flux of synchrotron gamma rays, 8=7232. Calorimetric measurements of gamma-ray energy flux from a synchrotron, 9=9928
Kruglyakova,G.I. Dependence of magnetic susceptibility of salts on their water content, 9=13420
Krugovȳkh,V.V. See Zatsepin,G.T., 8=8104
Kruh,R. Surface tension and structure of molten glasses, 7=3749
Kruithof,A.M. Stress phenomena in glass-to-glass and glass-to-metal seals, 9=13984
Krumbein,A.D. See Ward,A.L. 5=5468; Wiser,H.L., 5=5469
Wiser,H.L. 5=5469
Krumbiegel,J. Investigations on zine sulphide crystals, 5=2293. See also Herforth,L. 5=4467
Krumbiegel,J. and Jost,K.H. Conductivity measurements, spectrographic and X-ray investigations on zinc sulphide crystals, 5=10092
Krumhans,J.A. See Bowman,J.C. 5=9271
Krumhansl,J.A. Photoexcitation in ionic crystals, 7=7924. Thermal conductivity in semiconductors, 9=6930. Magnetic susceptibility of solids, 9=9761. See also Bowman,J.C., 9=8055; Brown,E., 8=802
Krumin,Yu. Rotation of a conducting sphere in a conducting viscous liquid in the presence of a magnetic field, 9=9858
Krumin',Yu.K. The problem of a conducting sphere situated in a travelling magnetic field, 9=8382*
Krupička,S. On the problem of the internal effective field for ferromagnetic resonance of polycrystalline ferrites, 7=4533. A contribution to the study of ferromagnetic resonance in manganese zinc ferrites, 9=8327. On the theory of resonance line width in ferrites, 9=11237. See also Broz,J., 9=8315
Krupička,S. and Vilím,F. Richter-type magnetic after-effect in [non-stoichiometric] manganese ferrite, 9=8321
Krupička,S. and Závěta,K. The influence of the valency states of cations on electrical conductivity of Mg—Mn ferrite, 9=12237
Krupka,F. Transient thermal conduction between two plates, 6=8727
Krupka,F. and Horák,Z. The determination of the specific heat of a liquid in an electric calorimeter from the time dependence of the temperature, 9=8059
Krupkowski,A. On substitute pressure in the isothermal process, 7=2149
Krupnik,L.I. See Fogel',Ya.M. 5=8848, 5=8877, 6=441, 7=1412, 8=7128, 8=7138
Krupnikov,K.K. See Al'tshuler,L.V., 8=7478, 8=7573
Krupp,H. On the theory of thermomagnetic instruments for the measurement of oxygen, 5=2289
Krupp,R.H., Ferigle,S.M. and Weber,A. Calculation of depolarization factors of the Raman lines of CBr_3X molecules, 6=3080

Kruschinski,L. See Schorygin,P., 8=7824

Kruse,F.H. See Sparks,R.A., 6=9045

Kruse,H.W. See Argo,H.V., 9=8642; Cowan,C.L., 7=4791; Keshishian,V. 5=1114; Reines,F., 8=2469

Kruse,K.M.M. Use of partially oriented samples and unpolarized radiation in the analysis of infrared absorption spectra of p-dichlorobenzene, 7=2036. Conversion of an infrared spectrophotometer incorporating a memory system to double beam operation, 7=4144

Kruse,P.W. Indium antimonide photoelectromagnetic infrared detector, 9=6991

Kruse,T.H. See also Bent,R.D., 8=8268, 9=647; Jones,K.W., 7=6555

Kruse,T.H. and Bent,R.D. Search for electric monopole pairs from the 7.6 MeV state of C^{12}, 9=4974

Kruse,U. See Heiberg,E. 5=2806

Kruse,U.E. See also Anderson,H.L., 6=696, 6=698; Crewe, A.V., 6=2186, 8=1870

Kruse,U.E., Marshall,L. and Platt,J.R. Synchrotron radiation in the sun's radio spectrum, 7=4981

Krus,U.E., Teem,J.M. and Ramsey,N.F. Proton-proton scattering from 40 to 95 MeV, 6=2192

Krusemeyer,H.J. Surface potential, field-effect mobility, and surface conductivity of ZnO crystals, 9=9652

Krusemeyer,H.J. and Pursley,M.V. Donor concentration changes in oxide-coated cathodes resulting from changes in electric field, 7=3403

Krusemeyer,H.J. and Thomas,D.G. Adsorption and charge transfer on semiconductor surfaces, 8=5873

Kruskal,M. and Tuck,J.L. The instability of a pinched fluid with a longitudinal magnetic field, 8=4160

Kruskal,M.D. See also Bernstein,I.B., 8=4159, 8=6073

Kruskal,M.D., Johnson,J.L., Gottlieb,M.B. and Goldman,L.M. Hydromagnetic instability in a stellarator, 9=2373

Kruskal,M.D. and Kulsrud,R.M. Equilibrium of a magnetically confined plasma in a toroid, 9=1554

Kruskal,M.D. and Oberman,C.R. On the stability of plasma in static equilibrium, 9=2438

Krutov,V.A. On the theory of internal conversion. I, 9=10084

Krutov,V.A. and Myullèr,K. On the theory of internal conversion. II, 9=10085

Kruyer,S. The time of absorption and the time of oscillation, 5=5054. The penetration of mercury and capillary condensation in packed spheres, 9=5406. See also de Boer,J.H. 5=4155

Kryder,S.J. See Maryott,A.A., 8=2628, 9=12054

Krȳlova,A.P. See Kolesnikov,N.N., 8=1901

Krȳlova,T.A. See Mikhaĭlov,G.P., 9=1416

Krȳlova,T.N. Multilayer dielectric coatings with a highr reflection coefficient in a glass surface. 8=3899

Krȳlova,T.N. and Sokolova,R.S. Achromatic translucent films, 7=9642

Krȳlova,T.V. See Mochan,I.V., 7=9188

Krȳlovich,V.I. See Fisher,I.Z., 9=10257

Krȳshtab,H.S. The development of an electrostatic accelerator in a compressed gas and the investigation of certain processes determining its basic parameters, 8=7117

Krysmanski,K.H. Gas separation processes in d.c. glow discharge, 9=11074

Kryter,K.D. On predicting the intelligibility of speech from acoustical measures, 6=6480. A criterion for noise control, 7=7703. See also Green,D.M. 9=13124

Kryukov,S.N. See Zhukovitskiĭ,A.A., 6=716

Kryukova,L.N. See Gnedich,A.V. 9=10090

Krȳvohlaz,M.O. X-ray scattering near critical and isolated points of a second-order phase transition, 8=9181. See also Krivoglaz,M.A.

Krȳzhanovskiĭ,B.P. Concerning the conductivity of semiconducting tin dioxide, 9=3484

Krzywicki,A. An approximation method for solving scattering problems, 9=9231. See also Ingarden,R.S. 6=4287

Krzywoblocki,M.Z.v. See v.Krzywoblocki,M.Ž.

Krzyzewski,J.V. See Eichholz,G.G., 7=2575

Ksendzov,Ya.M. See also Skanavi,G.I., 8=1672

Ksendzov,Ya.M. and Rotenberg,B.A. The effect of pressure on electrical properties of barium titanate in strong fields, 9=10951

Kshemyanskaya,I.Z. See Bredov,M.M. 8=3966

Ku,H.-Y. See Dresselhaus,G., 6=1223

Ku,S.M. See Black,J. 9=3474

Ku,Dschi-Yü. See Burck,H., 9=9395

Kubal,J. Study of the preparation of emulsions for ionizing radiation, 5=6673

Kubanskiĭ,P.N. Coagulating mechanism of acoustic current, 5=3503. Axisymmetrical acoustic streaming at a resonator, 8=3828. Axially-symmetrical acoustic streaming at the walls of a cylinder, 9=5436. Kundt's tube measurements of the wavelengths of ultrasonic vibrations generated by a jet, 9=11949

Kubarev,S.I. Effect of intermolecular interaction on molecular spectra, 9=13758

Kubát,J. A theory of elastic after-effect, 7=3763

Kubelka,W. See James,D.B. 5=5470

Kübler,W. On gas adsorption at high pressures. 6=6240

Kubo,H. See Mitani,K., 7=7934

Kubo,K. Studies on the brightness discrimination. I. Measurement of Fechner fraction, 5=10139. II. On the value function, 5=10140. III. Measurement of the Fechner fraction by flickering method, 5=10141. IV. On the critical frequency, 5=10142. On the intensity of light scattered by fine particles, 9=9529

Kubo,M. See Kimura,K., 7=9804, 9=3990; Sasaki,Y., 9=10204; 7=6751

Kubo,R. Note on the stochastic theory of resonance absorption, 5=2882. Statistical-mechanical theory of irreversible processes. I. General theory and simple applications to magnetic and conduction problems, 7=8437. A general expression for the conductivity tensor, 8=169. Stochastic theory of magnetic resonance, 9=397. On thermal transition process of electrons in solids, 9=11559. See also Nagamiya,T. 5=1039

Kubo,R., Hasegawa,H. and Hashitsume,N. Theory of galvanomagnetic effect at high magnetic field, 9=1442. Quantum theory of galvanomagnetic effect. I. Basic considerations, 9=12305

Kubo,R. and Obata,Y. Note on the paramagnetic susceptibility and the gyromagnetic ratio in metals, 6=5204

Kubo,R. and Tomita,K. A general theory of magnetic resonance absorption, 5=2881. Broadening in nuclear magnetic resonance absorption, 5=9391

Kubo,R. and Toyozawa,Y. Application of the method of generating function to radiative and non-radiative transitions of a trapped electron in a crystal, 6=8770

Kubo,R., Yokota,M. and Nakajima,S. Statistical-mechanical theory of irreversible processes. II. Response to thermal disturbance, 9=7812

Kubota,B. and Okazaki,C. Multipolarization in the hexagonal barium iron oxide magnets, 5=9765

Kubota,H. See also Inoué,S., 9=2254

Kubota,H. and Inoué,S. Diffraction images in the polarizing microscope, 9=5601

Kubota,H. and Ohzu,H. Method of measurement of response function by means of random chart, 7=8503

Kubota,H. and Ose,T. Further study of polarization and interference colours, 5=2635

Kubota,H. and Shimizu,K. Experiment on the sensitive color, 8=144

Kubozoe,T. See also Kaneko,S. 5=9750, 6=2215, 6=4669

Kubozoe,T., Kaneko,S. and Takahata,M. On the slow particles come to rest in the nuclear emulsions at 23 m.w.e. underground, 5=3870

Kubu,E.T. See McMickle,R.H. 5=9183

Kuča,L. See Malý,J. 5=4835

Kuchař,S.A. The initial stage of the passage of current through a diode, 8=7125. See also Rodin,A.M., 8=5494

Kucher,T.I. Heat capacity of KCI, 7=6137. Characteristic frequencies and amplitudes of free normal oscillations in KCI crystals, 8=5460. Hole bands in crystals with NaCI-type lattice, 8=8441

Kucher,T.I. and Tolpȳgo,K.B. A many-electron treatment of the motion of an electron (hole) in a deformed crystal, 7=3822

Kucherenko,E.T. See Gabovich,M.D., 7=2342, 7=9218

Kucherov,I.Ya. See also Ahranovȳch,V.M. 8=6871; Faĭdȳsh, A.N., 7=7013; Faĭdȳsh,O.M. 8=6865

Kucherov,I.Ya. and Faidȳsh,A.N. Migration and transfer of energy of an electron-excitation in anthracene and naphthalene crystals, 9=10815

Kucherov,I.Ya., Faĭdȳsh,A.N. and Fesenko,Z.N. Changes in intensity distribution of the luminescence spectra of anthracene and naphthalene, 8=584

Kucherov,R.Ya. Diffusive slip and convective diffusion of a gas in a capillary, 9=4353

Kucherov,Ya.M. See Gavril'uk,V.M. 9=9314

Kucheryaev,A.G., Szhenov,Yu.K., Gogichaishvili,Sh.M., Leont'eva,I.N. and Vasil'ev,L.V. Nuclear magnetic moments

of Sr^{87} and Mg^{25}, 9=10021
Kuchin,V.D. Dependence of electric strength of ionic crystals on temperature, 7=8589; See also Vorob'ev,A.A., 7=4305
Kuchitsu,K. See Morino,Y., 8=4399
Küchle,M. Measurement of the neutron temperature in graphite, 7=765
Küchler,L. and Schüller,W. The recovery of nuclear fuels, 9=3947
Kuchmin,O.I. An acoustic method of gas analysis, 9=13880
Kuchowicz,B. Tests for time reversal invariance and Feynman–Gell-Mann theory in allowed beta transitions, 9=30. The angular correlation and polarization of β-rays in singlet transitions, 9=6091. Electron polarization in first forbidden unique beta transitions, 9=10056. Electron polarisation in first forbidden beta transitions with spin change $\Delta J = \pm 1$, 9=13636
Kuczogi,E. and Tóth,E. Complex logarithmic cylinder [for a.c. networks], 6=8546
Kuczynski,G.C. Doyama,M. and Fine,M.E. Transformation in disordered gold copper alloys, 6=5438
Kruczynski,G.C. and Hochman,R.F. Light-induced plasticity in semiconductors, 8=7528
Kuczynski,G.C., Hockman,R.F. and Doyama,M. Study of the kinetics of ordering in the alloy AuCu, 5=8310
Kuczynski,G.C. and Hockman,R.H. Light induced plasticity in germanium, 9=12836
Kuczynski,G.C. and Stablein,P.F. Apparatus for measurement of sensitivity of electrical resistance of wires to strains, 5=2453
Kudin,V.D. See Iglitsyn,M.I., 8=7921-2
Kudintseva,G.A. and Tsarev,B.M. The emission properties of the hexaborides of certain rare-earth metals, 9=4677
Kudo,K. Automatic recording double beam infrared spectrophotometer, 6=7266. On the aberration of optical system used in infrared spectrometer, 6=7267. Double beam infrared spectrophotometer using double pass, triple pass, double monochromator and double pass double monochromator, 8=6799. A double beam, double and multiple pass infrared spectrophotometer, 9=4438
Kudo,K. and Takezawa,S. Optical properties of thin films of Al, Ag and Cu in infrared region, 9=4483
Kudo,S. See Wada,M. 5=6262, 9=9742
Kudrin,L.P. See also Niko'skiĭ,B.A., 7=5611
Kudrin,L.P. and Niko'skiĭ,B.A. Interaction of fast π-mesons with nuclei, 7=4697
Kudryashov,P.I. and Sveshnikov,B.Ya. On the theory of polarization of the fluorescence of solutions, 8=2974
Kudryavstev,B.B. Velocities of sound in individual liquids and liquid mixtures, 6=6443. Velocity of sound in liquids, liquid mixtures and solutions, 6=8050. Rao's rule and its basis. A survey, 7=3080
Kudryavtsev,V.D. See Fabrikov,V.A., 9=446
Kudryavtsev,V.S. On quasiclassical quantization, 7=2967. Cross-sections for elastic collision of hydrogen atoms with one another, 8=4370. Energy diffusion of fast ions in an equilibrium plasma, 9=1557
Kuebler,W. See Pulvari,C.F., 9=278, 9=5657
Kuehner,J.A. See also Bromley,D.A. 9=10025, 9=13618; Ferguson,A.J., 9=2736; Gove,H.E., 9=2786
Kuehner,J.A., Almqvist,E. and Bromley,D.A. F^{18} levels near 1 MeV, 9=586
Kuehner,J.A., Litherland,A.E., Almqvist,E., Bromley,D.A. and Gove,H.E. Unnatural parity states in O^{16}. II, 9=10026
Kuehner,J.A., Merrison,A.W. and Tornabene,S. The capture of negative pions in hydrogen and deuterium. I. Hydrogen, 9=6030, II. Deuterium, 9=6031
Kuentzel,L.E. See Shoen,L.J., 8=6926
Kuenzer,G. See Kiepenheuer,K.O., 9=4224
Kuerti,G. See Shankland,R.S. 5=5850
Kuethe,A.M. See Uberio,M.S., 8=3036
Kuffel,E. A note on the cross section for electron attachment in air, 8=2370. See also Nolan,P.J., 7=959, 7=957
Kügler,I. Silver phosphate glass dosimeter, 9=5976. On the coloration of glasses by ionizing radiation, 9=8863. See also Hanle,W. 9=3371
Kühl,A. On the summation of differential stimuli by the recruitment of retinal elements, 5=5157
Kühl,B. Formation and stabilization of the "hot-spot" in low-pressure discharges, 9=7058
Kuhl,W. Possible errors in transmission loss measurements at low frequencies. I, 5=1636. On tests to determine the appropriate reverberation time for large music studios, 5=1651
Kuhl,W., Schodder,G.R. and Schröder,F.-K. Condenser transmitters and microphones with solid dielectric for airborne ultrasonics, 5=2520
Kuhlmann-Wilsdorf,D. On the origin of dislocations, 8=1324. See also Wilsdorf,H. 5=623, 5=5716; Wilsdorf, H.G.F., 9=12771
Kuhn,A. and Mojžíš,J. The influence of methyl alcohol on the luminescence characteristics of solutions used for scintillation counters, 7=6297
Kuhn,G. and Schopper,E. Absorption analysis of the star-producing component of cosmic rays. III. Scintillation counter measurements, 5=1971
Kuhn,H. Improved one-dimensional [network] model of an electron gas. Branching condition and orthogonality relation, 5=2913. Note on the branching condition in the one-dimensional free electron gas model, 5=2947. Physical basis of the free-electron gas model of branched molecules, 6=7599. A two-dimensional modification of the electron gas method. The postulatory nature of the one-dimensional model, 7=6379. Observations on the existence of high-frequency oscillations in an ion source with a magnetic guide field, 8=5136. See also Hindmarsh,W.R. 5=5304; Höcker,K.-H. 5=8887; Hornig,J.F., 7=4597
Kuhn,H.G. and Lucas-Tooth,H.J. A two co-ordinate light pointer and its application to a recording interferometer, 9=1352
Kuhn,H.G. and Ramsden,S.A. The phase adjustment of the double etalon, 7=2085. Isotope shifts and hyperfine structure in the atomic spectrum of cadium, 7=3127
Kuhn,H.G. and Warner,A.G. Isotope shifts in the atomic spectrum of palladium, 8=4862
Kuhn,L. Capacitive modulator for the measurement of forces, 5=5244
Kuhn,P.M. See Suomi,V.E., 8=4583, 9=6393
Kuhn,W. See Sittkus,A., 6=8271
Kühne,C. A holder for thin plates in optical instruments, 8=6891
Kuhns,M.P. See Brown,J.L., 7=5776
Kuhrt,F. Properties of Hall generators, 5=2865. See also Lippmann,H.J., 8=3997, 8=8763-4
Kuhrt,F., Lippmann,H.J. and Wiehl,K. Influence of a high-frequency magnetic field on the Hall effect in semiconductors of high conductivity, 9=11059
Kuĺbina,N.I. See Kremnev,L.Ya., 7=2780
Kuiper,G.P. [Ed.] The Sun, 5=7640
Kuiper,G.P. and Johnson,J.R. Dimensions of contact surfaces in close binaries, 6=5656
Kuiper,H. See Friedburg,H., 8=355
Kuiper,J. and van Zoonen,D. The ionization potential of Cl_2, Br_2 and I_2, 5=1947
Kuipers,G.A., Smith,D.F. and Nielsen,A.H. Infrared spectrum of hydrogen fluoride, 6=7274
Kukanov,A.B. See Loskutov,Yu.M., 8=7690
Kukavadze,G.M. See Kats,M.Ya., 7=4651
Kukekov,G.A. The volt–ampere characteristic of an electric arc cooled in a slot-type duct, 7=3336
Kukoč, A. See Koički,S., 9=8552
Kukushkin ,L.S. See also Ratner,A.M., 8=7223
Kukushkin,L.S. and Ratner,A.M. On the problem of energy resolution in scintiallatio counters. I, 8=7222
Kulakov,Yu,I. Application of matrix polynomials for determination of scattering phase-shifts, 8=1526. Inelastic proton–scattering, 8=5202. A new proof of the Dirac theorem, 9=7800. On the transformation functions of particles with arbitrary spin, 9=9220. Invariant matrix polynomials for total spin S = 1, 9=9235
Kulchitskiĭ,L.A. See Bazhanov,E.B., 7=8162, 9=2819; Chizhov, V.P. 9=12685
Kulenkampff,H. See also Amrehn,H. 5=6216; Doffin,H., 8=5036; Harigel,G., 9=2382; Kerscher,R. 5=8831
Kulenkampff,H. and Ruttiger,K. Investigation of the energy distribution of back-scattered electrons from thin metal films, 8=8209
Kulenkampff,H., Scheer,M., Schrüfer,E. and Seyerlein,J. Energy distribution in the spectrum of the continuous X-radiation of a 35 MeV betatron, 9=2383
Kuleshov,V.F. See Adirovich,É.I., 7=1291
Kuliev,A.A. and Abdullaev,G.B. A study of diffusion of Zn and Se in Bi_2Se_3, BiSe and CdSb, 9=13807
Kuliev,A.A. and Nasledov,D.N. On the diffusion of mercury into selenium, 8=4459
Kulik,B.A. See Bogoroditskii,N.P. 9=9588
Kulikov,G.S. See Boltaks,B.I. 7=8904
Kulikov,G.V. See also Abrosimov,A.T. 9=12432; Ivanovskaya,

I.A., 8=1759; Vernov,S.N. 9=12431
Kulikov,G.V. and Khristiansen,G.B. On the size distribution of extensive atmospheric showers, 9=3617
Kulikov,O.F. See Korolev,F.A., 7=5400
Kulikova,N.M. See Bannik,B.P., 8=3387
Kulikovskaya,N.I. See Slyusarev,G.G., 9=9519
Kulikovskiĭ,A.G. The pulsation of plasma thread, 8=206. On the flow of a conducting fluid round magnetized bodies, 8=2418. Riemann waves in magnetohydrodynamics, 9=8379
Kulin,S.A. See Kolm,C., 8=7931; Kurtz,A.D., 6=2864, 7=1284
Kulp,J.L. Low level counting. Key to advances in radio-carbon dating, 5=3298. See also Carr,D.R. 5=5270; Volchok,H.L. 5=2111
Kulsrud,R.M. Effect of magnetic fields on generation of noise by isotropic turbulence, 5=4295. Adiabatic invariant of the harmonic oscillator, 7=5094. See also Berger,J.M. 9=358, 9=1555; Bernstein,I.B., 8=4159; Johnson,J.L., 9=1601; Kruskal,M.D., 9=1554
Kul'varskaya,B.S., Marchenko,V.B. and Stepanov,G.V. The emission properties of rare earth oxides, 9=7061
Kumabe,I. Alpha particles from the interaction of 14.8 MeV neutrons with medium weight nuclei, 8=8341. See also Kimura,K., 7=8167
Kumabe,I. and Sonoda,M. On the external cathode proportional counter, 5=5471
Kumabe,I., Takekoshi,E., Ogata,H., Tsuneoka,Y. and Oki,S. $Al^{27}(n,\alpha)Na^{24}$ reaction induced by 14.8-MeV neutrons, 7=5636. $Co^{59}(n,\alpha)Mn^{56}$ and $Mn^{55}(n,\alpha)V^{52}$ reactions induced by 14.8 MeV neutrons, 8=8340
Kumagai,H. Resonance absorption experiments of paramagnetic salts, 5=9391
Kumagai,H., Abe,H., Ôno,K., Hayasni,I., Shimada,J. and Iwanaga,K. Frequency dependence of magnetic resonance in α-Fe_2O_3, 5=8901
Kumagai,H., Ôno,K., Shôno,H., Hayashi,I., Kuroda,K. and Imaizumi,M. 16" variable energy cyclotron, 9=13382
Kumagai,S. See Kimura,I., 6=5048
Kumar,K. Tables of certain Clebsch–Gordan coefficients and of matrix elements of P_2, P_2^2 and P_2^3 between single particle states [of spheroidal nuclei], 7=8102. Statistical derivation of the nuclear rotational energies, 9=12612. See also Preston,M.A., 6=6124
Kumar,K. and Biswas,S.N. Strange particle contribution to the magnetic moment of the nucleon, 9=8449
Kumar,K. and Preston,M.A. Masses of nuclei in isobaric sequences, 5=7276. Calculations of the energy level in deformed nuclei, 7=9818
Kumar,R.C. Measurement of ionization on dipping tracks in nuclear emulsion, 8=2449. Grain size and grain density in Ilford K-5 and L-4 emulsions, 9=3704. See also K-collaboration, 9=13575
Kumar,R.C., Lasich,W.B. and Stannard,F.R. The mass difference between the Σ^+ and Σ^- hyperons, 7=9411
Kumar,S.N. See Clark,D.E., 6=8163
Kumekin,Yu.P. Polarization of 635 MeV protons by deuterons in quasi-elastic p–p scattering, 8=7248. See also Leksin,G.A., 8=6145
Kumekin,Yu.P., Meshcheryakov, M.G., Nurushev,S.B. and Stoletov,G.D. Triple scattering of 660 MeV protons. I. Measurement of the depolarization parameter D (90°), 9=12554
Kumins,C.A. See Bulas,R., 9=1128
Kumler,W.D. See Strait,L.A., 7=2051
Kümmel,F. and Winde,B. The influence of convection on horizontal arc discharges, 7=9209
Kummel,H. The interaction of many particles. I. General theory, 5=4372. On the quantum theoretical derivation of classical physics. I. Dynamics of gases and liquids, 5=7733. Quantum mechanical derivation of the Boltzmann equation, 6=979. On the quantum theoretical derivation of classical physics. II. Statistical mechanics and thermodynamics, 6=3507. Irreversibility and quantum theory, 6=4219. The properties of the quantum-theoretical density in phase space, 6=7166. The Boltzman equation and irreversible thermodynamics, 6=7363. A perturbation theory approach to the Brueckner theory of nuclei and to the Watson scattering approximation, 7=9807. On the foundations of the Brueckner theory of the nucleus, 8=1219. See also Coester,F., 9=2791
Kummel,U. See Böer,K.W., 5=9638, 6=6634, 8=8800, 9=2318, 9=2338, 9=3498, 9=4608, 9=5693-4
Kummerer,K. Theory of electron bremsstrahlung in the region of thermal electron velocities, 7=7161
Kumsishvili,V.A. See Chavchanidze,V.V., 8=8198
Kündig,W. See Debrunner,P., 9=7318; Heer,E., 5=9344
Kundt,W. Intertial paths in Gödel's cosmological model, 6=7949
Kundu,M.R. Studies of persistent solar sources of centimetric radiation, 8=6581. The dimensions of the sources of solar bursts on centimetric wavelengths, 8=6582. Time relationship of metre-wave and 3 cm wave bursts, 9=9137. A new high resolution [radio] interferometer for solar studies, 9=12947. See also Alon,I., 7=6825; Denisse,J.F., 7=5756; Mitra,S.K., 5=9286
Kundu,S.K. Magnetic moments of the nucleons, 7=5847. Nucleon magnetic moment in cut-off meson theory, 8=5192. On nuclear magnetic moment in meson field theory, 8=6216
Kŭnev,S. See Borisov,M., 5=7557. See also Kunev,S; Kynev,S.
Kuni,F.M. Dispersion relations for nucleon–nucleon scattering, 7=5063. A dispersion relationship for nucleon–nucleon scattering, 8=1171. Application of the Low integral equation method to the problem of proton–proton scattering, 8=7247. On relationships between nucleon–nucleon and nucleon–antinucleon scattering amplitudes at high energies, 9=2587
Kunin,N.F. and Lomakin,G.D. Noiseless dry surface friction of metals at low speeds, 5=4138. The relation between static and kinetic friction, 5=4139
Kunin,P.E. and Taksar,I.M. Some relativistic properties of the behaviour of spin-$\frac{1}{2}$ particles, 8=4738
Kunisz,M.D. Ratio of intensities of spectral lines in certain doublets of the secondary series II and I of aluminium and indium arc spectra, 9=10754
Kunitomi,N. See also Hirone,T., 6=715, 9=10289-90
Kunitomi,N. and Abe,M. The mechanism of internal friction due to the motion of the dislocation, 6=735
Kunizaki,Y. Growth of the EDT crystal, 5=4171
Kunkel,W.B. See also Anderson,O., 9=6867
Kunkel,W.B. and Hurlbut,F.C. Luminescent gas flow visualization for low density wind tunnels, 8=540
Kuno,M. See Sasaki,W., 5=933
Kunts,V.V. See Kyul'ts,E.F., 6=1473
Kuntze,A. Electrodes for pH measurement. I-II, 9=2982
Kunvári,O. See Gombás,P., 6=8751
Kunz,H. See Tingwaldt,C., 9=3243
Kunz,J.F. See Brewster,G.F., 9=172
Kunz,W.E. Deuterium He^3 reaction, 5=3087. See also Holmgren, H.D., 6=659, 7=2626; Moek,C.D., 5=1205
Kunze,C. The optical properties of antimony trisulphide films, 8=6794. Photoelectric properties of antimony trisulphide layers, 8=7009
Kunze,P. See Heiser,C., 5=6168
Kunzler,J.E. Liquid nitrogen vacuum trap containing a constant cold zone, 7=1965. See also Geballe,T.H., 9=9666; Herring, C., 9=306, 9=8175
Kunzler,J.E., Geballe,T.H. and Hull,G.W. Germanium resistance thermometers suitable for low temperature calorimetry, 7=3213
Kunzler,J.E. and Renton,C.A. "Size effect" in electrical resistivity measurements on single crystals of high-purity tin at liquid helium temperatures, 8=7901
Kuo,L.G. See Greenlees,G.W., 7=5614, 7=6550, 8=332, 8=1957
Kuper,A., Letaw,H.,Jr, Slifkin,L., Sonder,E. and Tomizuka,C.T., Self-diffusion in copper, 5=1288*
Kuper,A.B., Lazarus,D., Manning,J.R. and Tomizuka,C.T. Diffusion in ordered and disordered copper–zinc, 7=4798
Kuper,C.G. On the thermal properties of Fröhlich's one-dimensional superconductor, 5=1851. Note on Ehrenfest's equations, 5=2695. On the spectrum of elementary excitations in superfluid helium, 6=2833. On the Bohm–Pines theory of a quantum-mechanical electron plasma, 7=336. Quantized surface waves in superfluid helium, 7=9138. On the ground state of superconductors, 8=3147. The theory of superconductivity, 9=4616. The λ-transition in helium, 9=10922. See also Allcock,G.R., 5=8535; Fröhlich,H., 7=1267
Kuperman,S. See de-Shalit,A., 8=1162
Kuppenheim,H.F. See Dimitroff,J.M., 6=3399; Jacquez,J.A., 5=5964, 5=6957, 5=9575, 6=180, 6=2599, 6=3400, 6=4981
Kupperian,J.E.,Jr, See also Bryam,E.T., 7=1863, 9=7744; Chubb,T.A., 7=6827, 8=15, 8=4668; Friedman,H., 9=10; Knudson,A.R., 7=6012
Kupperian,J.E.,Jr, Boggess,A.,III, and Milligan,J.E.. Observational astrophysics from rockets. I. Nebular photometry at 1300 A, 9=4233
Kupperian,J.E.,Jr, and Kreplin,R.W. Optical aspect system for rockets, 7=2859
Kuppermann,A. See also Karplus,M., 9=1815

Kuppermann,A., Karplus,M. and Isaacson,L.M. The quantum-mechanical calculation of one-electron properties. II. One- and two-center moment integrals, 9=8734

Kupriyanchik,N.N. See Mikhaĭlov,G.P., 8=3074

Kupriyanov,S.E. and Potapov,V.K. The disintegration of H_2^+, HD^+ and D_2^+ ions by single collisions with molecules of hydrogen, deuterium and air, 8=1734

Kupriyanov,S.E., Tikhomirov,M.V. and Potapov,V.K. Dissociation of positive ions in collisions with molecules, 6=6745

Kuraishi,T. See Ito.M., 7=2038, 7=7740

Kurata,K. See Horie,T. 9=12743

Krata,M. See also Teramoto,E., 6=1729; Yamakawa,H., 9=7843, 9=7845

Kurata,M. and Isida,S. Theory of normal paraffin liquids, 5=5923

Kurata,M., Tamura,M. and Watari,T. Statistical mechanics of polymer solutions. I-II, 5=6589

Kurata,M. and Yamakawa,H. Theory of dilute polymer solution. II. Osmotic pressure and frictional properties, 8=8620

Kurata,M., Yamakawa,H. and Teramoto,E. Theory of dilute polymer solution. I. Excluded volume effect, 8=3775

Kuratani,K. See Naito,K., 6=1077

Kurath,D. Intermediate coupling in the 1 p-shell, 6=3088: Radiative transition widths in the 1 p-shell, 7=7296

Kurath,D. and Pičman,L. Simplified intermediate-coupling procedure in the 1p-shell, 9=8492

Kurath,S.F., Passaglia,E. and Pariser,R. Dynamic mechanical properties of polyhexene-1, 7=6645

Kurbatov,J.D., Murray,B.B. and Sakai,M. Energy levels of Se^{76} appearing in disintegration of As^{76}, 5=5608

Kurbatov,L.V. See Skrotskiĭ,G.V., 9=2495

Kurbatov,M.H. See Dick,J.L., 5=2161

Kurchatov,B.V., Mekhedov,V.N., Chistyakov,L.V., Kuznetsova,M.Ya., Borisova,N.I. and Solov'ev,V.G. Secondary nuclear reactions in bismuth and lead induced by high-energy proton bombardment, 9=2787

Kurchatov,I.V. On the possibility of producing thermonuclear reactions in a gas discharge, 6=3974. Thermonuclear fusion. Gas discharge research in the Soviet Union, 6=4627. Russian thermonuclear experiments 6=7664*

Kurdgelaidze,D.F. On the non-linear generalization of the meson and spinor fields equations, 8=2149. Periodic solutions of the non-linear generalized Dirac equation, 9=1073. Theory of the non-linear field $(\Box - \lambda\varphi^2)\varphi=0$, 9=10582; See also Ivanenko,D.D., 6=7988

Kurdyumov,G.V. See also Il'ina V.A., 8=4407

Kurdyumov,G.V., Il'ina,V.A., Kritskaya,V.K. and Lȳsak,L.I. X-ray investigation of the deformation and bond strength in the crystal lattice of metals and alloys, 7=8271

Kurdyumova,R.N. See Vainshtein,B.K., 9=10398

Kurenev,S.I. Representation of the magnetic field of circular currents by spheroidal functions, 6=7543

Kuri,Z. See Shida,S., 8=9167

Kuriyama,S. See Miwa,M., 5=6238

Kuriyama,M. Electron diffraction study on polish layers of gold. II, 9=12810

Kuriyama,M., Kohra,K. and Takagi,S. Electron diffraction study on polish layers of gold. I, 7=8908

Kurland,R.J. Microwave spectrum and planarity of formamide, 6=1086

Kurland,R.J. and Wilson,E.B., Jr. Microwave spectrum, structure dipole moment, and quadrupole coupling constants of formamide, 8=126

Kurlina,E.V. See Kolomiets,B.T., 7=8616

Kurnick,S.W. See also Mitchell,G.R., 5=2762; Powell,J.M., 8=6860

Kurnick,S.W. and Zitter,R.N. Photoconductive and photo-electromagnetic effects in InSb, 6=2891. Photoeffects in InSb, 7=7924

Kurnosova,L.V. See also Vernov,S.N., 8=6015

Kurnosova,L.V., Razorenov,L.A. and Cherenkov,P.A. Scattering of 250 MeV photons by free electrons, 6=7661

Kurochkin,S.S. Dynamic distortions of the signals in nuclear magnetic resonance and their evaluation in magnetic measurements, 8=4283. On the theory of nuclear spin oscillators, 9=7193

Kuroda,K. See Kumagai,H., 9=13382; Ôno,K., 8=2564, 9=10112

Kuroda,P.K. On the nuclear physical stability of the uranium minerals, 7=2616. On the infinite multiplication constant and the age of uranium minerals, 7=4689. See also Parker, P.L., 7=3590

Kuroda,P.K. and Edwards,R.R. Radiochemical measurements of the natural fission rate of uranium, 5=3045

Kuroda,P.K., Edwards,R.R. and Ashizawa,F.T. Radiochemical measurements of the natural fission rate of uranium and the natural occurrence of the short-lived iodine isotopes, 7=2618

Kuroda,S.T. On the existence and the unitary property of the scattering operator, 9=9232

Kuroha,I. See Yamaguti,T., 9=9534

Kurosaki,S., Saito,S. and Sato,G. Transformation of adsorbed water on solid surfaces and its dielectric losses and conductivities, 6=1713

Kurosawa,T. On the melting of ionic crystals, 8=4920. Defects in ionic crystals. I. Improvement of the method of Mott and Littleton and its applications to simple defects, 9=8804. See also Yamashita,J., 5=3266, 5=9625, 9=258

Kurov,G.A. Electrical resistance and transparency of films of alloys of Mg-Sb, Mg-Bi, Mg-Sn, 7=2186. On the question of the structure and properties of layers obtained by the evaporation of InSb in vacuum, 8=2680*. On the physico-chemical properties of thin films of the magnesium—bismuth and magnesium—antimony compounds, 8=3492

Kurov,G.A. and Pinsker,Z.G. On the nature of amorphous antimony, 7=7912. A study of thin layers of changing composition in the system indium—antimony, 8=7542. Investigation of thin, vacuum deposited films of indium antimonide, 9=8904

Kurov,G.A., Semiletov,S.A. and Pinsker,Z.G. An investigation of single crystal layers of germanium obtained by evaporation in vacuum, 7=4807. The electrical properties and real structure of single-crystal films of germanium obtained by vacuum evaporation, 8=180

Kurova,I.A. and Kalashnikov,S.G. The ionization energy of bismuth and thallium in germanium, 8=4970

Kurs,A. See Montet,G., 9=13802

Kursunoğlu,B. Tamm–Dancoff methods and nuclear forces, 5=1537. Transformation of relativistic wave equations, 6=2695. Proton bremsstrahlung, 7=4715. Correspondence in the generalized theory of gravitation, 8=1480

Kurtenkov,L.A. Stastical treatment of the structure of elementary particles, 8=3712

Kurth,R. Is there a statistical mechanics of stellar systems? 5=6705. Concerning Gibb's canonical distribution function, 9=1109. On the statistically stationary states of mechanical systems, 9=2112. The ergodic problem in classical statistical mechanics, 9=2113. See also Fielder,G., 9=4211

Kurti,N. The temperature region where spins "reign", 6=3683. Magnetism at very low temperatures and nuclear orientation, 9=391. See also Grace,M.A., 5=1117

Kurti,N. and McIntosh,J. Reversible generation of temperature waves ('second sound') in liquid helium II, 5=2683

Kurti,N., Robinson,F.N.H., Simon,F. and Spohr,D.A. Nuclear cooling, 7=2137

Kurti,N. and Safrata,R.S. The specific heats of gadolinium and terbium between 0.2°K and 6°K, 8=6929

Kurtz,A.D. and Gravel,C.L. Diffusion of gallium in silicon, 9=2948

Kurtz,A.D., Kulin,S.A. and Averbach,B.L. Effect of dislocations on the minority carrier lifetime in semiconductors, 6=2864. Effects of growth rate on crystal perfection and lifetime in germanium, 7=1284.

Kurtze, G. Improvement of efficiency of acoustic [absorbing] panels by resonators, 5=814. Simplified procedure for the measurement of defined magnitudes in room acoustics, 5=1637. Ultrasound attenuation in metals at low temperatures in the normal and superconducting state, 9=1203. Bending wave propagation in multilayer plates, 9=11923. See also Epprecht,G.W., 5=1643; Meyer,E., 8=8662

Kurtze,G. and Lauber,A. Comparative measurements of the sound absorption of porous materials in tubes and reverberant rooms, 5=1644

Kurtze,G., Tamm,K. and Vogel,S. Model experiments on the damping of flexural waves at corners, 6=2758

Kurtze,G. and Watters,B.G. New wall design for high transmission loss or high damping, 9=7913

Kurushin,A.I. The paramagnetic absorption in some manganese salts in parallel fields at very high frequencies, 7=9789. Paramagnetic absorption at high frequencies in gadolinium salts in parallel fields, 8=5474

Kuryapin,A.I. See Zel'dovich,Ya.B., 9=5444

Kurylenko,C. Brillouin zones, electrical conductivity of metals and X-ray *K* absorption spectra, 5=7228. Broullouin zones, electrical conductivity of metals and X-ray *K*-absorption

spectra, 6=2155, 6=5263-4. Broullouin zones, electrical conductivity of metals and X-ray K-absorption spectra, 7=5495. Technique for obtaining absorption and emission spectra of X-rays, 9=3542. Comments on the K-absorption spectrum for X-rays of the oxide Al_2O_3 (corundum type), 9=3543

Kurz,P.F. A useful friction recorder, 6=3327

Kurzweg,U.H. and Broida,H.P. Vibrational intensity distribution in the nitrogen afterglow, 9=12039

Kusaka,R. See Itoh,J., 9=12492

Kusakov,M.M. and Mekenitskaya,L.I. Experimental investigation of the thickness of polymolecular layers of aqueous solutions of electrolytes on glass and quartz at the interface with air, 6=7185. Experimental investigation of the thickness of polymolecular layers of aqueous solutions of electrolytes on glass and quartz at the interface with a hydrocarbon, 6=7186

Kusakov,M.M. and Nekrasov,D.N. Ascent of a liquid in capillaries of variable section and capillary hysteresis, 8=4787

Kuščer,I., Mihailović,M.V. and Park,E.C. A graphical method for the determination of half-lives, 7=8792

Kuščer,I. and Ribarič,M. The diffusion coefficient of thermal neutrons, 8=1851. Matrix formalism in the theory of diffusion of light, 9=3306

Kusch,H.J. An experimental examination of pressure-broadening of iron lines by the hydrogen atom and molecule, 8=3655

Kusch,P. Redetermination of the hyperfine splittings of hydrogen and deuterium in the ground state, 6=1487. Further observations of multiple-quantum transitions. Saturation effects in radio-frequency transitions, 6=3116. Magnetic moment of the electron, 6=4590. On the polymerization of alkali halides, 8=6843. Relative detection efficiency of LiBr and $(LiBr)_2$, 8=8831. Nuclear reorientation spectrum of Li^7 in the gaseous monomers and dimers of the lithium halides, 9=6196. See also Commins,E.D., 9=1712; Eck,T.G., 7=7301-2; Eisenstadt,M., 9=6212; Heberle,J.W., 6=3114; Hendrie,J.M., 8=124; Miller,R.C., 5=9153, 7=1970; Prodell,A.G., 7=6471; Reich,H.A., 7=3552; Rothberg,G.M., 9=5623

Kusch,W. Measurement of the absorption in graphite of electrons from muon decays, 8=5965

Kushevics,G. See Podolsky,B., 7=6664

Kushida,T. See also Benedek,G.B., 7=3212, 9=8369. Shimomura,K. 5=2053

Kushida,T., Benedek,G.B. and Bloembergen,N. Dependence of the pure quadrupole resonance frequency on pressure and temperature, 7=2804

Kushida,T., Koi,Y. and Imaeda,Y. Zeeman splitting of nuclear quadrupole spectra of $NaBrO_3$, 5=2953

Kushnarev,V.K. See Parfent'ev,A.I., 9=9774

Kushneriuk,S.A. and McKay,C. Neutron density in an infinite, non-capturing medium surrounding a long cylindrical body which scatters and captures neutrons, 5=5654

Kushnir,Yu.M. See Sushkin,N.G., 8=8053

Kushnirenko,A.N. Quadrupole moments of nuclei, 8=1905. See also Vonsovskiĭ,S.V., 8=7909

Kushwaha,R.S. The evolution of early main-sequence stars, 8=4682

Kuss,E. High pressure investigations. III. The viscosity of compressed liquids, 5=8531. The physics of very high pressures, 6=5467. High pressure investigations. IV. The viscosity—pressure behaviour of high molecular substances, 9=6572

Kussmann,A. and Raub,E. Antiferromagnetism of manganese-copper and manganese-gold alloys, 6=477

Kussmann,A. and Wollenberger,J.H. On powder patterns and magnetization processes in high-coercivity alnico magnets, 6=6014

Kussmann,A. and Yamada,O. On the definition and determination of the coercive force of permanent magnets taking into account irreversible after-effect phenomena, 6=7534*

Kustaanheimo,P. Some remarks on the general relativity theory of Birkhoff, 7=1040. On the use of a gravitational vector potential in the relativity theory of Birkhoff, 7=5817. Scalar field theory as a theory of gravitation, 9=1021. On a unifield theory based on the special theory of relativity, 9=1024

Kustarev,A.K. Graphical conversion of coordinates of chromaticity, 7=4256

Küster,R. See Klages,G., 9=5669

Kustova,A.V. See Reĭkhrudel,É.M., 5=6173, 7=4503

Kusukawa,K. The application of Meksyn-Imai's method to the subsonic flow past an axisymmetric body, 6=976. On the subsonic flow of a compressible fluid past an axisymmetric moderately thick body, 6=977. On the transonic flow of a compressible fluid past an axisymmetric slender body at zero incidence, 8=5676. On the transonic flow of a compressible [inviscid] fluid past a nearly axisymmetric slender body, 8=5677. On the two-dimensional compressible flow over a thin symmetric obstacle with sharp shoulders placed in an unbounded fluid and in a choked wind tunnel, 8=5681. On the compressible flow over a slender body of revolution with a flat base placed in an unbounded fluid and in a choked wind tunnel, 8=5682

Kusumoto,H. Proton magnetic resonance in polyisoprene, polychloroprene and polyisobutylene, 7=3497. Nuclear magnetic resonance in irradiated teflon, 8=4446. See also Gutowsky,H.S., 9=8361; Oshima,K., 6=5506

Kusumoto,O. See Kaneko,S., 7=4513

Kutev,Yu.M. Measurement of the luminous energy of impulse-type sources of light, 5=5295

Kutikov,I.E. See Sosnovsky,A.N., 9=8457

Kutscher,H. The physical processes occurring in diffusion and vapour-jet pumps. III. Comparison of observed and theoretically determined flow patterns, 5=6804. IV. A method for measuring the pressure in supersonic vapour flow at low pressures, the results obtained and a comparison with the flow patterns, 5=6805

Kutschke,K.O., See also Shepp,A., 7=7475

Kutschke,K.O.and McElcheran,D.E. Photolysis of acetone in the absence of mercury, 6=5475

Kutsenko,A.V. See Govorkov,B.B., 7=4679, 7=4785; Likhachev,V.M., 7=1616

Kuttruff,H. See also Meyer,E., 9=9880

Kuttruff,H. and Thiele,R. On the frequency-dependence of sound pressure in rooms, 5=1650

Kutukova,V.M. See Alpers,V.V., 7=6315; Gurevich,I.I., 8=8235; Varfolomeev,A.A., 7=6583

Kutuzov,A.A., See Antonov,Yu.N., 7=6318

Kutzendörfer,J. See Malý,J., 9=12641

Kuusik,I.K. Note on electrodynamics with higher derivatives, 5=722

Kuvshinskiĭ,E.V. See Votinov,M.P., 9=6325-6, 9=8934

Kuwabara,G. Optical properties of cadmium sulfide in glass, 5=2609. Studies on the image formed by lenses. I. On the characteristics of an image and their quantitative representation, 5=4495. II. The effect of spherical aberration on optical images, 5=7814

Kuwabara,G. and Misu,A. Structure of the F band in potassium chloride, 9=5157*. Luminescence and dichroism of F and M centers in potassium chloride, 9=10235

Kuwabara,S. Anomalies in electron diffraction patterns of lead iodide, 5=3174. Intensity variations of electron diffraction patterns from metal films of various thicknesses, 5=7426. The forces experienced by two circular cylinders in a uniform flow at small Reynolds numbers, 8=5678. Variation of electron diffraction intensity with crystal size, 8=8476. The forces experienced by two elliptic cylinders in a uniform flow at small Reynolds numbers, 9=89. The forces experienced by a lattice of equal flat plates in a uniform flow at small Reynolds numbers, 9=10668. The forces experienced by a lattice of elliptic cylinders in a uniform flow at small Reynolds numbers, 9=11887. The forces experienced by randomly distributed parallel circular cylinders or spheres in a viscous flow at small Reynolds numbers, 9=11888

Kuwahara,K. Longitudinal magneto-resistance effect of narrow single crystal strips of iron. I, 5=7184

Kužel,R. The effect of pre-illumination on the characteristics of cuprous oxide rectifiers, 9=12284. See also Pastrňák,J., 6=7425

Kuz'micheva,G.V. See Adamovich,M.I., 9=4931

Kuz'min,A.D. Certain characteristics of radio emission by cosmic objects, 8=1427. See also Vitkevich,V.V., 9=7731

Kuz'min,A.I. The contribution of meteorological changes in the earth's atmosphere to the diurnal effect in cosmic rays, 7=2380. See also Dorman,L.I., 5=1030

Kuz'min,A.I. and Skripin,G.V. The effect of lunar-tidal oscillation of the atmosphere on the intensity of the hard component of cosmic rays, 6=5201

Kuz'miń,A.I., Skrÿpin,G.V., Tyanutova,G.V. and Shafer,Yu.G. Extraordinary increase of cosmic ray intensity, 6=8856

Kuz'min,D.V. Dipole moments of dielectric and semiconducting

particles, 7=1253
Kuz'min,I.I. See Grigor'ev,Ē.P., 9=10075
Kuz'min,R.N., Zhdanov,G.S. and Zhuravlev,N.N. Metallographic and X-ray investigation of alloys in the system antimony–indium, 7=9932
Kuz'minov,B.D. and Smirenkin,G.N. The systematics of the mean number of instantaneous fission neutrons ν, 9=5078
Kuzmitskite,L.L. See Budrite,S.D. 9=11510
Kuznecov,E.V. Bubble chambers, 9=8419. See also Kuznetsov, E.V.
Kuznetsov,A.B. See Kotov,V.I., 8=5985
Kuznetsov,B.A. Study of stresses in crystals of silver chloride during elasto-plastic bending, 7=2742
Kuznetsov,E.P. See Alikhanyan,A.I., 8=8234, 8=8236
Kuznetsov,E.V. Bubble chambers, 8=4202. See also Berestetskiĭ,V.B., 7=3662; Kuznecov,E.V.
Kuznetsov,E.V., Lomanov,M.F., Blinov,G.A. and Khuan Shen-Nyan'. Bubble chamber for investigation of cosmic rays, 7=4485
Kuznetsov,E.V. and Timoshin,I.Ya. Use of carbonic acid as a working liquid in a bubble chamber, 9=8420
Kuznetsov,L.F. See Vereshchagin,L.F., 6=8166
Kuznetsov,M.I., Lukirskiĭ,P.I. and Perfilov,N.A. Dependence of the charge of lithium ions on their velocity, 5=8870
Kuznetsov,P.I. and Stratonovich,R.L. Electromagnetic processes in a multiconductor system, 7=552
Kuznetsov,V.I. Diffusion approximation to the equation of radiative energy transfer, 9=13041
Kuznetsov,V.K. A new method of solving the problem of the acoustic field in a liquid wedge, 9=11954
Kuznetsov,V.M. Separation of helium isotopes by distillation and thermo-osmosis, 8=1998
Kuznetsov,V.V. and Mekhedov,V.N. Formation of tritium in metals by 120-660 MeV protons, 9=2789
Kuznetsova,G.A. See Shpinel,V.S., 6=5356
Kuznetsova,L.A. See also Sveshnikov,B.Ya., 7=3150. Sveshnikov, R.Ya., 9=10344
Kuznetsova,L.A. and Sveshnikov,B.Ya., Dependence of the quenching by absorbing substances of the fluorescence of solutions on the viscosity of the solvent, 9=10809
Kuznetsova,L.A., Sveshnikov,B.Ya. and Shirokov,V.I. On the diffusion theory of fluorescence quenching in solutions by foreign substances, 8=986
Kuznetsova,M.Ya. See also Kurchatov,B.V., 9=2787
Kuznetsova,M.Ya, Mekhedov,V.N. and Khalkin,V.A. Investigation of (p, pxn) reactions on iodine, 8=9049
Kuzovnikov,A.A. See Petrov,P.A., 7=6210
Kuzyakov,Yu.Ya. and Tatevskiĭ,V.M. New bands of the CF molecule, 9=5508
Kvartskhava,I.F. Note on papers by S.É.Khaikin, S.V.Lebedev, L.N.Borodovskaya published in Zh. éksper. teor. Fiz. in 1954-1955, 7=358. See also Bondarenko,V.V., 5=7017
Kvartskhava,I.F., Bondarenko,V.V., Meladze,R.D. and Suladze,K.V., Electrical explosion of wires in vacuum, 7=3195. Electrical explosion of spiral wires in vacuum, 9=2267
Kvartskhava,I.F., Plyutto,A.A., Chernov,A.A. and Bondarenko,V.V. Electric explosion of metallic wires, 6=5130. Oscillographic determination of the energy of electric explosion of wires, 7=3196
Kvasnikov,I.A. Application of variational principle to Ising model of ferromagnetic, 7=4524. Application of variational principle to Ising model of antiferromagnetics, 7=9255. Application of variational principle in problems of a binary alloy and Ising system, 7=9256. Application of a variational principle to a new method in the theory of superconductivity, 8=7037. Use of the variational principle in the theory of superconductivity, 8=7038
Kvasnikov,I.A. and Tolmachev,V.V. On a variational principle in the statistical many-body problem, 9=1056
Kvasnitskaya,A.N., Mertens,É.B., Miselyuk,E.G. and Skopenko,A.I. Point-contact germanium triodes with short minority current-carrier lifetime, 8=5902
Kvifte,G. An extension of the normal series of the 0I spectrum, 5=835. The twilight radiation at 6708 A, 9=10428. See also Vegard,L., 5=5794, 5=5801, 7=4126
Kvitka,S.S. See also Zubenko,V.V., 9=13908
Kvitka,S.S. and Umanskiĭ,M.M. X-ray diffraction camera for precise measurement of the unit cell parameters of single crystals RKM-114, 9=9014
Kwak,N., Simmons,J.W. and Goldstein,J.H. Microwave spectrum of propiolactone, 6=1085. Microwave spectrum of β propiolactone, 7=3145
Kwan,T. Activation energy and entropy for adsorption, 5=5690
Kwan,T., Freeman,M.P. and Halsey, G.D., Jr The second and third order interaction of a mixture of gases and a surface, 5=10044
Kwon,Y.Poc. See Poc Kwon,Y.,
Kyame,J.J., Conductivity and viscosity effects on wave propagation in piezoelectric crystals, 5=1612. Matrix representation of thermodynamic fundamentals, 7=3223
Kycia,T. See Karplus,R., 9=9990
Kycia,T.F. See Kerth,L.T., 8=9063
Kydd,P.H. See Kistiakowsky,G.B., 5=2511, 5=3214, 7=2767
Kyhl,R.L. See Chodorow,M., 5=6199; Collins,S.A., Jr, 9=5915; Davis,C.F., Jr, 9=4819; Strandberg,M.W.P., 8=8161
Kylushin,V.V. See Nemnonov,S.A., 9=12348
Kynch,G.J. The effective viscosity of suspensions, 5=1256. Longitudinal and screw vibrations of beams, 5=5944. The effective viscosity of suspensions of spherical particles, 6=8609. The fundamental modes of vibration of uniform beams for medium wavelengths, 7=6954
Kyner, W.T., Radok,J.R.M. and Wales,M. Kinetics and molecular weight distributions for unsteady-state polymerizations involving termination by chain transfer with the monomer, 9=6341
Kȳnev,K.D. On low-temperature activation of precipitated zinc sulphide by copper, 9=10841. The structural sensitivity of luminescence of the ZnS:Cu phosphor prepared at low temperatures, 9=10842
Kȳnev, (Kŭnev),S. Peculiarities of the kinetics of photodielectric losses in (ZnS, Cds):Cu crystal phosphors in powder form, 7=7766. See also Borisov,M., 6=2115, 7=7765, 8=7356; Kanev,S., Kyte,D.J. Anomalous characteristics of silicon point contact rectifiers, 7=1298
Kyul'ts,E.F., Kunts,V.V. and Khartman,V.G. Tables of nuclear moments, 6=1473
Kyung Kim Shoon. See Shoon Kyung Kim.

Laakso,I. See Hovi,V., 9=6085

Laar,J.Van See Van Laar,J.

Laasonen,P. Eigenoscillations of an elactic cable, 9=10696

Labary,A. See Jaffray,J., 6=6245

Labate,S. See Beranek,L.L., 5=2542

Watters,B.G., 5=6858

LaBauve,R.J. Clark,R.A. Potentialities, for image evaluation, of geometric ray trace focal plots, 6=8080

Labaw,L.W. and Wyckoff,R.W.G. The electron microscopy of protein crystals, 7=6757

LaBerge,W.B., Munick,R.J., Dezoteux,J.A., Whalen,J.F., and Coomes,E.A. Patch effect for the thermionic emission from polycrystalline tantalum, 5=2832

Laberrigue-Frolow,J. The disintegration of Rh^{105}, 5=4892. Study of the shapes of the β-Spectra and determination of the nuclear level schemes in the cases of Br^{80}_{35}, Rb^{86}_{37} and Rb^{105}_{45}, 6=5 See also Yuasa,T., 5=4006, 5=4895, 6=6133, 7=1565, 7=6525

Laberrigue-Frolow,J. and Lederer,M. Study of the components of the β^- spectrum of Rb^{86}_{37}, 5=7325

Laberrigue-Frolow,J. and Radvanyi,P. Measurement of the K fluorescence yield and study of the K auger rays of Tc^{99}_{43} (6·04 hr) and In^{115}_{49} (4·5 hr), 6=4622. The fluorescence yield from the K-shell. Spectrometric measurements on Tc^{99*}_{43} (6·04 hr) and In^{115*}_{49} (4·5 hr), 7=5589

Laberrigue-Frolow,J., Radvanyi,P. and Langevin,M. L electron captures and K fluorescence yields. Discussion of the latest experimental results, 7=1538

Labeu,V. and Nikolae,M. Study of the loading of some nuclear emulsions by boron and lithium, 9=13526

Labeyrie,J. Determination of the age of fossils by the method of natural radioactive carbon (C^{14}), 6=6104. Recent progress in the field of scintillation counters, 7=1406. Present status of scintillation counter development in France, 9=5970

Labeyrie,J. and Delibrias,G. Determination of age by carbon 14 content, 6=5339

Labeyrie,J., and Le Boiteux,H. An attempt to measure the total radiation at high altitude, 9=13405

Labhart,H. FE theory including an elastic σ skeleton. I. Spectra and bond lengths in long polyenes, 8=3428. II. Changes of molecule dimensions due to optical excitation, 8=3429

la Blanchetais,C.Henry. See Henry la Blanchetais,C.

Laboragine,I. See Ceolin,C., 9=13576

Laborde,G. Relationships between faculae and coronal lines, 5=1472. Spectrophotometry of sunspots. New identification of MgH, 7=5001. Determination of excitation temperature, 8=2108. An attempt to determine the pressure in sunspots, 9=9152. See also Michard,R., 6=4786

Laborde,G., Michard,R. and Servajean,R. Preliminary observations with a 9 metre solar spectrograph, 8=4664

Labory,B. and Laville,G. A study of the ultrasonic field in a liquid, 8=94

Laboulaye,H.de. See de Laboulaye,H.

Labs,D. The continuous spectrum and temperature of the sun, 8=3654. Intensity of the continuous spectrum from the centre of the solar disk in the wavelength range $3300 \leq \lambda \leq 6900$ A, 9=6467

Lăbusçă,E. and Constantinescu,F. Variation of magnetic properties of mixed copper–nickel ferrites as a function of the copper ferrite/nickel ferrite ratio, 9=8320

Laby,J.E. See also Hopper,V.D., 6=5591, 8=1762

Laby,J.E., Lim,Y.K. and Hopper,V.D. Level flights with expansible balloons, 7=7996

Labzin,V.A. and Bazhenov,V.V. On the production of single crystals of the low melting-point metals, 9=12861

Labzin,V.A. and Likhtman,V.I. Creep of single crystals of zinc in easily fusible melted metals, 9=5217

Lacam,A. On the ratio γ of the specific heats of methane under pressure, 5=1785. Variations of the velocity of ultrasound in propane as a function of temperature and pressure, 5=2504 Variations in the velocity of ultrasound in methane as a function of temperature and pressure, 5=2506. Experimental study of the propagation of ultrasonics in fluids as a function of pressure (1200 atm) and of temperature (200°C), 7=176

Lacam,A. and Bergeon,R. The speed of sound in gases under pressure and virial coefficients, 6=4911

LaCasce,E.O.,Jr. Note on the backscattering of sound from the sea surface, 8=4817

LaCasce,E.O.,Jr. and Tamarkin,P. Underwater sound reflection from a corrugated surface, 6=1926

Lacaze,A. See Doulat,J, 9=3506*

Lachowicz,S.K. The relative solubility of hydrogen and deuterium in liquids at low temperatures, 5=6792

Lackey,R.B. The Dirac delta function, 7=3894

Lackner,H.A. See also Smith,W.V., 5=2586*

Lackner,H.A., Dell,G.F. and Hausman,H.J. Evidence for direct interactions at low energy, 9=8581

Lacombe,E., Magnac-Valette,D. and Cüer,P. Energy evolved by a thermonuclear plasma of deuterium, 8=4330

Lacombe,M. Calculation of effects of the additional term of Feynman and Gell-Mann in β-decay, 9=10588

Lancombe,P. Crystallographic and metallographic proofs of the existence of imperfections in metallic crystals, 6=793. See also Leymonie,C., 9=8884; Wyon,G., 5=6603

Lacomme,P. The influence of chromatism on diffraction images, 7=5963-4. Principle of an apparatus for measuring the transmission factors for spatial frequencies of photographic objectives, 9=6679

Lacoste,De. See De Lacoste.

Lacoste,R. A new electrode system for the determination of the volume resistivity of insulating materials, 7=2189. See also Blanc,D., 9=12393

Lacourt,J. See Vergnoux,A.M., 6=3667

Lacroix,R. On the shape of the curves of paramagnetic resonance, 5=384*. Structure of the absorption spectra of nickel salts in solution, 6=1987. Structure of the absorption spectrum of trivalent vanadium salts in solution, 6=1988. Theory of the paramagnetic resonance of europium and gadolinium subjected to a cubic crystalline field, 8=1278. See also Ryter,C., 6=3838, 6=8870; Sierro,J. 9=12469

la Cuadra,M.de See de la Cuadra,M.

Lacueille,R. See Rousset,A., 9=12106

Lad,R.A. See also Girifalco,L.A., 7=566

Lad,R.A. and Metz,F.I. An experimental investigation of the effect of vacancy and F-centre concentrations on the transient creep [at room temperature] of sodium chloride single crystals, 9=7560

Ladage,A. Electron diffraction from electrolytically polished surfaces after cathode sputtering, 6=4685

Ladany,I. See Brentano,J.C.M., 5=1005

Ladányi,K. On the theory of the noble metals, 7=563. On the application of the Tamm–Dancoff method in the quantum theory of non-linear wave equations, 9=1091. On the statistical approximation of the many-body problem in quantum mechanics, 9=4314. A spinor model in the quantum theory of nonlinear wave-equations, 9=10603. See also Gombás, P., 7=1519

Ladd,J.A. See Attree,R.W., 8=5850

Ladd,J.R. See McDonald,R.S., 5=8139

Ladd,M.W. See Ladd,W.A., 6=4431

Ladd,W.A., Hess,W.M. and Ladd,M.W. High-resolution microradiography, 6=4431

Ladefoged,P. See also Broadbent,D.E., 7=2903, 7=9998

Ladefoged,P. and Broadbent,D.E. Information conveyed by vowels, 7=4097

Ladell,J., Mack,M., Parrish,W. and Taylor,J. Dispersion, Lorentz and polarization effects in the centroid method of precision lattice parameter determination, 9=13905

Ladell,J., Parrish,W. and Taylor,J. Interpretation of diffractometer line profiles, 9=13904

Ladik,J. and Csukás,A. Determination of the magnetic interaction in the H_2 molecule due to the motion of two electrons, 7=4604

Ladner,W.R. See Cheesman,G.H., 5=5382

Ladu,M. See Alvial,G., 8=1149; Benzi,V., 6=3978; Bonetti, A., 5=6672; Ceccarelli,C., 5=9967; Grilli,M., 5=2173, 5=4049

Ladȳzhenskaya,O.A. "Full" solution of the boundary value problem for the equations of Navier–Stokes involving two spatial variables, 9=7827. Stationary movement of a viscous incompressible liquid in a tube, 9=11880

Ladȳzhenskaya,O.A. and Solonnikov,V.A. The solvability of non-stationary problems of magnetohydrodynamics, 9=8380

Laegreid,N., Wehner,G. and Meckel,B. Sputtering yield of germanium in rare gases, 9=7540

Laet,L.de. See de Laet,L.

Laet,W.de. See de Laet,W.

Laff,R.A. and Fan,H.Y. Magnetoresistance in n-type germanium at low temperatures, 9=1453

Lafferty,D.L. See also Rayburn,L.A., 5=6441

Lafferty,D.L., Rayburn, L.A. and Hahn,T.M. Inelastic neutron scattering in iron, 5=522

Laffineur,M. See also Coupiac,P., 7=2924; Michard,R., 5=2374-5

Laffineur,M., Coupiac,P. and Vanquois,B. Radio observations of the eclipse of 30 June 1954, 6=6302

Laffineur,M., Michard,R., Pecker,J.-C. and Vauquois,B. Optical and radioelectric observations of the total solar eclipse of 25 February, 1952. III. Radioelectric observations of the corona, 5=2376

Laffineur,M., Vauquois,B., Coupiac,P. and Christiansen,W.N. Observation of total eclipse of the sun of 30th June, 1954 at Hagaby (Sweden) and the partial eclipse with the radiotelescope of the observatory of Meudon, 5=2378

Laffitte,E. Polarization of fluorescence of diatomic gas molecules, 5=3621. Contribution to the study of the luminesence of dyestuffs, 5=3623. Absorption of dyes in the metastable state, 7=5206. An application of the linear metallic model, 7=6015

Lafleur,C. Properties of the Dirac impulse function and applications, 5=1520. Linear systems and causality, 8=521

Lafleur,S. See Warlbroeck,F., 5=9598

Lafont,R. Structure by Raman effect of the mother solution of an ionic crystal, 7=6037

La Force,R. See Weaver,H.E., 6=1440

Laforgerie,G. See Reznik,A., 7=5576

Laforgue,A. Diagrams of symmetric triatomic molecules, 5=6362. Extension of the calculus of errors to the ensemble of states of a stationary system, 5=8141. On the representations, calculation and indefinite correction of the error in theoretical chemistry, 5=8961. II, 6=534; III, 6=3895; IV, 6=3896. On the variation of electronic structure with interatomic distance: linear symmetrical H_3 and H_3^+, 7=9782. See also Vroelant,C., 6=1838

Lafoucrière,J. See Bastard,C., 9=4709

Lafourcade,L. Design of an electron diffraction camera with magnetic focusing and its application for the study of thin metallic films, 5=1891

Lafourcade,L. and Larroque,P. The diffraction of electrons by a very small metallic crystals, 7=7511

Lafuente,B., Goldblith,S.A. and Proctor,B.E. Some further studies on the application of methylene blue in aqueous solution as a dosimeter for intense beams of high-energy radiation, 9=11322

Lagarde,D. and Dupeyrat,R. Coefficient of transmission at the maximum of an interference filter, 5=7869. Calculation of Fabry-Perot étalons and compound étalons, 5=7872

Lagarrigue,A. See Aggson,T.L., 6=4004

Armenteros,R. 5=6499, 5=6504, 5=6525

Lagasse,A. See also Maenhout-van der Vorst,W., 7=8939; Roy,R.R., 6=1556, 6=3110, 7=9324

Lagasse,A. and Doyen,J. Experimental verification of Migdal's theory. The case of polonium (Po^{210}), 5=472

Lagasse,J. See also Blanc,D., 9=12393

Lagasse,J. and Durante,C. The influence of different parameters on the reversal time of ferromagnetic cores, 9=12448

Lagemann,R. Michelson on measurement, 9=4245

Lagemann,R.T. See Shields,F.D., 7=7679

Lagerqvist,A. See also Herzberg,G., 6=6526; Huldt,L., 5=3567, 7=5164

Lagerqvist,A. and Almkvist,G. The ultra-violet band system of strontium oxide, 5=3566

Lagerqvist,A. and Huldt,L. The dissociation energies of CaO, SrO and BaO, 5=2048. On the height of the excited electronic states of CaO, SrO and BaO, 5=3565. The carriers of the flame spectra of the alkaline earth metals, 5=10053. Flame spectra of metal compounds in the infra red, 8=113

Lagerqvist,A. and Miescher,E. Absorption spectrum of nitric oxide. Fine structure analysis of the σ- and β-bands and of the homogeneous perturbation $C^2\Pi$-$B^2\Pi$, 9=6719

Lagerqvist,A., Nilsson,N.E. and Barrow,R.F. On a supposed predissociation in the spectrum of A10, 6=5763

Lagerqvist,A., Nilsson,N.E.L. and Barrow,R.F. Rotational analysis of the $^2\Sigma-^2\Sigma$ system of A10, 8=7439

Lagerqvist,A., Nilsson,N.E.L. and Wigartz,K. Rotational analysis of the β-system of BO, 8=7440

Lagerqvist,A. and Selin,L.-E. The band spectrum of vanadium oxide, 5=4517. Some infrared bands of the molecule SrO, 7=5169. Some infrared bands of vanadium oxide, 7=6987. Rotational analysis of the visible bands of vanadium oxide, 8=7807

Lagerqvist,A., Uhler,U. and Barrow,R.F. The rotational analysis of the α and γ systems of zirconium oxide, 5=840

Lagerqvist,A., Westerlund,H., Wright,C.V. and Barrow,R.F. Rotational analysis of the ultraviolet band system of CS, 9=5504

Lagoni,H and Merten,D. A method of making defects on rubber surfaces visible, 7=8210

LaGow,H.E. See also Horowitz,R., 8=4553, 9=4126

LaGow,H.E. and Horowitz,R. Comparison of high-altitude rocket and satellite density measurements, 9=3003

Lagrange,J.M. See Basile,R., 9=3912

Lagrenaudie,J. Properties of zinc phosphide Zn_3P_2 in crystalline form, 5=5416. Properties of semi-conducting B-Al compounds, 5=6128. Study of the frequency dispersion of the conductivity of boron and of B_{12} Al, 6=335. The photomagnetoelectric effect, 6=7399. Study of crystalline Zn_3P_2 at low temperatures, 6=7420. Study of the electrical properties of mercury telluride, 8=5898

Lagrenaudie,J. and Pires de Carvalho,A.A. Note on a simplified model for studying the photomagnetoelectric effect in the case of a strong magnetic field, 6=7398

la Guéronnière,E.de. See de la Guéronnière,E.

la Guillaume,C.Benoit à. See Benoit à la Guillaume,C.

Laidler,K.J. Elementary processes in the radiation chemistry of water, 5=604. Comments on "Partial molal entropies of ions in aqueous solution" by P.C.Scott and Z.Z.Hugus, 8=6709

Laikin,M. Automatic ray tracing using the IBM 704, 9=1242

Laine,N. See Narasimhan,P.T., 8=8392

Laing,E.W. Spin orbit coupling and the mesonic Lamb shift, 5=2994. Elastic scattering of pions at a bound nucleon, 8=4240. Stable configurations of a cylindrical gas discharge, 9=5762

Laing,E.W. and Moorhouse,R.G. Photoproduction of pions at complex nuclei, 7=8894

Laird,A.D.K. Measurement of the wavelengths of maximum intensity for X-ray tube spectra, 5=7093

Laird,H.R. and Zunick,M.J. Use of proportional counters in X-ray diffraction, 6=5965

Lais,A. See Intonti,R., 9=11992

Laisk,E. Transistorized, portable spark counter, 8=8184

Latinen,H.A. See Lyons,E.H.,Jr. 5=1328

Laitone,E.V. Comments on limiting pressure on hydrofoils, 6=6415. Quantum-mechanical effects in gas dynamics, 7=7665

Laity,R.W. An application of irreversible thermodynamics to the study of diffusion, 9=3157. General approach to the study of electrical conductance and its relation to mass transport phenomena, 9=6547

Lakatos,B. Origin of alternations in electronegativity, 9=10148

Lake,J.S. and Harrison,A.J. Absorption of acyclic oxygen compounds in vacuum ultraviolet. III. Acetone and acetaldehyde, 9=5521

Lakhanpal,M.L., Anand,V.D. and Puri,B.R. A method of determining particle size of powders, 6=943

Lakhanpal,M.L., Sud,R.K. and Puri,B.R. Influence of capillarity on the boiling point of water, 5=3683

Lakin,W. Spin polarization of the deuteron, 5=4362

Lakshmana Rao,S.K. On the vibrations of triangular membranes, 9=125

Lakshmanan,T.K. Influence of selenium microstructure on photocell characteristics, 9=9650

Lakshmi,K., Narahari Rao,K. and Nielsen,H.H. Molecular constants of nitrous oxide from measurements of v_2 at 17μ, 6=3885

Lakshmi K. and Shaw,J.H. Absorption bands of N_2O near 4·5μ, 6=225

Lakshminarayanan,S. See Rao,V.V.L, 5=4329

Lakshiminarayanaiah,N. See Hills,G.J., 7=6934

Lal,D. Cosmic ray produced radioisotopes for studying the general circulation in the atmosphere, 9=10420. See also Daniel,R.R., 5=4274, 4929; Goel,P.S., 6=3393

Lal, D., Narasappaya,N. and Zutshi,P.K. Phosphorus isotopes P^{32} and P^{33} in rain water, 7=8325

Lal,E., Pal,Y. and Rama. On the composition and properties of shower particles produced in high-energy interactions, 5=6266

Lal,K.C. A method for estimating the ultrasonic velocity in solids, 9=1190

Lal,K.C. and Sharma,P.N. Ultrasonic velocity in organic solutions, 9=3227

Lal,P., and Bhatnagar,P.L. Non-adiabatic pulsations of a stellar model, 9=5333

Lal,S. See Naranan,S., 7=3696; Subramanian,A., 8=2376

Lalande,R. See Calas,R., 6=773

Lallemand,A. and Duchesne,M. On the development and maintenance of the photoelectric effect of an antimony/caesium layer in vacuum, 5=7059. The possibility of discovering nebulae and faint stars, 5=9356

Lallemand,A., Duchesne,M., Fehrenbach,C., Wlérick,G., Chopinet,M. and Augarde,R. Nebular spectra obtained by electron photography, 8=6603

Lallemand,A., Duchesne,M., Goldzahl,L., Duflo,J. and Banaigs,J. Several results obtained with electronic photography by counting electron tracks, 9=11705

Lalos,G.T., Corruccini,R.J. and Broida,H.P. Design and construction of a blackbody and its use in the calibration of a grating spectroradiometer, 8=8670

Lalovic,B. See Boreli,F., 6=1573

Lalović,I.B., Milojević,A.B. and Cerineo,M.A. Automatic registration of particle tracks in the continuous diffusion cloud chamber, 5=4757

LaMarca,L.G. See Martz,D.E., 7=2230

Lamarche,J.L.G. See Daniels,J.M., 9=3820

LaMarre,D. See Osterberg,H., 7=290

Lamarsh,J.R. Forgotten magneto-optical effect, 7=3451, See also Browne,C.P., 7=3638

Lamarsh,J.R. and Feshbach,H. Direct interaction in neutron inelastic scattering, 7=3527

Lamb,G.L.,Jr. On the transmission of a spherical sound wave through a stretched membrane, 7=9576. The transmission of a spherical sound wave through a thin elastic plate, 8=1565. Diffraction of a plane sound wave by a semi-infinite thin elastic plate, 9=9340. See also Ingard,U., 8=2202

Lamb,J. See also Andreae,J.H., 5=94, 6=7222, 7=182; Bass,R., 8=921, 9=13102; Davies,R.O., 6=4848, 8=4803, 9=6590; de Groot,M.S., 6=8053; Edmonds, P.D., 8=923, 9=2890; Hall,D.N., 9=6645; Heasell,E.L., 7=1143-4; Piercy,J.E., 5=93; Redwood,M., 7=1137, 7=3074; Williams,J., 8=2209

Lamb,J., Redwood,M. and Shteinshleifer,Z. Absorption of compressional waves in solids from 100 to 1000 Mc/sec., 9=13107

Lamb,L. and Lin,S-C. Electrical conductivity of thermally ionized air produced in a shock tube, 8=3196

Lamb,W.A.S. See also Gibson,G., 9=10146; Hester,R.E., 9=2781

Lamb,W.A.S. and Hester,R.E. Radiative capture of protons in carbon from 80 to 126 keV, 8=2559. Transmutation of nitrogen by protons from 100 keV to 135 keV, 8=8315

Lamb,W.A.S. and Lofgren,E.J. High-current ion injector, 7=2345

Lamb,W.E.,Jr. Fine structure of the hydrogen atom, 6=6087. Microwave technique for determining the fine structure of the helium atom, 7=3553
See also Wieder,I., 7=8111

Lamb,W.E.,Jr and Maiman,T.H. Measurement of the fine structure separation 3^3P_1- 3^3P_2 for the helium atom, 7=3554

Lamb,W.E., Jr and Sanders,T.M., Jr. Fine structure of n = 3 hydrogen by a radio- frequency method, 6=6852

Lamb,W.R. Diode-phototube monitor uses liquid scintillator, 7=3576. See also Koch,G.E., 5=7145

Lambe,J. Recombination processes in cadmium sulfide, 5=6149. Cadmium sulfide with silver activator, 6=1101. See also Kikuchi,C., 9=8349; Makhov,G., 8=4174

Lambe,J. and Compton,W.D. Luminescence and sysmmetry properties of color centers, 7=6727

Lambe,J. and Kikuchi,C. Spin resonance of donore in CdS, 9=8343

Lambe,J. and Klick,C.C. Model for luminescence and photoconductivity in the sulfides, 5=6035. Models of luminescence centres in sulphides, 7=4189

Lambe,J. and West,E.J. Symmetry properties of the V_1 center, 8=8443

Lambe,J.J. See also Klick,C.C., 6=2960

Lambe,J.J., Klick,C.C. and Dexter,D.L. Nature of edge emission in cadmium sulfide, 7=373

Lambert,E.Y. See Walker,W.C., 8=187

Lambert,H. See van Itterbeek,A., 7=165

Lambert,J.D. See also Corran,P.G., 8=2006; Danby,C.J., 7=838; Fogg,P.G.T., 6=2741

Lambert,J.D., Cotton,K.J., Pailthorpe,M.W., Robinson,A.M., Scrivins,J., Vale,W.R.F. and Young,R.M. Transport properties of gaseous hydrocarbons, 5=8552

Lambert,J.D., Murphy,S.J. and Sanday, A.P. The second virial coefficients of mixtures of polar and non-polar vapours, 5=796

Lambert,J.D. and Salter,R. Ultrasonic dispersion in gaseous sulphur dioxide, 8=89

Lambert,J.W. On the nonlinearities of fluid flow in nonrigid tubes, 9=96

Lambert,M. See also Barjon,R., 9=8864

Lambert,M. and Guinier,A. Broadening of a beam of X-rays in passage through heterogeneous material, 6=2157. Action of high-energy radiations on solids. Study by X-ray scattering diagrams of irradiated LiF, 7=770*. On the broadening of an X-ray beam due to passage through heterogeneous material, 7=2733. Structure imperfections in the neutron irradiated lithium fluoride: the submicroscopic cavities, 7=9455. Lattice imperfections in LiF irradiated with neutrons: aggregates of interstitial atoms, 7=9969. Demonstration of the formation of lithium inside a neutron-irradiated crystal of LiF, 8=6418

Lambert,R.F. Accoustical studies of the tractrix horn. I., 5=1625. Acoustical propagation of higher order modes in the region of cutoff, 5=8559. Acoustic filtering in a moving medium, 7=3089. Side branch insertion loss in a moving medium, 7=4061. See also Jensen,A.O., 5=1626

Lamberts,R.L. Relationship between the sine-wave response and the distribution of energy in the optical image of a line, 8=4847. Measurement of sine-wave response of a photographic emulsion, 9=6429. See also Higgins, G.C., 6=7924

Lamberts,R.L., Higgins,G.C. and Wolfe,R.N. Measurement and analysis of the distribution of energy in optical images, 8=4846

Lambertson,G.R. See Coombes,C.A., 8=1194, 9=6005; Cork,B., 7=4790, 7=6603, 7=8812

Lambertson,W.A. and Lewis,G. Microfurnace for thermal microscopy and studies at high temperatures, 9=3369

Lambie,M. and Elliot,H. Cosmic rays and the solar flare of 23 February, 1956, 7=514*

Lambrecht,H. A new calculation of the interstellar radiation field, 6=872*

Lambrecht,H. and Schmidt,K.H. The proportion of Hi to Na, Ca, and dust in interstellar space, 6=4775

Lamden,R.J. and Lovell,A.C.B. The low frequency spectrum of the Cygnus (19N4A) and Cassiopeia (23N5A) radio sources, 7=1856

Lameau,J. Spherically symmetric solution of the equations of general relativity when the energy-momentum tensor is that of the Born–Infeld electromagnetic theory, 8=869. Discussion of a particular solution of the equations of general relativity obtained by choosing the tensor of the Born-Infeld electromagnetic theory as energy-momentum tensor, 8=3684

La Mer,V.K. See also Drozin,V.G., 9=5230; Gallily,I., 9=10673; Lee,P.K., 5=229

La Mer,V.K. and Robbins,M.L. The effect of the spreading solvent on the properties of monolayers, 9=8980

Lamerton,L.F. and Harriss,E.B. Resolution and sensitivity considerations in autoradiography, 5=679. Factors affecting resolution in autoradiography, 5=9333

Lämmermann,H. Zeeman effect and analysis of the spectra of trivalent Sm in monocrystals of different symmetry, 8=7816

Lamming,J.S. Transistor technology. A new high-frequency germanium transistor, 8=1701. A high frequency germanium drift transistor by post alloy diffusion, 8=4998

Lamonds,H.A. Fast differential analyzer, 7=3388. See also Richardson,F.M., 5=9459

Lamoral,R. On the measurement of absorption coefficients of acoustic materials by the method of the reverberant chamber, 6=3586. Acoustics of large auditoria, 6=8638

Lamoral,R. and Trembasky,R. New acoustic characteristic of rooms and the development of a multi purpose electronic counter, 6=8639

Lampard,D.G. A new method of determining correlation functions of stationary time series, 5=2360. See also Thompson, A.M., 6=6588

Lampariello,G. General considerations on the propagation of electromagnetic waves in moving bodies, 5=4807. A rigorous solution of Minkowski's equations in the electrodynamics of moving bodies and its physical interpretation, 5=4808. The general equation for electromagnetic waves in moving bodies, 5=4809. The oscillation of a plasma on the basis of Einstein's momentum principle, 8 =5994. Concerning the propagation of electromagnetic waves in superconductors and the electromagnetic reciprocity theorems, 8=7214

Lampe,F.W., Franklin,J.L. and Field,F.H. Cross sections for ionization by electrons, 8=5999

Lampert,M.A. Ground state of impurity atoms in semiconductors having anisotropic energy surfaces, 5=2731. Plasma oscillations at extremely high frequencies, 6=1404. Incidence of an electromagnetic wave on a "Cerenkov electron gas", 6=3867. Simplified theory of space-charge-limited currents in an insulator with traps, 7=352. Simplified theory of one-carrier currents with field-dependent mobilities, 9=293. Mobile and immobile effective-mass-particle complexes in nonmetallic solids, 9=5152. See also Rose,A., 9=5720, 9=6998

Lampert,M.A., Herman,F. and Steele,M.C. Role of single phonon emission in low-field breakdown of semiconductors at low temperatures, 9=12249

Lampert,M.A. and Rose,A. Transient behavior of the ohmic contact, 9=6985

Lampert,M.A., Rose,A. and Smith,R.W. Space-charge-limited currents as a technique for the study of imperfections in pure crystals, 9=7514

Lamphere,R.W. Fission cross sections of the uranium isotopes 233, 234, 236, and 238, for fast neutrons, 7=3678

Lamphere,R.W. and Greene,R.E. Neutron-induced fission cross sections of U^{234} and U^{236}, 6=678

Lampi,E.E. See Day,E.A., 8=5984

Lamport,H. Average distribution of light flux by a narrow slit vibrating in amplitude-modulated harmonic motion, 8=8672

Lamport,H. and Zinsser,H.H. Strain gauge measurement of output of magnetostrictive ultrasonic transducer—pitfalls of optical measurement, 9=6646

Lancaster,J.E. and Stoicheff,B.P. High resolution raman spectroscopy of gases. VIII. Rotational spectra of s-triazine and s-triazine-dz_3, 7=276

Lancaster,J.K. Surface film formation and lubrication, 5=8334. The influence of temperature on metallic wear, 7=4821. See also Hirst,W., 6=8998; Kerridge,M., 6=7772

Lance,G.N. and Deland,E.C. On the differential analyser solution of the water bells problem, 5=2460

Lanczos,C. Electricity and general relativity, 8=1477. Electricity and general relativity, 9=4259

Land,E.H. Color vision and the natural image. I. II, 9=10458

Land,R.H. Photoproduction of charged pions from deuterium, 9=6033

Land,T. Practical aspects of radiation pyrometry, 9=6851

Landau,L. See Palko,A.A., 9=719

Landau,L.D. Theory of Fermi liquids, 6=8604. Oscillations of a Fermi liquid, 7=5279. On the conservation laws for weak interactions, 7=6901. One possibility for polarization properties of the neutrino, 7=6902. Contribution to the theory of the Fermi liquid, 9=2084. Properties of the Green's functions of particles in statistics, 9=4315. See also Abrikosov,A.A., 8=6628; Belen'kiĭ,S.Z., 6=1854

Landau,L.D., Abrikosov,A.A. and Khalatnikov,I.M. On the removal of infinities in quantum electrodynamics, 6=7966. As asymptotic expression for the Green function of a photon in quantum electrodynamics, 6=7968. The mass of the electron quantum electrodynamics, 6=7969. An asymptotic expression for the Green function of an electron in quantum electrodynamics, 6=7967, 7=1049

Landau,L.D. and Khalatnikov,I.M. Gradient transformations of the Green's functions of charged particles, 5=8482

Landau,L.D. and Lifshits,E.M. Rotation of liquid helium, 5=8706. On hydrodynamical fluctuations, 7=9559

Laudau,L.D. and Pomeranchuk,I.Ya. Radiation of γ-rays upon collision of fast π-mesons with nucleons, 5=550

Landauer,J.K. Elastic moduli of tin at the superconducting transition, 5=571. Stress-strain relations in snow under uniaxial compression, 6=4700

Landauer,R. Electrostatic considerations in $BaTiO_3$ domain formation during polarization reversal, 7=5301. On the interaction of a dislocation and a charged solute ion, 7=6715. Spatial variation of currents and fields due to localized scatterers in metallic conduction, 7=8595. See also Drougard,M.E., 5=6112; Juretschke,H.J., 6=7391

Landauer,R. and Helland,J.C. Electronic structure of disordered one-dimensional chains, 5=410

Landauer,R., Young,D.R. and Drougard,M.E. Polarization reversal in the barium titanate hysteresis loop, 6=6600

Landé,A. Thermodynamic foundation of quantum mechanics, 5=2444. The principle of continuity and quantum theory, 5=6726. Foundations of quantum theory, 6=50. Superposition and quantum rules, 6=1840. Deduction of quantum theory from extraquantum theoretical principles, 6=3469. φ Superposition and quantum periodicity, 8=1486. On the quantum theory of measurement, 9=7776. Heisenberg's contracting wave packets, 9=11796

Lande,K. See also Bardon,M., 8=6181, 9=1679; Gettner, M., 9=12578

Lande,K., Booth,E.T., Impeduglia,J., Lederman,L.M. and Chinowsky,W. Observation of long-lived neutral V-particles, 7=2683*

Lande,K., Lederman,L.M. and Chinowsky,W. Report on long-lived K^0-mesons, 7=7414

Lande,K., Mann,A.K., Schlachter,M.M., Skyrme,D.M., Uto,H. Photographic observation of charged particles in a filamentary chamber, 9=10491

Landecker,K. See also O'Brien,B.J., 6=6663

Landecker,K. and Gray,A.J. Diffusion of gases through nickel and design of a convenient leak for hydrogen and deuterium, 5=1587

Landecker,K. and Imrie,K.S. Method of measuring sound velocity amplitude in [hollow] tubes over the audio and near ultrasonic range, 8=5721

Landeen,S.A. See Goranson,R.W., 6=1666

Landegren,C.F. Method for determining the ratio of Planck's constant to the charge of the electron employing a.c. amplification, 5=2696. Automatic electronic polarimeter, 5=6061. Stroboscope polarimeter, 5=7881. Heat bridge for measuring thermal conductivity, 8=3920

Landel,R.E. See Ferry,J.D., 5=5676 Williams,M.L., 5=10019

Lander,J.J. See Thomas,D.G., 7 =2239

Lander,R. See Agnew,L., 8=6142; Agnew,L.E.,Jr, 8=7249

Lander,R.L. See Fowler,W.B., 9=6037

Landes,H.S., Berko,S. and Zuchelli,A.J. Effect of melting on positron lifetime, 6=8754

Landesman,A. Nuclear resonance signals obtained by dynamic polarization, 8=5288. See also Abragam,A., 9=5920

Landesman,H. See Shapiro,I., 5=8433

Landete,F.Costell. See Costell Landete,F.

Landis,C. See Graham,E.H., 9=7702

Landmark,B. Polarization of radio waves reflected from the ionosphere, 5=401. Measurements of limiting polarization of radio waves reflected from the F layer, 5=7220. Ionospheric measurements in Norway during the total solar eclipse of 30 June 1954, 6=7049. A study of the limiting polarization of high frequency radio waves reflected vertically from the ionosphere, 7=2453. Echoes from the lower ionosphere during polar blackouts, 8=3607. See also Hagfors,T., 9=4209

Landmark,B., Lied,F. and Skribeland,S. Ionospheric h'f-observations obtained during the period of the solar eclipse of 30th June 1954, 8=8544

Landolt,M. Reply by the author of "Grandeur, Mesure et Unité" to the criticism presented by M.Eskenazi, 5=8464

Landon,H. See Auclair,J.M., 7=1622

Landon,H.H. Radiation widths in slow neutron resonances, 6=2415. See also Auclair,J.M., 6=2421; Elwyn,A.J., 9=6108; Igo,G., 6=1598; Sailor,V.L., 5=1215, 6=1637; Wood,R.E., 5=5640

Landon,H.H., Elwyn,A.J., Glasoe,G.N. and Oleksa,S. Neutron scattering at 2·2 MeV by time of flight, 9=7364

Landon,H.H. and Rae,E.R. Gamma radiation from resonance neutron capture in mercury, 8=3354

Landon,H.H. and Sailor,V.L. Radiation width variations in the slow-neutron resonances of europium and indium, 5=7375

Landovitz,L. and Margolis,B. Nucleon spectrum in strong-coupling theory, 9=1656

Landovitz,L.F. See also Durand,L., III., 9=3715

Landovitz.L.F. and Leitner,J. A model for Λ^0 - θ production, 6=5432

Landovitz,L.F. and Margolis,B. Nucleon spectrum in strong coupling theory, 9=8450

Landovitz,L.F. and Marshall,L. Proton polarization in multiple pion production as a consequence of the isobar model, 9=13567

Landsberg,E.G. See Kalashnikov,S.G., 9=3470

Landsberg,G.S., Shatenshteĭn,A.I., Peregudov,G.V., Izrailevich, E.A. and Novikova,L.A. Vibration spectra of diphenyl and decadeuterodiphenyl, 6=8683

Landsberg,P.T. Method of transition probablities in quantum mechanics and quantum statistics, 5=753. A restricted quantum statistical proof of the third law of thermodynamics, 5=915. The effect of field-dependent mobilities on the diffusion theory of rectification, 5=6139. On the logarithmic rate law in chemisorption and oxidation, 5=6585. Note on turnover in germanium contacts, 7=389. Defects with several trapping levels in semiconductors, 7=3263. A contribution to the recombination statistics of excess carriers in semiconductors, 7=4330. Foundations of thermodynamics, 7=7076. Magnetic field effects on electron populations in semiconductors, 8=1044. Lifetimes of excess carriers in InSb, 8=2322. Some statistical problems in semiconductors, 9=10635. Negative temperatures, 9=13239

Landsberg,P.T.(Conf. ref.) Semiconductors and phosphors: International colloquium, 7=2193. Solid state physics, 9=2893. See also Ansbacher,F., 5=2447; Elcock,E.W., 7=3016; Farquhar,I.E., 7=5088

Landsberg,P.T. and Beattie,A.R. Auger effect in semiconductors, 9=6918

Landsberg,P.T. and Moss,T.S. Recombination theory of indium antimonide, 6=7416

Landseer-Jones,B.C. The significance of a nonterrestrial magnetic field in neutral stream theories of the aurora, 5=5808

Landshoff,R, (Conf. rep). See Bershader,D., 9=472

Landsman,A.P. See Vavilov,V.S., 8=4027

Landsman,D.A. See Gregory,D.P., 8=2540

Landwehr,G. On the influence of hydrostatic pressure on the drift mobility of holes in germanium, 6=8193. Measurement of the drift mobility, electrical resistance and the lifetime of minority charge carriers in n- and p-germanium at high hydrostatic pressures, 9=12268

Landwehr,G. and Zobel,K.F. A new method of measuring rapidly varying high pressures, 8=898

Landwehr,R. The accuracy of interferometric length measurement, 8=591. Concerning the visibility and localization of wedge interference fringes, 9=1332. On the improvement of the precision of microinterferometry. Investigations concerning interference spherometry, 9=3350. Position and visibility of wedge interference in instrumental observations (contribution to the coherence theory for the case of unsymmetrical interference), 9=7995. Some remarks on the question of aperture corrections in interferometric length measurements, 9=10871

Lane,A.M. Studies in intermediate coupling. III. The lithium isotopes, 5=3961; IV. Further remarks on the nuclei ^{13}C and ^{13}N, 5=3962. Nuclear reactions, 7=8147. Theory of radiative capture reactions, 9=8569. See also Elliott, J.P., 5=2072; Freeman,J.M., 5=2188

Lane,A.M. and Lynn,J.E. Fast neutron capture below 1 MeV: The cross sections for ^{238}U and ^{232}Th, 7=8842. Analysis of experimental data on nucleon capture reactions, 9=8570

Lane,A.M., Lynn,J.E., Melkonian,E. and Rae,E.R. Possible effects of nuclear shell closures on neutron shell closures on neutron strength functions, 9=11418

Lane,A.M., Lynn,J.E., and Story,J.S. An estimation of the Doppler effect in fast reactors, 7=1638

Lane,A.M. and Thomas,R.G. R-matrix theory of nuclear reactions, 8=9045

Lane,A.M., Thomas,R.G. and Wigner,E.P. Giant resonance interpretation of the nucleonnucleus interaction, 5=6392

Lane,A.M. and Wandel,C.F. Evaluation of the imaginary part of the nuclear complex potential, 5=8987

Lane,A.M. and Wilkinson,D.H. Concept of parentage of nuclear states and its importance in nuclear reaction phenomena, 5=4047

Lane,C.A. Acoustical streaming in the vicinity of a sphere, 6=140. Viscous dissipation caused by a sphere, 7=3077

Lane,C.T. See Blakewood,C.H., 7=2135; Donnelly,R.J., 6=3684; Walmsley,R.H., 9=2278; Wheeler,R.G., 6=296

Lane,G.A. See Brown,J.B., 8=1997

Lane,J.A. How to design reactor shields for lowest costs, 5=8272

Lane,P.E. See Prowse,W.A., 6=2139, 7=1328

Lane,R.N. Absorption characteristics of upholstered theater chairs and carpet as measured in two auditoriums, 6=1939. See also Blankenship,J., 5=7801; Jeffress,L.A., 5=7802; Mikeska,E.E., 7=204, 9=9353

Lane,R.N. and Mikeska,E.E. Study of acoustical requirements for teaching studios and practice rooms in music school buildings, 6=168

Lane,R.O. See Langsdorf,A.,Jr, 7=9888

Lane,T.J., Sen,D.N. and Quagliano,J.V. Potassium bromide disk method for the infared studies of coördination compounds, 5=842

Lang,A.R. A proposed method for electronic intensification of single-crystal X-ray diffraction images, 5=1355. Suggested necessary conditions for successful use of the stationary crystal integrated reflection measuring method with the counter spectrometer, 5=1356. Focusing transmission specimen technique for the X-ray diffractometer, 5=8404. Diffracted-beam monochromatization techniques in X-ray diffractometry, 6=1743. Some notes on the design and performance of X-ray proportional counters, 6=2958. A versatile X-ray diffractometer for singlecrystal and powder studies, 6=4095. Effect of dispersion and geometric intensity factors on X-ray back-reflection line profiles, 6=4737. On the origin of certain spirals of large stepheight observed on crystal surfaces, 7=6691. Direct observation of individual dislocations by X-ray diffraction, 8=7607. The study of multiple reflections with the aid of a microfocus X-ray source, 9=7614. See also Atwater,H.A., 5=7497; Kato,N., 9=13902

Lang,A.R and Broad,D.A.G. Electron optics of X-ray tubes and the design of unbiased sharply-focusing cathodes, 6=5131

Lang,C. See Eberhardt,P., 6=1510; Hänni,F., 6=6193; Hänni,F.D., 7 =3415; Hintenberger,H., 6=5961

Lang,E.J. See Los Alamos Radiochemistry Group, 8=768

Lang,G. and DeBenedetti,S. Angular correlation of annihilation radiation in various substances, 8=1838

Lang,G., DeBenedetti,S. and Smoluchowski,R. Measurement of electron momentum by positron annihilation, 5=9063

Lang,H.de. See de Lang,H.

Lang,H.J. See Cranberg,L., 7=3366

Lang,I.G. See Bredov,M.M., 8=4077

Lang,J. See Balzer,R., 9=10080

Lang,K. Pressure broadening in the argon spectrum, 7=6991

Lang,L.G. and Hien,N.C. Electron momentum distributions in single-crystal Cd, 8=5468

Lang,M. and Simon,A. A method for photometric evaluation of Seemann–Bohlin and Guinier X-ray photographs, 7=6730

Lang,W. and Kocher,G. Measurement of the exposure guide number in flash photography, 9=10488

Lang Chi Shi. See Chi Shi Lang., 5=3828

Langbein,D. Solution of the Bloch integral equation for electrons in metals in an electric field over the whole temperature range, 8=9113

Langbein,W. Electron interferometric measurement of the inner potential of carbon films, 9=2965

Langberg,E. Analysis of low-energy sputtering, 8=6442

Lange,C.F. See Kaiser,W., 6=2785

Lange,E. On empirical and arbitrary bases of units and unit-systems, 5=6711. The galvanic thermocell; the [electrical] thermal element, 9=5745; See also Göhr,H., 5=7459

Lange,E. and Weidinger,H. Elucidation of the half-cell reactions in the system iron/aqueous solution by means of intermittant charge curves, 9=4089

Lange,H. The manganese bands and their separation in the luminescence spectrum of calcium silicate-Mn-Pb, 5=1721. See also Dziergwa,H., 5=6029

Lange,H. and Kressin,G. The influence of crystal structure of the luminescence of calcium silicate (MN, Pb), 6=1095

Lange,N. See Hillert,M., 9=8299

Lange,O.H. See Burt,E.G.C., 5=6680, 6=5597

Lange,T. The natural frequencies of horns, 6=7224

Lange,T.I. and Stepanov,A.V. The phenomenon of artificial displacement formation. VII. Investigation of artificial displacement formation during round bending, 9=13845

Lange,V.N. and Regel',A.R. Certain density and microhardness anomalies in Te–Se and Te–S alloys, 9=13819. Electrical anomalies in continuous solid solutions of the Te–Se and Te–S systems, 9=13820

Lange Dzn,H.De. See de Lange Dzn,H.

Lange-Hahn,R. See Senftleben,H., 9=3378

Lange-Hesse,G. Geomagnetic activity and average deviation of daytime F$_2$-layer critical frequencies in different geomagnetic latitudes, 5=10116. Systematic investigations into the influence of the geomagnetic activity on the nighttime critical frequencies of the F$_2$ layer, 6=6265

Langenberg,D.N. See also Kip,A.F., 8=394

Langenberg,D.N. and Moore,T.W. Cyclotron resonance in aluminum, 9=13792

Langenecker,B. See Blaha,F., 6=2481

Langer,A. See also Scala,L.C., 9=3177

Langer,A., Hipple,J.A. and Stevenson,D.P. Ionization and dissociation by electron impact; methylene, methyl, and methane, 5 =1011

Langer,D. See Gobrecht,H., 8=5798

Langer,J.S. Strange-particle effects in S-wave pion–nucleon scattering, 8=699. See also Brown G.E., 9=8561

Langer,L.M. See Cowan,C.L.,Jr., 6 =6123; Dropesky,B.J., 7=9855; Hamilton,J.H., 9=3863, 5007; Johnson,O.E., 5=9000, 9=3862; Johnson,R.G., 6=6120; Lazar,N.H., 8=4273; Plassmann,E.A., 5=2138; Robinson,R.L., 8=1927;

9=5005; Smith,W.G., 7=2589, 8=320

Langeron,J.P. See Lehr,P., 6=2036

Langevin,H. On the γ-radiations accompanying the disintegration of As^{77}, 5=6439. See also Marty,N., 5=9874

Langevin,M. Measurement by proportional counter of the L-capture/K-capture ratio of Ge^{71}, 5=3061. A study of the disintegration scheme of Ba^{133}, 5=4893. Proportional counter measurement of the L to K capture ratio of Kr^{79}, 5=9866. Contribution to the study of nuclear disintegration by electron capture. The cases of Ba^{133} and Ge^{71}, 6=5365. A study of the excitation and autoionization of the electron cloud accompanying the K-capture of Ge^{71}, 7=9357. See also Laberrigue-Frolow,J., 7=1538; Langevin-Joliot,H., 9=5021

Langevin,M. and Radvanyi,P. Measurement of the ratio of L capture to K capture in argon 37, 5=9867

Langevin,M., Yuasa,T. and Mérinis,J. A study of the γ-radiation emitted by different sources of ^{32}P, 5=3071

Langevin-Joliot,H. On the internal and external bremsstrahlung from S^{35}, 6=2380. On the internal and external bremsstrahlung of Pm^{147} and of Pr^{143}, 6=2381. On the bremsstrahlung and autoionization in the K shell accompanying the disintegration of Pm^{147}, 6=2382. On the internal and external bremsstrahlung, and the autoionization in the K shell of Pr^{143}, 6=6142. Contribution to the study of the phenomena of internal bremsstrahlung and of self-ionization associated with β-disintegration, 7=7340

Langevin-Joliot,H. and Langevin,M. Gamma-ray scattering by nuclear fluorescence of Se^{75}. Half-lives of the 265 and 402 keV levels of As^{75}, 9=5021

Langevin-Joliot,H. and Lederer,M. On a 121 keV γ-ray obsered from Pm^{147} source of very high purity, 7=2596

Langevin-Joliot,H. and Marty,N. Polarization of the electrons emitted by S^{35}, 7=9367

Langevin-Joliot,H., Marty,N. and Sergent,P. Polarization of the electrons emitted by Sr^{90}, 7=9353

Langham,W.H. See Anderson,E.C., 6=5169; Hayes,F.N., 6=5344

Langhammer,G. and M.Richter. On the question of "Limiting Viscosity" in solutions which contain different kinds of molecules, 6=4875

Langmaid,R.N. See Rose,H.E., 7=2723

Langmann,W. See Günther,P., 9=2232

Langmuir,R.V. See Wuerker,R.F., 9=7095, 9=13492

Langner,G. Testing of some adjustable permanent-magnet electron lenses, 6=2168*. See also v.Borries,B., 9=1522

Langsdorf,A.,Jr. See also Lynch,F.J., 9=8231

Langsdorf,A.,Jr, Lane,R.O. and Monahan,J.E. Angular distributions of scattered neutrons, 7=9888

Langseth,A. See also Brodersen,S., 8=6377, 9=7433, 9=11529

Langseth,A. and Stoicheff,B.P. High resolution raman spectroscopy of gases. VI. Rotational spectrum of symmetric Benzene-d$_3$., 6=5020

Langton,N.H. and Davy,N. The two-dimensional electric field of a curved-sided wall or groove on an infinite plane, 5=916. The two-dimensional magnetic or electric field of a single isolated pole-piece, 5=917

Langton,N.H. and Vaughan,P. The ultrasonic degradation of polystyrene at a frequency of 1 Mc/s, 7=7479

Lanham,A. F. See Ellis,S.C., 5 =2456

Lanius,K. On the disintegration of heavy nuclei in nuclear emulsion by cosmic-ray particles, 7=9379. See also Burmeister, J., 9=3737; Meier,M.W., 9=13999

Lankoande,W. See Hadni,A., 9=9435

Laan,H.Van der. See Van der Lann,H.

Lannutti,J.E. See also Chupp,W.W., 5=9123, 5=9135; Iloff,E.L., 6=1616, 6=5410

Lannutti,J.E., Chupp,W.W., Goldhaber,G., Goldhaber,S., Helmy, E., Iloff,E.L., Pevsner,A. and Ritson,D.M. Interactions of positive K-mesons. 6=5427

Lannutti,J.E., Goldhaber,S., Goldhaber,G., Chupp,W.W., Giambuzzi,S., Marchi,C., Quareni,G. and Wataghin,A. Study of the interaction of positive K mesons, 9=552

Lanou,R.E.,Jr and Kraybil,H.L. Ionization loss by μ mesons in helium, 9=4753

Lansraux,G. and Boivin,G. Numerical determination of the factor of encircled energy relative to a diffraction pattern of revolution, 9=1244

Lanterman,E. Electron metallographic evidence of diffusion of hydrogen through tin plate containers, 9=8888

Lanusse,P. See Vidal,G., 6=4706

Lansing,N.F. Determining the geometry of thermal shields, 5=8273

Lansraux,G. The influence of spherical aberration upon the structure of diffraction figures of revolution, 5=5297

Lany,B.P.De. See De Lany,B.P.

Lanza,G. See Costa,G., 6=3288

Dallaporta,N., 5=9120

Lanzi,G. See Chiarotti,G., 5=390; Giulotto,L., 6=5720, 9=109, 9=4344

Lapidus,L.I. On the determination of the spins of K-particles and hyperons, 7=2694. Isotopic invariance and creation of particles, 7=2962. The optical theorem and the small-angle elastic scattering, 7=5873. Contribution to the theory of exchange collisions between fast nucleons and deuterons, 8=2471. Time reversal and polarization phenomena in $N + N \leftrightarrows d + \pi$ reactions, 8=3362, 8=4224. Application of dispersion relations to $\pi - N$ scattering at low energies, 8=7273. Polarization in high-energy elastic scattering, 8=8195. Time reversal and polarization pehnomena in reactions involving γ-quanta, 9=515. Concerning the hyperon—nucleon interaction, 9=10004. On an estimation of the contribution of nucleon—antinucleon interaction in the dispersion relation for nucleon—nucleon scattering, 9=13546. See also Bilen'kii,S.M., 9=3885; Bilenky,S.M., 9=1754; Galanin,A.D., 7=3973

Lapin,A.D. Scattering of sound waves in irregular wave guides, 8=2921

Lapina,N.A. See Neporent,B.S., 8=4856

Lapitskii,Yu.A., Levintov,I.I., Slivkov,I.N. and Shamshev,V.N. Focusing system of an ion accelerating tube, 7=1385

Lapkin,N.I., Shubin,G.N. and Doroshek,S.I. A critical range of brittleness of electrical engineering steels, 9=10335

Laplume,J. On the influence of surface recombination on the current gain of a junction transistor, 5=1832. An evaluation of surface recombination current in fused impurity junction transistor, 5=3777. Theoretical basis for the measurement of resistivity and the Hall constant by the point method, 5=7019

Lapointe,M. See Hazen,W.E., 9=3084

Laponsky,A.B. See Whetten,N.R., 7=7962, 7=9724, 8=8818, 9=7068

Laporte,M. On a new method for the study of radioactive phenomena "Cine-nucleography, 5=2105. On a new method nucleography for study of radioactive phenomena; cine-nucleography. Application to measurement of the period of radium C^1, 5=8186. On a new method for the study of radioactive phenomena: Cine-nucleography, 6=599. On a new method of studying radioactive phenoma: nuclear cinematography. Application to the measurement of the lifetime of RaC'. The possibility of its utilization in the determination of the periods of artificial radioelements, 6=1507

Laporte,O. See also Johnson,W.R., 8=2904

Laporte,O. and Meixner,J. The Kirchhoff–Young theory of the diffraction of electromagnetic waves, 9=2540

Lapostolle,P. Strong focusing in alternating gradient synchrotron particle accelerators, 7=7167. See also Blanc-Lapierre,A., 5=7166

Lapp,H. The principle of reciprocity in proteins, 7=2852

Lapp,M. See Hooker,W., 7=3122

Lappa,R. Powder patterns on monocrystals of BaFe$_{12}$O$_{19}$, 9=12452

Lappe,F. The photoconductivity of activated cadmium sulphide layers under electron excitation, 9=8153

Lapropre,M. See Camps,F., 9=4244

Lapsley,A.C. Neutron,gamma measurements for in-pile power monitoring, 8=7326

Lapwood,E.R. See Jeffreys,H., 8=552

Laquer,H.L. Elastic constants of polycrystalline uranium, 9=13843

Laquer,H.L. and Hammel,E.F. Cryogenic electromagnets. I. Feasibility study, 8=5124

Laquer,H.L., Sydoriak,S.G. and Roberts,T.R. Sound velocity and adiabatic compressibility of liquid helium three, 9=4528

Larach,S. See also Hegyi,I.J., 8=2988; Shrader,R.E., 7=2066*

Larach,S., McCarroll,W.H. and Shrader,R.E. Luminescence properties of zinc-interchalcogenides. I. Zinc sulfo-telluride phosphors, 6=8115

Larach,S. and Shrader,R.E. Electroluminescence from boron nitride, 6=5023. Multiband luminescence in boron nitride, 7=1203

Larch,S., Shrader,R.E. and Stocker,C.F. Anomalous variation of band gap with composition in zinc sulfo- and selenotellurides, 8=7537

Larach,S. and Turkevich,J. Magnetic properties of zinc sulfide and cadmium sulfide phosphors, 5=6291

Laranjeira,M. See Barreira,F., 5=6419, 9=3853

Larchê,K. and Schlegel,H. Method of expressing the colour-rendering properties of a light source by reference to the black body with the closest spectral light distribution, 9=13200

Lardinois,J. See Demeur,M., 9=7298

Laredo,S.J. The thermal conductivity of tin at low temperatures, 5=5353

Laredo,S.J. and Pippard,A.B. Thermal conduction in the intermediate state of superconductors, 5=4684

Larenz,R.W. Charge separation by currents in ionized gases and cosmic radiofrequency radiation, 5=2365. On the mechanism of superthermal cosmic radiofrequency radiation, 5=7629. On the magneto-hydrodynamics of compressible media, 6=1402. Plasma currents of large amplitude and charge separation, 6=1403. On the origin of superthermal cosmic radiofrequency radiation, 6=2612

Large,M.I. A relaxation oscillation maintained by discharge corona, 7=7239

Large,M.I., Mathewson,D.S. and Haslam,C.G.T. A high-resolution survey of the Andromeda nebula at 408 Mc/s, 9=10515. A high resolution survey of the Coma cluster of galaxies at 408 Mc/s, 9=11731

Large,M.I. and Pierce,E.T. The fine structure of natural point-discharge currents, 5=7562

Larichev,V.N. See Kolomiets,B.T., 8=7019, 9=3480

Larikov,G. Vaporization of projectiles on impact, 9=77

Larin,S. See Ivanenko,D., 5=7269

Larin,S.I. On the distribution of angular momentum in the statistical model of the atom, 5=7302. Distribution of angular momentum and spatial distribution of nucleons in nuclei, 6=6839. See also Kolesnikov,N.N., 5 =7315

Larin,S.I. and Kolesnikov,N.N. Neutron subshell in the region of transuranic elements, 5=7272

Larionova,V.G. See Adamovich,M.I., 9=4931; Kharlamov, S.P., 9=13568

la Ripelle,M.Fabre de. See Fabre de la Ripelle,M.

Larish,E. and Shekhtman,I. Propagation of detonation waves in the presence of a magnetic field, 9=2165. Production of two temperatures in an ionized gas in a magnetic field, 9=13403

Lark-Horovitz,K. See Epstein,A.S., 8=627; Fan,H,Y., 5=5407, 9=11004; Fritzsche,H., 5=2742, 5=7955, 9=5704; Longo,T.A., 9=6981; Stöckmann,F., 9=5729

Larkin,B.K. and Churchill,S.W. Scattering and absorption of electromagnetic radiation by infinite cylinders, 9=5552

LaRocca,E.W. Adaptation of Bergsman microhardness tester to American Optical metallograph, 5=8331

LaRocca,E.W. and Pearson,J. Explosive press for use in impulsive loading studies, 9=4082

Laroche,A.M. and Chapelle,J. Study of the Raman spectra of monocrystals of ordinary Rochelle salt and of the deuterated compound, 7=7021

La Rock,R.I. See Stewart,J.W., 9=885

Larom,C.A. See Bauer,W.H., 9=4335

Larosse,P. The orientation of fibres in an electric field, 7=1260

Laroze,G. and Cojan,J.L. Determination of the cross-section of the transition $6^3P_1-6^3P_0$ of mercury for collisions with the nitrogen molecule, 9=1809

Larrabee,R.D. Spectral emissivity of tungsten, 9=6671. Drift velocity saturation in p-type germanium, 9=8124. Theory and application of a minority carrier sweep-out effect, 9=13278

Larroque,P. See Lafourcade,L., 7=7511

Larsen,H. See Piccard,J., 5=647

Larsen,S. See also Vegard,L., 5=5794

Larsen,S., Lubkin,E. and Tausner,M. Mu decay with nonconservation of parity, 8=1859

Larsen,S.H.H. Vertical distribution of atmospheric ozone at Longyearbyen, Spitzbergen (78° N), 5=5131

Larsh,A.E. See Hyde,E.K., 5=4016

Larson,A.C. and Helmholz,L. Redetermination of the crystal structure of lithium sulfate monohydrate $Li_2SO_4\,H_2O$, 5=2322

Larson,D.C. See Fletcher,J.G., 9=1862

Larson,E.T., Mueller,F.W.H. and Hoerlin,H. Sensitization of X-ray emulsions by very small quantities of a lead salt, 5=676

Larson,G.S. See Fox,F.E., 5=6822

Larson,H.V. Energy loss per ion pair for protons in various gases, 9=4908

Larson,H.V., Myers,I.T. and Roesch,W.C. Wide-beam fluorescent X-ray source, 6=2158

Larson,L.G. and Berglund,E.D. Effect of gas content in media on ultrasonic cleaning, 9=7902

Larson,M.O. See Keuffel,J.W., 9=1666

Larson,Q.V. See Boyd,G.E., 5=9845, 6=8341

Larson,V.C. See Scheidegger,A.E., 9=3187

Larsson,K.-E. The use of the ^3T (d,n) ^4He reaction for a comparison of some methods for the absolute measurement of a fast neutron flux. The yield of a Ra - α - Be Source, 5=4982. See also Palevsky,H., 7=482, 8=2277, 9=2277

Larsson,L.E. See Borelius,G., 7=6635

Lasbleis,F. See Le Montagner,S., 6=3708

Lascombe,J. See also Josien,M.-L., 5=7242-3, 7=3489

Lascombe,J., Sourisseau,G., Saumagne,P., Castinel,C., Dizabo, P., Leichnam,J.P. and Josien,M.L. Application of the theory of Kirkwood–Bauer–Magat to the detection of molecular associations, 7=6376

Lascoux,J. See Vogt,E., 7=9809

Lashinsky,H. Čerenkov radiation from extended electron beams near a medium of complex index of refraction, 6=5151

Lashkarev,V.E. See also Baranskii,P.I., 8=5017; Zhidkov, V.A., 8=4009

Lashkarev,V.E., Litovchenko,V.G., Omel'yanovskaya,N.M., Bondarenko,R.N. and Strikha,V.I. Dependence of the lifetime of injected current carriers on the concentration of antimony impurity in germanium, 8=1056

Lashkarev,V.E. and Lyashenko,V.I. Surface conductivity of copper oxide, 6=8187

Lashkarev,V.E., Miselyuk,E.G. and Glinchuk,K.D. Effect of annealing on the state of certain impurities in Ge, 9=6954

Lashkarev,V.E., Rashba,E.I.Romanov,V.A. and Demidenko,Z.A. The kinetics of some electronic processes in semiconductors, 9=3448

Lashkarev,V.E., Sal'kov,E.A., Fedorus,G.A. and Sheĭnkman,M.K. On the shape of the spectral distribution of photoconductivity of CdS monocrystals, 8=1066

Lashkar'ov,V.Ye., Fedorus,H.A. and Sheĭnkman,M.K. Photo-carrier diffusion in CdS single crystals, 9=318

Lashkar'ov,V.Ye., Sal'kov,Ye.A., Fedorus,H.A. and Sheĭnkman, M.K. Investigation of reasons for decrease of the photosensitivity of CdS single crystals in their absorption range, 8=7014

Lashko,A.S. The structure of a liquid AuSn alloy, 9=13818

Lashko,O.S. The structure of liquid potassium, 8=6700

Lashof,T.W. See Brombacher,W.G., 5=4400

Lasich,W.B. See also Amerighi,M.C., 9=9980. K-collaboration, 9=13575; Kumar,R.C., 7=9411

Lasich,W.B., Muirhead,E.G., and Shute,G.G. Photoprotone from fluorine, 6=5390

Lasinio,G.J. and Moneti,G.C. The liquid helium bubble chamber as analyzer of proton polarization, 8=2475

Laska,S. See Kramar,J., 9=4690

Laskar,W. Dipole and quadrupole transitions of certain elements (Z = 83, 82, 78, 74). Calculation of the radiation widths and relative intensities of the corresponding X-rays, 6=564. Screening coefficients for the deep levels of heavy atoms (Z greater than 60), 6=1497. Contribution to the study of the processes of radiative and non-radiative transitions in the electron cloud. Calculation of relative intensities and radiative widths of spectral lines, and semidirect determination of the fluorescence yield for K and L_I, L_{II}, L_{III} levels of certain heavy atoms (Z = 74, 78, 82, 83), 8=9068. See Burke, P., 8=7242-3

Laslett,L.J. On the electromagnetic analogy to sound propagation, 6=8048. See also Holloway,J.T., 9=7330; Kerst, D.W., 6=5157, 9=11148; Symon,K.R., 7=1382

Lassen,N.O. See Fulbright,H.W., 9=7349

Lasser,M.E. See Daniel,P.J., 9=1311

Lassettre,E.N. Collision cross-section studies on molecular gases and the dissociation of oxygen and water, 9=7130. See also Silverman,S.M., 9=1810

Lassiter,L.W. and Hubbard,H.H. Some results of experiments relating to the generation of noise in jets, 5=6861

Lassen,N.O. Total charges and electron capture cross-sections of fission fragments in gases, 7=3394

Lasser,M., Wysocki,C. and Bernstein,B. Effects of thick oxides on germanium surface properties, 7=3276, 7=7871

Lasser,M.E., Cholet,P. and Wurst,E.C.,Jr. High-sensitivity crystal infrared detectors, 8=5916

Last,J.T. Infrared-absorption studies on barium titanate and related materials, 7=4153. Preparation of thin single crystals of barium titanate, 8=830. See also Shockley,W., 7 =8609

Laster,H. Factors affecting the galactic diffusion of cosmic rays, 7=9499. A step away from the conventional laboratory in introductory physics, 9=3082

Laszlo,F. and Nolle,H. On some physical properties of cementite, 9=8923

Latapie,C., Lévi,C., Papineau,L. and Saunier,N. Measurement of the (p,n) threholds of the isotopes of molybdenum, completing the systematics of the mass differences of the isobars of molybdenum and technetium, 7=9316

Latapie-Redon,C. See Lévi,C., 9=13631. See also Redon-Latapie,C.

Latham,R. See Garton,W.R.S. (Conf. rep.), 8=1073

Latière,H.-J. The sterograph: and apparatus for the rapid determination of the orientation of crystals from their Laue diagrams, 5=5099

Latimer,P. and Rabinowitch,E. Selective scattering of light by pigment-containing plant cells, 6=3655

Latimer,W.M. Single ion free energies and entropies of aqueous ions, 5=3218

Latour,C. See Gautier,P., 9=9703

LaTourrette,J.T. See also Quinn,W.E., 9=3995-6

LaTourrette,J.T.,Quinn,W.E. and Ramsey,N.F. Magnetic moment of Ne^{21}, 8=314

Latron,Y. Application of high rotatory power substances to the measurement of small thicknesses, 5=6060. See also Chevalerias,R., 7=9115

Latter,A. and Latter,R. Equation of state of water on the Thomas-Fermi model, 7=1953

Latter,A.L. See also McMillan,W.G., 9=886

Latter,A.L., Martinelli,E.A. and Teller,E. Seismic scaling law for underground explosions, 9=9053

Latter,R. Similarity solution for a spherical shock wave, 5=7774. Atomic energy levels for the Thomas-Fermi and Thomas-Fermi-Dirac potential, 5=8169. Temperature behaviour of the Thomas-Fermi statistical model for atoms, 6=575. Thomas-Fermi model of compressed atoms, 6=2263. See also Latter,A., 7=1953

Lattes,C.M.G. See Anderson,H.L., 8=1186; Fowler,P.H., 7=8867

Lattre,A.de. See de Lattre,A.

Latȳshev,G.D. See also Krisyouk,E.M., 8=5303; Krisyuk,É.M., 8=6242; Sergeev,A.G., 8=6241, 9=2769; Sergeyev,A.G., 9=8554; Zhernovoĭ,A.I., 8=7359

Latȳshev,G.D., Sergeev,A.G., Krisyuk,É.M., Ostretsov,L.A., Egorov,Yu.S. and Shirshov,N.M. Natural width of internal conversion lines of a precipitate of radioactive thorium, 8=7358

Latȳsheva,V.P. See Samsonov,G.V., 7=1668

Lau,E. The dupligram method for evaluating interferograms, 5=3649. Curves of equal density as used in spectrophotometry, 9=4424

Lau,E., Kind,E.G. and Roose,G. Use of emulsion thickness variations with blackening for photographic photometry, 9=3250

Lauber,A. Plate resonators as acoustic low frequency absorbers, 6=1938. See also Epprecht,G.W., 5=1643; Kurtze,G., 5=1644

Laubitz,M.J. The beta decay of the ground state of ^{26}Al, 6=2359. Pseudoscalar interaction in the decay of ^{144}Pr, 7=2583. Thermal conductivity of powders, 9=9550

Laudet,M. Electron optics of cylindrical systems with a plane of symmetry, I. First order approximation, 5=4721. II. Aberrations, 6=5920. Numerical calculation of the induction of a non-rotating magnetic electron lens, 6=2167. Calculation of induction and its derivatives on the axis of a rotationally symmetrical magnetic lens, 7=5383. Contribution to the study of the numerical calculation of fields and trajectories in the electron optics of cylindrical systems, 9=1513. See also Durandeau,P., 9=3569

Laue,H.J. See Saur,G., 9=6285

Laue,M.von. See von Laue,M.

Lauer,E.J. See Gibson,G., 9=10146; Good,M.L., 7=3605; Hubbard,E.L., 5=7157

Lauer,J.L. See also Beachell,H.C., 6=522; Hughes,R.E., 9=7483

Lauer,J.L. and Jones,W.H.,Jr. Relating torsion angles to valence bond angles and multiplicity of the principal symmetry axis in cyclic molecules, 9=7424

Lauer,J.L., Jones,W.H.,Jr and Beachell,H.C. Vibrational spectrum of 4,4-dimethylcyclopentene, 9=6742

Lauer,J.L. and King,R.W. Refractive index of liquids at elevated temperatures, 7=4122

Laufer,A.R. and Thomas,G.L. New method for the calibration of a plane hydrophone, 7=185

Laughlin,J. See Berman,M., 5=7995

Laugwitz,D. On the role of the Pythagorean metric in Physics, 5=1502

Laukien,G. On the excitation of "Free Precession" of nuclear magnetic moments, 6=6082. On the measurement of nuclear magnetic relaxation times from the free precession motions, 7=631. See also Hausser,R., 9=8365; Krüger,G., 6=6850

Laukien,G. and Schütter,J. Pulse technique measurements of the spin-lattice and the spin-spin relaxation times of protons in aqueous solutions of paramagnetic ions, 7=632

Laukonis,J.V. and Coleman,R.V. High-temperature oxidation of iron whiskers, 9=12868

Launay,B. See Taurel,L., 7=7034

Launay,J. Hall effect and magnetoresistance of thin films of indium antimonide, 8=2316. See also Colombani,A., 8=2317

Launay,J.de. See de Launay,J.

Launey,J. and Colombani,A. Resistivity and Hall effect of thin layers of indium antimonide, 8=1061

Laurence,G.C. Shielding for reactors, 8=4337

Laurent,B.E. On covariant quantization with application to the scattering of gravitating Dirac particles, 7=2965. Note on Møller's energy-momentum pseudo-tensor, 9=9176

Laurent,J.F. Plastic deformatinn of ionic crystals, 9=5202

Lauria,F. See Braitenberg,V., 9=5282

Laurie,V.W. Microwave spectrum and dipole moment of cyclopentadiene, 6=4573. Microwave spectrum, dipole moment, and structure of difluorosilane, 7=7757. Note on the determination of molecular structure from spectroscopic data, 8=3435. Microwave spectrum of methyl germane, 9=6745

Lauriente,M. and Pond,R.B. Effect of growth imperfections on the strength of aluminium single crystals, 6=7768

Laurikainen,K.V. Notes on a variational method in the deuteron problem, 6=3487. Phenomenological two-nucleon potentials and the deuteron, 9=4279. Deuteron wave functions and phenomenological two-nucleon potentials, 9=10011

Laurikainen,K.V. and Euranto,E.K. Contributions to the numerical treatment of the deuteron problem, 6=3488

Laurikainen,K.V. and Lyytikäinen,S. A variational procedure for hard core potentials, 9=1693

Laurikainen,K.V. and Varho,O. A table of integrals

$$\infty \quad \frac{(1-e^{-x})^{p}}{e^{-\alpha x}\ {}_{x}q+1}\,dx, \quad 9=5293$$

Phenomenological two-nucleon potentials and the deuteron II, 9=13582

Laurila,E. The theory of dry magnetic mineral dressing of finely dispersed strongly magnetic material, 5=1037. On the thermoelectric properties of the impurity semiconductors, 5=5404

Lauritsen,C.C. See Barnes,C.A., 9=3864; Cook,C.W., 8=1924, 9=610; Hagedorn,F.B., 7=3642; Lauritsen,T., 9=611; Martin,H.J., 7=7378; Peterson,R.W., 5=1187; Webb,T.S., 5=8234

Lauritsen,T. See also Ajzenberg,F., 5=7273; Ajzenberg-Selove, F., 9=10032; Cook,C.W., 8=1924, 9=610; Martin, H.J., 7=7378

Lauritsen, T., Barnes,C.A., Fowler,W.A. and Lauritsen,C.C. Angular correlation of alpha particles from the decay of Li^{8}, 9=611

Lauritzen,J.I.,Jr. Analysis of dielectric loss in two urea addition compounds: the hindered single axis polar rotator, 8=8745. See also Shenker,H., 5=6162

Laurmann,J.A. The free molecule probe and its use for the study of leading edge flows, 9=4360

Lauroesch,T. See Hopkins,R.E., 6=279

Lauroesch,T.J. and Wing,C. Bouwers concentric systems for materials of high-refractive index, 9=9381

Laustriat,G. See also Coche,A., 9=3689, 9=4865

Laustriat,G. and Coche,A. The effect of temperature on photomultipliers and liquid scintillators, 9=4870

Lauter,E.A. Measurements on medium and low frequencies and of atmospheric noise during the solar eclipse of 30 June 1954, 6=7060

Lauterbur,P.C. C^{13} nuclear magnetic resonance spectra, 7=4595. Anisotropy of the C^{13} chemical shift in calcite, 9=2881. See also Holzman,G.R., 6=8900

Lauterjung,K.H. See also Ball,W., 9=13529; Faissner,H., 7=509, 7=1430; Jänecke,J., 6=1340; Schimmer,B., 6=1341

Lauterjung,K.H., Schimmer,B. and Maier-Leibnitz,H. The type of Gamor–Teller exchange interaction in the decay of Li^{8}, 8=9035

Lauterjung,K.H., Schimmer,B., Schmidt-Rohr,U. and Maier-

Leibnitz,H. A direction-sensitive [proportional] counter and its application to the $Li^8 \rightarrow Be^8*$ decay, 9=11306. Neutrino recoil experiment of Li^8, 9=11448

Lautman,D.A. See Spitzer,L.,Jr., 6=3439

Lautout,M. Emission spectrum of fused quartz excited by X-rays. Role of impurities and the vitreous state, 5=6884. Luminescence of fused quartz under the action of ionizing radiations, 5=6946. Absorption spectra and thermoluminescence curve of fused quartz irradiated by X-rays or γ-rays, 5=6947. Photostimulation and coloration of fused quartz irradiated by X-rays or γ-rays, 5=6948

Lautz,G. See also Appel,J., 5=3775; Bischoff,K., 5=7893; Bruns,H., 5=247, 5=3714, 6=5087; Finke,G., 9=3482, 9=4585, 9=11000; Harbeke,G., 8=8430, 9=1452, 9=4014, 9=5349*, 9=6283, 9=8105; Krüger,H., 9=9665

Lautz,G. and Ruppel,W. On the magnetoresistance of Ge single crystals between 10° and 300°K, 5=8784. Low temperature measurements of the magneto-resistance and the reduced Kohler diagram of rhenium wires, 6=7394

Lautz,G. and Schröder,E. Superconductivity in the niobium–nitrogen system, 6=8212. Superconductivity in the ternary system niobium–nitrogen–oxygen, 9=1487

Lautz,G. and Tittes,E. Experimental investigation of the magneto-resistance effect in Corbino discs of copper and gold at low temperatures, 9=5742

Lauwerier,H.A. Diffusion from a point source into a space bounded by an impenetrable plane, 9=4304. A diffusion problem with chemical reaction, 9=10679

Laval,A. See Croce,P., 7=296

Laval,J. Theory of the diffuse reflection of X-rays by crystals. II, 5=2309. The potential energy and the elasticity of the crystalline medium, 6=7563. The elasticity of the crystalline medium. I. The potential energy of a crystal and the interatomic force constants, 8=1301. II. Dynamics of elastic waves, 8=1302. III. Linear deformations (static elasticity), 8=1303. X-ray scattering by thermal agitation of atoms in a crystal, 8=5521. Thermal agitation of atoms in a crystalline medium. I, 9=4006

Lavalle,R. See Demeur,M., 8=6357

Lavatelli,L.S. See Crew,J.E., 7=7437

la Vega,M.A. de. See de la Vega,M.A.

Lavegne,M. and Drost-Hansen,W. Discontinuities in slope of the temperature dependence of the thermal expansion of water, 7=5268

LaVier,E.C., Hanna,S.S. and Gelinas,R.W. Alpha spectrum in the $Li^7(p,\gamma)Be^8*(\alpha)He^4$ reaction, 6=6117

Lavik,M.T. See Johnson,V.R., 6=8440, 8=429

Laville,G. General theory of Calvet's microcalorimeter, 5=5377 Experimental standardization of the Calvet microcalorimeter, 5=6993. Use of a bifilar as a balance to measure the pressure of sound radiation, 6=1009. Apparatus for measuring the absorption of ultrasound in liquids, 8=558. See also Cerf,R., 6=4917; Labory,B., 8=94

Lavine,J.M. Alternate current apparatus for measuring the ordinary Hall coefficient of ferromagnetic metals and semiconductors, 9=2313. Ordinary Hall effect in Fe_3O_4 and $(NiO)_{0.75}(FeO)_{0.25}(Fe_2O_3)$ at room temperature, 9=8170

Lavine,L.R. See also Skolnick,L.P., 9=1940

Lavine,L.R. and Rollett,J.S. Crystal structure refinement by least-squares with the Electrodata computer, 6=7837

Lavine,M.C., Rosenberg,A.J. and Gatos,H.C. Influence of crystal orientation on the surface behavior of InSb, 8=7514

Lavorel,J. Influence of the concentration of fluorescent substances on the efficiency of fluorescence inhibitors, 9=10817. Influence of the concentration on the absorption spectrum and the fluorescence action spectrum of organic substances in solution, 9=10830

Lavrent'ev,V.V. See Ratner,S.B., 7=805*, 7=807*

Lavrukhina,A.K. See also Pavlotskaya,F.I., 8=8351; Sekerskiĭ, S., 8=3368

Lavrukhina,A.K., Krasavina,L.D. and Pozdnyakov,A.A. Radiochemical study of products of the fission of lanthanum by 660 MeV protons, 8=6337

Lavrukhina,A.K., Revina,L.D. and Rakovskii,E.E. Excitation functions of the fragments produced on fission of lanthanum, 9=8644

Law,J.T. A mechanism for water induced excess reverse dark current on grown germanium N-P junctions, 5=941. The adsorption of gases on a germanium surface, 5=7951. Adsorption of hydrogen on silicon, 9=7586. See also Ahearn,A.J., 6=4765; Allen,F.G., 9=13892; Eisinger, J., 9=4092

Law,J.T. and Garrett,C.G.B. Measurements of surface electrical properties of bombardment-cleaned germanium, 6=7408

Law,J.T. and Meigs,P.S. Effect of water vapor on grown germanium and silicon N-P junction units, 6=1218. The high temperature oxidation of germanium, 7=7880

Law,M.E. See also Booth,N.E., 8=5199

Law,M.E., Hutchinson,G.W. and White,D.H. Total cross sections for 910 MeV protons, 9=8586

Law,R.L. and Margrave,J.L. Mass spectrometer appearance potentials for positive ion fragments from BF_3, $B(CH_3)_3$, $B(C_2H_5)_3$, $B(OCH_3)_3$ and $HB(OCH_3)_2$, 7=3396

Lawes,A.J. See Derksen,W.L., 8=132

Lawless,K.R. See also Miller,G.T., 8=7600

Lawless,K.R. and Miller,G.T.,Jr. The epitaxial relationship of cuprous oxide formed on copper single crystals immersed in an aqueous solution of copper sulfate, 9=13886

Lawley,L.E. See also Barron,K., 9=2172

Lawlsy,L.E. and Reed,R.D.C. A reverberation method for the measurement of the absorption of ultrasonics in liquids, 6=7219

Lawlor,G. See Anderson,F., 5=9943, 5=9958; Davies, J.H., 6=3270*

Lawrence,A.S.C. and Mills,O.S. Kinetics of the coagulation of emulsions, 5=8363

Lawrence,H.C. See Royer,G.L., 5=6887

Lawrence,M. Physiological and psychological acoustics, 8=6571. See also Wever,E.G., 5=10153

Lawrence,M. and Yantis,P.A. Onset and growth of aural harmonics in the over-loaded ear, 7=977. Overstimulation, fatigue, and onset of overload in the normal human ear, 7=4944. In support of an "inadequate" method for detecting "fictitious" aural harmonics, 7=8965

Lawrence,P.E. See Jacobs,I.S., 9=387

Lawrence,R.S. Radio observations of interstellar neutral hydrogen clouds, 6=5625. An investigation of the perturbations imposed upon radio waves penetrating the ionosphere, 8=2072

Lawrence,T.R. See Carleton,N.P., 9=762

Lawrence,W. See Broadbent,D.E., 7=2903

Lawrenson,I.J. and Rushworth,F.A. Nuclear magnetic resonance in solid cyclopentene, 9=1880. Molecular motion in some solid hydrocarbons, 9=12493

Lawson,A.W. Effect of compressive stress on self-diffusion in zinc, 5=3161. The effect of hydrostatic pressure on the electrical resistivity of metals, 7=1314. See also Hanlon,J.E., 9=5151; Jamieson,J.C., 9=247; Nachtrieb, N.H., 5=8308; Tannhauser,D.S., 5=3184, 6=6219

Lawson,A.W., Lowell,R. and Jain,A.L. Thermal conductivity of water at high pressures, 9=6827

Lawson,J.D. Some experiments on a cylindrical electron beam constrained by a magnetic field, 5=8818. Some criteria for power producing thermonuclear reactor, 7=3620. On the adiabatic self-constriction of an accelerated electron beam neutralized by positive ions, 8=1719. Perveance and the Bennett pinch relation in partially neutralized electron beams, 8=8030

Lawson,J.L. See Jones,W.B., 5=9692

Lawson,R.D. Bound states and low-energy neutron scattering, 6=3302. Electric multipole moments in j-j coupling, 6=4584. See also Gupta,K.K., 9=8509; Ross, A.A., 6=6071, 7=2521

Lawson,R.D. and Uretsky,J.L. Excited states in the proton $f_{7/2}$ shell, 7=9329. Center-of-gravity theorem in nuclear spectroscopy, 8=5255

Lawson,W.D. See also Avery,D.G., 5=300

Lawson,W.D., Nielsen,S., Putley,E.H., and Roberts,V. The preparation, electrical and optical properties, of Mg_2 Sn, 5=9660

Lawson,W.D., Nielsen,S., Putley,E.H. and Young,A.S. Preparation and properties of HgTe and mixed crystals of HgTe–CdTe, 9=8104

Lawton,E.J. See Price,F.P., 5=2279

Lax,B. Figure of merit for microwave ferrites at low and high frequencies, 5=8899. Experimental investigations of the electronic band structure of solids, 8=7491. See also Button,K.J., 9=6254; Dexter,R.N., 5=1811-12, 5=1811-12, 6=1214, 7=2221; Keyes,R.J., 7=2211; Mavroides,J.G., 8=5883; Roth,L.M., 9=6971, 9=13457; Zeiger,H.J., 7=21981; Zwerdling,S., 7=2229, 7=5326, 8=6852, 8=8761, 9=6970, 9=7949, 9=8134

Lax,B.,Button,K.J. and Roth,L.M. Ferrite phase shifters in rectangular wave guide, 5=2035

Lax,B., Button,K.J., Zeiger,H.J. and Roth,L.M. Analysis of cyclotron absorption in bismuth, 6=5252
Lax,B. and Mavroides,J.G. Statistics and galvanomagnetic effects in germanium and silicon with warped energy surfaces, 6=2098
Lax,B. and Neustadter,S.F. Transient response of a p-n junction, 5=295
Lax,B. and Roth,L.M. Propagation and plasma oscillation in semiconductors with magnetic fields, 5=5524
Lax,B., Roth,L.M. and Zwerdling,S. Quantum magneto-absorption phenomena in semiconductors, 12016
Lax,B. and Zeiger,H.J. Possible interpretation of cyclotron resonance absorption in graphite, 7=4335
Lax,B., Zeiger,H.J. and Dexter,R.N. Anisotropy of cyclotron resonance in germanium, 5=2740
Lax,E. and Filson,D.H. Second low-temperature peak in the internal friction of aluminum, 9=10320
Lax,M. Molecular field in the spherical model, 5=2863. Relation between canonical and microcanonical ensembles, 5=4392. The influence of lattice vibrations on electronic transitions in solids, 7=7924. Generalized mobility theory, 8=2650. Optical properties of diamond type crystals, 8=8426. Quadrupole interactions and the vibration spectra of diamond type crystals, 8=9107. Giant traps, 9=5685. See also Gummel,H., 5=4644, 8=1693; Haynes,R.R., 9=8107; Levitas,A., 8=5106; Rosenberg,R., 9=4582; Toupin, R.A., 8=1667
Lax,M. and Burstein,E. Infrared lattice absorption in ionic and homopolar crystals, 5=2301. Broadening of impurity levels in silicon, 6=1055
Lax,M. and Lebowitz,J.L. Moment singularity analysis of vibration spectra, 5=1348
Lax,M. and Phillips,J.C. One-dimensional impurity bands, 9=783
Lax,M. and Sachs,R. Frequency dependence of the a.c. resistance of thin semiconducting films, 8=176
Laycock,G.H. An instrument for the determination of potassium in sodium chloride, 8=4514. A constant liquid flow device, 8=6694
Layton,E.M.,Jr,Kross,R.D. and Fassel,V.A. Correlation of bond length with stretching frequency for carbon-oxygen and carbon-nitrogen systems, 6=6827
Layton,T.W. See Cohen,E.R., 6=2330
Layzer,D. Is the origin of the solar system connected with the overall structure of the Universe?, 5=1447. The yellow emission line of the solar corona, 5=6703. On the instability of superpose fluids in a gravitational field, 5=7732. Energy levels in a Ca XV, 5=9548. On certain regularities in the structure of complex term spectra, 6=1042. On Rohrlich's discussion of the calcium XV problem, 7=5002
Layzer,D., Krook,M. and Menzel,D,H. Torsional oscillations and solar magnetic fields, 6=3849
Layzer,D. and Zirin,H. Energy levels in the ground terms of the ions A XIII - Ti XVII, 5=7296
Lazar,N. See Senftle,F.E., 7=4659
Lazar,N.H. Decay of Sb^{125}, 6=5355. Analysis of gamma ray scientillation spectra for quantitative photon intensities, 9=5026. See also Davis,R.C., 9=2762; Kelly,G.G., 9=2551; Lyon,W.S., 6=3146; Macklin,R.L., 8=2583; O'Kelley,G.D., 6=2351, 6=3935
Lazar,N.H., Davis,R.C. and Bell,P.R., 6=5797
Lazar,N.H., Eichler,E. and O'Kelley,G.D. Nuclear levels in Sr^{88} from the disintegration of Rb^{88} and Y^{88}, 6=2349
Lazar,N.H. and Klema,E.D. Decay of Bi^{207}, 5=6424
Lazar,N.H., O'Kelley,G.D., Hamilton,J.H., Langer,L.M. and Smith,W.G. Nuclear structure of Zr^{90}, 8=4273
Lazarenko,V.R. See Dobrokhotov,E.I., 7=4667, 9=10066
Lazarev,A.N. Absorption spectrum of Kh_2PO_4 in the region of the valency vibrations of the hydroxyl, 7=9084
Lazarev,B.G. See also Dmitrenko,I.M., 8=1778, 9=2508; Esel'son,B.N., 7=4284; Galkin,A.A., 8=1069; Garber, R.I., 7=4858*; Kan,L.S., 8=7989; Kogan,V.S., 7=2849, 9=5259; Lazaryev,B.H; Verkin,B.I., 7=2412
Lazarev,B.G. and Ovcharenko,O.N. The effect of holes in a crystal lattice on the electric resistance of a metal, 5=8743. Energy of formation and displacement of vacancies in gold and platinum, 9=12772
Lazarev,B.G., Sudovtsov,A.I. and Smirnov,A.P. Superconductivity of beryllium films condensed on a cold backing, 8=7027
Lazarev,B.H. See Lazaryev,B.H.
Lazavev,V.P. See Deryaguin,B.V., 8=4498
Lazareva,L.E. See also Bannik,B.P., 8=3387; Bogdankevich, O.V., 7=2666; Gavrilov,B.I., 6=8381; Valuev,B.N., 6=1586; Zatsepina,G.N., 7=5630
Lazareva,L.E., Feinberg,E.L. and Shapiro,F.L. Neutron spectrometry based on the measurement of the decelerating time of neutrons, 6=7738
Lazareva,L.E., Ratner,B.S. and Shtranikh,I.V. Delayed neutrons, accompanying the photo-disintegration of uranium and thorium, 6=1585
Lazarre,F. and Vodar,B. Determination of the viscosity of nitrogen compressed up to 3000 kg/cm^2, 7=156
Lazarus,A.J. See also Masek,G.E., 6=7726
Lazarus,A.J., Panofsky,W.K.H. and Tangherlini,F.R. Photoproduction of positive pions in hydrogen in the angular range $7^\circ < \theta$ c.m. $< 27^\circ$ and photon energy range 220 MeV $< k <$ 390 MeV, 9=6035
Lazarus,D. See also Kuper,A.B., 7=4798; Pierce,C.B., 9=8890 Tichelaar,G.W., 9=5204; Tomizuka,C.T., 5=3160
Lazarus,D. and Okkerse,B. Anomalous isotope effect in metallic diffusion, 7=5666
Lazarus,D. and Tomizuka,C.T. Self-diffusion in silver – zinc, 6=8981.
Lazarus,J.P. See also Breit,G., 6=685; Daitch,P.B., 5=3969; Gluckstern,R.L., 6=3177
Lazarus,J.P. and Sack,S. Agreement of classical and quantum coulomb exitation integrals, 6=553
Lazaryev,B.H. See also Borovỹk,Ye.S., 8=7753-4; Lazarev, B.G.
Lazaryev,B.H., Borovỹk,Ye.S., Fedorova,M.F. and Tsỹn,N.M. A hydrogen condensation pump, 8=6720
Lazet,A. See Vos,J.J., 7=2896
Lazukin,V.N. Possible application of cyclotron resonance to mass spectroscopy, 7=3570. Cyclotron resonance, 7=5321. On the term "cyclotron resonance", 7=6332. A radiofrequency method to measure the mass of relativistic electrons, 8=4223. Some peculiarities of multiplet ferromagnetic resonance in ferrites, 9=11238
Lazurkin,Yu,S. See Molul'skii,M.A., 9=10272; Varshavskii., 8=3403
Lazzarini,E. See Bertolini,G., 5=7317, 5=9870, 6=634, 6=5371, 6=6873, 7=8138, 8=1239; Bettoni,M., 6=5351
Lea,K.R. See Kamper,R.A., 7=9828
Lea,N. Further radio observations of the first satellite, 8=1460
Lea,R. See also Bierman,E., 9=4920
Lea,R.,Fowler,E.C. and Kraybill,H.L. Production of K mesons and hyperons in hydrogen by 1·95 BeV protons, 8=5241
Lea,R.M. See Eisberg,L.M., 5=3085
Leach,J.S.L., Loewen,E.G. and Bever,M.B. Energy relations in cold working an alloy at 78°K and at room temperature, 5=7440
Leach,R.O. See Rubin,T., 5=1331
Leach,S. Fermi resonance in the emission spectrum of benzene, 5=5990. The emission spectra of water and heavy water, 6=205
Leach,S.J. See Bates,L.F., 5=4793, 6=3018, 7=1453
Leachman,R.B. Emission of prompt neutrons from fission, 6=2422. See also Nobles,R.A., 8=5398; Schmitt, H.W., 6=3993; Stein,W.E., 7=4476
Leachman,R.B. and Atterling,H. Nuclear collision stopping of astatine atoms, 8=6315
Leachman,R.B. and Kazek,C.S.,Jr. Neutron emission from fission modes, 7=4744
Leachman,R.B. and Schafer,W.D. A calorimetric determination of the average kinetic energy of the fragments from U^{235} fission, 5=7919
Leachman,R.B. and Schmitt,H.W. Fine structure in the velocity distributions of slowed fission fragments, 5=1219
Leadabrand,R.L., Dolphin,L. and Peterson,A.M. Preliminary results of 400 Mc radar investigations of auroral echoes at College, Alaska, 9=10436
Leadon,B.M. and Werner,F.D. Fringe spacing changes in accurate measurements of interferometer fringe shifts, 5=1732
Leaf,G.A.V. A property of a buckled elastic rod, 8=3521
Leak,G.M. See Thomas,W.R., 5=565, 6=2265, 9=4022
Leake,L.E. and Turkdogan,E.T. The construction and calibration of a Bunsen ice-calorimeter, 5=905
Leakey,D.M. Further effects produced by two loudspeakers in echo-free conditions, 8=2080. Some measurements on the effects of interchannel intensity and time differences in two channel sound systems, 9=10466
Leakey,D.M. and Cherry,E.C. Influence of noise upon the equivalance of intensity differences and small time delays in two-loud-speaker systems, 7=4092
Leakey,D.M., Sayers,B.McA. and Cherry,C. Binaural fustion of low-and high-frequency sounds, 8=3620

Leal da Costa,N. See Marquez,L., 9=9090
Leal Ferreira,J. See also Joos,H., 7=7307, 7=7581; Katayama,Y., 9=12537
Leal Ferreira,J. and Zimerman,A.H. Application of Dirac's operational method to a system of two fermions, 9=3124
Leal Ferreira,P. See Bund,G.W., 8=4239; Taketani,M., 9=12568
Leamer,R.D. Internal conversion in Li^7, 9=11456
Leamer,R.D. and Hinman,G.W. Internal conversion in Ne^{22}, 5=2158
Learner,A. and Robson,B.A. Coulomb wave functions, 8=6653
Learner,R.C.M. See also Gaydon,A.G., 9=3052
Learner,R.C.M. and Gaydon,A.G. Changes in transition probability due to the interaction of rotation and vibration in diatomic band spectra, 9=7436
Leaver,V.M. See Hall,J.A., 8=3047; Moreau,H., 7=6127; van Dijk,S., 9=267
Leavitt,C.P. See Chen,F.F., 5=9073, 6=6897
Lebas,J.M., Garrigou-Lagrange,C. and Josien,M.L. Contribution to the study of the vibrations of the benzene nucleus in the region 1400-1600 cm^{-1}: monosubstituted and paradisubstituted derivatives, 7=6381
Le Baud,M. Electronic apparatus for the measurement of diffusion length in graphite, 6=8977
Lebeau,A. See Blum,P.A., 6=2566
Lebedev,A.A., Balakov,V.V. and Vafiadi,V.G. An optical rangefinder for geodesic surveys, 6=8565
Lebedev,A.A., Stafeev,V.I. and Tuchkevich,V.M. Some characteristics of germanium diodes with gold admixture, 7=4357
Lebedev,A.I. See Baldin,A.M., 8=6166
Lebedev,A.N. See Kolomenski,A.A., 9=11140; Kolomenskiĭ,A.A., 6=8229-30; Kolomenskij,A.A., 8=4060; Kovrizhnykh,L.M., 8=8036; Leĭkin,E.M., 7=5815
Lebedev,G.V. Reply to the critical remarks of I.F.Kvartskhava concerning our papers, 7=5311
Lebedev,N.N. The electrostatic field at the edge of a plane capacitor with a dielectric spacer, 9=1405. The electrostatic field of an immersion electron lens formed by two diaphragms, 9=4707. See also Grinberg,G.A., 6=6802
Lebedev,N.N. and Sal'skaya,I.P. An axially symmetric electrostatic problem for a conductor in the form of a semi-infinite tube with thin walls, 9=1399
Lebedev,P.I. See Balats,M.Ya., 7=3713
Lebedev,S.V. Breakdown of the Boguslavskiĭ-Langmuir law during the heating of the tungsten cathode of a vacuum lamp by a pulse of current of great density, 5=4765. Phenomena in tungsten wires preceding their disintegration under the effects of a heavy current, 5=6123. Explosion of a metal due to an electric current, 7=7057. See also Borodovskaya, L.N., 5=6257
Lebedev,S.V. and Kaĭkin,S.É. Some anomalies in the behaviour of metals heated by current pulses of great density, 5=960. Anomalies of the electron emission of tungsten heated by a current pulse of high density, 5=1018
Lebedev,V.I. and Kalashnikova,V.I. Average number of neutrons emitted in the fission of the Th^{229} by thermal neutrons, 9=12696
Lebedeva,V.A. See Lepeshinskaya,V.N., 9=5791
Lebedeva,V.K. Evaporation of liquids in connected capillaries and the basic law of moisture movement in capillary-porous solids, 7=315
Lebedeva,V.V. and Milovidova,R.A. Investigation of time variation emission spectrum of an alternating-current arc, 7=9595
Lebedinskiĭ,A.I. Physical conditions on Mars, 7=26. See also Vernov,S.N., 9=13969
Lebedinsky,A.I. Cosmic dust and the origin of stars, 6=1790. Electrical discharges and the interpretation of auroral types, 6=9136. A slitless spectrograph designed to photograph the spectra of aurorae, 6=9145
Lebenbaum,M. See Goodman,J., 8=2100
Le Berquier,F. See Cauchois,Y., 5=2781
Le Blan,L. See Boutry,G.A., 5=6665
Le Blanc,R. See also Tanaka,Y., 7=5177, 9=9404
Le Blanc,F., Tanaka,Y. and Jursa,A. New band system in the afterglow of nitrogen, 8=6810
Le Blanc,F.J. See Jursa,A.S., 6=886; Tanaka,Y., 6=4986, 7=4128, 8=2952, 8=9080
Le Blanc,J.M. See also Burson,S.B., 5=2119, 7=3597; Coté, R.E., 8=6220; Jordan,W.C., 5=2121
Le Blanc,J.M., Cork,J.M. and Burson,S.B. Radioactivities of Zn^{69} and Zn^{71}, 5=3056. Decay of the 3·5-min metastable state of Sb^{122}, 5=4898. Decay scheme of Pt^{199}, 7=3595
Le Blanc,M. See Katz,L., 7=8161
Le Blanc,M.A.R. See Daniels,J.M., 8=7313, 9=3820, 9=1246
Le Blanc,O.H.,Jr. Electron drift mobility in liquid n-hexane, 9=7035
Leblond,A. On a special form of the equations which govern the propagation of free carriers in a one-dimensional junction structure in a homogeneous crystal, 6=2880. Theoretical study of the current–voltage characteristics of a P-I-P semiconductor structure, taking the ionization of the central region by the carriers into account, 6=5856
Leblond,A. and Gentner,R. Note on a particular structure for obtaining high-frequency (electrical) oscillations, 6 =3861
Leboeuf,M.B. See also Upson,U.L., 5=8178
Leboeuf,M.B., Miller,D.G. and Connally,R.E. Gamma absorptiometry: a new tool for analytical chemistry, 5=612
Le Boiteux,H. See Labeyrie,J., 9=13405
Le Borgne,E. The magnetic susceptibility of the soil, 6=2230
Le Bot,J. New method of measurement of the complex dielectric constant at 3000 Mc/s. Application to the study of a problem in physical chemistry: The absorption of water on gels of silica and alumina, 6=5844. A new method of measuring the complex dielectric constant at centimetre wavelengthe–application to the study of water adsorption phenomena, 6=7373. See also Blanchard,M.L., 7=2165; Couture,L., 6=5066; Freymann,R., 8=1033; Le Montagner, S., 5=1796, 6=3708
Le Bot,J. and Le Montagner,S. Dielectric properties at centimetre waves of water adsorbed on silica gel, 5=2706. The dielectric method, a new procedure for the stury of water adsorption, 5=4628
Le Bouffant,L. and Soulé,J.L. The automatic size analysis of dust deposits by means of an illuminated slit, 5=1274
Leboutet,H. See also Warnecke,R., 8=4058
Leboutet,H., Vincent,G. and Warnecke,R. On a new type of electron linear accelerator incorporating its own high-frequency generator, 8=4059
Lebowitz,J.L. Modified virial theorem for total momentum fluctuations, 8=2168. Stationary nonequilibrium Gibbsian ensembles, 9=10623. See also Bergmann,P.G., 5=7928; Gross,E.P., 7=3243; Lax,M., 5=1348; Reiss,H., 9=10624
Lebowitz,J.L. and Bergmann,P.G. Irreversible Gibbsian ensembles, 7=9146
Lebowitz,J.L. and Frisch,H.L. Model of nonequilibrium ensemble: Knudsen gas, 8=84
Lebowsky,F. See Steubing,W., 9=4432
Leboy,E. See Gettner,M., 9=12578
Lebrun,A. Some techniques for the measurement of impedances at metre and decimetre wavelengths and their utilization for the study of the dielectric properties of solid and liquid substances. Application to the case of some normal saturated alcohols, 5=6106
LeBrun,E.J. See Andrews,H.L., 7=6783
Le Caine,H. Touch-sensitive organ based on an electrostatic coupling device, 5=7797. See also Minkiewicz, M.D.K., 5=5394
Lecamp,M. See also Pannetier,G., 5=8700
Lecamp,M. and Sicard,A. Measurement of the velocity of combustion (of gases) by the soap-bubble method, 6=1682
Lecar,M., Sorenson,J. and Eckels,A. A determination of the coefficient J of the second harmonic in the earth's gravitational potential from the orbit of satellite 1958 β_2, 9=6382
Lech,J. See Hees,G.W., 7=9033
Lechauguette,G. See Prugne,P., 6=1645
Leck,J.H. Pressure measurement in vacuum systems, 8=2863. A feedback controlled Pirani gauge, 8=2864. See also Brown,E., 5=5266; Riddoch,A., 8=8824
Martin,C.S. A Pirani gauge for operation up to a pressure of 10 mm of mercury, 6=4244. Feedback controlled heat conductivity gauge for measuring pressure in vacuum systems, 7=4025
Leck,J.H. and Riddoch,A. Observations on the characteristics of the cold cathode ionization gauge, 6=4876
Le Claire,A.D. Random walks and drift in chemical diffusion, 8=8492. See also Makin,S.M., 7=7449
Le Claire,A.D. and Bear,I.J. The interdiffusion of uranium and aluminium, 6=8424
Le Claire,A.D. and Lidiard,A.B. Correlation effects in diffusion in crystals, 6=8477
Le Clerc,P. See Paymal,J., 9=5165
Lécluse,Y. See Cojan,J.L., 9=1268, 9=7938
Lecocq,A. See Galperin,B., 5=8527; Saurel,J., 9=9571
Lecoin,M. and Robert,J. A comparison of radium standards by

means of an adiabatic microcalorimeter with automatic compensation, 6=5338. Construction of an automatic device for adiabatic microcalorimetry. Application to the measurement of radioactive half-lives [radon] and to the comparison of radium standards, 7=8118

LeCompte,G.W. and Edgerton,H.E. Xenon arc transients, electrical and optical, 7=3334

Lecomte,J. Remarks on infrared spectrographs and their use, 5=3559. Spectrophotometry in the infrared; its importance in physics and chemistry, 5=3575. A furnace and a cryostat, 5=4506. Review of the principal methods for the measurement of refractive indices, 5=5973. Notes on the absorption of carbon tetrachloride in the 12 micron region, 6=1066. Infrared absorption spectra at about the sixth octave, obtained at the Laboratoire de Recherches physiques à la Sorbonne, 7=5184. Infrared spectra beyond 20 μ. I. Prism spectrographs, 7=7004. See also Girard, M., 5=10054, 6=3907; Josien,M.-L., 5=7242; Vincnet-Geisse,J., 7=5241, 7=7028, 9=2234, 9=3265

Le Corre,Y. Study of crystalline elasticity and piezoelectricity. I. Disagreement between experiment and the theory of Voigt, 5=5074; II. Tensorial theory of elasticity and of piezoelectricity, 5=5075; III. Atomic theory of elasticity and piezoelectricity. IV. Atomic theory of the piezoelectricity of blende, 5=8376. The asymmetry of the stress tensor and its consequences, 7=5089. Propagation of a plane acoustic wave in an infinite piezoelectric crystal, 7=5125. Coupling factors and the electromechanical efficiency of piezoelectric materials, 7=5941. Tensorial theory of magnetic rotary power, 7=8731. Electrical polarization of elastic waves in crystals and optical dispersion, 8=6733. Models of interatomic forces in solids, 9=6224. The magnetic crystallographic groups and their properties, 9=9756

Le Couteur,K.J. The extraction of the beam from the Liverpool synchrocyclotron. I. Theoretical, 5=9710. See also Crewe,A.V., 6=411

Le Couteur,K.J. and Lipton,S. Non-linear regenerative extraction of synchrocyclotron beams, 6=2185

LeCraw,R.C. See also Garver,R.V., 8=3125; Porter,C.S., 9=241; Spencer,E.G., 5=4783-4, 8=1669, 9=398, 9=3663, 9=13449

LeCraw,R.C. and Bruns,H.B. Time delay in high-speed ferrite microwave switches, 5=5514

LeCraw,R.C. and Spencer,E.G. Domain structure effects in an anomalous ferrimagnetic resonance of ferrites, 8=2402

LeCraw,R.C., Spencer,E.G. and Porter,C.S. Ferromagnetic resonance and nonlinear effects in yttrium iron garnet, 8=8891. Ferromagnetic resonance line width in yttrium iron garnet single crystals, 8=8915

Le Croissette,D.H. Production of oscillations in halogen-quenched G.M. counters, 5=1001. Measurements on halogen-quenched counters, 9=11301

Leden,I. and Nilsson,R. Complex formation between silver ions and thiocyanate ions in aqueous solutions, 5=4419

Ledenev,B.N. See Al'tshuler,L.V., 8=7478

Leder,L.B. Electron characteristic energy losses in metals and compounds, 7=568. Inelastic scattering of 20-keV electrons in metal vapors, 7=9720. See also Marton, L., 9=13415

Leder,L.B. and Marton,L. Temperature dependence of the characteristic energy loss of electrons in aluminium, 9=4715

Leder,L.B., Mendlowitz,H. and Marton,L. Comparison of the characteristic energy losses of electrons with the fine structure of the X-ray absorption spectra, 6=2930

Leder,L.B. and Simpson,J.A. Improved electrical differentiation of retarding potential measurements, 9=344

Lederer,J. A new development in aids for sub-normal vision, 5=1749

Lederer,M. See Laberrigue-Frolow,J., 5=7325 ; Langevin-Joliot,H., 7=2596; Lefort,M., 6=6996

Lederhandler,S. and Patel,J.R. Behavior of oxygen in plastically deformed silicon, 8=8439

Lederman,L.M. See Ammiraju,P., 6=7720; Bardon,M., 8=6181, 9=1679, 9=6013; Berley,D., 7=7415, 8=8985 Blumenfeld,H., 5=2823, 6=6184, 8=4252; Coffin,T., 7=8182, 8=1862; Garwin,R.L., 7=5642, 8=1864, 9=7240; Lande,K., 7=2683*, 7=7414; Rinehart,M.C., 6=3274; Rogers,K.C., 7=3723; Sargent,C.P., 5=7389, 5=9955

Ledinegg,E. and Urban,P. Cavity resonators with non-orthogonal boundaries, 6=503. The theory of the Nêel chain, 9=3626

Ledinegg,E., Urban,P. and Breitenhuber,L. On the theory and measurement method of the relaxation region of dipolar molecules, 9=2889

Ledinegg,M. Heat load in reactors, 9=7387

Ledley,B. See also Booth,N.E., 7=3647, 8=1980; Crewe,A.V., 9=9954

Ledley,B. and Riddiford,L. Determination of proton synchrotron beam size with a crystal scintillator, 5=9709

Lednev,I.A. See Telesnin,R.V., 7=5457

Ledneva,T.M. Bulk viscosity of certain organic liquids and its temperature variation, 7=5907

Ledoux,P. On the radial oscillations of stellar models with great mass concentration, 7=1030. See also Counson, J., 7=1032; Dricot,G., 9=7212; Elsen,H., 7=1031

Ledoux,P. and Simon,R. On the oscillations of a gaseous star possessing a weak magnetic field, 8=5591

Ledoux,P., Simon,R. and Bierlaire,J. The radial oscillations of stellar models with high mass concentration, 5=5201

Ledrus,R.A. An apparatus for studying periodic plasma, 7=1342

Lee,B.W. Dispersion relation for nonrelativistic potential scattering, 9=4285

Lee,B.W. and Klein,A. Application of the Chew-Low formalism of multi-channel reactions, 9=13653

Lee,E.B. See Keister,G.L., 5=3040

Lee,E.H. Stress analysis in viscoelastic materials, 6=6975. See also Bland,D.R., 6=4701

Lee,E.W. The [110] magnetostriction of some single crystals of iron and silicon-iron, 5=2876. Magnetostriction and magnetomechanical effects, 5=8075. Non-linear forced vibration of a stretched string, 8=917. Magnetostriction curves of polycrystalline ferromagnetics, 8=8142

Lee,E.W. and Callaby,D.R. Direct measurement of the velocity of propagation of a ferromagnetic domain boundary in "Perminvar", 8=8931

Lee,E.W., Callaby,D.R. and Lynch,A.C. The use of the Kerr effect for studying the magnetization of a reflecting surfact, 8=8141

Lee,E.W. and Jackson,R.C. A semi-empirical equation for the initial susceptibility of homogeneous ferromagnetic alloys, 8=7172

Lee,E.W. and Troughton,A.G.H. Reversible permeability and losses in magnetically annealed Perminvar, 9=1587

Lee,E.W., Troughton,A.G.H. and Callaby,D.R. Eddy current losses in 65/35 nickel-iron, 9=9775

Lee,J. See Berley,D., 9=11380; Harris,G., 8=1880; Taylor, S., 9=7228, 9=7283

Lee,J.A. and Raynor,G.V. The lattice spacings of binary tin-rich, 5=636

Lee,J.C. See Jain,P.L., 5=5930

Lee,K. See also Green,A.E.S., 5=8992, 7=3520

Lee,K. and Inglis,D.R. Stability of pear-shaped nuclear deformations, 8=7301

Lee,L.L.,Jr. See also Schiffer,J.P., 7=9319, 8=2526-7, 8=7374, 9=13617

Lee,L.L.,Jr and Inglis,D.R. Energy levels in Be^9, 5=8233

Lee,L.L.,Jr and Mooring,F.P. Low-lying T=0 levels in P^{30}, 7=2535

Lee,L.L.,Jr and Rall,W. Angular distributions for $Ti^{46,48}$ (d,p) $Ti^{47,49}$, reactions with 4·16-MeV deuterons, 5=9919

Lee,L.L.,Jr. and Schiffer,J.P. Study of reaction mechanisms involved in the $Ca^{40}(d,p)$ Ca^{41} reaction, 8=335. Analysis of angular distributions in the reaction $B^{11}(\alpha,p)C^{14}$, 9=12682

Lee,M.D. See Senftle,F.E., 8=6025

Lee,P.A. Determination of the impurity concentrations in a semiconductor from Hall coefficient measurements, 7=9173. Hall and conductivity mobilities in p-type silicon, 9=11020

Lee,P.K. and La Mer,V.K. A forward angle light scattering camera for determining size distribution in aerosols, 5=229

Lee,P.M. and March,N.H. Electrostatic fields round localized defects in metals, 8=1320

Lee,R.H. See Billings,D.E., 5=2546

Lee,R.W. See Frank,R.C., 9=851

Lee,T. The design and construction of a 22-foot direct-reading optical spectrometer, 5=4505

Lee,T.D. Absorption experiments involving heavy mesons, 5=9964. See also Bernstein,J., 8=6359; Friedman, M.H., 6=1623; Goldhaber,M., 9=2654; Henley,E.M., 6=3291; Huang,K., 8=2486

Lee,T.D., Huang,K. and Yang,C.N. Eigenvalues and eigenfunctions of a Bose system of hard spheres and its low-temperature properties, 7=6893

Lee,T.D. and Mohling,F. Possible determination of the helicity of elementary excitations in liquid He II, 9=10927

Lee,T.D., Oehme,R. and Yang,C.N. Remarks on possible non-invariance under time reversal and charge conjugation, 7=5050

Lee,T.D. and Orear,J. Speculations on heavy mesons, 6=3252

Lee,T.D., Steinberger,J., Feinberg,G., Kabir,P.K. and Yang,C.N. Possible detection of parity non-conservation in hyperon decay, 7=9529

Lee,T.D. and Yang,C.N. Conservation of heavy particles and generalized gauge transformations, 5=6748. Mass degeneracy of the heavy mesons, 6=3997. Charge conjugation, a new quantum number G, and selection rules concerning a nucleon-antinucleon system, 6=4813. Possible interference phenomenon between parity doublets, 7=2681. Parity nonconservation and a two-component theory of the neutrino, 7=3956. Many-body problem in quantum mechanics and quantum statistical mechanics, 7=5079. Question of parity conservation in weak interactions, 7=5596. Possible nonlocal effects in μ decay, 8=1860. General partial wave analysis of the decay of a hyperon of spin, $\frac{1}{2}$, 8=5244. Possible determination of the spin of Λ^0 from its large decay angular asymmetry, 9=554. Low-temperature behavior of a dilute Bose system of hard spheres. I. Equilibrium properties, 9=4300; II. Nonequilibrium properties, 9=6537. Many-body problem in quantum statistical mechanics. I. General formulation, 9=5385

Lee,T.H. On the mechanism of electron emission in arcs with low boiling point cathodes, 8=629. On the discussion of the T−F theory by Robson and von Engel, 8=7 055. T−F theory of electron emission in high-current arcs, 9=7033. See also Winsor,L.P., 6=7442

Lee,W.T. See also Hill,P.R., 7=9491

Lee,W.T., Sen,D.C., Ho,T.H. and Tzu,H.Y. The branching ratio of the decay of the K^+-meson, 9=4949

Lee Po. See Po Lee.

Lee-Whiting,G.E. β-spectrum of Bi^{210} (RaE) and the coupling constants of scalar and tensor interactions in β decay, 5=3066. Thermalization of positrons in metals, 5=4637. High-dispersion two-direction-focusing β-spectrometers, 7=7952. Polarization of electrons in forbidden β-decay, . 8=2547. The theory of forbidden β-decay, 9=626

Lee-Whiting,G.E. and Taylor,E.A. Higher-order focusing in the $\pi\sqrt{2}\beta$-spectrometer, 7=3352

Leebeek,H.J. See Walraven.P.L., 9=7701

Leech,J.W. The influence of retardation on the London - Van Der Waals forces, 6=2335. Irreversible thermodynamics and kinetic theory in the derivation of thermoelectric relations, 9=13336

Leech,J.W. (Conf.rep.). Melting and diffusion, 8=3931

Leech,J.W. and Manuel,A.J. Magnetic properties of some anhydrous chlorides of the iron group. I. Magnetic resonance, 6=3001; II. Interpretation of the cryomagnetic anomalies in $CoCl_2$, $FeCl_2$, $NiCl_2$, and $CrCl_3$, 6=3002

Leeden,P. van der See van der Leeden,P.

Leeds,R.E. and Winch,G.T. Secondary standard lamps for photometric and colorimetric purposes, 6=2765

Leedy,H.A. See Tyzzer,F.G., 5=3530

Leelavathi,V. and Tiruvenganna Rao,P. The visible emission spectrum of Se_2, 5=7830

Leeman,E.R. and Grobbelaar,C. A compressometer for obtaining stress−strain curves of rock specimens up to fracture, 7=8226. A lateral extensometer for the determination of Poisson's ratio of rock, 8=3519

Leenov,D. See Schein,M., 6=3255

Leeper,C.K. See Bernsohn,E., 9=12703

Lees,C.S. A measuring apparatus employing a reference line of variable brightness, 5=1565

Lees,D.G. See Woolley,J.C., 7=3756

Lees,D.J. See Thonemann,P.C., 8=773

Lees,J. and Walton,S. The influence of pressure on metal-germanium contacts, 6=2097. Surface states on germanium, 6=3733

Leeser,D.O. See Sutton,C.R., 5=600

Leeson,T.S. See Sims,A.L., 7=7041

Leeuwen,F.J. v. See v. Leeuwen,F.J.

Leeuwen,J.M.J. van See van Leeuwen,J.M.J.

Lefebvre,R. , An approximate method for the determination of orbitals, 5=5573. See also Brion,H., 6=1451; Moser,C.M., 5=5563

Lefebvre,R. and Moser,C.M. Lowest singlet excited levels of naphthalene. II, 5=6356. Configuration interaction as method of calculating molecular orbitals of the self-consistent field. I. States with complete layers. Case of alternating-pair conjugated hydrocarbons, 6=5299. Calculations of S.C.F. L.C.A.O, M.O.'s by successive applications of perturbation procedures, 7=6379

Lefeld,M. Parameter of disorder p and the interlayer distance d_{002} in highly graphitised artificial graphites, 7=9465. See also Auleytner,J., 7=9226

Le Fèvre,C.G. and Le Fèvre,R.J.W. Molecular polarisability. The electro-optical polarisability tensor ellipsoids of naphthalene, and the α- and β-fluror-, -chloro,-bromo-, and- iodo-naphthalenes, 5=8975

Lefevre,H.W., Kinderman,E.M. and Van Tuyl,H.H. New gamma rays in the neptunium- 239 decay, 6=2363

Lefevre,H.W. See also Kinderman,E.M., 9=8646

Lefevre,H.W. and Russell,J.T. Vernier chronotron, 9=5392. Vernier chronotron times nuclear particle flight, 9=5393

Le Févre,J.J. See Hagène,B., 8=1034

Le Fèvre,R.J.W. See le Fèvre,C.G., 5=8975

Leffert,C.B. and Donahur,T.M. Clock paradox and the physics of discontinuous gravitational fields, 9=2027

Leffler,J.E. Entropy requirements of the Hammett relationship, 6=1184

Lefkovits,H.C., Fain,J. and Matsen,F.A. Complete π-electron treatment of allyl radical and allyl ion, 5=9802

Lefkowitz,I. See also Pelah,I., 9=6232

Lefkowitz,I. and Mitsui,T. Effect of γ-ray and pile irradiation on the coercive field of $BaTiO_3$, 9=8075

Lefort,C. See Lory,J., 9=2477

Lefort,J. See Gorodetzky,S., 9=9916

Lefort,M. Radiation chemistry of aqueous solutions-effects of α-particles, 5=2278. Utilization of the ionization produced by alpha rays for the microanalysis of gases, 6=5512. See also Cottin,M., 6=3769, 6=5490

Lefort,M. See also Frilley,M., 9=11085; Tarrago,X., 7=5703

Lefort,M. and Haïssinsky,M. Radiochemical decomposition of hydrazine in aqueous solutions, 7=835

Lefort,M. and Lederer,M. Effect of γ-irradiation on the exchange between tri- and hexa-valent chromium ions in acid solution, 6=6996

Lefort,M., Simonoff,G. and Tarrago,X. On the formation of astatine 210 and 211 in the spallation of thorium 232 by 160 MeV protons, 9=8575

Lefort,M. and Tarrago,X. Decomposition hydroxylamine in aqueous solutions by gamma radiation, 9=1923

Leftin,H.P. See O'Reilly,D.E., 9=3984

Legagneur,C.S. See Crosswhite,H.M., 5=4503

Legallais,V. See Brill,A.S., 8=2716, 8=8857; Chance,B., 5=5020, 9=11671

Le Gallic,Y. On a rapid method for the identification and measurement of radioactive impurities, 7=2574. See also Grinberg,B., 6=5340

Le Gallic,Y. and Thénard,M. On a method for reducing self-absorption in absolute β-measurements with a 4π-counter, 7=9365. Absolute measurement of low-energy β-emitters having low specific activity, 9=3869

Legatowicz,A. See Miasek,M., 5=4343

Legay,F. Measurement of the dispersion of gases in the interior of an infrared vibration - rotation band, 5=3550. Measurement of the index of refraction of air at 1.74μ, 6=4289

Dispersion of infrared radiation in the vibration−rotation bands of hydrochloric acid, 6=5301. Calculation of the intensity of vibration−rotation lines (diatomic molecules), 7=7257. Infrared dispersion in the neighbourhood of the R(2) lines of the first harmonic band of hydrochloric acid, 8=2966. Contribution to the study of dispersion in the infrared absorption bands of hydrogen chloride, 9=4447-8

Legendre,J.M. See Diamand,F., 8=7426

Legendre,R. Regular laminary detachment (and flow of a viscous compressible fluid, traversed by quassi-shock waves, a boundary,), 6=3520

Le Gentil,M.C. See also Morand,M., 8=2445, 8=6104; Tsai-Chü., 6=5956

Le Gentil,M.C. and Morand,M. On the theory of the latent image produced by charged particles, the effect of fluctuations in the specific loss of energy, and grain density in the neighbourhood of the ionization minimum, 9=5291

Léger,C. and Pichat,L. The use of paraldehyde to incorporate large amounts of tracer carbon in a liquid scintillator, 7=7320

Leger,E.G. An instrument for leak detection and pressure measurement in high vàcuum systems, 5=789. A panoramic mass spectroscope for kinetic studies, 5=2803

Léger,P. See Prugne,P., 6=1645

Legerer,F. Investigation of gramophone record noise on the basis of statistical probability, 5=3532

Legge,R.D. See Hunter,A.N., 8=2201

Legler,W. The statistics of electron avalanches, 5=3825. On the U.V. radiation from electron avalanches in air, 6=1258. Statistical problems of formative processes in the Townsend development of gaseous discharges, 7=6202

Legouix,J.P. See also Chocholle,R., 7=8964, 7=8966

Legouix,J.P. and Wisner,A. Functional role of the giant tympanic bullae of certain rodents (meriones), 6=3414

Legowski,S. Interaction potential between a mercury atom and an argon atom, 8=5442. See also Bączyński, A., 8=3724

Legrand,J.P. Possibility of forecasting solar phenomena and their effects at the earth by the study of cosmic-ray intensity, 8=8093. See also Meunier,R., 5=3835-6

Legrand,J.P., Chanson,P. and Bonpas,M. Variations in intensity of cosmic rays on January, 21, 22, and 23, 1957, 7=7203

Le Grand,Y. Studies in binocular vision. III. The mechanism of binocular vision, 5=3354. The physiology of colour television, 5=6664. Recommendations of the 13th session of the International Commission on illumination, 6=4286

Legron,M. and Guében,G. The β-ray spectrometer at Liège Nuclear Physics Centre, 9=11333

Legvold,S. See Amme,R., 6=1429, 7=5127; 9=3225. Anderson,G.S., 8=1710, 9=2314, 9=4622; Arajs,S., 8=6714, 8=8723, 9=4515; Barson,F., 7=2120; Behrendt,D.R., 8=2395, 7=6345; Elliott,J.F., 6=1372; Grimes,D.M., 7=7218; Rhodes,B.L., 8=2396; Rossing,T.D., 5=7230; Thoburn,W.C., 8=6042, 9=3634

Lehane,J.A., Millar,D.D. and Rathgeber,M.H. Air showers of size greater than 10^5 particles. IV. The distribution of nuclear-active particles and of mu-mesons, 9=7134

Lehar,F. Efficiency of scintillation counters for fast neutrons, 9=11311

Lehiste,I. and Peterson,G.E. Vowel amplitude and phoemic stress in American English, 9=6657. Linguistic considerations in the study of speech intelligibility, 9=6659

Lehman,G.W. and James,H.M. Interaction of impurities and mobile carriers in semiconductors, 6=2088

Lehmann,C. and Leibfried,G. Lattice theory of screw dislocation in alkali metals, 9=8813

Lehmann,H. Analytic properties of scattering amplitudes as functions of momentum transfer, 9=2079. See also Glaser,V., 8=874; Jost,R., 8=38

Lehmann,H., Symanzik,K. and Zimmermann,W. On the formulation of quantized field theories, 5=1510; II, 7=8376. On the vertex function in quantized field theory, 5=9411

Lehmann,K., Schulze,H. and Winde,B., The afterglow of nitrogen molecules at atmospheric pressure, 7=426

Lehmann,L. and Sittkus,A. Determination of the periods of stability of aerosols from the RaD and RaF content of atmospheric air and atmospheric precipitations, 9=7584

Lehmann,P. See also Barloutaud,R., 7=7291, 7=9322, 7=9332; Fiehrer,M., 6=3135

Lehmann,P., Lévêque,A. and Fiehrer,M. Preliminary measurement of the magnetic moment of the excited state of F^{19} at 197 keV, 6=558

Lehmann,P., Lévêque,A., Fiehrer,M. and Pick,R. Second excited state of F^{19}. Half-life and magnetic moment, 7=1543

Lehmann,P., Lévêque,A., Grijebine,T., Picou,J.L. and Barloutaud, R. The mean life of the excited state in fluorine 17 at 500 keV, 8=2542

Lehmann,P., Lévêque,A. and Pick,R. Magnetic moment of the second excited state of F^{19}, 7=1513. Study of the γ-radiation from the de-excitation of the 8.06 MeV level in N^{14}, 7=2606

Lehmann,P. and Miller,J. Quadrupole interaction of Cd^{111}, 5=3939. Metastable state of short period in T_c^{99}, 5=6421. Influence of K capture on angular correlations, 7=1562

Lehmann,R. Study of audiometer standardization, 7=191. See also Chavasse,P., 6=6491

Lehmann,W. Frequency dependence of electroluminescent brightness of impurity-quenched phosphors, 6=2003. Dielectric behavior of electroluminescent zinc sulfides, 6-2848. The efficiency of electroluminescence, 7=3159. Contact electroluminescence, 7=5230. Voltage dependence of electroluminescence of powdered phosphors, 7=6041. Electroluminescence of zinc sulfide phosphors as an equilibrium process, 9=217, 9=1320. Particle size and efficiency of electroluminescent zinc sulfide phosphors, 9=9493. See also Howard,B.T., 5=1727

Lehmann,W.J., Ditter,J.F. and Shapriro,I. Infrared spectra of partially deuterated diboranes, 9=1286

Lehmann,W.J., Onak,T.P. and Shapiro,I. Infrared spectra of alkoxyboranes. I. Dimethoxyborane and dimethoxyborane-d, 9=6736; II. Chlorodimethoxyborane, 9=6737. III. Di-and tricthoxyboranes, 9=6738. IV. Di-and triisopropoxyboranes, 9=6739

Lehmann,W.J. Wilson,C.O.,Jr and Shapiro,I. Characteristic frequencies of trimethylborane, 8=4377. Characteristic frequencies of triethylborane, 8=4378

Lehner,G. See Fünfer,E., 9=4748; Herold,H., 9=13396

Lehnert,B. Magnetohydrodynamic waves under the action of the Coriolis force. II, 5=4304. The decay of magnetoturbulence in the presence of a magnetic field and Coriolis force, 5=5249. Magneto-hydrodynamics on cosmical and laboratory scale, 5=5250. An instability of laminar flow of mercury caused by an external magnetic field, 6=3848. Confinement of charged particles by a magnetic field, 8=4042. An experiment on axisymmetric flow of liquid sodium in a magnetic field, 8=6067. Magnetohydrodynamic waves in the ionosphere and their application to giant pulsations, 8=8548. See also Alfvén,H., 7=1858

Lehnert,B. and Little,N.C. Experiments on the effect of inhomogeneity and obliquity of a magnetic field in inhibiting convection, 7=9104

Lehninger,A.L. Respiratory-energy transformation, 9=9112

Lehovec,K. Theory of electric breakdown in the high-temperature region and its relation to thermionic emission, 5=976. Decay of phosphorescence with activators and traps arising from the same impurity in different valency states, 5=2622. "Gate modulation" of electromagnetic radiation, 5=6150

Lehovec,K. and Levitas,A. Fabrication of multiple junctions in semiconductors by surface melt and diffusion in the solid state, 7=4326

Lehovec,K., Schoeni,K. and Zuleeg,R. Evaporation of impurities from semiconductors, 8=2300

Lehr,G. The large-angle two-directional focusing of the beta spectrometer, 9=1530. See also Huster,E., 5=4723

Lehr,P. and Langeron,J.P. On the expansion behaviour of single crystals of α- uranium, 6=2036

Leiber,C.O. and Macherauch,E. The lattice expansions of pure Cu when plastically deformed, measures with X-ray Co radiation, 8=5500

Leibfried,G. Statistical fluctuation of Frenkel defects arising from primary "knock-on" particles, 9=4026. Correlated collisions in a displacement spike, 9=12803. See also Lehman,N.C., 9=8813; Muller,H., 5=10001

Leibfried,G. and Schlömann,E. Heat conduction in electrically insulating crystals. 6=282

Leibmann,G. The solution of transient heat flow and heat transfer problems by relaxation, 5=4586

Leibowitz,H. Effect of reference lines on the discrimination of movement, 5=10137

Leibowitz,H., Bussey,T. and McGuire,P. Shape and size constancy in photographic reproductions, 8=1398

Leibowitz,H. and Walker,L. Effect of field size and luminance on the binocular summation of suprathreshold stimuli, 6=3410

Leibowitz,H.W., Myers,N.A. and Grant,D.A. Radial localization of a single stimulus as a function of luminance and duration of exposure, 5=3344

Leicknam,J.P. See Lascombe,J., 7=6376

Leide,G. Latent image fading of proton tracks in Ilford G-5 emulsion, 5=7600. An investigation on latent image fading in Ilford G-5 emulsions, 7=4953

Leider,H.R. Effect of X-irradiation on surface structure of sodium chloride crystals, 6=6250. Luminescence from X-ray colored KBr crystals during plastic deformation 8=5789. See also Metz,F.I., 7=5213

Leidheiser,H.,Jr and Cook,F.H. Formation of photographic positives on strained single crystals of silver chloride, 5=5159

Leidheiser,H.,Jr and Denise,F.J. "Pseudo-Monocrystals" of alpha-titanium, 6=4733

Leies,G. See Reynolds,D.C., 5=1843

Leifer,A. See Lippincott,E.R., 8=9158

Leifer,L., Cotton,F.A. and Leto,J.R. Some two-center overlap integrals with AO's of principal quantum number four, 9=1826

Leifson,S.W. A mercury spectrum source for the general physics laboratory, 7=3183. Measurement of high resis-

tance, 7=4311
Leigh,J. See Freier,G.D., 8=4311
Leigh,R.S. The augmented plane wave and related methods for crystal eigenvalue problems, 6=7013. Crystal field effects in metals, 8=2636
Leigh-Dugmore,C.H. Simplified particle-size calculations, 5=2
Leight,J.W. See Wiltse,J.C., 7=10001
Leighton,H.I. Field-strength variations recorded on a v.h.f. ionospheric scatter circuit during the solar event of February 23, 1956, 8=6540
Leighton,H.I. and Billings,D.E. Solar Hα filaments and geomagnetic disturbances, 7=925
Leighton,R.B. Anisotropic projector, 6=2821. Observations of solar magnetic fields in plage regions, 9=12960. See also Kadyk,J.A., 7=4760; Sorrels,J.D., 6=2435, 6=3256; Trilling,G.H., 6=2436, 7=3699
Leikin,E.M., Burtsev,A.N., Danilkin,I.S., Lebedev,A.N. and Okun,L.B. Conference on the physics of high-energy particles, 7=5815
Leĭkin,G.A. On the effect of tidal friction on the motion of an earth satellite, 8=6605
Leinbach,H. See also Elvey,C.T., 6=9146; Little,C.G., 8=2073, 9-7685
Leinbach,H. and Reid,G.C. Ionization of the upper atmosphere by low-energy charged particles from a solar flare, 9=6397
Leinhardt,T.E. See Reynolds,J.M., 5=2000
Leinhos,R. See Köhler,H., 9=8018
Leipfinger,H. The magnetic properties of rare earth methals at very low temperatures, 8=7169
Leipnik,R. Entropy and the uncertainty principle, 9=6544. See also Bergmann,O., 7=9512
Leipuner,L. See Abashian,A., 7=6605; Madey,R., 9=2553; Stearns,M., 5=545, 5=2087, 5=3981; Stearns,M.B., 8=363
Leipuner,L.B. and Adair,R.K. Production of strange particles by $\pi - p$ interactions near threshold, 8=1890
Leĭpunskiĭ,O.I., Miller,V.V., Morozov,A.M. and Yampol'skiĭ,P.A. Short-period isomers produced by proton bombardment, 7=1537*
Leĭpunskiĭ,O.I., Morozov,A.M., Makarov,Yu.V., and Yampol'skiĭ,P.A. New isomers with short half-lives in the millisecond range, 7=8122
Leisegang,E.C. and Rossouw,A.J. The construction of two infrared recording spectro-radiometers, 5 =7806
Leisi,H.J. Principle of a high-resolution magnetic double-field β-spectrometer, 6=4442. See also Brunner,J., 6=3945; Brunner,J.H., 9=11444
Leisinger,K.F. Stray light in optical images in prism binoculars, 9=8019
Leiss,J.E. See also Penfold,A.S., 9=10123; Penner,S., 9=10120
Leiss,J.E., Robinson,C.S. and Penner,S. Photoproduction of π^+ mesons from hydrogen near threshold, 5=6512
Range straggling of high-energy electrons in carbon, 8=266
Leiss,J.E. and Schrack,R.A. Angular distribution in neutral meson decay, 8=1867. Nuclear matter distributions from coherent neutral pion production, 9=1715
Leistner,K. Experiments concerning the interrelationship of resolving power and recognition, 6=7257
Leistner,M. The absolute efficiency of counter tube measurements of the activity of radioactive isotopes and for other quantitative works, 5=8849. 4π counters and the absolute measurement of small specific intensities of low energy radiation, 6=6725. Action of ultra-sound on the luminescence of zinc sulphide screens under continous excitation by light, 9=3312
Leistner,M. and Herforth,L. Changes in the luminescence of continuously excited zinc sulphide screens under ultrasonic action, 7=7776
Leite Lopes,J. Note on the interaction of elementary particles, 8=8580. Capture of negative muons by light nuclei, 9=694. A model of the universal Fermi interaction, 9=1057. See also de Souza Santos,M.D., 9=665; Goldemberg,J., 5=3070, 5=9094; Gomes,L.C., 5=6475
Leiteizen,L.G., Berkovskii,A.G., Glukhovskoi,B.M., Korol'kova,O.S. and Tarasova,E.I. Some characteristics of new industrial types of the photomultiplier, 9=11112
Leitmann,G. Determination of air density at high altitude by means of an earth satellite, 7=6763. Optimum pay-load-ratio relation for multiple-stage rockets, 8=3743
Leitner,A. See Hatcher,E.C.,Jr., 5=399
Leitner,J. Parity violation and the polarization of nucleons from hyperon decay, 8=3313. See also Blevins,M.E., 9=4937; Block,M., 9=12581; Budde,R., 7=1651; Chretien,M., 8=8239; Durand,L., III., 9=3715; Landovitz,L.F., 6=5432
Leitner,J., Nordin,P.,Jr, Rosenfeld,A.H., Solmitz,F.T. and Tripp,R.D. Search for leptonic decays of the sigma, 9=13580
Leitner,M. Young's modulus of crystalline, unstretched rubber, 5=9994
Leivo,W.J. See Bell,M.D., 9=3463; Vaughan,W.H., 9=877
Lejay,P. and Lepechinsky,D. Influence of the inclination of the terrestrial magnetic field on the absorption of radio waves in the D layer, 5=3319
Lejay,P., Pillet,G. and Chezlemas,R. Measurement oı the non-deviative absorption of radiowaves in the ionosphere, 5=8104
Lejay,R.P. Ionospheric storms, 6=2576
Lejay,R.P. and Durand,J. Comparison of the results of ionospheric soudings at Bangui, Ibadan,Khartoum and Leopoldville, 6=7055
Lejeune,G. See Savornin,J., 6=8541
Lekawa,E. See Fay,J.A., 6=2748
Lekhtinen,G.N., Rzaev,M.A. and Stil'bans,L.S. Investigation of the temperature dependence of the work function of several semimetals, 9=5790
Leko,E.K. See Mazurin,O.V., 8=3991
Leksin,G.A. Elastic and quasi-elastic scattering of 660 MeV protons by deuterons, 8=5200
Leksin,G.A. and Kumekin,Yu.P. On the backward elastic scattering of 660 MeV protons on carbon nuclei, 8=6145
Leland,F.E. See Frost,A.A., 7=6411
Leland,W.T. See Bame,S.J.,Jr, 7=7385
LeLevier,R. See Henyey,L.G., 6=29
Lely,J.A. See also Hofman,D., 7=9156
Lely,J.A. and Kröger,F.A. Optical properties of pure and doped SiC, 9=10778. Electrical properties of hexagonal SiC doped with N, B or Al, 9=11025
Lemaitre,R. See Hoyaux,M., 5=1929
Leman,G. and Lepoutre,G. Thermoelectric effect in solutions of electrolytes. II. Calculation of the absolute transport entropies, 6=2128
Lemanceau,B. See Gay,R., 7=6694; Hoarau,J., 7=6349; Joussot-Dubien,J., 6=3839, 6=5248; Pacault,A., 6=4512
Lemasson-Lucasson,A. L-spectra of gallium and germanium, 6=7449
Lemberg,I.Kh. See Alkhazov,D.G., 6=7670, 7=6433, 8=6314, 8=6317, 9=7307, 12631; Grinberg,A.P., 6=7669; Kravtsov,V.A., 5=2097
Lement,B.S. See Hordon,M.J., 8=6451
Lemmens,J. See Cox,J.F., 8=487
Lemmens,M.L. True temperature calibration of a ribbon filament tungsten lamp, 9=1384. See also Balasse,G., 6=8086
Lemmer,H.R. See also Bishop,G.R., 5=9013, 7=5563 Grace,M.A., 5=1117
Lemmer,H.R. and Grace,M.A. The angular correlation of successive γ-rays in ^{60}Ni at low temperatures, 5=2145
Lemmer,H.R., Segaert,O.J.A. and Grace,M.A. The decay of cobalt 57, 5=9035
Lemmer,R.H. See also Frahn,W.E., 7=8765, 7=8769, 8=712, 8=1910
Lemmer,R.H., Maris,T.A.J. and Tang,Y.C. On the imaginary optical potential, 9=13589
Lemmlein,G.G. See also Kliya,M.O., 9=12863
Lemmleĭn,G.G. and Dukova,E.D. Formation of spiral dislocations in the process of crystal growth, 7=8261. The approach of two spiral centres of different signs in the process of crystal growth, 7=8262
Lemmleĭn,G.G., Dukova,E.D. and Chernov,A.A. Investigation of the dynamics of elementary processes of growth and evaporation of crystals, 8=3562
Lemonick,A. See also Christensen,R.L., 6=3118
Lemonick,A., Pipkin,F.M. and Hamilton,D.R. Focusing atomic beam apparatus, 6=2451
Le Montagner,S. See also Couture,L., 6=5066; Le Bot,J., 5=2706, 5=4628
Le Montagner,S., Le Bot,J., Chauvin,S. and Haye,R. Procedure for the rapid calculation of the complex paramittivly at centimetre wavelengths. Method of rods. [méthode des bâtonnets], 5=1796
Le Montagner,S., Le Bot,J., Hagene,M., Lasbleis,F. and Le Page,M. Study of the dielectric constant of ferroelectric alkaline phosphates and arsenates at very low temperatures, 6=3708
Le Montagner,S. and A.Le Traon. Observation of dielectric relaxation and of displacement of the transition temperature

Okada,T. The measurements of the galvanomagnetic tensors of bismuth, 8=6984. Oscillatory properties of galvanomagnetic effects of bismuth, 9=1490. The theory of the Hall effect in polar semiconductors, 9=3442. The ellipsoid model of the galvanomagnetic effects in semiconductors, 9=3449. The phenomenological theory of the galvanomagnetic effect, 9=4627

Okai,S. See also Fujimoto,Y., 7=6443

Okai,S. and Sano,M. Stripping reactions and nuclear shell model, 6=8955. Deuteron stripping reactions and nuclear shell structure, 6=8956

Okamoto,H. See Nishioka,A., 5=4622; Tuzi,Y., 9=5186, 9=10353

Okamoto,H. and Tuzi,Y., Adsorption of water vapour on glass and other materials in vacuum, 9=10352

Okamoto,K. Relation between the quadrupole moments and the widths of the giant resonance of photonuclear reaction, 7=718. Intrinsic quadrupole moment and the resonance width of photonuclear reactions, 9=673. See also Levinger,J.S., 7=7309

Okamoto,S. See Kobayashi,J., 6=8761

Okamoto,Y. Optical absorption of silver chloride and silver bromide crystals, 9=3282

Okamura,T. Resonance absorption in ferrites, 5=9391. See also Torizuka,Y., 5=6928

Okano,J. Preliminary report on an electromagnetic isotope separator, 8=6365

Okano,K. See Kikuchi,S., 9=352; Muto,J., 9=1807

Okawati,A. See Tamura,Y., 9=6391

Okaya,A. Some devices for the stark modulation millimeterwave spectrograph, 6=1053. The microwave hyperfine spectrum of formaldehyde, 6=3629. A theoretical analysis of the magnetic hyperfine structure of the microwave spectrum of C_{2v} molecules, 6=3893

Okaya,Y. See also Hirokawa,S., 9=13953; Hoshino,S., 9=6265, 9=13958; Pepinsky,R., 7=1754, 8=166, 8=7883, 8=8525, 9=1417, 9=2304, 9=3425

Okaya,Y. and Pepinsky,R. New formulation and solution of the phase problem of X-ray analysis of noncentric crystals containing anomalous scatterers, 7=889

Okaya,Y., Saîto,Y. and Pepinsky,R. New method in X-ray crystal structure determination involving the use of anomalous dispersion, 5=8411

Okazaki,A. Scattering of polarized neutrons by heavy nuclei, 5=8299. The crystal structure of germanium selenide GeSe, 9=10376. The variation of superstructure in iron selenide Fe_7Se_8, 9=13931. See also Asanabe,S., 9=310, 9=11060; Hashimoto,K., 9=4592; Matumura,O., 5=2306; Moriguchi,Y., 8=614; Tubota,H., 5=2753-4

Okazaki,A. and Hirakawa,K. Structural study of iron selenides $FeSe_x$. I. Ordered arrangement of defects of Fe atoms, 7=785

Okazaki,A. and Ueda,I. The crystal structure of stannous selenide SnSe, 6=5537

Okazaki,C. See Kubota,B., 5=9765

Okazaki,M. See Kaneko,S., 5=9750, 6=4669, 8=6154

Okazaki,S. and Oki,H. Noise in germanium, 6=1219

O'Keefe,G. See Bray,P.J., 7=2498

O'Keefe,J.A. The Antares system, 6=1784. Resolving power of visible light, 6=4965. Lunar rays, 7=9500

O'Keefe,J.A., Eckels,A. and Squires,R.K. Vanguard measurements give pear-shaped component of earth's figure, 9=11767

O'Keefe,J.G. See Ring,P.J., 9=4049

O'Keeffe,T.W. See Cassels,J.M., 7=9906, 9=1669

O'Kelley,G.D. See also Johnson,N.R., 8=318, 9=7315; Lazar, N.H., 6=2349, 8=4273

O'Kelley,G.D., Lazar,N.H. and Eichler,E. Decay chain Ca^{49}—Sc^{49}—Ti^{49}, 6=2351. Decay of Rb^{89}, 6=3935

Okhotsimskiĭ,D.E. and Éneev,T.M. Some variational problems associated with the lauching of an artifical earth satellite, 8=4689

Okhotsimskiĭ,D.E., Éneev,T.M. and Taratȳnova,G.P. Determination of the lifetime of an artificial earth satellite and a study of the secular perturbations of its orbit, 8=4690

Okhuysen,P., Jr and Millett,W.E. Angular distribution of fast neutrons scattered by magnesium, 6=8389

Okhuysen,P.L., Bennett,E.W., Ashe,J.B. and Millett,W.E. Detection of fast neutrons by the associated particle method, 9=3708

Oki,H. See Okazaki,S., 6=1219

Oki,S. See Kumabe,I., 7=5636, 8=8340

Okkerse,B. Self-diffusion of gold, 6=8983. See also Gonser,U., 7=4336, 9=828, 9=8870; Lazarus,D., 7=5666

Okkes,R. See Gerritsen,H.J., 5=9766

Okonogi,H. See Iwata,K., 5=9426; Ogawa,S., 5=58

Okonov,É.O. On the possible existence of the Ξ^0-hyperon, 9=2666

O'Konski,C.T. Calculation of electrostatic binding energies in systems of isotropic ions, 5=8110. Effect of interfacial conductivity on dielectric properties, 5=9636. See also Harris,F.E., 5=7004

O'Konski,C.T. and Flautt,T.J. Nuclear quadrupole resonances in nitrogen compounds. I. Ammonia, deuteroammonia and trimethylamine, 7=9793

O'Konski,C.T. and Higuchi,W.I. Structure and calculation of the binding energy of gaseous alkali halide dimers, 5=8111

Okrasinski,M. See Cheroff,G., 7=9965

Oksengorn,B. Perturbation of the near ultraviolet absorption spectrum of benzene vapour by foreign gases compressed up to 1000 kg/cm^2, 5=7851. Effects of temperature and density on the absorption spectrum in the medium ultraviolet of liquid benzene. Variation of this absorption spectrum on solidification of liquid benzene, 6=6522. Perturbation of the near ultraviolet absorption spectrum of the vapours of toluene and meta-xylene by foreign gases compressed up to 1500 kg/cm^2, 7=2020. Perturbations of the near ultraviolet absorption spectra of the vapours of several monosubstituted halogen derivatives of benzene by inert gases compressed to 1500 kg/cm^2, 7=7001. Effects of pressure on the absorption band of the benzene–iodine complex and on the absorption spectrum of benzene in the complex state, 9=12030. See also Coulon,R., 5=1675

Oksengorn,B. and Vodar,B. Cells for the study of absorption spectra of liquidifed gases or liquids as a function of pressure and temperature. Tests with liquid benzene, 6=1057

Oksman,Ya.A. See Vertsner,V.N., 8=1705

Ôkubo,S. Diagonalization of Hamiltonian and Tamm-Dancoff equation, 5=4368. Anomalous magnetic moment of the nucleon, 8=683. Decay of the Σ^+ hyperon and its antiparticle, 8=1886. Note on the conserved current in the weak interactions, 9=11816. See also Fukuda,N., 5=736; Gamba, A., 9=10593; Marshak,R., 7=6606; Weinberg,S., 8=7282

Okubo,S. and Marshak,R.E. Velocity dependence of the two-nucleon interaction, 8=6639

Okubo,S., Marshak,R.E. and Sudarshan,E.C.G. Isotopic spin selection rules and K_2^0 decay, 9=4948. V–A theory and the decay of the Λ hyperon, 9=6047

Okubo,S., Marshak,R.E., Sudarshan,E.C.G., Teutsch,W.B. and Weinberg,S. Interaction current in strangeness-violating decays, 9=4946

Okuda,M. Electronic structures and electronic spectra of p-quinoid compounds, 7=3492. See also Tanaka,I., 5=597

Okuda,T. See also Yamamoto,K., 6=1324, 7=1341

Okuda,T. and Yamamoto,K. Disturbance by probe in plasma, 6=3762. Electron collection and electron sheath, 8=4082. A new probe method for measuring ionized gases, 9=11149. Disturbance phenomena in probe measurement of ionized gases, 9=12406

Okudaira,K. See Nakagawa,S., 6=3814, 8=8103

Okuma,J. See Asada,T., 9=8458

Okumura,K. Ultraviolet absorption in barium oxide films, 5=1694

Okumura,M. See Asada,T., 9=351, 9=8458

Okun',L. Strange particles (isotope multiplet scheme), 7=9404. On the polarization of μ-mesons in $K_{\mu3}$-decays, 8=5239. See Ioffe,B., 7=7406

Okun',L. and Pontekorvo,B. Some remarks on weak processes of elementary particle transformation, 8=1810

Okun',L. and Rudik,A. On possible correlations in π–μ–e decay, 7=9913

Okun'L.B. Charge exchange of K-mesons in hydrogen and deuterium, 6=6196. Isotopic invariance and strange particles, 7=1642. On the probability of decay of a Σ-particle, 7=2688. On μ-disintegrations of K-mesons and hyperons, 7=7435. On the K_{e3}-decay, 8=1881. Some remarks on the compound model of elementary particles, 8=6636. See also Baz',A.I., 9=2664; Ioffe,B.L., 7=8386; Ivanter,I.G., 7=7616; Kobzarev,I.Yu., 6=7717, 8=293, 8=1889, 9=9986; Leĭkin,E.M., 7=5815

Okun',L.B. and Pomeranchuk,I.Ya. Isotopic invariance and the cross-section for the interaction of high-energy π-mesons and nucleons with nucleons, 6=6889. On peripheral interactions of elementary particles, 9=8440. 9=11815

Okun',L.B., Pomeranchuk,I.Ya. and Shmushkevich,I.M. On the interaction of Ξ^--hyperons with nucleons and light nuclei, 9=555

Okun',L.B. and Šehter,V.M. On the polarization of electrons from the decay of muons, 9=2603

Okun',L.B. and Shekhter,V.M. On the polarization of electrons emitted by decaying μ-mesons, 9=539

Okun',L.B. and Smushkevich,M.I. Capture of K^--mesons in deuterium and interaction of hyperons with nucleons, 6=8368

Okuneva,N.M. See Bredov,M.M., 7=9730, 8=4077

Okuno,H. See Muto,T., 6=6815, 7=4885, 7=4887, 9=6255

Okura,H. Oscillator strength of M-centre of KCl, 9=10233. See also Kawamura,H., 9=6993, 9=10977

Olagorta,M.A. See Vigon,M.T., 6=4134

Olbert,S. Production spectra of cosmic-ray mesons in the atmosphere, 5=1036

Olbert,S. and Stora,R. Theory of high-energy N-component cascades, 8=1753

Olbricht,K.H. and König,H. Debye–Scherrer diagrams of thin layers, 7=868

Olcina Amador,P.V., Costell Landete,F. and Fernández Alonso, J.I. Ferromagnetic ceramics; preparation of ferrites by means of solid state reactions, 9=13445

Oldekop,W. Contributions to the theory of conductivity and viscosity of molten salts, 5=3487. The ϵ-factor in quasi-homogeneous reactors, 9=1790. Remarks on the theory of resonance escape in homogeneous reactors, 9=3946. On the theory of a measuring method for the resonance transition probability, 9=13720. See also Humbach,W., 9=13721

Oldenberg,O. Conclusions from the characteristic curves of photographic plates, minimum effect of grain, 6=4136. Duration of atomic collisions, 7=3618. See also Bryan,R.B., 7=5434; Carleton,N.P., 8=5757; Groth,W.E., 5=5481

Oldfield,L.F. See Edge,J., 9=11699

Oldroyd,D.L. See McFarlane,W., 6=4434

Oldroyd,J.G. A discussion on the first and second viscosities of fluids: Note on the hydrodynamic and thermodynamic pressures, 5=89. The effect of interfacial stabilizing films on the elastic and viscous properties of emulsions, 6=3344. Non-Newtonian effects in steady motion of some idealized elastico-viscous liquids, 8=3757. The rheology of some two-dimentional disperse systems, 8=4490

Olds,G.C.E. Mechanisms of creep in a precipitation hardened alloy, 5=1303

O'Leary,A.J. A misconception concerning dimensions, standards and units, 6=2623. On a derivation of the equation for the speed of sound by W.W.Sleator, 7=5939

Oleĭnik,M.I. See Gladkovskiĭ,V.A., 8=4469

Oleksa,S. Clouded crystal ball analysis of the in-elastic scattering cross section of a neutron into the isomeric level $(13/2^+)$ of $_{82}Pb^{207}$, 6=2417. Neutron scattering cross section of U^{233}, 9=689. See also Elwyn,A.J., 9=6108; Landon,H.H., 9=7364; Muehlhause,C.O., 7=4751*

Oleś,A. See Kogut,M., 6=7500; Massalski,J.M., 9=5859

Olesen,K. See Maack Bisgard,K., 9=13637

Olesen,M.C. See Elbek,B., 8=7366, 9=8591; Ramšak,V., 8=5356

Oleson,N.L. See also Emeleus,K.G., 9=9675; Watanabe,S., 6=4522

Oleson,N.L. and Cooper,A.W. Moving striations, 7=4417

Oleson,S.K. and Ingard,U. Acoustic characteristics of model pulsed jets, 8=2203

Olette,M. Nernst–Magnus type calorimeter for the measurement of heat capacities up to 1600°C, 7=6130. Measurement of the capacity of silicon between 1200° and 1550° C, 7=7071

Olfe,D. and Penner,S.S. Relation between gas absorptivities and emissivities, 9=13167

Oliete,J.L. See Fernandez- Alonso,J.I., 9=11535

Olinto,A.C. See Gross,B., 9=12908

Oliphant,M.L. The acceleration of protons to energies above 10 GeV, 6=5943

Oliphant,T.A., Jr. Angular momentum distributions in the Thomas–Fermi–Dirac model of the atom, 7=2561

Oliphant,W.D. Xeroradiography. I. Apparatus and method of use, 7=1827

Oliphint,C. Calculation of the specific heat of some alkali halides, 9=13236

Oliva,J. See also Baleriola,E., 6=9151

Oliva,J. and Aguilar,M. Distribution of sensory units in the extra-fovea, 6=3406. Zones of partial summation, 6=8536

Oliva,J. and Baleriola,E. Differential thresholds and visual acuity at fixed adaptational levels, 6=4760

Oliveira,C.G. and Tiomno,J. π—e decay and the universal interaction, 9=7275

Oliver,A. A study of emulsions of the Demers type, 9=14003

Oliver,A.R. See Blau,M., 6=4666

Oliver,D.J. Fluctuations in the number of electrons and holes in a semiconductor, 7=5320. Current noise in indium antimonide, 7=5331. See also Hilsum,C., 5=9671

Oliver,D.R. See Higginbotham,G.H., 9=80

Oliver,J. Elastic wave dispersion in a cylindrical rod by a wide-band short-duration pulse technique, 7=4050. See also Press,F., 5=2500

Olivetti,M. See Favella,L., 9=7259

Olivier,J. Visibility of light sources in fog: Application to the problem of landing under bad weather conditions, 6=838. The visibility of luminous sources in fog. Effect of the luminances of natural light, 7=9477

Ol'khovskii,I.I. A method of moment approximations in generalized hydrodynamics, 9=13063

Olkowsky,J. See also Atterling,H., 7=7367; Beydon,J., 6=2390, 7=7366; Chaminade,R., 6=2954; Crut,M., 7=8150; Faraggi,H., 7=1585

Olkowsky,J., Gratot,I., Le Pape,M. and Cohen,L. A new terbium isotope of mass 152—alpha emitter, 9=10059. Spallation of terbium by 170 MeV protons. I. Qualitative, 9=10105. A new isotope of gadolinium, very deficient of neutrons, 9=12638

Olkowsky,J., Valladas,G. and Cohen,L. Ionization chamber for short half-life α emitters, 7=1405

Ollendorff,F. On the radiation induced acceleration of elementary electric particles, 5=2798. Wave-mechanical correction for the Richardson–Dushman emission formula, 9=7057. On unipolar induction, 9=7207

Ollerton,E. See Fessler,H., 8=895

Ollom,J.F. See also Gunton,R.C., 5=1702; Kambe,K., 6=1445; Rexroad,H.N., 6=5303

Ollom,J.F., Sinisgalli,A.A., Rexroad,H.N. and Gunton,R.C. Microwave spectrum and molecular structure of $(CH_3)_3SiBr$, 6=3631

Olmos,A.W. See Giguere,P.A., 5=5379

Olness,J.W., Haeberli,W. and Lewis,H.W. Levels of Cl^{33} from $S^{32}(p, p)S^{32}$ and $S^{32}(p, p'\gamma)S^{32}$, 9=3829

Olness,J.W., Vorona,J. and Lewis,H.W. Elastic and inelastic scattering of protons by N^{14}, 9=5039

Olney,B. and Anderson,R.S. Acoustics of the Rochester (New York) War Memorial auditorium, 7=4105

O'Loane,J.K. See also Newman,C., 7=2514

O'Loane,J.K. and Wilson,M.K. Infrared spectrum of SOF_2, 5=7844

Olsen,A.L., Johnson,D.J. and Pierson,H. Auxiliary recording system for the Perkin–Elmer model 21 spectrophotometer, 6=4291

Olsen,A.L. and Kruse,H.W. Infrared spectra of trimethylhydrazine [1] and its oxidation products [2], 7=251

Olsen,C.E. See Cromer,D.T., 9=13928

Olsen,H. Out- and in-going waves in final states and the bremsstrahling, 5=9705. Out and in-going waves in final state, 7=5833. Note on multiple scattering theories, 7=5863. Photoelectric effect from polarized photons. I-II, 9=12732 See also Johnansen,A., 7=5944

Olsen,H. and Maximon,L.C. Electron and photon polarization in bremsstrahlung and pair production, 8=6126. Photon and electron polarization in high-energy bremsstrahlung and pair production with screening, 9=9930

Olsen,H., Maximon,L.C. and Wergeland,H. Theory of high-energy bremsstrahlung and pair production in a screened field, 7=5401

Olsen,H., Romberg,W. and Wergeland,H. Reaction of sound waves and its application for absolute measurement of intensity, 8=2924. Radiation force on bodies in a sound field, 9=156

Olsen,H., Wergeland,H. and Øveraas,H. On the determination of multiple scattering from ionization tracks, 5=340

Olsen,H., Wergeland,H. and Øverås,H. On a statistical problem in emulsion microscopy, 7=7538

Olsen,H., Wergeland,H. and Westervelt,P.J. Acoustic radiation force, 9=159

Olsen,H.L. See also Berl,W.G., 7=1230

Olsen,H.L. and Gayhart,E.L. Effect of turbulence on incipient flame propagation, 5=2676

Olsen,J.L. Change of elastic constants in a superconductor, 5=3790. Magnetoresistance and size effects in indium at low temperatures, 9=11055. See also Grassmann,P., 5=4680

7=411; Hoff,R.W., 6=5354; Lüthi,B., 6=5215

Olsen,J.L., Mann,L.G. and Lindner,M. Internal bremsstrahlung and decay scheme of Sb^{119}, 7=8128

Olsen,J.L. and Rohrer,H. The volume change at the superconducting transition, 7=8636

Olsen,K.H. See also King,R.B., 5=5980

Olsen,K.H., Routly,P.M. and King,R.B. Relative 'f' values of Ca I, 5=7827. Relative gf-values for lines of Ca I, 9=13156

Olsen,K.M. See Pfann,W.G., 6=3420; Wenny,D.H., 9=975

Olsen,L.O. and Waite,R.W. Effectiveness of the Case-General Electric science fellowship program for high school physics teachers, 5=9393

Olsen,T. Rotational flow of a viscous liquid, 6=5728. See also Morse,R.W., 9=13327

Olson,A.R. See Karo,A.M., 9=8737

Olson,C.A. and Spencer,L.V. Energy spectra of cascade electrons and photons, 8=4215

Olson,C.D. and Pohm,A.V. Flux reversal in thin films of 82% Ni, 18% Fe, 9=420

Olson,D.M. See Smith,M.C., 7=8227

Olson,D.N. See Frisch,O.R., 9=13537

Olson,E L. See Handley,T.H., 5=1146, 5=6417

Olson,H.F. Electronic control of noise, vibration, and reverberation, 7=196. Acoustoelectronic auditorium, 9=9362

Olson,H.F. and Belar,H. Electronic music synthesizer, 5=6848. Phonetic typewriter, 7=3106

Olson,N. See Romanowski,M., 8=3981

Olson,O.H. See Pontarelli,D.A., 8=6793

Olson,R. and Rodriguez,S. Magnetoresistance of single crystals of copper, 8=7987

Olson,R.A. See Allen,R.C., 7=2669

Olson,R.G. Dynamic simulation of a fast reactor, 7=9492

Olson,R.K. See Stern,S.C, 9=8973

Olson,R.L. Construction of the SRE core, 5=8276

Olsson,I. A C^{14} dating station using the CO_2 proportion counting method, 8=8180

Olsson,O. A theoretical study of the time energy distribution of slowed-down neutrons, 6=3297

Olsson,O.M. and Hultberg,S. A theoretical study of the internal conversion with special application to magnetic dipole transitions, 9=11453

Olszak,W. On the bases of the theory of non-homogeneous elasto-plastic bodies. I, 6=724. On the foundations of the theory of non-homogeneous elasto-plastic bodies. II, 7=798. The plane problem of the theory of plastic flow of non-homogeneous bodies, 7=2744. On a classification of non-homogeneous elasto-plastic bodies, 7=2745

Olszak,W. and Zyczkowski,M. On the fundamentals of the theory of elasticity of physically non-linear non-homogeneous bodies, 7=2737

Olszewska,I. See Szymanowski,W., 8=6845

Olszewski,S. Electronic interaction in the free-electron model for non-branched conjugated systems, 6=6824. Remarks on the theory of absorption spectra of symmetrical cyanine dyes and polyenes, 7=5987. Interaction energy of electric charges in a very thin tube, 7=9671. On the free-electron theory of absorption spectra of some linear conjugated systems, 9=5517

Olt,R.G. See Curtis,M.L., 5=8195

Olving,S. See Meos,J., 8=4564

Om Parkash. See Macpherson,I., 5=9119

Omar,M. and Kenawi,M. The etching of diamonds by low pressure oxygen, 7=8930

O'Mara,J.H. See McIntyre,D., 9=5409

Omel'yanovskaya,N.M. See Lashkarev,V.E., 8=1056

Omholt,A. Electron density in the E-layer during auroral displays deduced from measurements of absolute brightness of the auroral luminosity, 5=653. Intensity measurements of the second positive band system of nitrogen in high-latitude aurorae, 5=4243. The auroral E-layer ionization and the auroral luminosity, 5=10129. Characteristics of auroras caused by angular dispersed protons, 6=7903. Secondary processes due to absorption of the Lyman lines emitted from aurorae, 6=8526. Intensity measurements of the green auroral oxygen line and the negative nitrogen bands emitted from rapidly varying aurorae, 6=9134. The recombination coefficient in the E-layer during aurorae, 7=944. A problem in connection with the determination of the intensity distribution in a line spectrum, 7=1178. Photometric observations of rayed and pulsating aurorae, 8=463. Considerations regarding the sodium lines in the nightglow and twilight, 8=4590. See also Vegard,L., 5=5794

Omholt,A. and Harang,L. Measurements of the mean liftime of the metastable ^1S-state of the oxygen atom in the upper atmosphere during auroral displays, 6=4758

Omnès,R. Feynman's principle in non-relativistic quantum mechanics, 5=3464. A possible method for the determination of the sign of the quadrupole moment of Cd^{111}, 7=1511. Study of multiple meson terms in the equation of Chew and Low, 7=5062. Complete system of integral equations of the Low type, 7=6886. A system of general relativistic equations of Low type, 7=7608. Conform-invariant field theories, 8=492. Pair production of positive mesons by one meson, 8=701. On the solution of certain singular integral equations of quantum field theory, 8=3630. See also d'Espagnat,B., 7=9408; Froissart,M., 8=883, 8=6643

Omori,Y. A device for calibration of anemometers for air flow of low velocities, 7=4032

Omura,I. See also Higasi,K., 6=5296, 7=2359

Omura,I., Baba,H. and Higasi,K. The ionization potentials of some conjugated molecules, 5=7249

Onak,T.P. See Lehmann,W.J., 9=6736-7

Onaka,R. Excitation spectra of silver activated alkali halide phosphors, 5=6943. Hyperfine splitting in the $p^5\ ^2P_{\frac{1}{2}}$ metastable state of I^{127}, 7=6988. Study of the $A^1\Pi \rightarrow X^1\Sigma^+$ bands of $B^{11}F$ with a vacuum echelle spectrograph, 7=8512. Perturbation at v=6 of the $A^1\pi$ state of CO, 7=9298. Grating mounting for vacuum ultraviolet monochromator, 9=4426

Onaka,R. and Nakamura,M. Photoelectric studies of near infrared OH emissions of night sky. II. Measurement of absolute intensity and brightness standard, 8=6552. Brightness standard for night airglow photometers of OIλ 5577, 9=6440

Oncescu,M. Structure of thin Sn layers, 8=8460. The thermic coefficient of resistivity of tin in thin layers, 9=4567. See also Ciorăscu,F., 9=4565, 9=12235

Oncley,J.L. Chemical characterization of proteins, carbohydrates and lipids, 9=8984. See also Thompson,T.E., 9=3024

Oncley,J.L., Ludwig,M. and Thompson,T.E. Microcomparator illumination system for improved resolution of Rayleigh diffusiometer diagrams, 9=3372

Oncley,P.B. See Petermann,L.A., 7=7695

O'Neal,H.E. and Gregory,N.W. Vacuum adiabatic heat capacity calorimeter, 9=8050

Oneda,S. On the universal interactions. II. K-meson decays into pions, 7=8177. A possible test of the primarity of the weak interactions comprising leptons, 8=2769. Two-component theory of the neutrino and K-meson decays comprising two neutrinos, 8=2777. Strange particle decays and the universal V–A four-fermion interaction, 9=8478. See also Kamefuchi, S., 8=6164

Ôneda,S., Hori,S. and Wakasa,A. On the elementarity of the weak boson—fermion interaction. I, 7=745; II, 746. On K-meson decays and the universal interactions, 7=747

Oneda,S. and Kamefuchi,S. Some remarks on K-meson decays, 8=5238

Oneda,S. and Pati,J.C. V–A four-fermion interaction and the interaction and the intermediate charged vector meson, 9=5367

Oneda,S. and Tanikawa,Y. Consequences of renormalizable weak interactions, 9=5360

Ondracek,M. Measurement of the viscosity of glass, 5=8533. Mass spectrograph of the (Czechoslovak) Research Institute for Vacuum Technology, 6=2188

Oneda,S. See also Iwata,K., 5=9426; Ogawa,S., 5=58; Umezawa, H., 5=713, 5=5867

Oneda,S. and Wakasa,A. On the universal interactions, 6=7974

O'Neill,E.L. Transfer function for an annular aperture, 6=3650. Graininess and entropy, 9=6426

O'Neill,G.D. On the space-charge-limited current between non-symmetrical electrodes, 5=8048

O'Neill,G.K. A direct reading analyzer for short time intervals, 5=4756. Storage-ring synchrotron: device for high-energy physics research, 6=6718

O'Neill,G.K. and Woods,E.J. Intersecting-beam systems with storage rings, 9=13384

O Neill,J.J. See also Dreher,J.J., 8=3833

O'Neill,J.J. and Dreher,J.J. Masking of English words by prolonged vowel sounds, 9=971

O'Neill,P.L. See Jones,D.P., 9=678

O'Neill,W.J., Sundahl,E. and Ostrander,H. An absorber system for scattering experiments, 9=13523

Onesto,N. See Braitenberg,V., 9=5282

Ong,R.S. Characteristic manifolds in three-dimensional unsteady

magnetohydrodynamics, 9=8383
Ong Ping Hok. Rotational levels in the beta decay of protactinium isotopes, 6=616
Ong Ping Hok and Arbman,E. The electron capture decay of ^{228}Pa, 7=1545
Ong Ping Hok and Kramer,P. The beta-decay of ^{233}Pa, 5=9862
Ong Ping Hok, Kramer,P. and Meijer,G. The decay of ^{90}Nb, 5=3051
Ong Ping Hok, Kramer,P., Meijer,G., Fennema,J.W.R. and Zijp,W.L. The beta-decay of ^{230}Pa, 6=3148
Ong Ping Hok, Verschoor,J.T. and Born,P. The decay of the Ux-complex, 6=6114
Ong Sing Poen. See also Le Poole,J.B., 7=1820
Ong Sing Poen and Le Poole,J.B. A focusing aid for the X-ray projection microscope, 8=5944. A critcal comparison of projection microradiography and the 2X method, 9=4663. Comments of V.E.Cosslett: The comparative merits of different methods of microradiography, 9=12930
Onishi,T. See also Arai,T., 7=3551; Imai,N., 9=7837
Onishi,T. and Yamamoto,M. Relaxation spectrum of chain high polymeric substances, 9=11607
Onley,J.W. See Boynton,R.M., 9=10457
Ono,K. On bound Λ^0 particles, 6=6926. Paramagnetic resonance absorption in chromous sulphate pentahydrate, 9=8338. See also Abe,H., 5=2880, 7=1490; Kumagai,H., 5=8901, 9=13382; Matsushima,T., 9=5403; Shimada,J., 6=3023
Ono,K. and Matsushima,T. The surface tension of liquid sulfur, 7=9561
Ôno,K., Shimada,J., Kuroda,K. and Tanaka,S. Angular distribution of proton groups from the reaction $F^{19}(d,p)F^{20}$, 8=2564
Ôno,K., Shimada,J., Kuroda,K., Tanaka,O., Kamitsubo,H., Ito,A., Tanaka,S. and Imaizumi,M. Yields and angular distributions of protons from $F^{19}(d,p)F^{20}$ and $F^{19}(d,p)F^{20}*$, 9=10112
Ono,K.and Yokoi,K. On Fermi's theory of multiple production, 6=3292
Ōno,M. Time change of permeability and hysteresis loop due to diffusion after-effect in ferromagnetics, 9=7167. See also Ito,D., 7=717
Ono,S. The quantum-statistical theory of transport phenomena, III. Course-grained phase- space distribution functions, 5=1547, 5=9391. Equation of state and surface tension of liquid, 9=3200. A note on the variation principle in the kinetic theory of gases, 9=4364
Onoe,M. Contour vibrations of isotropic circular plates, 7=3071. Gravest contour vibration of thin anisotropic circular plates, 9=128. Contour vibrations of thin rectangular plates, 9=1176
Onogi,S., Hamana,I. and Hirai,H. Viscoelastic properties of concentrated solutions of polyvinyl alcohol, 9=4347
Onoprienko,M.I. See Broude,V.L., 9=10780
Onsager,L. Diamagnetism in metals, 5=9391. See also Penrose, O., 7=2130
Onu,V. See Şchiopu,M., 9=6850
Onuki,M. See Kawamura,H., 5=5413; Kimura,M., 8=4061
Onwumechilli,C.A. See Alexander,N.S., 7=9987
Ooba,N. See Yoshié,K., 9=6673
Ooijen,D.J.van. See van Ooijen,D.J.
Ookawa,A. On the mechanism of deformation twin in f.c.c. crystal, 8=4517. See also Fukushima,E., 6=1732, 8=6432
Ookuma,J. See Asada,T., 9=351
Oomura,T. See Chikazumi,S., 6=474
Oordt,A.J.van der Houven van. See van der Houven van Oordt, A.J.
Oort,J.H. Solid particles in extra-galactic nebulae: introductory report, 6=872*. Measures of the 21 cm line emitted by interstellar hydrogen, 7=3907
Oort,J.H. and Spitzer,L.,Jr. Acceleration of interstellar clouds by O-type stars, 5=5171
Oosawa,F. and Imai,N. Note on solutions of linear polyelectrolyte molecules, 5=2475
Ooshika,Y. A semi-empirical theory of the conjugated systems. I. General formulation, 9=8743; II. Bond alternation in conjugated chains, 9=8744. See also Chikayama,A., 9=8730; Oshida,I., 6=523
Oosterhout,G.W.van See van Oosterhout,G.W.
Oosterkamp,W.J. See Tol,T., 5=316
Oosterom,J.F. See Meyer,G., 9=8036-7
Opekunov,A.A. See Gonikberg,M.G., 9=12062
Ophel,T.R. The photodisintegration of potassium by $^7Li(p,\gamma)$ radiation, 9=666. See also Hwang,C.F., 9=11366
Ophel,T.R. and Wright,I.F. Photodisintegration of sodium by $^7Li(p,\gamma)$ radiation, 8=1975
Öpik,E. The distribution of meteor stream intensity over the celestial sphere, 6=872*. Dust and star formation in supernova explosions, 6=1787. The masses of meteors, 6=1805
Öpik,E.J. Meteor radiation, ionization and atomic luminous efficiency, 5=6691. Problems in the physics of meteors, 8=3647
Öpik,U. The Layzer approximation for the treatment of collisions of electrons with atoms, 5=5482. See also Longuet-Higgins, H.C., 8=4384
Öpik,U. and Pryce,M.H.L. Studies of the Jahn-Teller effect. I. A survey of the static problem, 7=6395
Opitz,H.E. See Mayo,D.W., 5=8617
Optiz,W. Superconductivity and resistance of thin indium films with lattice faults and foreign metal additions, 5=7977
Opler,A. and Yeaman,M.D. Calculation of C.I.E. coordinates of color tolerance ellipsoids, 7=4254
Oppelt,J. A new type of ionization radiation monitor, 9=8416
Oppenheim,A.K. On intracardiac pressure measurement, 8=2715
Oppenheim,A.K., Sternling,C.V., Sleicher,C.A., Jr and Stern, R.A. Fluid dynamics, 9=5397
Oppenheim,A.K., Urtiew,P.A. and Stern,R.A. Peculiarity of shock impingement on area convergence, 9=10711
Oppenheim,I. Quantum mechanical effects on the surface tension of simple liquids, 9=2133. See also Mazur,P., 7=8578; Nelms,A.T., 6=3919
Oppenheim,I. and Mazur,P. Density expansions of distribution functions. I. Virial expansion for finite closed systems; canonical ensemble, 7=8577
Oppenheim,I. and Ross,J. Temperature dependence of distribution functions in quantum statistical mechanics, 7=7629
Oppenheim,U. Semireflecting silver films for infrared interferometry, 6=7319. See also Jaffe,J.H., 7=9056
Oppenheim,U. and Jaffe,J.H. Interference in an optical wedge, 7=3168
Oppenheim,U.P. Experimental verification of theoretical relations between total gas absorptivities and total gas emissivities for CO, 9=8030
Oppenheimer,E. See Jobling,A., 9=1907
Oppenheimer,F. See Alvarez,L.W., 5=4732
Opstelten,J.J. and Warmoltz,N. A double-sided micromanometer, 5=7728
Opstelten,J.J., Warmoltz,N. and Zaalberg van Zelst,J.J. A direct-reading double-sided micromanometer, 7=1097
Oquidam,B. and Jancovici,B. Nuclear matrix elements for some 1st-forbidden unique β transitions, 9=10016
Oraevskiĭ,A.N. See Basov,N.G., 7=4591
Ó Raifeartaigh,L. Fermi coordinates, 8=2727. A static generalization of the Einstein universe, 8=3689
Ó Raifeartaigh,L. and Synge,J.L. A property of empty spacetime, 8=5601
Oram,P.J. See Hyder,H.R.McK., 8=6343
Orbach,R. Linear antiferromagnetic chain with anisotropic coupling, 9=4777
Orbach,R. and Pincus,P. Excitation of spin waves in an antiferromagnet by a uniform rf field, 9=5901
Ordway,G.L., Cross,P.C. and Bair,E.J. Asymmetric rotor. XII. The infrared spectrum of hydrogen sulfide from 7480 to 7880 cm^{-1}, 5=5553
Ordzhonikidze,K. and Shyuttse,V. Investigation of the isotropic constitution of lithium, 6=8336
Ore,A. Entropy of radiation, 5=6998. Intermolecular energy transfer and concentration depolarization of fluorescent light, 9=10805. See also Skoglund,A., 6=8171
Orear,J. Device for accurate location of events in nuclear emulsion, 5=681. Measurement of Coulomb interference in 113-MeV π^+-p scattering, 5=1246. Preparation of emulsion chambers suitable for quick tracing of all tracks, 5=1433. Energy dependence of the phase shifts in pion-proton scattering, 6=697*. Evaluation of the scattering lengths in pion-nucleon scattering, 7=3369. Evidence against spin 1 for the τ meson, 7=7426. See also Baumel,P., 8=8254; Bierman,E., 9=4920; Harris,G., 6=1618, 6=4020, 7=6604, 8=1880, 8=2479; Lee,T.D., 6=3252; Lynch,G., 9=3758; Nordin,P., 9=2659; Taylor,S., 9=7228, 9=7283
Orear,J., Glasser,R.G., Haskin,D.M. and Schein,M. High-energy electron pair produced by 113-MeV positive pion, 5=2206
Orear,J., Harris,G. and Bierman,E. Influence of strong magnetic field on depolarization of muons, 7=9910

Orear,J., Harris,G. and Taylor,S. Spin and parity analysis of betatron τ mesons, 6=6195. Heavy meson lifetimes, 7=3710
O'Reilly,D.E. Quadrupolar broadened nuclear magnetic resonance of polycrystalline solids, 8=8432. Paramagnetic resonance of vanadyl etioporphyrin I, 9=2878
O'Reilly,D.E., Leftin,H.P. and Hall,W.K. Nuclear magnetic resonance of proton dilute silica gel and silica aluminas, 9=2984
O'Reilly,E.J., Jr. See Lippincott,E.R., 5=2601
Orem,T.H. Growth of preferentially oriented aluminum single crystals, 9=2989. Twinned epitaxy of copper on copper, 9=2991
Oreshkin,P.T. Experimental models of a high temperature thermistor, 9=3403
Orgel,A.R. and Smith,J.C. Test of the magnetic theory of homing, 5=4246
Orgel,L.E. Spectra of transition-metal complexes, 5=5996. Ionization potentials and charge-transfer spectra of substituted benzenes, 5=8969. Band widths in the spectra of manganous and other transition-metal complexes, 6=215. Phosphorescence of solids containing the manganous or ferric ions, 6=1098. Electronic structures of transition-metal complexes, 6=1449. The hydrogen bond, 9=8746. Lattice distortions due to d–s mixing, 9=12760. Nuclear magnetic resonance spectra of compounds of the B-subgroup metals, 9=13477. See also Dunitz,J.D., 5=6365, 7=2846; George,P., 6=8456; Griffith,J.S., 7=6415, 8=5465
Orhaug,T. See Lied,F., 8=8545
Oriani,R. Contributions to the change in Knight shift upon the melting and alloying of the alkali metals, 9=13821
Oriani,R.A. Supercooling in a binary liquid misability-gap system, 6=9000. Relation of magnetic disordering to the thermodynamics of solid metallic solutions, 9=1586
Oriani,R.A., McCliment,E. and Youngblood,J.F. Nuclear magnetic resonance of hydrogen in metals, 7=9830
Oriani,R.A. and Murphy,W.K. Thermodynamics of ordering alloys. III. Energies of transformation of the $Au_{1/2}Cu_{1/2}$ phases, 9=9575
Orient,O. Fatigue effects on the cathode of self-quenching GM counters, 9=8396
Orient,O.J. and Vizsolyi,E.I. Diborane-gas filled counting tubes for measuring thermic neutrons, 7=8673
Orkin-Lecourtois,A. Study of heavy mesons stopped in photographic emulsions. II. 4. Method of estimation of mass by multiple scattering–residual range, 5=6510. See also Hoang,T.F., 5=4958, 5=4966, 5=6506
Orkin-Lecourtois,A., Hoang,T.F., Morellet,D. and Kayas,G. Methods of determining the masses of charged particles detected in nuclear emulsions, 5=6505
Orkin-Lecourtois,A., Kayas,G. and Hoang,T.F. The methods of mass measurement by scattering, gap-counts and grain counts used by the École Polytechnique group (Paris), 5=8287
Orlin,J.J. Electrons emitted from metals after the irradiation by 1.5 MeV X-rays, 5=6205. Electrons emitted from metals after the irradiation by 1.5 MeV X-rays, 6=1578
Orlinskiĭ,D.V. See Borzunov,N.A., 8=5941
Orlov,A.N. On the theory of the elastic constants of alloys of the β-brass type, 8=4474. See also Galishev,V.S., 7=6523
Orlov,A.N. and Fedorov,G.V. Absorption of bremsstrahlung of a betatron in a two-layer absorber, 7=4682
Orlov,A.N., Galishev,V.S. and Taluts,G.C. Calculation of the multiple scattering of lead and thorium gamma rays, 9=13531
Orlov,A.N., Plishkin,Yu.M. and Shepeleva,I.M. Stability of the equilibrium of a chain of atoms, 9=8774
Orlov,A.N. and Sokolov,A.V. Calculation of the structure of the X-ray emission spectrum of ordering alloys, 8=8020
Orlov,E.F. See Gershman,S.G., 9=7912
Orlov,V.V. See Blokhintsev,D.I., 5=1062
Orlov,Y. The non linear theory of betatron oscillations in the strong focusing synchrotron. I, 6=4433
Orlov,Yu.F. The energy spectrum of ionizing particles of high energy after passage through a thick layer, 6=7491. Influence of the nearness to external resonance on the magnitude of the critical energy in an accelerator with strong focusing, 6=8819. Excitation of betatron oscillations by synchrotron momentum oscillations in a strong-focusing accelerator, 7=5403. Non-linear theory of betatron oscillations in a strong-focusing synchrotron, 7=6277. The application of quadratic non-linearities in an accelerator with strong focusing, 9=8243
Orlov,Yu.F. and Kheifets,S.A. The distortion of the magnetic field of a strong-focusing accelerator by the metal vacuum chamber, 9=9718
Orlov,Yu.F. and Tarasov,E.K. Oscillation damping in a cyclic electron accelerator, 8=7086
Orlov,Yu.F., Tarasov,E.K. and Kheifets,S.A. Damping of the oscillations of particles in the electron-synchrotron with rigid focusing, 9=9719
Orlov,Yu.V. Internal bremsstrahlung in an electric monopole $0^+ \rightarrow 0^+$ transition of a nucleus, 7=4688. See also Luk'yanov,A.V., 9=1780, 9=2833
Orlova,I.V. and Godnev,I.N. On the connection between the Larnaudie method and the El'yashevich-Stepanov method of zero approximations, 9=10172
Orlova,M.P. See Astrov,D.N., 8=2409; Borovik-Romanov,A.S., 5=4602, 7=3435, 8=653
Orlova,N.S. Comparison of the law of reflection of light for the moon and for certain kinds of rocks, 8=583
Orlovskii,G.N. See Kaminir,L.B., 9=12391
Orman,P.R. See Allen,K.W., 7=2655
Ormand,F.T. and Matsen,F.A. Electronic structure of LiH. III. The Knipp wave function, 9=736. Nuclear magnetic shielding constants for several 2-, 3-, and 4-electron atoms and ions, 9=6156
Ormont,B.F. The relationship between the chemical and mechanical stabilities of very hard bodies, 6=6985. See also Gurevich,M.A., 7=1751, 8=4531
Ornatskaya,Z.I. The electrical nature of certain compounds of tungsten oxide, 7=9192
Ornella,L.F. See Weir,A., Jr, 8=1021
Ornstein,L.T.M. See Nijgh,G.J., 9=8555; Nussbaum,R.H., 5=478; Wapstra,A.H., 9=8556
Orofino,T.A. and Flory,P.J. Relationship of the second virial coefficient to polymer chain dimensions and interaction parameters, 7=7655
O'Rourke,R.C. See also Sáenz,A.W., 6=4485
O'Rourke,R.C. and Anderson, A. Problem in shower theory (Approximation A), 5=9743
Orowan,E. Condition of high-velocity ductile fracture, 5=8302
Orr,C. and Martin,R.A. Thermal precipitator for continuous aerosol sampling, 8=9130
Orr,C., Jr. See also Dallavalle,J.M., 5=1284
Orr,C., Jr and Blocker,H.G. The viscosity of suspensions of spheres, 5=4403
Orr,C.Jr, Hurd,F.K. and Corbett,W.J. Aerosol size and relative humidity, 9=11613
Orr,J. See Lewis,F.A., 8=623; Ubbelohde,A.R., 7=6197
Orr,L., Kerr,W. and Gomberg,H.J. Nuclear reactor simulator for teaching purposes, 7=3683
Orr,L.W. Wide-band amplitude distribution analysis of voltage sources, 5=283. Probability distribution measurements with the oscilloscope, 5=3713
Orr,R.L., Goldberg,A. and Hultgren,R. Liquid tin solution calorimeter for measuring heats of formation of alloys, 8=2285
Orr,S.R. See Eichelberger,J.F., 5=1145
Orrall,F.Q. See Athay,R.G., 8=4658; Jefferies,J.T., 9=7743
Orrok,G.T. See Lindenmeyer,C.S., 7=9964
Orsini,L.Q. See Guerra Vieira,A.H., 9=5307
Orsoni,L. See Ascari,A., 6=6174-5
Orsuki,S. See Konuma,M., 7=9812
Ortalli,I. See Mora,S., 9=12637
Ortel,W.C.G. See Bøggild,J.K., 5=8281, 7=1643; Davies,J.H., 6=3270*; Fowler,P.H., 6=3284
Orth,C. See Los Alamos Radiochemistry Group, 8=768
Orthmann,H.J. See Helmoke,J.-G., 5=2785
Ortiz,M.E. See López,G., 9=10115
Ortiz Fornaguera,R. On some general properties of static solutions of Schiff's equation, 5=1515
Ortmann,H. The luminescence excitation effect of α-particles of different energies on activated zinc sulphide, 9=4470. See also Riehl,N., 6=1094, 6=5790, 7=4177, 9=10810
Ortner,G. Influence of light on the mobility spectrum of atmospheric ions, 7=6777. Research reactors, 9=705. See also Salim,S., 9=4764
Ortner,G. and Abdel Fattah el Nadi. Intermediate and large atmospheric ions at Cairo-Giza, 5=10125
Ortner,J. See Hultqvist,B., 9=9071
Orton,J.W. Paramagnetic resonance data, 9=4827
Ortusi,J. The nature of the donors in the interior of oxide layers

and the calculation of their dissociation energy, 5=5402
Orville-Thomas,W.J. See Gompertz,G., 9=13739
Os,O. See Lönsjö,O., 5=6442
Osada,K. Ultraviolet absorption spectra of uranium glasses, 6=220. Phosphorescence of sodium- and potassium-acetates, 6=5011. The effect of adsorbed water on the phosphorescence of sodium acetate, 7=3153. Phosphorescence of sodium acetate, 9=7981. Phosphorescence of acetic acid, 9=9487
Osanov,D.P. See Kovalev,E.E., 9=3718
Osawa,K. Model atmospheres for A-type stars, 6=5659
Osberg,W.E. See Hornig,D.F., 5=5320
Osberghaus,O. See also Ehrhardt,H., 9=6356; Gebhardt,W., 8=8404; Minten,A., 8=8405
Osberhaus,O. and Ziock,K. The measurement of oscillator strength on the Fe resonance line 3720 A from the excitation time, 9=3276
Osborn,K.R. and Gunning,H.E. Determination of Hg-202 and other mercury isotopes in samples of mercury vapor by mercury resonance radiation absorbiometry, 5=7485
Osborn,K.R., McDonald,C.C. and Gunning,H.E. Photochemical separation of mercury isotropes. I. A study of the emission and absorption hyperfine lines of mercury at 2537 A, 7=3124
Osborn,R.H. See Saltzmen,R.S., 6=276
Osborn,R.K. See also Coveyou,R.R., 6=8412; Klema,E.D., 6=8931, 8=4271
Osborn,R.K. and Klema,E.D. Empirical correlation of nuclear magnetic moments, 6=560. Analysis of nuclear quadrupole moments on the basis of a kinematical model, 7=6450. Dynamics of an elastic ellipsoid, 9=2682
Osborne,D.V. The propagation of heat in liquid helium at temperatures below 0.6°K, 6=5050
Osborne,D.W. See Abraham,B.M., 5=6083; Flotow,H.E., 9=12189; Weinstock,B., 9=2275
Osborne,J.S. See Greanias,E.C., 7=3
Osborne,L.S. Interpretation of K^+ scattering in nuclear emulsions, 6=5418. See also Baldwin,D.E., 9=4872; DeSaussure,G., 5=9092; Feld,B.T., 5=1242; Goldschmidt-Clermont,Y., 5=2185; Hill,R.D., 6=2388
Osborne,L.S., Rankin,W.D., Stein,P.C., Wattenberg,A. and Winston,A. Search for electromagnetic interactions between μ mesons and electrons, 5=3133
Osborne,R.N. See Lindner,M., 6=6900
Oscar Pogo,A. See Cordero Funes,J.R., 9=12028
Ose,T. See Kubota,H., 5=2635
Oshchepkov,P.K., Rozenberg,L.D. and Semennikov,Yu.B. An electroacoustic converter for making sound images visible, 6=4929
Osher,J. See Honsaker,J., 8=779
Osher,J.E. See also Lowry,R.A., 6=5168
Osher,J.E., Moyer,B.J. and Parker,S.I. Study of θ_1^0 production and decay by observation of its neutral decay mode, 9=8482
Osherovich,A.L. See also Bezverkhniĭ,Sh.A., 7=937
Osherovich,A.L. and Savich,I.G. On measurement of the 3^3P and 3^1P level lifetimes of helium atoms by the delayed coincidence method, 9=12725
Oshida,I. A new graphical solution of ordinary linear differential equation of the second order, 5=3387. See also Chikayama, A., 9=8730
Oshida,I. and Horiguchi,O. Hydration of ions and co-ordinate bond, 6=5504
Oshida,I., Ooshika,Y. and Miyasaka,R. Proton transfer in hydrogen bond and its participation in π-electron systems, 6=523
Ôshima,K. Shock tube study of the flow past circular-arc airfoils using a Mach-Zehnder interferometer, 5=7757. Experiments on the cylindrical blast waves, 9=9326. See also Abe,H., 6=8872; Gillette,P.R., 8=8927, 9=3645; Kim,C.-S., 6=4247
Oshima,K., Abe,H., Nagano,H. and Nagusa,M. Paramagnetic resonance of NaCl crystals containing additions of manganese impurities, 6=483
Oshima,K., Hayakawa,S., Nagano,H. and Nagusa,M. Luminescence spectra of samarium in barium titanate at its transition, 6=5017
Oshima,K. and Kusumoto,H. Effect of elongation on the proton magnetic resonance of natural rubber, 6=5506
Oshima,K. and Nagano,H. Magnetism on optical excitation of manganese-activated zinc sulfide phosphors, 5=8636
Oshima,Y. Study of the nuclear reaction $Al^{27}(n,p)Mg^{27}$ with neutrons of 14 MeV, 7=3663
Oshinsky,W. See Breckenridge,R.G., 5=947, 5=3766
Oshio,T. Studies on the cosmic rays underground, 5=9391. See also Higashi,S., 5=2845, 7=3422, 7=7201, 7=8703-4, 9=12424
Osiko,V.V. Two kinds of luminescent centre due to manganese in the system cadmium—lithium orthosilicate, 9=9455
Osipenkov,V.T. See also Dzhelepov,V.P., 7=3625; Ivanov,V.G., 7=4459, 7=4701
Osipenkov,V.T. and Filippov,S.S. Cross-section for interaction of π-mesons with hydrogen nuclei, 8=8350
Osipov,B.D. Microwave dispersion in ammonia at 10^{-2}mm of Hg, 5=829. Hyperfine structure of the rotational transition $J = 3 \rightarrow 4$ of CH_3I^{127}, 8=6379
Osipov,K.A. On the energy of formation of vacancies in solid metals, 9=1869. The values of the activation energy of self-diffusion in liquid metals, 9=10676. A calculation of the limiting values of the activation energy for various processes in solid metals, 9=11546
Osipov,Yu.I. See Korolev,F.A., 7=4139
Osip'yan,Yu.A. See Il'ina,V.A., 8=4407; Lyubov,B.Ya., 5=8698; Nadgornȳi,E.M., 9=11549
Oskam,H.J. High-frequency gas discharge breakdown in neon-argon mixtures, 6=7439. Microwave investigation of disintegrating gaseous discharge plasmas, 9=1549, 9=3598. Some aspects of the high frequency gas discharge, 9=8251. See also Ahsmann,G., 9=9679
Osmalov,J.S. See Glaze,F.W., 8=3013
Osman El-Mofty and Mohamed El-Nadi. Multiple meson production theories applied to cosmic-ray showers, 5=8886
Osmond,W.P. The effect of particle shape variations on the coercivity of iron oxide powders, 5=1989. The temperature-dependent resistivity of certain iron deficient magnesium manganese ferrites, 7=533. Angles between magnetic spin directions in iron-deficient magnesium manganese ferrites, 7=2401. Angles between partial magnetizations in spinel ferrites containing manganese ions of more than one valency, 7=3456. See also Harrison,F.W., 7=7217
Osokina,R.M. and Ratner,B.S. Investigation of the (γ,p) reaction on zinc, 7=5629
Ossaka,J. See Kato,Y., 6=7038
Ostenburg,D.O. Van. See Van Ostenburg,D.O.
Oster,G. See also Nishijima,Y., 7=8451
Oster,G. and Nishijima,Y. Fluorescence and internal rotation: Their dependence on viscosity of the medium, 6=7304
Oster,G.K. and Marcus,R.A. Photochemical studies in flash photolysis. I. Photolysis of acetone, 7=8920. Exploding wire as a light source in flash photolysis, 8=1360
Oster,H. See Grimm,E., 5=7482
Oster,L. Photometry of prominences with the coronograph, 5=6701. The radiation field of the transition layer between chromosphere and corona, 6=7945. Viscosity, electrical and thermal conductivity of stellar material, 9=2019. On the cooling of stellar material by thermal emission and the fading of solar eruptions. 9=9167. The continuous absorption coefficient for free-free emision in the radiofrequency spectral region, 9=9410
Osterberg,C. See Epstein,E.S., 7=938
Osterberg,H. Propagation of plane electromagnetic waves in inhomogeneous media, 9=487. See also Traub,A.C., 7=1992
Osterberg,H. and LaMarre,D. Modified method of Fizeau fringes for thickness measurements, 7=290
Osterbrock,D.E. Electron densities in filamentary nebulae, 8=5590. See also Seaton,M.J., 7=7560
Osterlund,A.G. See Brunner,R.K., 9=10649
Östlund,H.G. Carbon dioxide proportional counting for natural radiocarbon measurements, 8=1916
Ostrander,H. See O'Neill,W.J., 9=13523; Rose,D., 7=6514
Ostranitsa,A.P. See Dudkin,L.D., 9=12253
Ostretsov,L.A. See Latȳshev,G.D., 8=7358
Ostroborodova,V.V. See also Kalashnikov, S.G., 9=307
Ostroborodova,V.V. and Kalashnikov,S.G. Influence of the heat treatment on the concentration and mobility of charge carriers in germanium, 6=2094. Recombination of the unbalanced charge carriers on the thermal acceptor in germanium, 6=2095
Ostroumov,A.G. On electro-thermal convection in air, 5=3674. See also Ostroumov,G.A.
Ostroumov,A.G. and Ostroumov,G.A. On the question of thermo-electric convection, 6=7345
Ostroumov,G.A. Electrostatic convection in electrolytes, 5=2275 Some hydrodynamical phenomena accompanying the passage of a current through insulating liquids, 6=5065. Observation of electroconductive convection in electrolytes, 6=8217.

molecular motions, 9=723
Liehr,A.D. and Moffitt,W. Rydberg spectrum of benzene, 7=3483
Liem Djan Nio See van der Leeden,P., 7=162
Lien,W.H. and Phillips,N.E. Heat capacity of small particles of MgO between 1.5° and 4°K, 9=6855
Liepack,H. and Drechsler,M. Measurement of the polarizability of metallic atoms with a field emission microscope, 6=5323
Liesegang,E.C. See Higgins,T.H.S., 6=755
Lieshout,R.van. See van Lieshout,R.
Liess,M. See Combe,J., 6=5809; Magnac-Valette,D., 7=2322
Lifanov,I.I. See Alekseevskiĭ,N.E., 5=302, 6=6655
Lifschitz,L. See Der Agobian,R., 9=11930
Lifshits,É.L. See Stil'bans,L.S., 7=5332
Lifshits,E.M. The theory of molecular attractive forces between solids, 6=5277. Quantum theory of the electrical conductivity of metals in a magnetic field, 8=5930. See also Dzyaloshinskiĭ,I.E., 8=3510; Landau,L.D., 5=8706, 7=9559
Lifshits,E.M. and Kosevich,A.M. Theory of the Shubnikov–de Haas effect, 8=5929
Lifshits,E.M. and Pitaevskiĭ,L.P. On absorption of the second sound in rotating helium II, 8=1658
Lifshits,I.M. Derivation of the energy spectrum from the specific heat for a Bose assembly, 5=757. Quantum theory of electrical conductivity of metals in a magnetic field, 7=359. On temperature flashes in a medium under the action of nuclear radiation, 7=3676. Quantum theory of electrical conductivity of metals in a magnetic field, 8=3083. See also Azbel',M.Ya., 7=4577, 8=2275, 8=2656-7, 9=2938 Esel'son,B.N., 8=4930, 9=8044; Kaganov,M.I., 7=2812, 8=809; Kosevich,A.M., 6=8858
Lifshits,I.M., Azbel',M.Ya. and Kaganov,M.I. On the theory of galvanomagnetic phenomena in metals, 7=360
Lifshits,I.M., Azbel',M.Ya. and Kagonov,M.I. On the theory of galvanomagnetic phenomena in metals, 6=6658
Lifshits,I.M. and Kaganov,M.I. The effective density of liquid helium II, 6=6569
Lifshits,I.M. and Kosevich,A.M. Theory of magnetic susceptibility of metals at low temperatures, 6=8862. On the theory of the Shubnikov–de Haas effect, 8=3084
Lifshits,I.M. and Peker,S.I. Tamm connected states of electrons on the surface of a crystal and the surface oscillations of the atoms of a lattice, 6=2543
Lifshits,I.M. and Peschanskiĭ,V.G. Galvanomagnetic characteristics of metals with open Fermi surfaces, 9=2358
Lifshits,I.M. and Sanikidze,D.G. The Pomeranchuk effect and the state diagram of He^3-He^4 solutions, 9=2280
Lifshits,I.M. and Slezov,V.V. On the kinetics of diffusional decay of supersaturated solid solutions, 9=2956
Lifshits,I.M. and Stepanova,G.I. Oscillation spectrum of disordered crystal lattices, 6=7814. The effect of ordering on the energy spectrum of phonons, 7=1735. Correlation in solid solutions, 8=2040
Lifshits,T.M. and Kokina,N.G. Photocathodes for recording the ultraviolet, based on alloys of Mg and Ba, 9=1477. Semitransparent photocathodes for detecting ultraviolet radiation, 9=9694
Lifshitz,J. See Gall,R., 6=3803, 8=2377; Vallarta,M.S., 8=5097
Lifson,H. See Lifson,S., 8=3774; Pekeris,C.L., 8=7761
Lifson,S. Potentiometric titration, association phenomena, and interaction of neighboring groups in poly-electrolytes, 7=5109. Improved approximation for the potential of spherical polyelectrolyte molecules in solution, 8=905. On ion-pair formation in polyelectrolytes, 8=6712. Neighbor interactions and internal rotations in polymer molecules. I. Stereospecific structure and average dimensions, 9=756; II. Polyelectrolytes, 9=757; III. Statistics of interdependent rotations and their application to the polyethylene molecule, 9=8771. See also Warga,J., 8=8622
Lifson,S., Kaufman,B. and Lifson,H. Neighbor interactions and symmetric properties of polyelectrolytes, 8=3774
Ligda,M.G.H. Precipitation echoes and clouds, 5=5758
Ligenza,J.R. See Heindl,C.J., 6=8413
Lightfoot,C. Contribution to the study of auditory fatigue, 5=4261
Lightfoot,C. and Jerger,J.F. Cumulative effects of repeated bursts of white noise on threshold for 4000-cps tone pips, 5=1646
Lighthill,M.J. An elementary reasoned account of the general circulation of the atmosphere, 5=1392
Lihl,F. The effect of non-magnetic inclusions in soft magnetic materials, 8=8116
Likely,J.G. See also Bolmgren,C.R., 7=3641
Likely,J.G. and Brady,F.P. Pickup behavior in $Li^6(p,He^3)He^4$ and F^{19} $(p,\alpha)\,0^{16}$ at 18 MeV, 7=1591
Likhachev,V.M., Kutsenko,A.V. and Boronkov,V.P. The study of relativistic particles by the use of nuclear emulsions in a pulsed magnetic field, 7=1616
Likhachev,V.M. and Merekov,Yu.P. Charge and momentum analysis of relativistic particles by the nuclear emulsion technique in pulsed magnetic fields, 7=4957
Likhter,A.I. See also Vereshchagin,L.F., 7=810
Likhter,A.I. and Kikoin,A.K. The effect of neutron irradiation on the compressibility of metals, 7=9931
Likhter,A.I., Ryabinin,Yu.N. and Vereshchagin,L.F. Phase diagram for cerium, 8=1648
Likhter,A.I. and Vereshchagin,L.F. On the Hall effect in bismuth at pressures up to 30 000 kg/cm^2, 7=9684
Likhter,Ya.I. Coupling between the [probability] distribution of a stationary quasimonochromatic process with the distribution of its envelope, 7=3991
Likhtman,V.I. Physico-chemical phenomena during straining of metals, 5=7443. See also Labzin,V.A., 9=5217; Venstrum,E.K., 6=6987
Likhtman,V.I., Kochanova,L.A. and Bryukhanova,L.C. Brittle rupture of zinc single crystals, 8=7572
Likhtman,V.I. and Ostrovskiĭ,V.S. Regularities in plastic flow of lead and tin under conditions of pure shear, 8=6452
Likhtman,V.I. and Shchukin,E.D. Physicochemical phenomena during deformation of metals, 9=12834
Lilburne,M.T. See Reynolds,W.N., 8=1691
Liley,B.S. The circuit dynamics of plasma, 9=4737. See also Allen,N.L., 8=775
Liljeblad,R. Swedish power reactor proposal, 8=772
Liljeqvist,B. See Kleman,B., 5=4500, 5=4515
Lillegraven,A. See Small,S.H., 8=4595
Liller,W. The photoelectric photometry of planetary nebulae, 5=9380. A direct-recording photoelectric spectrophotometer, 8=3633
Lillethun,E. See Crewe,A.V., 9=9954
Lilley,A.E. Association of gas and dust from 21-cm hydrogen radio observations, 5=5819. A note on the galactic microwave spectrum, 5=7633. See also Hagen,J.P., 6=5613; Heeschen,D.S., 5=4285
Lilley,A.E. and McClain,E.F. The hydrogen-line red shift of radio source cygnus A., 6=5622. Absorption techniques as a tool for 21 cm research, 8=1424
Lilova,O.M. See Gusev,I.A., 8=1943
Lim,C.C. See also Guptill,E.W., 9=1193
Lim,C.C., Hallett,A.C.H. and Guptill,E.W. The velocity of sound in a 2.7% He^3-He^4 mixture, 8=7766
Lim,J. See Dakin,T.W., 8=5019
Lim,T.G. Scattering of K^+ mesons in photographic emulsion, 8=7283. See also Holthuizen,D.J., 7=9417
Lim,T.G. and Bosgra,S.J. Nuclear potential for τ^+ mesons, 8=4250
Lim,T.G. and van der Linden,J.P. Elastic differential cross-section for 60 MeV K^+-scattering in emulsion, 9=3927
Lim,Y.K. An unusual electron shower, 6=5149. See also Hopper,V.D., 8=1762; Laby,J.E., 7=7996
Limber,D.N. Effects of intracluster gas and dust upon the virial theorem, 9=12943
Limentani,S. See also Baldo-Ceolin,M., 7=8860-1, 7=8882, 8=1885; Falla,D.F., 7=8887
Limentani,S., Schlein,P.E., Steinberg,P.H. and Roberts,J.H. Hyperfragment binding energies, 9=2711
Lin,C.C. On a perturbation theory based on the method of characteristics, 5=2485. On the classical mechanics of the internal rotation of molecules, 8=4374. Hydrodynamics of liquid helium II, 9=12186. See also Kilb,R.W., 7=8045; Wilson,E.B.Jr, 5=2938
Lin,C.C. and Kilb,R.W. Microwave spectrum and internal barrier of acetaldehyde, 6=4550
Lin,C.C. and Mizushima,M. Theory of the hyperfine structure of the NO molecule. II. Errata and some additional discussion, 6=2291
Lin,L.-Y. Expansion of potassium and sodium chloride crystals due to X-ray irradiation of weak intensities, 6 =6251. Study of injecting and extracting contacts on germanium single crystals, 8=4017
Lin,S-C. See also Lamb,L., 8 =3196
Lin,S.C. and Kivel,B. Slow-electron scattering by atomic oxygen, 9=10164
Lin,S.-C., Resler,E.L. and Kantrowitz,A. Electrical conductivity of highly ionized argon produced by shock waves, 5=2830
Lin,S.T. and Kaufmann,A.R. Magnetic properties of Beta-uranium

hydride, 6=4509. Magnetic properties of UMn$_2$, 8=1772

Lin,T.C. and Morgan,G.W. Wave propagation through fluid contained in a cylindrical, elastic shell, 7=3079

Lin,T.H. See Payne,H., 8=6455

Lind,D.A. See Davis,R.H., 7=688; Kloepper,R.M., 9=7308; Van Loef,J.J., 6=3234

Lind,E.L. See Bube,R.H., 7=4369, 8=5007

Lind,J.E.,Jr. See Zwolenik,J.J., 9=9564

Lind,S.C. and Rudolph,P.S. Retardation of a radiochemical reaction by charge transfer in a bimolecular mixture of gases, 7=9446

Lindackers,K.H. See Bollenrath,F., 9=13797

Linders,F.J. and Hinshelwood,C. The thermal decomposition of nitrous oxide. I. Secondary catalytic and surface effects, 5=9207. II. Influence of added gases and a theory of the kinetic mechanism, 5=9208

Lindberg,A. See Hecht,K., 9=10554

Lindberg,P.J. Corrections of interference thickness measurements of thin films on account of boundary reflections, 9=6786

Lindberg,V.L. See also Irland,M.J., 8=975

Lindberg,V.L. and Irland,M.J. Direct monitor system for multilayer interference filters, 5=5329

Lindblad,B. Remarks on the distribution of dust in nebulae and spiral structure, 6=872*. Contributions to the theory of spiral structure, 9=3062

Linde,J.O. See also Gerritsen,A.N., 7=1221. Giansoldati,A., 5=7022, 9=11228

Linde,J.O. and Edwardson,S. Investigation of the critical shear stress for single crystals of metallic solid solutions. II, 5=4165

Lindeberg,G.K. See Arnold,W.H., 5=6501

Lindeman,H. A generalization of the Bateman-Poisson law for time correlated alpha-emission, 5=9048. A verification of the probability laws for random and time-correlated alpha emission, 7=1554

Lindeman,H. and Rosen,N. A generalization of the Marsden–Barratt law for time-correlated radioactive decay, 7=8793.

Lindeman,L. See Klemperer,W., 6=8673

Lindeman,L.P. and Guffy,J.C. Determination of the O–O bond energy in hydrogen peroxide by electron impact, 8=8398

Lindeman,L.F. and Wilson,M.K. Rotational constants of GeH$_3$D and GeHD$_3$, 5=423. Vibration spectra of some mixed halides of boron, 6=4315

Lindemann,W.W. and Mueller,R.K. Grain boundary photodetector, 9=13320

Lindemann,W.W. and van der Ziel,A. On the cause of the anomalous flicker effect, 8=3205

Linden,B.R. Recent developments in multiplier phototubes, 9=2400. New techniques in low level fluoroscopy, 9=4466

Linden,C.A.M. van der. See van der Linden,C.A.M.

Linden,J.P. van der. See van der Linden,J.P.

Lindenbaum,S.J. See also Pevsner,A., 6=3275; Sternheimer, R.M., 8=2493; Yuan,L.C.L., 6=7727

Lindenbaum,S.J. and Sternheimer,R.M. Isobaric nucleon model for pion production in nucleon-nucleon collisions, 7=4776. Pion–nucleon interactions, 7=8190. Application of the spin–flip dispersion relations to the Minami ambiguity for the pion–nucleon scattering, 8=5228

Lindenbaum,S.J. and Yuan,L.C.L. Total cross section of hydrogen for 150-to 750-MeV positive and negative pions, 6=638. K$^+$ production in p–p collisions at 3.0 BeV, 7=6616. Total cross-section of hydrogen for 143 to 205 MeV positive pions, 9=3770

Lindenberger,K.H. The magnetic dipole moment and spin of $_{69}$Tm^{169}, 5=9008. See also Brix,P., 5=6901, 8=7385, 9=8618.

Lindenberger,K.H. and Meyer,P. On the transition effect of the nucleon component in lead and carbon, 5=1969

Lindenberger,K. and Steudel,A. On the hyperfine structure of the Tm II spectrum and the nuclear moments of Tm^{169}, 5=4512

Lindenfeld,P. See Garfinkel,M., 8=4911

Lindenmeyer,C.S., Orrok,G.T., Jackson,K.A. and Chalmers,B. Rate of growth of ice crystals in supercooled water, 7=9964

Linder,B., Curtiss,C.F. and Hirschfelder,J.O. Theory of detonations. II. Reversible unimolecular reaction, 8=7585

Linder,B. and Hirschfelder,J.O. Energy of interaction between two excited hydrogen atoms in either 2s or 2p states, 8=4371

Linder,B. and James,R.A. Cross sections for nuclear reactions involving nuclear isomers, 9=7344

Linder,E.G. See Rappaport,P., 6=5878

Linder,S. Nuclear magnetic relaxation in 1,2-dichloroethane, 7=5518

Lindern,L.v. See v.Lindern,L.

Lindern,L.von. See von Lindern,L.

Lindgren,E.R. The transition process and other phenomena in viscous flow, 9=93

Lindgren,I., Johansson,C.M. and Axensten,S. Nuclear ground-state spins of thallium 198 and 201, 9=3815

Lindgren,I.P.K. See Johansson,C.M., 9=1707

Lindgren,P.H. Some notes on the intensity distribution along the X-ray interference circles for some simple types of orientation in polycrystalline specimens, 8=1369

Lindh,G. The transmission and reflection of an exponential shock wave impinging on a homogeneous elastic plate immersed in a liquid, 6=6448

Lindhe,S. See Haeffner,E., 6=2334

Lindholm,E. Ionization and fragmentation of CO by bombardment with atomic ions. Dissociation energy of CO. Heat of sublimation of carbon, 5=1010. Ionization and fragmentation of N$_2$ by bombardment with atomic ions. Dissociation energy of N$_2$, 5=2826

Lindholm,F. On the Angström absolute pyrheliometric scale, 8=6530

Lindkvist,S. See Kleman,B., 5=1685, 5=2570, 5=4513

Lindner,A. See Moore,W.J., 8=640; O'Briain,C.D., 9=1541

Lindner,C.N. See Berg,R.A., 9=3722; Gartenhaus,S., 9=6002

Lindner,J.W. Shielding-glass buildup factors, 9=3942

Lindner,J.W. and Davis,S.P. Zeeman effect data for the spectra of erbium, 9=182

Lindner,L. and Brinkman,G.A. Zinc 60 and 61, 6=3942

Lindner,L., Brinkman,G.A. and Pieterse,A.C. Radiations of copper 59, 6=3962

Lindner,M. See also Olsen,J.L., 7=8128

Lindner,M. and Osborne,R.N. Nonfission inelastic events in uranium and thorium induced by high-energy protons, 6=6900

Lindner,R. Experiment on the separation of calcuim isotopes by radiometric adsorption analysis, 5=2095. Studies on solid state reactions with radiotracers, 5=4147

Lindner,R. and Matzke,H.J. Some experiments on the diffusion of Xe^{133} from uranium oxides, 9=5418

Lindner,R. and Obermayer,A.S. Diffusion of radioactive calcium in Ca$_3$Si$_2$O$_7$, 5=7412

Lindner,R. and Parfitt,G.D. Diffusion of radioactive magnesium in magnesium oxide crystals, 7=3753

Lindquist,R.H. See also Becker,E., 7=1959

Lindquist,R.H. and Rollefson,G.K. Relative rates of isomerization of cyclopropane and cyclopropane-t$_1$, 6=4057

Lindquist,R.W. and Wheeler,J.A. Dynamics of a lattice universe by the Schwarzschild-cell method, 8=2755

Lindqvist,I. On the relation between bond length and hybridization. The constitution of sulphur nitride, 9=8762

Lindquist,I. and Bränden,C.I. The crystal structure of SbCl$_5$. POCL$_3$, 9=13938

Lindqvist,I. and Nahringbauer,G. The crystal structure of SeOCl$_2 \cdot$ 2C$_5$H$_5$N, 9=13937

Lindqvist,I. and Weiss,J. The crystal structure of platinum tetrahionitrosyl, 9=10386

Lindqvist,T. Gamma–gamma angular correlations in Ca^{43}, Hg^{200} and Pb^{206}, 8=7346. See also Bäckström,G., 7=6519; Page,L.A., 9=5025

Lindqvist,T. and Heer,E. Directional correlation measurements in Fe^{57}, 7=7344

Lindqvist,T. and Karlsson,E. Applications of a multi-channel goniometer, 8=7354

Lindqvist,T. and Marklund,I. The influence of l-forbiddenness on magnetic dipole transitions in Tl^{203}, 7=9318. Mixing ratios of 2$^+$ → 2$^+$ transitions in some even nuclei, 8=3316

Lindqvist,T., Pettersson,B.G. and Siegbahn,K. The internal Compton effect. A determination of cross section and angular correlation, 8=6247

Lindqvist,T. and Wu,C.-S. Inner bremsstrahlung from A^{37}, 6=625

Lindroth,K. Reflection of electromagnetic waves from thin metal strips (passive antennae), 6=8882

Lindsay,E.W. See Works,C.N., 9=7019

Lindsay,J.C. See Friedman,H., 9=10

Lindsay,R. See also Banewicz,J.J., 7=1443

Lindsay,R. and Banewicz,J.J. Magnetic susceptibility of a sintered rod of αMnS, 8=5111

Lindsay,R.B. [Conf. refs.] Brown University conference on acoustics and the structure of liquids (June 1954), 5=4457

Lindsay,R.B. See Towle,D.M., 5=6823

Lindstrand,E. See Dean,C., 7=907

Lindström,G. See also Bhar,B.N., 6=1421, 6=4559; Heymann,H., 8=2589

Lindström,G. and Bhar,B.N. A spectrometer for high resolution nuclear magnetic resonance experiments, 7=241

Lindström,G. and Neuert,H. Absolute cross-sections for the reactions $K^{39}(n,p)A^{39}$ and $K^{39}(n,\alpha)Cl^{36}$ with 2.6 MeV neutrons, 9=2831

Lindstrom,I.E. See also Crasemann,B., 8=1937

Lindstrom,I.E. and Crasemann,B. Measurement of nuclear isomeric half-lives in the range from one microsecond to ten milliseconds, 9=8530

Lindström,O. Physico-chemical aspects of chemically active ultrasonic cavitation in aqueous solutions, 5=7790

Lindt,W. Angular correlation in the decay of the τ-meson, 7=7413

Línek,A. Computing machine for Fourier's synthesis, 7=3895

Linenberger,G.A. See Biehl,A.T., 7=3688

Linfoot,E.H. Recent advances in optics, 5=6872. Information theory and optical images, 5=9535. Resolving power and information, 6=1026. Distant diffracted light and the assessment of images, 6=4347. Transmission factors and optical design, 6=7254. Modern developments in telescope optics, 7=4969. Optical image evaluation from the standpoint of communication theory, 8=5748. Image quality and optical resolution, 9=6684. Quality evaluations of optical systems, 9=7925. See also Black,G., 7=5965; Fellgett,P.B., 5=2550

Linfoot,E.H. and Wolf,E. Phase distribution near focus in an aberration-free diffraction image, 7=1163. Phase distribution in and near the bright nucleus of an aberration-free diffraction image, 7=2086

Ling,F.F. On asperity distributions of metallic surfaces, 9=2945

Ling,F.F. and Lucek,R.C. On model studies of metallic surface asperities, 9=13871

Ling,R.R. and Saibel,E. On kinetic friction between unlubricated metallic surfaces, 8=4497

Ling,R.C. Interatomic potential functions of sodium and potassium, 7=145. X-ray scattering by liquid-metal alloys (a kinetic approach), 7=146

Ling Yang,Chien,C.Y. and Derge,G. Self diffusion of iron in iron silicate melt, 9=8885

Lingafelter,E.C. See Morosin,B., 9=13933

Lingenfelter,R.E. Shell structure effects on spontaneous fission half-life, 6=5349

Linhart,J.G. The radiation Green's functions, 5=2544. Čerenkov radiation of electrons moving parallel to a dielectric boundary, 5=6221. Cherenkov effect at microwave frequencies, 7=7164. See also Persico,E., 8=5992

Linhart,J.G. and Baker,T.H.B. A method of measuring the intensity distributions of radio-frequency electric and magnetic fields in resonant cavities, 5=3895

Linhart,J.G., Templeton,I.M. and Dunsmuir,R. A microwave resonant cavity method for measuring the resistivity of semi-conducting materials, 6=2882

Linhart,P.B. and Price,P.J. Specific heat of dilute solutions of He^3 in liquid He^4, 6=4369

Link,F. The role of meteoritic dust in the earth's atmosphere, 6=872*. An absolute photometer for large intensity ratios, 7=213

Link,W. See McNeill,K.G., 7=8124

Lin'kov,E.M. The elastic properties of ice and methods of studying them, 8=2684*

Linlor,W.I., Kerns,Q.A. and Mark,J.W. Bubble chamber pressure gauge, 7=7984

Linn,H.J. and Pöschl. A simple explanation of the complex correlation coefficient, 6=5600

Linnell,A.P. Atmospheric eclipses. I, 9=11755

Linnell,R.H. See Vinogradov,S.N., 5=2476

Linnenbom,V., Tetenbaum,M. and Cheek,C. Tracer diffusion of iron in stainless steel, 5=8309

Linnett,J.W. Binding in some diatomic molecules, 6=7601

Linnett,J.W. (Conf.rep.) Electronically excited species, 8=4383. See also Dickens,P.G., 8=90, 8=4365, 9=3151; Hoare,M.F., 5=3687; Jennings,K.R., 9=1502

Linnett,J.W. and Reuben,B.G. Changes in molecular dipole moments on distortion, 9=7470

Linnik,V.P. On the possibility of reduction of atmospheric influence on a star image, 8=480

Linschitz,H. See Abrahamson,E.W., 6=2508

Linsley,J. Measurement of multiply charged cosmic rays by a new technique, 5=3860. Čerenkov counter measurement of multiply charged cosmic rays, 6=2976. See also Clark,G., 7=9750

Linsley,J. and Horwitz,N. Čerenkov counters with thin Lucite radiators, 5=8043

Lint,V.A.J. van See van Lint,V.A.J.

Lintin,D.R. and Wooding,E.R. Investigation of the ignition of a gas by an electric spark, 9=8041

Lintner,K. The problem of exo-electrons, 7 =6239. See also Futschik,F., 6=5917; Schmid,E., 5=7441

Lintner,K. and Schmid,E. Discussion session on "exo-electrons". Foreword, 7=6238

Linton,H. See Conway,B.E., 6=4062

Linton,H.R. and Nixon,E.R. Evidence for the normal cyanide structure of $(CH_3)_3SiCN$, 8=7465. Vibrational spectrum of disilyl sulfide, 9=1285

Linz,A.,Jr and Herrington,K. Electrical and optical properties of synthetic calcium titanate crystal, 9=275

Lion,K.S. Mechanic-electric transducer, 6=6462

Lion,K.S. and Vanderschmidt,G.F. Photographic effect of counter discharges, 6=426

Liotta,R.S. Covariant canonical equations for a classical field. I, 6=4186. Some aspects of the covariant functional formalism of field theory II, 8=6622. Further developments of the covariant functional formalism for interacting fields, 9=13000. See also De Tollis,B., 7=8808

Lipaeva,G.A. See Skanavi,G.I., 6=8162

Lipatova,V.A. See Lyustrova,A.P., 5=7199

Lipis,L.V. See Vashman,A.A., 9=11991; Zaĭdel',A.N., 8=5513

Lipke,D.W. See Wathen-Dunn,W., 8=8659

Lipke,H. See Knappwost,A., 7=806

Lipkin,H.J. A study of the non-linear kinetics of the Chatillon reactor. I. Theory, 5=4950. Method for simplifying calculations involving products of operators in many-particle systems, 8=519. Center-of-mass motion in Brueckner theory for a finite nucleus, 8=2517. Center-of-mass motion in the nuclear shell model, 8=6203. On the connection between degeneracy and rotational states in the nuclear shell model, 9=1725. Collective description of electron interactions without subsidiary conditions, 9=6555

Lipkin,H.J.,(Ed.). Proceedings of the Rehovoth Conference on Nuclear Structure 1957, 8=7292. See also de-Shalit,A., 8=1162; Goshen,(Goldstein),S., 9=7814,9=8496

Lipkin,H.J., Cuperman,S., Rothem,T. and de-Shalit,A. Measurement of beta-ray polarization of Au^{198} by double Coulomb scattering, 8=5313

Lipkin,H.J. and Goldstein,S. Rotational properties of the two-dimensional anisotropic harmonic oscillator. I. Expectation values, 8=4758; II. The collective-intrinsic description, 8=7711

Lipkin,H.J., de Shalit,A. and Talmi,I. On the description of collective motion by the use of superfluous ce-ordinates, 6=3084. Moments of inertia of freely rotating systems, 7=622

Lipkin,H.J. and Porat,D.I. Automatic beam positioning for mass spectrometers, 6=7475

Lipkin,H.J., Rosendorff,S. and Yekutieli,G. A new multiple scattering parameter, 6=2684

Lipman,N.H. See Astbury,A., 9=1671, 9=9967

Lipmanov,E.M. Relativistically invariant form of electrodynamics without longitudinal and scalar fields, 5=721

Lipmanov,E.M. Regularized theory of systems of fields, 6=5679. A relativistically invariant formulation of electrodynamics without longitudinal and scalar fields, 6=6343

Lipnik,A.A. Dissociation of excitons by phonons in atomic semiconductors, 8=4001

Lippert,E. Dipole moment and electronic structure of excited molecules, 5=8976

Lippert,E.L.Jr. See Cameron,A.E., 5=4883; Hirshfeld, F.L., 8=796

Lippert,W. Experimental studies of the contrast in the electron microscope, 5=1295. The properties of electrostatic unipotential lenses, whose axial potential very nearly reaches that of the cathode, 5=7103. Experiments with an intermediate lens in a Siemens electron microscope of the old type, 5=8011. On the manner in which Möllenstedt's velocity analyser works, 6=397. On the "electron microscopical transparency" of thin films, 7=5376. Modification of the specimen in the electron microscope, 9=4076. On the influence of elastically scattered electrons on the contrast of flat objects in the electron microscope, 9=7085. Experimental investigation of the influence of inelastic scattering on the contrast of substances of low atomic number in the

electron microscope and on their contrast-thickness, 9=11599. See also Rajewsky,B., 7=6261

Lippert,W.K.R. An extended method of measuring symmetrical filters, 6=6454. Wave transmission around bends of different angles in rectangular ducts, 6=7215

Lippincott,E.R. Derivation of an internuclear potential function from a quantum mechanical model, 5=5549. Derivation of an internuclear potential function from a quantum-mechanical model, 7=8072. See also Fateley,W.G., 7=7753; Finch,J.N., 6=4571; King,F.T., 6=7262; Vanderslice, J.T., 9=6176, 9=6180; Weir,C.E., 9=13168

Lippincott,E.R. and Leifer,A. Calculation of the energy of activation for some simple reactions. I. Ortho–para hydrogen reaction, 8=9158

Lippincott,E.R. and O'Reilly,E.J.,Jr. Vibrational spectra and assignment of naphthalene and naphthalene-d-8, 5=2601

Lippincott,E.R. and Schroeder,R. One-dimensional model of the hydrogen bond, 5=6587. General relation between potential energy and internuclear distance for diatomic and polyatomic molecules, I., 5=7231

Lippincott,E.R., Sibilia,J.P. and Fisher,R.D. Optimum concentration effect in Raman spectroscopy, 9=1292

Lippincott,E.R., Van Valkenburg,A., Weir,C.E. and Bunting,E.N. Infrared studies on polymorphs of silicon dioxide and germanium dioxide, 9=2209

Lippincott,S.L. On the rapid changes in the fine structure of the chromosphere near a centre of solar activity, 5=4305. A preliminary investigation of the small changes in the chromospheric structure, 5=9374

Lippmann,B.A. Rearrangement collisions, 6=3502. Modification of the Brillouin–Wigner perturbation method, 6=8599. High-energy,semiclassical scattering processes, 7=8398. Surface states in crystals, 8=2021

Lippmann,H. On the problem of the state of order, on rotation, of a specimen of a crystalline liquid, orientated in a magnetic field, 8=7749. The fine structure of the proton magnetic resonance in the liquid crystal p-azoxyanisol, 9=12485

Lippmann,H. and Weber,K.H. Line shapes of proton magnetic resonance absorption in liquid crystals, 9=9309

Lippmann,H.J. See also Kuhrt,F., 9=11059

Lippmann,H.J. and Kuhrt,F. The effect of geometry of Hall and magnetoresistive effects in rectangular semiconductor specimens, 8=3997. The geometrical effect on the transverse megnetoresistance of rectangular disks of semiconductor, 8=8763. The geometrical effect on the Hall effect of rectangular disks of semiconductor, 8=8764

Lippold,O.C.J. See Lewis,H.E., 6=7002

Lipscomb,F.J., Norrish,R.G.W. and Thrush,B.A. The study of energy transfer by kinetic spectroscopy. 1. The production of vibrationally excited oxygen, 6=3886

Lipscomb,W.N. Charge distribution in the pentaboranes, 6=7598. Vector convergence in the noncentrosymmetric F^2 series, 7=5741. Molecular orbitals in the $B_4H_7^-$ and $B_6H_{11}^+$ ions, 8=7461. See also Atoji,M., 5=633, 5=1353, 5=2323, 5=8145, 7=8293-4, 9=12879; Dickerson,R.E., 7=6743, 7=8080,7=8295; Hirshfeld,F.L., 8=796; Jacobson, R.A., 9=12880; Johansson,G., 8=6517; Moore,E.B.,Jr, 7=8296; Rossmann,M.G., 9=9023; Trefonas,L., 8=832 van der Maas Reddy,J., 9=12756

Lipsett,F.R. The deposition of thin films of gold on cylindrical specimens by sputtering, 6=2465. On the production of single crystals of naphthalene and anthracene, 7=8259. Furnace for the growth of naphthalene and anthracene crystals, 9=974. Versatile apparatus for automatic recording of absolute fluorescent spectra, 9=7974

Lipsett,F.R., Compton,D.M.J. and Waddington,T.C. Effect of surface condition on the fluorescence and surface photoconductivity of anthracene, 7=7773

Lipsett,F.R. and King,R. The effect of thin films of gold on the mechanical properties of cadmium single crystals, 7=7466

Lipsett,F.R. and Rolfe,J. Digest of the literature on dielectrics. Conduction phenomena in solid dielectrics, 9=5649

Lipsett,F.R. and Tardif,L. The angular distribution of intensity and polarization ratio of the fluorescence of anthracene crystals, 9=5567

Lipsicas,M. See Allen,K.R., 7=6535

Lipsicas,M.M. See Allen,K.R., 6=2929

Lipskiĭ,Yu.M. Recording of time during the photography of artificial earth satellites, 8=6606

Lipskiĭ,Yu,N. Dependence of the equivalent widths of coronal lines on the degree of polarization of the continuous spectrum of the corona, 9=3057

Lipsky,S. See Burton,M., 6=5795, 7=7478

Lipson,H. See also Dunkerley,B.D., 5=9258; Menarry,A., 9=7629; Pinnock,P.R., 5=632

Lipson,H. and Pinnock,P.R. A stencil method for computing structure factors, 5=4195

Lipson,H.G., Burstein,E. and Smith,P.L. Optical properties of plastically deformed germanium, 5=7849

Lipson,J. See Reynolds,J.H., 5=2483

Lipton,S. See Le Couteur,K.J., 6=2185

Lipworth,E. See also Garvin,H.L., 8=7299, 9=569, 9=2693, 9=4965; Novick,R., 6=201

Lipworth,E. and Novick,R. Fine structure of singly ionized helium, 8=1283

Liquier-Milward,J. Electron microscopy and radioautography as coupled techniques in tracer experiments, 6=5342

Liquori,A.M. An aid for the application of the Fourier transform method to planar molecules, 7=2844. See also Bertinotti,F., 7=2842; Giacomello,G., 6=7030; Hameka,H.F., 6=6825

Liquori,A.M. and Ripamonti,A. A method for the direct determination of the position of molecules in organic crystals from the intensities of diffraction reflections, 6=8482

Lisgarten,N.D. An electron diffraction study of ice deposits formed on silver iodide, 9=6359. See also Blackman,M., 7=5744, 7=9753, 8=6520

Lisgarten,N.D. and Blackman,M. The cubic form of ice, 7=913

Lisitsa,M.P. Reflection and transmission of light by a system of thin and thick dielectric layers, 6=8129. Spectrophotometric method of investigating the dispersion and absorption of hard substances, 7=7785

Lisitsa,M.P. and Malinko,V.N. An interferometric method for the calibration of infra red spectrometers, 8=3876

Lisitsa,M.P. and Shishlovskiĭ,A.A. Polarization of light reflected by a pile [of glass plates], 8=1001

Lisitsa,M.P. and Tsvelykh,N.G. Thin-layer optics. I. Phase-shift on reflection of light from thin films of silver, germanium, tellurium and selenium, 8=1626

Lisker,K.E. Certain peculiarities in the electrical properties of ceramic dielectrics based on zirconium and niobium oxides, 9=5658

Lissberger,P.H. Properties of all-dielectric interference filters. I. A new method of calculation, 9=5585

Lissberger,P.H. and Ring,J. Improved methods for producing interference filters, 5=6959

Lissberger,P.H. and Wilcock,W.L. Properties of all-dielectric interference filters. II. Filters in parallel beams of light incident obliquely and in convergent beams, 9=5586

List,G. On the breakdown voltage and the ignition delay (time lag) in nitrogen at high pressure, 7=9222. On the mechanism of field breakdown in compressed gases, 9=1504

Lister,B.A.J. and McDonald,L.A. The saturated vapour pressure of ethylene at low temperatures and the magnitude of thermomolecular pressure differences in tubes of various diameters, 5=9609

Liszka,L. A possible explanation of the diurnal variation in the intensity of the night glow line (O I) 5577 A, 7=5761

Lit,A. Depth-discrimination thresholds as a function of binocular differences of retinal illuminance at scotopic and photopic levels, 9=10453

Litchfield,J.T.,Jr. and Wilcoxon,F. The rank correlation method, 5=6674

Litherland,A.E. See also Almqvist,E., 9=10037; Bartholomew, G.A., 5=2172, 5=9071, 6=1469; Bromley,D.A., 7=3631, 7=9810, 7=9815, 9=10025; Calvert,J.M., 6=2405; Ferguson,A.J., 9=2736; Gove,H.E., 7=668, 7=6436, 8=303, 9=2779, 9=2786, 9=6061, 9=13663; Kuehner,J.A., 9=10026; Paul,E.B., 5=9909

Litherland,A.E., Almqvist,E., Batchelor,R. and Gove,H.E. Neutron spectra from $Be^9(He^3,n)C^{11}$ and $Be^9He^4,n)C^{12}$ using pulse shape discrimination in an organic scintillator, 9=6117

Litherland,A.E., Gove,H.E. and Ferguson,A.J. Gamma rays from the 1.83 MeV resonance in the reaction $Mg^{24}(p,\gamma)Al^{25}$, 9=10110

Litherland,A.E., McManus,H., Paul,E.B., Bromley,D.A. and Gove,H.E. An interpretation of the low-lying excited states of Mg^{25} and Al^{25}, 9=2699

Litherland,A.E., Paul,E.B., Bartholomew,G.A. and Gove,H.E. Gamma rays from the proton bombardment of Mg^{24}, 6=3960. Some properties of the 2.23 MeV excited state of P^{31}, 9=2701

Litovchenko,V.G. See Lashkarev,V.E., 8=1056;

Lyashenko,V.I., 8=6989-90
Litovitz,T. Properties of matter. The liquid state, 8=7742
Litovitz,T.A. Theory of ultransonic thermal relaxation times in liquids, 7=5137. Relation of nuclear spin–lattice relaxation to ultrasonic viscous relaxation in liquids, 8=73. Origin of ultrasonic volume viscosity in associated liquids, 8=8648. Ultrasonic spectroscopy in liquids, 9=7894. See also Carneval,E.H., 5=6824, 5=8561, 9=1184; Lyon,T., 6=1914; Piccirelli,R., 8=2909; Smithson,J.R., 6=4916
Litovitz,T.A. and Carnevale,E.H. On the theory of sound absorption in associated liquids, 5=5282. Effect of pressure on sound propagation in water, 5=7783. Effect of pressure on ultrasonic relaxation in liquids. II, 8=2197
Litovitz,T.A., Carnevale,E.H. and Kendall,P.A. Effects of pressure on ultrasonic relaxation in liquids, 7=5136
Litovitz,T.A. and Lyon,T. Ultrasonic velocity in the liquid–glass transition region, 9=135
Littauer,R. See DeWire,J.W., 8=6171
Litting,C.N.W. A Pirani gauge circuit, 5=3495
Little,A.G. See Mills,B.Y., 6=1801, 6=6310, 6=6312, 8=1416; Twiss,R.Q., 7=9588
Little,C.G. High latitude ionospheric observations using extra-terrestrial radio waves, 6=7873
Little,C.G. and Leinbach,H. Some measurements of high-latitude ionospheric absorption using extraterrestrial radio waves, 8=2073. The riometer — a device for the continuous measurement of ionospheric absorption, 9=7685
Little,E.A. Dynamic behavior of domain walls in barium titanate, 5=6616
Little,E.M. See Boyer,K., 9=12342; Elmore,W.C., 8·7400; Pounder,E.R., 9=9059
Little,J.W. See Sakai,H., 7=7189
Little,K. and Kent,P.W. X-ray diffraction and chemical examination of some irradiated nucleic acids, 5=8357
Little,N.C. Electrostatic dynameter, 6=2054. See also Lehnert,B., 7=6104
Little,P.F. Electronegative impurities in ionization chambers, 7=2350. The influence of bromine on the current pulse in counters, 7=4471
Little,R.N.,Jr, Leonard,B.P.,Jr, Prud'homme,J.T. and Vincent,L.D. Liquid scintillator measurements of angular elastic scattering of neutrons from carbon, aluminum, and sulfur, 5=5637
Little,V.I. The dielectric constant of aqueous ionic solutions, 5=6105. The measurement at low frequencies of the dielectric constant of conducting liquids, 9=2303
Little,V.I. and Smith,V. The ionic conductivity of dilute potassium chloride solutions at centimetric wavelengths, 5=3219
Little,W.A. The Overhauser effect in solids, 7=8739. The transport of heat between dissimilar solids at low temperatures, 9=8026
Littlefield,T.A. Photoelectric recording of reflecting echelon fringes, 5=8654. See also Blackie,J., 5=5306, 5=7875, 6=4294; Hately,G.F., 9=2198
Littlejohn,C.S. Nuclear energy levels and mass of nitrogen-17, 9=7302. See also Allison,S.K., 7=2338; Norbeck,E.,Jr, 8=8329
Littler,D.J. See Dunworth,J.V., 9=10139; Green,A., 5=4106
Littlewood,A. Measurement of the optical density of smoke in a chimney, 7=3119
Littlewood,C.A. See also Chapman,J.H., 6=832
Littlewood,C.A. and Chapman,J.H. A measurement at Ottawa of the change in height with lunar time of the E region of the ionosphere, 5=2339
Littlewood,D.E. The cosmological principle, 6=7. The behaviour of the universe, 6=3462
Littman,J. See Haendler,H.M., 5=2583
Littmann,G. See Korttüm,G., 9=5598, 9=5873
Littmann,M.F. See Wiener,G., 8=8895
Litvin,D.F. See Lyaschenko,B.G., 7=9933; Lyashchenko,B.G., 9=12884
Litvin,V.F. See Nemilov,Yu.A., 6=7625, 7=4723
Litvinenko,I.A. See Tolstoĭ,N.A., 6=7299
Litvinkov,S.S. A boundary condition problem for linearized equations of hydrodynamics of viscous liquids, 9=9285
Litvinov,R.O. See Lyashenko,V.I., 8=6987
Litvinova,P.S. Vibrational structure of zinc oxide spectra, 5=6006. Temperature variation of absorption in sulphide phosphors, 7=6022
Litwiniszyn,J. Time–space processes in stochastic media. I-II, 9=13034
Litz,L.M. See Ring,S.O., 5=3101
Litzman,O. Localized vibrations in three-dimensional lattices with defects, 9=5129. A method for calculating the vibrations of a perturbed atomic chain, 9=8773. Localized vibrations of a perturbed diatomic linear chain, 9=12738. Localized vibrations in a simple cubic lattice: one impurity atom, interaction with six nearest neighbours, 9=12775
Liu,I.D. The vibrational numbering of the $A^2\Pi - X^2\Sigma$ bands of N_2^+, 9=9421.
Liu,V.C. On a Pitot-tube method of upper-atmosphere measurements, 8=5531. On the drag of a sphere at extremely high speeds, 8=8626. Note on diffusive separation of gas mixtures in flow fields, 9=1154. Suction of the boundary-layer flow along a hot plate as a means of separating gas mixtures, 9=6614. On thermal diffusion effect in the surface treatment of metals by diffusion out of a streaming gas, 9=11584
Liu,V.C. See Bartman,F.L., 6=7040
Liu Shu-I. On the realistic stress space of solids, 5=4126. Variational theory for frictional slip in the contact plane in plastic compression, 8=8487
Liubimov,A.L. See Zastavenko,L.G., 8=3309
Liuima,F.A., Bushkovitch,A.V. and Rouse,A.G. Pressure broadening of OCS in foreign gas mixtures, 5=177
Livengood,J.C., Rona,T.P. and Baruch,J.J. Ultrasonic temperature measurement in internal combustion engine chamber, 5=131
Livesey,D.J. See Bach,G.G., 5=9070
Livesey,D.L. A note on nuclear temperatures at low excitation energies, 5=8154. Range-energy relations for light nuclei in air and nuclear emulsion, 6=2194. $(\gamma,p+\alpha)$ reactions produced in photographic emulsions, 6=2414. The photo-protons emitted from oxygen-16 nuclei, 7=714. The photo-protons emitted from carbon and nitrogen nuclei, 7=9881. See also Dawson,W.K., 6=3230
Livesey,D.L., and Main,I.G. The (γ,n) reaction in ^{4}He nuclei, 9=2813
Livey,D.T. and Murray,P. The stability of beryllia and magnesia in different atmospheres at high temperatures, 6=8443. The surface energies of solid oxides and carbides, 8=6403
Livingston,J.D. and Chalmers,B. Multiple slip in bicrystals, 9=12764
Livingston,M.S. See Frazer,J.F., 5=7177
Livingston,R. The potentialities and limitations of the paramagnetic resonance method in radiation research, 9=7189. See also Bowen,E.J., 5=3628; Burrus,C.A., 5=4524; Trammell,G.T., 8=5122; Zeldes,H., 5=2891, 7=7501, 9=4817
Livingston,R., Ghormley,J. ahd Zeldes,H. Paramagnetic resonance observations on the condensed products of electric discharges through water vapor and related substances, 6=3026
Livingston,R. and Zeldes,H. Paramagnetic resonance absorption in diphenylpicrylhdrazyl, 6=2247. Zeeman effect on the quadrupole spectrum of iodic acid, 7=5515
Livingston,R.L. and Lyon,D.H. Electron diffraction investigation of the molecular structure of dichlorodifluoremethane, 6=7608
Livingston,R.L. and Rao,C.N.R. Molecular structure of tin tetrachloride, 9=7465
Livingston,R.S. See also Boosser,H.G., 9=1545
Livingston,R.S. and Boch,A.L. ORNL's design for a power reactor package, 5=8265
Livshits,B.G. See Ibragimov,Sh.Sh., 8=4463
Livshits,G.Sh. See Boiko,P.N., 9=13968
Livshits,L.D. See Ryabinin,Yu.N., 9=2335
Livshits,L.I. See Korsunskiĭ,M.I., 7=1440
Livshits,M.S. Concerning the application of non-selfconjugate operators in scattering theory, 7=1071. The scattering matrix of the compound system, 7=3961. On the compound state formed in the scattering of elementary particles, 7=5859
Ljolje,K. On the theory of the electrical conductivity [of metals], 5=1802
Ljubimov,V.A. See Ioffe,B.L., 9=2574. See also Lubimov,V.A. Lyubimov,V.A.
Llewellyn,J.P. See also Finlayson,D.M., 7=1293
Llewellyn,J.P. and Smith,T. The thermal expansion of iron ditelluride, 8=1013
Llewellyn, P.M. A solid state paramagnetic resonance spectrometer, 7=8016. See also Baker,J.M., 6=7631; Bleaney,B., 7=2486, 7=2489, 7=6725; Halford,D., 8=7323; Hutchinson,C.A.Jr, 6=6080; Low,W., 8=5426

Llewellyn Jones,F. See Jones,F.Llewellyn
Llewelyn,G.I.W. See Angus,W.R., 5=4158-60, 9=11190-1
Llowarch,W. Application of the schlieren technique to the study of ripples, 7=2098
Lloyd,E.C., Hutton,U.O. and Johnson,D.P. Compact multi-anvil wedge-type high pressure apparatus, 9=12846
Lloyd,J.L., Rössle,E. and Wolfendale,A.W. The scattering of high energy μ-mesons in lead, 7=7429
Lloyd,J.L. and Wolfendale,A.W. The scattering of γ-mesons in lead and iron, 6=2442. An unusual double V-event at sea-level, 6=3254. Knock-on electrons from cosmic-ray μ-mesons, 9=2606
Lloyd,L.T. See Weil,R., 9=10292
Lloyd,N.E. Determination of surface-average particle diameter of colored emulsions by reflectance, and application to emulsion stability studies, 9=12854
Lloyd,R.A. Application of the Kurie plot to the standardization of pure beta-emitters, 8=3349. See also Owen,B., 8=4294
Lloyd,S.J. and Murray,J.R. A simple, automatic, high-temperature thermal analysis apparatus, 8=6491
Loach,B.G. Vacuum equipment for the 4 MeV linear electron accelerator, 8=5708
Loasby,R.G. The γ phase in uranium alloys, 9=858. See also Bates,L.F., 5=4793, 6=3018, 9=1431
Löb,H. See Hölz,R., 9=2414
Lobachev,A.N. See Vainshtein,B.K., 7=8301, 9=10202
Lobanov,A.M. See Mikhailov,G.P., 5=7012, 8=3067, 9=13249; Sazhin,B.I., 9=4043
Lobanova,N.V. Nature of the colour vision of anomalous trichromats, 7=8952. See also Rautian,G.N., 6=8139
Lobanova,N.V. and Rautian,G N. New tables for the calculation of colour coordinates, 8=3909
Locatelli,B. See Bonetti,A., 5=4962, 5=6281, 5=6503; Di Corato,M., 5=8290, 5=9118
Lochak,G. On classical fluids with spin, 7=7590. Mechanical interpretation of the gauge invariance of first kind according to the hydrodynamical representation of the quantum mechanical equations, 8=2156. On the quantum theory of solid bodies in rotation, 8=6656. Some problems on the rotation group and the quantum top, 9=10572. See also Halbwachs, F., 6=903, 6=911; Hillion,P., 8=3708-9; Jakobi,G., 7=90, 7=1076
Locher,G.L. Micro-counter tubes for beta–gamma measurements, 9=9889
LocherP.R. See Hadders,H., 9=3643
Löcherer,K.H. See V. Szalay,L., 7=9130
Lochet,R. See also Rousset,A., 5=3655, 9=9462, 5=12106; Rybak,B., 6=2524
Lochet,R. and Biehler,M. Fogging effect of papers on sensitive layers, 6=5590
Lochet,R., Massoulier,A. and Rousset,A. Measurement of the molecular optical anisotropy from Rayleigh scattering, 7=5256
Locbet, R., Rousset,A., and Tourte,J. On the optical anisotropy of water in solutions of isotropic ions, 6=7324
Lochet,R., Rybak,B., Rousset,A. and Valentin,E. Molecular phosphorescence at ordinary temperatures, 7=5221
Lochet,R., Valentin,F. and Rousset,A. On an arrangement for the spectral analysis of molecular phosphorescence at ordinary temperatures, 6=8118
Lochingter,R. Electroluminescence at higher excitation frequencies, 9=4478
Lochner,J.P.A. and Keet,W. de V. A simple method of measuring the dynamic Young's modulus of concrete, 5=8317
Lochte-Holtgreven,W. On the rotating arc spot on a carbon anode, 6=7440. The thermally excited plasma in the column of an electric arc, 7=1332. Production and measurement of high temperatures, 8=5842. See also Ullrich,R., 9=1336
Lock,C. See Koomen,N,J., 6=9098
Lock,C.J.L. Fission product formation in a homogeneous power reactor, 7=732. Mathematics of fission product formation in reactors with circulating fuel, 7=1634. See also Davidge,P.C., 7=1632
Lock,J.M. The magnetic susceptibility of ytterbium from 1.3°K to 300°K, 7=6346. The magnetic susceptibilities of lanthanum, cerium, praseodymium, neodymium and samarium, from 1.5°K to 300°K, 7=7225. Magnetic saturation in alloys of neodymium at low temperature, 7=8720. See also Johnson,F.A., 9=4007; Roberts,L.M., 7=8573
Lock,R.C. The stability of the flow of an electrically conducting fluid between parallel planes under a transverse magnetic field, 6=3040
Lock,W.O. See Amaldi,E., 5=8278; Batty,C.J., 9=2784-5; Duke,P.J., 5=8842, 5=9342, 7=4464; Goldsack,S.J., 6=5422, 7=4710; Hughes,I.S., 7=4777
Lock,W.O. and March,P.V. Nuclear interactions of 600 MeV protons, 5=6456
Lock,W.O., March,P.V. and McKeague,R. A study of the nuclear disintegrations produced by 950 MeV protons, 5=9077
Lock,W.O., March,P.V., Muirhead,H. and Rosser,W.G.V. Nuclear interactions of 950 MeV protons, 5=6455
Locke,G. On the problem of calculating a reactor with a reflector on the basis of Fermi age theory, 9=7376. Examination of the possibility of locally substantially increasing the neutron flux in a reactor, 9=7382. Discussion of a numerical method for the improvement of the resolution at a neutron chopper, 9=11332
Lockenvitz,A.E. See Fain,W.W., 8=3150
Lockett,E.E. See also Collie,C.H., 6=7695; Green,A., 5=4106
Lockett,E.E. and Thomas,R.H. Half-lives of cobalt-60, thallium-204, and europium-152, 7=4663
Lockett,F.J. Effect of thermal properties of a solid on the velocity of Rayleigh waves, 9=6624
Lockhart,B.J. See Evans,G.W., II., 7=1135
Lockhart,L.B.,Jr. See also Blifford,I.H.,Jr, 6=7090, 6=9131; King,P., 6=7898*
Lockhart,L.B.Jr, Baus,R.A. and Blifford,I.H.,Jr. Fission product radioactivity in the air along the 80th meridian—January-June 1957, 9=7694
Lockwood,J.A. Variations in the cosmic-ray nucleonic intensitv. 9=3621. See also Towle,L.C., 9=4770
Lockwood,J.A. and Yingst,H.E. Correlation of meterological parameters with cosmic-ray neutron intensities, 7=3421
Lockwood,J.A., Yingst,H.E., Calawa,A.R. and Sarmoniote,G. Cosmic-ray neutron intensity increase associated with solar flare of February 23, 1956, 6=6759
Lockyer,R. See Burns,W.G., 5=8220
Locquin,M. Preliminary attempts at phase contrast in electron microscopy, 5=4722. Systematic research on contrast modifiers by selective staining in electron microscopy, 5=4994. Phase contrast and interchromatic contrast: New methods of observation in electron microscopy, 6=5142. Phase and amplitude modulator giving a phase contrast effect without a phase plate, 7=2100. A microscope with elastic control of focusing, 7=7807. A remote controlled automatic microscope, 9=8015
Lodding,A. Self diffusion in molten indium, 6=5719. Haeffner effect in Sn, Cd and Zn, 9=6166. Isotope transport in molten rubidium metal at different temperatures, 9=8687. See also Lundén,A., 6=3129, 9=5099, 9=12730
Lodding,A., Lunden,A. and Ubisch von H., Temperature dependence of the isotope effect on the passage of electric current through molten In, 6=4718
Lodén,K. The large sunspot group of June (1955), 7=32. An investigation of bright and dark surges observed on the Sun, 9=7740
Lodén,L.O. Some spectrographic solar observations made in July 1957, 9=4227
Lodge,A.S. Variation of flow birefringence with stress, 6=1142
Lodge,J.A. See Meltzer,B., 5=7064
Lodge,J.P. and Baer,F. An experimental investigation of the shatter of salt particles on crystallization, 5=3332
Lodge,J.P., Baker,M.L. and Pierrard,J.M. Observations on ion separation in dilute solutions by freezing, 6=5473
Loeb,A.L. See Goodenough,J.B., 5=6604; Harris,L., 5=2631
Loeb,H.W. Flying spot counting and sizing of non-uniform particles, 7=5663
Loeb,H.W. Flying spot counting and sizing of non-uniform particles, 7=5663
Loeb,L.B. Corona threshold and the range of velocities of pulse spread in Geiger counters, 5=2815. Secondary processes active in electrical breakdown of gases, 7=1320. Static electrification, 9=3415. Mechanism of cataphoretic segregation in inert gas glow discharges, 9=3524. Significance of formative time lags in gaseous breakdown, 9=4643
Loeb,W.A. See Goertzel,G., 5=534
Loebenstein,H.M. See Meiron,J., 8=561
Loeber,A.P. and Hiedemann,E.A. Investigation of stationary ultrasonic waves by light refraction, 6=1929
Loebner,E.E. Opto-electronic devices and networks, 6=2805. Luminous (G_L) and radiant (G_R) power gains of light-amplifying devices, 6=3739. Thermoelectric power, electrical resistance, and crystalline structure of carbons, 6=3756. See also Ellis,S.G., 8=3140
Loebner,E.E. and Poor,E.W.,Jr. Bimolecular electrolumines-

cent transitions in GaP, 9=12127

Loef,J.J. van See van Loef,J.J.

Loeffler,B.B., Eberlin,E. and Pickett,L.W. Far ultraviolet absorption spectra of small ring hydrocarbons, 8=1606

Loeffler,F.J. Production of electron pairs by 550 MeV electrons, 8=8212

Loeffler,F.J., Palfrey,T.R. and Tautfest,G.W. The energy dependence of the Cornell thick-walled ionization chamber, 9=12521

Loeliger,H. See Gribi,M., 9=13406

Loening,E.E., Sutherns,E.A. and Bourne,B.P. The dual mechanism of latent-image formation, 5=3373

Leopfe,E. See Beusch,W., 7=9736; Glättli,H., 5=441, 6=433; Knoepfel,H., 9=2227, 9=6760

Loevinger,R. The dosimetry of beta sources in tissue. The point-source function, 7=1560

Loevinger,R. and Feitelberg,S. Using bremsstrahlung detection by a scintillator for simplified beta counting, 5=8179

Loewen,E.G. See Leach,J.S.L., 5=7440

Loewenstein,A. See also Grunwald,E., 8=434, 8=1358; Meiboom,S., 9=2979

Loewenstein,A. and Meiboom,S. Rates and mechanisms of protolysis of di- and trimethylammonium ions studied by proton magnetic resonance, 8=3537

Loewenstein,E. See Vanasse,G.A., 9=9409

Loferski,J.J. Theoretical considerations governing the choice of the optimum semiconductor for photovoltaic solar energy conversion, 6=6648. See also Fonger,W.H., 9=313; Jenny,D.A., 6=4412; Rappaport,P., 6=5878

Loferski,J.J. and Rappaport,P. Electron voltaic study of electron bombardment damage and its thresholds in Ge and Si, 5=7952. Radiation damage in Ge and Si detected by carrier lifetime changes: damage thresholds, 9=2943. The effect of radiation on silicon solar-energy converters, 9=3490. Displacement thresholds in semiconductors, 9=10981. Electron-bombardment induced recombination centers in germanium, 9=11007

Lofgren,E.J. The bevatron, 9=8242. See also Chamberlain,O., 6=5830; Lamb,W.A.S., 7=2345

Lofthus,A. Emission band spectra of nitrogen. The Lyman–Birge–Hopfield system, 6=7271. The fifth positive system, 6=8653. A study of some singlet systems, 7=3128

Lofthus,A. and Mulliken,R.S. Emission band spectra of nitrogen. Kaplan's first and second systems, 7=5978

Loftus,T.P., Mann,W.B., Paolella,L.F., Stockmann,L.L. and Youden,W.J. Comparisons of national radium standards, 7=6486

Logachev,Y.I. See Vernov,S.N., 8=5098, 9=1566

Logan,B.F., Welti,G.R. and Sponsler,G.C. Analogue study of electron trajectories, 5=7107

Logan,J.K. See also Clement,J.R., 6=292

Logan,J.K., Clement,J.R. and Jeffers,H.R. Resistance minimum of magnesium: heat capacity between 3°K and 13°K, 7=4318

Logan,M.J. See Harman,T.C., 9=12166

Logan,R.A. Precipitation of copper in germanium, 6=782. Thermally induced acceptors in germanium, 6=2872. See also Fuller,C.S., 8=8771

Logan,R.A. and Bond,W.L. Density change in silicon upon melting, 9=6836

Logan,R.A., Goss,A.J. and Schwartz,M. Semiconductor devices made with single crystal germanium - silicon alloys, 5=2756

Logan,R.A., Pearson,G.L. and Kleinman,D.A. Anisotropic mobilities in plastically deformed germanium, 9=8125

Logan,R.A. and Peters,A.J. Diffusion of oxygen in silicon, 8=811. Effect of oxygen on etch-pit formation in silicon, 8=2705

Logan,R.A. and Schwartz,M. Restoration of resistivity and lifetime in heat treated germanium, 6=1221

Logie,H.J. and Urlau,R.R. A surface electroluminescence effect in diamonds, 8=989

Loginov,V.A. Production of the absorption spectrum of AlO by electrical explosion of a wire [Al] in air at atmospheric pressure, 9=12040

Loginov,Yu,E. and Yakovlev,K.I. γ-rays from As^{74}, 9=11459

Loginova,L.N. See Kel'man,V.M., 9=5804

Loginova,Z.A. See Dmitrev,A.A., 8=3031

Logunov,A.A. Green's function in scalar electrodynamics in the region of small momenta, 6=2643. The summit (vertex) portion in scalar electro-dynamics in the region of large impulses, 6=7124. A certain generalization of the renormalization group, 7=83. Spectral representation and the renormalization group, 7=1051. Dispersion relations for virtual processes, 8=1514. Dispersion relations for reactions with a variable number of particles, 8=6117. On the theory of dispersion relations for virtual [photoproduction], 9=7249. See also Bogolubov,N.N., 8=4731; Bogolyubov,N.N., 8=2789; Logunow,A.A.

Logunov,A.A., Bilenkij,S.M. and Tavkhelidze,A.N. On the theory of dispersion relations, 9=3142

Logunov,A.A. and Frenkin,A R. On the dispersion relations for the Compton effect, 9=516

Logunov,A.A. and Isaev,P.S. On the theory of dispersion relations for photon–nucleon scattering, 9=3140

Logunov,A.A. and Solovyov,L.D. Dispersion relations for virtual photoproduction, 9=7248

Logunov,A.A. and Stepanov,B.M. Dispersion relations for the photoproduction of pions, 7=4783

Logunov,A.A., Stepanov,B.M. and Tavkhelidze,A.N. On the role of compound states in photoproduction processes, 7=5655

Logunov,A.A. and Tavkhelidze,A.N. Dispersion relations for photoproduction of mesons on nucleons, 8=2498. Some problems encountered in the theory of the dispersion relations, 9=1079. Analytic properties of an amplitude of a process with a changing number of particles, 9=3118. Generalized dispersion relations, 9=3141

Logunov,A.A., Tavkhelidze,A.N. and Solovyov,L.D. Photoproduction processes and dispersion relations, 8=5371

Logunov,A.A. and Terletskiĭ,Ya.P. Diffusion coefficient of particles in a magnetized interstellar medium, 6=7938. The acceleration of the charged particles of a moving magnetized medium, 7=5798

Logunov,A.A. and Todorov,I.T. On the proof of dispersion relations for inelastic scattering, 9=7802

Logunov,V.N., Ovchinnikov,E.P. and Rusanov,V.D. Dependence of the bremsstrahlung intensity from a betatron on the basic injection parameters, 8=2354

Logunov,V.N., Ovchinnikov,E.P., Rusanov,V.D. and Semenov,S.S. Transient circulating current at the time of injection of electrons into a betatron, 8=7087

Logunov,V.N. and Semenov,S.S. Capture of electrons in betatrons, 9=5826

Logunow,A.A. See also Logunov,A.A.

Logunow,A.A., Tawchelidse,A.N. and Tschernikow,N.A. Problem of dispersion relations for reactions with variable numbers of particles, 9=3147

Loh,S.C. On toroidal functions, 9=7721. The calculation of the electric potential and the capacity of a tore by means of toroidal functions, 9=8062

Loh,S.C. and Wong,J.Y. Radiation field of an elliptic loop antenna with a constant current, 8=7210

Lohff,J. Electron emission from plastically deformed zinc crystals, 6=6692. The electron emission during oxidation of mechanically worked metal surfaces, 7=5375. The electron emission from mechanically worked metal surfaces under an oxygen pressure which varies with time, 7=9715. The energy distribution of the electron emission from mechanically worked metal surfaces, 9=4679

Lohff,J. and Raether,H. On electron emission from metal surfaces after mechanical treatment, 5=6203. Electron emission from metal surfaces after mechanical working, 6=2162

Lohmander,B. and Rittsten,S. Table of the function $y = e^{-x^2} \int e^{t^2}\,dt$, 8=3628

Lohmann,A. A new duality principle in optics, 5=871. Abbe's experiment as a means of measuring absolute light phase, 6=1125. Optical single side-band transmission using the Gabor microscope, 7=208. The determination of density contours by electron -optical methods, 7=5949. On the measurement of the optical contrast transfer function, 9=1246. Improvement of the contrast transfer function, 9=6681. Contrast transfer in the grating spectrograph, 9=6702. The moiré fringe system as a versatile test-object: photoelectric measurement of aberrations, 9= 7928. See also Amelung,U., 9=3365; Blanke,W., 9=1331; Diederichs,E., 9=13202; Hammer,O., 9=3269; Hauk,D., 9=1263

Lohmann,A. and Wegener,H. The handling of optical imagery by development with plane waves, 6=1946

Lohmann,W. The mass of the galaxy, 6=2621. A simple development procedure for nuclear plates, 6=5589. Investigations on the fading mechanism in nuclear plates (Agfa K-plates), 7=3883. Cross-sections for (γ, p) reactions in Mn, Cu and Sb, 9=6128. Determination of the nuclear temperature of manganese and copper from the energy spectra of photoprotons from the reactions Mn(γ, p) and

Cu(γ,p), 9=6129

Lohr,H.R. See Flotow,H.E., 9=12189

Lohrmann,E. Angular distribution in cosmic ray stars, 5=7173 On the topographic distribution of cosmic ray stars in nuclear emulsion, 5=7174. On the energy determination of electron pairs, 6=3172. Measurements on high energy electron showers, 6=5150. Meson production at very high energies, 6=5431. Interactions of very high energy in the cosmic radiation, 7=524. Multiple meson production in the cosmic radiation, 7=8194. See also Eisenberg,Y., 8=6177, 9=2644; Hänni,F., 6=6193; Hänni,F.D., 7=3415; Jain,P.L., 9=13408, 9=13671; Teucher,M., 6=5062; Teucher,M.W., 9=12419; Winzeler,H., 6=6182

Lohrmann,E., Nikolić,M., Schneeberger,M., Waloschek,P. and Winzeler,H. Interactions and decays of K$^-$-mesons, 8=1199

Lohrmann,E., Peyrou,C., Teucher,M. and Winzeler,H. Interactions of K$^-$-mesons at rest, 5=9965

Lohrmann,E. and Teucher,M. Spurious scattering in nuclear emulsions, 6=3806

Lohrmann,E. and Teucher,M.W. Production of strange particles and antiparticles in nuclear interactions of very high energy (E $\sim 10^{13}$ eV), 9=4957. Heavy nuclei and α particles between 7 and 100 BeV/Nucleon. I. Interaction mean free paths and fragmentation probabilities, 9=13670

Lohse,J.M. and Zimmerman,M.R. Vacillating wave results from electric field and powder filled dielectric, 9=13348

Loinger,A. On the classical electrodynamics of the point electron, 5=7933. An analogy between the quantum electrocynamics and classical electrodynamics of the corpuscular description, 5=9421. See also Bocchieri,P., 5=9420, 6=91, 6=2637, 6=4518, 6=4804, 6=5685, 6=8579, 7=7573, 7=8372, 9=1039, 9=9253

Loiseleur,J. Chemical synthesis following the action of ionizing radiations, 6=6231

Lokan,K.H. The integrated cross section from threshold to 30 MeV for the reaction ^{9}Be(γ, 2n)^{7}Be, 8=2576. High-energy photoprotons from silver, 9=7345. See also Carver,J.H., 7=7390, 8=6320

Lokanathan,S. and Steinberger,J. Search for the β-decay of the pion, 5=9951

Lokhov,Yu.N. See Galanin,A.D., 8=1512

Lom,T. and Plecitý,M. On the interaction berween an electromagnetic wave and free electrons, 7=9707

Lomakin,G.D. Dry external friction with oscillations of a body rubbed as a whole, 7=808. See also Kunin,N.F., 5=4138-9

Lomanov,M.F. See also Blinov,G.A., 7=3402, 8=1802, 9=2625; Kuznetsov,E.V., 7=4485

Lomanov,M.F., Meshkovskiĭ,A.G., Shalamov,Ya,Ya., Shebanov, V.A. and Grashin,A.F. Bremsstrahlung of π^{+-}mesons interacting with nuclei, 9=2570

Lomanov,M.F., Meshkovsky,A.G., Shalamov,Ya.Ya, Shebanov, V.A. and Grashin,A.F. Observation of the bremsstrahlung of π-mesons interacting with nuclei, 9=8474

Lomas,T.W. and Finch,L.G. A system for controlled linear cooling of laboratory furnaces, 7=4289

Lomax,R.J. Exact electrode systems for the formation of a curved space-charge beam, 8=5050. Single component relativistic space-charge flow, 9=3556. The effect of the inclination of the focusing electrodes on electron beam formation, 9=3559

Lombardini,P.P., Schwartz,R.F. and Doviak,R.J. Measurement of the properties of various ferrites used in magnetically tuned resonant circuits in 2.5–45 Mc/sec region, 8=8902

Lomer,W.M. The valence bands in two-dimensional graphite, 5=2042. Diffusion coefficients in copper under fast neutron irradiation, 5=5668 Effect of reactor flux on boiling water, 7=1637. Density change of a crystal containing dislocations, 7=9976. See also Foreman,A.J.E., 5=3267, 8=1307

Lomer,W.M. and Cottrell,A.H. Annealing of point defects in metals land alloys, 5=8386

Lomer,W.M. and Marshall,W. The electronic structure of the metals of the first transition period, 8=1281

Lomnitz,C. Linear dissipation in solids, 7=5126

Lomon,E. See Eisenberg,Y., 7=748; Feshbach,H., 6=4204

Lomon,E.L. The joining of infra-red and ultra-violet calculations, 6=2692. A soluble model of meson–nucleon s-state scattering, 6=6362. Coulomb corrections to τ-meson decay, 8=707. Radiative corrections for nearly elastic scattering, 9=4899. See also Chiu,H.Y., 9=4938; Zaidi,M.H., 8=1189

Lomonosova,T.N. See Ivanova,M.K., 9=9512

Lomont,J.S. Dirac-like wave equations for particles of zero rest mass, and their quantization, 9=2096. Applications of finite groups, 9=10496

Lomsadze,Yu.M. On the singularity of the electromagnetic potential in higher approximations of perturbation theory, 6=7128. On the potential in the pair theory of nuclear forces, 7=1905. A possibility in the quantum theory of fields, 7=3958

Lomsadze,Yu.M. and Maksimov,B.I. Equations for the Green's functions and the vacuum functional in the pair theory, 9=7799

Lonappan,M.A. Thermal expansion of potassium chlorate, 5=2665. Thermal expansion of boric acid, 5 =9605. Thermal expansion of potassium nitrate, 5=9607

Lonati,R.D. See also Bracci,A., 5=7336, 6=3973

Lonati,R.D., Facchini,U., Iori,I., Houtermans,F.G. and Tongiorgi,E. Study on α radioactivity in low concentration, 8=1238

Lonberger,S.T. See Roeser,W.F., 8=1659; Shenker,H., 5=6162

Lonchamp,J.P. On the experimental verification of the range-energy relation for nuclei charge greater than 2, 5=1922. A contribution to the systematic study of photographic emulsions used in nuclear physics, 5=7594. On the range–energy relation for Li^{7} ions in Ilford C-2 nuclear emulsions, 7=7174. A study of accelerated Li ions by the nuclear plate method, 7=8670. See also Cüer,P., 5=4742, 7=3887; Gegauff,C., 9=9914

Lonchamp,J.P. and Braun,H. On the fixing of nuclear emulsions, 5=3369

Lonchamp,J.P. and Gegauff,C. On the range-energy curve of slow electrons in nuclear emulsions, 6=4447

Lonchamp,J.P. and Morgenthaler-Metz,M. A study of the methods of intensification of tracks in nuclear emulsions, 6=863

Lonchamp,J.P. and Robin,G. On the range– energy relation of Li^{8} ions in nuclear emulsions, 8=7122

London,F. Superfluids. Volume II. Macroscopic theory of superfluid helium, 5=7909. Alignment of hydrogen molecules by high pressure, 6=3689

London,H. See Bickerton,R.J., 8=5067; Butterworth,I., 7=8900; Egelstaff,P.A., 8=3297

London,J. See Haurwitz,B., 8=5596

Lones,W. See Binns,J.E., 7=8847

Long,A.L. See Simanton,J.R., 5=3039

Long,D. Effect of pressure on the electrical properties of indium antimonide, 5=7981. Effects of pressure on the electrical properties of semiconductors, 6=2863. Galvanomagnetic effects in p-type silicon, 8=2327. See also Nussbaum,A., 9=4632

Long,D., Motchenbacher,C.D. and Myers,J. Impurity compensation and magnetoresistance in p-type silicon, 9=6978

Long,D. and Myers,J. Weak-field magnetoresistance in p-type silicon, 8=1694

Long,D.A., Milner,D.C. and Thomas,A.G. Intensities in Raman spectra. III. A photoelectric recording Raman spectrometer for intensity measurements, 7=1205; IV. Intensity measurements for some chloromethanes, 7=1206

Long,E. See also Inghram,M.G., 5=4600

Long,E. and Meyer,L. Superfluidity of unsaturated helium films above the λ temperature, 5=4601. Superfluidity and heat transport in the unsaturated helium-II film, 5=6989

Long,E.A. See Bowers,R., 5=5696

Long,R.A. See Friedman,L., 7-5420*, 7=9739, 9=8983, 9=12395; King,A.B., 9=364

Long,J.D. See Hama,F.R., 7=5910

Long,J.V.P. X-ray absorption microanalysis with fine-focus tubes, 9=915

Longdon,L.W. See Hope,J., 6=1857, 6=6068

Longhurst,R.S. Diffraction by an opaque strip, 9=3353

Longini,R.L. Temperature-dependent factor in carrier lifetime, 6=5089. See also McKelvey,J.P., 5=8749

Longini,R.L. and Greene,R.F. Ionization interaction between impurities in semiconductors and insulators, 6=5858

Longley,H. See Chick,D.R., 7=9727

Longman,I.M. See Pekeris,C.L., 8=5723

Longmire,C.L. Method for determining thermal conductivity at high temperatures, 8=2270. See also Rosenbluth, M.N., 7=8727

Longmire,C.L., Nagle,D.E. and Ribe,F.L. Ion confinement by rotation in magnetic mirror geometry, 9=11135

Longmire,C.L. and Rosenbluth,M.N. Diffusion of charged particles across a magnetic field, 6=6396

Longo,T.A., Ray,R.K. and Lark-Horovitz,K. Low·temperature impurity conduction in silicon, 9=6981

Longoni,A.M. Non-local theory of the Compton effect, 9=13533

Longworth,L.G. Temperature dependence of diffusion in aqueous solutions, 5=783

Longuet-Higgins,H.C. The vibrations of a stressed framework, 5=2495. Transport processes in fluids, 5=7740. The electronic states of composite systems, 6=5276. The electronic energy levels of composite systems, 7=6379. One-dimensional multicomponent mixtures, 8=2849. The statistical thermodynamics of a one-dimensional multicomponent assembly, 9=2288. The transport properties of dense assemblies of rigid spheres, 9=3161. The entropy of a flexible macromolecule, 9=5120. See also Beer,M., 5=8633; McEwen,K.L., 6=3889; Murrell,J.N., 5=4841, 6=2288; Pople,J.A., 9=13741

Longuet-Higgins,H.C. and McEwen,K.L. Electronic spectra of cyclic aromatic hydrocarbon radicals and ions, 7=5531

Longuet-Higgins,H.C. and Murrell,J.N. The electronic spectra of aromatic molecules,V: The interaction of two conjugated systems, 5=8128

Longuet-Higgins,H.C., Öpik,U., Pryce,M.H.L. and Sack,R.A. Studies of the Jahn–Teller effect. II. The dynamical problem, 8=4384

Longuet-Higgins,H.C. and Pople,J.A. The electronic spectra of aromatic molecules. IV. Excited states of odd alternant hydrocarbon radicals and ions, 5=8127. Transport properties of a dense fluid of hard spheres, 7=1945. Electronic spectral shifts of nonpolar molecules in nonpolar solvents, 8=2007

Longuet-Higgins,H.C. and de Roberts,M.V. The electronic structure of an icosahedron of boron atoms, 5=6368

Longuet-Higgins,H.C. and Valleau,J.P. Transport of energy and momentum in a dense fluid of hard spheres, 8=3768. Transport coefficients of dense fluids of molecules interacting according to a square well potential, 9=13065

Longuet-Higgins,M.S. Statistical properties of a moving waveform, 7=140. A statistical distribution arising in the study of the ionosphere, 7=7516. The distribution of the sizes of images reflected in a random surface, 9=13134

Longwell,J.P. See Lucchesi,P.J., 9=13875

Lönnqvist,O. Theoretical verification of the logarithmic formula for the relative net radiation to a cloudless sky, 5=3329. Measurements of effective radiation at Bromma airport simultaneous with radiosoundings, 5=5790

Lonsdale,K. Thermal vibrations of atoms and molecules in crystals, 8=9108. See also Gilbert,R.E., 7=880; Grenville-Wells,H.J., 8=6515

Lonsdale,K. and Grenville-Wells,H.J. Anisotropic temperature factors in cubic crystals, 7=882. Large increase of light sensitivity at low temperatures for certain types of X-ray film, 7=1817

Lonsdale,K., Mason,R. and Grenville-Wells,J. Is "super-refinement" legitimate in X-ray crystal analysis? 7=6738

Lönsjö,O. See also Andersen,S.L., 8=4300, 8=6290, 9=8578; Roderick,H., 5=2126; Taylor,H.L., 6=674

Lönsjö,O., Os,O. and Tangen,R. Yield of high-energy gamma rays from proton capture in Be^9, 5=6442

Lönsjö,O.M. See Ager-Hanssen,H., 6=3959

Looms,J.S.T. Localized corona discharges at a negative electrode, 6=1257. Electrical discharges between coaxial electrodes, 8=2344

Looney,C.E. See Phillips,W.D., 8=7457

Looney,F.S. See Douglas,J.E., 5=3209; Rabinovitch,B.S., 6=1690

Loopstra,B.O. See Berghuis,J., 5=9268

Loos,H.G. Heating and confinement of a plasma by a magnetic field of external origin and with a short rise time, 9=12411

Loosjes,R. See Jansen,C.G.J., 5=5493

Loper,G.B. and Pittman,R.R. Seismic recording on magnetic tape, 5=1370

Loper,O.J. See Berger,D.W., 7=3651

Lopes,J.Leite. See Leite Lopes,J.

Lopez,A. See Miller,R.A., 9=11980

López,G., Alba,F., Mazari,M. and Ortiz,M.E. Resonance of F^{18} by bombarding O^{16} with deuterons, 9=10115

Łopuszański,J. Solution of the fluctuation problem in the cascade theory by means of the G-equations of Jánossy without ionization loss, 6=3180. The asymptotic behaviour of the probability distribution function of cosmic cascades, 6=4473. Some remarks on the asymptotic behaviour of the cosmic ray cascade for large depth of the absorber. II. Asymptotic behaviour of the probability distribution function, 6=4475. III. Evaluation of the distribution function, 6=4476. The solution of the G-equations of Janossy with ionization loss, 6=4634. Some remarks on the theory of the electron-photon cascade, 7=5043. On the modification of Feynman's "integral-over-all-paths" method, 8=3629. See also Konwent,H., 7=5045

Lorant,S.J.St. See St Lorant,S.J.

Lord,J.J. See Fischer,F.W., 9=3703; Glasser,R.G., 5=9973; Kalbach,R.M., 9=4912-13

Lord,N.W. Hyperfine structure of F-center spin resonance in lithium fluoride and sodium floride, 7=4893. M-center spin resonance and oscillator strength in LiF, 7=9459. Electron-nuclear double resonance of F centers in lithium fluoride, 9=1882. See also Jen,C.K., 5=2010

Lord,P. See Ward,A.F.H., 7=9027

Lord,R.C. See also Baker,A.W., 5=9565; Danti,A., 9=6729; Gray,A.P., 7=6002; Günthard,H.H., 7=1481

Lord,R.C. and McCubbin,T.K.,Jr. High-resolution spectroscopy in the 3-5 micron region with a small grating spectrometer, 5=6888. Infrared spectroscopy from 5 to 200 microns with a small grating spectrometer, 7=9074

Lord,R.C. and Morrow,J.C. Calculation of the heat capacity of α quartz and vitreous silica from spectroscopic data, 7=5286

Lord,R.C. and Nolin,B. Vibrational spectra of ethylene oxide and ethylene oxide - d_4, 6=3624

Lord,R.C., Nolin,B. and Stidham,H.D. Quantitative study of the bonding of chloroform-D in various solvents by infrared spectrometry, 5=4853

Lorell,J. and Wise,H. Steady-state burning of a liquid droplet. I. Monopropellant flame, 6=752

Lorell,J., Wise,H. and Carr,R.E. Steady-state burning of a liquid droplet. II. Bipropellant flame, 6=7780

Lorents,D.C. and Zimmerman,E.J. Stopping of low-energy H^+ and He^+ ions in plastics, 9=5818

Lorenz,E. Planetary atmospheres and convection in rotating fluids. The circulation of the atmospheres of the outer planets, 8=2102. A simple apparatus for the production of very small holes in thin films, 9=6424

Lorenz,G. and Wagner,C. Investigations on cuprous selenide and copper tellurides, 7=7916

Lorenz,M.R. and Prener,J.S. Effect of crystal structure upon the luminescence of manganese-activated lithium titanate, 7=2061

Lorenz,W. Crystallization overvoltages, 5=2295

Lorenzen,K. See Schwab,G.M., 9=10790

Loria,A. See also Bassi,P., 6=8258, 7=8680; Cresti,M., 7=3627; Deutschmann,M., 6=3998, 6=5411

Loria,A., Mittner,P., Scotoni,I. and Zago,G. Propane bubble chamber, 9=7226

Loriers,J. See Villers,G., 8=3231, 9=3638, 9=9788

Lormeau-Loustau,S. Emission of ultraviolet radiation from gas mixtures under the action of α-particles, 5=5046. Effect of alpha-particles on gaseous hydrogen and deuterium, 6=1311

Lorrain,P., Béique,R., Gilmore,P., Girard,P.E., Breton,A. and Piché,P. A high-frequency 500 kilovolt Cockcroft–Walton accelerator, 7=7966

Lortie,Y. Utilization of thermistors as vacuum gauges, 5=6806

Lory,J., Lefort,C. and Desprez-Rebaud,S. Interpretation of the frequency distribution curve of the number of prongs of stars produced by cosmic rays in nuclear emulsions, 9=2477

Los',F.S. On the phase of a scattered wave, 8=1817

Los,G.J. and Gerritsen,A.N. Resistance and magneto-resistance of dilute alloys of copper and gold with nickel at low temperatures, 7=8599

Los,J.M. and Tompkins,C.K. Adsorption of methylene blue on a positively charged mercury surface, 6=5502

Los Alamos Physics and Crogenics Groups. Total neutron cross sections of the hydrogen and helium isotopes, 9=11478

Los Alamos Radiochemistry Group. Resonance fission of U^{235}, 8=768

Losa,C.G. See Clusius,K., 5=9617, 8=2840, 9=3390

Losada,E.Diaz. See Diaz Losada,E.

Lösche,A. Some observations on the Bloch–Siegert effect and its effect on double frequency experiments, 9=2692. The structure of nuclear induction signals, 9=5933. Radiation damage by high polymers studied by N.M.R., 9=12498. See also Brunner,G., 5=2984, 5=4632; Dolega,U., 5=3874; Gersch,U., 9=5925

Löschner,G. The internal friction of metals, 6=7774

Losco,E.F. See Cohen,I., 9=3939

Loscoe,C. See Mette,H., 9=13302

Losee,J.P.,Jr. See Schwarx,H.A., 5=1334
Loshaek,S. See Fox,T.G., 5=10006
Loshkin,O.V. See Perfilov,N.A., 7=8152
Loskutov,Yu.M. See also Sokolov,A.A., 7=8994, 9=9226
Loskutov,Yu.M. and Kukanov,A.B. On polarization of radiation emitted by a "super-optical" magnetic moment, 8=7690
Lossing,F.P. See Collin,J., 8=8836, 9=7117; Farmer,J.B., 5=2928, 5=4142,5=8349, 6=3067, 6=4542
Lossing,F.P., Ingold,K.V. and Henderson,I.H.S. The study of free radicals by mass spectrometry, 5=5009
Lossing,F.P. and Tanaka,I. Photoionization as a source of ions for mass spectrometry, 7=2343
Losty,H.H.W. High speed photography. Applications in electrical research, 6=9165
Losty,J. See Anderson,F., 7=5610; Bhowmik,B., 8=704; Edwards,B., 8=1960
Lotgering,F.K. On the ferrimagnetism of some sulphides and oxides, 7=1441-2
Lothe,J. See also Holtsmark,J., 7=3096
Lothe,J. and Hirth,J.P. Dislocation dynamics at low temperatures, 9=13782
Lothian,B.W., Robinson,A.C. and Sucksmith,W. Some magnetic properties of dilute ferromagnetic alloys. II, 8=8123
Lothian,G.F. See Lewis,P.C., 5=876
Lotspeich,J.F. Quadrupole coupling and bond structure in ReO$_3$F, ReO$_3$Cl, and MnO$_3$F, 9=12749
Lotspeich,J.F., Javan,A. and Engelbrecht,A. Microwave spectrum and structure of perrhenyl fluoride, 9=12056
Lott,K.A.K. See Griffiths,T.R., 9=10776
Lottermoser,W. On the design and construction of organs on acoustic principles, 6=8633. Acoustical design of modern German organs, 7=8480
Lottermoser,W. and von Braunmühl,H.J. Contribution on the standard pitch question, 5=6841
Lotz,W.E.Jr. See Beams,J.W., 6=2706
Louat,N. The effect of temperature on Cottrell atmospheres, 6=5270. A theory of delayed yielding in the presence of Cottrell atmospheres of solute atoms, 8=2042. See also Head,A.K., 5=6553; Thompson,N., 6=2483
Loucheux,C., Weill,G. and Benoit,H. Theoretical and experimental study of the light scattered by solutions of chain macromolecules in good solvents, 9=4492
Louchtchik,T.B. On non-isothermal relaxation processes in phosphorescent crystals, 7=4196
Louck,J.D. New recursion relation for the Clebsch–Gordan coefficients, 8=4762. See also Shaffer,W.H., 9=7434
Louckes,F.I.,Jr. See Stiller,B., 6=8722
Loudette,J. See Bernard,M., 8=3896
Loudette,P. Polarimetric researches in the 2000 Mc/s band, 9=4845. See also Servant,R., 5=8095
Loudette,P. and Charru,A. Polarimetric study of a ferrite in the 2000 Mc/s band, 7=531
Loudon,R. See Elliott,R.J., 9=12017
Loughhead,R.E. Solution of problems involving the hydromagnetic flow of compressible ionized fluids, 6=108. Hydromagnetic stability of a current layer, 6=3041. Eigen oscillations of compressible, ionized fluids, 6=4521. Solution of flow problems in unidimensional Lagrangian hydromagnetics, 7=7234. See also Bray,R.J., 8=5587, 8=7659; Jefferies,J.T., 6=1814
Loughhead,R.E. and Bray,R.J. The Wilson effect in sunspots, 8=7658
Loughhead,R.E. and Burgess,V.R. High resolution cinematography of the solar photosphere, 8=4622
Loughhead,R.E., Roberts,J.A. and McCabe,M.K. The association of solar radio bursts of spectral type III with chromospheric flares, 8=4630
Louis,H.P. Studies on the anomalous noise in magnetically focused electron beams, 9=2396
Louisell,W.H. A three-frequency electron beam parametric amplifier and frequency converter, 9=3662. See also Cook,J.S., 8=8811
Louisfert,J. The fundamental frequencies of calcite which are active in absorption, 6=2276. The fundamental frequencies of lattice vibration of calcite, dolomite and magnesite, active in absorption, 9=10250
Lounasmaa,O.V. A simple formula for use with carbon thermometers at low temperatures, 8=4934. See also Hill,R.W., 7=4281
Lounsbury,M. The natural abundances of the uranium isopopes, 7=1530. See also Baerg,A.P., 9=679; Bartholomew,R.M., 5=3043; Boyd,A.W., 5 =3029; Butler,J.P., 7=648, 7=3665
Loutfoullah,R. See Bouquet,G., 7=6586
Louttit,R.I, See Courant,H., 9=8421
Louvegnies,M. See Blaise,J., 7=8783
Louw,J.D. and De Villiers,J.W.L. Improved mass spectrometer ion source for the analysis of solids, 5=1928
Lovas,I. Annihilation of polarized positrons in ferromagnetic materials, 9=1653. Polarization of elastically scattered gamma-rays, 9=2564
Lovati,A. See also Giacconi,R., 7=3423
Lovati,A., Mura,A., Succi,C. and Tagliaferri,G. A cloud chamber analysis of cosmic radiation at 3500 m. B. Results on the hard and soft components, 5=365
Lovati,A. and Succi,C. Elastic nuclear collisions of 1 MeV electrons in argon, 6=2946
Lovati,A. and Tyrén,H., A magnetic analyser for high energy particles, 6=3789
Lovberg,R.H. p–He^3 scattering at 9.75-MeV proton energy, 7=471. See also Burkhardt,L.C., 8=776, 8=778,8=8828
Love,B. See Emeléus,K.G., 6=7447
Love,E.R. Linear superposition in visco-elasticity and theories of delayed effects, 6=6973
Love,W. See Friedlander,P.H., 6=4102
Love,W.A. See also Siegel,R.T., 6=1634
Love,W.A., Marder,S., Nadelhaft,I., Siegel,R.T. and Taylor, A.E. Helicity of negative muons from pion decay, 9=6016
Love,W.E. and Sayre,D. A single mounting for all three axes, 5=1354. Pseudo-precession photographs from an oscillation camera, 5=8402
Love,W.F. Hall effect in copper and Cu$_3$Au low temperatures, 9=8169. See also Croft,G.T., 5=5508; Haslett,J.C., 9=6977; Passaglia,E., 5=6152; Teutsch,W.B., 7=3250
Loveday,D.E.E. and James,A.M. An improved micro-electrophoresis electrode assembly for use in micro-biological investigations, 7=3311
Lovejoy,D.R. Surface tension of He^3, 5=2680. Accuracy of optical pyrometry in the range 800°C to 4000°C, 9=2285. Photometry of the optical pyrometer and its use below 800°C, 9=3401. See also Atkins,K.R., 5=899
Lovell,A.C.B. Meteor astronomy, 5=1456. Radio astronomy and the Jodrell Bank telescope, 7=18. A note on the interpretation of transient echoes from the ionosphere, 7=951. See also Brown,R.H., 8=4626; Davies,J.G., 7=3908; Lamden,R.J., 7=1856
Lovell,D.J., Stewart,H.S. and Rosin,S. Cine spectrograph, 5 =166
Lovell,F.M. See Hirokawa,S., 9=13953
Lovell,L.C. See also Vogel,F.L.,Jr, 7=3817; Wernick,J.J., 9=806
Lovell,L.C. and Wernick,J.H. Dislocation etch pits in bismuth, 9=7507. Dislocation etch pits and polygonization in high-purity copper, 9=7509
Lovell,L.C., Wernick,J.H. and Benson,K.E. Dislocation etch pits in tellurium, 9=12767
Lovell,R.J., Stephenson,C.V. and Jones,E.A. Force constants for F$_2$CO and thermodynamic properties for F$_2$Co and FClCo, 5=2050
Lovell,S.E. and Cole,R.H. Coaxial displacement dielectric cell for liquids usable to 250 Mc, 9=8063
Lovelock,J.E. Measurement of low vapour concentrations by collision with excited rare gas atoms, 8=5705. A detector for use with capillary tube columns in gas chromatography, 9=5237
Lovera,G. Statistical fluctuations of blob- and gap-counts in nuclear emulsion, 6=7732. See also Aliverti,G., 5=471, 7=4918, 9=6385; Barbanti-Silva,L., 7=506; Bonacini,C., 9=12427
Loveridge,B.A. See Gibbons,D., 8=442
Lovering,J.F. Frequency of meteorite falls throughout the ages, 9=11734
Lovett,J.E. and Roberts,J.O. New ways in isotopic analysis of uranium, 7=9840
Lovett,S. The use of argon at atmospheric pressure as Geiger counting gas in a windowless counter, 9=3676
Lovick,F.W. A quenching probe unit for Geiger–Müller tubes, 8=1143
Lovtsov,V.M. On the problem of correlation of coefficients of secondary electron emission from nonmetals, caused by bombardment with ions and electrons, 9=13369
Low,F.E. Scattering of light of very low frequency by systems of spin $\frac{1}{2}$, 5=744. Boson-fermion scattering in the

Heisenberg representation, 5=3453. Pi mesodynamics, 7=7611. Bremsstrahlung of very low-energy quanta in elementary particle collisions, 8=8960. See also Chew,G.F., 6=2680-1; 6=6794, 7=7428, 7=7438, 9=7241; Huang,K., 8=5223; Moellering,W.M., 6=1485

Low,F.E. and Pines,D. Mobility of slow electrons in polar crystals, 5=5735

Low,F.J. and Squire,C.F. Nuclear magnetic resonance in LiF, 9=1879

Low,G.G.E. Modulation of the surface conductance of germanium and silicon by external electric fields, 5=1822. Carrier concentration disturbances in semiconductors, 5=5406. A pulse method for measuring the injection ratio of metal-semiconductor contacts, 5=7950. Modulation of the surface conductance of germanium by pulsed electric fields, 6=3725. A method of evaluating surface state parameters from conductance measurements on semiconductors, 7=3264. Modulation of the surface conductance of germanium, 7=7896. Acoustomagnetoelectric effects in metal and semiconductor filaments, 8=4036; See also Banbury,P.C., 7=7865

Löw,K. and Bjornerstedt,R. Health hazards from fission products and fallout. I. Products of instantaneous fission of U^{235} with thermal neutrons, 9=1985

Low,M.J.D. See Sarmousakis,J.N., 6=9018

Low,W. Some implications of a smaller nuclear radius, 5=2990. Fermi resonance in the microwave spectrum of linear XYZ molecules, 5=4531. Paramagnetic resonance spectrum of some doubly activated phosphors, 5=5519. Possibility of a nuclear radiation detector by means of electroluminescent phosphors, 5=5596. Paramagnetic resonance spectra of some ions of the 3d and 4f shells in cubic crystalline fields, 6=5239. Hyperfine structure and nuclear moments of gadolinium from paramagnetic resonance spectrum, 7=621. Paramagnetic resonance spectrum of maganese in single crystals of alkali halides grown from solution, 7=1744. The paramagnetic resonance spectrum of Fe^{3+} in the cubic field of MgO, 7=2809. Sign of the crystalline cubic field splitting parameter a in an S state, 7=3826. Paramagnetic resonance spectrum of manganese in cubic MgO and CaF$_2$, 7=3827. Paramagnetic resonance and optical absorption spectra of Cr^{3+} in MgO, 7=4878. Paramagnetic and optical spectra of divalent nickel in cubic crystalline fields, 8=3398. Paramagnetic and optical spectra of divalent cobalt in cubic crystalline fields, 8=3399. Paramagnetic resonance spectrum of trivalent gadolinium in the cubic field of calcium fluoride, 8=3400. See also Alexander,E., 7=4202; Baruch,J., 5=3709; Bleaney,B., 5=3004; Fields,P., 7=4877; Geller,Z., 6=1275; Stahl-Brada,R., 9=5536; Steinberger, I.T., 5=8635; Weger,M., 9=4820

Low,W. and Llewellyn,P.M. Hyperfine structure of technetium-99 from paramagnetic resonance, 8=5426

Low,W. and Ramberg,Y. A microwave spectrometer for the study of spectra of free radicals, 7=1180

Low,W. and Shaltiel,D. Electron spin resonance in single crystals of BaTiO$_3$, 8=6945. Electron paramagnetic resonance in BaTiO$_3$, 9=1424. Paramagnetic-resonance spectrum of gadolinium in single crystals of thorium oxide, 9=8342. Ratios of relative abundance, magnetic moments, and capture cross sections of gadolinium isotopes from paramagnetic resonance spectrum, 9=13600

Lowan,A.N. On the cooling of the upper atmosphere after sunset, 8=4585

Lowde,R.D. Spin fluctuation scattering of neutrons and the ferromagnetic state in iron, 6=4489. A new rational of structure-factor measurement in neutron-diffraction analysis, 6=7849. Critical magnetic scattering of neutrons by iron, 8=6028. See also Atkinson,H.H., 7=9431; Elliott,R.J., 5=6533, 7=3738

Lowder,W,M. See O'Brien,K., 9=4160, 9=4876

Löwdin,P.-O. Quantum theory of many-particle systems. I. Physical interpretation by means of density matrices, natural spin-orbitals, and convergence problems in the method of configurational interaction, 5=4383; II. Study of the ordinary Hartree-Fock approximation, 5=4384;. III. Extension of the Hartree-Fock scheme to include degenerate systems and correlation effects, 5=4385. Recent simplifications in the molecular orbital theory of calculating energy levels, 5=9391. Quantum theory of cohesive properties of solids, 6=7562. Present situation of quantum chemistry, 7=5535. Electronic correlation in the theory of molecular energy levels, 7=6379. Scaling problem, virial theorem, and connected relations in quantum mechanics, 9=4292. See also Freeman,A.J., 9=1089; Shull,H., 5=9019, 5=9807, 7=2554, 8=6659, 9=7393

Löwdin,P.O. and Appel,K. Studies of atomic self-consistent fields. Analytic wave functions for the argon-like ions and for the first row of the transition metals, 7=1523

Löwdin,P.O. and Rèdei,L. Combined use of the methods of superposition of configurations and correlation factor on the ground states of the helium-like ions, 9=8673

Löwdin,P.-O. and Shull,H. Natural orbitals in the quantum theory of two-electron systems, 6=4595

Lowe,A.E. See also Veall,N., 5 =2816

Lowe,A.E. and Moore,D. Scintillation counter for measuring radioactivity of vapours, 8=8187

Lowe,D.C. See Bockris,J.O.'M., 5=775

Lowe,I.J. Free induction decays of rotating solids, 9=11265

Lowe,I.J. and Norberg,R.E. Free-induction decays in solids, 7=8037

Lowe,J. See Greenlees,G.W., 8=1957, 8=4313; Peck,R.A., Jr, 9=8601, 9=11318

Lowe,R. See Cohen,D., 8=5942

Lowell,R. See Lawson,A.W., 9=6827

Lowen,H. See Back,F.G., 8=1585

Lowenstein,A. See Grunwald,E., 6=9004

Lowenstein,J.M. and Cohen,P.P. A windowless flow counter for paper strips, 6=5966

Lowenthal,G.C. A simple calibration technique for improving the accuracy of a Smith resistance thermometry bridge, 8=1026

Lowenthal,S. A visual attachment for a microscope using infrared illumination, 5=4579. The measurement of phase change in thin absorbing films using a polarization interferometer, 6=4345

Lowes,F.J. Secular variation and the non-dipole field, 6=9064. See also Herzenberg,A., 7=6361

Lowitz,D.A., Spencer,J.W., Webb,W. and Schiessler,R.W. Temperature–pressure–structure effects on the viscosity of several higher hydrocarbons, 9=5395

Lowitzsch,K. See Parrish,W., 5=5746

Lowrey,A., III and Watanabe,K. Absorption and ionization coefficients of ethylene oxide, 8=8696

Lowrey,G.R. and Present,R.D. Search for discrete excited triple^{+} state of the negative hydrogen ion, 7=8113

Lowry,E.M. and DePalma,J.J. Quantitative relation between chromaticity differences and luminance differences, 9=3021

Lowry,R.A. and Miller,G.H. Ionization yield of protons in nitrogen and argon, 8=8842

Lowry,R.A., Osher,J.E. and Miller,G.H. Pressure regulator for a low-pressure continuous-flow ionization chamber, 6=5168

Loy,B.R. See Hoskins,R.H., 6=1386

Loyau,M.C. See Milman,B., 9=3919

Lozano,J.M. Transient effects' in the penetration of a potential barrier, 5=734. Dynamical description of scattering by a potential, 5=2420. Dynamic description of scattering by tensor forces, 7=109. On the distribution of the S-matrix poles in the optical nuclear model case, 8=6638

Lozhkin,O.V. On the nature of the cone-like shape of tracks of multi-charged ions in nuclear emulsions, 7=7541. On the cross-section for production of multiply charged particles in the interaction between protons and nuclei, 8=1959. See also Perfilov,N.A., 5=9142; Shamov,V.P., 6=1567

Lozhkin,O.V. and Perfilov,N.A. Heavy nuclear fragments from disintegrations produced by fast protons in nuclear emulsions, 7=3648

Lozhkin,O.V., Perfilov,N.A. and Shamov,V.P. On the problem of the angular distribution of uranium fission fragments at high excitation energies, 6=2396

Lozhkin,O.V. and Shamov,V.P. On the probability of fission of the uranium atom upon capture of slow π^--mesons, 7=683

Lozier,W.W. See Null,M.R., 8=9197, 8=13186

Lozovskiĭ,N.S. See Korsunskiĭ,M.I., 7=1440

Lozovskii,V.N. Thermal ionic polarization and slow processes in solid dielectrics, 9=8065

Lozykowski,H. and Meczyńska,H. Electroluminescence of CdS–Ag with an Ag$_2$S layer, 9=2228

Lozzi,M., Jancel,R. and Kahan,T. General expression for the absorption of electromagnetic waves in a Lorentzian plasma (ionosphere), 5=3907. Absorption of electromagnetic waves in weakly ionized gases (ionosphere and Lorentzian plasmas), 7=3469

Lu,D.C. See also Slattery,R.E., 5=481

Lu,D.C., Kelly,W.H. and Wiedenbeck,M.L. Summing studies of the gamma rays following the decays of Ba^{131}, Se^{75}, and Ru^{106}, 5=2147

Lu,H.-F. On volume visco-elastic theory of fluids and its application to sound dispersion phenomena, 7=1112

Lü Min. See also Cheng,J.-C., 9=3798

Lü Min,Cheng,J.-C. and Li Ho-nian. A study of Λ^0 and θ^0 particles produced in Pb and Al, 9=8483

Lubben,G.J. See Haantjes,J., 7=6263

Lübbers,D. See Thews,G., 5=7836

Lubchenko,A.F. Absorption and emission of light by impurity centres, 7=9059. Contribution to the theory of absorption and luminescence spectra of solutions. Comparison of calculated shape of absorption and luminescence bands with experimental data, 7=9075. The effect of a solvent on the absorption and emission spectra of an impurity, 8=6812. On the shape of light absorption and dispersion curves in molecular crystals during exciton formation, 8=8427 The form of impurity centre light absorption and emission bands, 8=8445. The absorption and emission of light by impurities during excitation of their local vibratory levels, 8=8446

Lubchenko,A.F. See also Davÿdon,A.S., 9=12796; Davÿdov, O.S., 8=7500-2

Lübcke,E. The study of machine noise, 7=3113. Noise measurement, 8=7784. See also Hübner,G., 6=8040

Lubimov,V.A. See Alikhanov,A.I., 8=2553; Ljubimov,V.A., Lyubimov,V.A.

Lubimova,H.A. Thermal history of the earth with consideration of the variable thermal conductivity of its mantle, 8=5593

Lubitz,C.R. and Parkinson,W.C. Nomograph for angular distributions in stripping reactions, 5=6458

Lubkin,E. See Larsen,S., 8=1859

Lubnÿ-Gertsÿk,A.L. Certain new methods of approximate calculation of radiative hear transfer, 9=5618

Luboński,J. See Łunc,M., 9=11272-3

Luborsky,F.E. Loss of exchange coupling in the surface layers of ferromagnetic particles, 8=2389, 8=8886. See also Jacobs,I.S., 8=1779; Mendelsohn,L.I., 6=493; Paine, T.O., 6=2235

Luborsky,F.E., Fullam,E.F. and Hallgren,D.S. Relation between crystallite orientation and magnetic properties of elongated single-domain iron particles, 9=436

Luborsky,F.E., Mendelsohn,L.I. and Paine,T.O. Reproducing the properties of Alnico permanent magnet alloys with elongated single-domain cobalt-iron particles, 8=2401

Lubowitz,H.R. See Brown,G.H., 6=7387

Luca,E., Chelaru,H., Chern,G., Mastcan,G., Mărgărint,I. and Trifan,G. Determination of the conditions of maximum efficacy of fluorescent screens by means of X-ray beams previously filtered through paraffin wax, 9=7982

Lucas,A.C. See Trout,E.D., 9=3544

Lucas,A.R. The relativistic flow of electrons in parallel and radial straight lines with no externally imposed magnetic field, 9=2394. See also Meltzer,B., 8=7083

Lucas,G. See also Herman,L., 7=4172

Lucas,G. and Herman,R. A study of the intensity-distribution of the $(A^3 \Pi_g - X^3 \Pi \mu)$ system of C_2 excited by radiative recombination, 7=2932

Lucas,H.F. Improved low-level alpha-scintillation counter for radon, 8=4198

Lucas,H.F.,Jr. A stable,low-background, high-efficiency scintillation counter for analysis of low levels of radon concentrated by adsorption on charcoal, 7=6298

Lucas,I. See Kornetzki,M., 5=8919

Lucas,L.N.D. and Sewell,P.B. A new vacuum plate-camera of large capacity, 7=3761

Lucas,R. The tensions of radiation in acoustics, 7=1150. Diffusion waves and osmotic pressure, 7=5111

Lucas,R. and Guelfi,J. Radiation pressure of viscosity waves, 5=6781

Lucas-Tooth,H.J. See Kuhn,H.G., 9=1352

Lucasson,P. The effect of fast-neutron irradiation at low temperatures on metals with body-centred cubic structures, 7=9164. An arrangement for low-temperature irradiation in an atomic pile, 7=9402

Lucasson-Lemasson,A. A new study of the L spectrum of germanium, 9=11088

Lucchesi,P.J., Baeder,D.L., Longwell,J.P., and Schroeder,M.C. Effect of neutron irradiation of the activity of silica–alumina catalyst for the double bond isomerization of butene-1, 9=13875

Lucek,R.C., See Ling,F.F., 9=13871

Luchet,A. See Busch,R., 6=829

Luchina,A.A. Longitudinal plasma oscillations. I, 5=7205. See also Myakishev,G.Ya., 5=8091

Luchkov,B.I. See Dolgoshein,B.A., 9=11182

Luchner,K. The thermoluminescence of natural fluorspar, 8=5800. Optical filter for the compensation of the spectral efficiency distribution of photocathodes, 9=7066

Luck,C.F. and Gordy,W. Effects of X-irradiation upon some organic substances in the solid state. Simple alcohols, amines, amides and mercaptans, 6=8451

Luck,G.A. See Kell,R.C., 7=7675

Lücke,K. Ultrasonic attenuation caused by thermoelastic heat flow, 7=4067. See also Granato,A., 6=5455; 6=6970, 8=420, 8=2662; Hikata,A., 6=6442; Pitsch,W., 5=2255

Luckey,D. Charged photomesons from carbon, 5=3139

Luckey,G.W. The vacuum photolysis of silver bromide, 5=674 Vacuum photolysis of silver bromide and silver chloride, 5=6577

Luckey,G.W. and West,W. Effect of bromine on the dark conductivity of silver bromide, 6=3713

Luckov,W.K. and Widdoes,L.C. Predicting reactor temperature excursions by extrapolating borax data, 6=3994

Lucy,F.A. Simultaneous correction of meridian aberrations. I. Preliminaries, 5=4497. II. Graphical method, 5=4498; Errata and notes, 5=8579. Image quality criteria derived from skew traces, 6=7252

Ludeke,C.A. and Blades,J.D. Fine structure of response curves of frequency entrained oscillations, 8=8631

Lüdemann,H. On the structure of thin sheets of alkali halides evaporated on single crystal substrates. II, 8=456. Poly- and pseudomorphism in thin crystal layers grown from the vapour phase, 9=4098

Lüders,G. On the connection between the S-matrix and normalization integrals in quantum mechanics, 5=8514. Theory of particle orbits in the alternating gradient synchrotron, 5=9693. The detection of the antiproton, 6=4375. On the influence of magnetic field errors on the betatron oscillations in strong focusing synchrotrons, 6=4435. On the rotational states of nuclei. I. Calculation of moment of inertia, 6=8929. II. Calculation of K [state] admixture, 9=7306. Violation of symmetry under reflection in natural laws? 7=7572. On the Pursey–Pauli invariants in the theory of beta decay, 8=1248. Proof of the T.C.P. theorem, 8=1496. Experiments with the neutrino, 9=1703. Commutation relations between different fields, 9=2045. On the effect of localized state solutions of the Bethe–Goldstone equation, 9=10013. On the particle–hole relation in systems of almost independent Fermi particles, 9=13010. See also Gatto,R., 8=2482

Lüders,G. and Zumino,B. Some consequences of TCP invariance, 7=5852. Connection between spin and statistics, 8=4737

Ludford,G.S.S. On initial conditions in hydromagnetics, 9=8385

Ludlam,F.H. Physics of atmospheric clouds, 6=3389

Ludovici,B.F. New system of physical units and standards, 6=4169

Ludvigh,E. and Miller,J.W. Study of visual acuity during the ocular pursuit of moving test objects. I. Introduction, 9=3022

Ludwig,G. On the ergodic theorem and on the concept of macroscopic observables. I, 8=8602; II, 8=8603. On the ergodic hypothesis and the concept of macroscopic observables, 9=1108

Ludwig,G. and Just,K. On Jordan's theory of the creation of matter, 6=3461. Jordan's theory of gravitation with new field equations, 7=6850

Ludwig,G.H. Cosmic-ray instrumentation in the first U.S. earth satellite, 9=8425

Ludwig,G.W. Some bromine, iodine, and indium nuclear quadrupole interaction frequencies, 6=7590. See also Watters,R.L., 6=4402; Woodbury,H.H., 8=6212

Ludwig,G.W. and Watters,R.L. Drift and conductivity mobility in silicon, 6=3732

Ludwig,G.W. and Woodbury,H.H. Electron spin resonance in nickel-doped germanium, 9=5913

Ludwig,G.W., Woodbury,H.H. and Carlson,R.O. Spin of Fe^{57}, 9=570. Spin resonance of deep level impurities in germanium and silicon, 9=7186

Ludwig,M. See Oncley,J.L., 9=3372

Ludwig,W. The effect of the anharmonicity on the properties of crystals, 9=8795. See also Born,M., 8=7715

Ludwig,W. and Seiwert,R. The temperature dependence of the luminescence intensity of various activated CdS crystals, 8=588

Luebbe,R.H. and Willard,J.E. Bond rupture of HBr^{80m} following nuclear isomeric transition, 9=1924

Luft,K.F. On filter photometers for the infrared, 5=3553. Gas analysis by non-dispersive infrared absorption, 6=4073

Luft,K.F. and Maillet,H. Principles of a new infrared spectrophotometer, 5=9542

Luft,N.W. Magnitudes of barriers in intramolecular rotation, 5=1084. Evaluation of activation energies from burning velocities, 5=7452. Bond energies in organic fluorine compounds, 5=7260. Potential barriers about double bonds, 5=8971

Luger,P. Automatic electrometer scaler, 6=306

Lugt,W. van der See van der Lugt,W.

Lührs,G. The quadrupole moment of $_{57}La^{139}$, 5=9011

Lührs,G. and Steudel,A. On the nuclear quadrupole moment of La^{139}, 5=6394

Luizov,A.V. See also Bulanova,K.N., 7=2897

Luizov,A.V. and Bulanova,K.N. Dependence of the effective brilliance on background luminance, 8=5562

Lukacs,G. and Herman,L. Vibration temperatures in the phosphoreseence spectra of Swan bands for the C_2 molecule, 5=212

Lukasevich,M.I. See Smolyanskii,R.E., 9=9009

Lukasik,S.J. Acoustic relaxation by radiation, 6=4265. Heterophase fluctuations near the freezing point, 8=1552

Lukasik,S.J. and Young,J.E. Vibrational relaxation times in nitrogen, 8=3412

Łukaszewicz,L. A simplified solution and new application of an analyser of algebraic polynomials, 7=1841

Luke,P.J. See Gourary,B.S., 8=404

Lukeš, F. The photoelectric properties of gallium antimonide, 7=6182. On the theory of the temperature dependence of the refractive index of insulators and semiconductors, 9=4419. On the determination of the optical constants of semiconductors, 9=8106. The dependence of optical constants of germanium on time, 9=9500. The temperature dependence of the refractive index of germanium, 9=10746

Lukesh,J.S. Neutron damage to the structure of vitreous silica, 5=3153

Lukesh,J.S., Howland,W.H., Epstein,L.F. and Powers,M.D. Liquid metals. II. X-ray diffraction by liquid mercury and the distance of closest atomic approach, 6=957

Lukierski,J. On a full geometrization of conservation laws in Gürsey's formalism, 9=11825

Lukirskiĭ,A.P. A vacuum X-ray spectrograph with a Geiger counter for the investigation of energy levels in solid bodies, 8=7073

Lukirskiĭ,P.I. See Degtyarev,Yu.G., 7=2686; Kuznetsov, M.I., 5=8870

Lukontsever,Yu.L. See Vergunas,F.I., 9=9472

Lukosz,W. Resolving power and the frequency band of true contrast reproduction in optico-photographic imagery, 9=3260. On the contrast transfer theory of optical imagery in incoherent illumination from the standpoint of geometrical optics, 9=6682

Luk'yanov,A.V., Orlov,Yu.V. and Turovtsev,V.V. Optical model for interaction between medium-energy neutrons and nuclei, 9=1780, 9=2833

Luk'yanov,S.Yu. See also Artsimovich,L.A., 8=3262; Dobrokhotov,E.I., 9=10066; Luk'yanov,S.Yu.; Zel'dovich, Ya.B., 5=6432

Luk'yanov,S.Yu. and Sinitsy̆n,V.I. Spectroscopic investigation of a powerful pulsed discharge in hydrogen. II, 8=8005

Lumbroso,N. See Hoarau,J., 6=5249, 7=6349

Lumley,J. See Corrsin,S., 9=92

Lummis,F.L. and Petritz,R.L. Noise,time-constant, and Hall studies on lead sulfide photoconductive films, 7=3299

Lumry,R.W. See Reynolds,W.L., 6=3333

Łunc,M. and Luboński,J. Rarefied electrically charged gas in a magnetic field. II. Intensity field of particle flux, 9=11272. III. Gas contained between two identical parallel plane walls, 9=11273

Lund,J.T. See Bair,E.J., 6=4310

Lund,L.H. See Reetz,A.Jr, 7=6932

Lund,L.M. and Berman,A.S. Flow of noble gases at low pressures through porous media and capillaries, 8=7741

Lundberg,B. See also Henke,B.L., 7=4422

Lundberg,B. and Henke,B.L. Slide rule for radiographic analysis, 7=4952

Lundberg,D.A. A differential leak detector for evacuated vessels, 5=1595

Lundberg,J.L. and Nelson,L.S. High-intensity flash irradiation of polymers, 7=6665

Lundby,A. In a heavy water reactor: How do gamma rays affect reactivity?, 5=529. Temperature measurements in JEEP, 5=4080. Effect of photoneutrons on the transfer function of a heavy-water reactor, 5=4081. See also Burgman,J.O., 9=6017

Lundby,A., Patro,A.P. and Stroot,J.P. Correlation between circularly polarized γ-rays and β-particles, 8=3347. Circular polarization of γ-rays emitted opposite to β-particles. Results on ^{46}Sc, 8=3348

Lundén,A. Isotopic enrichment in lithium by electrolytic transport in molten lithium bromide, 7=640. Isotope enrichment by countercurrent electromigration in molten salts, 7=4647. See also Cameron,A.E., 6=6096; Klemm,A., 5=7463; Lodding,A., 6=4718; Wallin,L.E., 9=11901

Lunden,A. and Berne,E. The isotope effect in the electrolytic migration of copper ions in molten cuprous chloride, 5=591

Lundén,A., Christofferson,A. snd Lodding,A. The isotope effect of electrolytic migration of lithium ions in molten lithium bromide and iodide, 9=12730

Lundén,A. and Herzog,W. Isotopic enrichment of chlorine by electrolytic transport in molten zinc chloride, 6=9012

Lundén,A., Horlitz,G. and Signer,P. The isotopic effect due to electrolytic transport of lead ions in molten lead chloride, 7=639

Lundén,A., Lodding,A. and Fischer,W. The isotope effect in the flow of current in molten lithium metal, 9=5099

Lundén,A., Monse,E.U. and Sjöberg,N.G. Isotopic effect during electrolytic migration of Li ions in molten lithium nitrate, 6=3338

Lundén,A., Reutersward,C. and Lodding,A. The isotopic effect of the passage of current in molten potassium metal, 6=3129

Lundén,A., Reuterswärd,C. and Sjöberg,N. The isotope effect in the electrolytic migration of potassium ions in molten potassium nitrate, 5=7462

Lundquist,C.A. The transfer of radiation by an emitting atmosphere. V, 5=5203

Lundquist,C.A. and Horak,H.G. The transfer of radiation by an emitting atmosphere. IV, 5=5202

Lundquist,S. A note on the variation of cosmic ray intensity produced by an electric field, 5=3865

Lundqvist,S.O. A quantum mechanical investigation of the binding energy of the LiH-crystal, 5=1072. On the limiting vibrational frequencies of a cubic ionic lattice, 5=6332. On the lattice vibrations in cubic ionic crystals, 8=7479

Lundy,R. See Gomer,R., 7=6671; Wortman,R., 6=5501, 7=7480, 8=5510

Lundy,R.A. See also Swanson,R.A., 9=9969

Lundy,R.A., Sens,J.C., Swanson,R.A., Telegdi,V.L. and Yovanovitch,D.D. Precise measurements of muon magnetic moments by "stroboscopic coincidences", 8=7261. Experimental evidence for the influence of atomic binding on the decay rate of negative muons, 8=8984

Lunel,M. Atmospheric absorption in the near infrared, 9=951

Luner,C. and Szwarc,M. Photosensitized decomposition of Acetyl peroxide, 6=2507

Lun'kin,Yu.P. Note on the deduction of the equations of motion in the third approximation, given in Chapman's monograph, 8=6726. Entropy change during relaxation of a gas behind a shock wave, 9=1197. The structure of shock waves, 9=5449. See also Gubanov,A.I., 9=5427

Lun'kin,Yu.P. and Mishin,G.I. Luminescence of the shock-wave front, 7=6024

Lunn,B. Friction and wear under boundary lubrication, A suggestion, 8=4496

Lunnutti,J.E. See Igo,G., 8=2504

Lunt,R.W. See Schram,H., 6=3633, 7=6378

Lunze,K. Loading noise of carbon film resistors, 5=3747

Lupien,Y. See Whalley,E., 5=5265

Lupinski,J.H. Electron spin resonance absorption spectra of some organic free radicals, 7=9787

Lupton,J.M. See Jansen,L., 5=2920-2

Lurçat,F. Thermodynamics of the relaxation in nuclear resonance, 5=3979. On the relation between the relaxation times and the transition probabilities in nuclear resonance (magnetic and quadrupolar). I. II, 5=9835. Saturation in nuclear magnetic resonance, 6=2320. On the definition of

entropy, in statistical mechanics, for nonequilibrium states, 6=5060. Theoretical aspects of quadrupole resonance, 7=9790. The Bloch-Siegert effect of a perturbing alternating field on magnetic and quadrupole resonance, 9=5934. Macroscopic equations of quadrupole resonance, 9=5954. The form of the laws of relaxation in electronic, nuclear and quadrupole magnetic resonance, 9=9802. See also Seiden,J., 5=8025

Lur'e ,M.S. and Medovoĭ,A.I. The effect of unilateral mechanical pressure on the permittivity of ceramic ferroelectrics, 7=2160

Lur'e,N.E. See Zverev,V.A., 6=4921

Luria,S.M. Absolute threshold for extremely wide fields, 9=5285

Lurio,A. See also Drake,C.W., 9=3959; Eck,T.G., 7=7301

Lurio,A. and Prodell,A.G. HFS separations and HFS anomalies in the $^2P_{\frac{1}{2}}$ state of Ga^{69}, Ga^{71}, Tl^{203}, and Tl^{205}, 6=3112

Lusa Martins,M. See Barreira,F., 5=6410, 5=6419

Lüscher,E. A new grating spectrograph for the Schumann region with photoelectric recording, 6=3603. Three new spectrophotometers, 9=5514

Luscombe,G.W. Delayed signals in ionospheric forward-scatter communication, 8=1142

Lushchik,Ch.B. Investigation of the capture centres in crystals by thermal irradiation, 6=7022. New methods of investigating relaxation processes and trapping centres in crystal phosphors, 7=9100

Lushchik,Ch.B., Zaitov,F.N.Myagi,Kh.A. and El'ken,K.Yu. An investigation of trapping centres in NaCl. AgCl by the thermo-optical bleaching technique, 6=7021

Lüst,R. Stationary magnetohydrodynamic shock waves of arbitrary strength, 5=5523. Plasma oscillations in an external magnetic field, 5=7206. Impact zones for solar cosmic-ray particles, 7=4517. The motion of tail material of the comet Mrkos (1957d), 9=9148. See also Biermann,L., 9=1605, 9=6458; Davis,L., 9=2522; Hain,K., 9=1607, 9=2445

Lüst,R. and Schlüter,A. Angular momentum transport by magnetic fields and the braking of rotating stars, 6=5646. Axial-symmetric magnetohydrodynamic stability configurations, 9=1606. The motion of charged particles in magnetic fields with rotational symmetry, 9=5813

Lüst,R., Schlüter,A. and Katterbach,K. The paths of cosmic radiation particles in the earth's magnetic field, 7=7202

Lüst,R. and Simpson,J.A. Initial stages in the propagation of cosmic rays produced by solar flares, 8=1451

Lusted,L.B. and Miller, E.R. An electronic position timer for the fluoroscope, 7=972

Lustig,C.D. See Bowers,K.D., 8=3254; Kamper,R.A., 7=9828

Lustig,H. and Blatt,J.M. Phase-shift analysis of single-channel reactions, 6=2193

Lustman,B. See Bleiberg,M.L., 7=1663

Lutes,O.S. Superconductivity of microscopic tin filaments, 7=4379. See also Broida,H.P., 6=3758

Lutes,O.S. and Maxwell, E. Superconducting transitions in tin whiskers, 5=4682

Luther,H. See Hampel,B., 5=7937

Lüthi,B. Longitudinal magnetoresistance of metals in high fields, 9=11061

Lüthi,B. and Olsen,J.L. A new effect in the magnetoresistance of aluminium, 6=5215

Lüthy,B. See Brugger,H.R., 6=555

Lütjens,G. Direct pair-production by electrons, 9=4893. See also Derado,I., 9=11388

Lutsch,A. Ultrasonic reflectoscope with an indicator of the degree of coupling between transducer and object, 9=155

Lutsik,V.A. See Klyucharev,A.P., 6=6903

Lutskiĭ,A.E. Dimensions of molecules, 7=2518

Luttinger,J.M. Quantum theory of cyclotron resonance in semiconductors: general theory, 6=5090. Theory of the Hall effect in ferromagnetic substances, 9=4560. See also Brown,H.A., 6=460; Huang,K., 7=3009; Kohn,W., 5=1813, 5=3773, 5=4660, 5=6337, 8=5866

Luttinger,J.M. and Goodman,R.R. Classical theory of cyclotron resonance for holes in Ge, 6=1220

Luttinger,J.M. and Kohn, W. Hyperfine splitting of donor states in silicon, 5=2009. Motion of electrons and holes in perturbed periodic fields, 5=3742. Quantum theory of electrical transport phenomena. II, 8=5867

Lüty.F. X-ray photochemistry at low temperatures in KBr crystals, 6=5530. Field emission from excited colour centres, 9=5162

Lutz,B.C. The crystal structure of paradichlorobenzene, 5=638

Lutz,E. See Schüler,H., 9=5573

Lutze,E. A simple apparatus for carrying out paramagnetic resonance measurements, 6=5247

Lutze,E. and Bösnecker,D. Paramagnetic electron resonance-induction, 9=451

Lutzky,M. and Toll,J.S. Formation of discontinuities in classical nonlinear electrodynamics, 9=7205

Lux,H. and Niedermaier,T. On a deep blue compound of gold, 7=839. The ferrate equilibrium in alkali hydroxide melts, 9=4083

Luy,H. and Schumacher,K. On the action of electron beams and of X-rays of medium energy on polyethylene, 6=6238

Luyckx,A. Effect of high resonance fields on electroluminescent condensers, 5=7864

Luyckx,A. and Stokkink,A.J. Some experimental results on electroluminescence, 5=3619

Luyckx,A., Vandewauwer,J. and Ries,S. Dielectrical properties of electroluminescent and phosphorescent zinc sulphides and assumptions on mechanism of electroluminescence, 9=216

Luyckx,A., Weiler,M. and Stokkink,A.J. Electroluminescent condensers in oscillating circuits, 7=4236

Luyten,J.R. See Tolhoek,H.A., 8=2485

Luyten,W.J. See Greenstein,J.L., 8=4675

Luz,Z. See also Meiboom,S., 8=6384

Luz,Z., Gill,D., and Meiboom,S. N.M.R. study of the protolysis kinetics in methanol and ethanol, 9=7573

Luzzatto,G. See Ciuffolotti,L., 9=5978; Cortini,G., 9=503; Haag,R., 9=11845

L'vova,E.M. and Moroz,G.S. Integrated coefficient of absorption of solar radiation by some materials and coatings, 7=956

L'vova,E.Yu. See Kalashnikov,S.G., 9=307

Lyamshev,L.M. Diffraction of sound at a thin finite plate in a liquid, 6=4940. Non-specular reflection of sound by a thin cylindrical shell, 6=8061. Non-specular reflection of sound from thin, bounded plates submerged in a liquid, 6=8063. Theory of the scattering of sound by a thin rod, 7=3100. Diffraction of sound on a thin finite elastic cylindrical shell, 8=2920. Scattering of sound by a thin rod of finite length, 8=5740. Diffraction of sound on an infinite, thin, elastic cylindrical shell, 8=6773. Scattering of sound by elastic cylinders, 9=9341. The principle of reciprocity in acoustics, 9=11921. A method of solving the problem of radiation of sound by thin elastic shells and plates, 9=13110

Lyamshev,L.M. and Rudakov,S.N. Reflection of sound by thick finite plates in a liquid, 6=8062. Reflection of sound by thin rods in water, 7=4076

Lyan' Chzhi-chao and Nasledov,D.N. Electrical properties of p-type InSb at low temperature, 9=11017

Lyapidevskiĭ,V.K. On the question of the formation of cell structures in layer mists or smokes, 6=7000. See also Krongauz,A.N., 8=1706

Lyapidevskii,V.K. and Shcherbakov,Yu.A. An investigation of the performance of the diffusion-condensation chamber, 5=893

Lyaschenko,B.G., Litvin,D.F., Puzeĭ,I.M. and Abov,Yu,G. Neutron diffraction investigation of iron–nickel alloys of the Permalloy class, 7=9933

Lyashchenko,B.G., Litvin,D.F., Puzei,I.M., Abov,Yu.G. and Golovkin,V.S. Neutron diffraction study of defect structure in single crystals of metals, 9=12884

Lyashenko,U.I. The adsorption of molecules and the photoconductivity of cuprous oxide, 5=6143

Lyashenko,V.I. The change of lifetime in thin germanium plates under the influence of an external electric field and adsorption, 8=7947. See also Lashkarev,V.E., 6=8187

Lyashenko,V.I. and Chernaya,N.S. The mechanism of long period increases in the field effect, 9=13290

Lyashenko,V.I. and Litovchenko,V.G. Effect of adsorbed molecules on the work function and conductivity of germanium. I, 8=6989; II. Kinetics of the process, 8=6990

Lyashenko,V.I. and Litvinov,R.O. Change of electrical conductivity of germanium under the influence of an external electric field, 8=6987

Lyashenko,V.I. and Sitenko,T.N. Surface electrical conduction of germanium, 7=5328

Lyashenko,V.I. and Snitko,O.V. The effect of adsorption of molecules of an external field on the photoconductivity of semiconductors, 8=7973

Lyast,I.Ts. Mechanism of dielectric relaxation losses in crystals with polar molecules, 7=2179. Dielectric losses in

crystal hydrates and their relation to diffusion phenomena, 8=6948. On properties of crystals with high permittivity, 9=4543 . The mechanism of dielectric relaxation losses in crystal hydrates, 9=12211
Lye,R.G. and Dekker,A.J. Theory of secondary emission, 7=9237
Lykos,P.G. See also Frost,A.A., 7=4036; Parr,R.C., 6=5328
Lykos,P.G. and Parr,R.G. On the pi-electron approximation and its possible refinement, 6=6056. On the pi-electron approximation and its possible refinement, 7=6379. On the diamagnetic anisotropy of benzene, 8=8134
Lyk'yanov,S.Yu. See Dobrokhotov,E.I., 7=4667; Luk'yanov,S.Yu.
Lyman,E.M. See Crawford,F.S.,Jr, 8=1207, 9=7282
Lynch,A.C. See also Lee,E.W., 8=8141
Lynch,A.C. and Parsons,P.L. Variation with pressure of the permittivity of polythene, 7=7083
Lynch,A.C. and Watkins,J. (Conf.rep.). Summarized proceedings of a symposium on magnetism—London, September, 1955, 6=6762
Lynch,D.E. Relation x + y = 136 between the nuclear and chemical stability numbers, 9=8395
Lynch,F.J. See also Holland,R.E., 9=4978, 9=6076
Lynch,F.J. and Baumgardner,J.B. New fluorescence photometer, 5=6593. Improved alpha air proportional counter, 6=1316
Lynch,F.J. and Holland,R.E. Lifetime of the first excited state of K^{40}, 9=10033
Lynch,F.J. and Langsdorf,A.,Jr. Precision integrator for ion beams, 9=8231
Lynch,G. See also Connolly,P., 9=2618
Lynch,G., Orear,J. and Rosendorff,S. Measurement of the asymmetry parameter in $\mu \rightarrow e$ decay, 9=3758
Lynch,M.E. See Kelly,D.H., 9=4416
Lyness,J.N. Polarization in nuclear reactions, 8=7390
Lynn,J.E. A new development in the area method of neutron resonance analysis, 9=682. See also Lane,A.M., 7=1638, 7=8842, 9=8570, 9=11418; Rae,E.R., 8=6328
Lynn,J.E., Firk,F.W.K. and Moxon,M.C. The 2.85 keV neutron resonance of sodium, 8=2579. The low energy neutron resonances of bismuth, 9=1778
Lynn,N. A second order calculation of the energy of interaction between two normal helium atoms, 8=8378. Variational calculations of the 1s—2s electron excitation cross section of hydrogen, 9=10160. See also Dalgarno,A., 7=580, 7=2507, 7=3507, 7=5580, 8=786
Lynn,N. and Moiseiwitsch,B.L. The mobility of He^+ ions in helium, 7=7992
Lynn,S., Corcoran,W.H. and Sage,B.H. Micromanometer of high sensitivity, 6=6405
Lynn,S., Mason,D.M. and Corcoran,W.H. Ionization in solutions of nitrogen dioxide in nitric acid from optical-absorbance measurements, 5=5038
Lynton,E.A. See also Budnick,J.I., 6=6653; Chanin,G., 9=9658; Serin,B., 9=9656
Lynton,E.A. and Serin,B. Magnetization curves of superconductive tin alloys, 9=4792
Lyon,A.J. See also Appleton,E.V., 5=5765, 6=3388, 6=5554
Lyon,A.J. and Moorat,A.J.G. Accurate height measurements using an ionospheric recorder, 6=9070
Lyon,A.J., Skinner,N.J. and Wright,R.W. Equatorial spread-F and magnetic activity, 8=7627
Lyon,D.H. See Livingston,R.L., 6=7608
Lyon,G.F. and Kavadas,A. Horizontal motions in radar echoes from aurora, 9=2005
Lyon,R.H. The response of an elastic plate to localized driving forces, 5=4437. Propagation of correlation functions in continuous media, 6=1934. Response of strings to random noise fields, 6=4256. On the low-frequency radiation load of a bass-reflex speaker, 7=9047. On the diffusion of sound waves in a turbulent atmosphere, 9=11956
Lyon,T. See also Litovitz,T.A., 9=135
Lyon,T. and Litovitz,T.A. Ultransonic relaxation in normal propyl alcohol, 6=1914
Lyon,W.S. Decay of V^{49}, 5=2128. See also Handley,T.H., 5=6417, 5=9045, 5=9848; Kahn,B., 5=4899; Macklin, R.L., 8=2583
Lyon,W.S. and Eldridge,J.S. Radioactive Ge^{77} and Ge^{77m}, 8=2538
Lyon,W.S. and Handley,T.H. Radioactive Ca^{47}, 6=1535
Lyon,W.S. and Kahn,B. Decay of Sc^{47}, 5=8193
Lyon,W.S. and Lazar,N.H. Decay of Mg^{27}, 6=3146
Lyon,W.S. and Macklin,R.L. Neutron activation at 195 keV, 11485
Lyon,W.S. and Reynolds,S.A. Radioactive species induced in reactor cooling water, 6=6178. Alpha-gamma coincidence counting for flow-counter calibration, 7=3600. Assay of electron-capture nuclides with a proportional counter spectrometer, 7=6485
Lyon,W.S. and Rickard,R.R. Gamma-ray branching in Sr^{89}, 6=624
Lyons,D. Milne's problem in the case of anisotropic scattering. (Application to thermal neutrons), 9=70
Lyons,D.H. Level structure of Li^6, 7=3537
Lyons,E.H.,Jr. Electronic configuration in electrodeposition from aqueous solutions. I. The effect of ionic structure, 5=1326; II. The deposition process, 5=1327
Lyons,E.H.,Jr, Bailar,J.C.,Jr and Laitinen,H.A. Electronic configuration in electrodeposition from aqueous solution. III. Metal deposition from certain complex ions, 5=1328
Lyons,L.E. Photoconductance in tetracene-type crystals: theory of the spectral dependence, 5=3786. Polarized spectra of anthracene crystals and Davydov splitting, 6=223. See also Bree,A., 5=182, 5=8774, 6=8793, 7=3294; Carswell,D.J., 5=8775
Lyons,L.E. and Morris,G.C. Photo- and semiconduction of aromatic hydrocarbon crystals, 7=3300
Lyons,L.E. and White,J.W. Low temperature quenching of energy transfer, 8=7834
Lyons,P.A. See also Riley,J.F., 5=3490; Sandquist,C.L., 5=784
Lyons,P.A. and Riley,J.F. Diffusion coefficients for aqueous solutions of calcium chloride and cesium chloride at 25°, 5=1584
Lyons,V.J. The dissociation pressure of $ZnAs_2$, 9=10916
Lyons,W.J. Statistico-mechanical theory of deformation, involving the activated state, 5=5233. Theoretical values of the dynamic stretch moduli of fiber-forming polymers, 9=5191. Theoretical value of the dynamic stretch modulus of cellulose, 9=8919
Lȳsak,L.I. See Kurdyumoy,G.V., 7=8271
Lysanov,Yu.P. Scattering of sound from a plane non-uniform surface with periodically varying acoustic conductivity, 6=4938. An approximate solution of the problem of the scattering of sound waves on an uneven surface, 6=8068. Theory of wave scattering on periodically uneven surfaces, 8=5738. On the scattering of a sound at a non-uniform surface, 8=5739
Lȳsogorov,O.S. See Faĭnshteĭn,S.M., 8=7006
Lȳsov,B.A. Energy-losses of particles in connection with the excitation of longitudinal waves, 9=9934. See also Sokolov,A.A., 9=9927
Lȳtvȳnenko,V.V. On local oscillations, 8=6859
Lyu Tszȳ-yuĭ. Mikhaĭlov,M.M., 8=8801
Lyubarskiĭ,G. See Akhiezer,A., 8=2477
Lyubarskiĭ,G.Ya. See also Akhiezer,A.I., 8=4806, 9=2524; Kovalev,O.V., 8=8424; Polovin,R.V., 9=13506
Lyubarskii,G.Ya. and Polovin,R.V. Simple magnetoacoustic waves, 9=13505
Lyubimov,G.A. Influence of an electromagnetic field on the region of detonation, 9=9861. Stationary flow of an infinitely conducting gas round a corner, 9=13497. Shock waves [in association] with a discontinuity of the [electric] conductivity of a gas in an electromagnetic field, 9=13502
Lyubimov,G.P. and Khokhlov,R.V. Polarization of a molecular beam by an alternating field with changing amplitude and phase, 8=6392
Lyubimov,V.A. See also Alikhanov,A.I., 8=2552, 8=7345, 9=623, 9=12440; Eliseev,G.P., 6=5424; Ioffee,B.L., 9=11446; Ljubimov,V.A., Lubimov,V.A.
Lyubimov,V.A., Eliseev,G.P., Kosmachevskiĭ,V.K. and Kovda,A.V. The probable ionization due to μ-mesons in a gas, in the momentum range 2×10^8 - 1.2×10^{11} eV/c, 7=5650
Lyubimova,E.A. On the thermal history of the earth and its geophysical consequences, 6=7855
Lyubina,A.G. See Troitskiĭ,V.S., 5=284
Lyubov,B.Ya. and Osip'yan,Yu.A. On the kinetics of the isothermal martensite transformation close to absolute zero, 5=8698
Lyudmirskiĭ,I.L. Breĭtbart,A.Ya., 7=338
Lyul'ka,V.A. and Filimonov, V.A. Meson theory of the binding energy of light hypernuclei, 9=2717
Lyustrova,A.P. and Lipatova,V.A. Investigation of the hysteresis of the ballistic demagnetization coefficient, 5=7199
Lyutenberg,R.M. See Yaroslavskiĭ,M.I., 6=7389
Lyuttsau,V.G. See Rovinskiĭ,B.M., 7=9433, 9=5209
Lyuvimov,K.V. See Kel'man,V.M., 5=320
Lyytikäinen,S. See Laurikainen,K.V., 9=1693

Ma,S.T. On the Coulomb and Hulthén potentials, 5=36. On the vacuum current, 6=2640. Contact and core interactions according to Dirac's relativistic theory of the electron, 7=5836. The causal function and the causality condition, 8=4718. Causality in quantum field theory, 9=9198. See also Kaagjärv,L., 8=5419
Ma Da-Yu. Frequency and directional distribution of normal oscillation modes in a rectangular room, 8=6785
Maack Bisgard,K., Dahl,P. Multipolarities of U^{233} transitions, 9=13637
Maas,G.J. Van der. See Van der Maas,G.J.
Maas Reddy,J. van der. See van der Maas Reddy,J.
Maass,R. See Hinzpeter,A., 9=9120
Mabboux,C. See also Hoang,T.F., 5=1960. See Mabboux-Tariel,G., 7=4966
Mabboux,C. and Morellet,D. Mass measurements in photographic plates from photometric ionization measurements, 5=8288
Mabboux-Tariel,G. and Mabboux,C. Energy spectrum of certain random functions of the form ±1, 7=4966
MacAdam,D.L. Rautian on color discrimination, 6=2818, Chromatic Adaption, 6=6277. Analytical approximations for color metric coefficients, 7=4253. Chromatic significance of spectrophotometric errors, 7=9126. Continuously recording spectroradiometer, 9=2189. Primaries implied by Fry's formulation of dichromatism and the mechanisms subserving color vision, 9=9117; See also White, W.E., 7=7800; Zweig,H.J., 9=6434
McAfee,K.B.,Jr. Pulse technique for measurement of the probability of formation and mobility of negative ions, 5=8876. Stress-enhanced diffusion in glass. I. Glass under tension and compression, 8=9132. II. Glass under shear, 8=9133
McAlister,E.D. See also Reid,C.D., 9=1233
McAlister,E.D., Villa,J.J. and Salzberg,C.D. Rapid and accurate measurements of refractive index in the infrared, 6=5755
McAllister,H. See Behring,W.E., 9=6466
McAllister,R.W. Absolute cross section for electron scattering from protons, 7=2303. See also Hofstadter,R., 5=5447
McAllister,R.W. and Hofstadter,R. Elastic scattering of 188-MeV electrons from the proton and the alpha particle particle, 6=4445
Macario,R.C.V. See Chapman,F.W., 6=6037
MacArthur,J.W. Theory of the origin of the very low frequency radio emissions from the earth's exosphere, 9=12905
McAtee,J.L.,Jr. See Pinkus,A.G., 9=9028
McAuliffe,D.R. Design and performance of a new reverberation room at Armour Research Foundation, Chicago, Illinois, 8=1581
McAuslan,J.H.L. Ignition of explosives by light, 8=7580
McAvoy,N. See Autler,S.H., 8=4175
McBride,P.I. See Johannsen,D.E., 6=854, 6=5577
McCabe,M.K. See Bray,R.J., 8=5587; Giovanelli,R.G., 8=5586, 8=7662; Loughhead,R.E., 8=4630
McCahon,J.F. See Allan,D.L., 5=9903
McCaig,M. The unusual magnetic properties of quenched Alcomax. III, 7=8724. Demagnetization of magnets due to contact with ferromagnetic bodies, 6=6786. See also Clegg,A.G., 7=8723, 8=4129; Gould,J.E., 6=1377
McCaig,M. and Clegg,A.G. Resistivity and dilatation of Alcomax. III, 9=3438
McCaldin,J.O. Detector for hydrogen penetrating steel, 6=6950
McCall,D.W. Nuclear magnetic resonance in guanidinium aluminum sulfate hexahydrate, 7=5516. Cell for the determination of pressure coefficients of dielectric constant and loss of liquids and solids to 10 000 p.s.i., 7=6144. Corrections for nuclear magnetic resonance measurements, 8=7320; Douglass,D.C., 9=7838, 9=11900; Gutowsky,H.S., 5=7252; Shulman,R.G., 6=1232
McCall,D.W. and Douglass,D.C. Note on the melt configuration of polyethylene, 9=13763
McCall,D.W., Douglass,D.C. and Anderson,E.W. Self-diffusion in liquid: paraffin hydrocarbons, 9=3208; Diffusion in ethylene polymers. IV, 9=6596. Molecular motion in polyethylene. II, 9=9839
McCall,D.W. and Hamming,R.W. Nuclear magnetic resonance in crystals, 9=7194
McCallum,G.J. Correction for the effect of cosmic radiation of field measurements of the radioactivity of soils, 7=919. See also Fergusson,G.J., 9=2473
McCallum,G.J. and Egelstaff,P.A. Mean free path of phonons is a lead crystal, 8=2640
McCallum,K.J. See Edwards,W.J., 7=830; Sharman,L.J., 5=7474, 5=8356
McCammon,R.D. and Rosenberg,H.M. The cold work introduced during the fatigue of copper, 7=4816. The fatigue and ultimate tensile strengths of metals between 4·2 and 293°K, 8=3523
McCamy,C.S. A five-band recording spectroradiometer, 6=7246
McCarroll,R. The excitation of the discrete levels of atomic hydrogen by fast electrons, 7=7312. See also Bates,D.R., 8=4369; Dalgarno,A., 7=6406-7, 7=7265
McCarroll,R. and Moiseiwitsch,B.L. Approximate molecular orbitals. VI. The $2p\sigma$ state of HeH^{2+}, 7=7277
McCarroll,R.J. and Wakely,P.G. Transition probabilities for the lines of N II, 6=8652
McCarroll,R.W. and McDowell,M.R.C. Properties of the hydrogen molecular ion. VI. The total electronic orbital angular momentum of the $1s\sigma_g$, $2s_g$ and $3s_g$ states, 5=8974
McCarroll,W.H. See Larach,S., 6=8115
McCarthy,C.A. A note on the automatic correction of third-order aberrations, 6=189. See also Hopkins,R.E. 5=5969
McCarthy,D.E. See Clough,S.A., 9=7963
McCarthy,I.E. Physical properties of particles obeying generalized statistics, 5=1559. Analytical solution of the covariant meson nucleon integral equation, 7=2970. Elastic scattering of antiprotons by nuclei, 8=5203. Focusing of particles in the optical model, 9=8568. Flux of particles in the optical model, 9=8610; Eisberg,R.M., 9=8501
McCarthy,I.E., Jezak,E.V. and Kromminga,A.J. Momentum distribution of nucleons in the nuclear surface, 9=11465
McCarthy,J.A. Search for double beta decay in Ca^{48}, 5=4032
McCarthy,K.A. and Ballard,S.S. Thermal conductivity of germanium at ambient temperatures, 5=8684
McCarthy,K.A. and Chalmers,B. Energies of grain boundaries in silver chloride crystals, 9=4038
McCarthy,R.L. See Bennett,R.G., 8=8509
McCarty,H.J. See Heller,W., 9=1344
McCarty,M.,Jr. See Robinson,G.W., 8=2959, 8=7805-6, 9=8719, 9=10779
McCarvill,P.D. See Hayes,W., 8=2613
McCauley,C.E. See Schuler,R.H., 7=3794
McCauley,G.P. Inelastic scattering of high energy nucleons by complex nuclei. II. Excitation of the 4·4 MeV level of ^{12}C, 9=8596. See also Burcham,W.E., 8=6309
McCauley,G.P. and Brown,G.E. Inelastic scattering of high ~~ener~~ energy nucleons by complex nuelei. I. Semi-classical formalism, 8=4326
McCaulley,J.W. See Roach,F.E., 9=12913-4
McCausland,M.A.H. See Abraham,M., 9=11427
McChesney,M. and Craggs,J.D. Radiative characteristics of high pressure hydrogen spark discharges, 8=8797
McClain,E.F. An approximate distance determination for radio source sagittarius A, 6=5621. A note on the potentialities of large radio telescopes, 6=5623. See also Hagen,J.P. 5=12, 6=5613; Lilley,A.E., 6=5622, 8=1424
McCleery,D.K. The correction of an error in the determination of high resistances by capacitor discharge, 5=1804
McClollan,A.L. See also Pimentel,G.C., 5=2600
McClollan,A.L. and Pimentel,G.C. The vibrational assignment and thermodynamic properties of naphthalene, 5=2946
McClelland,C. See also Mark,H., 5=7277
McClelland,C., Mark,H. and Goodman,C. Electric excitation of heavy nuclei by protons, 5=4054
McClellamd,J.D. See Hennig,G.R., 5=8917; Hove,J.E., 7=7223
McClelland,W.M. See Heinberg,M., 8=6173
McCliment,E. See Oriani,R.A., 7=9830
McClintock,F.A., Andre,P.A., Schwerdt,K.R. and Stoeckly,R.E. Interface couples in crystals, 9=7547
McClintock,R.M. Strain gauge calibration device for extreme temperatures, 9=10642
McClung,F. and Holmes,J.R. Isotope shift in the spectrum of mercury, 7=5162
McClure,D.S. Excited states of the naphthalene molecule. I. Symmetry properties of the first two excited singlet states, 5=180. Excited states of the naphthalene molecule. II. Further studies on the first singlet-singlet transiton, 6=1064 First singlet-singlet electronic transition in the phenanthrene molecule and the band structure of the phenanthrene crystal, 6=8679. Interaction between vibrational and electronic motion in molecules, 7=6379. See also Blake,N.W., 9=1307; George,P., 6=8456; Holmes,O.G., 7=7741; Schnepp,O., 7=3140, 9=7956; Sidman,J.W., 6=3888

McClure,D.S. and Hanst,P.L. Excited triplet states of polyatomic molecules. II. Flash-lamp studies on aromatic ketones, 6=1065
McClure,D.S. and Schnepp,O. Electronic states of the naphthalene crystal, 5=10071
McClure,F.T. See Hart,R.W., 9=6844
McClure,G.W. Composition of the primary cosmic radiation at λ = 10°N, 5=1022
McClure,J. See Nakada,M.P., 8=5353
McClure,J.W. Axial ratios in hexagonal crystals, 5=6605 Field dependence of magnetoconductivity, 6=3718. Diamagnetism of graphite, 7=2394. Band structure of graphite and de Haas–van Alphen effect, 8=7489. Analysis of multicarrier galvanomagnetic data for graphite, 9=4630: See also Anderson,J.D., 9=691; Soule,D.E., 9=6235
McClurg,G.O. Magnetic field distributions for a sphere and for an ellipsoid, 7=3433. Correction to the magnetic field distribution for an ellipsoid, 7=4528
McClymont,D.R. See Austin,I.G., 5=3767
Maccoll,A. and Thomas,P.J. Mechanism of the pyrolysis of ethyl bromide. A note on a paper by Friedman, Bernstein and Gunning, 6=1674
MacColl,L.A. Theory of the relativistic oscillator, 8=3739
McCollum,R. See Wiener,B., 5=9186
McCollum,R.L. and Allen,G. Effect of neutron irradiation on thermally and mechanically induced nonequilibrium states in AuCu, 9=8867
McCombie,C.W. See also Elcock,E.W., 8=2674
McCombie, C.W. and Lidiard,A.B. Ratio of ionic conductivity to tracer diffusion in interstitialcy migration, 6=4036
MacConaill,M.A. Double-illumination microscopy, 6=280. The compound polarizer, 8=143
McConnell,H. Molecular orbital approximation to electron-spin coupled nuclear spin-spin interactions in molecules, 5=5566
McConnell,H.M. Dirac vector model for electron coupled nuclear spin interactions, 6=1443. Remarks on nitric oxide catalyzed cis-trans isomerization of dideuteroethylene, 6=1691. Molecular orbital approximation to electron coupled interaction between nuclear spins, 6=3069. Indirect hyperfine interactions in the paramagnetic resonance spectra of aromatic free radicals, 6=3892. Electron densities in semiquinones by paramagnetic resonance, 6=5234. Paramagnetic resonance absorption of Mn^{++} in single crystals of $CaCO_3$, 6=5235. Effect of anisotropic hyperfine interactions on paramagnetic relaxation in liquids, 7=1450. Theoretical basis for the experimental determination of odd-electron densities in aromatic free radicals using paramagnetic resonance, 7=6379. Theory of nuclear magnetic shielding of protons, 8=2008. Reaction rates by nuclear magnetic resonance, 8=2697. Spin density matrices for paramagnetic molecules, 8=7462. Spin density matrix for the allyl radical, 8=8383. A pseudovector nuclear hyperfine interaction, 9=3814. Negative nuclear spin-spin coupling constants for aromatic protons, 9=6197. Free rotation in solids at 4.2°K, 9=7421. See also Anderson,W., 7=7651; Cole,T., 8=9069.
McConnell,H.M. and Berger,S.B. Rates of paramagnetic pulse reactions by nuclear magnetic resonance, 8=1357
McConnell,H.M. and Chesnut,D.B. Theory of isotropic hyperfine interactions in π-electron radicals, 8=2016. Negative spin densities in aromatic radicals, 8=2618
McConnell,H.M. and Dearman,H.H. Spin densities in the perinaphthenyl free radical, 9=747
McConnell,H.M. and Holm,C.H. Anisotropic chemical shielding and nuclear magnetic relaxation in liquids, 7=3549. Electronic structure of sodium–ammonia solutions by nuclear magnetic resonance, 7=8064. Proton resonance shifts in nickelocene, 7=9791. Proton resonance shifts in paramagnetic metal aromatic complexes, 8=7458
McConnell,H.M., McLean, A.D. and Reilly,C.A. Analysis of spin-spin multiplets in nuclear magnetic resonance spectra, 5=6927. Nuclear spin coupling constants in halo-genated olefine, 6=3072
McConnell,H.M., Porterfield,W.W. and Robertson,R.E. Paramagnetic resonance of bis-cyclopentadienyl vanadium, 9=4818
McConnell,H.M. and Reilly,C.A. F^{19} multiplets in the NMR spectrum of $CF_3CCl = CFCl$, 6=8902
McConnell,H. M. and Robertson,R.E. Comments on "Theory of isotropic hyperfine interactions in π-electron radicals", 8=6372. Isotropic nuclear resonance shifts, 9=5942
McConnell,H.M. and Strathdee,J. Theory of anistropic hyperfine interactions in π-electron radicals, 9=8731
McConnell,H.M. and Thompson,D.D. Molecular transfer of non-equilibrium nuclear spin magnetization, 7=6405, 9=8353
McConnell,H.M. and Tunnicliff,D.D. Ultraviolet absorption spectra of methylnaphthalenes at 77°K, 5=6012
McConnell,H.M. and Weaver,H.E.,Jr. Rate of electron exchange between cuprous and cupric ions in hydrochloric acid solutions by nuclear magnetic resonance, 6=7784
McConnell,J. Production and annihilation of negative protons. III, 5=1522. Theory of the negative proton, 6=2670
McConnell,J.F. A comparison of optical methods and difference synthesis in the location of hydrogen, 5=7529
McConnell,R.A. and Mruk,W.F. Microacoustic interferometer using 30 Mc pulses, 5=7770
McCorkle,W.H. Using intermediate experiments for reactor nuclear design, 6=5400
McCormac,B.M., Steuer,M.F., Bond,C.D. and Hereford,F.L. Scattering of $D(d,n)He^3$ polarized neutrons by C^{12}, 7=2651. Elastic scattering of 3.1 MeV polarized neutrons, 8=1268
McCormack,P.D. A liquid scintillator investigation of the second maximum in the cosmic ray transition curve, 7=2393
McCormack,P.D., McCusker,C.B.A. and Wilson,B.G. A search for secondary maxima in cosmic ray transition curves. II, 6=2979
McCormick,B.H. See Klein,A., 5=6759, 7=2994
McCormick, C.G. See Gordy,W., 6=8452
McCormick,G.C. Network theorems applied to a determination of the resistance and sensitivity of a galvanometer, 6=7368
McCormick,G.H. and Cohen,B.L. Fission and total reaction cross sections for 22-MeV protons on Th^{232}, U^{235}, and U^{238}, 5=1183
McCormick,P.T., Keiffer,D.G. and Parzen,G. Energy and angle distribution of electrons in bremsstrahlung, 6=5937
McCormick,W.W. See Wahr,J.C., 5=7826
MacCosham,V.J. See Fujita,H., 9=6352
McCoskey,R.E. See Furukawa,G.T., 7=7834
McCoubrey,A.O. See also Biondi,M.A., 6=3752, 8=193
McCoubrey,A.O. and Matland,C.G. Diffusion of metastable mercury molecules, 6=2910
McCracken,K.G. Variations in the cosmic-ray rigidity spectrum, 9=4769. See also Fenton,A.G., 6=8857, 9=7138, 9=12437; Storey,J.R., 8=3214, 8=7158
McCracken,K.G. and Johns,D.H. The attenuation length of the high energy nucleonic component of the cosmic radiation near sea level, 9=11177
McCracken,K.G. and Parsons,N.R. Unusual cosmic-ray intensity fluctuations observed at southern stations during October 21st-24th, 1957, 9=2474
McCrary,J.H. See also Bent,R.D., 5=7345, 5=8217, 6=628; Ranken,W.A., 9=650
McCrary,J.H., Bonner,T.W. and Ranken,W.A. Gamma rays from the reactions $F^{19}(p,\alpha\gamma)O^{16}$, $Be^9(d,p\gamma)Be^{10}$, $Be^9(d,n\gamma)B^{10}$, $B^{10}(p,p'\gamma)B^{10}$, and $B^{11}(p,p'\gamma)B^{11}$, 8=8314
McCrary,J.M. See Ranken,W.A., 8=8303
McCraven,C.C. See Davenport,T.I., 5=3992
McCraw,T.F. See Marton,L., 5=8016, 5=9702; Simpson,J.A., 7=1373
McCrea,W.H. Newtonian cosmology, 5=5166. On the gravitational displacement of spectral lines, 6=2631. On the significance of Newtonian cosmology, 6=7935. Shock waves in steady radial motion under gravity, 7=179. A problem in relativity theory–reply to H.Dingle, 7=1882. A time-keeping problem connected with the gravitational red-shift, 7=6837. Relativistic ageing, 7=6858. Hertzian electromagnetic potentials, 7=9278. See also Florides,P.S., 9=11716
McCrea,W.H. and Mikhail,F.I. Vector-tetrads and the creation of matter, 6=4156
McCreary,W.J. See Cranston,F.P.,Jr, 7=6506
McCree,K.J. The solarization of polymethylmethacrylate, 5=2277. See also Allan,A.H., 6=1943
McCrum,N.G. Multiple beam investigation of liquid helium in narrow gaps, 5=898
McCrum,N.G. and Eisenstein,J.C. Dipole fields and the helium film, 5=9613
McCubbin,T.K.Jr. See Günthard,H.H., 7=1481; Lord,R.C. 5=6888, 7=9074; Rank,D.H., 8=4849
McCullagh,G. See Mahaffey,D.W., 9=2434
McCullagh,G.C. See Cairns,R.B., 9=3534
McCullen,J.C. See Fenning,F.W., 7=735
McCullough,H.M. and Kopelman,B. Solid metal hydrides as reactor moderators, 7=3690

McCullough,J.D. and Trueblood,K.N. The crystal structure of baddeleyite (monoclinic ZrO_2), 9=10373

McCullough,J.P. Pseudorotation in cyclopentane and related molecules, 9=2870

McCullough,T.P. See Mayer,C.H., 8=8, 8=1428, 8=2096-7

McCurdy,R.D. See Brunson,G.S., 9=13708

McCusker,C.B.A. The determination of meson multiplicity at about 20 BeV., 5=7391. A variation of the rate of penetrating extensive showers with sidereal time, 6=4477; See also Brisbout,F.A., 9=7131; McCormack,P.D., 6=2979

McCusker,C.B.A., Dardis,J.G. and Wilson,B.G. The rates of penetrating showers at sea level, 5=8066

McCusker,C.B.A., Page,D.E. and Reid,R.A. Further evidence for a variation in the rate of dense extensive air showers with solar time, 9=4763

McCusker,C.B.A. and Roesler,F.C. New experimental evidence for the tunnel theory of cosmic ray "jets", 7=8710

McCusker,C.B.A. and Wilson,B.G. A search for secondary maxima in cosmic ray transition curves. I, 6=2978. The rate of extensive showers of high electron density at sea level, 6=3810

McCuskey,S.W. See Shankland,R.S., 5=5850

McCutchen,C.W. Thermal gradient effect in proportional counters, 6=2956. Electronic subtraction of background with a Hutchinson-Scarrott kicksorter, 7=4480. X-ray escape gating as applied to a proportional counter, 7=7981. Excited states of Eu^{153}, 8=5276. Excited states of Dy^{161} 8=8293. Mercury-vapor proportional counters, 9=2548 Drift velocity of electrons in mercury vapor and mercury vapor-CO_2 mixtures, 9=4716

McDade,J.C., Pardue,D.R., Heidrich,A.L. and Vrataric,F. Sound velocity in water above 212°F, 9=13090

McDaniel,B.D., Silverman,A., Wilson,R.R. and Cortellessa,G. Protoproduction of K mesons, 8=9000

McDaniel,E.W. and Crane,H.R. Measurements of the mobilities of the negative ions in oxygen and in mixtures of oxygen with the noble gases, hydrogen, nitrogen, and carbon dioxide, 8=6005

McDaniel,E.W. and Elliott,T.A. Design and uses of a light-water-moderated subcritical assembly, 8=4331

McDaniel, E.W. and McDowell,M.R. C. Low-field mobilities of the negative ions in oxygen, sulfur hexafluoride, sulfur dioxide, and hydrogen chloride, 9=9725

McDaniel,E.W., Schaefer,H.J. and Colehour,J.K. Dual proportional counter for low-level measurement of alpha activity of biological materials, 7=2878

McDaniel,R.E. See Barkow,A.G., 7=8698

McDevit,W.F. See Burnett,B.B., 8=3566

McDiarmid,I.B. The large-angle scattering of μ-mesons in iron, 5=3144. Nuclear interactions of high-energy μ mesons in carbon, 8=2591. Low energy proton flux at sea level, 9=8272

MacDonald,A.D. and Matthews,J.H. High frequency ionization coefficients in neon-argon mixtures, 5=6251. Electrical breakdown in argon at ultra high frequencies, 6=3759

Macdonald,A.R. and Bentley,G P. Color difference comparisons in low reflectance regions. (A study of the precision of spectrophotometric and colorimetric comparisons). 5=6063

MacDonald,B. See Diaz,J., 9=13700

MacDonald,C.A.,Jr. See Anderson,J.D., 6=6137, 6=6141

McDonald,C.C. See Osborn,K.R., 7=3124

McDonald,C.C. and Gunning,H.E. Decomposition of ammonia photosensitized by mercury 6($^3P^1$) atoms, 5=5045

MacDonald,D. See Bryan,G.M., 8=8604

MacDonald,D.E. and Watson,J.T. Detection and recognition of photographic detail. I. Empirical data applicable to the prediction of performance of diffraction limited system, 6=7923

McDonald,D.F. See Mulligan,J.F., 7=5946

MacDonald,D.K.C. Thermo-electric power in semiconductors, 5=3729. Lattice vacancies in the alkali metals, 5=5728 Magneto-resistance in metals, 7=4381. Brownian movement, 8=2167. Thermoelectricity at very low temperatures, 9=7011. See also Bhatia,A.B., 6=5115; Dugdale,J.S., 5=6981, 7=7814, 7=7856; Fischer,G., 8=1690, 8=4983

MacDonald, D.K.C. and Pearson,W.B. Thermo-electricity at low temperatures. IV. Variation of thermo-electric power in a magnetic field, 7=9203

MacDonald,D.K.C., Pearson,W.B. and Templeton,I.M. Measurements of thermoelectricity below 1°K, 8=5933. Measurements of thermoelectricity below 1°K. II, 9=2364

MacDonald,D.K.C., Pearson,W.B. and Towle,L.T. An investigation of the sodium-potassium equilibrium diagram, 6=4039

MacDonald,D.K.C. and Roy,S.K. Vibrational anharmonicity and lattice thermal properties. II, 5=4824

MacDonald,D.K.C. and Towle,L.T., Integrals of interest in metallic conductivity, 6=5085

MacDonald, D.K.C. White,G.K. and Woods,S.B. Thermal and electrical conductivities of the alkali metals at low temperatures, 6=4355

McDonald,F.B. Direct determination of primary cosmic-ray alpha-particle energy spectrum by new method, 7=3409. Study of geomagnetic cutoff energies and temporal variation of the primary cosmic radiation, 8=222. Primary cosmic-ray proton and alpha flux near the geomagnetic equator, 8=1751: See also Webber,W.R., 6=1344

McDonald,F.B. and Webber,W.R. Proton component of the primary cosmic radiation, 9=12434

MacDonald,G.J.F. See Knopoff,L., 9=935, 9=3236

MacDonald,G.L. and Harwood,M.G. X-ray emission spectroscopy with electron excitation covering elements $_4Be-_{92}U_2$, 5=5697

McDonald,H.S. See David,E.E.,Jr, 7=4095

Macdonald,J.A. Apodization and frequency response with incoherent light, 9=2196, 9=5482

McDonald,J.E. "Deposition"- a proposed antonym for "sublimation", 8=6909

Macdonald,J.R. Theory of the differential capacitance of the double layer in unadsorbed electrolytes, 5=1329. Capacitance and conductance effects in photoconducting alkali halide crystals, 5=2766. Note on theories of time-varying space-charge polarization, 6=2057. Spin exchange effects in ferromagnetic resonance, 6=6781. Differential capacitance of electrolytes, 7=821. Stress in evaporated ferromagnetic films, 7=7219. Magnetic anisotropy measurement with an oscillation magnetometer, 8=1775. Active, adjustable audio band-pass filter, 8=2923. New integrating circuit and electrical analog for transient diffusion and flow, 8=3771. Static space charge and capacitance for a single blocking electrode, 9=6903. Static space charge and capacitance for two-blocking electrodes, 9=8081. Modification of the Lomnitz-Jeffreys law of creep, 9=8941. Rayleigh-wave dissipation functions in low-loss media, 9=10701. See also Brachman,M.K., 5=4133, 6=7170, 7=125

Macdonald,J.R. and Brachman,M.K. Linear-system integral transform relations, 7=5787

McDonald,K. L. Topology of steady current magnetic fields, 5=1046

McDonald,L.A. See Lister,B.A.J., 5=9609

McDonald,M.P. N.M.R. in amphiphilic solutions, 9=12497

Macdonald,N.J. and Woodbridge,D.D. Relation of geomagnetic disturbances to circulation changes at 30 000-foot level, 9=6384

McDonald,R.A. See Hildenbrand,D.L. 9=6861, 9=12198

MacDonald,R.E. See Allin,E.J., 5=6005. See Crawford, M.F., 9=1282

McDonald,R.S., Gibbs,J.H. and Ladd,J.R. Absence of hydrogen bonding in an alcoholfluorohydrocarbon, 5=8139

McDonald,T.R.R. Calculation of the electron distribution in the hydrogen atom for different values of the temperature factor, 6=7632

MacDonald,W.M. Isotopic spin selection rule for electric dipole transitions, 5=4867. Isotopic spin impurity in light nuclei. I. Core impurity, 6=550. Isotopic spin impurity. II. Shell model, 6=3090. Coulomb corrections to the Fermi nuclear matrix element, 8=5322. See also Altman,A., 9=3838; Rosenbluth,M.N., 7=8462; Wentworth,R.C., 9=13538

MacDonald,W.M., Rosenbluth,M.N. and Chuck,W. Relaxation of a system of particles with Coulomb interactions, 8=524

McDonald,W.S., Peterson,V.Z. and Corson,D.R. Photoproduction of neutral pions from hydrogen at forward angles from 240 to 480 MeV, 7=8892

McDonell,J.A. See also Herrlander,C.J., 7=6492; Schmorak,M., 7=6437; Stockendal,R., 7=647

McDonell,J.A., Hanson,M.A. and Wilson,P.R. The energy loss distributions of 1 MeV electrons in aluminium foils, 5=6210

McDonell,J.A., Stockendal,R., Herrlander,C.J. and Bergström, I. Levels in Pb^{202} and Tl^{202} populated from 3. 62-h Pb^{202m}, 8=3317

McDonell,W.R. Decomposition of methyl alcohol-water solutions by Co^{60} gamma radiation, 5=3230

McDonell,W.R. and Gordon,S. Decomposition of methyl alcohol-water solutions by Co^{60} gamma, 5=3229

McDonell,W.R. and Newton,A.S. The radiation chemistry of the aliphatic alcohols, 5=1333

McDonough,J.M. See Brabets,R.I., 8=62

McDowell,C.A. Mass spectrometry and molecular structure, 5=5068. Ionization potentials of ammonia and the excited states of the NH$_3^+$ ion, 6=5185. See also Allen,G., 5=2625; Coope,J.A.R., 7=9740; Craggs,J.D., 5=8869; Farmer,J.B., 5=2928, 6=3067; Frost,D.C., 5=9732, 6=7605, 7=9249, 8=8838, 9=2448, 9=7127, 9=11150
McDowell,C.A. and Frost,D.C. Spin-orbital interactions in molecular ions, 6=3068
Macdowell,J. A capacitance-resistance hygrometer, 6=7863
McDowell,M.R.C. Elastic scattering of slow ions in their parent gases, 9=2865. See also Dalgarno,A., 6=8830, 7=493, 8=1738; Lewis,J.T., 5=8126; McCarroll,R.W., 5=8974; McDaniel,E.W., 9=9725
Mac-Dowell,S.W. Polarization of spin one particles, 8=3706. Proca's equation [for spin-1 particles] in sperical coordinates, 9=41*
Mac-Dowell,S.W. and Tiomno,J. Polarization of spin one particles by nuclear scattering, 9=1074
Mac-Dowell,S.W. Energy spectrum of pions and polarization of muons and electrons in the K$_{\mu3}$ and K$_{e3}$ decay, 8=1183
MacDowell,S.W. Correlated polarization of muons in Kμ_3 decay, 8=8233
MacDowell,S.W. and Giambiagi,J.J. Elastic scattering of α-particles, 7=9380
MacDuffee,C.C. The clock paradox, 9=7772
Mace,R. See Gilmer,T.E., Jr, 7=9732
McEachern,L.J. See Campbell,C.J., 7=2103
Maček,A. Transition from deflagration to detonation in cast explosives, 9=8952. See also Griffing,V., 5=6347
McElcheran,D.E. See Kerwin,L., 7=7314, 7=9347; Kutschke,K.O., 6=5475
McElhinney,J. See also Bendel,W.L., 9=3915; Cohen,L. 9=8522; Tobin,R., 9=674; Toms,M.E., 9=675
McElhinney,J., Zendle,B. and Domen,S. A calorimeter for measuring the power in a high-energy X-ray beam, 6=6687
McElhinny,M.W. See Szendrei,M.E., 6=7053, 6=9080
McEllistrem,M.T. Analysis of C^{12} + d reactions, 9=660. See also Benenson,R.E., 6=3222; Galonsky,A., 5=5632-3
McEllistrem,M.T., Jones,K.W., Chiba,R., Douglas,R.A., Herring,D.F. and Silverstein,E.A. Differential cross sections for C^{12}(d,d)C^{12} and C^{12}(d, p)C^{13}, 7=2653
McEllistrem,M.T., Martin,H.J., Miller,D.W. and Sampson,M.B. (d,p) reactions in the Pb isotopes and their interpretation, 9=5047
McElroy,D.L. See Stansbury,E.E., 9=8049
McEuen,R.B., Berg,J.W.Jr and Cook,K.L. Electrical properties of synthetic metalliferous ore, 9=10966
MacEwan,D.M.C. See Aragón,F., 9=7472
McEwan,W.S. See also Burkardt,L.A., 7=331; Cook,M.A., 9=8245; Moore,D.W., 7=3042
McEwan,W.S. and Anderson,C.M. Miniature bomb calorimeter for the determination of heats of combustion of samples of the order of 50 mg mass, 5=4608
McEwen,D.J. and Montalbetti,R. Parallactic measurements on aurorae over Churchill,Canada, 9=3016
McEwen,J.G. See also Duke,P.J., 7=4464; Gibson,W.M., 8=1146
McEwen,J.G., Gibson,W.M. and Duke,P.J. Quasi-elastic collisions of 925 MeV protons, 7=4711
McEwen,K. L. See also Longuet-Higgins,H.C., 7=5531; Murrell,J.N., 7=3493
McEwen,K.L., and Longuet-Higgins,H.C. Electronic spectra of cyclo-octa-tetraene, tetraphenylene, and s-dibenzcyclo-octatetraene, 6=3889
McFadden,J.A. Radial vibrations of thick-walled hollow cylinders, 5=120
McFadden,W.H. See Dudley,R.S., 5=5044
Macfadyen,K.A. Some researches into the electrical conduction and breakdown of liquid dielectrics, 5=1799
MacFadyen,K.A. and Holbeche,T.A. An improved technique for the measurement of contact potential differences, 7=4298
McFarland,B.L. Comparison between the linear and nonlinear steady-state behaviour of a heated tube, 9=4509
McFarland,G.C. See Hess,W.N., 9=11935
McFarland,R.H. See Swanson,R.E., 5=6040
McFarlane,A.B. The movement of the second crossover potential of insulators, 7=7959
Macfarlane,G.G. See also Elliott,R.J., 9=1435
Macfarlane,G.G., McLean,T.P., Quarrington,J.E. and Roberts,V. Direct optical transitions and further exciton effects in germanium, 8=4953. Fine structure in the absorption-edge spectrum of Ge, 8=5464. Fine structure in the absorption-edge of spectrum Si, 9=3280. Exciton and phonon effects in the absorption spectra of germanium and silicon, 9=10243 Some effects of strain in thin specimens on absorption measurements at low temperature, 9=12135
Macfarlane,G.G. and Roberts,V. Infrared absorption of germanium near the lattice edge, 5=4654. Infrared absorption of silicon near the lattice edge, 5=7848
MacFarlane,W., Barden,S.E. and Oldroyd,D.L. The Glasgow 340-MeV synchrotron, 6=4434
McFee,R. Optimum input leads for cryogenic apparatus, 9=8045
McGandy,E.L. See Burdick,M.D., 5=6542
McGarvey,B.R. Variational calculation of the nuclear magnetic shielding of the proton, 8=380. See also Maki,A.H., 9=2876-7
McGarvey,B.R. and Slomp,G.,Jr. N.M.R. spectrum of the ethyl group. An exact solution, 9=7202
McGee,R.X., Slee,O.B. and Stanley,G.J. Galactic survey at 400 Mc/s between declinations -17° and -49°, 6=2613
McGeer,P.L. See Rathmann,G.B., 7=2162
McGervey,J. and DeBenedetti,S. Chemical reactions of positronium in aqueous solutions, 9=8446
MacGillavry,C.H. See Berghuis,J., 5=9268
McGinnies,R.T. Energy spectrum resulting from electron slowing down, 9=5811. See also Jansen,L., 7=2466, 7=6379
McGinnies,R.T. and Jansen,L. Validity of the assumption of two-body interaction in molecular physics. I, 6=3056
McGinnis,C.L. Radioactivity of In^{117} and Sb^{117}, 5=2125* Radioactivity of In^{120} and Sb^{120}, 8=8285
McGinty,G.K. See Evans,P.R., 9=2409
McGlashan,M.L. See Adcock,D.S., 5=906; Francis,P.G., 5=5941
McGlothin,B.B.,Jr. See Bankoff,S.G., 9=5625
McGlynn,S.P. See also Padhye,M.R., 6=4557
McGlynn,S.P. and Kasha,M. Interpretation of the lowest frequency electronic absorption bands of inorganic molecules of type XO$_y^z$(-) as n→π* transitions, 6=3614. Interpretation of the lowest frequency electronic absorption bands of inorganic molecules of type XO$_y^{z(-)}$ as→π* transitions, 7=6379
McGlynn,S.P., Padhye,M.R. and Kasha,M. Lowest triplet levels of the polyacenes, 5=5562
McGlynn,S.P. and Simpson,W.T. Application of the Pariser and Parr method to dye ions with amidinium resonance, 8=9095
McGowan,F.K. See also Smith,W.G., 9=10051; Stelson,P.H., 5=8213, 7=4677, 9=652
McGowan,F.K. and Stelson,P.H. Angular distribution of gamma rays from Coulomb excitation, 5=8214. Evidence for reduction of M1K shell internal conversion coefficient, 7=2610. Angular distribution of gamma rays following Coulomb excitation in even-even nuclei, 7=6513. Internal conversion coefficients for pure E2 and mixed E2 + M1 transitions, 7=9859. Yields, angular distribution, and polarization of gamma rays from Coulomb excitation, 8=9036
McGrath,J.W. See also Kapur,K.N., 9=9831; Silvidi,A.A., 9=8363
McGrath,J.W. and Silvidi,A.A. On Das' theory of nuclear magnetic resonance in solids, 9=813
McGrath,W.D. and Ubbelohde,A.R. The influence of molecular flexibility on the transfer of vibrational energy in hydrocarbons, 5=2046
McGregor,D.M. and Etkin,B. Investigation of the fluctuating pressures on a circular cylinder in an airstream, 8=3786
MacGregor,M. See Ball,W.P., 8=5391; Heckrotee,W., 9=2778
MacGregor,M.H. Linear accelerators as radioisotope producers, 8=754. p-p S-wave phase shifts from a boundary condition potential, 9=4286. Phase shift analysis of proton-proton scattering experiments below 40 MeV, 9=7260. X-ray production with linear accelerators, 9=12340. See also Booth,R., 9=5065; Cziffra,P., 9=9952; Noyes,H.P., 8=6144
MacGregor,M.H., Ball,W.P. and Booth,R. Nonelastic neutron cross sections at 14 MeV, 8=763. Neutron nonelastic cross sections at 21.0, 25.5, and 29.2 MeV, 9=3924
MacGregor,M.H. and Booth,R. Neutron nonelastic cross-section measurements on carbon, 9=5066
McGruer,J.N. See also Levine,S.H., 5=4061; Moore,W.E., 8=6307; Vogelsang,W.F., 8=9051; Warburton,E.K., 7=3653
McGruer,J.N., Warburton,E.K. and Bender,R.S. d,p reactions from C^{12} and C^{13}, 6=1571
McGuire,A.D. See Argo,H.V., 9=8642; Camac,M., 5=8805;

Cowan,C.L., 7=4791
McGuire,F.L. See Morris,A., 5=6867
McGuire,J.M. See Bailey,T.L., 5=2827
McGuire,P. See Leibowitz,H., 8=1398
McGuire,T.R. Observation of exchange resonance near a ferrimagnetic compensation point, 5=3879. See also Kriessman,C.J., 5=6290
McGuire,T.R., Scott,E.J. and Grannis,F.H. Antiferromagnetism in a Cr_2O_3 crystal, 6=5226
Macháček,V. See Malý,J., 9=12641
McHale,A.P. See Hisatsune,I.C., 6=2487
McHale,J.L. See Biedenharn,L.C., 6=554, 6=1470; Goldstein,M., 6=1561; Thaler,R.M., 6=5935
Machalett,A. See Dillon,J.F.,Jr, 9=9799
Machalett,A.A. See Harrower,C.A., 5=5934
McHargue,C.J. See Jetter,L.K., 6=4103
McHenry,K.W. See Deisler,P.E.,Jr, 6=776
Macherauch,E. See Leiber,C.O., 8=5500
Machida,M. See Inoki,M., 7=5442
Machida,S. An exactly soluble example in quantum field theory, 6=7964. See also Hiida,K., 6=82, 6=8576; Inoue,K., 6=8590
Machida,S. and Senba,K. On higher order corrections in the meson theory of nuclear forces, 6=2661
Machiroux,R. See Mathieu,J.P., 6=4333
Machlin,E.S. Applied voltage and the plastic properties of "brittle" rock salt, 9=10326. See also Weinig,S., 6=6953
Machlup,S. Vacancies in metallic sodium, 6=3050. See also Michels,A., 9=6968
Machol,R.E. See Westrum,E.F.,Jr, 8=8740, 9=5637
Machovec,M. See Horák,J., 5=1375
Macht,H.G. On the increase of the earth's dipole moment, moment, 5=1375
Machta,L. Meteorological factors affecting spread of radioactivity from nuclear bombs, 8=4593
Machta,L. and Harris,D.L. Effects of atomic explosions on weather, 5=4234
McHugh,B. See Pearcey,T., 5=7756
Machwe,M.K., Kent,D.W.,Jr and Snowdon,S.C. Elastic scattering of 3.7 MeV neutrons from S, Fe, Co, Ni, Cu, and Zn, 9=11480
Machwe,M.K. and Sodha,M.S. On the resolving power of compound Fabry-Perot etalon, 5=5347
McIlraith,A.H. The properties of fine virtual slits formed by oblique reflection at cylindrical surfaces, 5=8584. The measurement of the coherence of a light wave by means of a Lloyd mirror, 6=2811
McIlwain,C.E. See Van Allen,J.A., 8=4104
McIlwraith,C.G., Breazeale,J.B. and Dacus,E.N. Improved magnetic suspension system, 9=3086
McInally,M. The differential stopping power of liquid water for α-particles, 6=8946
McInnes,B. and Robertson,K.A. The auroral display of 1958 September 4-5, 9=9104
MacInnes,I. See McLaren,A.S., 8=2823
McIntosh,B.A. An experimental study of interception noise in electron streams at microwave frequencies, 9=8215
MvIntosh,D.H. On the annual variation of magnetic disturbance, 9=9056
McIntosh,J. See Kurti,N., 5=2683
McIntosh,J.S. See Breit,G., 7=7360
McIntosh,R. See Benson,G.C., 7=1473; Channen,E.W., 5=5056; Waldman,M.H., 5=5061
McIntyre,D. and Doderer,G.C. Absolute light-scattering photometer. I. Design and operation, 9=6797
McIntypre,D., Doderer,G.C. and O'Mara,J.H. Design and performance of a block-type osmometer, 9=5409
McIntyre,J.A. Electron scattering from the deuteron, 6=8925
McIntyre,J.A. and Burleson,G.R. Electron scattering from the deuteron and the neutron-proton potential, 9=3731
McIntyre,J.A. and Dhar,S. Electron scattering from the deuteron and the neutron-proton potential, 7=7151
McIntyre,J.A. and Hofstadter,R. Scattering of 192-MeV electrons from the deuteron, 5=4728
Macintyre,W.M. A general least-squares programme for the refinement of anisotropic thermal parameters, 9=13919
McIrvine,E.C. and Bradley,R.C. Adsorption of nickel on molybdenum in the field emission microscope, 8=2057
McIsaac,L.D. See also Bunney,L.R., 7=9376
McIsaac,L.D. and Freiling,E.C. Counting efficiency determinations of Pa^{233}, 7=3579
Mack,C. The field due to an infinite dielectric cylinder between two parallel conducting planes, 5=2698. The tension in strings wrapped slantwise round cylinders when friction is proportional to a power of the normal reaction, 6=8439
Mack,C. and Rubenstein,C. The effective coefficient of friction for strings traversing cylinders transversely and slantwise, 9=888
Mack,G. Precision X-ray studies on alloyed germanium–indium p–n junctions, 8=8471. Precision measurement of the lattice constant of germanium single crystals by Kossel and van Bergen's method, 8=8526
Mack,J.E. Structure of the barium resonance line, 8=1597. See See also Burke,E.W.Jr, 6=2776
Mack,J.G. See Allen,N.L., 8=775
Mack,M. See Ladell,J., 9=13905
Mack,S.Z. See Serson,P.H., 8=2707
McKannan,E.C. See Watkins,J.M., 6=6969
Mackay,A.L. Extensions of space-group theory, 8=444
McKay,C. See Kushneriuk,S.A., 5=5654
Mackay,C.F. See Wolfgang,R., 9=3685
MacKay,D.M. Moving visual images produced by regular stationary patterns, 8=467, 8=4604. Some further visual phenomena associated with regular patterned stimulation, 8=1389. Perceptual stability of a stroboscopically lit visual field containing self-luminous objects, 8=4605. A "solid image" microscope, 9=4500.
McKay,H.A.C. The new element nobelium, 8=1231
McKay,J. See Stöckmann,F., 9=5729
MacKay,J.W. and Klontz,E.E. Low-temperature annealing studies in Ge, 9=10281
Mackay,J.W., Klontz,E.E. and Gobeli,G.W. Thermal and radiation annealing of germanium, 9=7525
McKay,K.G. See Chynoweth,A.G., 6=4404, 7=5335, 8=6995
McKay,R.W. See Anderson,J.M., 8=1078; Blevis,B.C., 8=5418
Mackay,R.W. See Silver,R.S., 5=7906
Macke,W. Wave mechanical treatment of the Fermi gas, 6=93. On the quantum-mechanical, treatment of many-body problems, 6=938. On nuclear saturation, 7=9315. The quantum-mechanical many-body problem in atomic nuclei and in electron gases, 9=2675. See also Görlich,P., 8=3134
McKeag,A.H. and Steward,E.G. The luminescent properties and crystal structure of some new phosphor systems, 5=3602. Effect of crystal disorder on the electroluminescence of zinc sulfide phosphors, 7=5229
McKeague,R. Disintegrations produced in the light elements of nuclear emulsions by 950 MeV protons, 6=6902. See also Duke,P.J., 5=8842; Freemantle,R.G., 5=339; Lock,W.O., 5=9077
McKean,D.C. Infrared absorption intensities and bond moments in BF_3 and related molecules, 6=4316. See also Hornig,D.F., 6=7582
McKean,D.C. and Schatz,P.N. Absolute infrared intensities of vibration bands in ammonia and phospine, 6=3065
McKean,W.J. See Potter,R.F., 8=4020
McKee,J.M. See Jaffe,H., 7=3239
McKee,J.S.C. See also Bransden,B.H., 6=7634, 7=7990
McKee,J.S.C., Sweetman,D.R.,March,P.V., Toner,W.T. and Gibson,W.M. Scattering of 29.2 MeV He^3 nuclei by deuterons, 9=12605
McKeehan,C.W. and Graham,I.C. Special cuvettes for spectrophotometric measurements of micro-organisms and living tissues, 6=1957
McKeehan,W. See Jacques,J.A. 5=9575, 6=180, 6=2599, 6=3400
McKellar,A. Some observational results on the spectra of late-type giant stars, 5=7653. See also Romanko,J., 5=1724
McKellar,A. and Richardson,E.H. Identification of the λ 3143 interstellar line, 5=7662*. Relative spectral gradients of several cool carbon stars in the blue and violet regions, regions, 6=1818
McKelvey,J.P. Diffusion effects in drift mobility measurements in semiconductors, 6=3716. Experimental determination of injected carrier recombination rates at dislocation in semi-conductors, 7=7095. Volume and surface recombination of injected carriers in cylindrical semiconductor ingots, 9=5683
McKelvey,J.P. and Longini,R.L. Recombination of injected carriers at dislocation edges in semiconductors, 5=8749
McKenna,S., Natali,S., O'Connell,M., Tietge,J. and Varshneya,N.C. A study of 540 τ-meson decays, 9=3799
McKenzie,D.E. The volatilization of plutonium from neutron-irradiated uranium, 7=314
McKenzie,D.J. See Roalsvig,J.P., 9=8624
Mackenzie,D.K. and Newcomb,T.P. The measurement of Meyer

hardness and Young's modulus on the Rockwell test machine, 8=1352
Mackenzie,D.R. See Ewan,G.T., 8=1939, 9=5001; Geiger,J.S., 9=3860
Mackenzie,J. See Barnes,G., 9=3188
Mackenzie,J.D. Viscous flow and the constitution of liquid boron trioxide, 6=4870*. Simultaneous measurements of density, viscosity, and electric conductivity of melts, 6=6406. Energy of the B–O bond and the structure of liquid boron trioxide, 7=144. Viscous flow of liquids at constant volume and constant pressure, 8=6690. Structure of liquid germanium dioxide, 8=8614
Mackenzie,J.D. and Hillig,W.B. Self-diffusion of liquids at the freezing point, 8=7745
Mackenzie,J.K. A least square solution of linear equations with coefficients subject to a special type of error, 7=6799. A simple formula for evaluating the Madelung constant of an NaCl-type crystal, 7=8265. General relation between lattice sums, 7=8945
McKenzie,J.M. Making fission counters for neutron monitoring, 9=12523
McKenzie,J.M. and Bromley,D.A. Observation of charged-particle reaction products, 9=11321
Mackenzie,K.R. Calculator for some r.f. problems in accelerator design, 7=2323. See also Burking,V.C., 7=7175; Smith,B.H., 6=7471; Sonett,C.P., 6=1310
MacKenzie,R.B. See Aves,R. 5=3840; Barnes,D., 8=6443
McKeown,M. See der Mateosian,E., 6=2199; Harbottle,G., 7=656; McReynolds,A.W., 5=5663; Mihelich,J.W., 5=4004; Scharff-Goldhaber,G., 5=8190, 9=2766, 9=13621
McKeown,P.J.A. A high-temperature micro-thermostat for X-ray studies on single crystals of appreciable vapour pressure, 7=871
McKerrow,C.A. Sudden decrease in low-frequency atmospheric noise during the cosmic-radiation storm of February 23, 6=9148
McKey,M.J. See Swets,J.A., 9=7710
Mackie,A.G. The generalized radially symmetric wave equation, 6=7208. The calculation of the drag in problems solved by the hodograph method, 8=900. The solution of boundary value problems for a general hodograph equation, 9=87
McKim,F.R. See also Cooke,A.H., 7=8559
McKim,F.R. and Wolf,W.P. The susceptibility and magnetic specific heat of potassium ferricyanide at low temperatures, 7=2426. An improved inductance method for measuring susceptibilities of small paramagnetic specimens at low temperatures, 7=4522
McKim,F.S. See Buck,T.M., 7=7103, 7=9183
Mackin,R.J., Mills,W.R. and Thirion,J. Study of the Doppler effect of gamma rays from the reaction B^{10} (α,p)C^{13}, 7=1564
Macklin,R.J.Macklin,Jr, Mills,W.R.,Jr and Thirion,J. Radiation from excited states of carbon-13, 6=4615
Macklin,R.J.,Jr, Mims,W.B. and Mills,W.R.,Jr. Gamms rays from the deuteron bombardment of carbon-13, 5=4918
McKinley,D.W.R. Radio determination of the orbit of the ETA aquarid meteors, 6=5628. Radar-echo duration and height of a Perseid meteor, 6=7940. Some factors affecting the radio determination of meteoric velocities, 7=2927. See also Millman,P.M., 5=694, 6=2616
McKinley,D.W.R. and McNamara,A.G. Meteoric echoes observed simultaneously by back scatter and forward scatter, 6=6313
McKinley,J.D.,Jr. See also Cawthon,T.M., 7=2006; Garvin,D., 6=9005
McKinley,J.D.,Jr, Garvin,D. and Boudart,M.J. Production of excited hydroxyl radicals in the hydrogen atom-ozone reaction, 5=5988. The reaction of atomic hydrogen with ozone, 6=9104
McKinley,J.D.,Jr and Shuler,K.E. Kinetics of the high-temperature heterogeneous reaction of chlorine and nickel between 1200 and 1700°K, 9=901
McKinley,W.A. See Hickok,R.L., 8=1920
McKinney,A.H. See Glasser,L.G., 8=8718
McKinney,C.M. See also Owens,W.R., 7=8477
McKinney,C.M. and Anderson,C.D. Experimental investigation of wedge horns used with line hydrophones, 5=1628
McKinney,C.M. and Owens,W.R. Wedge-shaped acoustic horns for underwater sound applications, 7=8478
McKinney,C.R. See Bernstein,S., 6=2413
McKinney,J.E., Edelman,S. and Marvin,R.S. Apparatus for the direct determination of the dynamic bulk modulus, 6=4695
McKinney,P.C. and Barrow,G.M. Chemical bond. III. A one-dimensional theory of the energetics and ionic character of the hydrogen bond, 9=10188
Mackinnon,L. Relative absorption of 10 Mc/sec longitudinal sound waves in a superconducting polycrystalline tin rod, 6=1001. Further ultrasonic experiments in superconducting polycrystalline tin, 7=5134. See also Green,R.E.,Jr, 7=6643; Myers,A., 9=4375
Mackinnon,L. and Myers,A. Ultrasonic attenuation in superconducting and normal mercury, 9=2173
McKinnon,N.A. Slip in the interior of aluminium-silver single crystals, 6=733
Mackintosh,I.M. Photon-radiative recombination in PbSe, PbTe and PbS, 6=3728. Low temperature magnetoresistance anomalies in indium antimonide, 6=5095. Effect at high-angle grain boundaries in indium antimonide, 6=8785. See also Allen,J.W., 5=8763
Mackintosh,I.M. and Allen,J.W. The lifetime of added carriers in InSb, 6=2107
Mackliet,C.A. Diffusion of iron, cobalt, and nickel in single crystals of pure copper, 9=845
Macklin,P. See Koerts,L., 5=7319
Macklin,R.L. See also Gibbons,J.H., 6=710, 9=8466, 9=10122; Lyon,W.S., 9=11485; Masket,A.V.H., 8=4162
Macklin,R.L. and Banta,H.E. Tritium production from lithium by deuteron bombardment, 5=3102
Macklin,R.L. and Gibbons,J.H. Study of the T(p,n)He^3 and Li^7(p,n)Be^7 reactions, 8=1257
Macklin,R.L., Lazar,N.H. and Lyon,W.S. Neutron activation cross sections with Sb–Be neutrons, 8=2583
Macklin,R.L. and Pomerance,H.S. Resonance activation integrals of U^{238} and Th^{232}, 6=7692
Macklin,R.L., Schmitt,H.W. and Gibbons,J.H. Neutron absorption cross sections of U^{235} and Pu^{239} in the 5- to 50KeV energy range, 6=4651
Macklin,W.C. See Crompton,R.W., 8=5048
Mackor,E.L. See MacLean,C., 9=13471; Stuart,A.A.V., 8=373
Mackworth,J.F. and Mackworth,N.H. Eye fixations recorded on changing visual scenes by the television eye-marker, 8=5567
Mackworth,N.H. See Mackworth,J.F., 8=5567
McLachlan,A.D. Hyperconjugation in the electron resonance spectra of free radicals, 9=13464
McLachlan,D.,Jr. Unified treatment of the vibrating arm. I. The solution when the restoring force is expressed as $F = -\psi^p$, 7=5788*; II. The solution when the restoring force is positive and also when it is expressed as a power series in ψ, 7=5789. A synthesizer for triangular wave functions, 7=7507. Theoretical surface tension of Ti, Zr, and Hf, 8=6695. Crystal structure and information theory, 9=4106
McLafferty,F.W. Mass spectrometric analysis. Molecular rearrangements, 9=3604
McLain,W.H.Jr. See Rutner,E., 6=2843
McLane,J.T. Critique on the calculation of the quality factors for filters, 8=5822
McLaren,A.C. The absorption spectra of single crystals of pure and partially decomposed silver azide, 7=5181. See also Bowden,F.P., 8=7580
McLaren,A.C. and Rogers,G.T. The optical and electrical properties of silver azide and their relation to its decomposition, 8=7580
McLaren,A.S. and MacInnes,I. The influence on the stress distribution in an adhesive lap joint of bending of the adhering sheets, 8=2823
McLaren,E. See Jones,L.H., 5=844, 8=5780
McLaren,E.H. The freezing points of high purity metals as precision temperature standards. I.Precision measurements with standard resistance thermometers, 7=3210; II. An investigation of the freezing temperatures of zinc, cadmium, and tin, 7=9660. III. Thermal analyses on eight grades of zinc with purities greater than 99.99+%, 8=5846. IV. Indium: Thermal analyses on three grades of cadmium, 9=1383. Intercomparison of 11 resistance thermometers at the ice, steam, tin, cadmium, and zinc points, 9=8048. See also Spindel,W., 5=1593
McLaren,I.H. See Wiley,W.C., 6=1307
McLaughlin,D.B. The spectra of novae, 7=5013
McLaughlin,E. Viscosity and self-diffusion in liquids, 9=6592
McLaughlin,R.D. See Conway,J.G., 5=2077, 6=1962; Cunningham,B.B., 7=1202; Gruen,D.M., 7=274, 7=2828
McLaughlin,W.A. See O'Connor,J.R., 8=1688
McLaughlin,W.L. See also Ehrlich,M., 7=443
McLaughlin,W.L. and Ehrlich,M. Film badge dosimetry: How much fading occurs?, 5=1141

McLay,A.B. See also Jordan,C.E., 8=4179; Subbarao,M.K., 6=6035
McLay,A.B. and Subbarao,M.K. Diffraction of 3.2 cm electromagnetic waves by dielectric rods. II. Lucite 1½ in. diameter cylinder and semicylinders, 6=6036
McLean,A.D. See McConnell,H.M., 5=6927, 6=3072
MacLean,C. and Kor,G.J.W. Paramagnetic resonance absorption in M_n^{++}, 7=1742
MacLean,C. and van der Waals,J.H. Paramagnetism of solutions of aromatics in strong acids, 8=1131
MacLean,C., van der Waals,J.H. and Mackoor,E.L. Proton magnetic resonance of aromatic carbonium ions. I. Structure of the conjugate acid, 9=13471
McLean,D. See Franks,A., 6=4707
McLean,E.A. See also Faneuff,C.E., 8=3934
McLean,E.A., Scherrer,V.E. and Faneuff,C.E. Film boiling of water by pulse-heating small wires, 6=2829
McLean,E.A., Scherrer,V.E., Nanney,C.A. and Faneuff,C.E. Interferometer used to study transient heating of water, 8=2257
McLean,J.A. A method for constructing direct reading thermistor thermometers, 5=902
McLean,T.P. See Elliott,R.J., 9=1435; Macfarlane,G.G., 8=4953, 8=5464, 9=3280, 9=10243, 9=12135
McLean,W.L. See Bogle,G.S., 7=8511
McLean,W.R. On the theory of wave propagation in inhomogeneous media, 6=1135. On the acoustics of cocktail parties, 9=6665. See also Suckling,E.E., 5=4466, 6=5738 7=7693
McLellan,A.G. A new function in the theory of fluids and an equation of state for liquids and gases, 8=5700
McLellan,A.A. and Alder,B.J. Virial expansion for mixtures of rigid spheres, 6=1901
McLennan,J.A.,Jr. Conformal invariance and conservation laws for relativistic wave equations for zero rest mass, 6=6386. Parity nonconservation and the theory of the neutrino, 7=5823. Conformally invariant wave equations for nonlinear and interacting fields, 7=8426. Improper Lorentz transformations, 8=1487. Poincaré recurrence times, 9=9257
McLennan,J.E. See Allen,N.P., 6=4049
Macleod,G.R. Cosmic ray showers of wide extent, 6=3808
Macleod,J.E.S. See Weaver,C., 9=12146
McLeod,T.S. See Reed,R.D.C., 5=6835
McLernon,F. See Bay,Z., 5=4000, 5=4924
MacLusky,G.J.R. An analogue computer for nuclear power studies, 7=2911, 7=8353. The application of analogue methods to compute and predict xenon poisoning in a high-flux nuclear reactor, 7=3685, 7=8841
McMahon,J. See Brunson,G.S., 8=770
McMahon,J.P. See Schumann,R.W., 7=487
McMahon,P.E. See Inskeep,R.G., 8=8629
McMahon,W. Dielectric effects produced by solidifying certain organic compounds in electric or magnetic fields, 6=8165
McManus,G.M. See Faucher,J.A., 8=1003
McManus,H. Determination of the meson—nucleon coupling constant from nucleon—nucleon scattering, 9=12564. See also Kerman,A.K., 9=6105; Litherland,A.E., 9=2699
McManus,H. and Thaler,R.M. Scattering of nucleons from nuclei at high energies, 8=6138
McMaster,K.N. See Twomey,S., 8=9186
McMath,R.R. Solar spectroscopy with a vacuum spectrograph, 6=5603
McMath,R.R., Mohler,O.C. and Pierce,A.K. Doppler shifts in solar granules, 6=5637
McMath,R.R., Mohler,O.C., Pierce,A.K. and Goldberg,L. Preliminary results with a vacuum solar spectrograph, 6=6319
McMickle,R.H. See also Cutler,W.G., 9=1121
McMickle,R.H. and Kubu,E.T. Diffusion controlled stress relaxation, 5=9183
McMillan,C.M.de. See de McMillan,C.M.
Macmillan,D. See Melvin,E.H., 8=7791
McMillan,J.A. A countercurrent gaseous diffusion process; theory of the separation at equilibrium, 6=8338. Molecular models; expressions of the transport and virial coefficients, 9=4361. Equipment for the determination of magnetic susceptibilities, 9=7145
McMillan,J.A. and Buch,T. Wide-range thermal convection manometer, 8=2171
McMillan,J.A. and Español,C.E. Experimental device for a quantitative demonstration of thermal diffusion in gases, 6=4891
McMillan,P.W. See Moore,H., 7=4262
Macmillan,R.H. Conditions for aperiodicity in linear systems, 6=6435
McMillan,W.G. Approximate compressibilities of elements on the statistical model, 9=1849: See also Fisher,B.B., 8=4510-12; Gilvarry,J.J., 7=4644; Griggs,D.T., 8=3090; Hardwick,E.R., 7=7775
McMillan,W.G. and Latter,A.L. On the compressibilities of simple metals, 9=886
McMillan,W.R. Convenient replication of textile surfaces for electron microscopy, 7=5676
McMullun,C.C. See also Johns,M.W., 6=2347
McMullen,C.C., Pate,B.D., Tomlinson,R.H. and Yaffe,L. The half-life of Ni^{63}, 7=3589
McMullen,J.J. and Hackerman,N. Capacities of solid metal-solution interfaces, 9=5648
McMurray,W.R. See also Whitehead,C., 8=9057
McMurray,W.R. and Collie,C.H. The radium equivalent of ^{24}Na sources and the photo-disintegration cross section of deuterium, 5=3996
McMurry,H.L. Calculation of vibrational frequencies in large molecules. I. Theoretical, 9=8711; II. Application to ethane and ethane-d_6, 9=8712
McNair,A. See also Dixon,D., 5=1143, 5=9854
McNair,A., Glover,R.N. and Wilson,H.W. K^{40} branching ratio, 5=8184. The decay of ^{40}K, 6=2339
McNally,J.R.,Jr. On the purity of mercury-198 produced by neutron irradiation of gold-197, 8=5758. Role of spectroscopy in thermonuclear research, 9=6697. See also Griffin,P.M., 5=3564; Vander Sluis,K.L., 5=4865, 6=1129; Werner,G.K., 5=3248
McNally,J.R.,Jr and Griffin,P.M. Preliminary classification of the singly ionized plutonium atom (Pu II), 9=3955
McNally,J.R.,Jr and Skidmore,M.R. Doppler slant lines observed in an axial discharge in a magnetic field, 8=1080
McNally,J.R.,Jr and Vander Sluis,K.L. Preliminary classification of the spectrum of singly ionized erbium (Er II), 9=9401
McNamara,A.G. Double-Doppler radar investigations of aurora, 6=8530. See also McKinley,D.W.R., 6=6313
McNamara,A.G. and Currie,B.W. Polarization of radio echoes from aurorae, 5=3338
McNamara,F.L. See Barrett,R.E., 5=1622
McNarry,L.R. Oscillations in the omegatron, 9=7855
MacNaughton,G.S. See Collinson,E., 6=5491
McNeil,H. See Clay,C.S., 6=5545
McNeill,J.J. Wavelength measurement in Echelle spectra, 9=6699
McNeill,K.G. The measurement of photoneutron yields with a sodium iodide crystal, 5=4064. A note on the branching ratio of the D-D reactions, 5=8246. See also Katz,L., 7=8161; Prentice,J.D., 6=6907, 8=740
McNeill,K.G. and Green,R.M. Measurements with a whole body counter, 9=10449. The effective half-lives of Cs and I in the body, 9=1169
McNeill,K.G., Prentice,J.D., Katz,L. and Link,W. On a reported isomeric state in Mn^{54}, 7=8124
MacNeille,S.M. and Dixon,E.O. Simulator for calculating the reflectance and transmittance of multilayer interference films, 5=221
McNesby,J.R. Photolysis of oxygen in solution in liquid nitrogen and in liquid carbon monoxide at 1849 A, 9=10350. See also Klein,R., 9=5220
McNesby,J.R., Drew,C.M. and Gordon,A.S. Mechanism of the decomposition of primary and secondary n-butyl free radicals, 6=7778
McNesby,J.R. and Gordon,A.S. Mechanism of the isomerization of cyclopropane, 7=2762
MacNichol,E.F.,Jr and Jacobs,J.A.H. Electronic device for measuring reciprocal time intervals, 6=4224
McNicol,R.W.E. and Bowman,G.G. Latitude variations of frequency of occurrence of "spread-F" satellite traces, 8=6534
McNicol,R.W.E. and Webster,H.C. A study of "spread-F" ionospheric echoes at night at Brisbane. II. Interpretation of range spreading, 6=7081
McNicol,R.W.E., Webster,H.C. and Bowman,G.G. A study of "spread-F" ionospheric echoes at night at Brisbane, I. Range spreading (experimental), 6=7080
McNish,A.G. and Huntoon,R.D. Importance of the Faraday to elemental constants and electricity standards, 8=3668

McNutt,J.E. and Andes,G.M. Relationship of the contact angle to interfacial energies, 9=6585
MacPhee,J. On the termination of reactor excursions, 9=8663
MacPhee,N. How to control a boiling reactor, 6=3246
MacPherson,A.C. and Kerns,D.M. A microwave microcalorimeter, 5=3910
Macpherson,I. See also Apostolakis,A.J., 7=4955
Macpherson,I., Major, J.V., Om Parkash, Rochester,G.D. and Short,A.M. Two K$^-$-interactions, 5=9119
Macpherson,J.D. The effect of gas bubles on sound propagation in water, 7=4065. Low-noise hydrophone preamplifier, 9=9352. See also Keyston,J.R.G., 9=6833
McPherson,R.R. Inapplicability of the threshold concept to detection of signals in noise, 7=8334
McPherson,R.R. and Birdsall,T.G. Auditory threshold, 7=8342
Macq,P. Beta-gamma angular correlation in Cl^{38}, 5=3063. Differential beta-gamma angular correlation in Cl^{38}, 5=8204. A contribution to the study of beta–gamma angular correlation, 9=616
Macq,P.C. See also Deutsch,J.P., 9=7323
Macq,P.C., Crowe,K.M. and Haddock,R.P. Helicity of the electron and positron in muon decay, 9=3756
Macq,P.C. and de Hemptinne,M. Interpretation of the experimental results of angular correlation, 7=6503
McQuarrie,M.C. See Subbarao,E.C., 9=277
McQueen,R.G. See Walsh,J.M., 8=6744
McQuistan,R.B. On an approximation to sinusoidal modulation, 8=1582. On radiation modulation, 9=1232
MacRae,A. See Beyen,W. 9=8031
MacRae,D. Brønsted's work principle and Gibbs' treatment of electromotive force, 6=757
McRae,E.G. and Goodman,L. Intramolecular twisting effects in substituted benzenes. II. Ground-state properties, 9=750
McRae,E.G. and Kasha,M. Enhancement of phosphorescence ability upon aggregation of dye molecules, 8=6879
MacRae,T.P. See Fraser,R.D.B., 9=892, 9=5218, 9=8948
Macrae,W. The instrumentation of reactors, 8=4339
McReynolds,A.W. See also Andresen,A., 8=2642; Pelah,I. 9=6133; Smith,L.W., 5=4736; Whittemore,W.L., 9=6134
McReynolds,A.W., Augustyniak,W., McKeown,M. and Rosenblatt,D.B. Neutron irradiation effects in Cu and Al at 80°K, 5=5663
Macris,C. The possible variation of photospheric granules, 6=13
Macris,C. and Elias,D. On a variation of the number of photospheric granules as a function of solar activity, 6=12
Macris,C.J. Researches on the (chromospheric) spicules in projection on the solar disk, 8=6597
McSkimin,H.J. Transducer design for ultrasomic delay lines, 5=4461. Measurement of single crystal cobalt, 5=5673. Propagation of longitudinal waves and shear waves in cylindrical rods at high frequencies, 6=4261. Wave propagation and the measurement of the elastic properties of liquids and solids, 7=4053. Elastic moduli of single crystal germanium as a function of hydrostatic pressure, 8=2685. Ultrasonic pulse technique for measuring acoustic losses and velocities of propagation in liquids as a function of temperature and hydrostatic pressure, 8=2892. Measurement of ultrasonic wave velocities and elastic moduli for small solid specimens at high temperatures, 9=6630. See also Bateman,T.B., 9=7551; Fisher,E.S., 9=4072
McSkimin,H.J. and Bond,W.L. Elastic moduli of diamond, 7=3766
MacSwan,A.M. The colour of thin oxide films on metals, 9=1328
McVeagh,W.J. See Jeffrey,G.A., 5=8415
McVicar,D.D. See Baker,A.R., 7=1629; Holmes,J.E.R., 5=3841
McVittie,G.C. Relativistic and Newtonian cosmology, 5=1451. Relativity and the statistical theory of the distribution of galaxies, 5=7650. Gravitational waves and one-dimensional Einsteinian gas dynamics, 7=1874. Counts of extragalactic radio sources and uniform model universes, 8=4636. Radio sources outside our Galaxy. IV. Model universes derived from counts of very distant radio sources, 8=6587. Some exact solutions of the equations of magnetohydrodynamics when both self-attraction and magnetic fields are present, 9=1602. Remarks on planetary theory in general relativity, 9=3095. See also King,I.R., 8=1460
McVittie,G.C. and Rogers,M.H. On the spherically symmetric non-adiabatic motion of a gas sphere, 6=8561
McVoy,K. and Steinwedel,H. Principal axis transformation for a free nucleon coupled to an uncharged scalar meson field, field, 6=2669
McVoy,K.W. Circular polarization of bremsstrahlung from polarized electrons in Born approximation, 7=7158 Polarization phenomena in the one-quantum annihilation of positrons and the photoelectric effect, 8=8216. Longitudinal polarization of bremsstrahlung and pair production, 9=3721
McVoy,K.W. and Dyson,F.J. Longitudinal polarization of bremsstrahlung and pair production at relativistic energies, 7=9526
MacWaters,J.T. See Yoshikawa,H.H., 6=6999
McWeeny,R. The valence-bond theory of molecular structure. III. Cyclobutadiene and benzene, 5=2059. On the basis of orbital theories, 5=9810. The density matrix in self-consistent field theory, 7=6379; I. Iterative construction of the density matrix, 6=6061; II. Applications in the molecular orbital theory of conjugated systems, 7=6416; III. Generalizations of the theory, 7=9305. Electronic absorption spectra of heterocyclic systems. I. A comparison of theoretical methods: pyridine and pyrazine, 7=8759. Hartree–Fock theory with nonorthogonal basis functions, 9=11851. Ring currents and proton magnetic resonance in aromatic molecules, 9=13472
McWeeny,R. and Peacock,T.E. The electronic structure and spectra of some nitrogen heterobenzenes, 7=3506
McWhirter,R.W.P. See Bellamy,E.H., 8=1873; Heron,S., 5=197, 6=4589; Rhoderick,E.H., 5=1841; Thonemann,P.C., 8=773
McWhorter,A.L. 1/f noise and germanium surface properties, 7=7872. See also Kingston,R.H., 6=7410
McWhorter,A.L.(Ed.). See Kingston,R.H.(Ed.), 7=8601
McWhorter,A.L. and Arams,F.R. System-noise measurements of a solid-state maser, 8=5141
McWhorter,A.L. and Kingston,R.H. Channels and excess reverse currents in grown germanium p-n junction diodes, 5=1836
McWhorter,A.L. and Meyer,J.W. Solid-state maser amplifier, 8=7204
McWhorter,A.L., Meyer,J.W. and Strum,P.D. Noise temperature measurement on a solid state maser, 8=3266
McWilliams,S., and Morgan,W.A. The relation between the concentration of atmospheric condensation nuclei and other meteorological elements at Valentia Observatory, 7=1800
Madan,B.K. See Bhatki,K.S., 8=1232; Gupta,R.K., 8=3332, 9=3871
Madan,M.P. Exp: six potential and properties of gases, 5=5939 Diffusion coefficients and law of molecular interaction, 5=7761. Simple bridge method for the measurement of thermal conductivity of gases and gas mixtures, 7=6088. Potential parameters for krypton, 8=364. Law of molecular interaction for krypton, See also Srivastava,B.N., 5=2659
Madan,M.P., Gordon,E.I., Buchsbaum,S.J. and Brown,S.C. Determination of the coefficient of diffusion and frequency of ionization in microwave discharges, 7=7137
Madansky,L. See also Booth,E., 6=4607; Chagnon,P.R., 6=1636; Cheever,G.D., 8=5297; Green,B., 6=5111; Owen,G.E., 7=4720, 8=4309, 9=7347; Shipley,E.N., 9=9902, 9=12687
Madansky,L. and Owen,G.E. Heavy particle stripping, 6=639. Production of polarized proton beams, 9=12381
Madansky,L. and Rasetti,F. Decay of Co^{57}, 5=4896*. Decay of Rn^{220} and Rn^{222}, 6=4605
Madden,H.H. and Farnsworth,H.E. High-vacuum studies of surface recombination velocity for germanium, 9=6274
Madden,R.P. and Benedict,W.S. Pure rotation lines of OH, 5=3930, Structure of perchlorylfluoride from high-resolution infrared spectra, 7=2044
Maddin,R. and Cottrell,A.H. Quench hardening in aluminium single crystals, 5=8326
Maddock,A.G. See also Maine,M.M., 8=4507; Goble,A., 7=678
Maddock,A.G. and de Maine,M.M. Recombination of recoil fragments in neutron-irradiated potassium chromate, 7=831 A searth for the chemical effects of internal conversion following radiative neutron capture, 7=833
Madelung,O. The galvanomagnetic effects in semiconductors, 6=333. The individual semiconductor, 6=4393. The theory of thermal conductivity of isotropic semiconductors in a magnetic field, 6=8184. Semiconductor with small apparent carrier mass, 9=292. On the theory of the thermoelectric power in semiconductors, 9=2362. On the theory of the p–n junction with vanishingly small carrier lifetimes, 9=3493. Thermoelectric and thermomagnetic effects in semiconductors, 9=13275. See also Folberth,O.G., 5=3768
Madelung,O., Tewordt,L. and Welker,H. On the theory of the magnetic barrier layer in germanium, 5=8761
Mader,J. See Sujak,B., 9=5796
Mader,S. Electron microscopic investigation of slipline pro-

duction on copper single crystals, 8=4479. See also Seeger,A., 7=4817
Madey,R. Fast counting system for high-energy particle measurements, 6=434. See also Bandtel,K.C., 9=696
Madey,R. and Leipuner,L. Relative scintillation intensity of some Cerenkov counter media, 9=2553
Madhava Rao,B.S. Physical applications of the Lorentz group, 8=3698
Madhavan,P. See Chatterjee,S.K., 8=8171
Madigan,J.R. See Byczkowski,M., 8=4011; Ross,B., 8=6998
Madigosky,W. See Feeny,H., 8=387
Madonna,L.A. The design and operation of a cloud chamber, 7=5415
Mador,I.L. The stabilization of methyl radical, 5=577
Mador,I.L., Wallis,R.F., Williams,M.C. and Herman,R.C. Production and bleaching of color centers in X-rayed alkali halide crystals, 5=627
Mador,I.L. and Williams,M.C. Stabilization of free radicals from the decomposition of hydrazoic acid, 5=578
Madsen,B.S. See Elbek,B., 5=6428
Madsen,P.E. Effect of irradiation on the hardness of alpha-uranium, 7=767. See also Armstrong,D., 9=11624
Maecker,H. Plasma streaming in arcs caused by self-magnetic compression, 5=7074. A chamber for high-current arcs in various gases, 6=2902. A cylindrical arc for high loading, 6=8221. Plasma streams produced by self-magnetic compression and its importance for the mechanism of high current arcs, 7=3319. On the cross-section of fluorine atoms for electron collision, 7=6307
Maecker,H. and Peters,T. The electron continuum in the column of high-current carbon arcs and in other arcs, 5=1861 Unified dynamics and thermodynamics of thermal plasma, 6=4423
Maecker,H., Peters,T. and Schenk,H. Ion and atom cross-sections in plasmas of different gases, 5=4694
Maeda,H. A suggestion for the electric conductivity of the upper atmosphere from an analysis of diurnal variations of terrestrial magnetism. II (Supplement), 5=3327. Daily variations of the electrical conductivity of the upper atmosphere as deduced from the daily variations of geomagnetism. I. Equatorial zone, 6=7896. Researches on the geomagnetic distortion in the ionosphere. I. Observed facts of the geomagnetic distortion in the ionosphere, 6=9082. On the disturbance daily variations and the lunar daily variations in the F2 region of the ionosphere on the magnetic equator, 9=948. Horizontal wind systems in the ionospheric E region deduced from the dynamo theory of the geomagnetic S_q variation. I. Non-rotating earth, 9=1952; III, 1954. [Horizontal] wind systems [in the E-region] for the geomagnetic S_d field, 9=1956. On the geomagnetic S.d. field, 9=11639. See also Hasegawa,M., 5=3326; Hashimoto,H., 6=5541; Hirono,M., 5=10114, 6=9072, 6=9082; Miyazawa,H, 9=11560
Maeda,K. Geomagnetic distortion in the F2 layer, 5=5779. Distortion of the magnetic field in the outer atmosphere due to the rotation of the earth, 9=1009. One-dimensional configurational co-ordinate curves for luminescence centers, 9=10239. Electroluminescence of insulated particles, 9=10861. Configurational coordinate curves for luminescence center in $Ca_3(PO_4)_2$:Cu, 9=12096. See also Ishikawa,G., 8=1118
Maeda,K. and Kimura,I. A theoretical investigation on the propagation path of the whistling atmospherics, 9=4139
Maeda,K. and Wada,M. Atmospheric temperature effect upon the cosmic-ray intensity at sea level, 5=1957
Maeda,K.I. Researches on the geomagnetic distortion in the ionosphere. II. Theoretical study on the geomagnetic distortion in the F2 layer, 6=9082
Maeda,K.I. and Sato,T. The F region during magnetic storms, 9=7680
Maeda,S. See Hirone,T., 5=2869, 7=3437; Yuzuri,M., 8=6039
Maeda,T. See Murakami,M., 8=4106
Maeder,D. Gamma-ray scintillation spectrometer with logarithmic pulse-height response, 5=9889. See also Brunner,J., 5=3050; Beusch,W., 7=9736; Erdos,P., 6=601; Gerber,H.J., 6=1529; Stähelin,P., 5=9040
Maeder,D. and Staehelin,P. The complex beta transitions of Na^{25} and Al^{25}, 5=9051
Maehlum,B. The diurnal- and sunspot-cycle variation of the layers E, F1 and F2 of the ionosphere as observed in Norway during the period 1932-1956, 9=3006
Maenchen,G. See also Elliott,J.B., 5=8046; Fowler,W.B., 6=3290, 6=6937
Maenchen,G., Fowler,W.B., Powell,W.M. and Wright,R.W. π^-- Proton interactions at 5 BeV, 8=697
Maenchen,G., Powell,W.M., Saphir,G. and Wright,R.W. π^--proton interactions at 4.5 BeV, 6=2387
Maenhout-van der Vorst,W. See also Amelinckx,S., 7=9456, 9=4016
Maenhout-van der Vorst,W. and Dekeyser,W. Optical absorption measurements on silver activated alkali halides, 8=6416
Maenhout-van der Vorst,W., Dekeyser,W. and Lagasse,A. An electron microscopic study of precipitated silver in silver activated rocksalt crystals, 7=8939
Maennchen,K. See Krüger,H.G., 8=8685
Maes,S. See also Grenier-Besson,M.L., 9=5111
Maes,S. and Amat,G. On perturbation calculations carried out by Van Vleck's method, 9=1043
Maesen,F. van der. See van der Maesen,F.
Maevskii,V. See Chzhou Guan-chzhao., 9=13562
Maffett,A.L. See Siegel,K.M., 5=4814
Magalinskiĭ,V.B. Laws of conservation of angular momentum and parity in the statistical theory of multiple production, 9=11834
Magalinskiĭ,V.B. and Terletskiĭ,Ya.P. The statistics of charge-conserving systems and its application to the theory of multiple production, 6=4834. The application of microcanonical distribution to the statistical theory of multiple production of particles, 8=5232. On calculation of coordinate probabilities by Gibbs' method, 8=7721
Magarvey,R.H. A two-camera technique for measuring fall velocities, 8=2844
Magarvey,R.H. and Taylor,B.W. Shattering of large drops, 6=4867. Free fall breakup of large drops, 7=1110. Apparatus for the production of large water drops, 7=1949
Magat,M. Locating of hydrogen in crystals by means of infra-red, hyper-frequency and Raman spectrometric methods, 5=7530. See also Chapiro,A., 6=6234
Magee,J.B. and Crain,C.M. Recording microwave hygrometer, 8=2709
Magee,J.L. Diffusion scheme for radicals in the tracks of ionizing particles in liquids, 6=5488. See also Burton,M., 6=1699-700; Funabashi,K., 7=4599; Ganguly,A.K., 7=2774; Gurnee,E.F., 7=7987; Monchick,L., 7=5704, 7=9953
Magee,J.L. and Funabashi,K. The clustering of ions in irradiated gases, 9=12400
Mager,A. On a sensitive magnetic field measuring apparatus using the second harmonic principle, 9=4772
Mager,A. and Brenner,R. Stable oscillation of conducting bodies in the alternating magnetic field of parallel wires, 8=8153
Maggiolo,O.J. On the mechanics and thermodynamics of continuous media, 9=9573
Magid,L. See Braunstein,R., 9=2215
Magill,A.A. Variation in distortion with magnification, 5=2551, 5=5296
Magiros,D.G. Subharmonics of any order in nonlinear systems of one degree of freedom: application to subharmonics of order $\frac{1}{3}$, 9=1111
Maglić,B. See also Subotić,S., 5=9081
Maglić,B. and Vuković,J. Polarization of protons from the d-d reaction at 1.2 MeV, 8=6305
Maglić,B.C. See Allen,K.W., 7=2655; Feld,B.T., 9=2594
Maglieri,D.J. Shielding flap type jet engine noise suppressor, 9=6663
Magnac-Valette,D. Relative cross-sections for disintegration of light elements by tritons, 6=5388. The interpretation of the disintegrations of light elements produced by tritons of 0.9 MeV, 7=713. See also Barjon,R., 6=4644; Cuer,P., 5=8247; Lacombe,E., 8=4330
Magnac-Valette,D. and Cüer,P. Excited states of $_2He^6$, 7=1504
Magnac-Valette,D. and Liess,M. Tritium reservoir with low output suitable for use on a Van de Graaff generator, 7=2322
Magnan,C. On a 15 MeV neutron generator intended for the study of the inelastic scattering of neutrons, 7=1657
Magnasco,V. See Bianchi,U., 9=3212
Magnéli,A. See Åsbrink,S., 9=13923
Magness,T.A. Spectral response of a quadratic device to non-Gaussian noise, 5=2720
Mágnori,E. See Gombás,P., 5=8148
Magnuson,D.W. Microwave dielectric constant measurements, 6=2854. Microwave spectrum and molecular structure of bromine trifluoride, 7=8081
Magnusson,E.A. See Craig,D.P., 6=8309
Magnuson,G.D., Palmer,W. and Koehler,J.S. Isothermal annealing below 60°K of deuteron irradiated noble

metals, 9=880

Magnusson,L.B. Intensities of X-rays and γ rays in Am^{241} alpha decay, 7=8139. See also Engelkemeir,D.W., 5=4754, 5=8203; Fields,P.R., 5=527*

Magnusson,L.B., Friedman,A.M., Engelkemeir,D., Fields,P.R. and Wagner,F.,Jr. Properties of Bk^{245}, 6=6109

Magnusson,L.B., Studier,M.H., Fields,P.R., Stevens,C.M., Mech,J.F., Friedman,A.M., Diamond,H. and Huizenga,J.R. Berkelium and californium isotopes produced in neutron irradiation of plutonium, 5=2120

Magono,C. and Takahashi,T. The electric charge on condensate and water droplets, 9=6865

Mágori,E. See Gombás,P., 5=8983, 8=5252

Magram,S.J. Concentration and size of photons from particle interpretation of blackbody radiation, 7=5948

Magun,S. See also Janner,K., 6=413; Kneser,H.O., 6=159; Rossberg,D., 7=7854; Schopper,E., 5=9320; Steeb,S. 8=1336

Magun,S. and Woerner,S. Observations on high-tension sparks, 8=8798

Mahaffey,D.W. New experimental results for plasma electron oscillations, 9=7110; See also Emeleus,K.G., 9=1547

Mahaffey,D.W. and Emeleus,K.G. Suppression of plasma oscillations, 8=5990

Mahaffey,D.W., McCullagh,G. and Emeleus,K.G. Beam–plasma interaction, 9=2434

Mahalingam,S. Transverse vibrations of power transmission chains, 7=6953

Mahan,A.I. Reflection and refraction at oblique incidence on a dielectric–metallic interface as a boundary value problem in electromagnetic theory, 7=1158

Mahan,A.I., Bitterli,C.V. and Wein,C.G. Far-field diffraction and boresight error properties of a two-dimensional wedge, 9=6790

Mahan,B.H. Stepwise formulation of the activation rate in unmolecular reactions, 9=10205. See also Kistiakowsky,G.B., 6=5476

Mahanthappa,K.T., Mathews,P.M. and Rau,J. Dynamics of a system of spin 1 particles, 9=13014

Mahanti,P.C. See De,G.L., 5=3485

Mahanty,J. and Prasad,A.N. A voltage regulator system for stabilization of field current of a solenoidal beta-ray spectrometer, 6=2926

Mahaux,C. The exponential absorption of β-rays, 9=12540-1

Mahaux,C., Guében,G. and Winand,L. The use of Forro's method to determine the end point energy of a β-ray spectrum, 9=12654

Mahendroo,P.P. See Parthasarathy,S., 7=4074-5

Maher,T. See Edwards,H.D., 6=6294

Mahieux,J. Absorption of carbon dioxide gas in fused glass, 5=9325

Mahlman,G.W. Photoconductivity of lead sulfide films, 7=398

Mahlman,G.W., Nottingham,W.B. and Slater,J.C. Photoconductivity of PbS, 7=7924

Mahlman,H.A. Hydrogen formation in concentrated aqueous sodium sulfate solutions by cobalt-60 gamma-ray radiation, 9=911

Mahlman,H.A. and Boyle,J.W. Hydrogen yields in aqueous sodium nitrate solution by cobalt-60 gamma ray radiation, 8=7586

Mahmoud,H. Angular distribution of polarized electrons emitted from oriented nuclei, 9=12653

Mahmoud,K.A. Energy distribution of gamma-rays penetrating thick barriers. I, 9=4887; II, 4888. See also Cook,J.R., 5=857

Mahneke,A. See Berger,C., 5=4582, 8=1642

Mahoney,M.J. See Washburn,W.H., 9=1257

Mahony,J.J. Analytical treatment of two-dimensional supersonic flow. II. Flow with weak shocks, 6=7205. Heat transfer at small Grashof numbers, 7=6087

Mahony,J.J. and Meyer,R.E. Analytical treatment of two-dimensional supersonic flow, I. Shock-free flow, 6=7204

Mahrous,M.A. See Mokhtar,M., 5=10133

Mai,G. and Heine,U. A description of a micro-film apparatus for time-lapse photography, 9=12162

Maidanik,G. Acoustical radiation pressure due to incident plane progressive waves on spherical objects, 7=9583. Torques due to acoustical radiation pressure, 9=158

Maidanik,G. and Westervelt,P.J. Acoustical radiation pressure due to incident plane progressive waves on spherical objects, 7=9584

Maiden,C.J. The strain-rate sensitivity of α-uranium, 9=6331. The stresses produced in a thin elastic plate by a transverse impulsive force, 9=13861

Maiden,C.J. and Campbell,J.D. The static and dynamic strength of a carbon steel at low temperatures, 9=1908

Maier,A. and Meyer,K.P. Determination of the half-line of the first excited state of Cd^{111}, 9=7316

Maier,G. and Waidelich,W. Exciton bands of mixed crystals, 9=5150

Maier,M.É. and Shirkov,D.V. On the two dimensional Thirring model, 9=7791

Maier,W. Dielectric relaxation in dilute solutions, 9=12217. See also Barth,G., 9=10909; Busch,G., 9=1204; Mez,A., 6=2751; Wimmel,H.K., 9=5667

Maier,W., Barth,G. and Wiehl,H.E. Measurements of the principal dielectric constants of magnetically oriented liquid crystal phases, 5=2702

Maier,W. and Mez,A. Ultrasound absorption and association in solutions of phenol in CCl_4 and C_6H_{12}, 5=5281

Maier,W. and Rudolph,H.D. Ultrasound absorption in binary liquid mixtures with dimeric associating components, 5=9498

Maier,W. and Saupe,A. A simple molecular theory of the nematic liquid crystal state, 9=4349. Transition point [Klärpunkt] and anisotropy of molecular polarizability in liquid-crystalline substances, 9=5416

Maier,W. and Wimmel,H.K. Quantum theory of dielectric orientation-polarization of gases. I. The static orientation-polarization of a dipole-gas consisting of symmetrical top molecules, 9=8753; II. The orientation-polarization of a dipole-gas consisting of symmetrical top molecules in an oscillating electric field, 9=8754

Maier-Leibnitz,H. See Armbruster,P. 9=13141; Bock,R., 8=8807; Ehgartner,G., 5=6889; Gentner,W., 5=5505; Lauterjung,K.H., 8=9035, 9=11306, 9=11448; Maurer,K., 8=8032

Maĭkov,V.N. Some photo-reactions on light nuclei, 8=8338. Mean-free-path-energy relation for nuclei Li^7, Be^8, B^{11} in emulsions, 9=13672

Maillard,J. See Betticher,A., 5=9178

Maillet,H. See Luft,K.F., 5=9542

Maiman,T.H. See Lamb,W.E.,Jr, 7=3554

Maimoni,A. Hot wire liquid-level indicator, 7=3995. See also Hanson,D.N., 9=3344

Main,I.G. See Livesey,D.L., 9=2813

Mainberger,W.A. See Essen,L., 8=7664

Maine,M.M.de. See de Maine,M.M.

Maine,P.A.D.de. See de Maine,P.A.D.

Mainhardt,R. See Biehl,A.T., 7=3688

Maino,C. See Contini,C., 9=4118

Mains,G.J., Roebber,J.L. and Rollefson,G.K. Photolysis with a high intensity spark, 5=10034

Mains,R.M. Minimizing damage from random vibration, 9=1175

Maio,A.De. See De Maio,A.

Maior,A. Gravitation and the development of heat, 9=4264

Mair,W.N. See Carpenter,L.G., 7=4831

Maire,F. See Zwislocki,J., 8=2722

Maisch,W.G. See also Vanderslice,J.T., 9=6180, 9=12757

Maisch,W.G. and Drickamer,H.G. The effect of pressure on color centers in alkali halide crystals, 9=8857

Maiskaya,K.A. See Mostovskii,A.A., 9=11098, 9=12357

Maissel,L. Stark effect in argon. II, 9=2199

Maĭtak,G.P. Certain rules and the calculation of the masses of atoms, 5=1137

Maitrot,M. On the study of the multiple scattering of electrons with the aid of nuclear emulsions, 6=5145. See also Marguin,G., 5=9703

Maitrot,M. and Marguin,G. Measurement of the energy of electrons observed in nuclear emulsions, 5=2143

Majerová,M. See Běhounek,F., 7=4654

Majewski,M. and Tietz,T. On the atom form factor for free positive ions based on the Thomas–Fermi theory, 7=9342*. Electron scattering cross sections based on the Thomas–Fermi theory, 8=5187

Major,D. See Allen,K.R., 6=2929, 7=6535

Major,G. The association of pulsating and flaming auroras with complete ionospheric absorption at Macquarie Island, 5=652

Major,J.K. Introductory physics in a program of directed studies, 6=888

Major,J.V. See Apostolakis,A.J., 7=5785, 7=8970; Clarke,J.O., 7=4698; Macpherson,I., 5=9119

Majorana,Q. On a cosmogonical hypothesis, 5=5165. On relativistic kinematics, 6=37. Radio waves emitted by the

planet Jupiter and a cosmogonical hypothesis, on the great importance of the radio waves emitted by the planet Jupiter, 6=875. On a new theory of gravitation, 6=5708
Majumdar,K. See Varshni,Y.P., 5=8117, 6=3057, 6=8305
Majumdar,K.K. On the possibility of estimating the upper semi-thickness of the F_2 region of the ionosphere from reception of radio waves transmitted by an I.G.Y. satellite, 9=4142
Majumdar,R.C., Gupta,S. and Trehan,S.K. The classical equations of a point particle in a symmetric meson field, 5=735*
Majumdar,R.C., Mathur,V.S. and Dhar,J. Multiple photon production in Compton scattering and bremsstrahlung, 9=8443
Majumdar,S.D. Energy levels of polyatomic molecules, 9=2875. Einstein's field equations, 9=12982
Majumdar,S.K. A note on force-free fields, 9=4842
Majumder,S.K. See Karmohapatro,S.B., 6=7516
Mak,A.A. Pulsed high-temperature source of light, 9=12163. See also Vanyukov,M.P., 8=7061, 9=12000, 9=12322;
Makarov,E.S. New data on the structure of $BiIn_2$ and the possible structure of $TlBi_{1.27\rightarrow1.59}$, $NaHg_2$, UHg_2, UZr_2 and TiU_2, 9=10383
Makarov,E.S. and Bӯkov,V.N. Crystal structure of compounds of uranium and germanium, 9=13932
Makarov,E.S. and Gudkov,L.S. X-ray investigation of thorium-zinc alloys, 7=8214
Makarov,L.O. See also Bebchuk,A.S., 8=3761; Rosenberg,L.D., 7=8481
Makarov,L.O. and Rozenberg,L.D. The mechanism of ultrasonic cleaning, 8=3762
Makarov,V.I. See Aver'yanova,V.G., 6=8047
Makarov,V.M. See Zheludev,I.S., 7=6926
Makarov,Yu.V. See Leĭpunskiĭ,O.I., 7=8122
Makarova,E.A. A photographic investigation of energy distribution in the continuous solar spectrum in absolute units, 8=4667; See also Gil'varg,A.B., 5=6930
Makarova,T.P. See Zherebtsova,K.I., 9=12681
Makarӯcheva,G.A. See Klinger,M.I., 8=4003
Makas,A.S. See also Baxter,L., II., 6=5035
Makas,A.S. and Shurcliff,W.A. New arrangement of AgCl polarizer for the infrared, 6=1139
Makeĭ,B.V. Distribution of magnetic induction in the intermediate state of a superconductor with a current, 8=7040
Makhalov,Yu.A. See Rӯvkin,S.M., 7=9177
Makhnovskii,E.D. Ratio of deuteron to proton yield in the photodisintegration of Au^{197}, 9=13683
Makhov,A.F. See Vyat-skin,A.Ya., 8=7115
Makhov,G. See also Kikuchi,C., 9=8349
Makhov,G., Kikuchi,C., Lambe,J. and Terhune,R.W. Maser action in ruby, 8=4174
Maki,A. See also Turrell,G.C., 7=7754
Maki,A. and Decius,J.C. Infrared spectrum of cyanate ion as a solid solution in a potassium iodide lattice, 8=5783. Vibrational spectrum of cyanate ion in various alkali halide lattices, 9=12045
Maki,A.H. and Geske,D.H. Detection of electrolytically generated transient free radicals by electron spin resonance, 9=8958
Maki,A.H. and McGarvey,B.R. Electron spin resonance in transition metal chelates, I. Copper (II) bis-acetylacetonate, 9=2876; II. Copper (II) bis-salicylaldehyde-imine, 9=2877
Maki,G. Ligand field theory of Ni(II) complexes. I. Electronic energies and singlet ground-state conditions of Ni(II) complexes of different symmetries, 9=734; II. Electronic spectra and structure of some paramagnetic chelates, 9=735; III. Electronic spectra and solution paramagnetism of some diamagnetic Ni(II) complexes, 9=6193
Maki,Z. On the use of Feynman amplitudes in the quantum field theory, 6=8573. On a theory of a composite model elementary particles, 7=7597
Makin,M.J. The effect of alpha-particle bombardment on creep in cadmium single crystals, 5=2258, 5=5003. Unloading effects in the plastic properties of copper single crystals, 8=2041. The temperature dependence of flow stress in copper single crystals, 8=2688. Hardening of copper single crystals irradiated at —195°C, 8=6417. The effect of neutron irradiation on the mechanical properties of copper and nickel, 8=6423. See also Barnes, R.S., 6=8419
Makin,M.J. and Minster,F.J. The effect of neutron irradiation on the mechanical properties of metals, I. Titanium and zirconium, 7=768
Makin,S.M. Porosity detection in magnesium alloys using paraffin containing Pd^{109}, 9=4055
Makin,S.M., Rowe,A.H. and LeClaire,A.D. Self-diffusion in gold, 7=7449
Makino,I. See Yamaguti,T., 9=9534
Makinson,K.R. Some speculations on possible instability phenomena in the mechanical behaviour of proteins, 9=5188
Makita,M. Inhibition of convection by a magnetic field, 9=5332
Makita,Y. See also Takagi,Y., 9=10948
Makita,Y. and Takagi,Y. Ferroelectric and optical properties of $Na(K\text{-}NH_4)$-tartrate mixed crystals, 9=10949
Makkink,J.H. See de Boer,A.G., 6=8247
Maklakov,A.A. See Mel'nikov,A.I., 9=12351
Makogon,M.B., Panin,V.E., Sukhovarov,V.F., Abramets,L.P., Korotaev,A.D. and Shcherbakov,N.A. On the influence of external stress on the relaxation stress during plastic deformation, 9=5199
Makovetskiĭ,P.V. On generation in photoelements and photomultipliers, 7=7241
Makovskiĭ,A.F. See Borin,A.V., 5=2351
Makovskiĭ,F.A. and Usachev,E.P. The effect of surface treatment on the properties of copper oxide rectifiers, 8=4014. The effect of the upper electrode material on the electrical properties of copper oxide rectifiers, 8=7007
Makovskiĭ,L.L. Calculation of the dependence of current amplification factor on emitter current in germanium alloy transistors for injection and extraction at high temperatures, 8=3127. See also Gubanov,A.I., 7=1301; Rӯvkin,S.M., 9=8155
Makowski,M.W. and Mochlinski,K. An evaluation of two rapid methods of assing the thermal resistivity of soil, 6=1757. An evaluation of two rapid methods of assessing the thermal resistivity of soil, 7=918
Makrides,A.C. See Matsen,F.A., 5=1338
Maksimenko,V.M. Annihilation of antinucleons, 8=4226. See also Barashenkov,V.S., 8=6114; Belenkiĭ,S.Z., 8=5177; Birger,N.G., 7=3624
Maksimenko,V.M. and Nikishov,A.I. Multiple production of particles in nucleon–nucleon collisions at 5.3 BeV, 7=3734
Maksimenko,V.M. and Rozental',I.L. Some problems related to the statistical theory of multiple production of particles, 8=4749
Maksimov,B.I. See Lomsadze,Yu.M., 9=7799
Maksimov,I.V. "Polar tides" in the earth's oceans, 6=8564
Maksimov,L.A. Elastic scattering of protons by tritium, 6=6722. A remark on Heisenberg's paper on Lee's model, 9=10604 On the scattering matrix in an indefinite metric, 9=11841
Maksimov,M.Z. Emission of particles from excited nuclei, 8=6288. Excitation of nuclei by high-energy particles, 9=13655. See also Agrest,M.M., 9=3245; Viktorov,D.V., 7=5786
Malachevskaya,F.L. See Finkel'shtein,A.I., 9=13154
Malakhov,A.N. Shape of the spectral line of a generator with fluctuating frequency, 6=8288
Malakhov,I.Ya. See Sorokin,P.V., 9=12674
Malakhov,L.N. See also Vertsner,V.N., 8=3124, 9=10309
Malakhov,L.N. and Vorob'ev,Yu.V. Electron-optical method of investigating micro-fields, 9=13286
Malan,D.J. Intermittent and continuing lightning discharges in a negatively charged column, 5=5800. The vertical distribution of the negative charge in a thundercloud, 7=2873. The luminous discharges in thunderclouds, 7=2874. Visible electrical discharges inside thunderclouds, 8=7639. The relation between the number of strokes, stroke intervals and the total durations of lightning discharges, 8=8557. See also Clarence,N.D., 8=3615; Schonland,B.F.J., 5=3335
Malbec,M. See Vincent, G., 9=5827
Malcolm,B.R. See also Elliott,A., 5=843
Malcolm,B.R. and Elliott,A. A sensitive photoelectric polarimeter, 7=3181
Malé,D. Graphical study of the optical properties of thin films of lightly absorbing material with index of refraction less than that of the support, 5=6956. See also Rouard,P., 7=2050
Malé,D. and Rinaldi,R. Determination of the indices and the thickness of stratified monomolecular layers of haemin, 5=7866
Malé,D. and Trompette,J. Optical properties of thin palladium films, 7=6053
Malecki,I. Attenuation and scattering of ultrasonic waves in a medium with spherical inhomogeneities, 7=5135
Małecki,J. See also Piekara,A., 7=6362, 9=7148
Małecki,J., Surma,M. and Gibalewicz,J. Measurements of the intensity of transient magnetic fields by the Faraday effect, 9=11184
Malécot,G. See Sicard,L., 9=12165

Maleev,E.N. An incandescent lamp with a mica window for use in the infrared spectral region, 9=10767
Maleev,P.I. See Vitovskii,N.A., 8=8189, 9=10989
Maleev,S.V. Scattering of slow neutrons in ferromagnetics, 8=5207. On polarization of slow neutrons scattered in crystals, 8=7254. Multi-magnon processes in the scattering of slow neutrons in ferromagnetics, 9=1578
Málek,Z. On the dependence of coercive force on the density of dislocations, 8=8112. Equipment for the precise measurement of the coercive force in the range 10^{-3} - 10^2 Oe, 9=8276. The influence of dislocations on the coercivity of iron, 9=8295. See also Andrä,W., 9=11201; Kaczér,J., 9=7144; Schüppel,W., 9=13428
Málek, Z. and Kamberský,V. On the theory of the domain structure of thin films of magnetically uni-axial materials, 9=4796
Malenka,B.J. Deuteron pick up by high-energy polarized protons, 5=6453. Possible polarization measurements in $K^+ - H$ scattering, 9=9992. See also Valk,H.S., 7=2302
Malenka,B.J. and Primakoff,H. Isotopic spin and antinucleon—nucleon scattering, 7=2998
Maletskos,C.J. and Irvine,J.W. Quantitative electrodeposition of radio-cobalt, zinc and iron, 6=6282
Malherbe,J.F. See Barrow,R.F., 7=1177
Malhiot,R.J. and Ferigle,S.M. An explicit derivation for the s vectors in the normal coordinate treatment of molecular vibrations, 5=2937
Malievskiĭ,A.D. See Dzantiev,B.G., 7=8781, 7=8837
Malik,F.B. Elastic scattering of slow electrons in the field of an atom, 9=5812
Malik,S.S. See also Dubey,V.S., 9=2740; Mukerji,A., 9=2725
Malik,S.S. and Mukerji,A. Radiations of Os^{185}, 9=2753
Malik,S.S., Nath,N. and Mandeville,C.E. Decay of gadolinium-159, 9=2734
Malik,S.S., Potnis,V.R. and Mandeville,C.E. E2—M1 mixing ratios in $2' \rightarrow 2 \rightarrow 0$ transitions, 9=8524
Malin,M.E. See also Campbell,A.W., 7=816, 6=8051, 6=9008; Holland,T.E., 8=547
Malin,M.E., Campbell,A.W. and Mautz,C.W. Particle-size effects in explosives at finite and infinite diameters, 7=4827
Maling,G.C.,Jr. See Ingard,U., 9=9351
Malinko,V.N. See Lisitsa,M.P., 8=3876
Malinovski,Ĭ. On the mechanism of the photographic action of X-rays, 6=3423. See also Kaishev,R., 6=2528
Malinovskiĭ,A.P. A study of phenomena accompanying the relative motion of ions, 5=2274
Malinovskiĭ,T.I. X-ray diffraction structure determination of cobalt diparatoluidine dichloride, 9=10390
Malinowski,J. On the mechanism of the photographic action of X-rays, 5=9327. See also Budewski,E., 6=759; Kaischew,R., 6=783
Malitson,H.H. See Johnson,F.S., 9=6465
Malitson,I. See Weir,C., 7=5970
Malitson,I.H. See also Rodney,W.S., 7=1168, 9=174
Malitson,I.H., Murphy,F.V.Jr, and Rodney,W.S. Refractive index of synthetic sapphire, 8=2222
Malin,L.Z. See Bugorkov,S.S., 8=4196
Malkina,A.D. See Derjaguin,B.V., 5=8109
Malkov,I.P. See Akimov,E.M., 9=12182
Malkov,M.A. See Ivanenko,I.P., 7=6320
Malkov,M.P. Some problems of the liquefaction of hydrogen and the storage of liquid hydrogen and helium, 9=13225
Mal'kova,A.A. See Goryunova,N.A., 7=2238; Kolomiets,B.T., 9=3486
Malkovich,R.Sh. The calculation of the diffusion coefficient in solid bodies, 9=11583
Malkovská,M. The diffusion distances of electrons and holes in germanium, measured by X-rays, 6=8783. See also Drahokoupil,J., 9=6988
Małkowski,Z. On the monochromatical excitation of the fluorescence in tetrahydroflurocyclene solutions, 5=199
Malkus,W.V.R. Magnetoconvection in a viscous fluid of infinite electrical conductivity, 9=9857
Mallard,W.C. and Straley,J.W. Vibrational intensities in halogenated methanes. III. The interpretation of solution data, 8=371
Mallemann,R.de. See de Mallemann,R.,
Mallet,L. On the subject of the visible and ultraviolet luminescence radiation produced in aqueous and organic media subjected to radiations of high quantum energy, 9=2571
Mallick,S.L. Construction of a Schmidt camera, 9=12937
Mallik,C.R. See Sinha,M.S., 8=6196
Mallmann,C.A. System of levels in even—even nuclei, 9=11430
Mallmann,C.A., Aten,A.H.W., Jr, Bes,D.R. and de McMillan,C. M. Gamma rays of tellurium-131 and tellurium-129, 5=8211
Mallmann,C.A., Mayo,S. and Nassiff,S.J. The gamma spectrum of Rh^{107}, 8=9028
Mallory,H.D. Propagation of shock waves in aluminium, 5=5952
Mallory,K.B. See Motz,H., 6=7547
Malm,J.G. See also Claassen,H.H., 8=3870, 6=8700; Gruen,D.M., 6=5230; Weinstock,B., 7=9755
Malm,J.G.,Weinstock,B. and Claassen,H. Infrared spectra of NpF_6 and PuF_6, 6=1068
Malm,R.E. See Holland,R.E., 5=8232
Malmberg,C.G. Dielectric constant of deuterium oxide, 9=2301
Malmberg,C.G. and Maryott,A.A. Dielectric constant of water from 0° to 100°C, 6=6594
Malmberg,J.H. Millimicrosecond duration light source, 8=1643
Malmberg,J.H. and Robinson,C.S. Small-angle photoproduction of positive pions from hydrogen, 8=702
Malmberg,P.R. Elastic scattering of protons from Li^7, 6=3197. See also Sun,K.H., 6=8835
Malmberg,P.R. and Matland,C.G. Thermistor temperature control, 6=3692
Malmfors,K.G. Some calculations of a time-of-flight β-spectrometer with trochoidal orbits, 8=5963
Malmfors,K.G. and Nilsson,A. Preliminary experiments on the time-of-flight β-spectroscopy, 8=4072
Malmgren,A.L. See Scher,A.M., 5=8426
Malmon,A.G. Small-angle X-ray scattering functions for ellipsoids of revolution and right circular cylinders, 9=7040
Malmud,E. Absorption of 1 BeV photons, 9=13534
Maloof,S.R. Double-crystal spectrometer attachment to the wide-range goniometer of the Norelco x-ray diffractometer, 6=4097. See also Letner,H.R., 5=3187
Malos,J. See Brennan,M.H., 9=2463
Malovetskaya,V.M. See Vavilov,V.S., 8=4027
Malpica,J.M. Absolute electrostatic voltmeter of hemispherical concentric electrodes, 5=6100
Maltby,P. Preliminary report on positional fluctuations of solar radio sources on 200 Mc/s, 9=4207
Maltrud,H.R. See Penning,J.R., 7=2572
Mal'tsev,M.V. See Chistiakov,Yu.D., 9=8916
Maltsev,V.M. See Barashenkov,V.S., 9=3886, 9=6001, 9=13577
Mal'tsev,Yu.V. Calorimetric method of measuring the absorption coefficient of water, 9=5551. Double focus lens and mirror monochromator, 9=7937. See also Veĭnberg,V.B., 7=7517
Malur,J. See Witzmann,H., 9=2221
Malurkar,S.L. Geomagnetic variations and diurnal range of atmospheric ozone, 5=2330. Daily total cosmic ray indices at Huancayo and world geomagnetic indices and magnetic storms, 6=2982. Further studies of cosmic ray bursts with solar activity, 9=7133. Diurnal variations and an unusual harmonic component of cosmic rays at Huancayo, Peru, 9=9739. Solar control of some unusually remarkable geophysical events, 9=11171
Malvano,R. See Bonfiglioli,G., 6=378, 6=2858, 6=3715, 9=13328; Cappellani,F., 9=3878; De Benedetti,S., 8=731; De Michelis,F., 5=2113; Farinelli,U., 9=3917, 9=8627; Ferrero,F., 6=4027, 6=8379, 7=7976, 7=8163, 8=339, 8=761, 9=1777, 9=6123, 9=8623; Hanson,A., 7=3661
Malvicini,A. Scintillation chamber for the measurement of the emanations contained in air, 5=1940. See also Cottini,C., 9=10044; Facchini,U., 5=6241, 5=7142, 6=584, 7=3578
Malý,J. and Kuča,L. Calculation of the potential energy constants of COF_2, $COCl_2$, and COFCl, 5=4835
Malý,J., Kutzendörfer,J., Macháček,V., Kouřim,V. and Jeřábek,V. Decay of fission products from U^{233}, U^{235} and Pu^{239} fission, 9=12641
Malý,M. The analytical design of a triplet and its modifications, 5=5298. Nomogram for the determination of the design elements of triplets, 9=10742
Malȳĭ,Ya. See Krizhanskiĭ,L.M., 7=9398
Malȳshev,G.M. and Pavlov,B.V. Certain characteristics of the discharge in Hg—Ne mixtures, 8=3157
Malȳshev,I.F. See Arkhangel'skiĭ,F.K., 8=1727
Malȳshev,V.I. Investigation of the hydrogen bond by spectroscopic methods. 8=5454
Malȳshev,V.I. and Rautian,S.G. Use of echelettes of large angles of diffraction, 9=10875
Malȳsheva.T.V. and Alimarin,I.P. A radiochemical study of the (p,pxn), (p,4pxn) and (p,5pxn) reactions, 9=2790
Malyus-Malitskiĭ,K.P. See Gurevich,M.A., 5=6780
Malyuzhinets,G.D. Sound radiation by the oscillatory faces of an

arbitrary wedge, I, 6=4924; II, 6=4925. Relation between the inversion formulas for the Sommerfeld integral and the formulas of Kontorovich—Lebedev, 9=8000. Inversion formula for the Sommerfeld integral, 9=9339
Mamaladze,Yu.G. See Mirianashvili, M.M., 8=498
Mamantov,G. See Delahay,P., 5=7481
Mamasakhlisov,V.I. Study of the nuclear reaction Be^9 (n,2n) Be^8, 5=520. Investigation of the Be^9 (d, n) B^{10} nuclear reaction, 7=3658. See also Kopaleĭshvili,T.I., 9=2802
Mamasakhlisov,V.I. and Chilashvili,G.A. Disintegration of light nuceli in a Coulomb field, 8=5368
Mamasakhlisov,V.I. and Kopaleĭshvili,T.I. Angular distribution of inelastically scattered deuterons, 8=8327
Mamasakhlisov,V.I., Matinyan,S.G. and Perel'man,M.E. Photoproduction of strange particles on protons, 8=7290
Mambo,M. On differences of foF2 between June and December viewed from a world-wide standpoint, 9=5271
Mamedov,Kh.I. Luminescent components of petroleum, 5=210
Mammano,A. See Mannino,G., 6=7264
Mammi,M. See Carazzolo,G., 8=7605
Mamontova,T.N. See Kolomiets,B.T., 9=13324
Mamula,L. See Feng,P.Y., 8=6482
Mamuro,T. See Asada,T., 5=4695
Mamȳrin,B.A. Measurement of plasma parameters by the pulse method in high-density discharge currents, 7=3321
Mamȳrin,B.A. and Shustrov,B.N. Mass spectrometers with a resolving power of several thousand, 9=5815
Managan,W.W. Application of scintillation counters to reactors, 9=4864
Manakin,L.A. On the theory of "strange" particles, 9=10006
Manakova,M.A. See Tsukerman,V.A., 7=9711
Manara,A. See Ascoli,A., 9=8086
Manaresi,E. See Ferrari,G., 7=8876; Ferretti,L., 5=4973, 5=7396
Manarini,A.M. On the propagation of plane waves in a conductor in motion, 6=6031. On the velocity of electromagnetic energy in moving crystals, 7=546
Manchester,F.D. Adiabatic oscillations in liquid helium II, 5=4597. The specific heat of rubidium between 1. 2 and 4. 2° K, 9=10933. A cryostat for measuring specific heats between 1 and 42° K using a mechanical thermal switch, 9=13235
Manchester,F.D. and Brown,J.B. Adiabatic oscillations in liquid helium II, 7=7828
Manchester,K.E. See Hutchinson,E., 5=5378; Parks,G.S., 5=2264
Manczarski,S. See Borowski,S., 6=8295
Mande,C. On the L-absorption spectra of gold in the pure metal and in gold-palladium alloys, 5=5435. The L-absorption spectra of gold in gold-silver alloys, 5=7992. The L_1 and L_{11} absorption discontinuities of gold in the pure metal and in the alloys gold-palladium and gold-silver, 6=3768. The K absorption spectra of palladium in the pure metal and in Pd—Au alloys, 7=7141. The form of the M-absorption discontinuities of gold, 7=9227. See also Bonnelle,C., 8=1083
Mandel,J. On viscoelastic bodies behaving linearly, 6=2480, 6=7763. On the flow of Maxwellian bodies, 6=2484
Mandel,L. Fluctuations of photon beams and their correlations, 9=2188. On the possibility of observing interference effects with light beams divided by a shutter, 9=12144
Mandel,M. The dielectric polarization of polar liquids, 5=7938. See also Barrett,A.H., 8=2241; Honig,A., 5=189; Mazur,P., 6=4976-7
Mandel,M. and Mazur,P. On the molecular theory of dielectric polarization, 8=3060
Mandelbrojt,J. An extension of the intermediate coupling method of Tomonaga, 9=38. A method for the study of the validity of Tomonaga's intermediate coupling method, 9=39. A generalization of the perturbation method of Wentzel—Kramers—Brillouin, applied to calculate the energy of a nucleon in its meson field, 9=2075. The approximate state vector for a clothed nucleon in the intermediate coupling approximation, 9=4283
Mandelbrot,B. An outline of a purely phenomenological theory of statistical thermodynamics. I. Canonical ensembles, 7=1082. Sufficiency of the total energy of a system in equilibrium for estimating its temperature, 7=6139
Mandelkern,L. Crystallization kinetics in high polymers. II. Polymer-diluent mixtures, 5=5705. See also Newton,C.J., 6=6954
Mandell,E.R. See Slichter,W.P., 8=8433, 9=4031, 9=13762
Mandell,L. See Whipple,E.B., 9=9833
Mandel'shtam,M.Ya. Reverse current in an instrument of the spherical condenser type, 7=5397
Mandel'shtam,S.L. See also Mazing,M.A., 7=9071
Mandel'shtam,S.L. and Efremov,A.I. Investigation of the short-wave ultraviolet radiation from the sun, 8=6555
Mandelstam,S. Dynamical variables in the Bethe-Salpeter formalism, 6=2690. Uniqueness of solutions of the Bethe-Salpeter equation for scattering, 7=3972. A resonance model for pion production in nucleon—nucleon collisions at fairly low energies, 8=4241. Determination of the pion—nucleon scattering amplitude from dispersion relations and unitarity. General theory, 9=4941
Mandeville,C.E. See also Albrecht,H.O., 5=2618, 6=4093, 8=6087; Dubey,V.S., 6=8943, 7=6498, 9=2740; Hans,H.S., 5=4018; Malik,S.S., 9=2734, 9=8524; Porter,W.C., 9=3826; Potnis,V.R., 6=1537, 6=4612, 9=1717; Rothman,M.A., 6=623, 7=8170; Van Patter,D.M., 6=7679, 7=8821; Varma,J., 5=3963
Mandeville, C.E. and Albrecht,H.O. Photostimulated emission of some activated alkali halide phosphors, 5=2620
Mandeville,C.E., Varma,J. and Saraf,B. Iridium-194, 5=4901
Mandl,F. Phase shifts for pion—nucleon scattering at 40 MeV, 6=8404. Dispersion relations for forward scattering of spin zero particles by an extended potential, 7=3000. The theory of angular correlations with polarization, 8=1155. Double scattering experiments as a test for invariance under time-reversal in strong interactions, 8=6644. See also Bell,J.S., 8=4211-12; Brown,G.E., 9=3761; Jones,G.A., 8=5319
Mandl,F. and Regge,T. Reaction $p + p \rightarrow \pi^+ + d$ with polarized protons, 5=9969
Mandl,M.E. Multi-group theory with an application to inelastic scattering in uranium, 5=5653. The spherical harmonics method in plane and spherically symmetric geometry in multi-velocity-group theory, and its application in the two-velocity-group P_3 approximation, 5=9932. Approximate determination of neutron spectrum for the case of $1/v^{\alpha}$ absorption cross-section, 7=1662. See also Davison,B., 5=1254
Mandò,M. See Di Caporiacco,G., 9=12684
Manduchi,C. See Baccalin,C., 5=5494
Mandys,F. Ultrasonic delay lines, 5=6845
Mandzhavidze,Z.Sh. See also Chikovani,G.E., 5=1229
Mandzhavidze,Z.Sh., Roĭnishvili,N.N. and Chikovani,G.E. Observation of the anomalous decay of a charged particle in a Wilson chamber, 8=2455. Observation of decays of charged particles in a double [Wilson] cloud chamber, 9=558
Mane,H.G. String under the action of a plane rubber wheel, 6=6436
Manelli [Mannelli] I. See Eisler,F., 8=1208, 8=1212*, 9=2658. See also Mannelli,I.
Manén,L. See Fry,D.B., 7=9581
Manenkov,A.A. See also Zverev,G.M., 9=2536
Manenkov,A.A. and Prokhorov,A.M. Fine structure of the paramagnetic resonance spectrum of the Cr^{+++} ion in chromium corundum, 6=3014. Fine and hyperfine structure of the paramagnetic resonance of divalent europium, 6=6784. Hyperfine structure in the paramagnetic resonance spectrum of $(Cr^{53})^{+++}$ in Al_{203}, 7=2492. A determination of the nuclear moments of Gd^{155} and Gd^{157} from the hyperfine structure of paramagnetic resonance, 8=6214
Manenkov,A.A., Prokhorov,A.M., Trapeznikova,Z.A. and Fok,M.V. Application of the method of paramagnetic resonance for determining the state of activators in phosphors, 8=585
Manenkov,A.A., Prokhorov,A.M., Trukhlyaev,P.S. and Yalovlev,G.N. Hyperfine structure in paramagnetic resonance. Nuclear spin and magnetic moment of 5. 3-year radioactive isotope Eu^{152}, 7=6448
Manes,M., Hofer,L.J.E. and Weller,S. Reply to Christiansen's letter, "Chemical kinetics and equilibrium", 5=581
Manescu,I. See Cauchois,Y., 5=2781, 6=5132
Manfredini,A. See Amaldi,E., 5=3871, 5=4954, 5=4959, 8=272; Barford,N.C., 8=6021; Barkas,W.H., 7=3225; Baroni,G., 5=4089, 6=7480, 9=9951; Castagnoli,C., 5=543, 5=9341, 5=9949, 6=6183, 7=8175, 8=6024, 8=8983, 9=2619; Chamberlain,O., 6=3787, 6=4637, 6=5830, 6=6186; Cortini,G., 9=503; Dilworth,C.C., 5=6482
Manfrino,R. The raw material problem in the field of semiconductors, metal rectifiers and the transistors, 5=6127
Mang,H.J. On the theory of α-decay (particularly of the nuclei

in the region of Pb^{208}), 8=3336

Mang,H.J. and Wild,W. The three- and four-body problem in nuclear physics, 9=4960

Mange,P. Diffusion processes in the thermosphere, 5=10106. The theory of molecular diffusion in the atmosphere, 8=3776

Mangelsdorf,P.C.Jr. Transport processes in liquid alloys. I. A transport cell for liquid alloys, 9=7579. Convenient plot for exponential functions with unknown asymptotes, 9=9129. See also Kistiakowsky,G.B., 6=8444

Mangenot,M. Variation of refraction of benzene and some benzene derivatives with temperature, 6=1028

Mangeot,A. See Haïssinsky,M., 7=3795

Mangum,B.W. See Hutchison,C.A.Jr., 9=2219

Manheimer,Y. See Birk,M., 5=2513; Nahmani,G., 6=4716

Mani,G.S. See also Iyengar,S.B.D., 6=4675; Ramanna,R., 6=8411

Mani,G.S. and Pandhi,R. Angular distribution of protons emitted in the reaction $_7N^{14}(\alpha, p)_8O^{17}$, 5=502

Maniawski,F. See Budzanowski,A., 7=9297; Janik,J.A., 9=11370

Manion,J.P. See Burton,M., 5=2828

Maniwa,H. See Hirano,K., 5=4118, 5=10002, 6=1179 Tanaka,K., 6=5452

Man'ko,V.I. See Gavrilovskiĭ,B.V., 7=4708; Sorokin,P.V., 8=1903

Manley,B.W. On the effect of the transition region upon an electron beam constrained by Brillouin flow, 7=1363

Manley,D.L. See Crasemann,B., 5=4900

Manley,J.H. Representation of effects of the Overhauser type, 8=4139

Manley,R.St.J., Arlov,A.P. and Mason,S.G. Rotations,orientations and collisions of suspended particles in velocity gradients, 5=6790

Mann,A. See Falk,G., 6=123

Mann,A.K. Elastic scattering of gamma rays, 6=3166. See also Barker,F.C., 7=4728; Bernstein,A., 6=8227; Bernstein,A.M., 9=518; Cohen,L., 7=1612; Lande,K., 9=10491; Stephens,W.E., 5=6467

Mann,A.K., Stephens,W.E. and Wilkinson,D.H. Evidence for an independent particle state of C^{12} at high excitation, 5=4937

Mann,A.K. and Titterton,E.W. The reactions $^{12}C(\gamma,p)^{11}B$, $^{11}B(p,\gamma)^{12}C$ and $^{12}C(\gamma,3\alpha)$ at 17.63 MeV excitation, 7=2663

Mann,D.E. See also Dibeler,V.H., 8=214; Lide,D.R.,Jr. 7=2030, 7=2043, 7=5201, 8=127-8, 8=2242, 9=1291; White,D., 8=6820

Mann,D.E., Acquista,N. and Plyler,E.K. Vibrational spectrum of 1-fluoro-1-chloroethylene, 6=233

Mann,D.E. and Fano,L. Vibrational spectrum and force constants of diboron tetrachloride, 7=8044

Mann,D.E., Meal,J.H. and Plyler,E.K. Vibrational spectrum of tetrabromoethylene, 6=4320

Mann,D.E. and Plyler,E.K. Vibrational spectrum of fluorotrichloroethylene, 6=234. Infrared and Raman spectra of trans-difluorodichloroethylene, 7=5197

Mann,D.E., Shimanouchi,T., Meal,J.H. and Fano,L. Normal coordinate analysis of halogenated ethylenes. I. General methods, 7=8046; II. Perhalogenated ethylenes, 7=8047

Mann,E. See Seeger,A., 9=13777

Mann,J.E. See Blosser,H.G., 9=1545

Mann,K.C. and Payne,F.A. Ring detection in a thin-lens magnetic spectrometer, 9=8432

Mann,L.A. See Cottrell,W.B., 5=2660

Mann,L.G. See also Hoff,R.W., 6=5354; Olsen,J.L., 7=8128; West,H.I.,Jr. 9=6074

Mann,L.G., Miskel,J.A. and Bloom,S.D. Circular polarization of A^{37} internal bremsstrahlung, 8=6274

Mann,W. Hall effect measurement on magnetite and a nickel ferrite with excess iron, 9=11049

Mann,W.B. A radiation balance for the microcalorimetric comparison of four national radium standards, 5=3993. The preparation and maintenance of standards of radioactivity, 9=2719. See also Davenport,T.I., 5=3992; Hayward,R.W., 5=4021; Loftus,T.P., 7=6486; Seliger,H.H., 8=8294

Mann,W.B. and Seliger,H.H. Efficiency of 4π-crystal-scintillation counting. II. Dead-time and coincidence corrections, 7=5414. Preparation, maintenance, and application of standards of radioactivity, 8=7324

Mann,W.B., Stockman,L.L., Youden,W.J., Schwebel,A., Mullen,P.A. and Garfinkel,S.B. Preparation of new solution standards of radium, 9=5030

Mann-Nachbar,P. The interaction of an acoustic wave and an elastic spherical shell, 7=5937

Mannari,I. and Arai,T. Nuclear quadrupole coupling in the Li_2 molecule, 8=2009

Mannchen,W. and Hahn,G. The influence of crucible material and gas atmosphere on the supercooling of superheated antimony melts, 9=5620

Mannella,G. See Harteck,P., 8=8850, 9=1921

Mannelli,I. See Bertanza,L., 9=9912; Borelli,V., 9=2556; Eisler,F., 9=2662, 9=2667. See also Manelli,I.

Mannheim,R. See Wilke,K.T., 8=7840

Manning,A.W. Measurements of the soft component of cosmic radiation by an absorption "well method", 8=1108. See also Hess,V.F., 8=5079

Manning,B. See Pannell,J.H., 5=9241

Manning,G. See also Bartholomew,G.A., 9=8635; Bunbury,D.St.P., 6=3943; Campion,P.J., 9=8634; Devons,S., 5=2110, 6=3944; Knowles,J.W., 9=10132

Manning,G. and Bartholomew,G.A. γ—γ angular correlation measurements of thermal-neutron capture γ rays in magnesium, silicon, phosphorus, and sulfur, 9=13530

Manning,I. See Tisza,L., 7=3990

Manning,J.R. Correlation correction to the activation energy for diffusion in crystalline solids, 9=4054

Manning,J.R. See also Kuper,A.B., 7=4798

Manning,L.A. The initial radius of meteoric ionization trails, 8=4645. See also Villard,O.G.Jr., 8=4639

Manning,L.A. and Eshleman,V.R. Discussion of the Booker and Cohen paper "A theory of long-duration meteor echoes based on atmospheric turbulence with experimental confirmation", 8=4641. Concerning Booker's theory of meteoric reflections, 9=4134. Meteors in the ionosphere, 9=7679

Manning,M.L. and Moses,G.L. Digest of the literature on dielectrics. Electrical machinery and transformers, 9=5649

Manning,P.P. The molecular orbital theory of chemical valency. XIX. The charge density function, 5=7264. XX. The energy in higher approximations, 5=7265

Manning,T.E., Fred,M. and Tomkins,F.S. Nuclear moments of Am^{241} and Am^{243}, 6=5320

Manning,W.M. See Fields,P.R., 6=3933, 9=13704 Ghiorso,A., 5=9846

Mannino,G. See also Humblet,J., 7=6828

Mannino,G. and Mammano,A. Description of an intensimeter, 6=7264

Mannkopff,R. The double mirror as a means of assisting the exact imaging of light sources for spectral analysis, 9=1261. See also Anacker,W.F., 9=10898, 9=12174

Mano,K. The self-energy of the scalar nucleon, 6=6376

Manolova,M.P. See Kondrat'ev,K.Ya., 8=836

Manquenouille,R. See Gorodetzky,S., 6=635, 6=2201, 9=9916

Manring,E. See Pettit,H.B., 7=1787

Manring,E.R. See also Cooper,C.D., 8=6554; Dunn,R.B., 6=7894; Edwards,H.D., 6=9097; Yu Ting., 5=429

Manring,E.R. and Pettit,H.B. Observations of the (O I) -5577 nightglow at Sacramento Peak, New Mexico, February through June, 1955, 6=9090. The 5577 A emission of [OI] in the night airglow from Sacramento Peak, New Mexico, 8=5547. Photometric observations of the 5577 A and 6300 A emissions made during the aurora of February 10-11, 1958, 9=6399

Mansfield,R. The magneto-resistance effect in indium antimonide, 5=9658. Impurity scattering in semiconductors, 6=2089. The Hall effect in semiconductors, 7=2199. The galvanomagnetic and thermomagnetic effects in semiconductors, 7=5319

Mansfield,R. and Williams,W. The electrical properties of bismuth telluride, 9=1449

Mansfield,W.K. and Fortescue,R.L. Pre-breakdown conduction between electrodes in continuously-pumped vacuum systems, 7=7129

Mansfield,W.W. The influence of monolayers on evaporation from water storages. I. The potential performance of monolayers of cetyl alcohol, 9=260. II. Evaporation and seepage from water storages, 9=6839. III. The action of wind, wave, and dust upon monolayers, 9=6840

Mansikka,K. See Hovi,V., 9=6248

Manson,J.E. X-ray diffraction study of silver iodide aerosols, 5=5751. Preferred orientation of platelets in X-ray diffractometer powder samples, 6=808

Manson,N. A new relation in the hydrodynamical theory of explosive waves, 8=6741. See also Brossard,J., 9=3228

Mansurova,Z.S. The effect of dimensions of crystalline grains on the characteristics of flash rise [of luminescence] in ZnS:Mn phosphors, 9=9471

Mantey,R.F. See Hungerford,H.E., 9=3943

Manuel,A.J. The magnetic properties of MnAs and MnBi, 7=536. See also Leech,J.W., 6=3001-2

Manus,C. A high-resolution Hertzian spectrograph and nuclear relaxation, 7=6455. See also Borel,J.P., 6=2879; Cagnac,B., 6=3916; Fischer,G., 5=4864; Winter,J., 5=1121

Manus,C.,Béné,G.,Denis,P.,Extermann,R. and Mercier,R. Nuclear magnetic resonance in a rotating field, 5=452

Manus,C.,Béné,G.,Extermann,R. and Mercier,R. Nuclear magnetic resonance in very weak fields. I. A Hertzian spectroscope for observation of resonance between 15 and 2 kc/s, 6=3915

Manus,C.,Borel,J.P. and Mercier,R. A spectrum analyser for the study of flicker noise, 5=2719

Many,A. Diffusion constant of carriers in germanium, 5=3754. The electrical structure of semiconductor surfaces, 9=5686. See also Ben Sira,M.Y., 9=13318; Braun,E.A., 5=2308; Harnik,E., 6=3724, 9=3446

Many,A. and Gerlich,D. Distribution and cross-sections of fast states on germanium surfaces in different gaseous ambients, 8=613

Many,H.,Harnik,E. and Gerlich,D. On the semiconductivity of crystalline aromatic substances, 6=325. Some measurements connected with carrier deficit phenomena in germanium, 6=2873

Many,A.,Harnik,E. and Margoninski,Y. Surface recombination processes in germanium and their investigation by means of transverse electric fields, 7=7866

Many,A.,Margoninski,Y.,Harnik,E. and Alexander,E. Relaxation effects in recombination velocity on germanium surfaces under transverse electrostatic fields, 6=3723

Manzotti,M. A mechanical-electrical transducer of simple design, 6=6403

Mapes,J.E. See Keller,S.P., 8=2985

Mapes,J.M. See Allen,W.A., 5=1619, 5=8563

Maple,T.G.,Bess,L. and Gebbie,H.A. Variation of noise with ambient in germanium filaments, 5=6133

Mapleson,W.W. See also Chalmers,J.A., 5=4242

Mapleson,W.W. and Whitlock,W.S. Apparatus for the accurate and continuous measurement of the earth's electric field, 5=10098

Mapleton,R.A. Cross-section theorem, 5=986. Simultaneous ionization and excitation of helium by protons, 8=8843

Mapother,D. See Kilpatrick,J.E., 5=4683

Mapother,D.E. See also Cochran,J.F., 7=409, 8=5928; Decker,D.L., 9=4620; Hake,R.R., 7=4376, 9=3508; Mould,R.E., 5=965

Mapother,D.E. and Witt,F.E.L. Cryostat for cyclotron irradiation at liquid helium temperatures, 5=9615

Mapper,D. See Smales,A.A., 7=9957

Mara,R.T. and Sutherland,G.B.B.M. Crystal structure of brucite and portlandite in relation to infrared absorption, 6=7294

Mara,R.T.,Sutherland,G.B.B.M. and Tyrell,H.V. Infrared spectrum of barium titanate, [and SrTiO$_3$], 5=1693

Marache,J.G.du See du Marache, J.G.

Maradudin,A. See also Weiss,G., 9=8798

Maradudin,A. and Peretti,J. Use of the Fourier transform in the study of singularities in the frequency spectrum of a crystal, 9=4004. Variation of the transition temperature of superconducting alloys of lanthanum and other rare earths with the spin of the solute, 9=11041

Maradudin,A. and Weiss,G.H. On the vibrations of a generalized diatomic lattice, 8=9106

Maradudin,A.A. Screw dislocations and discrete elastic theory, 9=8814. See also Domb,C., 9=7492, 9=12776-7; Weiss,G.H., 9=11619

Maradudin,A.A.,Mazur,P.,Montroll,E.W. and Weiss,G.H. Remarks on the vibrations of diatomic lattices, 8=8416

Maradudin,A.A. and Weiss,G.H. A method for evaluating lattice sums, 9=5240

Marais,A. Study of ferronickel sheet around the Curie point, with the aid of weak alternating fields, 5=1987. Effect of a small proportion of cobalt on the magnetic dispersion of nickel-zinc ferrites, 9=8307. See also Vautier,R., 9=8313

Marais,A. and Merceron,T. Misadjustment of the permeability of nickel–zinc ferrites, 9=12460

Marakhonov,I.A. See Sazhin,B.I., 9=4043

Marathe,B.R. See Joglekar,G.D., 9=1886

Marathe,E.V. The half-life of yttrium-90, 6=591

Marathe,M.N. Computation of viscosity of viscose solutions, 9=84

Marboe,E.C. See also Weyl,W.A., 9=11580

Marboe,E.C. and Weyl,W.A. Atomistic interpretation of the effect of the composition on the viscosity of glass, 5=5664

Marburger,R.E. See also Reynolds,D.C., 5=1843

Marburger,R.E.,Reynolds,D.C.,Antes,L.L. and Hogan,R.S. Quantum yield of a cadmium sulfide photovoltaic cell, 6=2119

Marburger,R.E. and Schluchter,A.W. Thermally precipitated phases and their distribution in an aluminum-silicon-cadmium alloy, 9=854

Marcatand,J. See Rabinovitch,J., 5=4998

Marcazzan,G. See also Colli,L., 8=1977

Marcazzan,G.,Sona,A.M. and Pignanelli,M. A spectrometer for protons, 9=2595

Marcazzan,M.G. See Colli,L., 9=13688

March,N.H. Equations of state of elements from the Thomas-Fermi theory, 5=8721. Equations of state of elements from the Thomas-Fermi theory. II. Case of incomplete degeneracy, 6=2051. On metallic hydrogen, 6=5268. A variational method for the calculation of particle densities and sums of eigenvalues in wave mechanics, 7=3983. The Thomas–Fermi approximation in quantum mechanics, 7=6904. The density matrix and the foundations of the statistical theory, 8=1284. Kinetic and potential energies of an electron gas, 8=4794. See also Alfred,L.C.R., 5=8387, 6=8428, 7=8738; Ballinger,R.A., 5=3984, 5=7236-7; Banyard,K.E., 6=8310, 6=9042, 7=8071; Carter,C., 8=1085; Coulson,C.A., 6=3899; Donovan,B., 5=8908, 6=6632 7=3475, 7=9686, 8=5190; Gilvarry,J.J., 9=3953; Lee,P.M., 8=1320; Young,W.H., 8=2161

March,N.H. and Plaskett,J.S. The relation between the Wentzel-Kramers–Brillouin and the Thomas–Fermi approximations, 6=4215

March,N.H. and Young,W.H. Variational methods based on the density matrix, 8=7703. Approximate solutions of the density matrix equation for a local average field, 9=10614

March,P.V. See also Batty,C.J., 9=2785; Duke,P.J., 5=8842, 5=9342, 7=4464; Hughes,I.S., 7=4777, 9=676; Lock,W.O., 5=6455-6, 5=9077; McKee,J.S.C., 9=12605

March,P.V. and Morton,W.T. The protons emitted from iron-54 and iron-56 on bombardment with 13.5 MeV neutrons, 8=1267. The energy and angular distributions of the protons from the reaction ^{60}Ni(n,p)^{60}Co induced by 13.5 MeV neutrons, 8=4321. Charged particles emitted from aluminium on bombardment with 14 MeV neutrons, 9=6131

March,R. See Fischer,J., 9=543; York,C., 9=6036

Marchal,J. and Benoit,H. Contribution of electric moments to the study of solutions of chain-like macromolecules, 6=5306

Marchal,J.,Wippler,C. and Benoit,H. Comparison between the effect of the excluded volume on the mean square dipole moment and on the mean square length of macro-molecular chains in solution, 6=2307

Marchal,M. and Marchal,M.T. An improvement in cine densigraphy: the polydensigraph, 5=7592

Marchal,M.T. See Marchal,M., 5=7592

Marchal,R. Identity of the theorem of usable energy and the theorems of Carnot and Clausius, 6=5059

Marchand,A. Thermal variation of the diamagnetic susceptibility of some carbon blacks between -200°C and 1000°C, 5=2893 Magnetic susceptibilities of monocrystalline and liquid gallium, 6=488. Determination of the Fermi surface by the de Haas–van Alphen effect, 7=8726. See also Pacault,A., 6=1346*

Marchand,A. and Pacault,A. Contribution to the study of the metallic model, 7=5524. Study of the magnetism of an electron gas in two dimensions, 7=6331

Marchand,E.W. Flux through a slit vibrating sinusoidally, 8=8671

Marchand,J.F. See Ittner,W.B.,III, 9=11047

Marchenko,E.V. See Voĭtovetskiĭ,V.K., 7=6518

Marchenko,V.B. See Kul'varskaya,B.S., 9=7061

Marchetti,C. The chemical separation of isotopes as a problem of rectification, 5=3027

Marchi,C. See also Lannutti,J.E., 9=552

Marchi,C.,Pedretti,E. and Stantic,S. Interaction and decay of K$^+$ mesons in flight, 7=7434

Marchi,C.,Quareni,G.,Vignudelli,A.,Dascola,G.,and Mora,S. The nuclear potential for the K$^+$-mesons, 7=8879

Marchin,J.M. See Wyon,G., 6=1657
Marchuk,P.M. See Morhulis,N.D., 8=7056, 8=8854
Marchukova,I.D. See Troneva,N.V., 9=9683; Yavnel',A.A., 9=6451
Marco,A.De See De Marco,A.
Marcon,A. See Raoult,G., 5=8937
Marcos Mazari,A.Fernández y See Fernández y Marcos Mazari,A.
Marcou,R.J. See also Pfister,W., 5=5140
Marcou,R.J., Pfister,W. and Ulwick,J.C. Ray-tracing technique in a horizontally stratified ionosphere using vector representations, 8=6085
Marcowitz,S. See Crewe,A.V., 9=9954
Marcus,H. See Belaga,M.W., 7=2141
Marcus,J.A. See Connell,R.A., 8=179; Shafroth,S.M., 6=7662; Yahia,J., 9=4631
Marcus,P.M. and Kennedy,A.J. Lattice specific heats near 0°K with an application to germanium, 9=8057
Marcus,R.A. Treatment of isotopic exchange reactions having complex mechanisms, 5=6563. Calculation of thermodynamic properties of polyelectrolytes, 5=6574. Electrostatic free energy and other properties of states having non-equilibrium polarization, 6=4712. On the theory of oxidation—reduction reactions involving electron transfer. I. 6=5470. II. Applications to data on the rates of isotopic exchange reactions, 7=5694. III. Applications to data on the rates of organic redox reactions, 7=5695. See also Brumberger,H., 6=4058; Daen,J., 7=3785; Oster,G.K., 7=8920, 8=1360
Marcus,R.A. and Fresco,J.M. Infrared absorption spectra of nitric acid and its solutions, 7=8520
Marcus,R.J. Estimation of energies and entropies of vaporization, 7=9144
Marcuvitz,N. See Bresler,A.D., 8=8170
Marder,L. On uniform acceleration in special and general relativity, 7=8973. Gravitational waves in general relativity I. Cylindrical waves, 8=3676. II. The reflexion of cylindrical waves, 8=4703
Two bodies at rest in general relativity, 9=5350
Marder,S. See also Hughes,V.W., 5=7348, 7=7308; Love,W.A., 9=6016
Marder,S., Hughes,V.W., Wu,C.S. and Bennett,W. Effect of an electric field on positronium formation in gases: Experimental, 6=8949
Mardles,E.W.J. Accurate measurement of the viscosity of liquids, 9=82. See also Bielak,E.B., 5=1582
Maréchal,A. The influence of weak aberrations on image contrast, 5=4494. The use of matrix calculus in paraxial optics, 7=216. The transmission of spatial frequencies by optical instruments, 7=5962. The residual scattering of polished surfaces and gratings, 9=6796
Maréchal,A., Croce,P. and Dietzel,K. Improvement of the contrast of photographic image detail by filtering spatial frequencies, 9=6680
Maréchal,E. On the Jensen—Mayer correction to the magnetic moment of K^{40} in intermediate coupling, 6=4583
Marel,L.C. van der. See van der Marel,L.C.,
Marg,E. See also Campbell,C.J., 7=2103; Hamasaki,D., 8=5561
Marg,E. and Reeves,J.L. Accommodative response of the eye of an aged cat to electrical stimulation of the ciliary ganglion, 5=10150
Mărgărint,I. See Luca,E., 9=7982
Margem,N. See Bisi,V., 9=7285; Frota-Pessôa,E., 9=3702; Marques,A., 8=2490;
Margenau,H. Advantages and disadvantages of various interpretations of the quantum theory, 5=1501; Conductivity of plasmas to microwaves, 8=2348. See also Desloge,E.A., 9=2435; Kelly,D.C., 8=8049; Kivel,B., 5=5311; Klein,L., 9=6715; Lewis,M., 8=8682; Meyerott,R.E., 6=214; Sampson,D., 6=8202
Margenau,H., Fontana,P. and Klein,L. Frequency shifts in hyperfine splitting of alkalis caused by foreign gases, 9=12733
Margenau,H. and Kivel,B. Effects of electron collisions on the width of spectral lines, 5=7833
Margenau,H. and Lewis,M. Structure of spectral lines from plasmas, 9=12021
Margenau,H. and Lewis,M.B. Stark effects in line broadening, 7=5170
Margenau,H. and Meyerott,R. Quantum theory of line broadening by an ionic plasma, 5=5310
Margenau,H. and Stillinger,D. Microwave conductivity of slightly ionized air, 9=12403
Margerie,J. See also Brossel,J., 6=1486, 6=8939
Margerie,J. and Brossel,J. Transitions of several electromagnetic quanta, 6=566
Margerie,J., Brossel,J. and Kastler,A. Alignment in sodium vapour, 6=1484
Margolin,S.D. and Fakidov,I.G. The use of CdS photoresistances in conjunction with phosphors as detectors of gamma-radiation from cobalt-60, 7=2604
Margolis,B. See also Franklin,J., 8=6158-9; Landovitz,L., 9=1656; Landovitz,L.F., 9=8450; Rae,E.R., 9=6132
Margolis,B., Rosendorff,S. and Sirlin,A. Scattering of electrons with an intrinsic electric dipole moment, 9=11355
Margolis,B. and Troubetzkoy,E.S. Low-energy neutron scattering by a spheroidal complex potential, 7=5634
Margolis,B. and Weisskopf,V.F. Proton-width strength function, 7=9320
Margolis,L.Ya. See Enikeev,Z.Kh., 9=13292
Margoninski,Y. See Harnik,E., 6=3724, 9=6955; Many,A., 6=37243, 7=7866
Margoninsky,J. See Alexander,E., 5=9302
Margoshes,M. See Nakamoto,K., 6=4554; Thiers,R.E., 9=9371
Margrave,J.L. Extrapolation methods for electron affinities, 5=3015. Use of mass spectrometric appearance potentials in thermochemical calculations. I. Consistency relationships for methane and substituted methanes, and the heat of formation of CH_3F, 6=4052. II. Chlorofluoromethanes and the dissociation energy of fluorine, 6=4053. Vapor pressures and vapor densities from direct weighings of Knudsen cells, 8=6914. See also Iczkowski,R.P., 9=3281; Katz,T.J., 5=6812; Law,R.L., 7=3396
Marguin,G. The application of nuclear emulsions to the study of β-particles, 7=9236. Isothermal development treatment of thick nuclear emulsions at low temperature, 8=2443. See also Maitrot,M., 5=2143
Marguin,G. and Maitrot,M. A comparison of the transmissions of electrons and positrons by thin metallic foils, studied by means of nuclear emulsions, 5=9703
Margulesco,G. See Popovici,A., 9=9217
Margulies,R.S. See Birkhoff,G., 8=7740
Margulis,A.Ya. and Khrustalev,A.V. On the spatial distribution of the gamma-ray dose from a plane source, 9=11346
Maria,G.De. See De Maria,G.
Maria,H.A.Santa. See Santa Maria,H.A.
Mariani,F. Chapman's photoionization theory in a non-isothermal atmosphere, 5=7560. Electron density in a non-isothermal atmosphere, 7=3851. Temperature and electron density of the F-region of the ionosphere, 7=3852. On the diffusion of electrons in the ionosphere, 7=3853. The electron density in the F2 layer and its correlation with the solar activity, 7=8316. On the correlation between ionospheric electron density and solar activity, 8=4563. Some considerations on temperature effects in the upper atmosphere, 8=4575. Diffusion in a not isothermal ionosphere, 8=4576. The worldwide distribution of the F2 layer electron density: seasonal and non-seasonal variations and correlations with solar activity, 9=9074. See also Dominici,P., 5=7555, 8=3611
Marić,Z. and Möbius,P. Nuclear Raman effect, 9=7361
Mariens,P. Kirchhoff—Helmholtz absorption in wide and in capillary tubes at audible frequencies, 7=7684
Mariens,P., van Itterbeek,A. and Godenir,P. The Kirchhoff—Helmholtz absorption of audible sound in cylindrical tubes, 7=1142
Mariens,P. and van Paemel,O. Theory and experimental verification of the oscillating disk method for viscosity measurements in fluids, 7=135
Marin,P. and Bang Vo-Xuan. Phase shifts for n—He^4 scattering, 9=10134
Marin,P., Bishop,G.R. and Halban,H. The absolute standardization of the 2.615 MeV γ-rays of ThC'' and the cross section for the photo disintegration of the deuteron at this enery, 5=3105
Marin,P.C. Measurement of the half-life of radon with a Curie-type ionization chamber, 6=4462. An accurate photo-neutron standard, 9=12562
Marinace,J.C. Some electrical properties of natural crystals of iron pyrite, 5=950
Marinaro,M. See Carrelli,A., 9=4336
Marinelli,L.D. See Berlman,I.B., 7=1661; Clark,R.K., 5=5611; Miller,C.E., 6=5972
Marinelli,S. See Blaha,F., 7=6653

Maringer,R.E. Etch pitting on single-crystal indium antimonide, 8=8520

Marini,G. See Fidecaro,M.C., 9=385

Marinin,V.A. The temperature variation of the diffusion coefficient of sundry substances in water, 8=2852

Marinin,V.A., Polyakova,L.V. and Korol'kova,Z.S. The electrical double (light) refraction of polystyrol solutions, 9=3430

Marino,L.L. See also Ewbank,W.B., 9=13597

Marino,L.L., Ewbank,W.B., Nierenberg,W.A., Shugart,H.A. and Silsbee,H.B. Spins of indium-109, indium-110m, and indium-111, 8=6211

Marinov,M. Hole conductivity in pulse processes in CdS crystal counters, 9=9904. See also Borisov,M., 9=9903

Marion,J. B. Excited states in B^{10}, 6=7680. Shell model interpretation of energy levels in Li^7 and Be^7, 8=3319. See also Bonner,T.W., 6=3220, 6=6149; Brugger,R.N., 6=648; Gibbons,J.H., 9=10122; Hagedorn,F.B., 8=7368; Harlow,M.V., 6=3215; Weber,G., 7=2640

Marion,J.B., Bonner,T.W. and Cook,C.F. Study of the reactions $T^3(p, n)He^3$, $Li^7(p, n-)Be^7$, $Be^9(p, n-)B^9$ and $F^{19}(p, n) Ne^{19}$, 6=649. (d, n) reactions on boron and carbon, 6=658

Marion,J.B. and Brugger,R.M. Neutron-induced reactions in fluorine, 6=672

Marion,J.B., Brugger,R.M. and Bonner,T.W. (d, n) reactions in O^{16} and N^{14}, 6=657

Marion,J.B., Brugger,R.M. and Chapman,R.A. Cross section for the $Si^{28}(n, p)Al^{28}$ reaction, 6=3235

Marion,J.B. and Chapman,R.A. Low-lying level structure of the Zn^{65} nucleus, 6=3091

Marion,J.B. and Fowler,W.A. Nuclear reactions with the neon isotopes in stars, 8=2113

Marion,J.B. and Hagedorn,F.B. 1.75-MeV resonance in $C^{13}(p, y)N^{14}$, 7=2639

Marion,J.B. and Kavanagh,R.W. Q value for the Cu^{65} $(p, n)Zn^{65}$ reaction, 7=1590

Marion,J.B. and Levin,J.S. Investigation of the $Be^9(p, n)B^9$ and $Be^9(p, \alpha\gamma)Li^6$ reactions, 9=12672

Marion,J.B., Levin,J.S. and Cranberg,L. Elastic and nonelastic neutron cross-sections for beryllium, 9=11483

Marion,J.B., Slattery,J.C. and Chapman,R.A. Neutron thresholds in the deuteron bombardment of neon, 6=7685

Marion,J.B. and Weber,G. Compound nucleus effects in deuteron reactions: $C^{13}(d, \alpha)B^{11}$ and $C^{13}(d, t)C^{12}$, 6=6158. Compound nucleus effects in deuteron reactions: $C^{13}(d, p)C^{14}$, 6=6904. Compound nucleus effects in deuteron reactions: $B^{10}(d, p) B^{11}$ and $B^{10}(d, \alpha)$ Be^8, 6=8954

Marion,J.B., Weber,G. and Mozer,F.S. Study of the Li^6 (p, α) He^3 reaction, 7=2641

Mariot,L. The singular electromagnetic field, 5=1063, 5=8924. Finite groups of symmetry and determination of solutions of the Schrödinger equation, 7=8737.. Charged matter and pure electromagnetic field distribution, 8=239. The completely integrable singular electromagnetic field, 8=240

Mariot,L. and Pham Mau Quan. Algebraic study of the electromagnetic tensor in the presence of induction, 8=5604

Maris,T.A.J. Generalization of the liquid drop model of fission, 6=3179. Fission theory and semiempirical mass formula, 6=3240. Polarization of high energy nucleons exciting a collective level, 7=9383. Quasi-free nucleon–nucleon scattering, 9=8452. See also Lemmer,R.H., 9=13589; Tyrén,H., 7=6552, 8=1893, 8=3369, 8=5198, 8=5341, 8=5344, 8=5347, 8=6295, 8=7362

Maris,T.A.J., Hillman,P. and Tyrén,H. Quasi-elastic scattering and nuclear structure, 8=5346

Maris,T.A.J. and Tyrén,H. Inelastic high energy nucleon scattering on light nuclei, 7=6551. Some remarks concerning measurements on inelastic scattering of 155-185 MeV protons on carbon, oxygen and calcium, 8=5342

Mark,H. See also Chupp,E.L., 8=306, 8=2534, 9=2706, 9=2758 9=5777, 9=8559; McClelland,C., 5=4054; Ross,A.A., 6=6071, 7=2521; Rubin,A.G., 7=2652

Mark,H. and Goodman,C. Angular distribution of neutrons from $O^{18}(p, n)F^{18}$, 6=2403

Mark,H., McClelland,C. and Goodman,C. Electric excitation of certain medium-weight muclei by protons, 5=7277

Mark,H. and Paulissen,G.T. Electric excitation of certain rare-earth nuclei by protons, 6=1562

Mark,J.W. See Hernandez,H.P., 7=7983; Linlor,W.I., 7=7984

Mark,P. See Kallmann,H., 5=9665, 7=4368, 8=8781, 9=6995

Markelova,T.N. See Teplov,I.B., 7=6568

Marker,R.C. See Bronner,W.L., 9=12388

Markgraf,H. Measurement of sound velocity in double-distilled water at various gas contents and at various temperatures, 7=9043

Markgraf,H.G. See Joerges-Heyden,M., 5=4627

Markham,J.J. Electron tunnelling within insulators, 5=5724. Electron-nuclear wave functions in multiphonon processes, 6=7816. See also Konitzer,J.D., 7=8942

Markham,J.J. and Konitzer,J.D. Experimental and theoretical study of the shape of the F absorption in KCl, 9=1297

Markham,M.F. Measurement of elastic constants by the ultrasonic pulse method, 8=3506

Märkl,H. Adjustment of the neutron spectrum in the Argonaut reactor, 9=13719

Marklund,I. Decay of Eu^{152m}, 9=1745. See also Lindqvist,T., 7=9318, 8=3316; Nathan,O., 8=6239

Marklund,I. and Page,L.A. On the helicity of neutrinos, 9=2573

Markocki,W. A comparison method for the measurement of the sensitivity of nuclear emulsions, 9=13996

Markov,B.F.. The electromotive forces of thermo-circuits with molten salts, 6=8215

Markov,B.F. and Shumina,L.A. Concentration dependence of the electrical conductivity of binary salt melts, 7=3790

Markov,M. On the theory of the dynamically deformable form factor, 6=7992. A remark about the systematics of hyperons and heavy mesons, 7=99. On Konozenko's paper "Semiconductor bolometers", 8=5838. An example of a field theory with indefinite metric in Hilbert space. I, 9=6502

Markov,M. and Stakhanov,V. Possible β-decay of hyperons and K-mesons, 5=9127

Markov,M.A. A dynamically deformable form-factor of elementary particles, 5=733. Hyperons as excited state of nucleons. A possible mechanism for multiple production of particles, 7=97. See also Isaev,P.S., 5=9115; Komar,A.A., 9=10581, 9=10583

Markov,M.N. Bolometers of alloys of bismuth and lead, 7=309. A comparison of fast infrared detectors, 8=4917

Markov,V. S. See Korolev,F.A., 7=5400

Markova,G.S. See Ermolina,A.V., 8=6446

Markova,S.V., Bazhulin,P.A. and Sushchinskiĭ,M.M. An optical method of studying hydrocarbons. Raman spectra of unsaturated hydrocarbons, 7=278

Marković,B. Influence of light source size on interference, 7=2077. Influence of light source size on diffraction by an opaque strip, 8=1631. See also Pejnović,D., 5=2611

Marković,B. and Draščič,R. On the interference fringes outside the geometrical shadow of a straight wire, 8=8712

Markovitz,H. See also Casassa,E.F., 8=8621

Markovitz,H., Elyash,L.J., Padden,F.J., Jr. and DeWitt,T.W. A cone-and-plate viscometer, 5=6786

Markowitz,S.S., Rowland,F.S. and Friedlander,G. (p,pn) reactions of proton energies from 0.3 to 3.0 BeV, 9=3890

Markowitz,W. See also Essen,L., 8=3667

Markowitz,W., Hall,R.G., Essen,L. and Parry,J.V.L. Frequency of cesium in terms of ephemeris time, 8=8571

Marks,G.W. Variation of acoustic velocity with temperature in some low velocity liquids and solutions, 5=7769. Variation of acoustic velocity with temperature in aqueous solutions of certain inorganic sulfates, 9=9321

Marks,G.W., Waidelich,D.L. and Monson,L.A. Investigations concerning polarization in barium titanate ceramics, 7=2174

Markstein,G.H. and Squire,W. On the stability of a plane flame front in oscillating flow, 5=6817

Markus,A.M. See Korsunskiĭ,M.I., 7=1413

Markus,B. Specific total ionization and ionization loss for 15 MeV electrons in air and various gases, 9=13391

Marlow,W.R. and Skidmore,I.C. The initiation of condensed explosives by shock waves from metals, 8=7580

Marmasse,C. On the axiomatics of a new method in statistical mechanics, 6=7161. Elements of the thermodynamic theory macromolecule polyelectrolytes. I. Scalar theory of macromolecules in dilute solution, 7=153

Marmier,P. See also Baggerly,L.L., 6=1524; Boehm,F., 6=6874, 7=3584; de Boer,J., 9=13647; Hatch,E.N., 7=2534 Martin,M., 9=6058, 9=6093; Murray,J.J., 5=4027

Marmier,P. and Boehm,F. Energy levels of Hf^{177}, 5=2074

Marmier,P.E. See Berreman,D.W., 5=3275

Marmo,F.F. See also Herzog,R.F., 8=4084; Pressman,J., 6=9128; Watanabe,K., 7=4488, 8=4565

Marmo,F.F., Pressman,J., Aschenbrand,L.M., Jursa,A. and Zelikoff,M. Formation of an artificial ion cloud; photoionization of NO by solar Lyman alpha at 95 km, 6=9130

Maron,S.H. and Belner,R.J. Low shear capillary viscometer

with continuously varying pressure head, 6=106
Marongiu,N. Diffusion of radioelements of the Th family in nuclear emulsions, 8=2447. See also Benzi,V., 6=3978
Maroni,C. See Fasoli,U., 7=8002
Marotta,A.S. See Weiss,R.J., 9=8089
Marovich,E. See Roach,F.E., 9=12913
Marple,D.T.F. Spectral emissivity of rhenium, 6=5750. See also Piper,W.W., 8=8699, 9=6751
Marple,D.T.F. and Trischka,J.W. Radio-frequency spectra of Li^6 Cl by the molecular beam electric resonance method, 6=8106
Marquardt,D.W. See Coleman,B.D., 8=6461, 9=882
Marques,A., Margem,N. and Garnier,G.A.B. Mean free path of 4.3 GeV π^--mesons in nuclear emulsions, 8=2490
Marquet,M. A contribution to the study of the formation of a photographic image from an optical image, 7=7533. See also Croce,P., 6=1091, 7=992
Marquet,S. Mathematical study of Boltzmann's equation, 6=2725. The basis of kinetic theory—Boltzmann's equation, 7=4034. The basis of kinetic theory. Evolution and irreversibility of systems, 7=6945. Basis of kinetic theory and the Boltzmann equation. Case where the fluid is subjected to a field of force, 9=1102-3
Marquez,L. The ring focus in the spiral orbit spectrometer, 5=6207. On the interpretation of high energy fissions, 7=8171. Angular correlations in high energy fission, 7=8843. See also Goldemberg,J., 8=6323; Silva,R., 9=668
Marquez,L. and Costa,N.L. The formation of ^{32}p from atmospheric argon by cosmic rays, 6=2988. On the production of radioactivity in rocks by cosmic rays, 9=595
Marquez,L., Costa,N.L. and Almeida,I.G. The formation of ^{22}Na from atmospheric argon by cosmic rays, 8=1116. Presence of ^{57}Co in the atmosphere, 9=5281
Marques,L., Cybulska,E.W., Costa,N.L., Almeida,I.G. and Goldberg,J. The disintegration of Ga^{73}, 9=7321
Marquez,L., Leal da Costa,N. and de Almeida,I.G. Cobalt-60 from thermonuclear tests in the atmosphere, 9=9090
Marquit,E. See Bogdanowicz,J., 9=10000
Marr,G.V. The continuous atomic absorption cross sections for neutral atomic systems, 5=7839. Possible reaction mechanisms associated with emission of the C$_3$ radical in laboratory and astrophysical sources, 8=4866. The luminous mantle of fuel-rich oxyacetylene flames. I. Spectroscopic temperature measurements, 8=4922. II. Free radical and continuum intensities and their influence on C$_3$ emissions, 8=4923
Marr,G.V. and Nicholls,R.W. The emission of the 'λ4050Å' bands and an associated violet continuum in oxyacetylene flames, 5=7821
Marriage,A. Even illumination from a pair of lamps, 5=9526. See also Pitts,E., 7=7532
Marriage,A. and Pitts,E. Relation between granularity and autocorrelation, 7=3876
Marrinan,H.J. See also Faust,R.C., 5=9584
Marinan,H.J. and Sheppard,N. Relative intensities of the Raman lines of carbon tetrachloride, chloroform, and methylene chloride, 5=216
Marriott,F.H.C. Frequency-of-seeing curves and spontaneous excitation, 6=9155. A theory of visual thresholds, 8=5565. See also Pirenne,M.H., 5=3349, 5=10141
Marriott,J. A replica technique for particle surface, 7=793
Marriott,J. and Craggs,J.D. Negative ion studies with the mass spectrometer, 5=4759. Negative ion formation in gases of high dielectric strength, 5=4760. II. The Lozier apparatus, 5=4761. Ionization and dissociation by electron impact. I. Trifluoromethyl halides, 6=7493. II. Boron trifluoride and boron trichloride, 7=8683
Marriott,R. The conversion of metastable helium from the singlet to the triplet state by electron collision, 7=4496. Calculation of the 1s−2s electron excitation cross section of hydrogen, 8=5440. See also Burhop,E.H.S., 6=6086
Marriott,R. and Seaton,M.J. A simple analytic wave function for He 1s2s ^{1}S, 7=4646
Marris,A.W. On fully developed turbulent flow in curved channels, 7=3046. Steady state heat transfer to fully developed turbulent flow in a curved channel, 7=7646
Marrus,R. See Albridge,R.G., 9=2690; Hubbs,J.C., 8=1994, 8=4267, 8=6351, 9=8508
Mars,G.A.de See de Mars,G.A.
Marschall,H. Breit's equation for electron–proton scattering, 7=6271. See also von Behr,J., 6=2685, 9=8683
Marschall,H. and Meyer,G. Nuclear scattering of slightly relativistic muons, 6=2441
Marschall,H. and Schmidt,T. A remark on the frequency of nuclear processes catalysed by μ-mesons in liquid hydrogen, 8=3389. Potential curves and energy levels of the μ-meso-molecules (pp)μ, (dp)μ, (dd)μ, 8=8409
Marsden,D.G.H. See Farmer,J.B., 5=4142, 5=8349, 6=3067, 6=4542
Marsden,L.L. See Francis,W.E., 8=349
Marsden,P.L., Berry,J.W., Fieldhouse,P. and Wilson,J.G. Variation of cosmic-ray nucleon intensity during the distrubance of 23 February, 1956, 7=515*
Marsden,P.L. and Doran,G.A. The nucleonic component in cosmic ray extensive air showers, 7=2372
Marseguerra,M. and Pauli,G. Neutron transmission probability through a curved revolving slit, 9=7264
Marseille,A. See Hamers,H.C., 7=8674, 8=3331
Marsh,B.B. A centrifuge permitting continuous observation of the spinning tube, 5=6583
Marsh,R.E. See Schomaker,V., 9=13917
Marshak,H. See also Newson,H.W., 6=6170, 7=3667, 8=1256; Patronis,E.T., Jr, 9=9563
Marshak,H. and Newson,H.W. Neutron resonances in the keV region: Odd-intermediate nuclei, 7=5635
Marshak,H. and Sailor,V.L. Low-energy neutron resonances in Sm^{149}, 9=684
Marshak,R., Okubo,S. and Sudarshan,G. Consequences of charge independence for the magnetic moments and masses of Σ hyperons, 7=6606
Marshak,R.E. Charge independence in nuclear physics, 5=6758. Report on cosmotron experiments, 5=9391. Recent work on nuclear forces in Rochester, 5=9391. Recent experiments on pion-nucleon scattering at lower energy, 5=9391. Effect of radiation on shock wave behavior, 8=5727. See also Bryan,R.A., 8=8257; de Swart,J.J., 8=6325; Fujii,A., 7=8891, 8=6191; Gamba,A., 9=10593; Levy,M.M., 5=5883, 5=9116; Okubo,S., 8=6639, 9=4946, 9=4948, 9=6047; Signell,P.S., 7=7172, 8=2468, 9=2679; Sudarshan,E.C.G., 7=2693, 8=3301; Swart, J.J., 8=1216; Weinberg,S., 8=7282
Marshak,R.E. and Sudarshan,E.C.G. Remarks on the possible existence of a neutron muon, 8=1177
Marshall,D.F. The dynamic stress-optic coefficient of Perspex, 8=592
Marshall,F.R. See Zarem,A.M., 9=4196
Marshall,J. See also de Carvalho,H.G., 5=1185; Heiberg,E., 5=2806, 7=463; Marshall,L., 5=3831, 5=7137
Marshall,J., Marshall,L. and Nedzel,V.A. Differential p-p scattering cross sections at 410 MeV, 5=8026
Marshall,J.F. See also Pomerantz,M.A., 5=7957; Shatas,R.A., 5=990, 6=5933, 8=8770; Snowdon,S.C., 8=8566
Marshall,J.F., Pomerantz,M.A. and Shatas,R.A. Temperature dependence of electron-bombardment-induced conductivity in MgO, 7=6174
Marshall,J.H. How to figure the shapes of beta-ray spectra, 6=620
Marshall,J.S. See Rigby,E.C., 5=1395
Marshall,K.H.J.C. and Wickham,R. An improved Czochralski crystal-pulling furnace, 8=3569
Marshall,L. Inelastic polarization and nucleon momentum distribution, 6=1558. Production of the sun's non-thermal radio emission by Cerenkov radiation, 7=20. Coronal streaming in solar sunspot prominences, 8=4659. A galactic model for production of cosmic rays and radio noise, 8=5579. Mass sensitive detector for relativistic electrons, 9=8412. Production of the magnetic field of the Crab nebula, 9=9161. See also de Carvelho,H.G., 5=1185; Fischer,J., 9=543; Heiberg,E., 5=2806; Kruse,U.E., 7=4981; Landovitz,L.F., 9=13567; Marshall,J., 5=8026
Marshall,L. and Marshall,J. Direction of proton spin polarization produced by elastic scattering, 5=3831, 5=7137
Marshall,L.C. See Alvarez,L.W., 5=4732
Marshall,R.R. and Hess,D.C. Lead from some stone meteorites, 9=8
Marshall,S. See Braun,I., 7=7526, 8=2086
Marshall,S.A. and Weber,J. Plane parallel plate transmission line Stark microwave spectrograph, 7=3137. Microwave Stark effect measurement of the dipole moment and polarizability of carbonyl sulfide, 7=4606
Marshall,T.J. A plummet balance for measuring the size distribution of soil particles, 8=7724
Marshall,T.W. and Pople,J.A. Nuclear magnetic shielding of a hydrogen atom in an electric field, 9=13727

Marshall,W. Antiferromagnetism, 5=9759. The spin-wave theory of antiferromagnetism, 5=9760. The structure of magneto-hydrodynamic shock waves, 6=3855. The structure of magnetohydrodynamic shocks, 7=1462. The growth in time of a hydromagnetic shock, 7=1463. Structure of magnetohydrodynamic shock wave in a plasma of infinite conductivity, 7=2440. Orientation of nuclei in ferromagnets, 8=5107. Critical scattering of neutrons from ferromagnets, 9=408. The Van Vleck model of ferromagnetism, 9=409. The antiferromagneticism of $CuCl_2.2H_2O$, 9=3649. See also Elliott,R.J., 7=3738, 8=6029; Kittel,C., 9=9764; Lomer,W.M., 8=1281

Martegani,A. See Deconnick,G., 9=11330; Vervier,J., 9=5064; Vervier,J.F., 8=6330, 8=8346

Martel,M.-T. Photometry and polarization of some diffuse nebulae, I, 5=2380. Study of the brightness and polarization of eight diffuse nebulae, 6=1794*. Polarization of the Crab nebula, 6=4788

Martelli,G. See Bertanza,L., 5=3682, 5=9729, 7=7982

Martens,G. See Goldfinger,P., 8=8496

Marth,P.T. See Wagener,J.S., 8=443

Martienssen,W. The influence of temperature on the contour of the characteristic optical absorption of alkali halides, 7=257. On the effective mass of electrons in crystals, 9=2905. The optical absorption edge in ionic crystals, 9=6750. See also Hilsch,R., 9=798

Martienssen,W. and Mette,H. On the X-ray coloration of sensitized alkali halide crystals, 5=626

Martienssen,W. and Pick,H. Photo-chemistry with X-rays in sensitized KBr crystals, 5=10075

Martin,A. Meson nucleon S scattering and crossing theorem, 6=7994. An elementary proof of the causal inequalities of Wigner, 6=8580. On the validity of Levison's theorem for non-local interactions, 8=2136. A new method for the determination of the meson–nucleon coupling constant from the 33 phase shift, 9=12565. See also Gourdin,M., 7=6887-9, 8=493, 8=5620, 9=9991

Martin,A. and Verlet,L. Proton-proton scattering at intermediate energies, 5=333

Martin,A.E. The sonic gas analyser, 7=841. Integration of absorption bands, 8=6826

Martin,A.J. See Moore,A., 8=8524

Martin,A.V.J. Apparatus for the measurement of physical constants by the elastic vibrations method, 6=7759. On the propagation of sound in seawater [and distilled water], 8=3806. Measurement of the velocity of ultrasound waves in fluids under pressure by the pulse method, 9=2162

Martin,B. See Barber,S.W., 9=8818

Martin,C.-N. On the accumulative effects at the earth's surface caused by thermonuclear explosions, 5=1224

Martin,C.S. See Leck,J.H., 6=4244, 7=4025

Martin,D.G. See Adam,J., 9=10283

Martin,D.G.E. and Parry,G. A search for low intensity gamma rays in the ThC.C' and ThC''.D transitions, 6=2371

Martin,D.H. Surface structures and ferromagnetic domain sizes, 7=4556. See also Bates,L.F., 5=9250, 6=3027; Bloor,D., 9=9779

Martin,D.L. The specific heats of lithium fluoride, sodium chloride and zinc sulphide at low temperatures, 5=7923. Thermal effects of the martensitic transition in sodium, 8=5841. Thermal effects of the martensitic transformation in lithium, 9=4522. See also Dauphinee,T.M., 6=2841

Martin,D.S., Jr. See also Henry,R.M., 7=8835; Schupp,F.D., 7=9883, 9=6125

Martin,D.S., Jr, Rundle,R.E. and Golden,S.A. Icosahedral coordination number 12, 7=888

Martin,D.W. Low frequency tone-radiation demonstrator, 5=8566. Fundamental acoustics of electronic organ tone radiation, 6=155. See also Burson,S.B., 7=3597, 9=9745; Cork,J.M., 6=1509; Grimes,D.M., 5=1044

Martin,D.W., Brice,M.K., Cork,J.M. and Burson,S.B. Decay of radioactive Ce^{143} (33.4 HR), 6=3142

Martin,D.W., Cork,J.M. and Burson,S.B. Decay of Ca^{49} and Sc^{49}, 6=4604

Martin,D.W. and Knoblaugh,A.F. Loudspeaker accessory for the production of reverberant sound, 5=156

Martin,D.W., Murphy,R.L. and Meyer,A. Articulation reduction by combined distortions of speech waves, 6=6484

Martin,E.D. See Nagamatsu,H.T. 9=7891

Martin,E.E. See Dyke,W.P., 5=8816; Trolan,J.K., 6=1283

Martin,F.J. Transition from slow burning to detonation in gaseous explosives, 9=4381

Martin,F.S. See Fletcher,J.M., 7=1714

Martin,G.A. and Hickman,J.S. Directional properties of continuous plane radiators with bizonal amplitude shading, 6=154

Martin,G.R. See also Purkayastha,B.C., 7=1581

Martin,G.R. and Tuck,D.G. The specific activity of radium, 9=6065

Martin,H. and Emeléus,K.G. The Langmuir paradox in discharge plasmas, 6=6675

Martin,H.C. See Diven,B.C., 6=2423

Martin,H.J. See also McEllistrem,M.T., 9=5047

Martin,H.J., Fowler,W.A., Lauritsen,C.C. and Lauritsen,T. Angular correlations in the F^{19} (p, $\alpha\gamma$)O^{16} reaction, 7=7378

Martin,H.J. and Kraus,A.A. Alternating-gradient magnetic spectrometer, 7=6278

Martin,J.A. and Green,F.L. Cyclotron target for the irradiation of chemical compounds, 9=13654

Martin,J.F. See Biddiscombe,D.P., 9=259

Martin,J.H. See Keam,D.W., 9=12525

Martin,J.J. See Ginell,W.S., 5=3082; Harmer,D.E., 6=6233

Martin,J.L. See Kahana,S., 8=500

Martin,J.S. See Woodgate,G.K., 7=7305

Martin,L.H. See Caro,D.E., 6=416

Martin,M. See also Blanchard,M.L., 9=10945; de Boer,J., 9=13647

Martin,M., Marmier,P. and de Boer,J. Coulomb excitation of some deformed u–g nuclei, 9=6058

Martin,M., Szostak,R. and Marmier,P. Electromagnetically perturbed gamma angular distribution of the 197 keV transition in F^{19}, 9=6093

Martin,M.D. See Hess,W.N., 9=11935

Martin,P. See Davila,C., 6=5948

Martin,P.C. See also DeDominicis,C., 7=5049, 7=5067; Glauber,R.J., 5=9893, 7=2570

Martin,P.C. and Glauber,R.J. Relativistic theory of radiative orbital electron capture, 8=1928

Martin,R. See Bobbert,G., 7=1984

Martin,R.A. See Orr,C., 8=9130

Martin,R.J. See Hughes,R.H., 6=3622

Martin,R.L. See Jackson,H.E., 9=4732; Kosower,E.M., 7=7000

Martin,V.M., Seaton,M.J. and Wallace,J.B.G. On the use of the adiabatic theory in electron–atom collision calculations, 9=1812

Martin,W. Influencing of the luminescence properties of phosphors by H_2^+ ions, 7=6031. See also Arnold,W.H., Jr, 6=3257; Ballam,J., 5=3129

Martin,W.A. See Glass,I.I., 5=1618*

Martin,W.C. Atomic energy levels and spectra of neutral and singly ionized phosphorus (PI and PII), 9=13155

Martin,W.G. Improved method for plotting reciprocal lattice points, 6=5532

Martina,E.F. and Ashby,V.J. Pulsed neutron source, 5=9976

Martineau,M. Enhancement of the photoconductivity of single crystals of cadmium sulphide by irradiation in an atomic pile, 9=4605. See also Barjon,R., 9=8864; Pinard,P., 9=11110

Martinek,J. See Yek,G.C.K., 8=5576

Martinelli,E.A. See Benveniste,J., 6=2402; Latter,A.L., 9=9053

Martinelli,P. See Levêque,P., 6=1293

Martinez,J.V. and Wagner,E.L. Vibrational spectra and structure of phosphonium and deutero-phosphonium iodides, 8=386

Martini,A. and Masani,A. On stellar radiation, 6=27. On interstellar polarization, 6=4776. On the adiabatic gradient of a mixture of helium and radiation, 6=5661

Martinot-Lagarde,A. See Gontier,G., 6=8706

Matins,M.Lusa. See Lusa Martins,M.

Martins,U.M. The initial oxidation of nickel, 5=9227

Martius,U.M. and Gow,K.V. Ferromagnetic domain patterns on single crystals and bicrystals of nickel, 5=5515

Martner,J.G. Vibrational modes on barium titanate ceramic disks, 7=7674. See also Arnold,J.S., 9=1174, 9=4396

Marton,C. See Marton,L., 7=5371

Marton,L. Experiments on low-energy electron scattering and energy losses, 7=2305. On the limits of resolving power of particle spectrometers, 9=1644. See also Hörl,E.M., 9=3405; Leder,L.B., 6=2930, 6=4715; Simpson,J.A., 7-1373

Marton,L., Leder,L.B., Coleman,J.W. and Schubert,D.C. Electron beam magnetometer, 9=13415

Marton,L., Marton,C. and Hall,W.G. Electron physics tables, 7=5371

Marton,L., Schubert,D.C. and Mielczarek,S.R. Electron optical image of an atomic beam, 7=452

Marton,L. and Simpson,J.A. Electron absorption spectrometer using an improved velocity analyzer, 9=341

Marton,L., Simpson,J.A. and McCraw,T.F. Distribution of electrons scattered by gold, 5=8016. An automatic instrument for electron scattering measurements, 5=9702

Marton,L., Simpson,J.A. and Suddeth,J.A. An electron interferometer, 5=1889

Marton,L., Simpson,J.A., Suddeth,J.A., Wagner,M.D. and Watanabe,H. Effects of degree of orientation and crystal size on the scattering of 20 keV electrons by aluminum, 9=522

Martti,M. See Kenttämaa,J., 9=12194

Marty,B. See Fert,C., 5=7105, 6=2169

Marty,C. On the Jensen-Mayer correction to the magnetic moment of nuclei, 5=3001. Present state of nuclear models of the individual particle type, 5=6387. On a new method of obtaining the rotational nuclear levels, 6=1466. The conditions of existence of nuclear rotational spectra, 6=3086. Rotational levels of a nucleus without a symmetry axis, 7=9326. See also Benoist,P., 7=7369, 8=1259

Marty,C., Nataf,R. and Prentki,J. On the spin of certain odd-odd nuclei. IV. Generalizations, 5=4866

Marty,N. β-γ-coincidence detection using a β-spectrometer and a scintillation spectrometer. Application to the study of the disintegration scheme of ^{153}Sm, 5=4030. On the disintegration of Hg^{203}, 5=4894. On the 113 keV level in Lu^{175}, 5=4913. Disintegration of $_{62}$Sm^{153}, 5=9041. On the disintegration of $_{64}$Gd^{159}, 6=603. The excited levels of deformed nuclei, 7=1503. See also Langevin-Joliot,H., 7=9353, 7=9367; Vergnes,M., 7=6493

Marty,N. and Langevin,H. Mixture of $\underline{M}_1$ and $\underline{E}_2$ transitions, 5=9874

Marty,N. and Vergnes,M. On the existed states of $_{63}$Eu^{153}, 6=5369. On the disintegration of W^{185}, 7=6495. Level scheme of Re^{185}, 7=8776

Marty,P. See Brun,E., 5=10104

Martyn,D.F. Comments on a paper by E.G.Bowen entitled "The influence of meteroric dust on rainfall." 2, 5=655. Interpretation of observed F2 'Winds' as ionization drifts associated with the magnetic variations, 5=5773. A survey of present knowledge of the F2 region, 5=5776. Theory of height and ionization density changes at the maximum of a Chapman-like region, taking account of ion production, decay, diffusion, and tidal drift, 5=5780. Geomagnetic anomalies of the F2 region and their interpretation, 5=5781. Processes controlling ionization distribution in the F2 region of the ionosphere, 6=7866. The normal F region of the ionosphere, 9=7674. Sporodic E-region ionization, "Spread-F", and the twinkling of radio stars, 9=11650

Martȳnov,A.S. Scattering of mesons by nucleons in the theory of radiation damping, 5=5873

Martȳnov,G.A. On the solution of Stefan's reversibility problem for a half-space with a linear law of motion of phase boundaries, 7=3194. Distribution of heat in a two-phase system for a specified equation of motion of the phase boundary, 7=4288

Martȳnyuk,Yu.A. See Konobeebskiĭ,S.T., 7=1749

Martz,D.E., LaMarca,L.G. and Witte,R.S. Field induced doping of PbS layers, 7=2230

Marucchi,J. and Nifontoff,N. Study of the oriented overgrowth of germanium on a monocrystal of fluorite, 9=13887

Marumori,T. On the relation between Hill-Wheeler's and Bohr-Mottelson's descriptions of the nuclear collective model, 6=8321. See also Hara,O., 5=1505, 5=3429; Hayakawa,S., 8=6204

Marumori,T., Suekane,S. and Yamamoto,A. Surface rigidity and shell structure of nuclei, 7=6427. Nuclear quadrupole moment and the rigidity of the nuclear core, 7=6428. Nuclear deformability and shell structure, 7=6430

Marumori,T. and Yamada,E. On the foundations of the unified nuclear model. II, 7=605

Marumori,T., Yukawa,J. and Tanaka,R. On the foundation of the unified nuclear model. I, 6=3082

Maruse,S. and Sakaki,Y. On the elctron-optical properties of pointed cathodes, 9=3568

Marusich,E.A. See Thomas,C.C., Jr, 7=9726

Marutake,M. A calculation of physical constants of ceramic barium titanate, 6=8169

Marutake,M. and Ikeda,T. Elastic properties of lead zirconate, 5=7432. Elastic constants of porous materials, especially of BaTiO$_3$ ceramics, 6=8992. Anisotropy in polarized barium titanate ceramics, 8=7887

Marutyan,N.A. See Babayan,Kh.P., 8=8280, 9=2579

Maruyama,S. See also Kiho,H., 9=5244

Maruyama,S. and Kiho,H.. Intersection of {301}, {101} twin bands in tin, 6=5514

Marvin,R.S. See McKinney,J.E., 6=4695

Marx,G. Conservation of fermion charge, 5=2428. On the variational principle of dielectrics, 7=1459. On the question of the scattering of photons by neutrinos, 7=1656. Relativistic effects in heavy nuclei, 7=6422. Internal work in relativistic dynamics, 7=6831. The principle of the minimum number of states at weak interactions, 8=1152. On the second order wave equation of the fermions, 9=2074; II, 9=7796. The fundamental theroem of continuous transformations in the quantum theory, 9=6508. See also Faragó,P.S., 5=8495; Szamosi,G., 5=3417, 5=5884

Marx,G. and Györgyi,G. On the energy-momentum tensor of the electromagnetic field in dielectrics, 6=1395. Symmetry operations of the Hilbert space and selection rules concerning the interactions of baryons and mesons, 8=689

Marx,G. and Nagy,K. The energy-impulse tensor of radiation in dielectrics, 5=7208. The problem of pulse transmission by discontinuous electromagnetic waves in dielectric media, 7=2450

Marx,G. and Nagy,K.L. A proposed strong interaction of muons, 9=8468

Marx,G. and Szamosi,G. Relativistic motion in a scalar field, 5=4341. The surface energy of an excited atomic nucleus, 6=4576

Marx,H. Linearization of ray-tracing formulae for bent rays. I, 5=2548. Linearizing shew ray-tracing formulae (II), 9=9372

Marx,J.W. See Cooper,H.G., 5=2724

Marx,P.C. See Worthington,A.E., 5=8712

Marx,T.I. and Hunter,C.A., Jr. Measurement of uterine forces in obstetrical labor, 9=1986

Maryott,A.A. See also Birnbaum,G., 5=188, 9=7473; Buckley,F., 5=3708, 9=1410; Malmberg,C.G., 6=6594

Maryott,A.A. and Birnbaum,G. Microwave absorption in compressed oxygen, 6=1081. Microwave absorption in compresses gases; saturated hydrocarbons, 6=4384

Maryott,A.A. and Kryder,S.J. Dipole moment of perchloryl fluoride, 8=2628. Nonresonant microwave absorption and electric dipole moment of NO in the gaseous state, 9=12054

Marziani,M. On the theorem of reciprocity in the stationary superconducting state, 5=4678. A uniqueness theorem of the superconductive state, 9=5738

Marzolf,J.G. Computing the Hamiltonian for conservative systems, 8=527

Marzullo,S. See Coughanour,L.W., 5=5393, 5=6543; Fang,P.H., 8=7505; Jaffe,B., 6=6607

Masani,A. The source of stellar energy, 9=9160. See also Martini,A., 6=27, 6=4776, 6=5661

Mascarenhas,S. Molecular collision theory of the Costa Ribeiro effect, 5=6115. Observation of the Costa Ribeiro effect in the process of sublimation of para-phenylenediamine, 5=6116. Thermodynamical theory of thermal conduction of dielectrics under electric fields, 7=7809. The action of homogeneous electrical fields upon the heat transmission of liquid dielectrics, 8=3915. The experimental analysis of electrothermalconductivity, 8=3916

Mascarenhas,S., Gambirasio,F. and Mascarenhas,Y. Co$_2$ electrostatic generator, 9=1401

Mascarenhas,S., Mascarenhas,Y., Ferreira de Souza,M. and Rabello,R.F. Thermal conduction of liquid dielectrics under the influence of electrical fields, 8=3914

Mascarenhas,Y. See Mascarenhas,S., 8=3914, 9=1401

Maschke,E.K. See Brix,P., 9=2818, 9=8619

Mase,S. Electronic structure and diamagnetism of graphite, 9=10253. Electronic structure of bismuth type crystals, 9=10256. See also Ariyama,K., 5=2748, 5=2915

Masek,G.E., Lazarus,A.J. and Panofsky,W.K.H. Production of μ-meson pairs by photons, 6=7726

Masek,G.E. and Panofsky,W.K.H. Evidence for the electromagnetic production of μ mesons, 6=2449

Maserjian,J., Jr. See Gudmundsen,R.A., 8=8776

Mash,D.H. See Ranby,P.W., 5=3601

Mash,D.I. Rotation of the plane of polarization in a longitudinal magnetic field at a wavelength of 3 cm, 6=7561. Rotation of the plane of polarization in a longitudinal magnetic field (Faraday effect) in the millimetre waveband, 7=9286

Mashima,M. Note on the hybrids in the nontetrahedral carbon atom, 5=436. Dipole moment of NF$_3$, 6=3904, 7=2519

Mashkevich,V.S. Electrical, optical, and elastic properties of diamond-type crystals. II. Lattice vibrations with calculation of atomic dipole moments, 8=5462. III. Light absorption and dispersion, 9=12069. Normal coordinates for [a description of] retardation interactions in crystal lattice, 9=10268

Mashkevich,V.S. and Tolpÿgo,K.B. Interaction of vibrations in non-polar crystals with electric fields, 7=4863. Electrical, optical and elastic properties of diamond-type crystals. I, 8=5461

Mashkovich,M.D. See Valeev,Kh.S., 8=7000

Mashovets,T.V. Recombination at the three levels of copper atoms in germanium, taking into account the statistics of their electron occupation, 9=308

Mashovets,T.V. and Ryvkin,S.M. Influence of heat treatment on the life of the subsidiary current carriers in germanium (kinetics of the formation of defects during heat treatment), 6=5874. On the nature of recombination centres occurring in germanium due to "low-temperature" heat treatment, 7=9187

Mashovets,V.P. and Korobov,M.A. Conditions for the [validity of the] electric modelling of a temperature field with internal sources of heat, 9=8022

Masi,J.F. See Cooper,W.J., 9=9566; Hilsenrath,J., 8=8913

Masiâ,A.Perez See Perez Masiâ,A.

Mašin,A. Determination of the mosaic structure of the crystals of annealed martensite by means of the electron microscope, 7=9462

Mašin,A. and Havel,V. A study of the kinetics of ageing after cold deformation by measurement of the electrical resistance at -193°C. I. Experimental part, 6=7766

Mašin,A. and Tlustá,D. The influence of shock deformation on the formation of martensite plates, 9=8896

Masket,A.V. Solid anglecontour integrals, series, and tables, 8=2729

Masket,A.V.H., Macklin,R.L. and Schmitt,H.W. Cylinder radiation and activation, 8=4162

Maskrey,J.T. See Frost,B.R.T., 7=318

Maslach,G.J. and Frisch,J. High-speed rotating cylinder for rarefied gas dynamics research, 5=8550

Maslakovets,Yu.P. See also Koval'chik,T.L., 7=4345

Maslakovets,Yu.P., Poltinnikov,S.A., Dubrovskiĭ,G.B. and Subashiev,V.K. Photoelectric convertors of solar energy made from P-type silicon, 7=4372

Maslen,V.W. The Fermi, or exchange, hole in atoms, 7=2563

Maslenkova,G.L. See Val'kov,V.I., 8=7820

Maslennikov,M.V. Milne's problem with an arbitrary indicatrix, 8=4772. On Wick's problem, 8=7255. The general problem of slowing-down neutrons, 9=11373

Maslennikova,A.A. See Reĭtlinger,S.A., 7=4802

Maslennikova,N.S. See Shalabutov,Yu.K., 7=405

Maslin,E.E. See also Calvert,J.M., 6=2405-7, 7=3656

Maslin,E.E., Calvert,J.M. and Jaffe,A.A. An investigation of the reactions; ^{10}B(d,n) ^{11}C and ^{11}B (d,n) ^{12}C, 7=1606

Maslov,V.A. See Dushin,L.A., 9=11138

Maslov,V.P. Properties of some quantum-mechanical quantities in the (classical) limit, 7=1921. Asymptotics of particular functions of the equation $\Delta u + k^2u = 0$ with boundary conditions on equidistant curves and the diffusion of electromagnetic waves in waveguides, 9=9882. See also Glasko,V.B., 9=11513

Maslov,V.V. See Skanavi,G.I., 5=7011

Mason,B.J. Bursting of air bubbles at the surface of sea water, 5=105. Radar evidence for aggregation and orientation of melting snowflakes, 5=6648. "Growth of ice crystals", 8=460. The growth of ice crystals from the vapour and the melt, 8=6502. The supercoolling and nucleation of water, 8=6907

Mason,B.J. (Conf. rep.) Recent developments in cloud physics, 8=460. See also Elton,G.A.H., 9=5624; Hallett,J., 8=4523; Shaw,D., 5=4173; Wexler,R., 7=3849

Mason,B.J. and Hallett,J. Artificial ice-forming nuclei, 6=5562. Ice forming nuclei, 7=6688

Mason,C.J. See Barkas,W.H., 7=5637, 9=4950

Mason,C.M. See Gibson,F.C., 8=3037; Greifer,B., 7=5274

Mason,D.M. See Altman,D., 6=8746; Krieve,W.F., 6=8748, 6=9009; Lynn,S., 5=5038

Mason,D.R. and Sarace,J.C. Bonding materials for making contacts to p-type silicon, 9=13309

Mason,E.A. Forces between unlike molecules and the properties of gaseous mixtures, 5=2923. Calculation of interaction potentials from scattering cross sections, 6=2272. Scattering of low velocity molecular beams in gases, 7=6377. Higher approximations for the transport properties of binary gas mixtures. I. General formulas, 7=7667. II. Applications, 8=83. Thermal conductivity of multicomponent gas mixtures, 8=5715. See also Amdur,I., 5=4102, 6=2452, 7=758-60, 7=8742, 9=1168. Reisfeld,M.J., 6=2724; Ross,J., 7=3476; Saxena,S.C., 8=2186; Schamp,H.W.,Jr, 9=112; Vanderslice, J.T., 9=6176, 9=6180, 9=12757

Mason,E.A. and Hirschfelder,J.O. Short range intermolecular forces. I-II, 7=3478, 7=5501, 7=6379

Mason,E.A. and Kreevoy,M.M. A simple model for barriers to internal rotation, 6=3881

Mason,E.A., Ross,J. and Schatz,P.N., Energy of interaction between a hydrogen atom and a helium atom, 7=642

Mason,E.A. and Saxena,S.C. Approximate formula for the thermal conductivity of gas mixtures, 9=1368. Thermal conductivity of multicomponent gas mixtures, II, 9=10692

Mason,E.A. and Schamp,H.W.,Jr. Mobility of gaseous ions in weak electric fields, 9=373

Mason,E.A., Schamp,H.W.,Jr and Vanderslice,J.T. Interaction energy and mobility of Li$^+$ ions in helium, 9=5104

Mason,E.A. and Vanderslice,J.T. Scattering cross sections and interaction energies of low-velocity He$^+$ ions in helium, 8=357. Delta-function model for short-range intermolecular forces. I. Rare gases, 8=2634. Interaction energies and scattering cross sections of hydrogen ions in helium, 8=3404. Interaction energy and scattering cross sections of H$^-$ ions in helium, 8=4372. Interactions of H$^-$ ions and H atoms with Ne, A, and H$_2$, 8=6370. Determination of the binding energy of He$_2^+$ from ion scattering data, 9=727. Binding energy of Ne$_2^+$ from ion scattering data, 9=7415. Mobility of hydrogen ions (H$^+$, H$_2^+$, H$_3^+$) in hydrogen, 9=8262. Elastic scattering of slow ions in gases, 9=12386

Mason,J.H. Breakdown of solid dielectrics in divergent fields, 5=4706. Dielectric breakdown in solid insulation, 9=7036

Mason,J.T. See Goon,E.J., 7=6731

Mason,P. High-speed fracture in rubber, 9=832. Propagation of finite elastic waves in rubber, 9=6625. See also Flack, F.C., 8=1253

Mason,P., Flack,F.C. and Parry,G. Spin of ^{103}Ru by deuteron stripping, 9=10018

Mason,P. and Smith,L.M. A versatile absolute rotating cylinder plastometer, 5=7445

Mason,R. See Lonsdale,K., 7=6738

Mason,S.G. See Bartok,W., 9=4340; Biefer,G.J., 9=11068; Manley,R.St.J., 5=6790; Nawab,M.A., 9=1125-6

Mason,W.P. Derivation of magnetostriction and anisotropic energies for hexagonal, tetragonal, and orthorhombic crystals, 5=392. Ultrasonic attenuation due to lattice-electron interaction in normal conducting metals, 5=2518. Aging of the properties of barium titanate and related ferroelectric ceramics, 5=2710. Dislocation relaxation at low temperatures and the determination of the limiting shearing stress of a metal, 5=7438. Relaxations in the attenuation of single crystal lead at low temperatures and their relation to dislocation theory, 5=7786. Comments on Weertman's dislocation relaxation mechanism, 6=4046. Effect of dislocations on ultrasonic wave attenuation in metals, 6=6456. Physical acoustics and the properties of solids, 7=3111. Internal friction and fatigue in metals at large strain amplitudes, 7=4811. See also Bömmel,H.E., 6=797, 6=4091

Mason,W.P. and Bömmel,H.E. Ultrasonic attenuation at low temperatures for metals in the normal and superconducting states, 7=181

Mason,W.P. and Thurston,R.N. Use of piezoresistive materials in the measurement of displacement, force, and torque, 8=2913

Masri,É. See Tarrago,X., 7=5703

Massalski,J.M. The transition curve of the photon component of extensive air showers, 5=2842. See also Babecki,J., 7=7196 9=11178; Miesowicz,M., 5=8063, 7=2605

Massalski,J.M. and Oleś,A. On the ration of photons to electrons in extensive air showers of cosmic radiation found from analysis of the transition curve, 9=5859

Massalski,T.B., Meyer,L. and Weiner,D. Magnetic susceptibility of close-packed hexagonal gold–indium alloys, 9=13421

Massam,T. See Culligan,G., 8=277

Massarotti,A. See Ageno,M., 9=13383; Alberigi,A., 9=11143

Masse,J.L. Investigations of rapidly converging perturbation methods suitable for programming on punched-card electronic machines, 6=4772. On the calculation of energy levels and

wave-functions in the method of the linear combination of atomic of atomic orbitals, 7=5523. See also Vroelant,C., 6=1838
Massel'skii,E.I. See Abrosimov,A.T., 9=12432
Massey,H.S.W. Recent laboratory measurements of recombination coefficients and the problem of ionospheric recombination, , 5=3305. Survey of nuclear forces, 5=5882. Recent laboratory experiments of interest for the physics of the ionosphere, 6=2573. A discussion on "radiative balance": Introductory remarks, 6=7877. Fundamental primary processes in gaseous discharges, 7=1319. Theory of the scattering of slow electrons, 7=2306. Atomic collision processes in astrophysics, 7=4977. See also Bates,D.R., 5=355; Bernal,M.J.M., 5=1307; de Borde,A.H., 5=8512; Hochberg,S., 5=995, 5=9158; Khashaba,S., 8=2600
Massey,H.S.W. and Boyd,R.L.F. Scientific observations of the artificial earth satellites and their analysis, 8=1465. The upper atmosphere, 9=944
Massey,H.S.W. and Moiseiwitsch,B.L. The application of variational methods of atomic scattering problems. IV. The excitation of the 2^1S and 2^3S states of helium by electron impact, 5=2089
Massey,H.S.W. and Moussa,A.H.A. The elastic scattering of positrons by atoms and molecules, 8=1169
Massey,H.S.W. and Ridley,R.O. Application of variational methods to the theory of the scattering of slow electrons by hydrogen molecules, 7=1375
Massey,H.S.W. and Sida,D.W. Collision processes in meteor trails, 5=2369
Massey,J.T. and Hart,R.W. Effect of a high cis-barrier on the microwave spectrum of hydrogen peroxide, 5=6003
Massignon,D. Fine-grained and coarse-grained local quantities, fluctuations, dispersions and correlations in statistical hydrodynamics, 6=1883. Mechanical quantities and local thermodynamic properties in statistical thermodynamics, 6=2050. Thermodynamic and hydrodynamic properties of a fluid in equilibrium in an external field. Theory of condensation, 6=3700. Statistical mechanics of fluids; fluctuations and local properties, 8=2813
Massimilla,L., Betta,V. and Della Rocca,C. Outflow of fluidized systems: solid–gas [flow] through small-diameter holes, 9=9295
Masson,C.R. See Whiteway,S.G., 6=8450
Masson,H. Low potential solar collectors, 7=2864
Massoulier,A. See Lochet,R., 7=5256
Mast,F. Contributions to the theory of Eidophor processes, 8=6881
Mastacan,G. See Luca,E., 9=7982
Mastel,B., See Bierlein,T.K., 9=13835
Masters,E.F.O. See Bowen,J.H., 7=9895, 8=5412
Masters,J.I. Some applications in physics of the P function, 6=865. Problem of intense surface heating of a slab accompanied by change in phase, 6=6559
Masters,J.I. and Stein,S. Effect of an axial cavity on the temperature history of a surface heated slab, 7=4269
Masterton,W.L. Partial molal volumes of hydrocarbons in water solution, 5=787
Mastrangelo,S.V.R. See Aston,J.G., 5=10047
Mastrup,F. and Wiese,W. Experimental determination of oscillator strengths of some N II and O II lines, 9=5503
Masuda,M. See Asada,T., 9=351, 9=8458
Masuda,T. See Uyeda,R., 9=10307
Masuda,Y. Nuclear magnetic resonance in molecular chlorine compounds, 6=6845. Nuclear magnetic resonance experiment on metal cadmium, 8=4281; II, 9=11261. See also Sugawara,T., 5=7250
Masui,T. Refractive index of air in the visible region of spectrum, 9=4420. Interference measurement of the wavelength of some spectral lines in the near infrared by means of a photoelectric cell, 9=6705. See also Terrien,J., 7=2080, 8=568-9
Masumi,T. Relaxation time anisotropy in cadmium sulphide studied with electrical resistivity and magneto-resistance effect, 9=12306. See also Tanaka,S., 8=4023, 9=1450, 9=12393
Masumoto,H., Inoue,S. and Ukaji,I. On a new anomaly in the alloys of nickel and cobalt. I. The effect of heat treatment in magnetic field on their magnetic properties, 5=2014
Masumoto,H., Saitô,H. and Takahashi,M. Magnetization, magnetostriction and relaxation phenomena during isothermal magnetic annealing at high temperatures in Ni–Co alloys, 7=9759
Matabura,I. See Anno,T., 7=7274
Mataga,N., Kaibe,Y. and Koizumi,M. Equilibrium of hydrogen-bond formation in the excited state, 5=6037
Matano,T. See Miura,I., 5=9739, 6=1342
Mataré,H.F. Grain-boundary structure and charge transport in semiconductor crystals, 6=1217. On the electrical porperties of bicrystals, 6=5865. Dislocation planes in semiconductors, 9=6925, 9=8140. See also Reed,B., 9=4584
Mataré,H.F. and Reed,B. Anomaly of carrier lifetime in germanium bicrystals, 9=3469
Mataré,H.F., Reed,B. and Weinreich,O.A. Conductivity of grown germanium-bicrystals, 9=9620
Mataré,H.F. and Wegener,H.A.R. Oriented growth and definition of medium angle semiconductor bicrystals, 7=8927
Mate,C.F. See Berman,R., 8=3039, 9=3381
Mateicuic,V. See Vasiliu,G., 8=461
Matejec,R. Light absorption measurements on silver halide crystals at higher temperatures, 7=6013. Electrical conductivity in silver halide single crystals, 7=7106. Electrical conductivity of single crystals of the silver halides, 8=1046. The kinetics of the formation and recombination of Frenkel defects in silver halide crystals, 9=5156
Matějka,M. Determination of lattice constants of crystals with two parameters by the method of ratios, 9=10368
Mateosian,E. der. See der Mateosian,E.
Matevosyan,K.A. See Babayan,Kh.P., 8=8280, 9=2579
Matevosyan,R.O. See Chirkov,A.K., 8=8133
Mathai,A.O. See Sreekanthath,G.M., 7=6959
Mathai,P.M., Shepherd,G.G. and Welsh,H.L. The Raman spectrum of cyclopropane, 7=3154
Mather,D.S. See Ashmore,A., 8=274, 8=346, 8=3382
Mather,J.W. See Burkhardt,L.C., 7=7938; Hagerman,D.C., 8=777
Mather,K.B. Measurements of the cosmic ray neutron rate in the Himalayas and Australian Alps, 5=1959. Scattering of 4.9 MeV protons,by ^{27}Al, 5=5624. Neutron fluxes underground, 7=762. See also Muirhead,E.G., 5=343
Mather,R.L. Gamma-ray collimator penetration and scattering effects, 8=8962. See also Jeppson,M.R., 5=5679; Tomnovec,F.M., 8=9041
Mathes,R.C. Monaural direction finding, 5=9323
Matheson,M.S. See also Grossweiner,L.I., 6=1698; Smaller,B., 8=6486
Matheson,M.S. and Smaller,B. Paramagnetic species in gamma-irradiated ice, 5=4798
Matheson,R.M. See also Morton,G.A., 9=4691
Matheson,R.M., Nergaard,L.S., and Plumlee,R.H. Activation of an oxide cathode by deposition of alkaline earth metal ions via a mass spectrometer, 8=643
Mathews,J., Compton scattering and bremsstrahlung of spin-3/2 particles, 6=4188. Application of linear network analysis to Feynman diagrams, 9=5374
Mathews,J.F. See Ubbelohde,A.R., 9=6946
Mathews,P.M. Atmospheric effects on cosmic ray intensity at sea level, 9=4766. See also Mahanthappa,K.T., 9=13014; Ramakrishnan,A., 5=8524
Mathewson,D.S. See Christiansen,W.N., 8=850, 8=1435; Large, M.I., 9=10515, 9=11731
Mathias,L.E.S. The space charge distribution in the pre-oscillation magnetron, 5=8868
Mathieson,A.McL. The determination of absolute configurations by the use of an internal reference asymmetric centre, 7=875. A simple adapter for rotation cameras to improve the accuracy of measurement of identity periods, 9=7615. See also Davies,D.A., 9=8193
Mathieson,L. and Rees,A.L.G. Electronic state and potential energy diagram of the iodine molecule, 7=585
Mathieu,J. See Abeles,F., 8=5805
Mathieu,J.-P. Infrared dichroism and crystal structure, 5=5330. Fundamental frequencies of the NH_4^+-ion in crystallized ammonium fluoride, 5=8618. See also Josien,M.-L., 5=7242; Penot,D., 7=4223; Poinsot,G., 6=191; Poulet,H., 7=2068; Scrocco,M., 9=5128
Mathieu,J.P., Couture,L. and Poulet,H. Vibration spectrum of piezoelectric crystals. V. sulphate of lithium and of potassium, 6=1110
Mathieu,J.P., Poulet,H. and Machiroux,R. Vibration spectra of fluosalts of zinc hydrates, 6=4333
Mathieu,M. See Goldzahl,L., 9=12575
Mathieu,S. See Chevallier,R., 5=9276
Mathieu-Sicard,A. See under Oberlin,A.,

Mathis,F. On the determination of normal vibration frequencies of polyatomic molecules, 5=7238
Mathis,J.S. The ratio of helium and hydrogen abundances in planetary nebulae, 8=4677. Statistical equilibrium of triplet levels of neutral helium, 8=5416
Mathot,V. Thermodynamic properties of the system argon–methane liquid, 9=4537
Mathot,V., Staveley,L.A.K., Young,J.A. and Parsonage,N.G. Thermodynamic properties of the system methane–carbon monoxide at 90.67°K, 5=9468
Mathur,A.L. See Gatha,K.M., 5=5221
Mathur,H.B. Radiations of 34-day Xe^{127}, 5=3055
Mathur,H.B. and Hyde,E.K. Radiations of Mo^{90}, and the isomeric states of Nb^{90}, 5=4915
Mathur,H.B., Hyde,E.K., Levine,C.A. and Kopstad,P.K. Studies on the isomeric pair, Nb^{89m} and Nb^{89}, 5=2127
Mathur,K.B. See Garner,F.H., 7=9560
Mathur,R.M. and Kanekar,C.R. Diamagnetism of the methylene group and molecular structure, 6=1719
Mathur,S.S. See Parthasarathy,S., 7=1139, 7=8484
Mathur,V.S. Equation of state of elements from the relativistic Thomas–Fermi theory, (Case of extreme degeneracy), 9=1799. See also Auluck,F.C., 9=11753; Gupta,K.K., 9=12295; Majumdar,R.C., 9=8443
Matiasek,C. Research on the spectrum of the conversion electrons of actinium X by means of the photographic method, 7=4684
Matinyan,S.G. On the decay of $K_{\mu 3}$, 7=3706. On the absorption of K-mesons by helium nuclei, 7=4769. Strong interaction of K-particles with π-mesons, 7=9914. On the energy spectrum of μ-mesons from the $K_{\mu 3}$-decay, 8=287. Non-conservation of parity and hyperon decay, 8=497. Interaction of the fermions of K_{μ}-decay, 8=6185. Photoproduction of strange particles, 8=7289. See also Cheishvili,O.D., 9=11403; Khutsishvili,G.R., 8=6266; Mamasakhlisov,V.I., 8=7290
Matinyan,S.G. and Cheishvili,O.D. Polarization effect in the capture of the Σ^--hyperon by the deuteron, 9=12600
Matinyan,S.G. and Khutsishvili,G.R. Isotopic invariance in antihyperon processes, 9=13022
Matitsch,T. Further research into the clearing of β-sensitive emulsions, 7=4949
Matitsch,T., Waniek,R.W. and Warhanek,H. The particle acceleration installation of the Institut für Radiumorschung, 9=3588
Matland,C.G. See McCoubrey,A.O., 6=2910; Malmberg,P.R., 6=3692
Matlow,S.L. LC AO MO study of the phenomenon of thermochromism 5=2973. An LCAO Mo study of the structure of chlorophyll prototypes, 5=5575
Matlow,S.L. and Ralph,E.L. Ohmic aluminum-n-type silicon contact, 9=9638
Maton,W.R.E. See Kenny,A.W., 7=644
Matossi,F. Polarization effects on the brightness waves of electroluminescence, 5=5344. Dependence of light amplification in phosphors on light intensity, 5=9581. Theory of dynamic quenching of photoconductivity and luminescence, 7=5212. Photoconductivity-quenching and lifetime of conduction electrons, 8=7974. Infrared absorption of n-type indium arsenide, 9=5548. Theory of dynamic quenching of photoconductivity and luminescence, 9=10803. See also Nudelman,S., 5=866, 6=2804
Matossi,F. and Nudelman,S. Electroluminescence excited by short field pulses, 5=8644. Electrophotoluminescence effects, 6=6540
Matossi,F. and Stern,F. Temperature dependence of optical absorption in p-type indium arsenide, 9=1301
Matoušková,J. Correction factors for the absolute dosimetry of plane sources of β-emission, by a Geiger–Müller counter, 9=12526
Matozaki,T. See Yamaguchi,J., 5=4664
Mátrai,T. A kinematic interpretation of inertial systems, 7=59
Matras,J. Architectural acoustics, 7=202
Matricon,M. See Bonnet,M., 6=2257
Matschinski,M. On the symmetries of physical properties. Application to mechanics, crystallography and geophysics, 5=8315. The phenomenon of fluctuations in geophysics. Their mathematical description and their practical application, 5=9281, On "linear" plasticity, 9=8930
Matsen,F.A. Electron affinities, methyl affinities, and ionization energies of condensed ring aromatic hydrocarbons, 6=4731. Spinless bond eigenfunctions, 7=6379. See also Brigman, G.H., 8=354, 8=8370; Fain,J., 7=5526; Ferguson,E.E., 9=1287; Gerhauser,J.M., 5=8167; Gonzalez-Vidal,J., 6=9024; Hedges,R.M., 8=4393; Hurst,R.P., 7=7279, 8=3393, 9=7606; Lefkovits,H.C., 5=9802; Miller,J., 8=3421; Ormand,F.T., 9=736, 9=6156; Platas,O., 9=6192, 9=10181; Robertson,W.W., 6=1974, 7=5178
Matsen,F.A., Makrides,A.C. and Hackerman,N. Charge-transfer-no-bond adsorption, 5=1338
Matskevich,T.L. Secondary electron emission of single crystals of NaBr, 7=7162. Investigation of reflection of electrons from dielectrics, 7=9235. See also Dobretsov,L.N., 8=5968
Matsonashvili,B.N. Dielectric properties of the monocrystals of alkali halides, 7=5296. Dielectric constant, dielectric losses and electric conductivity of alkali halide monocrystals, 9=10955
Matsubara,T. A new approach of quantum-statistical mechanics, 6=6397. Quantum-statistical mechanics of electron–phonon system, 6=8299. A general theory of Meissner effect, 7=410. See also Matsuda,H., 8=5845
Matsubara,T. and Matsuda,H. A lattice model for liquid helium, 7=7062; I, 7=7063
Matsubara,T. and Morita,A., Honda,N. Theory of Bose–Einstein condensation of an imperfect Bose–Einstein gas, 7=7061
Matsubara,T. and Yokota,T. Band theory of antiferromagnetism, 5=9391
Matsuda,H. Generalization of Feynman's theory of energy levels of liquid helium, 5=3692. Focusing properties of a large mass spectrograph newly constructed at Osaka university, 6=3790. See also Matsubara,T., 7=7062-3; Ogata,K., 6=1303; Yamamoto,T., 7=6919
Matsuda,H. and Matsubara,T. A latice model of liquid helium. II, 8=5845
Matsuda,K. See Kikuchi,K., 9=10102
Matsukawa,E. See also Agu,B.N.C., 8=1166; 9=1532; Brown,B., 7=458; Chapman,K.R., 6=1288; Eaborn,C., 8=738; Hunter,A.N., 8=2201
Matsukawa,E. and Eaborn,C. Simple measurement of the relative activities of samples of tritiated materials, 7=3586
Matsukawa,E. and Hunter,A.N. The variation of sound velocity with stress in sand, 7=1133
Matsukawa,Y. See Inoki,M., 7=5442
Matsukuma,T. See Kobayashi,S., 6=572
Matsumae,S. The effect of heat-treatment on the longitudinal magnetostriction in weak magnetic fields, 5=4790
Matsumiya,N. See Kojima,S., 5=5319
Matsumoto,M. Formula for differential cross section in nucleon-nucleon scattering, 6=3499
Matsumoto,M. and Watari,W. On nuclear force $^3\underline{S}_1 + {}^3\underline{D}_1$ state, 5=3442
Matsumoto,S. Observation of a beryllium hyperfragment, 9=12636. See also Kaneko,S., 7=4513
Matsumoto,T. and Sugawara,M. On the effects of excited states of nucleons upon static nuclear potential in symmetrical pseudoscalar meson theory. II. Numerical results on deuteron problem, 5=4367
Matsumura,T., Fujisaki,H. and Tanabe,Y. Preparation of zinc sulfide single crystals, 9=6364
Matsunaga,Y. Electron spin resonance absorption of aromatic hydrocarbon–iodine complexes, 9=7449
Matsunobu,H. and Takebe,H. Tables of U coefficients, 6=6338
Matsuo,S. See Narumi,H., 7=9824, 9=7369-70
Matsushima,S. Equivalent widths of Balmer lines observed in stellar spectra, 8=19. See also Green,L.C., 9=6158
Matsushima,T. See also Ono,K., 7=9561
Matsushima,T. and Ono,K. Some interfacial phenomena among liquid sulfur, water, solid and gas, 9=5403
Matsushita,S. Intense sporadic-E near the magnetic equator and at the auroral zone, 5=3303. Ionospheric F2 variations associated with geomagnetic disturbances at the equatorial zone, 5=5782. Some studies on the Es region. Disturbance variations of the Es region and the current-system for the S_D field, 6=2591. Relations among radio absorbing regions, geomagnetic bay-disturbances and slant-Es in auroral latitudes, 9=949. Sequential E_s and lunar effects on the equatorial E_s, 9=1948
Matsuura,E. See Hasiguti,R.R., 8=6985, 9=8113
Matsuura,K., Hamaguchi,Y. and Koda,S. On the formation of small Guinier–Preston (1) aggregates during the plastic deformation of an Al–Cu alloy, 9=10327
Matsuura,K., Izumi,S. and Koda,S. The effect of G-P(1) and

G-P(2) aggregates on the plastic deformation of an age-hardenable Al—Cu 4% alloy, 9=5206

Matsuura,K., Sugiura,Y. and Hatoyama,G.M. Frequency of the ammonia (3, 3) line, 7=6008. Frequency shift in ammonia absorption, 7=7759. Frequency shift in ammonia absorption due to self-broadening, 7=7760. Frequency shift in ammonia absorption due to foreign gases, 8=3868

Matsuzawa,K. Condenser microphones with plastic diaphragms for airborne ultrasonics, I, 9=11965

Matt,S. See Kraus,J.D., 5=3395

Matta,K.M. Relaxation process in bismuth, 9=5458

Mattauch,J. Nuclear binding energies with illustrations from mass spectrography, 5=2987. Nuclear binding energies, 5=8151. See also Bieri,R., 6=1301; Everling,F., 6=3125; Kohman,T.P., 8=4366

Mattauch,J., Waldmann,L., Bieri,R. and Everling,F. The masses of the light nuclides (a review of nuclear physics data), 7=1528

Mattauch,J.H.E. See Kohman,T.P., 8=7429

Matterson,A.H.S. and Woodward,L.A. Relative intensities of totally symmetrical vibrations in the Raman spectrum of gaseous neopentane, 5=8641

Matthäi,G. and Syrbe,G. Whisker growth of alkali halides, 9=5245

Matthei,W.G. and Brand,F.A. On the injection of carriers into a depletion layer, 8=175

Matthews,D.L. How to transform M.K.S. equations into the Gaussian system, 6=33. Interferometric measurement in the shock tube of the dissociation rate of oxygen, 9=8701. See also Howard,L.N., 6=6432

Matthews,H.I. and Wilman,H. Identification of materials by electron diffraction in the electron microscope, 5=8314

Matthews,I.G. Fluorescence spectra of natural irradiated diamonds, 7=4186. The fluorescence of diamonds excited by X-rays, 9=2222. See also Dyer,H.B., 8=2982; Elliott, R.J., 8=2972

Matthews,J.C. A small vacuum induction furnace, 7=3874. See also Hoare,F.E., 5=7916, 8=1030

Matthews,J.H. See Berenbaum,R., 7=3539, 7=7347; MacDonald, A.D., 5=6251, 6=3759; Towle,J.H., 7=3611

Matthews,M.S. See Greenstein,J.L., 8=4674

Matthews,P.T. Propagators of quantized field, 5=7682. A survey of field theory. III. Interactions of quantized fields, 5=8481; IV. Properties of the π-meson, 5=8481. The parity of elementary particles, 8=676. See also Edwards,S.F., 7=3965, 7=5066, 7=8412-13; Feldman,G., 6=7145, 7=752, 8=708

Matthews,P.T. and Salam,A. The Green's function of quantized fields, 5=716. On the spin of the θ°-meson, 5=3140. The coupling constants of strong interactions, 7=7585. An analysis of the strong interaction data, 8=2138, K-meson dispersion relations. I. Theory, 8=4247; II. Applications, 8=4248. Relativistic field theory of unstable particles, 9=1070. Evidence for resonance states in the K^-—N system, 9=11398. The inelastic scattering of elementary particles, 9=11838

Matthais,B.T. Empirical relation between superconductivity and the number of valence electrons per atom, 5=1850. See also Compton,V.B., 9=13924; Geller,S., 8=5009; Hein,R.A., 9=12302;; Holden,A.N., 5=6109, 6=2065, 6=6013; Shulman, R.G., 9=2955; Suhl,H., 9=4623. 9=9608

Matthias,B.T. and Bozorth,R.M. Ferromagnetism of zirconium-zinc compound, 8=2406

Matthias,B.T. and Corenzwit,E. Superconductivity of zirconium alloys, 6=374. Superconducting alkaline earth compounds, 7=9699

Matthais,B.T., Corenzwit,E. and Zachariasen,W.H. Superconductivity and ferromagnetism in isomorphous compounds, 9=3507

Matthais,B.T. and Geller,S. Superconductivity in the Pd—Se system, 9=9657

Matthias,B.T., Miller,C.E. and Remeika,J.P., Ferroelectricity of glycine sulfate, 7=2170

Matthias,B.T. and Remeika,J.P. Ferroelectricity in ammonium sulfate, 6=7377. Ferroelectricity of dicalcium strontium propionate, 8=1673

Matthias,B.T., Suhl,H. and Corenzwit,E. Spin exchange in superconductors, 8=7980. Ferromagnetic superconductors, 9=3512

Matthias,B.T. and Zachariasen,W.H. Superconductivity of rhenium nitride, 9=11045

Matthias,E. See Bodenstedt,E., 9=2694, 9=8551, 9=10023

Matthysse,S.W. See Desloge,E.A., 9=2435

Mattiat,O.E. Power measurements in ultrasonics, 6=7228

Mattig,W. Observations of sunspots near the[solar] limb at Hα, 8=6601. Line absorption in the inhomogeneous magnetic fields of sunspots, 9=3055

Mattig,W. and Schröter,E.H. Test results on a high-intensity blazed diffraction grating, 9=9521

Mattis,D.C. Phonon free path in an isotopic mixture, 7=6701

Mattis,D.C. and Bardeen,J. Theory of the anomalous skin effect in normal and superconducting metals, 9=1482

Mattis,D.C. and Dresselhaus,G. Anomalous skin effect in a magnetic field, 9=1884

Mattis,D.C. and Stevenson,M.J. Theory of negative-mass cyclotron resonance, 9=13790

Mattler,J. Modifications of electroluminescence due to temperature, 5=2627. Action of temperature on the electroluminescence of sulphides, 6=3639. Enhancement of the luminescence of α scintillations by electric fields, 7=4206. The evolution of brightness waves in electroluminescence and the effect of field and temperature, 7=4228. See also Destriau, G., 6=2801

Mattox,R.W. See Powers,R.W., 5=3669-71

Mattraw,H.C. See also Hawkinds,N.J., 6=1067, 6=1982

Mattraw,H.C., Hawkins,N.J., Carpenter,D.R. and Sabol,W.W. Infrared spectrum of iridium hexafluoride, 5=6918

Mattuck,R.D. Recent attempts to determine the thickness and refractive index of unimolecular films, 6=7317. Stepped interference reflector for determining the optical constants of nonabsorbing unimolecular films, I. Theory, 6=7318. Comment on the Rothen photoelectric ellipsometer, 8=2827

Mattuck,R.D., Petti,R.D. and Bateman,J.B. Stepped interference reflector for determining the optical constants of nonabsorbing unimolecular films. II. Experimental, 7=1213

Mattuck,R.D. and Strandberg,M.W.P. Micromodulator — A device for measuring the intensities of microwave absorption lines, 9=1278. Optical method for determining the C axis of ruby boules, 9=5238

Matubara,I. See also Anno,T., 5=6011

Matubara,I. and Anno,T. Analysis of the near ultraviolet absorption spectrum of 1, 2, 4, 5-tetrachlorobenzene vapor, 6=4309

Matukura,Y. Carrier concentration changes in p-Si induced by heat treatment, 7=4347. See also Tubota,H., 5=2754

Matukura,Y. and Suzuki,T. Etch pits in silicon single crystals, 7=9967

Matumara,O. Electron spin resonance of Mn-activated phosphors, 9=13453

Matumoto,H. See Fukuda,K., 9=13399

Matumoto,K. Some consequences of the compound hypothesis for elementary particles, 7=7410

Matumoto,Z.-I. See Fujita,J.-I., 8=1249*

Matumura,O. See also Tubota,H., 6=7749

Matumura,O., Hôrai,K. and Miduno,Z. Electron spin resonance of Eu^{2+} in natural CaF$_2$ [Weardale fluorite], 9=13454

Matumura,O., Inomata,H. and Okazaki,A. The Faraday effect of the colored potasium chloride crystal, 5=2306

Matunobu,Y. Application of the thin-wing-expansion method to the compressible flow past a Kaplan bump, 5=9481. Application of Imai's transonic approximation method to the compressible flow past a Kaplan bump, 6=4890. Application of the thin-wing-expansion method to the compressible flow past an elliptic cylinder, with special reference to its fourth approximation, 7=4029

Matuyama,E. A high-temperature X-ray diffraction powder camera camera, 5=6622

Matveev,A.N. The optimum length of an undulator, 6=5940. The role of spin in the study of the radiating electron, 6=6712. On the influence of the radiation on betatron oscillations of electrons in strong-focusing synchrotrons, 6=7457. Radiation resonance in synchrotrons, 7=464. The motion of electrons in cyclic accelerators as a stochastic process, 7=1356. Role of spin on the radiation from the "radiating electron", 7=2321. On the influence of radiation on the synchrotron oscillations of electrons in strong focusing devices, 7=4433. A non-linear theory of phase oscillations induced by radiation fluctuations in synchrotrons, 7=8655. About damping and antidamping betatron oscillations, taking into account non-adiabatic properties of the radiation, 8=1086. Electron motion in synchrotrons in the presence of radiation, 8=1087. A non-linear theory of phase oscillations of electrons induced by quantum radiation fluctuations in electron synchrotrons, 8=5047. On electron losses due to phase oscillations induced by radiation fluctuations in synchrotrons, 8=5952. On the capture mechanism and limiting current in betatrons, 9=2425.

On the magnitude of the losses of particles through scattering in the residual gas in synchrotrons, 9=5822. Electron capture in a betatron, 9=9720. See also Sokolov,A.A., 6=5154

Matveev,O.A. See Rȳvkin,S.M., 9=1748

Matveeva,E.N., See Medvedev,M.N., 9=10846; Skanavi,G.I., 6=8759

Matveeva,M.P. See Ivanov,L.I., 7=4291

Matveeva,N.A. See Frish,S.É., 9=12325

Matvienko,V.I. See Bak,M.A., , 9=9960; Gorshkov,G.V., 8=2568

Matyáš,M. Mechanism of the surface oxidation of copper, 5=9226. The susceptibility of lead telluride PbTe, 9=4781. The susceptibility of selenides and tellurides of heavy elements, 9=4782. The effective mass of electrons in the intrinsic region of InSb, 9=5139. On a possible explanation of the electron emission from alkali halide and silver halide crystals, 9=8204. See also Tauc,J., 6=344

Matyáš,Z. Mechanism of the luminescence of silver halides and mixtures, 9=12080

Matȳsina,Z.A. See also Danilenko,V.M., 8=4461; Dȳkhne,A.M., 8=4950; Krivoglaz,M.A., 5=7020

Matȳsina,Z.A. and Smȳrnov,A.A. Theory of the electrical resistance of ordered alloys of transition with non-transition metals, 8=6953

Matz,A.W. Thermal turnover in germanium p–n junctions, 8=181

Matz,S. Transient phenomena in a ferrite, 5=383. Transient phenomena in a ferrite, 6=5227

Matzke,H.J. See Lindner,R., 9=5418

Mau Pham Quan. See Pham Mau Quan.

Mau Vinh. See Vinh Mau.

Maude,A.D. Action and viscous flow, 7=9026

Maude,A.D. and Whitmore,R.L. The Wall effect and the viscometry of suspensions, 6=3519

Maue,A.W. See Hönl,H., 6=2630

Mauer,F.A. See Black,I.A., 9=4109; Bolz,L.H., 9=7466; Foner,S.N., 9=13765

Mauge,R. Study of the resolving power of photographic emulsions, 5=4264

Mauger,F.E. A note on the strength of field equations, 6=40 The strength of the field equations, 6=7112

Maunsell,C.D. Measurement of absorption coefficients for photoionizing radiations in low-pressure gases with a space charge detector, 5=7154

Maurer,K., Springer,T. and Maier-Leibnitz,H. Electrostatic electron accelerator with strong focusing, 8=8032

Maurer,R. and Ruder,R. Neutron-induced discomposition of graphite. VIII. Increase in internal energy, 6=6947; IX. The Hall effect, 6=6947

Maurer,R.D. Light scattering by glasses, 7=3175. Nucleation and growth in a photosensitive glass, 9=918. Effect of catalyst size in heterogeneous nucleation, 9=10285

Maurer,R.J. See Miller,A.S., 9=2904

Maurer-Tison,F.. On the characteristic varieties of Einstein's unified field theory, 6=4170. Unified theory and electromagnetism in matter, 6=7110. On isothermal coördinates in unified theory, 7=1875. The fibre space of an affinity and its fundamental role in the Einstein–Schrödinger unified theory, 8=2753

Maurette,C. See Hughes,D.S., 7=2739

Maurice,D.M. A simple circuit for use with condenser strain gauges, 5=771

Maurin,L. Are electric octupole lines observable in X-ray spectra? 5=315

Mauser,H. Application of the Van't Hoff reaction isobars to molecular compounds, 6=6225

Mauser,H. and Kortüm,G. Remarks on the thermodynamics of solutions of gases and solids in liquids, 5=4416. Systematic behaviour of mixed phases, 5=8335. Application of the Van't Hoff reaction isobar to reversible galvanic elements, 6=6227*

Maushart,R. On the mobility of positive ions in extremely pure gases and gas mixtures, 9=372. See also Kiefer,H., 9=3680

Mautx,C.W. See Malin,M.E., 7=4827

Mavridès,S. The choice of the metric and electromagnetic field in Einstein's unified theory, 5=27; Relation to the Born-Infeld theory, 5=8470. Non static spherically symmetric solution of the equations of Einstein's unified theory, 5=2393. On a new definition of current and charge in Einstein's unified theory, 5=4336. The general solution of Einstein's equation $g^{\mu\nu}_{+-}; \rho = 0$, 5=8475, 6=2628. Algebraic study of a metric tensor and a general electromagnetic field in the Einstein-Schrödinger unified theory, 7=6834. Bianchi identities and conservation identities in the Einstein-Schrödinger unified theory, 7=8980

Mavroides,J.G. Pressure coefficient of the dielectric constant of water, 6=2061. See also Lax,B., 6=2098

Mavroides,J.G. and Lax,B. Magnetoresistance of holes in germanium and silicon with warped energy surfaces, 8=5883

Mawardi,O.K. On acoustic boundary layer heating, 5=127. On the spectrum of noise from turbulence, 5=6846. Theory of sound propagation between parallel baffles, 6=3561. On thermoacoustic transduction in a potential flow, 6=3565. Some notes on the measurement of acoutic impedance, 6=4949. Aero-thermoacoustics. (The generation of sound by turbulence and by heat processes), 6=8042. On radiation pressure in acoustics, 7=1148. See also Young,J.E., 7=183

Maxia,V. See also Rollier,M.A., 9=12704

Maxia,V. and Rollier,M.A. Absolute thermal neutron flux measurements with a 4π counter, and [activated] indium foils, 9=9905

Maximon,L.C. See Hemmer,P.C., 9=1107; Olsen,H., 7=5401, 8=6126, 9=9930

Maxson,D.R. See also Hermannsfeldt,W.B., 7=9856

Maxson,D.R., Allen,J.S. and Jentschke,W.K. Electron-neutrino angular correlation in the beta decay of neon^{19}, 5=2140

Maxwell,A. Turbulence in the upper ionosphere, 5=1391. Investigation of F region drift movements by observations of radio star fading, 5=5785

Maxwell,A. and Swarup,G. A new spectral characteristic in solar radio emission, 8=3641

Maxwell,A., Swarup,G. and Thompson,A.R., The radio spectrum of solar activity, 8=1436

Maxwell,E. See Blake,C., 8=7871; Lutes,O.S., 5=4682

Maxwell,H.N. See Green,J.B., 5=2565

Maxwell,L.R. and Pickart,S.J. Magnetic and crystalline behaviour of certain oxide systems with spinel and perovskite structures, 5=2015. A note on crystal formation in the metallic oxides, 7=1728, 7=4853

May,A. Supersonic drag of spheres at low Reynolds numbers in free flight, 8=5712

May,A.D., Stryland,J.C. and Welsh,H.L. Raman spectra of H_2 and CH_4 at high pressures, 9=9442

May,C.E. See Edgell,W.F., 5=864

May,C.J. See Bailey,T.L., 7=7986

May,K.R. Detecting volatile airborne droplets, 9=7692

May,R.M. Superconductivity of a charged ideal 2-dimensional Bose gas, 9=13326. See also Herz,A.J., 6=7723, 7=4956

Mayants,L.S. The influence of symmetry in the theory of oscillations of polyatomic molecules, 5=415. An improved method of calculating partial derivatives of normal vibrational frequencies of polyatomic molecules with respect to various parameters, 9=13742

Mayaud,P.N. and Robley,R. The twilight emission of sodium in the sourthern hemisphere, 5=1397

Mayburg,S. Lattice defects in germanium and silicon, 5=1820 Ring diffusion as the mechanism of self-diffusion in germanium, 5=7413. D. C. photoconductivity technique for the determination of lifetime of minority carriers in silicon filaments, 5=7967. Acceptors quenched into germanium, 7=381

Maybury,R.H., Gordon,S. and Katz,J.J. Infrared spectra of liquid anhydrous hydrogen fluoride, liquid sulfur dioxide, and hydrogen fluoride-sulfur dioxide solutions, 5=7847

Mayer,A. See Foner,S., 9=13462

Mayer,C.H. Planetary radiation at centimeter wave lengths, 9=7735

Mayer,C.H., McCullough,T.P. and Sloanaker,R.M. Evidence for polarized radio radiation from the Crab Nubula, 8=8. Measurements of planetary radiation at centimeter wavelengths, 8=1428. Observations of Venus at 3.15 cm wavelengths, 8=2096. Observarions of Mars and Jupiter at a wave length of 3.15 cm, 8=2097

Mayer,S. See Schmidtmayer,Y., 8=8565

Mayer,E. The equilibrium phase transition in liquid helium, 9=2271. See also Cerf,R., 6=8056

Mayer,F. Magnetic rotatary polarization in copper ferrite at 10 kMc/s, 6=3031

Mayer,G. Action of high-energy radiations on solids. Effect of fast neutrons on graphite and quartz, 7=770*. See also Prigogine,I., 5=5384

Mayer,G. and Gigon,J. Measurement of the elastic constants of solids by means of ultrasonics, 6=1656. Fast neutron

irradiation effects on certain physical constants of crystalline quartz and vitreous silica, 7=6641

Mayer,H. Application of frequency modulation to the determination of the quality, Q, of piezoelectric crystals, 5=4633. New method of measuring the quality factor of piezoelectric crystals, 6=4388. Variation of Q-factor of piezoelectric crystals as a function of pressure, 7=350. See also Kivel,B., 8=1599

Mayer,H. and Behrndt,K. A new quartz microbalance for use in the highest vacuum, 7=5926

Mayer,H., Nossek,R. and Thomas,H. The mean free range of conduction electrons and photoelectrons. Measurement by means of the thin-layer method, 6=6610

Mayer,H. and Thomas,H. The outer photoelectric effect of the alkali metals. II. Spectral distribution of the quantum yield for potassium, 7=7122

Mayer,J. and Gossick,B. Use of Au-Ge broad area barrier as alpha-particle spectrometer, 7=658

Mayer,J.E. Theoretical treatment of liquids, 5=9391. Electron correlation, 6=1498. See also Baldursson,S., 9=12184; Hecht,C.E., 7=6913; Levine,H.B., 7=4014, 7=5929; Mazo,R.M., 8=8607, 9=6545; Nosanow,L.H., 8=3788; Sarolea,L., 6=3532

Mayer,L. On electron mirror microcopy, 6=405. Stereomicrographs of conductivity, 7=5388. Electron mirror microscopy of [magnetic] patterns recorded on magnetic tape, 8=8912. Electron mirror microscopy of magnetic stray fields on grain boundaries, 9=8301

Mayer,M.E. Extended invariance properties of quantum fields. I. Lagrangian formalism, 9=6505

Mayer,M.G. Review of shell structure, 5=9391

Mayer,M.G. and Telegdi,V.L. "Twin" neutrinos: a modified two-component theory, 8=1824

Mayer,U. Preparation and structure of the $CaSo_4$-Mn phosphor. 6=5517

Mayer,W. See Hiedemann,E., 6=4912

Mayer,W.G. See also Barnes,J.M., 9=228

Mayer,W.G. and Hiedemann,E.A. Anomalous sound dispersion in the fatty acids, 6=7212. Optical methods for the ultrasonic determination of the elastic constants of sapphire, 9=876

Mayer-Böricke,C. Concerning the γ-spectrum of RaC' (Po^{214}), 9=11458

Mayer-Kuckuk,T. The decay of RaC'', 7=1549 Decay of Ga^{65}. II. γ - Spectrum and measurements of coincidences, 9=2727

Mayer-Kuckuk,T. and Daniel,H. The decay of Ti^{51}, 5=6422

Mayer-Kuckuk,T. and Nierhaus,R. Polarization correlation measurements of Na^{24}, 9=5017

Mayers,D.F. Relativistic self-consistent field calculation for mercury, 7=8790. See also Brown,G.E., 6=4621, 8=678

Mayers,P.E. The equivalence of electric and magnetic sources, 9=465

Mayes,W.H. Some near- and far-field noise measurements for rocket engines operating at different nozzle pressure ratios, 9=9350

Mayes,W.T. See Kaiser,H.F., 5=8003

Mayfield,E.B. See Allen,W.A., 5=1619, 5=8563, 7=5096, 8=2825

Mayfield,J.W. See Kagarise,R.E., 8=5756

Mayhood,J.E. Infrared intensities and bond moments in sulphur dioxide, 7=9775

Mayne,A.J. The storage of fissile material, 6=7696

Mayne,K.I. See Reasbeck,P., 5=9366, 6=1345

Mayne,S. See Ditchburn,R.W., 7=2884

Mayneord,W.V. See also Anderson,W., 5=658; Turner,R.C., 8=4290

Mayeord,W.V., Evens,H.D. and Newbery,S.P. An instrument for the formation of visual images of ionizing radiations, 5=3036

Mayneord,W.V. and Ireland,H.J.D. Radiography with thulium 170 and xenon 133, 7=1824

Mayo,B.J. A rubber-membrane model for axially-symmetric electric fields, 5=5387

Mayo,D.W., Opitz,H.E.and Peake,J.S. Vibrational spectra of SiH_3 Br and SiH_2 Br_2, 5=8617

Mayo,J.W. See Senftle,F.E., 8=6025

Mayo,S., See Brodersem,P.H., 6=1056; Mallmann,C.A., 8=9028

Mayo,S. and Nassiff,S.J. Gamma rays of Rh^{106}(130 ± 2 min), 9=2752

Mayot,M. See Berthier,G., 9=10171

Mayr,G. Determination of the concentration of an element introduced by absorption in a nuclear emulsion, 8=7642. Quantitative determination of Sr^{90} when mixed with other beta-emitting isotopes, 8=9024. The loading of nuclear emulsions with phosphors by means of absorption, 9=1993. See also Haybittle,J.L., 7=8791

Mayr,O. On the stability limits of switching arcs, 7=4394

Mays,J.M. Second-nearest-neighbor nuclear magnetic resonance shifts in iron group phosphates, 8=1120. See also Shulman, R.G., 6=1232

Mays,J.M. and Brady,G.W. Nuclear magnetic resonance absorption by H_2O and TiO_2, 7=2494

Mays,J.M., More,H.R. and Shulman,R.G. Improved n.m.r. spectrometer, 8=3282

Mayser,B. See Bez,W., 7=6221

Mazari,A.,Fernández y Marcos. See Fernández y Marcos Mazari, A. See also Ajzenberg-Selove,M., 6=6899; Alba Andrade, E., 6=8375*, 8=7372*; Bonner,T.W., 5=4072; Buechner, W.W., 6=3984, 9=8584; Figueiredo de,R.P., 9=4977; Green, J.W., 8=8272; López,G., 9=10115

Mazari,M., Alba,F. and Serment,V. Determination of total cross-sections of neutrons for 13.0-16.2 MeV energies [for Al, Fe, Ni, Cu, Zn, Ag, Sn, Hg, Pb, Bi], 8=7386

Mazari,M., Buechner,W.W. and de Figueiredo,R.P. Inelastic scattering from and (p, α) reactions of the copper isotopes, 8=7365

Mazari,M., Sperduto,A. and Beuchner,W.W. Excited states in CO^{59} and Fe^{56}, 7=8104. Energy levels in chromium-52, 7=9819. Nuclear energy levels in Mn^{55}, 7=9821. Excited states of V^{51} and Cr^{53}, 9=3828

Mazari,M., Castro,I., Alba,F. and Vázquez,R.M., Magnetic spectrograph for the study of nuclear reactions, 9=5981

Maze,R. See Kessler,D., 5=6282, 5=7388, 7=8706; Kessler, S., 6=3812

Mazo,R.M. Absorption and dispersion of sound in chemically reacting fluids, 8=8650. On the statistical mechanical theory of solutions, 9=1151

Mazo,R.M. and Kirkwood,J.G. Atomic distribution in liquid helium-3, 6=2044. Statistical thermodynamics of quantum fluids. 8=2176

Mazo,R.M. and Mayer,J.E. Hydrodynamics of a reacting and relaxing fluid, 8=8607. Energy fluctuations in an open system, 9=6545

Mazo,R.M. and Zemach,A.C. Diffraction of neutrons by imperfect gases, 8=2476

Mazenko,J.J. See Schwertz,F.A., 5=1429, 5=6950

Mazerolles,P. and Voigt,D. Magnetic study of tetra-alkylgermanes, 5=8374

Mazing,M.A. and Mandel'shtam,S.L. On the broadening and displacement of spectral lines in a gas discharge plasma, 7=9071

Mazumdar,S.C. See Mitra,S.N., 5=6642

Mazumder,M. On the Raman spectra of ethylene chlorhydrin and n-propyl chloride in the vapour state, 6=5794. On the Raman spectra of 1,1-dichlorethane and 1,1,1-trichlorethane in the vapour state, 7=6039. Infra-red absorption spectra of solutions of ethylene dichlordie in certain solvents, 9=10782

Mazur,J. See Wall,F.T., 9=894

Mazur,P. Thermopotentials in thermocells, 5=1318. See also de Groot,S.R., 7=8438; Hooyman,G.J., 5=5910, 5=6097; Jansen,L., 5=4855; Mandel,M., 8=3060; Maradudin,A.A., 8=8416; Oppenheim,I., 7=8577

Mazur,P. and de Groot,S.R. Statistical mechanics of matter in an electromagnetic field. II. On pressure and ponderomotive force in a dielectric, 6=8285

Mazur,P. and Jansen,L. On the theory of molecular polarization in gases. II. Effect of molecular interactions on the Clausius-Mosotti function for systems of spherical nonpolar molecules, 5=4856

Mazur.P. and Mandel,M. On the theory of the refractive index of non-polar gases. I. Quantum mechanical part, 6=4976. II. Statistical part, 6=4977

Mazur,P., Montroll,E.W. and Potts,R.B. Effect of defects on lattice vibrations. II. Localized vibration modes in a linear diatomic chain, 7=855

Mazur,P. and Oppenheim,I. Density expansion of distribution functions. II. Density expansions in the grand canonical ensemble, 7=8578

Mazurin,O.V. and Borisovskiĭ,E.S. Investigation of the neutralizing effect of reduction of electrical conductivity in silicate glasses, 7=9169

Mazurin,O.V., Golikova,É.V. and Shtol'tser,N.V. The influence of calcium oxide on the electrical conductivity of glasses containing two alkali oxides, 9=13274

Mazurin,O.V., Pavlova,G.A., Lev,E.Ya., and Leko,E.K. Silicate glasses with electronic conductivity, 8=3991
Mazzi,F. Neutron diffraction in the study of crystal structures, 7=1762. See also Jona,F., 7=3843
Mead,C.A. Quantum theory of the refractive index, 8=3847. Theory of radiative dampling in stationary states, 9=3153
Mead,D.J. See Scheiber,D.J., 7=9675
Meader,A.L.,Jr. See Criddle,D.W., 5=9190
Meador,W.E.,Jr. Calculation of the energies of triatomic hydrogen using a modified Roothaan procedure, 9=1816
Meadows,E.B. See Johnson,C.Y., 5=9303, 8=7626
Meadows,J.W. (p, a) and(p, ab) reactions at 100 MeV, 5=6452. Angular distribution of fragments from fission of U^{238} and Th^{232} by 45-, 80-, and 155-MeV protons, 9=700
Meadows,J.W., Diamond,R.M. and Sharp,R.A. Excitation functions and yield ratios for the isomeric pairs Br^{80,80m},Co^{58,58} and Sc^{44,44m} formed in (p, pn) reactions, 6=3981
Meads,R.E. See also Collie,C.H., 6=7695; Thornton,D.E.J., 9=585
Meads,R.E., England,C.J., Collie,C.H. and Weeks,G.C. The capture cross section of thermal neutrons in water, 6=7734
Meakin,J.D. See Feltham,P., 8=4485-6
Meakins,R.J. Dielectric absorption in phenols with intramolecular hydrogen bonds, 5=4859. Theoretical and experimental relaxation times of solutions, 8=7748. Dielectric relaxation in solutions with large solute molecules, 9=280. See also Cook,J.S., 8=6939, 9=6881; Davies,M., 7=7851; Dyden,J.S. 5=6108, 6=3630
Meal,H.C. Zeeman quadrupole spectra of p=chloroaniline and p-chlorobenzylchloride, 6=5291
Meal,J.H. See also Mann,D.E., 6=4320, 7=8046-7
Meal,J.H. and Polo,S.R. Vibration-rotation interaction in polyatomic molecules, I. The zeta matrices, 6=6047. II. The determination of coriolis coupling coefficients, 6=6048
Meal,J.H. and Wilson,M.K. Infrared spectra of some deuterated silanes, 6=1980
Mealey,J.,Jr. See Michel,W.S., 7=3382
Mech,J.F. See also Andre,C.G., 6=3204; Fields,P.R., 6=3933 Ghiorso,A., 5=9846; Magnusson,L.B., 5=2120
Mech,J.F., Diamond,H., Studier,M.H., Fields,P.R., Hirsch,A., Stevens,C.M., Barnes,R.F., Henderson,D.J. and Huizenga, J.R. Alpha and spontaneous fission half-lives of plutonium-242, 6=6861
Mechel,F. See Meyer,E., 8=8662
Meckbach,W. See Abele,M., 9=8230
Mecke,R. See also Spiesecke,H., 7=2035
Mecke,R. and Rosswog,K. The determination of dielectric constants of liquids by use of a reference substance. I. Survey, II. Construction of a measuring cell, 6=7381
Meckel,B. See Laegreid,N., 9=7540
Meckel,B.B. and Swalin,R.A. Selective delineation of screw dislocations by cathodic sputtering, 9=7506
Meckler,A. Majorana formula, 9=1069. On the algebra of angular momentum, 9=11850
Meclewski,R, and Wojda,Ł. On the influence of the shape of the nickel point on the electron image in the Müller microscope, 6=8989. The role of the emitter shape in cold emission research, 9=11095
Męczyńska,H. See Łożykowski,H., 9=2228
Meda,F. See Bossolasco,M., 5=8419
Medcalf,W.E. and Fahrig,R.H. High-pressure, high-temperature growth of cadmium sulfide crystals, 9=4102
Medcof,M.A. See Northwood,T.D., 9=6667
Medd,W.J. and Covington,A.E. Discussion of 10.7 cm solar radio flux measurements and an estimation of the accuracy of observations, 8=1433
Medicus,G. Simple way to obtain the velocity distribution of the electrons in gas discharge plasmas from probe curves, 7=1344. Simple movable-probe arrangement, 7=6208. Diffusion and elastic collision losses of the "fast electrons" in plasmas, 9=356
Medina,A. Theory of homogeneous nuclear reactor. I. Effect of the neutron spectrum on the stationary conditions of a reactor, 5=3120; II. Effect of the neutron spectrum on the dynamic conditions of a reactor, 5=3121. Probability spaces in quantum mechanics. I, 7=3984. See also Flegenheimer, J., 6=2340
Medina e Isabel,M. See Castañs Camargo,M., 6=7103, 9=4250
Medina Nicoalu,F.M., Multi-level scattering in Fock space. I, 5=2418; II, 2419
Medlin,W.L. Thermoluminescent properties of calcite, 9=3337
Mednikov,E.P. Two designs of experimental acoustic sirens, 8=5734
Medovoĭ,A.I. Ferroelectric properties of a number of solid solutions in the system (Ba, Sr)(Ti, Sn)O$_3$ in weak and strong electric fields, 9=2308. See also Lur'e,M.S., 7=2160
Medrud,R.C. See Atoji,M., 9=10402
Medveczky,L. Investigation of the energy spectrum of neutrons from a Po-Be source with the photographic emulsion method, 7=4703
Medveczky,L. and Bujdosó,E. Dark-field microscopic illumination for energy measurements of fast neutrons with phtotgraphic emulsions, 7=4264
Medved,D.B. Photodesorption in zinc oxide semiconductor, 8=9172
Medved',S.V. See Dzhelepov,V.P., 7=6540; Golovin,B.M., 9=13555
Medvedev,B.A. See Sklyarevskiĭ,V.V., 9=7368
Medvedev,B.V. On the question of unitarity of the S-matrix in the quantum theory of fields with non-local interaction, 5=6755. On construction of the scattering matrix. I. Integral causality condition in Bogolyubov's method, 7=3006; II. Non-local interaction theory, 7=5072. See also Bonch-Bruevich,V.L., 5=39
Medvedev,B.V. and Polivanov,M.K. On a classical model of indefinite metric, 9=9196. Spectral condition as a means of renormalization, 9=12991
Medvedev,M.N., Matveeva,E.N., and Zhil'tsova,L.Ya. Amplitudes of the impulses of plastic scintillators with various activators, 9=10846
Medvedev,S.S. Formation of free radicals in the processes of photopolymerization and radiation polymerization, 6=6228
Medvedev,V.S. See Babenko,V.P., 9=9398; Broude,V.L., 9=8154
Meecham,W.C. Fourier transform method for the treatment of the problem of the reflection of radiation from irregular surfaces, 6=4271. Variational method for the calculation of the distribution of energy reflected from a periodic surface. I., 6=6543. Convergence of the Tamm–Dancoff formalism, 7=1908. Relation between time symmetry and reflection symmetry of tubulent fluids, 9=1135. Some exact solutions of the Navier–Stokes and the hydromagnetic equations, 9=8386. See also Proud,J.M.,Jr, 8=2919
Meecham,W.C. and Ford,G.W. Acoustic radiation from isotropic turbulence, 8=8654
Meecham,W.C. and Peters,C.W. Reflection of plane-polarized, electromagnetic radiation from an echelette diffraction grating, 7=5491
Meechan,C.J. Annealing of cold-worked copper by electron irradiation, 7=3771
Meechan,C.J. and Brinkman,J.A. Electrical resistivity study of lattice defects introduced in copper by 1.25-MeV electron irradiation at 80°K, 7=863
Meechan,C.J. and Sosin,A. Recovery of electrical resistivity of Cu, Au, and Ni following cold work at 4°K, 8=6952. Stored energy release in copper following electron irradiation below 20°K, 9=5173
Meehan,E.J. and Beattie,W.H. Light scattering functions for spherical particles with $m = 1.75$, 9=9527
Meek,J.H. The location and shape of the auroral zone, 5=10128
Meek,J.H. and Hector,F.S. A recording magnetic variometer, 5=8071
Meek,J.M. The mechanism of growth of spark discharges, 7=1331. Secondary ionization in humid air, 9=13390
Meerbach,H. See Krebs,K. 5=4696, 7=3360
Meeron,E. Mayer's treatment of ionic solutions, 7=5110. Theory of potentials of average force and radial distriubtion functions in ionic solutions, 8=2177. Nodal expansions. Distribution functions, potentials of average force, and the Kirkwood superposition approximation, 8=2820. Series expansion of distribution functions in multicomponenet fluid systems, 8=2853. Nodal equation of state and phase transitions in fluids, 8=5697
Meeron,E. and Rodemich,E.R. Nodal expansions. II. The general expansion of n-th order, 8=8600
Meers,J.T. See Palmatier,E.D., 5=3125
Meerssche,M. van. See van Meerssche,M.
Meese,H. See Chapman,S., 7=6081
Meessen,A. Response of inorganic scintillators excited by the energy of incident radiation, 6=2197. Electronic processes in the luminescence of ionic crystals, 9=3313. Temperature coefficient of the photoelectric effect of metals, 9=11099. See also Grenacs,L., 9=10078
Meetham,A.R. See Challoner,A.R., 5=4607
Meetz,K. On the theory of the heterogeneous pile. I. The plane, regularly stacked pile, 9=1794; II. Disturbances in the

plane, stacked pile, 9=1795. The decay in time of the energy spectrum in homogeneous, isotropic turbulence regarded as an initial value problem, 9=2128. The decay in time of the velocity and pressure correlation functions in homogeneous isotropic turbulence regarded as an initial value problem, 9=2129

Meetz,K. and Häfele,W. The design of natural uranium, heavy water research reactors from the physicist's viewpoint, 9=3945

Meffroy,J. On a case of the elimination of the pure secular term introduced into the third order perturbation of the major axes by the coefficient of null argument in the perturbation function, 9=4197

Megaw,E.C.S. Stellar scintillation, 7=4917. Fundamental radio scatter propagation theory, 7=6366, 7=8028

Megaw,H.D. Notation for felspar structures, 6=8490. Some empirical problems concerning atomic bonds, 8=7609. See also Petch,H.E., 5=6632, 6=8102; Radoslovich,E.W., 5=4192

Meggers,W.F. See also Fred,M., 5=7287; Kessler,K.G., 5=3563; Stanley,R.W., 7=5161

Meggers,W.F., Catalán,M.A. and Sales,M. Term analysis of the second spectrum of rhenium (Re II), 9=5500

Megger,W.F., Fred,M. and Tomkins,F.S. Emission spectra of actinium, 7=7727

Meggers,W.F. and Stanley,R.W. Wavethengths from thorium-halide lamps, 9=5509

Meggitt,J.E. Variable mass equations, 5=3419

Megrelishvili,T.G. See Khvostikov,I.A., 9=9082

Mehl,R.F. and Hagel,W.C. The austenite: colon central pearlite reaction, 7=1674

Mehl,W. See also Bockris,J.O'M, 7=4834; Schön,J., 5=7465

Mehl,W. and Bockris,J.O'M. Mechanism of electroytic silver deposition and dissolution, 7=9946

Mehler,A.H., Bloom,B., Ahrendt,M.E. and Stetten,De W.,Jr. Artifact in spectrophotometry caused by fluorescence, 8=1594

Mehta,M.L. On the singularities of a generalized Brueckner t-matrix, 9=11811

Mehta,S.F. See Guile,A.E., 7=7134, 8=1075

Meiboom,S. The study of chemical exchange reactions by nuclear magnetic resonance, 9=895. See also Abeles,B., 6=1376; Grunwald,E., 6=9004, 8=434, 8=1358; Kaplan,J.I., 7=5522; Loewenstein,A., 8=3537; Luz,Z., 9=7573; Szöke,A., 9=5929

Meiboom,S. and Gill,D. Modified spin-echo method for measuring nuclear relaxation times, 9=509

Meiboom,S., Loewenstein,A. and Alexander,S. Study of the protolysis kinetics of ammonium ion in aqueous solutions by proton magnetic resonance technique, 9=2979

Meiboom,S., Luz,Z. and Gill,D. Proton relaxation in water, 8=6384

Meichsner,L. On the spin properties of nuclei, 9=2689

Meĭer,A.A. See Iglitsȳn,M.I., 8=7921

Meier,H. Quantitative examination of emission spectra of spark discharges through a high-pressure mercury arc, 8=4861. On a classification of organic dyestuffs on the basis of their photoelectric characteristics, 9=3505. On the photoelectric properties of phosphors, 9=4603. On the temperature dependence of the dark-current conductivity of organic dyes, 9=5722. On the influence of temperature on the photoelectric conductivity of organic dyes, 9=5723. Negative photoelectric effects in inorganic and organic compounds, 9=11033. See also Göing,W., 5=6186

Meier,H.W. Preliminary remarks on a consequence of the isobar model of multiple meson production, 9=9965. See also Burmeister,J., 9=3737

Meier,M.W. and Lanius,K. The Herschel effect and fading in nuclear emulsions, 9=13999

Meier,O.,Jr, Fletcher,N.R., Wisseman,W.R. and Williamson, R.M. Magnetic analyzer for nuclear reaction products, 9=4726

Meier,R.W., Scherrer,P. and Trumpy,G. Elastic scattering and polarization effect of D–D neutrons on carbon, 5=6469

Meigs,P.S. See Law,J.T., 6=1218, 7=7880

Meijer,G. Infrared fluorescence of copper-activated zinc sulphide phoshors, 9=3323. See also Kramer,P., 6=3950; Ong Ping Hok, 5=3051, 6=3148

Meijer,P.H.E. Extension of the statistical proof of the minimum entropy production theorem, 6=7366. See also Klein,M.J., 5=268

Meijer,P.H.E. and Gerritsen,H.J. Magnitude of the splitting of the lowest level in chromium alum, 6=524

Meijering,J.L. Residual entropy of ice, and related combinatorial problems, 9=1851. See also Korvezee,A.E., 9=10341

Meiklejohn,W.H. Exchange anisotropy in the iron–iron oxide system, 9=402

Meiklejohn,W.H. and Bean,C.P. New magnetic anisotropy, 6=7513, 7=4525

Meĭklyar,P.V. F-centres in silver halide crystals, 5=7514. See also Egorova,M.S., 6=5107; Gladkovskiĭ,V.V., 6=8213; Kazantsev,B.I., 5=7591

Meĭklyar,P.V. and Shimanskiĭ,R.S. Thermal formation of F-centres in silver halide crystals, 5=5087

Meincke,H. The temperature measurement of arcs used for the treatment of materials in pressure chambers, 7=4418

Meinel,A.B. The morphology of the aurora, 5=1411. Systematic auroral motions, 5=9310. An F/2 cassegrain camera, 7=4971. See also Chamberlain,J.W., 5=5803; Roach,F.E., 6=6269-70

Meinel,A.B., Negaard,B.J. and Chamberlain,J.W. A statistical analysis of low-latitude aurorae, 5=1410

Meinel,H. On the influence of tone systems on the standard pitch, 6=6466. Regarding the sound quality of violins and a scientific basis for violin construction, 7=9582

Meinen,H. See Göing,W., 5=6186

Meinesz,F.A.V. Elasticity and plasticity, 9=1114

Meingard,P.N. See Veinberg,V.B., 9=9526

Meinke,W.W. See Anders,O.U., 7=129, 8=4289; Cassatt,W.A., Jr, 5=8194, 6=1525; Gardner,D.G., 7=9843, 9=10050; Nehemias,J.V., 5=500; Wahlgren,M.A., 8=5511, 9=12635

Meinnel,J. See also Freymann,R., 7=4346; Meinnel,Y., 6=3710

Meinnel,J., Eveno,M. and Trigolet,F. Influence of the physical state and of infrared irradiation on the radiofrequency dipolar absoprtion of very pure specimens of hexagonal selenium, 7=5302

Meinnel,Y., Daniel,E. and Colin,Y. Lattice defects and hertzian dipole absorption of cuprous oxide, 6=3711

Meinnel,Y., Meinnel,J. and Balcou,Y. Influence of light on the Hertzian dipole absorption of selenium, 6=3710

Meinschein,W.G. See Burke,W.H.,Jr, 6=1761

Meiron,J. On the design of optical systems containing aspheric surfaces, 6=2770. Design of an f/2 double aspheric curved field lens, 7=4120. Automatic lens design by the least squares method, 9=3261

Meiron,J. and Loebenstein,H.M. Automatic correction of residual aberrations, 8=561

Meisels,G.G. On the participation of excited ions in ion-molecule reactions, 9=10206

Meisels,G.G., Hamill,W.H. and Williams,R.R.,Jr, Ion-molecule reactions in radiation chemistry, 7=2776

Meisenheimer,R.G. and Cook,D.L. Magnetic susceptibility of manganese sesquioxide at temperatures from 4 to 700°K, 9=7172

Meissner,H. Paramagnetic effect in superconductors. I. Theoretical aspects, 5=4681. II. Further theoretical aspects, 6=2895; III. Measurements of hollow cylinders of mercury and tin, 6=5109. Paramagnetic effect in superconductors, V. Resistance transition of tin wires, 8=8784; VII. Shape of the superconducting domains, 8=8786. Measurements on superconducting contacts, 8=8789. Remarks on recent measurements of the paramagentic effect in tin, 6=6020. Demonstration of gravitational attraction with the Cavendish balance, 8=3742. Potential fluctuations in the transition region to superconductivity, 9=5734. Range of order of superconducting electrons, 9=12298. See also Bedard,F., 6=2897, 6=4439; Fitch,A.H., 7=7124

Meissner,H. and Zdanis,R. Paramagnetic effect in superconductors. VI. Resistance transition in indium wires, 8=8785. "Thin-film" experiment with bulk superconductors, 9=7005

Meissner,J. See Dehlinger,U., 6=4704

Meissner,K.W. See also Andrew,K.L., 8=571, 8=949, 9=3274, 9=13157; Barger,R.L., 8=106; VanVeld,D., 6=8650

Meissner,K.W. and Kaufman,V. Interference at great retardations obtained with a calcium atomic beam source, 9=6781. Calcium atomic beam source and interference beyond two meter retardation, 9=12731

Meissner,K.W., VanVeld,R.D., and Wilkinson,P.G. Germanium standard wavelengths in the vacuum ultraviolet, 9=3273

Meissner,W. Effects in superconductors at the transition normal conductivity–superconductivity, 5=2767. Remarks on the first Benedicks effect, 6=385. The passage through the critical temperature-field region for a superconductor in a magnetic field, 7=9700

Meissner,W. and Doll,R. Simulataneous oscillographic recording of resistance and magnetic flux for indium single crystals in the transition region to superconductivity at high current loads, 5=4679. On the formation of hysteresis loops of the resistance curves in the transition region to superconductivity, 9=11048

Meister,A. Approaches to the biosynthesis of proteins, 9=8778

Meister,A.G. See also Dowling,J.M., 7=5192, 9=6185; Gold,R., 8=6374; Murata,H., 5=5558; Palm,A., 5=5556; Polo,S.R., 5=6015; Weissman,H.B., 5=5557, 9=730; Zietlow,J.P., 6=3062

Meister,A.G., Dowling,J.M. and Bielecki,A.J. Substituted methanes. XXVII. Potential constants and calculated thermodynamic properties for CH_2F_2, $CHDF_2$, and CD_2F_2, 7=2484

Meister,F.J. Measurements of traffic noise in West Germany, 7=4100

Meister,G. See Weizel,W., 6=2778, 7=7787

Meister,H. The activation perturbation of indium foils in neutron distributions, 6=1595. On the theory of the disturbance (of a thermal neutron field) due to disc – shaped neutron probes, whose radius is small compared with the scattering path-length of the medium, 6=8417. The disturbance of the neutron density in the neighbourhood of an absorbing probe, 6=8418. A numerical computation of the effect of an infinitely extended disk-shaped neutron probe according to the transport theory, 7=764. On the theory of the absorption of mono-energetic electrons in metal foils, 9=5996. Self-absorption of β-radiation by measurements with a 4π-counter, 9=6087. Activation cross-sections of Mn^{55}, Cu^{63}, Pd^{108} and In^{115} for thermal neutrons, 9=6140

Meister,H.J. The equations of motion in the single field-function theory of the gravitational field, 7=6860. The equations of motion in the general theory of relativity, 7=9513

Meister,H.J. and Papapetrou,S. The equations of motion in the general theory of relativity and the coordinate condition, 5=7667. The Schwarzschild solution in de Donder's coordinates, 6=7948

Meitzler,A.H. Effect of strain rate on the behaviour of iso-elastic wire strain gauges, 7=1092

Meitzler,A.H. and Stadler,H. L. Piezoelectric and dielectric characteristics of single-crystal barium titanate plates, 8=4942. A discussion on the first and second viscosities of fluids; On the thermodynamic theory of the second viscosity, 5=87. Thermodynamical extension of the theory of after effects [viscoelasticity], 5=265. Thermodynamic theory of elastic relaxation, 5=569. On the statistical thermodynamics of irreversible processes, 8=5852. See also Falk,G., 9=4039; Laporte,O., 9=2540; Takizawa,É.I., 9=10631

Mekenitskaya,L.I. See Kusakov,M.M., 6=7185-6

Mekhedov,V.N. See Kurchatov,B.V., 9=2787; Kuznetsov,V.V., 9=2789; Kuznetsova,M.Ya., 8=9049

Mel,H.C. Entropy production and the stationary state of chemical reactions, 5=2694. New method of continuous free boundary electrophoresis, 9=12317

Meladze,R.D. See Kvartskhava,I.F., 7=3195, 9=2267

Melaika,E.A. See also Petruska,J.A., 6=679

Melaika,E.A., Parker,M.J., Petruska,J.A., and Tomlinson,R.H. The relative abundances of neodymium and samarium isotopes in the thermal neutron fission of U^{235} and U^{233}, 5=6477

Melamed,N.T. Sulfur vacancy emission in ZnS phosphors, 8=138. Energy transfer in ZnS : Cu : Cl phosphors, 9=3310. Energy transfer in ZnS : Cu : In phosphors, 9=7977

Melamed,N.T. See also Bowers,R., 6=243

Melamed,V.G. On the solution of Stefan's problem leading to a system of ordinary differential equations, 8=1664

Melamid,A.E. Production of photo[electron]-multipliers and their elementary parameters, 9=9695

Melan,E. Thermal stresses in the cooling of a sphere, 6=6400

Melankholin,N.M. and Regel',V.R. Experiments on the investigation of the fracture of NaCl crystals, 6=8997

Mel'chenko,V.S. Determination of the absolute concentrations of atoms in a multi-component arc vapour, 6=5123. Determination of limiting concentrations for self-absorption of spectrum lines in an arc discharge, 7=5159

Melchor,J.L. See also Ayres,W.P., 6=3821

Melchor,J.L., Ayres,W.P. and Vartanian,P.H. Energy concentration effects in ferrite loaded wave guides, 6=4530

Mele,A. See Botrè,C., 9=8970

Méléka,A.H.A. Etchpits and dislocations in zinc single crystals, 7=2820

Melese,G.B. Thermodynamics of gas-cooled reactors, 8=7402

Meleshko,L. See Karal'nik,S., 6=8802

Melford,D.A. and Hoar,T.P. Determination of the surface tensions of molten lead, tin, and indium by an improved capillary method, 8=1550

Melhuish,W.H. The measurement of absolute quantum efficiencies of fluorescence, 7=273

Mélice,M. See Binns,J.E., 7=8847

Melicherčík,J. See Rabenhorst,H., 8=7886

Meligy,A.S. The wave functions in Coulomb fields, 6=7155. Note on Coulomb wave functions, 8=2806. Expansion of the regular Coulomb wave function in terms of Bessel functions, 8=3725. Simple expansion for the regular Coulomb wave function, 8=4760. Simple method of interpolation for Coulomb wave functions, 8=4761

Melikyan,É.G, Internal Compton effect, 7=5598. Internal Compton effect in pair conversion, 7=8141

Melioranskiĭ,A.S. See Éstulin,I.V., 7=4678, 8=1981; Kalinkin, L.F., 9=2761

Melioransky,A.S. See Estulin,I.V., 8=3352

Melissinos,A.C. Determination of the dipole moment and isotope shift of radioactive Hg^{197} by "double resonance", 9=12618. See also Sagalyn,P.L., 8=8681

Melissinos,A.C. and Davis,S.P. Dipole and quadrupole moments of the isomeric Hg^{197*} nucleus; Isomeric isotope shift, 9=12619

Melkanoff,M.A., Moszhowski,S.A., Nodvik,J. and Saxon,D.S. Energy dependence of the optical model parameters, 6=3210

Melkanoff,M.A., Nodvik,J.S., Saxon,D.S. and Woods,R.D. Diffuse-surface optical model analysis of elastic scattering of 17 and 31.5 MeV protons, 7=6285

Melkanoff,M.A., Price,O.R., Stork,D.H. and Ticho,H.K. Optical model analysis of elastic scattering of 125 MeV K$^+$ mesons in nuclear emulsions, 9=6044

Melkonian,E. See also Lane,A.M., 9=11418; Safford,G.J., 9=6147

Melkonian,E., Rustad,B.M., and Havens,W.W.,Jr. Experimental determination of the nonmagnetic neutron–electron interaction. 9=11369

Melkonian,G.A. and Reps,B. Isotope displacement on adsorption and desorption on silica gel at low temperatures at low pressures, 5=3026

Mellen,R.H. An experimental study of the collapse of a spherical cavity in water, 6=4860

Meller,F. See Milberg,M.E., 9=8751

Mellet,R. See Bouchez,R., 6=7642

Mellichamp,J.W. Simple device to control the atmosphere for arc spectroscopy, 6=5759. See also Wolff,G.A., 9=10854

Mellish,C.E. The separation of Mn^{54}, Co^{56}, Co^{58}, Zn^{65}, and Nb^{95m} in a carrier-free state by the use of anion exchange resin, 7=3566

Mellors,G.W. See Senderoff,S., 8=2052

Melmed,A.J. and Gomer,R. Field emission from metal whiskers, 9=7056

Melmed,A.J. and Hayward,D.O. On the occurrence of fivefold rotational symmetry in metal whiskers, 9=12877

Melmed,A.J. and Müller,E.W. Study of molecular patterns in the field emission microscope, 9=5810

Mel'nichenko,D.M. See Davȳdov,A.S., 8=687

Melnick,D.A. Zinc oxide photoconduction, an oxygen adsorption process, 7=7118

Melnick,M.A. See Los Alamos Radiochemistry Group, 8=768

Mel'nik,I.G. See Mel'nik,V.G., 9=1465

Mel'nik,L.G. See Pines,B.Ya., 9=9013

Mel'nik,V.G., Mel'nik,I.G. and Gutin,S.S. On p–n junction in solid point-contact rectifiers, 9=1465

Mel'nikov,A.I. See also Kapitsa,M.L., 9=7062

Mel'nikov,A.I., Morozov,A.V., Popov,B.N. and Maklakov,A.A., Pressed cathodes of aluminates and tungstates of barium and calcium, 9=12351

Mel'nikov,A.V., Morozov,A.A., Rotshteĭn,A.Ya., Skripov,F.I. and Smirnov,S.V. A free nuclear induction method of measurement of weak magnetic fields, 9=1581

Mel'nikov, M.A. Statistical discharge tine lag in NaCl and KBr, 9=13352

Mel'nikov,O.A. The calibration of the gradient (spectrophotometric) stellar temperature scale by reference to the sun, 9=9166

Meloche,V.W. See Kosower,E.M., 7=7000

Meloni,L. Apparatus for recording the variations of luminous intensity of illuminating devices, 5=7808

Melrose,J. See Fairbanks,G., 6=6487; Sherwin,C.W., 6=7237

Melsert,H., Tiedema,T.J. and Burgers,W.G. X-ray study of the allotropic modifications of calcium metal, 6=9048

Melton,C.E. Charge permutation by ion-molecule collision, 8=8076. See also Begun,G.M., 7=4823; Rosenstock,H.M., 7=4493; Wells,G.F., 8=1731

Melton,C.E., Bretscher,M.M. and Baldock,R. Collision-induced dissociations in the mass spectrum of acetylene, 7=7989

Meton,C.E., Hurst,G.S. and Bortner,T.E. Ionization produced by 5-MeV alpha particles in argon mixtures, 5=1014

Melton,C.E. and Ropp,G.A. Dissociation of formic acid and deuteroformic acids by ion-molecule collision, 9=4756

Melton,C.E., Ropp,G.A. and Rudolph,P.S. Mass spectrometric observation of triatomic ions in chlorine and bromine gases, 9=1561

Melton,C.E. and Rosenstock,H.M. Collision-induced dissociations in the mass spectrum of methane, 7=4605

Melton,C.E. and Rudolph,P.S. Mass spectrum of acetylene produced by 5.1 MeV alpha particles, 9=7125

Melton,C.E. and Wells,G.F. Dissociation of CO^+ and CO^{++} ions by collision with neutral molecules, 8=4087

Meltzer,B. On the solution of an equation of electron optics, 5=8819. Single-component stationary electron flow under space-charge conditions, 7=3347. A new approach to the theory of electrical conductivity of solids, 7=8597. Simplified methods in the statistical mechanics of stationary electron beams, 8=5042. Magnetic forces and relativistic speeds in stationary electron beams, 8=7082. Reply to letter by J.M.Winwood, 9=7077. See also Stuart,G.A., 8=1105

Meltzer,B. and Brown,I.F. Digital field computers, 8=4619

Meltzer,B. and Dinnis,A.R. A note on Pierce electrode design, 8=5053

Meltzer,B. and Holmes,P.L. Beam temperature, discharge lag and target biasing is some television pick-up tubes, 8=3179

Meltzer,B., Lodge,J.A. and Holmes,P.L. A method of estimating photomultiplier pulse durations and shapes, 5=7064

Meltzer,B. and Lucas,A.R. Sufficient and necessary trajectory conditions for dense electron beams, 8=7083

Meltzer,C. See Block,M., 9=12581

Melville,A.W. A high stability mains-operated recording thermistor thermometer, 8=3950

Melville,H.W. See Burnett,G.M., 5=5035; Hicks,J.A., 5=1341

Melvin,E.H. and Macmillan,D. Two-compartment hollow prism, 8=7791

Melvin,M.A. Centroidally bordered bodies and the balancing L, 5=4394. Freundlich red-shift formula, 5=5822. Radiation flux field outside of stars and spherical reactors, 5=9114. A second parallel axis theorem for angular momentum, 6=102. Blackbody radiation and Lambert's law, 6=173. Simplification in finding symmetry-adapted eigenfunctions, 6=4216

Melvin,M.A. and Edwards,S.,Jr. Group theory of vibrations of symmetric molecules, membranes, and plates, 6=3557

Melvin,M.A. and Swamy,N.V.V.J. Algebraic table of vector-additon coefficients for $j_2 = 5/2$, 7=8348

Memelink,O.W. The distribution of impurity in a semi-infinite solidified melt, 6=2718, 6=8030. See also Dirksen,H.J., 5=957

Memmert,G. The resonance absorption in heterogeneous systems, 9=3923

Men',A.N. Effect of the temperature variation of the equilibrium value of the degree of [the lattice] reciprocity on head capacity of spinels, 9=8794

Ménaché,H. See Gosar,P., 9=4594

Menard,H.W. See Hamilton,E.L., 6=1917

Menardi,S. See Farinelli,U., 9=3917; Ferrero,F., 9=1777, 9=6123

Menarry,A. See also Hanson,A.W., 6=3375

Menarry,A. and Lipson,H. A direct application of electronically-presented optical transforms, 9=7629

Mencarelli,E. and Jacquet,P.A. Non-destructive technique for the study of fracture surfaces in the electron microscope, 9=8914

Mencher,A. See Barker,W.A., 5=8163, 6=1478, 6=5269

Mende,H., Rawer,K. and Vassy,E. Radio absorption by the lower ionosphere, measured in a rocket, 9=1632

Mende,S. de. See de Mende,S.

Mendelevich,F.A. See Shigorin,D.N., 7=583

Mendell,R.B. and Korff,S.A. Plateau slopes and pulse characteristics of large, high-pressure BF_3 counters, 9=8404

Mendelsohn,L.I. Micro uniformity of permanent magnets, 8=5125. See also Luborsky,F.E., 8=2401; Paine,T.O., 6=2235

Mendelsohn,L.I., Luborsky,F.E. and Paine,T.O. Permanent-magnet properties of elongated single-domain iron particles, 6=493

Mendelson,K.S. and Bray,R. Field dependence of mobility of P-type germanium, 7=9689

Mendelssohn,K. Electrical and thermal conductivity of metals, 7=9653. Recent experiments on superfluidity, 9=3395

Mendelssohn,K. (Conf. rep). Low temperature physics in the U.S.S.R., 7=9137. See also Brewer,D.F., 6=295, 7=3207; Chandrasekhar,B.S., 6=294

Mendelssohn,K. and Montgomery,H. Scattering of phonons and electrons by imperfections in a metal, 7=4268

Mendelssohn,K. and Renton,C.A. The heat conductivity of superconductors below 1°K, 5=6078

Mendelssohn,K. and Steele,W.A. Quantized growth of turbulence in He II, 9=3393

Mendlowitz,H. High-energy electron-nuclear scattering, 6=4202. Simplified approach to spin in Dirac theory, 8=3705. Note on accelerating components in particle spectrometers, 9=1529. See also Leder,L.B., 6=2930

Mendlowitz,H. and Case,K.M. Double scattering of electrons with magnetic interaction, 5=1901. II. Depolarization, 6=2174

Mendoza,E. Physics below 1°K, 7=7060. See also Cruickshank, D.W.J. (Conf. rep.)., 7=5738; Howling,D.H., 5=4606

Manefee,A., Alford,D. and Scott,C.B. Hydrogen bonding in the thiol group, 6=9019

Meneghetti,D. and Sidhu,S.S. Magnetic structures in copper–manganese alloys, 7=3457

Menes,L.I. See Kogan,I.N., 8=925

Menes,M. See also Bolef,D.I., 9=11264

Menes,M. and Bolef,D.I. Observation of nuclear resonance acoustic absorption in In^{115} in InSb, 8=2660

Menger,K. What are variables and constants? 6=5667

Menhardt,W. K-capture with two bremsstrahlung quanta, 7=6500

Menkes,H.R. See Uberoi,M.S., 8=3036

Menold,R. On the question of exo-electron emission from semi-conductors, 9=11096. See also Nassenstein,H., 7=6253

Menon,M.G.K. See Davies,J.H., 6=3270*; Friedlander,M.W., 5=3134, 5=4095, 5=5623, 5=8228, 6=2434, 6=2447, 7=8671

Menon,S. Gopala, See Gopala Menon,S.

Menon,T.K. Hydrogen line study of stellar associations and clusters, 8=1445

Mensen,H. See Druyvesteyn,M.J., 5=7982

Menter,J.W. The direct study by electron microscopy of crystal lattices and their imperfections, 6=7031. The electron microscopy of crystal lattices, 8=8410, See also Bassett, G.A., 8=2706, 8=6447, 9=13837; Chapman,J.A., 5=1297, 5=2238; Hirsch,P.B., 6=2469; Pashley,D.W., 7=6264

Ments,M. v. See v. Ments,M.

Ments,M. van. See van Ments,M.

Menyuk,N. See also Dwight,K., 9=2481; Goodenough,J.B., 9=5649

Menyuk,N. and Dwight,K. Low-temperature transition of magnetic anisotropy in nickel–iron ferrite, 9=4799

Menyuk,N. and Goodenough,J.B. Magnetic materials for digital-computer components. I. A theory of flux reversal in polycrystalline ferromagnetics, 5=3881

Menzel,D.H. Solar activity and terrestrial disturbances, 5=1459. The E layer of the ionosphere. I. Physical theory, 6=7071. See also Athay,R.G., 6=3445; Bhatnager,P.L., 7=3929; Layzer,D., 6=3849

Menzel,D.H. and Wolbach,J.G. Variations on the E-layer, 6=2572

Menzel,D.H., Wolbach,J.G. and Glazer,H. The E-layer of the ionosphere. II. Statistical analysis, 6=7071

Menzel,E. Test objects for judging phase-contrast apparatus, 6=5807. Thickness measurements of microscopic objects by three-slit and two-slit interference (probe method), 7=5247. Objects to test the sensitivity of phase contrast and interference microscopes, 7=6084. Phase-contrast methods in terms of optical transformation theory, 9=4501. Increased lateral resolution with optical microscopes, 9=5600. The sense of vision as a linear transmission line and the Mach bands, 9=11682. See also Jellinek,G., 6=2533; Kossel,W., 5=8768; Menzel-Kopp,C., 6=2172, 6=4742

Menzel,E. and Menzel-Kopp,C. Thermal oxidation of silver crystals, 9=6367

Menzel,E. and Schmidt,K. The measurement of the thickness of objects of small lateral extension, using 3-beam interference, 5=1735

Menzel,E., Stössel,W. and Menzel-Kopp,C. The discontinuous covering of copper by cuprous oxide, 9=6361

Menzel,E., Stössel,W. and Otter,M. (Metal) single crystals with pure surfaces, 6=1724

Menzel-Kopp,C. Oriented growth of tungsten carbide on copper monocrystal spheres, 9=6366. See also Jellinek,G., 6=2533; Menzel,E., 9=6361, 9=6367

Menzel-Kopp,C. and Menzel,E. Electron diffraction by the surface of a copper single crystal at high temperature, 6=2172 On the effect of temperature of electron diffraction by relfection and transmission, 6=4742

Meos,J. and Olving,S. On the origin of radar echoes associated with auroral activity, 8=4564

Mer,V.K. La. See La Mer,V.K.

Merat,P. On the symmetry between space and time reversal in spinor formalism, 7=8983. On a generalization of Dirac's equation of heavy fermions, 8=43. On a generalization of Direac's equation for heavy fermions interacting with meson fields, 8=44. A real spinor formalism in the theory of the electron, 9=4278. See also Anderson,J.L., 6=43

Mercea,V. See also Mercha,V.

Mercea,V. and Ursu,I. Investigations on the variation of viscosity in magnetic fields, 9=5420

Mercer,A.McD. The growth of the thermal boundary layer in laminar flow between parallel flat plates, 9=10904

Mercer,D.M.A. See Goff,K.W., 6=161

Merceraue,J.E. See also Solt,I.H.,Jr, 8=8870

Mercereau,J.E. and Feynman,R.P. Physical conditions for ferromagnetic resonance, 7=1449

Merceraue,J.E. and Pellam,J.R. Diffraction of thermal waves in liquid helium II, 7=7064

Merceron,T. See Marais,A., 9=12460

Mercha,V., Mercha,Zh. and Ursu,I. Rotating disk viscometer, 9=5422

Mercha,Zh. See Mercha,V., 9=5422

Mercier,C. Theory of molecular pumps at very low pressures, 6=4877. See also Herpin,A., 5=8989, 6=2409

Mercier,C. and Benoist,P. Molecular pumps at very low pressures. Exgension to high rotating speeds, 7=5923

Mercier,J. Considerations regarding the expression for work in thermodynamics, 5=4612. Radiation pressure in fluids, 7=1152

Mercier,J.M. Technology of germanium, 5=3367

Mercier,R. See Borel,J.P., 6=2879; Manus,C., 5=452, 5=2719, 6=3915

Mercier,Y. See Prat,R., 9=7918

Mercouroff,W. Statistics of divalent compensated impurities in semiconductors, 8=3994. Effect of impurity bands in germanium doped with zinc at very low temperatures, 8=4008

Mercure,R. See Aboud,A.A., 5=9562; Miller,S.C.,Jr, 7=5000

Meredith,C.C. and Wright,G.F. An apparatus for the determination of dipole moments, 5=7000

Meredith,L.H. See also Heppner,J.P., 8=6523, 8=6549

Meredith,L.H., Gottlieb,M.B. and Van Allen,J.A. Direct detection of soft radiation above 50 kilometers in the auroral zone, 5=2348

Meredith,L.H., Van Allen,J.A. and Gottlieb,M.B. Cosmic-ray intensity above the atmosphere at high latitudes, 5=8062

Merekov,Yu.P. See Bogachev,N.P., 9=11364; Likhachev,V.M., 7=4957

Mergault,P. Decomposition voltages of some oxide solutions in cryolite heated to 1020° C, 8=8503

Merhaut,J. and Vlček,M. Pistonphone with differential piston, 8=2926

Mériel,P. See Bertaut,F., 7=2414; Ericson,M., 9=4783; Herpin,A., 7=9265

Mérigoux,R. Measurement of the reflecting power of paints, 5=2664. See also Bertrandy,R., 5=2464

Mering,J. See Gatineau,L., 6=5533

Mérinis,J. Preparation of radioactive sources by vaporization at high temperatures, 6=7663. See also Langevin,M., 5=3071

Merk,H.J. Analysis of heat-driven oscillations of gas flows. I. General considerations, 9=4369. II. On the mechanism of the Rijke-tube phenomenon, 9=10697. III. Characteristic equation for flame-driven oscillations of the organ-pipe type. IV. Discussion of the theoretical results concerning flame-driven oscillations, 9=10698. V. Influence of heat transfer in the burner ports on the stability of combustion of premixed gases, 9=10699. The macroscopic equations for simultaneous heat and mass transfer in isotropic, continuous and closed systems, 9=10632. Mass transfer in laminar boundary layers calculated by means of a perturbation method, 9=11897. Mass transfer in the laminar boundary layer along a flat p plate calculated by means of the integral method, 9=11898

Merker,L. See Levin,S.B., 5=8628

Merkulov,L.G. Investigation of the scattering of ultrasonic waves in metals, 6=8058. Absorption and diffuse scattering of ultrasound in metals, 8=3818. Computation of ultrasonic concentrators [horns], 8=3821. The use of ultrasonic waves in investigating the structure of steels, 9=8877

Merl,W. The striking potential of the anode arc, 9=3526

Merle,M. The structure of a jet of air moving at high velocity, 5=6809. Sound waves emitted by an air jet, 5=7763. On the frequency of sound waves emitted by a high speed jet of air, 7=171. New researches on the ultrasonic frequencies produced by air jets, 8=6767. See also Canac,F., 9=11951

Merlin,M. See Baldo—Ceolin,M., 7=8860, 8=8880; Castagnoli, C., 5=6484*; Ceccarelli,C., 5=9967; Ceccarelli,M., 6=3258; Davies,J.H., 6=3270*; Grilli,M., 8=8996, 9=2648, 9=3791; K-collaboration, 9=13575

Merlini,A. and Guinier,A. X-ray micrography and the structure of imperfect crystals. I. The geometry of the mounting, 7=8935

Mermod,R. Study of piezoelectric vibrations of quartz by x-ray diffraction, 6=4044. See also Agnew,L.E., 8=8975; Chamberlain,O., 8=8227

Merriam,C.N.,Jr, and Thomas,H.C. Adsorption studies on clay minerals. VI. Alkali ions on attapulgite, 6=4729

Merrifield,R.E. Exciton multiplicities, 5=3916. Propagation of electronic excitation in insulating crystals, 8=2646. Interaction of excitation waves in a one-dimensional crystal, 9=10241

Merrill,J.J. and DuMond,J.W.M. Precision measurement of the L X-ray spectra of uranium and plutonium, 8=8804

Merrison,A.W. See Castagnoli,C., 8=8983; Collinge,B., 6=2969; Fazzini,T., 9=2615; Kuehner,J.A., 9=6030-1

Merrit,J.S. See Campion,P.J., 8=8286

Merritt,F.R. See Bozorth,R.M., 6=1366; Fletcher,R.C., 6=330; Galt,J.K., 6=1212, 9=11564-5; Yager,W.A., 5=8902

Merritt,J. and Hamlin,D.A. Production of π^+ mesons at 0° by 335-MeV protons on deuterium and complex nuclei, 5=9971

Merritt,J.S. See also Butler,J.P., 7=648, 7=3665; Roy,L.P., 7=4662

Merritt,J.S., Taylor,J.G.V. and Campion,P.J. Self-absorption in sources prepared for 4π beta counting, 9=8527

Merritt,T.P. MKS units in electricity and magnetism, 5=2388

Merritt,W.F. See also Bartholomew,R.M., 5=3043; Hawkings, R.C., 5=7324; Yaffe,L., 5=1217

Merritt,W.F., Campion,P.J. and Hawkings,R.C. Half-life determination of some radionuclides, 7=3588

Merson,R.H. See also King-Hele,D.G., 9=6475

Merson,R.H. and King-Hele,D.G. Use of artificial statllites to explore the earth's gravitational field: results from Sputnik 2 (1957β), 9=2997

Merson,R.H., King-Hele,D.G. and Plimmer,R.N.A. Changes in the inclination of satellite orbits to the equator, 9=5338

Merten,D. See Lagoni,H., 7=8210

Merten,L. Calculation of lattice vibrations in crystals with zinc blende structure. I. Lattice vibrations ignoring Coulomb field, 9=6230. II. Effect of Coulomb field on the lattice vibrations, 9=6231. Calculation of the lattice vibrations in crystals with the zinc blende structure, 9=12774

Merten,U. Diffusion effects in the transpiration method of vapor pressure measurement, 9=9554

Mertens,E.B. See Kvasnitskaya,A.N., 8=5902

Mertens,J.J. Peripheral and foveal dark-adaptation curves as a function of luminance and wave-length, 6=853. Influence of knowledge of target location upon the probability of observation of peripherally observable test flashes, 7=2895

Mertens,R. Contribution to the theory of the multiple scattering of particles, 6=922, 9=56 . On the diffraction of light by progressive and standing supersonic waves, 6=3651. On the "method of parts" for the diffraction of light by superposed and standing supersonic waves, 9=229. The diffraction of light by superposed parallel supersonic waves. General theory, 9=4485

Mertz,J. See Faragó,P.S., 6=7626

Mertz,L. Optical Fourier synthesizer, 6=5595

Meryman,H.T. and Shirer,H.W. High noise cable as a sensing element, 5=4330

Merz,E. See Eberhardt,P., 6=1510, 9=3867; Herr,W., 6=1760, 9=2728-9

Merz,W.J. Effect of hydrostatic pressure on the hysteresis loop of guanidine aluminum sulfate hexahydrate, 6=7384. The photovoltaic effect in striated ZnS single crystals, 9=5731. See also Anderson,J.R., 6=5080; Ellis,S.G., 8=3140; Holden, A.N., 5=6109, 6=2065; Hooton,J.A., 5=5706; Remeika,J.P., 6=5069

Merzbacher,E. Nuclear shell model and pseudoscalar potential, 9=8498. See also Herring,J.R., 9=8259
Meschi,D.J. and Myers,R.J. The microwave spectrum, structure, and dipole moment of disupfur monoxide, 9=12057
Meschi,D.J. and Searcy,A.W. The dissociation pressure of aluminium carbide, 9=10917
Meservey,E. Neutron-capture cross sections by capture-gamma counting, 5=1214
Meshcheryakov,M.G. See also Azhgireĭ,L.S., 8=6300, 8=8245; Kumekin,Yu.P., 9=12554
Meshcheryakov,M.G., Bogachev,N.P., Neganov,B.S. and Piskarev,E.V. Elastic proton–proton scattering at 460 MeV, 7=6281
Meshcheryakov,M.G. and Neganov,B.S. Meson formation in the reaction $P + p \rightarrow d + \pi^+$, in the range 510-660 MeV, 7=692
Meshcheryakov,M.G., Neganov,B.S., Bogachev,N.P. and Sidorov,V.M. The reaction $p + p \rightarrow d + \pi^+$ at 460 MeV, 7=691
Meshcheryakov,M.G., Neganov,B.S., Soroko,L.M. and Vzorov,I.K. Anomalous variation of the proton–proton elastic scattering cross-section in the 460-660 MeV region, 7=6282
Meshcheryakov,M.G., Nurushev,S.B. and Stoletov,G.D. Polarization of 660 MeV protons scattered by nuclei, 7=2644 Polarization in p—p scattering at 635 MeV, 8=3293
Meshcheryakov,M.G., Zrelov,V.P., Neganov,B.S., Vzorov,I.K. and Shabudin,A.F. Energy spectrum of π^+-mesons for the $pp \rightarrow np\pi^+$ reaction at 556 and 657 MeV, 7=703*. Magnetic analysis of the reactions $pp \rightarrow np\pi^+$ (I), $pp \rightarrow pp\pi^0$ (II) and $pp \rightarrow pd\pi^+$ (III) at 660 MeV, 7=1650. Production of charged mesons in beryllium and carbon by 660 MeV protons, 7=1598
Meshcheryakov,V.A. See Velibekov,V.R., 7=1063
Meshkov,S. See also Baranger,E., 8=6206
Meshkov,S. and Ufford,C.W. Application of the Bacher and Goudsmit method to nuclear spectra, 6=3093
Meshkovskiĭ,A.G. See also Lomanov,M.F., 9=2570
Meshkovskiĭ,A.G., Pligin,Yu.S., Shalamov,Ya.Ya. and Shebanov,V.A. Production of positive π^- mesons by 660 MeV protons [scattered] on hydrogen, 7=2710. Production of positive π-mesons by 660 MeV protons on nuclei of various elements, 7=3735. Production of π-mesons on particles of zero isotopic spin, 8=2497
Meshkovskiĭ,A.G., Shalamov,Ya.Ya. and Shebanov,V.A. Production of negative π-mesons by 660 MeV protons on nuclei of various elements, 8=1878. Energy spectra and angular distributions of π^+-mesons produced on carbon by 660 MeV protons, 8=8246. Energy spectra and angular distriubtion π^+-mesons produced in p–p collisions at 660-670 MeV, 9=2637
Meshkovskiĭ,A.G. and Sokolov,L.I. Ionization spectrum of the cosmic ray soft component at sea-level, 6=8268. Investigation of the ionization spectra of cosmic-ray particles at an altitude of 3250 m above sea-level, 7=4520. The proton component of cosmic rays at sea level, 8=4097
Meshkovsky,A.G. See Lomanov,M.F., 9=8474
Mesler,R.B. and Widdoes,L.C. Evaluating reactor hazards from airborne fission products, 5=533
Mesmer,G. Recent developments in stress optics, 5=1743
Mesnard,G. See also Déjardin,D., 7=6309, 8=4015
Mesnard,G. and Dolce,A. On the current–voltage characteristics of rectifying metal–germanium contacts, 7=7111. The variation of the reverse current of rectifying metal–germanium contacts when the concentrations of carriers in the semiconductor interior depart from their thermal equilibrium values, 7=7112. On the minority-carrier current across rectifying metal–germanium contacts, 7=9193. The relative contribution of majority and minority carriers to the current crossing rectifying metal–germanium contacts, 7=9194
Mesnard,G. and Eyraud,L. Electromechanical properties of barium titanate ceramics, 6=5071. The dielectric properties of barium titanate ceramics, 7=2171. On the hysteresis cycles of barium titanate ceramics, 7=2172
Mesnard,G. and Uzan,R. Thermionic emission of sintered mixtures of powdered tungsten and alkaline earth carbonates, 6=5189. Sintered cathodes of alkaline earth oxides containing zirconium, 6=5190
Messel,H. On the solutions of the fluctuation problem in cascade showers, 7=2309. See also Butcher,J.C., 8=6133, 9=3616; Chartres,B.A., 5=1968, 6=450, 7=1379; Gardner,J.W., 5=8067; Srinivasan,S.K., 9=376
Messelt,S. K-shell ionization by protons, 8=6007. See also Hansteen,J.M., 7=7945; Knecht,D.J., 9=8453
Messelt,S. and Storruste,A. Elastic scattering of gamma rays, 6=6883
Messenger,G.C. and Spratt,J.P. The effects of neutron irradiation on germanium and silicon, 8=4981
Messerle,H.K. See Blunden, W.R., 7=6942
Messerschmidt,W. A contribution to diffraction by gratings and by a slit, 5=7874. Cosmic radiation from the sun, 6=7504. The ionization chamber as an instrument for the continuous recording of cosmic radiation, 9=2549
Messiah,A. See Bloch,C., 6=529
Messikommer,B.H. Theory and construction of a high performance Raman spectrograph, 7=225
Messner,D. On the energy dependence of fluoresence of polycrystalline phosphors excited by electron beams and by X-rays, 7=7016. See also Glocker,R., 8=7079, 9=4673
Mestel,L. The influence of stellar radiation on the rate of accretion, 5=5842. Magnetic field of a contracting protostar, 9=2018
Mestel,L. and Spitzer,L. Star formation in magnetic dust clouds, 7=5796
Metcalf,W.K. See Keohane,K.W., 5=7063
Metalfe,K.A. and Wright,R.J. Fine grain development in xerography, 6=4766
Metelkin,I.I. See Indenbom,V.L., 9=10284
Methfessel,S. The outer photoelectric effect of the alkali metals. III. The energy distribution for potassium and caesium, 7=7123
Metnieks,A. Ions produced by X-rays in the air at atmospheric pressure, 7=7144. See also Siksna,R., 7=6163
Metnieks,A.L. See Pollak,L.W., 8=8555
Metropolis,N. See also Stapp,H.P., 7=3372
Metropolis,N., Bivins,R., Storm,M., Turkevich,A., Miller,J.M. and Friedlander,G. Monte Carlo calculations on intranuclear cascades. I. Low-energy studies, 9=654; II. High-energy studies and pion processes, 9=655
Metsik,M.S. Electrification of mica crystals on splitting, 8=3058
Metsik,M.S. and Zhidikhanov,R.A. Experimental investigation of the interplanar distance d_{001} on heating crystals of phlogopite and muscovite, 9=12881
Metskhvarishvili,R.Ya. See Kel'man,V.M., 6=5375, 7=5599, 7=7336, 8=1941, 8=3359
Mette,H. A wire wound potentiometer used as a simple aid in the precision measurement of very high resistances by the Townsend method, 6=6619. See also Goldstein,S., 9=6953; Martienssen,W., 5=626
Mette,H., Gärtner,W.W. and Loscoe,C. Nernst and Ettingshausen effect in germanium between 300 and 750° K, 9=13302
Metz,A. Considerations on the Lorentz transformation and group property, 5=5852. The deflection of waves by the motion of the propagating media, 9=11916
Metz,D.J. Graft copolymers—a new technology? 8=4508
Metz,F.I. See also Lad,R.A., 9=7560
Metz,F.I., Schweiger,R.N., Leider,H.R. and Girifalco,L.A. Stress activated luminescence in X-irradiated alkali halide crystals, 7=5213
Metzdorf,W. A relation between magnetic after-effect and hysteresis losses of ferrites, 9=11218
Metzger,A.E. and Miller,J.M. Study of thallium, lead, and bismuth nuclei produced in the bombardment of gold with 380 MeV protons, 9=6111
Metzger,F.R. Angular distriubtion of the resonance fluorescence radiation from the 411-keV excited state of Hg^{198}, 5=4017. Resonance fluorescence in nulcei, 5=6438. Spin and lifetime of the 439 keV excited state of Hg^{202}, 5=7334. Nuclear resonance fluorescence in Ge^{72} and Ge^{74}, 6=3160. Nuclear resonance fluorescence in Ni^{60}, 7=612. Nuclear resonance fluorescence in some heavy nuclei, 8=5330. Nuclear resonance fluorescence in As^{75}, 8=9019. See also Rasmussen,V.K., 8=9021; Swann,C.P., 6=1604, 8=732, 9=10035
Metzger,F.R., Swann,C.P. and Rasmussen,V.K. Lifetime of the first excited state of B^{11}, 8=5283
Metzger,F.R. and Todd,W.B. Internal conversion of gamma-ray transitions in As^{75}, 9=8557
Metzger,M. Electrolytic saw, 9=4192. See also Levy,M., 6=747
Metzger,P.H. See Warekois,E.P., 9=9033
Metzner,A.B. Non-Newtonian fluid flow. Relationships between recent pressure-drop correlations, 8=1351
Metzner,A.B. and Friend,P.S. Heat transfer to turbulent non-Newtonian fluids, 9=10905
Meulemans,G. A contribution to the study of development and corrosion in nuclear emulsions, 5=9337

Meulenaer,J.de. See De Meulenaer,J.

Meunier,R. See also Burgman,J.O., 9=6017

Meunier,R., Bonpas,M. and Legrand,J.P. The thermionic component of the background count in Geiger counters, 5=3835. Geiger counters with "internal counting" containing tritium—water vapour, 5=3836

Meurs,N. van. See van Meurs,N.

Mevel,J. Study of the detailed structure of the curves for scattering of electromagnetic waves by dielectric spheres, 9=5962

Mevergnies,M. Neve de. See Neve de Mevergnies,M.

Mey,J. Ten Mc pulse-amplitude discriminator, 9=8426. See also Eberhard,P., 7=1571; Goldzahl,L., 6=3167; Hara,E., 7=7387, 9=4885

Mey,J. and Boucherie,A. Calibration apparatus for time selections, 6=5177

Meyer,A. See Martin,D.W., 6=6484

Meyer,A.J.P. Magnetic properties of $MnAu_4$, 6=6006. Magnetic properties of $MnAu_3$, 7=7222. The gyromagnetic ratio of very pure nickel, 8=4134. Magnetocaloric effect of antiferromagnetics, 9=11223. See also Asch,G., 8=4132

Meyer,A.J.P. and Brown,S. New measurements of the gyromagnetic ratios of iron and nickel, 7=8719

Meyer,A.-J.-P. and Taglang,P. On some magnetic properties of the alloy $MnAu_2$, 5=1988. Negative and positive magnetocaloric effects and the magnetic states of the compound $MnAu_2$, 5=2871. Magnetic properties, antiferromagnetism and ferromagnetism of $MnAu_2$, 7=2409. The magnetocaloric effect of MnAs, 8=4131

Meyer,A.J.P. and Wolff,C. The magnetic properties of a series of nickel–copper alloys, 8=4137

Meyer,B. The rise in the cosmic radiation on 23 February 1956, 6=8272

Meyer,D.I. See also Brown,J.L., 8=1213

Meyer,D.I., Perl,M.L. and Glaser,D.A. Scattering of K^+ mesons by protons, 7=8184

Meyer,E. Definition and diffusion in rooms, 5=3527. Some new measurements on sonically induced cavitation, 7=4008. Experiments on cm waves in analogy with acoustic techniques made in Göttingen, 9=132. See also Gross,B., 9=12908; Hofmeister,E., 8=3848

Meyer,E., Brendel,K. and Tamm,K. Pulsation oscillations of cavities in rubber, 9=2151

Meyer,E., Kuttruff,H. and Severin,H. Experimental determination of the radar cross-section of cylindrical metal bodies, 9=9880

Meyer,E., Mechel,F. and Kurtze,G. Experiments on the influence of flow on sound attenuation in absorbing ducts, 8=8662

Meyer,E., Schmitt,H.J. and Severin,H. Dielectric constant and permeability of artificial dielectrics at 3 cm wavelength, 6=6595

Meyer,E. and Sessler,G. Sound propagation in gases at high frequencies [100 to 600 kc/s] and very low pressures, 8=2899

Meyer,E. and Severin,H. Absorption arrangements for the e.m. centimetric waves and their acoustic analogies, 6=5260

Meyer,E.W. See Hawksley,P.G.W., 5=1278

Meyer,F. The production of powerful shock fronts (in blastwaves) in homologous solutions, 6=975. Investigation of the stability of a gravitating plasma in crossed magnetic fields, 9=4840

Meyer,F. and Schmidt,H.U. Torus-like plasma configurations with zero current through their cross-sections in equilibrium with a magnetic field, 9=4839

Meyer,G. On the dependence of the characteristic energy loss on temperature and scattering angle, 8=1167. See also Horstmann,M., 9=8917; Marschall,H., 6=2441

Meyer,G., Oosterom,J.F. and de Roo,J.L. The vapour pressure of tungsten trioxide, 9=8036

Meyer,G., Oosterom,J.F. and van Oeveren,W.J. The vapour pressure of tungsten trioxide in gas mixtures containing water vapour, 9=8037

Meyer,H. The thermal and magnetic properties of neodymium ethylsulphate at low temperatures, 7=5276. Thermal and magnetic properties of praseodymium ethylsulphate below 1° K, 9=8281. See also Cooke,A.H., 6=3682, 7=6134-5, 7=8559

Meyer,H., O'Brien,M.C.M. and Van Vleck,J.H. The magnetic susceptibility of oxygen in a clathrate compound, II, 8=3249

Meyer,H., and Smith,P.L. The heat capacities of seven rare-earth ethylsulphates at low temperatures, 9=8053

Meyer,H.I. and Garder,A.O. Mechanics of two immiscible fluids in porous media, 5=1576

Meyer,H.J.G. On the theory of transitions of F-centre electrons, 5=4182. On the theory of radiative transitions of trapped electrons in polar crystals, 5=5734. Interactions of excitons with lattice vibrations in polar crystals. I. General theory, 6=4086. Infrared absorption by conduction electrons in germanium, 9=4458. Theory of infrared absorption by conduction electrons in germanium, 9=5543. See also Kröger,F.A., 5=2623

Meyer,J.A. See Bassi,P., 6=8258, 7=8680

Meyer,J.W. The solid-state maser — a supercooled amplifier, 8=4170. See also McWhorter,A.L., 8=3266, 8=7204

Meyer,K. The theory of the Nernst effect of ferromagnetic metals, 5=4780. On carrying out a variational procedure in a scaler field theory, 6=4821. The theory of the Hall effect of ferromagnetic alloys, 6=8868. The application of the Tomonaga method to a scalar model theory, 7=1900. On the spin-wave theory of ferromagnetism, 9=1577. On the theory of ferromagnetism. I. The collective electron model, 9=4775; The Heisenberg Model, 9=4776. See also Frank, D., 7=3429

Meyer,K.P. See also Huber,P., 6=612; Maier,A., 9=7316 Würger,E., 7=8794

Meyer,K.P., Schmid,P. and Huber,P. Absolute measurement of radioactive source strengths with the aid of a modification of the coincidence method, 9=13627

Meyer,L. Thickness of the helium film as a function of height, 5=1778. First adsorbed layer of helium, 7=1234. See also Baskin,Y., 6=818; Gomer,R., 5=8688; Inghram,M.G., 5=4600; Long,E., 5=4601, 5=6989; Massalski,T.B., 9=13421

Meyer,L. and Gomer,R. Energy exchange between cold gas molecules and a hot graphite surface, 8=9171

Meyer,L. and Reif,R. Mobilities of He ions in liquid helium, 8=4925

Meyer,L. and Weiner,D. Temperature dependence of the magnetic susceptibility of α-silver-zinc alloys, 8=7165

Meyer,L.H. See Gutowsky,H.S., 5=7252

Meyer,M.A. and Fuller,W.H. Two new electronic analog multipliers, 5=3389

Meyer,M.F. Observation of the Tartini pitch produced by sin11x + sin 15x and sin 11x + 2 sin 15x, 5=669. Tartini versus Helmholtz judged by modern sensory observation, 5=670. Theory for pitches 19, 15, and 11 plus a rumbling resulting from "sin 19x + sin 15x", 5=8430. On memorizing absolute pitch, 6=7227. Neurological theory of beat tones, 7=982. Aural harmonics are fictitious, 7=8963. Do meeting neuronic fluxes add into sums or do they multiply into products? 8=3621, Masking: why restrict it to the threshold level? 9=9122. "Difference tones": a false term endlessly perpetuated, 9=11688

Meyer,M.J.G. See Diemer,G., 8=5794

Meyer,N.I. On the variation of transistor small-signal parameters with emitter current and collector voltage, 8=4999

Meyer,P. On the transition effect of cosmic ray neutrons in the atmosphere, 5=6261. The complex nuclear potential in the study of the scattering of neutrons, 6=669. Contribution to the study of exchange current effects in deuteron photodisintegration, 8=7379. See also Benoist,P., 7=7369, 8=1259; Lindenberger,J.H., 5=1969

Meyer,P., Parker,E.N. and Simpson,J.A. Solar cosmic rays of February, 1956 and their propagation through interplanetary space, 7=2387

Meyer,P. and Simpson,J.A. Changes in amplitude of the cosmic-ray 27-day intensity variation with solar activity, 5=1032. Changes in the low-energy particle cutoff and primary spectrum of cosmic radiation, 5=9736

Meyer,R. Herschel effect in silver chloride crystals, 6=5593. Luminescence studies in commercial photographic emulsions 9=12081

Meyer,R.A. Influence of deuteron bombardment and strain hardening on notch sensttivity of mild steel, 5=574

Meyer,R.A., Bouquet,F.L. and Alger,R.S. Radiation induced conductivity in polyethylene and teflon, 6=8795

Meyer,R.E. On supersonic flow behind a curved shock, 7=5927 See also Mahony,J.J., 6=7204

Meyer,R.E. and Nachtrieb,N.H. Self-diffusion in sodium near the melting point, 5=3164. Self-diffusion of liquid sodium, 6=120

Meyer,V. See also Bumiller,F., 6=414

Meyer,V. and Staub,H.H. Alpha-unstable excited state of Be^8, 9=6081

Meyer,W.E. The spherical aberration of fifth order of spherically corrected electron microscopes, 6=3771. Chromatic aberration and resolving power of electron microscopes, 9=1527. The space-charge aberration and the resolving power

of the electron microscope, 9=2407
Meyer,Y. See Rousset,A., 9=12106
Meyer,Arendt,J.R. Testing of glass surfaces by an incident light schlieren method, 7=4257. Schlieren method for mass determinations of microcopic dimensions, 7=4263
Meyer-Berkhout,U. Determination of the leectrical quadrupole moment of the nuclei Rb^{85} and Rb^{87} by measurement of the high-frequency transition in the excited $6^2\underline{P}_{3/2}$-term of the rubidium atom, 5=6898. See also Bjerregaard,J.H., 7=613; Class,C.M., 8=2531; Ehrenberg,H.F., 9=5052; Krüger,H., 5=4520
Meyer-Eppler,W. Delayed feedback as a means of speech investigation, 6=4279. Realization of prosodic features in whispered speech, 7=4098
Meyer-Schützmeister,L. See also Hanna,S.S., 8=5350
Meyer-Schützmeister,L. and Hanna,S.S. Energy levels in B^{10} in the reaction $Li^6(\alpha,\gamma)B^{10}$, 8=1968
Meyer-Schützmeister,L. and Telegdi,V.L. Inelastic nuclear scattering of protons by Au^{197}, 7=1613
Meyerand,R.G., Jr, and Brown,S.C. High-current ion source, 9=7091
Meyerhof,W.E. See also Brun,E., 6=4616, 7=9842; Horen,D.J., 9=608, 9=6073; Kraushaar,J.J., 6=3141; Roderick,H., 5=2126
Meyerhof,W.E. and Chase,L.F., Jr. Levels of Be^{10} and B^{10}, 9=2754
Meyerhof,W.E. and West,H.I.,Jr. Note on the escape peak correction for NaI(Tl) crystals, 5=1939
Meyerhofer,D. Transition to the ferroelectric state in barium titanate, 9=4554
Meyerhoff,K. On the determination of lattice constants by electron diffraction, 7=9985
Meyerott,R. See Margenau,H., 5=5310
Meyerott,R.E. See also Keller,G., 5=7804; Moszkowski,S.A., 7=5566
Meyerott,R.E. and Margenau,H. Line broadening by electrons: Validity of simple theories, 6=214
Meyers,N.H. A Poynting theorem for moving bodies and the relativistic mechanics of extended objects, 9=3651
Meyerson,S. See also Rylander,P.N., 8=216
Meyerson,S. and Rylander,P.N. Organic ions in the gas phase. IV. $C_7H_7^+$ and $C_5H_5^+$ ions from alkylbenzenes and cycloheptatriene, 8=215
Meyrick,G. See Braun,I., 8=2086, 9=6371
Mez,A. See also Maier,W., 5=5281
Mez,A. and Maier,W. Absorption of ultrasonics and association in solutions of phenol in CCl_4, C_6H_{12} and C_6H_5Cl, 6=2751
Mezger,P. Distortion of radioastronomical observations by aerial characteristics and filters, 9=6445
Mezger,P. and Priester,W. The radio radiation of interstellar gas and the principle of its measurement, 7=1015
Mezger,P.G. Technical and astronomical measurements with the Bonn 25 metre radiotelescope. I-II, 9=11721. Thermal radiation of the ground and the atmosphere at 1420 Mc/s, and its effect on aerial noise, 9=11722
Mezger,P.G. and Strassl,H. Thermal radio waves from the moon at 1420 Mc/s, 9=11723
Mezhetskiĭ,R. See Rezaev,N.I., 8=6855
Mezzanares,F. See Jannelli,S., 7=9871-3, 9=1763
Mezzetti,L. See also Caglioti,G., 9=7223; Cervasi,M., 5=3862; Fidecaro,M.C., 9=385; Lepri,F., 6=435
Mezzetti,L. and Keuffel,J.W. A decay curve of $\underline{K}$-particles, 5=4967. On the mean life time of K-mesons produced by the cosmic radiation, 7=3709
Mhatre,M.V. and Kinterner,R.C. Fall of liquid drops through pseudoplastic liquids, 9=10672
Miąsek,M. Determination of the valence band in metallic sodium by the Parzen variational method, 7=5494. The calculation of the matrix components of energy for hexagonal close-packed structure, 7=7492. Tight-binding method for hexagonal close-packed structure, 7=8035
Miasek,M. and Legatowicz,A. Order of magnitude of the field mass of a nucleon in a non-linear meson field theory, 5=4343
Michael,D.H. The stability of a combined current and vortex sheet in a perfectly conducting fluid, 5=6788
Michael,E.D. See Griggs,D.T., 8=3090
Michael,W.A. A gas film lubrication study. II. Numerical solution of the Reynolds equation for finite slider bearings, 9=10648
Michaelis,E.G. and Powell,B.W. Cloud chamber observations of negative heavy mesons, 6=6920
Michaels,R.M. Frequency difference limens for narrow bands of noise, 7=8340
Michaelson,S. See Kohn,W., 8=8425
Michalik,E.R. See Goldstein,M., 6=4348; Schwertz,F.A., 5=6950
Michalak,S. and Zawadzki,Z. The charge in Geiger-Muller counter pulses as a function of overvoltage, for metallic and glass cathodes, 7=476
Michalowicz,A. Coincidence study of the spectrum of internal Bremsstrahlung accompanying K capture in Cs^{131}, 6=3169. Contribution to the study of the secondary phenomena accompanying the transitions with β-emission and with electron capture, 7=7341. See also Avignon,P., 5=8187; Bouchez, R, 5=7333
Michalowicz,A. and Bouchez,R, Internal bremsstrahlung and atomic ionization accompanying the β emission of Y^{90} and RaE, 5=9897
Michard,R. Electron densities in the outer solar corona on February 25 1952, 5=5189. Spectrophotometry in intense chromospheric emission lines. III. The 5876 He I line, 9=12. Interpretation of the chromospheric Hα line, 9=13. See also Laborde,G., 8=4664; Laffineur,M., 5=2376
Michard,R., Dollfus,A., Pecker,J.-C., Laffineur,M. and d'Azambuja,M. Optical and radioelectric observations of the total solar exlipse of 25th February, 1952. I. Photometric and polarimetric observations of the outer corona, 5=2374; II. Monochromatric photographs of the corona, 5=2375
Michard,R. and Laborde,G. Spectrophotometry of intense emission lines in the solar chromosphere, 6=4786
Michel,A. On condensation processes in glow discharges through organic vapours, 5=1867. The $C^2\Sigma^+ - A^2\Sigma^+$- band system of OH, 9=5511. See Schüler,H., 5=4518, 5=8604, 6=7280; Rabinovitch,J., 9=13270
Michel,J.G.L. Errors of friction wheel integrators, 5=2361
Michel,J. See Achterberg,H., 9=11075
Michel,L. Weak interactions between "old" particles and beta decay, 7=7588. See also Bargmann,V., 9=11807*; Bouchiat,C., 7=2301, 7=6593, 8=5189
Michel,M.C. See Hulet,E.K., 6=6172, 8=347; Nethaway,D.R., 6=6106
Michel,P. Preparation and electron diffraction study of thin films of metallic alloys, 7=4803
Michel,R.E. and Spence,R.D. Effect of impurities on the Cl^{95} quadrupole resonance in C_6H_5Cl, 7=5519
Michel,W.S., Brownell,G.L. and Mealey,J.,Jr. Designing sensitive plastic-well counters for beta rays, 7=3382
Michel,W.S. and Whyte,G.N. International comparisons of the Canadian primary radium standard, 5=9032
Micheletti,S. See Colli,L., 7=8820, 8=5358, 8=8054
Michelini,S. See Alexander,G., 6=687, 9=1686; Ballario,C., 8=1210; Bassi,P., 9=6568
Michelis,B. De. See De Michelis,B.
Michelis,F. De. See De Michelis,F.
Michell,D. Release of stored energy and changes in line shape during annealing of deformed nickel, 7=801
Michell,D. and Haig,F.D. Investigation of the annealing of deformed nickel powder by X-ray and stored energy measurements, 7=4815
Michels,A. An experiment on the interaction of dissimilar molecules, 9=5123. Some remarks on experiments in the dense state, 9=10340. See also Jansen,L., 5=2920-2
Michels,A., Botzen,A., Friedman,A.S. and Sengers,J.V. The thermal conductivity of argon between 0°C and 75°C at pressures up to 2500 atmospheres, 6=3672
Michels,A., Botzen,A. and Schuurman,W. The viscosity of argon at pressures up to 2000 atmospheres, 5=2479. The viscosity of carbon dioxide between 0°C and 75°C and at pressures up to 2000 atmospheres, 7=8455
Michels,A., Cox,J.A.M., Botzen,A. and Friedman,A.S. Contribution to the study of transport phenomena in gases at high densities, 5=8551. The influence of helium on the 2536.52 A line of mercury, 7=8510
Michel,A., de Kluiver,H. and Castle,B. The influence of argon and neon on the 2536.52 A line of mercury, 8=2953
Michels,A., de Kluiver,H. and Middelkoop,D, The effects on the vapour pressure of mercury and the oscillator strength of the 2536.52 A ($^1S_0$- $^3P_1$) resonance line by the presence of argon at high density, 8=7799
Michels,A., Jacobs,S.J. and Slawsky,Z.I. The rapid expansion of compressed gases behind a piston, the effect of molecular interaction. III. The expansion of nitrogen, 5=2480
Michels,A., Levelt,J.M. and de Graaff,W. Compressibility isotherms of argon at temperatures between -25° C and -155°

C, and at densities up to 640 amagat (pressures up to 1050 atmospheres), 9=111
Michels,A., Levelt,J.M. and Wolkers,G.J. Thermodynamic properties of argon at temperatures between 0° C and -140° C and at densities up to 640 amagat (pressures up to 1050 atm), 9=3407
Michels,A., Schamp,H. W. and de Graaff,W. Compressibility isotherms of oxygen at 0°, 25° and 50° C and at pressures up to 135 atmospheres, 5=2481
Michels,A., Tjin a Djie,H., de Kluiver,H. and ten Seldam,C.A. Some investigations on arc discharges in helium and hydrogen at high pressures, 8=3160
Michels,A., Van Eck,J., Machlup,S. amd Ten Seldam, C.A. Pressure-dependence of the resistivity of germanium, 9=6968
Michels,A., Wassenaar,T., Sluyters,T. and de Graaff,W. The triple points of carbon dioxide and of argon as fixed points for the calibration of thermometers, 7=8570
Michels,A., Wassenaar,T. and Wolkers,G.J. Thermodynamical properties of air for temperatures between +75° and -170° C and pressures up to 1200 atmospheres, 5=3703
Michels,A., Wassenaar,T., Wolkers,G.J. and Dawson,J. Thermodynamic properties of xenon as a function of density up to 520 amagat and as a function of pressure up to 2800 atmospheres, at temperatures between 0° C and 150°C, 6=3697
Michels,W.C. Phase shifts and the Doppler effect, 6=2735. Precision for a pittance, 6=3454. One-year introductory course in a liberal arts college, 8=24
Michels,W.C. and Doser,B.T. Rating scale method for comparative loudness measurements, 6=166
Michelson,I. Theory of vortex whistle, 5=9490
Mickelsen,W.R. and Baldwin,L.V. Aerodynamic mixing in a high-intensity standing-wave sound field, 7=4068
Mickelsen,W.R. and Childs,J.H. Theoretical analysis of ultra-high vacuum condensers, 9=2144
Mickelsen,W.R. and Ernstein,N.E. Effect of turbulenced on free growth, 6=285. Growth rates of turbulent free flames, 6=8151
Mickelwait,A.B. and Corben,H.C. Vacuum polarization in mesonic atoms, 5=718
Middelboe,V. See Rasmussen,E., 7=3541
Middelkoop,D. See Michels,A., 8=7799
Middelkoop,W.C. See also de Raad,B., 5=3052
Middelkoop,W.C., Heyligers,A., Rietjens,L.H.T., van den Bold, H.J. and Endt,P.M. Radioactive decay of Co^{57}, 6=3937
Middendorf,W.H.H. See Brown,G.H., 6=7387
Middleboe,V. See Rasmussen,E., 5=7292
Middlemas,N. See Whitehead,C., 8=9057
Middleton,A.E. See also Herczog,A., 8=8765
Middleton,A.E. and Philofsky,H.M.[Eds]. Digest of the literature on dielectrics. Volume XVII-1953, 5=2700
Middleton,P. See Brown,C.S., 5=6600
Middleton,R. See Burrows,H.B., 6=6161; Green,T.S., 6=3218-19; Hinds,S., 6=8373, 8=1222, 8=1964, 9=7303-5
Middleton,S.P. See Gates,J.W., 5=3557
Middleton,W.E.K. The color of the overcast sky, 5=657
Middleton,W.E.K. and Wyszecki,G. Colors produced by reflection at grazing incidence from roungh surfaces, 8=5804
Midtdal,J. See Holøien,E., 5=9021; Hylleraas,E.A., 6=8936, 8=6350
Miduno,Z. See Hukuda,K., 9=7181; Matumura,O., 9=13454
Midzuno,Y. See also Kihara,T., 5=3254, 5=5272, 6=5275
Midzuno,Y. and Kihara,T. Non-additive intermolecular potential in gases. I. van der Waals interactions, 7=3064
Mie,K. Remarks on the application of Lyot filters to the optical representation [of spectral lines], 7=5246
Miedema,A.R. See Beun,J.A., 7=8716; Diddens,A.N., 8=6270-Huiskamp,W.J., 6=6876, 7=8806; Postma,H., 8=321, 8=3345
Mielczarek,E.V. See Frederikse,H.P.R., 6=345
Mielczarek,S.R. See Marton,L., 7=452
Mielenz,K.D. Theory of the Hüfner rhomboid, 5=9534. The suitability of polarizing filters for photometric measurements, 6=175. Diffraction theory of the image in a prismatic spectral apparatus with rectangular aperture, 7=4117. The dispersion and resolution of prismatic spectral apparatus with rectangular apertures, 7=5953. Intensity and clearness of spectra from prism instruments with rectangular aperture, 9=3268. Generalization of the theory of prism spectroscopic instruments, 9=10729. Spectrum inclination and linear dispersion of spectrographs, 9=11997
Mielenz,K.J. and Jones,R.C. Suitability of polarization filters for photometric measurement, 9=3248
Mierdel,G. Potential conditions in a decaying plasma, 6=1272. The breakdown of positive columns out of low pressure plasma, 7=6215
Mierzecki,R. On the surface tension of ideal solutions, 6=7182
Mierzecki,R. and Rezaev,N.I. Intensity and width of the Raman lines of benzene and carbon disulphide, 8=130
Miescher,E. Fine structure of NO^+ and NO emission spectra in the Schumann region, 5=6907. Rotational analysis of NO^+ bands, 6=6509. Rotational analysis of the β'band ($B^{12}\Delta$ -$X^2\Pi$) of the NO molcule, 7=236. See also Barrow, R.F., 7=3139; Dressler,K., 5=6893; Herzberg,G., 6=6526; Lagerqvist,A., 9=6719
Mięsowicz,M. See also Babecki,J., 7=7196, 9=11178; Ciok,P., 8=1117, 8=5090, 8=3930; Jurak,A., 7=2374; Wolter,W., 7=6615
Miesowicz,M., Jurkiewicz,L. and Massalski,J.M. Remarks on low-energy gamma-radiation at great depths, 5=8063. Some notes on low-energy gamma-radiation at great depths, 7=2605
Mięsowicz,M., Stanisz,O. and Wolter,W. Investigation of an electromagnetic cascade of very high energy in the first stage of its development in nuclear emulsions, 7=7198. Investigation of an electromagnetic cascade of very high energy in the first state of its development, 8=267
Miessner,B.F. Comments on the invited paper "Loudspeakers and Microphones" by Leo L. Beranek, 5=5283. Touch sensitive keying devices, 6=3588
Miessner,G. Photochemical coloration in alkali-halide crystals at high temperatures, 5=7513
Miethke,E. See Zanker,V., 9=5569
Mifflin,T.R. and Bennett,C.O. Self-diffusion in argon to 300 atmospheres, 9=1155
Mifsud,J.F. and Nolle,A.W. Velocity and absorption of ultrasonic waves in several nonassociated liquids under high pressure, 6=4262
Midgal,A.B. Theory of nuclear reactions with the production of slow particles, 5=4045. Production of mesons of energies near to threshold, 5=4098. Bremsstrahlung and pair production in condensed media at high energies, 7=462. Momentum distribution of interacting Fermi particles, 7=7615. Bremsstrahlung and pair production at high energies in condensed media, 8=5186. Interaction between electrons and the lattice vibrations in a normal metal, 9=1854. See also Galitskiĭ,V.M., 8=6647; Gol'dman,I.I., 5=6757
Migeotte,M. A discussion on "radiative balance": High-resolution spectroscopy of minor atmospheric constituents, 6=7880. See also de Jager,C., 7=39
Migeotte,M., Neven,L. and Swensson,J. The solar spectrum from 2.8 to 23.7 microns, I. Photometric atlas, 6=4159
Migeotte,M.V. See Kaplan,L.D., 6=6051
Migirdicyan,E. See Chapiro,A., 5=8355
Mignolet,J.C.P. The energy of interaction in an adsorbed film composed of dipoles, 5=3705. Relation between the surface potential and the interaction energy in the case of some hydrogen films, 5=6565. Studies in contact potentials. I. Determination of the surface potential of some films on tungsten and mercury by the condenser method and a new form of the thermionic method, 5=7935; II. The competitive adsorption of hydrogen atoms and molecules on tungsten, 5=7936
Mignone,G. See Di Corato,M., 5=9118
Miguel y Gonzalez Miranda,L. de See de Miguel y Gonzalez Miranda,L.
Mihailovič,M.V. The high-energy end of the electron-bremsstrahlung spectrum, 9=2411; See also Kuščer,I., 7=8792
Mihailović,M.V. and Povh,B. The half-lives of some short-lived isotopes, 8=7334
Mihailović,M.V., Pregl,G., Kernel,G. and Kregar,M. Total photonuclear absorption in Al, 9=11472
Mihailovic,Z. See Curien,H., 7=7079, 9=9670, 9=11063
Mihelich,J.W. See also Harmatz,B., 9=10109
Mihelich,J.W. and Harmatz,B. Some new isomeric transitions in rare earth nuclei, 7=7330
Mihelich,J.W., Harmatz,B. and Handley,T.H. Nuclear spectroscopy of neutron deficient rare earths (Tb through Hf), 9=597
Mihama,K. See Honjo,G., 6=5445
Mihelich,J.W. See also Hollander,J.M., 6=5360
Mihelich,J.W., McKeown,M. and Goldhaber,M. E3 isomer in Ir^{191}, 5=4004
Mihelich,J.W., Ward,T.J. and Jacob,K.P. Electron capture of Yb^{169} to levels in Tm^{169}, 6=8947
Mihran,T.G. Harmonic current growth in velocity-modulated

electron beams, 9=12368

Mijatović,A.M. Preliminary note on the disintegration of tungsten^{185}, 5=5606

Mikaélyan,A.L. Construction of optically hetergeneous media from given beam paths, 5=6871. Magneto-optical phenomena in a rectangular waveguide filled with electron gas, 6=4532. Electromagnetic waves in a rectangular waveguide filled with a magnetized ferrite, 6=8293

Mikesell,R.P. See Kropschot,R.H., 8=426

Mikeska,E.E. See also Lane,R.N., 6=168

Mikeska,E.E. and Lane,R.N. Measured absorption characteristics of resonant absorbers employing perforated panel facings, 7=204. Acoustical problems in two round churches, 9=9353

Mikhail,F.I. See McCrea,W.H., 6=4156

Mikhail,H. See Yousef,Y.L., 5=6304, 9=1574, 9=5865

Mikhailenko,I.E. See Spitsyn,V.I., 9=12847

Mikhaílin,I.M. See Rozenberg,G.V., 9=5594

Mikhaĭlov,G.D. Distortion and interaction of sound waves of finite amplitude in a viscous medium, 7=1129. On the question of interaction of ultrasonic waves in fluids, 7=1131. The pehnomenon of amplitude modulation in interacting acoustic waves, 8=4807

Mikhaĭlov,G.D., Tikhonova,N.V. and Yadrova,I.M. Excitation of a quartz radiator at several frequencies simultaneously, 6=8059

Mikhailov,G.N. See Kabin,S.P., 9=13250

Mikhaĭlov,G.P. See also Kabin,S.P., 6=8764

Mikhaĭlov,G.P. and Borisova,T.I. Investigation of temperature-frequency dependences of dielectric loss-angle tangent and permittivity of certain polyesters of methacrylic acid, 8=3066

Mikhaĭlov,G.P., Borisova,T.I. and Dmitrochenko,D.A., Relaxation dielectric losses in polymethylmethacrylate, 7=3242

Mikhailov,G.P. and Burshtein,L.L. Investigation of the dielectric polarization of methylmethacrylate copolymers with styrol, 9=13246

Mikhaĭlov,G.P., Kabin,S.P. and Krylova,T.A. Dielectric and mechanical losses of low-pressure polyethylene, 9=1416

Mikhaĭlov,G.P., Kabin,S.P. and Sazhin,B.I. Investigation of the dielectric losses of polyethylene, 5=9633

Mikhaĭlov,G.P. and Krasner,L.V. Investigation of the copolymer relaxation time dependence on concentration by the method of dielectric losses, 7=2751

Mikhaĭlov,G.P. and Lobanov,A.M. Study of the temperature dependence of dielectric losses and permittivity of polymers in the centimetre wavelength region (λ = 3.3 and 10 cm). I. Technique of measurement of tan δ and ε' in the temperature range -100 to +200°C at v.f.h. II. Polyethylene, polytetrafluorethylene, polystyrene, polymethylmethacrylate, polycaprolactam, ebonite, 8=3067. Dielectric losses and polarization of the polymers, 9=13249

Mikhailov,G.P., Lobanov,A.M. and Sazhin,B.I. Investigation of the dielectric losses of low-frequency relaxation in polyethylene, 5=7012

Mikhaĭlov,G.P. and Sazhin,B.I. Determination of the effective dipole moments and of the structural factor of polar liquids and polymers, 6=5837. Investigation of the dielectric polarization and the losses of polytrifluorochloroethylene, 7=2167

Mikhaĭlov,G.P., Sazhin,B.I. and Kupriyanschik,N.N. Some features of the dielectric loss of polycaprolactam, 8=3074

Mikahĭlov,G.S. The effect of the vaporization products of the thermionic-cathode material on the transformations occurring in metallic oxides subjected to electron bombardment, 9=7064

Mikhaĭlov,I.G. The absorption of ultrasonic waves in viscous liquids, 8=3813. The problem of absorption of ultrasonic waves in ethyl acetate, 8=7774. See also Isaev,A.A., 9=5468

Mikhaĭlov,I.G. and Fedorova,N.M. The propagation of ultrasonics in polymer solutions, 9=2181. Absorption of large-amplitude ultrasonic waves in solutions with a structure, 9=4389

Mikhaĭlov,I.G. and Feofanov,G.N. A differential method of measuring the absorption of ultrasonic waves in liquid, 6=8055

Mikhaĭlov,I.G., Savina,L.I. and Feofanov,G.N. Velocity of sound and the compressibility of concentrated solutions to strong electrolytes, 8=7770

Mikhaĭlov,I.G. and Shutilov,V.A. Velocity of sound in, and compressibility of, aqueous solutions of inorganic acids, 7=3082. An instrument for measurement of the absolute intensity of ultrasonics, 8=4822. Diffraction of light by ultrasonic waves of large amplitude, 8=4903, 8=6885

Mikhaĭlov,G.I. and Solov'ev,V.A. Application of a composite piezoelectric vibrator for investigating mechanical properties of polymers, 6=4900. Study of mechanical properites of polyethylene and paraffin [oil] by a compound vibrator method, 8=1344

Mikhaĭlov,I.G., Solov'ev,V.A. and Syrnikov,Yu.P. Basic problems of contemporary molecular acoustics. A review, 9=5430

Mikhaĭlov,I.N. τ-meson decay, 7=6602

Mikhaĭlov,M.M. and Lyu Tsay-yuĭ. Discharge withstand strength of some organic materials, 8=8801

Mikhaĭlov,P.S. See Balygin,I.E., 9=3423

Mikhaĭlov,V. and Baldin,A. Photoproduction of mesons on the theory of radiation damping, 5=547

Mikhaĭlov,V.V. See Baldin,A.M., 7=3368

Mikhaĭlovskiĭ,L.K. Investigation of the parameters of ferrites, 7=4534

Mikheev,V.I. and Shafranovskiĭ,I.I. Ribbed forms and striations on crystals, 8=3570

Mikheeva,L.F. See Yakovlev,I.A., 6=8712, 7=7791

Mikheeva,M.N. See Alekseevskiĭ,N.E., 7=3306

Mikhnevich,V.V. Pressure measurement in the upper atmosphere, 8=4586. See also Danilin,B.S., 8=6532

Mikhnovs'kyi,S.D. See Konozenko,I.D., 8=6992

Mikhul,A.K. See Bogachev,N.P., 9=9974; Petrashku,M.G., 9=12690

Mikisha,A.M. and Tsitsin,F.A. On the application of the virial theorem in the dynamics of stellar systems, 8=4673

Mikoshiba,N. Quantum hydrodynamics for a charged non-viscous fluid, 6=8016. Quantum fluid as a common model for superfluidity and superconductivity, 7=8565. Interaction of conduction electrons with acoustic phonons, 9=11561

Miku,M. See Chulli,S., 9=8253

Mikumo,T. See Hattori,M., 5=4917

Mikura,Z. Further considerations regarding liquid helium II at high pressures, 5=256. On the thermal Rayleigh disk in liquid helium containing He^3, 5=257. Some comments on the specific heat of liquid He^3, 6=286. On the specific heat of a solution of He^3 in liquid He^4, 6=291. On the Bose-Einstein liquid model for liquid helium, IV. A revised model, 6=6567. Electron-electron interaction and superconductivity. I, 8=5008

Milašin,M.J. See Draganić,I.G., 7=8137

Milatz,J.M.W. See also Alkemade,C.T.J., 5=5303, 5=7484

Milatz,J.M.W., van Boort,H.J.J., van Laar,J. and Alkemade, C.T.J. A photoelectric relay for measuring voltages of low frequency, 7=1245

Milazzo,G. On a possible source of error in pressure measurement with a capacity-micromanometer, 6=5725. A critical comparison of photographic and photoelectric methods and apparatus in absorption spectroscopy, 7=5172. A vacuum spectrograph for the Schumann region, 9=1265

Milberg,M.E. Transparency factor for weakly absorbing samples in X-ray diffractometry, 9=928

Milberg,M.E. and Meller,F. Structure of vitreous $B_2O_3.\frac{1}{3}H_2O$, 9=8751

Milburn,R.H. Statistical theory of multiple meson production, 5=4097. Theory of evaporating water clouds, 7=9476. See also Gordon,G.D., 8=8238; Pless,I.A., 8=690

Milch,A. See Rutledge,W.C., 8=8853

Mileikowsky,C. A robot device for measurement of angular distributions with high energy resolution, 8=8193. See also Ahnlund,K., 5=2178; Pauli,R., 5=2179

Mileikowsky,C. and Ahnlund,K. Proton groups from the reaction $O^{18}(d,p)O^{19}$, 5=1196

Milekhin,G.A. On the hydrodynamical theory of multiple production of particles, 9=2561. Hydrodynamic theory of multiple production of particles in collisions between fast nucleons and nuclei, 9=2775. See also Belen'kiĭ,S.Z., 6=4833

Milekhin,G.A. and Rozental',I.L. Hydrodynamical interpretation of a characteristic of extensive cosmic ray showers recorded in photographic emulsions, 8=4101

Miler,E.J. Dependence of fluorescence on the structure of the solvent molecule, 5=6933

Miles,H.T. See Allen,N.L., 8=775

Miles,J.L. See Kay,H.F., 5=5701

Miles,J.W. Dispersive reflection at the interface between ideal and viscous media, 5=1631. On the reflection of sound at an interface of relative motion, 7=4077. On free surface

oscillations in a rotating liquid, 9=7834
Miles,P.A. See also Carter,A.E., 7=5463
Miles,P.A., Westphal,W.B. and von Hippel,A. Dielectric spectroscopy of ferromagnetic semiconductors, 8=3065
Miles,V.G. Resolution in height of a radar pulse, 5=7551. Interpretation of the height-versus-time presentation of radar echoes, 6=8497
Milevskaya,I.S. See Adamov,M.N., 7=2482, 7=9800
Milford,F.J. Projection operator for the Rarita-Schwinger equation, 5=6744. A simple mechanics problem, 6=99
Milford,S.N. Observable tests on the nature of the cosmological red shift, 5=7627. Relativistic delfection of sun's light by the mass of the sun, 6=6331. Gamma-ray absorption and opacity at temperatures above 10^{30}°K, 8=2459. Nuclear reactions of collisions of galaxies, 9=12966
Milkutat,E. Explicit representation of the Kronecker-tensor in a manifold of an arbitrary number of dimensions, 5=1439
Millar,B. The calculation of voltage surges in a Van de Graaff generator, 5=1912
Millar,B., Bailey,R. and Churchill,J.L.W. Energy stabilization of an electrostatic accelerator, 8=1096
Millar,B., Firth,K. and Chick,D.R. A versatile top terminal equipment for an electrostatic accelerator, 5=5453
Millar,C.H. See also Hincks,E.P., 8=6244
Millar,C.H. and Hincks,E.P. The velocity dependence of Čerenkov radiation from μ-mesons, 7=8187
Millar,C.H., Hincks,E.P. and Hanna,G.C. A large-area liquid scintillation counter and some measurements on high-energy cosmic-ray particles, 8=6095
Millar,D.D. See Brennan,M.H., 9=2462-4; Lehane,J.A., 9=7134
Millar,R.F. An approximate theory of the diffraction of an electromagnetic wave by an aperture in a plane screen, 6=507, 6=3869. The diffraction of an electromagnetic wave by a circular aperture, 6=7556. 7=2448. The diffraction of an electromagnetic wave by a large aperture, 7=1468, 7=8027. Diffraction by a wide slit and complementary strip. I., 9=479; II., 9=480
Millar,W. Theory and design of an acoustic pressure gauge, 7=1117
Millard,B. See Haendler,H.M., 5=2583
Millard,D.J. The cracking of layers of brittle material by differential strains, 5=4987
Millard,D.J., Newman,P.C. and Phillips,J.W. The apparent strength of extensively cracked materials, 6=737
Millburn,G.P., See Crandall,W.E., 6=3191, 7=4789, 8=4235; Schecter,L., 5=2175; Tai,Y.-K., 8=2562
Millea,M.F. and Hall,T.C. Surface mobility in germanium and silicon, 9=309
Millea,M.F. and Tomizuka,C.T. Meling patterns appearing on single crystals of InSb, 6=3352
Miller,A. See Glusker,D.L., 7=5693
Miller,A.S. and Maurer,R.J. Self-diffusion and electrical conductivity in silver bromide, 9=2904
Miller,A.V. See Levintov,I.I., 7=6623, 7=8159, 7=9387, 7=9394
Miller,B.L. High-energy secondary electrons, 5=7125. Modified helical method for determining e/m, 9=4892
Miller,B.L. and Porter,W.C. Secondary electron emission by primary electrons in the energy range of 20 kilovolts to 1.3 MeV, 6=2179
Miller,C.E. Method for growing single crystals of potassium niobate, 8=2704. See also Matthias,B.T., 7=2170
Miller,C.E., Marinelli,L.D., Rowland,R.E. and Rose,J.E. Reduction of NaI background, 6=5972
Miller,C.W. See Baskett,A.C., 5=599
Miller,D. See Horwitz,N., 9=13552
Miller,D.G. Proportional gamma spectrometer, 5=4921. An analytical proof that the extremum of the thermodynamic probability is a maximum, 6=7165. Thermodynamic theory of irreversible processes. I. Basic macroscopic concepts, 6=8154. II. Sedimentation equilibrium of fluids in gravitational and centrifugal fields, 7=3217. III. The potentials of electrochemical cells in gravitational and centrifugal fields, 7=3218, See also Leboeuf,M.B., 5=612; Sayre,E.V., 7=4150
Miller,D.G., Sayre,E.V. and Freed,S. Effective symmetries of electrical fields about ions in solution, 8=9103
Miller,D.H. See Jones,W.B., 5=9692
Miller,D.W. 1.7 MeV state in Be^9, 8=9017. See also McEllistrem,M.T., 9=5047; Rasmussen,V.K., 6=642, 6=1557
Miller,D.W., Carmichael,B.M., Gupta,U.C., Rasmussen,V.K. and Sampson,M.B. Scattering of 22-MeV alpha particles by N^{14}, 6=2394
Miller,E. See Haskins,J.R., 5=6573
Miller,E.B. See Gemant,A., 6=7908
Miller,E.E. and Miller,R.D. Physical theory for capillary flow phenomena, 6=3530
Miller,E.R. See Lusted,L.B., 7=972
Miller,F.A. Infrared spectrum of benzene-d_6, 6=4319
Miller,F.A. and Cousins,L.R. Infrared and Raman spectra of vanadium oxytrichloride, 7=5186
Miller,F.A., Hannan,R.B.,Jr and Cousins,L.R. Infrared and Raman spectra of dicyanoacetylene, II., 6=1076
Miller,G.A. Speech and communication, 8=6782
Miller,G.A. and Nicely,P.E. An analysis of perceptual confusions among some English consonants, 5=4477
Miller,G.E. Special theory of ultrasonic machining, 7=5781
Miller,G.F. and Musgrave,M.J.P. On the propagation of elastic waves in aeolotropic media. III. Media of cubic symmetry, 6=7211
Miller,G.F. and Pursey,H. On the partition of energy between elastic waves in a semi-infinite solid, 6=2736
Miller,G.H. See Herwig,L.O.; 6=428; Lowry,R.A., 6=5168, 8=8842
Miller,G.J. See Peskin,J.C., 7=2885*
Miller,G.T. and Lawless,K.R. Formation of growth spirals on cuprous oxide grown on copper single crystals, 8=7600
Miller,G.T.,Jr. See Lawless,K.R., 9=13886
Miller,H.J. The world's copper resources, 8=473
Miller,J. See also Bellicard,J.B., 7=8830; Hurst,R.P., 7=7279, 9=7606; Lehmann,P., 5=3939, 5=6421, 7=1562
Miller,J., Friedman,R.H., Hurst,R.P. and Matsen,F.A. Electronic energy of LiH and BeH, 8=3421
Miller,J.C. See Myers,R.R., 6=4861, 9=9301
Miller,J.C.P. Tables of Weber parabolic cylinder functions, 6=4144
Miller,J.D. Temporary threshold shift and masking for noise of uniform spectrum level, 9=969
Miller,J.G. See Harper,R.C.,Jr, 7=7659; Kramer,G.M., 7=8456; Pfefferle,W.C.,Jr, 5=4425
Miller,J.H. and Pignolet,L.W. Variation in indicating instrument dynamics attainable through appropriate design, 8=4829
Miller,J.M. See Alperovitch,E.A., 5=9847; Hudis,J., 9=7337; Metropolis,N., 9=654-5; Metzger,A.E., 9=6111; Sugarman, N., 5=509
Miller,J.S. Bernoulli's principle and atmospheric pressure, 7=5098. Coupled torsion pendulums, 9=7820. Demonstrating the principle of the cyclotron, 9=8241
Miller,J.W. Study of visual acuity during the ocular pursuit of moving test objects. II. Effects of direction of movement relative movement, and illumination, 9=3023. See also Ludvigh,E., 9=3022
Miller,K.E. See Baker,H.D., 9=13978
Miller,K.S. and Zadeh,L.A. Generalized Fourier integrals, 6=2603
Miller,L. Adsorption of ammonia on silicon, 6=1708
Miller,L.E. "Molecular weight" of air at high altitudes, 8=5532
Miller,L.G. See Borst,L.B., 8=3390
Miller,L.N. and Bernek,L.L. Comparison of the take-off noise characteristics of the Caravelle jet airliner and of conventional propeller-driven airlines, 8=1579
Miller,M.A. On the focusing of charged-particle beams using high-frequency fields, 8=5956. See also Gaponov,A.V., 8=8146, 9=8233
Miller,M.M. See Lewis,W.V., 6=8495
Miller,N. Counting rates in BF_3 argon chambers, 9=3687. See also Back,M.H., 7=6233; Brown,L.O., 8=3894; Donaldson, D.M., 6=5493; Feather,N., 7=8798
Miller,N.B. Reflections from gradual transition sound absorbers, 9=1210
Miller,O.E. See also Sant,A.J., 8=1638
Miller,O.E. and Sant,A.J. Portable telescopic visual colorimeter, 8=5824. Incomplete integrating sphere, 9=2191
Miller,P.B. Penetration depth in impure superconductors, 9=5735
Miller,P.D. See also Kashy,E., 9=2707
Miller,P.D. and Phillips,G.C. Scattering of protons from helium and level parameters in Li^5, 9=3892. Scattering of He^3 from He^4 and states in Be^7, 9=3901
Miller,P.H.,Jr. Hamilton's principle as a computational device, 7=3023. The role of chemisorption in surface trapping, 7=7924. See also Kinston,R.H.,(Ed), 7=8601; Morrison,S.R., 7=2783

Miller,P.H.,Jr and Johnson,J.R. Complex index of refraction of semiconducting surfaces, 5=3549
Miller,R, and Sharpe,J.W. Measurement of the image rotations produced by the lenses of a magnetic electron microscope, 6=7460
Miller,R.A. Shifts of arc lines at various pressures in magnetic fields, 9=1270
Miller,R.A. and Lopez,A. Note on the velcoity of light, 9=11980
Miller,R.B. and Hiedemann,E.A. Study of the intensity distriubtion of the light diffracted by ultrasonic waves, 9=2246
Miller,R.C. Some experiments on the motion of 180° domain walls in $BaTiO_3$, 9=2307. See also Fish,K., 9=1412; Rampolla,R.W., 9=5654; Smits,F.M., 7=2197, 9=12251
Miller,R.C. and Heidenreich,R.D. Interaction of low-energy electrons with ferroelectric materials, 9=345
Miller,R.C. and Heikes,R.R. On the motion of positive holes in $Li_xMn_{1-x}O$, 8=9154
Miller,R.C., Heikes,R.R. and Johnston,W.D. Activation energy for hole motion in $Li_xNi_yCo_{1-x-y}O$, 9=9626
Miller,R.C. and Kusch,P. Velocity distributions in potassium and thallium atomic beams, 5=9153. Moleculer composition of alkali halide vapors, 7=1970
Miller,R.C. and Robinson,C.S. Scattering of high-energy positrons and electrons, and large angle pair production, in lead, 8=1835
Miller,R.C. and Savage,A. Diffusion of aluminum in single crystal silicon, 7=3750. Velocity of sidewise 180° domain-wall motion in $BaTiO_3$ as a function of the applied electric field, 9=4555. Asymmetric hysteresis loops and the pyroelectric effect in barium titanate, 9=8072. Direct observation of antiparallel domains during polarization reversal in single-crystal barium titanate, 9=12221
Miller,R.C. and Smits,F.M. Diffusion of antimony out of germanium and some properties of the antimony–germanium system, 7=8213
Miller,R.C. and Smyth,C.P. Microwave absorption and molecular structure in liquids. XII. Critical wavelengths and intermolecular forces in the tetrahalogenated methanes, 6=4872
Miller,R.C. and Williams,D.E. Digest of the literature on dielectrics. Volume XVIII–1954. Tables on dipole moments, dielectric constants and dielectric relaxation values, 7=9152
Miller,R.D. See Auer,P.L., 9=2442; Jones,W.B., 5=9692; Miller,E.E., 6=3530
Miller,R.E. See Gerstein,B.C., 7=8572
Miller,R.F. See Greiner,R.A., 8=8777
Miller,R.H. Inelastic scattering of 150 MeV negative pions by carbon and lead, 8=766
Miller,R.H. See also Anderson,H.L., 9=6020; Crewe,A.V., 8=1870
Miller,R.H., Hiltner,W.A. and Burns,J.,III. Image converters with thin protecting foils. II., 6=5605
Miller,R.J. and Bachman,C.H. Production of cadmium sulfide crystals by coevaporation in a vacuum, 9=4101
Miller,R.L. Nature of the vocal cord wave, 9=7910. See also Rempel,R.C., 8=406
Miller,R.O. Detonation propagation in liquid ozone–oxygen, 9=11611
Miller,S.C.,Jr, Mercure,R. and Rense,W.A. Lyman-alpha intensity and solar limb darkening from rocket spectrograms, 7=5000
Miller,S.I. See also Dowling,J.M., 7=5192
Miller,S.I., Weber,A. and Cleveland,F.F. Raman and infrared spectral data and tentative assignments for cis- and trans-diiodoethylene, 5=2598
Miller,S.L. Avalanche breakdown in germanium, 5=8759. Ionization rates for holes and electrons in silicon, 7=4349
Miller,V.V. See Leĭpunskiĭ,O.I., 7=1537*
Miller,W. See also Moltz,J.W., 5=1170
Miller,W., Bewig,K. and Salzberg,B. Note on the reduction of carrier lifetime in p–n junction diodes by electron bombardment, 7=3288
Miller,W. and Kennedy,R.J. Measurement of field distortion in free-air ionization chambers by analog method, 6=6727. X-ray attenuation in lead, aluminum, and concrete in the range 275 and 525 kilovolts, 7=440
Miller,W., Motz,J.W. and Cialella,C. Thick target bremsstrahlung spectra for 1.00-, 1.25-, and 1.40-MeV electrons, 5=1171
Miller,W. and Kennedy,R.J. Measurement of distortion produced in guarded electrostatic fields by grounded external plates, 5=1792
Miller,W.A. Intensity variation in sunspots, 5=5184
Miller,W.C. See Connors,D.R., 6=6134; Kepes,J.J., 9=4896; Spiegel,V., Jr, 9=4894-5
Miller,W.F. and Platzman,R.L. On the theory of the inelastic scattering of electrons by helium atoms, 7=4456
Miller,W.F., Reynolds,J. and Snow,W.J. Efficiencies and photofractions for sodium-iodide crystals, 8=3885. Efficiencies and photofunctions for gamma radiation on sodium iodide (thallium activated) crystals, 9=10862
Miller,W.G. See Alberty,R.A., 7=6657
Miller,W.W., Rack,E.P., Burrell,E. and Trumbore,C.N. Organic radiation reactions with dissolved radioactive iodine, 6=1702
Millet,J. See Bobenrieth,A., 5=1907
Millett,R.J. See Faires,R.A., 5=1173; Gibbons,D., 8=442
Millett,W.E. See also Hatcher,C.R., 8=6131, 9=4903; Okhuysen, P.,Jr, 6=8389; Okhuysen,P.L., 9=3708
Millett,W.E. and Castillo-Bahena,R. Angular correlation of annihilation radiation in alkali halide crystals, 8=8215
Millian,K. and Rieder,W. Contact resistance and contact surfaces, 6=4410
Milligan,D.E. See also Catalano,E., 9=5529
Milligan,D.E., Brown,H.W. and Pimentel,G.C. Infrared absoprtion by the N_3 radical, 7=3143
Milligan,D.E. and Pimentel,G.C. Matrix isolation studies: possible infrared spectra of isomeric forms of diazomethane and of methylene, CH_2, 9=5531
Milligan,J.E. See Kupperian,J.E.,Jr, 9=4233
Milligan,W.O. See also Richardson,J.T., 6=6010
Milligan,W.O. and Adams,C.R. An analytical expression for cumulative pore volumes and pore size distributions, 5=2231
Millikan,R.C. and Pitzer,K.S. Infrared spectra and vibrational assignment of monomeric fomic acid, 8=793
Millington,G. See Isted,G.A., 8=465
Millington,R.J. and Quirk,J.P. Permeability [to liquid flow] of porous media, 9=6579
Millionova,M.I. See Andreeva,N.S., 8=3590
Millman,P.M. Radio observations of meteors, 5=14
Millman,P.M. and Cook,A.F. Photometric analysis of a spectrogram of a very slow meteor, 9=12956
Millman,P.M. and McKinley,D.W.R. The Quadrantid meteor shower, 5=694. Meteor echo durations and visual magnitude, 6=2616
Millns,P.Y. See Davis,J., 9=11702
Mills,A.M. See Harrison,J.R., 5=9112; Horton,C.C., 7=479
Mills,A.W. On the minimum audible angle, 8=2723
Mills,D.B.,Jr. Satellite paradox, 9=2020
Mills,B.Y. The observation and interpretation of radio emission from some bright galaxies, 6=2614. The radio source near the galactic centre, 7=1850
Mills,B.Y., Little,A.G. and Sheridan,K.V. Absorption of 3.5-m radiation in the optical emission nebula NGC 6357, 6=1801. Radio emission from novae and supernovae, 6=6310. Emission nebulae as radio sources, 6=6312
Mills,B.Y., Little,A.G., Sheridan,K.V. and Slee,O.B. A high resolution radio telescope for use at 3.5 m, 8=1416
Mills,B.Y. and Slee,O.B. A preliminary survey of radio sources in a limited region of the sky at a wavelength of 3.5 m, 7=5803
Mills,C.B. and Barnett,C.F. High-intensity ion source, 5=1927
Mills,F.E. See also Goldwasser,E.L., 5=1238, 5=7119; Kerst, D.W., 9=11148: Koester,L.J.,Jr, 7=5656
Mills,F.E. and Koester,L.J.,Jr, Low-energy photoproduction of π^0 mesons from hydrogen: total cross section, 5=6513
Mills,I.M. Wave functions for the methane molecule, 8=3409. Vibrational intensities in methane, 8=3410. See also Dickson,A.D., 8=368; Golike,R.C., 7=3488; King,W.T., 8=2018; Nyquist,I.M., 7=5507
Mills,I.M. and Crawford,B.,Jr, Transmission of germanium in the far infra-red, 5=6021
Mills,I.M., Person,W.B., Scherer,J.R. and Crawford,B.,Jr. Vibrational intensities. IX. C_2F_6: Extension and revision, 8=9082
Mills,I.M., Scherer,J.R., Crawford,B.,Jr. and Youngquist,M. Calibration and use of a cesium iodide prism in the infrared, 5=9559
Mills,I.M. and Thompson,H.W. Internal rotation in dimethyl acetylene, 5=1086. Intensities of infra-red bands. V. Bond polar properties in dimethyl acetylene, 5=2942
Mills,J.E.C. Variation of diffusion length and thermal neutron absorption cross-section of graphite with temperature, 5=9155
Mills,O.S. See Lawrence,A.S.C., 5=8363

Mills,R. and Adamson,A.W. The measurement of self-diffusion in electrolyte solutions, 5=9471

Mills,R.G. See Hausner,H.H., 8=4611

Mills,R.L. Integral equations for meson field theory, 7=7603. See also Cooper,L.N., 9=12187; Day,R.B., 9=7257; Frantz,L.M., 9=1700; Grilly,E.R., 7=4272; Los Alamos Physics and Cryogenics Groups, 9=11478; Schuch,A.F., 8=6516; Sessler,A.M., 8=5430

Mills,R.L. and Grilly,E.R. Melting curves of He^3, He^4, H_2, D_2, Ne, N_2, and O_2 up to 3500 kg/cm^2, 5=7896. Melting curves of H_2, D_2 and T_2 up to 3500 kg/cm^2, 6=2037

Mills,R.L. and Kroll,N.M. Fourth-order radiative corrections to atomic energy levels. II, 5=7305

Mills,T.H. See Stang,L.G.,Jr, 5=499

Mills,W.A. See Hurst,G.S., 6=4676

Mills,W.R. See Mackin,R.J., 7=1564; Yeater,M.L., 7=1624

Mills,W.R.,Jr. See Kavanagh,R.W., 5=3064; Mackin,R.J.,Jr, 5=4918, 6=4615

Milman,B. See also Beghian,L.E., 5=9060, 5=9102, 6=5394

Milman,B., Amsel,G. and Loyau,M.C. Study of γ-rays produced by inelastic scattering of fast neutrons, 9=3919

Milne,A.R. See Buchsbaum,S.J., 5=8098

Milne,K.T.W. See Acton,E.W.V., 8=5052

Milne,T.A. Determination of relative partial pressures from mass spectrometer ion intensity measurements, 8=7756

Milne,T.A. and Cubicciotti,D. Calculation of the energies of gaseous alkali halide dimer molecules, 9=5122. Energies and vibrational frequencies of gaseous alkali halide M_2X^+ ions, 9=8708. Calculation of the energies of some alkali halide trimers, 9=8766

Milne,T.A., Klein,H.M. and Cubicciotti,D. Mass spectrometer analysis of the vapor in equilibrium with the alkali-metal chlorides, 8=7757

Milner,D.C. See long,D.A., 7=1205-6

Milner,G.W.C. The analysis of uranium–niobium alloys, 7=1720. See also Bacon,A., 7=1722

Milner,P.C. See Green,L.C., 5=463; Lewis,M.N., 5=6403

Milnor,W.R. See Kouwenhoven,W.B., 6=859

Milojević,A.B. See also Lalović,I.B., 5=4757

Milojević,A.B. and Wintersteiger,V.Z., Pair emission from P^{32}, 5=7342

Milone,A. Nuclear disintegration cascade produced by a heavy primary, 5=6273. See also Davies,J.H., 6=3270*; De Marco, A., 5=6279, 5=7170, 6=5987

Milone,C. Energy spectrum photoneutrons from oxygen, 9=13685. See also Cavallaro,S., 9=671; Cortini,G., 8=9056, 9=669; Emma,V., 9=670

Milone,C., Milone-Tamburino,S., Rinzivillo,R., Rubbino,A. and Tribuno,C. Photoprotons from oxygen, 8=7381

Milone,C. and Ricamo,R. Angular distribution of photoprotons from oxygen, 7=8834

Milone,C., Ricamo,R. and Rinzivillo,R. Photoprotons from oxygen up to 30 MeV, 7=8833

Milone,C., Ricamo,R. and Rubbino,A. C and Al photoproton angular and energy distribution, 7=9882

Milone,C. and Rubbino,A. Energy spectra and angular distribution of photoneutrons from oxygen, 9=13684

Milone,M. and Borello,E. On the structure of glyoxime in the solid state, 7=8949

Milone-Tamburino,S. See Milone,C., 8=7381

Milosaviévitch,D. On the equation of state of gases and liquids, 8=903

Milošević,K. Determination of the rotational velocity of the sun at the (sunspot) maximum of 1948, 6=11

Miloslavskii,V.K. Optical properties of thin layers of cadmium oxide in the infrared spectral region, 9=9447. See also Shklyarevskii,I.N., 5=827, 9=10864

Milovidova,R.A. See Lebedeva,V.V., 7=9595

Milsom,A.S. See Newton,H.W., 7=33

Milsted,J. The isolation of americium 241, 5=9901. The new element nobelium, 8=1231. See also Fields,P.R., 8=317; Newton,J.O., 7=2607; Rose,B., 6=7643

Milsted,J., Beadle,A.B., Glover,K.M. and Fremlin,J.H. Production of transuranium elements by heavy ion bombardment. I. Rapid chemical techniques for isolating actinide elements from bombarded uranium targets, 7=686

Milsted,J., Rosenblum,S. and Valadares,M. On the level scheme of Np^{237}*; 5=443

Milton,J.C.D. See also Hanna,G.C.(Eds.), 9=3931

Milton,J.C.D. and Fraser,J.S. Response of NaI(Tl), KI(Tl), and stilbene to fission fragments, 5=1941. Spontaneous fission fragment velocity measurements and coincident gamma spectra for Cf^{252}, 9=2844

Milton,J.C.D., Rutledge,A.R. and Lennox,P.I.K. The calculation of line shapes in ungridded ionization chambers and its use to evaluate the ionization produced by light recoil nuclei in the range below 1.5 MeV, 9=3688

Milyutin,V.I. and Kabanov,A.N. Electrostatic electron velocity analyser, 7=9234

Mims,W.B. See Bowers,K.D., 9=13422; Mackin,R.J.,Jr. 5=4918

Mimura,H. and Inui,T. The electronic structure of the M centre, 9=10237

Mimura,Y. Phenomenological free streamline theory. I. Flow past a normal plate, 9=10654. The flow with wake past an oblique plate, 9=13058

Min Chung An See An min Chung

Min Lü. See Lü Min, 9=3798

Min Yu. See Yu Min

Minaeva,T.M. See Barchukov,A.I., 7=255

Minagawa,S. A note on numerical evaluation of the integral square error, 9=9132

Minakawa,O., Nishimura,Y., Tsuzuki,M., Yamanouchi,H., Aizu,H., Hasegawa,H., Ishii,Y., Tokunaga,S., Fujimoto,Y., Hasegawa, S., Nishimura,J., Niu,K., Nishikawa,K., Imeada,K. and Kazuno,M. Observation of high energy jets with emulsion chambers. I. Transverse momentum of the π°-meson, 9=12425

Minami,S. Meson reactions in two-nucleon system, 6=8000. Interaction of K$^+$-meson and nucleon, 7=6611. K-π interactions and K$^+$-N scattering, 9=12590. K$^-$-p scattering at low energy, 9=12595. See also Hayakawa,S., 5=552, 5=3441* Itô,D., 6=1628, 6=6372, 6=6938, 6=8589, 7=6900, 8=3291, 8=5648, 8=7696, 8=7698, 9=33; Kawaguchi,M., 5=5879; Yoshinaga,H., 8=2228

Minami,S. and Yamaguchi,Y. The photon–nucleon scattering, 9=11347

Minardi,E. On the contribution of the electrostatic field to mass quantization, 5=2400. Boundary conditions in the quantum theory of dispersion, 6=2687. Bilocal theory of the interaction of a particle with spin $\frac{1}{2}$ and the electromagnetic field, 6=4815. On the bilocal theory of the electron, 7=3953. On the resonance nucleon–nucleus scattering, 7=5065. Mass selection rules in the bilocal theory. I, 8=2780; II, 8=2781. On the bilocal theory of the electron, 9=5363. Connection between masses and isobaric spin, 9=8437. See also Ascoli,R., 8=6642, 9=2104

Minarik,E.V. and Novikov,V.A. Fission of U, Th, Bi and Tl induced by high-energy γ-quanta, 7=6577

Minassian-Saraga,L. Ter. See Ter Minassian-Saraga,L.

Minaw,F. Radiation resistance of a dipole antenna above a conducting plane, with a view to radio-geophysical prospection, 9=4850

Minden,H.T. Effects of oxygen on PbS films, 6=348. Space-charge formation in small PbS particles, 6=8200. See also Black,J., 9=3474. See also Harada,R.H., 6=5886

Mindlin,R.D. Simple modes of vibration of crystals, 7=5123. See also Deresiewicz,H., 8=5717; Newman,E.G., 8=3794

Mindlin,R.D. and Deresiewicz,H. Thickness-shear and flexural vibrations of rectangular crystal plates, 6=4257

Mineev,V.E. See Vol'mir,A.S., 9=10322

Minematsu,M. See Hagiwara,S., 9=9850; Kojima,S., 7=628, 8=8394, 9=8372, 9=9848

Minervina,É.V. See Vaĭsenberg,A.O., 9=2620

Minervina,Z.V. and Pesotskaya,E.A. On some cases of elastic scattering of $\pi^+ - \mu^+ - e^+$-decay positrons on emulsion electrons, 9=13542

Minet,J. See Putzeys,P., 5=6966

Mingazin,T.A. See Zhuravlev,N.N., 8=8529

Mingins,C.R. See Snitzer,E., 9=2260

Minguzzi,A. Optical model of nuclei and elastic backscattering of π-mesons, 5=1112. Non-linear effects in the vacuum polarization, 6=7960, II, 8=499. Causality and vacuum polarization due to a constant and a radiation field, 9=34. Charged meson–nucleon dispersion relations with fixed nucleons, 9=3134. See also Bertocchi,L., 8=6161, 9=3132

Minguzzi,A. and Minguzzi-Ranzi,A. Interaction at low energies of π^+ mesons in photographic plates, 9=3769

Minguzzi-Ranzi,A. See Borelli,V., 9=2556; Minguzzi,A., 9=3769

Minin,I.N. On the theory of diffusion of radiation in a semi-infinite medium, 8=6671. Equation for radiative transfer taking fraction into account, 9=7818

Minkiewicz,M.D.K. and Le Caine,H. Some measurements on non-linear dielectrics, 5=5394

Minkoff,G.J., Scherber,F.I. and Gallagher,J.S. Energetic species trapped at 4.2°K from gaseous discharges, 9=7016

Minkowski,J.M. and Cassedy,E.S. Cross section of colinear arrays at normal incidence, 6=7554

Minkowski,R. Radio sources outside our Galaxy. III. The problem of the identification of extragalactic radio sources, 8=6586

Minkowski,R. and Wilson,O.C. Proportionality of nebular red shifts to wave length, 6=4789

Minn,S. See also Vodar,B., 6=1159

Minn,S. and Damany,H. Influence of a selenium layer on the electrical conductivity of very thin gold layers, 9=9594

Minn,S. and Offret,S. A study of the resistivity of very thin gold films as a function of the thickness, for various forms of substrate, 8=416

Minn,S.-S. and Offret,S. A study of the specific effect of a substrate of bismuth oxide on the conductivity of very thin films of certain metals, 6=5853. Influence of the support on the electrical conductivity of very thin films of gold. Measurement of the condensation factor, 7=7090

Minnaert,M. Dust in interplanetary space: introductory report, 6=872*

Minnhagen,L. The spectrum of singly ionized argon in the vacuum ultraviolet, 9=5501. Remeasured carbon I wavelengths in the photographic infrared, 9=7940. On the 3d(^{1}D) and 3d(^{1}S) levels of singly ionized argon, 9=8668

Minnhagen,L. and Nordberg,U.-B. Relative intensities of Stark effect components in the arc spectrum of helium, 5=1679

Minnhagen,L. and Stigmark,L. Equipment of excitation of spectra by high frequency pulses, 5=2556. The excitation of ionic spectra by 100 kW high frequency pulses, 8=5762

Minnick,R.C. and Ashenhurst,R.L. Multiple coincidence magnetic storage systems, 5=5816

Minnigerode,G. v. See v. Minnigerode,G.

Minnigerode,G. von. See von Minnigerode,G.

Minnis,C.M. Ionospheric measurements at Khartoum during the total eclipse on 25th February, 1952, 5=3322. Ionospheric behaviour at Khartoum during the eclipse of 25th February, 1952, 5=4229. Brightening of the solar limb in the far ultraviolet, 6=884. Electron production and recombination in the E-layer, 6=5552. The F2 layer during eclipses of 1952, 1954, and 1955, 6=7054. The origin of the E- and F1-layer ionizing radiation, 6=7063. The effective recombination coefficients in the E and F1 layers, 6=7068. A new index of solar activity based on ionospheric measurements, 6=7944. The effective recombination coefficients in the E and F1 layers during the solar eclipse of 25 February 1952, 6=9075. Interpretation of ionospheric measurements made during solar eclipses, 7=954. The response of the ionosphere to the solar eclipse of 30 June 1954 in Great Britain, 7=1782. Ionospheric changes at Singapore during the solar eclipse of 20 June 1955, 7=8315. Solar activity and the ionosphere, 8=2104. Behaviour of the present sunspot cycle, 9=2013

Minnis,C.M. and Bazzard,G.H. Solar-flare effect in the F2-layer of the ionosphere, 8=3608

Minnis,C.M., Bazzard,G.H. and Bevan,H.C. Ionospheric changes associated with solar event of 23 February, 1956, 7=3857

Minomura,S. See Kiyama,R., 5=6617, 5=6920

Minshall,F.S. See Duff,R.E., 8=1355

Minshall,S. Properties of elastic and plastic waves determined by pin contractors and crystals, 5=5279. See also Bancroft,D., 6=6946

Minsker,K.S. See Gel'perin,I.I., 9=5615

Minten,A. and Osberghaus,O. The production of intense molecular beams of noncondesable gases. Effective cross-sections for the collisions H_2–H_2 and H_2–N_2, 8=8405

Minter,F.J. See Makin,M.J. , 7=768

Minton,G.H. Techniques in high-resolution coincidence counting, 7=5412

Mintrop,H. The experimental evaluation of the forces during impact of a sphere on a plane surface, 8=6683

Mints,A.L. and Kaminskiĭ,M.K. A cascaded synchrocyclotron, 9=5821

Mints,A.L. and Kristi,N.M. Some peculiarities of the dynamic vacuum systems, 7=1963

Mints,M.Ya. Force fluctuations in an electron gas, 7=7633. The theory of a split-anode magnetron, 9=9697

Minushkin,G. See Hyman,S.C., 5=4920

Miralles,L. See Catalá,J., 6=7479, 9=3902; Senent,F., 7=4463

Miramond,L. See Fourage,R., 5=2811

Miranda,H.A.,Jr. The ionization due to beta radiation from the atmosphere, 8=6558

Miranda,L. de Miguel y Gonzalez. See de Miguel y Gonzalez Miranda,L.

Miret,J.M. Torroja. See Torroja Miret,J.M.

Mirianashvili,M. See Ivanenko,D., 6=6350

Mirianashvili,M.M., Chavchanidze,V.V. and Mamaladze,Yu.G. On the nature of field functions, 8=498

Mirkotan,S.F. See Gusev,V.D., 9=11644

Mirnik,M. and Aten,A.H.W.,Jr. Decay of samarium 143, 6=3938

Miron,M.S. See Fairbanks,G., 7=8489

Mironenko,Yu.P. and Takibaev,Zh.S. A new method for the photometry of particle tracks in photographic emulsions, 5=4273

Mironov,E.S. and Nemenov,L.M. Investigation of slow electron emission induced by high-energy protons, 7=6288

Miropol'skiĭ,Z.L. and Shitsman,M.E. Heat transfer to water and steam at variable specific heat (in near-critical region), 9=5616

Mirri,A.M. See Favero,P., 9=12013; Favero,P.G., 9=12055

Mirshanov,T.N. See Yuzefovich,A.A., 6=7206

Mirskaya,G.G. See Andronikashvili,É.L., 6=7350

Mirsky,I. and Herrmann,G. Nonaxially symmetric motions of cylindrical shells, 8=2189, 9=7878

Mirtov,B.A. Rocket investigations of the composition of the atmosphere at great heights, 8=4558

Mirtov,B.A. and Istomin,V.G. Study of the ion composition of ionized layers of the atmosphere, 8=5544

Mirza,S. See Corge,C., 9=13613

Mirzadzhanzade,A.Kh. and Abbasov,A.A. Approximate solution of the problem of non-stationary flow of a visco-plastic fluid in a cylindrical pipe of circular cross-section, 6=8018

Misařová,A. Temperature hysteresis of the dielectric constant of $BaTiO_3$ monocrystals, 7=6150

Misawa,T. Emitter efficiency of junction transistor, 5=6138*. A note on the extended theory of the junction transistor, 6=6643. Impedance of bulk semiconductor in junction diode, 8=7001

Misch,R.D. and Grunzel,F.H.,Jr. The electrical resistance of oxide films on zirconium in relation to corrosion, 9=3487

Míšek,K. A magnetic internal friction peak in nickel under alternating magnetic field, 5=9771. Magnetic internal friction peak in nickel, 6=1393. New experiments on the magnetomechanical phenomenon, 7=4557. On the origin of the magnetochemical phenomenon in an alternating magnetic field, 9=8305. See also Kê,T.-S., 7=1684

Miselyuk,E.G. See Bugaĭ,A.A., 7=9426, 9=849; Glinchuk,K.D., 7=7097, 8=1058, 8=3118, 8=8768; Kvasnitskaya,A.N., 8=5902; Lashkarev,V.E., 9=6954

Miselyuk,O.H. See Hlȳchuk,K.D., 8=6971*, 8=8773; Miselyuk, E.G.,

Misener,A.D. A portable electric velometer for low velocity liquids, 5=776. See also Carmichael,C.M., 9=10931

Misener,A.D. and Hebert,G.R. Tensile strength of liquid helium II, 6=6564

Misenta,R. See Becker,W.E., 5=7749; Hohmann,H., 9=12706

Mitchell,W.H. See Chasmar,R.P., 6=5814; Putley,E.H., 8=7958

Mitchner,M. Magnetohydrodynamic flow in a shock tube, 9=3656

Mitin,M.A. See also Grigor'ev,E.L., 7=753

Mitin,N.A. and Grigor'ev,E.L. Elastic scattering of 360 MeV positive π-mesons by protons, 8=5229

Mitin,R.V. See Fogel'Ya.M., 6=6746, 7=2365, 9=2455, 9=3610

Mitkevich,S.P. See Nekrashevich,I.G., 6=5910

Mitler,H. Correlation energy of helium, 6=574

Mitra,A. A note on Sargent's rule on β-decay, 5=3065. See also Basu(Mitra),A.

Mitra,A.N. Modified nucleon propagators, 5=68. Pion–nucleon scattering at high energies, 5=8507. Effect of π-π interaction on high-energy π-p scattering, 6=7718. Multiple π°-production in anti-proton annihilation, 6=7725. Burst production by spin-3/2 particles, 7=7424. The fluctuation problem in μ-meson bursts, 7=9253. Role of pion–pion interaction in τ-decay, 8=5242. Pion–baryon interactions and "closed loop" phenomena, 9=10592. See also Gill,P.S., 8=8097

Mitra,A.N., Narayanaswamy,P. and Pande,L.K. Radiative corrections to bremsstrahlung, 9=6515

Mitra,A.N. and Saxena,R.P. Meson–meson interactions in the Bethe–Salpeter approximation, 8=7269
Mitra,A.P. The lunar semi-diurnal oscillation in the ionospheric absorption of 150 kc/s radio waves, 6=827. A method of determining the relative amounts of D- and E-region absorptions of medium and short radio waves, 6=7083. Ionospheric disturbances at low latitudes, 9=4128. See also Peiffer, H.R., 5=10112; Shain,C.A., 5=692
Mitra,A.P. and Jones,R.E. Recombination in the lower ionosphere, 5=1386. A theoretical and experimental study of the recombination coefficient in the lower ionosphere, 5=3328
Mitra,A.P., Sarada,K.A., Sarma,N.V.G. and Joshi,M.N. Radio patrol of solar flares, 9=10537
Mitra,B. and Das Gupta,K. A new bent crystal soft X-ray vacuum spectrograph, 8=4051
Mitra,G.B. and Gokhale,B.V. Elastic and force constants of a simple tetragonal crystal, 7=8267
Mitra,G.B. and Mitra,S.K. Grüneisen's rule and the thermal expansion of metals, 7=7819
Mitra,H. and Datta,M.B. Lag coefficient of bimetal thermometer of chronometric radiosonde, 5=3300
Mitra,N. Investigation of discrete sources of radiation from solar eclipse observations, 9=9079
Mitra,R.K. See Saha,A.K., 6=6267
Mitra,R.P. and Rao,M.V.R.K. Basal reflection of electron waves by orientated aggregates of clay minerals, 5=8416
Mitra,S. See Appa Rao,M.V.K., 5=4969; Biswas,S., 8=271; Daniel,R.R., 5=4963
Mitra,S.C. See Bose,A., 7=6712
Mitra,S.K. Electrical analog computing machine for solving linear equations and related problems, 5=6679. Note on some anomalies in region F2 and on sporadic E movements, 6=2583. See also Bhattacharjee,S.K., 8=7337; Mitra,G.B., 7=7819
Mitra,S.K. and Kundu,M.R. Thunderstorms and sproadic E ionization of the ionosphere, 5=9286
Mitra,S.N. Self-gyrointeraction, 5=6328. Magneto-ionic triple splitting over Delhi, 6=3046
Mitra,S.N. and Mazumdar,S.C. Effect of solar activity on ionosphere and earth's magnetic field, 5=6642
Mitra,S.N. and Srivastava,R.B.L. Analysis of sky-wave field intensity, I, 5=8941, II, 5=9792. Fading and random motion of ionospheric irregularities, 7=8312
Mitra,S.S. Force constants of the halides of the III and IV group elements, 5=2931. On dependence of resolving power of Fabry-Perot etalon, Lummer-Gehrcke plate and transmission echelon on stage of resolution, 5=6053. Fundamental vibrations of diatomic molecules, 5=8116. Dependence of resolving limit on stage of resolution when line width due to natural damping is large, 5=9539. Surface tension–temperatures relation from free-volume concept, 7=5913. Viscosity and density of liquid metals, 8=3752. See also Sanyal,N.K., 6=3518; Sodha,M.S., 8=1388, 9=5515, 9=9517; Varshni,Y.P., 6=3877; Wood,D.L., 9=191
Mitra,S.S. and Chakravarty,D.N. Vapor pressure and viscosity of liquids, 5=96. Temperature variation of surface tension as a free volume problem, 7=143
Mitra,S.S. and Sanyal,N.K. Surface tension temperature relation, 6=114. The energies of vaporization and activation for flow and the temperature dependence of surface tension, 8=8730. Resolving power of instruments examining absorption spectra, 9=9413
Mitrani,L. and Betev,B. Trigger feeding of a couple of Geiger–Müller counters, 9=9917
Mitrani,L. and Drazhev,M. Feeding of Geiger–Müller counter with a pulsed voltage, 7=7973
Mitrinovitch,D.S. Sommerfeld's differential equation relating to hydrodynamic stability, 6=6414
Mitropan,I.M. and Gumenyuk,V.S. Emission of negative ions from metallic surfaces bombarded with positive hydrogen ions, 7=6287. On the dependence of secondary emission of negative ions on the angle of incidence of primary protons with the surface of a metallic target, 8=8061
Mitropol'skaya,O.N. See Mustel',E.R., 8=6594, 9=10528
Mitropolskaya,O.N. See Mustel,E.R. (transliterated), 9=9057
Mitskevich,N.V. Contributions to the theory of thermal conduction of anisotropic solids, 5=886. Scalar field of a nucleon at rest in non-linear theory, 6=914. Scattering by Schwarzschild field in quantum theory, 8=7709. Interaction between fields and quantum relations, 9=5354
Mitsufuji,I. See Imai,T., 7=4505
Mitsuhashi,H. Some considerations of the balanced spectroradiometry, 6=8074
Mitsuhashi,H. and Nakayama,T. Apparatus for the study of spectral response of photoelectric surface, 6=3741
Mitsui,K. See Watanabe,Y., 5=9678
Mitsui,T. Theory of the ferroelectric effect in Rochelle salt, 9=2300. See also Hoshino,S., 8=5861; Lefkowitz,I., 9=8075; Pepinsky,R., 8=166
Mitsuishi,A. See also Yoshinaga,H., 8=2228
Mitsuishi,A., Yoshinaga,H. and Fujita,S. The far infrared absorption of sulfides selenides and tellurides of zinc and cadmium, 9=4452. The far infrared absorption of ferrites, 9=4453. The far infrared reflectivity of NaCl, KCl, and KBr crystals, 9=13187
Mitsuk,V.E. Application of the Stark effect in an alternating field for measuring electric fields in a discharge at ultrahigh frequencies, 9=3536. See also Zaîtsev,A.A., 8=8016
Mitsuma,T. See Sawaguchi,E., 7=7849
Mittelman,P.S. and Liedtke,R.A. Gamma rays from thermal-neutron capture, 5=8219
Mittelstaedt,P. On the distribution of protons in heavy nuclei, 5=8150. On the theoretical determination of the total reaction cross-section for neutrons by means of the optical model, 7=2679. On the energy distribution in the elastic scattering of K^+-mesons by nuclei, 7=8875. Scattering of K^--mesons on complex nuclei, 8=6190. On the foundation of the optical nuclear model, 9=566. Phenomenological theory of nuclear matter, 9=1698. On the rearrangement energy of nuclear matter, 9=1699. An optical model for neutron reaction cross-sections, 9=5063. Optical model for the scattering of K^--mesons by nuclei, 9=6045
Mittenthal,L. Electrostatic analogy to sound in a region of constant velocity gradient, 7=7676. Fluctuations of scattered noise, 9=4407
Mitter,H. See also Dürr,H.P., 9=11822; Heisenberg,W., 5=7705
Mitter,H. and Urban,P. On the scattering of fast electrons. III. Radiative corrections, 5=1902
Mittleman,M.H. α^3 corrections to the hyperfine structure of the 1S and 2S states of hydrogen, 7=9836
Mittlemen,M.H. and Watson,K.M. Scattering of charged particles by neutral atoms, 9=5106
Mittner,P. See Bassi,P., 6=3795, 6=8258, 7=8680; Loria,A., 9=7226
Mittra,I.S. Mass measurements in nuclear emulsions by multiple scattering and gap distribution, 7=470
Mittra,R. On the solution of an eigenvalue equation of the Wiener–Hopf type in finite and infinite ranges, 9=12931
Mittsev,M.A. See Belyakova,V.V., 8=5061
Mishakova,A.P. See Alpers,V.V., 6=8968, 6=8973, 7=5644, 7=6315; Gurevich,I.I., 8=8088, 8=8235; Shapiro,I.S., 7=6607, 7=7425
Mishchenko,M.T. See Andrievskiĭ,A.I., 5=1292, 6=8426, 6=8465
Mishin,G.I. See Lun'kin,Yu.P., 7=6024
Mishin,L.N. A method of increasing the stability of sound amplifying systems, 8=5720
Mishra,B. On wave nature of matter, II, 6=8410
Mishra,R.S. Basic principles of unified field theory, 7=2954. A study of Einstein's equations of unified field, 8=5606. Einstein's connections. III. Degenerate cases of second class, 9=3102
Miskel,J.A. See Mann,L.G., 8=6274
Miskelly,D. See Bates,D.R., 7=8112
Miskolczy-Fodor,F. Relation between loudness and duration of tonal pulses. I. Response of normal ears to pure tones longer than click-pitch threshold, 9=10479
Misme,P. Thermodynamic method of measuring the refractive index of the air. Description of radiosonde MD 1, 6=7093. See also du Castel,F., 8=4186, 8=7215
Misner,C.W. Feynman quantization of general relativity, 8=1485. See also Finkelstein,D., 9=6509
Misner,C.W. and Wheeler,J.A. Classical physics as geometry. Gravitation electromagnetism, unquantized charge, and mass as properties of curved empty space, 8=1468
Misra,G.S. See Chadha,R.N., 5=6588
Misra,H. EPR spectrometer of very high sensitivity, 8=7187
Misra,S.C. Theory of specific heat of liquid hydrogen, 7=5278
Misra,S.P. Baryon meson system in Pais formalism: the scattering matrix, 5=9433
Misrea,S.P. and Deo,B.B. On the anomalous magnetic moments of the nucleons, 6=7993
Misrahy,G.A., De Jonge,B.R., Shinabarger,E.W. and Arnold,J.E.

Effects of localized hypoxia on the electrophysiological activity of cochlea of the Guinea Pig, 9=1968

Misrahy,G.A., Hildreth,K.M., Shinabarger,E.W., Clark,L.C. and Rice,E.A. Endolymphatic oxygen tension in the cochlea of the guinea pig, 8=2720

Misrahy,G.A., Shinabarger,E.W. and Arnold,J.E. Changes in cochlear endolymphatic oxygen availability, action potential, and microphonics during and following asphyxia, hypoxia, and exposure to loud sounds, 9=1978

Misselwitz,W. See Böer,K.W., 8=8800

Missert,R.F. High-altitude intensities of the medium and heavy cosmic-ray nuclei and of the star-producing component over a 25-hour interval, 8=1114

Missman,R. and Handler,P. Hall mobility of a cleaned germanium surface, 9=6958

Misu,A. See Kuwabara,G., 9=5157*, 9=10235

Mitani,J. See Takakura,T., 5=2773

Mitani,K. The direct current associated with microwave gas discharge between coaxial cylinders. IV, 5=6180*

Mitani,K. and Kubo,H. Randomness of microwave gas breakdown voltage, 7=7934

Mitani,S. See Higashi,S., 9=12424; Tanaka,Y., 7=7998; Watase, Y., 6=3287, 8=1747

Mitchell,A.C.G. See also Graves,W.E., 5=4015, 6=2338; Juliano, J.O., 9=4991

Mitchell,A.C.G., Creager,C.B. and Kocher,C.W. Disintegration of La^{135} and confirmatory experiments on Nd^{147}, 9=3847

Mitchell,A.C.G., Juliano,J.O., Creager,C.B. and Kocher,C.W. Disintegration of I^{124} and I^{123}, 9=4999

Mitchell,A.H. Ferromagnetic relaxation by the exchange interaction between ferromagnetic electrons and conduction electrons, 7=4527. Quadrupole interaction of nuclei with conduction electrons, 7=8067. Nuclear relaxation by the hyperfine interaction with the ion core spins in ferromagnetic and antiferromagnetic crystals, 8=1123. See also Kittel,C. 5=1828, 6=5206

Mitchell,A.M.J. and Phillips,G. The measurement, by nuclear resonance, of light water concentration in mixtures of light and heavy water, 6=2332

Mitchell,C.M. Phase determination by the two-wavelength method of Okaya and Pepinsky, 9=7637. See also Danby,C.J., 7=838

Mitchell,E.N. Effects of heat treatment of thin ferromagetic films at intermediate temperatures, 8=8882. See also Winckler,J.R., 5=7127

Mitchell,E.W.J. The infra-red Faraday effect due to free carriers in a semiconductor, 6=2086. The effect of radiation damage on the electronic properties of solids, 7=7443. A review of recent work on diamond, 9=6226. See also Ditchburn,R.W., 5=6611; Elliott,R.J., 8=2972

Mitchell,E.W.J. and Paige,E.G.S. The anisotropic absorption of the visible bands in irradiated α-quartz, 6=1990. The optical effects of radiation induced atomic damage in quartz, 7=3748

Mitchell,E.WJ. and Rigden,J.D. The effects of radiation on the near infra-red absorption spectrum of α-quartz, 7=8521

Mitchell,W.E.J. and Wedepohl,P.T. Magnetoresistance of a p-type semiconducting diamond, 7=7101. The scattering of long wavelength neutrons by irradiated and unirradiated quartz, 9=6291

Mitchell,F.H. See Whitehurst,R.N., 7=5757

Mitchell,G.R., Goldberg,A.E. and Kurnick,S.W. InSb photovoltaic cell, 5=2762

Mitchell,H. and Whitehurst,R.N. Further remarks on the odd ball problem as an example in information theory, 5=7710

Mitchell,H.T. See Pierce,J.A., 5=3406

Mitchell,J.T.D. See also Butt,E.P., 9=5084

Mitchell,J.T.D., Whittle,H.R., Jackson,E.M. and Clarke,P.B. The modification of Zeta in 1958, 9=5086

Mitchell,J.W. The nature of photographic sensitivity, 7=3879. On the electronic conductivity of crystals of silver halides, 8=1068. Photographic sensitivity, 8=2087, 9=12926. See also Barber,D.J., 7=9973; Bartlett,J.T., 8=3464; Braun, E.A., 9=6940; Clark,P.V.McD., 6=6283; Evans,T., 5=5731, 5=7588; Jones,D.A., 7=9974, 8=1321

Mithchell,J.W. and Mott,N.F. The nature and formation of the photographic latent image, 7=8969

Mitchell,M.J. See also Taylor,R., 9=3583

Mitchell,M.J. and Morgan,D. Theory of spiral-ridged synchrotrons with straight sections, 8=5979

Mitchell,R.N. See Hiebert,R.D., 9=495

Mitchell,R.S. Polytypism of cadmium iodide, 5=617. Studies on a group of silicon carbide structures, 5=2320. Screw dislocations and polytypism of cadmium iodide, 6=784

Mithchell,R.T. and Liaudansky,L.H. Effect of differential adaptation of the eyes upon threshold sensitivity, 5=10140

Mitchell,R.W. and Eisner,M. Low-field nuclear magnetic resonance spectrometer, 7=9832

Mitchell,S. Accessories for measuring circular dichroism and rotatory dispersion with a spectrophotometer, 7=4161

Michell,T.P. See Plesset,M.S., 7=1105

Mitchell,W.E.,Jr. The distribution of electron pressure in the solar photosphere, 9=10527. The centre—limb variation of the intensities of selected solar lines, 9=11749

Mitui,T. Effect of directional precipitation on hardness in an age-hardened alloy, 6=1665. Influence of magnetic fluid on the precipitation process of ferromagnetic phase in Cu—Fe alloy. I, 6=8867. On the magnetic annealing effect in 2% cobalt—copper alloy. I. Induced ferromagnetic anisotropy, 9=11209

Mitui,T. and Miyahara,S. Influence of magnetic field on the precipitation process of ferromagnetic phase in Cu—Co alloy, 6=1369

Mitzner,B.M. Convenient technique for obtaining the ultraviolet and visible spectra of pure liquids, 6=1050. Technique for polishing silver chloride plates, 7=4261

Miura,I. On the penetrating showers produced in paraffin and graphite, 5=9741. See also Hirao,Y., 9=10030; Okada,E., 9=10106; Wakatsuki,T., 9=8521

Muira,I., Matano,T., Toyada,Y. and Murayama,T. On the extensive air showers penetrating 10 cm of lead observed at 2760 meters above sea level, 5=9739. On the penetrating showers produced in paraffin and graphite, 6=1342

Miura,I., Wakatsuki,T., Hirao,Y. and Okada,E. Gamma rays from the proton bombardment of ^{24}Mg, ^{25}Mg and ^{26}Mg, 9=13662

Miura,S. See Takamura,J., 9=11609

Miwa,M. Excitation function for the reaction $^{7}\mathrm{Li}(\gamma,\underline{t})^{4}\mathrm{He}$ up to 21 MeV, 5=4063

Miwa,M. and Kuriyama,K. Range-energy relation of tritons in the nuclear emulsion up to 10 MeV, 5=6238

Mix,G. See Klumb,H., 5=7149

Miyachi,S. The coupling constants of strong interactions, 9=13005

Miyachi,Y. Meson production in meson-nucleon collisions, 5=3138. See also Ikeda,M., 7=6899

Miyadai,T. See Sekizawa,H., 9=13443

Miyagawa,I. See also Morino,Y., 6=8903

Miyagawa,I. and Gordy,W. Electron spin resonance in an irradiated single crystal of dimethylglyoxine, 9=7185

Miyagi,T. Viscous flow at low Reynolds numbers past and infinite row of equal circular cylinders, 8=4780

Miyahara,A. See also Hirakawa,H., 6=5002; Oka,T., 7=4154

Miyahara,A., Hirakawa,H. and Shimoda,K. 1-type doubling spectra of hcn and dcn in the s.h.f. region, . 6=5001

Miyahara,K. Mechanism of deuteroparaffin formation from paraffin and deuterium on metals. I. Reaction between methane and deuterium, 7=9440; II. Reaction between ethane and deuterium, 7=9441

Miyahara,S. See also Mitui,T., 6=1369

Miyahara,S. and Ohnishi,H. Cation arrangement and magnetic properties of copper ferrite-chromite series, 7=8272

Miyahara,S. and Tsushima,T. Magnetic properties of nickel and cobalt ferrite-chromite series, 9=9789

Miyahara,Y. and Richardson,E.G. Ultrasonic relaxation in freon vapors, 7=3088

Miyakawa,K. New derivation of elastic equations for trigonal holoaxial crystals, 8=2683

Miyake,A. On the proton magnetic resonance absorption of sorbed water, 8=7587

Miyake,C. See Takaki,H., 9=10168

Miyake,K. Effect of electron bombardment on secondary and photo-electron emission of cesium antimonide, 5=6219. Fatigue of photoelectric emission of caesium-antimonide, 6=1244. Effect of electron bombardment on secondary and photoelectric emission of caesium-antimonide, 6=1294. On the contrast and width of reflected multiple-beam interference fringes, 6=8132. A method of calculating interference color of thin films using an automatic relay computer, 8=3000. Detection of stains formed on lens surface, 8=3014. See also Ishiwari,R., 6=5161; Kimura,K., 7=8167

Miyake,K.P. Effect of using Siemens star as scanning chart in measurement of response function, 8=5751

Miyake,S. A high pressure cloud chamber for cosmic ray obseration, 6=3804

Miyake,S., Hinotani,K., Katsumata,I. and Kaneko,T. Cosmic ray nuclear interactions in nitrogen gas, 9=8274. An experimental study of extensive air showers, 9=11174

Miyake,S., Hinotani,K. and Nunogaki,K. A cloud chamber study of the cosmic-ray hard showers, 6=2220. Intensity and energy spectrum of fast neutrons in cosmic radiation, 7=8693

Miyake,S. and Hoshino,S. Temperature characteristic of X-ray intensity reflection from crystals having zincblende- and wurtzite-type structures, 8=7606

Miyake,S. and Suzuki,K. X-ray studies on the structures of solid solutions $NaCl-CaCl_2$. I. Main results and general considerations, 5=3286

Miyake,S. and Uyeda,R. Friedel's law in the dynamical theory of diffraction, 5=7518

Miyamoto,G., Iwata,G., Mori,S. and Inoue,K. A possible fusion reaction, 8=323

Miyamoto,K. On the error balancing of an optical system in combination with its receiver, 8=939. On a comparison between wave optics and geometrical optics by using Fourier analysis. I. General theory, 8=1583; II. Astigmatism coma, spherical aberration, 8=5745; III. Image evaluation by spot diagram, 9=1239

Miyamoto,S. On the interpretation of the contours of strong Fraunhofer lines, 5=696. Non-coherent scattering and the center-limb variation of blended lines, 5=1466. Non-coherent scattering and the contour of absorption lines, 5=1468. Non-coherent scattering and blended lines, 5=1469. On the calculation of non-coherent contours, 5=4310. Contours of strong Fraunhofer lines, 5=9377. Doppler core and inner wing of strong Fraunhofer lines, 5=9378. Collisional emission spectra of cosmic clouds, 6=4161. See also Fukui,S., 9=5968; Watase,Y., 8=1747

Miyamoto,T. See Kamiyoshi,K., 5=7006

Miyamoto,Y. See Ito,D., 6=6366

Miyasaka,R. See Oshida,I., 6=523

Miyasawa,H. and Sugaike,S. Photoconductivity of In_2Te_3 and CdTe single crystals, 5=959

Miyashiro,S. See Hirashima,M., 9=8210

Miyashita,I. See Yokozawa,Y., 7=2500, 7=4593

Miyasita,K. See Kimura,K., 7=8167

Miyata,N. Order-disorder transformation and magnetic susceptibility of Mg-Cd alloys, 5=7185. Temperature dependence of [the] magnetic anistropy of Cd_3Mg, 5=7192. See also Funatogawa,Z., 8=3238

Miyata,N. and Funatogawa,Z. Magneto-thermoelectric powers of nickel single crystlas, 5=2874. Preliminary report on the magneto-thermoelectric power of nickel, 5=6298

Miyatake,O. and Goodman,C. Observations on the charge on the mass distribution in nuclei, 5=9820

Miyatake,O., Yoshizawa,Y. and Toyama,M. Deformations of heavy nuclei, 7=4616

Miyatake,Y. The relation between Jordan's nonlocalized theory and Pais-Uhlenbeck's theory, 6=3471

Miyatani,S. On the polarization of silver sulfide, 5=9651. Point contact of Pt and $Y-Cu_2S$, 7=3290. Electrical properties of Ag_2Te, 8=7933. Electrical properties of Ag_2Se, 9=1445

Miyauchi,T. An empirical regularity of energy gap in semiconductors, 7=8606. A note on the energy gaps of semiconductors, 9=10970

Miyauchi,T. and Kimura,H. Electrical properties of Cd–Sb, 7=5324

Miyazaki,T. See Shirakawa,Y., 9=5880; Takezaki,Y., 7=828

Miyazaki,Y. Cosmic-ray records of the scientific research institute. II, 9=9741. Comparison of cosmic-ray intensity variations observed at different altitudes, 9=9743. See also Kawasaki,S., 8=6011, 9=9734

Miyazaki,Y. and Wada,M. Eleven year variation of cosmic-ray distribution and its relation to solar and geomagnetic activities, 9=380

Miyazawa,H. Strong-coupling theory for the case of pseudoscalar coupling, 5=3454. Sachs' theorem on the magnetic moments of nucleons, 5=3455. Feyman amplitudes and strong-coupling pion theory, 5=8506. Anomalous magnetic moment of the nucleon and the pion-nucleon scattering, 6=2679. Interaction of P- and S-wave pions with fixed nucleons, 7=2973. See also Ando,F., 9=12538; Fujita,J., 9=11411-12; Goldberger,M.L., 5=8509; Konuma,M., 7=9812; Umezawa, H., 9=1672

Miyazawa,H., Maeda,H. and Tomishima,H. Lattice scattering mobility of electrons in cadmium sulphide, 9=11560

Miyazawa,H. and Oehme,R. Decay of spin-zero mesons into two leptons, 5=7703

Miyazawa,H. and Sugaike,S. Phase transition of In_2Se_3, 7=8622

Miyazawa,T. Symmetrization of secular determinant for normal vibration calculation, 8=8379. Infrared absorption of cyanogen in the cesium iodide region and CN bond moment, 9=1284. See also Mizushima,S.-I., 5=426

Miyazawa,T. and Pitzer,K.S. Internal rotation and infrared spectra of formic acid monomer and normal coordinate treatment of out-of-plane vibrations of monomer, dimer, and polymer, 9=8715

Miyazawa,T., Shimanouchi,T. and Mizushima,S. Characteristic infrared bands of mono-substituted amides, 6=1984. Normal vibrations of n-methylacetamide, 8=9087

Miyazima,T. and Tamura,T. A collective description of the surface oscillation of atomic nuclei. Extension of Tomogaga's method to three dimensional nucleus, 6=8928

Miyoshi,Y. Theoretical analysis of buildup of current in transient Townsend discharge, 7=419. See also Hayashi,M., 5=3802

Mize,J.P. See also Brolley,J.E.,Jr, 5=9097; Bunker,M.E., 7=652, 7=3596; Knight,J.D., 6=6113

Mize,J.P., Bunker,M.E. and Starmer,J.W. Radiation from Ir^{192m}, 5=480. Nuclear levels of Lu^{175}, 6=1508. Radioactive decay of Yb^{177}, 6=6863

Mizkjewitsch,N. On the invariance properties of Lagrange functions for fields, 8=8572

Mizobuchi,A. See Sugimoto,K., 6=7629, 9=13603

Mizuguchi,K. See Sasaki,W., 9=5701, 9=10997

Mizuno,H. Influence of doping on diffusion rate of impurities in cathode nickel, 8=8456. Diffusion of activator of cathode sleeve, 9=8880. See also Nagata,T., 9=937

Mizumo,J. See also Ogawa,S, 9=8906

Mizuno,J., Ogawa,S. and Hirone,T. Dependence of the intermetallic diffusion coefficient upon concentration, 5=3162

Mizuno,Y. See Ishiguro,E., 8=6382; Kotani,M., 8=6381; Ohno,K., 8=3422

Mizushima,M. Theory of the hyperfine structure of No [nitric oxide] molecule. Electronic structure, 7=4592. Theory of the Stark effect of the NO molecule, 8=2240. See also Lin,C.C., 6=2291; Ohno,K., 8=3422

Mizushima,M., Cox,J.T. and Gordy,W, Zeeman effect in the rotational spectrum of NO, 5=5992

Mizushima,S. See also Hashimoto,M., 6=3345; Hayashi,M., 7=4224; Ichishima,I., 9=3974; Miyazawa,T., 6=1984, 8=9087 Naito,K., 6=1077; Shimanouchi,T., 5=5579, 9=8713; Yamaguchi,A., 9=13153

Mizushima,S., Nakagawa,I. and Quagliano,J.V. Infrared absorption spectra of inorganic coordination complexes. III. Deformation frequencies of the NH_3 ligand, 5=9568

Mizushima,S., Nakagawa,I. and Sweeny,D.M. NH_2 deformation frequencies of inorganic coordination complexes, 7=2477

Mizushima,S., Shimanouchi,T., Nakamura,K., Hayashi,M. and Tsuchiya,S. C–Cl stretching frequencies in relation to rotational isomerism, 7=6387

Mizushima,S.-I., Nakagawa,I., Ichisma,I. and Miyazawa,T. Further evidence for the existence of the gauche form of 1,2-dichloroethane, 5=426

Mizushima,W. See Ito,M., 6=4307, 7=2038, 7=7740

Mizushima,Y. See also Imai,T., 5=6258

Mizushima,Y., Hirota,S. and Noake,H. Specimen contamination in electronmicroscope, 6=6213

Mizushima,Y. and Ochi,O. Recovery process in the evaporated metal films, 7=790

Mizushima,Y., Oda,Z. and Ochi,O. The structure of evaporated barium films, 8=3983

Mizutani,H. Determination of the end-to-end distance of high polymer, molcule in solution, 6=3910

Mladjenović,M. The widths of conversion lines, 5=9892

Mladjenović,M. and Slätis,H. Auger transitions in Bi^{212} (ThC), 5=3078. The Auger electrons of ThB, 5=9896

Mlavsky,A.I. See Bradshaw,S.E., 7=2792, 7=7883

Moak,C.D., Banta,H.E., Thurston,J.N., Johnson,J.W. and King,R.F. Duo plasmatron ion source for use in accelerators, 9=12380

Moak,C.D., Galonsky,A., Traughber,R.L. and Jones,C.M. Energy levels of Be^9, C^{12}, and C^{13}, 8=8276

Moak,C.D., Good,W.M. and Kunz,W.E. Charged particles from the bombardment of Li^7 by He^3, 5=1205

Moak,C.D. and Wisseman,W.R. Energy levels of Be^8, 6=3193

Möbius,P. See Marić,Z., 9=7361

Mobley,R.A. See Newson,H.W., 6=6170

Mobley,R.C. See Newson,H.W., 7=3667

Moccia,R. See Califano,S., 7=9085

Mochalov,K.M. and Raff,E.L. Part played by the external medium in the excitation of atomic spectra in the arc discharge, 6=8083

Mochalov,M.D. The influence of composition and degree of order on the galvanomagnetic properties of ordering alloys, 9=12304

Mochan,I.V. Experimental investigation of the transverse Nernst–Ettinghausen effect in tellurium, 7=1297

Mochan,I.V., Obraztsov,Yu.N. and Krȳlova,T.V. Investigation of thermomagnetic effects in p-type germanium, 7=9188

Mochizuki,T. See Oishi,J., 6=3690

Mochlinski,K. See Makowski,M.W., 6=1757, 7=918

Mock,R. See Bode,R., 5=5098; Detoeuf,J.-F., 6=615, 6=5359; Kappler,E., 5=630-1

Mockler,R.C. and Bird,G.R. Microwave spectrum of carbon monsulfide, 5=6929

Model',A.M. Propagation of plane electromagnetic waves in space filled with plane parallel lattices, 5=9786

Model',I.Sh. Measurement of high temperatures in strong shock waves in gases, 8=4932. See also Samȳlov,S.V., 8=7831

Modena,I. See Careri,G., 9=10924; Fasoli,U., 7=8002, 8=647; Filosofo,I., 6=5199

Moe,D.E. Ionization of inert gases by positive potassium ions, 7=2363

Moe,D.E. and Petsch,O.H. Energy spectrum of electrons emitted from gases bombarded by positive ions, 9=368, 9=13392

Moe,G. See Barsh,M.K., 8=8727

Moe,M. See also Finkelstein,R.J., 6=1649

Moe,M. and Saxon,D.S. Variational methods in scattering problems, 9=1082

Moeller,C.W. Magnetic susceptibility of titanium (III) in lanthanum titanium oxides, 8=2411

Moellering,W. and Jensen,J.H.D. On the angular correlation during Rontgen and optical cascades, 6=3163

Moellering,W.M., Zemach,A.C., Klein,A. and Low,F.E. Spatial extension of the proton magnetic moment from the hyperfine structure of hydrogen, 6=1485

Moerman,R. See Roy,R.R., 6=1556

Moessen,G.W., Aston,J.G. and Ascah,R.G. Thermodynamic temperature scale below 90°K, the normal boiling point of normal hydrogen, 5=2669

Moesta,H. On the relations in the gas discharge in the Penning-type of vacuum gauge, 8=2865

Moffat,J. On the motion of charged particles in the complex symmetric unfied field theory, 8=1474. The static spherically symmetric solutions in a unified field theory, 8=3688. The foundations of a generalization of gravitation theory, 8=4698

Moffatt,J. A simple orbit contractor for betatron-started synchrotrons, 9=1546

Moffatt,J. and Stringfellow,W.M. A total-absorption Čerenkov counter for photons of about 100 MeV energy, 8=3277. The small angle scattering of high energy photons in uranium, 8=7383

Moffatt,J., Thresher,J.J., Weeks,G.C. and Wilson,R. The absorption of high-energy photons in matter, 8=1822

Moffatt,J. and Weeks,G.C. Pair production in the field of the electron, 9=9941

Moffat,R.D. See Bittner,J.W., 5=483; Davis,R.H., 7=688

Moffet,A.T. See Boley,F.I., 8=9062

Moffitt,W. Configurational interaction in simple molecular orbital theory, 5=1102. Optical rotatory dispersion of helical polymers, 6=8720. Optical rotatory dispersion of transition-metal complexes, 7=3180. Concerning altemant hydrocarbons, 7=4849. Topics in the theory of optical rotation, 7=6379. See also Gouterman,M., 9=3724. Liehr,A.D., 7=3483

Moffitt,W. and Liehr,A.D. Configurational instability of degenerate electronic states, 7=7264

Moffitt,W. and Moscowitz,A. Optical activity in absorbing media, 9=6085

Moffitt,W. and Thorson,W. Vibronic states of octahedral complexes, 8=2005

Mogford,I. See Churchman,A.T., 8=1332

Mogford,I.L. See Hull,D., 9=6290

Mogil'nikova,T.T. See Garber,R.I., 9=10311

Möglich,F. On the hydrodynamics of irrotational electron fields, 7=5877. On the hydrodynamics of an electron gas, 8=1106

Mohamed,A.A. See Haefer,R., 8=7548, 8=8459

Mohamed El-Nadi. See Osman El-Mofty, 5=8886. See also El Nadi,M.,

Mohan,G. Mathematical structure of renormalizable field theories, 8=42. On the creation operators of physical particles, 8=1508

Mohandis,M.G.S. el See el Mohandis,M.G.S.

Mohanti,H.B. See also Booth,A.D., 6=2604

Mohanti,H.B. and Booth,A.D. A simple electronic Fourier synthesizer, 6=2604

Mohanty,B.S. See also Panda,S., 9=7881

Mohanty,B.S. and Deo,B.B. Ultrasonic velocity in zinc and magnesium sulphate solutions at different concentrations and temperatures, 6=6445

Mohanty,S.R. "Threshold potential" of the a.c. elctrodeless discharge, 5=2775. The influence of light on the mechanism of gaseous discharges (Joshi effect), 5=6176. The electrode surface–gas interface as the seat of the Joshi effect under silent electric discharge, 5=6177. Heat conductivity-viscosity relationship for liquids, 5=6782. Mechanism of potential inversion of the Joshi effect, 5=8801. Surface dependence of the Joshi effect in oxygen under silent electric discharge, 5=9682. The reduction of the potential limit differences for electronegative vapours and gases in electrodeless continuous discharges, 6=1268. Temperature as a determinant of the current under electrodeless discharge, 6=2903. Disappearance of adsorbed gases from dielectric surfaces under electrodeless discharge, 6=2906*. Energetics and stability of intermolecular complexes in solution, 6=3329. Energetics of elimination of adsorbed gases from dielectric surfaces under electrodeless discharge, 6=4424. The potential range for the occurrence of inversion of the positive Joshi effect, 7=4406

Mohanty,S.R. and Bhat,T.R. Role of transverse magnetic fields in the electrodelss gas discharge and in the Joshi effect, 7=5357

Mohanty,S.R.,Kannan,L.V. and Visvanathan,S. Role of continued excitation in the potential inversion of the Joshi effect, 7=5363

Mohanty,S.R.,Krishma Rao,G.V.G. and Jayaraman,J. Electrode separation as a determinant of the optimum pressure for maximum negative Joshi effect, 5=308

Mohanty,S.R., Nagarjunan,T.S., Srinivasan,R. and Srinivasan,G. Dependence on the nature of the electrode surface of the Joshi effect in oxygen at different gas pressures, 5=5430

Mohanty,S.R., Rao,K.R.K. and Bhat,T.R. Production of the Joshi effect in oxygen under the near infrared, 6=8813

Mohanty,S.R. and Srinivasa Rao,P. Inversion potential of the Joshi effect and light intensity, 5=4703. Potential dependence of the Joshi effect inversion with light intensity, 5=4704. Light intensity and frequency as determinants of the potential inversion of the Joshi effect, 5=9685. Electrode length and the Joshi effect under ozonizer discharge, 7=4405

Mohanty,S.R., Srinivasan,R.,Srinivasan,G. and Nagarjunan,T.S. Field instensity as a determinant of the Joshi effect under 'normal' and 'reversed' full-and semi-ozonizer excitation, 5=9683

Mohiuddin,M. Reliability of the semi-empirical mass formula in the calculation of neutron binding energy, 5=2992

Mohler,F.L. See Bradt,P., 5=7490, 7=5423; Dibeler,V.H., 5=1343, 7=5417, 7=5422

Mohler,N. See Fund,S., 6=3271

Mohler,O. Solar spectroscopy, 9=3034

Mohler,O.C. See also Goldberg,L., 9=7742, 9=12961; McMath, R.R., 6=5637, 6=6319

Mohler,O.C. and Goldberg,L. The width of the infrared helium line in the solar spectrum, 6=6320

Mohler,O.C. and Pierce,A.K. A high-resolution isophotometer, 8=4623

Mohling,F. See Lee,T.D., 9=10927

Mohorovičić,S. The accuracy of spherometer measurements, 5=1567. The measurement of radius of curvature of test glasses with a ring spherometer, 5=7720. Angle of incidence as a function of the angle of deviation and the refractive indices, 5=7810. Contributions on optical images. I, 5=8581. A note on the extension of the paraxial region of image formation, 6=3597. Contributions on optical images. II, 6=5753

Mohr,C.B.O. Positronium formation in gases and its pressure dependence, 5=7347. The mean free path of slow neutrons in nuclear matter, 5=7401. The WKB method for a complex potential, 7=5858. Direct interaction in the inelastic scattering of high energy protons in carbon, 8=4312

Mohr,C.B.O. and Robson,B.A. Calculations with the optical model of the nucleus, 6=6835

Mohr,H. New special plates from the film factory Agfa Wolfen for Raman spectroscopy, 9=5290

Mohtadi,M.F. See Garner,F.H., 5=5920

Moiseenko,V.A. See Balandin,M.P., 9=12577

Moiseev,B.N. See Alikhanov,A.I., 9=12440

Moiseeva,E.M. See Estulin,I.V., 6=3972

Moiseev-Ol'khovskiĭ,I.I. A method of obtaining non-stationary solutions of Boltzmann's kinetic equation, 7=1971

Moiseiwitsch,B.L. Interaction energy and charge exchange between helium atoms and ions, 7=1486. Elastic scattering of slow positrons by hydrogen atoms, 8=7432. The 2^3S-2^3P, 3^3P, 3^3D, 4^3D excitations of helium atoms by electrons, 9=2857. See also Adler,J., 7=4495; Bates,D.R., 5=7151, 6=8519; Boyd,T.J.M., 7=4494, 8=790; Dalgarno,A., 7=6413; Lewis,J.T., 5=8126; Lynn,N., 7=7992; McCarroll,R., 7=7277; Massey,H.S.W., 5=2089

Moiseiwitsch,B.L. and Stewart,A.L. Inelastic collisions between heavy particles. III. Excitation of helium atoms in fast encounters with hydrogen atoms, protons and positive helium ions, 5=2090. Approximate molecular orbitals. V. The $1s\sigma$ and $2p\pi$ states of HeH^{2+}, 6=7587

Moĭzhes,B.Ya. Electrostatic field on a square-mesh wire grid, 7=9149. Calculation of the voltage for the Kikoin–Noskov photomagnetic effect and the Dember effect in strong magnetic fields, 7=9178. The effect of surface and volume recombination on alpha and the reverse collector current of alloy crystal triodes, 9=12285. See also Devyatkova,E.D., 9=10896

Moĭzhes,B.Ya. and Obraztsov,Yu.N. On the theory of the transverse photomagnetic effect, 8=7929

Mojžíš,J. See Kuhn,A., 7=6297

Mokhnach,D.O. On the secular acceleration and retardation of the motion of short-period comets, 7=3909. The nonstationary distribution of apparent density in comets, 9=10521

Mokhnatkin,M.P. On the thermodynamics of helium, 9=8043

Mokhov,V.N. See also Urin,M.G., 7=3378

Mokhov,V.N. and Urin,M.G. Auger effect in heavy atoms, 6=6135

Mokhov,Yu.N. See Boltaks,B.I., 7=4800, 8=9137

Mokhtar,M. and Mahrous,M.A. The attenuation of sound in a turbulent atmosphere over a desert terrain, 5=10133

Mokhtar,M. and Salama,K. Ultrasonic absorption in mixtures of organic liquids, I, 9=5456. Effect of dipole moment and temperature on the ultrasonic absorption in mixtures of organic liquids. II, 9=5457

Mokhtar,M. and Youssef,H. Sensitive electrodynamic balance for measurement of absorption of ultrasonic waves in liquids, 6=7231. Ultrasonic absorption in liquids. I, 9=146

Mokievskiĭ,L.I. See also Ivanov,G.A., 7=417

Mokievskiĭ,L.I. and Ivanov,G.A., The electrical properties of bismuth alloys. III. Ternary alloys. "Reversion" to the properties of bismuth, 9=1447

Mokrintseva,A.I. See Blazhnova,E.I., 7=7770

Mokrý,P. See Chaloupka,P., 9=13409

Mokul'skii,M.A., Lazurkin,Yu.S., Fiveĭskii,M.B. and Kozin,V.I. Reversible effects of radiation on mechanical properties of polymers, 9=10272

Molchanov,V.A. See Bonch-Bruevich,A.M., 7=209, 9=9457; Cherksaov,A.S., 7=1191; Sveshnikov,B.Ya., 7=3150

Moldauer,P.A. and Case,K.M. Properties of half-integral spin dirac–Fierz–Pauli particles, 6=4194

Moler,W.F. and Arvola,W.A. Vertical motion in the atmosphere and its effect on v.h.f. radio signal strength, 8=5546

Moles,A. On the "characterization" of speech and diction, 7=3107. On the use of the iteration method in room acoustics, 8=7785

Molgedey,G. See Böer,K.W., 6=6634

Moliére,G. Theory of scattering of fast charged particles. III. The multiple scattering from tracks with consideration of statistical coupling, 5=5895. Solution of Boltzmann equation for multiple scattering of electrons [in foils], 8=7486. Generalised WKB-method of asymptotic expansion, 8=7487

Moliére,K. and Altenhein,H.J. Interference-refraction of electron beams. II. The fine structure of the diffraction patttern of Mgo crystals, 5=641

Moliére,K. and Niehrs,H. Interference-refraction of electron beams. III. Determination of the crystal orientation, the structure factors and the inner potential of magnesium oxide crystals from the fine structure of the electron diffraction spots, 5=9278

Molin,Yu.N., Koritskii,A.T., Buben,N.Ya. and Voevodskii,V.V. Investigation of free radicals formed in solids during fast electron bombardment, 9=12759

Molin,Yu.N. and Voevodskiĭ,V.V. Study of the action of ionizing radiation on quartz by means of electron paramagnetic resonance, 8=3468

Molinari,E. See Boato,G., 6=4711

Moliner,F. Garcia. See Garcia Moliner,F.

Moljk,A. See also Drever,R.W.P., 6=3152, 7=645, 7=3604, 7=5590

Moljk,A. and Curran,S.C. Beta spectra of C^{14} and S^{35}, 5=484

Moljk,A. and Drever,R.W.P. Proportional counters for demonstration experiments, 7=5409

Moljk,A., Drever,R.W.P. and Curran,S.C. Trace-quantity analysis: neutron activation applied to potassium-mineral dating, 5=5069. Operation of proportional counters at high temperatures, 6=425. The background of counters and radiocarbon dating, 7=6293

Moll,A. Some properties of thin monocrystalline films of barium-strontium titanate produced by vacuum evaporation in an electric field, 9=6314

Moll,J.L. The evolution of the theory for the voltage–current characteristic of p-n junctions, 8=5900. See also Senitzky, B., 8=7957

Möllenstedt,G. High-resolution photographic emulsions in electron microscopy, 6=2170. Electron optical images with an objective connected according to O.Scherzer, 6=5926. See also Degenhard,W., 9=4068; Sakaki,Y., 6=5921

Möllenstedt,B. and Dietrich,W. Improvement of the optics of the high resolution electrostatic velocity analyser, 5=7100

Möllenstedt,G. and Düker,H. Fresnel interference with a biprism for electrons, 5=3817. Observations and measurements on biprism interference using electron-waves, 6=5922

Möllenstedt,G. and Hubig,W. The substance differentiation in the emission electron microcope (electrons released by oblique combardment with an atomic beam), 5=3168. Reflection image converter for corpuscular beams, 9=3579

Möllenstedt,G. and Jönsson,C. Multiple beam electron interference at regularly arranged fine slits, 9=12377

Möllenstedt,G. and Keller,M. Measurement of internal potential by electron interference, 7=7958

Möllenstedt,G., Seiler,H. and Junger,G. Ion images in transmission, 8=8055

Möllenstedt,G., Speidel,R. and Koch,W. Standing light waves of the Wiener type made visible by electron-optical means, 8=4842

Møller,C. On the problem of convervence in non-local field theories, 5=9391. Old problems in the general theory of relativity viewed from a new angle, 7=1877. The ideal standard clocks in the general theory of relativity, 7=6845. On the localization of the energy of a physical system in the general theory of relativity, 9=26. The concepts of mass and energy in the general theory of relativity. I, 9=10561; II, 10562. The energy–momentum complex in the general theory of relativity, 9=11785. Motion of free particles in discontinuous gravitational fields, 9=12978. Crystal structure and photoconductivity of caesium plumbohalides, 9=2341. See also Douglas,A.E., 5=3927

Möller,F. A discussion on "radiative balance": The pattern of radiative heating and cooling in the troposphere and lower stratosphere, 6=7878

Möller,H.G. Observation of the Z-component in middle latitudes, 5=3310. See also Dieminger,W., 8=4573

Møllerud,R.B. See Halsteinslid,A., 9=5060, 9=8626

Molloy,C.T. Use of four-pole parameters in vibration calculations, 8=1558. Electrical and optical properties of zinc oxide, 7=7924. See also Bogner,G., 9=8995

Mollwo,I. Measurement-technique principles of radio-astronomical radiation measurement, 6=9. The electron temperature and electron stream in the high frequency torch discharge, 9=11069

Molmud,P. Langevin equation and the a.c. conductivity of non-Maxwellian plasmas, 9=7109

Molnár,B. See Gáspár,R., 6=562, 7=1472. See Gombás,P., 5=8148, 5=8983

Molnár-Ivancecsko,K. See Gáspár,R., 6=8938

Molodtsova,L. See Gal'perin,F., 7=2428

Molony,D. See Badoyannis,G.M., 6=6482

Molotkov,I.A. Transient-wave propagation and diffraction in a two-layer medium with cylindrical boundary of separation, 9=4371

Molyneux,L., Turnbull,J. and Walder,D.N. A portable apparatus for recording the rate of clearance of radioactive sodium from human calf muscle, 8=6564

Momigny,J. Measurement of molecular excitation potentials by means of an ion source, 7=2362. The influence of electron energy on the dissociation of molecules into ions, 7=4492

Momo,L.R. See Foner,S., 9=13462

Momotoa,T. See Hattori,M., 5=4917; Isoya,A., 6=2399, 7=694 8=7363; Sakai,M., 9=8550

Momyer,F.F.jr. and Hyde,E.K. Properties of Em^{221}, 6=3133

Monahan,J.E. See Church,E.L., 5=6444; Langsdorf,A.,Jr, 7=9888

Monahan,T.I. See Derksen,W.L., 8=132

Moncassin,J. Exposure meter for the electron microscope, 7=5677

Moncassoli,A. See Gamba,A., 6=3912

Mönch,E. The dispersion of thedouble refraction of culluloid as a measure of plasticity in stress optics, 5=234

Mönch,E, and Hautmann,T. Investigation of the stability of some plastic s as photoelastic model materials, 9=13044

Mönch,E. and Jire,R. Study of the photo-plasticity of celluloid in the form of a tube under internal pressure, 5=9592

Mönch,G.C. Simple interference prisms for the evaluation of the thichness of thin films, 5=6958. On the variation of contact potential with temperature, 6=2869. Diffusion pumps with merucry and oil as operating substances, 6=4878

Monchick,L. Note on the theory of diffusion controlled reactions: Application to photodissociation in solution, 6=4064

Monchick,L., Funabashi,K. and Magee,J.L. Chemical effects of hot atoms, 7=9953

Monchick,L., Magee,J.L. and Samuel,A.H. Theory of radiation chemistry. IV. Chemical reactions in the general track composed of N particles, 7=5704

Mond,J.W.M.Du. See Du Mond,J.W.M.

Monem,I.Kabiel, Abdel, See Abdel Monem I.Kabiel

Mones,A.J. and Banks,E. Cation substitutions in $BaFe_{12}O_{19}$, 9=3641. Ferrimagnetism in the system $Na_2O-ZnO-Fe_2O_3$ 9=8322

Moneti,G.C. See Ageno,M., 9=13383;Alexander,G., 9=1686; Ballario,C., 8=1210; Lasinio,G.J., 8=2475

Monetti,G.C. See Alexander,G., 6=687

Moneypenny,H.K. See Brown,J.R., 5=3277

Monfils,A. The nuclear quadrupole spectrum of 1.2.4.5 tetrachlorobenzene, 6=239. See also Duchesne,J., 5=5567, 5=6120, 6=6083*, 6=8307, 6=9034, 7=829, 7=2504

Monfils,A. and Duchesne,J. Type of action of Co^{60} gamma radiation on p-dischlorobenzene, 7=2778

Monfils,A. and Grosjean,D. Intensity of nuclear quadrupole spectra of solid solutions, 7=591

Monfort,F. See Grignet,J., 9=3025

Monforte,F.R. See Schnettler,F.J., 8=8907

Mong,B.A. and Douglass,R.M. Reactor vessels, 5=8275

Mong,L.E. See Kerper,M.J., 9=2976

Mongini,L. See also Ascoli,A., 6=6951; Germagnoli,E., 7=3609

Mongini,L. and Mongini,C. Tamagnini Composition of the fuel element during the operation of a thermal heterogeneous natural uranium reactor, 6=6177

Mongini Tamagnini,C. See Mongini,L., 6=6177

Mongodin,G. A completely welded and easy to outgas pumping system for high vacuum work, 9=13078. See also Amoignon, J., 8=2866, 9=4355

Monk,C.B. See Bates,R.C., 6=9013

Monkewicz,A.A. See Senftle,F.E., 8=6025

Monod-Herzen,G. On two fluorescence emissions from cadmium iodide, 6=7303. On the activation of cadmium iodide with lead iodide, 8=6877. Spectrographic research on the two luminescent centres in cadmium iodide activated with lead, 9=13175

Monod-Herzen,G. and Nguyen Chung-Tu. On the identification of luminescent complexes of cadmium iodide and lead iodide, 8=4887

Monod-Herzen,G., Nguyen Chung-Tu and Mulot,H. Two methods of preparing luminescent powders, 9=12092. Variation of the luminescence of cadmium iodide activated with lead with concentration and temperature, 9=13176

Monoszon,N.A. See Arkhangel'skiĭ, F.K., 8=1727

Monpetit,L. See Goodman,B.B., 9=8052

Monroe,A.G. See Gaffee,D.I., 5=1592

Monse,E.A. The mobility of NO_3 and Cl in a molten $AgNO_3-AgCl$ mixture, 9=6347. See also Klemm,A., 9=6346; Lunden,A., 6=3338; Wänke,H., 6=1499

Monson,L.A. See Marks,G.W., 7=2174

Monsonego,G. On the collective description of the giant resonance, 9=10117

Montagner,S.Le. See Le Montagner,S.

Montague,J.H. See Freeman,J.M., 8=6310, 9=2764; Paul,E.B., 9=2704

Montague,R.M.Jr. See Beams,J.W., 6=2706

Montalbetti,R. A fast auroral camera, 7=7530. Rotational temperatures measured in aurorae at Churchhill,Manitoba, 7=9993. See also McEwen,D.J., 9=3016

Montaldi,E. A particular integral representation of the function $\Delta_4^{(+)}(\xi;a)$, 9=5355. Connections between generalized singular functions and Béssel functions, 9=9127. See also Bassani, F., 6=5287; Bocchieri,P., 8=752; Gulmanelli,P., 7=8375

Montaldi,E. and Pusterla,M. Electron scattering in nuclear field with pair-creation, 7=8814

Montalenti,G. See Biorci,G., 9=2485; Ferro,A., 7=8911, 9=439

Montanelli, G. See Piontelli,R., 5=592

Montanet,L., See Cooper,W.A., 8=5246

Monteith,J.L. and Owen,P.C. A thermocouple method for measuring relative humdity in the range 95-100%, 9=1945

Montel, E. An alternating field method for measuring the mobilities of gaseous ions, 7=5430

Montel,M. First-order aberrations in asymmetric catoptical systems. Application to the total-reflection X-ray microscope, 5=2549; Extensions of the classification of geometrical aberrations to asymmetrical systems, 5=2552; Use of total reflection of X-rays for the suppression of rays of short wavelength in a polychromatic beam, 6=7026; Some applications of focusing of X-rays by total reflection, 6=7825; Reflection and focusing of X-rays by mirrors, 9=5787

Monterie,F. See Schutten,J., 8=1101

Montes Ponce de León,J. and Sánchez del Río, C. Formation of an isomeric state of Zn_{30}^{67} by means of slow neutron bombardment, 6=7641

Montet,G., Hennig,G. and Kurs,A. Tracer studies on radiation damaged graphite, 9=13802

Montgomery,D. Development of hydromagnetic shocks from large-amplitude Alfvén waves, 9=4837

Montgomery,D.J. See Covington,E.J., 8=453; Crawford,J.A., 6=2229; Cunningham,R.G., 6=2052; Snyder,D.D., 8=410, 2297; Stauff, D.W., 5=5942, Van Ostenburg,D.O., 9=3414; Wakelin,J.H., 5=8316

Montgomery,H. The thermal conductivity of lead at low temperatures, 8=3922; See also Biehl,A.T., 7=3688; Mendelssohn,K., 7=4268

Montgomery,H.C. Field effect in germanium at high frequencies, 7=5327; See also Brown,W.L., 7=7861; Garrett,C.G.B., 7=7868; Pearson,G.L., 6=4413

Montgomery,H.C. and Brown,W.L. Field-induced conductivity changes in germanium, 6=7411

Montgomery,P.O'B., Roberts,F. and Bonner,W. The flying-spot monochromatic ultra-violet television microscope, 6=8721

Montilla,J. See Villena,L., 7=9023

Montmory,R. On the utilization of supersaturated solution for the detection and counting of silver iodide nuclei, 5=5051; A cloud chamber at a quasi-uniform temperature for studies of the threshold of ice formation, 8=1015; See also Jaffray,J., 6=8150, 7=2123, 7=5270*

Montroll,E.W. Frequency spectrum of vibrations of a crystal lattice, 5=7504; See also Bazley,N.W., 9=1844; Domb,C., 9=7492, 9=12776=7; Jackson,J.L., 9=730; Maradudin,A.A., 8=8416; Mazur, P., 7=855

Montroll,E.W. and Potts,R.B. Effect of defects on lattice vibrations, 6=792; Interaction of defects and an analogy with meson pair theory, 6=4078

Montroll, E.W. and Shuler,K.E., Studies of nonequilibrium rate processes. I. The relaxation of a system of harmonic oscillators, 7=7470

Montroll,E.W. and Ward,J.C. Quantum statistics of interacting particles; general theory and some remarks on properties of an electron gas, 8=5665; Quantum statistics of interacting particles, 9=3162

Montwill,A. See Keefe,D. 9=3926, 9=8480

Moodie,A.F. See Cowley,J.M., 7=5958–60, 8=2258, 9=7655, 9049, 10392=3

Moody,J.W., Kendall,G.L. and Willardson,R.K. Photovoltaic gamma-ray dosimeter, 9=3698

Moon,K.A. The size of interstitial solute atoms in close-packed metals, 5=4206

Moon,P. and Spencer,D.E. A new electrodynamics, 5=2896; A postulational approach to electromagnetism, 5=7201; On

electromagnetic induction, 6=1396; On the ampère force, 6=2253; On the classification of the ordinary differential equations of field theory, 7=999; The undetermined constant in relative-velocity electrodynamics, 8=6062
Moon,P.B. Space charge and ionization phenomena in constant-gradient proton synchrotrons, 6=3784; See also Bull,T.H. 5=5006
Moon,P.B., Riddiford,L. and Symonds,J.L. Experimental characteristics of the proton synchrotron, 5=6226
Moon,P.B., Shute,G.G. and Sood,B.S. Electron-capture energy and level lifetime by temperature effect in Sm^{152} gamma-ray resonance, 8=7306
Mooney,H.M. and Kaasa,R.A. New refraction seismograph, 8=3600
Mooney,M. Theory of the non-Newtonian rheology of raw rubbers consisting of supermolecular rheological units, 6=6984; See also Feder,R., 8=3481
Mooney,R.L. A few more words about units, 9=3085
Mooney,R.W. Temperature dependence of fluorescence of tin-activated orthophosphates, 9=1309
Moor,J.C. See Stoudenheimer,R.G., 8=477
Moorat,A.J.G., See Lyon,A.J., 6=9070
Moorcroft,D.R. Radio tracking of earth satellites, 9=3066
Moorcroft,D.R. and Hines,C.O. Resonance effects in the theory of meteor observability, 8=3645
Moore,A. See also Williamson,G.K., 6=3368
Moore,A., Wright,D.B. and Martin,A.J. The preparation of powder specimens from active and toxic metals for use in conventional X-ray diffraction studies, 8=8524
Moore,A.R. The preparation of single and multiple p-n junctions in single crystals of germanium, 7=2241; See also Braunstein,R., 8=8687; Kessler,J.O. 9=12264
Moore,A.R. and Webster,W.M. Surface recombination and the floating junction, 5=3734; The effective surface recombination of a germanium surface with a floating barrier, 5=6140
Moore,C.E. Atomic spectra—their role in astrophysics, 7=3918; Atomic energy levels. Volume II. 9=8669; Volume III, 9=8670; See also Kessler,K.G. 5=3563; See Russell,H.N., 6=6506
Moore,C.E. and Broida,H.P. CH in the solar spectrum, 9=12963
Moore,D. See Lowe,A.E., 8=8187
Moore,D.C. See Hanson,R.J., 7=3384
Moore,D.G. See also Strauss,S.W., 6=7395
Moore,D.G. and Thornton,H.R. Effect of oxygen on the bonding of gold to fused silica, 9=7561
Moore,D.W. See also Whittaker,A.G., 6=9022
Moore,D.W., Burkardt,L.A. and McEwan,W.S. Viscosity and density of the liquid system TNT-picric acid and four related pure materials, 7=3042
Moore,E.B.,Jr, Dickerson,R.E. and Lipscomb,W.N. Lease squares refinements of $B_{10}H_{14}$, B_4H_{10}, and B_5H_{11}, 7=8296
Moore, E.J. On the galvanomagnetic, thermomagnetic, and thermoelectric effects in isotropic metals and semiconductors semiconductors, 8=7897
Moore,G.E. Dissociation of solid SrO by impact of slow electrons, 9=8865; See also Allison,H.W., 9=840; Benedict,W.S., 6=7288=9, 7=7743; Hochheimer,B.F., 6=5003; Wooten, Wooten,L.A. 5=3856, 8060
Moore,G.E. and Allison,H.W. Adsorption of strontium and of barium on tungsten, 5=10045; Emission of oxide cathodes supported on a ceramic, 7=1424
Moore,G.E., Wooten,L.A. and Morrison,J. Excess Ba content of practical oxide coated cathodes and thermionic emission, 5=8061
Moore,H. See also Baynton,P.L., 7=6627
Moore,H. and McMillan,P.W. A study of glasses consisting of the oxides of elements of low atomic weight. I. The limits of glass-forming compositions in binary, ternary, and other systems of the oxides of certain elements of low atomic weight. II. The absorptions characteristic of certain of the experimental glasses. III. Certain physical and chemical properties of the experimental glasses in relation to the glass structure, 7=4262
Moore,H.R. The L-series emission spectrum of krypton, 7=7142; see also Mays,J.M., 8=3282
Moore,H.R. and Chalklin,F.C. The K-series emission spectrum of neon, 5=8804
Moore,J. See Sheer,C. 5=5636
Moore,J.A. Resonance scattering of slow neutrons on indium, 8=9060; See also Harting,D., 8=4227; Holt,J.R., 8=4228
Moore,M.S. See Reich,C.W., 9=1786; Schiffer,J.P. 7=3535
Moore,N.P.W. See Gaydon,A.G., 6=2773
Moore,P.W.J. See Wyatt,R.M.H., 8=7580
Moore,R.A. See Bhatia,A.B. 9=11958
Moore,R.B. See DeMille,G.R., 9=12624
Moore,R.D. See Hills,T.H. 7=1822; Standil,S., 7=3615
Moore,R.G. See Williamson,C.F., 8=8348
Moore,T.W. See Langenberg,D.N., 9=13792
Moore,W.E., McGruer,J.N. and Hamburger,A.I. Angular distributions of tritons from C^{14}(d, t)C^{13} reaction, 8=6307
Moore,W.H. See Bowen,T., 8=8258, 9=2632
Moore,W.J. See also O'Briain,C.D., 9=1541; Secco,E.A. 5=8306, 7=5665; Shim,M.T., 7=5664; Weiss,A., 9=1542
Moore,W.J., O'Briain,C.D. and Lindner,A. The interaction of ionic beams with solid surfaces, 8=640
Moore,W.R. and Brown,A.M. Viscosity—temperature relationships for dilute solutions of cellulose derivatives. I. Temperature dependence of solution viscosities of ethyl cellulose, 9=4334; II. Intrinsic viscosities of ethyl cellulose, 9=9281
Moorhouse,R.G. See Bellamy,E.H. [Ed$_s$], 5=6379; Bransden,B.H., 8=700, 8=6167, 9=9996; Laing,E.W., 7=8894
Mooring,F.P. See Holland,R.E. 5=8232; Lee,L.L.,Jr, 7=2535
Moorti,V.R.G. and Gharpurey,M.K. Revealing of surface texture by metal deposition, 7=6698; The texture of zinc and cadmium films deposited on fresh cleavage faces of mica, 9=2960; Comparative study of the effect of silver pre-coats on the texture of zinc and cadmium films condensed from vapour in vacuo, 9=12824
Mooser,E. Magnetic susceptibility of impurity-trapped electrons and holes in semiconductors, 6=2087; See also Dauphinee,T.M., 5=7948; Fielding,P., 9=6937
Mooser,E. and Pearson,W.B. New semiconducting compounds 6=2862; Chemical bond in semiconductors, 6=4395*, 6=8181; Recognition and classification of semiconducting compounds with tetrahedral s p^3 bonds, 7=5314; The chemical bond in semiconductors, 7=6166; A "semiconductor bond", 7=7890; The chemical bond in semiconductors. The group V B to VII B elements and compounds formed between them, 7=9179; The crystal structure and properties of the group VB to VIIB elements and of compounds formed between them, 9=8101
Mooser,E. and Woods,S.B. Thermoelectric power of germanium at low temperatures, 5=4686
Moppert,K.F. See Grün,F., 5=1558
Mora,S. See also Alles,W. 9=3800, 7284; Gessaroli,R., 7=8877; Marchi,C., 7=8879
Mora,S. and Ortalli,I. An analysis of hyperfragments originated in K-stars, 9=12637
Morachevskiĭ,A.G. See Alabȳshev,A.F., 7=4021
Moraes,A.De. See De Moraes,A.
Morais,C. Vector calculus for the design of double reflection systems, 5=1660; The use of vector calculus and homographs in the calculation of optical systems, 5=1661; Graphical study of the best focus in wide-aperture optical systems, 7=218; Notes on the investigation of the powers of the lenses in a triplet, following the method of Berek, 7=3120; A first study of catadioptric objectives intended as an optical system for infrared radiation, 7=4260; The optical design of a solar spectrograph, 8=5577; Aplanatic systems, 8=5750; A doublet with a single refractive index for chromatic correction, 8=5752; The aplanatic mirror telescope, 8=5828; Some considerations on an aplanatic reflecting telescope, 8=5829; A note on range-finder prism-correctors, 8=6789; A note on concentric optical systems, 9=1250; Notes upon a particular concentric optical system, 9=1251; A review of the application of gratings to the study of optical aberrations, 9=4418; Further considerations of the concentric system formed by two spheres having indices n_1 and n_2, 9=6688; Formulae for refraction through cylindrical surfaces, 9=9382
Morales,M.F. Mechanisms of muscle contraction, 9=11670
Moran,H.S. Modification of the Beckman Model DU Spectrophotometer for the measurement of interference filters, 5=1671; Determination of the relative spectral sensitivity of phototubes, 5=1840
Moran,N.B. See Nielsen,J.R. 5=4535
Moran,P.A.P. The statistical design of an experiment to test the stimulation of rain, 6=5561
Moran,P.R. Dislocation etch techniques for some alkali halide crystals, 9=9010
Moran,T.I. and Watson,W.W. Thermal diffusion factors for the noble gases, 8=2179; Thermal diffusion factors from column operation, 9=2863

Morand,M. The resentation of the similitudes of space by means of spinors, 8=4713; On the geometrical foudations of the theory of spinors in three dimensions, 9=3126; See also Desprez,R. 5=4412; Ishfaq,A. 9=11326; Le Gentil,M.C., 9=5291; Tsai-Chü. 5=360, 5=2846, 5=3857, 6=5956, 7=2685

Morand, M., Beets,C., Robinet,Y. and Winand,L. The effect of the East–West asymmetry on the distribution of fast tracks from stars produced by cosmic rays in nuclear emulsions, 7=8001

Morand,M., Colomer,J. and Schœbel,C. Preparation of nuclear photographic emulsions from colloidal silver, 8=5572

Morand,M., Le Gentil,M.C. and Desprez-Rebaud,S. Distribution of random points on a surface. Application to the background of nuclear emulsions, 8=2445; The effect of fluctuations of the specific loss of energy on the grain density in the neighbourhood of minimum ionization, 8=6104

Morand,M. and Tsai-Chü. Star produced by capture of a K^--meson, 5=9139

Morand,M., Winand,L. and Beets,C. A study of stars produced in nuclear emulsions by cosmic rays at 1600 m and 4500 m near the equator, 5=3869

Morant,M.J. The electron atmosphere in dielectrics, 5=271; Interpretation of experiments on electron emission in spark gaps, 5=8814

Morant,M.J. and House,H. The work function and patch field of an irregular metal surface, 6=2164

Moravcsik,M.F. Coulomb scattering of electrons at very small angles, 6=1289; Method of analysis of charged pion photoproduction, 7=3728; Negative to positive ratio from nonrelativistic theories of pion photoproduction, 7=3729; Angular distribution of positive pion photoproduction from hydrogen, 7=8893; On the threshold behavior of the negative to positive ratio in pion photoproduction, 8=1872; Analytic forms of the deuteron wave function, 8=7291; Charge independence and the low-energy parameters in pion physics, 9=3762; Second resonance in pion photoproduction, 9=6032; Coulomb effects in boson emission, 9=8477; Evidence from photoproduction for a pseudoscalar K^+ meson, 9=11399; See also Cziffra,P. 9=9952; Kawaguchi,M., 7=8890; Taylor,J.G. 9=4934

Moravcsik,M.J. and Sellen,J.M., Jr. Gas scattering in a strong focusing electron synchrotron, 6=2918

Morcillo,J. See also Fernández Biarge, J., 9=4451, 9=5522

Morcillo,J., Fernández Biarge,J. and Hernanz,J. Intensities in the infrared. A note on the theory of the experimental method of measurement, 9=4422

Mordukhaĭ-Boltovskoĭ,D. Geodesic lines for an ellipsoid in non-Euclidian space, 7=2952

Moreau,C. and Lepoutre,G. Thermoelectric effect in electrolytes. I. Thermodynamical investigation, 5=9674

Moreau,H., Hall,J.A. and Leaver,V.M. Mercury-in-quartz thermometers for very high accuracy, 7=6127

Moreau,J. Study of the radioactivity of $^{125}_{51}$Sb, 5=2115; Study of the radioactivity of Sb^{122}, 5=2116; Beta-spectrometer permitting the study of β-γ radiations in coincidence, 5=2788; See also Amoignon,J., 9=4355; Thulin,S. 5=3046, 5=3048

Morehead,F.F. and Daniels,F. Thermoluminescence and coloration of lithium fluoride produced by alpha particles, electrons, gamma rays, and neutrons, 8=2991

Morehead,F.F., Jr, Electron traps and the electroluminescence brightness and brightness waveform, 8=7841

Morel,J. See Herman,L., 9=9102

Morel,P. Evaluationof the contribution of the umklapp-processes to the electron–phonon interaction, 9=2351

Morel-Viard, J. Auroral luminosity produced by protons from any direction, 7=969

Moreland,J.D. Modifications of the Wright trichromatic colorimeter for extrafoveal and peripheral observations, 5=9595

Morellet,D. Study of heavy mesons stopped in photographic emulsions. II. 3. Method of estimation of mass by photometric density—residual range. (photometer with two slits), 5=6509; See also Crussard,J. 6=5430, 7=3697; Hoang,T.F. 5=4958, 5=4966, 5=6505; Leprince-Ringuet,L., 6=5403; Mabboux,C., 5=8288; Orkin-Lecourtois,A. 5=6505

Moret,R. See Berger,M., 6=5570

Moret-Bailly,J. Study of thin metallic films by the analysis of the ellipticity of reflected light, 6=720; Principle of an echelette grating stigmatic for two wavelengths, 6=5030; See also Bouchard,J., 6=1144

Morette-Dewitt,C. and Dewitt,B.S. On a five-dimensional unified theory. I. Lagrangian, 5=8471; II. Hamiltonian. Commutation relations, 5=8472

Moretti,C. Use of the photoelastic method to study residual constraints, 9=10639

Morgan,C.G. Temporal growth of ionization in gases, 7=492; Time studies of ionization processes, 7=1410

Morgan,D. See Burren,J.W., 9=3589; Mitchell,M.J., 8=5979

Morgan,D.F., Jr. See Callaway,J., 9=5126

Morgan,G.W. See also Lin,T.C., 7=3079

Morgan,G.W. and Ferrante,W.R. Wave propagation in elastic tubes filled with streaming liquid, 5=7767

Morgan,H.W. See also Busing,W.R., 8=6846; Staats,P.A., 6=4998, 7=2024; Yonts,O.C. 5=7754

Morgan,H.W. and Goldstein,J.H. Microwave spectrum and molecular structure of vinyl fluoride, 9=7967

Morgan,H.W., Staats,P.A. and Goldstein,J.H. Vibrational spectra of formyl fluoride and d-formyl fluoride, 6=7295; Infrared spectrum of NT$_4$Cl, 8=2963; Infrared spectra of N^{15}H$_3$ and N^{15}H$_4^+$, 8=2964

Morgan,I.G. See Evans,J.C., 7=128

Morgan,I.L. Inelastic scattering of neutrons, 6=8387; See also Bostrom,N.A., 7=4719; Williamson,C.F., 8=8348

Morgan,J. See Alvial,G., 8=1149

Morgan,J.E. and Ellinger,F. Radiation dosimetry in biological research, 7=445

Morgan,L.O. See also Nolle,A.W., 7=6400

Morgan,L.O., Murphy,J. and Nolle,A.W. Proton spin relaxation in water-glycerin solutions of chromium (III) ions, 6=5236

Morgan,L.O. and Nolle,A.W. Proton spin relaxation in aqueous solutions of paramagnetic ions. II. Cr^{+++}, Mn^{++}, Ni^{++}, Cu^{++}, and Gd^{+++}, 9=9835

Morgan,L.O., Nolle,A.W., Hull,R.L. and Murphy,J. Proton relaxation in solutions of chromium (III) complexes, 6=7197

Morgan,M.G. Correlation of whistlers and lightning flashes by direct aural and visual observation, 8=8558; See also Allcock,G.McK., 9=6456; Helliwell,R.A. 9=7698

Morgan,M.G. and Allcock,G.McK. Observations of whistling atmospherics at geomagnetically conjugate points. 6=3396

Morgan,M.G. and Dinger,H.E. Observations of whistling atmospherics at geomagnetically conjugate points, 6=3396

Morgan,M.G. and Johnson,W.C. The observed polarization of high-frequency sky-wave signals at vertical incidence, 5=8420

Morgan,R.S. Caesium 137 for industrial radiography, 6=3428; See also Wyckoff,H.W., 8=6511

Morgan,R.S., Halmshaw,R. and Ratcliffe,B.J. The standardization of X-ray output in industrial radiology, 7=7139

Morgan,S.P. General solutionof the Luneberg lens problem, 9=1248

Morgan,T.D.N. See Alston,M.H., 7=8854

Morgan,T.N. The mobility of electrons heated by microwave fields in n-type germanium, 9=6963

Morgan,W.A. See McWilliams,S., 7=1800

Morgan,W.W. See Johnson,H.L. 5=7628

Morgans,W.T.A. See Pomeroy,C.D., 6=6978

Morgenroth,H. On the electrophoresis in argon–mercury low-pressure discharges, 9=12323

Morgenshtern,Z.I. The dependence of some luminescent properties of the phosphors SrS-Ce, Sm and SrS-Eu, Sm on the wavelength of the exciting light, 5=198

Morgenshtern,Z.L. Measurement of the absolute quantum yield of photo-luminescence of alkali halide crystals, 7=1196; See also Dunina,A.A. 9=10833; See also Zhvanko,Yu.N., 8=983

Morgenshtern,Z.L. and Shchukin,I.P. Luminescence of colour centres in CsI-Tl crystals, 7=4164

Morgenstern,D. Analytical studies related to the Maxwell–Boltzmann equation, 7=1972

Morgenstern,E. See Brümmer,O., 7=876

Morgenstern,W. See Graf,L. 5=7493

Morgenthaler,F.R. Microwave radiation from ferrimagnetically coupled electrons in transient magnetic fields, 9=4843

Morgenthaler-Metz,M. See Lonchamp,J.P., 6=863

Morgulis,M.S. A new thermoelectric phenomenon, 8=624

Morgulis,N.D. Thermionic electron emission of ferroelectrics, 7=9748

Morgulis,N.D. and Gavrilyuk,V.M. Effect of an adsorbed film of dipole molecules on the elctron work function, 6=5188

Morgulis,N.D. and Gorodetskiĭ,D.A. Reflection of slow electrons from the surface of pure tungsten and from tungsten covered by thin films, 6=7462

Morgulis,N.D. and Nakhodkin,N.G. Effective depth of secondary electron emission, 7=2313

Morgulis,N.D. and Pikus,G.Ya. Application of the mass spectrometer for the study of the process of activation of an oxide cathode, 7=502

Morgulis,N.D. and V.D.Tishchenko. Investigation of cathode sputtering in the near threshold region. I. 6=5125

Morhulis,N.D. and Marchuk,P.M. Physical phenomena during the working of the cathode of an arc discharge in caesium vapour, 8=7056; On the conversion of heat energy into electrical using thermionic emission, 8=8854

Mori,D. See Kaneko,M. 5=6983

Mori,H. On the statistical mechanics of time-dependent phenomena, 5=9391; A quantum-statistical theory of transport processes, 7=3013; Time-correlation functions in the statistical mechanics of transport processes, 9=2108; Statistical-mechanical theory of transport in fluids, 9=3203; Correlation function method for transport phenomena, 9=13040

Mori,H. and Ross,J. Transport equation in quantum gases, 8=2187

Mori,K. The absorption spectrum of nitrogen dioxide in the vacuum ultraviolet, 5=1705; On the λ 1600-1350 absorption system of nitrogen dioxide and its electronic structure, 6=7588; On the response of a selective pneumatic detector, 9=9551

Mori,N. and Kikuchi,H. Scattering of light by spherical particles. I, 9=4490; II, 9=4491

Mori,S. See Miyamoto,G., 8=323; Shigetomi,S. 7=371

Mori,T. Secondary mechanism in Townsend discharge domain, 9=8185; See also Nomura,Y. 9=11647

Mori,Y. On the perfect gas and the equation of state of real gases, 5=5937; Doublet states of benzyl radical, 6=6057

Morigaki,K., Fujimoto,M. and Itoh,J. Paramagnetic resonance spectrum of Mn^{++} in NaCl single crystal, 9=9819

Moriggia,C. See Fiorini,E. 8=4095

Morignat,B. See Berthier,P., 6=9092; Dufay,J., 6=9107

Moriguchi,H. Some nonlinear effect in compressible flow, 9=10689; A new approach to the theory of slender body in compressible flow, 9=11912

Moriguchi,Y. Selenium rectifiers with artificial layers of selenides of cadmium, tin, bismuth and lead, 9=12283

Moriguchi,Y. and Koga,Y. Electrical properties of GeTe, 7=7917

Moriguchi,Y. and Okazaki,A. Current–capacitance characteristics of metal rectifiers, 8=614

Morimoto,H. Electron diffraction study of evaporated face-centered cubic crystallites, 9=13961

Morimoto,T. Cross section for displacement of atoms by heavy particle irradiation, 8=1156

Morin,F.J. Oxides which show a metal-to-insulator transition at the Néel temperature, 9=13272; See also Fuller,C.S., 7=3283 Hrostowski,H.J., 6=2108; Reiss,H., 6=6635

Morin,F.J. and Geballe,T.H. Electrical conductivity and Seebeck effect in $Ni_{0.80}Fe_{2.20}O_4$, 5=7958

Moring,F.J., Geballe,T.H. and Herring,C. Temperature dependence of the piezoresistance of high-purity silicon and germanium, 7=3277

Morin,F.J. and Reiss,H. Formation of ion pairs and triplets between lithium and zinc in germanium, 7=3274

Morinaga,H. Effects of isotropic spin selection rules on photonuclear yields, 5=3107; (γ,p) and (γ,n) yield ratios from self-conjugate nuclei, 5=4938; New radioactive isotope scandium-42, 6=597; Interpretation of some of the excited states of 4n self-conjugate nuclei, 6=3089; Alpha-gamma reaction, 6=3185; Lowest odd-parity states in even-even nuclei, 7=615; Radioactive isotopes Cl^{40} and Ca^{74}, 7=649

Morinaga,H. and Bleuler,E. Weak branchings in the decay of P^{34}, Cl^{34}, and P^{30}, 7=653

Morinaga,H., Mutsuro,N. and Sugawara,M. Lower excited states of Ca^{42}, 9=10031

Morinaga,H. and Peaslee,D.C. Sum rule for optical nuclear rea reactions, 7=8146

Morino,Y. Infrared spectra of gaseous hexachlorodisilane, 6=2783; See also Hirota,E., 8=8401

Morino,Y., Chiba,T., Shimozawa,T. and Toyama,M. Zeeman effect of nuclear quadrupole resonance spectrum in cyanuryl chloride, 9=13487

Morino,Y. and Hirota,E. Mean amplitudes of thermal vibrations in polyatomic molecules. III. The generalized mean amplitudes, 5=5560; Molecular structure and internal rotation of hexachloroethane, hexachlorodisilane, and trichloremthyltrichlorosilane, 8=2019

Morino,Y. and Kuchitsu,K. Electron diffraction study on the rotational isomerism in n-propyl chloride, 8=4399

Morino,Y., Miyagawa,I., Chiba,T. and Shimozawa,T. Pure quadrupole spectra of the isomers of benzene hexachloride, 6=8903

Morishige,T. See Uyemura,T., 6=1685

Morissette,B.G. See Giguère,P.A. 5=5379

Morita,A. On the hydrodynamics of He II in the phonon region, 5=5370; On the scattering of conduction electrons due to lattice vibrations in polar crystals. I. 5=5733; Band structure of semi-metals, 5=9391; Cohesive energies and band structures of covalence and ionic crystals, 9=7499; See also Matsubara,T., 7=7061

Morita, M. Explicit formulae of beta-gamma directional correlation, 6=6870; Proposal for experiments for determination of beta-decay interaction and theory of triple cascade transition, 6=8358; Angular correlations between β rays and circularly polarized γ rays in triple cascade transitions, 8=1241; Beta–neutrino–gamma angular correlation, 8=6250; Beta–neutrino–alpha directional correlation, 9=614; Higher order corrections to the allowed beta decay, 9=7327; Formulas of allowed beta decay, 9=10064; See alsoKato,Y., 6=3956; Kikuta, T., 6=3092, 6=8322; Ohmura,T. 9=11514; Saito,R., 6=6501

Morita, M. and Morita,R.S. Method for testing time-reversal invariance in beta decay, 7=8135; Time-reversal invariance and beta-gamma angular correlation, 8=2545; II 9=618; First-forbidden transitions in parity-nonconserving beta decay, 8=2550; Possible experiments for determination of beta interactions. II, 9=3870

Morita,M., Morita,R.S. and Yamada,M. Possible experiments for determination of beta interactions. I, 8=6265

Morita,M., Ogata,H. and Sakai,M. Note on the 1.75 MeV gamma ray from the decay of ^{56}Co, 7=9369

Morita,M., Sugie,A. and Yŏshida,S. Note on the angular distribution of photo-reaction, 5=6461*

Morita,M. and Tamura,T. On the binding energy and properites of k lower energy levels of Li^6, 5=4861*

Morita,M. and Yamada,M. Beta-alpha angular correlation of Li^8 Li^8, 6=2353

Morita,N. Optical properties of magnesium fluoride films, 7=1187; Structure of magnesium fluoride films on amorphous substrates, 9=8910

Morita,R.S. See Morita,M., 7=8135, 8=2545, 8=2550, 8=6265, 9=618, 9=3870

Morita,S. Excitation curves of the N^{14}(d,n)O^{15} reaction, 8=7373; Excitation curve for the reaction P^{31}(n,p)Si^{31}, 8=8342; See also Nonaka,I., 6=1576, 8=3375

Morita,S. and Takeshita,K. The reaction F^{19}(d,n)Ne^{20} and the energy levels of Ne^{20}, 9=2794

Morita,T. Bond localization and the hyperconjugative effect in the aromatic carbonium ions, 7=6412; Hyperconjugation in the semiempirical ASMO method, 8=6388; Cluster variation method of cooperative phenomena and its generalization. I, 8=7719; II. Quantum statistics, 8=7720; Cell theory of classical liquid. Phase transition between gas, liquid and solid. I-II, 9=8034; See also Takaki,H. 9=10168

Morito,N. See Watanabe,H. 5=7104

Moriya,T. Nuclear magnetic relaxation in antiferromagnetics, 6=3822; Nuclear magnetic relaxation in antiferromagnetics, 7=7207; II, 7=7208; Nuclear magnetic resonance of transition elements in paramagnetic salts, 9=11263; See also Kanomori,J. 5=3262; Nagamiya,T. 5=9391; Yosida,K. 5=9391, 6=1444

Moriya,T., Motizuki,K., Kanamori,J. and Nagamiya,T. On the magnetic anisotropy of FeF$_2$ and CoF$_2$, 6=3816

Moriya,T. and Obata,Y. Spin quenching and magnetic resonance, 9=11240

Moriyama,F. See Hatanaka,T., 6=6303, 6=7106

Morkowski,J. Reversible susceptibility under stress, 9=5886; On desaccomodation effect in nickel, 9=12456

Morland,L.W. The propagation of plane irrotational waves through an elastoplastic medium, 9=7877

Morlet,B. See Delannnoy,J., 8=4632

Morley,K.A. See also Crowder,M.M., 8=2061; Taylor,C.A., 9=7648

Morley,K.A. and Taylor,C.A. A variable structure-factor graph for use in crystal-structure determination, 7=3837

Morlin,Z. An account of an investigation of recrystallization processes, 5=7492; Thallium-activated sodium chloride recrystallization phosphors, 7=9623; Slip sources on sodium chloride surfaces, 9=8929

Morokuma,K. See Fukui,K. 9=10186

Moroney,J.R. and Parry,J.K. Momentum distribution and charge ratio of μ-mesons at zenith angles in the east-west

plane, 5=361
Morosin,B., and Lingafelter,E.C. The crystal structure of cesium tetrabromozincate, Cs_2ZnBr_4, 9=13933
Moroz,E.M. Damped régimes of acceleration of electrons in microtrons, 6=7455; Cyclotron with sectional magnet system, 7=4434; On new possibilities of increased efficiency of charged-particle accelerators, 8=3187; Effect of quantum fluctuations in the electron radiation of the synchotron oscillations, 9=5824
Moroz,G.S. See L'vova,E.M., 7=956
Moroz,L.M. See Gindin,L.G., 7=2244
Moroz,L.P. Formation of images of objects, in a field which is brighter or darker than the objects themselves, by an abberrationless optical system, 9=5486
Morozov,A.A. See Mel'nikov,A.V., 9=1581
Morozov,A.I. Inter-reaction between a moving current filament and a conducting wall, 7=5479; On the acceleration of a plasma by a magnetic field, 7=6219; On the radiation of a point charge moving uniformly along the surface of an isotropic medium, 8=660; The application of Leontovich's boundary conditions to the Cherenkov radiation theory, 8=5170; See also Alekseeva,V.G., 9=1457*; Zhdanova,N.G. 9=13298
Morozov,A.M. See Leĭpunskiĭ,O.I., 7=1537*, 7=8122
Morozov,A.V. See Kapitsa,M.L. 9=7062; Mel'nikov,A.I. 9=12351
Morozov,B.V. See Barmin,V.V., 8=7266, 9=13565
Morozov,V.M. Non-molecular scattering in the upper layers of the atmosphere, 7=8542; See also Gorlov,G.V., 7=704, 7=4734, 7=4736; Koltÿpin,E.A., 7=4735
Morozov,V.M. and Shklovsky,I.S. On the day airglow, 6=9102
Morozov,V.P. The rules of averages for triatomic non-linear hydrides and deuterides, 9=7437; See also Morozova,N.K. 9=13743
Morozov,Yu.A. See Shul'man,A.R. 8=7105, 9=4695
Morozova,A.M. and Feĭgina,F.I. The influence of the tempering procedure on the thermal magnetic ageing of permanent magnets of an alloy of the Magniko type, 8=8118
Morozova,L.P. See also Kirillov-Ugryumov,V.G., 9=8471, 9=12571
Morozova,L.P. and Krotova,N.A. Relative importance of electric and diffusion processes in adhesion phenomena of two polymers, 8=1353
Morozova,M.N. See Renne,V.T., 9=12219
Morozova,N.G. and Startsev,G.P. The spectrum of ionized uranium, 7=9596
Morozova,N.K. and Morozov,V.P. Application of the spectroscopic-mass method to determination of the vibrational frequencies of isotopic molecules, 9=13743
Morphew,K.L. The performance of thermally inert metal blocks as cold junction enclosures for thermocouples, 8=3951
Morpurgo,A. See Rollier,M.A. 5=9852
Morpurgo,G. On the inelastic scattering of electrons from ^{12}C. 6=4633; The evidence from angular correlations on the spin of the Λ^0. 6=5414; The angular distributions in the hyperon decays. II, 7=3714; Possible explanations of the decay processes of the pion in the frame of the "universal" Fermi interaction, 7=8856; A discussion of the possibility of detecting asymmetries in the Λ^0-decay, 8=294; The theoretical aspects of the physics of the new particles, 8=3299; Inhibition of M1 γ transitions with $\Delta T = 0$ in self-conjugate nuclei, 8=7351; A discussion of some angular distributions in the reactions $\pi + N \rightarrow \pi + \pi + N$, $N + N \rightarrow 2N + \pi$, $\gamma + N \rightarrow \pi + \pi + N$, 9=3767; A possible experimental test of the relative parity of charged and neutral K's, 9=9987; γ-transitions between corresponding states in mirror nuclei, 9=10083; See also Franzinetti,C., 8=3300
Morpurgo,G. and Radicati,L.A. On the dipole selection rule in ^{16}O, 6=1511
Morpurgo,G. and Touschek,B.F. Remarks on time reversal, 5=1540; Space and time reflection of observable and non-observable quantities in field theory, 5=6730
Morpurgo,G., Touschek,B.F. and Radicati,L.A. On time reversal, 5=711
Morpurgo,M. and Spetier,A. Experimental study of helical quadrupole lenses for focusing μ-mesons, 9=540
Morris,A. See also Smith,S.W. 5=7572
Morris,A., Katz,M.S. and Bowen,J.D. Refinement of checkerboard targets for measurement of visual acuity limens, 5=10146
Morris,A., McGuire,F.L. and Van Cott,H.P. Accuracy of the Macbeth illuminometer as a function of operator variability, calibration, and sensitivity, 5=6867
Morris,A.R. A photographic method of obtaining stress trajectories, 6=2021
Morris,B. See Burns,W.G., 8=7727
Morris,D. Molecular ions in discharges in the insert gases, 5=1873; See also Boyd,R.L.F. 5=1872; Lew,H., 9=729
Morris,D.F. See Baker,C.A., 6=6276
Morris,D.F.C. The lattice energies of the alkali halides, 8=8469; The lattice energy and heat of formation of lithium monosulphide, 9=8797; See also Harries,H.J. 9=13767
Morris,D.P. and Preston,R.P. Structural transition and antiferromagnetism in the alloy AuMn, 7=2411
Morris,D.P., Preston,R.R. and Williams,I. Search for new Heusler alloys, 9=8312
Morris,D.P. and Williams,I. The magnetic susceptibility of silver-manganese solid solutions between 100°K and 500°K, 9=7152
Morris,D.W. and Hughes,C.J. Phase characterisitcs of radio signals received via the ionosphere, 9=7219
Morris,G.C. See Lyons,L.E., 7=3300
Morris,G.J. See Cook,M.A. 5=5278; Keuffel,J.W., 8=8252
Morris,J.C. See Thomas,A.R., 9=3404
Morris,L.W. See Hodge,B., 6=5989
Morris,P.R. Reducing the effects of nonuniform pole distribution in inverse pole figure studies, 9=11631
Morris,R.G. See also Redin,R.D., 8=2324
Morris,R.G., Redin,R.D. and Danielson,G.C. Semiconducting properties of Mg_2Si single crystals, 8=2323
Morris,R.H. Preparation of color-wedged film samples for use in a neutral selector, 8=2267; See also Brown,W.R.J., 6=1147
Morris,R.J. See Siegman,A.E. 9=11255
Morris,T.W. See also Abashian,A., 7=6605; Bolze,E.M., 8=3278; Cool,R.L., 8=8255; Fowler,W.B., 7=701
Morris,T.W., Fowler,E.C. and Garrison,J.D. Proton-proton interactions at 810 MeV, 7=698
Morris,W.F. See Holzmann,R.T., 9=898
Morrish,A.H. Note on the loading of photographic emulsions with wires, 5=1432; See also Brown,W.F.,Jr, 7=4526; Yu,S.P., 6=946
Morrish,A.H. and Watt,L.A.K. Effect of the interaction between magnetic particles on the critical single-domain size, 7=4554; Coercive force of iron oxide micropowders at low temperatures, 9=437
Morrish,A.H. and Yu,S.P. Dependence of the coercive force on the density of some iron oxide powders, 5=8900; Magnetic measurements on individual microscopic ferrite particles near the single-domain size. 6=6009
Morrison,C.A. See also Wolfe,R.N. 9=10421
Morrison,C.A. and Karayianis,N. Ferromagnetic resonance in uniaxial polycrystalline materials, 8=8867
Morrison,D.L. and Porile,N.T. Absence of isomerism in gallium-65, 9=4984
Morrison,D.R.O. See Wright,I.F., 6=3991
Morrison,G.C. See also Batchelor,R., 6=3196; Brown,G., 7=8839; Ferguson,A.T.G., 8=6293
Morrison,G.C., Muirhead,H. and Murdoch,P.A.B. The selection of potentials in nucleon-nuclear scattering problems, 5=8242
Morrison,H.L. See Allen,W.A. 7=5096, 8=2825, 9=7824
Morrison,J. See also Moore,G.E. 5=8061
Morrison,J. and Zetterstrom,R.B. Barium getters in carbon monoxide, 5=5268
Morrison,J.A. Wave propagation in rods of voigt material and visco-elastic materials with three-parameter models, 6=8625; See also Barron,T.H.K., 7=7833, 8=163; Berg,W.T., 8=162; Desnoyers,J.E., 8=1029; Jones,H.J. 6=5544; Patterson,D., 6=7744; Pierce,J.R. 9=9726
Morrison,J.A., Patterson,D. and Dugdale,J.S. An adiabatic calorimeter for the temperature region below 20°K. The specific heat of sodium chloride, 5=4609
Morrison,J.D. Application of the mass spectrometer to the study of the upper energy states of molecules, 8=9089; See also Hurzeler,H., 7=9742, 8=4085
Morrison,J.D. and Stanton,H.E. Fragmentation of methane by electron impact, and the latent heat of sublimation of carbon, 8=8835
Morrison,P. Solar origin of cosmic-ray time variations, 6=2985; On the origins of cosmic rays, 8=486; On gamma-ray astronomy, 8=2093; Approximate nature of physical symmetries, 9=1016; See also Day,T.B., 8=362; Levinger,J.S., 7=9309
Morrison,P.R. See Gilson,W.E. 6=7096
Morrison,S.R. Generation of 1/f noise by levels in a linear or planar array, 6=1207; Slow surface reaction on germanium, 6=5869; Recombination of electrons and holes at dislocations, 7=2194; Slow relaxation phenomena on the germanium

surface, 7=7870; Slow capture of holes and electrons by surface states on germanium and silicon at low temperatures, 9=8131; See also Bardeen,J. 5=3723, 7=1286

Morrison,S.R. and Miller,P.H.,Jr, Adsorption of oxygen on zinc oxide. 7=2783

Morrissey,J.H. New method for the assignment of psychrometric scale values from incomplete paired comparisons, 5=6663

Morrisson,T.E., Zapas,L.J. and DeWitt,T.W. Apparatus for low-frequency dynamic measurement on polymeric systems, 5=6551

Morrow,C.T. Steady state response of the Sperry rate Gyrotron or vibratory gyroscope, 5=2450; Response of the Sperry rate Gyrotron to varying rates of turn, 5=2451; Zero signals in the Sperry tuning fork Gyrotron, 5=7724; Shock spectrum as a criterion of severity of shock impulses, 7=8473; Averaging time and data-reduction time for random vibration spectra. I, 8=8633; II, 8=8634

Morrow,C.T. and Riesen,D.E. Shock spectrum computer for frequencies up to 2000 c/s, 6=1880

Morrow,C.T. and Sargeant,H.I. Sawtooth shock as a component test, 7=180

Morrow,J.C. Series solutions for the rate equations of complex reaction mechanisms, 6=1688; See also Lord,R.C., 7=5286

Morrow,J.C. III. See Norman,V. 9=9762

Morse,P.M. Acoustics and basic physics, 5=4436; Waves in a lattice of spherical scatterers, 7=116

Morse,R.W. Compressional waves along an anisotropic circular cylinder having hexagonal symmetry, 5=1608; Ultrasonic attenuation in metals by electron relaxation, 5=4453; Properties of matter. Solids, 8=7477; See also Stakutis,V.J. 5=6833

Morse,R.W. and Bohm,H.V. Superconducting energy gap from ultrasonic attenuation measurements, 8=1709

Morse,R.W., Bohm,H.V. and Gavenda,J.D. Electron resonances with ultrasonic waves in copper, 8=5466

Morse,R.W. and Gavenda,J.D. Magnetic oscillations of ultrasonic attenuation in a copper crystal at low temperatures, 9=11944

Morse,R.W., Olsen,T. and Gavenda,J.D. Evidence for anisotropy of the superconducting energy gap from ultrasonic attenuation, 9=13327

Morse,R.W., Tamarkin,P. and Bohm,H. Ultrasonic attenuation in superconducting indium, 6=4415

Morten,F.D. See Benny,A.H. 9=2331

Mortensen,O. See Berger,C. 5=4582, 8=1642

Mortenson,K.E. Alloyed, thin-base diode capacitors for parametric amplification, 9=13315

Mortier,P. Velocity of discharge propagation in Geiger-Müller counters, 7=3379

Mortier,P., Demuynck,O. and Segaert,O. Role of photons in argon-alcohol counters, 8=4194

Mortlock,A.J. Error in temperature measurement due to the interdiffusion at the hot junction of a thermocouple, 8=7873; See also Haneman,D., 7=4361

Mortlock,A.J. and Tomlin,D.H. The diffusion of chromium in titanium studied by an autoradiographic method, 6=4037; A comparison of three radioactive tracer methods for studying the diffusion of chromium in titanium, 6=4038

Morton,A.H. See also Gemmell,D.S., 9=7335, 9=8579

Morton,A.H. and Smith,W.I.B. Improved cyclotron performance from control of initial ion motion, 9=7104

Morton,B.R., Taylor,G. and Turner,J.S. Turbulent gravitational convection from maintained and instantaneous sources, 6=2826

Morton,D.C. An observational test of the carbon-cycle rate, 9=4236

Morton,G.A. (Conf.rep.) The Sixth Scintillation Counter Symposium, 8=5163

Morton,G.A. See also Schultz,M.L., 6=3744

Morton,G.A., Hahn,E.E. and Schultz,M.L. Impurity photoconduction in germanium, 7=7924

Morton,G.A., Matheson,R.M. and Greenblatt,M.H. Design of photomultipliers for the sub-millimicrosecond region, 9=4691

Morton,J.R. See Costain,C.C. 9=10196

Morton,J.Y. See also Ayers,E.W., 6=7232

Morton,J.Y. and Jones,R.A. Continuously-variable electrical, acoustical and mechanical impedances, 7=184

Morton,K.W. On the hyperfine structure of paramagnetic resonance: the S-electron effect. Appendix. 5=6305; Criticality calculations by Monte Carlo methods, 7=3680; See also Hammersley,J.M. 5=9143

Morton,M.E.de. See de Morton,M.E.

Morton,W.T. See Brown,G., 7=8839; March,P.V., 8=1267, 8=4321, 9=6131

Mosburg,E.R. See Fowler,E.C., 7=7372

Mosburg,E.R., Jr. Scintillation counter method of intercomparing neutron source strengths by means of a manganous sulfate bath, 9=8414

Mosburg,E.R., Jr, Fowler,E.C. and Kraybill,H.L. Production of Λ^0 particles in lead and carbon by 2.5 BeV protons, 8=1888

Moscati,G. See Ferrero,F., 9=8623

Mosch,A.D.du. See du Mosch,A.D.

Mosci,L. On the variation of the shape of the isopter lines due to extra-fovaal visual acuity, 7=3869

Moscowitz,A. See Moffitt,W., 9=6805

Mosebach,R. Characteristics of the basic methods of observation in polarization microscopy, 9=9540

Moseley,D.S. Anisotropy of polarized polycrystalline barium titanate, 5=9640

Moseley,H.M. See Blosser,H.G., 9=1545

Moser,C. See Brion,H., 9=7440

Moser,C.M. On the LCAO coefficients of naphthalene obtained by a semi-empirical approximation of the self-consistent-field method, 5=5570; See also Brion,H., 6=1451 Lefebvre,R. 5=6356, 7=6379

Moser,C.M. and Lefebvre,R. Lowest singlet excited levels of naphthalene, 5=5563

Moser.F. See also Nail.N.R.. 6=2768. 7=6687

Moser,F., Nail,N.R. and Urbach,F. Optical absorption studies of the volume photolysis of large silver chloride crystals, 9=8966

Moser,F. and Urbach,F. Optical absorption of pure silver halides, 6=5787; Luminescence of silver bromoiodide crystals, 7=7014

Moser,H. The instrumental line profile in prism spectrographs, 5=3555; The photographic reproduction of spectral lines, 5=8593; See also Brandmüller,J. 6=4331=2, 8=6856; Fischer,J., 6=7535

Moser,H., Otto,J. and Thomas,W. High temperature measurements with a gas thermometer, I. A new gas thermometer method, 7=7067; II. Determination of the gold point, 7=7068

Moser,H. and Schulz,H. The self-broadening of the Cs line 4555 Å, 9=13145

Moser,H., Stille,U. and Tingwaldt,C. Radiation constants, the radiation equivalent of light and the optical scale of temperature, 9=3241

Moser,H.M. and Dreher,J.J. Phonemic confusion vectors, 5=9515; Effects of training on listeners in intelligibility studies, 6=165

Moser,H.M., Dreher,J.J. and Adler,S. Comparison of hyponasality, hypernasality, and normal voice quality on the intelligibility of two-digit numbers, 5=9514

Moser,H.M. and Oyer,H.J. Relative intensities of sounds at various anatomical locations of the head and neck during phonation of the vowels, 8=3835

Moser,J. On the dependence of the depolarization factor $[\rho]$ of light scattered from dielectric spheres on the direction of the vibration plane of the incident light, 5=6967; A generalization of Rayleigh's theory of depolarization of light scattered by very small anisotropic particles, 9=8005

Moser,M. See Lefebvre,R., 6=5299

Moser,P.M. See Trambarulo,R. 5=191

Moser,P.W. See Jache,A.W., 6=7606

Moses,A.J. and Saldick,J. Electron accelerator used for producing neutrons, 7=3346

Moses,G.L. See Manning,M.L. 9=5649

Moses,H.A. See Jones,P.R. 9=4752

Moses,H.E. Application of variational principles to scattering problems, 5=70; The scattering operator and the adiabatic theorem, 5=1538; Calculation of the scattering potential from reflection coefficients, 6=3498; The Kohn-Hulthén variational procedure for the scattering operator and the reactance operator. I. Elementary form of the variational principles, 8=50; II. Procedures independent of the normalization of the trial functions, 8=51; A spinor representation of Maxwell's equations, 8=4158; Solution of Maxwell's equations in terms of a spinor notation: the direct and inverse problem, 9=7206; See also Kay,I., 6=2662, 6=3493, 6=4199, 7=4570, 8=52

Moses,H.E. and Tuan,S.F. Potentials with zero scattering phase, 9=10613

Moshinsky,M. Tensor forces depending on the velocity, 5=2427; Diffraction in time and the Dirac equation, 5=2430; Diffraction in time associated with a source distribution, 5=2432; Nuclear reactions between changed particles, 5=3083; Diffraction of neutrons by crystals in vibration, 5=3148;

Scattering of sound waves by a drop of liquid, 6=8066; Collective motions and nuclear reactions, 7=4692; Velocity-dependent forces and nuclear structure. I. Central forces, 7=5542; II. Spin-dependent forces, 8=1892; Scattering of sound waves on a liquid drop, 8=6774; Short range forces and nuclear shell theory, 9=564; Spin-orbit interaction between nucleons and spin-orbit coupling in the nuclear shell model, 9=3816; Nuclear forces with central repulsion and the shell model of the nucleus. Second order effects, 9=6053; See also Bauer,M., 8=5253
Moskalenko,S.A. The theory of local states of an electron in a crystal, 8=7492; On the theory of the Mott exciton in alkali-halide crystals, 9=10244
Moskalenko,S.A. and Tolpÿgo,K.B. The energy spectrum of the Mott exciton in ionic crystals, 9=10245
Moskalenko,V.A. Theory of interaction of excitons with the phonon field, 6=8301; The energy of an exciton of an ionic crystal, 8=6408; On the theory of thermal excitation of polarons, 8=7496; The thermodynamics of superconductivity, 9=8165
Moskalev,V.A. The stereobetatron, 7=4438; Spatial distribution of betatron radiation at 10 MeV, 7=4461
Moskalev,V.I. See also Dzhelepov,V.P., 7=2330, 7=6540
Moskalev,V.I. and Gavrilovskiĭ,B.V. Total cross-sections for 650 MeV proton reations with (certain) nuclei, 7=6541
Moskalev,V.V. See Aleksandrov,N.M. 9=5924
Mosko,S.W. See Cohen,B.L., 7=7373
Moskowitz,S. See Bray,P.J., 8=9092
Moskvichev,A.M. See Kirillov-Ugryumov,V.G., 8=7393, 9=12571
Moskvichov,A.M. See Kirillov-Ugryumov,V.G., 9=8471
Moss,H. Thermionic diodes as energy converters, 7=4486
Moss,M. An apparatus for measuring the thermal conductivity of metals in vacuum at high temperatures, 5=4584; See also Sproull,R.L. 9=6823
Moss,R.L. See Harpur,W.W. 5=9647
Moss,R.W. See Kooi,C.F., 9=8318
Moss,T.S. The interpretation of the properties of indium antimonide, 5=291; The photo-electro-magnetic effect in germanium and lead sulphide, 5=3755; Photovoltaic and photoconductive theory applied to InSb, 5=8777; Measurements on P-N junctions in lead sulphide, 6=349; Lead salt photoconductors, 6=2887; Theory of the spectral distribution of recombination radiation from InSb, 7=5330; Absorption and photoconductivity in indium antimonide, 7=7924; Photo-electro-magnetic and magnetic barrier layer effects, 9=9640; See also Avery,D.G. 5=300; Houghton,J.T., 8=860, 9=6; Landsberg,P.T., 6=7416; Smith,S.D., 8=2996; Walton,A.K., 9=7009, 9=10996, 9=12307
Moss,T.S. and Hawkins,T.D.H. The infrared emissivities of indium antimonide and germanium, 8=8669; Low-level absorption in germanium, 9=210
Moss,T.S. and Hawkins,T.H. Recombination radiation from InSb, 6=4400; Recombination radiation in indium antimonide, 7=4342
Moss,T.S., Hawkins,T. and Smith,S.D. Recombination in InSb, 7=7901
Moss,T.S., Smith,S.D. and Hawkins,T.D.F. Absorption and dispersion of indium antimonide, 7=8534
Moss,T.S., Smith,S.D. and Taylor,K.W. The infrared Faraday effect due to free carriers in indium antimonide, 9=6975
Mössbauer,R.L. Nuclear resonance fluorescence in Ir^{191} for gamma rays, 8=9040, Nuclear resonance absorption of gamma rays in Ir^{191}, 9=5022
Mosser,J.L. See Brossel,J., 6=207
Mossop,S.C. The freezing of supercooled water, 5=4590; Sublimation nuclei, 6=3349; The nucleation of supercooled water by various chemicals, 6=3350
Mossop,S.C. and Carte,A.E. Cloud physics research in South Africa, 8=8554
Mossop,S.C., Carte,A.E. and Heffernan,K.J. Counts of atmospheric freezing nuclei at Pretoria, January 1956, 7=5769
Mostert,P. See Konijn,J., 7=8797; van Nooijen,B., 6=6130
Mostovskii,A.A. Vorob'eva, O.B. and Maiskaya,K.A. Some properties of poly-alkali photocathodes, 9=11098; Bismuth-silver–caesium photocathode, 9=12357
Mosunova,S.M. See Ivanov,A.P. 9=9475
Moszkowski,C. See Auger,P. 5=8069
Moszkowski,S.A. Particle states in spheroidal nuclei, 5=8994; Inertial parameters for collective nuclear oscillations, 6=8922; Connection between the nuclear shell model and the unified model, 8=4260; See also Bloom,S.D. 9=13550; Finkelstein,R.J. 5=489; Gallagher,C.J.,Jr, 9=2678; Melkanoff,M.A., 6=3210
Moszkowski,S.A. and Meyerott,R.E. Photoelectric K and L shell absorption coefficients for highly ionized atoms, 7=5566
Moszkowski,S.A. and Scott,B.L. Proposed boundary condition potential for the two-nucleon problem, 9=565
Moszyńska,B. On the influence of the temperature on the width of [Raman] lines of carbon tetrachloride, 7=5223
Motchane,J.L. See also Erb,E., 8=7315, 8=7317
Motchane,J.L., Erb,E. and Uebersfeld,J. A simple arrangement for studying double magnetic resonances, and an application to carbon, 9=510
Motchenbacher,C.D. See Long,D. 9=6978
Mote,F.A. Variability of measurements of human dark adaptation, 5=1416
Mote,F.A. and Forbes,L.M. Changing pre-exposure and dark adaptation, 7=4934
Moteff,J. Energy spectrum of gammas from gross fission products, 5=8218; Tenth-value thicknesses for gamma-ray absorption, 5=9885
Motizuki,K. Theory of the para–ortho conversion in solid deuterium, 8=5455; See also Kanamori,J. 5=3262; Moriya,T., 6=3816; Nagamiya,T., 8=6030
Motizuki,K. and Nagamiya,T. Theory of the ortho-para conversion in solid hydrogen, 6=2274; Effect of self-diffusion on the ortho–para conversion in oxygen-contaminated solid hydrogen, 6=6990
Motley,R. See also Fitch,V., 6=3268
Motley,R. and Fitch,V. Lifetime of the τ^+ meson, 7=3711
Motley,R.M. See Panofsky,W.K.H. 8=2505
Motokawa,K. See also Isobe,K. 5=4247
Motokawa,K. and Isobe,K. Spectral response curves and hue discrimination in normal and color-defective subjects, 5=3346
Motschmann,H. The measurement of the oscillator strength of several NI lines in water- and air-stabilized arcs, 6=203
Mott,B.W. Liquid immiscibility in metal systems, 7=4019
Mott,N.F. Difficulties in the theory of dislocations, 5=9391; A theory of fracture and fatigue, 5=10021; Creep in metal crystals at very low temperatures, 6=8437; Action of high-energy radiations on solids. Remarks on point defects in solids, 7=7770*; On the transition to metallic conduction in semiconductors, 7=9174, 7=7881; Introduction. Work-hardening and the initiation and spread of fatigue cracks, 8=3523; The transition from the metallic to the non-metallic state, 9=770; See also Hoar,T.P., 9=8908; Mitchell,J.W., 7=8969
Mott,N.F. and Stevens,K.W.H. The band structure of the transition metals, 8=1310
Mott,W.E. See Sutton,R.B. 5=2805
Mottelson,B. See Alder,K., 7=6435; Bohr,A., 7=3514
Mottelson,B.R. Collective motion in the nucleus, 7=8095; See also Alaga,G. 5=9869; Bohr,A. 5=6425, 8=5270, 9=583, 9=8507, 9=8510
Mottelson,B.R. and Nilsson,S.G. On the magnetic moment and rotational spectrum of thulium^{169}, 5=7283; Classification of the nucleonic states in deformed nuclei, 6=1464; The intrinsic states of odd-A nuclei having ellipsoidal equilibrium shape, 9=3822
Mottl,J.R. See Watanabe,K., 7=9247
Motulevich,G.P. See also Ginzburg,V.L., 6=1092; Zaĭtsev,V.P., 8=6765
Motulevich,G.P. and Fabelinskiĭ,I.L. A study of the acoustic radiation of barium titanate, 5=1623; Dependence of the refractive index on density for low audio frequencies, 7=340; An optical method of absolute calibration of acoustic radiators at low sonic frequency, 8=3820
Motulevich,G.P. and Shubin,A.A. Role of interelectron collisions in metals in the infrared region of the spectrum, 9=8839; Determination of the optical constants of metals in the infrared region, 9=9385
Motz,H. See also Eder,G., 9=2845; Grodzins,L., 6=4606
Motz,H. and Mallory,K.B. Generation of submillimeter waves, 6=7547
Motz,H. and Nakamura,M. Radiation of an electron in an infinitely long waveguide, 9=8392
Motz,H.T. Slow-neutron capture gamma rays from sodium and cadmium, 7=2602
Motz,J.W. Bremsstrahlung differential cross-section measurements for 0.5- and 1.0-MeV electrons, 6=2932; Bremsstrahlung polarization measurements for 1.0 MeV electrons, 7=2316; See also Fano,U., 9=3723; Miller,W. 5=1171

Motz,J.W. and Miller,W. Differential cross-section measurements for 1-MeV bremsstrahlung, 5=1170

Motz,J.W. and Placious,R.C. Bremsstrahlung cross-section measurements for 50 keV electrons, 8=8966; Polarization near the high-frequency limit of 500 keV bremsstrahlung, 9=5988

Motz,L. See Bergstein,L., 7=7713

Motzke,K. The influence of magnetic annealing on the magnetic behaviour and the domain structure of polycrystalline ring samples, 9=11213

Motzkus,F. Investigation of colloidal systems for particle-size and polydisperseness with the help of X-ray small-angle scattering, 9=13878

Mougin,B. Mounting of a NaI-Tl crystal in an air-tight case, 5=6935

Mougin,B. and Koechlin,Y. Fabrication of α-scintillators insensitive to the ambient light, 7=5410

Mouhasseb,A. Collective oscillations of a shell structure of particles, 6=6066; On the collective vibrations of a shell structure of particles, 7=4611

Mould,R.E. See also Cochran,J.F., 7=409

Mould,R.E. and Mapother,D.E. Effect of precipitation hardening on the superconducting transition of an aluminum alloy, 5=965

Moulthrop,P.H. Pion production by neutrons on helium, 5=9970; See also Elliott,J.B. 5=8046

Moulton,W.G. See also Kromhout,R.A. 5=9804, 7=4306; Randall,J.L. 9=12504

Moulton,W.G. and Kromhout,R.A. Nuclear magnetic resonance. Structure of the amino group. II, 6=7589

Mount,L.E. An airflow interrupter for respiratory work, 8=3618

Mourcin,P. See Guizonnier,R., 6=364

Mourier,G. Surface waves on an electron beam in the presence
x of a magnetic field, 9=3558

Moussa,A. See also Bellicard,J.B., 6=2377, 7=1368, 7=6526, 7=9360; Tousset,J., 8=1942, 8=2544

Moussa,A. and Bellicard,J.-B. Description of a beta-spectrometer with a plane of symmetry and double focusing using iron-free coils, 5=324; L-auger electrons accompanying the disintegration of the elements of thorium active deposit, 6=4623

Moussa,A. and Juillard,A. L-electron capture in the disintegration of cobalt 57, 7=6501

Moussa,A.H.A. See Massey,H.S.W., 8=1169

Mouton,W.L. See Barnard,A.J., 9=1374

Mouzon,J.C. Stereophonic hearing with one earphone, 5=5293

Mowbray,G.H. See also Gebhard,J.W., 7=2887

Mowbray,G.H., Gebhard,J.W. and Byham,C.L. Sensitivity to changes in the interruption rate of white noise, 6=3416

Mower,L. Variational calculation of electron scattering by a static potential, 5=8513

Mowery,V.O. Theoretical surface conductivity changes and space charge in germanium and silicon, 9=5696

Moxon,M.C. See Firk,F.W.K., 9=13690; Lynn,J.E., 8=2579, 9=1778

Moyal,J.E. Theory of ionization fluctuations, 5=3850; Theory of the ionization cascade, 6=2972

Moyer,B.J. Photomultiplier counters in high-energy physics experiments, 9=2555; See also Bandtel,K.C. 7=6544; Brabant,J.M., 6=5977, 7=8140; Cohen,D. 5=1160; Hess,W.N., 6=3211; Kaplan,S.N. 9=6142; Osher,J.E. 9=8482; Tai,Y.-K., 8=2562; Wilcox,J.M. 5=8995

Moyer,B.J. and Squire,R.K. Characteristics of π^0 production from proton-proton collisions near threshold, 7=8198

Moyer,H.C. See Snow.A.I., 8=2699

Moyer,J.D. See Schwebel,A. 5=4162

Moynihan,R.E. See Edgell,W.F. 7=9776

Mozer,B. See Baranger,M., 9=13386

Mozer,F.S. Elastic scattering of protons by berylium, 7=2632; See also Bader,M., 6=6723; Hagedorn,F.B., 7=3642; Marion,J.B., 7=2641

Mozer,F.S. and Hagedorn,F.B. 870-keV level in O^{17}, 7=4718

Mozer,J. Direct evaluation of an integral occurring in the kinetic theory of gases, 5=5936

Mozley,R.F. See also Bichsel,H., 7=5407

Mozley,R.F., Smith,R.C. and Taylor,R.E. Multiple scattering of 600 MeV electrons in thin foils, 9=2410

Mozzi,R.L. See Jeffrey,G.A., 7=2850

Mraz,J. A further study of the decay of Ir^{192}, 8=5331

Mrowka,B. On the formulation of quantum mechanics. II. Relativistic quantum mechanics. Dirac equation, 5=71

Mrozowski,S. Multipole lines in the first spectrum of polonium I, 6=7269

Mrozowski,S. and Chaberski,A. Hall effect and magnetoresistivity in carbons and polycrystalline graphites, 7=1272

Mruk,W.F. See McConnell,R.A., 5=7770

Muchnik,M. See Castagnoli,C., 8=6106, 9=2614; Ferro-Luzzi,M., 9=504

Muck,E. See Arndt,W. 9=5287

Muckenfuss,C. See also Curtiss,C.F., 7=7666

Muckenfuss,C. and Curtiss,C.F. Thermal conductivity of multicomponent gas mixtures, 9=1365; Kinetic theory of nonspherical molecules. III, 9=2149

Muckenfuss,C., Curtiss,C.F. and Bird,R.B. Second virial coefficient [B (T)] for ellipsoids with imbedded dipoles, 5=9484

Muehlhause,C.O. Neutron scintillation counters, 6=5971; Pile oscillator measurements of eta, 9=7390; See also der Mateosian,E., 6=2199

Muehlhause,C.O., Bloom,S.D., Wegner,H.E. and Glasoe,G.N. Neutron scattering from iron and carbon by time-of-flight, 6=7735

Muehlhause,C.O. and Oleksa,S. Antineutrino flux from a reactor, 7=4751*

Mueller,C.R. Self-consistent field method and the benzene molecule, 5=2967; Delocalization and approximation methods, 6=536; Theory of solutions and the reaction kinetics in nucleophilic substitution, 8=8617; See also Cahill,J.M. 6=4565

Mueller,C.R. and Cahill,J.M. Gaussian atomic and molecular eigenfunctions, 7=6379

Mueller,C.R. and Lewis,J.E. Isothermal calorimeter and the heat of mixing of iso-octane-perfluoroheptane solutions, 7=2140; Thermodynamic and transport properties of the system iso-octane and perfluoroheptane, 7=4022

Mueller,C.R. and Stupegia,D.C. Lattice vacancy theory of the liquid state, 7=7652

Mueller,F.W.H. See Larson,E.T. 5=676

Mueller,M.H. See also Chernock,W. P. 7=1667; Sidhu,S.S. 9=12883

Mueller,M.H. and Knott,H.W. Quantitative pole figures for sheet material by the reflection technique, 5=2235

Mueller,R.K. Potential barriers in low angle grain boundaries, 5=3736; Capacitance and barrier height in grain boundaries, 9=6923; Capture diameter of dislocations in low angle grain boundaries in germanium, 9=7513; Transient response of grain boundaries and its application for a novel light sensor, 9=8141; See also Lindemann,W.W. 9=13320

Muench,N.L. Effects of stress on superconducting Sn, In, Tl and Al, 6=373

Mues,G. See Fucks,W., 6=5904

Muga,L. See Phillips,L., 9=1730

Mugiono, Measurements of the reflection of flexural waves at changes of cross-section in rods, 5=9521

Mühleisen,R. On the deviations of the course of elements of atmospheric electricity on continents from the worldwide course, 6=8525; Electric charges on condensation nuclei when water vapour is absorbed or given off, 8=2712; See also Holl,W., 7=1770, 7=1798

Mühlschlegel,B., Contribution to the theory of the conductivity of metals at low temperatures, 6=5852; The thermodynamic functions of the superconductor, 9=9663; Depolarization of β-particles due to scattering in radioactive preparations [sources], 9=9937; See also Koppe,H., 8=7985

Mühlschlegel,B. and Koppe,H. Theory of multiple scattering of polarized electrons, 8=7238

Muira,S. See Toishi,K. 5=3556

Muirhead,E.G. See also Lasich,W.B., 6=5390; Spicer,B.M., 7=7391; Whetstone,A., 8=8959

Muirhead,E.G. and Mather,K.B. Polarization of bremsstrahlung, 5=343

Muirhead,H. See also Astbury,A., 9=1671, 9=9967; Brown,G., 7=5619, 7=8839; Duke,P.J. 5=8842, 7=4464; Hughes,I.S., 7=4777; Lock,W.O. 5=6455; Morrison,G.C. 5=8242

Muirhead,H. and Rosser,W.G.V. The nuclear interactions produced in carbon, nitrogen and oxygen by 140 MeV protons, 5=6454

Muirhead,J.C. Smoke streams as tracers in shock tube flows, 9=7885

Mukerji,A. See also Douglas,R.A., 7=3587; Dubey,V.S. 7=6498, 9=2740; Malik,S.S., 9=2753

Mukerji,A., Dubey,V.S. and Malik,S.S. Radiation of Co^{55}, 9=2725

Mukherjee,H. See Kar,K.C. 5=2425

Mukherjee,P. See Dutt,I. 9=12623

Mukherjee,P.N. and Dutt,I. Quadrupole vibrations and the electric quadrupole moment of some closed shell plus (or minus) a single nucleon nuclei, 9=10024; On the axial stability of a deformed nucleus. I, 9=11426

Mukherjee,S. See also Pal,M.K., 7=7150, 7=8148

Mukherjee,S. and Pal,M.K. n-p and p-p scattering from Case-Pais model in the energy-range 91 MeV to 437 MeV, 9=8456

Mukherji,A. and Das,T.P. F^{19} hyperfine interaction in the paramagnetic resonance spectrum of Mn^{++} ions in ZnF_2, 9=2879

Mukherji,B.K. and Banerjee,C. Determination of particle size, 5=3473

Mukhin,A.I. See also Balandin,M.P. 9=12577; Gol'danskiĭ,V.I., 9=687; Ignatenko,A.E. 5=9141, 6=637, 6=5421, 7=2623

Mukhin,A.I., Ozerov,E.B. and Pontekorvo,(Pontecorvo),B. Scattering of π^+-mesons, on hydrogen. I. Angular distribution at energies of 176, 200, 240, 270 and 307 MeV, 7=2700; Energy dependence of μ^+-e^+ decay asymmetry, 9=2605

Mukhin,A.I. and Pontekorvo,(Pontecorvo),B. Scattering of π^+-mesons on hydrogen. II. Discussion and interpretation of the results, 7=2701

Mukhin,A.I., Popova,I.V. and Tentyukova,G.N. Meson-nucleon scattering phases in the energy region below 310 MeV, 7=6608

Mukhin,K.N. See Alpers,V.V., 6=8972=3

Mukhina,L.S. See Tsvetkov,V.N., 6=8137

Mukhopadhyay,H. See Sen Gupta,S., 8=891

Mukhopadhyay,S.K. Ultrasound absorption in water and its dependence on the temperature and air content of the water, 6=7218

Mukhtarov,Ch.K. Simultaneous absorption of light in binary mixtures, 9=10800*

Mulay,L.N. Cryostats and mechanical stage for nuclear magnetic resonance studies, 7=6457

Muld,V. See Neuhaus,H., 9=9423

Muldawer,L. See also Schwartz,M. 9=4005

Muldawer,L. and Feder,R. Nomographs for the determination of wavelength for highest angle X-ray diffraction, 5=10077

Mulder,M.M. See Green,L.C. 5=463; Lewis,M.N. 5=6403

Mulford,D.F. See Watson,H.H. 5=1272

Mull,H.R. Effect of jet structure on noise generation by supersonic nozzles, 9=4409

Mullaly,R.F. Graphical constructions for ray-tracing in the ionosphere, 5=6322; See also Clemmow,P.C. 5=5542

Mullaney,G.J. Temperature determination in flames by X-ray absorption using a radioactive source, 8=8738

Mullen,P.A. See Mann,W.B. 9=5030

Müller,A. On the behaviour of ion columns in pure gases, 6=6742; Estimation of the heating-up of thermal neutrons in the fuel elements of heterogeneous reactors, 9=11504; See also Biber,C., 6=3953

Müller,C. Electromagnetic radiation patterns and sources, 8=6082

Muller,C.A. A receiver for the radio waves from interstellar hydrogen. I. The investigation of the hydrogen radiation, 6=6307; II. Design of the receiver, 6=6308; 21 cm absorption effects in the spectra of two strong radio sources, 8=484

Müller,D.C. Interaction of beta particles with organic compounds

Müller,E.A. See Goldberg,L., 9=7742, 9=12961

Müller,E.W. The adsorption of oxygen by tungsten from observations with the field electron microscope, 6=1714; Resolving power of field ion microscope, 6=2940; Resolution of the atomic structure of a metal surface by the field ion microscope, 6=4452; Field desorption, 6=5158; Study of atomic structure of metal surfaces in the field ion microscope, 7=4792; Operating conditions of the low-temperature field-emission microscope, 9=1523; Pseudospirals, imperfect structures and crystal habit produced by field evaporation of metal crystals, 9=11622; See also Cooper,E.C., 8=5961; Melmed,A.J., 9=5810; Young,R.D. 9=4681

Müller,E.W. and Bahadur,K. Field ionization of gases at a metal surface and the resolution of the field ion microscope, 6=5159

Muller,F. See Armenteros,R. 5=6499, 5=6504, 5=6525; d'Andlau,C., 7=3701, 8=1205

Müller,F.H. Properties of surface films of macromolecular substances, 5=10046

Müller,G. On the dependence of the initial deformation of face centred cubic metals on the applied stress, 6=5458; On the behaviour of a.c. arcs in vacuo, 6=5907; On the perturbation of an arc by immersed probes, 9=1497; See also Weizel,W., 7=6223

Müller,G. and Finkelnburg,W. On the cathode and anode falls in high-current carbon arcs, 5=7986; On potential measurements with moving probes in high pressure arcs, 6=6679

Müller,G. and Patzelt,R. Vacuum arcs in transverse magnetic fields, 6=2904

Müller,G.O. See Eichhoff,G. 9=10848

Müller,H. Physical principles of electric space heating, 5=3672; On the limb-darkening of solar radio-frequency radiation, 6=5618; Investigation of copper oxide by means of exoelectrons, 7=6255; On the question of stationary oscillation of a simple macromolecular model in a flowing medium, 7=9296; The observation of vapour jets from fixed cathode spots in low-pressure mercury-vapour arcs, 8=5031; See also Hendus,H. 5=7421; Hieslmair,H., 9=1511; Schopper,H., 9=13001

Müller,H. and Leibfried,G. Surface phenomena on extended aluminium single crystals and their dependence on the velocity of extension, 5=10001

Müller,H. and Weinberger,F. Photoelectric investigations on undeformed and plastically deformed single crystals of aluminium, 7=6249

Müller,H.G. On the theory of the coercive force of the barium ferrite permanent magnet material Maniperm, 6=467; See also Fucks,W., 6=5904

Müller,H.K.F. and Hendus,H. The atomic distributionin liquid antimony, 9=3205

Müller,H.L. Flexural wave damping by symmetric and eccentric loading, 8=3798

Müller,J. Researches on electron streams, II, 5=1896; Superconduction in mixed crystals of vanadium with the transition elements, 9=12300; See also Jaggi,R. 9=9655; Spence,R.D., 7=6401

Muller,J.H. See also Spence,R.D., 9=2984

Muller,J.H. and Spence,R.D. Proton resonance observation of mechanical destruction of magnetic ordering in liquid crystals, 9=3214

Müller,K. Variable magnetostatic lens systems for electron microscopes, 9=1521

Müller,K. and Ruska,E. A simplified magnetic transmission microscope for electrons from 40 kV to 60 kV, 5=5444

Müller,K.A. Paramagnetic resonance of Mn^{2+} in cubic ZnS at low temperatures, 6=3829; Paramagnetic resonance of Fe^{3+} in $SrTiO_3$ single crystals, 9=5908; Electron paramagnetic resonance of manganese IV in $SrTiO_3$, 9=11250; See also Busch,G., 6=356; Gränicher,H., 9=820; Kneubühl,F., 6=7539; Sierro,J. 9=12469

Müller,K.A. and Wieland,J. Apparatus for measuring the Hall constant and the magnetic resistance change using alternating currents, 5=2855

Müller,K.G. See Ecker,G., 8=8013, 9=3602, 9=8250, 9=9672, 9=12350

Müller,M. Discussion of the paper by B.W.Manley, "On the effect of the transition region upon an electron beam constrained by Brillouin flow", 8=5043

Muller,M.P. Observations of artificial satellites at Meudon Observatory, 9=5336

Muller,M.W. Noise in a molecular amplifier, 7=5486

Muller,N. and Pritchard,D.E. C^{13} splittings in proton magnetic resonance spectra, I. Hydrocarbons, 9=12490

Müller,R. Space-charge waves in accelerated and decelerated one-dimensional electron streams, 6=2178; The statistics of coronal radiation, 6=6317; See also Balzer,R. 9=10080; Witzmann,H., 7=6018, 9=1306

Müller,R.H. Interaction of beta particles with matter, 7=7334

Müller,S. Inversion layers on p-type silicon, 9=2334; Radiative recombination and electron multiplication in silicon, 9=4595

Muller,T. Contribution to the study of gamma-transitions in some light nuclei, 9=13646; See also Gorodetzky,S. 5=7368, 5=8243, 6=5368, 7=1563 7=7380

Muller,T., Gelsema,E.S. and Endt,P.M. Precision measurements of the half-lives of the positon emitters ^{25}Al, $^{26}Al^m$, and ^{33}Cl, 8=8288

Müller,W. The development of an electric wire-explosion studied with the help of a Kerr-cell camera, 8=6910

Müller-Buschbaum,H. See Witzmann,H. 9=13179

Müller-Hillebrand,D. The ion capture on polarized drops, 5=1407; Limitations of the Wilson thunderstorm theory, 5=1408; Charge generation in thunderstorms by collision of ice crystals with graupel, falling through a vertical electric field, 5=5799; On the problem of the origin of thunderstorm electricity, 7=967; The origin of electric fields in thunderclouds, Supplement: On micro phenomena inside a macro-space, 8=1381

Müller-Limmroth,H.W. The theories of colour vision, 7=2893, 7=3867

Müller-Warmuth,W. A new method for measuring the complex susceptibility by magnetic resonance absorption in the ultra-short-wave region, 5=380; A photoelectric microscope for measuring the separation of mass spectrograph doublets, 9=4502

Müller-Warmuth,W. and Servoz-Gavin,P. A synchronized autodyne detector and its use in the stabilization of magnetic fields with proton resonance, 9=5936
Mullett,L.B. Statistical analysis of optical alignment in a linear accelerator, 5=5451; Phase stability in cyclotrons with the fixed frequency field law, 7=3362; Travelling wave systems with different particle and wave velocities, 8=5948; Gas scattering in proton synchrotrons, 8=5972; The use of plasma waveguides as acceralating structures in linear accelerators, 8=5980; Spiral ridge cyclotrons with frequency modulation, 8=8035; Perturbation of a resonator, 9=3666; See also Eastwood,W.S., 9=7310
Mullhaupt,J.T. and Hornig,D.F. Raman spectrum of the hydronium ion, 6=2797
Mulligan,B.W. See also Blau,E.J., 7=6038
Mulligan,B.W. and Haught,A.F. Correction for instrumental drift in flame photometry, 9=5496
Mulligan,J.F. See also Burke,E.A. 8=6346
Mulligan,J.F. and McDonald,D.F. Some recent determinations of the velocity of light. II, 7=5946
Mullikan,R.S. and Roothaan,C.C.J. Broken bottlenecks and the future of molecular quantum mechanics, 9=8697
Mulliken,R.S. Molecular compounds and their spectra. V. Orientation in molecular complexes, 5=3588; Structures of the halogen molecules and the strength of single bonds, 5=4847; Bond angles in water-type and ammonia-type molecules and their derivatives, 5=4858; Intermolecular charge-transfer forces, 5=9391; Electronic population analysis on LCAO-MO molecular wave functions. I, 6=1450; II. Overlap populations, bond orders and covalent bond energies, 6=3075; III. Effects of hybridizationon overlap and gross AO populations, 6=3897; IV. Bonding and antibonding in LCAO and valence-bond theories, 6=3898; See also Lofthus,A. 7=5978; Phillipson,P.E., 8=8399; Wilkinson,P.G., 6=3615, 8=5443, 8=5446, 9=12035
Mullin,C.J. See Ford,G.W., 8=7235, 9=521
Mullin,J.B. Distribution coefficients for solute elements in single crystal indium antimonide, 8=6413; See also Hulme,K.F., 7=8968
Mullin,J.B. and Hulme,K.F. The use of electromagnetic stirring in zone refining, 8=2725
Mullins,J.H. See Alyea,E.D.,Jr, 8=1145
Mullins,L. and Turner,D.T. Estimation of chain fracture during the cross-linking of rubber hydrocarbons by high-energy radiation, 9=8968
Mullins,W.W. Two-dimensional motion of idealized grain boundaries, 6=7823; Theory of thermal grooving, 7=6637; Flattening of a nearly plane solid surface due to capillarity, 9=6582; Analysis of the linear cooperative problem as a Markoff process, 9=7813
Mulot,H. See Monod-Herzen,G. 9=12092, 9=13176
Mulvey,J.H. See Evans,D., 9=3795; Helmy,E., 9=2635
Mulvey,T. See Archard,G.D., 8=8040; Haine,M.E. 9=1525
Mumford,H. See Terry,N.B. 6=8629
Mumm,T. Construction of a solution with movable singularity for the equations of the neutrino without external field, 8=6119
Mumme,W.G. See Sutton,D.J., 8=5525
Mummery,P.W. Experimental reactor physics, 8=4334
Munakata,Y. Some remarks on Lee's model in renormalizable field theory, 6=3481; See also Araki,H. 9=10602; Komatsuzawa,A., 6=6370; Sugano,R., 7=6883
Munari,G.M.De. See De Munari,G.M.
Muncey,R.W. Calculations of lunar temperatures, 8=4643; See also Nickson,A.F.B. 5=4484, 6=6494
Münch,B. The directional distribution at reflection of heat radiation and its influence on heat transmission, 7=3192
Münch,G. The theory of the fluctuations in brightness of the Milky Way. VI, 5=4315; Interstellar absorption lines in distant stars. I. Northern Milky Way, 7=4980
Münch,G. and Münch,L. On the distance of the Cassiopeia radio source, 9=10516
Münch,G. and Wheelon,A.D. Space–time correlations in stationary isotropic turbulence, 9=2127
Münch,L. See Münch,G. 9=10516
Munck,J.C. de. See de Munck,J.C.
Munczek,H. See Bosch,H., 7=7326; Bosch,H.E., 8=7349
Munday,G.L. See Allen,R.A., 5=9043
Munden,H.R. See Burge,R.E., 7=9470
Mungall,A.G. Measurement of the dielectric properties of low loss materials at millimeter wavelengths, 9=2296. See also Hart,J., 6=5104, 7=3226, 8=2291; Henderson,J.T. 5=7207
Mungall,A.G. and Hart,J. Measurement of the complex dielectric constant of liquids at centimeter and millimeter wavelengths, 8=1668
Munick,R.J. Transient electric currents from plastic insulators, 7=1257; Electrical conductivity of Plexiglas, 8=3089. See also LaBerge,W.B., 5=2832
Munin,A.G. and Yudin,E.Ya. Noise formation in an air duct with cavities, 8=4839; 6=5381. ^{8}Li emission from proton induced disintegrations at 950 MeV. See also Duke,P.J., 5=9342; Goldsack,S.J., 7=4710
Munk,W. See Cox,C., 5=227; Revelle,R., 6=9068; Munk,W.H. Polar wandering: a marathon of errors, 6=4791
Münnich,F. Diffusion of zinc in zinc oxide, 5=9166. Investigation of the energy level and the cross-section effect of several (n, α) processes, caused by thermal neutrons, 9=5069
Münnich,K.O. and Vogel,J.C. Radio-active carbon, produced by atomic explosions, in the atmosphere, 9=4151
Muñoz,M.Garcia. See Garcia Muñoz,M.
Munro,D.M. See Betts,R.H., 9=606
Munro,G.H. Travelling disturbances in the ionosphere: changes in diurnal variation, 8=1377. Travelling ionospheric disturbances in the F region, 8=5537. Diurnal lapse of signals from Sputnik III, 9=11764
Munro,G.H. and Heisler,L.H. Cusp type anomalies in variable frequency ionospheric records, 7=4912; Divergence of radio rays in the ionosphere, 7=4913; Ionospheric records of solar eclipses, 8=2068; Recording radio signals from earth satellites, 9=6474
Munro,G.H. and White,R.B. Observations in Australia of radio transmissions from the first artificial earth satellite, 8=1466
Munsch,M. Note on the use of photoconducting cells in spectroscopy, 5=3558
Munschy,G. Study of a family of approximate wave-functions for the helium atom, 5=9026. See also Dornstetter,M. 9=12722
Munschy,G. and Pluvinage,P. Solution of the Schrödinger equation of two-electron atoms. II. Rigorous method. Symmetric states, 7=8423
Munson,T.R. See Evans,W.H., 6=3699
Münster,A. On the theory of the Einstein condensation, 6=2696
Münster,A. and Sagel,K. On certain electrical properties of titanium nitride and titanium carbide, 6=2877; Critical opalescence in solid solutions, 8=3487; On the atomic ordering of the solid solution gold-nickel, 9=2953; Phase separation and critical point in mixtures of liquids and in alloys, 9=10919
Münster,A., Sagel,K. and Schlamp,G. Titanium nitride and titanium carbide as semiconductors, 5=2752
Munteanu,A. and Cişman,A. The polarization e.m.f. of very thin diamagnetic films, 9=13418
Münzel,H. See Fränz,I., 9=3837
Münzer,H. Attempts for the enhancement of the neutron yield from a deuteron-accelerator with heavy ice and tritium targets, 9=3707
Münzhuber,A. See Briner,E., 6=5474
Mura,A. See Giacconi,R., 7=3423; Lovati,A. 5=365
Mura,T. and Yoshimoto,H. Measurements of quenching stresses in a bearing ring by interference fringes, 9=1116
Muradyan,R.M. Asymptotic formulae for generalized Legendre functions and Gegenbauer functions, 8=1409. See also Sokolov,A.A., 9=11842
Murai,N. See Yoshimatsu,S. 5=7965
Murai,R. See Kaneko,M. 5=6983
Murai,Y. Wave equations in conformal space–wave equation for nucleon, 6=90; Inversion in the isobaric spin space, 7=5864; New wave equations for elementary particles, 8=5168
Murakami,H. Note on the interaction and configuration in chlorine-benzene complex, 6=1459; Supplementary comments on the "electronic structure of the amylose-iodine complex", 6=3076; On the rotatory dispersion of protein and DNA, 8=2265
Murakami,K. See Kodama,M., 7=8694; Murayama,T., 6=8851
Murakami,M. See also Hihara,T., 8=1128; Hirahara,E., 5=2749, 6=4088, 9=8294
Murakami,M. and Hirahara,E. On the lithium resonance in lithium sulfate monohydrate $Li_2SO_4.H_2O$, 6=6844
Murakami,M. and Maeda,T. The absolute intensities of cosmic rays at 2840 meters and geomagnetic latitude 25°N, 8=4106
Murakawa,K. Hyperfine structure of the spectra of Nd and Gd, 5=1682; Hyperfine structure of the spectrum of Mn I, 5=5982* Isotope shifts in the spectra of tin and lead, 5=5993; Isotope

shift in Cd II 4415, 5=5994; Nuclear moments of Nb^{93}, La^{139}, Os^{187}, and Hg^{201}, 5=7289; The quadrupole moment of La^{139}, 6=559; Hyperfine structure of the spectrum of Ruthenium III, 6=1044; Nuclear moments of Mo^{95}, Mo^{97}, Zr^{91}, I^{127}, Sb^{121} and Sb^{123}, 6=2319; The quadrupole moment of V^{51}. 6=5317; Hyperfine structure of the spectrum of Cu I and test of the hyperfine structure formulas, 6=7278; Isotope shift in the spectra of Ne II and WI, 6=7279; Nuclear spins of Dy 163 and Dy 161, 7=618; Quadrupole moments of As^{75}, La^{139} and Hg^{201}, 8=4270; The arc spectrum of iodine and the quadrupole moment of I^{127}, 8=7803; Quadrupole moment of Nb^{93} and test of the hyperfine structure formulas, 9=8511; See also Vreeland, J.A., 9=10758
Murakawa,K.and Kamai,T. Quadrupole moments of Os^{189}, Ta^{181}, Lu^{175}, and La^{139}, 7=3543
Murakoshi,K. and Ohkawa,J. Ionized metal water, 5=9212
Muralidhara Rao,V. Ultrahigh frequency absorption in liquid mixtures, 9=6882
Murashkin, B. M. See Davȳdov,A.S., 9=1723
Murasik,A. See Janik,J.A. 9=11906
Murata,H. and Kawai,K. Calculated vibrational frequencies for bromosilanes, 6=2278; Vibrational spectra for oxalate ion and oxalic acid, 7=2037; Normal frequencies of tetrahedral $M(XY)_4$ molecules, 7=7262; Normal frequencies of octahedral $M(XY)_6$ molecules, 7=9299; Normal frequencies of bipyramidal $M(XY)_5$ molecules, 8=7443; Murata,H., Kawai,K. and Fujita,J. Vibrational spectra for oxalate ion in coordination compounds, 7=2039
Murata,H., Palm,A. and Meister,A.G. Substituted methanes. XXV. Potential constants and calculated thermodynamic properties of dibromofluoromethane, 5=5558
Murata,H. and Shimizu,K. Structure of hexamethyldisilane, 6=1457; Normal frequencies of tetramethylmethane, 7=9779
Murata,K. See Kanki,T., 8=5615
Murata,S. Relation between gas pressure and ion current in vacuum tubes, 5=5933
Murata,Y. See Fukui,S. 5=9747, 8=7154; Watase,Y., 8=1747
Muratov,V.R. See Vanyukov,M.P. 9=12000
Murav'eva,V.V. See Gnedich,A.V. 9=10090
Murayama, T. See also Miura,I. 5=9739, 6=1342
Murayama,T., Murakami,K., Tanaka,R. and Ogawa,S. The atmospheric effects on the intensity of high energy μ-mesons, 6=8851
Murcott,N. Influence of primary coma and astigmatism upon the low contrast photographic resolving power of a camera lens. 6=5752. See also Gottfried,H.T. 5=3370
Murcott,N. and Gottfried,H.T. Photographic resolving power and aberrations of lenses, 5=5968; Use of spot diagrams to synthesize the image of resolving power test-charts, 5=6881; Interferometer quality and its relation to photographic resolving power, 5=7873
Murcray,D., Brooks,J., Murcray,F. and Shaw,C. High altitude infrared studies of the atmosphere, 8=6553
Murcray,D.G. See Gates,D.M. 9=1961
Murcray,F. See Murcray,D., 8=6553
Murcray,W.B. A possible auroral enhancement of infrared radiation emitted by atmospheric ozone, 7=9992
Murdoch,H.S. The absolute density distribution of cosmic-ray air showers at low densities, 9=2466
Murdoch,P.A.B. See Morrison,G.C. 5=8242
Murgai,M.P. Application of the Hertz theory of impact to explosion phenomena, 5=584*; An equation of state for the detonation of condensed explosives, 5=2493; Equation of state from the theory of detonation. 6=5058; On the pressure estimation in impact sensitivity experiments on explosives and the problem of initiation, 7=815; Dependence of the velocity of detonation of nitromethane on its initial temperature, 8=433
Murgatroyd,R.J. "Condensation nuclei", 8=460
Murgatroyd,W. Thermal convection in a long cell containing a heat generating fluid, 5=5356; Theory of the ideal a.c. conduction pump. 6=5715
Murin,A.N. See also Gorodinskiĭ,G.M., 7=7327; Gusev,I.A., 8=1943; Kirzhanskiĭ,L.M., 7=9398
Murin,A.N., Nefedov,V.D., Baranovskiĭ,V.L., and Popov,D.K. Enrichment of the radioactive isotopes of iodine, germanium, arsenic and antimony obtained through the (γ, n) reaction, 7=7315
Murina,T.M. A radio-spectroscope for the investigation of molecular rotation spectra, 9=195
Murina,T.M., Prokhorov,A.M. and Chayanova,É.A. The measurement of the absolute intensities of absorption lines, 9=7951
Murnaghan,A.R. See Ingram,D.J.E. 5=6299
Muroga,S. On the capacity of a discrete channel. II. Mathematical expression of the capacity of a noisy channel which is expressible by corresponding two multi-state diagrams, 7=4965
Murota,T. and Ueda,A. On the foundation and the applicability of Williams-Weizsäcker method, 7=6877
Murota,T., Ueda,A. and Tanaka,H. The creation of an electron pair by a fast charged particle, 7=6873
Murphey,W.M. See Hoffman,J.D. 9=13895
Murphy,A. See Wait,J.R., 8=8178
Murphy,B. Positive point d.c. corona, 5=8790. Electrical and optical characteristics of d.c. corona discharges in air at atmospheric pressure, 7=4388
Murphy,B.T. A method of focusing electron beams, 9=1515; See also Booth,G.L., 6=2049*
Murphy,E.L. Energy distribution half-widths for field emission electrons, 8=3178
Murphy,E.L. and Good,R.H.,Jr. Thermionic emission, field emission, and the transition region, 6=5915
Murphy,F.V.,Jr. See Malitson,I.H., 8=2222
Murphy,J. See Morgan,L.O., 6=5236, 6=7197
Murphy,J.S. See also Smith,A.M.O. 5=8530
Murphy,J.S. and Smith,A.M.O. Measurement of wall shearing stress in the boundary layer by means of an evaporating liquid film, 7=163
Murphy,P.G. Energy level spectrum of C^{15} from the nuclear reaction $Be^9(Li^7, p)C^{15}$, 8=6226; See also Allison,S.K., 6=5382, 6=5953; Jones,D.P., 9=678
Murphy,R.E. See Andrews,H.L. 7=6783
Murphy,R.L. See Martin,D.W. 6=6484
Murphy,S.J. See Lambert,J.D. 5=796
Murphy,S.R. See also Potter,D.S., 7=4054
Murphy,S.R., Garrison,G.R. and Potter,D.S. Sound absorption at 50 to 500 kc from transmission measurements in the sea, 9=147
Murphy,T. On the fog formation in the photo-electric counter, 7=934
Murphy,W.K. See Oriani,R.A., 9=9575
Murray,A.E. Effect of antireflection films on color in optical instruments, 7=288; Skew astigmatism at toric surfaces, with special reference to spectacle lenses, 7=7709
Murray,A.M. See Strachan,C., 8=4125, 9=7155
Murray,B.B. See Kurbatov,J.D. 5=5608
Murray,C.T. and Hollway,D.L. A simple equipment for solving potential and other field problems, 6=2606
Murray,G.R. See Freeman,R., 8=309
Murray,G.R.,Jr. and Waugh,J.S. Nuclear resonance study of structure and molecular motions in some cobalt complex salts, 9=1831
Murray,J. See Horwitz,N. 9=13552
Murray,J.D. See Wild,J.P. 5=15
Murray,J.J. See also Brabant,J.M., 6=3785, 6=5977
Murray,J.J., Boehm,F., Marmier,P. and DuMond,J.W.M. Decays of Ta^{182} and Ta^{183}, 5=4027
Murray,J.R. See Lloyd,S.J., 8=6491
Murray,K.E. A new design of the Martin and James gas density meter, 9=11618
Murray,P. See Livey,D.T., 6=8443, 8=6403
Murray,P.C., Tatro,C.A. and Haxby,R.O. A method of stretching thin aluminum foil over large areas, 5=1423
Murray,R.B. Magnetic and thermal properties of $MnCl_2$ at liquid helium temperatures. II. Specific heat, 6=1374 Use of $Li^6I(Eu)$ as a fast-neutron detector and spectrometer, 9=4867; See also Roberts,L.D., 6=478, 6=1353
Murray,R.B. and Roberts,L.D. Magnetic and thermal properties of $MnCl_2$ at liquid helium temperatures. I. Magnetic susceptibility, 6=1373
Murray,R.L. See also Banister,A.W., 7=9904; Page,E.M., 8=7405
Murray,R.L. and Niestlie,J.W. Reactor control-rod theories, 5=4949
Murray,W.A.S. See Browne,I.C., 7=1017
Murrell,J.N. The electronic spectrum of aromatic molecules. VI. The mesomeric effect, 6=1439; Electronic spectra of the triarylmethyl radicals, 7=8053; The π-electron spectra of the benzene N-heterocyclics, 9=13747; See also Hausser,K.H., 8=2014; Longuet-Higgins,H.C. 5=8128
Murrell,J.N. and Longuet-Higgins,H.C. The electronic spectra of aromatic molecules. III. The effect of inductive substituents, 5=4841; Electronic spectrum of the cycloheptatrienyl (tropylium) ion, 6=2288
Murrell,J.N. and McEwen,K.L. Importance of doubly excited configurations in the interpretation of electronic spectra, 7=3493
Murrell,J.N. and Pople,J.A. The intensities of the symmetry-

forbidden electronic bands of benzene. 6=6054
Murrenhoff,A. See Groth,W. 5=1758
Murrmann,H. See Schwink,C., 9=5803
Murtas,G. See Ageno,M., 9=13383
Murtas,G.P. See Alberigi,A., 9=11143
Murthy,D. Satyanarayana. See Satyanarayana Murthy,D.
Murthy,N.Sreedhara. See Sreedhara Murthy,N.
Murti,G.S.R.Krishna. See Krishna Murti,G.S.R.
Murty,C.R.K. Study of variation of dielectric relaxation time with solvent, 9=1413; Dipole moments of some substituted benzenes and pyridines, 9=3992; III. Chloro and bromo ethyl benzenes, 9=11536
Murty,C. Radhakrishna See Radhakrishna Murty,C.
Murty,D.S.R. See Brini,D., 9=5985
Murty,D. Satyanarayana. See Satyanarayana Murty,D.
Murty,G.S. On the relativistic Thomas–Fermi atom, 6=8941
Murty,G.S. and Varma,R.K. Acceleration of cosmic radiation, 9=2008
Murty,J. Satyanarayana. See Satyanarayana Murty,J.
Murty,M.V.R.K. Laminated lens, 7=1990; On the theoretical limit of resolution, 7=8505
Murty,T.V.S. Design and development of a simple ionospheric equipment, 7=3850; See also Balachandran,C.G., 9=1225
Murty,Y.Krishna, See Krishna Murty,Y.,
Murty,Y.S.N. See Singh,R.N., 8=7216
Murty,Y.V.Ramana. See Ramana Murty,Y.V.
Mürtz,H.J. See Ehrenberg,H.F., 9=6387; Nöller,H.G., 9=113
Murzin,V.S. The latitude effect of nuclear disintegrations in the stratosphere, 7=2379; See also Grigorov,N.L. 9=9893; Isaev,P.S., 7=3707; Vernov,S.N. 9=13969
Murzina,E. See Dovzhenko,O., 8=4098
Murzina,E.A. See Zatsepin,G.T., 8=8104
Musa,G. See Comsa,G., 7=8457
Musa,R.S. Two-crystal interferometric method for measuring ultrasonic absorption coefficients in liquids, 9=151
Musa,R.S. and Eisner,M. Ultrasonic absorption associated with tertiary butanol complex formation in dilute solutions in cyclohexane, 9=5453
Muscheid,W. See Buttler,W.M. 5=2737
Muschlitz,E.E., Jr. Formation of negative ions in gases by secondary collision processes, 8=8075; See also Bailey,T.L. 5=2827, 7=7986
Muschlitz,E.E.Jr, Bailey,T.L. and Simons,J.H. Elastic and inelastic scattering of low-velocity h⁻ ions in hydrogen, 6=5952; II, 7=5419
Musen,P. See Herget,P. 9=3070
Müser,H.A. The physical nature of a metal surface in conduction theory, 5=1074; Thermoelectric measurements on illuminated lead sulphide, 6=2899; Thermodynamic treatment of electronic processes in semiconductor surface layers, 8=3099; See also Gereth,R. 9=5721; The electromechanical properties of Seignette (Rochelle) salt, 6=8174; Ferroelectric hysteresis and after-effect phenomena in Rochelle salt, 9=5660
Müser,H.E. and Bittel,H. Dynamic measurements on piezoelectric resonators with very large electromechanical coupling, 5=9641
Müser,H.E. and Flunkert,H. Upper Curie temperature and domain structure in different regions of Rochelle salt crystals, 8=7885
Musgrave,B. See Jeffries,T.O., 6=113
Musgrave,M.J.P. On the propagation of elastic waves in aeolotropic media. I. General principles, 5=800; II. Media of hexagonal symmetry, 5=801; On whether elastic wave surfaces possess cuspidal edges, 8=4796; The propagation of elastic waves in crystals and other anisotropic media, 9=3222; On an elliptic cone of internal refraction for quasi-transverse waves in tetragonal crystals, 9=7588; See also de Klerk,J. 5=2525; Miller,G.F. 6=7211
Mushiake,Y. Back-scattering for arbitrary angles of incidence of a plane electromagnetic wave on a perfectly conducting spheroid with small eccentricity, 7=3467
Musin,A.K. See Arshinov,A.A., 8=4094, 8=8064
Muss,D.R. Capacitance measurements on alloyed indium-germanium junction diodes, 6=3734
Muss,D.R. and Greene,R.F. Reverse breakdown in In–Ge alloy junctions, 9=2336
Mussa,G. See Gel'berg, A. 9=7054
Musset,E., Nikuradse,A. and Ulbrich,R. On the breakdown field strength in dielectric liquids of different molecular composition, 6=4387
Musson-Genon,M. Flicker effect at ultra-high frequencies, 5=4717
Mustajoki,A. Calorimeter investigations relating to the transformation in NaNo$_3$ and its melting process, 8=3956; The specific heat [Cp] of caesium nitrate in the temperature range from 50°- to 450°C together with its heats of transformation and fusion, 8=3957; The specific heats and the heats of transformation of the different modifications of rubidium nitrate and also its latent heat of fusion, 9=4531
Mustel',É.R. Theoretical astrophysics, 8=3634; The physical nature of the differences between geomagnetic disturbances with sudden and non-sudden commencement, 8=6524; Corpuscular streams during the years of minimum solar activity and their properties, 9=3064*
Mustel',É.R. and Dvoryashin,A.S. Solar activity and geomagnetic disturbances in 1942-1944, 8=6596
Mustel',É.R. and Mitropol'skaya,O.N. Flocculi and the twenty-seven-day recurrence in magnetic disturbances, 8=6594; On certain statistical effects in the problem of the origin of geomagnetic disturbances, 9=9057; The velocity spectrum of corpuscles in solar corpuscular streams, 9=10528
Musturo,N. See Kimura,M., 8=4061
Musulin,B. Molecular screening constants, 7=5530
Musumeci,L. See Arcipiani,B. 9=9715
Mutafchiev,B. See Kaishev,R., 6=2506
Mutaftschiew,B. See Kaischew,R., 6=1695
Muth,B.R. See Kiss,A.I., 6=1058-9
Muto,J. and Okano,K. An electromagnetic isotope separator, 9=1807
Muto,J., Takekoshi,E., Nakamura,T., Imamura,A. and Tsuneoka,Y. The multipolarity of γ-ray absorption in $^{12}C(\gamma, 3\alpha)$ reaction produced by (Li, p) γ-rays, 8=5370
Muto,T. On the mechanism of the nuclear spin-lattice relaxation in solids, 5=9391
Muto,T. and Okuno,H. Electronic structure of the exciton. I. Localized exciton in KCl, 6=6815; Structure of the exciton of KCl, 7=4885; On the electronic structure of localized exciton in alkali chlorides, 7=4887
Muto,T. and Oyama,S. Electronic structure of a moving exciton in alkali halides, 7=4886
Muto,T., Oyama,S. and Okuno,H. Electronic structure of the exciton in ionic crystal. Further discussion of a localized exciton (zero-th order description) and general formulation of a moving exciton in alkali halides„ 9=6255
Mutô,Y. See Hirabayashi,M., 8=3086
Mutscher,H. See Reichardt,W. 5=9522
Mutsuro,N. See Kimura,M. 9=9931; Morinaga,H., 9=10031
Mütze,H. Two new densitometers, 9=4415
Mütze,K. Experimental arrangement for the investigation of chromatic aberration in the human eye, 7=6796; Accommodation in the eye a compensation for existing astigmatism? 9=1970
Muus,L.T. Dielectric investigations of cellulose, with special consideration of the cellophane-water system, 5=6107
Muuss,H. See Buhl,S. 9=5772; Leutz,H. 9=12036
Muxart,R. Formation of 5.6-benzanthracene-C^{14} and of 5.6-benzacridine-C^{14} by neutron irradiation of 5.6-benzacridine, 6=6995; Study of the chemical transformations accompanying nuclear reactions, with special reference to the nuclear reactions $N^{14}(n, p)C^{14}$, 7=7477; See also Bouchez,R., 6=7642
Muzikář,Č. Cherenkov radiation of the space charge in waveguides and in unbounded medium, 5=6220; The covariant phenomenological quantum theory of the electromagnetic field in a dielectric, 7=7578; The spin of the photon in the phenomenological theory of the electromagnetic field, 9=11803
Muzychuk,O.M. Change of resistance in polar-model semiconductors in a magnetic field, 8=6973
Myaé,É.A. See Shpigel',I.S., 7=9338
Myagi,Kh.A. See Lushchik,Ch.B. 6=7021
Myakinin,E.I. See Shul'man,A.R., 7=4460
Myakishev,G.Ya. and Luchina,A.A. Longitudinal plasma oscillations. II, 5=8091
Myamlin,V.A. Calculation of the quadrupole moment of the nucleus in the scattering of electrons, 5=8824; See also Vdovin,Yu.A., 9=13312
Myasnikov,I.A. See Shekhter,L.N., 7=2770
Myasnikov,L.L. See Kolosov,A.A., 7=7008
Myasnikov,V.A. See Bogomolov,V.N., 8=7919
Myasoedov,B.F. See Gerlit,Yu.B., 8=1971; Karamyan,A.S. 9=13674; Tarantin,N.I., 8=7398
Myer,Y.P. See Puri,B.R., 8=3933
Myers,A. See also Mackinnon,L., 9=2173
Myers,A., Mackinnon,L. and Hoare,F.E. Modifications to standard pulse techniques for ultrasonic velocity measurements, 9=4375
Myers,H.P. Paramagnetism of the γ phase in copper manganese alloys. 6=6017; Spontaneous magnetization in the Mn–Ga–C

alloys, 7=9272; See also Brockhouse,B.N., 7=8019; Butters,R.G. 5=3287, 5=8913; Howe,L., 7=5460
Myers,I.T. Improved method of gamma-ray calorimetry, 9=634; See also Larson,H.V., 6=2158
Myers,J. See Long,D., 8=1694, 9=6978; Nussbaum,A., 9=4632
Myers,N.A. See Leibowitz,H.W. 5=3344
Myers,O.E. Kinetics of the triiodide equilibrium, 8=7577
Myers,R.J. See Brackett,F.B. 8=1604; Fernandez,J. 5=6018; Kasai,P.H., 9=3300, 9=9439; Meschi,D.J. 9=12057; Tannenbaum,E., 6=7577
Myers,R.R., Miller,J.C. and Zettlemoyer,A.C. 6=4861 Viscometric analysis of dispersions at small shear stresses. 6=4861; The splitting of thin liquid films. Kinematics, 9=9301
Myers,V. Intermolecular forces in ethane. 6=5273
Myers,V.W. Effect of a repulsive force on the scattering of ions by molecules, 5=5550; Calculation of ion scattering by molecules with a 4-12 potential model, 7=3477; Quantum mechanical treatment of systems with a damping force proportional to the velocity, 9=13025
Myers,W.R. An electrodeless method for the measurement of electrolytic conductivity and magnetic susceptibility, 8=3541
Myerson,A.L. See also Golden,J.A., 8=6811, 9=178
Myerson,A.L., Taylor,F.R. and Hanst,P.L. Ultraviolet absorption spectra and the chemical mechanism of CS_2-O_2 explosions, 7=7739
Mȳkhaĭlov,H.S. Effects of the evaporation products from thermionic-cathode materials, especially barium, on the transformations occurring in metallic oxides during their electronic bombardment, 8=7142
Mȳkhaĭlov,H.S. and Usikov,O.Ya. The variation with atomic number of the work function of an electron and atomic heats of sublimation of metals, 8=8810
Mylonas,C. and Truell,R. Radiation effects from (n, α) reactions in boron glass and energy of the reacting neutrons, 9=4044
Mylonas,C., Truell,R. and Levy,P.W. Birefringence in neutron-irradiated boron glass, 8=7522
Mysels,K.J. Electrodiffusion: A fluctuation method for measuring reaction rates, 6=4059
Myuller,K. See Krutov,V.A. 9=10085
Myuller, R.L. On the nature of the electrical conductivity of glass, 5=3715; The electrical conductivity of solid iono-atomivalent materials. VIII. The concentration dependence of electrical conductivity of borate and silicate glasses, 7=9168

Naar-Colin,C. See Bellemans,A., 7=5712; Prigogine,I., 7=5711, 7=5713

Nabarro,F.R.N. The axial ratio of zinc, and of the eta and epsilon brasses, 7=9425: See also Barss,W.M., 8=9178

Näbauer,M. Influence of a circular closed magnetic field on the superconductive state of a mono-crystalline hollow lead cylinder, 6=371. Theoretical investigation of the stability of a cylindrical phase boundary between super and normal conductor in a circular magnetic field. A. Behaviour for virtual, infinitesimal, spatially periodic undulations of the boundary surface, 7=9701. Experimental and theoretical investigation of the superconducting-normal transition and its converse for a hollow cylinder in a circular magnetic field, 9=321.

Näubauer,N., and Schubert,G.U. Theoretical investigation of the stability of a cylindrical phase-boundary between super and normal conductor in a circular magnetic field. B. Behaviour for virtual, finite, spatially-periodic displacements of the boundary, 8=8790.

Nabitovich,I.D. See Andrievskii,A., 9=10395

Nablo,S.V. See also Johns,M.W., 5=2122, 6=2347, 8=8289

Nable,S.V., Johns,M.W., Artna,A. and Goodman,R.H. The decay of Os^{191} and Os^{193}, 9=2731

Naboko,I.M. See Salamandra, G.D., 9=9544

Nachbar,W., Williams,F. and Penner,S.S. The conservation equations for independent coexistent continua and for multi-component reacting gas mixtures, 9=6617

Nachman,M. See Ciorăscu,F., 9=4565, 9=12235

Nachmias,J. Brightness and visual acuity with intermittent illumination, 8=9192. Two-dimensional motion of the retinal image during monocular fixation, 9=11687

Nachtrieb,N.H. See also Meyer,R.E., 5=3164, 6=120; Petit,J., 6=4238; Rice,S.A., 9=8883

Nachtrieb,N.H. and Handler,G.S.„ Self-diffusion in α white phosphorus, 5=8307; Self-diffusion in lead, 5=9983

Nachtrieb,N.H. and Lawson,A.W., Effect of pressure on self-diffusion in white phosphorus, 5=8308

Nachtrieb,N.H. and Petit,J., Self-diffusion in liquid mercury, 6=3540

Nachtrieb,N.H., Petit,J. and Wehrenberg,J., Self-diffusion of silver in silver—palladium alloys, 7=3752

Nachtrieb,N.H., and Resing,H.A. and Rice,S.A., Effect of pressure on self-diffusion in lead, 9=8886

Nadai,A., Forces that move a glacier, 7=2857

Nadeau,G. See Geoffrion,C., 8=5309

Nadeau,J. See Washburn,J., 9=11550

Nadelhaft,I. See Love,W.A., 9=6016; Sitte,K., 5=1977

Nadezhdin,V.S. See Golovin,B.M., 9=12553

Nadgornȳi,E.M., Osipyan,Yu.A., Perkas,M.D. and Rosenberg,V.M., Whisker crystals with strength near to the theoretical, 9=11549

Nadi,Abdel Fattah,L. See Abdel Fattah el Nadi., 5=10125

Nadi,M.El. See El Nadi,M.

Nadjakoff,E.G., A two-dimensional electrostatic problem. I. 6=307, II. 6=308. On the edge effect in a quadrant electrometer, 6=309

Nakjakov,G., Andrejtschin,R., Balabanov,S. and Stanislavova,J., Comparative investigations of the longitudinal and transverse photovoltaic effects in evaporated cadmium sulphide, 9=9643

Nadjakov,G. and Nadjakova,E.G., Methods of measuring contact potential difference by a quadrant electrometer, 9=9577

Nadjakova,E.G. See Nadjakov,G., 9=9577

Nadolschi,V. and Tomozei,C. Convective radiometer, 9=7916

Nadol'shiĭ,V. and Itsikovich,A. A compensated photoelectric microphotometer, 9=6675

Nadzhafov,I.M. Pair-production by circularly polarized photons, 9=9942

Nadzhakov,G. and Andreĭchin,R. Photovoltaic effect in poly-crystalline sulphur by transverse illumination, 6=1240. Photovoltaic effect in crystalline cadmium sulphide, 6=2113

Nadzhakov,G., Andreĭchin,R., Balabanov,C. and Stanislavova,Yu. Barrier layer free photovoltaic elements of evaporated CdS, 7=7925

Nadzhakov,G., Andreĭchin,R. and Borisov,M. Photovoltaic effect in evaporated cadmium sulphide transversely illuminated, 6=2114

Nadzhakov,G. and Kashukeev,N.T. Temperature-relation of variations of the polarization of photo-electrets, 5=4629. Investigations of electron release, 6=1239. Photoconductivity of cast (disks of) sulphur, 6=1241. Negative photo-effect in cast sulphur, 6=1242

Nafde,W.G. See Bhide,V.G., 8=6499

Nag,B.D. and Abul Maksud Sayied Electrodynamics of moving media and the theory of the Čerenkov effect, 6=5152

Nag,B.R. On the application of an electronic differential analyser for finding the roots of a polynomial, 9=12935

Nagahara,S. Quantum theoretical study on single, double and triple bonds between carbon atoms, 9=10191

Nagai,H. Theory of the O^+ states of O^{16}. II. 9=13606

Nagai,H. and Narumi,H. Quadrupole moments of odd-neutron nuclei, 9=13602

Nagai,H. and Yamaji,Y. Theory of the O^+ states of O^{16}. I, 9=13605

Nagai,K. Molecular configurations of vinyl polymers with strictly regular structures and their mean dimensions and electric moments in dilute solutions, 9=7482. Elementary problems on the configurations of a linear high polymer, 9=10214

Nagai,M. Graphical solution of linear heat flow with radiation, 6=5042

Nagai,O. Notes on the ground state of antiferromagnetism, 8=3223. On the ground state of antiferromagnetism, 9=1580

Nagai,S. See Kobayashi,S., 6=572

Nagakura,S. Intramolecular charge transfer spectra observed with some compounds containing the nitro or the carbonyl group, 5=8608. Study of metallic carbides by electron diffraction. I. Formation and decomposition of nickel carbide, 8=8475. II. Crystal structure analysis of nickel carbide, 9=13959. III. Iron carbides, 9=13960. A method of correcting the primary extinction effect in electron diffraction, 9=7654. See also Sato,Y., 6=8311. Tanaka,J., 6=1976, 6=8099. Tsubomura,H., 7=9802

Nagakura,S. and Gouterman,M. Effect of hydrogen bonding on the near ultraviolet absorption of naphthol, 7=5179

Nagakura,T. and Naruse,H. An approximate solution of the hypersonic laminar boundary-layer equations and its application, 9=7866

Nagamatsu,H.T. and Martin,E.D. Combustion investigation in the hypersonic shock tunnel driver section, 9=7891

Nagamiya,T. Antiferromagnetism of $CuCl_2 \cdot 2H_2O$, 5=9391. Field dependence of antiferromagnetic susceptibility, 6=6015. See also Kanamori,J:, 5=3262; Kondoh,H., 9=9768; Moriya,T., 6=3816; Motizuki,K., 6=2274; 6=6990; Tachiki,M., 8=8109; Yomosa,S., 8=8528

Nagamiya,T., Kojima,T., Moriya,T. and Kanamori,J. Wigner-Seitz method applied to F-centre, 5=9391

Nagamiya,T. and Motizuki,K. Theory of the magnetic scattering of neutrons by CoO, 8=6030

Nagamiya,T., Yosida,K. and Kubo,R. Antiferromagnetism, 5=1039

Nagano,H. See Abe,H., 6=8872; Oshima,K., 5=8636, 6=483, 6=5017

Nagao,S. The criterion of sparking for extremely large values of the product: (Gas pressure X gap length)., 6=5118 Bubble chamber study of electric breakdown of liquid, 7=5366. Effects of shock wave upon gaseous discharge, 7=8650. The mechanism of particle acceleration in high current spark discharges, 7=9220. Electrical analog solves reactor design problems, 8=5410. See also Sato,T., 6=8172

Nagaoka,Y. Paramagnetic relaxation of copper Tutton salt, 9=11239

Nagarajaiah,H.S. See Prasad,B.B., 5=4698

Nagarajan,M.A. See Pal,M.K., 8=8330

Nagarjunan,T.S. See Mohanty,S.R., 5=5430, 5=9683

Nagasaki,M. Deuteron stripping and the compound nucleus, 7=7384. See also Kawai,M., 6=8388

Nagasaki,M. and Tamura,T. On the excited states of even-even nuclei, 5=3967

Nagasaki,S. See Hirabayashi,M., 8=812; Yuzuri,M., 8=6039

Nagasawa,S. See Notsuki,M., 5=5164

Nagase,M. On the zeros of certain transcendental functions related to Hankel functions. I-II., 5=2355. Diffraction of elastic waves by a spherical surface, 6=3580

Nagashima,K. The diurnal variation of cosmic rays, 9=381

Nagashima,M. See Toyoda,H., 9=9614

Nagashima,T. See Koide,S., 9=8735

Nagata,C. See Fukui,K., 7=5532, 8=3431, 9=10186

Nagata,S. Effects of PTC-noninvariance in the radiative capture of orbital electrons, 9=1038. Eigenvalue problems and the limit of the applicability of perturbation expansion in an anharmonic oscillator, 9=3150. See also Kitamura,R., 5=1546

Nagata,T. Ferrimagnetism in nature, 5=9391. See also Akimoto,S., 7=6745

Nagata,T. and Mizuno,H. S_q-field in the polar region on absolutely quiet days, 9=937

Nagata,T., Nakata,Y., Rikitake,T. and Yokoyama,I. Effect of the solar eclipse on the lower parts of the ionosphere and the geomagnetic field, 6=7871

Nagata,T., Obayashi,T. and Sinno,K. Morphology of ionospheric storms, 6=2586

Nagata,T., Rikitake,T. and Nakata,Y. The effect of a solar eclipse on the lower part of the ionosphere and on the geomagnetic field, 6=7069

Nagata,T. and Uyeda,S. Interaction of two constituents in ferromagnetic materials showing reverse thermo-remanent magnetism, 5=3884. Production of self-reversal of thermo-remanent magnetism by heat treatment of ferromagnetic minerals, 6=4744

Nagatani,M. See Yokota,M., 9=3581

Nagel,B. A remark on quantum electrodynamics with non-vanishing photon mass and lamb shift calculations, 6=4807

Nagel,M.R. On the irradiation on inclined surfaces as related to photographic and technological exposure problems, 9=12898

Nageotte,E. See Becker,J., 5=6264

Nagesvara Rao,B.D. and Jnanananda,S. Gamma-ray absorption coefficients for Co^{60}, 8=261

Naggiar,V. See also Berthelot,A., 5=7367; Szteinsznaider,D., 7=7371

Naggiar,V., Phillips,G.C., Roclawski-Conjeaud,M. and Szteinsznaider,D. Angular distribution of fast-neutron inelastic scattering, 7=9393

Naggiar,V., Roclawski-Conjeaud,M., Szteinsznaider,D. and Thirion,J. O^{18}(p, n)F^{18} Reaction and levels of fluorine 18, 6=5378. The first levels of F^{18}, 7=1506

Naghdi,P.M. See also Cooper,R.M., 8=4795

Naghdi,P.M. and Cooper,R.M. Propagation of elastic waves in cylindrical shells, including the effects of transverse shear and rotatory inertia, 6=1912

Naghdi,P.M. and Rowley,J.C. An experimental study of biaxial stress-strain relations in plasticity, 5=2252

Nagibina,I.M. Determination of the atom concentration in an a.c. arc discharge from the width of spectral lines, 8=5033. See also Dvornikova,I.V., 8=5032

Nagle,D.E. Scattering of 119-MeV pions by deuterium, 5=3141. See also Longmire,C.L., 9=11135

Nagle,D.E., Hildebrand,R.H. and Plano,R.J. Hydrogen bubble chamber used for low-energy meson scattering, 6=6736. Scattering of 10-30 MeV negative pions by hydrogen, 7=3720

Nagpaul,K.K. See Evans,D., 9=3795. K-collaboration, 9=13575*

Nagpaul,S.R. See Bhatnagar,P.L., 9=4841

Nagura,T. See Horie,T., 7=2480, 7=4451, 8=7470-1

Nagusa,M. See Abe,H., 6=8872; Oshima,K., 6=483, 6=5017

Nagy,A. See Hedvig,P., 7=1487

Nagy,E. Theory of electroluminescence, 7=280. Electroluminescence phenomina, 7=4237

Nagy,I., Pallagi,D. and Pál,L. The frequency dependence of the permeability of magnetite between 1 and 3 kMc/s, 7=7212

Nagy,J. and Tarján,I. On growing artificial quartz crystals, 7=7487

Nagy,K. Quantummechanical forces acting on photons, 5=7688. Quantum theory of electromagnetic radiation in dielectrics, 6=58. The equation of motion of a magnetic dipole, 7=1460. The equations of motion of the pole–dipole particle, 7=5034 See also Jánossy,L., 6=4179; Marx,G., 5=7208, 7=2450

Nagy,K. and Farkas,I. The electron–electron scattering with longitudinal polarized electron beam, 8=2465

Nagy,K. and Zimanyi,J. Angular correlation between neutrino and gamma quantum released by electron capture, 9=5014

Nagy,K.L. On the deduction of the Dirac–Fock–Podolski equations from the quantum theory of fields, 7=75. Relativistic equation for the distinguished component of the state vector, 8=2764. On a possibility for the elimination of the non-physical consequences of the indefinite metric, 9=3115. Free field operators and the Yang–Feldman formalism, 9=6507. See also Marx,G., 9=8468

Nagy,K.L. and Rzewuski,J. On the equivalence of a certain class of non-local and higher order field theories, 9=7779

Nagy,L. See Jánossy,L., 7=508, 7=4511

Nahmani,G. See also Birk,M., 5=2513

Nahmani,G. and Manheimer,Y. Detonation of nitromethane, 6=4716

Nahmias,M.E. The nuclide Ne^{19} and ft of the mirror nuclei Z=N-1, 5=3041. The neutrino and the formation of technetium in certain stars, 5=3084. The neutrino and the formation of technetium in certain stars, 6=31. Nuclear shell structure and excitation functions, 9=10015. See also Yuasa,T., 6=1517

Nahmias,M.E. and Savel,P. Contribution to the study of the reaction ^{13}C(α, n)^{16}O, 5=2170

Nahmias,M.E. and Yuasa,T. On the γ-radiation of Na^{25}, 6=7654. β Disintegrations in the neighbourhood of the magic number 14, 7=1561

Nahringbauer,G. See Lindqvist,I., 9=13937

Nahshol,D. See Braun,E.A., 5=9331

Naĭdus,G.G. See Chernyak,M.G., 9=5407

Naik,Y.G. Correlation between optical and dynamic methods of measuring size of water drops in a cloud, 5=2344

Naik,Y.G. and Joshi,R.M. Anti-coronas or Brocken bows, 5=9299

Naik,Y.G. and Sohoni,D.K. Scattering of light by colloidal particles and the determination of their sizes, 5=8661

Naiki,T. See Hashimoto,H., 9=13838

Nail,N.R. See also Moser,F., 9=8966

Nail,N.R., Moser,F., Goddard,P.E. and Urbach,F. Preparation of silver halide crystals of high purity, 7=6687

Nail,N.R., Moser,F. and Urbach,F. An incremental photometer and optical measurements in the photographic latent-image range, 6=2768

Nainan,T.D. See Bhattacherjee,S.K., 8=1918. Juliano,J.O., 9=4991

Naish,J.M. Photometry with multiplier photocells, 7=4115. A Fourier analyser for optical frequency response determinations, 9=6695

Naismith,R. Some properties of the meteoric E-layer used in radio wave propagation, 8=459

Naito,K., Nakagawa,I., Kuratani,K., Ichishima,I. and Mizushima,S. Infrared and Raman spectra of 1, 1, 2, 2-tet-chloroethane; calculation of normal vibrations, 6=1077

Naitō,M. A method of calculating the solid angle subtended by a circular aperture, 9=7718

Naito,Y. See Honda,K., 6=1274*

Nakabayasi,K. and Hasegawa,K. Pion—nucleon scattering and structure of fourth-order matrix elements in Ps(Ps) meson theory, 9=11843

Nakabayasi,K., Sato,I. and Akiba,T. Corrigenda: Radiative corrections to the anomalous magnetic moment of the nucleon in pseudoscalar meson theory, 5=3440

Nakache,F. See Quéré,Y., 9=11575

Nakada,I. Field effect on molybdenite, 9=13291

Nakada,M.P. See also Anderson,J.D., 8=9061, 9=691

Nakada,M.P., Anderson,J.D., Gardner,C.C., McClure,J. and Wong, C. Neutron spectrum from p+d reaction, 8=5353

Nakada,M.P., Anderson,J.D., Gardner,C.C., and Wong,C, Elastic scattering of 14 MeV neutrons from beryllium and carbon, 8=5392

Nakada,O. Theory of viscoelasticity of amorphous polymers, 5=10013. II. A note on the time—temperature reducibility of the relaxation and retardation spectra, 9=8932

Nakagaki,M. See also Heller,W., 9=5595; Peterlin,A., 8=4400

Nakagaki,M. and Heller,W. Effect of light scattering upon the refractive index of dispersed colloidal spheres, 6=8714. Theoretical investigations on the light scattering of colloidal spheres. VI. Backward scattering, 9=6798

Nakagawa,I. See Mizushima,S., 5=426, 5=9568, 7=2477; Naito,K., 6=1077

Nakagawa,K. The isobaric selection rule for hyperons and K-mesons, 9=7281. See also Umezawa,H., 8=6193

Nakagawa,K., Ohmura,T., Takebe,H. and Obi,S. Nuclear reactions in the later stage of the stellar evolution, 7=7355

Nakagawa,K. and Umezawa,H. The selection rules on the hyperon decays, 9=2655, 9=7289

Nakagawa,M. See Hsieh,S.-H., 7=719

Nakagawa,S., Tamai,E., Huzita,H. and Okudaira,K. On the analysis of the slow particles emitted from the cosmic-ray stars. I, 6=3814; II, 8=8103

Nakagawa,S., Tamai,E. and Nomoto,S. Energetic heavy fragments emitted from nuclear stars, 9=2777

Nakagawa,Y. Change of magnetic susceptibility of transition metals and alloys and their melting points, 6=8281.

Experiments on the inhibition of thermal convection by a magnetic field, 7=6103. Experiments on the instability of a layer of mercury heated from below and subject to the simultaneous action of a magnetic field and rotation, 8=594. Apparatus for studying convection under the simultaneous action of a magnetic field and rotation, 8=3927. Magnetic susceptibility of iron–nickel alloys in liquid and solid states, 8=8120. See also Fultz,D., 5=8689

Nakagomi,Y. See Notuki,M., 6=7107

Nakahara,A. See Fujita,J., 5=9815; Yamada,S., 5=418

Nakahara,N. See Takezaki,Y., 7=828

Nakahira,M. See Brindley,G.W., 9=9032

Nakai,I. See Uchida,Y., 7=5734

Nakai,J., Inuishi,Y. and Yang,T.-C. On the relations between electron emission, conduction and noise of oxide-coated cathodes, 5=7168

Nakai,J. and Nakamura,S. Surface treatment of core metal used for oxide-coated cathode, 5=8058

Nakai,S. Point transformation and its application, 6=2660,

Nakai,Y. On the V-centres in KBr crystals, 9=10236. See also Uchida,Y., 5=3271

Nakajima,S. Review of the recent work in Japan on the two-fluid theory of liquid helium, 5=9391. Perturbation theory in statistical mechanics, 6=940. A note on momentum correlation and diamagnetism, 6=7566. See also Fröhlich, H., 7=1267; Hayakawa,S., 5=9391; Kubo,R., 9=7812

Nakajima,T. Atom-stabilization energies in conjugated systems, 5=5572. Effect of adsorbed water on the viscoeleastic properties of nylon 6, 9=13848

Nakajima,Y. See Nonaka,I., 6=1576, 8=3375; Ryu,N., 9=4717

Nakamichi,T. See Yamamoto,M., 9=4786, 9=11216

Nakamoto,K. See also Rundle,R.E., 6=1455

Nakamoto,K., Fujita,J., Kobayashi,M. and Tsuchida,R. Ultra-violet spectra and electronic structure of metallic complexes. I. Chloroammine cobalt (III) complexes, 8=2013

Nakamoto,K., Margoshes,M. and Rundle,R.E. Stretching frequencies as a function of distances in hydrogen bonds, 6=4554

Nakamura,H. Global symmetry and a connection in iso-space, 9=11812

Nakamura, J. Latitude effect of night airglow, 8=6550. See also Huruhata,M., 9=953; Kinbara,T., 5=1763-4

Nakamura,K. Some effects of infrared irradiation on ZnSCdS phosphors with copper activators, 5=4551. Effects of infra-red on emission of ZnS : Cu phosphors, 5=9577. See also Mizushima,S., 7=6387; Noga,K., 5=211, 5=5341; Takeya, K., 9=5713

Nakamura,K. and Soga,M. Use of antisymmetrized wave functions for deuteron stripping reaction, 9=12676

Nakamura,M. On the thermojunction for a.c. use, 9=7012. See also Motz,H., 9=8392; Ogawa,M., 8=6551; Onaka, R., 8=6552, 9=6440

Nakamura,S. Nuclear structure and beta-decay, 5=9391. See also Fujita,J.-I., 8=1249*; Konuma,M., 8=4714, 8=5630; Nakai,J., 5=8058; Takebe,H., 6=6872

Nakamura,T. On the correlation between screw dislocations and twin structure in WO_3 crystal, 6=5515. On the quenching of molecular rotation of orthohydrogen in solid state, 6=6819. On the domain structure of Rochelle salt crystal, 6=7005. After effect of the domain motion in Rochelle salt crystal, 8=6943. See also Huruhata,M., 6=8520, 6=9088; Muto,J., 8=5370; Taketa,H., 7=1437

Nakamura,T., Kinase,W. and Kato,Y. Some aspects of wedge-shaped domains in $BaTiO_3$ crystal, 8=4518

Nakamura,T. and Taketa,H On the para- and antiferromagnetic states of cobalt fluoride, 6=1360

Nakamura,T. and Uryû,N. On the interionic contributions to the specific heat of cobalt ammonium tutton salt $Co(NH_4)_2(SO_4)_2 6H_2O$ at very low temperatures, 6=7359

Nakamura,Y. Residual magnetization and magneto-striction of nickel single crystals, 6=1394. See also Takaki,H., 5=2875

Nakamura Y. and Takamura,J. Magnetic after-effect due to quenched-in vacancies in nickel, 9=4787

Nakanishi,N. On Lehmann's method of renormalization, 7=8382. A systematization of weak interactions, 8=506. General integral formula of perturbation term in the quantized field theory, 9=10585

Nakanishi,S. and Yanagawa,T. Capillary viscometry of dispersions, 9=3182

Nakano,H. A method of calculation of electrical conductivity, 6=8765. See also Hayakawa,S., 5=9391; Syozi,I.. 5=9758

Nakano,S. See Hasegawa,H., 7=7913

Nakano,T. A relativistic field theory of an extended particle. I, 6=8570. See also Hayashi,C., 9=12699; Utiyama,R., 5=9391

Nakano,Y. Scattering of high-energy neutrons and Johnson–Teller type nuclei, 5=6521

Nakao,Y. See Yoshimoto,H., 9=11077-8

Nakasima,R. See also Kondo,M., 9=10096; Nozawa,M., 9=12671; Takeda,M., 7=8819, 7=9868

Nakasima,R. and Kikuchi,K. The Cu (n, 2n) excitation function and the knockout process in nuclear reactions, 6=6915

Nakasima,R., Tanaka,Y. and Kikuchi,K. Interpretation on nitrogen- and proton-induced nuclear reactions, 7=6536

Nakata,K. Synthesis and perception of nasal consonants, 9=7909

Nakata,Y. See also Nagata,T., 6=7069, 6=7871

Nakata,Y. and Fujita,H. On upper and lower bounds of the eigen-values of a free plate, 6=985

Nakata,Y. and Yonezawa,T. Report on recent Japanese ionospheric observations during solar eclipses, 6=7046

Nakatani,S. See Kawano,M., 9=7693

Nakaya,T. Influence of illumination from outside on an A–Hg discharge tube, 7=7939. See also Asada, T., 5=4695

Nakayama,J. See Kinosita,K., 7=3808

Nakayama,T. See also Mitsuhashi,H., 6=3741; Watanabe,K., 9=206

Nakayama,T., Kitamura,M.Y. and Watanabe,K. Ionization potential and absorption coefficients of nitrogen dioxide, 9=7118

Nakayama,Y. and Endo,H. Diaphragm type air-micrometer. I. Static characteristics, 9=11872

Nakazaki,M. See Sogo,P.B., 7=8057

Nakazumi,Y. See Kondoh,H., 9=9768

Nakhman,M., Shekhter,L. and Totsia,Kh. Use of spark counters in detection of fast neutrons, 9=9894

Nakhodkin,N. See Karal'nik,S., 6=8802

Nakhodkin,N.G. See also Morgulis,N.D., 7=2313; Zӯkov,G.A., 9=7063

Nakhodkin,N.G. and Novosel'skaya,A.I. Investigation of the structure and of the properties of tapered films of Ge, Cr and Bi in connection with their secondary emission properties, 9=11102

Nakhodkin,N.G. and Romanovskii,V.A. The dependence of the coefficient of secondary emission in KCl on the thickness of the layer, 9=11103

Nakhodnova,A.P. See Vorob'ev,A.A., 9=9590, 9=9596

Nakonechnyĭ,A.S. See Yutsis,A.P., 5=4521

Naleskiewicz,J. Quantization in elastic unstability phenomena, 6=723

Namba,O. On the excitation of neutral oxygen in the solar chromosphere, 5=4309

Namba,S. Analysis of D_2O/H_2O by the interferometer, 7=2566. Photoelectric recording interferometer for gas analysis, 9=10872

Nambu,Y. Structure of the scattering matrix, 5=5891. Structure of Green's functions in quantum field theory, 6=57; II. 6=2641. Renormalization constants, 6=1845. Possible existence of a heavy neutral meson, 7=9010. Parametric representations of general Green's functions, 8=872. Dispersion relations for form factors, 9=55. See also Chew,G.F., 7=7428, 7=7438; Fubini,S., 8=6174; Goldberger, M.L., 8=1844

Name,F.W. Van,Jr. See Van Name,F.W.,Jr.

Namikawa,T. The instability of a layer of [an electrically conducting]fluid heated below and subject to the simultaneous action of a magnetic field and rotation [Coriolis acceleration], 9=469. Magneto-hydrodynamic oscillations of a [infinitely long cylinder of]conducting liquid mass rotating in a uniform magnetic field, 9=470. Fluid motions in a sphere. I. Thermal instability of a rotating fluid sphere heated within, 9=3658; II. Thermal instability of a conducting fluid sphere heated within under a uniform magnetic field, 9=3659; III. Thermal instability of a rotating fluid sphere heated within under a uniform magnetic field, 9=3660. See also Sato,T., 6=830

Namiki,M. See also Chiba,S., 5=5870; Hanawa,S., 6=6379; Iso,C., 9=9966; Saitô,N., 7=5896

Namiki,M,, Chiba,S. and Hanawa,S. Zero energy mesonic processes and renormalization in Schwinger's formalism,

5=5871
Namiki,M. and Iso,C. Multiple production of particles and hydrodynamical aspect of quantum theory of field, 8=49
Namioka,T. Construction of a grating spectrometer, 5=1669. Theory of the concave grating. I, 9=6792; II. Application of the theory to the off-plane eagle mounting in a vacuum spectrograph, 9=6793; III. Seya–Namioka monochromator, 9=11993. Design of high-resolution monochromator for the vacuum ultraviolet. An application of off-plane eagle mounting, 9=11994. See also Watanabe,K., 6=5184
Nanassy,A. See Gush,H.P., 7=7745
Nanassy,A.J. See Strijland,J.C., 9=12018
Nance,J.C. Temperature coefficient of aircraft shield test reactor, 7=3686
Nance,J.C. and Perry,L.W. Aircraft shield test reactor, 8=4352
Nanda,J.N. and Rao,V.N. Fluctuation of sound pulses transmitted vertically in the sea, 9=1227
Nanda,N.G. See Rastogi,R.G., 6=7061
Nanda,R.S. Flow formation with suction or injection, 9=2130
Nanda,V.S. Thermodynamic properties of He^3 and He^4 solutions, 5=2681. See also Pathria,R.K., 9=6220, 9=8767; Trikha,S.K., 6=8740-1, 8=6923, 9=12183
Nanda,V.S. and Pathria,R.K. Polymers and theory of numbers. I. The single-chain theory of degradation, 9=6219; III. Some remarks on the theories of random degradation, 9=6221
Nanda,V.S. and Trikha,S.K. Thermodynamic properties of He^3, 7=6122
Nandi,S.K. and Saha,N.K. Relative cross-section of (n, p)-reaction in Al^{27} and Mg^{24}, 5=1211
Nango,R. See Yonemura,D., 8=1393
Nanjundayya,C. Apparatus for the measurement of frictional force between cotton fibres and a study of the relationships between frictional force and fibre properties, 9=11610
Nankivell,J.F. See Garrod,R.I., 9=339, 9=12826
Nann,E. See Groth,W., 8=1286; Hertz,G., 5=3025; Hertz,H.G., 5=4884
Nanney,C.A. See McLean,E.A., 8=2257
Napoletano,A. On a correlation between the electronic density of the E–layer and the 500 mb surface position, 8=3610
Napolitano,A. See Waxler,R.M., 8=3007
Naqvi,A.M. and Talwar,S.P. An identification of the coronal line 5694, 5=5840
Naqvi,A.A. Surface corrections to the Fermi–Thomas statistical theory, 9=8495
Naqvi,S.I.H. See Roulston,K.I., 7=1567, 8=3895
Nara,J. See Hasunuma,H.,, 6=1119, 9=8985
Narahi Rao,K. See also Coburn,T.J., 7=2472; Lakshmi,K., 6=3885; Nielsen,H.H., 7=3484; Palik,E.D., 7=2023, 7=7752; Rossmann,K., 6=2282, 6=4558
Narahari Rao,K., Coburn,T.J., Garing,J.S., Rossmann,K. and Nielsen,H.H. Wavelength calibrations in infrared. II. Use of atomic lines from a hollow cathode discharge tube with neon as carrier gas, 9=3279
Narahari Rao,K., Nielsen,A.H. and Fletcher,W.H. Perpendicular bands of allene, 7=8042
Narahari Rao,K. and Nielsen,H.H., Fermi diad 10°0 and 02°0 of nitrous oxide, 7=3482
Narahari Rao,K. and Palik,E.D. Resolution of ν_{11} (E) of allene at 28μ, 6=3620
Narahari Rao,K., Ryan,L.R. and Nielsen,H.H. Wavelength calibrations in infrared. I. Some problems concerning the determination of absolute positions of infrared lines, 9=3278
Narahari Rao,K. and Sponer,H. The near ultraviolet absorption spectrum of 1, 2, 4-trifluorobenzene vapour, 7=7735
Narain,H. and Bhaskara Rao,V. Magnetic properties of rocks, 9=9771
Naranan,S. See also Sreekantan,B.V., 6=7501; Subramanian,A., 8=2376
Naranan,S., Ramanamurty,P.V., Sahiar,A.B., Lal,S. and Subramanian,A. Unusual cosmic ray events observed in a multiplate cloud chamber, 7=3696
Naranan,S., Ramanamurty,P.V., Sahiar,A.B. and Sreekantan,B.V. Interactions of μ-mesons underground (180 m.w.e.), 8=223
Narasappaya,N. See Goel,P.S., 9=7695; Lal,D., 7=8325
Narasiman,V. See Baĭer,R.T., 9=3232; Narasimhan,V.
Narasimha Rao,D.V.G.L. Calculation of the dipole moments of tri-substituted benzenes, 5=8977. Dipole moment of indene, 6=6063. Dielectric properties of 2, 4-dinitrofluorobenzene, 6=8164. Dipole moments of tri-substituted benzenes. I,, 7=6418; II, 6419. A method for obtaining dipole moment and relaxation time from solution measurements, 9=6897. See also Radhakrishna Murty,C., 6=4385
Narasimham,K.V See Ramakrishna Rao,V., 7=248
Narasimham,N.A. The emission spectrum of the PH$^+$ molecule, 7=9601. The spectrum of the P$_2^+$ molecule, 7=9602. See also Harris,F.W., 7=1182
Narasimham,N.A., El-Sabban,M.Z. and Nielsen,J.R. Vibrational spectra of fluorinated aromatics. X. P-fluorochloro–, and P-fluoroiodobenzene, 6=4323
Narasimham,N.A. and Nielsen,J.R. Vibrational spectra of fluorinated aromatics. XI. O-fluorochlorobenzene, 6=4324
Narasimham,N.A., Nielsen,J.R. and Theimer,R. Vibrational spectra of fluorinated aromatics. XIII. Benzotrifluoride, 7=9619
Narasimhamurty,T.S. Photoelastic studies of optically active crystals NaClO$_3$ and NaBrO$_3$, 5=2644
Narasimhan,M.D. See Kingery,W.D., 9=7538
Narasimhan,M.N.L. On the steady laminar flow of certain non-Newtonian liquids through an elastic tube, 6=7178
Narasimhan,P.T. Temperature dependence of the dielectric constant of diamond, 5=5390
Narasimhan,P.T., Laine,N. and Rogers,M.T. High-resolution N.M.R. spectrum of liquid propane, 8=8392
Narasimhan,V. Magneto-elasticity of polycrystalline iron and nickel, 5=8077. Ultrasonic absorption in alkyl iodides, 6=7221. See also Beyer,R.T., 7=7680; Parthasarathy,S., 5=930, 5=5398, 6=1003-4, 6=4931-2, 6=5737, 6=6463, 6=6599, 9=4391
Narasimhan,V. and Beyer,R.T. Attenuation of ultrasonic waves of finite amplitude in liquids, 7=3091
Narath,A. and Schimmel,G. Optical images of linear gratings, 5=6961
Náray,Z. On the reduction of the dark current in photomultipliers, 6=3748. On the reduction of the dark current of photomultipliers, 7=3295. The temperature dependence of the photoeffect of Sb—Cs photocathodes in the temperature range from −170° to +20°C, 8=7978. See also Jánossy,J., 6=3665; Jánossy,L., 9=4484
Narayan,D.S. Lateral structure of extensive air showers, 6=3811
Narayan, P.V.S. A study of the geomagnetic variations during the total solar eclipse of 1955 June 20, 8=4539
Narayana,J.V. See Rangarajan,S., 8=4571
Narayana Rao,C.V. and Ramakrishna Rao,V. Analysis of the ultraviolet fluorescence spectra of I$_2$ molecule, 5=3630
Narayana Rao,D.A.A.S. Kerr effect in polar liquids, 8=5863. See also Dryden,J.S., 6=7383
Narayana Rao,M. See Jha,S., 9=7320
Narayana Rao,N. See Somayajulu,Y.V., 9=10419
Narayanan,M.S., Some investigations on acoustic prisms, 8=4812. Absorption of sound under water by wedges, 9=11941
Narayanan,P.S. Raman spectrum of cesium bromide, 6=3638. See also Krishnan,R.S., 5=878, 5=6945, 9=205; Narayanaswamy,C.K., 7=9593
Narayanaswamy,C.K. Adiabatic piezo-optic coefficients of liquids (ethyl acetate, methyl acetate, amyl acetate and cyclohexanol), 9=1256
Narayanaswamy,C.K., Narayanan,P.S. and Krishnan,R.S. Adiabatic piezo-optic coefficient of heavy water, 7=9593
Narayanaswamy,P. See Mitra,A.N., 9=6515
Narbutt,K.I. See Vaĭnshteĭn,É.E., 5=7094
Nardelli,G.F. See Dalmasso,C., 9=10140
Nardelli,M. See also Cavalca,L., 7=9468
Nardelli,M. and Fava,G. The crystal structure of bis-thiourea-lead(II) chloride, 9=13950
Nardi,V. On the atomic motions in quasi-crystalline argon, 8=1553. On a method of covariant quantization, 8=5617
Nardini, R. On particular alternating fields in magneto-hydrodynamics, 5=8087. Remarks on an energy relation in magneto-hydrodynamics, 5=8090. On some second-order effects in magneto-hydrodynamics. I, 7=549; II, 3464
Nardone,M.C. See Breene,R.G.,Jr, 9=12724
Nariai,H. Some remarks on Jordan's projective relativity, 5=3409. On the cosmic turbulence. I. 9=5302
Narlikar,V.V. Results of gravitational significance in Riemannian geometry, 6=7946. A brief survey of some problems in gravitation, 9=1017
Narumi,H. On the problem of energy eigenvalue and degeneracy in quantum mechanics, 5=4382. On the

eigenvalue problem in terms of a complete set of the Casimir operators, 6=6383. Extranuclear effects on angular correlations of nuclear radiations and nuclear moments of excited states, 9=6064. See also Nagai,H., 9=13602
Narumi,H. and Matsuo,S. A note concerning the electric hexadecapole moment of the first excited ^{111}Cd nucleus, 7=9824. On a theory of nuclear fusion reactions in low temperature. I. 9=7369; II. 7370
Naruse,H. Aplication of the thin-wing-expansion method to the compressible flow past profiles of arbitrary shape, 8=2870. See also Nagakura,T., 9=7866
Naschke,E. Magnetic dispersion and absorption of iron between 0 and kMc/s, 6=7524. See also Benoit,J., 6=5212
Naseem,M. and Quarashi,M. M. The relationship between viscosity and molecular structure. II. The temperature dependence of the viscosity of hydroxylic compounds. Preliminary activation energy data on glycerol and ethylene glycol, 9=6571
Nash,C.P. See Griggs,D.T., 8=3090
Nash,F.R. See Giordmaine,J.A., 8=7516
Nash,H.C. and Smith,C.S. Single-crystal elastic constants of lithium, 9=8925
Nash,W.F. See also Cousins,J.E., 8=1181
Nash,W.F. and Pointon,A.J. The momentum spectrum of μ-mesons at a depth of 40 metres water equivalent, 7=1428. The scattering of μ-mesons in lead and copper, 8=8231
Nasledov,D.N. Electrical properties of a few binary semiconducting compounds, 9=12252. See also Dorin,V.A., 6=8791, 7=8631; Emel'yanenko,O.V., 8=7937; Grimm,V.R., 7=391; Kozÿrev,P.T., 7=4382; Kuliev,A.A., 8=4459; Lyan' Chzhi-chao., 9=11017; Vinogradova,K.I., 9=1989
Nasledov,D.N. and Feltinsh',I.A. Electrical properties of gallium arseno-selenides, 9=10993
Nasledov,D.N. and Khalilov,A.Yu. Electrical characteristics of InSb, 6=5880. Electrical characteristics of InAs, 6=5881
Nasledov,D.N., Patrakova,A.Ya. and Tsarenkov,B.V. An etchant for gallium arsenide, 8=8521
Nasledov,D.N. and Slobodchikov,S.V. Investigation of the electrical and thermoelectric properties of aluminium antimonide, 8=7934
Nasledov,D.N. and Smetannikova,Yu.S. The photomagnetoelectric effect in n-type indium antimonide single crystals, 9=11016
Nasledov,D.N. and Sokolov,B.V. Effect of iodine on the electrical and photoelectric properties of selenium, 8=7951
Naslin,P. See Devaux,P., 5=10160
Nasmyth,P.W. See Duffus,H.J., 8=4544
Nassenstein,H. On the explanation of electron emission from metals and non-metals after mechanical working and irradiation, 5=317. The electron emission from the surface of solid bodies after mechanical working and irradiation, 6=1282. See also Sigwart,K., 6=119
Nassenstein,H. and Menold,R. On the problem of electron emission from catalysts, 7=6253
Nassif,M. See Bassali,W.A., 9=6559
Nassiff,S.J. See also Mallmann,C.A., 8=9028; Mayo,S., 9=2752
Nassiff,S.J. and Seelmann-Eggebert,W. The maximum [β-particle] energies of Xe^{138} and Xe^{137}, 5=5610
Nasu,T. See Tanaka,S., 5=1002
Nasuhoglu,R., Raboy,S., Ringo,G.R., Glendenin,L.E. and Steinberg, E.P. Mass distribution in fission of U^{235} by resonance neutrons, 8=8357
Nataf,R. Electron wave-functions inside the nucleus. III. Application to the β-spectrum of RaE, 5=488*. On the collective rotational motion of the nucleus. I. 5=8988; II. 5=9819. Beta-disintegration and nuclear structure. Nucleon-lepton interaction, selection rules and the shell model, 5=9056. Theoretical study of the β-spectrum of RaE, 7=5588. The interaction of the β-disintegration when parity is not conserved, 7=5594-5, 7=7339, 7=9366. β-Neutrino correlation for oriented nuclei. Case of polarized neutrons, 8=4297. See also Marty,C., 5=4866
Nataf,R.S., On collective rotational motions of nuclei, 7=8092
Natali,S. See Baldo-Ceolin,M., 9=3794; McKenna,S., 9=3799
Natanson,L. See Grabowski,T., 5=3058
Natanzon,M.S. On the self-dispersal of charge under the action of its own field, 5=41
Nath,B.K. See De,M., 9=3257
Nath,N. See also Malik,S.S., 9=2734; Saha,N.K., 8=254
Nath,N. and Saha,N.K. Improved measurement of absolute rate of β-disintegration using the 4π-counter technique, 9=11319
Nathan,O. Posible vibrational levels in Dy^{160}, 8=4272. Lifetime of the first rotational state of Gd^{156}, 8=5281. See also Bjørnholm,S., 8=5273; Elbek,B., 5=6428; Frankel,S., 8=1926; Hansen,P.G., 8=6233
Nathan,O. and Hultberg,S. Measurements of the γ-radiations from Eu^{152} by the method of external conversion, 9=7329
Nathan,O. and Marklund,I. Rotational character of the transition from the 473 keV level in Tm^{169}, 8=6239
Nathan,O. and Waggoner,M.A. Of decay Eu^{152} and $Eu^{152}m$, 7=8127
Nathans,R. See also Clark,M.A., 9=2596; Shirane,G., 9=7173
Nathans,R. and Paoletti,A. Magnetic form factor of cobalt, 9=11212
Nathans,R., Pickart,S.J., Harrison,S.E. and Kriessman,C.J. Neutron-diffraction studies of the manganese-magnesium ferrite system, 6=8492, 7=4909
Nathans,R., Pigott,M.T. and Shull,C.G. The magnetic structure of Fe_3Al, 9=9783
Nathans,R. and Yergin,P.F. Photoneutron cross sections in Mg^{24}, Mg^{25}, Zr^{90}, Zr^{91}, 5=7372
Nather,R.E. See Softky,S.D., 8=252
Naudé,S.M. and Hugo,T.J. The emission spectrum of AlF in the region 1700-2000 Å, 5=8597. The emission spectrum of AlF in the vacuum ultraviolet, 7=3130
Nauenberg,M. Calculation of the anomalous magnetic moments of the λ° and the Σ°, Σ^+, Σ^- hyperons, 8=2509. Resonances in the π—hyperon system, 9=11387. See also Brout,R., 9=4345
Naugle,J. See Fowler,P.H., 7=4509
Naugle,J.E. See also Danielson,R.E., 6=8850
Naugle,J.E. and Freier,P.S. High-energy phenomena in nuclear emulsions, 7=2702
Naugle,J.E., Ney,E.P., Freier,P.S. and Cheston,W.B. Interaction of a negative heavy meson, 5=1235
Naugol'nÿkh,K.A. The absorption of sound waves of finite amplitude. A review, 8=6755. Propagation of spherical acoustic waves of finite amplitude in a viscous heat-conducting medium, 9=7873. Streams caused by sound [waves], 9=11961
Naugol'nÿkh,K.A. and Romanenko,E.V. The propagation of finite amplitude waves in a liquid, 8=6757. Dependence of the gain coefficient of a focusing system on the sound intensity, 9=11925
Naumann,G. See Kossel,W., 5=8768
Naumann,H. On the achromatism of optical systems for more than two wavelengths, 5=3545
Naumann,R. and Gerhart,J.B. 5. 6-second Ir^{191m} following Os^{191} decay, 5=4005
Naumann,R.A. See Fisher,P.S., 9=2708
Naumov,A.N. and Ryskin,G.Ya. Self-diffusion in solid lithium, 9=11590
Naumov,S.S. See Gerasimov,F.M., 9=5591, 9=10874
Naur,P. The energy production in convective cores of stars, 5=4321. Stellar models based on the proton-proton reaction, 6=4790. On solar models, 8=3651
Nauta,H. A linear gate circuit for pulse-height analysis, 7=483. Differential elastic scattering of 14 MeV neutrons in lead, mercury and zinc, 7=6579
Navarra,J.G. Science in elementary schools, 9=11773
Navidi,M.H. See Collins,F.C., 7=1952
Navon,D. Measurement of ternary distribution coefficients in silicon, 9=838. See also Fan,H.Y., 5=2744
Navon,D. and Chernyshov,V. Retrograde solubility of aluninum in silicon, 8=415
Nawab,M.A. and Mason,S.G. The viscosity of dilute suspensions of thread-like particles, 9=1125. The viscosity of dilute emulsions, 9=1126
Nawata,S. Experimental study of the diffraction patterns produced by mirrors with imperfect surfaces, 9=3351
Naya,S. See Taguchi,I., 9=7627
Nayak,N.A. See also Prakash Rao,M.S., 7=5777
Nayler,P. and Whiting,M.C. Electronic absorption spectra of the dimethylpolyenes, 5=2593
Naylor,R.E. See Allen,H.C.,Jr, 5=3570
Naylor,R.E.,Jr and Wilson,E.B.,Jr. Microwave spectrum and barrier to internal rotation in CH_3BF_2, 7=6010
Nazarek,A. See Stergis,C.G., 5=6655
Nazarova,T.N. See Poloskov,S.M., 8=4646
Naze,J. On the stability of flow in tubes of slowly varying section, 8=6693. Study of the stability of Resler-Sears flows, 9=4834. On certain quasi-rectilinear flows of a fluid of finite elec-

trical conductivity, 9=4835
Neaga,V.G. and Antonescu,V.I. Novel method for vacuum measurement: the electroacoustic vacuum gauge, 9=6605
Neal,R.B. See Chodorow,M., 5=6199
Neal,R.B. Design of linear electron accelerators with beam loading, 8=8808
Neal,R.L. See Gray,I.L., 7=3806
Neale,D.M. A photoelectric sampling switch for use in double-beam optical instruments, 5=6067
Neamtan,S.M. Depolarization of a positron beam by multiple scattering, 8=8970
Neaves,A. See ter Haar,D., 5=3726, 5=3794, 7=7047
Nechaev,M.N. See Zababakhin,E.I., 8=1562
Nechaĭ,F. On the possibility of measuring the refractive index crystalline materials on an Abbe-type refractometer, 6=8648. On the possibility of measuring refractive indices of crystalline substances with an Abbe refractometer, 9=5490
Nechin,Yu.A. See Abrosimov,A.T., 6=7502; Vernov,S.N., 9=12431
Neckel.H. The trend of temperature in the outer photospheric layers of the sun, 6=4785. The solar limb darkening at 4674 A, and the distribution of temperature in the outermost photospheric layers, 9=5319. The temperature distribution in the solar photosphere from residual intensities of Fraunhofer lines, 9=5320
Neckenbürger,E. See Jaumann,J., 8=6941
Neddermeyer,S.H. Problems of generating high circulating currents of relativistic electrons, 9=5802
Nedelkov,I.P. On the interpretation of gravity anomalies with unknown body density, 9=10405
Nederbragt,G.W. and Pelle,J. Dielectric properties of iodine in aromatic solvents at 9000 Mc/sec, 8=3969
Nederbragt,G.W. and Reilly,C.A. Nuclear spin-lattice relaxation times of aromatic and aliphatic protons, 7=588
Nedoluha,A. On the theory of the electrical conductivity of anisotropic inhomogeneous media, 7=9163
Nedospasov,A.V. Theory of the low-voltage arc region, 7=1337. On the question of striations in inert gases, 8=5027. On the problem of ambipolar diffusion in a magnetic field, 9=967
Nedovesov,V.G. See Dzhelepov,B.S., 7=6510
Nedzel,V.A. See Marshall,J., 5=8026
Need,J.L. Mechanism of the reaction $C^{12} + p \rightarrow p + 3\alpha$ at 29 MeV, 5=9912. See also Goodman,C.D., 8=5367
Néel,L. The $T^{3/2}$ law for the approach to saturation of ferromagnetic substances, 5=2861. The Permalloy problem, 5=2862. Some theoretical aspects of rock-magnetism, 5=7546. Ferri- and antiferromagnetism, 5=9391. Bloch wall energy of thin films, 6=458. Metamagnetism and magnetic properties of $MnAu_2$, 6=5213. Interpretation of the magnetic properties of dysprosium and erbium, 6=5214. Remarks on the theory of the magnetic properties of thin layers and fine grains, 6=6766. Influence of successive magnetic fields with random amplitude on the magnetization of ferromagnetic substances, 7=9271. Interpretation of the creeping (reptation) of hysteresis cycles, 7=9757. Concerning the effects of coupling between ferromagnetic particles exhibiting hysteresis, 8=7188. Coupling between elementary ferromagnetic domains: the "seesaw" effect, 8=7189. Metamagnetics or substances antiferromagnetic at threshold field, 9=407
Neelakantan,K.A. See Appa Rao,M.V.K., 6=7672, 8=7146; Goel,P.S., 5=9950
Neely,K.K. Study of MAYDAY and S.O.S. as radiotelephony distress signals, 6=6472. Effect of visual factors on the intelligibility of speech, 7=4937
Nefedov,V.D. See Murin,A.N., 7=7315
Neff,H. Precision measurement of lattice constants with the counter diffraction goniometer, 7=2840
Neff,W.D. and Hind,J.E. Auditory thresholds of the cat, 5=7577
Negaard,B.J. See Chamberlain,J.W., 7=1792; Meinel,A.B., 5=1410
Neganov,B.S. Problems of the structure of the nucleon, 8=1842. See also Azhgireĭ,L.S., 8=6300; Meshcheryakov,M.G., 7=691-2, 7=703*, 7=1598, 7=1650, 7=6281-2
Neganov,B.S. and Parfenov,L.B. Investigation of the $\pi^+ + d = 2p$ reaction for 174-307 MeV π^+ mesons, 9=9979.
Neganov,B.S. and Savchenko,O.V. Creation of π^+-mesons p—p collisions in the 480—660 MeV range, 8=1874
Negishi,K. See Torikai,Y., 6=3574
Negita,H. Evidence for the interconversion of monochloroacetic acid by its pure quadrupole spectrum, 5=3942
Negita,H.and Satou,S. Pure quadrupole spectrum of phosphonitrile chlorides, 6=5290. Pure quadrupole spectrum of cyanuric chloride, 7=8752
Nehemias,J.V., Brownell,L.E., Meinke,W.W. and Harmer,D.E. Problems encountered in routine use of 10-kilo curie gamma-radiation source, 5=500
Neher,H.V. Low-energy primary cosmic-ray particles in 1954, 6=6758. Cosmic rays near the north geomagnetic pole in the summers of 1955 and 1956, 7=8691
Neher,J.V. and Anderson,H. Cosmic-ray changes from 1954 to 1957 1957, 8=2384
Neher,H.V. and Forbush,S.E. Correlation of cosmic ray intensity and solar activity, 9=2458
Neher,H.V. and Prakash,S. Metal system for chemical reactions and for studying properties of gases and liquids, 8=2724
Neher,H.V. and Stern,E.A. "Knee" of the cosmic-ray latitude curve, 5=6272
Neher,L.K. See Singer,S., 6=2204
Neidhardt,P. The definition of picture quality in black-and-white and colour television, 9=6414
Neidhardt,W.J. See Keating,D.T., 8=9011
Neigauz,M.G. See Demkov,Yu.N., 9=11512
Neighbor,J.E. See Horen,D.J., 9=6073
Neighbours,J.R. An approximation method for the determination of the elastic constants of single crystals, 5=570. See also Alers,G.A., 8=7555, 9=8924, 9=9785, 9=12779
Neighbours,J.R. and Alers,G.A. Elastic constants of silver and gold, 9=1901
Neiler,J.H. See Good,W.M., 9=683
Neill,H.W. See Reynolds,S.E., 5=5154
Neilsen,G., Jr. See Baldwin,M.W., 6=8077
Neilsen,S. See Lawson,W.D., 5=9660
Neilson,G.C. See also Sample,J.T., 5=7404, 6=1538
Neilson,G.C. and James,D.B. Time of flight spectrometer for fast neutrons, 6=1635
Neilson,G.C. and Warren,J.B. Study of reaction $Li^6(d, n\gamma)Be7$, 7=1601
Neilson,G.W. and Scott,A.B. Photoconductance of F-centres and their aggregates, 5=5723
Neĭman,M.I. See Bogoroditskiĭ,N.P., 7=9938
Neĭmark,Yu.I. and Aronovich,G.V. The conditions for self-excitation of a singing flame, 6=4898
Neizvestnyĭ,I.G. See Rzhanov,A.V., 7=4340, 8=1057
Nejak,R.P. See Guentner,W.S., 9=7581
Nekhendzi,E.Yu. Determination of the heat capacity and thermal conductivity of metals by the method involving the heating or cooling of specifically-shaped test-pieces within a small temperature range, 5=1752. Analysis of the "method of two Bi's" for determining thermal constants of metals and insulators, 7=2108
Nekrashevich,I.G. and Mitkevich,S.P. Some relationships of the phenomena of the electrical erosion of metals in a L.V. discharge in a liquid, 6=5910
Nekrasov,D.N. See Kusakov,M.M., 8=4787
Nelepo,B.A. See Dovzhenko,O.I., 8=5091
Nelipa,N.F. Quantum theory of the radiating electron. II, 5=1909. Differential cross-section for photoproduction of π-mesons on nucleons taking d-states into account, 8=1875. The excited states of nucleons, 8=6135. Elastic scattering of photons on excited nucleons, 9=2562
Nelipa,N.F. and Feoktistov,V.A. On the polarization of recoil nucleons in the photoproduction of π-mesons, 9=2640
Nelkin,M. Meson production by mesons in the Tamm-Dancoff approximation, 7=2707. See also Andresen,A., 8=2642
Nelkin,M.S. See Krieger,T.J., 7=5658
Nelkowski,H. See Gobrecht,H., 8=5798; Krebs,K., 5=3561, 5=6897, 6=4686, 6=8658
Nelligan,W.B. and Tittman,J. A high stability gamma-ray spectrometer for use at high counting rates, 9=4882
Nelms,A.T. Energy loss and range of electrons and positrons, 6=8236. Energy loss and range of electrons and positrons, 9=343. See also Fano,U., 9=627
Nelms,A.T. and Oppenheim,I. Data on the atomic form factor: computation and survey, 6=3919
Nelson,C.N. and Simonds,J.L. Simple methods for approximating the fractional gradient speeds of photographic materials, 6=4764
Nelson,D.F. See also Sherman,N., 9=11356
Nelson,D.F. and Pidd,R.W. Measurement of the Mott asymmetry in double scattering of electrons, 9=9706
Nelson,D.F., Schupp,A.A., Pidd,R.W. and Crane,H.R. Search

for an electric dipole moment of the electron, 9=11354
Nelson,E.B. See Bashkin,S., 5=8212; Carlson,R.R., 5=7332; Geer,E.H., 6=1559
Nelson,F. See Campbell,E.C., 8=2537
Nelson,H.M. and Parker,G.A. A miniature eight-channel pressure recorder, 7=132
Nelson,J.B. See Arndt,U.W. [Conf. rep.], 5=1352
Nelson,J.R. Optical absorption spectrum of MgO by reflectivity, 6=219. See also Hartman,P.L., 7=3138, 7=7719
Nelson,J.T. and Ellickson,R.T. Scintillation counter for detection of X-rays, 6=432
Nelson,J.T. and Iwersen,J.E. Measurement of internal temperature rise of transistors, 8=5001
Nelson,L.S. Sapphire lamp for short wavelength photochemistry, 6=9014. See also Lundberg,J.L., 7=6665
Nelson,L.S. and Ramsay,D.A. Flash photolysis experiments with a sapphire flash lamp, 6=9015. Absorption spectra of free radicals produced by flash discharges, 6=9016
Nelson,R.C. Mobility and quantum yield of charge carriers in crystal violet, 5=9668. Preparation of photoconductive films of cadmium sulphide, 5=9669. Photoconductivity of some cyanine dyes, 6=1248. Sensitization of photoconductivity in cadmium sulfide, 6=1249. Contact potential difference between sensitizing dye and substrate, 7=3881. Energy transfers between crystals and adsorbed dyes. I. Desensitization, 8=2726. II. Effect of concentration on efficiency of sensitization, 9=5719. Some photoelectric properties of chlorophyll, 8=3135. Organic photoconductors. IV. Sign of the charge carrier, 8=8780. V. A model for photoconductivity in cationic dyes, 9=3500
Nelson,R.C. and Simpson,W.T. Low resolution electronic spectrum of hexamethylbenzene with application to benzene, 5=6916
Nemarich,J. and Cacheris,J.C. Temperature dependence of microwave permeabilities for polycrystalline ferrite and garnet materials, 9=433
Nemenov,L.M. See Mironov,E.S., 7=6288
Nemet,A. and Cox,W.F. The improvement of definition by X-ray image magnification, 7=1826
Németh,G. See Kosály,G., 9=8654; Pál,L., 9=6009; Pál,L.I., 9=8871
Németh,J. The energy distribution of protons emitted in (n, p) reactions, 8=6332
Németh,L. See Hedvig,P., 7=7850
Nemets,O.F. The wall effect in a spherical ionization chamber, 8=7221
Nemilov,Yu. and Privalova,V. A quantitative analysis of the alkali metals contained in some photo-cathodes, 9=7065
Nemilov,Yu.A. See also Zherebtsova,K.I., 9=12681
Nemilov,Yu.A. and Litvin,V.F. Application of magnetic analysis of the products of (d, p) reactions for investigation of the quantum characteristics of final nuclear levels, 6=7625. Excitation function of the reaction Si^{28}(d, p)Si^{29}, 7=4723
Nemilov,Yu.A. and Pisarevskiĭ,A.N. Investigation of γ-rays from neutron sources Po–Li and Po–Mg, 7=6515
Nemilov,Yu.A. and Privalova,V.E. The antimony–lithium photocathode, 6=8803
Nemilov,Yu.A., Zherebtsova,I.I. and Funsteĭn,B.L. Relation between stripping and formation of compound nuclei in reactions involving deuterons, 6=8377
Nemirovskaya,S.A. See Geshkenbein,B.V., 9=13642
Nemirovskiĭ,P.É. Neutron–nucleus interaction cross-sections, 6=6916. Problem of the interaction of antiprotons with nuclei, 7=5618. The optical and shell models of a nucleus, 8=1898. Model of a semi-transparent nucleus with a diffuse boundary. II, 8=2518. On the stability of nuclei, 9=12608. Calculation of polarization of medium-energy neutrons, 9=13558
Nemirovskiĭ,P.É. and Elagin,Yu.P. Calculation of the polarization of neutrons in a nuclear model with a smooth edge, 8=1897
Nemnonov,S.A. and Klyushin,V.V. An investigation of the L_{111}-absorption spectrum of cerium in cerium–aluminium alloys, 9=12348
Nemoshkalenko,V.V. See Borisov,N.D., 9=8827
Neparko,E. See Funt,B.L., 6=7305
Nepomuceno,L.X. The acoustic rectifier—an element dependent on direction, 9=11950
Neporent,B.C. See Zaĭtsev,G.A., 6=8678
Neporent,B.S. General relationships between absorption and emission for the modulation spectra of polyatomic molecules, 8=6807. See also Dmitrievskii,O.D., 8=3862*; Vasilevskii, K.P., 9=10799
Neporent,B.S. and Bakhshiev,N.G. Intensities in the spectra of polyatomic molecules, 9=6713
Neporent,B.S. and Borisevich,N.A. Spectra and output of anti-Stokes and Stokes fluorescence of the vapours of aromatic compounds, 7=269. Investigation of anti-Stokes fluorescence of the vapours of aromatic compounds, 7=4218
Neporent,B.S. and Feofilov,P.P. VIth conference on luminescence (molecular luminescence and luminescent analysis), 9=10801
Neporent,B.S., Vasilevskiĭ,K.P., Lapina,N.A. and Fyrsenkov, V.A. Vacuum grating spectrometer for the 0.7 – 3μ region, 8=4856
Neppiras,E.A. Metal fatigue at high frequency, 7=5690
Neprimerov,N. The Faraday effect at centimetre wavelengths, 5=881
Nereson,N. See Cranberg,L., 6=7700
Neretina,N.A. See Klyarfel'd,B.N., 6=6665; Klyarfel'd,V.N., 9=1500
Nergaard,L.S. The physics of the cathode, 8=1746. See also Matheson,R.M., 8=643
Nergaard,N.S. Experiments bearing on the mobile-donor hypothesis in oxide cathodes, 5=7164
Neronova,G.P. See Lëvshin,V.L., 9=9483*
Neronova,N.N. See Belov,N.V., 8=446
Nerpin,S.V. See Kremnev,L.Ya., 7=2780
Nertney,R.J. The lower E and D region of the ionosphere as deduced from long radio wave measurements, 5=648
Nerurkar,N.W. See Sarabhai,V., 6=454
Nervik,W.E. See also Hicks,H.G., 6=6152; Nethaway,D.R., 6=6106; Stevenson,P.C., 9=2839
Nervik,W.E. and Seaborg,G.T. Tantalum spallation and fission induced by 340-MeV protons, 5=4050
Nesbet,R.K. Configuration interaction in orbital theories, 5=6774. Excited electronic states of 1, 3-butadiene, 5=7263. Localized orbitals in nuclear structure, 6=552. Digital computer programs for the calculation of electronic wave functions, 7=6379. Brueckner's theory and the method of superposition of configurations, 8=2160. Axial symmetry of nuclear wave functions, 8=2516. The use of projection operators in the configuration interaction problem, 8=3723. The Heisenberg exchange operator for ferromagnetic systems, 8=5104.
Nesbet,R.K. and Watson,R.E. Approximation wave functions for the ground state of helium, 8=5428
Nesbitt,E.A. See also Heidenreich,R.D., 6=6774, 7=5461, 9=3810
Nesbitt,E.A. and Heidenreich,R.D. Magnetic annealing in Perminvar. II. Magnetic properties, 9=8311
Nesbitt,E.A., Wernick,J.H. and Corenzwit,E. Magnetic moments of alloys and compounds of iron and cobalt with rare earth metal additions, 9=7171
Nesbitt,E.A. and Williams,H.J. Shape and crystal anisotropy of alnico 5, 6=786
Nesh,F. Replica technique for systematic examination of a surface under the electron microscope, 7=2734
Nesh,F. and Andreotti,J.R. Study on the separation of emulsions and suspensions by the use of ultrasonics, 8=4818
Neshpor,V.S. See also Kolomoets,N.V., 9=11065; Samsonov, G.V., 7=1312, 7=1673, 9=11094
Neshpor,V.S. and Samsonov,G.V. On the problem of the brittleness of metal-like compounds, 8=4491
Nesmelov,S.V. See Gerasimov,F.M., 9=10874
Nesmeyanov,H. The use of radioactive isotopes for determining saturated vapour pressure, 9=5626
Ness,B.van. See van Ness,B.
Nester,R.G. A new type of absolute manometer, 5=4399. High-vacuum gas valve, 7=1964
Nesterenko,E.G. Remarks on a paper by D.M. Vasilèv "A method of resolving the K_α-doublet in X-ray lines", 9=13359
Nesterov,V.G. and Smirenkin,G.N. Fission cross-section of Pu^{240} by fast neutrons, 9=12695
Nesterova,N.M. and Chudakov,A.E. On the observation of Cherenkov radiation, accompanying wide atmospheric showers of cosmic rays, 5=6268
Neszmélyi,A. See also Hrehuss,G., 9=7236
Neszmélyi,A. and Simonyi,K. Some problems of application and practical design of neutron amplifiers. I, 8=4328
Nethaway,D.R. See also Stevenson,P.C., 9=2839
Nethaway,D.R. and Caretto,A.A.,Jr. New isotope,

sulfur-38, 8=9025

Nethaway,D.R., Michel,M.C. and Nervik,W.E. New isotopes: Er^{172} and Tm^{172}, 6=6106

Nethercot,A.H.Jr. See Johnson,F.M., 7=2419, 9=9801; Rosenblum,B., 5=1700, 7=9794, 8=9074

Netter, F. See also Corge,C., 9=13613; Galula,M., 5=2192, 5=3152, 5=6478, 5=6534, 6=4026; Huynh,V.-D., 9=8514

Netter,F., Julien,J., Corge,C. and Ballini,R. Fission cross-sections for neutrons between 1 and 3 MeV, 7=1623

Netter,H. and Ohlenbusch,H.-D. Quantitative treatment of the electrostatic influences in the adsorption of charge particles, 5=5053

Nettleship,A. Contraction of time and protoplasm, 8=3678

Nettleton,R.E. On the application of the kinetic theory of liquids of Born and Green to the problem of the calculation of the volume viscosity, 5=9467. Theory of the equation of state and ultrasonic absorption in associated liquids at ordinary temperatures, 7=5920. Intrinsic bulk viscosity in monatomic and diatomic gases, 8=2180. Compressional relaxation in liquids, 9=6640. Thermodynamics of viscoelasticity in liquids, 9=7836

Nettleson,R.E. and Green,M.S. Expression in terms of molecular distribution functions for the entropy density in an infinite system, 9=5644

Nettley,P.T. The approach to the steady state in gaseous thermal diffusion and its application to determining the dependence of gas diffusivity on the concentration ratio, 5=116. See also Stevenson,R.W.H., 9=218, 9=7590

Netushil,A.V. Calculation of the temperature distribution in multilayer materials subjected to high-frequency heating, 5=5354

Neu,H. An extention of the Townsend approximate formula for the ionization in a homogeneous electric field, 9=5850. Theory of the current-voltage characteristic of the stationary [stable] glow discharge. I. The low-current glow discharge, 9=12335. II. The heavy-current glow discharge, 9=12336

Neubauer,F.R. and Fokker,A.D. The polarization of solar radio emission at a frequency of 200 MHz, 9=5308

Neubeck,K. Condensation of iron and platinum on crystal planes of tungsten in the field- emission microscope at high temperatures, 7=847. See also Klumb,H., 7=3348

Neuberger,D. and Duncan,A.B.F. Fluorescence of nitrogen dioxide, 5=204

Neubert,T.J. See also Bowman,M.G., 6=6947; Burton,M., 6=6947; Isetti,G., 7=4891; Novick,A., 6=6947; Van Dyken, A.R., 6=6947

Neubert,T.J., Bowman,M.G., Van Dyken,A.R. and Royal,J. Neutron-induced discomposition of graphite. III. Preliminary studies in electrical resistivity, 6=6947

Neubert,T.J., Hirt,R.C. and Van Dyken,A.R. Neutron-induced discomposition of graphite. II. Preliminary studies of elastic modulus, 6=6947

Neubert,T.J. and Novick,A. Neutron-induced discomposition of graphite. VI. Rate of healing experiments, 6=6947

Neuburg,H.A.C., Soberman,R.K., Swetnick,M.J. and Korff,S.A. High-altitude cosmic-ray neutron density at the geomagnetic pole, 5=3859

Neudachin,V.G. The accuracy of isobaric spin in nuclei with a 1f$_{7/2}$ shell, 7=4613. Selection rules for the "seniority" quantum number in nuclear reactions, 7=4693. A relationship between "particle" and "hole" matrix elements in the nuclear shell theory, 8=5266. Exchange effects in stripping reactions, 9=2803. See also Komarov,V.V., 9=2835

Neudachin,V.G. and Smirnov,Yu.F. Genealogical coefficients in the generalized nuclear model, 9=11419

Neudachin,V.G., Teplov,I.B. and Shevchenko,O.P. On the role of exchange effects in stripping reactions, 9=12678

Neuert,H. See also Behrend,H.J., 9=3879; Bormann,M., 9=13182; Dahnick,W., 6=1299; Heymann,H., 8=2589; Lindström,G., 9=2831; Rosenbaum,O., 5=1950; Steffen,K.G., 6=6132, 7=6539; Timm,U., 5=2177

Neuert,H. and Retz-Schmidt,T. Li^7(p,γ) angular distribution for the 441 keV resonance and spin-orbit coupling in Be^8, 9=3894

Neufeld,E.L. See Greenhow,J.S., 5=3398, 5=5791, 7=1016, 7=2869, 8=856

Neufeld,J. Electron capture and loss by moving ions in dense media, 5=1952. See also Doyle,P.H., 9=11165; Snyder,W.S., 5=4827, 6=8420

Neufeld,J. and Ritchie,R.H. Passage of charged particles through plasma, 5=7118. Density effect in ionization energy loss of charged particles, 5=8828

Neufeld,J. and Snyder,W.S. Number of vacancies created by heavy corpuscular radiation, 6=9033. Dependence of the average charge of an ion on the density of the surrounding medium, 7=7993

Neugebauer,G. See also Trilling,G.H., 7=3704

Neugebauer,G., Wales,W.D. and Walker,R.L. π^-/π^+ ratio from deuterium in photoproduction at 500-1000 MeV, 9=11390

Neugebauer,H.E.J. Quality factor for filters whose spectral transmittances are different from color mixture curves, and its application to color photography, 7=2096. Extension of Babinet's principle to absorbing and transparent materials, and approximate theory of backscattering by plane, absorbing disks, 7=6365

Neugebauer,M.K. See Webb,P., 5=2349

Neugebauer,T. Light scattering and Hubble effect, 5=9. On the problem of the Hubble effect, 9=984. The calculation of the scattering of light with doubling of the frequency, 9=10876

Neuhaus,D.P. See Hueter,T.F., 5=135, 5=2713, 5=4456

Neuhaus,H. The hyperfine structure of the indium hydride bands, 8=8686. The indium deuteride and hydride bands and their hyperfine structure, 9=5539. On the band spectra of gallium hydride and deuteride, 9=9424. See also Hulthén,E., 5=2639, 6=7272

Neuhaus,H. and Muld,V. The band spectrum of thallium deuteride, 9=9423

Neuman,J. A new method of measuring the vapour pressure of heavy liquids [having a very low specific vapour pressure], 8=3936

Neuman,M. See Gasiorowicz,S., 6=2973; Lepore,J.V., 5=6764

Neumann,J. Fluctuations of long-period accumulation of daily rainfall amounts, 5=655. On the second harmonic of the annual variation of solar radiation and an application of its zeros, 5=3330

Neumann,J. von See von Neumann,J.

Neumann,K.K. See Kroepelin,H., 9=12195

Neumann,W. Spectrophotometric measurements on a wall-stabilized xenon high-pressure discharge, 6=4426. The magnitude of the effective ionization voltage [Ve] in mercury high pressure arcs, 9=13344. See also Grunewald,H., 8=6963, 9=311

Neumann,W. and Reimann,H. Observations on the electron-atom collision continuum in electrode-stabilized high pressure mercury arcs, 9=12019

Neumark,G., Fajans,J. and Framkl,D.R. Thermoluminescence measurements on ZnS phosphors in vacuo, 5=9582

Neumark,G.F. Electroluminescence and thermoluminescence of ZnS single crystals, 6=6542. See also Frankl,D.R., 7=4229; Kimball,G.E., 7=7276; Lempicki,A., 7=4230

Neumark,G.F., Frankl,D.R., Lempicki,A. and Birman,J.L. Influence of temperature on the electroluminescence of ZnS single crystals, 7=4231

Neunhoeffer,O. and Ulrich,H. Elliptically polarized fluorescence in optically active compounds, 5=6938

Neurath,H. Protein structure and enzyme action, 9=8780

Neurath,P.W. See Graham,C.D.,Jr, 8=6036

Neuringer,J.L. Electromechanical energy conversions in a cylindrical pinch process, 9=12408

Neuringer,L.H. Effect of pressure on the infrared absorption of semiconductors, 9=6754

Neuroth,N. On the determination of the optical constants n, κ from reflection measurements, 6=2807

Neustadter,S.F. See Jones,N.T., 5=3779; Kingston,R.H., 5=7035; Lax,B., 5=295; Pratt,G.W.,Jr, 6=3079

Neve de Mevergnies,M. See Dopchie,H., 6=5401

Neven,L. See de Jager,C., 7=39; Kaplan,L.D., 6=6051; Migoette,M., 6=4159

Neville,E.H. Rectangular-polar conversion tables, (compiler)

Nevin,T.E. See Anderson,F., 5=9943, 5=9958; Davies,J.H., 6=3270*; Hayes,W., 5=8599, 5=9554, 8=2613

Nevins,J.E.,Jr, An investigation and application of the contrawound helix [in an X-band travelling-wave tube], 9=9885

Nevitt,M.V. and Zegler,S.T. Transformation temperatures and structures in uranium-fissium alloys, 9=10298

Nevskiĭ,A.S. See Timofeev,V.N., 7=1980

Nevzglyadov,V.G. On the density vector of a turbulent energy flow, 9=7830

Newbery,S.P. See Mayneord,W.V., 5=3036

Newby,G. See Biehl,A.T., 7=3688

Newby,G.A. See Peterson,R.E., 9=13718

Newby,N.,Jr and Konopinski,E.J. Nuclear states in the RaE

β-decay, 9=13638
Newcomb,T.P. The flow of heat in a parallel-faced infinite solid, 9=246. See also MacKenzie,D.K., 8=1352; Spurr,R.T., 7=3779, 7=4822
Newcomb,W.A. Motion of magnetic lines of force, 8=5128. Magnetic differential equations, 9=9852. See also Berger, J.M., 9=358
Newcomb,W.A. and Salpeter,E.E. Mass corrections to the hyperfine structure in hydrogen, 5=4876
Newell,G.F. Specific heat of lamellar crystals, 6=1180. Vibration spectrum of graphite and boron nitride. I. The two-dimensional spectrum, 6=5522. II. The three-dimensional spectrum, 7=8268. Extreme frequencies of lattice vibrations for disordered binary alloys, 9=8817. See also Genensky,S.M., 7=5722
Newell,G.S. See Whittenbury,C.G., 9=10670
Newell,H.E.,Jr. Rocket data on atmospheric pressure, temperature, density, and winds, 5=10109. See also Kallmann,H.K., 8=4555-6
Newell,J.A. See also Dransfeld,K., 8=596
Newell,J.A. and Wilks,J. The absorption of sound in liquid helium below 1°K, 7=328
Newey,C.W.A. See Eshelby,J.D., 8=1322
Newgard,J.J. Simple semiempirical model for neutron induced stored energy in graphite, 9=13804
Newhall,S.M. See also Burnham,R.W., 7=2891, 7=9648
Newhall,S.M., Burnham,R.W. and Clark,J.R. Comparison of successive with simultaneous color matching, 7=2892
Newhall,S.M., Burnham,R.W. and Evans,R.M. Color constancy in shadows, 9=4499
Newhouse,A. See Allred,J.C., 8=1580, 9=1223
Newhouse,V.L. See also Bremer,J.W., 9=1486
Newhouse,V.L. and Bremer,J.W. High-speed superconductive switching element suitable for two-dimensional fabrication, 9=13325
Newing,R.A. See Andrew,E.R., 9=2931
Newitt,W. Laboratory standard ceramic microphone, 8=2917
Newkirk,G.,Jr. Carbon monoxide in the solar atmosphere, 8=3653. Doppler motions in the corona, 8=3657. Emission-line polarization in prominences, 8=5589
Newkirk,G.A.,Jr. Photometry of the solar aureole, 7=2865
Newkirk,H.W.,Jr and Bates,J.L. Filament furnace for microscopy studies at high temperatures, 9=10888
Newkirk,J.B. Method for the detection of dislocations in silicon by X-ray extinction contrast, 8=7545. Subgrain structure in an Fe-Si crystal as seen by X-ray extinction contrast, 8=7546
Newkirk,J.B. and Bruce,L. Rapid X-ray determination of a complete pole figure, 9=931
Newkirk,J.B. and Turnbull,D. Nucleation of ammonium iodide crystals from aqueous solutions, 5=6602
Newkirk,L.L. See Ashby,V.J., 9=692
Newman,C., O'Loane,J.K., Polo,S.R. and Wilson,M.K. Infrared spectra and molecular structures of SiH_3F, SiH_3Cl and SiH_3Br, 7=2514
Newman,D.J. Structure theory, 9=4253
Newman,D.J. and Kilmister,C.W. A new expression for Einstein's law of gravitation, 9=9185
Newman,E. See also Bergmann,P.G., 6=7118; Cohen,B.L., 5=8238-9
Newman,E. and Bergmann,P.G. Lagrangians linear in the "velocities", 5=7677. Observables in singular theories by systematic approximation, 8=2763
Newman,E. and Goldberg,J.N. Measurement of distance in general relativity, 9=11788
Newman,E.G. and Mindlin,R.D. Vibrations of a monoclinic crystal plate, 8=3794
Newman,J.B. See Barlow,J.S., 5=3336
Newman,P.C. Plastic flow in coal, 5=10007. A method for the measurement of heat generation in powdered coal, 7=7073. See also Brice,J.C., 8=1692; Millard,D.J., 6=737
Newman,P.C., Pratt,L. and Richards,R.E. Proton magnetic resonance spectra of coals, 5=6591
Newman,R. Optical studies of injected carriers. III. Infrared absorption in germanium at low temperatures, 5=945. Optical properties of indium-doped silicon, 5=7850. Visible light from a silicon p–n junction, 6=360. Concentration effects on the line spectra of bound holes in silicon, 6=6527. Recombination radiation from deformed and alloyed germanium p–n junctions at 80°K, 7=4356. Optical properties of n-type InP, 9=3304. See also Dash,W.C., 5=8616; Slack, G.A., 9=2261; Tyler,W.W., 5=2747, 5=5410, 5=6129
Newman,R. and Chrenko,R.M. Optical properties of nickel oxide, 9=12032
Newman,R. and Tyler,W.W. Properties of germanium doped with iron. II. Photoconductivity, 5=944. Effect of impurities on free-hole infrared absorption in p-type germanium, 7=3279
Newman,R., Woodbury,H.H. and Tyler,W.W. Photoconductivity in manganese-doped germanium, 6=4411
Newman,R.C. The lattice spacings of thin electro-deposits of cobalt and nickel on a copper single crystal, 6=5456. The initial stages of growth of thin metal films on silver single-crystal substrate, 7=8926. See also Bullough,R., 9=846, 9=4017; Grunbaum,E., 9=13900; Kehoe,R.B., 5=1298, 6=2565, 7=4854
Newman,R.C. and Pashley,D.W. The sensitivity of electron diffraction as a means of detecting thin surface films. I, 5=9175
Newman,S.B. and Wolock,I. Fracture phenomena and molecular weight in polymethyl methacrylate, 9=831
Newman,M.M. See Bates,L.F., 9=455
Newmarch,D.A. A modification to the diffusion theory of the thermal fine structure in a reactor to account for the effect of air channels, 5=9935. The effect of removing plate fuel elements upon the thermal neutron fine structure in reactor assemblies, I, 7=736. The diffusion theory of thermal neutron fine structure in finite reactors. I, 7=1627. The diffusion theory of thermal neutron fine structure in reactors with non-uniform spacing of the fuel elements. I, 7=1628. See also Clark,A.C., 7=1626
Newnhan,R. See Shirane,G., 5=922
Newns,H.C. and Refai,M.Y. Polarization in stripping reactions, 8=2558
Newport,R.W. See Alston,M.H., 7=1647, 7=8681, 7=8854
Newshall,S.M., Burnham,R.W. and Evans,R.M. Influence of shadow quality on color appearance, 9=10884
Newson,H.W. See also Block,R.C., 9=686; Marshak,H., 7=5635; Parks,P.B., 9=2412
Newson,H.W. and Duncan,M.M. Shell effects at high excitation energies, 9=13608
Newson,H.W., Gibbons,J.H., Marshak,H., Williamson,R.M., Mobley,R.A., Toller,A.L. and Block,R. Neutron resonance in the keV region: heavy even elements, 6=6170
Newson,H.W., Gibbons,J.H., Marshak,H., Williamson,R.M., Mobley,R.C., Patterson,J.R. and Nichols,P.F. Neutron resonances in the keV region: Heavier odd elements, 7=3667
Newson,H.W., Williamson,R.M., Jones,K.W., Gibbons,J.H. and Marshak,H. $Li^7(p,n)$, $(p,p'\gamma)$, and (p,γ) reactions near neutron threshold, 8=1256
Newstead,G. See Beck,A., 6=7034; Ellis,G.R., 7=6826
Newth,J.A. See Cooper,W.A., 6=7708, 7=3700, 7=8852, 8=5246
Newton,A.S. Note on the helium-ion radiolysis products of liquid acetic and propionic acids, 7=9445. See also McDonell, W.R., 5=1333
Newton,C.J., Mandelkern,L. and Roberts,D.E. Preferred orientation in stark rubber studied with an automatic integrating pole figure goniometer, 6=6954
Newton,C.M. See Panofsky, W.K.H., 5=6515
Newton,H.W. and Milsom,A.S. Note on the observed differences in spottedness of the sun's northern and southern hemispheres, 7=33
Newton,J.O., Gamma radiation from the reactions Na^{23} + p, 5=2150. The Coulomb excitation of U^{235}, Pu^{239}, and U^{238}, 7=9317. The Coulomb excitation of U^{233} and Np^{237} and a discussion of the energy levels of U^{233}, 8=5366. See also Gallagher,C.J.,Jr, 9=6078; Grace,M.A., 6=5352
Newton,J.O., Rose,B. and Milsted,J. Gamma radiation from the decay of $^{238}Pu_{94}$ $^{242}Cm_{96}$ and $^{243}Cm_{96}$, 7=2607
Newton,J.O. and Stephens,F.S. Experimental observation of double Coulomb excitation, 8=7378
Newton,R.G. Radiative effects in a constant field, 5=38. Radiative corrections to electron scattering, 5=4726, 5=7111. Connection between the S-matrix and the tensor force, 6=87. Remarks on scattering theory, 6=2682. Electron double scattering by nuclear magnetic moments, 6=6703. Electron scattering by the deuteron, 7=5392. Relation of the deuteron photodisintegration cross section to the neutron–proton force, 8=341. Inelastic scattering, 8=4746. Electron scattering by polarized nuclei, 8=6318. Threshold properties of scattering and reaction cross-sections, 9=11839. See also Fonda,L., 9=8562; Frantz,L.M., 9=1700; Fukuda,N., 7=104;

Fulton,T., 6=4825; Reifman,A., 6=1858

Newton,R.G. and Fulton,T., Phenomenological neutron–proton potentials, 8=5204

Newton,R.G. and Jost,R. The construction of potentials from the S-matrix for systems of differential equations, 5=5223

Newton,R.G. and Scofield,J.H. Spin-orbit contributions in the low-energy n–p triplet potentials, 8=7294

Newton,R.H.C. On space charge waves, 7=6273. Correction to the paper entitled "On space charge waves", 9=5801

Newton,R.R. Motion of a satellite around an unsymmetrical central body, 9=6471

Newton,T.D. Shell effects on the spacing of nuclear levels, 6=7613. On the spherical oscillator nucleus, 9=11413. See also Hay,I.W., 7=3675

Ney,E.P. Cosmic radiation and the weather, 9=7141. See also Danielson,R.E., 6=8850; Elsasser,W., 7=2854; Fowler,P.H., 7=4509, 7=8867; Freier,P.S., 8=4110, 9=7132, 9=7136; Kellogg,P.J., 9=7686, 9=9156; Naugle,J.E., 5=1235

Ney,E.P., Winckler,J.R. and Freier,P.S. Protons from the sun on May 12, 1959, 9=13407

Ney,P. See Wald,H.E., 6=8335

Ney,W. A sphere-mounted pistol-type manipulator, 8=5166

Neyman,J. On the probabilistic theory of clusters of galaxies and the verification of the hypothesis of the expansion of the universe, 6=1817

Neyman,J. and Scott,E.L. Spatial distribution of galaxies; analysis of the theory of fluctuations, 5=1450. On the inapplicability of the theory of fluctuations of galaxies, 5=5194

Neynaber,F.H. See also Brackmann,R.T., 9=6174

Neynaber,R.H., Brammer,W.G. and Beeman,W.W. On the mechanism of the small angle X-ray scattering from cold worked metals, 9=7046

Nguyen,T.C. and Dussaussoy,P. Direct-emission thermionic fritted [sintered] cathodes, 5=5492

Nguyen Chung-Tu. See Monod-Herzen,G., 8=4887, 9=12092, 9=13176.

Nguyen Van Dang "Creeping" (reptation) of asymmetrical hysteresis loops as a function of the number of cycles described, 8=6055*. "Creeping" (reptation of asymmetrical hysteresis loops as a function of the asymmetry amplitude, 8=6056*. The effect of temperature on the "creeping" [reptation] of asymmetrical hysteresis cycles, 8=8135

N'Guyen Van Dong, Kock,L., Baruch,P. and André,P. Effect on the conductivity of germanium of bombardment with high energy electrons, 9=9617

Nhan Tran an. See Tran an Nhan,

Niblett,D.H. and Wilks,J. The internal friction of cold worked copper at low temperatures, 6=8434. The internal friction of cold-worked copper at low temperatures, 8=1345. The internal friction of annealed copper at low temperatures, 9=2974

Niblett,E.R. The stability of Couette flow in an axial magnetic field, 9=1598

Niblett,G.B.F. Rapid compression of a plasma with aximuthal currents, 9=4736. See also Bowman,J.E., 6=1893

Nicely,P.E. See Miller,G.A., 5=4477

Nichol,J.C. and Fuoss,R.M. A new cell design for precision conductimetry, 5=1316

Nicholas,J.F. Point defects and the release of energy from deformed nickel, 5=2253. Calculation of activation energies from calorimetric work carried out at a constant rate of heating, 7=5687

Nicholls,G.D. The mineralogy of rock magnetism, 5=7545

Nicholls,J. Alpha-scintillation monitor for hands and clothing, 7=9734

Nicholls,R.W. Molecular band intensities and their interpretation, 6=8655. Franck-Condon factors $q_{v'v''}$ of molecular band systems and their interpolation, 7=575. The interpretation of intensity distributions in CN violet, C_2 Swan, OH violet and O_2 Schumann-Runge band systems by use of their r-centroids and Franck-Condon factors, 7=2485. Studies upon transition probabilities and molecular excitation, 9=732. See also Brannen,E., 5=7297; Dixon,R.N., 8=1602; Jarmain,W.R., 5=8122, Marr,G.V., 5=7821; Reeves,E.M., 8=5764; Robinson,D., 8=3854; Wallace.L.V., 5=9551

Nicholls,R.W. and Jarmain,W.R. R-Centroids for diatomic molecules, 5=9814. r-Centroids: average internuclear separations associated with molecular bands, 6=6052

Nicholls,R.W. and Parkinson,W.H. Shock excitation of atomic and molecular spectra, 7=5158. Shock-induced physical and chemical surface changes on oxide powders, 8=5505

Nicholls,R.W., Parkison,W.H. and Van der Lann,H. Ablation studies in a shock tube, 9=7886

Nicholls,R.W. and Pleiter,D. Excitation of luminescence in gases by 2-4 keV lithium ions, 7=4239

Nicholls,R.W. and Reeves,E.M. Luminescence produced in air by polonium-210 α-particles, 8=3893

Nicholls,R.W., Robinson,D., Parkinson,W. and Jarmain,W.R. r-Centroids for the O_2^+ second negative, N_2 Lyman–Birge–Hopfield, and N_2 Vegard–Kaplan band systems, 7=2481

Nichols,B. Auroral ionization and magnetic disturbances, 9=6400. See also Booker,H.G., 5=5806

Nichols,G.E. See DeSorbo,W., 9=8054

Nichols,J.L. Orientation and temperature effects on the electrical resistivity of high-purity magnesium, 5=5401

Nichols,N.L., Hause,C.D. and Noble,R.H. Near infrared spectrum of nitric oxide, 5=2582

Nichols,P.F. See Newson,H.W., 7=3667

Nichols,P.L.,Jr and Presson,A.G. Heat conduction in an infinite cylindrical medium with heat generated by a chemical reaction, 5=885

Nichols,R.T. and Jensen,E.N. Decay scheme of Sc^{47}, 6=1527

Nichols,R.T., Pohm,A.V., Talboy,J.H.,Jr and Jensen,E.N. Beta-ray spectrometer for coincidence measurements, 5=8012

Nichols,S. See Adam,M.G., 9=1004

Nichols,W. See Feshbach,H., 9=57

Nichols,W.H. A parity-conserving interaction applied to K–pion decay, 9=1054

Nicholson,A.F. and Brown,G.E. Photodisintegration of the deuteron at 130 MeV, 9=2817

Nicholson,A.J.C. Measurement of ionization potentials by electron impact, 9=5843

Nicholson,B.J. See Cross,L.E., 5=5391

Nicholson,G.R. See Beynon,J.H., 7=157

Nicholson,K.P. Delays in BF_3 proportional counters, 5=9717. Time delays in boron trifluoride proportional counters, 6=8834. See also Gayther,D.B., 7=3671

Nicholson,K.P. and Hall,J.W. Neutron detectors for the Harwell fast chopper, 8=6092

Nicholson,K.P. and Pattenden,N.J. The use of lithium iodide detector with a neutron crystal spectrometer, 5=5659

Nicholson,K.P. and Snelling,G.F. Some lithium iodide phosphors for slow neutron detection, 5=3843

Nicholson,R.B. and Nutting,J. Direct observation of the strain field produced by coherent precipitated particles in an age-hardened alloy, 8=3489

Nicholson,R.B., Thomas,G. and Nutting,J. A technique for obtaining thin foils of aluminium and aluminium alloys for transmission electron metallography, 8=3495

Nicholson,S.B. and Wulf,O.R. The diurnal variation of irregular geomagnetic fluctuations, II, 9=4119

Nicholson,W.Q. and Ross,I. Kerr cell shutter has submicrosecond speeds, 5=9347

Nickel,J.C. See Ogier,W.T., 9=7554

Nickerson,D. Horticultural Colour Chart names with Munsell key, 7=7803

Nicklas,J.P. and Treanor,C.E. Hartree–Fock functions and spectral isotope shift for excited states of carbon and oxygen, 8=4360

Nickols,N.A. See Barkas,W.H., 7=5637, 9=4950

Nicksic,S.W. and Wright,J.R. The effect of light on ceric-cerous dosimetry, 6=2337

Nickson,A.F.B. Sound amplification in reverberant spaces, 8=7786

Nickson,A.F.B. and Muncey,R.W. Frequency irregularity in rooms, 5=4484. Accuracy of matching for bounding surfaces of acoustic models, 6=6494

Nicodemus,D.B. See Coon,J.H., 8=6333

Nicodemus,F.E., Edwards,H.D. and Ghosh,S.N. An experimental method for measuring the heights of luminescent layers in the atmosphere from a rocket by utilizing a biaxial pointing control, 6=9112

Nicol,J. See Snider,J.L., 7=4290

Nicol,W.M. See ter Haar,D., 5=7711, 7=8464

Nicolau,F.M. Medina. See Medina Nicoalau,F.M.

Nicolet,M. The d-layer and nitric oxide, 6=2574. The aeronomic problem of nitrogen oxides, 6=4114. Nitrogen oxides and the airglow, 6=8517. On the origin of the atmospheric argon, 7=1774. High atmosphere densities, 8=9185. The constitution

and composition of the upper atmosphere, 9=7666. The dissociation of oxygen in the upper atmosphere, 9=7667. Collision frequency of electrons in the terrestrial atmosphere, 9=9075. Nitrogen oxides and the airglow, 9=9088. The aeronomic problem of helium, 9=12892
Nicolet,M.A. See Baldinger,E., 9=5712
Nicoli,M. Complete tables for the determination of the external sunlight exposure together with orientation diagrams, 9=4144
Nicolini,L. Ferroelectric properties of a material made of titanium oxide, 9=12222
Nicoll,F.H. See also Kazan,B., 8=1621
Nicoll,F.H. and Kazan,B. Large area high-current photoconductive cells using cadmium sulfide powder, 5=9672
Nicolson,M.M. Note on localised and non-localised interference fringes, 5=869. Surface tension in ionic crystals, 5=3484
Nicourd,P. See Bouquet,G., 7=6586; Feix,M., 7=9399, 8=7233
Niday,J.B. Half-life of Rb^{86}, 5=4889
Niday,R.A. and Stacey,D.S. Photoelectric angular error sensors, 6=6401
Niederer,J. See Gerstein,G., 8=1258
Niedermaier,T. See Lux,H., 7=839, 9=4083
Niedrach,L.W., Dearing,B.E. and Schafer,A.C. New approach to electrolytic U, 8=5506
Nief,G. See Goldman,M., 7=4648
Niehrs,H. The radiation field [produced] by electron diffraction at the exit face of the crystal, 5=643. Double interference of electrons with extinction of the third wave front, 5=644. Concept and theoretical significance of physical quantities, 5=2387. Friedel's law in the light of the dynamical theory of interference, 5=4185. On the probable contrast in electron microscope imaging of crystal lattices, 7=915. See also Molière,K., 5=9278
Niehrs,H. and Wagner,E.H. The amplitudes of the wave field in electron interference in the Laue case, 6=2921
Niekerk,C.G. Van See Van Niekerk,C.G.
Niekerk,J.N. van See van Niekerk,J.N.
Niekisch,E.A. Determination of trap distribution by modulated light measurements on single crystals of photoconducting cadmium sulphide, 5=299. Alternating light measurements on photoconducting CdS as a method for the determination of mobility and trapping centre distribution. I, 5=6147. Alternating light measurments on photoconducting CdS. II, 5=6148
Niekisch,E.A., Pflaum,U. and Rompe,R. Photochemical properties of cadmium sulphide, 6=8449
Niels-Hakkenberg,C.G. See Wiebes,J., 7=8562
Nielsen,A. See Kofoed-Hansen,O., 7=1557
Nielsen,A.H. See Arakawa,E.T., 9=5528; Kaylor,H.M., 6=3621; Keller,F.L., 6=4313, 6=8892; Keller,J.W., 8=9083; Kuipers,G.A., 6=7274; Narahari Rao,K., 7=8042; Talley,R.M., 5=1704
Nielsen,C.E. and Sessler,A.M. Longitudinal space charge effects in particle accelerators, 9=7099
Nielsen,H.H. See also Amat,G., 6=1432, 6=1434, 7=8040, 8=369-70, 8=6375-6, 8=9088; Coburn,T.J., 7=2472; Dalby, F.W., 7=2028; Garing,J.S., 8=7447; Goldsmith,M., 6=6050; Hanson,H., 7=2471, 7=7734; Lakshmi,K., 6=3885; Narahari Rao,K., 7=3482, 9=3278-9; Rossmann,K., 6=2282, 6=4558
Nielsen,H.H., Amat,G. and Goldsmith,M. Anomalous centrifugal distortion coefficients in linear polyatomic molecules, 7=7259
Nielsen,H.H. and Narahari Rao,K. Fermi interaction terms in $C^{12}O_2{}^{16}$ and $N_2{}^{14}O^{16}$, 7=3484
Nielsen,J.R. See also Albright,J.C., 7=5195; Collins,R.L.; 5=2603; Harris,F.W., 7=1182; Klaboe,P., 9=6741; Narasimham,N.A., 7=4323*-4, 7=9619; Stair,A.T.,Jr, 7=8524; Theimer,R., 7=7750, 7=9086, 8=121, 9=3294
Nielsen,J.R. and Albright,J.C. Raman spectrum of gaseous 1-fluoro- 1-chloroethylene, 7=7781
Nielsen,J.R., Claassen,H.H. and Moran,N.B. Infrared and Raman spectra of fluorinated ethanes. VIII. Pentafluoroethane, 5=4535
Nielsen,J.R., Gullikson,C.W. and Woollett,A.H. Infrared and Raman spectra of fluorinated ethylenes. VI. Fluorotrichloroethylene, 6=1075
Nielsen,J.R. and Theimer,R. Infrared and Raman spectra of fluorinated ethanes. X. 1,1,1-trifluoror-2-bromoethane, 8=122. Assignment of the fundamental vibrational frequencies and calculated thermodynamic functions for 1,1-difluoro-2,2-dibromoethylene, 9=3976
Nielsen,J.R. and Woollett,A.H. Vibrational spectra of polyethylenes and related substances, 7=7751
Nielsen,J.W. Growth of magnetic garnet crystals, 9=922. See also Bozorth,R.M., 8=5115; Dillon,J.F.,Jr, 9=13450
Nielsen,J.W. and Dearborn,E.F. The growth of single crystals of magnetic garnets, 9=8990
Nielsen,K.O. See also Elbek,B., 8=7366
Nielsen,K.O. and Nielsen,O.B. Measurements on isotope separated β-ray sources of Re^{186} and Re^{188}, 8=5312
Nielsen,K.O., Nielsen,O.B. and Skilbreid,O. Levels and branching ratios in Tb^{159}, 9=1720
Nielsen,K.O., Nielsen,O.B. and Waggoner,M.A. Internal converson coefficients for M1 transitions in ${}_{83}Bi^{214}$, ${}_{84}Po^{214}$ and ${}_{83}Bi^{212}$, 7=7352
Nielsen,L.E. and Stockton,F.D. Flow patterns in glacier ice, 6=4745. Flow patterns in glacier ice, 7=2856
Nielsen,O.B. Multipole order of the γ-rays from ${}_{81}Tl^{208}$, 7=1572. See also Bjornholm,S., 7=4653, 8=5273; Hansen, P.G., 8=6233, 9=12648; Nielsen,K.O., 7=7352, 8=5312, 9=1720
Nielson,O.B. and Kofoed-Hansen,O., A six gap β-ray spectrometer, 5=5445
Nielsen,O.B., Poulsen,N.O.R., Sheline,R.K. and Jensen,B.S. Levels in Os^{190} populated in the decay of 11d Ir^{190}, 9=8533
Nielsen,R.J. See Closson,H.T., 9=4331
Nielsen,S. See Lawson,W.D., 9=8104
Nielsen,N. See Carlbom,L., 6=7637
Niemann,E.G. See Glubrecht,H., 6=1196
Niemann,F.L., Bowker,J.K., Preston,W.M. and Street,J.C. Energy spectrum of charged pions from 2.2 BeV protons on Be, 8=8237
Niemeck,F. See Boeters,K.E., 9=13321; Gobrecht,H., 5=7964, 8=3120
Niemoeller,A.F. Reply to "Calibration of two transducers assumed identical", 9=11952
Nier,A.O. The determination of isotopic masses and abundances by mass spectrometry, 5=2091, 5=8172. See also Hoffman, J.H., 9=3053; Johnson,W.H.,Jr, 7=3572; Quisenberry,K.S., 6=5335, 7=1527; Scolman,T.T., 6=5336
Nierenberg,Q.A. See also Bemski,G., 5=6359; Brink,G.O., 7=8108; Ewbank,W.B., 8=5267, 9=13597; Garvin,H.L., 8=7299, 9=2693; Hobson,J.P., 5=3970, 7=1512; Hubbs,J.C., 7=2542, 7=6449, 8=1994; Marino,L.L., 8=6211
Nierenberg,W.A., Shugart,H.A., Silsbee,H.B. and Sunderland, R.J., Spins of cesium-127, cesium-129, and cesium-130 7=2544. Hyperfine-structure separations and magnetic moments of Cs^{127}, Cs^{129}, Cs^{130}, and Cs^{133}, 9=4966
Nierhaus,R. See also Daniel,H., 6=6121; Mayer-Kuckuk,T., 9=5017
Nierhaus,R. and Daniel,H. Coincidence measurements on radium C[Bi^{214}], 8=3339
Niermann,H. See Hanle,W., 6=7309
Niese,H. On the production of sound impulses by means, of loudspeakers, for measurements in room acoustics, 6=1923. Suggestion for the definition and measurement of "clearness" on a subjective basis, 7=3115. Investigations on the form of the pulse used in impulse measurements in room acoustics, 7=6967. The developement of an "Echograd" measuring apparatus, 7=6968. Test of the room-acoustic "echo-gradient criterion" by means of syllable intelligibility measurements, 8=3839. Investigation of the loudness sensitiveness for rhythmic noises, 8=4836. Suggestion for a loudness measuring device to give correct aural indications of "peaky" noise forms in known sound-fields, 8=4837 The loudness sensation of rhythmic noises of very low frequency, 9=4405
Niese,H. and Köhler,J. Subjective measurements on the influence of "peakness" of band-pass noise on the sensation of loudness, 8=4838
Nieset,R.T. Applications of radioactive isotopes to measurements, 6=1505
Niessen,K.F. Magnetic anisotropy and Van Vleck's relation for antiferromagnetics, 6=1349. Spontaneous magnetization and magnetic susceptibilities of an antiferromagnetic with foreign ions in only one sublattice, 6=8283. Condition for resonance in a nearly compensated ferrimagnetic, 7=1447. Spontaneous magnetization and magnetic susceptibilities of an antiferromagnetic with foreign ions in both sublattices, 7=6351. On a higher approximation of the critical field strength for an antiferromagnetic, 7=8005. Influence of foreign ions on the critical field strength of an antiferromagnetic, 9=441. Non-

magnetic ions in an antiferromagnetic, 9=442. Distribution of magnetic domains between the two phases in a single-crystal flat disk of iron, 9=8300

Niesters,H. See Fucks,M., 7=6199

Niestlie,J.W. See Murray,R.L., 5=4949

Niewodniczański,H. Electric nuclear quadrupole moments, 5=5213. See also Leś,F., 7=9073

Niewodniczański,H. and Wielowiejska,M. 3.20 MeV γ-radiation of ThD determined by the photographic emulsion technique, 5=492. Angular distribution of photo-neutrons from beryllium, 5=518

Nifontoff,N. A possible interpretation of the scintillation effect in crystal detectors, 5=6949. Considerations on the localization of the phenomena of generation and recombination at contact barriers and at the surface of a semiconductor, 5=7033. See also Blanc-Lapierre,A., 6=6615; Marucchi,J., 9=13887; Téboul,M., 7=7116, 8=5912; Uny,C., 7=5308, 8=4465

Nigam,A.N. Effect of background intensity on the position of an X-ray spectrum line, 5=6192. The origin of fine structures in X-ray absorption spectra of ionic solutions, 5=8808. Origin of double maxima in the K-edge of some potassium compounds, 5=9691. A resolution condition for X-ray spectral lines, 6=2912. On the X-ray absorption fine structures with polarised X-rays, 6=4429. Colour centers and X-ray spectra of potassium halide crystals, 7=4899

Nigam,B.P. and Foldy,L.L. Representation of charge conjugation for dirac fields, 6=5694

Nigam,B.P. and Noyes,H.P. Quasi-bound states of the pion-nucleon system in the lowest Tamm-Dancoff approximation, 5=8510

Nigam,B.P. and Sundaresan,M.K. Doublet separation in nuclei from Signell–Marshak potential, 8=6199. Spin–orbit interaction in nuclei, 9=568

Nigam,B.P., Sundaresan,M.K. and Wu Ta-You. Theory of multiple scattering: second Born approximation and corrections to Moliere's work, 9=13016

Nightingale,R.E. See Hisatsune,I.C., 6=2487

Nihoul,J. See van Itterbeek,A., 5=6801

Nii,R. Measurement of the thermal conductivity in semiconductors, 9=10895. See also Kanai,Y., 7=8624, 8=4973, 9=6825

Niimi,T, The temperature dependence of the capacity of the copper oxide rectifier, 5=8769

Niira,K. See Aihara,E., 7=8075

Nijboer,B.R.A. Invariance to reflection, conservation and non-conservation of parity, 9=4266

Nijboer,B.R.A. and de Wette,F.W. On the calculation of lattice sums, 7=8934. The internal field in dipole lattices, 8=6395

Nijboer,B.R.A. and Groenewald,H.J. The so-called clock paradox in the theory of relativity, 9=11795

Nijgh,G.J. See also Nussbaum,R.H., 5=478, 6=3143; Wapstra, A.H., 6=3459, 6=8362, 9=8556

Nijgh,G.J. and Wapstra,A.H. Conversion coefficients for electric quadrupole transitions, 9=8558

Nijgh,G.J., Wapstra,A.H., Ornstein,L.T.M., Salomons-Grobben, N., Huizenga,J.R. and Almén,O. Conversion coefficients of gamma transition in Tl^{203}, 9=8555

Nijland,L.M. and van der Pauw,L.J. The effect of heat treatment on the bulk lifetime of excess charge carriers in silicon, 8=4993

Nikerov,A.É. The electrical conductivity of alloys forming a mechanical mixture, 9=5670

Nikishov,A.I. On the role of isobaric states of nucleons in the production of mesons, 6=702. Interaction of 1.4 BeV pions with protons, 6=6929. Interaction 4.5 BeV π^--mesons with protons, 7=685. Charge distribution of mesons in nucleon–antinucleon annihilation, 7=1654. See also Belenkiĭ,S.Z., 5=9149, 8=5177; Maksimenko,V.M., 7=3734

Nikishov,A.I. and Rozental',I.L. Determination of the energy of fast particles from the angular distribution of the reaction products, 9=2773

Nikitin,A.A. On technetium lines in the solar spectrum. I, 8=6600; II, 9=9157. Some values of the intensities of helium lines in the spectra of non-stationary stars, 9=9165

Nikitin,E.E. Vibrational relaxation of diatomic molecules, 9=8706. Calculation of the probability of vibrational excitation of molecules by collisions, 9=11539

Nikitin,E.N. A study of the temperature dependence of the electrical conductivity and thermoelectric power of silicides, 8=5871. The electrical conductivity and thermoelectric power of the silicides of the transition metals, 8=6982

Nikitin,S.J. See also Vishnevsky,M.E., 8=5318

Nikitin,S.J., Selector,J.M., Bogomolov,E.G. and Zombkovskij, S.M. The scattering of protons with energies 460-660 MeV on protons, 6=2947

Nikitin,S.Ya. See Selektor,Ya.M., 7=6283

Nikitin,V.A. The relation between the speed of scanning and the resolving power of a spectral instrument, 8=4857. See also Aleksandrov,A.N., 6=198; Dmitrievskiĭ,O.D., 8=3862*

Nikitin,Yu.P. See Krasovskiĭ,N.N., 7=4013

Nikitina,A.N. and Ter-Sarkisyan,G.S. Absorption spectra of certain nitrogen-containing heterocyclic compounds at low temperatures, 7=6994

Nikitina,O.N. See El'yashevich,M.A., 7=4127

Nikitine,S. First approximation theory of the exciton spectrum of a uniaxial crystal, 5=6606. Exciton spectra in crystals, 5=10070. Absorption spectra of the solid state, 6=230. Study of exciton spectra at very low temperatures, 7=4882. Experimental study and attempt to interpret fundamental absorption spectra of pure crystals, 9=4443. Spectroscopy of the solid body and exciton spectra, 9=6718. See also Barriol,J., 6=3355, 7=6392; Perny,G., 7=7002; Sieskind, M., 7=9094, 9=10773

Nikitine,S., Couture,L., Perny,G. and Reiss,R. Absorption spectrum of copper iodide at low temperatures, 6=218

Nikitine,S., Couture,L., Perny,G. and Sieskind,M. Researches on the spectra of various semiconductors, 6=324*. On the spectral line series for exciton formation in Cu_2O, 6=798

Nikitine,S. and El Komoss,S.G. Theory of perturbations in the metallic model approximation. Application to changes in absorption spectra due to substitution, 5=7246

Nikitine,S. and Perny,G. Study of the spectrum of absorption rays of PbI_2 at very low temperatures, 5=3579. Study of the anomalous dispersion of lead iodide, 5=7818*. Low temperature emission and absorption spectra of PbI_2, 7=5222

Nikitine,S. and Reiss,R. Study of the absorption of residual rays and of "missing" rays of CuI at 77°K in the visible spectrum, 6=3617. Study of the absorption and reflection spectra of thin films of some semiconductors, in the visible and near ultraviolet, at liquid nitrogen temperature, 6=4994. Luminescence of thin layers of CuI at very low temperatures, 7=5219. Anomalous dispersion of CuI at 77°K, 7=5967. Qualitative study of the transmission spectra of thin films of CuI at 77°K as a function of their thickness, 7=7012. Study of the absorption and emission of a very thin layer, of CuI at 4.2°K, 7=9070. Study of the absorption, reflection and emission spectra of a very thin layer of CuBr at 4.2°K, 7=9076

Nikitine,S., Reiss,R. and Perny,G. Study of the absorption lines of the "green series" of copper oxide Cu_2O at very low temperatures, 5=3578. Contribution to the study of the absorption and reflection spectra of CuI and CuBr at low temperatures, 6=4311. On some new observations concerning the spectrum of exciton lines in CuI, 6=6525

Nikitine,S., Reiss,R. and Sieskind,M. Classification of the spectra of solids and their origin by excitation, 8=8680

Nikitine,S. and Sieskind,M. Contribution to the study of the dichroism of the spectrum of single crystals of HgI_2, 5=6024

Nikolae,M. See Labeu,V., 9=13526

Nikolaev,F.A. See Bogdankevich,O. V., 7=2666

Nikolaev,M.N. See also Kovalev,V.P., 8=7397

Nikoleav,M.N., Golubev,V.I. and Bondarenko,I.I. Fission of U^{238}, 9=8647

Nikolaev,V.P. See Zhevandrov,N.D., 7=9032

Nikolaev,V.S. On the capture cross-section for electrons, 8=4089. See also Teplova,Ya.A., 8=1744, 8=7136

Nikolaev,V.S., Fateeva,L.N., Dmitriev,I.S. and Teplova,Ya.A. Equilibrium distribution of charge in a nitrogen ion [beam], 8=1730. Charge-exchange cross-sections of nitrogen ions in gases, 8=4090. Equilibrium distribution of charges in a beam of light of ions elements, 8=5986

Nikolaeva,S.M. See Umanskij,J.S., 7=9423

Nikolajeva,N.V. See Frumkin,A.N., 7=8241

Nikolic,M. See Deutsch,S., 6=3951; Eisenberg,Y., 8=6177, 9=2644, 9=6041; Lohrmann,E., 8=1199

Nikolov,N. See Khristov,Kh., 7=7668

Nikol'skiĭ,A.P. Geographical distribution of the anomalous absorption of radiowaves by ionosphere in high latitudes, 7=6766

Nikol'skiĭ,B.A. See also Alpers,V.V., 6=8972-3. 7=6315; Barkov,L.M., 7=9406; Dobretsov,Yu.P., 9=9981; Gurevich,I.I., 8=8088, 8=8235; Kudrin,L.P., 7=4697

Nikol'skiĭ,B.A., Kudrin,L.P. and Ali-Zade,S.A. Inelastic scattering of 160 MeV π^--mesons on photographic emulsion nuclei, 7=5611
Nikol'skii,G.M. The possibility of absorption of solar L_{α}-radiation by the interplanetary medium, 9=10503; Dovzhenko, O., 8=4098
Nikol'skiĭ,S.I. See also Danilova,T.V., 8=7151; Dobrovol'skiĭ, S.P., 7=3419; Dovzhenko,O.I., 8=5091, 8=8091, 9=11176; Vavilov,Yu.N., 8=1757; Zatsepin,G.T., 8=8104
Nikol'skiĭ, S.I. and Pomanskiĭ,A.A. Investigation of extensive cosmic-ray showers under dense substances, 9=2468
Nikolskiĭ,S.I. and Satsevich,I.E. Influence of the earth's magnetic field on the spatial distribution of particles in wide atmospheric showers, 7=3418
Nikol'skiĭ,S.I. and Seleznev,V.M. Distribution of the electron–photon component on the periphery of extensive cosmic-ray air showers, 8=1756
Nikol'skiĭ,S.I., Vavilov,Yu.N. and Batov,V.V. A study of the nuclear interacting component of extensive air showers of cosmic radiation, 7=4512
Nikonov,V.B. See Butslov,M.M., 9=10499
Nikonova,E.I. and Prokof'ev,V.K. The ratio of the intensities of the oscillators of components of the resonance multiplets of Al, Tl, Cr, Mn, Mo and ions of Ba,Ca, and Sr, 7=4414. Determination of the concentrations of metal atoms in the plasma of a d.c. arc burning under a reduced pressure, 7=4415. Investigation of the radial distribution of metallic atoms in a direct-current arc flame, 9=10753. The distribution of neutral atoms in the plasma of a direct-current arc, 9=12328
Nikuradse,A. See Joerges-Heyden,M., 5=4627; Musset,E., 6=4387
Nilan,T.G. See also Paxton,W.S., 5=9249
Nilan,T.G. and Paxton,W.S. Domains of reverse magnetization in ferromagnetic metals, 5=3882
Nilheden,G. The perturbations in the near ultra-violet band-systen (D-X) of silicon monosulphide, 6=3059
Nilov,E.V. See Vanyukov,M.P., 5=7612
Nilsen,N.V. See Kerst,D.W., 6=5157
Nilson,R. See also Kerman,R.O., 7=8666
Nilson,R., Jentschke,W.K., Briggs,G.R., Kerman,R.O. and Snyder,J.N. Investigation of excited states in Be^8 by alpha-particle scattering from He, 9=582
Nilson,R., Kerman,R.O., Briggs,G.R. and Jentschke,W. Alpha-alpha particle scattering in the energy range 12. 3 to 22. 9 MeV, 7=3370
Nilsson,A. See Malmfors,K.G., 8=4072
Nilsson,G. and Aniansson,G. Proportional flow counter with high-humidity gas, 5=4750
Nilsson,M. See Wilhelmsson,H., 8=3378
Nilsson,N. On the corrections of the measured integrated Bragg reflections due to thermal diffuse scattering, 8=6509. Essential self-adjointness and the spectral resolution of Hamiltonian operators, 9=4267
Nilsson,N.E.. See Lagerqvist,A., 6=5763
Nilsson,N.E.L. See Lagerqvist,A., 8=7439-40
Nilsson,R. See also Leden,I., 5=4419
Nilsson,R., Siegbahn,K., Berggren,A. and Ingelman,B. Be^7 content in snow, 8=5549
Nilsson,S. On the identification of stopping particles in nuclear emulsions, 7=1582. A decay of a negative τ', 8=284. See also Bhowmik,B., 7=8866, 8=704; Ekspong,A.G., 8=7287
Nilsson,S. and Frisk,Å. Interactions in flight of negative heavy mesons, 9=551. Decay modes and lifetime of negative heavy mesons, 9=1677. Emission of charged $\Sigma + \pi$ from K^-–proton capture in nuclear emulsions, 9=2651
Nilsson,S.B. On the Coulomb effect for the internal bremsstrah--lung accompanying beta decay,, 7=661
Nilsson,S.G. Binding states of individual nucleons in strongly deformed nuclei, 7=3526. See also Mottelson,B.R., 5=7283 6=1464, 9=3822
Nilsson,S.G. and Rasmussen,J.O. On anomalous conversion coefficients of dipole transitions, 8=2556
Nimeroff,I. Propagation of errors in tristimulus colorimetry, 7=7801
Nimura,H. Anomalous lattice spacings caused by stacking disorder, 5=10096
Nimura,T. See also Fukushima,K., 6=6489
Nimura,T. and Shibayama,K. Effect of the splayed walls of a room on the steady-state sound transmission characteristics, 7=4103
Nin Khu. See Khu Nin.
Ning Hu On multiple production of mesons by high energy nucleon collisions, 5=5894. Scattering functions with crossing symmetry and their applications to the problems of meson–nucleon scattering, 8=5651; a correction, 8=5652. The proper field of a physical nucleon, 9=8447
Ninomiya,K. and Ferry,J.D. Some approximate equations useful in the phenomenological treatement of linear viscoelastic data, 9=11605
Ninomiya,M. Rotational analysis of the CrO bands, 6=204. Rotational intensity distribution of the OH band, 7=586
Ninomiya,T. On the dielectric losses in impure ionic crystals, 9=12207
Nio Liem Djan See Liem Djan Nio,
Nisbet,A. Hertzian electromagnetic potentials and associated gauge transformations, 5=8927. Source representations for Debye's electromagnetic potentials, 6=3036. Electromagnetic potentials in a heterogeneous non-conducting medium, 7=9277
Nisbet,J.S. See also Brennan,J.N., 8=5671
Nisbet,J.S. and Brennan,J.N. Some secondary effects related to impact wave forms, 8=2900
Nisbet,W. An instrument for measuring respiratory rates and volumes, 6=4124
Nishida,M. See Hayashi,C., 7=7357, 9=12699
Nishida,Y. Deuteron-deuteron reaction at high energy, 6=8374. Remarks on the elastic scattering of deuterons by heavy nuclei, 9=12679
Nishijima,K. Many-body problem in quantum field theory. II, 5=3428, 5=9391. Many-body problem in quantum field. III, 6=3479. Charge independence theory of V particles, 6=3996. Solutions in a Bethe-Salpeter equation for scattering states, 6=6373. Some remarks on the reaction $K^- + d \rightleftarrows \Sigma^- + p$, 6=6927. On the interaction between hyperons and nucleons, and the hyperfragments, 6=6931. On the theory of leptons, 7=9533. Vanishing of the neutrino rest mass, 8=1826. Formulation of field theories of composite particles, 9=2081. Introduction of a neutral pseudoscalar field and a possible connection between strangeness and parity, 9=6504*. See also Kawaguchi,M., 7=743-4, 8=1866; Shindo,M., 6=77
Nishijima,Y. See also Oster,G., 6=7304
Nishijima,Y. and Oster,G. Concentration dependence of diffusion coefficient: analysis of skewed diffusion curve, 7=8451
Nishikawa,K. See Minakawa,O., 9=12425; Tokunaga,S., 7=9378*, 8=5179
Nishikawa,T. Fine structure of $J = 1 \leftarrow 0$ transition due to internal rotation in methyl alcohol, 6=7570. Microwave studies of the internal motion and the structure of methyl amine, 8=8381. See also Kojima,T., 5=4540, 8=6391; Sekino,S., 7=4156; Shimoda,K., 5=2607
Nishikawa,T., Itoh,T. and Shimoda,K. Molecular structure of methylamine from its microwave spectrum, 6=540
Nishikawa,T. and Shimoda,K. Inversion spectrum of ammonia, 5=2587
Nishimura,J. See also Hasegawa,S., 8=2378; Minakawa,O. 9=12425
Nishimura,J. and Kamata,K. Theory of air shower, 5=9391
Nishimura,K. Polarization of nucleons elastically scattered by nuclei, 8=5354. Inelastic scattering of 96 MeV protons, 8=8317. See also Halpern,F.R., 9=9229
Nishimura,K. and Ruderman,M. Polarization of high-energy nucleons scattered by carbon, 7=6546
Nishimura,T. See Hayasi,T., 9=5775
Nishimura,Y. See Hasegawa,S., 8=2378; Minakawa,O., 9=12425
Nishina,Y. and Spry,W.J. Measurement of the Hall mobility in n-type germanium at 9121 megacycles, 8=3107
Nishioka,A. Optical observation of the first-order transition of barium titanate single crystal at the Curie point, 5=7900
Nishioka,A., Komatsu,H. and Kakiuchi,Y. Nuclear magnetic resonance in some crystalline polymers, 8=4280
Nishioka,A. and Koyama,R. Apparent molecular weight of poly-trifluorochloroethylene, 6=1716
Nishioka,A. and Okamoto,H. Measurement of the complex permeability of carbonyl iron powders at 4000 Mc/s, 5=4622
Nishioka,A. and Sekikawa,K. Powder density measurement by gas burette, 5=5905. Growth and extinction of guanidine aluminium sulfate hexahydrate crystals, 9=5239
Nishioka,A., Sekikawa,K. and Owaki,M. Effect of Fe_2O_3 on the properties of barium titanate single crystals, 6=4380
Nishiwaki,J. Gloss of machine glazed papers, 7=5209
Nishiyama,S. Absolute measurements of micro-acoustic vibra-

tion,5=3502

Nishiyama,T. A hydrodynamical description of many Bose particle systems, 5=3458. Theory of sound waves and collective description, 6=6817. State vectors in the collective description, 7=7631. On collective and internal motions in a Bose system, 9=11857. See also Husimi,K., 9=2035, 9=4306

Nishiyama,T. and Kamiya,K. On energy spectra of helium II, 5=9391

Nishiyama,Z., Tsubaki,A., Suzuki,H. and Yamada,Y. Temperature distribution during the martensite place formation, 9=11592

Nishizaki,R. See Nomura,Y., 9=11647

Nissan,A.H. A molecular approach to the problem of viscoelasticity, 5=5002

Nissen,W. Investigations on a high-pressure hydrogen arc, 5=1878

Nisteruk,C.J. and Juretschke,H.J. Exchange potential in the statistical model of atoms, 5=3007

Nitka,H. and Stammers,D.W., A new reflection densitometer, 5=10159

Nitka,H.F. and Jones,D.P. Photographic method for megaroentgen dosimetry, 8=4207

Nitsovich,V.M. On the theory of kinetic phenomena in a semiconductor with a narrow impurity zone, 8=7912. Some problems in the theory of semiconductors with a narrow impurity zone, 9=10971. See also Samoĭlovich,A.G., 8=4002

Nitta,I. See Tadokoro,H., 5=7853

Nittel,J. Measurement of velocity of sound in plastics by transmission and echo methods, 9=9347

Nitzsche,K. See Eckardt,A., 9=4469

Niu,K. On the χ-μ decay-in-flight in the photographic emulsion exposed at high altitude, 5=541. On the unstable heavy meson decaying in flight in the photographic emulsion exposed at high altitudes, 5=2849. A model for multiple meson production in nucleon–nucleon collisions, 9=3754. See also Minakawa,O, 9=12425

Niven,C.D. The effect of high loading on the kinetic friction of ice, 5=2262. On the effect of speed on the kinetic friction of some plastic materials on ice, 6=4051. On the friction of inflated rubber tires on ice, 8=6468. The change of resistance of hydrophilic films subjected to constant voltage, 9=8082. A proposed mechanism for ice friction, 9=8946

Nivert,J.M.,Jr. See Hamilton,E.H., 9=6299

Nixon,A.C. and Thorpe,R.E. Radiation chemistry of cyclohexane, 8=6485

Nixon,C.W. and von Gierke,H.E. Experiments on the bone-conduction threshold in a free sound field, 9=11693

Nixon,E.R. See Freitag,W.O., 6=1979; Linton,H.R., 8=7465, 9=1285; Wiener,R.N., 6=8676, 7=5189

Nixon,H.L. and Fisher,H.L. An improved spray droplet technique for quantitative electron microscopy, 8=3496

Nixon,J.D. See also Banbury,P.C., 7=7865

Nixon,J.D. and Banbury,P.C. Time dependent changes of surface lifetime in germanium in the presence of electric fields, 6=5873. Junctions induced in germanium surfaces by transverse electric fields, 7=6177. Time dependent changes in excess carrier concentrations in the presence of surface recombination, 9=2321

Nixon,W.C. Improved resolution with the X-ray projection microscope, 5=7993. High-resolution X-ray projection microscopy, 6=2916

Nixon,W.C. and Cosslett,V.E. Microradiography. II. Projection microradiography, 7=1821

Nizametdinova,M. See Azimov,S.A., 7=4700

Noake,H. See Mizushima,Y., 6=6213

Noaks,J.W. The APPR zero-power experiments, 9=10145

Nobe,K. and Seyer,W.F. Effect of torsional stress on the electrode potential copper, 9=5224

Nobel,D. de See de Nobel,D.

Nobel,J. de See de Nobel,J.

Nobile, V. The problem of the frame of reference for stellar motions and its essential connection with the investigation of the galactic potential. I, 7=2914

Noble,R. and Jacob,L. "Continuous" intensities in the soft X-ray region, 7=2285

Noble,R.H. See Nichols,N.L. 5=2582

Noble,W.J. On the focusing effect of reflection and refraction in a velocity gradient, 5=9501. A theory of the shadow zone diffraction of under-water sound, 7=4081

Nobles,R. See Northrop,J.A., 6=5970

Nobles,R.A. Detection of charged particles with gas scintillation counters, 6=5172. See also Beyster,J.R., 5=4071, 5=7374. Loss Alamos Physics and Cryogenics Groups, 9=11478

Nobles,R.A. and Leachman,R.B. Neutron-induced fission of Ra^{226}, 8=5398

Nobles,R.G. and Smith,A.B. Fission chamber measures neutron distribution quickly, accurately, 6=4025

Nochevkina,I.I. An approximate method for the investigation of plane vortex flow in magnetohydrodynamics, 9=13496

Noci,G. and Rigutti,M. On partition functions, 8=6668

Nocilla,S. On the existence of points with infinite acceleration on the contours of aerofoils with finite curvature in transonic flow, 9=10690

Noddack,W. and Walch,H. On the electrical conductivity of oxides, 9=10982

Noddack,W. and Zeitler,G. Age determination of granite from the Fichtelgebirg by the argon method, 5=3297

Nodvik,J. See Melkanoff,M.A., 6=3210

Nodvik,J.S. See Melkanoff,M.A., 7=6285

Noga,K. and Nakamura,K. Cathode-luminescence study of (BaSr)O, 5=211, 5=5341

Nogami,Y. On the charge distribution of the nucleon, 8=1170. See also Fukutome,H., 7=8402

Nogami,Y. and Hasegawa,H. Intermediate coupling meson theory of nuclear forces. II, 6=8591

Noggle,T.S. See also Blewitt,T.H., 7=8205; Coltman,R.R., 7=6626

Noggle,T.S. and Koehler,J.S. Electron microscopy of aluminum crystals deformed at various temperatures, 7=4812

Noggle,T.S. and Stiegler,J.O. Electron microscope studies on the etching of irradiated germanium, 9=10310

Noguchi,S. See Sato,T., 8=3987

Nolan,G.F. On the functional relation between luminous energy, target size, and duration of foveal stimuli, 7=6794

Nolan,P.J. The disappearance of condensation nuclei in a sealed room: Remarks on a paper by Smith and Schilling, 5=1404

Nolan,P.J. and Kuffel,E. Production of nuclei from ammonia and nitric acid, 7=957. Coagulation and diffusion of enclosed nuclei, 7=959

Nolan,P.J. and O'Connor,T.C. Size, mobility and charge of multiply charged ions, 6=3800. The photo-electric nucleus counter as hygrometer, 7=1769

Nöldeke,G. Isotope shift in the NdII spectrum, 6=2779. Fine and hyperfine structure of some Mn I terms, 9=4429

Nöldeke,G. and Rottmann,H. On the nuclear quadrupole moment of Mn^{55}, 8=312

Nöldeke,G. and Steudel,A. On the isotope shift in the Nd II spectrum, 5=171

Nolin,B. See Bennett,R.G., 8=8509; Lord,R.C., 5=4853, 6=3624

Noll,W. Insulating properties of sheet asbestos paper, 7=6102. See also Coleman,B.D., 9=13053, 9=13240

Nolle,A.W., See also Billings,J.J., 9=745; Hoyer,W.A., 6=4242; Mifsud,J.F., 6=4262; Morgan,L.O., 6=5236, 6=7197, 9=9835; Runyan,W.R., 8=79; Singh,H., 9=7553

Nolle,A.W. and Billings,J.J. Proton magnetic resonance in polyisobutylene at various temperatures, pressures, and frequencies, 9=3985

Nolle,A.W. and Henneke,H.L. Automatic frequency control for a marginal-oscillator magnetic absorption spectrometer, 8=6053

Nolle,A.W. and Morgan,L.O. Frequency dependence of proton spin relaxation in aqueous solutions of paramagnetic ions, 7=6400

Nölle,E. A new procedure for the determination of the plasma potential in low pressure discharges, 6216. Anode-fall measurements in low pressure discharges, 9=7018

Nolle,H. See Laszlo,F., 9=8923

Noller,G.W. See Penther,C.J., 8=1591

Nöller,H.-G. The physical processes occurring in diffusion and vapour jet pumps. I. Properties of the vapour-jet and stability of the forevacuum, 5=6802; II. Mixing of air and vapour, and the pumping speed, 5=6803. See also Bachler, W., 8=7751; Reich,G., 8=7752

Nöller,H.G. and Mürtz,H.J. Separation of gas mixtures in a circular stream, 9=113

Noltingk,B.E. History of electrical devices for measuring strains and small movements, 5=5238

Nomarski,G. Microscopy in the infrared, 5=4577. Differential microinterferometer with polarized waves, 5=5348*

Nomarski,G. and Rousseau-Gaudiex,M. The influence of semi-coherent illumination of the limit of resolution. Case of an annular source, 5=6069

Nomofilov,A.A. A possible case of decay of a τ'-mesons with emission of an electron–positron pair, 8=4243. See also Bannik,B.P., 8=3384, 8=8281; Bayatyan,G.L., 9=13665

Nomoto,A. Ultrasonic machining by low power vibration, 5=2528. Resonance method of inspecting thickness and flaws, 5=5240

Nomoto,M. Matrix elements of β-decay for a spheroidal core m model, 6=1530

Nomoto,O. Molecular sound velocity and molecular compressibility of organic halogen compounds, 5=2508. Theory of the ultrasonic absorption in aqueous solutions. I. Introduction and general theory, 6=8630. Irreversible production of entropy and the absorption of sound, 6=8752. State of association of water molecules in aqueous solutions as deduced from sound velocity data, 7=4020. Phenomenological theory of the molecular absorption and dispersion of sound in fluids and the relation between the relaxation time of the internal energy and the relaxation time of the internal specific heat, 7=5128. Intermolecular free length in liquids in relation to sound velocity, 8=3773. Theory of the ultrasonic absorption in aqueous solutions. II. Aqueous solutions of some alcohols, 8=3814. Empirical formula for sound velocity in liquid mixtures, 9=2161. Deviation from linearity of the concentration dependence of the molecular sound velocity in liquid mixtures, 9=10705. See also Kishimoto,T., 5=2515-16, 6=1000

Nomoto,O. and Kishimoto,T. Molecular sound velocity of aqueous sugar solutions, 7=7682

Nomoto,S. See Nakagawa,S., 9=2777

Nomura,K.C. and Blakemore,J.S. Decay of excess carriers in semiconductors, 9=2320

Nomura,S. Dielectric properties of titanates containing Sn^{4+} ions. I, 5=2709. On a change of dielectric property of $(Ba_{0.5}:Sr_{0.5})\ TiO_3$ ceramics due to the thermal treatment, 7=345. Solid state reaction between barium titanate and strontium titanate, 7=784. See also Kinosita,K., 9=12152; Sawada,S., 9=276; Yoshida,I., 9=13209

Nomura,S. and Kinosita,K. A note on the theories underlying the polarimetric study of very thin dielectric surface layers, 9=13243

Nomura,S. and Kobayashi,J. Dielectric properties of lead titanate and its solid solutions at low temperature under strong electric field, 8=3974

Nomura,S. and Sawada,S. Dielectric properties of lead-strontium titanate, 5=2708

Nomura,T. See Kimata,M., 6=5022

Nomura,Y., Katanoi,S., Echizenya,Y., Nishizaki,R., Ishizawa,K., Mori,T. and Kokaku,T. Characteristics of F2 multiple reflections. II, 9=11647

Nomura,Y. and Katsura,S. Diffraction of electromagnetic waves by circular plate and circular hole, 5=5526. Diffraction of electromagnetic waves by ribbon and slit. I, 8=4180

Nomura,Y. and Takaku,K. On the propagation of the electromagnetic waves in an inhomogeneous atmosphere, 5=9791

Nonaka,I. See also Ryu,N., 9=4717; Yokota,M., 9=3581

Nonaka,I., Morita,S., Kawai,N., Ishimatsu,T., Suematsu,S., Takeshita,K., Nakajima,Y. and Wakuda,Y. On the neutrons from the $N^{14}(d,n)O^{15}$ reaction, 6=1576

Nonaka,I., Morita,S., Kawai,N., Ishimatsu,T., Takeshita,K., Nakajima,Y. and Takano,N., On the neutrons from the $N^{14}(d,n)O^{15}$ reaction. II, 8=3375

Nonaka,M. Method for the measurement of the total flux of a fluorescent lamp, 8=5743

Nonnenmacher,W. and Schweizer,L. The determination of the permeability of ferromagnetic materials from the thermal noise-voltage of a coil, 8=8917

Nonweiler,T. Effect of solar flares on earth satellite 1957 β, 9=1011

Nooh,H. See Barakat,N., 8=1628

Nooijen,B. van. See van Nooijen,B.

Noon,J.H. See also George,E.P., 6=3975; Herz,A.J., 6=7723; Kaplon,M.F., 5=1023; O'Brien,B.J., 7=8696, 8=6014

Noon,J.H., Herz,A.J. and O'Brien,B.J. Relative abundances of different charge groups of heavy primary cosmic-ray nuclei, 7=6311. An observed cosmic-ray flux of light elements at 41°N. geomagnetic latitude, 7=8695

Noon,J.H. and Kaplon,M.F. Interactions of the heavy nuclei of the cosmic radiation, 5=2851

Noon,J.H. and O'Brien,B.J. Sophomore experiment in thermoelectricity, 9=323

Noonan,E.C. See Bryan,G.J., 8=7580

Nooyan,B. van. See van Nooyen,B.

Norbeck,E.,Jr. New nuclear reactions induced by 2-MeV lithium ions; the masses of B^{13} and C^{15}, 7=3630. See also Allison, S.K., 6=5162, 6=5382

Norbeck,E.,Jr and Littlejohn,C.S. Experimental survey of nuclear transformations caused by 2 MeV lithium ions, 8=8329

Norberg,R.E. See Bruce,C.R., 6=3894, 7=1517; Burgess,J.H., 6=2242; Holcomb,D.F., 5=7227; Lowe,I.J., 7=8037

Norbury,J. See also Booker,G.R., 7=7503, 7=7510, 9=862

Norbury,J. and Shewring,D. A sensitive micrometer for measuring small displacements, 8=3748

Nordberg,M.E. See Barnes,C.A., 9=3864; Parker,C.J., 9=10797

Nordberg,U.-B. See Minnhagen,L., 5=1679

Nordfors,B. A note on the Al $K\alpha_3\,\alpha_4$ lines in metal and oxide, 5=8803. On the K spectrum of aluminium and its oxide, 7=435. See also Sandström,A.E., 5=195

Nordfors,B., Rudström,L. and Sandström,A.E. Elimination of overlapping orders in X-ray absorption spectra, 8=8019

Nordhagen,R. See also Ager-Hanssen,H., 6=3959; Ashmore,A., 8=1270; Brown,G.E., 8=2588

Nordhagen,R. and Thomassen,J. γ-rays from the decay of Zr^{97}, 7=667

Nordheim,L.W. The shell model and β-decay, 5=6382. See also Grayson,W.C.,Jr, 6=5366-7

Nordin,P., Orear,J., Reed,L., Rosenfeld,A.H., Solmitz,F.T., Taft,H.D. and Tripp,R.D. Leptonic decays of hyperons, 9=2659

Nordin,P.,Jr. See Leitner,J., 9=13580

Nording,C. Reflection properties of the 211 planes in calcite, 7=3832. See also Brogren,G., 5=5094; Sokolowski,E., 8=5910, 8=7424

Nordling,C., Siegbahn,K., Sokolowksi,E. and Wapstra,A.H. Possible finite nuclear size effect on the 279 keV transition in Tl^{203}, 7=4668

Nordling,C., Sokolowski,E. and Siegbahn,K. Precision method for obtaining absolute values of atomic binding energies, 7=5569. Evidence of chemical shifts of the inner electronic levels in a metal relative to its oxides (Cu, Cu_2O, CuO), 9=1860

Nordman,C.E., Patterson,A.L., Weldon,A.S. and Supper,C.E. An integrating mechanism for the Buerger precession camera, 5=8403

Nordø,J. See Jensen,E., 7=1023

Norinder,H. The wave-forms of the electric field in atmospherics recorded simultaneously by two distant stations, 5=3339. Magnetic field variations from lightning strokes in vicinity of thunderstorms, 6=5566

Norinder,H. and Knudsen,E. Pre-discharges in relation to subsequent lightning strokes, 9=9095. Atmospheric electric discharges from distant snow squalls and occlusion fronts, 9=9097

Norinder,H. and Salka,O. The determination of electric discharge fields with a special klydonograph, 5=2697. Long sparks from negative electrode with limited current in air atmospheric pressure, 7=4391

Norinder,H. and Siksna,R. Electric charges measured in the air when blowing snow, 5=5152. Atmospheric-electric elements measured at Uppsala during the solar eclipse of June 30, 1954, 6=9129. Continued measurements of ions formed by corona discharge, 7=3314. Ions formed in a room by a polonium ion generator, 9=8260

Norinder,H. and Vollmer,B. Variation forms and time sequence of multiple lightning strokes, 9=9094

Norinder,O. and Knudsen,E. A new method of measuring rapid magnetic field variations from atmospheric electric discharges by using a loop system on the earth's surface, 9=9093

Norinelli,A. The gradient of the gravitational field, 8=6608

Norlind,N. A note on mass estimation by the range-scattering method, 5=3135. Photo-electric determination of the energy loss of fast heavy particles ($Z \geqslant 2$) in nuclear emulsions, 5=4276

Norman,I. and Porter,G. Trapped atoms and radicals in rigid solvents, 5=7457

Norman,N. Interference phenomena with Compton scattering, 9=7051. The Fourier transform method for normalizing intensities, 9=7635

Norman,R.J. Influence of the earth's magnetic field on air showers, 6=2980. A proportional counter with grid control, 6=3792. The energy spectrum of extensive air showers, 7=1429

Norman,V. and Morrow,J.C.,III. Magnetic properties of some iridium complexes, 9=9762

Norris,S. See Cranshaw,T.E., 9=377

Norris,W.G. and Klemperer,W. Dipole derivative of lithium hydride, 8=7468

Nirrish,R.G.W. See also Christie,M.I., 5=8955; Lipscomb,F.J., 6=3886

Norrish,R.G.W. and Porter,G. The application of flash techniques to the study of fast reactions, 5=5017

North,A.C.P. See Finch,J., (Conf.Rep), 8=3581

North,A.C.T. A cubic form of ox haemoglobin, 9=9046

North,J.M. A high temperature adiabatic calorimeter and the specific heat of uranium between 100° and 800°C, 7=334

North,R.J. See Holder,D.W., 5=8435

Northcliffe,L.C. See Knecht,D.J., 9=8453

Northover,F.H. Long distance v.h.f. fields. I. Partial reflection from a standard atmosphere, 5=7214; II. Refractivity profiles containing "sharp layers", 5=7215; III, The case of two elevated layers, 5=7216. Radiation and surface currents from a slot on an infinite conducting cylinder, 8=4183

Northrop,D.C. See also Harding,W.R., 8=6896; Simpson,O., 5=3620

Northrop,D.C. and Simpson,O. Electrical conductivity of some condensed aromatic hydrocarbons, 5=2722. Photo-effects in condensed aromatic hydrocarbons, 6=2884. Electronic properties of aromatic hydrocarbons. I. Electrical conductivity, 6=3873; II. Fluorescence transfer in solid solutions, 6=3874; IV. Photoelectric effects, 8=4025

Northrop,J.A. See also Stokes,R.H., 8=8958

Northrop,J.A., Gursky,J.M. and Johnsrud,A.E. Further work with noble element scintillators, 9=4475

Northrop,J.A. and Nobles,R. Los Alamos gas counters, 6=5970

Northrop,J.A. and Stokes,R.H. Continuous energy monitor for the external beam of a cyclotron, 9=496

Northrop,T.G. Helmholtz instability of a plasma, 7=418

Northwood,T.D., Grisaru,M.T. and Medcof,M.A. Absorption of sound by a strip of absorptive material in a diffuse sound field, 9=6667

Northwood,T.D. and Stevens,E.J. Acoustical design of the Alberta Jubilee auditoria, 8=8667

Norton,F.J. Permeation of gases through solids, 7=4801. Nondiffusibility of oxygen through platinum, 8=7530

Norton,L.E. Coherent spontaneous microwave emission by pulsed resonance excitation, 8=956

Norton,R. and Klein,A. Significance of the redundant solutions of the Low–Wick equation, 8=1522

Norton,R.E. and Klein,A. Complete set of dispersion relations for a class of fixed-source meson theories, 8=8592

Norton,R.E. and Watson,W.K.R. Consequences of a pseudovector pion–nucleon coupling and the universal β-decay, 8=7270

Norwood,M.H. and Briscoe,C.V. Elastic constants of potassium iodide and potassium chloride, 9=5193

Nosanow,L.H. Statistical mechanics of multicomponent systems: perturbation theory, 9=6551

Nosanow,L.H. and Mayer,J.E. On the virial coefficients of a Lennard-Jones gas, 8=3788

Nosenko,B.M., Revzin,L.S. and Yaskolko,V.Ya. Application of the $CaSO_4$(Mn) phosphor in dosimetry, 7=2592. On phosphors based on $CaSO_4$, 9=10856

Nosenko,B.M., Strukov,M.A. and Yagudaev,M.D. Luminescence of crystal phosphors on excitation with ions, 9=10849

Nosikov,O.V. See Aleksandrov,K.S., 7=3764

Nöske,H. Studies of short a.c. arcs in air. I, 9=327; II, 9=5761

Nosov,V.G. Towards a statistical theory of fission width, 7=1580. Energy dependence of fission widths, 7=3622. Fine structure of α-decay even–even nuclei, 7=5586. Fine structure in the α-decay of odd nuclei, 8=4274

Nosov,Yu.A. and Ratner,S.B. The radial compressive force of rubber packing rings at reduced temperatures, 9=4076

Nosova,G.I. See Bagaryatskii,Yu.A., 9=10384

Nossek,R. Determination of the mean free path of the conduction electrons in potassium, 6=2074. See also Mayer,H., 6=6610

Nosulenko,N.A. See Shklyarevskiĭ,I.N., 8=1592

Notsuki,M., Nagasawa,S. and Shimizu,I. A thallium-lamp photometer for the coronal observation, 5=5164

Nott,C.W. See Bovey,L.F.H., 7=1174

Nottingham,W.B. Thermionic diode as a heat-to-electrical-power transducer, 9=7072. See also Mahlman,G.W., 7=7924

Nottingham,W.B., Hatsopoulos,G.N. and Kaye,J. Addendum remarks on a diode configuration of a thermo-electron engine, 9=13371

Notuki,M., Nakagomi,Y. and Fukatsu,M. Solar corona and geomagnetism, 6=7107

Nougaro,J. and Duffour,P. Graphical method of calculating the propagation of surges in a channel of arbitrary section, 9=99

Nourse,O. A frequency comparator using electron and proton resonance in a common magnetic field, 8=377

Noury,J. Velocity of ultrasound of 585 kc/s in propane in the region of the critical state, 5=2505. Apparatus for the study of the propagation of ultrasound in highly compressed gases, 6=4908. Experimental study of the velocity of ultrasound in the critical region of liquids, 9=4376. See also Abdel Aziz M'Hirsi, 7=6958; Galatry,L., 6=7213

Novák,C. The rapid indexation of lines in X-ray analysis of powder samples by a graphical method, 5=4187

Novak,G. Crystallography of germanium, 9=1935

Novák,R. Metallic bolometers in periodically interrupted radiation, 9=4516. The theory of metallic bolometers, 9=4517. Metallic bolometers with temperature dependent thermal impedance, 9=8032

Novakov,T. See also Hultberg,S., 8=3139; Stockendal,R., 9=603

Novakov,T., Hultberg,S. and Andersson,B. A study of the gamma rays of Pb^{206} from the decay of Bi^{206} by the method of external conversion in uranium, 8=6268

Novakov,T., Stockendal,R., Schmorak,M. and Johansson,B. On the decay of Bi^{203}, 9=604

Nováková,O. Spectral composition and intensity of luminescent radiation of a photographic emulsion, 9=9482, See also Šilar,J., 9=8206

Novaković,M.M. Nomographic determination of the thermal utilization factor, 5=8267

Novakovsky,S.V. Calculation of luminance in a colour television receiver, 9=9370

Novey,T.B. Alpha-gamma directional correlation measurments with liquid film sources, 5=2133. See also Albers-Schönberg,H., 5=2075; Boehm,F., 8=8298; Burgy,M.T., 8=1173, 8=7251, 9=2597; Freedman,M.S., 7=455; Krohn,V.E., 7=4670; Porter,F.T., 5=7326, 6=8350

Novey, T.B., Freedman,M.A., Porter,F.T. and Wagner,F.,Jr, Beta–gamma directional correlation in Re^{186}, 6=8351

Novick,A. See also Bowman,M.G., 6=6947; Neubert,T.J., 6=6947; Van Dyken,A.R., 6=6947

Novick,A. and Neubert,T.J. Neutron-induced discomposition of graphite. X. Rate of bromine absorption, 6=6947

Novick,A., Neubert,T.J. and Van Dyken,A.R. Neutron-induced discomposition of graphite. VII. Asymptotic annealing experiments, 6=6947

Novick,R. See also Cohen,V.W., 9=12616; Holloway,W.W.,Jr, 9=5094; Lipworth,E., 8=1283

Novick,R. and Commins,E. Hyperfine structure of the metastable state of singly ionized He^3, 7=2556

Novick,R. and Commins,E.D. Hyperfine structure of the metastable state of singly ionized helium-3, 9=1802

Novick,R., Lipworth,E. and Yergin,P.F. Fine structure of singly ionized helium, 6=201

Novick,R. and Peters,H.E. Orientation of rubidium atoms by spin exchange with optically pumped sodium atoms, 8=9078

Novick,K.M. See Bobÿkin,B.V., 8=3358

Novikov,A.G. See Ivanovskaya,I.L., 6=6735

Novikov,A.N., Pontekorvo (Pontecorvo)B.M. and Selivanov,G.I. On the possibility of production of penetrating radiation (μ°-mesons) in collisions of protons of high energy with nuclei, 6=3295

Novikov,A.S. See Kogarko,S.M., 5=250

Novikov,B.V. See Gross,E.F., 6=8804, 7=403, 7=5346, 8=5914, 9=9429

Novikov,D.L. See Glazov,A.A., 9=7029

Novikov,I.I. Some relationships for viscosity and thermal conductivity of liquids and gases, 7=9557

Novikov,M.M. See Tatevskii,V.M., 9=10177

Novikov,V.A. See Minarik,E.V., 7=6577

Novikova,G.I. See also Gol'din,L.L., 7=3598, 9=12621; Goldin,L.L., 6=8349; Kondrat'ev,L.N., 7=3599

Novikova,G.I., Kondrat'ev,L.N., Sobolev,Yu.P. and Gol'din,L.L. α-Decay of Pu^{239}, 8=1923

Novikova,L.A. See Landverg,G.S., 6=8683

Novikova,N.R. See Denisenko,G.F., 9=699

Novikova,V.G. See Klinger, M.I., 7=2208

Novitskiĭ,B.G., and Fridman,V.M. An ultrasonic device for measuring certain physico-mechanical properties of leather, rubber, plastics and high-molecular-weight materials, 8=921

Novodvorskaya,E.M. See Biberman,L.N., 6=8661

Novosel'skaya,A.I. See Nakhodkin,N.G., 9=11102

Novosil'tsev,N.S. and Khodakov,A.L. Dielectric hysteresis in BaTiO$_3$ monocrystals, 5=925. Dielectric characteristics of some solid solutions containing barium titanate, 6=5842

Novosil'tseva,N.D. See Bashilov,A.A., 9=10088

Novototskiĭ-Vlasov,Yu.F. See Rzhanov,A.V., 8=1057

Novozhilov,B.V. Age equation for γ-quanta, 8=6115

Novozhilov,Yu.V. On the quantum theory of a field with causal operators, 6=8572. Quantum field theory with causal operators, 7=1888. Variational principle and virial theorem for the continuous spectrum of the Dirac equation, 7=3959. Scale transformation and virial theorem in quantum field theory, 7=5890. Nuclear forces and the scattering of π-mesons, 8=4753. Reduction of the two-nucleon problem to the one-nucleon one in the nonrelativistic region, 8=517. On scattering of "clothed" particles in quantum field theory, 9=2088. On the asymptotic states of orientated particles, 9=2098

Novozhilov,Yu.V. and Terent'ev,I.A. Two nucleon LS-potential in non-relativistic meson theory, 9=10618

Novozhilov,Yu.V. and Tulub,A.V. Method of functionals in quantum field theory, 7=6916

Novozhilova,L.I. See Boltaks,B.I., 8=7533

Nowacki,W. Number of X-ray diffraction groups, 5=7519

Nowak,M. See Plyler,E.K., 7=5973

Nowak,W. and Tietz,T. On a simplification of Sommerfeld's polynomial method, 8=7710

Nowak,W.B. and Rapperport,E.J. Shape changes of internal surfaces in extrusion, 9=5205

Nowell,J.C. See Badessa,R.S., 9=12974

Nowick,A.S. Effect of plastic deformation on the γ-ray coloration of NaCl crystals, 8=6414. Defense of the strain-energy approach for small solute atoms, 8=9140. See also Bron, W.E., 8=6415; Damask,A.C., 5=9987; Feder,R., 8=3481, 9=803, 9=856; Fischbach,D.B., 5=10073, 8=8094; Gordon, R.B., 6=1742; Li,C.Y., 6=6952

Nowick,A.S. and Weisberg,L.R. A simple treatment of ordering kinetics, 8=3480

Nowotny,H. See Halla,F., 9=899

Noxon,J. See Elvey,C.T., 6=9146

Noyce,R.N. See Hartig,P.A., 6=7405; Sah,C.T., 8=178

Noyce,H.P. Effect of the failure of isotopic spin conservation on the pion-nucleon S waves, 6=2674. Alternative method for determining the pion–nucleon forward scattering amplitude, 9=3776. See also Chew,G.F., 8=8590. See also Gasiorowicz, S., 9=2078; Nigam,B.P., 5=8510

Noyes,H.P. and MacGregor,M.H. Analysis of 40 MeV p–p scattering, 8=6144

Noyes,H.P. and Pandya,S.P. Nucleon-nucleon potential with relativistic cutoff, 6=3496

Noyes,H.P. and Wong,D.Y. Modification of the effective-range formula for nucleon–nucleon scattering, 9=12551

Noyes,R.M. Magnitude of diffusive displacements in liquids, 6=2715

Noyes,W.A.,Jr. See Heicklen,J., 9=12112

Nozawa,M. See also Katoh,T., 8=745, 9=10079; Kikuchi,S., 9=352

Nozawa,M., Gotô,T., Yajima,N. and Nakasima,R. Antiprotons–nucleus and antiproton–proton interactions, 9=12671

Nozdrev,V.F. An investigation into the propagation of ultrasonic waves in the critical region of a liquid-vapour system, 6=4905. The use of ultrasonic method for studying organic substances in the critical region, 6=8022. Absorption of ultrasonic waves in ethyl acetate, 8=7775. See also Bormosov,Yu.N., 6=8021; Koshkin,N.I., 6=8054

Nozdrev,V.F. and Sobolev,V.D. Investigation of the ultrasonic properties of ethylacetate in the critical region, 7=3081. Measurement of ultrasonic wave absorption in ethyl acetate at the saturation line by a pulse method with a double fixed distance, 7=5138

Nozières,P. A collective descriptive of electrons in solids, 7=8735. Cyclotron resonance in graphite, 8=2655. See also Baruch,P., 6=323; Boyle,W.S., 9=2925

Nozières,P. and Pines,D. Electron interaction in solids. General formulation, 8=2025. Collective approach to the dielectric constant, 8=2026. The nature of the elementary excitations, 8=2027. Characteristic energy loss spectrum, 9=6242. Ground-state energy and stopping power of an electron gas, 8=6404. A dielectric formulation of the many body problem: Application to the free electron gas, 8=8599. Correlation energy of a free electron gas, 9=2107

Nudelman,S. See also Matossi,F., 5=8644, 6=6540

Nudelman,S. and Matossi,F. Electroluminescence with nonsinusoidal fields, 5=866. Time-average electroluminescence output of some zinc sulfide phosphors, 6=2804

Nudel'man,S.L. A device for indexing X-ray powder photographs from monoclinic materials, 9=13911

Nuding,E. Polarization of the nucleus and the tidal effect in μ-mesic atoms, 9=4969

Null,M.R. and Lozier,W.W. Carbon arc image furnaces, 8=9197. Measurement of reflectance and emissivity of graphite at arc temperature with a carbon arc image furnace, 9=13186

Numata,T. Technique of obtaining a minute pinhole in a metal plate, 8=4610. Piezo-effect of selenium rectifiers, 9=1426. Technique of obtaining a minute pinhole in a metal plate. II, 9=9124

Nunogaki,K. See Miyake,S., 6=2220, 7=8693; Takakura,T., 5=2773

Nuovo,M. See Bordoni,P.G., 5=4131, 5=8319, 9=12769

Nurmia,M.J. A method for the study of processes in ionic crystals, 9=9582

Nurmia,M.J. and Fink,R.W. New isotope of beryllium, 8=6238. Cross-sections for (n, p) and (n, α) reactions of magnesium with 14.8 MeV neutrons; a new isotope Na^{26}, 9=1779

Nurnberg,H.L., Domagala,R.F. and Levinson,S.W. Apparatus for preparing metal powders under protective atmospheres, 7=989

Nurushev,S.B. See Kumekin,Yu.P., 9=12554; Meshcheryakov, M.G., 7=2644, 8=3293

Nury,G. See Forestier,H., 6=4710

Nussbaum,A., Myers,J. and Long,D. Effect of hydrostatic pressure on the anomalous Hall coefficient reversal in single crystal tellurium, 9=4632

Nussbaum,R.H. Experimental single-particle level spacings in the region of the 1f$_{7/2}$ shell, 7=4624. See also Sterk, M.J., 5=6429, 5=8199

Nussbaum,R.H. and Suri,S.K. Energy levels in Ga^{69}, 7=4660

Nussbaum,R.H., Wapstra,A.H., Bruil,W.A., Sterk,M.J., Nijgh,G.J. and Grobben,N. Decay of Co^{61} and Cu^{61}, 6=3143

Nussbaum,R.H., Wapstra,A.H., Sterk,M.J. and Kropveld,R.E.W. Gamma rays in the decay of ^{112}Pd and ^{112}Ag, 5=4912

Nussbaum,R.H., Wapstra,A.H., van Lieshout,R., Nijgh,G.J. and Ornstein,L.T.M. On the decay of ^{62}Zn, ^{62}Cu and ^{62}Co, 5=478

Nussenzveig,H.M. The poles of the S-matrix of a rectangular potential well or barrier, 9=7803. See also Beck,G., 9=2025; Goldemberg,J., 8=7231

Nussis,N. See also Ricci,E., 6=2345

Nussis,N., Pahissa,J. and Ricci,E. New isotopes of Cd and In, 9=3848

Nutkins,M.A.E. The density of electronic states in body-centred cubic crystals, 6=7817. Theory of phase transformations in alkali metals, 9=1376

Nutt,C.W. See Garner,F.H., 5=5920

Nuttall,R.L. See also Hilsenrath,J., 8=3913

Nuttall,R.L. and Ginnings,D.C. Thermal conductivity of nitrogen from 50° to 500°C and 1 to 100 atmospheres, 8=3025

Nutter,P.B. The spin and magnetic moment of ^{116}*In, 7=619

Nutting,J. See Nicholson,R.B., 8=3489, 8=3495; Smith,E., 6=5447

Nuvoli,A. An apparatus for the measurement of the thermal conductivity of insulating materials of cylindrical shape, 9=3377.

Nybø,K. See also Halsteinslid,A., 9=5060, 9=8626

Nybö,K. and Grotdal,T. Gamma-rays from proton bombardment of sodium, 5=4035

Nyborg,W.L. Acoustic streaming near a boundary, 8=2190. See also Brackenridge,J.B., 7=7689; Gould,R.K., 9=7903; Jackson,F.J., 9=157, 9=9287; Kolb,J., 7=4052

Nyborg,W.L., Gould,R.K., Jackson,F.J. and Adams,C.E. Sonically induced microstreaming applied to a surface reaction, 9=7904

Nydal,R. and Sigmond,R.S. Radiocarbon dating in Trondheim, 8=1227

Nye,J.F. Surges in glaciers, 8=4549

Nye,J.F., Spence,R.D. and Sprackling,M.T. Photoelastic study of dislocation arrangements in crystals, 7=8909

Nyer,W.E. See also Forbes,S.G., 7=4749

Nyer,W.E., Forbes,S.G., Bentzen,F.L., Bright,G.O., Schroeder,F. and Wilson,T.R. Transient experiments with the SPERT-1 reactor, 6=8394

Nygard,J.C. See Kelliher,M.G., 9=3706

Nyquist,B. See Bourghardt,S., 5=6662

Nyquist,I.M., Mills,I.M., Person,W.B. and Crawford,B.,Jr. Vibrational intensities, VII. Ethane and ethane-d_6, 7=5507

Nysäter,H.M. Accurate magnetic field and field gradient measuring instrument for dynamic low fields in a synchrotron magnet, 9=7146

Ny̆zhny̆k,S.B. See Karal'nik,S.M., 8=7075

Oakley,D.C. See also Walker,R.L. 5=4065

Oakley,D.C. and Walker,R.L. Photoproduction of neutral pions in hydrogen: magnetic analysis of recoil protons, 5=4066

Oatley,C.W. The flow of gas through composite systems at very low pressures, 7=6943. The flow of gas at very low pressure, 8=2184. See also Firmin,J.C., 5=8772; Ince,A.N., 5=9631; Smith,K.C.A., 6=3314

Oatley,C.W. and Everhart,T.E. The examination of p-n junctions with the scanning electron microscope, 8=1093

Ôba,J. See Poc Kwon,Y., 8=736

Obashev,S.O. A solar outburst in H_α emission, 9=9154

Obashi,M. See Sawada,M., 5=7407, 5=9690, 5=9980; Tsustumi,K., 9=8195, 9=11092

Obata,Y. See Inui,T., 6=6785; Kubo,R., 6=5204; Moriya,T., 9=11240

Obayashi,T. On the world-wide disturbance in F2-region, 5=4231. Movements of irregularities in the E-region, 6=8515. Polar ionospheric disturbances associated with a severe magnetic storm, 9=6390. Geomagnetic storms and ionospheric disturbances, 9=13965. See also Jacobs,J.A., 6=7859, 8=7617; Nagata,T., 6=2586

Obayashi,T. and Jacobs,J.A. Geomagnetic pulsations and the earth's outer atmosphere, 8=3604. Sudden commencements of magnetic storms and atmospheric dynamo action, 8=5529

Obenshain,F.E. and Page,L.A. Detection of a σ E energy shift in positronium formed from polarized positrons, 9=3735

Oberhausen,E. See Roucayrol,J.C., 6=619

Oberhauser,E. See Roucayrol,J.C., 8=671*

Oberhauser,F. See Trey,F., 8=7954

Oberhettinger,F. Diffraction of waves by a wedge, 5=2025. On the propagation of pulses. I. Diffraction of pulses by wedges, 7=4567. On the diffraction and reflection of waves and pulses by wedges and corners, 9=3669

Oberländer,S. A note on the method of controlled activation [gesteuerten Anregung], 9=5295. See also Böer,K.W., 9=4464, 9=5294, 9=6759

Oberlin (Mathieu-Sicand),A. See also Hocart,R., 5=8378

Oberlin,A. and Tchoubar,C. Carbon shadowing films used in electron microscopy, 8=7550

Oberly,J. Multiple-beam aplanatic radiators and detectors, 8=188

Oberman,C. See Dawson,J., 9=8252

Oberman,C.R. See Johnson,J.L., 9=1601; Kruskal,M.D., 9=2438

Obermayer,A.S. See Lindner,R., 5=7412

Oberthal,H., See Franklin,J., 8=6159

Obi,S. See Nakagawa,K., 7=7355; Shimoda,M., 9=4238; Taketani,M., 6=7936

Obi,S.Y., Ishidzu,T., Horie,H., Yanagawa,S., Tanabe,T. and Sato,M. Tables of the Racah coefficients W (abcd; ef). II. Coefficients having three half-integral variables a, c and e (f=0, 1, 2, 3, 4), 5=4283

Obraztsov,A.I. See Balÿgin,I.E., 7=3241

Obraztsov,Yu.N. The Nernst effect in atomic semiconductors, taking into account the scattering of electrons and holes at impurity ions, 7=2204. Galvanomagnetic properties of tellurium at low temperatures, 7=9202. On the drift-velocity method, 8=3080. See also Gurevich,V.L., 7=9189; Mochan,I.V., 7=9188; Moĭzhes,B.Ya., 8=7929

Obreimov,I.V. The method of the luminous point. II. Strioscopy, 9=11988. See also Garber,R.I., 7=799

Obreimov,I.V. and Startsev,V.I. Work of an elastic twin crystal in calcite, 9=2985

Obreimov,I.V. and Trekhov,E.S. Optical contact of polished glass surfaces, 7=6629

O'Briain,C.D. See also Moore,W.J., 8=640

O'Briain,C.D., Lindner,A. and Moore,W.J. Sputtering of silver by hydrogen ions, 9=1541

O'Brien,B.J. Fluctuations of track parameters in nuclear emulsions, 8=1147. A new measurement technique for use in the region of the blob-density maximum in nuclear emulsions, 8=1803. Energy spectrum of particles bombarding the earth, 9=1573. See also Herz,A.J., 6=7723; Noon,J.H., 7=6311, 7=8695, 9=323, 9=323

O'Brien,B.J. and Noon,J.H. Measurement of the alpha particle flux at 41°N geomagnetic latitude using nuclear emulsions, 7=8696. Identification of fast heavy nuclei of the cosmic radiation using nuclear emulsion techniques, 8=6014

O'Brien,B.J. and Wallace,C.S. Ettingshausen effect and thermomagnetic cooling, 9=301

O'Brien,B.J., Wallace,C.S. and Landecker,K. Cascading of Peltier couples for thermoelectric cooling, 6=6663

O'Brien,C.C. Facets of exploration in tonal memory, 8=4601

O'Brien,K., Lowder,W.M. and Solon,L.R. Beta and gamma dose rates from terrestrially distributed sources, 9=4160. Dose-rate dependent dosimeter for low-intensity gamma-ray fields, 9=4876

O'Brien,M.C.M. The magnetic ground state of UF_3, 5=6302. The structure of the colour centres in smoky quartz, 5=9244. Antiferromagnetic state in the chrome alums, 7=3442. See also Bleaney,B., 5=2885, 7=2491; Meyer,H., 8=3249

O'Brien,M.C.M. and Pryce,M.H.L. Paramagnetic resonance in irradiated diamond and quartz: interpretation, 5=5711

O'Brien,P.A. See also Conway,R.G., 9=3045; Smith,F.G., 8=853

O'Brien,P.A. and Tandberg-Hanssen,E. Distribution of radio-frequency brightness across the solar disk at a wavelength of 60 cm, 5=6696

O'Brien,P.F. Interreflections in rooms by a network method, 5=5963. Network representation of the integrating sphere, 6=4968

O'Brien,V. Contour perception, illusion and reality, 8=1396

Obukhov,Yu.V. See Balats,M.Ya., 7=3713

Occhialini,G. See Alvial,G., 8=1149; Davies,J.H., 6=3270*; K-collaboration, 9=13575

Occhialini,G.P.S. What users expect from the manufacturers of emulsion, 9=14010

O'Ceallaigh,C. The effect of processing on the estimation of ionisation by blob-counting, 5=7597. See also Alexander,G., 8=703; Davies,J.H., 6=3270*; Friedlander,M.W., 5=3134; Johnston,R.H.W., 5=4094, 5=4970; K-collaboration, 9=13575

Occhialini,G. See Bonetti,A., 5=6672

Ochi,O. See Mizushima,Y., 7=790, 8=8983

Ochiai,Y. and Fukumura,T. On the fundamental qualities of speech in communication, 7=7700

Ochkur,V.I. and Petrov,Yu.V. Calculation of the elastic scattering of slow electrons by hydrogen atoms by the method of integral equations, 7=1376

Ochman,H. See Ingarden,R.S., 5=2547

Ochsenfeld,R. The damping of iron-nickel alloys, 6=2233. The magneto-elastic properties of some ferromagnetic iron-nickel alloys, 6=2234

Ockman,N. The infra-red and Raman spectra of ice, 8=5781

Ocón,C.V. Electric model of nuclear reactor, 5=4078

O'Connell,J.M. Variation of photographic resolving power with lateral chromatic aberration, 8=3844

O'Connell,M. See McKenna,S., 9=3799

O'Connor,A. See Frank,F.C., 8=1349

O'Connor,B.M. See Fairbrother,J.A.V., 7=4430

O'Connor,D. See also Buras,B., 9=7494

O'Connor,D. and Blinowski,K. An automatic timing and recording circuit for use with a neutron crystal spectrometer, 9=6380

O'Connor,D.J. A new method of expression of electrokinetic data, 7=1318

O'Connor,J.R. and McLaughlin,W.A. Growth of silicon and germanium disks, 8=1688

O'Connor,L.P. See Coleman,R.F., 9=2830; Perkin,J.L., 9=1783

O'Connor,T.C. Some characteristics of condensation nuclei stored in a large vessel, 7=960. See also Nolan,P.J., 6=3800, 7=1769. Pollak,L.W., 7=1771, 7=1795, 8=8555

Oda,M. A calculation on the structure of the nucleonic cascade in the atmosphere, 7=7999. See also Higashi,S., 5=2845, 7=3422, 7=7201; Kitamura,T., 7=6619

Oda,N. See Also Harada,K., 9=13587

Oda,N. and Harada,K. Elastic scattering of alpha-particles by heavy elements, 7=6538. Inelastic scattering of protons at intermediate energies, 8=5348

Oda,Y. See also Kikuchi,S., 9-352

Oda,Y., Takeda,M., Hu,C. and Kato,S. Scattering of protons by Ne^{20} and Ne^{22}, 9=10099

Oda,Z. Sticking probability of carbon monoxide on evaporated nickel film, 7=2781. See also Mizushima,Y., 8=3983

Oda,Z. and Arata,H. Changes of electric resistance of [annealed] nickel films with adsorption of hydrogen, 9=10961

Odajima,A. Nuclear magnetic resonance studies of water sorbed on fibrous materials, 9=13476

Odajima,A., Sohma,J. and Koike,M. Line-width transition of the proton magnetic resonance in polymers, 6=4560. Proton magnetic resonance in chain polymers, 8=5452

Odajima,A., Sohma,J. and Watanabe,S. Nuclear magnetic resonance of water sorbed on fibrous materials, 9=9838

Odelevskiĭ,V.I. See Verebeĭchik,N.M., 7=2181-2

Odencrantz,F.K. See Koehler,W.F., 8=107, 9=3339

Odgers,G.J. Homologous solution of equations of stellar structure, 9=4237

Odian,A. See Weinstein,R.M., 6=662
Odian,A.C. See also Christie,E.R., 6=4028; Feld,B.T., 5=1242, 6=1624; Wattenberg,A., 7=4612
Odian,A.C., Stein,P.C., Wattenberg,A., Feld,B.T. and Weinstein,R. Photoejection of high-energy nucleons from nuclei and the quasi-deuteron model. I. Cross sections and angular distributions, 6=4647
Odier,M.G. Teaching with the Polygraphe, 7=2946
Odin,G. An apparatus for the measurement of reverberation times, 7=5149
Oding,I.A. and Geminov,V.N. New law for longitudinal strength, 9=5213
Odintsov,A.I. A high-intensity atomic-beam light source, 9=13140 See also Korolev,F.A., 9=13735
Odintsov,M.G. See Borin,A.V., 5=2351
Odintsov,V.I. See Korolev,F.A., 7=233
Odiot,S. Study of the correlations between the positions of the electrons, 9=5088. See also Besnaïnou,S., 7=6379; Brion,H., 5=433, 5=3018, 5=3020; Daudel,R., 5=2985, 6=565
Odiot,S. and Daudel,R. Theory of the localizability of corpuscles. III. Return to the geometrical significance of the shell concept. 5=3019. Contribution to the study of the capture of electrons from the cloud by the nuclei of atoms: the effect of the correlations existing between the positions of the electrons on the ratio σ of the probability of L capture to that for K capture, 6=3932
O'Donnell,T., Edwards,D.H., Collis-George,N. and Youngs,E.G. The recording of pressure distributions in porous media during fluid flow experiments, 8=2831
O'Dwyer,J.J. The influence of the cathode material on measured breakdown strengths of solid and liquid dielectrics, 5=313. A note on the electron distribution function in insulators at high field strength, 7=355. Dielectric constant of dipolar solids, 7=5294. The high temperature dielectric breakdown of alkali halides, 7=8651. Effect of the cathode material on the breakdown strength of amorphous dielectrics, 8=4048. See also Harper,P.G., 6=2070
O'Dwyer,J.J. and Harper,P.G. Nonradiative transitions of trapped electrons in polar crystals, 7=3820
Odziemczyk,J. and Tietz,T. Note on the atom form factor, 8=2598
Oehme,R. Scattering of polarized nucleon beams, 5=4377. Possible experiments to determine the transition matrix for p-p scattering, 5=5887. Dispersion relations for pion-nucleon scattering. I. The spin-flip amplitude, 6=925. No-spin-flip amplitude, 6=6198. Causality and dispersion relations for the scattering of mesons by fixed nucleons, 7=2695. Vertex function in quantized field theories, 9=1046. Structure singularities of electromagnetic form factors, 9=13009. See also Bremermann,H.J., 8=2766; Goldberger,M.L., 5=8509, 8=1844; Lee,T.D., 7=5050; Miyazawa,H., 5=7703
Oehme,R. and Taylor,J.G. Proof of dispersion relations for the production of pions by real and virtual photons and for related processes, 9=4945
Oehrl,W. The propagation of slow electromagnetic waves along inhomogeneous plasma layers, 9=1620
Oel,H.J. Disorder properties of silver iodide, 9=12256
Oelsner,G. Se Alväger,T., 8=6277
Oen,O.S. See also Goodman,B., 9=8843
Oen,O.S. and Holmes,D.K. Cross-sections for atomic displacements in solids by gamma rays, 9=10282
Oertel,G. Measurement of secondary electron emission from selenium, 9=335
Oeschger,H. See Houtermans,F.G., 9=9891
Oeser,J. See Brun,E., 7=6451
Oesterlin,W. Measurement and recording of piston temperatures in a running motor, 6=7357
Oestreicher,H.L. Field of a spatially extended moving sound source, 8=2915. Supplementary notes to "Field of a spatially extended moving sound source", 8=2916. Representation of the field of an acoustic source as a series of multipole fields, 8=3823
Oetjen,G.W. See Günther,K.G., 5=4428
Oetjen,R.A. See Yoshinaga,H., 6=1088, 6=2808, 8=2228
Oeveren,W.J.van. See van Oeveren,W.J.
Ofer,S. The energy level of Hf^{177} and the unified model, 7=9328. The energy levels of Dy^{160}, 8=5277. Angular correlations of gamma ray cascades following the decay of Eu^{152}, 8=5332. Decay of Pm^{143} and Pm^{144}, 9=6075. Illustration of the dependence of the sign of δ of a mixed gamma-ray transition on its order in a cascade, 9=10082. Decay of Tb^{156} (5 day), 9=13632. See also Alburger,D.E., 9=3861, 9=6069; Cohen,S.G., 6=633
Ofer,S. and Wiener,R. Decay of Cr^{51}, 7=9844
Offergeld,G. Dielectric properties of solid alkyl polymethacrylates, 7=6146
Offerhaus,M.J. See Cohen,E.G.D., 6=5726, 7=1124, 9=120
Officer,V.C. and Eccles,P.J. The residual range of delayed particles in extensive air showers, 5=369. The time coherence of associated cosmic ray particles, 5=1955. Observations on the penetrating component of extensive air showers, 5=6269
Offret,S. See also Minn,S.S., 6=5853, 7=7090, 8=416; Vodar,B., 6=1159
Offret,S. and Vodar,B. Electrical resistance of thin metallic films at high frequencies and low temperatures, 5=1806. Study of the electrical conduction of thin metallic films at high frequencies, 6=6616
O'Friel,Z. See also Grilli,M., 8=8996, 9=3791
O'Friel,Z. and Weber,A.H. Internal conversion coefficients of Ba^{134}, V^{51} and Tl^{203}, 6=1546
Oganesyan,K.O. See Dzhelepov,V.P., 6=3294, 8=5233; Flyagin, V.B., 9=2834
Oganesyan,Yu.Ts. See Bayukov,Yu.D., 7=6524; Flerov,G.N., 8=6316
Oganov,M.N. and Striganov,A.R. Quantitative isotopic analysis of hydrogen, deuterium and tritium mixtures by a spectrographic method, 8=5434
Oganov,M.N., Striganov,A.R. and Sobolev,Yu.P. The atomic spectrum of americium, 7=5977
Ogata,G. See Richards,L.A., 9=5750
Ogata,H. See Kimura,K., 7=8167; Kumabe,I., 7=5636, 8=8340; Morita,M., 7=9369
Ogata,K. and Matsuda,H. Preliminary report on a large mass spectrograph newly constructed at Osaka University, 6=1303
Ogawa,M. On the origin of sodium D-lines in the nightglow and twilight flash, 5=1398. The band spectrum of nitric oxide in the near infrared region, 5=1690. On the emission spectra of the β-, γ- and ϵ-systems of nitric oxide, 5=6891. See also Bunch,S.M., 8=6832; Tanaka,Y., 6=9105; Weissler,G.L., 9=7126
Ogawa,M. and Cook,G.R. Absorption coefficients of O_3 in the vacuum ultraviolet region, 8=6831. Absorption coefficients of methyl, ethyl, n-propyl and n-butyl alcohols, 8=6833
Ogawa,M., Nakamura,M. and Hashizume,A. Photoelectric studies of near infrared OH emissions of the night sky. I, 8=6551
Ogawa,M. and Tanaka,Y. New emission bands of N_2 in the vacuum ultraviolet region, 9=7945
Ogawa,S. On the competition between decay and capture of the unstable particles due to the weak interactions, 6=3265. On the universality of the weak interaction, 6=8001. Nuclear quadrupole resonance of antimony isotopes in solids, 9=8371. Nuclear quadrupole resonances in arsenic and antimony trihalides and sulphur molecular addition compounds, 9=9851. See also Asanuma,M., 5=5511, 6=1370. 9=8309; Fujita,F.E., 6=5450; Fujiwara,K., 9=9026; Furuichi,S., 8=6184; Hirabayashi,M., 7=857, 9=9034; Hirokawa,S., 6=8402, 7=3716; Iwata,K., 5=9426; Kojima,S., 5=2949, 5=5319 6=1441, 7=628, 8=8394; Mizuno,J., 5=3162; Murayama,T., 6=8851; Watanabe,D., 6=4112
Ogawa,S., Mizuno,J., Watanabe,D. and Fujita,F.E. On the twin structure of nickel films electrodeposited on single crystals of copper, 9=8906
Ogawa,S., Okonogi,H. and Ôneda,S. On the weak universal boson-fermion interaction, 5=58
Ogawa,S., Watanabe,D.and Fujita,F.E. On the structure of evaporated thin films of metals, 5=7420
Ogawa,T. Piezo-optic frequency analyzer, 8=2206. Accuracy of the Stark modulation system atomic clock, 9=7750; II, 9=7751. See also Takahashi,I., 7=1038, 7=6007; Tamura,Y., 9=6391
Ogg,R.A. High resolution proton magnetic resonance in water and the concept of hydrogen bonding, 7=9336
Ogg,R.A.Jr, Nuclear magnetic resonance spectra and structure of borohydride ion and diborane, 5=1094. Study of ultrarapid reactions by nuclear magnetic resonance spectra, 5=5034 . See also Piette,L.H., 7=8056; Ray,J.D., 7=6661, 7=8083, 9=9572
Ogg,R.A., Jr and Ray,J.D. Nitryl fluoride: A new method of preparation, nuclear magnetic spectrum and structure, 7=2501. Nuclear magnetic N^{14} resonance spectra, molecular structures, and exchange reactions in the system $N_2O_5—NO_2^+—NO_3^-—H_2O$, 7=3501. Quadrupole relaxation and structures in nitrogen magnetic resonances of ammonia and

ammonium salts, 7=7272. Quadrupole relaxation broadening of the magnetic resonance spectrum of methylammonium ion, 7=7273. Preparation and proton magnetic resonance studies of anhydrous ammonia, 7=8063

Ogg,R.A., Jr and Sutphen,W.T. Reactions of atomic oxygen with molecular oxygen, 5=5018

Ôghi,S. On the coarsening of non-sag tungsten lamp filament wires, 6=5437

Ogier,W.T., Wild,R.L. and Nickel,J.C. Double Bragg X-ray scattering from cold-worked metals, 9=7554

Ogievetskiĭ,V.I. The theory of propagation of gamma-rays through matter, 6=6880. Angular distribution of gamma rays at great depths of penetration in matter, 6=6881. A possible interpretation of the perturbation theory series in the quantum theory of fields, 7=1048. Effective radius of many-body forces between Λ^0-hyperon and nucleons, 8=3721. On the interaction between K- and π-mesons, 9=12591. See also Galishev,V.S., 7=6523

Ogievetskii,V.I. and Chzhou Guan-chzao. Charge symmetry properties and representations of the extended Lorentz group in the theory of elementary particles, 9=11828

Ogievetsky,V.I. and Chou,K.-C. Charge symmetry properties and representations of the extended Lorentz group in the theory of elementary particles, 9=7794

Ogievitsky,V.I. See Zastavenko,L.G., 8=3309

Ogilvie,G.J. and Brinson,G. A microscope hot stage using electron bombardment, 5=5350

Ogilvie,J.C. and Ryan,J.E. Threshold sensitivity to light measured with an extraneous ultraviolet source in the visual field, 5=3351

Ogilvie,J.C. and Taylor,M.M. Effect of orientation on the visibility of fine wires, 9=963. Effect of length on the visibility of a fine line, 9=11686

Ogilvie,K.W. The proton component of cosmic rays at aircraft altitudes, 5=8884. Cosmic-ray experiments with a proton velocity selector, 6=1338. A note on the zenith angle dependence of cosmic ray protons at sea level, 7=2377. See also Tidman,D.A., 8=2374; Wallace,C.S., 9=3615

Ogle,K.N. Stereoscopic acuity and the role of convergence, 6=3411. Role of convergence in stereoscopic vision. 6=5581. Note on stereoscopic acuity and observation distance, 9=4166

Ogle, K.N. and Schwartz,J.T. Depth of focus of the human eye, 9=4168

Ogloblin,A.A. See Vlasov,N.A., 5=9069

O'Grady,M. See Hines,C.O., 7=7553

Ogren,J.R. See Smith,J.F., 9=4559

Ogston,A.G. Methods of describing unidimensional diffusion in binary liquid systems, 5=3488. The spaces in a uniform random suspension of fibres, 9=5389

Oguchi,H. On the attached curved shock in front of an opennosed axially symmetrical body, 5=2489. Supersonic jet with the ambient pressure corresponding to its constant pressure point, 6=1898

Oguchi,T. A theory of antiferromagnetism. II, 6=457. Anisotropy energy in MnF_2 at low temperatures, 9=4057. Note on the ferromagnetic resonance absorption, 9=11233

Ogura,I. Asymptotic behaviour of the response function of optical systems, 8=6791

Ogura,Y. Temperature fluctuations in an isotropic turbulent flow, 9=3189

Ogurtsova,N.N. and Podmoshenskiĭ,I.V. Investigation of a powerful pulse discharge with a limited diameter of the channel, 8=5066

O'Hara,G.J. Impedance and shock spectra, 9=13096

Ohara,H. See Yokobori,T., 9=10330

O'Hara,M. See Feldman,C., 7=4174, 9=2216

Ôhara,T. See Shirakawa,Y., 9=11066

Ohgane,M. See Yano,K., 5=6719

Ohkawa,J. See Murakoshi,K., 5=9212

Ohkawa,T. Two-beam fixed field alternating gradient accelerator, 8=1721. See also Kerst,D.W., 6=5157, 9=11148

Ohkawa,T. and Kihara,T. Externally pinched plasma, 8=8067

Ohl,G. See Adelsberger,U., 8=6610; Scheibe,A., 6=4163

Ohl,R.S. See also Heinz,O., 6=2966

Ohl,R.S., Budenstein,P.P. and Burrus,C.A. Improved diode for the harmonic generation of millimeter- and submillimeter waves, 9=12286

Ohlberg,S. See Alexander,L.E., 5=10015

Ohlenbusch,H.D. Adsorption at interfaces between liquid phases. I. Thermodynamics, 7=1712. II. Adsorption of electrolytes and structure of the electrical double layer, 7=1713. See also Netter,H., 5=5053

Ohlgren,H.A., Lewis,J.G. and Weech,M. Reprocessing reactor fuels, 5=5648

Ohlmann,R.C., Richards,P.L. and Tinkham,M. Far infrared transmission through metal light pipes, 9=237

Öhman,Y. A tentative explanation of the negative polarization in diffuse reflection, 6=1121. On the possible existence of low-temperature prominences, 7=34. On some new auxiliary instruments in astrophysical research, 9=3031. On some new birefringent filters for solar research, 9=7729. On absorption effects in prominences possibly connected with a magnetic cooling mechanism proposed by L.Marshall, 9=11748

Ohmura,H. See Isoya,A., 8=7363; Sakai,M., 9=8550

Ohmura,T. A new formulation on the electromagnetic field, 7=5831. Stability of the electron, 7=5832. Extensions of variational methods. III. Determination of potential from phase shift function, 7=5871. See also Nakagawa,K., 7=7355

Ohmura,T., Morita,M. and Yamada,M. Effect of hard cores on the binding energies of H^3 and He^3. II, 9=11514

Ohnishi,H. See Miyahara,S., 7=8272

Ohno,K. On the electronic structure of the BH molecule, 7=8749, 8=6383. See also Itoh,T., 5=2857, 7=2505; Takayanagi,K., 6=2723

Ohno,K. and Itoh,T. Modified atomic orbital method. I. The electronic structure of the ethylene molecule, 5=8973

Ohno,K., Mizuno,Y. and Mizushima,M. H.F.S. of the H_2S molecule and its electronic structure, 8=3422

Ohnuki,Y. See Hara,O., 5=1505, 5=3429; Kimura,M., 9=9931

Ohnuma,S. Relativistic corrections to the polarization of protons at high energies, 8=685. Nucleon–nucleon interactions and polarization of high-energy protons elastically scattered from carbon, 9=3888

Ohnuma,S. and Feldman,D. Phase-shift analysis of proton-proton scattering at 150 MeV, 6=5954

Ohoyama,T. Some comments on the theory of coercive force of fine particles, 8=4154

Ohtsuka,M. See Abe,H., 7=1489

Ohtsuka,T. See also Taoka,T., 5=2867-8

Ohtsuka,T., Abe,H. and Kanda,E. Crystalline field splitting of Fe^{2+} ion in ferrous ammonium sulfate, 9=6259

Ohzu,H. See Kubota,H., 7=8503

Oishi,J., Awano,M. and Mochizuki,T. New determination of the temperature of gold and silver points on the thermodynamic temperature scale, 6=3690

Oishi,Y. Compound model and the relative parity of baryons, 9=4952

Oka,S. See Yamada,K., 6=5885

Oka,T. See also Hirakawa,H., 7=5202-3; Hirota,E., 8=8401; Kojima,T., 9=204

Oka,T. and Hirakawa,H. Microwave spectrum of BrCN and dependence of quadrupole coupling constant on the vibrational state, 8=7818

Oka,T., Hirakawa,H. and Miyahara,A. Dependence of quadrupole coupling constant on the vibrational state in ICN molecule, 7=4154

Okabayashi,T. A remark on Tamm-Dancoff approximation, 5=4365. Note on the bound state problem, 6=3480. On the causal character in field theory, 9=4270. Characterization of (Y, Z)- and (Λ, Σ)-modes, 9=11813

Okabayashi,T. and Sato,S. A method of renormalization for unstable particles, 8=5619

Okabe,S. On some relations between atmospheric ions and natural radioactivity, 9=5280

Okada,E. See also Hirao,Y., 9=10030; Kikuchi,S., 9=352; Miura,I., 9=13662; Wakatsuki,T., 9=8521

Okada,E., Miura,I., Wakatsuki,T. and Hirao,Y. Gamma rays from the proton bombardment of silicon, 9=10106

Okada,J. Effects of the dislocations on minority carrier lifetime in germanium, 6=1226. Observations of dislocations along grain boundaries in germanium crystals, 6=1737. On the carrier recombination through nickel impurities in germanium, 8=1052. Recombination of excess carriers in semiconductors, 8=7923. Recombination centers in germanium, 9=10998. See also Kawamura,H., 9=10977

Okada,K. See Yamamoto,T., 7=356

Okada,S. Energy eigen-values of an electron in a one-dimensional periodically-dislocated lattice with a defect, 9=6251. An eigen-value problem of an electron in a one-dimensional crystal lattice with a defect, 9=6252. See also Hayasi,T., 5=7508

Okada,T. The measurements of the galvanomagnetic tensors of bismuth, 8=6984. Oscillatory properties of galvanomagnetic effects of bismuth, 9=1490. The theory of the Hall effect in polar semiconductors, 9=3442. The ellipsoid model of the galvanomagnetic effects in semiconductors, 9=3449. The phenomenological theory of the galvanomagnetic effect, 9=4627

Okai,S. See also Fujimoto,Y., 7=6443

Okai,S. and Sano,M. Stripping reactions and nuclear shell model, 6=8955. Deuteron stripping reactions and nuclear shell structure, 6=8956

Okamoto,H. See Nishioka,A., 5=4622; Tuzi,Y., 9=5186, 9=10353

Okamoto,H. and Tuzi,Y., Adsorption of water vapour on glass and other materials in vacuum, 9=10352

Okamoto,K. Relation between the quadrupole moments and the widths of the giant resonance of photonuclear reaction, 7=718. Intrinsic quadrupole moment and the resonance width of photonuclear reactions, 9=673. See also Levinger,J.S., 7=7309

Okamoto,S. See Kobayashi,J., 6=8761

Okamoto,Y. Optical absorption of silver chloride and silver bromide crystals, 9=3282

Okamura,T. Resonance absorption in ferrites, 5=9391. See also Torizuka,Y., 5=6928

Okano,J. Preliminary report on an electromagnetic isotope separator, 8=6365

Okano,K. See Kikuchi,S., 9=352; Muto,J., 9=1807

Okawati,A. See Tamura,Y., 9=6391

Okaya,A. Some devices for the stark modulation millimeterwave spectrograph, 6=1053. The microwave hyperfine spectrum of formaldehyde, 6=3629. A theoretical analysis of the magnetic hyperfine structure of the microwave spectrum of C_{2v} molecules, 6=3893

Okaya,Y. See also Hirokawa,S., 9=13953; Hoshino,S., 9=6265, 9=13958; Pepinsky,R., 7=1754, 8=166, 8=7883, 8=8525, 9=1417, 9=2304, 9=3425

Okaya,Y. and Pepinsky,R. New formulation and solution of the phase problem of X-ray analysis of noncentric crystals containing anomalous scatterers, 7=889

Okaya,Y., Saîto,Y. and Pepinsky,R. New method in X-ray crystal structure determination involving the use of anomalous dispersion, 5=8411

Okazaki,A. Scattering of polarized neutrons by heavy nuclei, 5=8299. The crystal structure of germanium selenide GeSe, 9=10376. The variation of superstructure in iron selenide Fe_7Se_8, 9=13931. See also Asanabe,S., 9=310, 9=11060; Hashimoto,K., 9=4592; Matumura,O., 5=2306; Moriguchi,Y., 8=614; Tubota,H., 5=2753-4

Okazaki,A. and Hirakawa,K. Structural study of iron selenides $FeSe_x$. I. Ordered arrangement of defects of Fe atoms, 7=785

Okazaki,A. and Ueda,I. The crystal structure of stannous selenide SnSe, 6=5537

Okazaki,C. See Kubota,B., 5=9765

Okazaki,M. See Kaneko,S., 5=9750, 6=4669, 8=6154

Okazaki,S. and Oki,H. Noise in germanium, 6=1219

O'Keefe,G. See Bray,P.J., 7=2498

O'Keefe,J.A. The Antares system, 6=1784. Resolving power of visible light, 6=4965. Lunar rays, 7=9500

O'Keefe,J.A., Eckels,A. and Squires,R.K. Vanguard measurements give pear-shaped component of earth's figure, 9=11767

O'Keefe,J.G. See Ring,P.J., 9=4049

O'Keeffe,T.W. See Cassels,J.M., 7=9906, 9=1669

O'Kelley,G.D. See also Johnson,N.R., 8=318, 9=7315; Lazar, N.H., 6=2349, 8=4273

O'Kelley,G.D., Lazar,N.H. and Eichler,E. Decay chain Ca^{49}—Sc^{49}—Ti^{49}, 6=2351. Decay of Rb^{89}, 6=3935

Okhotsimskiĭ,D.E. and Éneev,T.M. Some variational problems associated with the lauching of an artifical earth satellite, 8=4689

Okhotsimskiĭ,D.E., Éneev,T.M. and Taratȳnova,G.P. Determination of the lifetime of an artificial earth satellite and a study of the secular perturbations of its orbit, 8=4690

Okhuysen,P., Jr and Millett,W.E. Angular distribution of fast neutrons scattered by magnesium, 6=8389

Okhuysen,P.L., Bennett,E.W., Ashe,J.B. and Millett,W.E. Detection of fast neutrons by the associated particle method, 9=3708

Oki,H. See Okazaki,S., 6=1219

Oki,S. See Kumabe,I., 7=5636, 8=8340

Okkerse,B. Self-diffusion of gold, 6=8983. See also Gonser,U., 7=4336, 9=828, 9=8870; Lazarus,D., 7=5666

Okkes,R. See Gerritsen,H.J., 5=9766

Okonogi,H. See Iwata,K., 5=9426; Ogawa,S., 5=58

Okonov,É.O. On the possible existence of the Ξ^0-hyperon, 9=2666

O'Konski,C.T. Calculation of electrostatic binding energies in systems of isotropic ions, 5=8110. Effect of interfacial conductivity on dielectric properties, 5=9636. See also Harris,F.E., 5=7004

O'Konski,C.T. and Flautt,T.J. Nuclear quadrupole resonances in nitrogen compounds. I. Ammonia, deuteroammonia and trimethylamine, 7=9793

O'Konski,C.T. and Higuchi,W.I. Structure and calculation of the binding energy of gaseous alkali halide dimers, 5=8111

Okrasinski,M. See Cheroff,G., 7=9965

Oksengorn,B. Perturbation of the near ultraviolet absorption spectrum of benzene vapour by foreign gases compressed up to 1000 kg/cm², 5=7851. Effects of temperature and density on the absorption spectrum in the medium ultraviolet of liquid benzene. Variation of this absorption spectrum on solidification of liquid benzene, 6=6522. Perturbation of the near ultraviolet absorption spectrum of the vapours of toluene and meta-xylene by foreign gases compressed up to 1500 kg/cm², 7=2020. Perturbations of the near ultraviolet absorption spectra of the vapours of several monosubstituted halogen derivatives of benzene by inert gases compressed to 1500 kg/cm², 7=7001. Effects of pressure on the absorption band of the benzene–iodine complex and on the absorption spectrum of benzene in the complex state, 9=12030. See also Coulon,R., 5=1675

Oksengorn,B. and Vodar,B. Cells for the study of absorption spectra of liquidifed gases or liquids as a function of pressure and temperature. Tests with liquid benzene, 6=1057

Oksman,Ya.A. See Vertsner,V.N., 8=1705

Ôkubo,S. Diagonalization of Hamiltonian and Tamm-Dancoff equation, 5=4368. Anomalous magnetic moment of the nucleon, 8=683. Decay of the Σ^+ hyperon and its antiparticle, 8=1886. Note on the conserved current in the weak interactions, 9=11816. See also Fukuda,N., 5=736; Gamba, A., 9=10593; Marshak,R., 7=6606; Weinberg,S., 8=7282

Okubo,S. and Marshak,R.E. Velocity dependence of the two-nucleon interaction, 8=6639

Okubo,S., Marshak,R.E. and Sudarshan,E.C.G. Isotopic spin selection rules and K_2^0 decay, 9=4948. V–A theory and the decay of the Λ hyperon, 9=6047

Okubo,S., Marshak,R.E., Sudarshan,E.C.G., Teutsch,W.B. and Weinberg,S. Interaction current in strangeness-violating decays, 9=4946

Okuda,M. Electronic structures and electronic spectra of p-quinoid compounds, 7=3492. See also Tanaka,I., 5=597

Okuda,T. See also Yamamoto,K., 6=1324, 7=1341

Okuda,T. and Yamamoto,K. Disturbance by probe in plasma, 6=3762. Electron collection and electron sheath, 8=4082. A new probe method for measuring ionized gases, 9=11149. Disturbance phenomena in probe measurement of ionized gases, 9=12406

Okudaira,K. See Nakagawa,S., 6=3814, 8=8103

Okuma,J. See Asada,T., 9=8458

Okumura,K. Ultraviolet absorption in barium oxide films, 5=1694

Okumura,M. See Asada,T., 9=351, 9=8458

Okun',L. Strange particles (isotope multiplet scheme), 7=9404. On the polarization of μ-mesons in $K_{\mu3}$-decays, 8=5239. See Ioffe,B., 7=7406

Okun',L. and Pontekorvo,B. Some remarks on weak processes of elementary particle transformation, 8=1810

Okun',L. and Rudik,A. On possible correlations in $\pi-\mu-e$ decay, 7=9913

Okun'L.B. Charge exchange of K-mesons in hydrogen and deuterium, 6=6196. Isotopic invariance and strange particles, 7=1642. On the probability of decay of a Σ-particle, 7=2688. On μ-disintegrations of K-mesons and hyperons, 7=7435. On the K_{e3}-decay, 8=1881. Some remarks on the compound model of elementary particles, 8=6636. See also Baz',A.I., 9=2664; Ioffe,B.L., 7=8386; Ivanter,I.G., 7=7616; Kobzarev,I.Yu., 6=7717, 8=293, 8=1889, 9=9986; Leĭkin,E.M., 7=5815

Okun',L.B. and Pomeranchuk,I.Ya. Isotopic invariance and the cross-section for the interaction of high-energy π-mesons and nucleons with nucleons, 6=6889. On peripheral interactions of elementary particles, 9=8440. 9=11815

Okun',L.B., Pomeranchuk,I.Ya. and Shmushkevich,I.M. On the interaction of Ξ^--hyperons with nucleons and light nuclei, 9=555

Okun',L.B. and Šehter,V.M. On the polarization of electrons from the decay of muons, 9=2603

Okun',L.B. and Shekhter,V.M. On the polarization of electrons emitted by decaying μ-mesons, 9=539

Okun',L.B. and Smushkevich,M.I. Capture of K^--mesons in deuterium and interaction of hyperons with nucleons, 6=8368

Okuneva,N.M. See Bredov,M.M., 7=9730, 8=4077

Okuno,H. See Muto,T., 6=6815, 7=4885, 7=4887, 9=6255

Okura,H. Oscillator strength of M-centre of KCl, 9=10233. See also Kawamura,H., 9=6993, 9=10977

Olagorta,M.A. See Vigon,M.T., 6=4134

Olbert,S. Production spectra of cosmic-ray mesons in the atmosphere, 5=1036

Olbert,S. and Stora,R. Theory of high-energy N-component cascades, 8=1753

Olbricht,K.H. and König,H. Debye–Scherrer diagrams of thin layers, 7=868

Olcina Amador,P.V., Costell Landete,F. and Fernández Alonso, J.I. Ferromagnetic ceramics; preparation of ferrites by means of solid state reactions, 9=13445

Oldekop,W. Contributions to the theory of conductivity and viscosity of molten salts, 5=3487. The ϵ-factor in quasi-homogeneous reactors, 9=1790. Remarks on the theory of resonance escape in homogeneous reactors, 9=3946. On the theory of a measuring method for the resonance transition probability, 9=13720. See also Humbach,W., 9=13721

Oldenberg,O. Conclusions from the characteristic curves of photographic plates, minimum effect of grain, 6=4136. Duration of atomic collisions, 7=3618. See also Bryan,R.B., 7=5434; Carleton,N.P., 8=5757; Groth,W.E., 5=5481

Oldfield,L.F. See Edge,J., 9=11699

Oldroyd,D.L. See McFarlane,W., 6=4434

Oldroyd,J.G. A discussion on the first and second viscosities of fluids: Note on the hydrodynamic and thermodynamic pressures, 5=89. The effect of interfacial stabilizing films on the elastic and viscous properties of emulsions, 6=3344. Non-Newtonian effects in steady motion of some idealized elastico-viscous liquids, 8=3757. The rheology of some two-dimentional disperse systems, 8=4490

Olds,G.C.E. Mechanisms of creep in a precipitation hardened alloy, 5=1303

O'Leary,A.J. A misconception concerning dimensions, standards and units, 6=2623. On a derivation of the equation for the speed of sound by W.W.Sleator, 7=5939

Oleĭnik,M.I. See Gladkovskiĭ,V.A., 8=4469

Oleksa,S. Clouded crystal ball analysis of the in-elastic scattering cross section of a neutron into the isomeric level $(13/2^+)$ of $_{82}Pb^{207}$, 6=2417. Neutron scattering cross section of U^{233}, 9=689. See also Elwyn,A.J., 9=6108; Landon,H.H., 9=7364; Muehlhause,C.O., 7=4751*

Oleś,A. See Kogut,M., 6=7500; Massalski,J.M., 9=5859

Olesen,K. See Maack Bisgard,K., 9=13637

Olesen,M.C. See Elbek,B., 8=7366, 9=8591; Ramšak,V., 8=5356

Oleson,N.L. See also Emeleus,K.G., 9=9675; Watanabe,S., 6=4522

Oleson,N.L. and Cooper,A.W. Moving striations, 7=4417

Oleson,S.K. and Ingard,U. Acoustic characteristics of model pulsed jets, 8=2203

Olette,M. Nernst–Magnus type calorimeter for the measurement of heat capacities up to 1600°C, 7=6130. Measurement of the capacity of silicon between 1200° and 1550° C, 7=7071

Olfe,D. and Penner,S.S. Relation between gas absorptivities and emissivities, 9=13167

Oliete,J.L. See Fernandez- Alonso,J.I., 9=11535

Olinto,A.C. See Gross,B., 9=12908

Oliphant,M.L. The acceleration of protons to energies above 10 GeV, 6=5943

Oliphant,T.A., Jr. Angular momentum distributions in the Thomas–Fermi–Dirac model of the atom, 7=2561

Oliphant,W.D. Xeroradiography. I. Apparatus and method of use, 7=1827

Oliphint,C. Calculation of the specific heat of some alkali halides, 9=13236

Oliva,J. See also Baleriola,E., 6=9151

Oliva,J. and Aguilar,M. Distribution of sensory units in the extra-fovea, 6=3406. Zones of partial summation, 6=8536

Oliva,J. and Baleriola,E. Differential thresholds and visual acuity at fixed adaptational levels, 6=4760

Oliveira,C.G. and Tiomno,J. π—e decay and the universal interaction, 9=7275

Oliver,A. A study of emulsions of the Demers type, 9=14003

Oliver,A.R. See Blau,M., 6=4666

Oliver,D.J. Fluctuations in the number of electrons and holes in a semiconductor, 7=5320. Current noise in indium antimonide, 7=5331. See also Hilsum,C., 5=9671

Oliver,D.R. See Higginbotham,G.H., 9=80

Oliver,J. Elastic wave dispersion in a cylindrical rod by a wide-band short-duration pulse technique, 7=4050. See also Press,F., 5=2500

Olivetti,M. See Favella,L., 9=7259

Olivier,J. Visibility of light sources in fog: Application to the problem of landing under bad weather conditions, 6=838. The visibility of luminous sources in fog. Effect of the luminances of natural light, 7=9477

Ol'khovskii,I.I. A method of moment approximations in generalized hydrodynamics, 9=13063

Olkowsky,J. See also Atterling,H., 7=7367; Beydon,J., 6=2390, 7=7366; Chaminade,R., 6=2954; Crut,M., 7=8150; Faraggi,H., 7=1585

Olkowsky,J., Gratot,I., Le Pape,M. and Cohen,L. A new terbium isotope of mass 152—alpha emitter, 9=10059. Spallation of terbium by 170 MeV protons. I. Qualitative, 9=10105. A new isotope of gadolinium, very deficient of neutrons, 9=12638

Olkowsky,J., Valladas,G. and Cohen,L. Ionization chamber for short half-life α emitters, 7=1405

Ollendorff,F. On the radiation induced acceleration of elementary electric particles, 5=2798. Wave-mechanical correction for the Richardson–Dushman emission formula, 9=7057. On unipolar induction, 9=7207

Ollerton,E. See Fessler,H., 8=895

Ollom,J.F. See also Gunton,R.C., 5=1702; Kambe,K., 6=1445; Rexroad,H.N., 6=5303

Ollom,J.F., Sinisgalli,A.A., Rexroad,H.N. and Gunton,R.C. Microwave spectrum and molecular structure of $(CH_3)_3SiBr$, 6=3631

Olmos,A.W. See Giguere,P.A., 5=5379

Olness,J.W., Haeberli,W. and Lewis,H.W. Levels of Cl^{33} from $S^{32}(p, p)S^{32}$ and $S^{32}(p, p'\gamma)S^{32}$, 9=3829

Olness,J.W., Vorona,J. and Lewis,H.W. Elastic and inelastic scattering of protons by N^{14}, 9=5039

Olney,B. and Anderson,R.S. Acoustics of the Rochester (New York) War Memorial auditorium, 7=4105

O'Loane,J.K. See also Newman,C., 7=2514

O'Loane,J.K. and Wilson,M.K. Infrared spectrum of SOF_2, 5=7844

Olsen,A.L., Johnson,D.J. and Pierson,H. Auxiliary recording system for the Perkin–Elmer model 21 spectrophotometer, 6=4291

Olsen,A.L. and Kruse,H.W. Infrared spectra of trimethylhydrazine [1] and its oxidation products [2], 7=251

Olsen,C.E. See Cromer,D.T., 9=13928

Olsen,H. Out- and in-going waves in final states and the bremsstrahling, 5=9705. Out and in-going waves in final state, 7=5833. Note on multiple scattering theories, 7=5863. Photoelectric effect from polarized photons. I-II, 9=12732 See also Johnansen,A., 7=5944

Olsen,H. and Maximon,L.C. Electron and photon polarization in bremsstrahlung and pair production, 8=6126. Photon and electron polarization in high-energy bremsstrahlung and pair production with screening, 9=9930

Olsen,H., Maximon,L.C. and Wergeland,H. Theory of high-energy bremsstrahlung and pair production in a screened field, 7=5401

Olsen,H., Romberg,W. and Wergeland,H. Reaction of sound waves and its application for absolute measurement of intensity, 8=2924. Radiation force on bodies in a sound field, 9=156

Olsen,H., Wergeland,H. and Øveraas,H. On the determination of multiple scattering from ionization tracks, 5=340

Olsen,H., Wergeland,H. and Øverås,H. On a statistical problem in emulsion microscopy, 7=7538

Olsen,H., Wergeland,H. and Westervelt,P.J. Acoustic radiation force, 9=159

Olsen,H.L. See also Berl,W.G., 7=1230

Olsen,H.L. and Gayhart,E.L. Effect of turbulence on incipient flame propagation, 5=2676

Olsen,J.L. Change of elastic constants in a superconductor, 5=3790. Magnetoresistance and size effects in indium at low temperatures, 9=11055. See also Grassmann,P., 5=4680

7=411; Hoff,R.W., 6=5354; Lüthi,B., 6=5215

Olsen,J.L., Mann,L.G. and Lindner,M. Internal bremsstrahlung and decay scheme of Sb^{119}, 7=8128

Olsen,J.L. and Rohrer,H. The volume change at the superconducting transition, 7=8636

Olsen,K.H. See also King,R.B., 5=5980

Olsen,K.H., Routly,P.M. and King,R.B. Relative 'f' values of Ca I, 5=7827. Relative gf-values for lines of Ca I, 9=13156

Olsen,K.M. See Pfann,W.G., 6=3420; Wenny,D.H., 9=975

Olsen,L.O. and Waite,R.W. Effectiveness of the Case-General Electric science fellowship program for high school physics teachers, 5=9393

Olsen,T. Rotational flow of a viscous liquid, 6=5728. See also Morse,R.W., 9=13327

Olson,A.R. See Karo,A.M., 9=8737

Olson,C.A. and Spencer,L.V. Energy spectra of cascade electrons and photons, 8=4215

Olson,C.D. and Pohm,A.V. Flux reversal in thin films of 82% Ni, 18% Fe, 9=420

Olson,D.M. See Smith,M.C., 7=8227

Olson,D.N. See Frisch,O.R., 9=13537

Olson,E L. See Handley,T.H., 5=1146, 5=6417

Olson,H.F. Electronic control of noise, vibration, and reverberation, 7=196. Acoustoelectronic auditorium, 9=9362

Olson,H.F. and Belar,H. Electronic music synthesizer, 5=6848. Phonetic typewriter, 7=3106

Olson,N. See Romanowski,M., 8=3981

Olson,O.H. See Pontarelli,D.A., 8=6793

Olson,R. and Rodriguez,S. Magnetoresistance of single crystals of copper, 8=7987

Olson,R.A. See Allen,R.C., 7=2669

Olson,R.G. Dynamic simulation of a fast reactor, 7=9492

Olson,R.K. See Stern,S.C., 9=8973

Olson,R.L. Construction of the SRE core, 5=8276

Olsson,I. A C^{14} dating station using the CO_2 proportion counting method, 8=8180

Olsson,O. A theoretical study of the time energy distribution of slowed-down neutrons, 6=3297

Olsson,O.M. and Hultberg,S. A theoretical study of the internal conversion with special application to magnetic dipole transitions, 9=11453

Olszak,W. On the bases of the theory of non-homogeneous elasto-plastic bodies. I, 6=724. On the foundations of the theory of non-homogeneous elasto-plastic bodies. II, 7=798. The plane problem of the theory of plastic flow of non-homogeneous bodies, 7=2744. On a classification of non-homogeneous elasto-plastic bodies, 7=2745

Olszak,W. and Zyczkowski,M. On the fundamentals of the theory of elasticity of physically non-linear non-homogeneous bodies, 7=2737

Olszewska,I. See Szymanowski,W., 8=6845

Olszewski,S. Electronic interaction in the free-electron model for non-branched conjugated systems, 6=6824. Remarks on the theory of absorption spectra of symmetrical cyanine dyes and polyenes, 7=5987. Interaction energy of electric charges in a very thin tube, 7=9671. On the free-electron theory of absorption spectra of some linear conjugated systems, 9=5517

Olt,R.G. See Curtis,M.L., 5=8195

Olving,S. See Meos,J., 8=4564

Om Parkash. See Macpherson,I., 5=9119

Omar,M. and Kenawi,M. The etching of diamonds by low pressure oxygen, 7=8930

O'Mara,J.H. See McIntyre,D., 9=5409

Omel'yanovskaya,N.M. See Lashkarev,V.E., 8=1056

Omholt,A. Electron density in the E-layer during auroral displays deduced from measurements of absolute brightness of the auroral luminosity, 5=653. Intensity measurements of the second positive band system of nitrogen in high-latitude aurorae, 5=4243. The auroral E-layer ionization and the auroral luminosity, 5=10129. Characteristics of auroras caused by angular dispersed protons, 6=7903. Secondary processes due to absorption of the Lyman lines emitted from aurorae, 6=8526. Intensity measurements of the green auroral oxygen line and the negative nitrogen bands emitted from rapidly varying aurorae, 6=9134. The recombination coefficient in the E-layer during aurorae, 7=944. A problem in connection with the determination of the intensity distribution in a line spectrum, 7=1178. Photometric observations of rayed and pulsating aurorae, 8=463. Considerations regarding the sodium lines in the nightglow and twilight, 8=4590. See also Vegard,L., 5=5794

Omholt,A. and Harang,L. Measurements of the mean liftime of the metastable ^1S-state of the oxygen atom in the upper atmosphere during auroral displays, 6=4758

Omnès,R. Feynman's principle in non-relativistic quantum mechanics, 5=3464. A possible method for the determination of the sign of the quadrupole moment of Cd^{111}, 7=1511. Study of multiple meson terms in the equation of Chew and Low, 7=5062. Complete system of integral equations of the Low type, 7=6886. A system of general relativistic equations of Low type, 7=7608. Conform-invariant field theories, 8=492. Pair production of positive mesons by one meson, 8=701. On the solution of certain singular integral equations of quantum field theory, 8=3630. See also d'Espagnat,B., 7=9408; Froissart,M., 8=883, 8=6643

Omori,Y. A device for calibration of anemometers for air flow of low velocities, 7=4032

Omura,I. See also Higasi,K., 6=5296, 7=2359

Omura,I., Baba,H. and Higasi,K. The ionization potentials of some conjugated molecules, 5=7249

Onak,T.P. See Lehmann,W.J., 9=6736-7

Onaka,R. Excitation spectra of silver activated alkali halide phosphors, 5=6943. Hyperfine splitting in the $p^5\ ^2P_{\frac{1}{2}}$ metastable state of I^{127}, 7=6988. Study of the $A^1\Pi \rightarrow X^1\Sigma^+$ bands of $B^{11}F$ with a vacuum echelle spectrograph, 7=8512. Perturbation at v=6 of the $A^1\pi$ state of CO, 7=9298. Grating mounting for vacuum ultraviolet monochromator, 9=4426

Onaka,R. and Nakamura,M. Photoelectric studies of near infrared OH emissions of night sky. II. Measurement of absolute intensity and brightness standard, 8=6552. Brightness standard for night airglow photometers of OIλ 5577, 9=6440

Oncescu,M. Structure of thin Sn layers, 8=8460. The thermic coefficient of resistivity of tin in thin layers, 9=4567. See also Ciorăscu,F., 9=4565, 9=12235

Oncley,J.L. Chemical characterization of proteins, carbohydrates and lipids, 9=8984. See also Thompson,T.E., 9=3024

Oncley,J.L., Ludwig,M. and Thompson,T.E. Microcomparator illumination system for improved resolution of Rayleigh diffusiometer diagrams, 9=3372

Oncley,P.B. See Petermann,L.A., 7=7695

O'Neal,H.E. and Gregory,N.W. Vacuum adiabatic heat capacity calorimeter, 9=8050

Oneda,S. On the universal interactions. II. K-meson decays into pions, 7=8177. A possible test of the primarity of the weak interactions comprising leptons, 8=2769. Two-component theory of the neutrino and K-meson decays comprising two neutrinos, 8=2777. Strange particle decays and the universal V–A four-fermion interaction, 9=8478. See also Kamefuchi, S., 8=6164

Ôneda,S., Hori,S. and Wakasa,A. On the elementarity of the weak boson—fermion interaction. I, 7=745; II, 746. On K-meson decays and the universal interactions, 7=747

Oneda,S. and Kamefuchi,S. Some remarks on K-meson decays, 8=5238

Oneda,S. and Pati,J.C. V–A four-fermion interaction and the interaction and the intermediate charged vector meson, 9=5367

Oneda,S. and Tanikawa,Y. Consequences of renormalizable weak interactions, 9=5360

Ondracek,M. Measurement of the viscosity of glass, 5=8533. Mass spectrograph of the (Czechoslovak) Research Institute for Vacuum Technology, 6=2188

Oneda,S. See also Iwata,K., 5=9426; Ogawa,S., 5=58; Umezawa, H., 5=713, 5=5867

Oneda,S. and Wakasa,A. On the universal interactions, 6=7974

O'Neill,E.L. Transfer function for an annular aperture, 6=3650. Graininess and entropy, 9=6426

O'Neill,G.D. On the space-charge-limited current between non-symmetrical electrodes, 5=8048

O'Neill,G.K. A direct reading analyzer for short time intervals, 5=4756. Storage-ring synchrotron: device for high-energy physics research, 6=6718

O'Neill,G.K. and Woods,E.J. Intersecting-beam systems with storage rings, 9=13384

O Neill,J.J. See also Dreher,J.J., 8=3833

O'Neill,J.J. and Dreher,J.J. Masking of English words by prolonged vowel sounds, 9=971

O'Neill,P.L. See Jones,D.P., 9=678

O'Neill,W.J., Sundahl,E. and Ostrander,H. An absorber system for scattering experiments, 9=13523

Onesto,N. See Braitenberg,V., 9=5282

Ong,R.S. Characteristic manifolds in three-dimensional unsteady

magnetohydrodynamics, 9=8383
Ong Ping Hok. Rotational levels in the beta decay of protactinium isotopes, 6=616
Ong Ping Hok and Arbman,E. The electron capture decay of ^{228}Pa, 7=1545
Ong Ping Hok and Kramer,P. The beta-decay of ^{233}Pa, 5=9862
Ong Ping Hok, Kramer,P. and Meijer,G. The decay of ^{90}Nb, 5=3051
Ong Ping Hok, Kramer,P., Meijer,G., Fennema,J.W.R. and Zijp,W.L. The beta-decay of ^{230}Pa, 6=3148
Ong Ping Hok, Verschoor,J.T. and Born,P. The decay of the Ux-complex, 6=6114
Ong Sing Poen. See also Le Poole,J.B., 7=1820
Ong Sing Poen and Le Poole,J.B. A focusing aid for the X-ray projection microscope, 8=5944. A critcal comparison of projection microradiography and the 2X method, 9=4663. Comments of V.E.Cosslett: The comparative merits of different methods of microradiography, 9=12930
Onishi,T. See also Arai,T., 7=3551; Imai,N., 9=7837
Onishi,T. and Yamamoto,M. Relaxation spectrum of chain high polymeric substances, 9=11607
Onley,J.W. See Boynton,R.M., 9=10457
Ono,K. On bound Λ^0 particles, 6=6926. Paramagnetic resonance absorption in chromous sulphate pentahydrate, 9=8338. See also Abe,H., 5=2880, 7=1490; Kumagai,H., 5=8901, 9=13382; Matsushima,T., 9=5403; Shimada,J., 6=3023
Ono,K. and Matsushima,T. The surface tension of liquid sulfur, 7=9561
Ôno,K., Shimada,J., Kuroda,K. and Tanaka,S. Angular distribution of proton groups from the reaction $F^{19}(d,p)F^{20}$, 8=2564
Ôno,K., Shimada,J., Kuroda,K., Tanaka,O., Kamitsubo,H., Ito,A., Tanaka,S. and Imaizumi,M. Yields and angular distributions of protons from $F^{19}(d,p)F^{20}$ and $F^{19}(d,p)F^{20*}$, 9=10112
Ono,K.and Yokoi,K. On Fermi's theory of multiple production, 6=3292
Ōno,M. Time change of permeability and hysteresis loop due to diffusion after-effect in ferromagnetics, 9=7167. See also Ito,D., 7=717
Ono,S. The quantum-statistical theory of transport phenomena, III. Course-grained phase- space distribution functions, 5=1547, 5=9391. Equation of state and surface tension of liquid, 9=3200. A note on the variation principle in the kinetic theory of gases, 9=4364
Onoe,M. Contour vibrations of isotropic circular plates, 7=3071. Gravest contour vibration of thin anisotropic circular plates, 9=128. Contour vibrations of thin rectangular plates, 9=1176
Onogi,S., Hamana,I. and Hirai,H. Viscoelastic properties of concentrated solutions of polyvinyl alcohol, 9=4347
Onoprienko,M.I. See Broude,V.L., 9=10780
Onsager,L. Diamagnetism in metals, 5=9391. See also Penrose, O., 7=2130
Onu,V. See Şchiopu,M., 9=6850
Onuki,M. See Kawamura,H., 5=5413; Kimura,M., 8=4061
Onwumechilli,C.A. See Alexander,N.S., 7=9987
Ooba,N. See Yoshiê,K., 9=6673
Ooijen,D.J.van. See van Ooijen,D.J.
Ookawa,A. On the mechanism of deformation twin in f.c.c. crystal, 8=4517. See also Fukushima,E., 6=1732, 8=6432
Ookuma,J. See Asada,T., 9=351
Oomura,T. See Chikazumi,S., 6=474
Oordt,A.J.van der Houven van. See van der Houven van Oordt, A.J.
Oort,J.H. Solid particles in extra-galactic nebulae: introductory report, 6=872*. Measures of the 21 cm line emitted by interstellar hydrogen, 7=3907
Oort,J.H. and Spitzer,L.,Jr. Acceleration of interstellar clouds by O-type stars, 5=5171
Oosawa,F. and Imai,N. Note on solutions of linear polyelectrolyte molecules, 5=2475
Ooshika,Y. A semi-empirical theory of the conjugated systems. I. General formulation, 9=8743; II. Bond alternation in conjugated chains, 9=8744. See also Chikayama,A., 9=8730; Oshida,I., 6=523
Oosterhout,G.W.van See van Oosterhout,G.W.
Oosterkamp,W.J. See Tol,T., 5=316
Oosterom,J.F. See Meyer,G., 9=8036-7
Opekunov,A.A. See Gonikberg,M.G., 9=12062
Ophel,T.R. The photodisintegration of potassium by ^{7}Li(p,γ) radiation, 9=666. See also Hwang,C.F., 9=11366
Ophel,T.R. and Wright,I.F. Photodisintegration of sodium by ^{7}Li(p,γ) radiation, 8=1975
Öpik,E. The distribution of meteor stream intensity over the celestial sphere, 6=872*. Dust and star formation in supernova explosions, 6=1787. The masses of meteors, 6=1805
Öpik,E.J. Meteor radiation, ionization and atomic luminous efficiency, 5=6691. Problems in the physics of meteors, 8=3647
Öpik,U. The Layzer approximation for the treatment of collisions of electrons with atoms, 5=5482. See also Longuet-Higgins, H.C., 8=4384
Öpik,U. and Pryce,M.H.L. Studies of the Jahn-Teller effect. I. A survey of the static problem, 7=6395
Opitz,H.E. See Mayo,D.W., 5=8617
Optiz,W. Superconductivity and resistance of thin indium films with lattice faults and foreign metal additions, 5=7977
Opler,A. and Yeaman,M.D. Calculation of C.I.E. coordinates of color tolerance ellipsoids, 7=4254
Oppelt,J. A new type of ionization radiation monitor, 9=8416
Oppenheim,A.K. On intracardiac pressure measurement, 8=2715
Oppenheim,A.K., Sternling,C.V., Sleicher,C.A., Jr and Stern, R.A. Fluid dynamics, 9=5397
Oppenheim,A.K., Urtiew,P.A. and Stern,R.A. Peculiarity of shock impingement on area convergence, 9=10711
Oppenheim,I. Quantum mechanical effects on the surface tension of simple liquids, 9=2133. See also Mazur,P., 7=8578; Nelms,A.T., 6=3919
Oppenheim,I. and Mazur,P. Density expansions of distribution functions. I. Virial expansion for finite closed systems; canonical ensemble, 7=8577
Oppenheim,I. and Ross,J. Temperature dependence of distribution functions in quantum statistical mechanics, 7=7629
Oppenheim,U. Semireflecting silver films for infrared interferometry, 6=7319. See also Jaffe,J.H., 7=9056
Oppenheim,U. and Jaffe,J.H. Interference in an optical wedge, 7=3168
Oppenheim,U.P. Experimental verification of theoretical relations between total gas absorptivities and total gas emissivities for CO, 9=8030
Oppenheimer,E. See Jobling,A., 9=1907
Oppenheimer,F. See Alvarez,L.W., 5=4732
Opstelten,J.J. and Warmoltz,N. A double-sided micromanometer, 5=7728
Opstelten,J.J., Warmoltz,N. and Zaalberg van Zelst,J.J. A direct-reading double-sided micromanometer, 7=1097
Oquidam,B. and Jancovici,B. Nuclear matrix elements for some 1st-forbidden unique β transitions, 9=10016
Oraevskiĭ,A.N. See Basov,N.G., 7=4591
Ó Raifeartaigh,L. Fermi coordinates, 8=2727. A static generalization of the Einstein universe, 8=3689
Ó Raifeartaigh,L. and Synge,J.L. A property of empty space-time, 8=5601
Oram,P.J. See Hyder,H.R.McK., 8=6343
Orbach,R. Linear antiferromagnetic chain with anisotropic coupling, 9=4777
Orbach,R. and Pincus,P. Excitation of spin waves in an antiferromagnet by a uniform rf field, 9=5901
Ordway,G.L., Cross,P.C. and Bair,E.J. Asymmetric rotor. XII. The infrared spectrum of hydrogen sulfide from 7480 to 7880 cm^{-1}, 5=5553
Ordzhonikidze,K. and Shyuttse,V. Investigation of the isotropic constitution of lithium, 6=8336
Ore,A. Entropy of radiation, 5=6998. Intermolecular energy transfer and concentration depolarization of fluorescent light, 9=10805. See also Skoglund,A., 6=8171
Orear,J. Device for accurate location of events in nuclear emulsion, 5=681. Measurement of Coulomb interference in 113-MeV π^+-p scattering, 5=1246. Preparation of emulsion chambers suitable for quick tracing of all tracks, 5=1433. Energy dependence of the phase shifts in pion-proton scattering, 6=697*. Evaluation of the scattering lengths in pion-nucleon scattering, 7=3369. Evidence against spin 1 for the τ meson, 7=7426. See also Baumel,P., 8=8254; Bierman,E., 9=4920; Harris,G., 6=1618, 6=4020, 7=6604, 8=1880, 8=2479; Lee,T.D., 6=3252; Lynch,G., 9=3758; Nordin,P., 9=2659; Taylor,S., 9=7228, 9=7283
Orear,J., Glasser,R.G., Haskin,D.M. and Schein,M. High-energy electron pair produced by 113-MeV positive pion, 5=2206
Orear,J., Harris,G. and Bierman,E. Influence of strong magnetic field on depolarization of muons, 7=9910

Orear,J., Harris,G. and Taylor,S. Spin and parity analysis of betatron τ mesons, 6=6195. Heavy meson lifetimes, 7=3710

O'Reilly,D.E. Quadrupolar broadened nuclear magnetic resonance of polycrystalline solids, 8=8432. Paramagnetic resonance of vanadyl etioporphyrin I, 9=2878

O'Reilly,D.E., Leftin,H.P. and Hall,W.K. Nuclear magnetic resonance of proton dilute silica gel and silica aluminas, 9=2984

O'Reilly,E.J., Jr. See Lippincott,E.R., 5=2601

Orem,T.H. Growth of preferentially oriented aluminum single crystals, 9=2989. Twinned epitaxy of copper on copper, 9=2991

Oreshkin,P.T. Experimental models of a high temperature thermistor, 9=3403

Orgel,A.R. and Smith,J.C. Test of the magnetic theory of homing, 5=4246

Orgel,L.E. Spectra of transition-metal complexes, 5=5996. Ionization potentials and charge-transfer spectra of substituted benzenes, 5=8969. Band widths in the spectra of manganous and other transition-metal complexes, 6=215. Phosphorescence of solids containing the manganous or ferric ions, 6=1098. Electronic structures of transition-metal complexes, 6=1449. The hydrogen bond, 9=8746. Lattice distortions due to d–s mixing, 9=12760. Nuclear magnetic resonance spectra of compounds of the B-subgroup metals, 9=13477. See also Dunitz,J.D., 5=6365, 7=2846; George,P., 6=8456; Griffith,J.S., 7=6415, 8=5465

Orhaug,T. See Lied,F., 8=8545

Oriani,R. Contributions to the change in Knight shift upon the melting and alloying of the alkali metals, 9=13821

Oriani,R.A. Supercooling in a binary liquid misability-gap system, 6=9000. Relation of magnetic disordering to the thermodynamics of solid metallic solutions, 9=1586

Oriani,R.A., McClintent,E. and Youngblood,J.F. Nuclear magnetic resonance of hydrogen in metals, 7=9830

Oriani,R.A. and Murphy,W.K. Thermodynamics of ordering alloys. III. Energies of transformation of the $Au_{1/2}Cu_{1/2}$ phases, 9=9575

Orient,O. Fatigue effects on the cathode of self-quenching GM counters, 9=8396

Orient,O.J. and Vizsolyi,E.I. Diborane-gas filled counting tubes for measuring thermic neutrons, 7=8673

Orkin-Lecourtois,A. Study of heavy mesons stopped in photographic emulsions. II. 4. Method of estimation of mass by multiple scattering—residual range, 5=6510. See also Hoang,T.F., 5=4958, 5=4966, 5=6506

Orkin-Lecourtois,A., Hoang,T.F., Morellet,D. and Kayas,G. Methods of determining the masses of charged particles detected in nuclear emulsions, 5=6505

Orkin-Lecourtois,A., Kayas,G. and Hoang,T.F. The methods of mass measurement by scattering, gap-counts and grain counts used by the École Polytechnique group (Paris), 5=8287

Orlin,J.J. Electrons emitted from metals after the irradiation by 1.5 MeV X-rays, 5=6205. Electrons emitted from metals after the irradiation by 1.5 MeV X-rays, 6=1578

Orlinskiĭ,D.V. See Borzunov,N.A., 8=5941

Orlov,A.N. On the theory of the elastic constants of alloys of the β-brass type, 8=4474. See also Galishev,V.S., 7=6523

Orlov,A.N. and Fedorov,G.V. Absorption of bremsstrahlung of a betatron in a two-layer absorber, 7=4682

Orlov,A.N., Galishev,V.S. and Taluts,G.C. Calculation of the multiple scattering of lead and thorium gamma rays, 9=13531

Orlov,A.N., Plishkin,Yu.M. and Shepeleva,I.M. Stability of the equilibrium of a chain of atoms, 9=8774

Orlov,A.N. and Sokolov,A.V. Calculation of the structure of the X-ray emission spectrum of ordering alloys, 8=8020

Orlov,E.F. See Gershman,S.G., 9=7912

Orlov,V.V. See Blokhintsev,D.I., 5=1062

Orlov,Y. The non linear theory of betatron oscillations in the strong focusing synchrotron. I, 6=4433

Orlov,Yu.F. The energy spectrum of ionizing particles of high energy after passage through a thick layer, 6=7491. Influence of the nearness to external resonance on the magnitude of the critical energy in an accelerator with strong focusing, 6=8819. Excitation of betatron oscillations by synchrotron momentum oscillations in a strong-focusing accelerator, 7=5403. Non-linear theory of betatron oscillations in a strong-focusing synchrotron, 7=6277. The application of quadratic non-linearities in an accelerator with strong focusing, 9=8243

Orlov,Yu.F. and Kheifets,S.A. The distortion of the magnetic field of a strong-focusing accelerator by the metal vacuum chamber, 9=9718

Orlov,Yu.F. and Tarasov,E.K. Oscillation damping in a cyclic electron accelerator, 8=7086

Orlov,Yu.F., Tarasov,E.K. and Kheifets,S.A. Damping of the oscillations of particles in the electron-synchrotron with rigid focusing, 9=9719

Orlov,Yu.V. Internal bremsstrahlung in an electric monopole $0^+ \rightarrow 0^+$ transition of a nucleus, 7=4688. See also Luk'yanov,A.V., 9=1780, 9=2833

Orlova,I.V. and Godnev,I.N. On the connection between the Larnaudie method and the El'yashevich-Stepanov method of zero approximations, 9=10172

Orlova,M.P. See Astrov,D.N., 8=2409; Borovik-Romanov,A.S., 5=4602, 7=3435, 8=653

Orlova,N.S. Comparison of the law of reflection of light for the moon and for certain kinds of rocks, 8=583

Orlovskii,G.N. See Kaminir,L.B., 9=12391

Orman,P.R. See Allen,K.W., 7=2655

Ormand,F.T. and Matsen,F.A. Electronic structure of LiH. III. The Knipp wave function, 9=736. Nuclear magnetic shielding constants for several 2-, 3-, and 4-electron atoms and ions, 9=6156

Ormont,B.F. The relationship between the chemical and mechanical stabilities of very hard bodies, 6=6985. See also Gurevich,M.A., 7=1751, 8=4531

Ornatskaya,Z.I. The electrical nature of certain compounds of tungsten oxide, 7=9192

Ornella,L.F. See Weir,A., Jr, 8=1021

Ornstein,L.T.M. See Nijgh,G.J., 9=8555; Nussbaum,R.H., 5=478; Wapstra,A.H., 9=8556

Orofino,T.A. and Flory,P.J. Relationship of the second virial coefficient to polymer chain dimensions and interaction parameters, 7=7655

O'Rourke,R.C. See also Sáenz,A.W., 6=4485

O'Rourke,R.C. and Anderson, A. Problem in shower theory (Approximation A), 5=9743

Orowan,E. Condition of high-velocity ductile fracture, 5=8302

Orr,C. and Martin,R.A. Thermal precipitator for continuous aerosol sampling, 8=9130

Orr,C., Jr. See also Dallavalle,J.M., 5=1284

Orr,C., Jr and Blocker,H.G. The viscosity of suspensions of spheres, 5=4403

Orr,C.Jr, Hurd,F.K. and Corbett,W.J. Aerosol size and relative humidity, 9=11613

Orr,J. See Lewis,F.A., 8=623; Ubbelohde,A.R., 7=6197

Orr,L., Kerr,W. and Gomberg,H.J. Nuclear reactor simulator for teaching purposes, 7=3683

Orr,L.W. Wide-band amplitude distribution analysis of voltage sources, 5=283. Probability distribution measurements with the oscilloscope, 5=3713

Orr,R.L., Goldberg,A. and Hultgren,R. Liquid tin solution calorimeter for measuring heats of formation of alloys, 8=2285

Orr,S.R. See Eichelberger,J.F., 5=1145

Orrall,F.Q. See Athay,R.G., 8=4658; Jefferies,J.T., 9=7743

Orrok,G.T. See Lindenmeyer,C.S., 7=9964

Orsini,L.Q. See Guerra Vieira,A.H., 9=5307

Orsoni,L. See Ascari,A., 6=6174-5

Orsuki,S. See Konuma,M., 7=9812

Ortalli,I. See Mora,S., 9=12637

Ortel,W.C.G. See Bøggild,J.K., 5=8281, 7=1643; Davies,J.H., 6=3270*; Fowler,P.H., 6=3284

Orth,C. See Los Alamos Radiochemistry Group, 8=768

Orthmann,H.J. See Helmoke,J.-G., 5=2785

Ortiz,M.E. See López,G., 9=10115

Ortiz Fornaguera,R. On some general properties of static solutions of Schiff's equation, 5=1515

Ortmann,H. The luminescence excitation effect of α-particles of different energies on activated zinc sulphide, 9=4470. See also Riehl,N., 6=1094, 6=5790, 7=4177, 9=10810

Ortner,G. Influence of light on the mobility spectrum of atmospheric ions, 7=6777. Research reactors, 9=705. See also Salim,S., 9=4764

Ortner,G. and Abdel Fattah el Nadi. Intermediate and large atmospheric ions at Cairo-Giza, 5=10125

Ortner,J. See Hultqvist,B., 9=9071

Orton,J.W. Paramagnetic resonance data, 9=4827

Ortusi,J. The nature of the donors in the interior of oxide layers

and the calculation of their dissociation energy, 5=5402
Orville-Thomas,W.J. See Gompertz,G., 9=13739
Os,O. See Lönsjö,O., 5=6442
Osada,K. Ultraviolet absorption spectra of uranium glasses, 6=220. Phosphorescence of sodium- and potassium-acetates, 6=5011. The effect of adsorbed water on the phosphorescence of sodium acetate, 7=3153. Phosphorescence of sodium acetate, 9=7981. Phosphorescence of acetic acid, 9=9487
Osanov,D.P. See Kovalev,E.E., 9=3718
Osawa,K. Model atmospheres for A-type stars, 6=5659
Osberg,W.E. See Hornig,D.F., 5=5320
Osberghaus,O. See also Ehrhardt,H., 9=6356; Gebhardt,W., 8=8404; Minten,A., 8=8405
Osberhaus,O. and Ziock,K. The measurement of oscillator strength on the Fe resonance line 3720 A from the excitation time, 9=3276
Osborn,K.R. and Gunning,H.E. Determination of Hg-202 and other mercury isotopes in samples of mercury vapor by mercury resonance radiation absorbiometry, 5=7485
Osborn,K.R., McDonald,C.C. and Gunning,H.E. Photochemical separation of mercury isotropes. I. A study of the emission and absorption hyperfine lines of mercury at 2537 A, 7=3124
Osborn,R.H. See Saltzmen,R.S., 6=276
Osborn,R.K. See also Coveyou,R.R., 6=8412; Klema,E.D., 6=8931, 8=4271
Osborn,R.K. and Klema,E.D. Empirical correlation of nuclear magnetic moments, 6=560. Analysis of nuclear quadrupole moments on the basis of a kinematical model, 7=6450. Dynamics of an elastic ellipsoid, 9=2682
Osborne,D.V. The propagation of heat in liquid helium at temperatures below 0.6°K, 6=5050
Osborne,D.W. See Abraham,B.M., 5=6083; Flotow,H.E., 9=12189; Weinstock,B., 9=2275
Osborne,J.S. See Greanias,E.C., 7=3
Osborne,L.S. Interpretation of K^+ scattering in nuclear emulsions, 6=5418. See also Baldwin,D.E., 9=4872; DeSaussure,G., 5=9092; Feld,B.T., 5=1242; Goldschmidt-Clermont,Y., 5=2185; Hill,R.D., 6=2388
Osborne,L.S., Rankin,W.D., Stein,P.C., Wattenberg,A. and Winston,A. Search for electromagnetic interactions between μ mesons and electrons, 5=3133
Osborne,R.N. See Lindner,M., 6=6900
Oscar Pogo,A. See Cordero Funes,J.R., 9=12028
Ose,T. See Kubota,H., 5=2635
Oshchepkov,P.K., Rozenberg,L.D. and Semennikov,Yu.B. An electroacoustic converter for making sound images visible, 6=4929
Osher,J. See Honsaker,J., 8=779
Osher,J.E. See also Lowry,R.A., 6=5168
Osher,J.E., Moyer,B.J. and Parker,S.I. Study of θ_1^0 production and decay by observation of its neutral decay mode, 9=8482
Osherovich,A.L. See also Bezverkhniĭ,Sh.A., 7=937
Osherovich,A.L. and Savich,I.G. On measurement of the 3^3P and 3^1P level lifetimes of helium atoms by the delayed coincidence method, 9=12725
Oshida,I. A new graphical solution of ordinary linear differential equation of the second order, 5=3387. See also Chikayama, A., 9=8730
Oshida,I. and Horiguchi,O. Hydration of ions and co-ordinate bond, 6=5504
Oshida,I., Ooshika,Y. and Miyasaka,R. Proton transfer in hydrogen bond and its participation in π-electron systems, 6=523
Ôshima,K. Shock tube study of the flow past circular-arc airfoils using a Mach-Zehnder interferometer, 5=7757. Experiments on the cylindrical blast waves, 9=9326. See also Abe,H., 6=8872; Gillette,P.R., 8=8927, 9=3645; Kim,C.-S., 6=4247
Oshima,K., Abe,H., Nagano,H. and Nagusa,M. Paramagnetic resonance of NaCl crystals containing additions of manganese impurities, 6=483
Oshima,K., Hayakawa,S., Nagano,H. and Nagusa,M. Luminescence spectra of samarium in barium titanate at its transition, 6=5017
Oshima,K. and Kusumoto,H. Effect of elongation on the proton magnetic resonance of natural rubber, 6=5506
Oshima,K. and Nagano,H. Magnetism on optical excitation of manganese-activated zinc sulfide phosphors, 5=8636
Oshima,Y. Study of the nuclear reaction $Al^{27}(n,p)Mg^{27}$ with neutrons of 14 MeV, 7=3663
Oshinsky,W. See Breckenridge,R.G., 5=947, 5=3766
Oshio,T. Studies on the cosmic rays underground, 5=9391. See also Higashi,S., 5=2845, 7=3422, 7=7201, 7=8703-4, 9=12424
Osiko,V.V. Two kinds of luminescent centre due to manganese in the system cadmium—lithium orthosilicate, 9=9455
Osipenkov,V.T. See also Dzhelepov,V.P., 7=3625; Ivanov,V.G., 7=4459, 7=4701
Osipenkov,V.T. and Filippov,S.S. Cross-section for interaction of π-mesons with hydrogen nuclei, 8=8350
Osipov,B.D. Microwave dispersion in ammonia at 10^{-2}mm of Hg, 5=829. Hyperfine structure of the rotational transition $J = 3 \rightarrow 4$ of CH_3I^{127}, 8=6379
Osipov,K.A. On the energy of formation of vacancies in solid metals, 9=1869. The values of the activation energy of self-diffusion in liquid metals, 9=10676. A calculation of the limiting values of the activation energy for various processes in solid metals, 9=11546
Osipov,Yu.I. See Korolev,F.A., 7=4139
Osip'yan,Yu.A. See Il'ina,V.A., 8=4407; Lyubov,B.Ya., 5=8698; Nadgorny̆i,E.M., 9=11549
Oskam,H.J. High-frequency gas discharge breakdown in neon-argon mixtures, 6=7439. Microwave investigation of disintegrating gaseous discharge plasmas, 9=1549, 9=3598. Some aspects of the high frequency gas discharge, 9=8251. See also Ahsmann,G., 9=9679
Osmalov,J.S. See Glaze,F.W., 8=3013
Osman El-Mofty and Mohamed El-Nadi. Multiple meson production theories applied to cosmic-ray showers, 5=8886
Osmond,W.P. The effect of particle shape variations on the coercivity of iron oxide powders, 5=1989. The temperature-dependent resistivity of certain iron deficient magnesium manganese ferrites, 7=533. Angles between magnetic spin directions in iron-deficient magnesium manganese ferrites, 7=2401. Angles between partial magnetizations in spinel ferrites containing manganese ions of more than one valency, 7=3456. See also Harrison,F.W., 7=7217
Osokina,R.M. and Ratner,B.S. Investigation of the (γ,p) reaction on zinc, 7=5629
Ossaka,J. See Kato,Y., 6=7038
Ostenburg,D.O. Van. See Van Ostenburg,D.O.
Oster,G. See also Nishijima,Y., 7=8451
Oster,G. and Nishijima,Y. Fluorescence and internal rotation: Their dependence on viscosity of the medium, 6=7304
Oster,G.K. and Marcus,R.A. Photochemical studies in flash photolysis. I. Photolysis of acetone, 7=8920. Exploding wire as a light source in flash photolysis, 8=1360
Oster,H. See Grimm,E., 5=7482
Oster,L. Photometry of prominences with the coronograph, 5=6701. The radiation field of the transition layer between chromosphere and corona, 6=7945. Viscosity, electrical and thermal conductivity of stellar material, 9=2019. On the cooling of stellar material by thermal emission and the fading of solar eruptions. 9=9167. The continuous absorption coefficient for free-free emision in the radiofrequency spectral region, 9=9410
Osterberg,C. See Epstein,E.S., 7=938
Osterberg,H. Propagation of plane electromagnetic waves in inhomogeneous media, 9=487. See also Traub,A.C., 7=1992
Osterberg,H. and LaMarre,D. Modified method of Fizeau fringes for thickness measurements, 7=290
Osterbrock,D.E. Electron densities in filamentary nebulae, 8=5590. See also Seaton,M.J., 7=7560
Osterlund,A.G. See Brunner,R.K., 9=10649
Östlund,H.G. Carbon dioxide proportional counting for natural radiocarbon measurements, 8=1916
Ostrander,H. See O'Neill,W.J., 9=13523; Rose,D., 7=6514
Ostranitsa,A.P. See Dudkin,L.D., 9=12253
Ostretsov,L.A. See Latȳshev,G.D., 8=7358
Ostroborodova,V.V. See also Kalashnikov, S.G., 9=307
Ostroborodova,V.V. and Kalashnikov,S.G. Influence of the heat treatment on the concentration and mobility of charge carriers in germanium, 6=2094. Recombination of the unbalanced charge carriers on the thermal acceptor in germanium, 6=2095
Ostroumov,A.G. On electro-thermal convection in air, 5=3674. See also Ostroumov,G.A.
Ostroumov,A.G. and Ostroumov,G.A. On the question of thermoelectric convection, 6=7345
Ostroumov,G.A. Electrostatic convection in electrolytes, 5=2275 Some hydrodynamical phenomena accompanying the passage of a current through insulating liquids, 6=5065. Observation of electroconductive convection in electrolytes, 6=8217.

Transient thermal convection about a horizontal cylinder, 7=6105. The temperature of horizontal wires heated by alternating current, 9=3397. See also Ostroumov,A.G., 6=7345

Ostroumov,V.I. Fission of uranium nuclei by fast protons, 7=1588. Disintegration of silver and bromine nuclei by high-energy protons, 7=5623. See also Vaganov,P.A., 8=6299

Ostroumov,V.I. and Filov,R.A. Angular correlation between the fragments and charged particles emitted in the fission of uranium nuclei, 8=6338

Ostroumov,V.I. and Perfilov,N.A. Angular distribution of the fragments in fission of uranium by high-energy neutrons, 7=3679

Ostroumov,V.I., Perfilov,N.A. and Filov,R.A. Cascade α-particles from disintegrations induced by 360 and 660 MeV protons, 9=13666*

Ostroumov,V.I., and Yakovlev,Yu.P. Multi-charged particles emitted in disintegration of carbon nuclei by 660 MeV protons, 9=12673. Some hydrodynamical phenomena accompanying the passage of the current through insulating liquids, 6=5065.

Ostrovskiĭ,I.E. See Braude,S.Ya., 9=3670

Ostrovskiĭ,V.S. See also Likhtman,V.I., 8=6452

Ostrovskii,V.S., Amfiteatrova,T.A. and Yampol'skii,B.Ya. The effect of oxide layers and of [immersion in] adsorptive [surface]-active substances on the creep of copper wire, 9=13867

Ostrovskiĭ,Yu.I. The relative f-numbers of the head terms of the diffuse and sharp series of Al I, 8=1991

Ostrovskiĭ,Yu.I. and Penkin,N.P. Relative f-values for some scandium lines, 8=573. Absolute values of oscillator strengths for Cr, Mn and Cu lines, 8=4865. Measurement of absolute values of the oscillator strengths of spectral lines of Ga I and In I, 9=12038. The relative values of the f-numbers of vanadium and cobalt spectral lines, 9=13147

Ostrovskiĭ,Yu.I., Penkin,N.P. and Shabanova,L.N. Absolute values of the forces of the oscillators of resonance lines for MgI, CaI, SrI and BaI, 8=6808

Ostrowski,J.M. See Heindl,C.J., 6=8413

Ostrowski,J.W. amd Sosnowski,L. Kinetics of photoconductivity in thallium sulphide, 5=1846

O'Sullivan,D.C. Treatment of the equations of classical diffusion in homogeneous isotropic media, 6=7191. Interrelations involving solutions of equations of equalizing processes and oscillating processes, 9=6344

O'Sullivan,W. Study of the Wurtzite-type binary compounds. III. Valence band structure of BeO, 9=6238. See also Keffer,F., 8=8110

Oswald,A. See Forster,H.H., 5=1153

Oswald,F. Optical determination of temperature-dependence of energy gap in semiconductors of type A^{III} B^{V}, 6=2868. See also Folberth,O.G., 5=3765

Oswald,F. and Schade,R. On the determination of the optical constants of semiconductors of type A^{III} B^{V} in the infrared, 5=288

Oswald,L. See Agnew,L., 8=6142. Agnew,L.E.,Jr, 8=7249

Oswald,L.O. Propane bubble chamber in a high magnetic field, 7=3393. See also Elliott,J.B., 5=8046. Powell,W.M., 9=1641

Otera de la Gandara,M.J. See Terol,S., 9=10811

Oterma,L. Researches bearing on telescopes provided with a corrector plate, 6=4150

Otero,C. See Barceló,J.R., 8=8691

Otero,J.M., Aguilar,M. and Yunta,J. The arrangement of peri-foveal and para-foveal receptors at low luminance levels, 5=3342

Otnes,K. See Palevsky,H., 8=2277, 9=2277

Otpushchennikov,N.F. Velocity of propagation of ultrasonic waves in solids, 5=129. The absorption of ultrasonic waves in iron-Armco and Plexiglass, 5=7780. Velocity of propagation of ultrasound in water near its freezing point, 9=5437

Otroshchenko,G.A. See Gorlov,G.V., 7=4734, 7=4736

Ôtsubo,A. See Kanda,E., 5=7186

Otsuka,E. Anisotropy of nuclear magnetic resonance due to crystal dislocations, 9=11262. See also Kawamura,H., 7=3823. Tomura,M., 5=6131

Otsuka,E. and Kawamura,H. Determination of dislocation densities through nuclear resonance studies, 9=8812

Otsuka,M. See Horie,T., 7=2480, 4451, 8=7470-1

Otsuki,S. See also Iwadare,J., 7=108, 7=2991, 7=6896-8

Otsuki,S. and Fujii,S. Phenomenological analysis of the meson theory of nuclear force, 5=3443

Otsuki,S., Sawada,T. and Suekane,S. The properties of the meson theoretical potentials in Li^{6}, 5=9429. Meson-theoretical potentials in N^{14}, 6=8927

Otsuki,S. and Tamagaki,R. Meson theoretical potentials in triplet odd state, 5=6751. On the meson-theoretical potentials, 6=6369

Ott,D.G. See Hayes,F.N., 6=2964, 5170; Kerr,V.N., 9=3327; Swank,R.K., 8=8701

Ott,K. and Preuss,H. Secondary electrons and photons of μ-mesons in solids, 9=6018

Ottavi,H. See Benoit,H., 9=8346-7, 13468

Otte,H.M. See Hirsch,P.B., 9=7603

Otten,E.W. See Bucka,H., 9=6056, 12620

Otter,F.A. See Domenicali,C.A. 5=5427

Otter,F.A., Jr,, Thermoelectric power and electrical resistivity of dilute alloys of Mn, Pd and Pt IN Cu, Ag and Au, 6=2900

Otter,F.A., Jr, Flanders,P.J. and Klokholm,E. Ferromagnetism in noble metal alloys containing manganese, 5=8897

Otter,M. See Menzel,E., 6=1724

Otterman,J. Finite-amplitude propagation effect on shock-wave travel times from explosions at high altitudes, 9=6634

Ottewell,R.H. See Horne,R.W., 8=1363

Otto,J. See Moser,H., 7=7067-8

Otvinovskii,S.Z. See Balandin,M.P., 9=12577

Otvos,J.W. and Stevenson,D.P. Cross-sections of molecules for ionization by electrons. 6=5186

Ouang,T.T. On the measurement of the velocity of ultrasound, in liquids by radioactive indicators, 5=2534. On the measurement of foil-thicknesses by absorption of Co^{60}, Tl^{204}, Sr^{90}, and Ru^{106} β-radiation, 7=7639

Ouchi,A. See Kihara,T., 7=9568

Ouchi,T., Semba,K. and Yonezawa,M. On the mass reversal in the quantized field theory, 6=7962

Ouchi,T. and Senba,K. Charge independence hypothesis and leptons, 7=5855

Ouchi,T., Senba,K. and Yonezawa,M. Theory of mass reversal in the quantized field theory, 6=8574. Mass reversal and lepton processes, 8=5621

Oudart,A. Thermal flux produced by pulsating motion of a fluid, 6=7341

Oudemans,G.J. and Cole,R.H. Dielectric constant and pair interactions in gaseous helium and argon, 9=13251

Ouillet,J. See Arnulf,A., 6=5751

Oulton,G.M. See Head,J.W., 7=6804, 8=1408

Oura,M. See Kiyama,R., 5=6617

Outteridge,K.D. The statistics of the adjustment and comparison of counters, 5=5478

Ouvarova,V.M. See Bogomolov,C.S., 9=14000

Ouweltjes,J.L. Some considerations of the energy transfer in halophosphates, 7=4184

Ovadia,J. See Shapiro,G., 7=985

Ovander,L.N. Scattering of light in solutions far from the absorption band, 8=970. Raman scattering of light by solutions in the absorption-band region, 9=9441. Rayleigh scattering of light by solutions in the absorption-band region, 9=9530. Luminescence and resonance scattering, 9=12076

Ovcharenko,N.N. See Geguzin,Ya.E., 8=4455

Ovcharenko,O.N. See Lazarev,B.G., 5=8743, 9=12772

Ovcharov,V.E. See Bodner,V.A., 9=9269

Ovcharov,V.T. Axially symmetrical packets of electrons of a given form, 6=8823

Ovchinnikov,E.P. See Logunov,V.N., 8=2354, 8=7087

Ovechkin,V.V. and Sorokin,A.A. A high-speed Compton two-crystal gamma-spectrometer, 9=8433

Ovenall,D.W. See Abraham,R.J., 9=741; Hastings,G.W., 6=6998

Ovenshine,S.J. See Sherwood,J.E., 9=10017; Werne,G.K., 5=3248

Øveraas,H. See Olsen,H., 5=340; Wergeland,H., 7=1835

Øverås,H. See Jensen,J.H.D., 9=11378; Olsen,H., 7=7538

Overbeek,J.T.G. and Sparnaay,M.J. London-van der Waals attraction between macroscopic objects, 5=8107

Overend,J. and Crawford,B.,Jr. Perpendicular bands of allene and allene-d$_4$, 9=1823

Overend,J. and Thompson,H.W. Vibration-rotation bands and rotational constants of dideuteroacetylene, 6=3060. Vibration-rotation bands of monodeutero-acetylene and the molecular dimensions, 6=4553

Overend,J., Youngquist,M.J., Curtis,E.C. and Crawford,B.,Jr. Vibrational intensities. XI. CO$_2$ and the Wilson-Wells method, 9=3979

Overend,W.G. See Cox,R.A., 6=1701

Overhauser,A.W. Multiplet structure of excitons in ionic crystals, 6=4085. See also Dick,B.G.,Jr, 9=4542; Ehrenreich,H., 7=1287, 7=2222

Overhauser,A.W. and Gorman,R.L. Resistivity of interstitial atoms and vacancies in copper, 6=5083

Overhauser,A.W. and Rüchardt,H. Inversion symmetry of M and R centers, 9=5160

Overhauser,A.W. and Schindler,A.I. Electrical resistivity of nickel-palladium alloys, 8=173

Overholt,D.C. See Halperin,J., 9=13706

Overmeyer,J. See Calhoun,B.A., 8=230, 8=8871; Smith,W.V., 9=7177

Overton,W.C.,Jr. and Berlincourt,T.G. Pressure dependence of de Haas-van Alphen parameters in bismuth, 5=8918

Overton,W.C.,Jr and Gaffney,J. Temperature variation of the elastic constants of cubic elements. I. Copper, 5=6549

Ovsyannikov,L.V. General solution of the equations of the renormalization group, 7=1893

Ovsyannikova,I.A. and Shirobokov,M.Ya. The dynamical theory of electron scattering in crystals, 6=4741

Owaki,M. See Nishioka,A., 6=4380

Owe Berg,T.G. The fundamentals of electrochemistry, 5=1313

Owen,A.E. and Douglas,R.W. The electrical properties of vitreous silica, 9=6908

Owen,B. and Lloyd,R.A. Correction for the gamma-ray sensitivity of the beta-counter in the standardization of cobalt-60 by the beta-gamma coincidence method, 8=4294

Owen,B.G. See also Eyeions,D.A., 5=9143

Owen,B.G. and Wilson,J.G. Measurements of the momentum spectrum of μ-mesons at sea level. I. The momentum range 5×10^8 eV/c-2×10^{10} eV/c, 5=5499

Owen,G.E. See also Ames,O., 7=6563, 8=2567; Bedard,F., 6=4439; Berlin,T.H., 8=2580; Chagnon,P.R., 6=1636, 6=3985; Fulton,T., 8=8324; Madansky,L., 6=639, 9=12381; Shipley,E.N., 9=9902, 9=12687

Owen,G.E. and Madansky,L. Analysis of the $B^{11}(d,n)^{c12}$ reaction by nuclear stripping, 7=4720. Wave-vector technique for the analysis of direct interactions, 8=4309

Owen,G.E., Madansky,L. and Edwards,S.,Jr. Analysis of the reaction $C^{13}(He^3,\alpha)C^{12}$, 9=7347

Owen,H.R. See Schaeffer,O.A., 5=8874

Owen,J. The colours and magnetic properties of hydrated iron group salts, and evidence for covalent bonding, 5=2974. See also Bagguley,D.M.S., 8=1316; Bowers,K.D., 5=8907; Griffiths,J.H.E., 5=430, 5=5710, 8=2386

Owen,J., Browne,M., Knight,W.D. and Kittel,C. Electron and nuclear spin resonance and magnetic susceptibility experiments on dilute alloys of Mn in Cu, 6=6019

Owen,J. and Ward,I.M. Nuclear spins of Mo^{95} and Mo^{97}, 6=5314

Owen,P.C. See Monteith,J.L., 9=1945

Owen,R.B. The measurement of the radio-activity in the human body by NaI-Tl scintillation counters, 7=4946
The decay times of organic scintillators and their application to the discrimination between particles of differing specific ionization, 9=4476

Owens,R.S. See Klint,R.V., 9=11874

Owens,W.R. See also McKinney,C.M., 7=8478

Owens,W.R. and McKinney,C.M. Experimental investigation of conical horns used with underwater sound transducers, 7=8477

Owston,P.G. The structure of ice-I, as determined by X-ray and neutron diffraction analysis, 8=6519

Oxendine,J.R. See Denniston,D.W.,Jr, 7=4276; Grumer,J., 7=7826

Oxley,C.L. Scattering of 25-87 MeV photons by protons, 8=5181

Oxley,C.L. and Telegdi,V.L. Scattering of 30 to 95 MeV photons by protons, 6=1541

Oyama,S. See Muto,T., 7=4886, 9=6255

Oyarzabal,J. de. See de Oyarzabal,J.

Oyer,H.J. Relative intelligibility of speech recorded simultaneously at the ear and mouth, 6=164. See also Moser,H.M., 8=3835

Ozaki,S. On quantum electrodynamics without subsidiary conditions, 6=6342. See also Fukui,S., 5=3847; Kikuchi,S., 9=352

Ozawa,K. See Kiyama,R., 5=6920

Özdoğan,B. On the frequency constants of circular X-cut quartz crystals, 5=4441. On the methods of investigation of piezo crystals used as ultrasonic transducers, 6=315. On the experimental determination of the strain applied by ultrasonic waves on obstacles, 6=5740. Determination of ultrasonic absorption and reflection coefficients in dry CO_2 free air, 9=2174*

Özdoğan,I. The relations between solar radio activity and sudden commencement magnetic storms, 9=9058

Özemre,A.Y. The general expression for the average lifetime of neutrons in multigroup diffusion theory and for a [critical] reactor of M different media, 9=11507

Ozerov,E.B. See Ignatenko,A.E., 5=9141, 6=637, 6=5421, 7=2623; Mukhin,A.I., 7=2700, 9=2605

Pabst,A., Structures of some tetragonal sheet silicates, 9=13945

Pabst,R.E. See Cooper,W.J., 9=9566

Pacault,A. See also Bothorel,P., 7=6417; Calas,R., 6=773, 7=6679; Hoarau,J., 6=5249, 7=6349, 7=6678; Joussot-Dubien,J., 6=3839; Marchand,A., 7=5524, 7=6331

Pacault,A. and Bothorel,P. Hindered rotation in organic molecules. Thermodynamic side of the question, 6=2280

Lemanceau,B. and Joussot-Dubien,J. The diamagnetism of benzene, 6=4512

Pacault,A. and Marchand,A. Study of the magnetism of a gas of electrons in two dimensions, 6=1346*

Pace,E.L. Argon adsorbed on a graphite surface. The heat of adsorption from lattice liquid theory, 8=6489. See also Pierce,L., 5=4610

Pace,E.L., Dennis,K.S. and Berg,W.T. Thermodynamic properties of krypton adsorbed on titanium dioxide (rutile), 6=303

Pace,E.L., Dennis,K.S., Greene,S.A. and Heric,E.L. Reversibility in physical adsorption, 5=5059

Pace,E.L. and Pierce,L. Infrared and Raman spectra of nitrogen trifluoride, 5=7845

Pace,E.L., Pierce,L. and Dennis,K.S. Adiabatic calorimeter for use with condensable gases and gas-solid systems between 10 and 150°K, 5=2685

Pačes,J. Magneto-resistance effect in the region of the Curie point, 9=8167. The determination of spontaneous magnetization in the region of the Curie point, 9=9769

Paches,Ya. See Belov,K., 8=4150

Pacheva,I. and Vasileva,N. Investigation of an arc discharge at different pressures, 9=12327

Pachner,J. A theory of the diffraction of a scalar wave by a plane screen, 5=9506. On the dependence of directivity patterns on the distance from the emitter, 6=1924. A theory of the diffraction of an electromagnetic wave by a plane screen, 6=7555. Investigation of scalar wave fields by means of instantaneous directivity patterns, 6=1920. A variation principle for classical field theories, 7=8982. On the compatibility of the field equations, the conservation laws and the equations of motion in the unitary field theory, 8=7671. Translatory motion and deflection of light in a static, spherically symmetrical unitary field, 8=7672. Addendum to the variational principle for classical field theories, 8=7680. The equations of motion of unifield field theory in the lowest approximation, 8=8573. The unitary field theory in the Maxwell approximation, 9=1023

Pacholczyk,A.G. Polarization of the solar corona during the total eclipse of June 30, 1954, 7=36

Pack,D.C. The reflection and transmission of shock waves. I. The reflection of a detonation at a boundary, 7=4057; II. The effect of shock waves on an elastic target of finite thickness, 7=4058

Pack,D.H. See Cook,M.A., 8=7580, 9=13873

Pack,J.L. See Phelps,A.V., 5=2579

Packard,M.E. See Bloom,A.L., 6=2228

Packer,D.M. See Koomen,M.J., 6=9098, 6=9108

Packer,L. Apparatus for recording small changes in light transmission in turbid suspensions, 8=6829

Packer,L.S. and Eiss,N.S. Phase-plane graphics – a new approach to teaching dynamics, 8=3740

Packter,A. Yield stress of clay-water suspensions, 6=2512. Studies on the crystal growth of soluble metal salts. II. The factors that determine the particle size of crystals grown by cooling hot supersaturated solutions, 9=6360. Precipitation from supersaturated solutions of insoluble and sparingly soluble metal salts. I. The particle size of crystalline precipitates, 9=7846

Padalka,V.G. See Shklyarevskii,I.N., 9=9386, 9=10865, 9=12130

Padden,F.J.Jr, See Also Keith,H.D., 9=13957; Markovitz,H., 5=6786

Padden,F.J.,Jr and Keith,H.D. Spherulitic crystallization in polypropylene, 9=13890

Padgett,A.A. and Griffing,V. LCAO – MO SCF study of B$_2$, 9=7460

Padgett,D.W. See De Juren,J.A., 6=4023

Padgett,W.M.,II, Talbert,J.M. and Hamner,W.F. Effects in the solid-state infrared spectrum of cyanuric acid, 7=6003

Padhye,M.R. See also McGlynn,S.P., 5=5562

Padhye,M.R., McGlynn,S.P. and Kasha,M. Lowest triplet state of anthracene, 6=4557

Padmanabhan,V.M. Texture of crystals. II. NH$_4$Cl, NaC10$_3$ and alum, 5=5113. See also Amirtha-Lingam,V., 9=13943

Paduchev,B.V. See Vonsovakiĭ,S.V., 5=762, 5=932

Paehler,J.H. See Jones,W.H., 5=8236

Paemel,O. van See van Paemel,O.

Paetzold,H.K. On new investigations of the ozone layer and its variations, 5=1384. The vertical distribution of atmospheric ozone from balloon ascents, 5=5132. New experimental and theoretical investigations on the atmospheric ozone layer, 6=4115. On the infrared absorption of ozone, 6=6264. The study of the terrestrial exosphere, 9=12897. See also Zschörner,H., 9=941

Paetzold,H.K. and Zschörner,H. The influence of the spectrographic instrument on intensity measurements of spectral lines, 8=4669. The density of the outermost earth's atmosphere from satellite observations, 9=4143

Pafomov,V.E. Cherenkov radiation in anisotropic ferrites, 6=7469. On some features of the Vavilov – Cherenkov radiation in anisotropic media, 7=7965. The radiation of a point charge moving along the boundary of separation of two media, 7=9525. Radiation from an electron traversing a slab, 8=8051. See also Agranovich,V.N., 9=9933

Paganini,L. See Piontelli,R., 8=438

Page,B.L. Calibration of meter line standards of length at the National Bureau of Standards, 5=3471

Page,C.H. Applications of the Fourier integral in physical science, 6=2814

Page,D.E. See McCusker,C.B.A., 9=4763

Page,D.H. Reflexion electron microscopy at high angles, 8=3184. The chromatic field aberrations and their correction in a three lens reflexion electron microscope, 8=5960

Page,D.I. An estimate of the mean lifetime of the e$^{\circ}$-particles, 5=3132

Page,E.M. and Murray,R.L. A simplified P$_3$ approximation method for calculating thermal utilization, 8=7405

Page,E.S. See Briggs,B.H., 5=5771

Page,F.M. See Denbigh,K.G., 5=5026

Page,J.G. See Wells,F.H., 7=7180

Page,L.A. Polarization effects in the two-quantum annihilation of positrons, 7=5606. Proposed experiment bearing directly on helicity of neutrinos, 8=4217. Annihilation method for measuring transverse polarization of energetic positrons, 8=6127. See also Heinberg,M., 8=681; Marklund,I., 9=2573; Obenshain,F.E., 9=3735

Page,L.A. and Heinberg,M. Narrow components in the angular correlation of annihilation quanta from condensed materials, 6=6140. Measurement of the longitudinal polarization of positrons emitted by sodium 22, 7=8134

Page,L.A., Heinberg,M., Wallace,J. and Trout,T. Angular correlation in two-phonton annihilation in quartz, 5=7343

Page,L.A., Pettersson,B.G. and Lindqvist,T. Measurements on the ν/c dependence of the beta-circularly polarized gamma correlation in Co^{60} using a magnetic-lens spectrometer, 9=5025

Page,M. Alique. See Alique Page,M.

Page,M. Le. See Le Page,M.

Pagel,B.E.J. Centre-limb variations in the equivalent widths of some infra-red Fraunhofer lines, 7=45. The emission of continuous radiation in stellar atmospheres, 7=5811. See also Branscomb,L.M., 9=12971

Pagès,M., Ferrandini,C.and Haïssinsky,M. Reduction of plutonyl sulphate by γ-rays, 8=440

Pagnanelli,M. See Colombo,S., 7=8679

Pagter,J.K.de. See de Pagter,J.K.

Pahis,L. See Brunson,G.S., 8=770

Pahis,L.E. See Erickson,G.F., 9=2554; Kaufmann,S.G., 8=7227

Pahissa,J. See Nussis,N., 9=3848

Pahissa Campá,J. See Ricci,E., 6=2345

Pahl,M. Ambipolar diffusion in a positive column, 9=5835. See also Hiby,J.W., 5=790, 6=2719

Pahl,M. and Weimer,U. Mass spectrometry in gas discharges, 9=5755. On the formation of He$_2^+$ and Ne$_2$ in a stationary low pressure positive column, 9=5766. Mass-spectrometer studies on the formation of (HeNe)$^+$ in the positive column, 9=5768. The reaction He$_2^+$ + Ne → Ne$^+$ + 2He in the positive column, 9=11156

Pai,S.I. Laminar flow of an electrically conducting incompressible fluid in a circular pipe, 5=99. Energy equation of magneto-gas dynamics, 7=4559

Paić,M. See also Thuro,G., 7=3885

Paić,M., Prelec,K., Tomaš,P., Varićak and Vošicki,B. A 200 kV Cockroft – Walton acceleration used for neutron production, 9=12389

Paige,E.G.S. The isothermal reverse voltage–current characteristics of small area alloy contacts on germanium, 7=4355. The kinetics of colour centre formation in quartz, 7=8941. Experimental determination of electron temperature in high electric fields applied to germanium, 9=5705. See also Arthur,J.B., 8=7940; Ditchburn,R.W., 5=6611; Gibson,A.F., 8=7941; Mitchell,E.W.J., 6=1990, 7=3748

Paillard,G. Contribution to the study of solutions of gases by infrared spectrography, 5=6921

Paillette,M. See Hadni,A., 9=9435

Pailthorpe,M.W. See Lambert,J.D., 5=8552

Paine,T.O. See also Luborsky,F.E., 8=2401; Mendelsohn, L.I., 6=493

Paine,T.O., Mendelsohn,L.I. and Luborsky,F.E., Effect of shape anistropy on the coercive force of elongated single-magnetic-domain iron particles, 6=2235

Pais,A. ω-space theory, 5=9391. Spherical spinors in a Euclidean 4-space, 5=9418. Symmetries of the strong interactions, 8=3704. Note on relations between baryon–meson coupling constants, 8=6626. Parity and other symmetries in strong interactions, 9=2624. Relative parity of charged and neutral K-particles, 9=3792. Notes on antibaryon interactions, 9=13547. See also Gell-Mann, M., 5=4088, 5=6489; Treiman,S.B., 7=8178

Pais,A. and Piccioni,O. Note on the decay and absorption of the 8°, 6=1614

Pais,A. and Serber,R. Interaction between K-particles and nucleons, 5=9966. A general transformation of the symmetrical pseudoscalar theory, 9=6530

Pais,A. and Treiman,S.B. Angular correlations in K°-decay processes, 7=4763. Possibility of hyperfragment formation K^-–d reactions, 8=299. Polarization effects in Σ^- capture, 9=556

Pająk, Z., Kaczmarek,F. and Jastrzębski,J. Delay-effect in ferroelectric titanates below the Curie point, 7=5300

Pająk,Z. and Piekara,A. Thermal independence of permittivity of ferroelectric heterogeneous systems, 7=343

Pająk,Z. and Stankowski,J. Polarization changes during the process of ageing in ferroelectrics of the $BaTiO_3$-type, 9=3427

Pajares Díaz,E. See Torroja Miret,J.M., 6=3547

Pak Thong Saw. See Thong Saw Pak.

Pake,G.E. See Bruce,C.R., 7=1517; Wilson,C.W.,III., 8=407

Pakhomov,A.S. See Kondorskiĭ,E.I., 7=3455, 7=6335

Pakhomov,V.I. See Batsanov,S.S., 8=3441

Pakhomova,O.S. See Broude,V.L., 7=9613, 9=10780

Pal,L. On the theory of stochastic processes in cosmic radiation, 6=4853. Application of the theory of stochastic processes to investigation of nuclear fission, 6=4854. On the theory of stochastic processes in nuclear reactors, 8=4355. See also Nagy,I., 7=7212

Pál,L. and Németh,G. On the fluctuation of the slowing down time of neutrons, 9=6009

Pál,L. and Tarnóczi,T. Temperature dependence of the differential susceptibility of cobalt in strong magnetic fields, 7=4532

Pál,L.I. and Németh,G. A statistical theory of lattice damage in solids irradiated by high-energy particles, 9=8871

Pal,M.K. See also Mukherjee,S., 9=8456

Pal,M.K. and Mukherjee,S. Elastic and inelastic scattering of high-energy electrons by some (2p)-shell nuclei on the intermediate-coupling model, 7=7150

Pal,M.K., Mukherjee,S. and Saha,A.K. Elastic and inelastic scattering of high-energy electrons by some 2p-shell nuclei on the intermediate coupling model, 7=8148

Pal,M.K. and Nagarajan,M.A. Scattering of high-energy electrons from C^{12} on the intermediate-coupling model, 8=8330

Pal,Y. See Boldt,E., 8=8995, 9=550, 9=2590, 9=2653; Bridge,H.S., 6=5831; Caldwell,O., 6=8838; Daniel,R.R., 5=1232, 5=4274, 5=4963; Lal,D., 5=6266

Palacios,J. Should relativity theory by revised?, 8=7668

Palade,G. See Ţiţeica,R., 9=12049

Palatnik,L.S. and Fedorov,G.V. Photometric determination of thickness of semitransparent metal layers, 7=5902

Palatnik,L.S. and Komnik,Yu.F. The problem of the mechanism of condensation of metals in vacuo, 9=13826

Palatnik,L.S. and Zorin,V.S. Investigation of thermodynamic systems with non-vanishing nullity of the concentration matrix, 9=9576

Palazzi,G.D. A magnetic differential probe. Its employment for the determination of the static median magnetic surface in the gap of a synchrotron, 6=4483

Pal'chikov,V.E. See Podgornyĭ,I.M., 9=7015

Palevsky,H. See also Carter,R.S., 7=2715, 7=8269; Eisenhauer,C.M., 9=775; Fox,J.D., 8=8263; Ghose,A., 9=5131; Pelah,I., 8=2641

Palevsky,H. and Eisberg,R.M. Magnetic scattering of slow neutrons by gaseous oxygen, 5=5657

Palevsky,H., Hughes,D.J. Kley,W. and Tunkelo,E. Lattice vibrations in silicon by scattering of cold neutrons, 9=11557

Palevsky,H., Otnes,K. and Larsson,K.E. Excitation of rotons in helium II by cold neutrons, 9=2277

Palevsky,H., Otnes,K., Larsson,K.E., Pauli,R. and Stedman,R. Excitation of rotons in helium II by cold neutrons, 8=2277

Palevsky,H., Zimmerman,R.L. and Larsson,K.E. Xenon gas scintillation fission counter, 7=482

Palfrey,T.R. See Loeffler,F.J., 9=12521; Tatro,C.A., 9=5062

Palik,E.D. The pure rotational spectra of DBr, HI, and DI in the spectral region between 45 and 170 microns, 5=3576. Pure rotational spectrum of H_2Se between 50 and 250 cm^{-1}, 5=6917. Vibration–rotation bands of hydrogen and deuterium selenide, 9=9433. See also Narahari Rao,K., 6=3620

Palik,E.D. and Bell,E.E. Pure rotational spectra of the partially deuterated ammonias in the far infrared spectral region, 7=7006

Palik,E.D. and Narahari Rao,K. Pure rotational spectra of CO, NO, and N_2O between 100 and 600 microns, 7=2023. Pure rotational absorption spectra of the methyl halides in the spectral region 100-600μ, 7=7752

Palin,D.E. "Macrocrystalline" carbon, 7=2848

Palinchak,S. Rubber insulation, 5=2700. See also Suber,L.I., 7=9152

Palinchak,S. and Hamilton,C.W. Digest of the literature on dielectrics. Rubber and plastic insulation, 8=2291, 9=5649

Palinchak,S., Hamilton,C.W. and Suber,L.L. Digest of the literature on dielectrics. Volume XIX–1955. Rubber and plastic insulation, 7=9153

Palit,P. See also Bellamy,E.H., 8=1873

Palit,P. and Bellamy,E.H. The photoproduction of π^0 mesons at helium, 9=1674

Palit,S.R. Intrinsic viscosity–molecular weight relationship of high polymers: a new equation, 5=8543. Thermodynamic interpretation of the Eötvös constant, 6=7181. See also Somayajulu,G.R., 7=3802, 7=5572

Palko,A.A. Separation of Boron isotopes. III. The n-butyl sulphide–BF_3 system, 9=7400. See also Healy,R.M., 9=718

Palko,A.A., Healy,R.M. and Landau,L. Separation of boron isotopes. II. The BF_3 anisole system, 9=719

Palladino,R.W. See Burnett,C.R., 9=2375; Stix,T.H., 9=2439

Pallagi,D. See Nagy,I., 7=7212

Palm,A. Potential constants of nitrous acid, 7=5509. See also Murata,H., 5=5558; Polo,S.R., 5=6015

Palm,A. and Kilpatrick,M. Barrier height and thermodynamic functions of gaseous HNO_3 and DNO_3, 5=9619

Palm,A., Voelz,F.L. and Meister,A.G. Substituted methanes. XXII. Infrared spectra of $CHBrF_2$, and potential constants and calculated thermodynamic properties of $CHBrF_2$, and $CDBrF_2$, 5=5556

Palm,E. The pressure in xenon high-pressure discharges, 6=8225. Rotating mirror for presenting spectra with the aid of a cathode ray tube, 9=4423

Palm,K. The charges on electrets, 9=1425

Palma,M.U. See Palma-Vittorelli,M.B., 6=480, 6=3016, 6=5237, 7=905, 8=6052

Palma-Vittorelli,M.B. and Palma,M.U. A microwave electron spin resonance spectrometer, 8=6052

Palma-Vittorelli,M.B., Palma,M.U., Palumbo,D. and Santangelo, M. Correlation between paramagnetic absorption of powders and single crystals of $CuSO_4$, $5H_2O$, 6=480. Determination and properties of anisotropy in paramagnetic resonance absorption, 6=3016

Palma-Vittorelli,M.B., Palma,M.U., Palumbo,D. and Sgarlata,F., Evidence for a double covalent bond from paramagnetic resonance, optical absorption and X-ray data, 6=5237

Palmatier,E.D. See also Gilmer,T.E.,Jr, 7=9732

Palmatier,E.D., Meers,J.T. and Askey,C.M. Landau distribution and density effect at high gas pressures, 5=3125

Palmeira,R.A.R. and Williams,R.W. Rapid decrease of cosmic-ray intensity, 8=4111

Palmer,C.H.Jr. Diffraction grating anomalies. II. Coarse gratings, 6=2012. Ratio-recording system for the Johns Hopkins 100-foot absorption cell, 7=6769. Long path water vapor spectra with pressure broadening. I. 20μ to 31·7μ, 8=965; II. 29μ to 40μ, 8=966
Palmer,D.R. See Gold,T., 6=8557
Palmer,F. Measurement of a variable surface tension, 9=13062
Palmer,G.H. A gas handling system suitable for use with a mass spectrometer, 5=9474
Palmer,G.H., Dance,D.F. and Aitken,K.L. The isotopic analysis of boron by mass spectrometry, 7=3565
Palmer,H.B. Emission and two-body recombination in bromine, 6=1046. Study of shock waves by light absorption and emission, 7=164. Emission and two-body recombination in bromine, 7=5167
Palmer,H.B. and Hornig,D.F. Rate of dissociation of bromine in shock waves, 7=4830
Palmer,H.L. See Engstrom,R.W., 9=4684
Palmer,H.P. See Brown,R.H., 5=8444, 7=22
Palmer,P.J. and Redshaw,S.C. An electrical resistance analogue with a graded mesh, 8=1411
Palmer,R.B.J. and Simons,H.A.B. The variation of track length with angle of dip in photographic nuclear research emulsion, 6=3432
Palmer,R.C., Bardwell,D.C. and Peterson,M.D. Acceleration of X-ray energized chemical reactions of organic gases by energy transfer from noble gases, 8=6481
Palmer,R.R. See also Bollinger,L.M., 6=673
Palmer,R.R. and Bollinger,L.M. Neutron cross-section measurements of antimony, gallium, cadmium, and mercury, 6=5395
Palmer,W. See Magnuson,G.D., 9=880
Palmieri,J.N. See also Cormack,A.M., 9=13551
Palmieri,J.N., Cormack,A.M., Ramsey,N.F. and Wilson,R. Proton–proton scattering at energies from 46 to 147 MeV, 9=1661
Palumbo,D. On the magnetic behaviour of ferrous fluosilicate, 8=6050. See also Curatolo,M., 5=362
Palma-Vittorelli,M.B., 6=480, 6=3016, 6=5237, 7=905
Pampus,G. See Kappler,E., 9=13795
Pan,L.-C. Equilibrium, buckling and vibration of a 30°-60°-90°-triangular plate simply supported at the edges, 9=3172
Pan,N. See Das Gupta,K., 8=7604
Panasyuk,E.I. See Alentsev,M.N., 9=9428
Pancharatnam,S. On the pleochroism of amethyst quartz and its absorption spectra, 5=3594. Achromatic combinations of birefringent plates. I. An achromatic circular polarizer, 5=6968; II. An achromatic quarter-wave plate, 5=6969. The propagation of light in absorbing biaxial crystals. I. Theoretical, 5=9574. The propagation of light in absorbing biaxial crystals. II. Experimental, 6=2789. On the phenomenological theory of light propagation in optically active crystals, 6=7330. Generalized theory of interference, and its applications. I. Coherent pencils, 7=7035. Light propagation in absorbing crystals possessing optical activity, 8=4884. The optic interference figures of amethystine quartz. I, 8=4885; II, 8=4886
Panchev,S. Evaporation of spherical drops of water falling freely through the atmosphere, 9=10431
Pancholy,M. See also Parthasarathy,S., 5=134, 5=4455, 5=7785, 5=8572, 6=2750, 6=5729, 7=1139, 8=3815, 9=1205, 9=2170, 9=3233, 9=5441
Pancholy,M. and Atal,B.S. Sound absorbing properties of indigenous mineral wool, 9=150
Panda,S. and Mohanty,B.S. Ultrasonic velocity in cobalt and cadmium sulphate solutions at different temperatures and concentrations, 9=7881
Pande,L.K. See Mitra,A.N., 9=6515
Pandeya,D.C. See Heavens,O.S., 8=5670
Pandhi,R. See Mani,G.S., 5=502
Pandit,L.K. Relativistic electron–proton scattering according to meson theory, 8=1829. Electromagnetic properties of the nucleon and relativistic electron–proton scattering according to meson theory, 9=3728. Relativistic electron–neutron scattering according to meson-theory, 9=3729. Linear vector spaces with indefinite metric, 9=10575
Pandit,L.K. and Biswas,S.N. K^+-meson–scattering and K^+–Y relative parity, 9=12596
Pando,M.V. de See de Pando,M.V.
Pandya,J.R. See Pandya,N.S., 9=2992
Pandya,N.S. and Pandya,J.R. Etching of fluorite, 9=2992
Pandya,S.P. Nucleon–hole interaction in jj coupling, 6=8317. Angular momentum coupling in odd-odd nuclei, 8=1894. See also French,J.B., 5=9825; Noyes,H.P., 6=3496
Pandya,S.P. and French,J.B. The three-body nuclear interaction in K-40, 8=1906
Pandya,T.P. See Rastogi,R.P., 7=1966
Paneth,F.A. Artificial radioactivity and chemistry, 6=582
Panetti,M. See Bonetti,A., 6=4002; di Corato,M., 5=376
Pangher,J.De See De Pangher,J.
Pangonis,W.J. See Heller,W., 7=5253
Panikar,V.I. See Glasko,V.B., 9=11513
Panin,V.E. See Makogon,M.B., 9=5199
Panina,I.K. See Belov,K.P., 7=5474, 8=4124
Panish,M.B. The electrical conductivity of molten silica, 9=13317
Panke,H. See Dziergwa,H., 6=242
Pankey,T. See Senftle,F.E., 8=6025
Pankhurst,K.G.A. See Ellis,S.C., 5=2456
Pankove,J.I. Effect of edge dislocations on the alloying of indium to germanium, 8=8437. Pulsed measurement of the variation of thermal conductivity of germanium with temperature, 9=9549
Pankratov,N.A. On the relationship between the specific and threshold sensitivities of the chamber of a selective optico-acoustic receiver and its time constant, 8=947
Pannell,J.H. Radiation therapy with radioactive cobalt-60, 5=4262
Pannell,J.H. and Manning,B. Production of a blue color in irradiated plastic scintillators, 5=9241
Pannetier,G., Guénebaut,H. and Gaydon,A.G. The $^3\pi \rightarrow {}^3\Sigma$ system of the ND radical observed in emission in the decomposition of heavy hydrazoic acid, N_3D, 5=4516. On the "atomic flame" of heavy hydrazoic acid and atomic hydrogen, 8=4921
Pannetier,G., Lecamp,M. and Sicard,A. Measurement of the velocity of combustion by the soap-bubble method, 5=8700
Panofsky,W.K.H. See also Alvarez,L.W., 5=4732; Bernstein,D., 6=3780; Chodorow,M., 5=6199; Lazarus,A.J., 9=6035; Masek,G.E., 6=2449, 6=7726; Tautfest,G.W., 7=4453; Yodh,G.B., 7=3731
Panofsky,W.K.H. and Allton,E.A. Form factor of the photopion matrix element at resonance, 8=5231
Panofsky,W.K.H., Fitch,V.L., Motley,R.M. and Chesnut,W.G. Measurement of the total absorption coefficient of long-lived neutral K particles, 8=2505
Panofsky,W.K.H., Newton,C.M. and Yodh,G.B. Pion production by electrons, 5=6515
Panofsky,W.K.H. and Saxena,A.N. Search for enhancement of bremsstrahlung produced by 575 MeV electrons in a single crystal of silicon, 9=12343
Panofsky,W.K.H., Woodward,W.M. and Yodh,G.B. Pion production by inelastic scattering of electrons in hydrogen, 6=6203
Panov,Yu.N. See Adrova,N.A., 9=10844
Panova,N.M. See Gorzhevskaya,E.G., 7=4784
Panova,V.P. See Belyaev,L.M., 8=3559, 9=9000
Panovkin,B.N. A model of the inner corona based on radio data, 8=4662
Panseri,C. and Federighi,T. Isochronal annealing of vacancies in aluminium, 9=7515
Pant,D.D. and Khandelwal,D.P. The fluorescence spectra of uranyl acetate solutions, 8=7838
Pant,L.M. See Saksena,B.D., 5=856, 5=5331, 5=6936, 5=6955, 5=8642, 6=8698
Pant,P.S. Circulation in the upper atmosphere, 8=4587
Pao,S.C. On the effect of fluid motion of the initial decay of a magnetic field in a sphere, 6=6791
Pao,Y.H. Extension of the Hertz theory of impact to the viscoelastic cause, 5=10009. Hydrodynamic theory for the flow of a viscoelastic fluid, 8=64. Dependence of intrinsic viscosity of dilute solutions of macromolecules on velocity gradient, 7=3998
Paolella,L.F. See Loftus,T.P., 7=6486
Paoletti,A. See also Careri,G., 5=4413, 5=7744, 5=9472, 9=3206; Nathans,R., 9=11212
Paoletti,A. and Vicentini,M. Some examples of turbulent diffusion in liquid metals, 9=106
Paolini,F.R. See Bertozzi,W., 8=6324
Paoloni,L. Coulomb repulsion integrals (pp|pp) and bonding power of an atom in a given valence state, 6=7602. Electronic structure of s-tetrazine, 7=4589. Nature of the

hydrogen bond, 9=8745

Paoluzi,G. On a new isothermal constant of gases, 8=6722

Papadakis,E.P. Correction for diffraction losses in the ultrasonic field of a piston source, 9=4397

Papadopoulos,V.M. Propagation of electromagnetic waves in cylindrical wave-guides with imperfectly conducting walls, 5=398. Scattering by a semi-infinite resistive strip of dominant-mode propagation in an infinite rectangular wave-guide, 6=8879. Ray tracing through a lens of circular cross section, 9=1243

Papapetrou,A. A theory of the gravitational field with a single field-function, 5=2391. Red-shift and equations of motion, 6=5670. Red-shift and equations of motion, 7=6812. The problem of motion in general relativity and in Einstein's unifield field theory, 8=2751. On periodic non-singular solutions in the general theory of relativity, 8=7673. On periodic gravitational and electromagnetic fields in the general theory of relativity, 8=7674. On time-dependent solutions of the field equations in the general theory of relativity, 9=3093. See also Geissler,D., 9=6491; Meister,H.J., 5=7667, 6=7948

Papapetrou,A. and Treder,H. On the existence of singularity-free solutions to the field equations of the general theory of relativity, which can represent partial models, 9=10558

Papapetrou,A. and Urich,W. The pole-dipole particle in a gravitational and electromagnetic field, 5=5211

Paparoditis,C. Preparation and various electrical properties of thin films of InSb, 8=3119

Papas,C.H. Thermodynamic consideration of electromagnetic cavity resonators, 5=2020

Papazian,H.A. Energy gap and electrical conductance of hexagonal germanium dioxide, 7=2217. Technique to produce free radicals in the solid state, 8=1300. Free radical formation in solids by ion bombardment, 9=1925

Papazian,H.A. and Wolsky,S.P. Volatile impurities in silicon and germanium, 7=3809

Pape,M.Le. See Le Pape,M.

Papet-Lépine,J. The theory of the discharge of storm clouds by lightning strokes, 9=9096

Papineau,A. Residual counting-rate due to cosmic neutuinos in a system of Geiger-Müller counters in coincidence, 5=9719. Range–energy relations for ions $3 \leqslant Z \leqslant 10$ in Ilford C.2. emulsions, 6=8244. Range–energy relations of heavy ions in nuclear emulsions, 7=1398. See Beydon,J., 6=2390, 7=7366; Chaminade,R., 6=2954; Faraggi,H., 7=1585

Papineau,L. See Latapie,C., 7=9316; Lévi,C., 5=3053, 7=7338, 8=744, 9=10103, 9=13631

Papirno,R. and Gerard,G. Dynamic deflection transducer utilizing photoconductive sensors, 6=1877

Papirno,R., Gilbert,A.C. and Becker,H. Dual objective optical micrometer for strain measurements, 7=1093

Papkow,A. A study of the $B^{10}(\alpha,p)C^{13}$ reaction using photographic emulsions, 9=2808. Desensitization of Ilford G5 plates with hydrogen peroxide vapour, 9=4194

Papoular,M. A method of measuring the velocity of high-energy electrons, 5=1897. Electron diffraction lines and bands and energies of about 1 MeV, 5=8822. Linear accelerator with pre-bunching of electrons. Applications to electron diffraction between 0.5 and 1 MeV, 7=6235

Papoular,R. Electron diffraction at very high voltage, 9=3572

Papoulis,A. Method of correction for the $\alpha_1 \alpha_2$ doublet in the X-ray diffraction lines, 5=6624

Pappalardo,G. See Cantone,B., 9=10434

Pappalardo,R. On a new relativistic equation for the electron proposed by Zaitsev, 6=7981. The optical absorption of $Ni^{2+}.6H_2O$ at low temperatures, 7=9611. Optical absorption lines of hydrated manganous salts at low temperatures, 8=964. On the optical absorption of ferric alum at low temperatures, 8=6857. See also Cambieri,A., 8=2467

Pappas,A.C. Nuclear closed shells and fission yield fine-structure, 5=2193. See also Kjelberg,A., 6=7676

Pappis,J. See Bickford,L.R.,Jr, 5=8906

Papusoi,C. See Procopiu,S., 7=8004

Paranjape,B.V. On the theory of dielectric breakdown in ionic crystals. II, 5=9637. Polarization of the continuous spectrum in a gas discharge, 7=238. On the theory of dielectric breakdown in non-ionic crystals, 7=1259. Field dependence of mobility in semiconductors, 7=7907. The calculation of Onsager's reaction field for a particular model, 9=5651. Field dependence of mobility in semiconductors, 9=6916. See also Fröhlich,H., 6=2144, 7=1267

Paranjpe,M.M. and Subramanian,N.K. Production of clouds of required drop-sizes by the application of Mie scattering, 7=7184

Parasyuk,O.S. On the theory of causal singular functions, 6=7957. See also Bogolyubov,N.N., 6=7955-6

Parbrook,H.D. See also Tempest,W., 6=3571

Parbrook,H.D. and Richardson,E.G. The propagation of ultrasonics in gases under pressure, 6=3564

Parbrook,H.D. and Tempest,W. Sound absorption in hydrogen, 9=1202

Parchevskiĭ,G.F. and Penkin,N.P. The ratio of oscillator forces for the components of resonance-doublets of aluminium and lead, 5=8960

Pardue,D.R. See also McDade,J.C., 9=13090

Pardue,D.R. and Hedrich,A.L. Absolute method for sound intensity measurement, 6=8072

Parfanovich,D.M. See also Flerov,G.N., 8=6316

Parfanovich,D.M., Rabin,N.V. and Semchinova,A.M. Interaction of nitrogen nuclei with photographic emulsion nuclei, 7=2628

Parfanovich,D.M., Semchinova,A.M. and Flerov,G.N. Determination of the range–energy relation for nitrogen and oxygen ions in photographic emulsions, 8=1733

Parfenov,D.S. See Komel'kov,V.S., 7=5356

Parfenov,L.B. See Neganov,B.S., 9=9979

Parfent'ev,A.I. and Kushnarev,V.K. On making coercive force concepts more precise, 9=9774

Parfianaovich,I.A. Determination of the depth of the energy levels of electron capture in crystallo-phosphors, 5=1719. The luminescence of KBr-Ni and KBr-Cu phosphors, excited by X-rays, 5=1725. On effects observable in intermittently irradiated alkali halide phosphors, 7=9629. On the energy of thermal ionization of trapping centres in alkali halide phosphors, 8=978. On the effect of an activator on non-activator levels of electron capture in alkali-halide phosphors, 9=8872. Electron-capture levels of the activator in the NaCl:Ni phosphor, 9=10834. On the interaction of the electrons with the activator in NaCl:Ni and NaCl:Cu phosphors, 9=12791

Parfitt,G.D. See Lindner,R., 7=3753

Parfitt,G.G. See Snowdon,J.C., 9=9344

Pargamanik,L.É. On the kinetic theory of an electron gas in the presence of boundaries, 8=4078. See also Galaiko, V.P., 9=11856

Pargamanik,L.É. and Ul'yanov,V.V. On the theory of interaction between fast neutrons possessing various angular momenta and semi-transparent nuclei, 9=2832

Parham,A.G. See Porter,N.A., 9=378

Paria,G. Coupling of elastic and thermal deformations, I, 9=5197

Pariaud,J.C. and Archinard,P. Infrared absorption spectra observed at great dilutions, 5=2605

Pariiskii,Yu.N. See Salomonovich,A.E., 9=10509

Parikh,V.R. See Besson,C., 8=1187

Paris,B. See Allred,W.P., 8=3102

Paris,C.H. See also Endt,P.M., 6=8371, 7=3571, 7=6442, 8=9018

Paris,C.H., Buechner,W.W. and Endt,P.M. Energy levels of S^{33}, S^{35}, Cl^{36}, Cl^{38}, and Ba^{139}, 6=1575

Paris,C.H. and Endt,P.M. Angular distributions of four neutron groups from the $10B(d,n)^{11}C$ reaction, 5=512

Paris,C.H., Valckx,F.P.G. and Endt,P.M. Angular distribution and yield of protons from the $^{10}B(d,p)^{11}B$ reaction. II, 5=511

Paris,D. Wavelength independent equalization of amplitudes for the three-slip interferometer, 5=8652

Pariser,R. Theory of the electronic spectra and structure of the polyacenes and of alternant hydrocarbons, 6=4555. Electronic spectrum and structure of azulene, 7=2506, 7=6379. See also Kurath,S.F., 7=6645; Parr,R.G., 5=5564

Parish,G.J. Measurement of the pressure distribution between rollers in contact, 5=7730. Measurements of pressure distribution between metal and rubber covered rollers, 8=2829

Park,D. Magnetic rotation phenomena in a polycrystalline ferrite, 5=1991. II, 5=5512. Asymptotic properties of Bessel functions and the radiation from a synchrotron, 5=2796. Radiations from a spinning rod, 6=41. The energy of electric and magnetic fields, 6=2053. The theorem on incoming waves, 6=4827. The concept of particles in classical and in quantum theory, 7=3952. Operator methods in classical field theory, 7=7571. The cross-section theorem in quantum mechanics, 7=7620. A summation method for crystal statistics, 7=8933. Scattering by two potentials, 7=9006. An improved Born approximation, 8=1524. Recent advances in physics, 8=3692, 9=4523. Relativistic mechanics of a particle, 9=6488

Park,E.C. A simple differential pulse height analyser, 6=6730. See also Kuščer,I., 7=8792

Park,J.G. The magnetic dipole and electric quadrupole moments of dysprosium 161 and 163, 8=4269. See also Cooke,A.H., 6=7630; Griffiths,J.H.E., 8=2386

Park,J.H. and Cones,H.N. Surge voltage breakdown of air in a nonuniform field, 6=7438

Park,O.E. See Weitzel,D.H., 7=1233

Parke,A.V.M. and Taylor,D. The chemical action of ultrasonic waves, 8=3548

Parker,C.A. Direct recording of fluorescence excitation spectra, 9=1316. See also Hatchard,C.G., 6=4969

Parker,C.D. See Schubert,E.D., 5=9320

Parker,C.J. and Nordberg,M.E.,Jr, Infrared transmittance at high temperature using a double-beam spectrophotometer, 9=10797

Parker,E.N. Tensor virial equations, 5=1600. The formation of sunspots from the solar toroidal field, 5=4298. Hydromagnetic waves and the acceleration of cosmic rays, 5=7635. Hydromagnetic dynamo models, 5=9372. Modulation of primary cosmic-ray intensity, 7=519. Acceleration of cosmic rays in solar flares, 8=17. Newtonian development of the dynamical properties of ionized gases of low density, 8=242. Origin and dynamics of cosmic rays, 8=1452. Dynamical instability in an anisotropic ionized gas of low density, 8=2425. Cosmic-ray modulation by solar wind, 8=4642. Sweet's mechanism for merging magnetic fields in conducting fluids, 8=5130. Electrical conductivity in the geomagnetic storm effect, 8=5528. Reaction of laboratory magnetic fields against their current coils, 8=6066. On the geomagnetic storm effect, 8=6526. Interaction of the solar wind with the geomagnetic field, 8=7637. Gross dynamics of the interstellar medium, 9=3041. Inadequacy of ring-current theory for the main phase of a geomagnetic storm, 9=4121. Dynamics of the interplanetary gas and magnetic fields, 9=4202. Suprathermal particle generation in the solar corona, 9=4226. Plasma dynamical determination of shock thickness in an ionized gas, 9=4734. Suprathermal particles. III. Electrons, 9=47309. Auroral phenomena, 9=6402. Plasma dynamical determination of shock thickness in an ionized gas (a correction), 9=7107. See also Hines,C.O., 9=4122

Parker,E.N. and Krook,M. Diffusion and severing of magnetic lines of force, 6=7515

Parker,E.N. and Tidman,D.A. Suprathermal particles, 9=1550; II, 9=1551

Parker,E.R. See Ancker,B., 6=4050

Parker,F.R. See Wood,W.W., 7=9668, 8=6740, 9=10626

Parker,G.A. See Nelson,H.M., 7=132

Parker,G.M. and Williams,R.W. A magslip isograph, 5=8440

Parker,G.W. See Bernstein,S., 6=4652

Parker,H.S. See Burdick,M.D., 5=6542

Parker,J.G. Reflection of plane sound waves from an irregular surface, 6=6465. Reflection of plane sound waves from a sinusoidal surface, 7=5140. Rotational and vibrational relaxation in diatomic gases, 9=10694

Parker,J.M. The rotational temperature of the lower solar chromosphere, 5=5834

Parker,M.J. See Melaika,E.A., 5=6477

Parker,P.L. and Kuroda,P.K. Mo-99 in uranium salts and the spontaneous fission half-life of uranium-238, 7=3590

Parker,P.M. Nuclear quadrupole levels in single crystals, 6=8328. Multipolar Stark splitting patterns in single crystals, 7=4632. See also Brown,L.C., 6=3104, 8=2610

Parker,P.M. and Brown,L.C. Computation of rigid asymmetric rotator constants from energy moments. II, 9=7427. Energy moment method in quantum mechanics, 9=13026

Parker,R. The nature of the insulating layers in ferromagnetic semiconductors, 5=3740. An analysis of the magnetization processes in iron single crystals by an electrical method, 7=2433. The magnetoresistance of the nickel-zinc ferrite system, 7=7104. Electrical resistivity of compounds with ordered spin arrangements, 9=294

Parker,R. and Smith,M.S. Electrical dispersion phenomena in inhomogeneous dielectrics, 9=1406

Parker,R.H. See Axel,P., 5=4013

Parker,S.I. See Osher,J.E., 9=8482

Parker,W.J. See Ch'en,S.Y., 5=1683

Parkin,B.R., Perry,B. and Wu,T.Y. Pressure distribution on a hydrofoil running near the water surface, 6=2711

Parkin,D.W. and Hunter,W. Cosmic dust in the atmosphere, 9=7738

Parkin,P.H. and Scholes,W.E. Air-to-ground sound propagation, 5=3340

Parkinson,D.H. The specific heats of metals at low temperatures, 8=5851

Parkinson,D.H. and Quarrington,J.E. The atomic heat of sodium, 5=10023

Parkinson,D.H. and Roberts,L.M. A resistance thermometer for use at helium temperatures, 5=7915. The atomic heat of cerium between 1.5° and 20°K, 7=6133

Parkinson,R.W. Instrumentation for the continuous measurement of certain ionospheric echo characteristics, 5=5762. The night-time lower ionosphere as deduced from a theoretical and experimental investigation of coupling phenomena at 150 kc/sec, 6=4750. The fading periods of the E-region coupling echo at 150 kc/s, 6=8507. See also Davids,N., 6=4749

Parkinson,W. See Nicholls,R.W., 7=2481

Parkinson,W.C. Ground-state doublet of P^{32}, 9=659. See also Bach,D.R., 6=7473; Grismore,R., 7=6625; Hensel,J.C., 9=658; Lubitz,C.R., 5=6458; Rietjens,L.H.T., 9=507

Parkinson,W.D. See Hess,V.F., 5=5151

Parkinson,W.H. See Nicholls,R.W., 7=5158, 8=5505, 9=7886

Parks,B.H., The choice of counting equipment, 9=4859

Parks,G.S., Manchester,K.E. and Vaughan,L.M. Heats of combustion and formation of some alcohols, phenols and ketones, 5=2264

Parks,J.M. and Parr,R.G. Theory of separated electron pairs, 8=9096

Parks,J.R. See Eichelberger,J.F., 5=1145

Parks,P.B., Newson,H.W. and Williamson,R.M. Method of canceling energy fluctuations of a Van de Graaff ion beam, 9=2412

Parkyn,D.G. Calculation of the life-time of a satellite, 8=3664. The rising of tops with rounded pegs, 8=3741. Elliptic orbits in a frictional atmosphere, 9=73. Effect of air drag on the orbit of an earth satellite, 9=3073. See also Fairbrother,J.A.V., 7=4430

Parkyn,D.G. and Groves,G.V. Atmospheric tides and earth satellite observations, 9=9168

Parlin,R.B. and Giddings,J.C. Application of probability theory to explosive-ignition phenomena, 7=2768

Parmenter,R.H. Energy levels of a disordered alloy, 5=2917, 7=1474. Energy levels of a crystal modified by alloying of by pressure, 6=515. Uniform strains and deformation potentials, 6=1419. Symmetry properties of the energy bands of the zinc blende structure, 6=1420. Acoustoelectric effect, 9=4399

Parmenter,R.H., and Ruppel,W. Two-carrier space-charge-limited current in a trap-free insulator, 9=13279

Parmentier,D., Jr and Schwemin,A.J. Liquid hydrogen bubble chambers, 6=436

Parnes,B.R. See King,R.B., 5=5980

Parodi,O. See Benoit à la Guillaume,C., 9=12015; Gosnet,A., 9=13297

Parolini,G. On sound absorption by cylindrical diffusers, 5=152

Parr,J.G. See Butter,R.G., 5=5095

Parr,R.G. 1s orbitals as base functions for molecular calculations, 7=4603. See also Joy,H.W., 8=2017; Lykos,P.G., 6=6056, 7=6379, 8=8134; Parks,J.M., 8=9096; Saturno,A.F., 8=9070; Snyder,L.C., 8=8369

Parr,R.G., Ellison,F.O. and Lykos,P.G. Generalized antisymmetrized product wave functions for atoms and molecules, 6=5328

Parr,R.G. and Joy,H.W. Why not use Slater orbitals of nonintegral principal quantum number?, 7=4602

Parr,R.G. and Pariser,R. On the electronic structure and electronic spectra of ethylene-like molecules, 5=5564

Parrack,H.O. See Davis,H., 8=5568

Parratt,L.G. Use of synchrotron orbit-radiation in X-ray physics, 9=8192. Electronic band structure of solids by X-ray spectroscopy, 9=12783. See also Wainfan,N., 9=13827

Parratt,L.G., Hempstead,C.F. and Jossem,E.L. "Thickness effect" in absorption spectra near absorption edges, 7=4428

Parratt,L.G. and Jossem,E.L. X-ray spectroscopy of valence and conduction bands of potassium chloride, 5=3814. X-ray spectroscopy of the solid state: potassium chloride, 5=3921

Parratt,L.G., Porteus,J.O., Schnopper,H.W. and Watanabe,R. X-ray absorption coefficients and geometrical collimation of the beam, 9=8197

Parravano,G. Thermoelectric behavior of nickel oxide, 5=2769. See also Perakis,N., 6=4491, 8=7176, 9=8285

Parravano,G. and Domenicali,C.A. Thermo-electric behavior of solid particulate systems. Nickel oxide, 7=4385

Parrent,G.B.,Jr. On the propagation of mutual coherence, 9=8394

Parrish,M.,Jr. See Bird,G.R., 8=8717

Parrish,W. X-ray intensity measurements with counter tubes, 6=3371. See also De Wolff,P.M., 9=7611. See also Kohler,T.R., 5=5749, 7=477; Taylor,J., 5=6196*

Parrish,W., Hamacher,E.A. and Lowitzsch,K. The "Norelco" X-ray diffractometer, 5=5746

Parrish,W. and Kohler,T.R. A comparison of X-ray wavelength for powder diffractometry, 7=1750. Use of counter tubes in X-ray analysis, 7=2348

Parrott,J.E. Some contributions to the theory of electrical conductivity, thermal conductivity and thermo-electric power in semiconductors, 7=7096. The theory of the Nernst effect in semiconductors, 8=1045. The interaction of electrons and phonons in semiconductor transport phenomena, 9=10969. See also Rose,F.W.G., 8=5016

Parry,G. See Dalton,A.W., 7=8829; 8=1261, 9=8602, Hinds,S., 8=1222, 8=1964; Martin,D.G.E., 6=2371; Mason,P., 9=10018

Parry,G.A. See Jeffrey,G.A., 7=2850

Parry,G.S. A study of the atomic scattering factor for aluminium, 6=1749. See also Jeffrey,G.A., 5=4207

Parry,J.K. See Moroney,J.R., 5=361

Parry,J.V.L. The dielectric properties of acenaphthylene styrene copolymers, 5=4624. See also Essen,L., 6=104 8=5364, 7=9509, 8=21, 8=3367, 8=7334; Hartshorn,L., 5=7941; Markowitz,W., 8=8571

Parry,R.W. See Weaver,J.R., 9=1843, 9=8761

Parsonage,N.G. See Mathot,V., 5=9468

Parsons,A.E. and Searcy,A.W. Prediction of the shapes of two-centered covalent molecules and ions, 9=8758

Parsons,D.F. See Effemey,H.G., 5=3872

Parsons,E.W. See Juenker,D.W., 9=5550

Parsons,J.L., Irland,M.J. and Bryan,F.R. Continuous flow infrared gas analyzer employing interference filters, 6=3346

Parsons,N.R. Zenith angle sensitivity of a cubical meson telescope, 7=6310. The solar daily variation of cosmic ray meson intensity at λ 52 °S. and λ = 73 °S, 8=5093. Directional measurements of the daily variation of cosmic ray meson intensity at λ = 73° S, 8=5094. See also Fenton, A.G., 6=8857; McCracken,K.G., 9=2474

Parsons,P.L. See Lynch,A.C., 7=7083

Parsons,R. See Bockris,J.O.M., 5=590.

Parsons,R.W. See also Hu,P.M., 7=7829, 9=81

Parsons,R.W. and Drickamer,H.G., Sodium chloride and calcium fluoride windows for high-pressure infrared spectroscopy, 6=7281. Effect of pressure on the spectra of certain transition metal complexes, 9=4442

Parsons,R.W. and Katz,L. The photodisintegration of tantalum, 9=10128

Parsons,S.J. See Hey,J.S., 6=5258

Parthasarathi,M.N. See Kohara,S., 8=8449; Wei,C.T., 8=9125

Parthasarathy,N.V. and Sanghi,I. A simple technique for the calibration of the wavelength scale of spectrophotometers, 8=6827

Parthasarathy,R. See Swarup,G., 5=6694, 6=4778

Parthasarathy,S. The ratio of specific heats γ as a fundamental physical property of liquids, 6=3533. Thermosonics, 9=9332

Parthasarathy,S. and Chhapgar,A.F. Sound absorption in liquids in relation to their physical properties. Viscosity and specific heats, 6=149

Parthasarathy,S. and Deshmukh,A.P. Sound absorption in liquids in relation to light scattering data, 5=7784

Parthasarathy,S. and Guruswami,D.S. Sound absorption in liquids in relation to their specific heats. II, 6=150

Parthasarathy,S. and Guruswamy,D.S. Sound absorption in liquids in relation to their specific heats, 5=8564

Parthasarathy,S., Guruswamy,D.S. and Deshmukh,A.P. Brillouin components in light scattering in relation to sound absorption, 6=3573

Parthasarathy,S. and Mahendroo,P.P. Relation between efficiency of quartz transducer and ultrasonic absorption coefficient of liquids. I, 7=4074; II, 7=4075

Parthasarathy,S. and Mathur,S.S. Ultrasonic absorption by steady thermal method, 7=8484

Parthasarathy,S. and Narasimhan,V. Effect of acoustic impedance and viscosity of gases on the electrical constants of quartz, 5=930. The effect of temperature and acoustic impedance of vapours on the electrical constants of quartz, 5=5398 . The performance of a quartz oscillator in liquids. I, 6=1003; II, 6=1004. The conversion efficiency of a piezoelectric quartz crystal: relation between input electrical power and frequency, 6=4931. Efficiency of several quartz crystals oscillating at one frequency, 6=4932 The output of a quartz transducer oscillating in its fundamental and higher harmonics, 6=5737. The efficiency of an oscillating quartz crystal in liquids, 6=6463. Dielectric heating of quartz oscillating in several organic liquids, 6=6599. Ultrasonic absorption by some ketones, 9=4391

Parthasarathy,S. and Pancholy,M. Ultrasonic absorption constant in liquids by an improved optical method, 5=134. Sound propagation in liquids, 6=5729. Studies in ultrasonic propagation in mixtures of ethyl alcohol and water, 9=1205. Ultrasonic velocity and absorption coefficient in a chemically reactive medium, 9=5441

Parthasarathy,S., Pancholy,M. and Chhapgar,A.F. Temperature coefficient of ultrasonic absorption in organic liquids, 8=3815. Ultrasonic absorption in some homologous series of organic liquids, 9=2170, 9=3233

Parthasarathy,S., Pancholy,M. and Mathur,S.S. Sound absorption in liquids: Thermal methods, 7=1139

Parthasarathy,S. and Singh,H. Amplitude of a quartz plate vibrating in liquids, 8=3796. Experimental determination of the amplitude of very high frequency vibrations of quartz submerged in a liquid, 9=4368

Parthasarathy,S. and Tipnis,C.B. Diffraction of light by ultrasonic waves— oblique incidences, 9=1338. Diffraction of light by ultrasonic waves—oblique incidence and sound intensity, 9=3352. Damping of ultrasonics in liquids, 5=4455. The relationship between optically measured ultrasonic absorption and specific heat, 5=7785. Ultrasound output of a quartz oscillator in various liquids by an optical method, 5=8572. A new thermal method for sound absorption in liquids, 6=2750

Parthé,E. The crystal structure of YSi and Hf_5Ge_3(C), 9=10375

Partington,J.R. An advanced treatise on physical chemistry. Vol. 5: Molecular spectra and structure, dielectrics and dipole moments, 5=5682

Parton,J.E. and Stairmand,G.D. A new magnetic flux probe, 6=2991

Partidge,M.F. See Griffiths,J.H.E., 8=2386

Partridge,W.S. See also Clay,W.G., 8=2893; Cook,M.A., 6=2494, 6=2747; Davidson,R.A., 8=6001 ; Tucker,P.E., 8=8074

Partridge,W.S. and Clay,W.G. Studies of high-velocity impact in wax, 8=8605

Partridge,W.S. and Harris,L.D. Ionization in the trail of high-velocity pellets, 8=6000

Partridge,W.S., Vanfleet,H.B. and Whited,C.R. Crater formation in metallic targets, 9=3175

Parvatikar,K.G. Extension of the table for the calculation of surface tension from measurements of sessile drops, 9=9298 See also Tawde,N.R., 5=778, 7=141

Parvov,V.F. See Zheludev,I.S., 7=7824

Parvova,E.V. See Distler,G.I., 7=7797

Parzen,G. Relationship between the scattering of high-energy Dirac and Klein–Gordon particles, 7=1909. See also Keiffer,D.G., 6=2181; McCormick,P.T., 6=5937

Parzen,P. Electromagnetic wave propagation in bounded electron beams, 5=2905. See also Scotto,M., 6=6799

Pas,A. and Serber,R. Strong coupling, 7=3970

Pascal,P. See Hoarau,J., 7=6678

Pascale,D.A. See Kaufman,F., 6=2499*

Pascoe,M.W. and Tabor,D. The friction and deformation of polymers, 6=4708

Pascual,J. and Freiling,E.C. Rare-earth solutions for 4π-counting, 8=257

Pascual,P. See Garrido,L.M., 9=7793, 9=9233

Pascual de Sans,P. See Garrido Arilla,L.M., 9=7783

Pashinin,P.P. and Prokhorov,A.M. Measurements of the spin–lattice relaxation times of Cr^{3+} in corundum, 9=9811
Pashley,D.W. The study of epitaxy in thin surface films, 7=7488. See also Bassett,G.A., 8=6447, 9=13837; Grunbaum,E., 9=13900; Kehoe,R.B., 5=1298, 6=2565, 7=4854; Newman,R.C., 5=9175
Pashley,D.W., Menter,J.W. and Bassett,G.A. Observation of dislocations in metals by means of Moiré patterns on electron micrographs, 7=6264
Paskell,E. See Beck,R.W., 9=12273
Paskievici,W. and Pluvinage,P. Graphical method of determining phase shift, 6=6390
Paskin,A. Elastic wave velocity effect on temperature diffuse scattering in cubic powders, 9=5254. Contributions of one- and two-phonon scattering to temperature diffuse scattering, 9=7608. See also Chipman,D.R., 9=13906
Paskin,A. and Weiss,R.J. Short-range order in partially ordered Cu_3Au, 7=5668
Paslay,P.R. See Saunders,H., 9=6620
Pasma,P.J. Polarization measurements on D + D and T + D neutrons generated by low energy deuterons, 8=6151. See also Sikkema,C.P., 8=5387
Pasquali,G. De. See De Pasquali,G.
Passaglia,E. See also Kurath,S.F., 7=6645
Passaglia,E. and Love,W.F. Electrical resistance of copper-gold alloys at low temperatures, 5=6152
Passatore,G. On polarization effects in Coulomb electron scattering, 8=680
Passau,P. See Courtoy,C., 8=8382
Passechnik,M.V. See Barchuk,I.F., 7=4472
Passelecq,J. See Glansdorff,P., 7=9667
Passell,T.O. See Hoff,R.W., 6=1526; Jaffe,H., 5=2148; Rasmussen,J.O., 5=8201; Rubin,S., 7=6683, 9=10098
Passmann,J.M., Radin,N.S. and Cooper,J.A.D. Liquid scintillation technique for measuring carbon-14-dioxide activity, 6=7799
Passoth,G. On the attempt to determine experimentally the potential difference at the surface of water, 6=8158. Thermal pressure fluctuations in a gas as natural limit for the measurement of surface tension by the bubble pressure method, 9=4341
Pasternak,R.N. See Vovk,A.E., 8=6735
Pastor,A.E. See Cirelli,R., 9=52
Pastor,R.C. Crystal constituent effects. III. Partition of Ni^{++}, 9=11245. See also Hoskins,R.H., 9=7179, 9=11244
Pastor,R.C. and Turkevich,J. Paramagnetic absorption of potassium complexes of aromatic compounds, 6=487
Pastor,R.C., Weil,J.A., Brown,T.H.,and Turkevich,J. Narrow electron spin resonance in charred dextrose, 6=5243
Pastor Franco,J. The choice of the three components in a cemented triplet, 9=7930
Pastore,J.R. See Gaulé,G.K., 9=1987
Păstrăvanu,M. See Schiopu,M., 9=6850
Pastrňák,J. and Kužel,R. The influence of illumination on the conductivity and photoconductivity of Cu_2O, 6=7425
Pastrnyak,I. The infrared absorption spectrum of cuprous oxide, 9=12048
Pastukhova,Z.V. See Éstulin,I.V., 9=2738
Pasynkov,R.E. See Smolenskiĭ,G.A., 5=8731
Pasyuk,A.S. See Flerov,G.N., 8=6316; Volkov,V.V., 8=1972, 9=13676
Patalong,H. See Herlet,A., 5=9664
Patanaik,K.M. See Samal,K., 6=6457
Pate,B.D. Fission of excited heavy nuclei, 9=1785. See also McMullen,C.C., 7=3589
Pate,B.D., Foster,J.S. and Yaffe,L. Distribution of nuclear charge in the proton-induced fission of the Th^{232}, 9=1784
Pate,B.D., Santry,D.C. and Yaffe,L. The half-life Pb^{210} (RaD), 9=10046
Pate,B.D. and Yaffe,L. A new material and techniques for the fabrication and measurement of very thin films for use in 4π-counting, 5=3839. Disintegration-rate determination by 4π counting. I, 5=5593. II. Source-mount absorption correction, 5=6412. III. Absorption and scattering of β-radiation, 7=1533. IV. Self-absorption correction: General method and application to Ni^{63} β-radiation, 7=1534
Pátek,K. A contribution to the kinetics of the photo-conductivity of selenium, 6=7424. Luminescent "τ-meter" of new type, 9=7971. The temperature dependence of electroluminescence and thermostimulated electroluminescence in ZnS:Cu, 9=7983. On the photoelectroluminescence of ZnS:Cu, 9=9491
Patel,A.R. See Tolansky,S., 7=8931
Patel,J.R. Delay time of plastic flow in germanium, 6=4047. Arrangements of dislocations in plastically bent silicon crystals, 9=792. See also Lederhandler,S., 8=8439
Patel,N.J. See also Gatha,K.M., 5=1903
Patel,N.J., Shah,G.Z. and Gatha,K.M. High energy electron scattering by beryllium, 5=6212
Patel,P.F. See Gatha,K.M., 5=1903
Patel,R.M. See Pathak,P.D., 9=9299
Patergnani,G. See Costa,G., 7=8189; Dallaporta,N., 9=10001
Paterson,R. The introduction of rad in radiotherapy practice: a symposium. I. Radiation units in use in Great Britain, 7=984
Patyuk,G.M. Investigation of the high frequency discharge, 6=5117. See also Dzherpetov,Kh.A., 5=7084*
Pathak,P.D. and Patel,R.M. A compact instrument for the measurement of surface tension of liquids, 9=9299
Pathria,R.K. Resultant momentum and kinetic energy in relativistic mechanics, 6=2634. On transformations in relativistic mechanics, 6=5669. See also Bhagat,S.M., 7=5282-3; Nanda,V.S., 9=6219, 9=6221; Singh,A.D., 9=10921
Pathria,R.K. and Nanda,V.S. Polymers and theory of numbers. II. The N-chain theory of degradation, 9=6220. IV. The problem of weak and strong links in degradation, 9=8767
Pati,J.C. See Oneda,S., 9=5367
Patil,B.S. See Tawde,N.R., 7=8747, 9=11528
Patin,H. See Calvet,E., 7=6935
Patmore,J.W. See Barnes,G., 8=3747
Patnaik,S. On Gödel's cosmological solution of Einstein's gravitational field equations, 5=9400
Patrakhin,N.P. Explanation of the transverse electrical thermomagnetic phenomenon in ferromagnetics by means of the results of the (s-d) exchange model of a metal, 9=9776
Patrakova,A.Ya. See Nasledov,D.N., 8=8521
Patrick,F.B. See Yoder,P.R.,Jr, 5=9533
Patrick,L. Structure and characteristics of silicon carbide light-emitting junctions, 8=5907. See also Choyke,W.J., 7=4890, 8=7021
Patrick,L. and Choyke,W.J. Impurity bands and electroluminescence in SiC p–n junctions, 9=2229. Electron emission from breakdown regions in SiC p–n junctions, 9=4678
Patro,A.P. A time of flight neutron velocity selector using scintillation counter, 6=8415. See also Lundby,A., 8=3347-8
Patronis,E.T.,Jr. See also Domanic,F., 9=11481
Patronis,E.T.,Jr, Braden,C.H. and Wyly,L.D. Fluorescence yields of Ni, Cu, Zn, and Pb, 7=4425
Patronis,E.T,Jr, Marshak,H., Reynolds,C.A., Sailor,V.L. and Shore,F.J. Low-temperature thermal noise thermometer, 9=9563
Patrushev,V.L. Calculation of the natural frequency of a π-shaped cavity resonator partly filled with absorbing material, 6=7550. Application of the method of curvilinear coordinates for design of a π-shaped resonator, 7=550
Patskevich,V.M. See also Vavilov,V.S., 7=2824, 7=8690, 8=7512
Patskevich,V.M., Vavilov,V.S. and Smirnov,L.S. Energy of ionization by electrons in silicon crystals, 8=2357
Pattee,H.H,Jr. The microfluoroscope, 9=5789
Pattenden,N.J. The slow neutron cross section of scandium, 5=3114. The slow neutron total cross section of plutonium, 6=7691. See also Nicholson,K.P., 5=5659
Pattenden,N.J. and Baston,AH. The construction and operation of a single crystal neutron spectrometer, 8=6108
Pattenson,C.F. See Kalra,S.N., 9=2023
Patter,D.M.Van. See Van Patter,D.M.
Patterson,A.,Jr. See Wissbrun,K.F., 5=1321
Patterson,A.L. See Nordman,C.E., 5=8403
Patterson,C., Tilton,G. and Inghram,M. Age of the earth, 5=4217
Patterson,D. Frequency spectra of free lattices and particle size effects on the heat capacity of solids, 5=7505. See also Benson,G.C., 5=6599, 6=6814; Morrison,J.A., 5=4609
Patterson,D., Rose,G.S. and Morrison,J.A. Diffusion of the chloride ion in NaCl, 6=7744
Patterson,D. and Seymour,R.C. An automatic pressure recorder for the study of gas phase kinetics, 5=2454
Patterson,D.A. Absorption spectrum of KCl:Tl at low temperatures, 9=1302. See also Etzel,H.W., 9=6722
Patterson,D.A. and Friedman,H. Milliroentgen dosimetry with thermoluminescence, 8=3168
Patterson,D.A. and Klick,C.C. Emission and excitation spectra of thallium-activated potassium chloride at low tempera-

tures, 7=3152
Patterson,G.D., Jr and Rabouin,L.H., III. Capillary viscometer for high-temperature measurements of polymer solutions, 9=1129
Patterson,H,W. See Hess,W.N., 7=9733
Patterson,J.R. See Newson,H.W., 7=3667
Patterson,L.T. See Gurnee,E.F., 5=9594
Patterson,M.S. A stress-strain machine for testing single crystals in alternating tension and compression, 5=9188
Patterson,R.L., Jr. See King,P., 6=7898*
Patti,F. Action of X-rays on dilute solutions of Uranine, S, 5=7472. Action of X-rays on dilute solutions of sodium eosinate, 5=7473. See also Bonet-Maury, P., 6=6229
Pattison,J.R. See Browne,M.T., 8=918
Patton,B.J. See Cohen,L., 7=1612; Stephens,W.E., 5=6467
Pátý,L. The pumping properties of the cold cathod ionization gauge, 9=7851. Heat transfer in the absolute manometer, 9=11910
Paty,M. See Deschamps,J., 7=7258; Josien,M.L., 6=7199; Pineau,P., 7=6660
Pätte,H., 5=3250
Patzelt,R. See Müller,G., 6=2904; Weinzierl,P., 9=3705
Paul,A. See Bibl,K., 9=9888
Paul,D.A.L. Long τ_2 lifetimes from positronium annihilation in liquid argon and liquid nitrogen, 8=6134. See also Hogg,B.G., 7=3617
Paul,D.A.L. and Graham,R.L. Annihilation of positrons in liquid helium, 7=5604
Paul,D.I. Acoustical radiation from a point source in the presence of two media, 8=2910. Nonequilibrium phonon distributions in metals, 9=2899
Paul,E., Jr. See Humphreys,C.J., 7=2002
Paul,E.B. The interpretation of the levels of ^{19}F on the rotational model, 7=5558. See also Bartholomew,G.A. 5=2172, 5=9071, 6=1469, Bromley,D.A., 7=3631, 7=9815; Clarke,R.L., 7=3635; Ferguson,A.T.G., 9=12627; Gove,H.E., 5=2174, 7=6436; Litherland,A.E., 6=3960, 9=2699, 9=2701
Paul,E.B., Gove,H.E., Litherland,A.E.and Bartholomew,G.A. Proton capture gamma rays from the reaction P^{31} (p,γ) S^{32} leading to the ground and first excited states of S^{32}, 5=9909
Paul,E.B. and Montague,J.H. The levels of Na^{23} on the unified model, 9=2704
Paul,F.W. X-ray studies of optical coatings, 5=9989
Paul,H. The theory of thermal conduction in insulators. I-II, 9=10899. See also Fazzini,T., 9=2615
Paul,J. de. See de Paul,J.
Paul,J.J. and Cox,J.R.G. Xenon-poisoning computer, 8-7409
Paul,R.S. Gamma-ray absorption coefficients at 6.13 MeV, 5=2156
Paul,W. Analogue computer for a.c. oximetry, 5=7585. The effect of pressure on the properties of germanium and silicon, 9=5699. Production of elementary particles in the laboratory, 9=11139. See also Benedek,G.B., 6=1225; Bennewitz,H.G., 5=2079, 5=6526, 7=9829; Cardona,M., 9=3466, 9=6883; Gräff,G., 9=5121; Warschauer,D.M., 9=1915
Paul,W. and Pearson,G.L. Pressure dependence of the resistivity of silicon, 5=7024
Paul,W. and Raether,M. The electrical mass filter, 5=4743
Paul,W., Reinhard,H.P. and von Zahn,U. The electric mass-filter as mass spectrometer and isotope separator, 8=8059
Paul,W. and Warschauer,D.M. Optical properties of semiconductors under hydrostatic pressure. I. Germanium, 9=208; II. Silicon, 9=209. III. Germanium–silicon alloys, 9=7964
Paulevé,J. Ferromagnetic resonance of gadolinium ferrite as dependent on temperature, at 9000 Mc/s, 6=470. Apparatus for studying paramagnetic and ferromagnetic resonance at 9000 Mc/s 6 =4492. Ferrimagnetic resonance of gadolinium garnet at 9300 Mc/s, 7=7215. Ferromagnetic resonance of erbium garnet at 9.4 kMc/s, 7=9264. Interpretation of the variations of the ferrimagnetic resonance field of gadolinium garnet with temperature, 8=3220. Magnetic resonance of ferrites with compensation temperature, 8=8880. Magnetic resonance of ferrites at the compensation temperature, 9=11234. Magnetic resonance of ferrites at the compensation temperature (conclusion), 9=11235. See also Dautreppe,D., 5=2854
Paulevé,J. and Dreyfus,B. Resonance of ferrites at the compensation point, using circularly polarized fields (ferrimagnetic resonance), 6=4493
Pauli,G. See Cernigoi,C., 8=6093; Marseguerra,M., 9=7264
Pauli,J. Range of the isotopes P^{32} and S^{35} recoiling following the nuclear reaction S^{32} (n,p) P^{32} and S^{34} (n,γ) S^{35}, 5=8255
Pauli,R. Investigation of the focusing properties of a double directional focusing magnetic spectrometer with conical pole surfaces, 6=7474. See also Ahnlund,K., 5=4059; Palevsky,H., 8=2277
Pauli,R., Ahnlund,K. and Mileikowsky,C. The reaction energy O^{17} (d,α) N^{15}, 5=2179
Pauli,R.T. Low energy levels in N^{16}, 6=7612
Pauli,W. On the conservation of the lepton charge, 7=8397. The thermodynamics of dissociating equilibrium mixtures in an external field of force, 8=8497. Theory of relativity, 9=9169. See also Källén,G., 7=1052
Paulin,A. Microtron, 8=8037
Pauling,L. The use of atomic radii in the discussion of interatomic distances and lattice constants of crystals, 9=6377
Pauling,L. and Pauling,P. On the valence and atomic size of silicon, germanium, arsenic, antimony, and bismuth in alloys, 6=7745
Pauling,P. See Pauling,L., 6=7745
Paulisch,A. On the mechanism of the high temperature conductivity of electron emitting oxides, 9=13365
Paulissen,G.T. See Goldring,G., 6=8921; Mark,H., 6=1562
Paulus,H.J. See Talvitie,N.A., 7=773
Paulus,M. Elementary domains on the {100} faces of nickel ferrite crystals and on the (0001) face of barium ferrite crystals, 8=1125. See also Guillaud,C., 6=6773, 7=2415
Pauly,H. Further cross-sections for collisions between neutral atoms, 8=8377
Pauly,J. Capture of impurities during crystallization, 7=7486. See also Süe,P., 5=9090
Pauly,J. and Süe,P. Range of recoil, in phosphorus, of P^{30} obtained by the reaction P^{31}. Application to the preparation of carrier-free P^{30}, 5=8248. Nuclear recoil used to prepare carrier-free radioactive isotopes, 7=6529
Pauncz,R. Investigation of a new quantum-mechanical method of approximation, 5=6361. Investigation of the two-dimensional homologous series of aromatic compounds, 6=7595. The use of perturbation methods for quantum-chemical investigations of systems built up from identical units, 7=4596. See also Berencz,F., 8=889
Pautamo,Y. See Hovi,V., 9=6248
Pauthenet,R. Magnetic properties of gadolinium ferrites, 6=6004. Magnetic properties of the rare earth ferrites $5Fe_2O_3.3M_2O_3$ with M = Tb, Dy, Ho, Er, Tm, Yb, Lu, 7=5451. Interpretation of the magnetic properties of the ferrites $5Fe_2O_3.3M_2O_3$ with M = Y, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, 7=5452. Spontaneous magnetization of some garnet ferrites and the aluminium substituted garnet ferrites, 8=8879. The magnetic properties of yttrium and rare earth ferrites of formula $5Fe_2O_3, 3M_2O_3$, 9=11221. See also Aléonard,R., 6=7520; Bertaut,F., 7=7509, 8=7194; Giron,V.S., 9=7170; Villers,G., 9=3638
Pauthenier,M. Theory of the speed of precipitation of submicron particles in ionized electric fields, 5=6121. Singularities of the speed of precipitation of submicronic particles in ionizing electric fields, 5=7945
Pauthenier,M., Cochet,R. and Dupuy,J. General problem of the charge acquired by a spherical particle in an electric field with negative and positive ions, 7=3229
Pauw,L.J. van der. See van der Pauw,L.J.
Pavinskiĭ,P.P. The polarization of anomalous first order Raman scattering of light in crystals of alkali-halide compounds, 8=7822. See also Gross,E.F., 9=6253
Pavlikovskiĭ,A. and Shchuruvna,V. On an application of Zubarev's method of supplementary variables to statistical physics, 8=2166. On the application of the method of supplementary variables to statistical physics, 9=9248
Pavlatskaya,E.D. See Grigor'ev,E.P., 9=10075
Pavlotskaya,F.I. and Lavrukhina,A.K. Uranium fission products in the rare-earth-element region obtained by irradiation with 660 MeV protons, 8=8351
Pavlov,B.V. See Malȳshev,G.M., 8=3157
Pavlov,N.M. See Rzhanov,A.V., 9=11001
Pavlov,P.V. See Borisov,S.V., 9=12875
Pavlov,V.A. The influence of static stresses in the crystalline lattice on the mechanical properties of alloys, 8=4433. See also Grin',A.V., 9=6319
Pavlov,V.P. and Vinogradov,G.V. Elasticity and strength of plastic dispersed systems in connection with the phenomenon

of thixotropy, 9=11876
Pavlova,G.A. See Mazurin,O.V., 8=3991
Pavlovic,A. and Pepinsky,R. Re-examination of low-temperature properties of crystalline quartz, 5=281
Pavlovic,D. and Foster,K. Low residual induction in high-aluminum iron alloys, 8=8896
Pavlovskaya,V.G. See Kormakova,E.G., 9=11106
Pavlovskaya,V.V. See Govorkov,B.B., 7=4679, 7=4785
Pavlovskii,E.S. See Kompaneets,A.S., 7=2559
Pawel,R.E. See Stansbury,E.E., 9=8049
Pawlikowski,A. and Szczurówna,W. The partition function and the subsidiary conditions in the Bohm–Pines and Migdal–Galitsky's supplementary variables method, 9=6554
Pawsey,J.L. A catalogue of reliably known discrete sources of cosmic radio waves, 5=5174. Radio star scintillations due to ionospheric focusing, 5=8423. Radio sources outside our Galaxy. I. Sydney investigations and very distant radio sources, 8=6584. See also Christiansen,W.N., 8=850
Pawsey,J.L. and Bracewell,R.N. Radio astronomy, 6=8552
Paxton,F. Solid angle calculation for a circular disk, 9=7719
Paxton,H.C. Critical assemblies at Los Alamos, 6=3244. The role of critical facilities. I. Critical facilities for basic physics, 9=6152. See also Graves,G.A., 8=350
Paxton,H.W. Widmanstätten morphology, 7=9448
Paxton,W.S. See also Nilan,T.G., 5=3882
Paxton,W.S. and Nilan,T.G. Domain configurations and crystallographic orientation in grain-oriented silicon steel, 5=9249
Payette,G. and Sandorfy,C. Electronic distribution in some conjugated ketones. Molecular orbital calculations including overlap, 9=3987
Paymal,J., Bonnaud,M. and Le Clerc,P. Changes in density and elasticity modulus of borosilicate glass due to irradiation with thermal neutrons, 9=5165
Payne,A.R. Effect of shape on the static and dynamic stress-strain relationship of bonded rubber in compression, 6=7754. Low-frequency dynamic modulus of an acrylonitrile-butadiene rubber, 7=6640
Payne,A.R. and Smith,J.F. Dynamometer for tensile testing of high polymers, 7=3039
Payne,F.A. See Mann,K.C., 9=8432
Payne,H. Fermi–Thomas method for crystals, 9=1864. The slip theory of plasticity for crystalline aggregates, 9=6326. Solution of the Fermi–Thomas equation for positive ions, 9=7395
Payne,H., Czyzak,S.J., Greiner,J.H. and Lin,T.H. A modification of Taylor's method for calculating the plastic stress – strain relation in face-centred cubic crystals, 8=6455
Payne,R.M. See also Allen,N.L., 8=775
Payne,R.M. and Kaufman,S. Physical measurements on heavy-current discharges, 9=4652
Payne,W.B. and Levinger,J.S. Relativistic radiative transitions, 6=2322
Payne,W.T. Spinor theory and relativity. I. 6=48; II, 9=6489
Payne-Gaposchkin,C. Variable stars and galactic structure, 5=1475
Paynter,D.A. See Guderjahn,C.A., 8=6927
Peacock,A.G. A new approach to infra-red instrumentation, 5=9560
Peacock,N.J. See Hopwood,W., 6=4468; Wilkes,A., 6=1327
Peacock,R.D. See Hargreaves,G.B., 9=11196
Peacock,R.N. See Frauenfelder,H., 7=6504, 8=746
Peacock,T.E. Electronic absorption spectra of heterocyclic systems. II. Applications to some two-ring nitrogen heterocyclics, 8=374. See also McWeeny,R., 7=3506
Peacocke,A.R. See Cox,R.A., 6=1701
Peakall,D.B. See Kipling,J.J., 5=9220
Peake,H.J. See also Klick,C.C., 6=2960
Peake,H.J. and Davy,N. The capacity and field of a cylindrical trough with a plane conductor in the axial plane of symmetry, 6=2846
Peake,J.S. See Mayo,D.W., 5=8617
Peaker,F.W. See Hastings,G.W., 6=6998
Pearce,C.A.R. The electrical conductivity and permittivity of mixtures, with special reference to emulsions of water in fuel oil, 5=5052. The permittivity of two phase mixtures, 5=9627. The electrical conductivity and permittivity of mixtures, 7=9150. See also Howe,H.A., 5=3231
Pearce,R.M. A numerical method for solving the two-dimensional neutron diffusion equation, 6=8393
Pearcey,T. See also Hill,G.W., 6=4145, 7=5791
Pearcey,T. and Hill,G.W. Programme design for the C.S.I.R.O. Mark I computer. III. Adaptation of routines for elaborate arithmetical operations, 5=3. The accelerated motion of droplets and bubbles, 6=6411. A theoretical estimate of the collection efficiencies of small droplets, 9=9302
Pearcey,T., Hill,G.W. and Ryan,R.D. The effect of interpretive techniques on functional design of computers, 5=4
Pearcey,T. and McHugh,B. Calculation of viscous flow around spheres at low Reynolds' numbers, 5=7756
Pearlman,N. See Keesom,P.H., 5=907, 5=6095, 5=8714, 9=4533
Pearlstein,L.D. and Klein,A. Transition amplitudes for photoproduction of mesons from nucleons and photodisintegration of the deuteron, 8=1857
Pearse,C.A. Fine structure of the ground states of N^{15} and O^{17}, 7=7295. See also Jastrow,R., 8=4688
Pearse,H.E. See Davis,T.P., 5=661
Pearson,A. See Fowler,I.L., 9=12518; Lennox,C.G., 9=708, 9=2848
Pearson,A.D. Studies on the lower oxides of titanium, 9=8799
Pearson,C. See Butler,S.T., 9=5032
Pearson,C.A. and Boettner,E.A. Horizontal atmospheric transmittance measurements with a thallous sulfide cell transmissometer, 6=1770
Pearson,C.E. Corrections in hot-wire correlation measurements, 5=2490
Pearson,F.J. and Rushbrooke,G.S. On the theory of binary fluid mixtures, 8=69
Pearson,G.J., Davey,P.O. and Danielson,G.C. Thermal conductivity of nickel and uranium, 8=3023
Pearson,G.L. Conversion of solar to electrical energy, 8=4026. See also Chynoweth,A.G., 9=315; Logan,R.A., 9=8125; Paul,W., 5=7024; Read,W.T.,Jr, 5=7045; Wertheim,G.K., 7=8621
Pearson,G.L. and Brattain,W.H. History of semiconductor research, 6=2860
Pearson,G.L. and Feldmann,W.L. Powder-pattern techniques for delineating ferroelectric domain structures, 9=8067
Pearson,G.L. and Herring,C. Magneto-resistance effect and the band structure of single crystal silicon, 5=3772
Pearson,G.L., Montgomery,H.C. and Feldmann,W.L. Noise in silicon P-N junction photocells, 6=4413
Pearson,G.L. and Riesz,R.P. High-speed switching diodes from plastically deformed germanium, 9=8144
Pearson,J. See also LaRocca,E.W., 9=4082
Pearson,J. and Rinehart,J.S. Application of the engravement method to the study of particle velocity distribution in in explosively loaded cylinders, 6=4223
Pearson,L., Pinsent,B.R.W. and Roughton,F.J.W. The measurement of the rate of rapid reactions by a thermal method, 5=5025
Pearson,R.F. Domain patterns on ferrite single crystals, 7=6353
Pearson,R.G. Rates of ion recombination in solution by a radiofrequency dispersion method, 5=5031. Ionic models and the vibrational spectra of molecules, 9=7431
Pearson,S. Delayed fracture of sintered alumina, 7=2754. See also Bradshaw,F.J., 6=5086, 7=2821, 7=4904, 7=6716
Pearson,S. and Bradshaw,F.J. The effect of prior extension on the annealing rate of lattice vacancies in platinum, 7=4383. Quenching vacancies in dilute binary platinum solid solutions, 8=3488
Pearson,W.B. Electrical resistance minimum in dilute copper alloys, 5=285. Thermal expansion of lithium, 77° to 300°K, 5=892. Thermocouples suitable for use at low temperatures, 5=903. Resistance and thermoelectric measurements of cold-worked copper and the resistance minimum at low temperatures, 5=2726. Electron transport in copper and dilute alloys at low temperature. III. Solid solutions of iron in copper, 5=8739. IV. Resistance minimum: temperature of occurrence as a function of solute concentration, 5=8740. A method of examining structural changes of metals on deformation in liquid helium: examination of indium, 5=9262. Preparation of pure lithium samples for electrical measurements, 7=7930. Lattice distortion in terminal solid solutions of the first long period transition metals and copper, 7=8275. Discussion of the electrical properties of compounds with the nickel arsenide structure, 7=9692. The valence state of metallic lead, 8=5015. Activation energies of semiconductors with the zinc blende structure, 9=11027. See also Basinski,Z.S., 9=1896; Christian,J.W., 8=5014; Fischer,G., 9=312; Jan,J.P., 8=5013; Kelly,F.M., 5=1760; McDonald,D.K.C., 6=4039,

7=9203, 8=5933, 9=2364; Mooser,E., 6=2862, 6=4395* 6=8181, 7=5314, 7=6166, 7=7890, 7=9179, 9=8101
Pearson,W.B. and Rimek,D.M. The constitution of nickel–gallium alloys in the region 0-35 atomic % gallium, 8=6437
Pearson,W.B. and Templeton,I.M. Therme-electricity at low temperatures. III. The absolute scale of thermo-electric power: a critical discussion of the present scale at low temperatures and preliminary measurements towards its redetermination, 5=8786. Superconducting transition of lead, 8=1711
Pearson,W.B. and Thompson,L.T. The lattice spacings of nickel solid solutions, 7=8292
Pease,J. See also Pease,R.L., 5=9443, 7=9535.
Pease,J. and Pease,R.L. Intrinsic moments of elementary particles, 7=1897
Pease,R.L. See also Pease,J., 7=1897
Pease,R.L. and Pease,J. Necessary condition for positive definite energy, 5=9443. Magnetic dipole moment of the Bhabha system, 7=9535
Pease,R.N. See Clingman,W.H., 6=7347-8; Schubert,C.C., 6=5469
Pease,R.S. X-ray diffraction data from radioactive materials, 6=4096. The measurement of specimen temperature in a high temperature x-ray powder camera, 6=1746. Equilibrium characteristics of a pinched gas discharge cooled by bremsstrahlung radiation, 7=3327. See also Bacon,G.E., 5=7541; Butt,E.P., 9=5084; Kinchin,G.H., 5=4826, 6=1417; Thonemann,P.C., 8=773
Peaslee,D.C., Λ° excited state, 5=3127. Combinations of interaction terms in the theory of β-decay, 5=9054. Dimensionality of charge space, 7=2982. Static model for production of strange particles, 7=3732. Vectorial charge displacement, 7=8850. Nuclear surfaces and zero-energy scattering, 7=9311. See also King,R.W., 7=6588; Morinaga,H., 7=8146
Peat,S.W. See also Feather,N., 7=8798
Peat,S.W. and Ross,M.A.S. Radioactive disintegration of ^{232}Th, 6=1518
Peattie,C.G. See Fritts,B.K., 7=6279
Pebay-Peyroula,J.C. Experimental study of the lamb-retherford effect of the level n = 2 of the hydrogen atom, 6=6084. See also Descourbes,J.P., 9=8672
Pebay-Peyroula,J.C., Brossel,J. and Kastler,A. On the magnetic resonance of the atomic levels of mercury excited by electron bombardment, 7=6465*, 8=781*
Pečijare,O. and Janssen,S. A study of the resistivity of the γ_2 phase of Cu–Al alloys, 8=2295
Pecjak,F.A. See Sun,K.H., 6=8835, 7=3568
Peck,A.J. See de Vries,D.A., 8=7857.
Peck,R.R. Fractional-fringe measurements with the corner-cube interferometer, 5=9588. Integrated flux from a Michelson or corner-cube interferometer, 6=265. Uncompensated corner-reflector interferometer, 7=4245. See also Schlueter,D.J., 8=2223
Peck,G.T. See Dombrowski,N., 5=9345; Lewis,J.D., 8=7643
Peck,L.G. See Emslie,A.G., 8=2838
Peck,R.A.,Jr. Characteristics of a high-frequency Cockcroft-Walton voltage source, 5=7132. (n,p) reaction for gold, 7=8169; See also Eubank,H.P., 5=347, 9=3922, 9=8638; Haling,R.K., 7=7395
Peck,R.A.,Jr and Eubank,H.P. High-current Cockcroft-Walton accelerator for neutron production, 5=6531
Peck,R.A.,Jr, Eubank,H.P. and Lowe,J. Response of CsI(Tl) to p,d and α particles, 9=11318
Peck,R.A.,Jr and Haisley,W.E.,Jr. One-semester physics course for liberal arts students, 5=9395
Peck,R.A.,Jr and Lowe,J. Gross structure in (d,p) reactions near $Z = 50$, 9=8601
Pecker,C. Calculation of the equivalent widths of the Balmer lines: application to the solar case, 5=6704. Calculation of the equivalent width of Balmer lines, 8=4670. The identification of some coronal lines, 9=3060
Pecker,C., Billings,D.E. and Roberts,W.O. Identification of the yellow coronal line, 5=5192
Pecker,C. and Pecker,J.C. The departure from thermodynamic equilibrium in the solar chromosphere (for levels $n > 2$), 6=3448. The number of H atoms at levels, n = 1 and n = 2, in the solar chromosphere, 6=4157
Pecker,J.C. The role of lines formed by diffusion in the blanketing effect, 6=28. The deviation from local thermodynamic equilibrium in the solar photosphere, 7=9504. Revision of the theory of the curves of growth, 7=9508. See also Dumont,S., 9=983; Krook,M., 9=1008; Laffineur,M., 5=2376; Michard,R, 5=2374-5; Pecker,C., 6=3448, 6=4157; Raoult,G., 5=9357; Rothschild,K., 5=5188
Pecker,J,-C. and Athay,R.G. CN bands in the chromosphere, 5=4313
Pecker,J.-C. and Roberts,W.O. Forecasting geomagnetic perturbations, 5=1376. Solar corpuscles responsible for geomagnetic disturbances, 5=5128
Pecker,J.-C. and van Regemorter,H. Equivalent line-widths on the hypothesis of a Schuster-Schwarzschild model, 5=6708*
Pedersen,K. See Harang,L., 8=4568, 9=9073
Ped'ko,A.V. See Belov,K.P., 8=2339
Pedos,F.Z. and Sventitskiĭ,N.S. The excitation of spectra by a low-voltage pulse discharge in vacuo, 8=3850. Excitation of spectra in the vacuum rigion by means of a low-pressure pulse discharge, 9=6701
Pedretti,A. Franco,G., 7=3214
Pedretti,E. Kinematics of the reaction $K + p \rightarrow \pi + \Sigma$ and of the elastic scattering $K + p \rightarrow K + p$, 6=5429. See also Marchi, C., 7=7434
Pedretti,E., Stanghellini,A. and Quareni,G. Observations on the Coulomb interference of π^+ p scattering, 5=9963
Peebles,G.H. See Gilvarry,J.J., 5=9027
Peed,W.F. See also Rogosa,G.L., 6=2147, 6=2149
Peed,W.F., Burkhart,L.E., Staniforth,R.A. and Fauble,L.G. X-ray spectra of polonoum atomic number 84, 7=3341
Peek,B.M. The determination of the longitudes of sources of emission of radio noise on Jupiter, 9=5310
Peek,H.M. and Thrap,R.G. Gaseous detonations in mixtures of cyanogen and oxygen, 7=5132
Peelaers,W. See van Itterbeek,A., 9=8282
Peelle,R.W. Differential cross sections for scattering of medium energy protons on carbon, 7=4712
Peerdeman,A.F. and Bijvoet,J.M. The indexing of reflexions in investigations involving the use of the anomalous scattering effect, 9=7618
Peet,C.S. See Beck,R.W., 9=12273
Peetz,C.V. See Davies,C.N., 6=5718
Peetz,V. See Davies,C.N., 5=1258
Peeva,A. and Karatoteva,T. On the temperature effect of self-quenching Geiger–Müller counters, 9=8397
Pei Chi Chou. Variational and Galerkin's methods in compressible fluid flow problems, 5=1574
Peierls,R.E. Quantum theory of solids, 5=7221. A survey of field theory. I. General background; VI. Final remarks. The new particles, 5=8481. Report on the conference of Birmingham, 5=9391. On diamagnetism of metals, 5=9391. Field theories with non-local interactions, 5=9391. See also Brown,G.E., 5=2154; Byers,N., 9=2058
Peierls,R.E. and Yoccoz,J. The collective model of nuclear motion, 7=6425
Peierls,R.F. Photopion cross sections and a second resonance, 9=1676. Phenomenological analysis of the production of pion pairs, 9=2633. See also Kinoshita,T., 8=281
Peiffer,H.R. Effect of elongation on the electrical resistivity of metals. I. Aluminum. II. Molybdenum, 9=3514. The effect of elongation on the electrical resistivity of polycrystalline zinc, 9=4562
Peiffer,H.R. and Mitra,A.P. The effect of vertical ion transport on the night-time E-region, 5=10112
Peironi,J.J. See Attree,R.W., 8=5850
Peirson,D.H. The γ-ray spectrum of fission products from slow neutron irradiation of uranium 235, 6=2372
Peirson,D.H. and Iredale,P. The γ-ray scintillation spectrometer, 8=2555
Peisakhson,I.V. Distortion of spectral lines in mirror monochromators, 9=7936. An effect of aberrations of the optical system of a monochromator on its resolving power, 9=9397
Peiser,H.S. See also Black,I.A., 9=4109; Bolz,L.H., 9=7466; Rait,J.R., 8=3494
Peiser,H.S. and Rait,J.R. A new type of X-ray diffraction picture (high-voltage Laue photographs), 6=4100
Peiser,H.W., Rooksby,H.P. and Wison,A.J.C. [Eds]. X-ray diffraction by polycrystalline materials, 5=5741
Pejnović,D. and Marković,B. On the influence of the Zeeman effect on the absorption of light, 5=2611
Pekar,S.I. Investigations in the electron theory of crystals, 5=622. Theory of strong coupling of a particle (nucleon) with the meson field, 5=1523. Freely moving nucleon, 5=1524. Criteria of applicability of the theory of

strong coupling of a particle with the meson field, 5=1525. Concerning calculations on the polaron by direct variational methods, 5=7506. On the existence of stationary quantum states of point nucleons interacting with meson fields, 6=1855. The state of some problems of the theory of semiconductors and dielectrics and directions of the further development of the theory, 6=4394. Strong coupling nucleomesodynamics. I. Approximate method. Spin-charge motion, 6=4835. Inapplicability of the Fermi–Dirac statistics to impurity-centre electrons in semiconductors and crystal phosphors, 7=4332. Theory of electromagnetic waves in a crystal in which excitons are produced, 8=5151. Theory of electromagnetic waves in a crystal with excitons, 9=1856. Dispersion of light in the exciton absorption region in crystals, 9=1857. See also Baĭer,V.N., 6=4836; Buĭmistrov,V.M., 8=2154, 8=5656; Deĭgen,M.F., 8=8430; Dȳkman,I.M., 6=8593; Krivoglaz,M.A., 7=4866; Lifshits,I.M., 6=2543

Pekar,S.I. and Buĭmistrov,V.M. The theory of polarons with arbitrary coupling forces between the electrons and optical lattice vibrations, 9=8849

Pekárek,L. Theory of moving striations, 8=1714. A theory of the successive production of moving striations in the plasma of inert gases, 9=4645. Factors affecting the self-excitation of low-frequency oscillations in an electric discharge, 9=12330. Local excitation of the wave stratification in the positive column of an electric discharge, 9=12332

Pekárek,L. and Štirand,O. Energy relations during formation of striae in an electrical discharge, 7=6198

Peker,L.K. On radiative capture of thermal neutrons without formation of a compound nucleus, 6=3231. Isomeric states in deformed nuclei, 6=6840. A new form of isomerism in Eu^{152}, 8=1914. On the decay schemes of some odd–odd deformed nuclei, 9=10047. On the peculiarities of nuclei with small deformation parameters. The properties of Os^{190}, 9=12625. See also Birbrair,B.L., 9=11424; Dzhelepov,B.S., 6=8356; Gol'din,L.L., 7=3598; Grigor'yev,E.P., 9=10062; Sliv,L.A., 5=1106, 7=2519

Peker,L.K. and Sliv,L.A. Electric monopole transitions in nuclei with odd atomic weight, 7=9331

Pekeris,C.L. Solution of the Boltzmann-Hilbert integral equation, 6=1900. Solution of an integral equation occurring in impulsive wave propagation problems, 7=553. Ground state of two-electron atoms, 9=2860

Pekeris,C.L. and Alterman,Z. A Solution of the Boltzmann–Hilbert integral equation. II The coefficients of viscocity and heat conduction, 8=4793. Radiation resulting from an impulsive current in a vertical antenna placed on a dielectric ground, 8=8165

Pekeris,C.L. and Lifson,H., Motion of the surface of a uniform elastic half-space produced by a buried pulse, 8=7761

Pekeris,C.L. and Longman,I.M. Ray-theory solution of the problem of propagation of explosive sound in a layered liquid, 8=5723

Pekerman,F.M. See Kazankin,O.N., 9=10853; Vaĭnberg, B.I., 5=6027

Pekhovich,A.I. The problem of the heat-transfer of a liquid moving along a straight wall, 5=2662

Pelah,I. See also Eisenhauer,C.M., 9=775; Ghose,A., 9=5131

Pelah,I., Eisenhauer,C.M., Hughes,D.J. and Palevsky,H. Detection of optical lattice vibrations of Ge and ZrH by scattering of cold neutrons, 8=2641

Pelah,I., Lefkowitz,I., Kley,W. and Tunkelo,E. Observations of hydrogen vibration frequencies in phosphates by means of inelastic scattering of cold neutrons, 9=6232

Pelah,I., Whittemore,W.L. and McReynolds,A.W. Energy distribution of neutrons scattered by liquid lead, 9=6133

Pelchowitch,I. Some remarks as to dark current and pulse-height distribution in E.M.I. 6260 photomultipliers, 5=7062

Pelchowitch,I. and Weill,J. A low-pressure ionization chamber for measurement of neutron distribution within a pile, 5=2817

Pelekis,L. See Bambe,L., 9=6094

Pelekis,L.L. and Pelekis,A.E. Investigation of time correlations of the gamma radiations from Sb^{124} and Cs^{134}, 9=12667

Pelekis,Z.E. See Pelekis,L.L., 9=12667

Peletminskiĭ,S.V. See Akhiezer,A.I., 9=2156

Peli,L. See Brini,D., 5=9745, 6=3793, 7=8809, 8=2457

Pelipetz,M.G. See Friedel,R A., 6=4996

Pell,E.M. Reverse current and carrier lifetime as a function of temperature in germanium junction diodes, 5=7055. Influence of electric field in diffusion region upon breakdown in germanium n-p junctions, 8=3106. See also Carlson,R.O., 9=6979

Pell,E.M. and Roe,G.M. Reverse current and carrier lifetime as a function of temperature in silicon junction diodes, 6=6642

Pellam,J.R. Androikashvilli disk measurements in liquid helium-3–helium-4 mixtures, 5=9614. See also Broida, H.P., 5=3680; Cole,T., 7=9754; Craig,P.P., 8=1654; Mercereau,J.E., 7=7064

Pelle,J. See Nederbragt,G.W., 8=3969

Pellegrini,U. The effect of surface scratches on the losses in resonant cavities for microwaves, 5=6318

Pellegrini,U., Rispoli,B. and Serra,A. A coincidence circuit with resolving time of 2.2 $m\mu$sec and dead time of the order of 5 $m\mu$sec of possible application in nuclear physics, 9=505

Peller,L. Sedimentation in multicomponent systems, 9=5228

Pellerin,P. See Kellershohn,C., 5=7312, 6=3427, 7=2595

Pelli,G. See De Benedetti,S., 8=731

Pellieux,R. Formulae for the calculation of copies of microscope objectives, 6=3664

Pelser,J. Measurements of the velocity distribution of the neutrons excaping from a thermal nuclear reactor, 5=4084

Pelsmaekers,J. and Schepers,J. Index of refraction of neutron irradiated diamond, 9=9388

Pelzer,H. Realizability, Kramers–Kronig relations and Fuoss–Kirkwood dielectric, 6=7169. The effect of dipoles on electric strength, 7=348. Polarization of dielectrics by slow particles. III, 7=1252. Radiation losses from arc column, 9=5760. See also Fröhlich,H., 5=6340

Pemrov,P.C. See Tunitskiĭ,N.N., 8=6366

Pemsler,J.P. Method of obtaining derivative spectra, 7=5979

Pemsler,J.P.,and Planet,W.G.Jr, Infrared spectrum of PF_5, 6=4999

Pemsler,J.P. and Smith,D.F. An infrared band of a molecular complex between hydrogen fluoride and chlorine trifluoride, 5=848

Penchko,E.A. and Khavkin,L.P. Tetrode ionization manometer, 9=7854

Penciolelli,G. See Arnulf,A., 6=5751

Pendlebury,E.D. General perturbation theory in neutronics, 5=6528

Pendred,D. and Richards,R.E. Nuclear resonance spectra of rubidium and ammonium fluoroborates, 5=5577

Péneloux,A. The thermodynamics of irreversible processes and chemical kinetics, 5=2272. Remarks concerning the fundamental hypothesis of the theory of irreversible processes due to K. Popoff, 7=8433. Proof of Gibert's reciprocal relations for chemical systems, 7=8916

Penfield,H. A phase tracking interferometer, 8=1425

Penfield,R. and Zatzkis,H. The relativistic linear harmonic oscillator, 8=6679

Penfield,R.H. Consequences of parameter invariance in geometrical optics, 6=1945

Penfield,R.H. and Zatzkis,H. On the determination of the equations of motion from a general, covariant, non-linear field theory by the approximation method of Einstein, Infeld, and Hoffman, 6=5677. Invariance requirements and conservation laws, 7=5824. Quantization of the relativistic harmonic oscillator by perturbative methods with application to van der Waals forces, 7=5879. On the relativistic doublets of spectral lines, 8=2146

Penfold,A. See Brown,R.D., 6=6058

Penfold,A.S. See also Cook,B.C., 7=2659; Garwin,E.L., 7=4482; Spicer,B.M., 6=396, 6=2411

Penfold,A.S. and Garwin,E.L. Nuclear photon absorption in carbon and oxygen, 9=10119. Photonuclear cross sections for A^{40}, 9=10121. Photonuclear reaction energies, 9=13681

Penfold,A.S. and Leiss,J.E. Analysis of photonuclear cross sections, 9=10123

Penfold,A.S. and Spicer,B.M. Detailed study of the $0^{16}(\gamma,n)0^{15}$ reaction, 6=1582

Penfold,J. See Childs,B.G., 7=4547

Pengelley,C.D. Flow in a viscous vortex, 7=4007

Pengelly,A.E. Heat transfer through oxide-cathode materials, 5=1753. See also Austin,I.G., 7=9180

Pengelly,A.E. and Wright,D.A. The emission from hot cathodes in gas discharges, 5=1016

Pengra,J.G. See Crasemann,B., 8=1937

Penkin,N.P. On the concentration of excited atoms in neon and cadmium discharges, 8=1077. See also Ostrovskiĭ,Yu.I., 8=573, 8=4865, 8=6808, 9=12038, 9=13147; Parchevskiĭ, G.F., 5=8960

Penkin,N.P. and Frish,S.É. The emission and absorption spectrum of uranium, 8=4859

Pen'kina,V.S. See Gol'danskiĭ,V.I., 6=1605, 6=3238, 6=7690, 9=687

Pen'kov,S.N. Double refraction of a liquid in a dynamic field of displacement waves, 7=300

Penman,S. See Coffin,T., 7=8182, 8=1862; Garwin,R.L., 9=11382

Penn,R., Yeager,E. and Hovorka,F. Effect of ultrasonic waves on cencentration gradients, 9=13115

Penndorf,R. Remarks on the note by R.Grandmontagne, 5=2341. Colors of natural objects, 6=2819. Luminous reflectance (visual albedo) of natural objects, 6=8702. Total Mie scattering coefficients ⟦K⟧ for spherical particles of refractive index 2.00, 7=2089. Tables of the refractive index for standard air and the Rayleigh scattering coefficient for the spectral region between 0.2 and 20.0μ and their application to atmospheric optics, 7=2871. See also Coroniti,S.C., 9=5270

Penndorf,R. and Coroniti,S.C. Polar Es, 9=4135

Penndorf,R.B. Total Mie scattering coefficients for spherical particles of refractive index $\ddot{n} \sim 1.0$, 7=7793. New tables of total Mie scattering coefficients for spherical particles of real refractive indexes ($1.33 \leqslant n \leqslant 1.50$), 8=142. An approximation method to the Mie theory for colloidal spheres, 9=8006

Penneman,R.A. and Jones,L.H. Infrared absorption studies of aqueous complexions. II. Cyanide complexes of Cu(I) in aqueous solution, 6=4317

Penner,S. Photoproduction of charged mesons from deuterons, 7=4786. See also Leiss,J.E., 5=6512, 8=266

Penner,S. and Leiss,J.E. Photoproton cross-sections of carbon, 9=10120

Penner,S.S. See also DePrima,C.R., 5=5976; Hooker,W., 7=3122; Nachbar,W., 9=6617; Olfe,D., 9=13167; Thomson,A., 9=13166; Weber,D., 7=5176

Penner,S.S. and Aroeste,H. On the determination of absolute intensities from single- and multiple-path absorption measurements, 6=1971

Penner,S.S. and Björnerud,E.K. Experimental determination of rotational temperatures and concentrations of OH in flames from emission spectra, 5=2677

Penner,S.S. and Thomson,A. Infrared emissivities and absorptivities of gases, 8=2961

Penning,J.R., Maltrud,H.R., Hopkins,J.C. and Schmidt,F.H. Decay of Cl^{39}, 7=2572

Penning,J.R. and Schmidt,F.H. Radioactive decay of Ne^{23}, 7=3582

Penning,P. Annealing of germanium supersaturated with nickel, 6=7409. Generation of imperfections in germanium crystals by thermal strain, 8=1325. Precipitation of nickel and copper from supersaturated solutions in germanium, 8=2677. Coefficient for self-diffusion determined from the rate of precipitation of Cu in Ge, 8=5493. The generation of dislocations by thermal stresses, 9=4021. Generation of imperfections by thermal stress, 9=10220. See also Hornstra,J., 9=8013; van Bueren,H.G., 9=801

Pennington,E.M. See also Duckworth,H.E., 5=2102

Pennington,E.M. and Duckworth,H.E. Atomic masses of Ru^{98}, Ru^{99}, Os^{189}, and Os^{192}, 5=3031

Pennington,E.M. and Preston,M.A. Alpha decay of spheroidal nuclei, 9=612

Penny,H.C. and Aroeste,H. Vibrational relaxation times of diatomic molecules and rocket performance, 5=8125

Penot,D., Poulet,H. and Mathieu,J.P. Raman spectrum and structure of the phase IV of ammonium nitrate, 7=4223

Penoyer,R.F. Automatic torque balance for magnetic anisotropy measurements, 9=11183. See also Bickford,L.R., Jr, 6=8275, 7=5465, 8=8905

Penoyer,R.F. and Bickford,L.R.,Jr. Magnetic annealing effect in colbalt-substituted magnetic single crystals, 8=6040

Penrose,O. Bose–Einstein condensation in liquid helium, 9=1378. See also Donnelly,R.J., 6=8743

Penrose,O. and Onsager,L. Bose–Einstein condensation and liquid helium, 7=2130

Penrose,R. The apparent shape of a relativistically moving sphere, 9=9178

Pensak,L. Calculations of alloying depth of indium in germanium, 7=1282. High-voltage photovoltaic effect, 8=2332. See also Goldstein,B., 9=2344

Penselin,S. See also Fricke,G., 8=6821, 9=11521; Ehrenstein, D., 8=8371

Penselin,S. and Steudel,A. Fabry-Perot interferometer mirrors with dielectric multilayers, 5=8653

Penther,C.J. Vactroller–A laboratory vacuum controller, 7=7661

Penther,C.J. and Noller,G.W. Self-balancing laboratory differential refractometer, 8=1591

Pen'tina,A.A. An investigation of the influence of the relative orientation of crystallites on the processes occurring at intercrystalline boundaries. I. A method of investigating the influence of the orientation of neighbouring crystallites on intercrystalline diffusion, 8=4456. See also Arkharov,V.I., 8=4457

Pentoney,C.P. See Ashburn,E.V., 6=2790

Pentz,M.J. See Hoisington,R.W.R., 7=2017, 9=1277

Penzlin,F. On the theory of pseudoscalar mesons in pseudovector coupling with a nucleon field, 5=5880. See also Dolph,C.L., 9=9227

Peperzak,B. See Brinkman,H.C., 5=3934

Pepinsky,R. Some new X-ray and neutron studies of hydrogen bonding, 8=6508. See also Danner,H.R., 5=8713; Drenk,K., 7=2835; Frazer,B.C., 6=1755; Hirokawa,S., 9=13953; Hoshino,S., 8=5861, 9=6265, 9=13958; Jona,F., 5=4574, 5=6111, 7=342, 7=3842-3; Okaya,Y., 5=8411, 7=889; Pavlovic,A., 5=281; Shirane,G., 5=922, 5=5753, 6=2849, 6=7846, 7=3844; Vand,V., 9=7633

Pepinsky,R., Baecklund,J., Diamant,H. and Perdok,W.G. New sensitive piezoelectric detector, 5=1801

Pepinsky,R. and Jona,F. New ferroelectric crystal containing no oxygen, 7=5299

Pepinsky,R., Jona,F. and Shirane,G. Ferroelectricity in the alums, 6=5068

Pepinsky,R. and Okaya,Y. Determination of crystal structures by means of anomalously scattered X-rays, 7=1754. Comparison of two procedures for solution of noncentric crystal structures utilizing anomalous dispersion, 8=8525

Pepinsky,R., Okaya,Y., Eastman,D.P. and Mitsui,T. Ferroelectricity in glycine silver nitrate, 8=166

Pepinsky,R. and Vedam,K. $LiH_3(SeO_3)_2$: New room-temperature ferroelectric, 9=10950

Pepinsky,R., Vedam,K. and Okaya,Y. New room-temperature ferroelectric, 8=7883

Pepinsky,R., Vedam,K., Okaya,Y. and Hoshino,S. Room-temperature ferroelectricity in lithium hydrazinium sulfate, $Li(N_2H_5)SO_4$, 9=1417. Ferroelectrictricity in di-glycine nitrate $(NH_2CH_2COOH)_2HNO_3$, 9=2304. Ammonium hydrogen sulfate: a new ferroelectric with low coercive field, 9=3425

Pepper,J.H. See Yockey,H.P., 5=605

Pepper,T.P. See Allen,K.W., 5=1204

Pepple,R. See Carr,T.D., 8=2095

Perakis,N. Magnetochromatic effect induced by thermal neutrons in magnetically pure fused quartz, 7=7226

Perakis,N. and Karantassis,T. The magnetic properties of ions of the first transition group, from 3d^5 to 3d^{10}, in amidosulphonate compounds, 5=6301

Perakis,N. and Serres,A. Study of the semiconduction of cupric oxide by means of its magnetic behaviour between 80 and 1000°K, 5=7044. Thermomagnetic investigation of a very pure specimen of thulium sesquioxide [Tm_2O_3], 5=8079. On thermomagnetic behaviour of CoD–MgO and CoO–NiO systems, 7=4538

Perakis,N., Serres,A. and Karantassis,T. Deviations from the Curie–Weiss law in cupric compounds, 6=4507

Perakis,N., Serres,A., Parravano,G. and Wucher,J. Clearly defined ferromagnetism induced by the addition of lithium ions in nickel oxide, 6=4491

Perakis,N., Wucher,J. and Parravano,G. Magnetic properties of the system $Ni_{(1-x)}Li_xO$ between 80 and 300°K, 9=8285

Perakis,N., Wucher,J., Parravano,G. and Wendling,R. Reproducible thermomagnetic remanence in nickel oxide and the alloys Pd_3Mn_2 and CrSb, 8=7176

Pérard,A. The standard of length and the standard of time, 7=1872

Percival,I.C. Electron excitation of 3p levels of O I, 7=4645. A box variational method for scattering phases, 7=6894

Percival,I.C. and Seaton,M.J. Excitation processes in the aurora and airglow. IV. On the excitation of permitted O I lines in high-latitude aurorae, 6=9138. The partial wave theory of electron–hydrogen atom collisions, 8=5439

Percus,J.K. Quantization of multiple frequency linear systems, 5=719. Supplementary conditions in quantized linear systems, 5=3426. Inadmissible auxiliary conditions in quantized linear systems, 6=905. See also Yevick,G.J., 6=1846

Percus,J.K. and Yevick,G.J. Dynamical considerations on a new approach to the many-body problem, 6=1847. Statistical approach to the domain of action of collective co-ordinates in the many body problem, 7=7583. "Dynamical" Lagrangian for the many body problem, 7=8379. Analysis of classical statistical mechanics by means of collective coordinates, 8=2817

Perdok,W.G. See Baecklund,J., 5=1801; Hartman,P., 5=4169, 5=10056-7

Perdrisat,C.F. See Brunner,J.H., 9=11444

Peregud,B.P. See Kel'man,V.M., 8=7090

Peregudov,F.I. The influence of the meteor velocities on the hour number during radio detection, 9=10518

Peregudov,G.V. See Landsberg,G.S., 6=8683

Pereira da Silva Porto,S. See Cunha,W.A., 8=4396. See also Porto,S.P.S.

Perekalina,T.M. and Askochenskiĭ,A.A. Natural ferromagnetic resonance in nickel, magnesium and cobalt ferrites, 8=8916

Perekalina,Z.B., Regel',V.R. and Dubov,G.A. Some results of testing naphthalene single crystals in compression, 9=12840

Perel,V.I. Calculation of the drift velocity of ions in the electric field in their own gas, 8=5075. On the wave-functions of many-electron systems, 9=2102. See also Kagan,Yu.M., 5=1865, 6=6668-9, 6=8844, 7=1418, 7=9706, 8=5024-5, 8=7119

Perel'man,M.E. Theory of composite π^0 mesons, 9=13563. See also Mamasakhlisov,V.I., 8=7290

Perelomov,A.M. See Zhivopistsev,F.A., 9=12632

Perers,O. See Svensson,S.I., 8=1432

Peres,O.F. Ionospheric observations made by the Swedish solar eclipse expedition to Italy on February 25th, 1952, 5=3324

Peres,A. Photons, gravitons and the cosmological constant, 8=5602. Gravitational motion and radiation. I, 9=6495; II, 9=6496; III, 9=11792

Peres,A. and Rosen,N. On Cauchy's problem in general relativity, 9=11787

Peretti,J. On the frequency spectrum of a crystal array. An approximate method of solving the integral equation for the frequency spectrum, 6=790. A method of calculating the spectral density of the proper frequencies of vibration of a crystal array, 6=2539. Definition and method of calculation of the statistical distribution function [g(x)] associated with a physical magnitude [X], 6=4849. Calculation of the vibration amplitude of atoms of a perfect crystal as function of temperature, 6=6248. Partition function of an imperfect Bose–Einstein gas (problem of liquid helium), 9=3155. Remark on the Pauli paramagnetism of an electron gas, 9=9754. See also Ayant,Y., 7=7496; Colin,L., 9=10628; Maradudin,A., 9=4004, 9=11041

Perey,F.G.J. and Pounder,E.R. Crystal orientation in ice sheets, 9=2986

Perey,M. Determination of actinium by direct measurement [of radioactivity] in solution, 7=6484

Perey,M. and Adloff,J.-P. Separation of actinium from actinium K (^{223}Fr) by paper chromatography, 5=2291. On the descendents of actinium K: $_{87}$Fr^{223}, 7=1546

Perey,M. and Baltzinger,C. Use of β^--particle absorption curves for energy determination of these particles and the identification of certain radioactive substances, 6=5358

Perey,M. and Hettler,A. Quantitative estimation of actinium by its active deposit, 6=7639. Determination of actinium in minerals, 7=5581

Pereyaslova,N.K. See Kogan,R.M., 8=4206

Perez,J. See Bishop,G.R., 5=1158

Perez,J.J. See deBethune,A.J., 7=3224

Perez Masià,A. See Schäfer,K., 5=9461

Perez-Mendez,V. See Atkinson,J.H., 9=6138; Imhof,W., 7=5620, 8=8240, 8=8956; Knapp,E., 7=9416; Knapp,E.A., 9=8476; Uretsky,J.L., 8=7274

Pérez Rodrígues,M. See Brú,L., 5=8408, 6=539

Perez y Jorba,J. See Bishop,G.R., 5=4868, 5=9013, 7=5563

Perfilov,N.A. See also Darovskikh,V.F., 9=12693; Denisenko,G.F., 9=699; Ivanova,N.S., 6=643; Kuznetsov, M.I., 5=8870; Lozhkin,O.V., 6=2396, 7=3648; Ostroumov,V.I., 7=3679, 9=13666*

Perfilov,N.A. and Denisenko,G.F. On triple disintegrations of uranium nuclei, 9=2841

Perfilov,N.A. and Ivanova,N.S. Fission of heavy nuclei by slow π^--mesons, 5=9067, 6=2386

Perfilov,N.A., Lozhkin,O.V. and Shamov,V.P. Yields of the processes of fission and star formation accompanying the capture of π^--mesons by the nuclei U,Bi and W, 5=9142. Triple fission of uranium by fast particles, 7=8152

Pergola,G.Della. See Della Pergola,G.,

Pergola,G.C.Della. See Della Pergola,G.C.

Péri,G. See also Blanc-Lapierre,A., 5=6874; Perrot,M., 5=306, 6=6659, 7=282, 7=2261

Péri,G., Perrot,M. and Robert,J. Thermoelectric effects shown by certain oxides. Study of cupric oxide, 8=625

Peria,W.T. Optical absorption and photoconductivity in magnesium oxide crystals, 9=4459

Perilli-Fedeli,R. See Aliverti,G., 5=471, 7=4918; Barbanti-Silva,L., 7=506. See also Fedeli,R.P.

Perio,P., Tournarie,M. and Gance,M. Action of high-energy radiations on solids. Some effects of irradiation on the structure of solids. Preliminary study of the effects of irradiation of LiF by neutrons, 7=770*

Perkas,M.D. See Nadgorny̆i,E.M., 9=11549

Perkel,D.H. Resolving complex decay curves, 7=9841

Perkin,J.L. See also Coleman,R.F., 9=2830

Perkin,J.L., O'Connor,L.P. and Coleman,R.F. Radiative capture cross sections for 14.5 MeV neutrons, 9=1783

Perkins,B.L. See Grundl,J.A., 8=1979

Perkins,D.H. Ionization at the origin of electron pairs, and the lifetime of the neutral pion, 6=1617. See also Barkas,W.H., 7=3225; Birge,R.W., 7=3708; Brisbout,F.A., 7=2392, 7=2619; Davies,J.H., 6=3270*; Edwards,B., 8=1960; Fowler,P.H., 5=4964, 5=7608, 6=3286, 8=1176

Perkins,G.D. See Brubaker,W.M., 7=1389

Perkins,J.F. Statistics of the Glass-Hurst pulse integrating circuit, 5=4755. Monte Carlo calculation of gamma-ray albedos of concrete and aluminum, 5=7338. Some Monte Carlo calculations of gamma-ray penetrations, 6=630. See also Burford,A.O., 5=9034; King,R.W., 9=5990

Perkins,K.L., Bushkovitch,A.V. and Kieffer,L.J. Foreign gas pressure broadening of linear moelcules, 7=5502

Perkins,R.B. See Allen,R.C., 7=2669; Darden,S.E., 6=1600

Perkins,W.H. See Smith,A.G., 9=6446

Perks,M.A. The quadropole moments of odd a nuclei, 6=3103

Perl,E.R. See Hisey,B.L., 8=4600

Perl,M.L. See also Brown,J.L., 6=5981, 8=1213, 8=1889; Eisler,F., 8=1208; Jones,L.W., 9=8219; Meyer,D.I., 7=8184; Zipf,T.F., 8=6186

Perl,M.L. and Jones,L.W. Photography of cosmic rays in a luminescent chamber, 9=5858

Perl,M.L., Rabi,I.I. and Senitzky,B. Nuclear electric quadrupole moment of Na^{23}, 5=4873. Nuclear electric quadrupole moment of Na^{23} by the atomic beam resonance method, 5=5587

Perlin,Yu.E. Capture of conduction electrons by charged defects in ionic crystals, 7=5726. On the problem of quantum yield of F-fluorescence, 9=10807

Perlman,H.S. The relativistic theory of the specific primary ionization and stopping power and its application in helium, 6=5326

Perlman,I. Nuclear spectroscopy, 9=13609. See also Asaro,F., 5=2101; 5=4914, 5=8189, 6=613, 6=2352, 7=1553, 7=9822, 8=1237; Hummel,J.P., 5=4904; Jaffe,H., 5=2148; Stephens,F.,Jr, 5=2073; Stephens,F.S., 9=4972; Stephen, F.S.Jr, 6=1468, 8=734, 8=2554

Perlman,M.L. See also Harmer,D.S., 9=10070; Welker,J.P., 6=617; Wolfsberg,M., 6=631

Perlman,M.L. and Welker,J.P. Disintegration scheme of Rb^{83}, 6=606

Perlman,M.L., Welker,J.P. and Wolfsberg,M. K-capture–positron ratios for first-forbidden transitions: Sb^{122}, Rb^{84}, I^{126}, As^{74}, 9=615

Perlmutter,A. See Barcus,L.C., 8=5881; Kallmann,H., 5=7860

Perlow,G.J. Recoil type neutron spectrometer for 0.05 to 1 MeV, 6=7739

Perlow,G.J. and Stehney,A.F. Delayed neutrons from 15.5 sec Br^{88}, 8=1984. Halogen delayed-neutron activities, 9=6146

Perls,T.A., Diesel,T.J. and Dobrov,W.I. Primary pyroelectricity in barium titanate ceramics, 9=283

Perls,T.A. and Kissinger,C.W. An integrating and differentiating bar-magnet velocity meter for use in ballistocardiography, 5=1414. Jerkmeter for ballistocardiography, 6=1773

Perls,T.A. and Sherrard,E.S. Frequency response of second-order systems with combined Coulomb and viscous

damping, 7=5145
Perl'shteĭn,V.A. See Belyaev,L.M., 8=3559, 8=9000
Pernegr,J. Meson showers and accompanying disintegrations, 6=8852. See also Chaloupka,P., 5=5501; Ciok,P., 8=1117, 8=5090, 9=3930
Pernegr,J., Petržílka,V. and Vrâna,J. An interaction of nucleons at an energy between 10^{14} and 10^{15} eV/nucleon, 9=4762
Pernoux,E. Interpretation of herring-bone (lames de parquet) images obtained in the electron microscope with tabular crystals of molybdic oxide, 7=5674
Perny,G. Remarks concerning the exciton spectrum, 7=4883. Exciton spectra and polymorphism of silver iodide, 9=2922. See also Nikitine,S., 5=3578-9, 5=7818*, 6=218, 6=324*, 6=798, 6=4311, 6=6525, 7=5222
Perny,G. and Nikitine,S. Spectra of the exciton, in absorption and emission, in γ-AgI at very low temperatures, 7=7002
Perona,G. Experimental investigation of efficiency variations versus pressure in the isotopes separation by gaseous diffusion method, 9=12729
Perona,G. and Persano,A. A model of a magnetic-field type deuteron source, 5=4745
Perotto,P.G. Propagation of pressure waves in pipes, 5=7765
Perquis,M.T. See Delibrias,G., 6=5197
Perreau,L. See Vacca,G., 5=9052
Perri,J.A., Banks,E. and Post,B. Study of phase transitions in WO_3 with a high-temperature X-ray diffractometer, 8=8469
Perrier,A. Autocurrents and electromotive forces; interchangeability of these concepts, 6=3712. See also Gaille,R., 5=2895
Perrier,A.-L. and Ascher,E. Spontaneous galvanomagnetism and magnetization of irreversible iron-nickel alloys, 5=4787
Perrin,N. See also Dick,L., 5=1979, 5=7330, 6=6102, 7=1535; Foucher,R., 7=1552; Vartapêtian,H., 6=3939, 7=1542
Perrin,N., Dick,L., Foucher,R. and Vartapetian,H. Measurement of conversion coefficients by the method of gamma–gamma coincidences. Applications, 7=1573
Perrin,R. Diffusion rates in solids, 5=6538
Perring,J.K. The cooling of underground fission wastes, 7=733
Perring,J.K. and Skyrme,T.H.R. The alpha-particle and shell models of the nucleus, 7=602
Perring,J.K. and Story,J.S. Thermodynamic theory of fission, 5=9106
Perrings,J.D. See Anderson,E.C., 6=5169
Perrot,M. Some properties of thin metallic layers, I Preliminary considerations, 8=814. See also Blanc-Lapierre,A., 5=2725, 5=6874; Dumontet,P., 7=8536; Péri,G., 8=625
Perrot,M. and David,J.P. Influence of structure variations on certain electrical and optical properties of thin films studied under vacuum, 6=6964
Perrot,M., David,J.P., Peri,G., Robert,J. and Tortosa,J. On the complex value of the light reflected by a thin film, 7=282
Perrot,M. and Peri,G. On particular thermoelectric assemblies, 5=306. On certain thermocouples, 7=2261
Perrot,M., Peri,G., Robert,J., Tortosa,J. and Sauze,A. On a thermoelectric effect exhibited powdered cupric oxide, 6=6659
Perrot,M. and Tortosa,J. The reflectivity of thin silver films prepared by slow evaporation, 7=7026
Perry,B. See Parkin,B.R., 6=2711
Perry,B.J. and Pierce,N.H. A remote control apparatus for the movement of dosage measuring or similar equipment to indicated positions, 6=4762
Perry,C.L. See Evans,G.W., II, 7=1135
Perry,J.E.,Jr. See also Bame,S.J.,Jr, 7=9877, 8=6152; Day,R.B., 9=7257; Henkel,R.L., 6=655. Los Alamos Physics and Cryogenics Groups, 9=11478
Perry,J.E.,Jr and Bame,S.J.,Jr. T (p,γ) He^4 reaction, 5=9913
Perry,J.W. Luminosity of spectrometers, 6=1034. Diffraction theory of energy relations in spectroscopic monochromator performance, 7=1998
Perry,K.E.G. The rapid detection and continuous monitoring of radio-active contamination on dust in laboratory air, 7=1532
Perry,K.E.G. and Washtell,C.C.H. A simple wide-range gamma dose-rate meter, 6=8360
Perry,L.B. See Wait,J.R., 8=4189
Perry,L.W. See Nance,J.C., 8=4352
Perry,R. See Chance,B., 9=10771
Perry,R.P. See Uretz,R.B., 8=7852
Perry,R.R. See Kashy,E., 9=7539
Perry,W.E. Comparison of British and United States national radium standards, 6=1504
Perryman,E.C.W. See Ells,C.E., 9=10270
Persano,A. See Perona,G., 5=4745
Pershan,P.S. See Bloembergen,N., 9=8354
Pershin,I.I. See Barmin,V.V., 8=7266, 9=13565; Blinov,G.A., 7=6301
Pershits,Ya.N. Conditions of the formation and stability of layers at the electrodes in dielectrics, 5=7464. The mechanism of the formation of anode layers in dielectrics during the formation process, 6=4719
Persiani,P.J. See Breen,R.J., 7=3762
Persico,E. The synchrotron and its problems, 5=8024. A theory of the capture in a high energy injected synchrotron, 5=9695. See also Ageno,M., 9=13383; Alberigi,A., 9=11143
Persico,E. and Linhart,J.G. Plasma loss from magnetic bottles, 8=5992
Person,E. See Preston,R.S., 6=2568
Person,W.B. Liquid–gas infrared intensities, pressure-induced absorption, and the temperature dependence of infrared intensities in liquids, 8=8683. See Golike,R.C., 7=3488; Mills,I.M., 8=9082; Nyquist,I.M., 7=5507; Pimentel,G.C., 5=2600; Williams,D.G., 5=2940
Person,W.B. and Crawford,B.,Jr. A geometric visualization of normal-coordinate transformations. Application to the calculation of bond-moment parameters and force constants, 7=8041
Person,W.B., Erickson,R.E. and Buckles,R.E. Infrared spectrum of bromine in benzene, 8=2238
Person, W.B., Pimentel,G.C. and Schnepp,O. Infrared studies of naphthalene and naphthalene d_8, 5=2599
Persoz,B. A new lamprometer, 6=4337
Persoz,B. and Bonnet,J. Mechanical birefringence of a polyester, 5=6970
Persson,B. and Johansson,S.A.E. Internal bremsstrahlung from P^{32}, 9=12658
Persson,K.B. Limitations of the microwave cavity method of measuring electron densities in a plasma, 7=5487
Perrson,K.B. and Brown,S.C. Electron loss process in the hydrogen afterglow, 6=1332
Persson,R. Criticality of normal-water natural-uranium lattices, 5=1221. Measurements on the neutron multiplication in a system of uranium rods and ordinary water, 5=1222
Pertel,R. and Gunning,H.H. Preparation of pure mercury isotopes from natural mercury by mercury photosensitization, 7=4650
Perthel,R. and Andrä,W. Magnetic domains in manganese–antimony, 7=9258
Peritz,M.F. and Scatturin,V. A test of the usefulness of direct mathematical methods in the structure analysis of a protein, 5=4212
Pervova,L.Ya. The noise spectrum and frequency dependence of phtocurrent in thallium sulphide photoresistors, 9=4613
Pery,A. See Lewus,H.R., 8=719; Quinn,W.E., 9=3995
Pescetti,D. See also Bertolino,G., 5=1034, 5=6274; Biorci,G., 7=9758, 8=234, 8=2391
Pescetti,D. and Barbier,J.C. Magnetic after-effect due to fluctuations in the neighbourhood of the Curie point, 7=5453
Peschanskiĭ,V.G. See Kaganov,M.I., 8=5922; Lifshits,I.M., 9=2358
Peselnick,L. See Henderson,M.C., 8=2891
Pesenti,P. See Le Rolland,P., 7=5090
Peshkin,M. See Brown,L.M., 6=7982, 7=8173
Peshkov,V.P. Measurements of the thermomechanical effect in helium II near 1°K, 5=3694. Transformation of the λ-transition in helium into a special kind of first-order transition in presence of a flow of heat, 6=7351. Calculation of parameters of rectifying columns, 6=7777. Enrichment of helium with isotope He^3, 6=8339. Optical determination of the density of He^3, 8=4779. Observation of a λ-transition in helium for heat flow through a phase boundary, 9=10928
Peshkov,V.P. and Kachinskiĭ,V.N. Measurement of saturated vapour pressures of He^3–He^4 mixtures at high concentrations of He^3, 7=6124
Peshkov,V.P. and Zinov'eva,K.N. Visual observation of phase

separation of He^3-He^4 solutions, 8=597. Experimental work with ^3He, 9=6849
Pesic,D. and Gaydon,A.G. Band spectra of magnesium oxide and hydroxide between 4000 and 3600 A, 9=2201
Peski-Tinbergen,T. van. See van Peski-Tinbergen,T.
Peskin,J.C. and Miller,G.J. Bleaching of visual purple, 7=2885
Pesotskaya,E.A. See Minervina,Z.V., 9=13542; Vaïsenberg,A.O., 9=2620
Pessel,H. See Schmid,G., 8=7767-8
Pesteil,L. See also Ciais,A., 9=12107; Pesteil,P., 5=4550, 5=6937, 5=8632; Zmerli,A., 6=7311, 7=5220; Pesteil,K. and Ciais,A. Fluorescence spectra in solutions crystallized at 77°K, 9=13181
Pesteil,P. Study of the absorption and fluorescence of some organic molecules in crystalline media, 5=3585. See also Zmerli,A., 5=7858, 6=1995, 6=7311, 7=4173, 7=5220, 7=9080
Pesteil,P. and Pesteil,L. Luminescence of crystals at low temperatures. VII. T to S transition of benzene, 5=6937
Pesteil,P., Pesteil,L. and Kara,R. Luminescence of crystals at low temperatures. VI T to S transition of hexachlorobenzene, 5=4550
Pesteil,P. and Zmerli,A. Vibrational structure of phosphorescence spectra of aromatic crystals at very low temperatures, 6=2796. Luminescence of naphthalene crystals at low temperatures in the region of 20°K, 6=5009. Transfer of energy in organic crystals, 7=5215
Pesteil,P., Zmerli,A. and Pesteil,L. Luminescence of crystals at low temperatures IV. I to S transition of benzene, 5=8632
Petch,H.E. A determination of the hydrogen positions in $Ca(OH)_2$ by X-ray diffraction, 7=9984. See Brouwer,W., 8=6215; Holuj,F., 7=2801, 8=5481
Petch,H.E. and Megaw,H.D. Crystal structure of brucite $Mg(OH)_2$ and portlandite $Ca(OH)_2$ in relation to infrared, absorption, 5=6632
Petch,H.E., Sheppard,N. and Megaw,H.D. The infra-red spectrum of afwillite, $Ca_3(SiO_3OH)_2O$, in relation to the proposed hydrogen positions, 6=8102
Petch,N.J. The ductile fracture of polycrystalline α-iron, 6=2459. The lowering of fracture-stress due to surface adsorption, 6=5461. See also Heslop,J., 7=2750, 7=8913
Peter,M. Lecture demonstration of relativistic behavior of electrons, 6=395. Penetration of electromagnetic fields through superconducting films, 8=3144. A property of dielectric constants of dielectrics in thermal equilibrium, 8=7879. Millimeter-wave paramagnetic resonance spectrum of ^6S state impurity (Fe^{+++}) in $MgWO_4$, 9=5910. See also Geusic,J.E., 9=9809; Hensel,J.C., 9=8851
Peter,M. and Strandberg,M.W.P. High-field Stark effect in linear rotors, 7=8043
Peterlin,A. Resolving power of the three-grid system of the Bennett-type mass spectrometer, 5=6229. Intrinsic viscosity of polymethylemthacrylate, 5 =6590. The viscosity of linear and branched-chain polymers, 5=7731. Excluded volume effect on light scattering of the coiled linear macromolecule, 6=1137. The 31 MeV betatron, 9=2423. See also Dekleva,J., 5=6230
Peterlin and Copic. Gradient dependence of the intrinsic viscosity of linear macromolecules, 6=4227
Peterlin,A., Heller,W. and Nakagaki,M. Light scattering and statistical shape of streaming freely flexible linear macromolecules, 8=4400
Peterlin,A. and Ribarič,M. Dynamical theory of electrosedimentation, 9=12853
Petermann,A. Mass differences, 5=1516. Mesic and nucleonic contributions to the anomalous magnetic moments, 6=7143. On the anomalous magnetic moments, 6=7144. Suppression of pair effects in double π-meson photoproduction at low energies, 6=8408. Magnetic moment of the μ meson, 7=5647. Fourth order magnetic moment of the electron, 8=264, 8=3286. Magnetic moment of the electron, 8=3285. Invariance properties and identities between renormalization constants, 8=3702. See also Gasiorowicz,S., 9=3713
Petermann,A. and Yamaguchi,Y. Corrections to the 3D–2P transitions in μ-mesonic phosphorus and the mass of the muon, 9=11381
Petermann,L.A. and Oncley,P.B. Detection of ultrasound with phosphorescent materials, 7=7695
Peters,A.J. See Logan,R.A., 8=811, 8=2705
Peters,A.S. and Stoker,J.J. A uniqueness theorem and a new solution for Sommerfeld's and other diffraction' problems, 5=2026
Peters,B. The flux of primary cosmic ray nuclei of atomic number $\underline{Z} \geqslant 2$ at geomagnetic latitude 30°, 5=4767. Radioactive beryllium in the atmosphere and on the earth, 5=5798. The applicability of the Be^{10} method to the measurement of the cosmic-ray intensity and of the sedimentation velocity of deep-sea sediments of several million years age, 8=4550. Progress in cosmic ray research since 1947, 9=5856. See also Appa Rao, M.V.K., 8=7146; Biswas,S., 5=7171, 5=7596; Daniel,R.R., 5=4274, 5=5459.
Peters,C.W. See also Meecham,W.C., 7=5491; Terhune,R.W., 9=6724
Peters,C.W. and Jablonski,F.E. Corona-counter for thermal neutrons, 9=11310
Peters,E .See Halpern,J., 5=5037
Peters,H.E. See Novick,R., 8=9078
Peters,J. and Standley,K.J. The dielectric behaviour of magnesium manganese ferrite, 8=3973
Peters,R.A. See Kelly,W.H., 9=8541
Peters,R.W. See Tolhurst,G.C., 6=7236
Peters,T. Plasma streams with supersonic velocity, 5=4705. Relation of Steenbeck's minimum principle to the thermodynamic principle of minimum entropy production, 6=4418. See also Maecker,H., 5=1861, 5=4694, 6=4423
Peterson,A. Sound measurements at very high levels, 6=1930. Noise measurements at very high levels, 6=4957. The measurement of impact noise, 6=4960
Peterson,A.H. See Gucker,F.T.Jr, 5=4568
Peterson,A.M. See also Clark,C., 7=2862; Leadabrand,R.L., 9=10436; Villard,O.G.,Jr, 8=4639
Peterson,A.M., Egan,R.D. and Pratt,D.S. The I.G.Y. three-frequency backscatter sounder, 9=7684
Peterson,A.W., Kedesdy,H., Keck,P.H. and Schwarz,E. Surface tension of titanium, zirconium and hafnium, 8=2175
Peterson,D.L. See Hunt,H.D., 7=8054; Simpson,W.T., 7=6702
Peterson,E.E. See Gose,E.E., 8=4915
Peterson,E.L. See Bancroft,D., 6=6946
Peterson,F.L. See Kerst,D.W., 9=11148
Peterson,G.A. See Doran,D.G., 9=5445
Peterson,G.E. See also Lehiste,I., 9=6657, 9=6659; Wang,W.S.-Y., 9=1218
Peterson,G.E., Sivertsen,E. and Subrahmanyam,D.L. Intelligibility of diphasic speech, 6=4951
Peterson,G.E., Wang,W.S.-Y. and Sivertsen,E. Segmentation techniques in speech synthesis, 9=1217
Peterson,J.M. See Bratenahl,A., 8=5389
Peterson,J.R. Masses of identified positive heavy mesons, 7=3715. See also Birge,R.W., 5=9122, 6=1622, 7=3708
Peterson,L. See also Winckler,J.R., 5=7127, 8=4109, 8=5085, 8=6560
Peterson,L. and Winckler,J.R. Short γ-ray burst from a solar flare, 9=1002
Peterson,M.D. See Palmer,R.C., 8=6481
Peterson,R.E. See also Bendt,P.J., 9=3933
Peterson,R.E. and Newby,G.A. An unreflected [spherical] u-235 critical assembly, 9=13718
Peterson,R.G. See Edmonds,D.T. 9=10935
Peterson,R.S. See Bellarts,H.J., 6=3995
Peterson,R.W. Donor diffusion in oxide cathodes, 8=6009
Peterson,R.W., Anderson,D.E. and Shepherd,W.G. Influence of the cathode base on the chemical activation of oxide cathodes, 7=4504
Peterson,R.W., Fowler,W.A. and Lauritsen,C.C. Fluorine-plus-proton reactions, 5=1187
Peterson,S.W. Anomalous X-ray scattering at wave-lengths far from an absorption edge, 5=10095. See also Levy,H.A., 8=3598
Peterson,S.W. and Levy,H.A. Proton positions in $CuCl_2 . 2H_2O$ by neutron diffraction, 7=5745. Structure of potassium hydrogen maleate by neutron diffraction, 9=2886
Peterson,V.Z. See also McDonald,W.S., 7=8892. Walker,R.L. 5=8291
Peterson,V.Z. and Roos,C.E. Production of photostars by bremsstrahlung of 250 to 500 MeV, 7=4732
Petford,A.D. See Rollin,B.V., 6=1231
Petherbridge,P. See Hopkinson,R.G., 6=7890

Petiau,G. On the representation of particles interacting with external fields by wave-functions with singularities, which are localized and movable along trajectories, 5=46. On wave-functions with singularities which are localized and movable along trajectories which represent a charged particle in interaction with a constant magnetic field, 5=1514. On the representation of the harmonic oscillator in the theory of the double solution in wave mechanics, 5=1553. On the determination of wave-functions with local singularities in the theory of the double solution in some cases with simple limit conditions, 5=4381. A new non-linear generalization of the theory of particles with spin, 8=6633. On the determination of wave-functions with localized moving singularities, describing circular trajectories for the case of an external, central potential, 5=7707. On the determination of the wave-functions of the particle with spin $\hbar$ interacting with a magnetic field of constant intensity, 6=4838. On the determination of the wave-functions of the particle with spin $\hbar$ interacting with an electric field of constant intensity, 6=4839. On the determination of the wave-functions of a particle of spin $\hbar$ in interaction with a constant magnetic or electric field, 7=5058. Some wave-functions of a new type, solutions of non-linear equations generalizing the equation of wave mechanics, 7=6908. On the representation of elementary particles by wave-functions satisfying nonlinear partial differential equations, 7=7617. On the wave-functions associated with the movement of particles in wave mechanics, mechanics, 7=9013. A new non-linear generalization of the theory of particles with spin, 8=6633. On a non-linear generalization of wave mechanics and the properties of the corresponding wave-functions, 9=4298*. A system of non-linear wave-equations generalizing the equations of the theory of the spin-$\frac{1}{2}$ particle, 9=7789. On a non-linear system of wave-equations describing a model particle-field of spin 0 and $\hbar$, 9=7805

Peticolas,W. L. Charge-transfer complexes between chloranil and polycyclic aromatic hydrocarbons, 7=4590. Effect of adsorbent perturbation on B. E. T. theory, 8=2056

Petit, G. A statistical theory of osmotic effects, 7=1956

Petit, G.Y. α-γ Angular correlation in Pu^{239}, 8=742. See also Falk-Vairant,P. 5=4020

Petit,J. See also Nachtrieb,N. H., 6=3540, 7=3752. Self-diffusion in liquid gallium. 6=4238

Petit-Le Du, M.G. On the technique of growing single crystals of n–p–n germanium, 9=11621

Petoshina, L.N.. See Kazankin,O.N. 9=9494, 9=10853

Petralia,S. Effects of diffusion on the absorption of ultrasonics in gas mixtures, 5=3514. Absorption of ultrasonics in mixtures of gas containing hydrogen, 5=9496. See also Cevolani,M. 5=5276, 5=9497, 8=2200

Petráš,M. A contribution to the theory of the Pauli-Fierz equation for a particle with spin 3/2, 5=7692. A note to Bhabha's equation for a particle with maximum spin $^3/_2$, 6=1849

Petrashku,M.G. See also Bogachev,N.P. 9=9974

Petrashku,M.G. and Mikhul,A.K. Fission of Th^{232} by negative μ- and β-mesons, 9=12690

Petrauskas,A.A. See Chen,J.H., 9=5454. Young, J.M., 7=1978

Petravic,M. See Greenlees,G.W., 7=6550, 8=332, 8=1957

Petree,B. See Fuller,E.G., 9=3916

Petri,W. Various relationships between Fe X and Fe XIV emission in the minimum corona, 5=7648

Petrick,M. and Swanson,B.S. Radiation attenuation method of measuring density of a two-phase fluid, 9=3186

Petrie,D.P.R. See Chick,D.R., 7=9727. Hunt,S.E. 5=6231, 6=5950

Petritz, R.L. Theory of photoconductivity in semiconductor films, 7=2247. The relation between lifetime, limit of sensitivity, and information rate in photoconductors, 7=7924. Theory of an experiment for measuring the mobility and density of carriers in the space-charge region of a semiconductor surface, 8=4954. See also Humphrey,J.N. 7=4367, 7=4370. Lummis,F.L., 7=3299. Scanlon,W.W., 7=7924. Zemel,J.N., 8=4955, 9=6957

Petritz, R.L. and Scanlon,W.W. Mobility of electrons and holes in the polar crystal, PbS, 5=4659

Petro,A.J. Digest of the literature on dielectrics. Volume XIX-1955. Tables of dielectric constants and dipole moments, 7=9153

Petro,A.J. and Pitt,D.A. Digest of the literature on dielectrics. Tables of dielectric constants, dipole moments and dielectric relaxation times, 8=2291

Petroff,M.D. and Doggett,W.O. Application of a statistical correlation function for determining daughter half-lives in the range 10^{-4} to 10^{-1} second, 7=1536

Petrov,A.A. See Zaĭdel',A.N., 8=827

Petrov,D.A. and Glazov,V.M. On changes in the short-range structure in the pre-crystallization period in semiconducting chemical compounds with ZnS type lattices, 8=7593

Petrov,I.Ya. See Varshavskiĭ,Ya.M., 8=3403

Petrov,N.I. See Dzhelepov,V.P. 7=3625. Ivanov,V.G., 7=4459, 7=4701

Petrov,O.S. Application of a unitary transformation to the calculation of atomic energy levels, 9=8671

Petrov,P.A. and Kuzovnikov,A.A., Constant component of a corona discharge in a high-frequency field, 7=6210

Petrov,T.G. An apparatus for the study of crystal growth under the microscope, 9=10356

Petrov,Yu.V. See Ochkur,V.I., 7=1376

Petrova,N.A. See Kosman,M.S., 9=10943

Petrović,M.M. See Jurić,M.K. 5=7365

Petrow,D.A., Schaschkow,J.M. and Belanovski,A.S. The diffusion of impurities in silicon, 9=12813

Petrow,H.G. and Rocco,G. Fission yield of Gd^{159} and Tb^{161}, 5=2191

Petrucci,G. See Cooper,W.A., 7=7300, 7=8852, 8=5246

Petrukhin,V.I. See Azhgireĭ,L.S., 8=8245

Petrun'kin,V.A. See Baldin,A.M., 8=1819

Petruska,J.A. See also Melaika,E.A. 5=6477. Wiles,D.M., 7=729

Petruska,J.A., Melaika,E.A. and Tomlinson,R.H. The fission yields of the cesium isotopes formed in the thermal neutron fission of U^{235} and the neutron absorption cross section of Xe^{135}, 6=679

Petruska,J.A., Thode,H.G. and Tomlinson,R.H. The absolute fission yields of twenty-eight mass chains in the thermal neutron fission of U^{235}, 6=680

Petrzhak,K.A. See Bak,M.A., 6=6455, 6=8414, 9=9960. Bugorkov,S.S., 8=4196. Dmitriev,V.N., 9=13703 Kovrigin,B.S. 9=13702. Vasil'ev,I.A., 9=2842, 9=11303

Petrzilka,V. Evaluation of γ_0 from the angular distribution of jet particles in l.s. using certain suppositions about their angular distribution in the c.m.s. 9=3736. See also Dlouhy,Z. 5=9924. Dubinský, J., 7=511. Pernegr,J., 9=4762. Rozkoš,M., 6=8544. Toman,K. 5=4986

Petsch,O.H. See Moe,D.E., 9=368, 9=13392

Petschek,H. and Byron,S. Approach to equilibrium ionization behind strong shock waves in argon, 8=1740

Petschek,H.E. Aerodynamic dissipation, 9=1604

Petschek,H.E., Rose,P.H., Glick,H.S., Kane,A. and Kantrowitz,A. Spectroscopic studies of highly ionized argon produced by shock waves, 5=2569

Pettengill,G. See Chamberlain,O. 5=336

Petter,W. See Abeav,D. 5=9632

Pettersson,A.V. Optical problems concerning the use of interference in the determination of spectroscopic wave-numbers, 6=1030. The TiO band 11032 A, 9=10761

Pettersson,B.G. See Gerholm,T.R., 9=641. Lindqvist,T., 8=6247. Page,L.A. 9=5025

Pettersson,H. Rate of accretion of cosmic dust on the earth, 8=3648

Petti,R.D. See Mattuck,R.D., 7=1213

Pettit,G.D. See Keller,S. P. 9=3319, 9=5560, 9=5568, 9=13160

Pettit,H.B. See also Manring,E.R., 6=9090, 8=5547, 9=6399. Amand, St.P. 5=5796

Pettit,H.B. and Manring,E. Intensity variations of [0 1] 5577 and sodium D in the nightglow, 7=1787

Pettit, H.B., Roach,F.E., St.Amand,P. and Williams,D.R. A comprehensive study of atomic emissions in the nightglow, 5=5147

Pettitt,E.N. See Brunson,G.S. 9=13708

Pettus,W.G. Polarization of electrons scattered by thin gold foils, 8=2466. See also Dayton,I.E., 8=5409

Pettus,W.G., Blosser,H.G. and Hereford,F.L. Scattering of 200-keV electrons in gold, 6=2927

Petukhov,V.A. Solar neutron ejection as the cause of aurorae and magnetic storms, 6=9141. Experimental possibility of investigating the structure of the lectron, 7=7956. See also Kolomenskiĭ,A.A., 6=2938

Petukhova,N.I. A possibility of identifying the antihyperon Σ^- in nuclear emulsions, 8=2507

Petzold,J. On the interpretation of five-dimensional field equations, 7=6863. The spherically-symmetrical solution for scalar mesons with zero masses, in the projective relativity theory, 9=9179. How valid is the exponential law in α-decay? 9=10057

Petzold,W. See Hink,W., 8=7070, 8=8805, 9=5788
Peutz,V.M.A. Concerning the article by W. Kuhl, "Possible errors in transmission loss measurements at low frequencies. I". 5=4474
Pevsner,A. See also Block,M. 9=12581. Fung,S., 6=3271. Hill,R.D., 6=2388. Iloff,E.L., 6=1616*, 6=5410. Lannutti,J.E., 6=5427. Ritson,D.M., 6=2439. Streekantan,B.V., 6=6185. Widgoff,M., 7=2697, 7=9924. Williams,R., 6=3279.
Pevsner,A. and Rainwater,J. Phase-shift optical model calculations for the elastic scattering of pions on aluminum, 6=3276
Pevsner,A., Rainwater,J., Williams,R.E. and Lindenbaum,S.J. Elastic scattering of positive and negative pions on aluminum. 6=3275
Pevsner,M.I. See Pevzner,M.I.
Pevzner,M.I. See Gurevich,I.I., 7=1510, 7=7292
Peyron,M. See also Broida,H.P., 8=7053
Peyron,M. and Broida,H.P. Spectra emitted from solid nitrogen condensed at very low temperatures from a gas discharge, 9=5502
Peyron,M., Hörl,E.M., Brown,H.W. and Broida,H.P. Spectroscopic evidence for triatomic nitrogen in solids at very low temperature, 9=7484
Peyrou,C. See Armenteros,R. 5=6499, 5=6504, 5=6525. d'Andlau,C., 7=3701, 8=1205. Lohrmann,E. 5=9965
Peyroula,J.C. Pebay. See Pebay Peyroula,J.C.
Peyturaux,R. On the variation of the Balmer discontinuity between centre and limb of the solar disk, 5=1471. I. Introduction, 5=5835. Study of the continuous background of the solar spectrum. IV. The centre-limb darkening of the sum between 3190 Å and 23130 Å, 5=5838. See also Baillet,A. 5=5836. Bosson,F. 5=5837
Pfaff,F. See Seeger,A., 8=4432
Pfahnl,A. Spectra and afterglow period of "cement" phosphors, 8=7829
Pfann,W.G., Benson,K.E. and Hagelbarger,D.W. Improvement in floating zone technique, 9=10487
Pfann,W.G., Benson,K.E. and Wernick,J.H. Some aspects of Peltier heating at liquid-solid interfaces in germanium, 7=8618
Pfann,W.G. and Dorsi,D. Magnetic stirring technique. 8=4615
Pfann,W.G. and Hagelbarger,D.W. Electromagnetic suspension of a molten zone, 6=1154
Pfann,W.G., Hobstetter,J.N. and Indig,G.S. Preventing conductivity fluctuations during growth of a semiconducting crystal, 9=4099
Pfann,W.F. and Olsen,K.M. Zone-melting, 6=3420
Pfann,W.G. and van Roosbroeck,W. Radioactive and photoelectric p-n junction power sources. 5=1847
Pfeffer,W. See Hellwege,K.H. 9=12192
Pfefferle,W.C.Jr Goff,J.A. and Miller,J.G. The compressibility of gases. I. The Burnett method. An improved method of treatment of the data. Extension of the method to gas mixtures mixtures, 5=4425
Pfeifer,H. A theory of the apparatus for the observation of nuclear magnetic resonance, 5=6386. On the influence of an inhomogeneity in the high frequency field in nuclear magnetic resonance. 5=9834. The amplitudes of the primary echoes with the Hahn-spin-echo method, 6=2316. Influence of the apparatus on nuclear magnetic resonance, 9=589. Spin echoes. II. Construction of a spin echo spectrometer, 9=5926. On the question of the resonance frequency in nuclear magnetic resonance experiments, 9=5927. On the detection of nuclear magnetic resonance with marginal oscillators (autodynes), 9=5931. See also Dolega, U. 5=3874. Geissler,D., 8=3325.
Pfeifer,H., Dolega,U. and Winker,H. On further echoes with the Hahn spin-echo method, 5=3976
Pfeifer,H., Winkler,H. and Ebert,G. The measurement of nuclear spin relaxation times by spin echoes and induction decays, 9=1708
Pfeiffer,H.U. On the spectral distribution of the photoeffect in lead sulphide. 6=5887
Pfeiffer,U. On the increase in cosmic radiation on 23 February 1956, 9=2475. The production of impact electrons in the passage of energetic μ-mesons through iron and lead, 9=3760
Pfeil,P.C.L. and Griffiths,L.B. Effect of cathode inclusions on electrical discharges, 9=13341
Pfennig,H. The effect of umklapp processes on the electrical resistance of metals at low temperature, 9=10265
Pfirsch,D. Generalization of a theorem of Bloch, 6=2635
Pfister,C.G. and Dunham,R.J. D.C. magnetic flowmeter for liquid sodium loops, 8=3763
Pfister,H. Cleavage in the $_{A}III_{B}V$ compunds InSb and AlSb, 5=4983. X-ray photoeffect in GaAs p-n junctions, 6=8206. Electron irradiation of p-n blocking layers in GaAs, 9=3464. See also Folberth,O.G., 9=12254
Pfister,W. Studies of the refractive index in the ionosphere: The effect of the collision frequency and of ions, 5=5545. See also Marcou,R.J., 8=6085
Pfister,W., Ulwick,J.C. and Marcou,R.J. Further remarks on the bifurcation in the $\underline{E}$-layer, 5=5140
Pfisterer,H., Heywang,W. and Ramisch,E. Structure and dielectric properties in the system $BaTiO_3$-$MgTiO_3$, 7=6151
Pflaum,U. See Niekisch,E.A. 6=8449
Pfleiderer,J. Scattered-light intensity of large spherical particles. III. 9=10879
Pfotzer,G. On the problems of generation of particle showers by the cosmic radiation in lead absorbers of varying thicknesses thicknesses, 6=2223. The solar component of the cosmic radiation as probe of the earth's magnetic field at large distances, 7=5813. The momentum distribution of the solar cosmic radiation in the decreasing phase of the sudden radiation increase on 23 February 1956, 9=2472. The duration of the emission and the gradient of the impulse spectrum of the solar cosmic rays during the chromospheric eruption of 23/2/1956, 9=4761. See also Ehmert,A., 7=517, 9=2471
Pfundt,H. See Krempl,H., 6=1960
Pham,D.H. See Epelboin,I., 6=6557
Pham,T.H. Comparison of the two methods of obtaining the equations of motion in general relativity, 9=28
Pham Mau Quân, The field equations for an electromagnetic fluid-field system. The Cauchy problem for an electromagnetic fluid-field system, 5=4342. On the electromagnetic equations in matter, 6=3466. Projections of null geodesics and electromagnetic rays in a medium in a state of permanent motion, 6=4178. Electromagnetic induction in a relativistic anisotropic medium, 8=241. The equations of electromagnetic induction, 8=3673. Singular electromagnetic induction, 8=6613. Electromagnetic induction in general relativity, 9=7767. See also Mariot,L., 8=5604
Pham Tan Hoang. The use of the metric $\underline{h}^{\mu\nu}$ and the fields $f^{\mu\nu}$ in obtaining the equations of motion, 5=8474. On the choice of the metric in unified (field) theory, 6=2629. On the approximate equations of the Einstein-Schrödinger unified theory, 6=3457. On the electromagnetic potential created by charged particles. 6=5671. Conservation conditions for the energy-momentum tensor in the Einstein-Schrödinger unified theory. 7=1876. On the use of isothermal coordinates to determine the equations of motion in general relativity, 7=3936. On the equations of motion in unified field theory, 7=3942. On the method of singularities in general relativity, 8=2120. Comparison between the energy-momentum tensor method and the method of singularities [in determining the equations of motion in general relativity], 8=3681
Pham Xuân Yêm. See Destouches,J.L. 9=13031
Phan-Van-Loc. Diffraction of the Ψn waves of the Dirac electron, 5=6749. Diffraction of light waves by an infinite parallel slit and by a half-plane, 7=7030. A new way of establishing the mathematical expression of Huygens' principle in the Dirac electron theory, 8=2775
Phariseau, P. The diffraction of light by two perpendicular ultrasonic waves, 7=8541; II, 8=3004
Phat Vinh, A. Le. See Le Phat Vinh, A.
Phelps, A. V. Absorption studies of helium metastable atoms and molecules, 5=9023; Effect of the imprisonment of resonance radiation on excitation experiments, 8=5429; Diffusion, de-excitation, and three-body collision coefficients for excited neon atoms, 9=10158; See also Chanin, L. M. 9=11154
Phelps,A.V. and Pack,J.L. Measurement of time varying optical absorption, 5=2579
Phelps,B.A. See Hamilton, R. J., 6=5041
Phibbs, E. See Horton, G.K. 5=1169
Philberr,G. On the emission of low energy α-particles by light and heavy nuclei excited by 1000 MeV protons, 6=2397; Properties of nuclear disintegration stars in diluted emulsions exposed to 1000 MeV protons, 6=2398; The absorption cross-sections of 0.95 GeV protons by light and heavy nuclei in the photographic emulsion, 6=7481; Types of reaction of 0.95 GeV protons with the light and heavy nuclei of the photographic emulsion, 7=690; The grain density of proton tracks in diluted emulsions, 7=1832; Emission of α-particles of less than 9 MeV in disintegrations of light and heavy nuclei excited by protons of 1 GeV, 7=6542; Calculation

of cross-sections for absorption of high energy particles by nuclei, 7=7358; Cross-sections for absorption of high-energy particles by nuclei and for interaction of high-energy particles with bound nucleons, 8=6284
Philbert,G. and Vigneron,L. A study of the reactions between 1 GeV protons and light nuclei by a new method, 9=1764; The emission of fast charged particles from reactions between 1 GeV protons and light nuclei, 9=1765
Philip,J.R. Numerical solution of equations of the diffusion type with diffusivity concentration-dependent, 5=9446; II, 7=6809; Transient fluid motions in saturated porous media, 7=5916; An application of the diffusion equation to viscous motion with a free surface, 7=6929; The boundary conditions governing fluid motions in porous media, 8=4790
Philip,R. Phase change of visible or ultraviolet radiations on reflection at a thin silver film in air, 6=258*; Phase change of visible or ultraviolet radiations on reflection at a thin silver film-quartz interface, 6=259; Variation with wavelength of the phase change on reflection of light in air by a thin evaporated layer of silver, 7=1211; Optical constants of some thin layers of gold, 9=1329; Variation of the optical properties of a thin layer of gold as a function of the wavelength, 9=4481; Reflection and transmission factors and absorption coefficients of thin gold layers for radiation of wavelengths between 2536 A and 6438 A, 9=10863; Variations of the optical properties of a thin layer of silver as a function of wavelength, 9=12129
Philip,R. and Trompette,J. Simultaneous measurement of the optical constants and thickness of very thin silver films in the visible and near ultraviolet parts of the spectrum, 6=193*; Optical constants of thin silver films, 7=6052
Philipp,H. See Taft,E., 9=4685
Philipp,H.R. Photoelectric emission from barium oxide, 7=8635; Intrinsic optical absorption in single-crystal silicon carbide, 9=2214; See also Taft,E.A., 8=5006
Philipp, H.R. and Taft,E.A. Photoelectric emission from single-crystal KI, 7=6185; Optical constants of germanium in the region 1 to 10 eV, 9=5584
Philippoff,W. Flow birefringence and stress, 6=8029; Flow-birefringence and stress, 7=2092; New supersonic phenomena, 9=4379; Stress-optical analysis of fluids, 9=13049
Philippoff,W. and Brodnyan,J. Preliminary results in measuring dynamic compressibilities, 5=9195
Philippoff,W., Gaskins,F.H. and Brodnyan,J. G. Flow birefringence and stress. V. Correlation of recoverable shear strains with other rheological properties of polymer solutions, 8=532
Philippot, J. On the quantification of an ensemble of hard spheres, 5=2912; The H theorem for the density matrix, 8=7718; See also Prigogine,I., 7=9019
Philips, J.A. Charge equilibrium ratios for hydrogen ions from solids, 5=2802
Phillips, B.B. and Gunn,R. Measurements of the electrification of spheres by moving ionized air, 5=1402
Phillips,B.B. and Kinzer,G.D. Measurements of the size and electrification of ± droplets in cumuliform clouds, 9=3012
Phillips, C.E. See Frost,N.E., 8=3523
Phillips,C.S.E. Line broadening and dielectric relaxation in compressed gases, 6=2058
Phillips,D.C. On the visual estimation of X-ray reflexion intensities from upper-level Weissenberg photographs, 5-1362
Phillips,D.D. See Los Alamos Physics and Cryogenics Groups, 9=11478
Phillips,G. See also Mitchell,A.M.J., 6=2332; Richards,E.A., 6=6846
Phillips,G. and Jenkins,E.N. Improved methods for the routine radiochemical analysis of fission product mixtures. I. The recognition of radiochemical purity using aluminium absorption curves, 5=5698
Phillips,G.C. See Barloutaud,R., 7=9332; Gossett,C.R. 5=6451, 6=650 Miller,P.D., 9=3892, 9=3901; Naggiar,V., 7=9393; Reich,C.W., 7=2637; Russell,J.L.,Jr, 7=1393; Schiffer,J.P., 6=6154; Spencer,R.R., 8=331; Windham,P.M., 7=696; Young,T.E., 8=329
Phillips,G.J. Diffuse ionospheric reflection of medium waves at night, 5=6330
Phillips,G.J. and Spencer,M. The effects of anisometric amplitude patterns in the measurement of ionospheric drifts, 5=9289
Phillips,H.B. Photoelectric comparator for measuring oscillograms, 5=1487; See also Swank,R.K., 9=4474
Phillips,J. See Blount,E., 6=2109
Phillips,J.A. See also Burkhardt,L.C., 7=7938, 8=776 Dunway,R.E., 9=533; Honsaker,J., 8=779
Phillips,J.A. and Tuck,J.L. Negative hydrogen ion source, 6=2955
Phillips,J.C. Critical points and lattice vibration spectra, 7=2798 Vibration spectra and specific heats of diamond-type lattices, 9=5132; Energy-band interpolation scheme based on a pseudopotential, 9=6237; Energy bands of silicon and germanium, 9=6966; Exchange terms in the effective mass formalism, 9=9602; See also Lax,M., 9=783
Phillips,J.C. and Rosenstock,H.B. Topological methods of locating critical points, 9=7720
Phillips,J.G. The determination of the widths of the airglow and twilight flash, 6=9094; Laboratory determination of relative transition probabilities of diatomic molecules. II. The Swan system $(^3\Pi g$-$^3\Pi u)$ of the C_2 molecule, 7=5505; The application of digital computers to the reduction and analysis of high-dispersion molecular spectra, 9=10751; Simple self-recording intensitometer attachment for microphotometers, 9=11996
Phillips,J.G. and Brewer,L. An ultraviolet continuum in the spectrum of carbon, 6=1953
Phillips,J.H., Woolley,J.C. and Street,R. The influence of temperature on magnetic viscosity, 5=7183
Phillips,J.W. Some fundamental aspects of particle counting and sizing by line scans, 5=1268; See also Millard,D.J., 6=737
Phillips,K. An apparatus for the accurate control of the peak X-ray energy of a 20 MeV betatron. 6=5138; See also Allen,K.R., 6=2929, 7=6535, 7=8149, 9=2369, 9=3528, 9=4649, 9=8418
Phillips,K., Allen,K.R. and Refsum,A. Effect of humidity on the breakdown of a 1 cm homogeneous field spark gap in air, 9=7020
Phillips,L., Gatti,R., Chesne,A., Muga,L. and Thompson,S. Discovery of a new mendelevium isotope, 9=1730
Phillips,M. Effect of core excitation on the hyperfine structure of rubidium, 6=6854
Phillips,N.E. Thermal conductivity of indium-thallium alloys in the normal and superconducting states, 6=2030; Heat capacity of superconducting zinc, 9=2352; Heat capacity of aluminum between 0. 1°K and 4. 0°K, 9=9569; See also Lien,W.H., 9=6855
Phillips,N.J. Collisional relaxation in gases, 9=6615
Phillips,O.M. The final period of decay of non-homogeneous turbulence. 6=4229; On the aerodynamic surface sound from a plane turbulent boundary layer, 6=4248; See also Batchelor,G.K., 6=1885
Phillips,P.R. See Gugelot,P.C. 6=4457
Phillips,R. See also Baird,J.D., 9=4067; Bradley,D.E., 7=6728
Phillips,R. and Welsh,N.C. A study of etching structure on aluminium by transmission electron microscopy, 9=926
Phillips,R.H. See also Crowe,K.M. 5=546
Phillips,R.H. and Crowe,K.M. An indirect measurement of the n-n interaction, 5=525
Phillips,R.J.N. Renormalization of a neutral vector meson interaction, 5=1536; Relativistic treatment of the vector meson field, 5=1539; Indefinite metrics and multi-mass field theories, 5=5865; On the phase-shift analysis of high-energy p-p scattering, 7=9729; A phase-shift analysis of nucleon-nucleon scattering at 95 MeV, 8=269; On time-irreversible nucleon-nucleon scattering, 8=2791; The two-nucleon interaction, 9=6532; Prediction of deuteron polarization from d-α scattering, 9=13583
Phillips,T.D. Finding the external force, 5=765
Phillips,W.D. Restricted rotation in amides as evidenced by nuclear magnetic resonance, 5=8121; Fluorine magnetic resonance spectra of some mono- and disubstituted tetrafluorocyclobutanes, 7=2503
Phillips,W.D., Looney,C.E. and Ikeda,C.K. Influence of some paramagnetic ions on the magnetic resonance absorption of alcohols, 8=7457
Phillips,W.E. See Achor,W.T. 9=7325
Phillips,W.R. Radiative capture of alpha particles to states of O^{18} and F^{18}, 8=5365; See also Jones,G.A. 5=2071, 7=6434
Phillips,W.R. and Jones,G.A. The magnetic moment of the 200 keV excited state of ^{19}F, 6=8327
Phillipson,P.E. and Mulliken,R.S. Improved molecular orbitals (computations on H_2), 8=8399
Philofsky,H.M. See also Middleton,A.E.[Eds], 5=2700
Philofsky,H.M. and Crowe,R.W.(Eds). Digest of the literature on dielectrics. Volume XVIII-1954, 7=9152
Phipps,L.W. An adiabatic calorimeter for measuring the specific heats of liquids in the range 0 to 100°C, 5=3696
Picard,E. The linear electron accelerator of the C.E.N. de Saclay, 7=1359
Picard,E. and Benoit,A. Geiger counters, their associated circuits and counting techniques, 5=2808

Picard,E. and Rogozinski,A. On the distribution of delays in Geiger-Müller counters, 5=2810

Picasso,E. See Argan,P.E. 9=9910-11

Picasso,L.E. and Rosati,S. On the spin dependence of the Λ-N interaction, 9=7294

Piccard, A. Some problems of physics raised by the construction of bathyscaphes, 6=4746

Piccard,J., Larsen,H. and Blomstrand,J. Thin-wire thermometer for radiosondes, 5=647

Piccardi,G. Chemical tests and the study of the upper atmosphere, 6=7041

Piccardi,G. A solar hypothesis, 7=2928

Piccioni,O. See also Cool,R., 6=8403; Cork,B., 7=4790, 7=6603, 7=8812; Pais,A., 6=1614

Piccioni,O., Clark,D., Cool,R., Friedlander,G. and Kassner, D. External proton beam of the cosmotron, 5=5452

Picciotto,E. Measurement of the radioactivity of the air in the Antarctic, 9=4155; See also Debeauvais,M., 8=2446; Deutsch, S., 6=6100, 8=673, 8=977

Picciotto,E. and F.Salvetti. α-counting at low temperature; a method of avoiding diffusion of radon. 6=5347

Picciotto,E. and Wilgain,S. Confirmation of the half-life of thorium-232, 7=5584

Piccirelli,R. and Litovitz,T.A. Ultrasonic shear and compressional relaxation in liquid glycerol, 8=2909

Pichakhchi,L.D. See Gordon,I.M., 9=9164

Pichat,L. See Léger,C., 7=7320

Piché,P. See Lorrain,P., 7=7966

Picht;J. The measurement of radius of curvature of proof glasses with the ring spherometer. II, 5=1569; New investigations on total reflection, 5=3645*; On a method for systematically calculating an electron-optical potential distribution with specified imaging properties, 6=398; On the problem of the optical path lengths of two rays between the object and the intersection point of the two rays in the image space, 6=3599; The theory of total reflection, 7=4244; On the diffraction theory treatment of electron optical imaging aberrations, 7=5379; On the computation of wavefronts, 9=7920; Remarks on the mass, energy and momentum of the photon, electron and other elementary particles, 9=11342; The image in the human eye and known characteristic properties, on the basis of diffraction theory calculations, 9=11683

Pitcht,J. and Gain,R. Experimental and theoretical investigation of a new electron-optical deflecting device (Ablenkorgan), 9=1514

Picinbono,B. and Savelli,M. The measure of "noise" in optics, 6=1090

Pick,H. Solid state physics, 5=405; Color centers in alkali halides, 9=809; See also Becker,K.H. 7=7015; Martienssen,W. 5=10075

Pick,H.J. Growth spirals in electrodeposited copper, 6=1725

Pick,M. See Avignon,Y., 9=9136

Pick,R. See Fiehrer,M., 6=3135; Lehmann,P., 7=1513, 7=1543, 7=2606

Pick-Gutmann,M. and Steinberg,J.L. At 16 element interferometer operating at 9300 Mc/s, 9=7730

Pickar,A.D. See Seddon,J.C. 5=4224

Pickart,S.J. See Maxwell,L.R. 5=2015, 7=1728, 7=4853; Nathans,R., 6=8492; 7=4909, Shirane,G. 9=7173

Pickavance,T.G. Synchrocyclotrons, and the CERN 600 MeV machine, 5=9712 Proton linear accelerators for nuclear research and the A.E.R.E. 600 MeV project, 6=1297

Pickavance,T.G., Skyrme,T.H.R. and Stafford,G.H., (Conf. rep), High-energy nuclear physics, 6=8951

Pickelner,S.B. Interstellar light polarization and magnetic fields, 6=872*; See also Shajn,G.A., 6=872

Pickelner,S.B. and Shklovksy,I.S. On the nature of the galactic halo, 9=2000

Pickering,N.E. See Rohan,J.J., 9=12816

Pickett,J.M. Effects of vocal force on the intelligibility of speech sounds, 7=193; Perception of vowels heard in noises of various spectra, 7=8488; Limits of direct speech communication in noise, 8=2213; Low-frequency noise and methods for calculating speech intelligibility, 9=11970; See also Decker,L.R., 7=7699; Pollack,I. 8=2211-12, 8=2215, 8=2927, 9=4190

Pickett,J.M. and Pollack,I. Prediction of speech intelligibility at high noise levels, 9=1982; Intelligibility at high voice levels and the use of a megaphone, 9=4187

Pickett,L.W. See Eberlin,E.C., 8=6836; Fleming,G. 9=5518; Loeffler,B.B., 8=1606; Stokes,S. 5=2596

Picklesimer,M.L. See Stansbury,E.E., 9=8049

Picknett,R.G. See Elton,G.A.H. 9=5624

Pickup,E. See Husain,A. 5=4775, 5=7354, 6=1621

Pickup,K.G. and Trapnell,B.M.W. Recombination of hydrogen atoms at metal surfaces, 6=8846

Pičman,L. See Kurath,D., 9=8492

Picou,J.L. Scattering of fast nucleons by the C^{12} nucleus in the α-particle model, 9=10095; See also Lehmann,P., 8=2542

Pictet,J.M. See Gribi,M., 9=13406

Picus,G. See also Burstein,E., 7=7924

Picus,G., Burstein,E., Henvis,B.W. and Haas,M. Infrared lattice vibration studies of polar character in compound semiconductors, 9=9612

Picus,G.E. The photoeffect from surface levels, 5=4675

Picus,G.S. See Burstein,E., 6=8786-7, 7=5316, 9=4570, 9=5677, 9=11563

Pidd,R.W. See also Grover,G.M., 9=9691; Hammer,C.L. 5=8000 Nelson,D.F., 9=9706, 9=11354

Pidd,R.W., Grover,G.M., Roehling,D.J., Salmi,E.W., Farr,J.D., Krikorian,N.H. and Witteman,W.G. Characteristics of UC, ZrC, and (ZrC) (UC) as thermionic emitters, 9=13366

Pidd,R.W. and Hammer,C.L. Electron scattering on tungsten at 31, 40, and 60 MeV, 5=9831

Piddington,J.H. Electromagnetic field equations for a moving medium with Hall conductivity, 5=9779; The motion of ionized gas in combined magnetic, electric and mechanical fields of force, 5=9781; The four possible waves in a magneto-ionic medium, 5=9790; Hydromagnetic waves in ionized gas, 6=499; The four possible waves in ionized gas in a magnetic field, 6=1400; Growing electromagnetic waves, 6=3037; Growing electric space-charge waves and Haeff's electron-wave tube, 6=3038; Growing electric space-charge waves, 6=6798; Solar atmospheric heating and flares, 7=1861; Solar atmospheric heating by hydromagnetic waves, 8=857; Cosmical electrodynamics, 8=1413; Galactic turbulence and the origins of cosmic rays and the galactic magnetic field, 8=4624; The Crab nebula and the origin of interstellar magnetic fields, 8=4678; Interplanetary magnetic field and its control of cosmic-ray variations, 9=2007; Hydromagnetic waves in ionized gas, 9=3654; Growth of electric space-charge and radio waves in moving ion streams, 9=7111

Piddington,J.H. and Trent,G.H. Cosmic radio sources observed at 600 Mc/s, 6=6309; A survey of cosmic radio emission at 600 Mc/s, 7=4982

Pidgeon,F.D. and Dodd, C.G. Precise measurements of particle surface area with the microscope, 5=3475

Piech,T. See Jezewski,M., 6=6596

Piekara,A. Nonlinearity of the polarization of ferroelectric titanates in weak fields above the Curie point, 5=923; Theory of ferro-electrics of the type of $BaTiO_3$, 5=5213; Dielectric saturation and intermolecular forces in liquids, 9=3202; See also Pajak,Z., 7=343

Piekara,A. and Chelkowski,A. New experiments on dielectric saturation in polar liquids, 7=2155

Piekara,A. and Kielich,S. Theory of orientational effects and related phenomena in dielectric liquids, 9=4343

Piekara,A., Kielich,S. and Chelkowski,A. Dielectric saturation and molecular structure, 9=12204

Piekara, A. and Małecki,J. On a method of producing strong magnetic fields of short duration, 9=7148

Piekara,A., Małecki,J., Surma,M. and Gibalewicz,J. Note on production of strong magnetic fields of short duration and measurement of their intensity, 7=6362

Pien Yen-kwei, The solution of Tricomi's equation for a transonic jet, 9=5425

Pienaar,H.J. See van der Spuy,E., 8=6286, 8=6311

Piepenbrink,W. See Ehgartner,G. 5=6889

Pieper,G.F. See also Heydenburg,N.P., 8=759, 8=3320; Schultz,H.L., 6=6732; Stanford,G.S. 5=9724, 6=7619; von Herrmann,P., 7=4705

Pieper,G.F. and Heydenburg,N.P. Coulomb excitation of iron-57, 8=305; Reaction mechanism in $F^{19}(\alpha, p)Ne^{22}$ at 6 MeV, 8=6312

Pieper,G.F. and Stanford,G.S. $B^{10} + \alpha$ reactions, 6=2393

Pieper,H.P. Registration of phasic changes of blood flow by means of a catheter-type flowmeter, 9=3195

Pieraccini,F. See Alberigi-Quaranta,A., 8=1179

Pierce,A.K. Performance of an 8 inch Babcock grating in a large vacuum spectrograph, 7=2087; See also McMath,R.R., 6=5637, 6=6319; Mohler,O.C., 8=4623

Pierce,C. Effects in interparticle condensation on heats of

adsorption and isotherms of powder samples, 9=11615
Pierce,C.B. and Lazarus,D. Diffusion of ruthenium in single crystals of silver, 9=8890
Pierce,E.T. Electrostatic field-changes due to lightning discharges, 5=6658; Some techniques for locating thunderstorms from a single observing station, 7=5773; Effect of high electric fields on dielectric liquids, 9=8079; See also Large,M.I. 5=7562
Pierce,J.A. V.L.F. phase shifts associated with the disturbance of February 23, 1956, 8=4569; See also Essen,L., 8=21
Pierce,J.A., Mitchell,H.T. and Essen,L. World-wide frequency and time comparisons by means of radio transmissions, 5=3406
Pierce,J.R. Interaction of moving charges with wave circuits, 5=6223; Proposal for an explanation of limens of loudness, 8=8661; Relativity and space travel, 9=9180; Use of the principles of conservation of energy and momentum in connection with the operation of wave-type parametric amplifiers, 9=12510
Pierce,J.R. and Gilbert,E.N. On AX and ABX limens, 9=1976
Pierce,J.R. and Morrison,J.A. Disturbances in a multi-velocity plasma, 9=9726
Pierce,J.R. and Walker,L.R., Growing waves due to transverse velocities, 6=3039; Growing electric space-charge waves, 7=1248
Pierce,L. Determination of the potential constants of ozone from centrigual distortion effects, 6=2283; Microwave spectrum, internal barrier, structure, equilibrium configuration, and dipole moment of methyl monofluorosilane, 9=724; Internal rotation in double internal rotor molecules: the microwave spectrum of dimethyl silane, 9=12739; See also Kilb,R.W., 7=8049; Pace,E.L. 5=2685, 5=7845
Pierce,L. and Pace,E.L. The thermodynamic properties of nitrogen trifluoride from 12°K to its boiling point. The entropy from molecular and spectroscopic data, 5=4610
Pierce,N.H. See Perry,B.J. 6=4762
Piercey,D.C. See Dobbs,E.R., 7=2117
Piercy,B. Dielectric properties of some polycrystalline stannates and cerates, 9=6884
Piercy,J.E. Acoustic streaming and radiation pressure, 7=1153
Piercy,J.E. and Lamb,J. A discussion on the first and second viscosities of fluids: Acoustic streaming in liquids, 5=93
Piercy,N.A.V., Richardson,E.G. and Winny,H.F. On the convection of heat from a wire moving through air close to a cooling surface, 6-8146
Piéron,H. The role and aspects of saturation in chromatic sensations, 9=10461; See also Galifret,Y., 9=6674
Pieroni,R.R. See de Souza Santos,M.D., 9=665
Pierpaoli,V. See Favini,G., 8=2958; Simonetta,M., 7=4148, 7=9614
Pierrard,J.M. See Lodge,J.P., 6=5473
Pierre,E. See Deloffre,L., 6=2889
Pierson,H. See Olsen,A.L. 6=4291
Pierucci,M. On the age of the universe, 7=9495
Pieterse,A.C. See Aten,A.H.W.,Jr, 8=4287; Lindner, L., 6=3962
Pietrasanta,A.C. Jet noise problem in aircraft carrier islands, 6=4955; Noise measurements around some jet aircraft, 6=4956
Pietri,C.De See De Pietri,C.
Pietruszkiewicz,A.J. See Reiss,H., 7=781
Piette,L.H. See also Anderson,W.A. 9=7439; Ray,J.D., 9=5117
Piette,L.H. and Anderson,W.A. Potential energy barrier determinations for some alkyl nitrites by nuclear magnetic resonance, 9=7200
Piette,L.H., Ray,J.D. and Ogg,R.A.,Jr, Proton magnetic resonance spectra of some alkyl nitrites, 7=8056
Piette,L.H., Rempel,R.C., Weaver,H.E. and Flournoy,J.M. EPR studies of electron irradiated ice and solid hydrogen, 9=9813
Piett,L.H. and Weaver,H.E. N.M.R. chemical shifts of Pb^{207} in a few compounds, 8=8391
Pietzcker,A. See v Klitzing,K.H. 9=11210
Pigg,J.C. See Cleland,J.W. 5=7050, 5=8756; Curtis,O.L.,Jr, 8=6421
Piggott,M.R. The relation between wear and distance run, for steel and coated steel surfaces, 7=2759
Piggott,W.R. Ionospheric measurements at Ibadan, Nigeria during the eclipse of the sun, February 25th, 1952, 5=3323; Absorption measurements during the international geophysical year, 6=2594; On the variation of ionospheric absorption at different stations, 6=5553; Absorption measurements during an eclipse, 6=7058; The measurement of normal E-layer critical frequencies at night, 7=942; See also Appleton,E.V. 5=5777; Bellchambers,W.H., 9=3007
Pignanelli,M. See Colli,L. 8=1977, 8=8343; Marcazzan,G., 9=2595
Pignataro,E. See Tulinsky,A. 9=13934
Pignedoli,A. On a certain problem of temperature distribution of interest in transistor junction theory, 8=3126; On the motion of a particle of relativistic energy in the magnetic field of a coil carrying a constant electric current together with a uniform electric field parallel to the axis of the coil, 9=9712
Pignolet,L.W. See Miller,J.H., 8=4829
Pigon,K. and Chojnacki,H. Ratio of ranges of free carriers in anthracene surface cell, 9=10984
Pigott,M.T. Iron-aluminum alloys for use in magneto-strictive transducers, 6=4269; See also Nathans,R., 9=9783
Pigott,M.T. and Kendig,P.M. Rapid method of evaluating magnetostrictive materials for electromechanical transducers, 5=1630
Pigott,M.T. and Rank,D.H. Measurements of self-broadening in HCN, 7=4149
Pigulevskiĭ,E.D. The sensitivity and resolving power of acoustico-optical conversion on the surface of a liquid, 9=10721
Pihl,M. Classical mechanics. I. Geometrical description, 7=1088
Pik-Pichak,G.A. Fission of rotating nuclei, 8=7399; Anisotropic angular distribution of fission fragments in rotating nuclei, 9=13701
Pike,E.R. Counter diffractometer—the effect of vertical divergence on the displacement and breadth of powder diffraction lines, 7=9461; Lattice parameter determination from broad diffraction lines, 8=4532; Counter diffractometer-the effect of dispersion, Lorentz, and polarization factors on the positions of X-ray powder diffraction lines, 9=7616; See also Hughes,J.W., 6=5531
Pike,E.R. and Wilson,A.J.C. Effect of Lorentz factor and dispersion on measurement of lattice parameters with powder cameras, 9=4111
Pike,J.N. See Kapany,N.S., 7=301, 8=1590
Pikel'ner,S.B. Interstellar polarization of light, 6=5612; The energy dissipation, heating and ionization of interstellar gas by shock waves, 8=4625
Pikler,A.G. The musician as a guinea pig, 5=9321; Synchronization of music on dual tapes, 6=170; Synchronization of music by juxtaposition on dual-channel tapes, 9=9363
Pikler,A.G. and Harris,J.D. Channels of reception in pitch discrimination, 5=3360
Pikulik,L.G. See Zelinskiĭ,V.V., 7=4220
Pikus,G.E. Thermo- and galvanomagnetic effects in semiconductors taking account of variations in carrier concentration. I. Thermo- and galvanomagnetic effects in weak fields, 6=8774; II. Galvanomagnetic effects in strong fields. Thermal conductivity of electrons and excitons, 6=8775; The scattering of holes and electrons in germanium and silicon, 8=7945; On the connection between the various theories of the scattering of current carriers in semiconductors, 9=9605; See also Bir,G.L., 7=9197; Bresler,S.E., 6=8260, 9=10162; Zhuze,V.P., 7=7909, 9=5687
Pikus,G.E. and Sorokin,O.V. A new method of measuring magnetic field strength, 9=415
Pikus,G.Ya. See Morgulis,N.D., 7=502
Pilar,F.L. 1, 2- versus 1, 4- addition to 1, 3-butadiene by a simple LCAO–MO method, 9=1837; Further considerations of a previous LCAO-MO study of the allylic-type transition state in 1, 3-butadiene, 9=3988
Pilat,I.M. Electrical properties of the intermetallic compound CdSb, 7=8615; The electric and magnetic properties of the intermetallic compound, CdSb, 8=4007
Pilat,I.M., Chizh,L.D. and Voĭtȳshen,S.Yu. Electrical and magnetic properties of the ZnSb–CdSb system, 8=7962
Pilawski,A. Investigation of ferroelectrics by temperature measurement, 8=8746
Pilcher,G. and Sutton,L.E. A new high precision calorimeter for the measurement of heats of combustion: and the heat of combustion of succinic acid, 5=5380
Pilcher,V.E. See also Harvey,J.A. 5=8155
Pilcher,V.E., Harvey,J.A. and Hughes,D.J. Neutron resonance parameters of U^{235}, 6=8959
Pilipenko,D.V. See Fogel',Ya.M., 8=7137, 9=2456
Pilipovich,V.A. and Sveshnikov,B.Ya. The possible existence in organoluminophors of several phosphorescence levels, 8=6878; Dependence of afterglow decay law of fluorescein activated boric acid phosphors, 9=9478; An apparatus for the detailed study of phosphorescence decay curves of more than 0. 1 sec duration, 9=12113

Piliya,A.D. See Gol'din,L.L. 9=2739
Pilkuhn,H. Quadrupole interaction in Su$_2$-coupling and cranking model, 9=11415
Pillay,M.G. Krishna See Krishna Pillay,M.G.
Pillet,G. On the reflection coefficient of the ionospheric layers, 8=1375; See also Lejay,P. 5=8104
Pillow,M.E. Intensities in band systems of O$_2$: $^3\Sigma_u^+$ - $^1\Sigma_g^+$ (Broida-Gaydon system) and $^1\Sigma_g^+$ - $^3\Sigma_g^-$ (atmospheric system), 5=185 Intensities in band systems of CH, 5=6894
Pilon,A.M. The use of the forbidden lines in helium to measure the 4F levels, and the singlet-triplet difference, 5=3006; Oscillations in direct current glow discharges, 7=7942
Pilpel,N. The effect of solvent in dipole moment measurements, 5=8144
Pil'shchikov,A.I. Method of determination of parameters of ferromagnetic resonance from experimental data, 6=8869; Effect of inhomogeneous demagnetizing fields on ferromagnetic resonance; 7=4535; Method of determining magnetic permeabilities of a substance in the region of ferromagnetic resonance, 7=6330
Pil'shchikov,A.I., Trishina,Z.D. and Zvereva,T.A. Ferromagnetic resonance in inhomogeneous conditions, 7=4536
Pimenov, Yu.V. Transient processes in a plane diode with an external magnetic field, 7=3393; See also Grinberg,G.A., 9=1616, 9=3671
Pimentel,G.C. See also Becker,E.D., 6=8671, 7=3792; Brown,H.W., 9=6350; Dows,D.A., 5=4519, 5=7852, 5=8620, 5=9561; Huggins,C.M. 5=6016, 5=8130; McClellan,A.L. 5=2946; Milligan,D.E., 7=3143, 9=5531; Person,W.B. 5=2599; Van Thiel,M., 8=1294-5; Whittle,E. 5=2581
Pimentel,G.C. and Klemperer,W.A. Infrared spectrum of solid *n*-octane-1, 1, 1, 8, 8, 8, -d$_6$, 5=2604
Pimentel,G.C., McClellan,A.L., Person,W.B. and Schnepp,O. The interpretation of the infrared spectrum of a molecular crystal: naphthalene, 5=2600
Pimentel,G.C. and Sederholm,C.H. Correlation of infrared stretching frequencies and hydrogen bond distances in crystals, 6=3887
Pimonow,L. Theory and practice of the analysis of the vibrations in the transition region, 8=6777-8; The detection and analysis of infrasounds propagated in the air in the range 2 to 30 c/s, 8=7781
Pinajian,J.J. See also Halbert,M.L. 7=5615
Pinajian,J.J. and Halbert,M.L. Nitrogen-induced nuclear reactions in potassium, 9=5050
Pinard,P. and Martineau,M. Secondary emission of insulators and semiconductors, 9=11110
Pincherle,L. Theoretical determination of the electronic band structure of polyatomic crystals, 5=3918; Auger effect in semiconductors, 5=7034; The photoelectromagnetic effect, 7=7924; A note on the cellular method for energy band in solids, 9=784
Pincherle,L. and Radcliffe,J.M. Semiconducting intermetallic compounds, 7=4324
Pincus,P. Temperature dependence of anisotropy energy in antiferromagnets, 9=5900; See also Orbach,R. 9=5901
Pine,C. See Rohrbaugh,J.H., 8=8715
Pineau,P. See also Josien,M.L. 6=7199
Pineau, P., Paty,M. and Josien,M.L. The complexes of pyrrole. Determination of some equilibrium constants by infrared spectroscopy, 7=6660
Pinel,J. Optics of the deflection of a beam of high energy charged particles, 9=12382
Pines,B.Ya. and Barutkin,I.N. X-ray studies of the structure of the ferromagnetic alloys Fe–Mo and Fe–Mo–Co, 9=13433
Pines,B.Ya. and Bublik,A.I. High-temperature electron diffraction camera, 5=5116
Pines,B.Ya. and Chaĭkovskiĭ,É.F. X-ray determination of the coefficients of hetero-diffusion in alloys forming substitution solid solutions, 7=4796; An X-ray investigation of the kinetics of reaction diffusion in the system Al–Sb, 9=13809
Pines,B.Ya. and Grebennik,I.P. Electron diffraction determination of the coefficient of heterodiffusion in the alloys Cu-Ni, Fe–Ni, Cu–Al and Ag–Al, 9=13814
Pines,B.Ya. and Sirenko,A.F. Some regularities of mechanical properties in specimens obtained from metallic powders by sintering. II, 7=6649; Self-diffusion and heterodiffusion in heterogeneous porous bodies. II. The direct and the reverse Frenkel effect, 9=6307
Pines,B.Ya., Sirenko,A.F. and Mel'nik,L.G. The resolving power of so-called high reflection angle X-ray diffraction technique, 9=9013
Pines,B.Ya. and Smushkov,I.V. X-ray determination of the hetero-diffusion coefficients in alloys, the components of which have widely differing X-ray absorption characteristics, 8=8473 X-ray determination of the coefficients of hetero-diffusion in the chromium–molybdenum and nickel–tungsten systems, 8=8474; The X-ray investigation of hetero-diffusion in Cu–Ni alloys, 9=13808
Pines,B.Ya. and Sukhinin,N.I. Some regularities of mechanical properties in specimens obtained from metallic powders by sintering, I. 7=6648
Pines,D. Collective energy losses in solids, 7=2463; Electron interaction in solids, 8=398; Superconductivity in the periodic system, 8=619; Electrons and plasmons, 9=780; See also Bardeen,J. 5=8948; Bohm,D., 7=8034; Bohr,A., 9=583; Low,F.E. 5=5735; Nozières,P., 8=2025-7, 8=6404, 8=8599, 9=2107, 9=6242
Pines,D., Bardeen,J. and Slichter,C.P. Nuclear polarization and impurity-state spin relaxation processes in silicon, 7=5727
Pines,D. and Schrieffer,J.R. Gauge invariance in the theory of superconductivity, 9=2348; Theory of the Meissner effect, 9=3510
Pines,D. and Slichter,C.P. Relaxation times in magnetic resonance, 6=1476
Ping Hok Ong. See Ong Ping Hok.
Ping King Tien, Focusing of a long cylindrical electron stream by means of periodic electrostatic fields, 5=325
Pingault.F. On the new effect of the sensitization to X-rays by infra-red of luminescent products of the type CdZnS: Mn, X. 9=13178
Pingel,J.H. See Goslovich,S.J., 8=7408
Pinho Filho,A.G. Calculation of the (infinite) multiplication constant [K_∞] for homogeneous mixtures of natural uranium and a moderator, 7=4745
Pink,J.F. Selective heating of a cylinder in a viscoelastic medium, 5=811
Pinkau,K. The conversion length of high energy photons, 6=6136; Observations on electromagnetic cascades in nuclear emulsions, 6=6755; Energy determination of electromagnetic cascades in nuclear emulsions, 8=2379; See also Edwards,B., 8=1960
Pinkston,W.T. and Brennan,J.G. Single configuration analysis of Li^6, 8=8275
Pinkus,A.G., Kim,J.S., McAtee, J.L., Jr and Concilio,C.B. X-ray diffraction pattern for monoclinic sulfur, 9=9028
Pinner,S.H. Stress–strain properties of irradiated filled natural rubber, 9=6320
Pinnick,H.T. and Kiive,P. Magnetic susceptibility of carbons and polycrystalline graphites. 11., 6=3840
Pinnock,P.R. See also Lipson,H. 5=4195
Pinnock,P.R. and Lipson,H. Optical-diffraction methods for deducing the effects of hydrogen atoms on X-ray intensities, 5=632
Pinnock,P.R. and Taylor,C.A. The determination of the signs of structure factors by optical methods, 6=3374
Pinsent,B.R.W. A quenching method for studying rapid reactions, 5=5024; See also Pearson,L. 5=5025
Pinsker,Z.G. See also Kurov,G.A., 7=4807, 7=7912, 8=180, 8=7542, 9=8904; Semiletov,S.A. 5=7543, 7=6755
Pinsker,Z.G. and Kaverin,S.V., Electron diffraction investigation of nitrides and carbides of transitional metals, 8=3502
Pinsker,Z.G., Kaverin,S.V. and Troitskaya,N.V. Electron diffraction investigation of molybdenum nitrides, 8=3596
Pinsker,Z.G.Pinsker, Semiletov,S.A. and Belova,E.N. An electronographic determination of the structure of Ti$_2$Sb$_2$Se$_4$. 6=6259; Electron diffraction structural analysis, 8=3594
Pinson,J.T. See Hey,J.S., 7=2447, 7=9753, 9=1195
Pinter,T. The smallest pressure to prevent boiling, 6=1163
Pinto,P. See di Corato,M. 5=376
Piontelli,R. and Montanelli,G. Cell for measurement of polarization voltages in melted electrolytes, 5=592
Piontelli,R., Poli,G. and Paganini,L. Electrochemistry of metallic single crystals. I. Exchange of overvoltages on silver and copper, 8=438
Piontelli,R. and Sternheim,G. Overvoltages at the electrode: melted Pb/PbCl$_2$, 5=8347; Overvoltages in melted electrolytes, 6=1694
Piontelli,R., Sternheim,G. and Francini,M. Overvoltages and passivity in melted electrolytes, 7=824
Piotrowski,S. The diffusion of light through a scattering layer

of great optical thickness, 6=272

Piper,W.W. A digital computer program for determining atomic-wave functions, 7=5; See also Johnson,P.D., 6=6541

Piper,W.W., Marple,D.T.F. and Johnson,P.D. Optical properties of hexagonal ZnS single crystals, 8=8699; Temperature dependence of the optical band gap in ZnS, 9=6751

Piper,W.W. and Williams,F.E. The mechanism of electroluminescence of zinc sulphide, 5=3605; Theory of electroluminescence, 5=6953;

Pipes,L.A. Matrix analysis of heat transfer problems, 7=6092

Pipkin,F.M. Radio-frequency orientation of Sb^{122}, 9=5923; See also Anderson,L.W., 9=1814; Christensen,R.L., 6=3118; Culvahouse,J.W., 9=816; Lemonick,A., 6=2451

Pipkin,F.M. and Culvahouse,J.W. Measurement of the spin and gyromagnetic ratio of As^{76}, 7=8785; Radio-frequency orientation of As^{76}, 8=2525

Pippard,A.B. Trapped flux in superconductors, 5=6153; Ultrasonic attenuation in metals, 5=9499; Thermodynamics of a sheared superconductor, 6=377; The phase transition in superconductors, 6=2896; Thermodynamic relations applicable near a lambda-transition, 6=7367; A proposal for determining the Fermi surface by magneto-acoustic resonance, 7=9769; An experimental determination of the Fermi surface in copper, 8=2651; See also Faber,T.E. 5=8780; Heine,V., 9=1480; Laredo,S.J., 5=4684

Pippin,J.E. See also Rodrigue,G.P., 9=424

Pippin,J.E. and Hogan,C.L. Resonance measurements on nickel-cobalt ferrites as a function of temperature and on nickel ferrite-aluminates, 9=423

Piragino,G. Absorption curve of the penetrating component of the cosmic radiation at a mean atmospheric depth of 680 gr/cm², 9=9738

Pirani,F.A.E. On the influence of the expansion of space on the the gravitational field surrounding an isolated body, 5=25; On the energy-momentum tensor and the creation of matter in relativistic cosmology, 5=3393; The steady-state theory of the homogeneous expanding universe, 5=5168; On the perihelion motion according to Littlewood's equations, 5=7674; Invariant formulation of gravitational radiation theory, 7=3944; Tetrad formulation of general relativity theory, 7=8633; On the definition of inertial systems in general relativity, 7=6840; On the physical significance of the Riemann tensor, 9=6485; See also Bass,L. 5=8476

Pircher,G. Influence of polarization of the emitted waves on radar detection, 5=2038

Pirenne,J. Spontaneous polarization of KH_2PO_4 and KD_2PO_4 crystals versus temperature, 5=4631; Expansion phenomena of hydrogen bonds. I. isotopic expansion in crystals, 6=3353; Dynamics of a crystal lattice containing isotopes, 8=3447

Pirenne,M.H. Moving visual images produced by regular stationary patterns, 8=4604

Pirenne,M.H. and Marriott,F.H.C. Quantum theories of the absolute threshold: the influence of retinal position and area, 5=3349; Absolute threshold and frequency-of-seeing curves, 5=10141

Pires de Carvalho,A.A. Saturation of the photomagnetoelectric effect in germanium as a function of magnetic field, 6=3726; See also Lagrenaudie,J., 6=7398

Pirodda,E. See Zwislocki,J., 9=4189

Piróg,M. See Bójko,I. 9=5794

Pirogov,N.I. See Wilhelmi,Z., 7=8836

Pirson,A. See Roy,R.R. 7=9352

Pisarenko,A.P. See Voyutskiĭ,S.S., 7=1695

Pisarenko,V.F. Remarks on Hacskaylo's papers, 8=1329; The change of conductivity of KBr in strong fields in the temperature range 300-450°C, 8=4034; See also Kosman,M.S. 8=3128

Pisareva,V.V. On the diffraction of radio-waves by random irregularities and intensity fluctuations in the solar and cosmic radio emission, 8=6580

Pisarevskiĭ,A.N. See Nemilov,Yu.A., 7=6515; Shul'man,A.R., 6=5876

Pisent,G. See also Barone,A., 8=1561

Pisent,G. and Villi,C. Effective range theory in nucleon–alpha scattering, 9=9949

Pish,G. See Charles,G.W. 5=9547, 7=4129; Hunt,D.J., 6=3928

Piskarev,E.V. See Meshcheryakov,M.G., 7=6281

Pister,K.S. Flexural vibration of thin laminated plates, 9=4365

Pistorius,C.A. See van Geel,W.C., 8=5917, 8=7842; Winkel,P., 8=6479

Pistorius,C.W.F.T. Evaluation of force constants of tetrahedral hydrides from Raman and infrared data, 7=9773; Force constants of tetrahedral molecules, 8=7438; Evaluation of force constants of plane XY_3 molecules from vibrational data, 9=1817; Potential field and force constants of octahedral molecules, 9=1818; A normal coordinate analysis of the plane XY_6 molecule, 9=6184; Force constants of the P_4 molecule, 9=7414; Normal frequencies of the plane XY_2Z molecule, 9=7423; Normal coordinate treatment and force constants of S_8, 9=7432; A normal coordinate treatment of the plane symmetrical XY_4 molecule, 9=13740

Pistunovich,V.I. See Tel'kovskiĭ,V.G., 7=9731

Pitaevskiĭ,L.P. Derivation of the formula for the energy spectrum of liquid He^4, 7=2134; Concerning the anomalous skin effect in the infrared region, 8=7968; Phenomenological theory of superfluidity near the λ-point, 9=2282; Calculation of the phonon component of mutual friction in superfluid helium, 9=2283; See also Ginzburg,V.L., 8=7869; Gor'kov,L.P., 8=1634; Lifshits,E.M., 8=1658

Pitcher,A.S. See Campbell,I.J., 8=549

Pitcher,D.G. See Binns,J.E., 7=8847

Pitkanen,P.H. Rectangular potential well problem in quantum mechanics, 5=2442

Pitman,D.T. See Waring,W., 8=8455

Pitman,H.W. See Burkardt,L.A., 7=331; Ernsberger,F.M. 5=7729

Pitsch,W. and Lücke,K. On the theory of the elastic after-effect in torsion in carbon-bearing α-iron, 5=2255

Pitt,D.A. See Petro,A.J., 8=2291

Pittendrigh,L.W.D. A radon-in-air monitor for use in mines, 5=6669

Pittendrigh,L.W.D. and Vousden,J.E. A differential ionisation chamber method for continuous flow monitoring of tritium in air in the prescence of a significant gamma background and with occasional traces of radon in the sampled air, 5=8854

Pittman,R.R. See Loper,G.B. 5=1370

Pittman,R.W. See Carasso,J.I., 9=1493

Pitts,E. See also Marriage,A., 7=3876

Pitts,E. and Marriage,A. Relation between granularity and autocorrelation. II, 7=7532

Pitzer,K.S. London force contributions to bond energies, 6=537; A fundamental theory of superconductivity, 7=2257; Nuclear magnetic resonance of sodium–ammonia solutions, 8=9022; See also Herschbach,D.R., 7=814; Ivash,E.V., 6=1427; Li,J.C.M., 6=7583; Millikan,R.C., 8=793; Miyazawa,T., 9=8715; Sinanoglu,O., 9=6342

Pitzer,K.S. and Donath,W.E. Interactions between closed electron shells, 7=6379

Pitzer,K.S. and Hultgren,G.O. The volumetric and thermodynamic properties of fluids. V. Two component solutions, 9=10682

Pivovar,L.I. See also Korsunskiĭ,M.I., 7=1413-14

Pivovar,L.I. and Gordienko,V.I. Micro-discharges and the pre-discharge currents between metal electrodes in high vacuum, 9=8190

Pivovar,L.I. and Tubaev,V.M. Investigation of the electric strength of some compressed gases and gaseous mixtures using an electrostatic generator, 9=3527

Pivovar,L.I., Tubaev,V.M. and Gordienko,V.I. The effect of the electron current component on development of electrical breakdown in high vacuum, 8=8007

Pivovarov,B.M. and Bobovich,Ya.S. The temperature dependence of Raman line intensities in gaseous CO_2 and N_2, 9=12064

Pivovarov,G.Ya. and Semenov,Yu.A. Some technological methods for the reduction of cathode–heater leakage currents, 9=12355

Pivovarov,V.M. On the effect of the internal field on the Raman scattering intensity, 9=12061; See also Bobovich,Ya.S., 7=277, 7=1207*

Piwkowski,T. Photosensitive lead sulphide layers with new properties, 5=955; PbSe and PbTe infra red detectors, 7=5342; Bismuth-tellurium photo-voltaic p–n ''sandwich'', 9=3503; See also Feltynowski,A., 5=2233, 7=5740

Pixley,R.E. See Alburger,D.E., 9=6069; Bader,M., 6=6723; Hester,R.E., 9=2781

Pizer,H.T., Yates,J.G. and Sander,K.F. An automatic electron trajectory tracer, 7=2

Pizzarello,F.A. See de Vaux,L.H., 6=4043

Pizzella,G. See Cini-Castagnoli,G., 9=2136, 9=10675

Pizzini,S. and Barbieri,R. Crystals with lattice disorders. Structural information on promethium oxide, 9=10380

Plachenov,B.T. See Boltaks,B.I., 8=2675, 9=12246

Placious,R.C. See Motz,J.W., 8=8966, 9=5988

Placzek,G. Incoherent neutron scattering by polycrystals, 7=4788

Placzek,G. and Van Hove,L. Interference effects in the total neutron scattering cross-section of crystals, 5=2224
Plainevaux,J.E. Study of deformations of a plate of an elastic suspension, 7=3021; Pitching movement of an elementary suspension on elastic strips, 7=3026
Plakhov,A.G. See Zavoĭskiĭ,E.K. 5=9726
Plamann,W. See Witzmann,H. 7=6019, 8=6866
Planet,W. See Wentink,T.,Jr, 8=6819
Planet,W.G.Jr. See Pemsler,J.P., 6=4999
Plano,R. See also Eisler,F., 7=8859, 7=9530, 8=1208, 8=1212*, 8=2513, 9=2658, 9=2662, 9=2667; Impeduglia,G., 9=2616
Plano,R., Samios,N., Schwartz,M. and Steinberger,J. Demonstration of the existence of the Σ^0 hyperon and a measurement of its mass, 7=8174
Plano,R.J. See Nagle,D.E., 6=6736, 7=3720; Pless,I.A. 7=2356
Planta,C. von. See von Planta,C.
Planta,P.C. von. See von Planta,P.C.
Plaot,M. Improving the accuracy of range finding by an order of magnitude, 7=7805
Plas,R.Van de. See Van de Plas,R.
Plashchinskiĭ,N.T. See Balȳgin,I.E., 7=8588
Plaskett,H.H. The Oxford 35 m solar telescope, 7=25; Interpretation of Fraunhofer-line profiles, 7=41
Plaskett,J.S. Self trapped electrons in a Fermi gas, 5=1075; See also Attree,R.W., 7=2822; Berko,S., 7=7354, 9=7503; Cabrera.N. 5=2297; March,N.H., 6=4215
Plass,G.N. Infrared radiation in the atmosphere, 6=4754; Effect of carbon dioxide variations on climate, 6=4755; Models for spectral band absorption, 9=189; Spectral emissivity of carbon dioxide from 1800-2500 cm^{-1}, 9=9368
Plass,G.N. and Fivel,D.I. A method for the integration of the radiative-transfer equation, 5=9297
Plassmann,E.A. and Langer,L.M. Beta spectrum of radium E, 5=2138
Platas,O., Hurst,R.P. and Matsen,F.A. Electronic structure of LiH ion, 9=10181
Platas,O. and Matsen,F.A. Electronic structure of LiH. IV. Hydrogen atom polarization, 9=6192
Plateau,J. See Henry,G., 7=7458
Platner,E.D. See Kim,Y.B., 9=9746
Platt,J.B. See Camac,M. 5=8805-6
Platt, J.R. On the optical properties of interstellar dust, 6=5611; Wavelength dependence of radiation-noise limits on sensitivity of infrared photodetectors, 6=6646; Wavelength formulas and configuration interaction in Brooker dyes and chain molecules, 6=7609, 7=6379; See also Kruse,U.E. 7=4981
Platteeuw,J.C. and van der Waals,J.H. Thermodynamic properties of gas hydrates, 8=3056
Platzman,P.M. See Iddings,C.K., 9=5093
Platzman,R.L. See Miller,W.F., 7=4456
Plavnik,G.M. See Kolontsova,E.V., 7=8273
Pleasonton,F. See also Snell,A.H. 5=3067, 6=2360, 6=8363, 8=5420, 9=3851
Pleasonton,F. and Snell,A.H. Ionization following internal conversion in xenon, 7=9373
Plebański,J. A supplement to L.Infeld's lecture on electrodynamics without potentials, 5=5213; The work of D.Bohm on the interpretation of quantum theory with the aid of hidden parameters, 5=5213; The elementary law [of interaction] and nonlinear electrodynamics, 5=5213; Wave functions of a harmonic oscillator, 6=4844; On certain wave-packets, 6=6381. See also Bochenek,K., 6=8286, 7=5481; Infeld,L. 5=6739, 5=9349, 7=96, 7=544, 7=5023-5, 7=5038, 7=6864
Plebański,J. and Sawicki,J. Remarks on the relativistic two body problem in the classical scalar meson field theory, 6=7135
Plebanskiĭ,G.I. On the spin of the τ-meson, 8=2506
Plechata,R. Contribution to the mutual relationships of crystal and stress optics, 8=5744
A geometric interpretation of double refraction in photo-elasticity, 8=6889
Plecitý,M. See Lom,T. 7=9707
Pleiter,D, See Nicholls,R.W., 7=4239
Plenard,E. See Le Rolland,P., 7=5090, 7=5144
Pless,I.A. Proton–proton scattering at 457 MeV in a bubble chamber, 7=2332; See also Campbell,N.P., 7=2355
Pless,I.A., Brenner,A.E., Williams,R.W., Bizzarri,R., Hildebrand,R.H., Milburn,R.H., Shapiro, A.M., Strauch,K., Street,J.C. and Young,L.A. Asymmetry of low-energy positrons from muon decay, 8=690
Pless,I.A. and Plano,R.J. Negative pressure isopentane bubble chamber, 7=2356
Plesse,H. New recording optical measuring instruments, 5=3661; See also Jung,E., 9=5477
Plesset,M.S. See also Helfferich,F., 9=908; Zwick,S.A. 5=5913
Plesset,M.S., Helfferich,F. and Franklin,J.N. Ion exchange kinetics. A nonlinear diffusion problem. II. Particle diffusion controlled exchange of univalent and bivalent ions, 9=6339
Plesset,M.S. and Mitchell,T.P. On stability of the spherical shape of a vapor-cavity in a liquid, 7=1105
Plessner,K.W. Ageing of the dielectric properties of barium titanate ceramics, 7=2175
Plessner,K.W. and West,R. Replacement of Ti in $BaTiO_3$ ceramic by Si and Ge, 6=3709
Plester,D.W., Rogers,S.E. and Ubbelohde,A.R. Calorimetry by the method of mixtures, 6=5054
Pleteneva,I.A. See Gliki,N.V., 7=8263; Timofeeva,V.A. 9=12865
Plettinger,H.A. See Zachariasen,W.H., 9=9043
Pligin,Yu.S. See Meshkovskiĭ,A.G., 7=2710, 7=3735, 8=2497
Plimmer,R.N.A. See Merson,R.H. 9=5338
Plint,C.A. Laboratory courses for physics majors, 9=3079; See also Theimer,O., 8=3904
Plint,C.A., Theimer,O. and Sibley,W.A. Light-scattering by charged dislocations in ionic crystals, 9=1342
Plishkin,Yu.M. See Orlov,A.N., 9=8774
Pliskin,W.A. See also Eischens,R.P. 5=608
Pliskin,W.A. and Eischens,R.P. Infrared spectra of chemisorbed olefins and acetylene, 6=3625
Plock,F.M. See Levin,S.B. 5=8628
Plock,R.J. See Kirkwood,J.G. 5=3489, 6=3517
Ploke,M. See Keller,M., 6=7451
Plomp,R. and Bouman,M.A. Relation between hearing threshold and duration for tone pulses, 9=10472
Plonsey,R. Diffraction by cylindrical reflectors, 8=663, 8=1140
Plonsey,R. and Hsu, Hwei-Piao, Diffraction by a slit, 9=12149
Plooster,M.N. and Reed,T.B. Carbon-hydrogen-acetylene equilibrium at high temperatures, 9=8954
Plumb,R.C. Technique of microautoradiography for metal specimens, 5=7593; See also Hornig,D.F., 7=6001
Plumb,R.C. and Hornig,D.F. Infrared spectrum, X-ray diffraction pattern, and structure of ammonium fluoride, 5=6002
Plumb,R.C. and Lewis,J.E. How to minimize errors in neutron activation analysis, 6=777
Plumb,R.C. and Silverman,R.H. Activation analysis determines sodium content of aluminium alloys, 5=3249
Plume,Z.Ya, See Taksar,I.M., 6=2249
Plumlee,R.H. The electron donor centers in the oxide cathode, 6=8263; Principal electron donors in the oxide cathode, 6=8264; Space charge neutralization in the ionizing beam of a mass spectrometer, 8=2361; See also Matheson,R.M., 8=643
Plummer,A.R. The effect of heat treatment on the breakdown characteristics of silicon pn junctions, 9=1462
Plummer,A.R.F. Observations on the growth of excess current in germanium p–n junctions, 6=6644, 7=7888
Plump,R.E. See Liao,T.W. 9=6873
Plumpton,C. Axially symmetric torsional oscillations of a star in the presence of a poloidal magnetic field, 8=4683; The propagation of hydromagnetic waves of finite amplitude in a horizontally stratified atmosphere, 9=7210; See also Ferraro,V.C.A., 8=2430
Plumpton,C. and Ferraro,V.C.A. On toroidal magnetic fields in the sun and stars, 5=5191
Pluvinage,P. Systematic approximations in the solution of Schrödinger's equation for atoms with two electrons. I. Principle of the method. Symmetrical S-states, 6=1493; On the rigorous solution of Schrödinger's equation for atoms with two electrons, 6=6090; On the theoretical value of the energy of the ground state of He I, 7=9833; See also Dornstetter,M. 9=12722; Munschy,G., 7=8423; See also Paskievici,W., 6=6390
Pluvinage,P. and Proriol,J. The range–depth relation in the deuteron problem, 8=1215
Plyat,Sh.N., The problem of extending Odelevskiĭ's generalized theory of conduction to thermal conductivity, 8=3919
Plyavin',I.K. Kinetics of γ-scintillations in thallium-activated sodium iodide crystals, 7=9627. Duration of photoluminescence of alkali halide crystals, activated with Tl or In, 9=9476
Plyler,E.K. See also Allen,H.C.,Jr, 5=3570, 5=8963, 6=1977, 6=7293, 6=8104-5, 7=2031, 7=4152, 7=5199, 7=6004, 9=201; Benedict,W.S., 6=5282, 6=5780, 8=4375, 9=1822, 9=3291;

Mann,D.E., 6=233-4, 6=4320, 5=5197

Plyler,E.K. and Acquista,N. Small grating spectrometer for the far infrared region, 5=5975; Infrared measurements from 50 to 125 microns, 6=7283; Transmittance and reflectance of cesium iodide in the far infrared region, 9=1326

Plyler,E.K., Allen,H.C., Jr and Tidwell,E.D. Emission spectrum of carbon monoxide from 2.3 to 2.5 microns, 9=2202

Plyler,E.K. and Blaine,L.R. Infrared emission spectrum of methane at 3.3 microns, 8=3855. Infrared measurements with a small grating from 100 to 300 microns, 8=3860. Infrared high-resolution grating spectrometer, 9=4435

Plyler,E.K., Blaine,L.R. and Connor,W.S. Velocity of light from the molecular constants of carbon monoxide, 5=2545

Plyler,E.K., Blaine,L.R. and Nowak,M. Reference wavelengths for calibrating prism spectrometers, 7=5973

Plyler,E.K., Blaine,L.R. and Tidwell,E.D. Infrared absorption and emission spectra of carbon monoxide in the region from 4 to 6 microns, 6=3607. Precise measurement of wavelengths in infrared spectra, 6=6513

Plyler,E.K., Tidwell,E.D. and Allen,H.C. Jr. Near infrared spectrum of nitrous Oxide, 6=1978

Plyusnina,I.I. See Grum-Grzhimailo,S.V., 9=9425

Plyutto,A.A. See Bondarenko,V.V., 5=7017; Kvartskhava,I.F., 6=5130, 7=3196

Pniewski, J. New model-hypothesis of the nucleus, 5=5213

Pnueli, D. Some thermodynamic properties of Freon-12, 9=3410

Po Lee. Photodissociation and photoionization of oxygen (O_2) as inferred from measured absorption coefficients, 5=8629

Po Lee and Weissler,G.L. Absorption cross section of helium and argon in the extreme ultraviolet, 5=7840

Poc Kwon,Y., Ôba,J. and Gotô.,T. Phenomenological consideration on the hyperfragments, 8=736

Pocholle,G. The electric current and quantum mechanics, 8=4947. Probability and statistics in electric current theory, 9=12294

Pochon,M. See Jordan,P., 7=9421; Stähelin,P., 5=9040

Pócs,L. See Kálmán,G., 8=5413

Pócsik,G. $\hbar$-quantization of the free, bilocal boson field, 9=6512. Connection between the isorotator model of the hot particles and the d'Espagnat–Prentki theory, 9=13008

Pócza,E.F. See Groma,G.A., 9=8431

Poddar,R.K. On the quantitative relation between isotopic beta radiation and its photographic response, 5=9336. Direct approach to quantitative autoradiography, 9=13989

Podgoretskiĭ,I.M. See Gramenitskiĭ,I.M., 6=7731

Podgoretskiĭ,M.I. Note on succession transitions in mesic atoms, 6=2323. On the question of superposition in internal states of elementary particles, 8=5640. See also Azimov,S.A., 7=4700; Bannik,B.P., 8=8281; Bayatyan,G.L., 9=13665; Gol'danskiĭ,V.I., 5=8282, 5=9905, 6=8366; Gramenitskiĭ,I.M., 5=1974, 5=4272, 5=8227, 6=5195; Varfolomeev,A.A., 7=1431

Podgoretskiĭ,M.I. and Rozental',I.L. Some regularities of the decay of mesons into three particles, 5=1231*

Podgoretskiĭ,M.I., Rozental',I.L. and Chernavskiĭ,D.S. On fluctuations in collisions of particles of high energy, 6/62

Podgoretsky,M.I. See Zastavenko,L.G., 8=3309

Podgornyĭ,I.M. X-ray emission at the commencement of a gas discharge, 7=427. See also Artsimovich,L.A., 8=3262; Koval'skiĭ,N.G., 9=2370

Podgornyĭ,I.M. and Chuvatin,S.A. X-radiation from a powerful pulse discharge in xenon, 8=2351

Podgornyĭ,I.M., Koval'skiĭ,N.G. and Pal'chikov,V.E. Electrons and hard X-radiation excited in power pulsed discharge, 9=7015

Podgurskaya,A.V. See Flerov,G.N., 9=11173; Grigorov,N.L., 8=6018, 9=2837

Podmoshenskiĭ,I.V. See Ogurtsova,N.N., 8=5066

Podolanski,J. See Umezawa, H., 5=5867

Podolsky,B., Kushevics,G. and Rivers,J.L. U-Effect-III; effect of liquid drop motion in mercury–electrolyte capillary tubes, 7=6664

Podolsky,R.J. Transport processes in electrolyte solutions, 9=10348

Podoshevnikov,B.F. See also Gudemchuk,V.A., 9=11960

Podoshevnikov,B.F. and Tartakovskiĭ,B.D. Attenuation of finite-amplitude plane acoustic waves in gases, 9=5452

Podzuweit,G. A method for the time study of the vibrations of the vocal organs, 6=6274

Poë,A.J. The radioactivity of ^{183}Ta, ^{185}Ta, ^{183m}W and ^{185m}W, 5=6418. Radioactive ^{186} tantalum, 6=3132. See also Butement,F.D.S., 5=475, 5=5600

Poen Ong Sing. See Ong Sing Poen,

Poeverlein,H. Long-range m-, dm- and cm-waves, 6=6812

Poffé,N. See also Albouy,G., 9=13629

Poffé,N., Riou,M. and Teillac,J. Formation of mercury isotopes 197, 195 and 194, by the reaction of 155 MeV protons on gold, 9=12670

Poganski,S. low-capacitance Se rectifiers, 5=7052

Pogo,A.Oscar. See Oscar Pogo,A.

Pogorzelski, W. Problem of stationary motion in a radiating gaseous layer, 5=18

Pohl,E. A simple threefold coincidence circuit using only one EQ 80 (6 BE 7) valve, 6=5176. See also Fasoli,U., 7=8002, 8=647; Filosofo,I., 5=1975, 6=5199

Pohl, H.A. Some effects of nonuniform [electric] fields on dielectrics, 9=282

Pohl,H.A. and Schwar,J.P. Factors affecting separations of suspensions in nonuniform electric fields, 9=6900

Pohl,H.J. See Görlich,P., 8=256

Pohl,R.G., Solute redistribution by recrystallization, 5=115. Hall effect measurement in semiconductor rings, 9=12308

Pohl-Rüling,J. See Fasoli,U., 7=8002, 8=647; Filosofo,I., 5=1975, 6=5199

Pohlack,H. New methods of chromatic and achromatic beam splitting, 8=5802

Pohlit,W. See Breuer,H., 9=4901

Pohm,A.V. See also Nichols,R.T., 5=8012; Olson,C.D., 9=420

Pohm,A.V., Waddell,R.C. and Jensen,E.N., Small-order effects in beta spectra, 6=3150

Pohm,A.V., Waddell,R.C., Powers,J.P. and Jensen,E.N. Beta spectrum of C^{14}, 5=3060

Pohoski,R. See Głowacki,J., 9=12105

Poiani,G. On the development of the atmospheric photon component, 6=3805. See also Beretta,E., 6=1318; Cernigoi,C., 5=2843, 6=427; Clementel,E., 5=9962, 6=694; Demanins,F., 9=5819; Falla,D.F., 7=8887

Poiani,G. and Reina,I. Investigation of quantum electrodynamics at short distances by means of bremsstrahlung and pair production, 9=11345

Poiani,G. and Salvatori,G. On the positive excess at low energies and at sea level, 7=505

Poincelot,P. Reflection of a plane electromagnetic wave from an ionized medium, 5=9784. Reflection of a plane electromagnetic wave from an ionized gas following a certain law, 5=9785. On a diffraction problem, 6=505. Reflection of a plane electromagnetic wave by an ionized gas, 6=1407. Reflection of an electromagnetic plane wave in a stratified ionized gas, 6=2256. Rigorous solution of a particular diffraction problem, 6=4527. Reflection of radio signals from the ionosphere, 6=6813. On the notion of infinitely thin screens of infinite conductivity, 7=2438. On Babinet's theorem, in terms of electromagnetic theory, 7=5248. Influence of collisions on ionospheric reflection, 7=8031. On ionospheric reflection in the presence of collisions, 7=9283. Propagation of a plane electromagnetic wave across an ionospheric layer, 8=244. On the edge condition in diffraction problems, 8=7209. Diffraction of a plane electromagnetic wave by a semi-infinite perfectly conducting sheet, 8=8945. On the boundary condition at edges, 9=3668. Uniqueness criterion for the solutions of Maxwell's equations, 9=8390

Poindexter, E. See also Giardini,A.A., 9=1349

Poindexter,E. and Giardini,A.A. Elastic constants of strontium titanate ($SrTiO_3$), 9=873

Poinsot,G. and Mathieu,J.P. Dispersion of the refraction of some cubic crystals, 6=191

Pointon,A.J. See Cousins,J.E., 8=1181; Nash,W.F., 7=1428, 8=8231

Poirier,J.C. Integral equation method for determining approximate fluid distribution functions, 7=7627

Pokhil'ko,L.G. See Kolesnikov,V.N., 8=1081

Pokrovskaya-Soboleva,A.S. and Klyarfel'd,B.N. Ignition of a high-voltage discharge in hydrogen at high rarefactions, 8=1715

Pokrovskiĭ,E.I. and Kotova,I.P. Infrared spectroscopic study of crystallinity of certain polymers, 7=2833

Pokrovskiĭ,V., Ulinich,F. and Savvinykh,S. Non-local reflection in waveguides of varying cross-section, 9=11292

Pokrovskiĭ,V.L. On Onsager's theory of a lattice of dipoles, 5=10064. Theorem on the equality of the photoproduction cross-sections of charged π-mesons in nuclei with zero isotopic spin, 7=2709. Generalization of gauge invariance and combined inversion, 8=1490

Pokrovskiĭ,V.L. and Rumer,Yu.B., Note on Pauli's theorem concerning the connection of spin and statistics, 7=1899. Problem of conservation of parity in the theory of elementary particles, 8=1492

Pokrovskiĭ,V.L., Savvinȳkh,S.K. and Ulinich,F.R. Super-barrier reflection in the quasi-classical approximation, 9=1092; II. 1093

Pokrovskiĭ,V.N. See Gorodinskiĭ,G.M., 7=7327

Pokrovskiĭ,Ya.E. Influence of surface levels on the electric characteristics of fine-grained films of germanium, silicon and tellurium, 5=6130. See also Givargizov,E.I., 8=6999; Kleshchevnikova,S.I., 9=1463

Polacco,E. See Chevalier,A., 5=7212

Polak,A. Measurements of atmospheric electric conductivity in Bad Gastein, 6=6272

Polak,H.L., Schoo,W., Schram,B.L., Girgis,R.K. and van Lieshout,R. Gamma radiation from ^{141}Nd, 8=5304

Polanyi,J.C. Rates of isotopic reactions between methyl and hydrogen, 5=9205. A theoretical discussion of the conditions necessary for chemiluminescence, 6=8701. See also Cashion,J.K., 8=8498, 9=6773-4, 9=8949

Polanyi,M.L. Volume and index measurements of blood cells with a recording diffractometer, 9=11672

Polášek,J. Turbulent flow in the gap between two cylinders, the inner of which rotates, 7=7647

Polder,D. See van der Pauw,L.J., 7=3296

Poldervaart,L.J. See Poulis,J.A., 7=1433

Poleshchuk,T.V. See Grigor'ev,E.P., 8=739

Polesya,A.F. and Finkel'shteĭn,B.N. The influence of short-range order on the electrical resistivity of ordering alloys, 8=8757

Poley,J.P. Dielectric properties of tellurite glasses, 5=277. The computation of the complex dielectric constant from microwave impedance measurements, 5=919. Microwave dispersion of monosubstituted benzenes; evidence for molecular resonance absorption, 5=3710. Microwave dispersion of some polar liquids, 5=7939

Polezzo,S. See Favini,G., 8=2958

Poli,G. See Piontelli,R., 8=438

Polikanov,S.M. See also Druin,V.A., 8=1985; Flerov,G.N., 8=6316

Polikanov,S.M., and Druin,V.A. Fission of nuclei of heavy elements produced by impinging carbon, nitrogen and oxygen nuclei, 9=13699

Polikarov,A.P. On Cherenkov radiation of cosmic particles in the earth's atmosphere, 6=1336

Polikarpov,Yu.A. See Gruzin,P.L., 8=4454

Polinsky,D.M. and Young,F.A. Effect of hue durations on adaptation to darkness, 6=3405

Polishchuk,D.I. See Fedoseev,V.A., 7=1227

Politov,N.G. Colour centres in crystalline KCl and in KCl with Ag* impurity, 8=7513

Politova,N.M. On the physical properties of the antimony-caesium cathode, 5=298

Politycki,A. and Fuchs,E. Electron microscopical investigation of electrolytically formed oxide films from silicon, 9=13825

Politycki,A., Fuchs,E. and Holtermann,I. Application of the nickel replica method to the electron microscopical imaging of etched polished sections of copper, 8=4468

Polivanov,K.M. Towards the theory of the measurement of μ and ϵ of semiconducting ferromagnetics, 7=7221

Polivanov,M.K. On a new derivation of the equations for the Green's functions in quantum electrodynamics, 5=8490. Dispersion relations for the scattering of K-mesons by nucleons, 8=3311. Production of heavy mesons and hyperons, with a comment on dispersion relations, 8=4242. See also Medvedev,B.V., 9=9196, 9=12991

Polk,M.L. See Green,M., 5=832

Polke,M., Storch,G. and Stöckman,F. Saturated photocurrents in hexagonal selenium, 9=13322

Polkinghorne,J.C. Renormalization of the transformation operators of quantum electrodynamics, 5=1512. Temporally ordered graphs in quantum field theory, 5=1542. On the Feynman principle, 5=5868. Temporally ordered graphs and bound state equations, 6=54. On the integral equation for the Heisenberg current operator, 6=5697. General dispersion relations, 6=7141. Many-body forces and the many-body problem, 7=7283. Causal products in quantum field theory, 7=8986. On the strong interactions, 8=504. Renormalization of axial vector coupling, 8=3701; II. 8=6623. Causal amplitudes and the Yang–Feldman formalism, 8=4747. A theoretical basis for a possible theory of β-decay, 8=5321. Pais doublets and the universal Fermi interaction, 9=7788. See also Fairlie,D.B., 8=3720, 8=5643; Kahana,S., 7=8579, 8=500; Kemmer,N., 9=4281; Kibble,T.W.B., 8=56, 8=2782; Salam,A., 6=2653

Polkinghorne,J.C., Pursey,D.L. and Santa Maria,H.A. K-meson decays through a Fermi interaction, 7=6599

Polkovskiĭ,I.M. Devices for the protection of hearing from the traumatic action of noises, 6=5584

Poll,J.D. See Broese van Groenou,A., 7=8566; Winkel,P., 5=5368

Pollack,I. The masking of speech by repeated bursts of noise, 5=1647. Method of reproduction and the identification of elementary auditory displays, 5=3356. Intensity discrimination thresholds under several psychophysical procedures, 5=3359. "Long-time" differential intensity sensitivity, 5=4260. Masking by a periodically interrupted noise, 5=4480. Sound level discrimination and variation of reference testing conditions, 5=7581. Sound level identification and intertrial stimulus variations, 6=1016. Identification of sound level and "matching from sample", 6=4281. Identification and discrimination of components of elementary auditory displays, 7=981. Speech intelligibility at high noise levels: effect of short-term exposure, 8=2214. Speech communications at high noise levels: the roles of a noise-operated automatic gain control system and hearing protection, 8=3834. Loudness of periodically interrupted white noise, 8=8665. Message procedures for unfavorable communication conditions, 8=9195. On indices of signal and response discriminability, 9=10471. Identification of elementary auditory displays and the method of recognition memory, 9=11694. See also Decker,L., 9=968; Decker,L.R., 9=13979; Pickett,J.M., 9=1982, 9=4187; Sumby,W.H., 9=966

Pollack,I. and Decker,L.R. Confidence ratings, message reception, and the receiver operating characteristic, 8=9196

Pollack,I., Decker,L.R. and Rubenstein,H. Intelligibility of selected message-sets, 9=1977

Pollack,I. and Johnson,L.B. Reproduction and identification of elements of auditory displays, 9=4188

Pollack,I. and Pickett,J.M. Effect of noise and filtering on speech intelligibility at high levels, 8=2211. Masking of speech by noise at high sound levels, 8=2212. Interaural effects upon speech intelligibility at high noise levels, 8=2215. Stereophonic listening and speech intelligibility against voice babble, 8=2927. Intelligibility of peak-clipped speech at high noise levels, 9=4190

Pollack,I., Rubenstein,H. and Decker,L. Intelligibility of known and unknown message sets, 9=6658

Pollack,I. and Tecce,J. Speech annunciator warning indicator system: preliminary evaluation, 8=8668. Standardized communications and message reception, 8=9194

Pollack,I. and Trittipoe,W.J. Binaural listening and interaural noise cross correlation, 9=11690

Pollack,S.R. See Harrison,S.E., 9=443

Pollak,H.O. and Frisch,H.L. The time lag in diffusion. III, 9=13070

Pollak,L.W. and O'Connor,T.C. A photo-electric condensation nucleus counter of high precision, 7=1771. Decay of aerosols in small and very small vessels and a static method for determining the size of condensation nuclei, 7=1795

Pollak,L.W., O'Connor,T.C. and Metnieks,A.L. On the determination of the diffusion coefficient of condensation nuclei using the static and dynamic methods, 8=8555

Pollak,M. Piezoresistance in heavily doped n-type germanium, 9=3515; See also Dean,C., 9=511

Pollak,M.J. Surface reflection of sound at 100 kc, 8=2204

Pollara,L.Z. and Funke,P.T. Note on a new potential function, 9=13759

Pollard,E. Radiation inactivation of enzymes, nucleic acids and phage particles, 9=11678

Pollard,J. Progress in vacuum technology, 9=3217

Pollehn,H. See Bormann,M., 9=13182

Pollentier,R. See van Itterbeek,A., 9=8282

Pollermann,M. Constructional components in physical technology, 6=1827. See also Hohmann,H., 9=12706

Pollett,W.F.O. Rheological behaviour of continuously sheared polythene, 5=7444

Polling,J.J. See Charlesby,A., 5=2632

Pollock,J.C.McC. The calibration of microthermostats for X-ray measurements on crystals, 6=1748

Pollycove,M. See Hine,G.J., 5=4753

Polmear,I.J. and Bainbridge,I.F. Precipitate instability during unidirectional extension of an age hardened aluminium–zinc–magnesium alloy, 8=7562

Polo,S.R. Matrices D^{-1} and G^{-1} in the theory of molecular vibrations, 6=6049. Energy levels of slightly asymmetric top molecules, 7=9774. See also Meal,J.H., 7=6047-8; Newman,C., 7=2514

Polo,S.R., Palm,A., Voelz, F.L., Cleveland,F.F., Meister,A.G., Bernstein,R.B. and Sherman,R.H. Substituted methanes. XXVI. Raman and infrared spectral data, assignments, potential constants, and thermodynamic properties for $CHBrCl_2$ and $CDBrCl_2$, 5=6015

Polo,S.R. and Wilson,M.K. Infrared intensities in liquid and gas phases, 6=1049*

Poloskov,S.M. Identification of the infrared spectrum of the comets, 5=8452

Poloskov,S.M. and Nazarova,T.N. Investigation of the solid constituent of interplanetary matter using rockets and artificial earth satellites, 8=4646

Polotskiĭ,I.G. and Khodov,Z.L. The velocity of ultrasonics in Sn–Bi liquid alloys and their compressibility, 8=7765

Polotskii,I.G., Taborov, V.F. and Khodov,Z.L. Apparatus for measuring the velocity of ultrasound in liquid metals, 9=11928

Polovikov,F.I. Experiments on electrets, 8=606

Polovin,R. See Akhiezer,A., 7=4401

Polovin,R.V. Radiative corrections for electrons scattered by electrons or positrons, 7=2307. Non-linear theory of longitudinal plasma oscillations, 7=4402. Zemplen's theorem in relativistic hydrodynamics, 9=10568. See also Akhiezer,A.I., 6=8223,* 9=2524; Lyubarskii,G.Ya., 9=13505

Polovin,R.V. and Lyubarskii,G.Ya. The impossibility of rarefaction waves in magnetohydrodynamics, 9=13506

Polovin,R.V. and Tsintsadze,N.L. Longitudinal oscillations of electron–ion beams, 8=1088. Circular waves in an electron–ion beam, 8=8157

Poltinnikov,S.A. See also Maslakovets,Yu.P., 7=4372

Poltinnikov,S.A. and Stil'bans,L.S. The influence of recombination processes on galvanomagnetic effects, 7=7911

Poltz,J. Influence of knife edges and pans on the sensitivity and period of balances, 8=6684

Polubarinov,I.V. Bound states and scattering of baryons in contact interaction, 9=1646

Polyak,L.S. See Bubnov,N.N., 9=9815*

Polyakov,A.M. See Ginzburg,N.I., 8=6961

Polyakov,L.M. See Garber,R.I., 7=799, 9=12817, 9=13816

Polyakova,A.L. On absorption of finite-amplitude sound [waves] in a relaxing medium, 9=4388. Thermodynamic theory of absorption of finite-amplitude sound in relaxing media, 9=7893. See also Gvozdover,S.D., 6=5309

Polyakova,L.V. See Marinin,V.A., 9=3430

Polze,S. See Ritschl,R., 9=3356

Pomanskiĭ,A.A. See Nikol'skiĭ,S.I., 9=2468

Pomerance,H.S. See Macklin,R.L., 6=7692

Pomeranchuk,I. A generalization of Vord's [Ward's] theorem to the case of light of finite wavelength $[\underline{k}^2 = 0, \underline{k}_\mu \pm 0]$ for particles with spin 0, 5=9412. Renormalization of the meson charge in pseudoscalar theory with pseudoscalar coupling, 7=1059. On the tending to zero of the renormalized meson charge in pseudoscalar theory with pseudoscalar coupling, 7=1060. Note on the number of different types of K-mesons, 7=6587. See also Ioffe,B., 7=7406

Pomeranchuk,I.J. See Achiezer,A.I., 9=12534

Pomeranchuk,I.Ya. Isotopic invariance and the scattering of antinucleons by nucleons, 6=5829. Solution of the equations of pseudoscalar meson theory with pseudoscalar coupling, 7=1061. Semiphenomenological theory of production of π-meson pairs by high-energy γ-rays, 7=3724. Production of π-meson pairs by γ-rays in the case of heavy atoms, 7=3725. Equality between the interaction cross-sections of high-energy nucleons and antinucleons, 8=8219. Isotopic effect in the residual electrical resistance of metals, 9=2316. On the stability of a Fermi liquid, 9=11895*. See also Abrikosov,A.A., 8=6628; Akhiezer,A.I., 6=5959, 7=2634, 9=9763; Berestetskiĭ,V.B., 6=3293, 7=2690; Galanin,A.D., 7=1070; Ioffe,B.L., 7=3002, 7=8871; Landau,L.D., 5=550; Okun',L.B., 6=6889, 9=555, 9=8440, 9=11815

Pomeranchuk,I.Ya., Sudakov,V.V. and Ter-Martirosyan,K.A. Vanishing of renormalized charges in field theories with point interaction, 6=7126

Pomerančuk,I. Vanishing of the renormalized charge in electrodynamics and in meson theory, 6=6385

Pomerančuk,I.Ya. See Abrikosov,A.A., 8=8594

Pomerans,A.J.(Transl.). The principles of electrophoresis, 9=8182

Pomerantsev,N.M. The dynamic method of studying nuclear paramagnetism, 6=1379. See also Gvozdover,S.D., 6=5309; Kessenikh,A.V., 7=6462

Pomerantz,M. See Knight,W.D., 7=2538

Pomerantz,M.A. Primary alpha particles in the cosmic radiation near the geomagnetic equator, 6=363, 5=3866. Latitude effect of cosmic radiation at low altitudes, 5=4772. Cosmic-ray observations at very high altitudes during periods of intense solar activity, 6=4481. See also Marshall,J.F., 7=6174; Shatas,R.A., 5=990, 6=5933, 8=8770

Pomerantz,M.A. and Agarwal,S.P. Further observations on the nature of the current reduction in the primary cosmic ray intensity, 9=1569

Pomerantz,M.A., Agarwal,S.P. and Potnis,V.R. Direct observation of periodic variation of primary cosmic-ray intensity, 8=2383. Nature of the current reduction in the primary cosmic ray intensity, 8=8099

Pomerantz,M.A., Shatas,R.A. and Marshall,J.F. Electrical conductivity induced in MgO crystals by 1.3 MeV electron bombardment, 5=7957

Pomeroy,C.D. and Morgans,W.T.A. The tensile strength of coal, 6=6978

Pompéia,P.A. Distribution problems related to statistical physics, 9=982

Ponce de León,J.Montes. See Montes Ponce de León,J.

Pond,R.B. See Lauriente,M., 6=7768

Pondrom,L.G. Positive pion production in proton–proton collisions at 450 MeV, 9=11365. Proposal for a method of polarizing 1 MeV deuterons, 9=11470. See also Crewe,A.V., 8=1870, 9=9954

Pondy,P.R. and Beachell,H.C. Near infrared spectra of diborane, pentaborane, and decaborane, 6=7292

Ponomarev,P.V. Transient processes in piezovibrators, 8=4808

Pontarelli,D.A., Wise,R.B. and Olson,O.H. Mark sensing in optical computations, 8=6793

Pontecorvo,B.M. See under Pontekorvo,B.M.

Pontekorvo,B. Mesonium and antimesonium, 8=2478. Inverse β-processes and nonconservation of lepton charge, 9=46. See also Danȳsh,M., 7=8196; Ignatenko,A.E., 7=2623; Mukhin,A.I., 7=2700-1, 9=2605; Okun',L., 8=1810

Pontekorvo (Pontecorvo),B.M. On the processes of production of heavy mesons and V_1^0 particles, 6=701. One-meson and no-meson annihilation of antinucleons, 6=7134. See also Balandin,M.P., 6=4021; Ignatenko,A.E., 5=9141, 6=637, 6=5421; Novikov,A.N., 6=3295; Reut,A.A., 5=9037

Pontekorvo [Pontecorvo],B.M. and Selivanov,G.I. The formation of π^0 mesons by neutrons, 5=7393. Formation of π^0 mesons at hydrogen deuterium by neutrons of energy 400 MeV, 5=9146

Pontier,J. Production of very homogeneous magnetic fields for the study of fine structure in nuclear paramagnetic resonance, 6=2248

Ponyatovskii,E.G. P–T diagrams of thallium, 9=13227

Ponyatovskiĭ,E.G. See Butuzov,V.P., 7=1224, 7=7820, 7=8228

Pool,R.A.H., Shields,B.D.C. and Staveley,L.A.K. The triple point of argon as a thermometric fixed point, 8=3046

Poole,C.P.,Jr, and Anderson,R.S. Electron spin resonance of ultraviolet irradiated compounds. I. Unsaturated hydrocarbons, 9=9817

Poole,H.G. see Cohn,H., 6=3063

Poole,H.H. See Atkins,W.R.G., 5=7809

Poole,J.B.le. See le Poole,J.B.

Poole,J.H.J. and White,J.N.T. The use of nuclear plates for the measurement of the diffusivity of an alpha ray active tracer into a solid, 5=9985

Poole,K.M. Emission from hollow cathodes, 5=9735

Poole,M.J. See Allan,D.L., 5=9903

Poor,E.W.,Jr. See Loebner,E.E., 9=12127

Pop,M. See Popovici,S., 7=6677

Popat,P.V. and Hackerman,N. Capacity of the electrical double layer and adsorption at polarized platinum electrodes. I.

Pope,M.I. An automatically recording vacuum balance, 7=7640

Adsorption of anions, 9=12851

Pope,D.F.D. See Bleaney,B., 7=2486; Hutchison,C.A.,Jr, 7=6710

Pope,J.H. Diurnal variation in the occurrence of "dawn chorus", 8=464. See also Helliwell,R.A., 8=6563

Pope,M. See Kallmann,H., 9=4105, 9=6992

Pope,R.A. See Chick,D.R., 7=702; Hunt,S.E., 7=7374

Popel,S.I. See Krasovskiĭ,N.N., 7=4013

Poperekova,L.M. See Grigorov,N.L., 9=2837

Popescu,I. See Badareu,E., 8=8003

Popić,R.V. On the spin and parity of the first excited state of ^{19}O, 7=5553

Popkov,V.I. On the problems of the theory of the bipolar direct-current corona, 7=8644. On the critical gradients of the corona, 7=8646

Pople,J.A. The electronic spectra of aromatic molecules. II. A theoretical treatment of excited states of alternant hydrocarbon molecules based on self-consistent molecular orbitals, 5=2971. Molecular orbital perturbation theory. I. A perturbation method based on self-consistent orbitals, 6=3077. Proton magnetic resonance of hydrocarbons, 7=589. Application of self-consistent molecular orbital methods to π-electrons, 7=5533. Simplified self-consistent molecular orbital methods and applications to hydrocarbons, 7=6379. The theory of chemical shifts in nuclear magnetic resonance. I. Induced current densities, 7=6460. II. Interpretation of proton shifts, 7=6461. The effect of quadrupole relaxation on nuclear magnetic resonance multiplets, 8=3324. Nuclear magnetic resonance and rotational isomerism in substituted ethanes, 8=3427. Nuclear spin coupling by electron orbital polarization, 9=13751. See also Alder,B.J., 7=4579; Bernstein,H.J., 6=7593, 7=6404; Buckingham,A.D., 5=9624, 6=317*, 6=8036-7, 7=1216, 7=9672, 8=4941; Hush,N.S., 5=6250; Longuet-Higgins,H.C., 5=8127, 7=1945, 8=2007; Marshall,T.W., 9=13727; Murrell,J.N., 6=6054; Schneider,W.G., 8=2620

Pople,J.A. and Longuet-Higgins,H.C. Theory of the Renner effect in the NH$_2$ radical, 9=13741

Pople,J.A. and Schofield,P. Molecular orbital perturbation theory. II. Charge displacement and stabilization in conjugated molecules, 6=3078. Electric polarizability of atoms and molecules, 7=8789

Pople,J.A. and Sidman,J.W. Intensity of the symmetry-forbidden electronic absorption band of formaldehyde, 8=3420

Popoff,K. Thermodynamics of irreversible processes. Gaseous systems. Dissociation of HI, at constant pressure and temperature, 5=1787. On the thermodynamics of dilute solutions. Case of two components and one phase at constant temperature and pressure, 5=4422. Thermodynamics of irreversible processes, 8=164. On the thermodynamics of irreversible processes, 9=9574

Popoff,K., Dimitroff,E. and Dotcheff,K. On a property of the integrals of a system of differential equations in the thermodynamics of irreversible processes, 5=1788

Popov,B.N. See also Kapitsa,M.L., 9=7062; Mel'nikov,A.I., 9=12351

Popov,B.N. and Druzhinin,A.V. A high vacuum emission electron microscope, 9=7084

Popov,B.N. and Koliverdov,V.F. The secondary emission of thorium oxide, activated by barium, 9=11105

Popov,D.K. See Murin,A.N., 7=7315

Popov, F.M. See Kir'yashkina,É.I., 7=8587

Popov,I.M. Cross-sections of possible non-radiative recombination in semiconductors, 9=13282

Popov,K. Mathematical foundations of the thermodynamics of irreversible processes, 5=8717

Popov,K.A. A fundamental equation in the theory of irreversible thermodynamic processes, 6=6582

Popov,N.A. See also Kaptsov,N.A., 5=973

Popov,N.A. and Kaptsov,N.A., Investigation at low gas pressure of an intermediate-frequency discharge occurring between high-frequency and low audio-frequency discharges, 6=5126

Popov,N.P. See Dolginov,A.Z., 9=1743, 9=13643

Popov,O.I. A photoelectric apparatus for measuring the transparency of air, 7=6773. Transparency of the lower layers of the atmosphere in certain spectral intervals in the region between 0.3 and 1 μ, 9=10423. See also Gershun,A.A., 5=6931

Popov,S.N. See Smolenskiĭ,G.A., 9=1420

Popov,V.S. Behaviour of an arbitrary-spin particle in an external magnetic field, 9=2073. See also Éstulin,I.V., 6=8361; Gapanov,Yu.V., 8=4292, 8=5310; Ivanchik,I.I., 9=13722

Popov,Yu.A. Solution of the fundamental diffusion equation for cosmic ray particles emitted by a constant energy concentrated pulsed source, 7=23

Popov,Yu.M. Scattering of π-mesons by nucleons in the higher approximation of the Tamm–Dankov [Dancoff] method, 7=7430

Popov,Yu.M. and Rukhadze,A.A. Inelastic scattering of mesons in a semiphenomenological theory of interaction of π-mesons with nucleons, 6=3281

Popov,Yu.P. See Bergman,A.A., 8=3323

Popov,Yu.S. See Alikhanyan,A.I., 8=8234, 8=8236

Popova,A.A. Production of single crystals of ferrites by Verneuil method, 9=8991. See also Ikornikova,N.Yu., 6=7803

Popova,A.M. See Komarov,V.V., 9=2835; Vasil'ev,S.S., 8=4325, 8=6327, 8=6335, 9=8422

Popova,I.V. See Mukhin,A.I., 7=6608

Popova,K.B. See Gorokhovskiĭ,Yu.N., 6=8537

Popović,B. See under Popovich,B.

Popović,D. The absolute value of the resonance integral of gold, 5=521. Determination of the characteristics of the neutron spectrum from a nuclear reactor, 5=4948

Popović,D. and Rajšić,N. Energy dependence of the U^{235} fission cross-section, 5=4946

Popović,D. and Saeland,E. Thermal neutron-fission cross-section of uranium 233, 5=9931

Popovich,A. Nonlinearity and conformal reciprocity, 7=3941. Non-linearity of the field in conformal reciprocity theory, 8=4721

Popovich,B. Approximate calculation of the orbit elements of a small planet on the basis of three heliocentric positions, 7=2930

Popovici,A. Conformal theory in C$_6$ of the particle with maximum spin 2-, 9=9216

Popovici,A., Teodoresco,I. and Margulesco,G. Conformal theory in C$_4$ of the particle with maximum spin 2, 9=9217

Popovici,C. See Badareu,E., 9=13342

Popovici,S. and Pop,M. On the boiling point and intermolecular forces, 7=6677

Popp,G. and Walcher,W. An ion microscope for the investigation of biological tissue sections, 9=347

Poppa,H. Control of a technical process with the electron microscope, with special reference to the polishing of glass, 9=4069. See also Brüche,E., 7=2727; Rang,O., 8=7508, 9=12827

Poppa,H., and Schulze,K.J. Cinematography of the movement of lattice defects in gold crystals, 9=13840

Poppell,J.W. See Sager,N., 7=2881

Poppema,O.J. See also de Waard,H., 7=9364

Poppema,O.J., Siekman,J.G., van Wageningen,R. and Tolhoek,H.A. Alignment of ^{56}Co nuclei. II. Spin and parity assignments, 5=4869

Poppema,O.J., Steenland,M.J., Beun,J.A. and Gorter,C.J. Experiments on oriented ^{60}Co nuclei, 5=4870

Popper,B. and Reiner,M. The application of the centripetal effect in air to the design of a pump, 7=5116. The application of the centripetal effect in air to the design of a pump, 8=2183

Popper,K.R. Irreversible processes in physical theory, 7=7623, 8=3731

Popper,P. Non-oxide ceramic dielectrics, 9=6875

Poraĭ-Koshits,E.A. See also Boĭkova,A.I., 8=8527; Filipovich,V.N., 7=1755

Porai-Koshits,E.A. and Andreyev,N.S. Low-angle X-ray scattering by glasses, 8=8470

Porat,D.I. See Lipkin,H.J., 6=7475

Porbansky,E.M. Growth of bismuth single crystals by the pulling technique, 9=13888. See also Trumbore,F.A., 9=8895

Poretskaya,L.V. See Abrikosov,N.Kh., 9=12818

Porfir'eva,N.N. A calculation of the limiting eigenfrequencies in the spectrum of mixed molecular crystals for various concentrations of the components, 5=5340. The relationship between intermolecular and intramolecular vibrations in crystals, 8=3449

Porges,K.G. Alpha excitation functions of silver and copper, 6=3186

Porile,N.T. Formation of Cd^{115} isomers in high-energy fission of bismuth, 8=8279. New germanium isotope, Ge^{65}, 9=5031. See also Amiel,S., 9=2428; Flom,D.G., 5=7448, 5=9199; Morrison,D.L., 9=4984

Porile,N.T. and Sugarman,N. Analysis of results of high-energy nuclear reaction, 7=9864. Recoil studies of high-energy fission of bismuth and tantalum, 8=3386

Poritsky,H. Propagation of transient fields from dipoles near the ground, 6=3044. Expression of wave functions over a half-space in terms of their boundary values, 7=100

Porovskiĭ,K.S. See Balÿgin,I.E., 7=9676, 9=3541

Porreca,F. On the persistence of a phase grating in some sus-

pensions when stopping the supersonic waves, 6=2757. On the causes affecting the phase grating permanenece, at the stopping of the ultra-sounds, 6=4274. Experimental decay law of the diffracted light remaining in the liquids at the stopping of the ultrasonic waves, 7=5250. On the phase grating in suspensions crossed by ultrasounds, 8=4904. On the maximal energy and intensity of the electrons accelerated by the microtron, 9=4729. See also Carrelli,A., 5=5291, 8=635; Fanti,F., 5=5292
Porschen,W. and Riezler,W. Natural radioactivity of platinum and neodymium, 5=482. Very long lived natural α-emitters, 6=6118
Port,E. See Feldtkeller,R., 9=11971
Port,M. See Gorodetzky,S., 5=7368, 5=9243, 6=5368, 7=1563, 7=7380
Porte,D. Construction of a proton source with low arc voltages, 8=3192
Porter,C.E. Elastic scattering of alpha particles and deuterons by complex nuclei, 5=9908. Cross sections and the complex potential, 6=1549. Elastic scattering of nitrogen by nitrogen, 6=7733. Compound nucleus formation as an irreversible thermodynamical process, 8=5335. Nitrogen–nitrogen elastic scattering, 9=3967. See also Blumberg,S., 8=6227; Feshbach,H., 5=524
Porter,C.E. and Thomas,R.G. Fluctuations of nuclear reaction widths, 7=1619
Porter,C.S. See also Conrad,E.E., 6=7374; LeCraw,R.C., 8=8891, 8=8915; Spencer,E.G., 9=398
Porter,C.S., Spencer,E.G. and LeCraw,R.C. Transparent ferromagnetic light modulator using yttrium iron garnet, 9=241
Porter,F.A.E. See Snow,A., 8=6496
Porter,F.T. Beta decay energy of tritium, 9=13640. See also Freedman,M.S., 7=455, 8=8291; Novey,T.B., 6=8351
Porter,F.T. and Day,P.P. O– to O+ beta transition $Pr^{144} \rightarrow Nd^{144}$, 9=10068
Porter,F.T., Freedman,M.S., Novey,T.B. and Wagner,F., Jr. First-forbidden nonunique beta spectra in Re^{186}, 5=7326. First forbidden nonunique beta transitions in Re^{186}, 6=8350
Porter,F.T., Wagner,F., Jr and Freedman,M.S. Evidence for small deviations from the allowed shape in the comparison of the beta spectra of Na^{24} and P^{32}, 7=8131
Porter,G. High-speed photographic spectroscopy, 5=9558. See also Christie,M.I., 5=8955; Norman,I., 5=7457; Norrish,R.G.W., 5=5017
Porter,G. and Windsor,M.W. Studies of the triplet state in fluid solvents, 5=5030. The triplet state in fluid media, 8=3864
Porter,G. and Wright,M.R. Transfer of triple state energy in solution, 9=1303
Porter,G.R. See Benson,S.W., 7=5218
Porter,L.D. See Knopoff,L., 9=131
Porter,N.A. The effect of ultra-violet converters on the efficiency of liquid Čerenkov counters, 7=9737. See also Cranshaw,T.E., 7=513, 8=220, 8=3211, 9=377
Porter,N.A., Cranshaw,T.E., de Beer,J.F., Parham,A.G. and Sherwood,A.C. Observations on extensive air showers. VII. The lateral distribution of energy in the electron–photon component, 9=378
Porter,N.A., Cranshaw,T.E. and Galbraith,W. Observations on extensive air showers. IV. The lateral distribution of penetrating particles, 8=221
Porter,R.F. See also Bauer,S.H., 9=6213; Brewer,L., 5=909; Chupka,W.A., 6=3879; Inghram,M.G., 6=2206, 6=8732; Schoonmaker,R.C., 8=8628, 9=118, 9=6215, 9=12758
Porter,R.F., Chupka,W.A. and Inghram,M.G. Mass spectrometric study of gaseous species in the $Si-SiO_2$ system, 5=3679. On the dissociation energies of SrO and MgO molecules, 5=9200
Porter,R.F. and Dows,D.A. Blue emission from the vapor of burning boron, 6=8089
Porter,R.F., Schissel,P. and Inghram,M.G. A mass spectrometric study of gaseous species in the $Al-Al_2O_3$ system, 5=2837
Porter,R.F. and Schoonmaker,R.C. Gaseous species in the vaporization of sodium and potassium hydroxide, 8=7130. Mass spectrometric study of the vaporization of LiF, NaF, and LiF–NaF mixtures, 9=6214
Porter,W.C. See also Miller,B.L., 6=2179; Rothman,M.A., 7=8170; Van Patter,D.M., 6=7679, 7=7375, 7=8821
Porter,W.C., Van Patter,D.M., Rothman,M.A. and Mandeville,C.E. Levels in Cr^{50}, Cr^{52}, Cr^{53} and Cr^{54}, 9=3826
Porter,W.H.L. Estimated concentrations of the heavy elements in a liquid metal fuelled reactor with continuous chemical processing, 7=734. Fission-product concentrations and poisoning in a homogeneous reactor with chemical processing, 7=1630. Polonium production and decay in a bismuth reactor system, 7=4747
Porter,W.S., Roth,B. and Johnson,J.L. Theory of reactions $H^3(d,n)He^4$ and $He^3(d,p)He^4$, 9=1770
Porterfield,W.W. See McConnell,H.M., 9=4818
Porteus,J.O. See Parratt,L.G., 9=8197
Portis,A.M. Rapid passage effects in electron spin resonance, 6=1384. Spectral diffusion in magnetic resonance, 7=2458. Microwave Faraday rotation: measurement of the conductivity tensor, 9=6934. See also Gossard,A.C., 9=12501; Keffer,F., 7=9983
Portis,A.M. and Teaney,D. Microwave Faraday rotation: design and analysis of bimodal cavity, 9=4858
Portnoy,W.M. See Letaw,H.,Jr, 5=566, 6=4684
Porto,S.P.S. See also Pereira Da Silva Porto,S.
Porto,S.P.S. and Dieke,G.H. Infrared spectrum of hydrogen and deuterium between one and two microns, 5=5987
Ports,S.P.S. and Jannuzzi,N. Determination of the asymmetry constant of slightly asymmetrical top molecules, 9=10173
Porzel,F.B. Simulating nuclear blast effects, 8=7401
Pösch,H. See Rössler,F., 7=320
Pöschl,K. See Kleen,W., 6=2922; Linn,H.J., 6=5600
Pose,H. and Glaskow,N. Inelastic scattering of photo-neutrons in the energy range from 0.3 to 1 MeV, 9=1664
Posener,D.W. Note on the x-band microwave spectrum of heavy water, 6=236. Asymmetric rotor. Convergence in the continued-fraction expansion of the reduced energies, 6=4544. Hyperfine structure in the microwave spectrum of water. I. Quadrupole coupling in deuterated water, 8=4880. Coupling of nuclear spins in molecules, 8=5450
Posey,J.C. See also Smith,H.A., 8=6364
Posey,J.C. and Smith,H.A. The equilibrium distribution of light and heavy waters in a freezing mixture, 7=6108
Pospelov,A.N. See Zatsepina,G.N., 7=5630
Pospíšil,J. See Herzmann,J., 7=971
Pospíšil,Z. See Koller,A., 9=4552
Possener,M. and van Heerden,I.J., The daily variation of the cosmic ray intensity measured near the 1954 sunspot minimum, 6=5200
Post,B. See Perri,J.A., 8=8469; Rosen,C., 6=8729-30
Post,D. Multiple-beam fringe sharpening with the Series Interferometer, 8=2255. See also Primak,W., 9=6804
Post,E.J. Note about finite strain in elastic bodies, 6=3512. Finite deformations. II, 7=126. Acoustic radiation pressure, 7=1149
Post,G.I. See Steinhardt,R.G.Jr, 6=1722
Post,H.R. Many-particle systems. II, 7=3010
Post,R.F. Controlled fusion research – an application of the physics of high temperature plasmas, 7=3621. See Anderson,J.D., 6=6141
Post,R.F. and Shiren,N.S. The Stanford Mark II linear accelerator, 5=4715
Post,R.J. See Gallop,J.W., 7=3364, 7=8661
Postma,G.W. Wave propagation in a stratified medium, 6=5546
Postma,H., Huiskamp,W.J., Miedema,A.R., Steenland,M.J., Tolhoek,H.A. and Gorter,C.J. Asymmetry of the positon emission by polarized ^{58}Co nuclei, 8=321. Asymmetry of the positon emission from polarized ^{58}Co and ^{52}Mn nuclei, 8=3345
Postnikov,V.S. The temperature dependence of the internal friction of some pure metals, 8=4472. Temperature dependence of internal friction in pure metals and alloys, 9=2975*
Potapkov,N.A. Anisotropy theory of ferromagnetic monocrystals, 8=3221. Theory of anisotropic cubic crystals, 8=3450
Potapov,E.V. See Alekseevskiĭ,N.E., 8=2253
Potapov,L.I. See also Daion,M.I., 9=12435-6
Potapov,L.I. and Shostakovich,N.V. The spectra of protons and π-mesons at sea-level, 6=6750
Potapov,V.K. See Kupriyanov,S.E., 6=6745, 8=1734
Potekhina,N.D. Calculation of the luminescence spectra of crystal phosphors, 7=9612
Potier,A. The thermodynamic properties of the systems: HNO_3-H_2O and $HNO_3-N_2O_4$, 9=1392
Potier,R. On the expansion in Fourier integrals of the wave-functions of particles of [arbitrary] spin, 5=4359. On the general theory of particles of given spin and the problem of infinite self energies, 5=6745. On scalar products of wave-functions and on inverse Fourier integrals in relativistic wave mechanics, 6=931. On an explicit covariant formulation of second quantization, 6=3475. On a tensor formulation

of second quantization, 6=4802. On the quantized fields of particles of arbitrary spin. Commutation relations, 6=5683. On the general theory of quantized fields: operators, equation of evolution, Schrödinger representation, 6=5684. On the theory of quantized fields in generalized relativity, 7=1887. On the double covariance concept (quantum and relativistic) in second quantization theory, 7=8373. On time-inversion; transformed wave-functions and wave equations, 8=2802. On wave equations for particles with helicity ("screw-particles"), 8=2804. The wave mechanics of the photon of zero mass, 8=4756
Potnis,V.R. Nuclear energy levels of Os^{188}, 7=2587. Radiations from two radiactive isotopes of gold, 7=6509. See also Dubey,V.S., 7=6498; Malik,S.S., 9=8524; Pomerantz,M.A., 8=2383, 8=8099
Potnis,V.R., Dubey,V.S. and Mandeville,C.E. Angular correlation in Os^{188}, 6=4162
Potnis,V.R. and Mandeville,C.E. E2-Ml mixing ratios in $2^+ \rightarrow 2^+ \rightarrow 0^+$ transitions, 9=1717
Potnis,V.R., Mandeville,C.E. and Burlew,J.S. Radiations from four radioactive isotopes of platinum, 6=1537
Potoceanu,C.C. See I on, I.X., 9=6015
Potok,M.H.N. The diffraction of a non-monochromatic electromagnetic wave by a slit and a grating, 5=3898
Potseluĭko,V.A. See Vulis,L.A., 6=8144-5
Pott,F.P. A method for the determination of the thermal conductivity of thin probes at high temperatures, 9=2258. Investigation of the Wiedemann–Franz–Lorenz law for ordered and disordered phases of a range of copper–palladium alloys, 9=5608
Pott,G.T. See Siekman,J.G., 9=12650
Pottel,R. Absorption of centimetric electromagnetic waves in artificial anisotropic media, 8=7208
Potter,D.S. See also Murphy,S.R., 9=147
Potter,D.S. and Murphy,S.R. On wave propagation in a random inhomogeneous medium, 7=4054
Potter,J. and Chadan,K. Non-local interaction and the scattering matrix, 9=9230
Potter,Kh.I. On the use of observations of the moon for geodetic purposes, 9=10519
Potter,R.D. Calibration of a nickel-molybdenum thermocouple, 5=258
Potter,R.F. Ion-atom interchange in air, 6=2212. Elastic moduli of indium antimonide, 6=6220. Indirect transitions in indium antimonide, 6=7415. Piezoresistance of indium antimonide, 8=2319
Potter,R.F. and McKean,W.H. An apparatus for measuring the piezoresistivity of semiconductors, 8=4020
Potter,R.J. See also Schulman,J.H., 8=1616
Potter,R.J. and Dexter,D.L. Resistivity of interstitials in copper, 8=8440
Potter,R.L. Thermodynamic functions of some simple fluorine compounds, 7=4293. Degree of advancement in reactive gas mixtures, 9=893. See also Hollingsworth,C.A., 8=436
Potter,R.M. See Aven,M.H., 8=2979; Edgell,W.F., 6=1986
Potters,M. See Berghuis,J., 5=9268
Potters,M.L. See Gorter,C.J., 8=3146
Pottie,R.F. Barker,R. and Hamill,W.H. Ion-molecule reactions of methyl and ethyl iodides, 9=13877
Pottier,J. A cavity accelerator, 5=7999. An analogue harmonic analyser, 7=3693
Potts,D.H. See Robey,D.H., 6=7099
Potts,R.B. Combinatorial solutions of the triangular Ising Lattice, 5=4177. See also Mazur,P., 7=855; Montroll,E.W., 6=792, 6=4078
Potts,R.B. and Ward,J.C. The combinatorial and the two-dimensional Ising model, 5=10065
Potts,W.J. See Scherer,J.R., 9=7430
Potts,W.J., Jr. Low-temperature absorption spectra of selected olefins in the farther ultraviolet region, 5=2594. Low-temperature absorption spectra of benzene, toluene, and paraxylene in the farther ultraviolet region, 5=2595
Pouleau,J. Mirror projection objective of large numerical aperture suitable for television use, 9=5599
Poulet,H. The piezo-optic and electro-optic properties of zinc blende [ZnS], 5=5349. On the structure of infrared absorption bands, 5=9566. On certain anomalies of the Raman effect in crystals, 6=2798. On the coupling of oscillations of of the complex ions or molecules in the crystalline mesh, 8=2604. On the coupling of vibrations of complex ions or molecules in the crystal lattice, 8=6397. See also Mathieu,J.P., 6=1110, 6=4333; Penot,D., 7=4223; Zmerli,A., 7=9080, 9=2923
Poulet,H. and Mathieu,J.P. Vibration spectrum of piezoelectric crystals. VI. Study of the degenerate vibrations of hydrated beryllium sulphate and of monoammonium phosphate, 7=2068
Pouliquen,J. See Segard,N., 7=5249, 9=2245
Poulis,J.A., Poldervaart,L.J. and Teunissen,P. The measurement of small forces by means of a moving coil meter with an application to magnetic susceptibility measurements, 7=1433
Poulis,N.J. See also Hardeman,G.E.G., 6=3010, 8=3242; van der Lugt,W., 8=4282, 9=13475
Poulis,N.J., Hardeman,G.E.G., van der Lugt,W. and Hass,W.P.A. Nuclear magnetic resonance and relaxation in zero field and near the threshold field, 8=3243
Poulsen,N.O.R. See Fulbright,H.W., 9=7349; Nielsen,O.B., 9=8533
Poulson,R.E. See Connick,R.E., 9=7198
Poulton,E.C. Simultaneous and alternate listening and speaking, 6/163
Poulton,E.C. and Stevens,S.S. On the halving and doubling of the loudness of white noise, 5=4479
Pound,G.M. See Hirth,J.P., 7=6109
Pound,R.V. See also Bernheim,R.A., 7=5416; Ketudat,S., 7=5517; Rebka,G.A.,Jr, 8=934; Rice,M., 5=9028, 7=7300; Wertheim,G.K., 6=3963
Pound,R.V. and Wertheim,G.K. Directional correlations and electric quadrupole moments of mercury isotopes, 6=3964
Pounder,E.R. Mechanical strength of ice frozen from an impure melt, 8=4483. See also Perey,F.G.J., 9=2986
Pounder,E.R. and Little,E.M. Some physical properties of sea ice. I, 9=9059
Pounder,J.R. and Synge,J.L. Note on the initial value problem for the wave equation in N dimensions, 6=5699
Poupko,J.P. Velocity of sound and intermolecular forces in liquid mixtures, 6=8023
Pouradier,J. See Abribat,M. 5=9304
Pourel,E. See Taurel,L., 8=3069
Povh,B. Energy levels of B^9 and O^{15}, 9=10038. See also Mihailović,M.V., 8=7334
Povh,B. and Hebbard,D.F. Angular correlation measurements in O^{15}, 9=13619
Povzner,A.Ya., and Sukharevskii,I.V. Integral equation of the second kind for the problem of diffraction by an infinitely thin screen, 9=13509
Powell,A. Experimental comparison between noise from unheated subsonic air jets having 4:1 elliptic and circular orifices, 9=162. On the fatigue failure of structures due to vibrations excited by random pressure fields, 9=2152. On the approximation to the "infinite" solution by the method of normal modes for random vibration, 9=2153. On the measurement of pressure correlations for random vibration studies, 9=4402. Similarity and turbulent jet noise, 9=9349. Considerations concerning an upper limit to jet noise reduction, 9=11973
Powell,A. and Stark,K.H. Rotating electrode unit for measurements of the electric strength of insulating liquids, 6=6603
Powell,B.W. See Michaelis,E.G., 6=6920
Powell,C.F. See Davies,J.H., 6=3270*
Powell,C.J., Robins,J.L. and Swan,J.B. Effects of contamination on the characteristic loss spectrum of tungsten, 9=342
Powell,D.A. An apparatus giving thermogravimetric and differential thermal curves simultaneously from one sample, 7=8250
Powell,H.M. See Ford,P.T., 5=2321
Powell,H.N. and Browne,W.G. Use of coiled capillaries in a convenient laboratory flowmeter, 7=4009
Powell,J.A. See Bagguley,D.M.S., 8=609
Powell,J.E. See Spedding,F.H., 6=3926
Powell,J.L. See Barrow,R.F., 9=9406; Barschall,H.H., 5=1175
Powell,J.M. and Kurnick,S.W. Indium antimonide infrared filter, 8=6860
Powell,R.C. See Harrington,R.D., 6=7508
Powell,R.E. Curve-matching method for quasi-unimolecular reactions, 9=7567; See also Herschbach,D.R., 7=814
Powell,R.L. See also Rogers,W.M., 8=5574
Powell,R.L. and Blampied,W.A. Thermal conductivity of metals and alloys at low temperatures. A review of the literature, 5=2658
Powell,R.L., Roder,H.M. and Hall,W.J. Low-temperature transport properties of copper and its dilute alloys: pure copper,

annealed and cold-drawn, 9=13228

Powell,R.L., Roder,H.M. and Rogers,W.M. Low-temperature thermal conductivity of some commercial coppers, 8=5833

Powell,R.L., Rogers,W.M. and Coffin,D.O. An apparatus for measurement of thermal conductivity of solids at low temperatures, 8=3020

Powell,R.W. Experiments using a simple thermal comparator for measurement of thermal conductivity, surface roughness and thickness of foils or of surface deposits, 8=3022. Thermal conductivities and expansion coefficients of water and ice, 8=6902. See also Brown,A.R.G., 6=2028; Challoner,A.R., 7=6089, 8=3924

Powell,R.W. and Tye,R.P. The influence of heat-treatment on the electrical resistivity and the thermal conductivity of electrodeposited chromium, 8=1042

Powell,W. See Agnew,L., 8=6142

Powell,W.B. Improving the characteristics of the cyclotron beam, 6=6717. See also Gallop,J.W., 7=3364, 7=8661

Powell,W.M. See also Agnew,L.E., Jr, 8=7249; Chih,C.Y., 7=5660; Elliott,J.B., 5=8046; Fowler,W.B., 6=3290, 6=6937, 9=6023, 9=6037; Goldhaber,G., 9=13553; Knapp,M.W., 6=2418; Maenchen,G., 6=2387, 8=697; Relf,K.E., 5=1944

Powell,W.M., Fowler,W.B. and Oswald,L.O. 30-inch propane bubble chamber, 9=1641

Power,B.D. and Crawley,D.J. Sources, measurement and control of backstreaming in oil vapour vacuum pumps, 7=9034

Power,E.A. See also Aub,M.R., 7=7319

Power,E.A. and Shail,R. The interaction of light with neutral systems, 9=13132

Power,E.A. and Wheeler,J.A. Thermal geons, 8=1483

Power,E.A. and Zienau,S. On the radiative contributions to the van der Waals force, 7=8117. On the physical interpretation of the relativistic corrections to the van der Waals force found by Penfield and Zatskis, 8=3405

Power,G. A general mathematical treatment applicable to certain electrode systems, 5=7934. Fields and stresses in dielectric media, 6=3705. An extension of the circle and sphere theorems, 6=5833. Simple expressions for the two-dimensional Maxwell stress distribution in ideal dielectrics, 7=9161

Power,G. and Jackson,H.L.W. Certain two-dimensional solutions to Poisson's equation, 9=4318

Power,G., and Smith,P. Application of a reciprocal property to subsonic flow, 9=10652. Approximate subsonic gas flows under assigned boundary conditions, 9=10688

Powers,D.A. See also Inuishi,Y., 8=208

Powers,D.A. and Suita,T. Prebreakdown current and noise in insulators, 6=319

Powers,J.E. and Wilke,C.R. Operation of a center-fed continuous-flow thermogravitational column with unequal flow rates in the two column sections. Comparison of theory and experiment, 8=2859

Powers,J.P. See Pohm,A.V., 5=3060

Powers,M.D. See Lukesh,J.S., 6=957

Powers,R.W. and Doyle,M.V. Carbon tantalum internal friction peak, 7=5681. The diffusion of carbon and oxygen in vanadium, 9=2946. Diffusion of interstitial solutes in the group V transition metals, 9=7535

Powers,R.W., Mattox,R.W. and Johnston,H.L. Thermal conductivities of condensed gases. I. Thermal conductivity of liquid nitrogen between 65 and 90°K, 5=3669. II. The thermal conductivities of liquid normal and of liquid parahydrogen from 15 to 27°K, 5=3670. III. The thermal conductivity of liquid deuterium from 19 to 26°K, 5=3671

Powers,S.A. See Letzer,E.K., 5=223

Powers,S.R. Physical sciences in our secondary schools, 9=11772

Powles,J.G. Molecular and ionic interactions in dielectrics, 5=2700. Extension of Fröhlich's general theory of the static dielectric constant to dielectrically anisotropic materials, 5=4621. Nuclear magnetic resonance absorption in polyisobutylene, 6=5293. The adiabatic fast passage experiment in magnetic resonance, 8=6033. Nuclear magnetism in pure liquids, 9=7192. Motional effects in nuclear magnetic resonance, 9=12479

Powles,J.G. and Cutler,D. Audio-frequency nuclear-resonance echoes, 8=1221. Proton magnetic resonance relaxation and self diffusion in the primary alcohols at 25°C, 9=12488

Powles,J.G. and Gutowsky,H.S. Proton magnetic resonance of the CH_3 group. III. Reorientation mechanism in solids, 5=9775

Poyen,J. See Goldzahl,L., 9=12575

Pozdnyakov,A.A. See Lavrukhina,A.K., 8=6337

Pozdnyakov,P.G. Growing ethylene diamine tartrate crystals, 7=7489

Poze,Kh.R. and Glazkov,N.P. Inelastic scattering of photoneutrons of 0.3 to 0.77 and 1.0 MeV energy, 6=8960

Pozhela,Yu.K. On the question of the effect of a strong [electric] field in semiconductors, 6=8777. The drift of current carriers produced by the action of a strong electric field, 6=8778

Pozsgay,G. See Hangos,I., 8=6873

Pozwolski,A. On the measurement of ion densities with the aid of perforated probes in high-frequency electric discharges, 7=7985. A method of studying the electric discharge in ozonizers, 8=7057. See also Bertein,F., 6=6741

Prabhakara,C. See Goel,P.S., 9=7695

Prache,P.M. The electromagnetic delay line as a source of relations between Bessel functions and elliptic integrals, 5=7619. Ferromagnetic granular structures, 7=4550, 7=5473. The anomalies in the permeability of ferrites at high frequencies, 9=11236

Prache,P.M. and Rozes,J. The effective conductivity and permittivity of polycrystalline semiconductors. Application to ferrites, 9=12206

Pradal,F. See also Fert,C., 7=5389,8=2355, 9=8903

Pradal,F. and Saporte,R. Energy spectrum of a 40 keV electron beam "reflected" by a metal object, 8=5955

Pradal,F. and Simon,R. Experimental study of the velocity spectrum of electrons transmitted by the diaphragm of an electron emission microscope, 7=7951. Energy spectra of secondary electrons emitted by a metal under bombardment with high-energy ions, 8=8822

Pradal,J. and Vénéroni,M. The first 0^+ level in O^{16}, 8=7304

Pradhan,B.P. See also Gupta,R.C., 9=2302

Pradhan,B.P. and Gupta,R.C. Dielectric constants of mixtures, 9=9581

Pradhan,T. Electron capture of protons passing through hydrogen, 7=4502. Plasma oscillations in a steady magnetic field: circularly polarized electromagnetic modes, 8=2431. On the one-dimensional spinor model of Thirring, 9=1067

Prager,S. Free convection between two vertical plates in the presence of an inclined temperature gradient, 6=284. Interaction of rotational and translational diffusion, 6=1871. Periodic precipitation, 6=6997. See also Reynolds,W.L., 7=7471

Praglin,J. and Brecher,G.A. Amplifier for 5734-tube bristle flowmeter, 5=6661

Prakash,A. See Singh,R.N., 9=4136

Prakash,P. Note on leptonic decay of pion, 9=7274

Prakash,P. and Zimerman,A.H. The $\Sigma \to p + \gamma$ decay induced by heavy vector mesons, 9=9998

Prakash,S. See also Neher,H.V., 8=2724

Prakash,S. and Srivastava,S.C. Velocity of ultrasonic waves in solutions of electrolytes, 9=10704

Prakash,Y. Effect of hypo concentration on the clearing time of thick emulsions, 6=7930

Prakash,Y., Ahamad,N. and Sharma,A.P. On the clearing of emulsion plates, 8=6107

Prakash Rao,M.S. and Nayak,N.A. Auditory reaction time as a function of frequency of the signal tone, 7=5777

Prange,R. See also Klein,A., 9=5371

Prange,R. and Klein,A. Generalized reaction matrix approach to the theory of the infinite medium of fermions, 9=5372

Prange,R.E. Dispersion relations for Compton scattering, 8=8963

Prange,R.E. and Pratt,R.H. Applications of a high-energy Coulomb wave function, 8=888

Prasad,A.N. See Mahanty,J., 6=2926

Prasad,B,B. and Jatar,D.P. Production of the Joshi effect in bromine excited by an electrical discharge, 7=6220

Prasad,B.B., Raju,M.S. and Nagarajaiah,H.S. Production of Joshi effect in mercury vapour: time-variation of the h.f. and l.f. components of the conductivity under electrical discharge, 5=4698

Prasad,N.D. See also Biswas,S., 8=271

Prasad,N.D. and Tiruvenganna Rao,P. The band spectrum of tellurium in the visible, 5=5989

Prasad,S.C. and Wooster,W.A. The determination of the elastic constants of silicon by diffuse X-ray reflexions, 5=8413. The determination of the elastic constants of germanium by diffuse X-ray reflexion, 5=9181. Factors determining the

choice of X-ray reflexions for the study of the elastic properties of certain non-cubic crystals, 5=10076. The study of the elastic constants of white tin by diffuse X-ray reflexion, 6=3316. The elasticity of single crystals of lead, 6=7756. The elasticity of iron pyrites FeS$_2$, 6=7757. K-surfaces and diffuse X-ray reflexions, 6=7838. The anomalous X-ray background scattering from β-tin, 6=7845
Prasad,S.N. See Ram,A., 7=3166
Prasad,S.S. See Sinha,S.P., 9=10195
Prat,R. and Mercier,Y. Integrator for determining the illumination distribution in the image of an object of given shape, 9=7918
Pratap,R. The effect of solar flares on the geomagnetic field, 8=5526
Pratelli,A.M. Variational principles for electromagnetic fields, 6=1842
Prater,C.D. See Weisz,P.B., 6=1235
Prats,F. and Toll,J.S. Construction of the Dirac equation central potential from phase shifts and bound states, 9=4280
Pratt,B. See Ben Sira,M.Y., 9=13318
Pratt,D.S. See Peterson,A.M. 9=7684
Pratt,G.W.,Jr Antiferromagnetism, 5=3876. Unrestricted Hartree–Fock method, 6=6091. Exchange and superexchange coupling between conduction electrons and d electrons in magnetic materials, 7=5450. Theory of antiferromagnetic-ferromagnetic transitions in dilute magnetic alloys and in the rare earths, 8=8875. Magnetic properties of dilute magnetic alloys and of the rare earth metals, 9=434. See also Roth,L.M., 9=6927; Wood,J.H., 7=9834
Pratt,G.W.,Jr and Kolm,H.H. Long time work function changes induced by light and electrostatic fields, 7=7877
Pratt,G.W.,Jr and Neustadter,S.F. Maximal orthogonal orbitals, 6=3079
Pratt,L. See Newman,P.C., 5=6591
Pratt,P.L. The interaction of colour-centres and vacancies with dislocations in alkali halide crystals, 5=5730. See also Eshelby,J.D., 8=1322; Taylor,A., 9=288
Pratt,R.G. See Jennings,J.C.E., 5=8820; Robinson,T.S., 7=7093; Smollett,M., 5=7966
Pratt,R.H. Time-reversal invariance and radiative muon decay, 9=2604. See also Prange,R.E., 8=888
Pratt,W.W. Angular distribution of protons from the reaction 48Ti (d,p)49Ti, 5=2182. See also Cochran,R.G., 8=1922, 9=6071
Praus,O. The field of an alternating dipole in a non-homogeneous semi-finite medium, 7=551
Prausnitz,J.M. See also Wilke,C.R., 9=5408
Prausnitz,J.M. and Wilhelm,R.H. Turbulent concentration fluctuations through electrical conductivity measurements, 7=1944
Prawirowardojo,S. See Soemitro, 8=4218
Praxmarer,W. Considerations on a thermal conductivity vacuum gauge, 7=7660
Pré,F.K. du. See du Pré,F.K.
Prechner,L.J. A note on the world-wide distribution of the sporadic E ionisation, 6=3386
Predazzi,E. Nuclear scattering of high energy electrons, 9=8614
Predvoditelev,A.A. and Smirnov,B.A. Creep of aluminium under dynamic load, 7=6654
Prégermain,F. See Wlérick,G., 5=2761
Pregl,G. See Mihailović,M.V., 9=11472
Preining,O. An experimental contribution to the heat conduction problem in differential thermal analysis, 7=6680. A waveguide for surface waves on liquids, 9=1141
Preisendorfer,R.W. Functional relations for the R and T operators on plane-parallel media, 8=6674. Time-dependent principles of invariance, 8=6675. Invariant imbedding relation for the principles of invariance, 8=7436. See also Duntley,S.Q., 7=6772
Preiss,J.W. and Setlow,R. Spectra of some amino acids, peptides, nucleic acids, and protein in the vacuum ultraviolet, 6=7286
Prelec,K. See Paić,M., 9=12389
Premaswarup,D. Calculation of perturbations in certain molecular electronic terms. II. $^2\Pi - {}^4\Sigma$, $^2\Pi - {}^4\Pi$, $^4\Sigma - \Pi^4$ and $^4\Pi - \Pi^4$ perturbations, 5=6360. Rotational analysis of the tantalum oxide bands, 5=7834. Vibrational analysis of the tantalum oxide bands, 5=8962. See also Barrow,R.F., 8=954
Premaswarup,D. and Barrow,R.F. Rotational analysis of the tantalum oxide bands, 8=114
Prendergast,K.H. The equilibrium of a self-gravitating incompressible fluid sphere with a magnetic field, I, 6=6023. II, 9=7208. See also Chandrasekhar,S., 7=53
Prener,J.S. Ion pairing in solids, 7=4868. See also Halsted,R.E., 8=7830, 9=10824; Lorenz,M.R., 7=2061
Prener,J.S. and Williams,F.E. Associated donor-acceptor luminescent centers, 6=3636. Self-activation and self-coactivation in zinc sulfide phosphors, 7=272. Theory of luminescence centres of the associated donor-acceptor type, 7=4190. Activator systems in zinc sulfide phosphors, 7=9096. Some characteristics of large band gap compound semiconductors, 9=6920
Prentice,J.D. See also McNeill,K.G., 7=8124
Prentice,J.D. and McNeill,K.G. The photoneutron yields from ^{208}Pb, 6=6907. Decay of molybdenum — 91, 8=740
Prentis,J.M. A combined strain and curvature gauge for use in testing concrete beams, 5=2256
Prentki,J. The excitation of nuclei by charged particles, 5=7353. See also d'Espagnat,B., 5=7392, 5=7395, 5=8499, 5=9419, 6=2668, 6=3282, 6=5426, 6=5695, 7=4757, 7=8993, 7=9408, 8=880, 6=5624, 9=2669, 9=8481, 9=9206, 9=9999; Marty,C. 5=4866
Preobrazhenskiĭ,B.K. See Anton'eva,N.M., 9=635-6, 9=10089; Dzhelepov,B.S., 8=4291, 9=12656-7; Gorodinskiĭ,G.M., 7=7327; Grigor'ev,E.P., 8=5334; Gromov,K.Ya., 8=7336; Gusev,I.A., 8=1943; Kirzhanskiĭ,L.M., 7=9398. See also Preobrazhensky,B.K.
Preobrazhenskii,N.G. On the distribution of intensity along a contour of a self-reversible spectral line, 9=12020
Preobrazhenskiĭ,R.K. See Tolstoĭ,N.A., 7=9098
Preobrazhensky,B.K. See Berlovich,E.Ye., 8=6228. See also Preobrazhenskii,B.K.
Prescott,J.R. A liquid scintillator containing nitrogen, 6=2965. The density distribution of extensive showers, 7=3416. See also Bailey,G.M., 8=6094
Present,R.D. Note on the simple collision theory of bimolecular reactions, 6=1671. On the velocity distribution in a chemically reacting gas, 9=11914. See also Foland,W.D., 9=5077; Hale,D.P., 5=9918, 7=1499; Lowrey,G.R., 7=8113
Preskitt,C.A. and Alford,W.P. Elastic scattering of protons by vanadium, chromium, iron and cobalt, 9=13660
Presnov,V.A. and Gaman,V.I. On a connection between electrical properties of crystals and parameters of the crystal lattice, 7=9151. Relation between electric conductivity of glasses and the electric field intensity, 7=9170
Presnov,V.A. and Sȳnorov,V.F. Preparation and investigation of intermetallic compounds in the form of thin layers, 7=9181
Presnyakov,A.A. On the problem of the influence of plastic deformation on the rate of diffusion, 8=4460
Press,F. and Healy,J. Absorption of Rayleigh waves in low loss media, 8=5719
Press,F. and Oliver,J. Model study of air-coupled surface waves, 5=2500
Pressman,A. The proper mass of the photon, 5=725
Pressman,J. See also Marmo,F.F., 6=9130; Watanabe,K., 8=4565
Pressman,J., Aschenbrand,L.M., Marmo,F.F., Jursa,A. and Zelikoff,M. Synthetic atmospheric chemiluminescence caused by the release of NO at 106 km, 6=9128
Presson,A.G. See Nichols,P.L.Jr, 5=885
Preston,G. See also Booth,D.L., 6=6160
Preston,G., Shaw,P.F.D. and Young,S.A. The cross-sections and angular distributions of the D-D reactions between 150 and 450 keV, 5=1195
Preston,G.W. Effect of cathode roughness on the maximum current density in an electron beam, 6=7498. See also Bracewell,R.N., 6=5616
Preston,J. See Hoare,F.E., 7=9664
Preston,J.S. See Barnett,W., 7=9590, 9=1234; Gillham,E.J., 5=9645
Preston,M.A. A proposed β-decay interaction, 8=751. See also Bird,J.R., 5=8990; Elliott,L.G., 6=1481; Kumar,K., 5=7276, 7=9818; Pennington,E.M., 9=612; Preston,R.L., 9=527; Shapiro,J., 6=4822
Preston,M.A. and Kumar,K. Coupling constants in the theory of β-decay, 6=6124
Preston,M.A. and Shapiro,J. Calculations on charge independence with repulsive core potentials, 5=1532. A study of nucleon forces with repulsive cores. III. Low energy properties of the Lévy potential, 7=7600

Preston,R.L. and Preston,M.A. A study of nucleon forces with repulsive cores. IV. Calculations of the shape-dependent parameters in neutron–proton scattering, 9=527

Preston,R.P. See Morris,D.P., 7=2411

Preston,R.R. See Morris,D.P., 9=8312

Preston,R.S. See also Hanna,S.S., 7=9850, 8=1242, 8=8971; Walker,R.M., 5=4101

Preston,R.S. and Hanna,S.S. Polarization of positrons from Ga^{66}, Ga^{68}, P^{29}, and Al^{25}, 8=8299

Preston,R.S., Person,E. and Deevey,E.S. Yale natural radiocarbon measurements. II, 6=2568

Preston,W.M. See Niemann,F.L., 8=8237

Preston-Thomas,H., See Dauphinee,T.M., 6=2841

Prestwood,R.J. ($\underline{n}$, 2$\underline{n}$) cross section of Na^{23} at 14.1 MeV, 5=4944. See also Allen,L., Jr, 7=9890; Bayhurst,B.P., 9=12652

Prestwood,R.J., Smith,H.L., Browne,C.I. and Hoffman,D.C., Positron emission from Np^{234}, 5=7327

Preuss,E. See Geist,D., 8=7602

Preuss,H. A relation between the overlap integral and some empirical values of the participating atoms, 5=4846. The electrostatic method and the combined approximation approach, 5=5552*. On the treatment of two-centre exchange integrals, 5=6344. A new approach to atomic functions for quantum chemical calculations, 5=7232. Investigations on the combined approximation method, 5=8136. On the goodness of approximate solutions, 8=6661. Some observations on the "self consistent field" procedure and on the method of configurational interaction in the quantum theory, 9=3989. The method of atom association, 9=5108. On the "method of atoms in molecules", 9=6181. The planar character of organic compounds, 9=6208. See also Ott,K., 9=6018

Preuss,H. and Trefftz,E. 8^2 test for atomic wave functions, applied on H, 8=353

Preuss,L.E. Autoradiographic studies of surface detail with chromium-51, 5=562. Image formation of a high temperature vacuum evaporation source through combined distillation camera exposure and autoradiography with Au^{198}, Cr^{51} and W^{185}, 9=10915

Prévost,C. The elementary process of the organic heterolytic reaction in the liquid phase, 5=4141

Prévot,F. See also Desjonquières,J., 6=5128

Prévot,F. and Vienet,R. Production of an intense pulsed deuteron beam, 5=6224

Prevot-Bernas,A. See Bensasson,R., 6=5497; Chapiro,A., 6=6234

Přibyl,F. Electroluminescence, 8=4895

Pribytkova,N.N. A new method of determination of optical constants, 8=944

Price,A.H. Vapour pressure of tritiated water, 8=3935. The dielectric properties of some phenols, 9=12218. See also Davies,M., 6=1198

Price,B. See Coleman,R.V., 8=2687

Price,B.T. Ionization by relativistic particles, 5=7116. Fission cross-sections as a function of neutron energy. I. Uranium-235, 6=7697. See also Eyeions,D.A. 5=9143; Richmond,R., 6=7698

Price,C.E. Magnetic dipole nomograms, 9=7663

Price,D.R.W. See Harrison,A.J., 9=5520

Price,E.T. The development of lightning discharges, 5=6659

Price,F.H. See Holdsworth,J.F., 5=1271

Price,F.P. Light scattering from crystallizing polymers, 5=4570

Price,F.P., Bellamy,W.D. and Lawton,E.J. Effect of high velocity electrons on dry dextran, 5=2279

Price,F.P. and Zimm,B.H. An improved solution light scattering cell, 5=4567

Price,F.V. See Booth,D.L., 8=1260, 8=1965, 8=3280

Price,G. See Kouts,H., 7=739

Price,J.E. See Risser,J.R., 7=4704

Price,O.R. See also Melkanoff,M.A., 9=6044

Price,O.R., Stork,D.H. and Ticho,H.K. K$^+$ meson–nucleon scattering phase shift analysis, 9=2650

Price,P.B. and Vermilyea,D.A. Kinetics of electrodeposition of silver, 8=6478

Price,P.B., Vermilyea,D.A. and Webb,M.B. On the growth and properties of electrolytic whiskers, 9=10360

Price,P.C. The yield curve of the ^{7}Li($\underline{p}$, γ)^{8}Be reaction, 5=504. The radiative capture of alpha particles in ^{14}N, 5=8230. The radiative capture of alpha particles in ^{15}N, 7=8818

Price,P.J. Nuclear susceptibility of liquid and solid He^3, 5=1775. Ambipolar thermodiffusion of electrons and holes in semiconductors, 6=2861. Theory of transport effects in semiconductors: the Nernst coefficient, and its relation to thermoelectric power, 6=5859, Theory of transport effects in semiconductors: Thermoelectricity, 7=2196. Anomalous Lorenz numbers in mixed semiconductors, 7=2212. The linear Hall effect, 7=8596. The Lorenz number, 7=8736. On the statistical mechanics of impurity conduction in semiconductors, 8=3093. The physical interpretation of mean free path and the integral method, 9=6273. On the theory of strong-field conduction, 9=6910. The bipolar Richi–Leduc effect, 9=10893. Noise theory for hot electrons, 9=10974. See also Linhart,P.B., 6=4369

Price,R. See also Elton,L.R.B., 9=8505; Stanley,G.J., 6=8554

Price,R. and Green,P.E., Jr. Measurement of ionospheric path-phase for oblique incidence, 7=7246

Price,R.E. Travelling disturbances in the ionosphere, 5=5774

Price,W.C. See Ford,M.A., 8=2236, 8=2945; Hammond,V.J., 5=6009

Price,W.E. See Rabin,H., 5=5616

Price,W.L., Gambling,W.A. and Edels,H. High-pressure glow-to-arc transitions with tungsten and copper cathodes, 5=8792

Pridmore-Brown,D. See Ingard,U., 6=2753, 6=4272

Pridmore-Brown,D.C. and Ingard,U. Sound propagation into the shadow zone in a temperature-stratified atmosphere above a plane boundary, 5=2526

Priester,W. Blended multiplets in stellar atmospheres, 5=6706. The radio source, Sagittarius A, 6=873. On the statistics of radio sources in relativistic cosmology, 9=3049. Solar activity and the braking of earth satellites, 9=10510. See also Dröge,F., 7=1848; Mezger,P., 7=1015

Priester,W., Bennewitz,H.G. and Lengrüsser,P. Radio observations of the first artificial earth satellite, 8=3662

Priester,W. and Dröge,F. On the centre–limb variation of solar radio-frequency radiation on 198 Mc/s during the eclipse of 1954 June 30, 5=8453

Priester,W. and Hergenhahn,G. The determination of the orbits of earth satellites from measurements of Doppler effect, 9=4243

Priestley,C.H.B. Heat convection from the earth's surface, 6=4118. Convection from the earth's surface, 7=6106

Priestley,E.F. X-ray spectrographs for rapid X-ray fluorescence analysis with photographic recording, 9=2387

Prieto,F.E. Differential and total cross sections for nucleon–antinucleon scattering, 8=1517. Solutions of Bhabha's equation for a free particle, 9=5368

Prieto,C., F.E. Elastic scattering of neutrons by moving nuclei, 5=2222. Anomalous magnetic moments of nucleons. III, 5=2416. Scattering of photons by an external field, 5=2417. Bhabha's equation field, 8=7692. The effect of the reflector on heterogeneous reactors, 9=713

Prigge,W. Elastic, plastic processes in the Brinell ball indentation test, 6=6221

Prigogine,I. On the problem of chemical reaction rates, 5=3215. On the statistical theory of polymers and polymer solutions, 5=9391. On the statistical mechanics of irreversible processes, 5=9391. On some aspects of thermodynamics of irreversible processes, 5=9391. On the statistical mechanics of irreversible processes, 8=523. See also Bellemans,A., 7=5712; Brout,R., 6=7167-8, 7=121; Englert-Chwoles,A., 9=3196; Glansdorff,P., 5=1790; Waelbroeck,F., 5=9598

Prigogine,I. and Balescu,R. On the differential properties of entropy production. II, 6=7365. On the molecular theory of the Brownian movement, 7=8441

Prigogine,I. and Bellemans,A. Isotopic mixtures, 9=3409

Prigogine,I., Bellemans,A. and Englert-Chwoles,A., 6=4240

Prigogine,I., Bellemans,A. and Naar-Colin,C. Theorem of corresponding states for polymers, 7=5711, 7=5713

Prigogine,I. and Bingen,R. The statistical mechanics of irreversible processes. IV, 5=5232

Prigogine,I., Bingen,R. and Bellemans,A. Isotopic effects and thermodynamic properties in the condensed phase, III, 5=913

Prigogine,I. and Henin,F. On the general perturbational treatment of irreversible processes, 7=9020. On the transport equation for dilute gases, 8=3790. Liouville's equation and the effective cross-section, 8=4729

Prigogine,I. and Mayer,G. Fluctuations in non-equilibrium stationary systems, 5=5384

Prigogine,I. and Philippot,J. On irreversible processes in non-

uniform systems, 7=9019
Prigogine,I. and Résibois,P. On the approach to equilibrium of a quantum gas, 9=9254
Prigogine,I. and Toda,M. On irreversible processes in quantum mechanics, 8=2805
Prikhod'ko,V.P. See Baranskiĭ,K.N., 7=7716
Prikhodtseva,V.P. See also Dželepow,B.S., 9=8547, 9=11454
Prikhodtseva,V.P. and Khol'nov,Yu.V. γ-spectrum of La^{140}, 9=10074
Prikhot'ko,A.F. Studies of molecular crystals at low temperatures, 8=4876. See also Babenko,V.P., 9=9398; Brodin,M.S., 8=562, 9=12135; Broude,V.L., 7=9613, 9=10780
Prikhot'ko,A.F. and Shpak,M.T. Absorption and luminescence of stilbene impurity in dibenzyl crystals at 20.4°K, 9=9419. Absorption and luminescence of stilbene impurity in tolane crystals at 20.4°K, 9=9420
Prilezhaeva,I.N. See Spivak,G.V., 6=4497
Prima,A.M. See Stepanov,B.I., 9=12046
Primak,W. Experimental evidence for thermal spikes in radiation damage, 5=8389. Kinetics of processes distributed in activation energy, 6=1678. C-axis electrical conductivity of graphite, 6=6624. Gamma-ray dosage in inhomogeneous nuclear reactors, 6=6877. Fast-neutron damaging in nuclear reactors: its kinetics and the carbon atom displacement rate, 7=1639. Gouy modulator for thermocouples, 7=2139. Fringe sharpening in divided beam interferometers, 8=4900. Fast-neutron-induced changes in quartz and vitreous silica, 8=6428. Radiation-induced changes of dimensions, index of refraction, and dispersion of lithium fluoride, 9=7524
Primak,W., Delbecq,C.J. and Yuster,P.H. Photoelastic observations of the expansion of alkali halides on irradiation, 5=9246
Primak,W. and Fuchs,L.H. Nitrogen fixation in a nuclear reactor, 5=5694. Radiation damage to the electrical conductivities of natural graphite crystals, 6=7397
Primak,W., Fuchs,L.H. and Day,P.P. Radiation damage in diamond and silicon carbide, 6=9039
Primak,W. and Post,D. Photoelastic constants of vitreous silica and its elastic coefficient of refractive index, 9=6804
Primak,W. and Szymanski,H. Radiation damage in vitreous silica: annealing of the density changes, 6=4033
Primak,W. and Uphaus,R.A. Fast neutron induced luminescence in vitreous silica and quartz, 9=2220
Primakoff,H. Exclusion principle inhibition of bound hyperon mesonic decay, 6=6922. See also Bernardes,N., 9=7453, 9=11544; Bernstein,J., 8=6359; Blin-Stoyle,R.J., 9=8540; Feenberg,E., 8=3307; Fowler,J.M., 9=2460; Fujii,A., 9=8472; Malenka,B.J., 7=2998
Primakoff,H. and Rosen,S.P. Double beta decay, 9=5020
Primas,H. A nuclear resonance spectrograph with improved resolution. I. Theory of line distortion in high resolution nuclear resonance spectroscopy, 9=8355. A modulation method for nuclear resonance spectroscopy with higher resolution, 9=9830
Primas,H. and Günthard,H.H. Field stabilizer for high-resolution nuclear magnetic resonance, 8=1805. Production of very homogeneous axially symmetric magnetic fields, 9=8277. A nuclear resonance spectrograph with improved resolution. II. Description of the apparatus, 9=8356. A method for the direct calculation of the spectra of electromagnetic radiation absorbed or emitted by quantum mechanical systems, 9=11805
Prince,E. Neutron diffraction observation of heat treatment in cobalt ferrite, 6=5225
Prince,E. and Abrahams,S.C. Single crystal automatic neutron diffractometer, 9=9920
Prince,M.B. Silicon solar energy converters, 5=6163. See also Veloric,H.S., 7=388
Prince,P.E.V. See Hey,J.S., 7=2447
Pringle,D.H. and Farvis,W.E.J. Electron groups in the helium negative glow, 5=6182. Screened probe measurements in the helium negative glow, 6=2141
Pringle,R.W. See also Funt,B.L., 5=7311; Standil,S., 6=2984; Taylor,H.W., 5=9878; Turchinetz,W., 6=8347
Pringle,R.W., Turchinetz,W. and Funt,B.L. Liquid scintillation techniques for radiocarbon dating, 5=10101
Pringsheim,P. The absorption spectrum of $NaNO_3$ exposed to ionizing radiation, 5=2615. On the different concentrations of F-centres in crystals of natural and of synthetic rock salt, 6=3363. See also Hutchinson,E., 5=6620
Prins,J.A. and Hempenius,S.A. Apparent velocity of alpha-particles in cloud chambers, 6=5178
Prins,J.A. and Prins,W. Depolarization and intensity of light scattered by liquids with anisotropic molecules, 6=6546. Influence of molecular orientation on X-ray and optical scattering by liquids, 7=8544
Prins,J.A., Schenk,J. and Hospel,P.A.M. The X-ray diagram of fibrous sulfur, 6=8485
Prins,J.A., Schenk,J. and Wachters,L.H.J. The structure of fibrous sulfur, 8=3473
Prins,J.De. See De Prins,J.
Prins,W. See also Prins,J.A., 6=6546, 7=8544
Prins,W. and Hermans,J.J. Charge effects in light-scattering by colloid solutions, 5=9590
Prinsloo,L.A. The stark effect in hydrogen, 5=5305
Prinzler,H. See Hachenberg,O., 7=29
Prior,A.C. Avalanche multiplication and electron mobility in indium antimonide at high electric fields, 8=2318
Prior,J.R. See Champion,F.C., 9=1914
Prior,O. On moments of inertia of strongly deformed odd-A nuclei, 9=8503
Pritchard,A.G. See Appleton,E.V., 6=5554
Pritchard,B.S. Measurement of stray light in a monochromator, 5=5974
Pritchard,B.S. and Holmwood,W.A. New recording spectrophotometer, 5=8591
Pritchard,D.E. See Muller,N., 9=12490
Pritchard,H.O. Intramolecular energy transfer in bimolecular reaction, 5=8340. Interpretation of the kinetics of mercury alkyl pyrolysis, 6=7779. See also Gray,B.F., 7=2784, 8=3423, 8=6389, 8=7421
Pritchard,H.O. and Skinner,H.A. Extrapolations of electron affinities, 5=3014
Pritchard,H.O. and Sumner,F.H. The application of electronic digital computers to molecular orbital problems. I. The calculation of bond lengths in aromatic hydrocarbons, 5=435, II. A new approximation for hetero-atom systems, 6=4570. The calculation of bond lengths in napthalene and anthracene, 5=5576
Pritchard,R.L. Maximum directivity index of a linear point array, 5=1627
Pritchard,R.M. See Ditchburn,R.W., 6=4127, 7=2884
Pritchett,J. The subjective free-field calibration of an external telephone receiver by the equal-loudness method, 5=2533
Privalova,V. See Nemilov,Yu., 9=7065
Privolova,V,E. See Nemilov,Yu.A., 6=8803
Probine,M.C. An electrical analogue method of predicting the permeability of unsaturated porous materials, 8=3474
Proca,A. Particles of very great velocities in spinor mechanics, 6=3464. Interference in spinor mechanics, 6=3465. On the spinor mechanics of a point charge, 6=4176. On a new principle of equivalence suggested by spinor mechanics, 6=4177
Prochakov,L.L. See Gutin,S.S., 7=772
Procopiu,S. and Papusoi,C. Determination of the value of the Bohr magneton by a resonance method in ionized air, 7=8004
Procter,J.P. See Jellyman,P.E., 7=250
Proctor,B.E. See Davison,S., 6=3968; Lafuente,B. 9=11322
Proctor,E.K. Methods of reducing chromatic aberration in metal-plate microwave lenses, 8=8947
Proctor,T.M. and Sutton,P.M. Static space-charge distributions with a single mobile charge carrier, 9=6904
Proctor,W. See Abragam,A., 8=1025
Proctor,W.G. See also Abragam,A., 7=6452, 8=2523, 8=7316; Fernbach,S., 5=3977; Kiddle,R.F., 7=2803
Proctor,W.G. and Robinson,W.A. Ultrasonic saturation of nuclear magnetic energy levels, 6=5321, 8=7314. Ultrasonic excitation of nuclear magnetic energy levels of Na^{23} and NaCl, 7=2805
Proctor,W.G. and Tanttila,W.H. Saturation of nuclear electric quadrupole energy levels by ultrasonic excitation, 5=8135. Influence of ultrasonic energy on the relaxation of chlorine nuclei in sodium chlorate, 6=4089
Prodell,A. See Eisler,F., 8=1208, 8=1212*, 9=2655, 9=2662, 9=2667; Impeduglia,G., 9=2616
Prodell,A.G. See also Lurio,A., 6=3112
Prodell,A.G. and Kusch,P. Hyperfine structure of tritium in the ground state, 7=6471
Prod'homme,L. Rayleigh scattering in optical glasses, 7=9118. Certain aspects of thermal treatment and the stabilization of the properties of glass. I-II, 9=6815

Progrushchenko,A.V. See Gertsriken,S.D., 8=3986

Proisy,P. Analysis of the spectrum of ammonia and the spectra of comets, 6=7273. Analysis of NH_2 bands observed in the visible region of the ammonia spectrum, from the study of cometary spectra, 7=4992. Analysis of the spectrum of ammonia according to observations made in the laboratory, and the study of the spectra of comets, 7=6993. Bands Id and IId of NH_2 observed in the spectrum of ammonia, 8=115

Prokeš,A. A study of the erosive effects of pulsed electric discharges for weak currents, 9=8183

Prokhoda,I.G. See Akhiezer,A.I., 8=1796

Prokhorenko,V.K. See also Fisher,I.Z., 9=9308

Prokhorenko,V.K. and Fisher,I.Z. The molecular theory of the velocity of sound in liquids, 8=6736

Prokhorenko,V.K., Samoilov,O.Ya. and Fisher,I.Z. The asymmetry of the distribution of the coordination number of molecules in water, 9=13064

Prokhorov,A.M. A molecular amplifier and generator for submillimetre waves, 8=8942. See also Barchukov,A.I., 7=255; Basov,N.G., 5=5318, 5=6377, 6=6803; Kontorovich,V.M., 8=6075; Kornienko,L.S., 8=2658, 9=12476; Manenkov,A.A., 6=3014, 6=6784, 7=2492, 7=6448, 8=585, 8=6214; Murina,T.M., 9=7951; Pashinin,P.P., 9=9811; Veselago,V.G., 7=4155; Zverev,G.M., 9=2536, 9=4828, 9=12475

Prokhorov,A.M. and Barchukov,A.I. A method of measuring the coefficient of absorption in microwave radiospectroscopy, 5=845

Prokhorov,P.S. The effects of humidity deficit on coagulation processes and the coalescence of liquid drops, 5=7739. See also Deryagin,B.V., 7=1116

Prokhorov,V.G. Transforming an ultrasonic image into a visible one, 8=4819

Prokhorova,V.M. See Boltaks,B.I., 8=7533

Prokhvatilov,V.V. See Skanavi,G.I., 8=1672

Prokof'ev,P.T. Magnetic gamma-spectrometer with increased luminosity, 9=11335

Prokof'ev,V.K. See Gurevich,D.B., 7=9704; Nikonova,E.I., 7=4414-15, 9=10753, 9=12328

Prokof'eva,V.V. See Butslov,M.M., 9=10499

Prokoffieva,E.I. See Denisenko,G.F., 9=699

Prokofiev,Yu.A. See Sosnovsky,A.N., 9=8457

Prokoshkin,Yu.D. Relations between the angular distributions of particles and their decay products, 7=4762. See also Bayukov,Yu.D., 8=3308; Tyapkin,A.A., 5=9147

Prokoshkin,Yu.D. and Tan Syao-Vei, Showers produced by 100 to 400 MeV positrons, 9=12544

Prokoshkin,Yu.D. and Tyapkin,A.A. Study of the excitation functions for the reactions $C^{12}(p, pn)C^{11}$, $Al^{27}(p, 3pn)Na^{24}$ and $Al^{27}(p, 3p3n)Na^{22}$ in the energy interval 150-660 MeV, 7=6543. Production of neutral π-mesons on nuclei of various elements by 260–660 MeV protons, 8=1876. π°-meson production in p–p and p–n collisions in the 390-660 MeV energy region, 8=5235

Promberger,M. Field strength and induction, 5=9753

Pröpstl,G. and Zielasek,G. Distribution of Sb in quenched Ge–Sb alloys, 8=9142

Proriol,J. See Pluvinage,P., 8=1215

Prosen,E.J. See Jaffe,L., 7=9666

Prosen,R.J. See Sparks,R.A., 6=9045

Proshkin,E.G. and Kashcheev,B.L. Investigation of the nonhomogeneous structure of the F-layer of the ionosphere, 8=7628. On the question of the fluctuations of electron concentration in the F-layer of the ionosphere, 8=7629

Prosin,G.P. See Kilin,S.F., 9=9458

Prosperi,D. and Sciuti,S. Radiometric methods for the measurement of uranium and thorium in minerals, 8=7328. Branching ratio of ThC(^{212}Bi), 9=607. A multi-purpose 2π counter, 9=13520

Prosperi,G.M. On the relativistic equations of motion of a particle subject to a force derived from a scalar potential, 5=6722. See also Bocchieri,P., 6=5685; Gallone,S., 7=8883

Prosperi,G.M. and Scotti,A. Ergodic theorem in quantum mechanics. Evaluation of the probability of an exceptional initial condition, 9=13027

Prosperi,G.M. and Tosi,C. On the Mathematical connection between the Feynman and the Rzewuski classical theory of the electron, 6=3703

Prosser,A.P. See Kitchener,J.A., 8=3443

Prosser,F.W., Jr. See also Baumann,N.P., 7=1593; Bonner,T.W., 9=13693; Kraus,A.A., Jr, 7=3619; Schiffer,J.P., 7=2625, 8=2526

Prosser,F.W., Jr, Baumann,N.P., Brice,D.K., Read,W.G. and Krone,R.W. Angular distributions of the gamma rays from the reaction $Na^{23}(p, \gamma)Mg^{24*}$, 7=2598

Prosser,F.W., Jr and Biedenharn,L.C. Some properties of the shift and penetration factors in nuclear reactions, 8=1947

Protas,I.R. Photographic plates for the vacuum-ultraviolet spectral region, 9=12925

Prothe,W.C. See Sherwin,C.W., 6=7237.

Protheroe,W.M. Determination of shadow band structure from stellar scintillation measurements, 5=9360. See also Barnhart,P.E., 7=1869

Protić,O.V. and Vošicki,B. A multichannel coincidence device, 5=7147

Protopopov,A.N., Baranov,I.A. and Eismont,V.P. On the angular anisotropy of the fragments from the fission of Am^{241} by neutrons of 14.7 MeV, 9=13709

Protopopov,A.N. and Éĭsmont,V.P. Angular anisotropy of emission of fragments in the fission of Pu^{239} by 14 MeV neutrons, 8=8355

Protopopov,A.N. and Shiryaev, B.M. Investigation of γ-rays emitted in the fission of U^{235} induced by 2.8 and 14.7 MeV neutrons, 8=8358. Gamma-rays accompanying the fission of U^{238} by neutrons with energies 2.8 and 14.7 MeV, 9=13710

Proud,J.M., Tamarkin,P. and Kornhauser,E.T. Propagation of soung pulses in a dispersive medium, 6=1911

Proud,J.M., Jr, Tamarkin,P. and Meecham,W.C. Reflection of sound from a surface of saw-tooth profile, 8=2919

Prout,E.G. Thermal decomposition of irradiated solids, 9=7582. See also Butement,F.D.S., 5=5598

Prowse,D.J. An analysis of the pairs produced by ^{8}Be γ-rays in photographic emulsions, 7=8810. See also Bhowmik, B., 6=5413, 7=8858, 7=8866, 8=704, 8=2450, 8=3310; Burcham,W.E., 7=9381, 8=6309; Burge,E.J., 7=2533, 8=2444; Evans,D., 9=3795; Freemantle,R.G., 5=339, 5=1189-90; Gibson,W.M., 5=9082, 8=333; Helmy,E., 9=2635; Hossain,A., 7=8778; K-collaboration, 9=13575; van Heerden,I.J., 7=4619

Prowse,D.J. and Baldo-Ceolin,M. Anti-lambda hyperon, 9=1682. A decay of an anti-hyperon, $\overline{\Lambda}^{0}$, in nuclear emulsion, 9=2668

Prowse,D.J. and Evans,D. A further example of an anomalous K^{+}-decay, 8=6175

Prowse,D.J. and Gibson,W.M., A magnetic spectrometer, 6=3788

Prowse,W.A. See also Bainbridge,G.R., 7=1186

Prowse,W.A. and Bainbridge,G.R. The emission of ionizing radiation during a spark discharge, 7=7937

Prowse,W.A. and Clark,J.L. Ultra-high-frequency gas breakdown between Rogowski electrodes, 9=1496

Prowse,W.A. and Lane,P.E. The breakdown of gases subject to crossed electric fields, 6=2139. Ultra-high-frequency breakdown in irradiated parallel plate gaps, 7=1328

Prozorova,L.A. Measurement of the surface impedance of superconductors at 9400 Mc/s, 8=7033

Prud'homme,J.T. See Little,R.N., Jr, 5=5637

Prudhomme,R.O. See Audubert,R., 6=7786

Prudkovskaya,O.V. Theory of diffusion vibrations in the plasma of a gas discharge, 8=3158

Prudkovskaya,O.V. and Shirokov,M.F. On the theory of stationary strata in the positive column of a gas discharge, 7=7135

Prudkovskiĭ,G.P. See Alekseevskiĭ,N.E., 5=8837

Pruett,C.H. See also Bolotin,H.H., 5=8152; Cole,F.T., 7=7949; Terwilliger,K.M., 8=1720

Pruett,C.H. and Wilkinson,R.G. Disintegration of Ce^{139}, 5=1148

Prugne,P. See also Garin,P., 5=3167

Prugne,P., Blandin-Vial,J., Godin,A., Lechauguette,G. and Léger,P. Preparation of thin unsupported films, 6=1645

Pruitt,J.S. Scintillation crystal–TV device X-rays objects in motion, 6=394

Prusch,S.B. See Kessler,K.G., 7=2000

Prussin,S. and Stevenson,A. Strain-optic coefficient of silicon for infrared light, 9=7819

Prutton,M. Dielectric constant and conductivity of guandine aluminium sulphate during switching, 8=167. The polarization reversal process in guanidine aluminium sulphate hexahydrate, 8=605. The polarization reversal process in ferroelectric single crystals, 8=7884. See also Bradley,E.M., 9=3646

Pruzhinina-Granovskaya,V.I. See Ivanov,L.I., 6=6639

Pry,R.H. See also Walter,J.L., 8=8894

Pry,R.H. and Bean,C.P. Calculation of the energy loss in mag-

netic sheet material using a domain model, 8=8937
Pyramkova,I.A. See Spivak,G.V., 9=7083
Pugh,G.E., Frisch,D.H. and Gomez,R. Efficient, fast, energy-levels of Pb^{205}, 7=6438. Paramagnetism in crystals, 9=389 See also Abragam,A., 5=6305; Bleaney,B., 5=2890; Eisenstein,J.C., 5=4854, 7=6394; Hush,N.S., 7=3818, 8=9109; Koide,S., 8=4873; Longuet-Higgins,H.C., 8=4384; O'Brien,M.C.M., 5=5711; Öpik,U., 7=6395
Pryor,A.W. The propagation of sound in solutions of rubber and Perspex, 5=3517. See also Griffiths,J.W.R., 8=551
Pryor,A.W. and Klein,A.G. Statistical design basis for fast scaling systems, 9=7232
Pryor,A.W. and Richardson,E.G. Velocity and absorption of ultrasonics in liquid sulfur, 5=3515
Pryor,M.J. Measuring artificial star separation by interference, 9=3061
Przibram,K. On the distribution of colour centres and other defects in natural rock salt crystals, 6=6256. Reversibility of fluorescence by annealing, 7=6029-30. On the fluorescence of the skin, 9=2217. The colour and luminescence of feldspars, with an appendix: the reversible fluorescence on annealing anhydrite, 9=3320. On the temperature reversibility of the fluorescence of minerals and chemicals, 9=3321. Coloration and luminescence. VI, 9=10826. Atmospheric dust and fluorescence. Supplement to the article "Coloration and luminescence. VI", 9=10827
Przbylski,A. Investigation on the "gas-ionizing" radiation of a discharge, 8=8796. Model solar atmosphere deduced from observations of limb darkening, 9=3054
Przybylski,A. and Raether,H. Observations on gas ionizing radiations, 9=2454
Pshenichnikov,B.V. See Filimonov,Yu.I., 9=12629
Pshezhetskiĭ,S.Ya. See Shekhter,L.N., 7=2770
Ptitsyn,O.B. See also Tsvetkov,V.N., 9=3360; Vol'kenshteĭn, M.V., 7=4793
Ptitsyn,O.B., Birshtein,T.M. and Sharonov,Yu.A. Theory of the dipole moments of polymeric molecules, 9=13756
Ptukha,T.P. Density of He^3–He^4 solutions, 8=6925
Ptushinskiĭ,Yu.G. Investigation of the condensation of silver atoms on molybdenum, 9=4059
Ptushynskyĭ,Yu.H. Conference on cathode electronics, 8=7102
Puchalik,M. Additivity of the parachors of solutions, 6=7201
Pucheault,J. Dosimetry of γ-radiation from a nuclear reactor by irradiation of ferrine, 5=4922
Pucherov,N.N. See Barchuk,I.F., 7=4472
Puchkovskiĭ,V.V. The approximate relations for thermal breakdown of solid insulating materials, 7=9225
Puck,T.T. Quantitative studies on mammalian cells in vitro, 9=10439
Puckett,H.R., Jr. See Skolnik,M.I., 5=3806
Puddington,I.E. See Howe,P.G., 7=1694
Puff,A. See Kinder,E., 5=3171
Puff,H. See Juza,R., 7=534,
Pugachevich,P.P. See Timofeevicheva,O.A., 9=9300
Pugh,E.M. Band model for Hall effect, magnetizatation, and resistivity of magnetic metals, 5=2873. See also Allison,F.E., 6=5854, 7=8598; Beitel,F.P., Jr, 9=7169; Foner,S., 8=2024
Pugh,E.W. Completely nonmagnetic alloy for instrumentation in magnetic fields, 9=5868
Pugh,E.W., Coles,B.R., Arrott,A. and Goldman,J.E. Magnetic susceptibility of dilute alloys of nickel in copper between 2.5°K and 295°K, 7=3447
Pugh,E.W. and Ryan,F.M. Magnetic susceptibility of copper–nickel and silver–palladium alloys at low temperatures, 9=3642
Pugh,G.E., Frisch,D.H. and Gomez,R. Efficient, fast, energy-sensitive γ-ray counters for use above 50 MeV, 5=1006
Pugh,G.E., Gomez,R., Frisch,D.H. and Janes,G.S. Nuclear scattering of 50- to 130-MeV γ-rays, 7=4729
Pugh,R.E. Field theoretical description of the superconducting state, 6/375. The number density of meteor trails observable by the forward-scattering of radio waves, 7=1018. Furry's theorem for very strong interactions, 8=1500. See also Hines,C.O., 6=2261, 7=1019
Pugh,S.F. The effects of penetrating radiations on materials, 8=3467
Pugh,T.L. See Heller,W., 5=606, 7-837
Pugliesi,M. See Ageno,M., 9=13383
Puglisi,M. See Alberigi,A., 9=11143
Pujal Carrera,M. See Fernández Ferrer,J., 5=680
Pujo,A.M. See Haïssinsky,M., 5=8359
Pujolle,J. Modern studies of the radio centre of Marseilles, 7=206. Acoustic insulation of heavy structures, 7=1157*
Pukhov,V.I. On the question of the effective temperature of radiation, 6=7356. The mean effective length of rays, 7=210
Pullan,G.T. See Atkins,K.R., 5=1779
Pullan,H. See Bijl,D., 5=5358
Pullman,A. and Berthod,H. The influence of corrections to the monocentric integrals upon the characteristics of a butadiene, calculated by the method of the self-consistent molecular field, 5=1101. The study of butadiene by the method of "atoms in molecules", 6=2285
Pullman,B. Electronic structure, chemical reactivity and carcinogenic activity of aromatic molecules, 7=6379
Pullman,I. and Axel,P. Decay of Ce^{144}, 6=6111
Pulsford,E.W. See Hutchinson,W.P., 5=904; Putman,J.L., 5=9450
Pulsford,E.W.[Ed.]. Proceedings of the Applied Nucleonics Conferemce, 4th and 5th December, 1954, 7=740
Pulvari,C.F. and Kuebler,W. Phenomenological theory of polarization reversal in BaTiO$_3$ single crystals, 9=278. Polarization reversal in tri-glycine fluoberyllate and tri-glycine sulfate single crystals, 9=5657
Pumper,E.Ya. Adsorption of gases in the low-pressure [Hg-vapour] arc, 9=9678
Pupke,H. On the explanation of the anomalous rotation of arcs, 7=424. An investigation of anomalous rotation of arcs, 9=4650. See also Drost,H., 7=6291, 9=1508, 9=10045
Pupke,H. and Thom,H.G. The rotation of plasmas in a magnetic field, 6=3763
Puppi,G. See also Cocconi,G., 7=8188; Eisler,F., 8=1208, 8=1212*, 9=2662; Ferretti,L., 5=7396
Puppi,G. and Stanghellini,A. Some considerations on the phase shift analysis in the $(p^+ - p^+)$ scattering, 6=6197. Determination of the pion–nucleon interaction coupling constant from scattering experiments using dispersion relations, 7=8408
Puranik,P.G. Study of chelation through Raman effect, 5=6042. Raman effect in mixtures of some esters with phenol and alcohols: hydrogen bond formation, 7=5225. See also Dowling,J.M., 7=5192
Purbrick,R.L. Inexpensive recording microdensitometer, 9=4414. Emission spectrum of TeO, 9=6712
Purcell,E.M. Nuclear resonance and molecular movement in fluids, 5=2469. The question of correlation between photons in coherent light rays, 7=4108. The production of very uniform magnetic fields, 9=414. Nuclear magnetism and nuclear relaxation, 9=587. See also Benedek,G.B., 5=2472; Smith,J.H., 8=1174
Purcell,E.M. and Field,G.B. Influence of collisions upon population of hyperfine states in hydrogen, 7=4635
Purcell,J.D. See Johnson,F.S., 9=6465
Purdy,C.M. See Roach,F.E., 9=12974
Purdy,D.C. Diphenyl as a thermodynamic fluid, 7=9903
Puri,B.R. See also Lakhanpal,M.L., 5=3683, 6=943
Puri,B.R., Singh,D.D. and Myer,Y.P. Freezing points of liquids adsorbed on porous solids, 8=3933
Puri,S. A deviation from Wilkinson's theory of discharge spread in Geiger-counters, 9=8399
Puri,S.M. See Duggal,V.P., 8=3298, 9=11374
Puri,S.P. A study of the operation of G-M counters at low temperatures, 7=4470. See also Gill,P.S., 9=8400
Puri,S.P. and Gill,P.S. Analysis of G-M counter impulses by the method of delayed coincidences, 5=8859. The temperature-dependence of G-M. counter characteristics. I, 6=8249; II, 6=8250. Analysis of spuriousness of Geiger-Müller tubes at high temperatures, 6=8251
Purkayastha,B.C. and Martin,G.R. The yields of ^{129}I in natural and in neutron-induced fission of uranium, 7=1581
Purkayastha,D.C. Dependence of limit of resolution on background intensity, detecting instrument and stage of resolution in X-ray spectra, 7=436
Purl,O.T. and VonFoerster,H.M. Velocity spectrography of electron dynamics in a traveling field, 5=4718
Purlee,E.L. and Grunwald,E. Standard electrode potential of the silver, silver chloride electrode, 8=3544
Purser,K.H. See Bogle,G.S., 6=3106
Pursey,D.L. Invariance properties of Fermi interactions, 7=8992. On generalized Foldy–Wouthuysen transformations, 9=1066. See also Kahana,S., 8=1247; Kemmer,N., 9=4281; Polkinghorne,J.C., 7=6599
Pursey,H. The power radiated by an electromechanical wave

source, 6=2733. See also Miller,G.F., 6=2736
Pursley,M.V. See Krusemeyer,H.J., 7=3403
Purslow,B.W. Ionospheric drift in the F2 region near the magnetic equator, 8=2070
Purushothaman,C. See Dayal,B., 6=7364
Purvis,W.J. See Van der Maas,G.J., 6=4514
Püschel,W. Investigations on heavy nuclei in primary cosmic radiation, 9=12439. See also Alles,W., 9=3800, 9=7284
Pushkin,E.V. See Vishnevsky,M.E., 8=5318
Pusterla,M. See Cirelli,R., 6=7950, 7=5036; Montaldi,E., 7=8814
Pustovalov,G.E. Influence of volume on the polarization shift of levels in mesic atoms, 5=3021. Vacuum polarization in mesoatoms, 8=3401. See also Ivanenko,D.D., 7=7282
Putilova,I.N. See Gindin,L.G., 7=2244
Putley,E.H. The Hall coefficient, electrical conductivity and magneto-resistance effect of lead sulphide, selenide and telluride, 5=1825. Thermoelectric and galvanomagnetic effects in lead selenide and telluride, 5=1826. A simple apparatus for recording the variation of Hall coefficient with temperature, 6=5857. Electrical conduction in n-type InSb between 2°K and 300°K, 9=2328. Electrical conduction in p-type InSb between 100° and 2°K, 9=3476. An oscillatory transverse magnetoresistance effect in n-type InSb, 9=3477. The temperature variation of the concentration of impurity carriers in silicon, 9=3481. See also Howarth,D.J., 7=4344; Lawson,W.D., 5=9660, 9=8104
Putley,E.H. and Mitchell, W.H. The electrical conductivity and Hall effect of silicon, 8=7958
Putman,J.L. See also Eastwood,W.S., 9=7310; Husain,S.A., 7=5394
Putman,J.L., Jefferson,S., Cameron,J.F., Kerry,J.P. and Pulsford,E.W. Tube wall thickness gauge with selection of backscattered y-radiations, 5=9450
Putnam,A.A. and Dennis,W.R. Burner oscillations of the gauze-tone type, 5=122. Survey of organ-pipe oscillations in combustion systems, 6=3559. Organ-pipe oscillations in a burner with deep ports, 6=3560
Putnam,C.R. A note on the Patterson functions, 5=6627. Note on the many-particle problem, 7=117
Putnam,T.M. See also Brolley,J.E., Jr, 7=8828
Putnam,T.M., Brolley,J.E., Jr, and Rosen,L. Scattering of 7.5-MeV protons by helium, 7=2335
Putnam,W.E. and Kilpatrick,J.E. Entropy, heat capacity, and heats of transition of 1,2,4-trimethylbenzene, 8=160
Putner,T. See Holland,L., 8=991
Putseiko,E.K. On the problem of measurement of high optical densities, 9=10769
Putten,J.D.van. See van Putten,J.D.
Pütter,P.S. Measurement of the ionospheric wind from the speed of motion of a state (e.g. echo field strength) along the surface of the earth, 5=6644. Remarks on a paper of G.W.G. Court: "Ionospheric wind determination from spaced radio-receiver fading records", 7=1780. On the statistics of [classical] systems of similar [spherically symmetrical] particles, 7=9550. Applications of the fundamental dynamical equations of classical statistics, 7=9551. Concerning the problem of degeneracy involved in the concept of neutron production, 9=7379. On the question of the influencing of the neutron distribution by thin layers, 9=8653
Pütter,P.S. and Sauter,F. On the statistics of plasmas, 8=8065
Puttick,K.E. See Campbell,J.D., 7=5683; Frank,F.C., 6=2213, 9=6369-70
Putzeiko,E. See Terenin,A., 9=4576; Terenine,A., 7=4187
Putzeys,P. and Minet,J. Reflection correction to measurements of the molecular scattering of light, 5=6966
Puzei,I.M. See Lyashchenko,B.G., 7=9933, 9=12884
Puzikov,L., Ryndin,R. and Smorodinskiĭ,Ya. Reconstruction of the scattering matrix of a two-nucleon system, 8=4741
Puzikov,L., Ryndin,R. and Smorodinsky,J. Construction of the scattering matrix of a two-nucleon system, 7=9009
Puzikov,L.D. Scattering of particles with arbitrary spins, 8=7707. See also Bilen'kiĭ,S.M., 9=3885; Bilenky,S.M., 9=1754
P'yanov,I.I. See Ivanova,N.S., 7=2647
Pyaskovskaya-Fesenkova,E.V. Scattering and polarization of light in the atmosphere in the conditions of the Libyan desert, 9=12900
Pyatnitskiĭ,A.I. On the distribution of electron energies from antimony–caesium cathodes, 8=7024. Secondary electron emission of antimony–caesium emitters at "shooting through", 9=11104. On the passage of electrons through thin glass films, 9=11122. See also Aranovich,R.M., 9=11107
Pyatnitskiĭ,B.A. Phosphorescence spectra of some aromatic acids at the temperature of liquid air, 7=1201
Pyatt,K.D., Jr. See Hull,M.H., Jr, 9=12607
Pyett,J.S. Acoustic admittance and impedance as vector quantities, 5=808
Pyle,G.L. See Fields,P.R., 6=3933, 9=13704; Ghiorso,A., 5=9846
Pyle,I.C. The second-order effect of free electrons on lattice conduction [of heat], 8=3918
Pyle,R.V. See Allen,T.K., 9=12412; Anderson,O.A., 8=2596, 9=534; Choppin,G.R., 6=4630; Crandall,W.E., 6=3191; Diaz,J., 9=13700; Hicks,D.A., 5=4104, 5=7402, 6=2424, 7=4743; Kaplan,S.N., 9=6142; Kelly,E.L., 6=8818
Pyrah,S. See Abson,W., 8=669-70, 8=5158, 8=5160
Pyramkova,I.A. See Spivak,G.V., 9=13265
Pytte,A. Circular polarization of internal bremsstrahlung, 8=7343

Qayum Abdul. See Abdul Qayum
Quagliano,J.V. See Lane,T.J., 5=842; Mizushima,S., 5=9568
Quân Pham Mau. See Pham Mau Quân.
Quareni,G. See also Alles,W., 9=3800, 9=7284; Ceccarelli,M, 5=5504; Cocconi,G., 7=8188; Ferrari,G., 7=8876; Ferretti, L., 5=7396, 7=8878; Gessaroli,R., 7=8877; Lannutti,J.E., 9=552; Marchi,C., 7=8879; Pedretti,E., 5=9963
Quareni,G. and Zorn,G.T. On the nuclear interaction of 350 MeV α-particle, 5=8229
Quarrington,J.E. See Macfarlane,G.G., 8=4953, 8=5464, 9=3280, 9=10243, 9=12135; Parkinson,D.H., 5=10023; Roberts, V.„ 5=8765
Quassiati,B. See Bisi,V., 9=2646, 9=7285; Cester,R., 8=1761 Garelli,C.M., 8=6013
Queisser,H.J., On the structure of thin salt films condensed at low temperatures. III. Systems of two alkali halides, 9=5260. X-ray investigation of evaporated Bi layers at low temperatures, 9=6311. See also Busz-Peuckert,G., 6=8222
Quemada,D. See Bayet,M., 5=7156
Quenby,J.J. See Elliot,H., 9=9100
Quercia,I.F. See also Ageno,M., 9=13383; Alberigi,A., 9=11143
Quercia,I.F. and Rispoli,B. Geomagnetic effects of the μ meson component of cosmic radiation at sea level, 5=374
Quéré,Y. and Nakache,F. Estimation of the volume of the "fission spike" in uranium, 9=11575
Querzoli,R. See Agano,M. 5=3863, 7=1568-9, 7=4510, 9=13383; Alberigi,A., 9=11143
Quevedo,J.L.Garcia de. See Garcia de Quevedo,J.L.
Queyrel,M. See Vincent-Geisse,J., 9=2234, 9=3265
Quidort,J. The lifetime of the first excited state of molybdenum 95, 8=5300. See also Barloutaud,R., 7=7291, 7=9332
Quietzsch,G. Objective and subjective loudness level measurements, 5=6855
Quiggle,R. See Glorig,A., 7=3871
Quilliet,A. See Kover,F., 7=7098
Quimby,E.H., Castro,V. and Soifer,C. Dosage determination for rotation therapy in the horizontal plane, 5=1421
Quimby,S.L. See Burns,F.P., 5=4828; Weisberg,L.R., 9=857; Welber,B., 8=152, 8=4471
Quinn,J.J. See also Ferrell,R.A., 8=1165
Quinn,J.J. and Ferrell,R.A. Electron self-energy approach to correlation in a degenerate electron gas, 9=6244
Quinn,W. See Lewis,H.R., 8=719
Quinn,W.E. See also Boyer,K., 9=12342; Elmore,W.C., 8=7400; LaTourrette,J.T., 8=314
Quinn,W.E., Baker,J.M., LaTourrette,J.T. and Ramsay,N.F. Radio-frequency spectra of hydrogen deuteride in strong magnetic fields, 9=3996
Quinn,W.E., Pery,A., Baker,J.M., Lewis,H.R., Ramsey,N.F. and LaTourrette,J.T. Electron-bombardment detection of noncondensable molecular beams, 9=3995
Quint,R.H. A method for analysing mechanical motion, 7=4040 Acoustic field of a circular piston in the near zone, 9=4395
Quinton,A.R. See also Knox,W.J., 9=12683
Quinton,A.R. and Doyle,W.T. (α, n) type reactions in light nuclei, 6=2392
Quirk,J.P. See Millingron,R.J., 9=6579
Quisenberry,K.S. See also Scolman,T.T., 6=5336
Quisenberry,K.S., Giese,C.F. and Benson,J.L. Atomic masses of H^1, C^{12}, and S^{32}, 8=360; 6=5335.
Quisenberry,K.S., Scolman,T.T. and Nier,A.O. Atomic masses in the region from iron to zinc, 7=1527
Quistwater,J.M.R. See Dunell,B.A., 8=8482
Quitmann,D. See Brix,P., 8=7385
Quivy,D. See Bluet,J.C., 8=6940
Quivy,R. See Danguy,L., 6=7463; 7=6266, 8=6245, 9=5975
Qurashi,M.M. An analysis of the efficiency of convergence of different methods of structure determination. II. The method of Fourier synthesis: centrosymmetric case, 5=9265. See also Ahsanullah,A.K.M., 9=3376; Naseem,M., 9=6571

Raab,R.E. See Buckingham,A.D., 8=3079, 9=6871

Raabe,H.P. Measurement of instantaneous frequency with a microwave interferometer, 7=4566

Raad,B.de. See de Raad,B.

Raal,F.A. A new absorption band in diamond and its likely cause, 8=6840. See also Custers,J.F.H., 7=5990

Raay,H.B. van der. See van der Raay,H.B.

Raay,H.V. van der. See van der Raay,H.V.

Rabaud,H. The water moleculae in the crystal of lithium hydroxide monohydrate, 6=2562

Rabaud,H. and Gay,R. Localization of hydrogen in the crystal structure of lithium hydroxide monohydrate, 7=6747

Rabben,H.H. A simple photoelectric auto-follower for astronomical telescopes, 7=8. See also Kiepenheuer,K.O., 9=5297

Rabello,R.F. See Mascarenhas,S., 8=3914

Rabenau,A. See Kauer,E., 9=4577, 9=5547

Rabenhorst,H. See also Eckhart,F. 7=9154

Rabenhorst,H. and Melicherčík,J. Dielectric properties of barium titanate at high frequencies and low temperatures, 8=7886

Rabi,I.I. See Buck,P., 7=2557, 8=356; Grosof,G.M., 9=1713; Perl,M.L., 5=4873, 5=5587; Sebitsky,B., 6=6853

Rabin,H. See also Klick,C.C., 6=2960; Schulman,J.H., 5=4919

Rabin,H. and Price,W.E. Mapping radiation fields with silver-activated phosphate glass, 5=5616

Rabin,N.V. See Parfanovich,D.M., 7=2628; Vaĭsenberg,A.O., 9=2620

Rabinovich,B.S. and Hulatt,M.J. Thermal cis-trans isomerization of dichloroethylene: An unexceptional reaction, 7=9943

Rabinovich,E.M. Production of electron–positron pairs in collisions between fast π-mesons and nucleons, 8=3289

Rabinovich,I.B. and Gorbushenkov,V.A. Isotope effect at critical temperature, 8=7863

Rabinovich,I.B. and Volokhova,Z.V. Effect of the substitution of deuterium for hydrogen on the polarizability of molecules, 9=7463

Rabinovich,M.S. See Baldin,A.M., 7=3368; Danilkin,I.S., 8=7088; Iogansen,L.V., 9=2426; Kolomenskiĭ,A.A., 6=2938

Rabinovitch,B.S. See also Douglas,J.E., 5=3209; Reed,J.F., 5=5011, 8=3035

Rabinovitch,B.S. and Diesen,R.W. Unimolecular decomposition of chemically activated sec-butyl radicals from H atoms plus cis-butene-2, 9=7563

Rabinovitch,B.S. and Looney,F.S. Nitric oxide catalyzed cis-trans isomerization of dideuteroethylene, 6=1690

Rabinovitch,B.S. and Reed,J.F. Heat of formation of CF$_3$ and some bond dissociation energies for fluorocarbons, 5=2930

Rabinovitch,B.S., Schlag,E.W. and Wiberg,K.B. Geometrical and structural unimolecular isomerization of sym-cylopropane-d$_2$, 8=7575

Rabinovitch,J. and Combettes,A. Experimental study of the bending of a circular plate subjected to a uniform pressure, 6=2482

Rabinovitch,J. and Macatand,J. Method of determining the elastic constants of glass, 5=4998

Rabinovitch,J. and Michel,J. Thermal variation of the Kerr effect in a viscous insulator in an alternating electric field, 9=13270

Rabinovitch,J. and Rouzeyre,M. Photoelectric arrangement of great sensitivity for the measurement of the Kerr electro-optic effect, 9=1347

Rabinow,J. and Apstein,M. Distributed transducer for ultrasonic power, 5=137

Rabinowicz,E. The relation between friction and wear for boundary-lubricated surfaces, 5=9196. Autocorrelation analysis of the sliding process, 6=1668. Direction of the friction force, 7=8915; The intrinsic variables affecting the stick-slip process, 8=2695. See also Heymann,F., 5=2261

Rabinowicz,J., Jessey,M.E., and Bartsch,C.A. Resistance thermometer for transient high-temperature studies, 6=2835

Rabinowitch,E. See Latimer,P., 6=3655

Rabinowitz,I.N. See Bernstein,I.B., 9=8248

Rabinowitz,P. See Dostrovsky,I., 9=3884; Trees,R.E., 6=6851

Rabotnikov,Yu.L. See Ansel'm,A.I. 9=1853

Rabouin,L.H., III. See Patterson,G.D.,Jr, 9=1129

Rabovskii,B.G. See Finkel'shtein,A.I., 9=13154

Raboy,S. See also Burgy,M.T. 8=1173. Ferentz,M., 6=8398 Huizenga,J.R., 6=5372. Krohn,V.E., 5=479, 5=3974, 7=4670, 8=2520. Nasuhoglu,R., 8=8357. Trail,C.C., 9=8435

Raboy,S. and Krohn,V.E. Gyromagnetic ratio of 10^{-8}-second Ta^{181m}, 5=442. Theorem on angular correlation, 5=4909. Gyromagnetic ratio of the 3.5×10^{-9} sec state and other angular correlation measurements of Tc^{99}, 9=2751

Raboy,S. and Trail,C.C. On the relation between velocity and mass of the electron, 9=3725

Rabson,T.A. See Ranken,W.A., 8=8303, 9=2757

Racah,G. The competition between the low configurations in the spectra of the iron group, 5=3005. A search for new quantum numbers in nuclear configurations, 5=6381. The present state and problems of the theory of atomic spectra, spectra, 6=1039; Remarks on a mathematical formalation of Gell-Mann, 7=91

Racette,G.W., See Kaplon,M.F., 5=1023

Racette,J.H. Intrinsic electrical conductivity in silicon carbide, 8=1695

Rachinger,W.A. A "super-elastic" single crystal calibration bar, 8=7554

Rack,E.P. See Miller,W.W., 6=1702

Racke,H.H. The optical polarization determination of the principal stresses in the load free surface of a three dimensional model by the inclusion-remelt method, 6=2020

Rączka,A. See also Rączka,R., 9=1650

Rączka,A. and Rączka,R. Møller scattering of arbitrarily polarized electrons, 8=8210

Rączka,R. See also Rączka,A., 8=8210

Rączka,R. and Rączka,A. The Møller scattering of arbitrarily polarized electrons, 9=1650

Radakrishnamurty,C. See Deutsch,E.R., 8=1372

Radautsan,S.I. See Goryunova,N.A., 9=2958-9

Radchenko,I.V. The structure of liquid metals, 7=5922

Radcliffe,J.M. On lattice scattering in homopolar semiconductors, 5=8751. See also Pincherle,L., 7=4324

Radczewski,O.E. and Goossens,H. The crystallographic orientation of minerals based on their electron diffraction patterns, 7=914

Radelt,H. On a lamellar structure in GdS crystals, 9=4097

Rademacher,H.-J. Subjective evaluation,investigation using electrically built-up insulation curves, 5=4481

Rademacher,K. See also Wojaczek,K., 7=6308. A method of determining the cathode falls in glow discharges. Rademacher,K. and Wojaczek,K. 6=5909. The longitudinal gradient of the positive column of the argon discharge in a wide tube, 6=6677. Observations on coupled low pressure discharges in argon, 9=4646

Radford,H.E. See also Geiger,J.S., 7=4636

Radford,H.E. and Hughes,V.W.Microwave Zeeman spectrum of atomic oxygen, 9=10159

Radhakrishna,P. See Goel,P.S., 6=3393

Radhakrishna Murty,C. and Narasimha Rao,D.V.G.L. On the determination of dipole moment and relaxation time at 3 cm, 6=4385

Radicati,L.A. See also Beltrametti,E.G., 9=7367, Corinaldesi, E., 9=13011, Demichelis,F., 6=3955. Morpurgo,G., 5=711, 6=1511

Radicati,L.A. and Rosati,S. On the spin of the $K_{\mu 3}$ meson, 7=9412

Radicati,L.A. and Touschek,B. On the equivalence theorem for the massless neutrino, 7=8801

Radicella,R. See also Bosch,H., 9=1747, Bosch,H.E., 8=7349 Carminatti,H., 6=7647; Fränz,I., 9=3835-6

Radicella,R., Rodriguez,J., Baró,G.B., and Hittmair,O. The yield of the nuclear reaction Al^{27}(d, 2p)Mg^{27}, 9=661*. The yield of Ni^{60}(d, 2n)Cu^{60} reaction, 9=2804

Radin,N.S. See Passmann,J.M., 6=7799

Radley,J.M. See Turner,R.C., 8=4290

Radley,J.P.A. See Halle,M., 7=4099

Radlow,J. Diffraction of a dipole field by a unidirectionally conducting semi-infinite plane screen, 9=9878

Rado,G.T. Effect of electronic mean free path on spin-wave resonance in ferromagnetic metals, 8=8864. See also Ament,W.S., 5=4779; Folen,V.J., 9=399; Weertman,J.R. 9=422

Rado,G.T., Folen,V.J. and Emerson,W.H. Effect of magnetocrystalline anisotropy on the magnetic spectra of Mg-Fe ferrites, 6=8274. Effect of magneotcrystalline anisotropy of the magnetic spectra of Mg-Fe ferrites, 7=4542

Radok,J.R.M. See Kyner,W.T., 9=6341

Radosavljević,B.V. See Draganić,I.G. 7=8137

Radoslovich,E.W. Calculation of geometrical structure factors for space groups of low symmetry. II, 5=9266; III, 9=7647

Radoslovich,E.W. and Megaw,H.D. Calculation of geometrical structure factors for space groups of low symmetry. I, 5=4192

Radtke,H.U. Development of a scintillation dosimeter for X-rays, 8=7077

Radvanyi,P. L capture and L to K capture ratio measurement. Some experiments on Kr^{79}. Discussion of the present state of the problem, 5=9865. Contribution to the study of orbital electron capture by nuclei. Application to Kr^{79}, 6=586. See also Laberrigue-Frolow,J., 6=4622, 7=1538. Langevin, M. 5=9867

Rady,A.A. Relative contribution of disparity and convergence to stereoscopic vision, 5=4255.

Rady,A.A. and Ishak,I.G.H. Relative contributions of disparity and convergence to stereoscopic acuity, 5=7575

Rae,E.R. See also Landon,H.H., 8=3354; Lane,A.M., 9=11418

Rae,E.R., Collins,E.R., Kinsey,B.B., Lynn,J.E. and Wiblen,E.R. An analysis of slow neutron respnances in silver, 8=6328

Rae,E.R., Margolis,B. and Troubetzkoy,E.S. Compound-nucleus processes for the reaction U^{235} + n, 9=6132

Raes,A.C. A tentative method for the measurement of sound transmission losses in unfinished buildings, 5=2532. Characteristic curves of The directivity electroacoustic transducers, 5=3519. Practical production and use of multitones, 7=5148

Raether,H. Electron avalanches and their development in self maintained discharges, 5=4692. The electron avalanche and its development, 7=1321. See also Feldt,W., 7=6201; Haberstroh,G., 6=2176; Horstmann,M., 9=8917; Köhrmann,W., 5=2771; Lohff,J., 5=6203, 6=2162; Przybylski,A., 9=2454; Vogel,J.K., 7=7138*

Raether,M. The decay scheme of Ag^{105}, 9=609. See also Paul, W., 5=4743

Raeuchle,R.F. See also von Batchelder,F.W., 7=3473

Raeuchle,R.F. and von Batchelder,F.W. The structure of MoBe$_{12}$, 6=4108

Raff,E.L. See Mochalov,K.N., 6=8083

Raff,S.J. Ampere's law and the vector potential, 9=466

Raffel,H. See Collins,F.C. 5=108, 5=8542, 9=1143

Raffle,J.F. See Cocking,S.J., 7=720

Rafiquallah,A.K. and Innas Ali,M. Dielectric properties of carbon tetrachloride, benzene and ortho-nitrophenol at high radio frequencies, 7=4303

Rafter,T.A. Carbon dioxide as a substitute for solid carbon in 14C age measurements, 5=3997

Rafter,T.A. and Fergusson,G.J. The atom bomb effect. Recent increase in the ^{14}C content of the atmosphere, biosphere, and surface waters of the oceans, 9=4152

Regan,G.L. See Jones,W.B., 5=9692

Raghupathi,Rao,C. Sound absorption coefficients based on intensity measurements of diffraction orders, 6=2752. Intensity measurements of ultrasonic diffraction orders, 6=2755

Raghupati Rao,C. Ultrasonic dispersion in palmitic acid, 9=141

Ragle,J.L. Molecular motion in dichloroethane, 9=13485. See also Dodgen,H.W., 6=8907

Ragozzino,E. See Carelli,A., 8=4778, 9=11879

Rahm,D.C. See Abashian,A., 7=6605. Bolze,E.M., 8=3278. Glaser,D.A., 5=2824, 6=5982. Willis,W.J., 8=1801

Rahman,A. Excitation energies of Li$_2$-molecule, 5=427. Computation of intensities of vibrational spectra of electronic bands in diatomic molecules. III, 5=9556. Configuration interaction in $^1\Sigma_g^+$ state of H$_2$ molecule, 6=4541. Configuration interaction in ground state of H$_2$ molecule, 7=8758. Two-centre integrals arising out of 2s and 2p atomic functions, 9=1830. See also d'Hooge,M., 7=8757. Sarojini,T., 8=2879

Rahman,F. and Choudhary,J. The effect of humidity on the cosmic-ray intensity at the ground level, 7=6325. The solar eclipse of 20th June, 1955 and its effect on cosmic-ray intensity at Dacca, 7=6326

Raible,R.W. and Testerman,M.K. Ion-gage supply protects tubes, 5=5267

Raievski,V. and Horowitz,J. Determination of the transport mean free path of thermal neutrons by measurement of a complex diffusion length, 6=4029

Raĭkhlin,A.M. See Smolyanskii,R.E., 9=9009

Raimes,S. The theory of plasma oscillations in metals, 8=1308

Raina,N. See Amerighi,M.C., 9=9980

Rainwater,J. See Baker,W.F., 9=3928-9. Cooper,L.N., 5=3142. Pevsner,A., 6=3275-6. Williams,R., 6=3279. Williams,R.E., 7=3718

Raĭs,G.B. The question of the existence of a transitional layer in mechanically twinned crystals, 6=7006. A new method of determining the refractive index of the extraordinary waves in twinned uniaxial negative dielectric crystals, 9=13137

Raišic,N. Fast-fission cross-sections of U^{235} and U^{238}, 5=4947. See also Rajšić,N.

Raĭskiĭ,(Rayski).G. Remarks on the theory of bilocal fields, 7=3947

Raĭskiĭ,S.M. Properties of an optical system incorporating a zone diaphragm, 5=164

Rait,J.R. See also Peiser,H.S., 6=4100

Rait,J.R. and Peiser,H.S. The potentialities of X-ray diffraction studies in non-destructive testing, 8=3494

Raĭzer,M.D. See Shpigel',I.S., 7=9338

Raĭzer,Yu.P. On the structure of the front of strong shock waves in gases, 8=2906. On the brightness of strong shock waves in air, 8=2907. Glow of air during a strong explosion and the minimal brightness effect of the fireball, 8=6749. See also Zel'dovich,Ya.B., 8=7861-2, 9=11938

Rajagopal,A.K. Correction to the theory of the calcium fluoride lattice, 9=8928

Rajagopal,E.S. The theory of the dielectric constant of polydisperse emulsions, 9=12208. See also Krishnan,R.S., 8=8483

Rajan,R. Variation of relaxation time with viscosity–benzyl alcohol and nitrobenzene, 9=13245

Rajaratnam,A., See Garton,W.R.S., 6=1963, 8=564. Webb,C.G., 6=3546

Rajeswari,V. See Tawde,N.R., 5=4523

Rajeswary,V. See Tawde,N.R., 5=9557

Rajewsky,B. and Heuss,K. A 5kW X-ray tube with a cylindrical anode, 9=13353

Rajewsky,B. and Lippert,W. On a mechanically adjustable electrostatic einzel lens, 7=6261

Rajgopala Rao,P. and Subramanian,N. Measurement of absolute viscosities of liquids and the influence of surface tension 9=9282

Rajopadhye,V.Y. and Waddington,G.J. Further interactions of the heavy nuclei of the cosmic radiation, 8=1263

Rajšić,N. See Poporić,D., 5=4946. See also Raišic,N.

Raju,M.Ramakrishna. See Ramakrishna Raju,M.

Raju,M.S. See Prasad,B.B., 5=4698

Rakavy,G. The classifiction of states of surface vibrations [in nuclei], 8=5257. Rotational spectra of nuclei following O^{16}, 8=5259. An impulse approximation for the deuteron stripping reaction, 9=656

Rakhimbaev,B.G. See Bannik,B.P., 8=8281

Rakhovich,L.M. See Gornyi,N.B., 5=1905

Rakin,V.G. and Buĭnov,N.N. Experimental observation of dislocation sources using precipitates, 9=10224

Rakobol'skaya,I. See Dovzhenko,O., 8=4098

Rakobol'skaya,I.V. See Danilova,T.V., 8=7151. Dovzhenko,O.I., 8=8091, 9=11176. Ivanovskaya,I.A., 8=1759*

Rakotoarijimy,D., Weniger,S. and Grenat,H. Extension of the Schumann–Ruge band-system of the oxygen molecule into the near ultraviolet in absorption and in emission, 8=6813

Rakovskii,E.E. See Lavrukhina,A.K., 9=8644

Rakshit,H. and Chatterjee,S.D. Ionospheric height measurement by the method of delayed coincidence, 5=3313. Measurement of ionospheric heights by the method of delayed coincidence.

Rall,W. See Beringer,R., 7=4497. Lee,L.L.Jr. 5=9919

Ralph,D.C. See Fuller,J.C., 7=9878

Ralph,E.L. See Matlow,S.L., 9=9638

Ralph,J.E. Some scintillation characteristics of diamond under alpha particle bombardment, 9=2224

Ram,A. and Prasad,S.N. The transmission, absorption and reflection of solar radiations by glasses, 7=3166

Ram,K.Sri. See Sri Ram,K.

Rama, See Biswas,S, 5=7171. Goel,P.S., 6=3393. Lal,D., Lal,D., 5=6266

Rama Rao,H.S. See Ramachandra Rao,B., 9=2169

Rama Rao,M. Ultrosonic velocity and molecular volume, 5=1614

Rama Swamy,M.K. A semi-emperical formula for α-disintegration energy in the region of rare-earth nuclides, 7=5587

Rama Thor. See also Goel,P.S., 9=7695

Rama Thor and Zutshi,P.K. Annual deposition of cosmic ray produced Be^7 at equatorial latitudes, 8=4589

Ramachandra Rao,B. See also Ramakrishna Raju,M., 7=5130

Rao,B.R. Subba Rao,K., 9=1152, 9=6631, 9=10706

Ramachandra Rao,B. and Bhagiratha Rao,E. A continuous radio wave method of studying travelling disturbances in the ionosphere, 5=3315. Horizontal ionospheric drifts in the F2-region at equatorial latitudes, 8=6542. Effect of enhanced solar activity on the F$_2$ region drifts at Waltair, 9=10414

Ramachandra Rao,B., Bhagiratha Rao,E, and Ramana Murty,Y.V.

Effect of magnetic activity on drifts of the F_2 region, 9=7673
Ramachandra Rao,B. and Krishnamurty,C. Investigation of accumulation and persistence time of ultrasonic striation grating of starch suspensions in liquids, 9=7585
Ramachandra Rao,B. and Rama Rao,H.S. A method of studying the variation with temperature ultrasonic absorption in liquids, 9=2169
Ramachandra Rao,B. and Ramana,K.V.V. Diurnal variation of ionospheric absorption on 5.65 Mc/s at Waltair during the I.G.Y., 9=10415
Ramachandra Rao,B. and Sarma,N.V.G. Periodic fading of medium wave radio signals, 5=2334
Ramachandra Rao,B. and Satyanarayana Murty,J. Diffraction of light by ultrasonic waves at 300 Mc/s, 7=298. Diffraction of light by weak ultrasonic fields, 9=1339. A new continuous wave radio method for the study of ionospheric drifts, 9=4132
Ramachandra Rao,B. and Srirama Rao,M. Investigation of horizontal drifts in the E region of the ionosphere in relation to random fading of radio waves, 8=8179
Ramachandra Rao,B., Srirama Rao,M. and Satyanarayana Murthy,D. Investigation of winds in the ionosphere by spaced receiver method, 7=3856
Ramachandra Rao,B. and Subba Rao,K. Investigation of ultrasonic velocities in organic solutions, 9=2164. Study of ultrasonic velocity in organic solutions, 9=10703
Ramachandra Rao,B. and Venugopala Rao,P. A modified wedge method for exciting shear modes in isotropic media, 5=1605. Determination of shear wave velocities in isotropic solids by a modified wedge method, 6=2761
Ramachandra Rao,C.N. Nature of the adsorption process responsible for Joshi effect, 7=3331. See also Rao,C.N.R.
Ramachandran,G.N. Infrared spectrum and structure of collagen, 5=5754. See also Kartha,G., 5=5105
Ramachandran,G.N. and Raman,S. A new method for the structure analysis of non-centrosymmetric crystals, 7=3835
Ramadier,J. and Amat,G. Rotation energy of linear molecules–Fourth order corrections. I, 9=5112
Ramaiah,N.A. A not on the "threshold potential" of ozonizer discharge and its dependence on electrode surface, 5=309. See also Khosla,B.D., 5=6166, 6=1276, 6=3764. Subrahmanyam,N., 5=311-12
Ramaiah,N.A. and Gaur,H.C. Role of "ageing" in the production of Joshi effect in mercury vapour, 5=7988
Ramaiah,N.A., Khosla,B.D. and Gaur,H.C. On photovariation of conductivity in non-self-maintained region of a low-frequency electric discharge, 5=3804. On the secondary processes for the inception of a low frequency electric discharge in iodine vapour with glass electrodes, 5=9680. Influence of surface films on Joshi effect in water vapour, 6=390
Ramakrishna,B.S. Modes of vibration of the Indian drum dugga or left-hand thabala, 7=4039
Ramakrishna Raju,M. and Ramachandra Rao,B. A new diffraction method for measuring ultrasonic velocities in liquids, 7=5130. Varadaiah,V.V., 6=4226
Ramakrishna Rao,V. See also Kanaka Durgavathi,B.K., 5=5308 Krishnamachari,S.L.N.G., 6=246. Narayana Rao,C.V., 5=3630. Suryanarayana,V., 6=8097, 8=3892
Ramakrishna Rao,V. and Achyuta Rao,I. Interpretation of the near ultraviolet absorption spectrum of acetaldehyde molecule as due to a single electronic transition, 5=5321
Ramakrishna Rao,V. and Narasimham,K.V. Analysis of the absorption and fluorescence spectra of uranyl salts. I. Uranyl acetate (absorption), 7=248
Ramakrishnan,A. On stellar statistics, 5=7649
Ramakrishnan,A. and Mathews,P.M. Straggling of the range of fast particles as a stochastic process, 5=8524
Ramakrishnan,A., Ranganathan,N.R. and Srinivasen,S.K. Meson production in nucleon–nucleon collisions, 9=7270
Ramakrishnan,A. and Srinivasan,S.K. Two simple stochastic models of cascade multiplication, 5=1024. Fluctuations in the number of photons in an electron-photon cascade, 5=9738, Correlation problems in the study of the brightness of the milky way, 6=4787. A new approach to the cascade theory, 7=6317
Ramakrishnan,A. and Vasudevan,R. On the distribution of visible stars, 8=4672
Ramamurthy,S. See Aswathanarayana,U. 5=9984
Ramamurty,S. Theoretical calculation of shifts in substituted benzenes, 5=1099
Raman,C.V. The nature of the thermal agitation in crystals, 6=4079. The birefringence patterns of crystal spheres, 6=7326. The diffraction of X-rays by diamond. I, 8=8522; II, 9=4133; III, 9=4114
Raman,C.V. and Bhat,M.R. The Christiansen experiment with briefringent powders, 5=4544
Raman,C.V. and Jayaraman,A. X-ray study of fibrous quartz, 5=1367. The structure of the amethyst quartz and the origin of its pleochroism, 5=4208. On the optical behaviour of cryptocrystalline quartz, 5=4572. On the structure of amethyst and its genesis in nature, 5=5115. The structure and optical behaviour of jadeite, 5=7539. Evaluation of the four elastic constants of some cubic crystals, 6=3315
Raman,C.V. and Ramdas,A.K. The structure and optical behaviour of iridescent calcite, 5=868
Raman,C.V. and Viswanathan,K.S. The theory of the propagation of light in polycrystalline media, 5=4492. A generalized theory of the Christiansen experiment, 5=4543. On the theory of the elasticity of crystals, 5=9992. The elastic behaviour of isotropic solids, 5=9999
Raman,S. See Bhattacharjee,S.K., 8=7337. Bhattacherjee,S.K., 6=6107, 6=8346, 8=1918, 8=4286 Ramachandran,G.N., 7=3835
Raman,V.V. A discussion of Schrödinger's trembling phenomenon in terms of Takabayasi's relativistic hydrodynamics, 7=6905 See also Karpman,G., 7=5054. Takabayasi,T., 9=5356
Ramana,K.V.V. See Ramachandra Rao,B., 9=10415
Ramana Murty,Y.V. See Ramachandra Rao,B., 9=7673
Ramana Rao,J.V. and Tiruvenganna Rao,P. The band spectra of thallium iodide and fluoride, 5=7831
Ramanamurthy,P.V. See Subramanian,A., 8=2376
Ramanamurti,M.V. and Seethakara Rao,V. Production of Joshi effect in paraffin wax solid-vapour interphase under silent discharge, 5=9686
Ramanamurty,P.V. See Naranan,S., 7=3696, 8=223. Sreekantan,B.V., 6=7501
Ramanathan,A.S. See Abhyankar,K.D., 5=5839
Ramanthan,K. See Bright,A.W., 8=3194. Venkateswarlu,K., 5=6309
Ramanathan,K.G. and Dhillon,J.S. A new method for measuring electrical resistivities, 5=7018
Ramanathan,K.G. and Srivivasan,T.M. A new vacuum calorimeter for low temperatures, 5=3697. Specific heat of bismuth at liquid helium temperatures, 5=7924. Lattice and electronic specific heats of copper and silver, 7=9142
Ramanathan,K.R. See also Bhosle,R.V., 9=4129. Dave,J.V., 6=8524
Ramanathan,K.R., Bhonsle,R.V. Kotadia,K.M. and Rastogi,R.G. The great solar flare of February 23, 1956 and associated ionospheric effects at Ahmedabad, 6=8514
Ramanna,R. and Iyengar,S.B.D. On the distribution of thermal neutrons from a fast neutron source placed at the interface of two media, 5=2221
Ramanna,R., Mani,G.S., Iyengar,P.K., Iyengar,S.B.D. and Joshi,B.V. On the determination of diffusion and slowing-down constants of ordinary water and beryllium oxide, using a pulsed neutron source, 6=8411
Ramanna,R., Veeraraghavan,N. and Iyengar,P.K.Energy levels of ^{56}Fe and ^{27}Al by the inelastic scattering of 15 MeV neutrons, 5=5635
Ramasastry,C. See Valenta,M.W., 7=5667
Ramseshan,S. A magneto-optic method for the determination of piezo-optic coefficients, 5=2645; An analyser for elliptically polarized light, 5=9591
Ramaseshan,S. and Sivaramakrishnan,V. Stress-optic dispersion in glasses, 7=4250
Ramaswamy,G. See also Chatterjee,S.D., 8=7148
Ramaswamy,G. and Chatterjee,S.D. Cosmic-ray intensity variations at sea level during magnetic-storm periods, 8=4108
Ramaswamy,M.K. K-capture to positon branching ratios in the decay of Ga^{68}, 9=8535
Ramavataram,K. Ultrosonic diffraction patterns in some optical glasses, 5=8570
Ramberg,Y. See also Low,W., 7=1180
Ramberg,Y. and Blaugrund,A.E. Some properties of modified solenoid β spectrometer with zero field at the source, 7=6265
Rambke,K. See Deubner,A., 6=6656
Rambosson,M. See Hartmann,F., 8=7435
Ramdas,A.K. See Fan,H.Y., 9=6731, 9=10783
Raman,C.V., 5=868
Ramisch,E. See Pfisterer,H., 7=6151
Ramler,W.J. See Andre,G.G., 6=3204. Delbecq,C.J., 5=8027.

Wing,J., 9=7352

Ramler,W.J., Wing,J., Henderson,D.J. and Huizenga,J.R. Excitation functions of bismuth and lead, 9=7351

Ramm,C.A. The principles and apparatus of the injection system of the Birmingham proton synchrotron, 6=2937

Ramm,C.A., Coe,R.F. and Vaughan,T.B. An analysis of injection phenomena in the Birmingham proton synchrotron, 6=2936

Rammensee,H. See Zanker,V., 8=7832

Rampolla,R.W., Miller,R.C. and Smyth,C.P. Microwave absorption and molecular structure in liquids. XXV. Measurements of dielectric constant and loss at 3.1-mm wavelength by an interferometric method, 9=5654

Ramsa,A. See Jacobs,H. 7=7155, 9=11124

Ramsa,A.P., Jacobs,H. and Brand,F.A. Microwave techniques in measurement of lifetime in germanium, 9=8111

Ramšak,V., Olesen,M.C. and Elbek,B. Coulomb excitation cross sections of gadolinium isotopes from inelastic scattering measurements, 8=5356

Ramsay,D.A. Electronic spectrum and structure of the free NH_2 radical, 6=8664. See also Ballik,E.A., 9=6709; Callomon,J.H., 7=3791; Dressler,K., 8=3418; Durie,R.A., 8=1605; Herzberg,G., 6=2782; Nelson,L.S., 6=9015-16

Ramsay,J.A. and Brown,R.H.J. Simplified apparatus and procedure for freezingpoint determinations upon small volumes of fluid, 5=9608

Ramsay,J.F. and Snook,S.C. Microwave model crystallography, 7=8944

Ramsden,S.A. See Kuhn,H.G., 7=2085, 7=3127; Thonemann,P.C., 8=773

Ramser,J.H. Theory of thermal diffusion under linear fluid shear, 7=4016

Ramsey,J.B. See Hass,G., 8=2995, 9=6308

Ramsey,N.F. Collision alignment of molecules, atoms, and nuclei, 5=8296. Resonance transitions induced by perturbations at two or more different frequencies, 6=1864, Molecular beams, 6=5435. Thermodynamics and statistical mechanics at negative absolute temperatures, 6=6579. Resonance experiments in successive oscillatory fields, 7=6620. Time reversal, charge conjugation, magnetic pole conjugation, and parity, 8=2145. Molecular beam resonances in oscillatory fields of nonuniform amplitudes and phases, 9=759. See also Cormack,A.M., 9=13551; Hwang,C.F., 9=11366; Kleppner,D., 9=1808; Kruse,U.E., 6=2192; LaTourrette,J.T., 8=314; Lewis,H.R., 8=719; Palmieri,J.N., 9=1661; Quinn,W.E., 9=3995-6; Smith,J.H., 8=1174; Stahl,R.H., 5=1252

Ramsey,N.F. and Lewis,H.R. Theory of hydrogen deuteride in magnetic fields, 9=758

Ramsey,W.H. Transitions to metallic phases, 5=3299

Ramsey,W.J. and Yost,D.M. Iron-catalyzed reaction between nitrosyl disulfonate and hydroxylamine monosulfonate ions, 6=756

Ranby,P.W. See also Henderson,S.T., 8=2977, 9=3316

Ranby,P.W. and Henderson,S.T. Magnesium fluorosilicate phosphors, 6=2791

Ranby,P.W., Mash,D.H. and Henderson,S.T. The investigation of new phosphors, with particular reference to the pyrophosphates, 5=3601

Ranc,G. See Cassignol,C., 9=3966, 9=12821

Rancoita,G.M. Forces in a polarized and magnetized body, 9=9871

Rand,M.H. See Bell,R.P., 5=5027

Rand,S. Photonuclear effect, 6=663. Appreciation of a velocity dependent potential to the nuclear photoeffect, 7=9392

Randall,C.A. and Hazen,W.E. The intensity and angular distribution of mu-mesons 1100 feet underground, 8=7145

Randall,D. and St John,D.S. Xenon spatial oscillations, 8=7403

Randall,J. See Biehl,A.T., 7=3688

Randall,J.J., Jr. and Katz,L. The crystal structure of Sr_4PtO_6 and two related compounds, 9=9037

Randall,J.L., Moulton,W.G. and Ard,W.B., Jr. Effects of crystalline defects on pure quadrupole resonance, 9=12504

Randall,J.T. See Burge,R.E., 6=3309

Randanen,I.S. See Kagan,Yu.M., 8=3193

Randle,T.C., Skyrme,D.M., Snowden,M., Taylor,A.E., Uridge,F. and Wood,E. The scattering of 130 MeV neutrons by protons 7=1659

Randles,J. Incoherent scattering of gamma rays from the bound electrons of heavy elements, 7=6522

Randolph,M.L. See Blosser,H.G. 6=1592. Slater,M., 9=492

Raney,W.P. See also Kornhauser,E.T., 5=7781

Raney,W.P., Corelli,J.C. and Westervelt,P.J. Acoustical streaming in the vicinity of a cylinder, 5=1609

Rang,O. Superstructure in the electron diffraction diagram of a mica crystal, 8=8536

Rang,O. and Poppa,H Electron interferometric demonstration of lattice defects in single crystals, 8=7508. Long path interferences (Moiré patterns) of electron waves as Abbe "objects", 9=12827, Rang,O. and Weitsch,H. A variable electroacoustic four-electrode projector lens, 6=5923

Rangan,C.S. See Srivastava,S.S., 5=9629

Rangan,L.K. See Kar,K.R. 5=2160. Saha,N.K., 6=8382

Ranganathan,N.R. See Ramakrishnan,A., 9=7270

Rangarajan,S. and Narayana,J.V. The effect of the solar eclipse of 20th June 1955 on the lower ionospheric layers, 8=4571

Rank,D.H. Validity of the Landau Placzek relationship in Brillouin scattering in liquids, 7=4248. Shrinkage effect in grating resolution measurement, 7=9646. See also Guenther,A.H., 8=3440. Jaffe,J.H., 5=6908, 5=7819, 5=7871. Pigott,M.T. 7=4149; Saksena,G.D., 9=12745; Shearer,J.N., 7=584

Rank,D.H. and Bennett,H.E. Problem of phase variation with wavelength in dielectric films. Extension of interferometric standards into the infrared, 5=2638

Rank,D.H., Bennett,H.E. and Bennett,J.M. Improved value of the velocity of light derived from a band spectrum method, 6=172. Measurement of interferometric secondary wavelength standards in the near infrared, 6=5758

Rank,D.H. and Bennett,J.M. A simulated channel spectrum, 5=1734

Rank,D.H., Guenther,A.H., Burnett,C.R. and Wiggins,T.A. Examples of high resolution obtainable by double passing a high quality grating, 7=7790

Rank,D.H., Guenther,A.H., Saksena,G.D., Shearer,J.N. and Wiggins,T.A. Tertiary interferometric wavelength standards from measurements on lines of the 2-0 band of carbon monoxide and derived wavelength standards for some lines of the 1-0 band of carbon monoxide. The velocity of light derived from a band spectrum method. IV, 7=9065. Secondary and tertiary interferometric wavelength standards in the 1.5-2.5μ region, 7=2011. Precision determination of the velocity of light derived from a band spectrum method. III, 7=4111. 1-Type doubling in three π-π bands of HCN, 7=8519

Rank,D.H., Saksena,G.D. and McCubbin,T.K.,Jr. Measurements of the dispersion of air from 3651 to 15300 angstroms, 8=4849

Rank,D.H., Saksena,G.D. and Wiggins,T.A. Shape of an emission line of CH produced in an oxyacetylene flame, 9=185

Rank,D.H and Shearer,J.N. Linear gas mass flow device with applications to interferometry, 6=8707

Rank,D.H., Shearer,J.N. and Bennett,J.M. Quantitative method for measuring the resolution of a large grating, 5=8659

Rank,D.H., Wiggins,T.A. Guenther,A.H. and Shearer,J.N.. Changes of rotational constants in some Π-Σ bands of HCN and N_2O, 7=1482

Ranken,W.A. See also Bent,R.D., 5=8217, 6=628. McCrary,J.H., 8=8314

Ranken,W.A., Bonner,T.W., Castillo-Bahena,R., Harlow,M.V.,Jr and Rabson,T.A. Gamma radiation from Al^{27} + p and F^{19} + p, 9=2757

Ranken,W.A., Bonner,T.W. and McCrary,J.H. Energy dependence of F^{19} + p reactions, 9=650

Ranken,W.A., Bonner,T.W., McCrary,J.M. and Rabson,T.A. Gamma radiation from N^{14} + d and C^{13} + d, 8=8303

Rankin,W.D. See Osborne,L.S., 5=3133

Ransil,B.J. Application of configuration interaction to the H_3 complex, 7=6414. Quadrupole coupling constant, dipole moment, and electron population of CO, 9=8732. See also Griffing,V., 9=8336

Ransom,P. and Rose,F.W.G. Trap activation energies in N-type germanium, 7=380

Räntsch,K. Some experiments on phase-contrast microscopy, 5=2652

Ranucci,M. See Contini,C., 9=4118

Ranz,W.E. See Wong,J.B., 5=3233, 6=1707

Ranzi,A. See Ferretti, L., 5=7396

Ranzi,I. On some characteristics of the F_2 region in South America, 8=4574

Rao,B.C.N. See Rao,B.R., 6=2580

Rao,B.D.Nagesvara Rao,B.D.

Rao,B.N.Subba, See Subba Rao,B.N.

Rao,B.R. See also Ramachandra Rao,B.

Rao,B.R. and Rao,B.C.N. A continuous wave radio method of studying the variation of critical frequency of the E-region

of the ionosphere, 6=2580
Rao,B.R., Rao,M.S. and Satyanarayana Murty,D. A note on ionospheric wind measurements at Waltair (India), 6=2587*
Rao,B.S.R. and Bhimasankaram,V.L.S. Effect of heat treatment on the coercive force of ferruginous manganese ores, 6=4494
Rao,C.L. See Hizenga,J.R., 7=9823
Rao,C.L.Amba. See Amba Rao,C.L.
Rao,C.N.R. See Livingston,R.L., 9=7465. See also Ramachandra Rao,C.N.
Rao,C.N.Ramachandra. See Ramachandra Rao,C.N.
Rao,C.Raghupathi. See Raghupati Rao,C.
Rao,C.V.Narayana. See Narayana Rao,C.V.
Rao,D.A.A.S.Narayana. See Narayana Rao,D.A.A.S.
Rao,D.V.G.L.Narasimha. See Narasimha Rao,D.V.G.L.
Rao,E.Bhagiratha. See Bhagiratha Rao,E.
Rao,F.Subba. See Subba,Rao,F.
Rao,G.V.G.Krishna. See Krishna Rao,G.V.G.
Rao,G.Venkata. See Venkata Rao,G.
Rao,H.S.Rama. See Rama Rao,H.S.
Rao,I.Achyuta. See Achyuta Rao,I.
Rao,J.R. Rigorous solution of Einstein's unified theory for a special type of symmetry, 9=5346
Rao,J.V.Ramana. See Ramana Rao,J.V.
Rao,K.N.Srinivasa. See Srinivasa Rao,K.N.
Rao,K.Narahari. See Narahari Rao,K.
Rao,K.R.K. See Mohanty,S.R., 6=8813
Rao,K.Subba. See Subba Rao,K.
Rao,K.Suryanarayana. See Suryanarayana Rao,K.
Rao,K.J.Sundara. See Sundara Rao,K.J.
Rao,K.N. Contribution of the humidity term in the formula for reduction of pressure to sea level, 9=10430
Rao,K.V.Krishna. See Krishna Rao,K.V.
Rao,M.Narayana. See Narayana Rao,M.
Rao,M.Ramq. See Rama Rao,M.
Rao,M.R.A. See Sivaramakrishnan,N.H., 5=6376
Rao,M.S. See Rao,B.R., 6=2587*. See also Srirana Rao,M.
Rao,M.S.Prakash. See Prakash Rao,M.S.
Rao,M.Srirama. See Srirama Rao,M.
Rao,M.V.K.Appa. See Appa Rao,M.V.K.
Rao,M.V.R.K. See Mitra,R.P., 5=8416
Rao,M.V.S.S.Kanta. See Kanta Rao,M.V.S.S.
Rao,N.Narayana. See Narayana Rao,N.
Rao,P.Rajgopala. See Rajgopala Rao,P.
Rao,P.Srinivasa. See Srivinasa Rao,P.
Rao,P.Tiruvenganna. See Tiruvenganna Rao,P.
Rao,P.Venugopala. See Venugopala Rao,P.
Rao,R.V.G. See Fritz,J.J., 8=7185
Rao,S.R. See Row,M.V.J., 6=8634
Rao,T.Seshagiri. See Seshagiri Rao,T.
Rao,U.R. See Kane,R.P., 8=6012
Rao,V.Bhaskara. See Bhaskara Rao,V.
Rao,V.Muralidhara. See Muralidhara Rao,V.
Rao,V.N. See Nada,J.N., 9=1227
Rao,V.Ramakrishna. See Ramakrishna Rao,V.
Rao,V.S. See Eisenstadt,M., 9=7481
Rao,V.S.R. See Gupta,B.K., 8=6355. Vardaiah,V.V., 9=10681
Rao,V.Seethakara. See Seethakara Rao,V.
Rao,V.V.L. and Lakshminarayanan,S. The dicilit: A new name for the logarithmic unit of relative magnitudes, 5=4329
Rao,V.Venkateswara. See Venkateswara Rao,V.
Raoult. The electric field of the heart. Electrocardiographic technique, 5=9324
Raoult,G., Fanguin,R. and Marcon,A. Realization of the analogue of a birefringent quarter-wave plate at a wavelength of 3.2 cm, 5=8937
Raoult,G. and Pecker,J.C. An adjustable very narrow band-pass filter after the principle of the Perót-Fabry interferometer, 5=9357
Rapaport,G.N. On the problem of wave propagation in a chain of cylindrical resonators, 9=4844
Rapaport,J. and van Loef,J.J. Excitation function of the reaction $Zn^{64}(n,p)Cu^{64}$ with neutrons of energies between 2 and 3.6 MeV, 9=8639
Raphael,R. See Tzoar,N., 9=12547
Raphael,R.B. Nucleon scattering and the Feshbach-Lomon model, 6=4205. Generalized effect range theory for nucleon-nucleon scattering, 7=9541
Rapier,A.C. A theoretical investigation of the temperature distribution in the metal cutting process, 5=890
Rapoport,I.D. On some sources of the low-energy electron-photon component of the cosmic rays in the stratosphere, 8=8086. See also Grigorov,N.L., 9=9893
Rapoport,L.P. Influence of nuclear structure on the probability of K-capture, 5=487. On the problem of a generalization of the statistical theory of the atom, 6=1482
Rapoport,L.P. and Butusov,Yu.M. Theory of excitation energies of heavy nuclei, 7=611. Localisation of nucleons in the O_8^{16} nucleus, 9=6054
Rapoport,L.P. and Filimonov,V.A. Statistical calculation of the distribution of density and the shell structure of the nucleus, 5=1109
Rappaport,P. See also Fonger,W.H., 9=313. Jenny,D.A., 6=4412. Loferski,J.J., 5=7952, 9=2943, 9=3490, 9=10981, 9=11007.
Rappaport,P., Loferski,J.J. and Linder,E.G. The electron-voltaic effect in germanium and silicon p-n junctions, 6=5878
Rappeneau,T. Effect of a magnetic field on the electrical resistance of thin films of nickel, 7=4380. Magnetoelectric properties of thin nickel films magnetized to saturation, 8=3988. Study of the magnetoresistance of thin evaporated nickel films, 9=4624
Rapperport,E.J. Device for applying compression to small crystals, 6=7770. See also Nowak,W.B., 9=5205
Raraty,L.E. and Tabor,D. The adhesion and strength properties of ice, 8=4495.
Rarita,W. Analytic approach for the pion-proton scattering phase shifts, 6=4663. p-p Scattering in the BeV range, 7=1394. See also Eriksen,E., 6=7961
Rarita,W. and Schwed,P. Minimum theorem for the interaction radius in two-body collisions, 9=1084
Rasbash,D.J. and Stark,G.W.V. Control of the distribution of a spray projected to an area, 7=6930
Rasetti,F. See Booth,E., 6=4607; Madansky,L., 5=4896*, 6=4605
Rashba,É.I. Diffusion of current carriers in a semiconductor in the presence of an external electric field, 7=2205. Theory of strong interaction of electron excitations with lattice vibrations in molecular crystals. I, 7=9452; II, 7=9453. A theory of impurity absorption of light in molecular crystals, 8=1613. Absorption of light and luminescence in molecular crystals in the case of strong interaction of intramolecular excitations with phonons, 9=10798. See also Broude,V.L., 7=9083, 8=6841. Davȳdov,O.S., 8=7503. Glinchuk,K.D., 7=7097. Gribnikov,É.S., 9=8847. Lashkarev,V.E., 9=3348. Tolpȳgo,K.B., 7=1278
Rashba,É.I. and Sheĭnkman,M.K. The effect of surface recombination in semiconductors, 9=4604
Rashba,É.I., Snitko,O.V. and Tolpȳgo,K.B. The first All-Union conference on photoelectrical and optical phenomena in semiconductors, 9=10968
Rashba,É.I. and Tolpȳgo,K.B. Forward current–voltage characteristic of a planar rectifier at large currents, 7=1303 Contribution to the theory of determining the lifetime of superficial current carriers in semiconductors, 8=6970
Rashkovskiĭ,S.F. Secondary emission from rough surfaces, 9=4696
Raskin,Sh,Sh. Raman spectra of complex compounds containing $SbCl_3$ and $SnCl_4$, 9=12063
Raskin,Sh.Sh. and Skripov,F.I. Translational vibrations in molecular crystalline lattices, and their appearance in Raman spectra, 5=214
Rasmussen,A.L. See Harrington,R.D., 9=3639
Rasmussen,E. and Middelboe,V. Hyperfine structure and nuclear moment of Kr^{85}, 5=7292. Spectroscopic investigations of separated krypton isotopes, 7=3541
Rasmussen,J.O. Nuclear radii from alpha-particle scattering and alpha-radioactivity, 9=4968. Alpha-decay barrier penetrabilities with an exponential nuclear potential: Even-even nuclei, 9=7322. See also Chasman,R.R., 9=3856. Gallagher,G.J.,Jr, 8=8287, 9=3852. Hoff,R.W., 6=3134; Hollander,J.M., 6=6070; Nilsson,S.G., 8=2556; Shirley,V.S., 8=2546, 8=5296; Strominger,D., 6=598, 6=7645, 7=9333; Thulin,S., 7=1548; Toth,K.S., 8=7333, 9=12639-40
Rasmussen,J.O., Canavan,F.L. and Hollander,J.M. Energy levels of Np^{237} populated by the beta decay of U^{237}, 7=8103
Rasmussen,J.O. and Hansen,E.R. Numerical solutions of the curium 242 alpha-decay wave equation, 9=613
Rasmussen,J.O. and Segall,B. Alpha decay of spheroidal nuclei 7=660
Rasmussen,J.O., Slätis,H. and Passell,T.O. Beta emitter Np^{238}. I. Beta spectroscopy, 5=8201
Rasmussen,J.O., Stephens,F.S., Jr, Strominger,D. and Åström,B. Beta emitter Np^{238}. II. Scintillation spectroscopy and

coincidence studies, 5=8202
Rasmussen,R.E.H. and Jonassen,N. On the measurement of the humidity of air, 6=3544
Rasmussen,S.W. Interaction of 10-MeV protons with beryllium, 6=6894. See also Williams,J.H., 5=4738
Rasmussen,V.K. See also Metzger,F.R., 8=5283. Miller,D.W., 6=2394. Swann,C.P., 9=10035
Rasmussen,V.K., Metzger,F.R. and Swann,C.P. Lifetimes of the 4.43 MeV excited state of C^{12} and the 4.46 MeV excited state of B^{11}, 8=9021
Russmussen,V.K., Miller,D.W. and Sampson,M.B. Scattering of 22 MeV α particles by C^{12}, 6=642
Rasmussen,V.K., Miller,D.W., Sampson,M.B. and Gupta,U.C. Reactions $Be^9(\alpha,\alpha)$, $Be^9(\alpha,d)$ and $Be^9(d,d')$, 6=1557
Rasmussen,V.K., Rees,J.R., Sampson,M.B. and Wall,N.S. Search for 15-MeV gamma radiation from N^{14} + d and Be^9 + α, 5=2149.
Rasool,I. Relation between the reduced thickness of the atmospheric ozone and its concentration at ground level, 6=6263
Rasool,I. and Vassy,A. Remarks on chemical sampling methods of atmospheric ozone, 6=9071
Rasool,S.I. See also Fournier d'Albe,E.M., 7=1773
Rasool,S.I. and Vassy,A. Comparison of the chemical and spectrographic methods of analysis of [atmospheric] ozone near the ground, 9=12894
Rasor,N.S. On the origin of inertia, 8=3729. See also Smith A.W., 7=2109
Rasorenova,I.F. See Bogomolov,C.S., 9=14007
Rassey,A.J. Nucleonic binding states in nonspherical nuclei: asymptotic representation, 8=1900
Rastogi,R.G. Intermediate layers of ionisation between the E and E_1 layer of the ionosphere over Ahmedabad (23°N, 72°.6 E), 5=3314. The occurrence of high multiple reflections from the F2 region of the ionosphere based on a study of the Ahmedabad records, 6=1763. Two types of development of the E2 layer at Ahmedabad, 7=1779. Thunderstorms and sporadic E layer ionisation, 7=4914. Vertical soundings at Ahmedabad during partial solar eclipse on 14th December 1955, 8=4577. Vertical ionospheric soundings at Ahmedabad during total solar eclipse on 30th June 1954, 9=950. Vertical ionospheric soundings at Ahmedabad [23°N, 72.6°E] during the partial solar eclipse of 19 April 1958, 9=7671. Magnetic control on the variations of the critical frequency of the F_2 layer of the ionosphere, 9=10412. See also Ramanathan,K.R., 6=8514
Rastogi,R.G., Sheriff,R.M. and Nanda,N.G. Some measurements of the single strengths of radio waves reflected from the ionosphere during the solar eclipses of 30 June 1954 and 20 June 1955, 6=7061
Rastogi,R.P. See also Srivastava,B.N., 5=2692
Rastogi,R.P. and Pandya,T.P., One-dimensional inviscid flow through a rocket nozzle, 7=1966
Rastogi,R.P. and Varma,K.T.R. Volume of mixing in mixtures of cyclohexane–cyclohexanol, 7=5917
Rastrup-Andersen,J. See Andersen,F.A., 5=6014. Bak,B., 5=2980, 6=3906, 7=2048
Ratcliffe,B.J. See Morgan,R.S., 7=7139
Ratcliffe,J.A. A survey of existing knowledge of irregularities and horizontal movements in the ionosphere, 5=5767. The formation of the ionospheric layers F-1 and F-2, 6=8513. Some aspects of diffraction theory and their application to the ionosphere, 6=8710
Ratcliffe,J.A., Schmerling,E.R., Setty,C.S.G.K. and Thomas,J.O. The rates of production and loss of electrons in the F region of the ionosphere, 6=7870
Rateau,J. See Foch,A., 5=815
Rath,H.L. On apparent-conductivity measurements on indium-germanium alloy rectifiers, 5=294
Rath,R. Interpretation of standardization curves of Ehringhaus-quartz compensators, 9=12154
Rathenau,G.W. Time decrease of permeability in iron, 8=2399. See also Baas,G., 7=2297; Bosman,A.J., 8=3232, 8=3476
Rathenau,G.W. and Fast,J.F. Initial permeabilities of sintered ferrites, 6=3006
Rathgeber,H.D. Multiple Geiger telescope measurements of the directions of air shower particles, 9=7140. See also Grouse,P.J., 7=7975, 8=668
Rathgeber,M.H. See Brennan,M.H., 9=2464; Lehame,J.A., 9=7134
Rathmann,G.B., Curtis,A.J., McGeer,P.L. and Smyth,C.P. Microwave absorption and molecular structure in liquids. XIII. The critical wavelengths of some aliphatic ethers and long-chain ketones, 7=2162
Ratho,T. See Dutta,A.K., 6=7023
Ratliff,F. Stationary retinal image requiring no attachments to the eye, 8=6567
Ratner,A.M. See also Kukushkin,L.S., 8=7222
Ratner,A.M. and Kukushkin,L.S. On the problem of energy resolution in scintillation counters. II, 8=7223
Ratner,B.S. See Go,Tsi-di, 9=8622; Lazareva,L.E., 6=1585; Osokina,R.M., 7=5629
Ratner,S.B. See also Nosov,Yu.A., 9=4076
Ratner,S.B. and Lavrent'ev,V.V. Demonstration of the static friction of rubber without lubricant, 7=805*. Comparison of friction and electric conductivity of rubber, 7=807*
Ratti,S. See Conversi,M., 9=3612, 9=8267-8, 9=9975
Rau,J. See Mahanthappa,K.T., 9=13014
Rau,R.R. See also Abashian,A., 7=6605; Ballam,J., 5=3129; Bolze,E.M., 8=3278; Cool,R.L., 8=8255; Hodson,A.L., 5=1226
Rau,R.R. and Caspari,M.E. Faraday effect in germanium at room temperature, 6=3866
Rau,W. The degree of super cooling of aqueous solutions and their significance for atmospheric ice formation, 5=2345
Raub,E. See Kussmann,A., 6=477
Rauch,C.J. See also Zeiger,H.J., 8=6969, 9=8135
Rauch,C.J. and Heer,C.V. Some F-band optical oscillator strengths in additively colored alkali halides, 7=4894
Raudorf,W.R. See Billington,I.J., 5=980
Rauer,W. The intensities of blended absorption lines in stellar atmospheres, 5=6707
Rauh,E.G. See Andre,C.G., 6=3204
Raut,H.K. Variation of the binding energies of neutrons and protons in heavy nuclei, 7=8097
Rautala,P. See also Hyvärinen,L., 7=3833-4
Rautala,P. and Hyvärinen,L. Instrumental factors in X-ray diffractometer, 6=2551
Rautian,G.N. Colour distinction in anomalous trichromats, 7=8953. See also Lobanova,N.V., 8=3909
Rautian,G.N. and Gur'eva,M.K. Colour discrimination of point sources, 7=8954
Rautian,G.N. and Ioffe,B.F. In connection with F.Nechaĭ's article "On the possibility of measuring refractive indices of crystalline materials with an Abbe-type refractometer", 7=1169
Rautian,G.N. and Ioffe,B.V. On the article by F. Nechaĭ "On the possibility of measuring the refractive index of crystalline materials in an Abbe-type refractometer", 7=1994
Rautian,G.N , Lobanova,N V. and Znamenskaya,M.A. Sources of illumination in accurate colour measurements of non-selfluminous bodies, 6=8139
Rautian,S.G. Choice of condenser for Raman spectrum investigations, 5=6044. Measure of resolving power of an optical instrument, 7=1164. The illumination of a spectrograph by a three-dimensional source of light, 7=6982. Theory of the echelette grating, 7=9116. See also Bazhulin,P.A., 6=8699; Malyshev,V.I , 9=10875; Sokolovskaya,A.I., 9=12060
Ravagan,D.Govinda. See Govinda Ravagan,D.
Ravenhall,D.G Electron scattering and nuclear charge distributions, 9=571. See also Downs,B.W., 7=7152; Ehrenberg,H.F., 9=5052; Hahn,B., 6=2314, 7=4702; Heims,S.P., 7=3355; Igo,G., 8=2504; Jackson,J.D., 9=2649; Sherman,B.F., 6=8316; Yennie,D.R., 7=5857
Ravenhall,D.G. and Yennie,D.R Results of a phase shift calculation of high-energy electron scattering, 5=1898. Electron scattering and model independence, 8=1164
Ravenhill,P. A spectroscopic investigation of short duration, high current sparks in hydrogen, 9=3529
Ravikovych,S.D Molecular structure and the heat of vaporization of liquids, I, 8=8739
Ravilious,C.F. See Furlong,L.R., 5=6041
Raw,C.J.G. A relation between the activation energy for viscous flow and the Lennard-Jones (12, 6) potential parameter ϵ/k, 5=79. The activation energy for viscous flow and Sutherland's constant, 5=2484. Interdiffusion in the gaseous systems; BF_3-CCl_4, 5=6799. See also Crowther,P., 9=9303; Ellis,C.P., 9=5419. Higgins,T.H.S., 5=5259, 6=755, 8=2854
Raw,C.J G. and Ellis,C.P. High-temperature gas viscosities. I. Nitrous oxide and oxygen, 8=6715
Raw,C.J G. and Yourgrau,W. "Acceleration" of chemical reactions, 7=2769
Rawcliffe,R.D., Lichtenberger,W.W. and Krone,H.V. Optical simulation of radar resolution, 9=12161

Rawer,K. The effect of the magnetic equator on sporadic E ionization, 5=3304. Note on anomalies of region F2 and on ionospheric storms, 5=3307. On the interpretation of the measurements of the ionospheric F1 layer, 5=4232. Information about the F2 layer taken from ionization maps, 5=5783. Some results for the E- and F1 layers, 6=2581. New studies of sporadic-E ionization, 6=2590. Absorption measurements for the eclipse of 30 June 1954, 6=7057. A critical survey of eclipse information on recombination data, 6=7067. Irregularity and regularity of the sporadic E-layer, 7=940. Focusing on a "rippled" ionosphere, 7=1777. The intensity of the so-called Pedersen ray, 7=2452. The occultation of paths: an important phenomenon in ionospheric propagation, 8=665. See also Argence,E., 5=2039, 6=511, 8=834; Bibl,K., 5=4228, 5=5770, 9=9888; Busch,R., 7=1776; Eyfrig,R., 5=5756; Harnischmacher,E., 7=2860-1; Mende,H., 9=1632

Rawer,K. and Argence,E. On the phenomena of focusing due to an ionospheric undulation and the determination of collisional frequency, 5=2336

Rawer,K. and Suchy,K. Equivalence theorem on the wave absorption in the plasma, 8=8540. The "fourth reflection condition" of electromagnetic waves in a plasma, 8=8946. Statistical derivation of the dispersion formula of a Lorentz plasma of finite temperature, 9=3591. Longitudinal and transverse waves in the Lorentz plasma, 9=12515.

Rawitscher,G.H. Effect of the finite size of the nucleus on μ-pair production by gamma rays, 6=3227. Pair-creation cross-section of spin one-half particles possessing an anomalous magnetic moment, 7=8145. Scattering of polarized μ-mesons from extended nuclei, 9=6019

Rawlings,I.L. See Thurlow,W.R., 9=13982

Rawson,E.G., and Cormack,D.V. A matrix to correct for scintillator escape effects, 9=3332

Rawson,H. See Baynton,P.L., 7=5337, 7=6055; Hazelby,D., 9=11700

Ray,B.C. See Dutta,A.K., 7=134

Ray,B.R. See Gutowsky,H.S., 8=7455

Ray,D.B. See Allen,W.A., 9=7824

Ray,E.C. Effects of a ring current on cosmic radiation, 6=2222. Effects of a ring current on cosmic radiation. Impact zones 7=2388

Ray,G.D. An exact solution of a spherical blast wave under terrestrial conditions, 8=7772

Ray,J.D. Heat of water vaporization as a chemical calibration standard for solution calorimetry, 7=1238. New low-holdup high-efficiency laboratory distillation column, 7=7525. See also Ogg,R.A.Jr, 7=2501, 7=3501, 7=7272-3, 7=8063. Piette,L.H., 7=8056

Ray,J.D. and Ogg,R.A.Jr. Kinetics of the nitrogen dioxide catalyzed oxidation of nitric oxide, 7=6661. Proton and nitrogen magnetic resonance spectra and structure of nitramide and nitrourethane 7=8083. Thermodynamic properties of nitryle chloride, 9=9572

Ray,J.D., Piette,L.H. and Hollis,D.P. Structural isomer discrimination between cyanamides and carbodiimides by nitrogen nuclear magnetic resonance, 9=5117

Ray,K. See Ghosh,M., 7=7672

Ray,K.C. See Ghosh,B.N. 6=1255

Ray,K.D. See Ghosh,M., 7=7671

Ray,M. Boundary layer in a perfect gas over a flat plate under pressure gradient, 9=1164

Ray,N.H. Effect of the carrier gas on the sensitivity of a thermal conductivity detector in gas chromatography, 9=4096

Ray,R.K. See Longo,T.A., 9=6981

Ray,S. See Saha,A.K., 6=4751, 6=6267

Ray,W.E. See Dunning,D.N., 8=7414

Raybold,R.L. See Harman,G.G., 7=3161

Rayburn,L.A. See also Lafferty,D.L., 5=522

Rayburn,L.A. Lafferty,D.L. and Hahn,T.M. Gamma rays from the inelastic scattering of neutrons in aluminium, magnesium, and silver, 5=6441

Rayces,J.L. Petzval sum of thick lenses, 5=8582. Note on the consumption of third-order aberrations, 6=188. Formation of axicon images, 8=6790

Raychaudhuri,A. Relativistic cosmology, I, 5=5818. Note on the network approximation in metals, 5=6339. Perturbed cosmological models, 5=7624. Singular state in relativistic cosmology, 7=5031. Electronic energy bands in model three dimensional lattices, 7=8741. An anisotropic cosmological solution in general relativity, 8=7670. Relatavistic and Newtonian cosmology, 9=4200

Raymond,F.H. Consideration of magnetic recording in the field of calculating machines, 5=6675

Raymond,W.F., Canaway,R.J. and Harris,C.E. An automatic adiabatic bomb calorimeter, 8=3049

Raymond,W.H.A. See Harrison,G.E., 5=8375

Rayne,J. Heat capacity of dilute magnesium-aluminum alloys below 4.2°K, 9=3388

Rayne,J.A. Heat capacity of silver below 4.2°K, 6=5825. The heat capacity of copper below 4.2°K, 6=6576; Heat capacity of palladium below 4.2°K, 7=8574; Heat capacity of α-brasses below 4.2°K, 8=161; Heat capacity of Cu_3Au below 4.2°K, 8=3051; Heat capacity of copper-germanium alloys below 4.2°K, 8=4935; Elastic constants of α-brasses: room-temperature variation with solute concentration, 9=5194; Elastic constants of α-brasses: variation from 4.2-300°K, 9=12831

Rayne,J.A. and Kemp,W.R.G. The heat capacities of chromium and nickel, 7=2143; The electronic heat capacity of a copper/3% zinc alloy, 7=6131

Rayner,A.C. and Haliburton,W. Rotary device for producing a stream of uniform drops, 6=955

Rayner,C.B. The effects of rotation of the central body on its planetary orbits, after the Whitehead theory of gravitation, 5=9402; Whitehead's law of gravitation in a spacetime of constant curvature, 6=1835; Rigid motion in general relativity, 9=4255; On a general solution of Einstein's interior equations for a group movement, 9=9175

Raynor,G.V. See Graham,J., 8=1339; Lee,J.A., 5=636; Smith,R.W., 8=1016

Rayski,G. See under Raĭskiĭ,G., 7=3947

Rayski,J. Mass quantization in non-local field theory, 5=717 On a systematization of heavy mesons and hyperons, 5=4085 New results in quantum field theory, 5=5213; On a group-theoretical systematization of elementary particles, 5=7665; On the meaning of bilocalizability, 5=9407, On a bilocal theory of families of elementary particles, 5=9423 On the problem of systematization of heavy mesons and hyperons, 6=1612: On a bilocal interpretation of isotopic spin, 6=3484. Introduction to the bilocal theory of elementary particles, 6=6348. A discussion on bilocality, 6=7952; II, 9=6506. A variational principle for bilocal field theory, 6=7953. Bilocal field theories and their experimental tests. I, 7=2981; II, 8394. Heisenberg's universal theory and gravitation, 8=8576. On a screw model of [hot] particles in iso-space, 9=6521. A six-dimensional interpretation of nuclear forces, 9=11409. See also Hanus,W., 6=7978.

Raz,B.J. Collective effects in O^{17}, 8=313. Collective and interparticle interactions in even–even nuclei, 9=10009. See also French,J.B., 5=9084, 7=3513

Razbash,R.Ya. See Bogdanov,S.V., 7=1263, 7=9680

Razbirin,B.S. See Gross,E.F., 7=8516, 8=2960, 8=6842, 9=5542 9=7960, 9=9429

Razbirine,B.S. See Bancie-Grillot,M., 9=9461

Razdan,H. See Sarabhai,V., 6=7506

Razin,V.A. Polarization of cosmic radio-emission on 1.45 and 3.3 m, 8=6579. On the galactic halo, 9=11758

Razin,V.M. Effect of radiation damping in calculating the displacement of electrons at the target in a betatron, 9=9721

Razorenov,L.A. See Kurnosova,L.V., 6=7661. Vernov,S.N., 8=6015

Razumova,T.K. See Arkhangel'skaya,V.A., 9=9496

Razumovskaya,L.P. See Bochkova,O.P., 9=11616

Razumovskiĭ,A.N. See Kaliteevskiĭ,N.I., 8=6494

Rea,D.G. Study of the experimental factors affecting Raman band intensities in liquids, 9=1293

Read,A.J. Centripetal force demonstration, 7=3024

Read,J.E. See Allen,N.L., 8=775

Read,M.H. See Van Uitert,L.G., 7=6340

Read,R.C. See Barton,J.C., 7=8442

Read,T.A. See Lieberman,D.S., 5=5700, 8=6438. Wechsler,M.S., 6=6620

Read,W.G. See also Baumann,N.P., 7=1593; Prosser,F.W., Jr, 7=2598

Read,W.G. and Krone,R.W. Spin and parity of the first excited state of Na^{23}, 7=2542

Read,W.T.,Jr. Statistics of the occupation of dislocation acceptor centres, 5=1351. Scattering of electrons by charged dislocations in semiconductors, 5=2735. Theory of the swept intrinsic structure, 7=1273

Read,W.T.,Jr and Pearson,G.L. The electrical effects of dislocations in germanium, 5=7045
Reagan,D. Photonuclear yields of N^{17}, 6=665. Fast ion heating, 9=5833. Some compression waves in plasmas, 9=8256. A non-thermal direct-current plasma heating mechanism, 9=12409
Reagan,D.D. See Barber,W.C., 5=4941
Real,R.R. See Howes,F.S., 9=1220
Ream,N. See Cottrell,T.L., 5=3922, 7=1478
Reamer,H.H. and Sage,B.H. Experience with piston-cylinder balance for pressure measurements, 5=7727. Demonstration of critical phenomena for pure substances and mixtures, 7=3200. Manostat for high-pressure operations, 9=1916. Reasbeck,P. See also Allen,R.A., 5=9043. Chackett,G.A., 6=2401
Reasbeck,P. and Mayne,K.I. The ages and origin of meteorites, 5=9366. Cosmic radiation effects in meteorites, 6=1345
Rebane,K.K. On the relationship between the decay laws for phosphorescence and photoconductivity, 9=9480
Rebane,T.K. Application of the lattice model to semiconductors of the lead sulphide type, 7=2232. Calculation of the anisotropy of the diamagnetic susceptibility of aromatic molecules by the method of the metallic model for molecules, 7=9306. The continuity conditions in a metiallic model of a molecule, 8=794. The calculation of the magnetic properties of molecules using the metal model method, 8=3436; II, 9=768
Rebbert,R.E. See Schoen,L.J., 9=12119
Reber,G. Fine structure of solar radio transients, 5=2371. Radio astronomy in Hawaii, 5=4287. Early radio astronomy at Wheaton, Illinois, 8=1415. Between the atmospherics, 8=4633. Solar activity cycle and spread F, 9=10531 9=10531
Reber,G. and Ellis,G.R. Cosmic radio-frequency radiation near one megacyle, 8=3643
Rebinder,P.A. See Venstrem,E.K., 6=6987
Rebka,G.A., Jr and Pound,R.V. Time-correlated photons, 8=934
Rebstock,H. See Seeger,A., 7=4817
Recart,L. Amplifier for thermopiles, 5=3675
Rechenmann,R. Observations of nuclear emulsions in reflected light, 6=3426. Drying of nuclear photographic emulsions by temperature gradient, 6=4133. The method of "track-histophotography", 9=14015
Recknagel,E. See Böckmann,K., 7=8107, 9=2696
Recourt,A. See Combee,B., 7=1821
Reddie,J.S. and Roesch,W.C. Two better ways to determine Geiger–Mueller-tube age, 6=8833
Redding,G.B. See Barnes,R.S., 8=1323 Rich,J.B., 9=10271
Redding,T.H. Definition and physical significance of the flow coefficient in accelerated flow, with special reference to metering devices, 8=4783
Reddish,V.C. The period–luminosity relation in Population II 6=8562
Reddy,J.van der Maas. See van der Maas Reddy,J.
Reddy,M.P. See Burton,M., 7=7478
Reddy,S.P. New band systems of FeBr in the visible region, 9=9408
Reddy,S.P. and Tiruvenganna Rao,P. The emission spectrum of aluminum monochloride in the vacuum ultraviolet, 7=9600
Rèdei,L. See Löwdin,P.O., 9=8673
Reder,F.H. See Essen,L., 8=7664
Redfield,A.G. Nuclear magnetic resonance saturation and rotary saturation in solids, 5=7257. Nuclear spin-lattice relaxation time in copper and aluminum, 6=3052. Nuclear induction spectrometer for use at rf intensities and low temperatures, 6=6515. On the theory of relaxation processes, 7=8432. Low temperature nuclear resonance apparatus, 9=13465. Nuclear spin relaxation time in superconducting aluminum, 9=13482. See also Whitfield,G., 7=7224
Redfield,D. Recombination processes in tellurium, 6=355. Carrier lifetime in tellurium, 7=7924
Redhead,P.A. The Townsend discharge in a coaxial diode with axial magnetic field, 8=8009. See also Hobson,J.P., 8=3778
Redheffer,R. Limit-periodic dielectric media, 7=1250
Redheffer,R.M. Limit-periodic dielectric media, 8=1031
Rediker,R.H. See Thomas,J.E.Jr, 6=2103
Redin,R.D. See also Morris,R.G., 8=2323
Redin,R.D., Morris,R.G. and Danielson,G.C. Semiconducting properties of Mg_2Ge single crystals, 8=2324
Reding,F.P. and Hornig,D.F. Vibrational spectra of molecules and complex ions in crystals. VII. The Raman spectrum of crystalline ammonia and 3-deutero-ammonia, 5=865. VIII. The infrared spectrum of a mixed crystal of 1-deutero-ammonia and 2-deutero-ammonia, 5=6000. X. H_2S and D_2S 8=118
Redington,R.W. Maximum performance of high-resistivity photoconductors, 8=7971. See also Damon,R.W., 5=1824
Redington,R.W. and van Heerden,P.J. Doped silicon and germanium photoconductors as targets for infrared television camera tubes, 9=12289
Red'ka,O.A. See Chepur,D.V., 6=8209
Redlich,M.G. Shell theory for the nuclei with mass 19, 5=6389 Wave functions for nuclear shell theory by a variation method, 5=9828. Interactions between configurations of three nucleons in the 1d, 2s shell, 5=9829. Similarity between shell-model and deformed-nucleus wave functions, 8=4262
Redlich,O. Physically meaningful concepts, 9=10342. See also Hood,G.C. 5=3222, 6=1693
Redman,J.K. See Blewitt,T.H., 5=6614, 8=423
Redman,R.O. and Suemoto,Z. Temperature and turbulence in the chromosphere, 5=5833
Redman,W.C. The role of critical facilities. I. Critical facilities for reactor design, 9=6152
Redmond,P.J. First 0^+ level in C^{12} and O^{16}, 6=2313. Heisenberg operators in a Lagrangian formalism, 7=3971. Elimination of ghosts in propagators, 9=2054. See also Uretsky,J.L., 9=12549
Redmond,P.J. and Uretsky,J.L. Conjecture concerning the properties of nonrenormalizable field theories, 8=7689
Redon-Latapie,C. See also Latapie-Redon,C. Lévi,C., 9=10103
Redozubov,D.V. On linear heat problems with one moving boundary, 9=5606
Redshaw,S.C. A sensitive miniature pressure cell, 5=774. See also Palmer,P.J., 8=1411
Redstock,H. See Diehl,J., 6=6222
Redwood,M. Dispersion effects in ultrasonic waveguides and their importance in the measurement of attenuation, 7=8485 The generation of secondary signals in the propagation of ultrasonic waves in bounded solids, 9=1182. Velocity and attenuation of a narrow-band, high-frequency compressional pulse in a solid wave guide, 9=6632. See also Lamb,J., 9=13107
Redwood,M. and Lamb,J. On the measurement of attenuation in ultrasonic delay lines, 7=1137. On the propagation of high frequency compressional waves in isotropic cylinders, 7=3074
Ree,T. See also Eyring,H., 6=1658. Hahn,S.J., 9=10333
Ree,T. and Eyring,H. Theory of non-Newtonian flow, I. Solid plastic system, 5=8329. II. Solution system of high polymers, 5=8330.
Reeb,O. Dimensions of a solid angle, 5=5847. See also Hentschel,H.J., 8=8673
Reeb,O. and Hentschel,H.J. Measurements of light intensities of real images of light sources, 9=3249
Reeb,O. and Tosberg,W. High-sensitivity photelectric illumination photometer free from cosine error, 5=9530
Reeber,M.D. Geometric effects in the superconducting transition of thin films, 9=7004
Reece,M.P. Arcs in vacuum, 6=7445. The Tanberg effect, 8=5020 Burning voltage of arcs in high vacuum, 8=5029
Reed,B. See also Mataré,H.F., 9=3469, 9=9620
Reed,B., Weinreich,O.A. and Mataré,H.F. Conductivity of grain boundaries in grown germanium bicrystals, 9=4584
Reed,G.W. U^{235} thermal neutron fission yields at masses 90 and 91, 5=7383
Reed,G.W. (Conf. rep.) Measurement of body radioactivity, 6=7906
Reed,G.W. and Turkevich,A. Uranium content of two iron meteorites, 6=2619. Uranium, helium and the ages of meteorites, 8=11
Reed,J.F. See also Rabinovitch,B.S., 5=2930
Reed,J.F. and Rabinovitch,B.S. The sodium diffusion flame method for fast reactions. I. Theory of the experimental method, 5=5011; Sodium diffusion flame method for fast reactions. The use of a spherical source, 8=3035
Reed,J.W. A note on satellite density observations, 9=10408
Reed,L. See Nordin,P., 9=2659
Reed,R.D.C. See also Lawley,L.E., 6=7219
Reed,R.D.C. and McLeod,T.S. Absorption of underwater sound by substances in process of solution, 5=6835
Reed,S.G.,Jr. Note on finite amplitude propagation effects on shock

wave travel times from explosions at high altitude, 9=11933; See also Heybey,W.H. 5=7776
Reed,T.B. See Plooster,M.N. 9=8954
Reed,T.M.,III. The ionization potential and the polarizability of molecules, 5=6370
Reed,T.M.,III. and Taylor,T.E. Viscosities of liquid mixtures, 9=3184
Reeder,S.D. See Smith,R.R., 6=1594, 6=8383
Reeger,E. On the observation and photography of mirages, 7=6776
Reekie,J. See also Beaumont,C.F.A. 5=2466; Goldstein,L. 5=5929
Reekie,J. and Yao,Y.L. Magnetic anisotropy and cold worked texture of titanium. 6=5231
Rees,A.L.G. Electronic spectrum and dissociation energy of fluorine, 7=8077; See also Cowley,J.M., 8=7615; Mathieson,L., 7=585
Rees,J.R. See also Rasmussen,V.K. 5=2149; Wall,N.S. 5=3089
Rees,J.R. and Sampson,M.B. Elastic scattering of alpha particles and deuterons from heavy nuclei, 8=1262
Rees,L.V.C. See Barrer,R.M. 9=10940
Rees,M.H. See Roach,F.E., 6=8556
Rees,W.H. Atmospheric pollution and the soiling of textile materials, 8=7622
Reese,R.M. See also Dibeler,V.H. 5=5480, 7=5417, 7=5422, 8=214, 8=4086, 9=9723
Reese,R.M. and Dibeler,V.H. Ionization and dissociation of nitrogen trifluoride by electron impact. 6=5985
Reese,R.M., Dibeler,V.H. and Franklin,J.L. Electron impact studies of sulfur dioxide and sulfuryl fluoride, 9=5845
Reetz,A. Jr and Lund,L.H. Direct correlation functions for argon, 7=6932
Reeves,C.G. and Whytlaw-Gray,R. Some low-pressure measurements of the isothermals of xenon between 0 and 40°C and the normal density of the gas, 5=9486
Reeves,C.M. See Boys,S.F., 7=3480
Reeves,E.M. See also Nicholls,R.W., 8=3893
Reeves,E.M. and Nicholls,R.W. Simple and inexpensive f/1.1 prism spectrograph, 8=5764
Reeves,H. Inequality relations for scattering cross sections, 8=3713; Astronomical tests of the existence of Li^4, 9=11737
Reeves,J.L. See Marg,E. 5=10150
Reeves,R.R. See Harteck,P., 8=8850, 9=1921
Refai,M.Y. See Huby,R., 9=1769; Newns,H.C., 8=2558
Reffay,R. See Cochet,R. 5=7152
Refsdal,I.N. See Barstad,G.E.B., 8=4053
Refsum,A. See Phillips,K. 9=7020
Regel',A.R. Temperature dependence of the resistivity of zinc, cadmium and antimony above their boiling points, 8=6960; See also Ablova,M.S., 7=2224*, 9=5747; Elpat'evskaya,O.D., 7=4906*, 7=7211, 7=7918; Gaĭbullaev,F., 8=2299, 9=4615; Kaĭdanov,V.I., 8=4005; Lange,V.N. 9=13819-20; Zhuze,V.P., 7=2188
Regel',V.R. See also Dubov,G.A., 8=5498; Melankholin,N.M., 6=8997; Perekalina,Z.B. 9=12840
Regel',V.R. and Dubov,G.A. Experiments to investigate kinetic softening of single crystals of TlBr−TlI, 8=5497*
Regel',V.R. and Govorkov,V.G. Dependence of critical shear stress in zinc single crystals on temperature and deformation velocity, 9=12841
Regemorter,H.van See van Regemorter,H.
Regener,E. Optical interference on thin ice films condensed at -190°C, 5=2668
Regener,V.H. Recordings of the zodiacal light. 6=5629; The vertical flux of atmospheric ozone, 8=4559
Reger,M. See Grabner,H., 9=10889
Regge,T. Angular correlations between decay planes of τ^+-mesons and their production geometry, 7=5653; On the properties of spin 2 particles, 7=7594; Gravitational fields and quantum mechanics, 8=870; Additional remarks and errata corrige to a paper on the theory of spin 2 particles, 8=882; Analytic properties of the scattering matrix, 8=5646; On the analytic behaviour of the eigenvalue of the S-matrix in the complex plane of the energy, 8=7697; Construction of potentials from resonance parameters, 8=7699; Symmetry properties of Clebsch-Gordon's coefficients, 9=4296; Symmetry properties of Racah's coefficients, 9=4297; See also Bosco,B. 5=66; Mandle,F. 5=9969
Regge,T. and Wheeler,J.A. Stability of a Schwarzschild singularity, 8=6617
Reggia,F. See Spencer,E.G. 5=4784
Regier,R.B., Burgus,W.H. and Tromp,R.L. Ratio of asymmetric to symmetric fission of U^{233} as a function of neutron energy, 9=8648
Regirer,S.A. See Gorazdovskiĭ,T.Ya., 7=1099
Register,H.I. and Smith,A.G. Liminal image size for conventional film readers, 9=6416
Regnier,J. See Barriol,J., 6=1447
Régnier,S. New bands in the emission spectrum of acetaldehyde, 5=2575
Regnier,S. and Barriol,J. Relation between the free electron model and LCAO molecular orbitals, 7=6409
Rego,G. Braga. See Braga.Rego,G.
Rehage,G. Thermodynamic considerations on separation in liquid two-component systems, 5=8336
Rehbinder,P. Coagulation and thixotropic structures, 5=8365
Rehfeld,K. The concentration dependence of sound velocity in polar-nonpolar mixtures at differing chain lengths, 7=178; Anomalous dispersion of low-frequency electric waves, 8=249
Rehfuss,D.E. See also Grasemann,B., 6=6110
Rehfuss,D.E. and Crasemann,B. L to K electron capture ratio in Ge^{71}, 9=11452
Rehner,J.,Jr. Diffusion and chemical kinetics. Integration of the probability after-effect equation for a spherical volume element, 9=2978
Reibel,K. See Cohen,K., 7=1612
Reich,B. Measurement of transistor thermal resistance, 8=5000
Reich,C.W. See also Russell,J.L.,Jr. 7=1393
Reich,C.W. and Moore,M.S. Multilevel formula for the fission process, 9=1786
Reich, C.W., Phillips,G.C. and Russell,J.L.,Jr. Scattering of protons from C^{12}, 7=2637
Reich,G. The ultimate pressure of oil diffusion pumps with special reference to the vapour pressure of the working fluid, 8=6719; See also Herlet,A., 8=6915; Jaeckel,R., 7=7822
Reich,G. and Nöller,H.G. Partial pressure analysis of the ultimate pressure of oil-diffusion pumps with the omegatron, 8=7752
Reich,H. Absorption of the created neutron component of the cosmic radiation in lead and aluminium, 6=2981. Beam extraction in the microtron, 9=3586
Reich,H.A. See also Heberle,J.W., 6=3114
Reich,H.A. and Garwin,R.L. Simple continuous He^3 refrigeration system, 9=2284
Reich,H.A., Heberle,J.W. and Kusch,P. Hyperfine structure of the metastable deuterium atom, 7=3552
Reich,K.H. On the measurement of the magnetic permeability of metals by means of a cavity resonator and the permeability of iron in the region of ferromagnetic resonance, I, 6=471; II, 6=2237; III, 6=5219; Ferromagnetic resonance absorption in a nickel single crystal at low temperatures, 6=3824; See also Standley,K.J., 6=1363
Reichardt,M. Investigations on mercury diffusion pumps made of glass. III, 5=8549
Reichardt,W. Sound transmission, reflection and absorption through gratings and porous materials, 5=5955; The acoustics of the auditorium of the state opera house Berlin, Unter den Linden. 6=5748
Reichardt,W., Kohlsdorf,E. and Mutscher,H. The optimum reverberation time for studios, 5=9522
Reichardt,W. and Lenk,A. The four-pole equivalent circuits of electromechanical transducers, 5=4460
Reichardt,W. and Tappe,G. On the structure of luminescence centres in copper activated zinc sulphide phosphors, 9=5556
Reiche,F. Total absorption and overlapping effect due to two spectral lines of equal width and strength, 6=7264
Reichel,K. See Weil,L. 5=2870
Reichenbaum,G. See Donovan,B. 5=3756
Reichmann, M.E. Effect of polydispersity on non-Newtonian viscosity of polymeric solutions, 9=10644; Interpreatation of light scattering data obtained from solutions of large rod-like particles, 9=10877
Reid,C. Decomposition in liquid scintillation systems, 5=1726; Semi-empirical treatment of the hydrogen bond, 9=6202; See also Cohen,A.D., 6=1975, 7=2497
Reid,C.D. and McAlister,E.D. Measurement of spectral emissivity from 2μ to 15μ, 9=1233
Reid,F.J. and Willardson,R.K. Carrier mobilities in InP, GaAs, and AlSb, 8=6993
Reid,G.C. The variation with sidereal time of radio star scintillation rates, 8=1443; Electric field theory of aurorae, 9=4156; See also Leinbach,H., 9=6397
Reid,J.H. See Ellison,M.A. 7=950
Reid,J.J. See Holak,W. 7=9580
Reid,J.M. See also Wright,I.F., 6=3991

Reid,J.M. and Wright,I.F. Disintegration scheme of copper-62 and its relation to recent mass measurements, 5=4897

Reid,R.A. See McCusker,C.B.A., 9=4763

Reid,W.H. On the approach to the final period of decay in isotropic turbulence according to Heisenberg's transfer theory, 7=3047*; On the transfer of energy in Burgers' model of turbulence, 9=94; See also Trehan,S.K., 8=2429

Reid,W.H. and Harris,D.L. Some further results on the Bénard problem, 8=2835; Similarity spectra in isotropic turbulence, 9=7831

Reier,M. and M. H. Shamos, Neutron-capture gamma-ray spectra of V, Co, Ti, Fe, Cr, Au, Mn, and I, 6=1536

Reif,A.E. See Clark,J., 6=5569

Reif,F. Nuclear magnetic resonance studies of imperfect ionic crystals, 6=1741; Observation of nuclear magnetic resonance in superconducting mercury, 6=6652; Study of superconducting Hg by nuclear magnetic resonance techniques, 7=5353; See also Cohen,M.H. 5=6610

Reiffel,L. Beta-ray-excited low-energy X-ray sources, 5=5436; Pressure effects in luminescence: isobaric experiments on NaI(Tl), 9=12097

Reiffel,L. and Watts,H.V. Compacted scintillators, 5=4554

Reifman,A., DeWitt,B.S. and Newton,R.G. Relations between bound-state problems and scattering theory, 6=1858

Reignier,J. On the distribution of the electric charge of the nucleus, 5=7271; Scattering of high energy electrons and distribution of electric charge in nuclei, 7=3356; On the scattering of high-energy electrons by nuclei, 7=8813; Scattering of high-energy electrons and electric charge distribution in the nucleus, 8=9010

Reijen,L.L. van See van Reijen,L.L.

Reik,H.G. The thermodynamics of irreversible processes as approximation to the Enskog theory of gases. I. Single component systems, 7=7840; II. Multi-component systems, 7=9570; The stress tensor, diffusion and heat flow in dense inhomogeneous gases, 9=1172

Reik,H.G. and Gebert,G. Thermodynamics of dilute solutions of macromolecules, 5=2477

Reĭkhrudel', E.M., Kustova,A.V. and Zimelev,A.G. Elementary processes in the formation of the high voltage impulse discharge at low pressures, 5=6173; Properties of an indirectly heated cold cathode in low-pressure pulse discharges, 7=4503

Reiling,G.H. and Hensley,E.B. Fundamental optical absorption in magnesium oxide, 9=6753

Reilley,C.N., Everett, G.W. and Johns,R.H. Voltammetry at constant current. Experimental evaluation. 5=7481

Reilly,C.A. Measurement of small nuclear spin–spin coupling constants, 7=2495; See also Hood,G.C. 5=3222, 6=1693, 8=3539-40; Nederbragt,G.W., 7=588; McConnell,H.M. 5=6927, 6=3072, 6=8902

Reilly,C.A. and Strombotne,R.L. Proton spin–lattice relaxation in mesitylene, 7=7271

Reilly,C.D. See Glasser,L.G., 8=8718

Reimann,H. The effect of tempering on the resistance of evaporated bismuth bolometers, 5=8691; Experiments with the bismuth bolometer and radiation modulated to have a rectangular or sine wave form, 5=8692; See also Neumann,W. 9=12019

Reimer,L. Comparison of X-ray and magnetically determined internal stresses in ferromagnetic metals, 5=2241; Magnetic investigations on internal strains in plastically stretched carbon steel, 5=7434; Magnetic investigations of the orientation and amplitude distribution of the internal strains in plastically deformed metals, 5=8076; A new method of measurement of the magnetic properties of thin films by means of the Faraday effect, 7=537; The influence of the crystallite size on the coercivity of electrolytically deposited and evaporated films of nickel and iron, 7=2434; Optical and electron-microscopical observations on a polarization phenomenon occurring in obliquely evaporated metal layers, 7=6073; The structure of PbTe evaporated layers, 8=455; Investigations of the magnetic properties of evaporated iron films by means of the Faraday effect, 8=3240; Electron absorption of thin metal films in the electron microscope, 8=7114; Magnetic, electrical and electron-optical investigations on the thermal change in spluttered nickel films, 8=7174; Magnetic properties and electron microscopical structure of electrodeposited thin films of nickel–iron alloys, 8=7175; Measurements of the Hall effect on ferromagnetic nickel layers, 8=7903; Electrical conductivity of evaporated layers of amorphous germanium, 9=4586; An experimental contribution on the thermo-e.m.f. of thin evaporated films, 9=4639; Magnetic properties of thin electrolytically deposited and evaporated nickel and iron films, 9=5888; Comparison of the magnetic properties of electrolytically deposited nickel films from ballistic measurements and from the change of electrical resistance in a magnetic field, 8=5889; Magnetic investigations on electrolytically deposited thin cobalt films, 9=5890; Electron optical investigation of the structure of evaporated films of InSb, 9=6310; Electron optical investigation of twin formation in evaporated silver films, 9=13885

Rein,F. The relation between a field of relative divergence and the occurrence of thunderstorms, 6=7900

Rein,G.C. See Vollmer,J. 9=1385

Reina,I. See Andreassi,G. 9=11806; Fonda,L., 7=3717; Poiani,G. 9=11345

Reinberg,A.R. and Grossweiner,L.I. Transient processes in the optical bleaching of F and F' centers in potassium chloride, 9=8856

Reiner,A.S. Isotope shifts and nuclear charge distributions, 6=3083; E0 transitions in nuclei, 7=2536; Low-lying 0^+-states in nuclei, 7=8780; Finite size effects on M1 conversion coefficients, 8=6279

Reiner,M. Second order effects in elasticity and hydrodynamics, 5=3182; The complete elasticity law for some metals according to Poynting's observations, 5=7428; A centripetal-pump effect in air, 7=8458; The centripetal-pump effect in a vacuum pump, 9=13076; See also Popper,B., 7=5116, 8=2183; See also Carter,R.E., 9=4891; Cowan,C.L.Jr. 5=1249, 6=6123, 7=4791, 7=7439, 8=1827, 8=2460; Harrison,F.B. 5=2202; Ronzio,A.R., 8=2439

Reines,F. and Cowan,C.L., Jr. The neutrino, 7=2719; Free antineutrino absorption cross section. I. Measurement of the free antineutrino absorption cross section by protons, 9=4890

Reines,F., Cowan,C.L., Jr and Goldhaber,M. Conservation of the number of nucleons, 5=1958;

Reines,F., Cowan,C.L., Jr, Harrison,F.B. and Carter,D.S. Detection of neutrons with a large liquid scintillation counter, 5=2225

Reines,F., Cowan,C.L., Jr and Kruse,H.W. Conservation of the number of nucleons, 8=2469

Reingold,I.H. See Berger,M.J., 9=5987

Reinhard,H.P. See Paul,W., 8=8059

Reinhardt,P.W. See also Hurst,G.S., 6=4676

Reinhardt,P.W. and Davis,F.J. Improved method for standardizing high voltage (sources) for scintillation detectors, 5=1943

Reinharz,M. See De Marco,A. 5=6279, 5=7170, 6=5987

Reiniger,F. The study of thermal conductivity problems by means of the electrolytic tank, 6=8725

Reinishch,L. Study of the dielectric behaviour of solid cyclohexanone, 5=4626; Measurement of the complex dielectric constant of solid thiacyclohexane, 6=7375; Influence of an electric field on the transition temperature of first and second-order transformations, 6=8149; Attempt of interpretation of the radiofrequency spectrum of cyclohexanol, 7=4309

Reinöhl,W. On new one-electron eigenfunctions for atoms with two and more electrons. 8=7419

Reĭnov,N.M. See also Aĭrapetyants,A.V., 8=7965; Gross,E.F., 6=7819; Kogan,A.V., 7=9240

Reĭnov,N.M. and Smel'makh,M.F. Temperature dependence of spontaneous magnetization in Co–Zn ferrites at low temperatures, 8=8130

Reisfeld,M.J. and Mason,E.A. Calculation of kinetic theory collision integrals by interpolation, 6=2724

Reisfeld,R. See Glasner,A., 6=8979

Reismann,H. Two-dimensional periodic flow of heat in polar coordinates, 9=1357

Reiss,H. P-N junction theory by the method of δ functions, 6=4405; Refined theory of ion pairing, I. Equilibrium aspects, 6=8840; II. Irreversible aspects, 6=8841; Theory of the ionization of hydrogen and lithium in silicon and germanium, 7=376; Influence of solutes on self-diffusion in the face-centered cubic lattice, 9=7536; Diffusion-controlled reactions in solids, 9=10288; See also Glazer,H. 5=6372; Kaiser,W. 9=4033; Morin,F.J., 7=3274

Reiss,H., Frisch,H.L and Lebowitz,J.L. Statistical mechanics of rigid spheres, 9=10624

Reiss,H. and Fuller,C.S. Ionization and solubility in semiconductors, 5=3741

Reiss,H., Fuller,C.S. and Morin,F.J. Chemical interactions among defects in germanium and silicon, 6=6635

Reiss,H., Fuller,C.S. and Pietruszkiewicz,A.J. Solubility of lithium in doped and undoped silicon, evidence for compound formation, 7=781

Reiss,K.H. The light emission from high-vacuum gas discharges, 5=9681

Reiss,M. Note on thin-lens color correction for variable focal-length lenses, 8=6792

Reiss,R. On the luminescence spectra at the temperature of liquid nitrogen of various films of CuI and their comparison with the absorption spectra attributed to exciton formation in the same films, 7=2054. Studies of thin films in reflected light, 7=4242. See also Nikitine,S., 5=3578, 6=218, 6=3617, 6=4311, 6=4994, 6=6525, 7=5219, 7=5967, 7=7012, 7=9070, 7=9076, 8=8680

Reissner,E. On torsion of thin cylindrical shells, 9=9264

Reitan,A. The influence of anharmonicity upon the vibrational probability densities and mean amplitudes in molecules. I. Diatomic molecules, 9=7435

Reitan,D.K. Accurate determination of the capacitance of rectangular parallel-plate capacitors, 9=2294

Reiter,F.W. See Schäfer,K., 7=303

Reiter,R. Variations of the natural radioactivity of the air, measurements at 2600m above sea-level in the North Alps, 6=7899. Fluctuations of the concentration and the proportion of radon and thoron descendents in the air from measurements in the North Alps, 9=6398

Reĭtlinger,S.A., Maslennikova,A.A. and Yarkho,I.S. Gas permeability of polyorganosiloxane resins, 7=4802

Reitmann,D. See also Schneider,H., 9=2768; van Heerden,I.J., 9=5029

Reitmann,D., Schneider,H. and van Heerden,I.J. L_{I}, L_{II}, L_{III}, and M internal conversion lines of the 411.8 keV transition in Hg^{198}, 9=640

Reitmayer,F. Refractive index and dispersion of optical glasses in the non-visual spectral regions, 7=5157

Reĭtsakas,A.Yu. See Gornyĭ,N.B., 8=1725

Reitz,D.C. and Weissman,S.I. Spin exchange in a biradical, 8=2614

Reitz,J.R. Electronic band structure of selenium and tellurium, 7=4869. See also Eros,S., 8=4475; Lewis,H.W. 9=12312; Tomasch,W.J., 9=3523

Reitz,J.R. and Smith,C.S. Calculation of the elastic shear constants of magnesium and magnesium alloys, 7=2460

Reitz,R.A. See Whalin,E.A.,Jr, 5=2164

Reitzel,J. Infrared spectra of SiO_2 from 400 to 600 cm^{-1}, 6=1981. Effect of pressure on the dielectric constant of vitreous silica, 7=3233

Reitzel,J., Simon,I. and Walker,J.A. New method for measuring linear compressibility of solids, 8=2043

Reitzer,C. See Donnet,J.B., 9=83

Reizler,W. See Porschen,W., 5=482

Rekers,R.G. and Villars,D.S. Flame zone spectroscopy of solid propellants. II. Double base propellant JPN, 6=6502

Rekveld,J. On the teaching of "standing waves", 8=3792. New approach to the teaching of electrostatics in general physics courses, 8=3964

Relf,K.E. A cloud-chamber study of cosmic-ray air showers at sea level, 5=1964

Relf,K.E. and Powell,W.M. Diffusion cloud chamber of unusually large dimensions, 5=1944

Remaut,G. See also Boesman,E., 6=9040

Remaut,G. and Dekeyser,W. Dichroism of the Z_2 band in NaCl, 8=5489

Rembaum,A. and Szwarc,M. O-O bond dissociation energies in propionyl and butyryl peroxides, 5=6353

Rembser,J. Wall and end effects in cylindrical neutron-collision counters, 9=11320

Rembser,J. and Fischer,E. The numerical solution of the two-group diffusion-equation for multilayer reactors with the help of electronic digital-computers, 9=13715

Remeika,J.P. See also Anderson,J.R., 6=5080; Bozorth,R.M., 8=6043; Holden,A.N., 5=6109, 6=2065; Matthias,B.T., 6=7377, 7=2170, 8=1673; Sherwood,R.C., 9=7161; Williams,H.J., 9=9778

Remeika,J.P. and Merz,W.J. Guanidine vanadium sulfate hexahydrate [G.V.S.H.]: a new ferroelectric material, 6=5069

Remenieras,G. and Hermant,C. The electromagnetic measurement of velocities in liquids, 5=5252

Remenny,A.S. See Sergeyev,A.G., 9=8554

Remennȳĭ,A.S. See Sergeev,A.G., 8=6241, 9=2769; Zhernovoĭ,A.I., 8=7359

Remick,F.J. See Kline,D.E., 8=7357

Remillard,W.J. Method of obtaining amplitude and phase spectra of a transient function using graphical input data, 9=6652

Remler,E.A. See Fischer,G.E., 8=6297

Remner,Yu.I. The effect of irradiation on stresses and small deformations in solids, 9=13798

Rempel,R.C. Relaxation effects for coupled nuclear spins, 8=2011. See also Hornig,A.W., 9=1423, 9=7187; Piette,L.H., 9=9813

Rempel,R.C., Weaver,H.E., Sands,R.H. and Miller,R.L. Nuclear magnetic resonance studies of polyethylene, 8=406

Remund,A.E. Angular distribution and polarization of 3.3 MeV neutrons scattered on Cu, Ta, Pb and Bi, 9=6130. See also Brugger,H.R., 6=555

Rémy,E. See also Torki,B., 8=7387; Winter,K., 9=3921

Remy,E. and Sittkus,A. The diurnal variation of the cosmic radiation, I, 5=6271; II, 7=2389

Remy,E. and Winter,K. Neutron spectra emitted from the (n, 2n) reaction on Mn^{55}, I^{127} and Ta^{181}, 8=5382. On the mechanism of the (n, 2n) reaction at 14 MeV neutron energy, 9=681

Renard,F. See Crussard,J., 6=5430, 7=3697; Leprince-Ringuet,L., 6=5403

Renard,G.A. Demonstration of re-arrangement radiation following the autoionization consequent upon β disintegration, 5=9873. See also Charpak,G., 7=1403; Yuasa,T., 6=1520

Renard,M. See Doulat,J., 9=3506*

Renaud,P. Effect of ultrasonics on solutions of KI, 5=6844. The effect of ultrasonics on solutions of macromolecules in pyridine, 5=8361

Renaud,P., Joly,M. and Dervichian,D.G. In search of a general definition of energy and of parameters describing extension and intensity, 5=2690. Concept of the frequency of presence of a measurable quantity G, 5=8466. On certain simplifying hypotheses which give rise to the notion of energy conservation in the domains where they are applicable, 6=7361. Correlation between the definition of energy and its conservation. Extension to systems with many parameters without exchange of matter, 8=3054

Renaudie,J. Unified six-dimensional theory. Interpretation in the case of the meson-electromagnetic field, 5=7673

Renaux,A. See Cojan,J.L., 9=1294

Rene,M. See also Amerighi,M.C., 9=9980; Bacchella,G.L., 7=3703, 8=4249; Heughebaert,J., 7=9917; Janssens,P., 6=2952; K-collaboration, 9=13575

Reneker,D.H. New oscillatory absorption of ultrasonic waves in bismuth in a magnetic field, 9=4394. Ultrasonic attenuation in bismuth at low temperatures, 9=13105

Renne,V.T. and Morozova,M.N. The effect of the type of cation, attached to cellulose in the process of cationic exchange reaction, on the dielectric losses of condenser paper, 9=12219

Renner,H., Brauer,G. and Faessler,A. On the question of the type of binding in carbides of transition metals, 5=4829

Rennert,J. See Kallmann,H., 9=4195

Rennie,A. See Chasmar,R.P., 6=5814

Rennie,A.E. See Avery,D.G., 8=1067

Renninger,M. Measurements by X-ray optics of ideal crystals. I. Confirmation of the Darwin-Ewald-Prins-Kohler-curve, 5=10080. Contribution to the knowledge of X-ray pattern difference between the two types of diamond, 5=10091. See also Krause,B., 6=7802

Rense,W.A. See also Aboud,A., 9=12962; Aboud,A.A., 5=9562; Behring,W.E., 9=6466; Miller,S.C.,Jr., 7=5000

Rense,W.A. and Violett,T. Method of increasing the speed of a grazing-incidence spectrograph, 9=5495

Renshaw,S. Effect of stereoimage decentration on apparent size, 9=4165

Renton,C.A. The effect of a magnetic field on the heat conductivity, 5=1852. See also Fuschillo,N., 8=5512; Gibbons,D.F., 9=10709; Kunzler,J.E., 8=7901; Mendelssohn,K., 5=6078

Rentsch,W. A coaxial trochotron, 7=3383. Investigations of cold-cathode counter-tubes, 7=4477

Rentze,A. See Sjostrand,N.G., 8=6341

Renzetti,N.A. Ozone in the Los Angeles atmosphere, 6=5548

Repina,R.S. See Kogan,Ya.I., 7=4035

Replogle,F.S.,Jr. See Gray,T.S., 8=5165; Whitehouse,D.R., 8=1144

Repnev,A.I. See Danilin,B.S., 8=6532

Reps,B. See Melkonian,G.A., 5=3026

Resch,A. An arrangement for rapid interchange of suppression filters for fluorescence microscopy research, 9=4503

Reshetnikov,A.M. Structure of thin Sb_2S_3 films obtained by sublimation in an atmosphere of nitrogen at pressures below

4 mm Hg, 8=7541
Reshetnikova,L.V. See Gorbatyĭ,N.A., 7=9231
Résibois,P. Thermal conductivity of dielectrics at low temperature, 9=4510. See also Prigogine,I., 9=9254
Resing,H.A. See Nachtrieb,N.H., 9=8886
Resler,E.L. See Lin,S.C., 5=2830
Resler,E.L.,Jr. Sound speed in a reacting medium, 7=4056
Resler,E.L.,Jr and Scheibe,M. Instrument to study relaxation rates behind shock waves, 5=9493
Resnick,P. See Di Bernardo,A., 9=6755
Resnick,R. See also Donahue,T.M., 5=7559, 7=2868
Resnick,R. and Seigle,L.L. Void formation in silver-gold diffusion couples, 7=8212
Respaut,M.T. Wavelength dispersion of the magnetic birefringence of collodial ferric hydroxide, 7=9125
Restaino,A.J. "Metallo-organic" polymers-possible fuel materials, 8=5404
Retherford,R.C. See Greiner,R.A., 8=8777
Rethmeier,B.C. See Salsburg,Z.W., 7=8448
Rethmeier,J. See Huijer,P., 8=4233
Retz-Schmidt,T. (p,γ) angular distribution measurements for $F^{19}(p,\alpha_{\gamma})O^{16}$ at 340, 598 and 669 keV, 9=3895. See also Neuert,H., 9=3894
Reuben,B.G. See Linnett,J.W., 9=7470
Reuber,C. See Broser,I., 5=220
Reuck,A.V.S. de. See de Reuck,A.V.S.
Reule,A. See Jung,E., 9=5477
Reulos,R. Electromagnetic interactions and couples [torques] of radiation, 5=2899. Researches on the theory of corpuscles, 6=2645. Nonclassical transformation in special relativity, 6=4171. Application to wave mechanics of a new transformation in special relativity, 6=4210. On the mass spectrum of elementary particles, 8=1503, 8=6110
Reuschel,A. Kinetic treatment of optical problems, 5=5966
Reuss,J. See also Careri,G., 9=10923; Wansink,D.H.N., 5=8707
Reuss,J. and Beenakker,J.J.M. Determination of the second virial coefficient B_{12} of gas mixtures, 7=8463
Reut,A. A. See also Krivitskiĭ,V.V., 7=5654
Reut,A.A., Korenchenko,S.M., Yur'ev,V.V. and Pontekorvo,B.M. An attempt to discover nuclei of H^4 among the products of spallation of carbon by protons of energy 300 MeV, 5=9037
Reuter,B. See also Stein,R., 6=2117-18
Reuter,B. and Siewert,J. Magnesium vanadate spinels with valency-type semiconductor properties, 8=185
Reuter,B. and Stein,R. On the chemical reactions during oxidation of lead sulphide by atmospheric oxygen and their relation to the elctrical conductivity and photoconductivity of lead sulphide layers, 5=3771
Reuterswärd,C. Direct-coupled amplifier and ratiometer for a single-beam mass spectrometer, 7=467. On the iosotopic constitution of potassium. A study of mass discrimination in hot anode ion source, 7=3564. See also Lundén,A. 5=7462, 6=3129
Revel,D. See Bacchella,G.L., 7=3703, 8=4249
Revell,R.S.M. See also Agar,A.W., 6=2471
Revell,R.S.M. and Agar,A.W. The preparation of uniform plastic films, 5=2239
Revelle,R. and Munk,W. Evidence from the rotation of the earth, 6=9068
Revellio,K. Atmospherics and their application to the investigation of the lower ionosphere, 7=6768. See also Ehmert,A., 6=7091
Revenko,V.V. A derivation of the velocity of sound on the basis of the molecular kinetic theory, 9=13085
Revesz,G. An autocorrelogram computer, 5=684
Revina,L.D. See Lavrukhina,A.K., 9=8644
Revkevich,G.P. See Batsur',D., 9=13832
Revzin,L.S. See Nosenko,B.M., 7=2592, 9=10856
Rew,R. and Godding,R.G. A dielectric heating and test unit for the study of sand properties at elevated temperatures, 5=4130
Rexer,E.F. See Balas,W., 5=9734
Rexroad,H.N. See also Gunton,R.C., 5=1702; Ollom,J.F., 6=3631
Rexroad,H.N. and Gordy,W. Electron spin resonance studies of irradiated teflon: effects of various gases, 9=5909
Rexroad,H. N., Howgate,D.W., Gunton,R.C. and Ollom,J.F. Microwave spectrum and molecular structure of $(CH_3)_3SiI$, 6=5303
Rey,P. See Baró,G., 9=2737; Baró,G.B., 5=5597
Reyes,P. See Bosch,H., 9=1747
Reynolds,C.A. See Forstat,H., 6=1169; Patronis,E.T.Jr, 9=9563
Reynolds,C.C. See Czyzak,S.J., 5=616; Reynolds,D.C., 5=3593
Reynolds,C.H. See Tomlinson,N.P., 5=2458
Reynolds,D.C. See also Czyzak,S.J., 5=616; Greene,L.C., 9=1931; Marburger,R.E., 6=2119
Reynolds,D.C. and Czyzak,S.J. Mechanism for photovoltaic and photoconductivity effects in activated CdS crystals, 5=1844
Reynolds,D.C., Czyzak,S.J., Allen,R.C. and Reynolds,C.C. Properties of single cadmium sulfide crystals, 5=3593
Reynolds,D.C. and Greene,L.C. Crystal growth mechanism in cadmium sulfide crystals, 8=9180
Reynolds,D.C., Greene,L.C. and Antes,L.L. Properties of a cadmium sulphide photorectifier, 7=3289
Reynolds,D.C., Leies,G., Antes,L.L. and Marburger,R.E. Photovoltaic effect in cadmium sulfide, 5=1843
Reynolds,G.F. See Dessy,R.E., 9=7201
Reynolds,G.T. Laboratory energy distribution of Λ^0 particles, 7=5652. Scintillation track chambers, 8=8192. See also Arnold,W.H., 6=688; Ballam,J., 5=3129, 5=9133; Barford,N.C., 7=3390; Bowen,T., 8=8258; Giacconi,R., 9=3693; Hodson,A.L., 5=1226; Treiman,S.B., 5=3130
Reynolds,G.T. and Aron,W.A. Masses of $\underline{S}$ particles, 5=9134
Reynolds,G.T. and Condon,P.E. Filament scintillation counter, 9=8409
Reynolds G.T., Giacconi,R. and Scarl,D. Cosmic-ray tracks in filament scintillation chambers, 9=9901*
Reynolds,H.K. See Barnett,C.F., 8=8841; Gerrard,J.A.F., 7=8306
Reynolds,H.L. See also Cohen,B.L., 5=2176; Goldberg,E., 9=3907; Webb,W.H., 6=4636
Reynolds,H.L., Scott,D.W. and Zucker,A. Nuclear reactions produced by nitrogen on boron and oxygen, 6=4635*
Reynolds,H.L., Wyly,L.D. and Zucker,A. Equilibrium charge distribution of energetic nitrogen ions, 5=6228. Cross section for electron capture and loss by 26-MeV nitrogen ions, 5=7159
Reynolds,H.L. and Zucker,A. Range of nitrogen ions in emulsion, 5=341. Excitation functions for nitrogen-induced nuclear reactions in carbon, 5=2168. Cyclotron ion source for the production of N^{3+}, 6=423. Excitation function for the reaction $Be^9(N^{14},\alpha n)F^{18}$, 6=1555. Nuclear reactions produced by nitrogen on nitrogen, 6=3175. Elastic scattering of nitrogen, 6=6144
Reynolds,J. See Edwards,B., 8=1960; Miller,W.F., 8=3885, 9=10862
Reynolds,J.A. and Hough,J.M. Formulae for dielectric constant of mixtures, 7=8583
Reynolds,J.B. Energy levels in B^9 and Be^7 from the reactions $C^{12}(p,\alpha)B^9$ and $Be^{10}(p,\alpha)Be^7$, 5=7363. See also Christensen,R.L., 6=3118, 7=9825; Rubin,A.G., 7=2643
Reynolds,J.B., Christensen,R.L., Hamilton,D.R., Hooke,W.M. and Stroke,H.H. Spins of certain short-lived Cu and Ag isotopes, 8=7297
Reynolds,J.B. and Standing,K.G. Angular distributions of deuterons from (p, d) reactions in light nuclei, II. Lithium, beryllium, boron, fluorine, and aluminum, 6=3199
Reynolds,J.H. High sensitivity mass spectrometer for noble gas analysis, 7=2329. See also Kane,J.S., 6=7495
Reynolds,J.H. and Lipson,J. A multi-circuit control for ultrahigh vacuum gauges, 5=2483
Reynolds,J.M. See also Bergeron,C.J., 9=4564
Reynolds,J.M., Hemstreet,H.W., Leinhardt,T.E., and Triantos,D.D. Hall effect in bismuth at low temperatures, 5=2000
Reynolds,M.M. See Fulk,M.M., 8=8724
Reynolds,P. A mass spectrometer for the isotopic analysis of hydrogen containing a low concentration of deuterium, 5=5455. See also Allen,J.E., 7=4412; Clarke,G.R., 5=468
Reynolds,R.E. See Robertson,W.W., 9=1281
Reynolds,S.A. See Lyon,W.S., 7=3600, 7=6485
Reynolds,S.E. See also Lyon,W.S., 6=6178
Reynolds,S.E. and Brook,M. Correlation of the initial electric field and the radar echo in thunderstorms, 6=9132
Reynolds,S.E. and Neill,H.W. The distribution and discharge of thunderstorm charge-centers, 5=5154
Reynolds,S.I. Some recent studies of random noise between metals and dielectrics, 6=8173. Surface charges produced on insulators by short-and long-time ionization, 9=7038. See also Devins,J.C., 7=3227
Reynolds,W.L. Energies involved in reorienting hydration shells of ions, 9=6598. See also Kolthoff,I.M., 5=5029
Reynolds,W.L. and Lumry,R.W. Role of water in oxidation-reduction reactions, 6=3333
Reynolds,W.L. and Prager,S. Rate constants of second order reactions from kinetic current measurements, 7=7471

Reynolds,W.N. See also Henisch,H.K., 5=3760, 5=7048

Reynolds,W.N., Lilburne,M.T. and Dell,R.M. Some properties of semiconducting indium phosphide, 8=1691

Reyntjens, J. Theoretical study of pair creation in the field of an electron, 9=1654

Rez,I.S., Sonin,A.S., Tsepelevich,E.E. and Filimonov,A.A. Experimental investigations on the development of new piezoelectric substances, 9=13269

Rezaev,N.I. See also Mierzecki,R., 8=130

Rezaev,N.I. and Mezhetskiĭ,R. Investigation of intensity and line breadth of Raman spectra from benzene and carbon disulphide, 8=6855

Řezanka,I. Electron optical parameters of the field 1/r and its application in nuclear spectroscopy, 9=7079

Rezanov,A.I. The energy of an electron in an almost-periodic field. I, 8=4414

Řezníček,J. and Švec,Z. Phosphors sensitive to infrared radiation, 8=3891

Reznik,A., Laforgerie,G. and Dupré,G. On a heavy water electrolyser for the production of deuterium for use in accelerators, 7=5576

Reznikova,R.A. See Voyutskiĭ,A.S., 7=2786

Rhein,W.J. Angular distribution of fast neutrons scattered from lead, 5=7376

Rheinfurth,M. On the chromatic and spherical abberrations of electron-optical cylinder lenses, 5=9697

Rhian,E. An exact method for determining the directivity index of a general three-dimensional array, 5=809

Rhoades,M.V. See Hanes,R.M., 9=13977

Rhoads,F.A. See Koch,G.E., 5=7145

Rhoads,H.U. See Bryant,P.J., 5=567

Rhode,G.K. See Edlund,M.C., 8=7412

Rhoderick,E.H. Nuclear magnetic resonance in indium antimonide, 7=7903. I. The effect of impurities, 8=4443. Nuclear magnetic resonance studies of droped III-V compounds, 9=5946. See also Heron,S., 5=197, 6=4589

Rhoderick,E.H. and McWhirter,R.W.P. The transit time of electrons in photomultipliers, 5=1841

Rhodes,B.L., Legvold,S. and Spedding,F.H. Magnetic properties of holmium and thulium metals, 8=2396

Rhodes,J.L. and Stephens,W.E. Photoprotons from N^{15}, 8=5380

Rhodes,P. See also Chapman,A.C., 7=4634

Rhodes,P. and Rowlands,G. Demagnetising energies of uniformly magnetised rectangular blocks, 5=6287

Rhodes,R.G., Batsford,K.O. and Dane-Thomas,D.J. Spiral etchpits in germanium, 8=6505

Riabouchinsky,D. Attempt at an interpretation of the negative result of the Michelson experiment, without recourse to the Lorentz transformation, 5=1491

Riazuddin. On the charge independence of nuclear forces, 7=5865. Dispersion relations for fermions, 8=884. Charge dependent effects on scattering lengths on np and pp systems, 8=5201. On the difference of π^0-nucleon and $\pi\pm$-nucleon coupling constants, 8=7244. Charge radius of pion, 9=12579 $K^0 - K^+$ mass excess, 9=12587

Ribarič,M. See Dekleva,J., 7=6280; Kuščer,I., 8=1851, 9=3306; Peterlin,A., 9=12853

Ribaud,G. Some remarks on heat and mass transfer across the boundary layer, 5=3673. Thermal convection in a circular tube during turbulent flow, 6=3675

Ribaud,G. and Bordier,D. Relation between the temperature of a ferromagnetic substance and the heat dissipated in its interior by an alternating field, 5=4792

Ribaud,G. and Valentin,P. Study of the forced convection of heat accompanied by the liberation of heat by chemical reaction in the boundary layer, 6=8728

Ribe,F.L. $Li^6(n,\alpha)H^3$ cross section as a function of neutron energy, 6=7694. $F^{19}(n,d)O^{18}$ reactions and energy levels of O^{18}, 7=6580. See also Brolley,J.E.,Jr, 5=7139; Longmire,C.L., 9=11135

Ribe,F.L. and Davis,R.W. 14-MeV (n,α) cross sections in zirconium. III, 5=9099

Ribeiro,J.Costa. See Costa Ribeiro,J.

Ribner,H.S. Reflection, transmission, and amplification of sound by a moving medium, 7=7683. Strength distribution of noise sources along a jet, 9=4408. New theory of jet-noise generation, directionality, and spectra, 9=7897

Ricamo,R. See Cantone,B., 9=10434; Milone,C., 7=8833-4, 7=9882

Ricard,M.R. and Condamin,J. Quantitative spectrographic analysis of ancient coins, 5=3247

Ricci,E. See also Nussis,N., 9=3848

Ricci,E., Pahissa Campá,J. and Nussis,N. A new heavy iron isotope (Fe-61), 6=2345

Ricci,F.P. See Cini-Castagnoli,G., 9=2136, 9=10675, 9=13067-8

Ricci,G. A new principle for the determination of the power of lenses, 9=8014

Ricci,R. and Trivero,G. On the decay spectrum of $_{83}Bi^{214}$, 5=4002

Ricci,R.A. Performance of a beta scintillation spectrometer. Spectra and conversion coefficients of ^{137}Cs and ^{207}Bi, 7=8800. On the "internal bremsstrahlung" associated with the beta-decay of Tl^{204}, 8=3340. On the internal bremsstrahlung in the ^{204}Tl beta decay, 8=3341. Experimental determination of the efficiency of a gamma scintillation spectrometer, 8=3355. See also Chinaglia,B., 6=7306; Demichelis,F., 6=4609, 6=6869; Ythier,C., 9=1729

Ricci,R.A., Girgis,R.K. and van Lieshout,R. The gamma ray spectrum of ^{63}Zn, 9=5024

Ricci,R.A. and Trivero,G. Revision of the β-ray spectrum of Bi $^{214}/_{83}$(RaC), 5=6427. On the decay scheme of $_{83}Bi^{214}$(RaC), 6=3138

Ricci,R.A. and van Lieshout,R. Radiations from ^{66}Ge and ^{67}Ge, 7=5601. On the decay of ^{67}Ge, 9=8528

Riccius,D. See Kessler,R., 9=5546

Rice,B. See Clinton,W.L., 9=737, 9=6205

Rice,D.W. See Stephenson,C.C., 6=1752

Rice,E.A. See Misrahy,G.A., 8=2720

Rice,F.A.H. and Levine,D. Studies on the oxidation induced by ultrasonic radiation on a solid system of lauryl aldehyde and potassium chlorate, 8=7580

Rice,F.O. Colors in Jupiter, 6=7105. See also Gager,W.B., 9=11246

Rice,M. and Pound,R.V. Ratio of the magnetic moments of the stable gallium isotopes, 5=9028. Ratio of the magnetic moments of In^{115} and In^{113}, 7=7300.

Rice,M.H. See also Barlett,R.H., 8=1530; Walsh ,J.M., 7=5099, 8=6744

Rice,M.H. and Walsh, J.M. Equation of state of water to 250 kilobars, 7=5290

Rice,M.L. and Thuronyi,G. Annotated bibliography on cosmic rays in the atmosphere (-1952), 7=1426. Annotated bibliography on cosmic rays in the atmosphere (1953-1956), 7=1427. Annotated bibliography on ozone in the atmosphere (1858-1953), 9=12895

Rice,O.K. Statistical mechanics of helium II near 1°K, 5=1772. Heat and entropy of mixing of He^3 and He^4 on the basis of the two-fluid theory of He^4, 5=1773. Relation between isotherms and coexistence curve in the critical region, 5=2672. The shape of the coexistence curve near the critical temperature, 5=2673. Can helium-3 be expected to exhibit superfluidity at sufficiently low temperatures? 5=2682. Energy levels in liquid He^3, 5=4594. Comparison of the energy excitations in liquid He^3 and He^4, 5=6085. Reversible flow phenomena and thermodynamic properties of liquid helium and the two-fluid hypothesis, 6=6565. Elementary theory of the excitations in liquid helium: New model for rotons, 6=7349. Elementary theory of liquid helium: refinement of the theory and comparison with Feynman's theory, 8=153. Energy fluctuations in liquid helium and its flow properties, 9=3392. See also Gopal,R., 6=3330; Kohler,F., 7=7825; Widom,B., 5=7903

Rice,S.A. On the free energy of solutions, 6=1890. Cell model for solutions and the additivity of free energies, 6=7195. On the theorem of corresponding states and its application to mixtures, 9=1147. Dynamical theory of diffusion in crystals, 9=6304. On a relation between coarse graining and diagonal singularity, 9=6546. Polyelectrolytes, 9=8962. Statistical mechanical theory of transport processes. XIII. Kinetic theory of dense rigid sphere fluids, 9=11865. See also Harris,F.E., 5=1324, 6=2505, 6=7776, 7=3056; Kirkwood,J.G., 9=3160; Klemperer,W., 7=4151; Nachtrieb,N.H., 9=8886

Rice,S.A. and Harris,F.E. A chain model for polyelectrolytes. II., 5=1325. Chain model for polyelectrolytes. III. Equimolar polyampholytes of regularly alternating structure, 6=2504. Comments on the paper "Potentiometric titration, associated phenomena, and interaction of neighboring groups in polyelectrolytes", 8=6711

Rice,S.A., Kirkwood,J.G., Ross,J. and Zwanzig,R.W. Statistical mechanical theory of transport processes. XII. Dense rigid sphere fluids, 9=11864

Rice,S.A. and Klemperer,W. Spectra of the alkali halides. II.

The infrared spectra of the sodium and potassium halides, RbCl and CsCl, 7=8518. Thermodynamic properties of the gaseous alkali halides, 8=914

Rice,S.A. and Nachtrieb,N.H. On the dynamical theory of diffusion in crystals II. Pressure dependence of the self-diffusion constant, 9=8883

Rice,S.A. and Wada,A. On a model of the helix-coil transition in macromolecules. II, 8=9099

Rice,W.L.R. Effects of gamma radiation on organic fluids and lubricants, 9=4091

Rich,A. Use of the Sénarmont compensator for measuring double refraction of flow, 5=6059. Molecular configuration of synthetic and biological polymers, 9=8770. Molecular structure of the nucleic acids, 9=8782

Rich,J.B. See also Adam,J., 5=7537

Rich,J.B., Redding,G.B. and Barnes,R.S. The effects of heating neutron irradiated beryllium, 9=10271

Rich,T.A. A photo-electric nucleus counter with size discrimination, 7=935

Richard,J.D.Jr, Smith,P.F. and Stephens,F.H. Noise analysis with a heterodyne-type sonic analyzer, 6=1935

Richard,N.A. See Austin,A.E., 7=2834

Richards,B. and Wolf,E. The Airy pattern in systems of high angular aperture, 7=1166

Richards,D. A. Forced vibration with damping, 6=1908

Richards,D.H. See James,J.A., 5=6594, 6=7798, 8=5514

Richards,D.L. See Whyte,L.L. 5=985

Richards,E.A., Phillips,G. and Campe,W.K. A sensitive and stable nuclear induction head, 6=6846

Richards,E.W. T., Thomas,A.R. and Weinstein,W. Design of a 21 ft spectrograph using a plane grating. I. The plane grating in convergent light, 7=8506

Richards,H.T. See Galonsky,A. 5=5632; Herring,D.F., 9=2807

Richards,J.C.S. Portable radiation detectors employing photoconductive cells, 5=8778

Richards,J.R. See Goldman,D.E. 5=1641

Richards,L.A. and Ogata,G. Thermocouple for vapor pressure measurement in biological and soil systems at high humidity, 9=5750

Richards,L.E. See Strauss,S.W., 6=7395

Richards,N.E. See also Bockris,J.O'M., 7=9030

Richards,N.E., Brauner,E.J. and Bockris,J.O'M. Determination of the velocity of ultrasonic vibrations in molten salts, 6=1931

Richards,O.W. Phase microscopy 1950-1954, 5=1747

Richards,P.I. Multiple isotropic scattering, 6=923. Scattering from a point source in plane clouds, 7=1190. Radiative transport from point sources in a stratified medium, 9=5553. See also Holland,S.S., Jr, 7=766

Richards,P.L. See also Ohlmann,R.C., 9=237

Richards,P.L. and Tinkham,M. Far infrared energy gap measurements in bulk superconductors, 9=320

Richards,R.C. See Fairweather,D., 7=6962

Richards,R.E. See also Freeman,R., 8=309; Newman,P.C., 5=6591; Pendred,D., 5=5577

Richards,R.E. and Schaefer,T. High resolution hydrogen resonance spectra of trisubstituted benzenes, 9=13473

Richards,R.L. New airborne sound transmission loss measuring facility at Riverbank, 9=1226

Richards,S. See Wilson,E.J., 8=6282

Richardson,A.C.B. See Schamp,H.W., Jr, 9=112

Richardson,A.E. and Voigt,A.F. Chemical effects of photonuclear reactions in the propyl bromides, 8=9170

Richardson,D. and Stark,R.M. Accurate linear scales ruled on a grating engine, 7=1939

Richardson,D.A. The X-ray and γ-ray absorption coefficients of a number of glasses, 7=7143

Richardson,E.G. A discussion on the first and second viscosities of fluids: Acoustic experiments relating to the coefficients of viscosity of various liquids, 5=92. The transient tones of wind instruments, 5=1634. Acoustic methods of measuring relaxation spectra in solids, 5=3183. Absorption and velocity of sound in vapors, 5=5273. The sounds of impact of a solid on a liquid surface, 5=8571. Industrial applications of ultrasonics, 6=1928. An ultrasonic apparatus for recording the height of water waves in model ship tanks, 6=3524. Velocity of ultrasonics in halogen vapors, 9=4373. The collision of particles in suspension in a fluid stream, 9=9294. See also Allinson,P.A., 9=1187; Busby,J., 6=2739, 9=1201; Ghabrial,A.M., 5=4470; Iyengar,K.S., 8=2840; Miyahara,Y., 7=3088; Parbrook,H.D., 6=3564; Piercy,N.A.V., 6=8146; Pryor,A.W., 5=3515

Richardson,E.G. and Tait,R.I. Ratios of specific heat and high-frequency viscosities in organic liquids under pressure, derived from ultrasonic propagation, 7=5129

Richardson,E.H. See McKellar,A., 5=7662*, 6=1818

Richardson,F.M., Ferrell,J.K., Lamonds,H.A. and Beatty,K.O., Jr. How radiotracers are used in measuring fluid-velocity profiles, 5=9459

Richardson,H.M. See Cook,A.H., 9=5592

Richardson,H.O.W. See Evans,P.R., 9=2409

Richardson,J.E. and Brucer,M. Modification of electron filter to improve light localization of a Cobalt-60 beam, 5=7584

Richardson,J.F. The effect of oxygen and sulphur on the thermionic emission from matrix cathodes, 7=9747

Richardson,J.F. and Wooding,E.R. A photographic method of analysing aerosols, 7=8922. Concentration changes in an aerosol, 8=826

Richardson,J.M. Variational theory of the radial distribution function, 6=958. Experimental evaluation of the oxygen microwave absorption as a possible atomic frequency standard, 8=8694. See also Fried,B.D., 6=8011

Richardson,J.R. See Burkig,J.W., 9=4910; Caldwell,D.O., 5=4737; Glass,N.W., 5=7320; Green,D., 6=2350; Handler,H.E., 6=4617; Kelly,E.L., 6=8818

Richardson,J.T. and Milligan,W.O. Magnetic properties of colloidal nickelous oxide., 6=6010

Richardson,J.T. and Sapp,R.C. Magnetic susceptibility of ferrous ammonium Tutton salt at liquid helium temperatures, 8=8919

Richardson,J.W. On the computation of certain multicentered molecular integrals, 9=733. See also Rundle,R.E., 6=1455

Richardson,M.J. See Jepson,W.B., 8=3772

Richardson,W.H. See Tyler,J.E., 8=2260

Richert,R. See Gorodetzky,S. 9=9916

Richeson,W. See Sancier,K.M., 6=3516

Richeson,W. E. Apparatus for producing and measuring high-energy electrical discharges, 8=8793

Richeson,W.E., Jr. See Evans,M.W., 5=9500

Richman,C. See Alvarez,L.W., 5=4732

Richman,D. See Henley,E.J., 7=3573

Richmond,J.K. See Grumer,J., 7=7826

Richmond,R. Calibration of a spontaneous fission neutron source, 7=4741

Richmond,R. and Price,B.T. Fission cross-sections as a function of neutron energy. II. Plutonium-239 and plutonium-241, 6=7698

Richter,B. Large-angle electron pair production from hydrogen, 8=8967. See also Bitter,F., 5=1681

Richter,E. On the theory of magnetohydrodynamic waves. 6=6032. Extension of the theory of hydromagnetic waves and application to inhomogeneous layers, 7=9766. Application of Abraham's energy-momentum tensor in the theory of hydromagnetic waves, 7=9767

Richter,G. On isotope separation by distillation, 9=1806. See also Wendel,G., 7=407

Richter,H. Amorphous structure from polishing and grinding processes, 8=810. Calculation of the interference layers in the scattering curves for compact amorphous elements, 9=6282. See also Breitling,G., 5=8409; Fischer,E.W., 6=1653; Frohnmeyer,G., 5=8400; Grimminger,H., 5=8303, 7=9934; Herre,F., 8=7527, 9=6294

Richter,H. and Breitling,G. Structure of amorphous germanium and silicon, 9=6297

Richter,H., Breitling,G. and Herre,F. Structure of activated and sugar charcoal by the comparison of the calculated and experimental atomic distribution, 7=894. The structure of liquid monatomic metals, 7=7658. Closest atom packing and layer-packet formation in monatomic molten metals, 9=5412

Richter,H. and Gommel,G. Structure of precipitated amorphous arsenic at various temperatures, 9=6295

Richter,H.G. See Debs,R.J., 5=4067; Halpern,I., 5=6465

Richter,H. and Herre,F. The distribution of atoms in stable amorphous and liquid selenium, 7=8902. Structure of solid amorphous and molten selenium in the temperature range −180 to 430°C, 9=6296

Richter,H. and Steeb,S. Evaluation of electron diffraction photographs by the method of Fourier analysis, 9=2964

Richter,J. The measurement of transition probabilities of lines in neutral carbon, 9=184. See also Griem,H., 7=6463

Richter,J.L. and Ivash,E.V. Calculation of the $O^{16}(d,p)O^{17}$ angular distribution, 8=6306

Richter,M. The official German Standard Color Chart, 5=2650. See also Langhammer,G., 6=4875

Richter,N. Experimental investigations concerning the illumination of clouds of reflecting particles, 6=2014

Rickard,J.A., Hudspeth,E.L. and Clendenin,W.W. Excitation curve for $C^{14}(\underline{d},\underline{p})C^{15}$ and properties of C^{15}, 5=1200

Rickard,R.R. See Lyon,W.S., 6=624

Rickayzen,G. The validity of the hydrogen-like approximation for impurity levels, 5=9648. On the theory of the thermal capture of electrons in semi-conductors, 8=610. Meissner effect and gauge invariance, 9=1483. Collective excitations and the Meissner effect, 9=5736. See also Bardeen,J., 9=5733 Hilsum,C., 5=9671

Ricker,C.W. See Cockrell,J.L., 9=3949

Ricker,N. Wavelet contraction, wavelet expansion, and the control of seismic resolution, 5=1369. The form and laws of propagation of seismic wavelets, 5=7544

Rickey,M. See Gugelot,P.C., 6=4456

Rickey,M.E. See Bodansky,D., 9=6118

Rico,F.R. The spark spectrum of molybdenum in the extreme ultraviolet. The fundamental quintets of Mo III, 5=1674. Spectra of Mo II, Mo III, Mo IV and Mo V between 680 and 2000 A, 8=6803. See also Catalán,M.A., 7=9067, 9=5089, 9=5499

Riddell,J. A table of Levy's empirical atomic masses, 8=8373

Riddell,R.J., Jr. See Cohen,S., 8=7476; Gasiorowicz,S., 6=2973

Ridder,R. See Auth,J., 9=4606, 9=11037

Riddiford,L. See also Batson,A.P., 6=6733; 7=1397, 7=4483, Colley,D.C., 9=7227; Ledley,B., 5=9709; Moon,P.B., 5=6226

Riddiford,L., van der Raay,H.B. and Coe,R.F. Some proton synchrotron beam studies with the induction electrode, 5=6225

Riddlestone,H.G. The effect of series resistance on the ignition of methane-air gas mixtures by capacitive discharges, 7=8917

Riddlestone,J. Low-voltage short duration arcs between separating contacts in low voltage substantially non-inductive circuits, 5=7073. Short duration discharges between separating contacts in a 6 V circuit, 7=7133

Riddoch,A. and Leck,J.H. Positive ion emission from metal surfaces caused by ion bombardment, 8=8824

Riddoch,A. See also Leck,J.H., 6=4876

Rideal,E.K. See also Baker,M.McD., 5=4152; Gillespie,T., 5=9463

Rideal,E.K. and Robertson,A.J.B. A sensitive manometer for rapid chemical reactions, 5=8528

Rideau,G. On the introduction of "clothed" operators in quantum field theory, 9=49. See also Chevalier,A., 9=3136

Rider,J.A. Electrochemical polarization in isopropyl ether, 5=3226. Digest of the literature on dielectrics. Conduction phenomena in dielectrics, 8=2291

Rider,P.R. See Harter,H.L., 6=983

Ridgway,S.L., Berley,D. and Collins,G.B. Gamma rays from strange particles, 7=2608

Ridley,B.K. Measurement of lifetime by the photoconductive decay method, 9=1441

Ridley,B.W. The electron–neutrino angular correlation in decay of Ne^{23}, 8=6249. See also Cavanagh,P.E., 7=9848, 8=6258

Ridley,E.C. The interpolation of atomic fields, 6=577. The self-consistent field for Mo^{+}, 6=578. Self-consistent field without exchange for U^{4+}, 8=3395. A qualitative investigation of the wave functions of metallic uranium, 9=13773

Ridley,R.O. See Massey,H.S.W., 7=1375

Ridout,M. S. The temperature dependence of minority carrier lifetime in p-type germanium and silicon, 7=7885. Measurement of minority carrier lifetime by the phase shift of photoconductivity, 9=10976

Riebling,E.F. See Webb,W.W., 8=7596

Riecke,W.D. An electron diffraction apparatus with an auxiliary electron beam for heating up massive specimens, 8=8478

Riecke,W.D. and Ruska,E. An electron microscope with provision for micro-diffraction and for dark-field imaging by means of an individual diffracted beam, 9=3570

Rieckmann,P. Detection of faults in tyres tested by an ultrasonic transmission method, 6=8070

Riedel,H. See Asselmeyer,F., 9=2143

Riedel,L. Critical coefficient, density of saturated vapour, and latent heat of evaporation. Investigations on the widening of the theorem of corresponding states, III, 6=4356. Compressibility, surface tension and thermal conductivity in liquid state. Investigations of the widening of the theorem of corresponding states, IV., 6=4357

Riedel,O. The internal resistance of the radioactive converter, 5=3780. Output voltage and current of the nuclear converter, 5=8226

Riedel,O. and Schmeissner,F. The self-absorption of beta-activated thallium in the superconducting state, 5=3792

Rieder,G. On the autoradiographic method, 5=3377. Stresses and strains in a disturbed elastic medium, 6=6217. Plastic deformation and magnetostriction, 8=7565. Mechanical work in plastic processes, 9=6330. On the influence of magnetostriction on the energy and thickness of Bloch walls, 9=9781. See also Kröner,E., 6=8996

Rieder,W. The energy balance at the electrodes and characteristics of free-burning low-pressure arcs, 7=6213. See also Millian,K. 6=4410

Rief,H. Fast fission factor and collision probability in moderator-filled uranium tubes (calculated by statistical methods), 9=11492

Riegert,A.L. and Spinks,J.W.T. Energy dependence of silver phosphate glass dosimeters, 9=11323

Riehl,H. On the atmospheric circulation at 500 mb in the auroral belt, 8=4588

Riehl,N. Arcs of high light intensity with thorium oxide anodes, 6=4421. On the electrical conductivity of solid organic insulators, 9=1432. Chemistry of luminescent centre formation in II-VI compounds, 9=12083

Riehl,N. and Keppel,H. Samarium-activated calcium sulphate as a thermoluminescent system, 6=2004

Riehl,N. and Ortmann,H. On electron trapping states of very small energy depth in zinc sulphide, 6=1094. On the structure of luminescent zinc oxide. 6=5790. Chemical structure of luminescence centres in ZnS and ZnO, 7=4177. On the structure of luminescence centres in zinc sulphide phosphors containing activators, 9=10810

Riehl,N. and Sizmann,R. The influence of oxygen on ZnS and CdS phosphors, 9=10843

Riekher,R. A Haidinger interferometer with linear scale for thickness separation of the plane parrallel plates, 9=7997

Rienäcker,D. See Becherer,G., 8=7076

Rienäcker,W. Thermo-bimetals, 6=1152

Rienstra,A.R. Accoustical and organ design for church auditoriums, 7=8495

Riepe,G. See Hahn,B., 9=11324-5

Ries,R.R. See Benson,J.L., 9=6165

Ries,S. See Luyckx,A. 9=216

Riesch,G. Fine structure of the flux in gas-cooled reactor cells, 9=7380

Riesen,D.E. See Morrow,C.T., 6=1880

Riesenfeld,W.B. and Watson,K.M. Optical-model potential for nucleons scattered by nuclei, 6=6151. Energy of a many-particle system, 7=1084. Equation of state of gases and liquids at low temperatures, 8=70

Rieser,L.M., Jr. Reflection of X-rays from condensed metal films, 8=1084

Riess,F. See Rose,H.J. 9=12630

Riesz,R.P. See Pearson,G.L., 9=8144

Riet,R.Van. See Van Riet,R.

Rietdijk,J.A. and Valstar,A. On a thermometer with recovery factor $r > 1$, 8=2283

Rietjens,L.H.T. See also Middelkoop,W.C., 6=3937

Rietjens,L.H.T., Arkenbout,G.J., Wolters,G.F. and Kluyver,J.C. Influence of the distance between source and crystal on the detection-efficiency of a gamma-scintillation spectrometer, 5=4039

Rietjens,L.H.T., Bilaniuk,O.M. and Parkinson,W.C. Velocity filter for nuclear spectroscopy, 9=507

Rietjens,L.H.T. and van den Bold,H.J. Gamma radiation in the decay of ^{67}Ca, 6=3157

Rietjens,L.H.T., van den Bold,H.J. and Heyligers,A. The half-life of the first excited state of ^{111}Cd, 6=4603

Rietveld,A.O. and van Itterbeek,A. Measurements on the viscosity of Ne-A mixtures between 300 and 70°K, 7=1115. Viscosity of mixtures of H_2 and HD between 300 and 14°K, 8=2868

Riéty,P. On the theory of the gold-leaf thermophone, 6=1906-7. Methods for the absolute standardization of microphones in the department of acoustics of the C. N. E. T., 8=2208. The thermophone–aerodynamic pistonphone, 9=1207

Riezler,W. See also Porschen,W., 6=6118

Riezler,W. and Kauw,G. Natural radioactivity of cerium 142, 9=3855. Natural radioactivity of lead-204 and the question of natural activity of dysprosium-156, 9=6082. Natural radioactivity of gadolinium 152 and hafnium 174, 9=11437

Riezler,W. and Rudloff,A. Ionization and alpha-particle energy loss in different gases, 5=3853*

Rigatti,G. See Giacometti,G., 9=8728

Rigault,G. Relations between the structure of blendes and their gallium and indium content, 7=9960

Rigaux,C. See also Aigrain,P. 6=4399

Rigaux,C. and Thuillier,J.M. Phenomenon of the negative magnetoresistance in semiconductors, 7=2191. Measurement and recording of the speed of surface recombination, of bulk lifetimes and of differences in contact potential, 8=3996

Rigby,B.J. Stress relaxation of wool fibres in water at strains of 5-20 per cent, 5=6554

Rigby,E.C., Marshall,J.S. and Hitschfeld,W. The development of the size distribution of raindrops during their fall, 5=1395

Rigby,M. See Burkhardt,G.H., 8=6165; Cassels,J.M., 7=9906, 8=279, 9=1669

Rigden,J.D. See Mitchell,E.W.J., 7=8521

Riggs,L.A. and Tulunay,S.Ü. Visual effects of varying the extent of compensation for eye movements, 9=10462

Righini,G. The line 3533 Å in the solar corona, 5=1470. Spectroscopic studies of the solar corona, 7=5003

Righini,P. See Caciotti,M., 8=1572

Rightmire,B.G. See Heymann,F., 5=2261

Rightmire,R.A. See also Simanton,J.R., 5=3039

Rightmire,R.A., Kohman,T.P. and Hintenberger,H. On the half-life of the long-living Al^{26}, 9=2730

Rightmire,R.A., Simanton,J.R. and Kohman,T.P. Disintegration scheme of long-lived aluminum-26, 9=6077

Rigole,W. See Rutgers,A.J. 9=9671

Rigutti,M. A prominent centre of solar activity, 6=3444. Variations of two sodium doublets along a radius of the solar disk. 9=10541. The interference filter at the astrophysical observatory at Arcetri, 9=11715. See also Noci,G., , 8=6668

Riihimaa,J. See Tuominen,J., 7=2922

Rik,G.R. and Shukolyikov,Yu.A. The isotope composition of potassium from meteorites, 7=2565

Rikitake,T. Electromagnetic induction within the earth and its relation to the electrical state of the earth's interior. I (1), 5=6635 I (2), 5=6636, II, 5=6637. Electrical conductivity of the earth's core, 6=9065. Oscillations of a system of disk dynamos, 8=5134. Some comments on J.S.Chatterjee's "Induction in the core by magnetic storms and earth's magnetism", 8=6525. Magneto-hydrodynamic oscillations of a perfectly conducting fluid sphere placed in a uniform magnetic field, 9=2519. See also Nagata,T., 6=7069, 6=7871

Riley,D.P. See Arndt,U.W., 5=3289; Dobbs,E.R., 7=2117; Figgins,B.F., 7=2118

Riley,J.F. See also Lyons,P.A., 5=1584

Riley,J.F. and Lyons,P.A. Intensity measurements applied to Gouy diffusiometry, 5=3490

Rimbert,F. The demagnetization by alternating magnetic fields of magnetite and α-iron sequioxide. 6=4516. Action of alternating fields on rocks carrying isothermal remanent magnetism, 6=7858. The anhysteretic remanent magnetization of ferrimagnetics, 7=9263

Rimbert,G., Lennuier,R. and Cojan,J.L. The use of mirrors of thin dielectric films for the ultraviolet (Region from 0.25 μ), 6=2007

Rimek,D.M. See Pearson,W.B., 8=6437

Rimmer,D.E. and Cottrell,A.H. The solution of inert gas atoms in metals, 8=1338

Rimondi,O. See Brini,D., 5=1869, 5=1874, 5=8065, 6=9745, 6=3793, 7=8809

Rimskiĭ-Korsakov,A.V. On the calculation of a ribbon microphone, 6=4927. Nonlinear distortions of a non-periodic signal in an electroacoustic path, 6=4964. Estimation of the audibility of non-linear distortions in a sound track, 6=6495

Rimsky,A. See Caticha-Ellis,S., 9=7644

Rinaldi,R. Experimental determination of the reflection, transmission and absorption of thin films of Laemin, 5=3644. See also Dubouloz,P., 5=8663; Malé,D., 5=7866

Rinaldi,R., Boyer,R. and Bernard,Y. Experimental determination of the reflection, transmission and absorption factors of "self-compressed" thin films of blue organol, 8=4896

Rinaldi,R. and Dubouloz,P. Relation between absorption coefficient and variation of the Brewster angle for thin films formed by an absorbing material, 5=8664

Rinaldi,R. and Rosi,S. Optical study of stratified layers of haemin deposited on a solid support, 7=5236

Rinderer,L. Destruction of superconductivity in the field due to the current carried and a transversal external field, 5=6154. On the intermediate state of a current-carrying superconductor, 6=3749. On the intermediate state of superconductors when carrying a current, 7=2253

Rindler,W. Visual horizons in world-models, 7=7546

Rindner,W. See also Koch,K.M., 9=447

Rindner,W. and Koch,K.M. An anomaly of the Righi-Leduc effect in Ni-Cu alloys, 9=5609

Rinehart,J.S. Deformation of an explosively loaded aluminium single crystal, 6=730. Guide to the successful propulsion of a solid object by an explosive charge, 6=6402. See also Pearson,J., 6=4223

Rinehart,J.S. and Cocanower,R.D. Concerning the design of an effective shaped charge for oil well perforating, 6=6565

Rinehart,M. See Sargent,C.P. 5=7389; 5=9955

Rinehart,M.C., Rogers,K.C. and Lederman,L.M. Diffusion chambers study of very slow mesons. III. Scattering of negative pions in hydrogen, 6=3274

Ring,J. Dielectric interference filters in astronomical photography, 7=2916. See also Lenouvel,F., 5=3392; Lissberger,P.H., 5=6959

Ring,L.S., Jr. Photodeuteron/photoproton yield from sulfur, 5=8252

Ring,P.J., O'Keefe,J.G. and Bray,P.J. Li^7 and F^{19} nuclear magnetic resonances in neutron irradiated LiF, 9=4049

Ring,S.O. and Litz,L.M. Excitation function for Na^{22} from deuterons on aluminum, 5=3101

Ringlee,R.J. Transformer acoustical studies with scale models, 7=200. See also Conover,W.B., 5=8573

Ringler,H. See Joos,G., 9=6187

Ringnes,T.S. See Jensen,E., 7=1023, 8=2742-3

Ringo,G.R. See Burgy,M.T., 8=1173, 8=7251, 9=2597; Crouch,M.F., 6=6166; Nasuhoglu,R., 8=8357

Rink,J.P. See Duff,R.E., 9=4380; Knight,H.T., 8=8728

Rinzivillo,R. See Cortini,G., 8=9056; Milone,C., 7=8833, 8=7381

Río,C.Sánchez del. See Sánchez de Río,C.

Rios,B.R. and Hoarau,J. Magnetic susceptibility of red perchromates of magnesium and potassium, 6=2243

Riou,M. Experimental study of internal ionization in α emission, 5=9860. See also Barloutaud,R. 5=7359, 6=5377; Bouchez,R., 5=7333; Poffé,N., 9=12670

Ripamonti,A. See Giacomello,G., 6=7030; Liquori,A.M., 6=8482

Ripelle,M.Fabre de la. See Fabre de la Ripelle,M.

Ripoche,J. See Kamiyoshi,K., 9=4547

Rippon,K.P. Direct reading metal analysis, 5=7486

Riquelme,O.García. See García Riquelme,O.

Ris,C. See van Vliet,K.M., 6=8075

Risberg,P. The spectrum of singly-ionized magnesium, Mg II, 5=5981. A revision of the term systems for NaI and K I based on hollow-cathode observations, 7=1175. See also Edlén,B., 7=231

Risberg,V. On a new method for calculation of scattering phase shifts, 5=2423

Risch,K. The spectrum of M- and L-Auger electrons from Bi^{212} and Tl^{208}, 9=643

Rische,E.A. Rectification of ideal ternary mixtures, the resistance of the exchange of matter being assumed to be offered only in the liquid phase, 5=4591

Rishbeth,H. An investigation of the radio source 06N2A in Gemini, 7=4984

Rispoli,B. See Beneventano,M., 9=8415; Pellegrini,U., 9=505; Quercia,I.F., 5=374

Risser,J.R. See also Kashy,E., 9=2707, 9=7539; Schiffer,J.P., 7=4707

Risser,J.R., Price,J.E. and Class,C.M. Resolved neutrons from the Be(α, n) reaction, 7=4704

Ristau,O. See Shoffa,G., 9=2505

Riste,T., Blinowski,K. and Janik,J. Spin fluctuation scattering of neutrons in magnetite, 9=8302

Risti,H. and Grotdal,T. The reaction $Mg^{24}(d, p)Mg^{25}$ at E_d = 1.082 MeV, 9=2801, 9=8603

Risty,D.E. See Hickman,J.S., 8=1566

Ritchie,R.H. Plasma losses by fast electrons in thin films, 7=7154. Interaction of charged particles with a degenerate Fermi-Dirac electron gas, 9=9208. See also Blackstock,A.W., 6=410; Huffman,F.N., 7=5393; Neufeld,J., 5=7118, 5=8828

Ritchie,R.H. and Sakakura,A.Y. Asymptotic expansions of solutions of the heat conduction equation in internally bounded cylindrical geometry, 7=3186

Ritland,H.N. The stress-time relation in glass during annealing, 5=7437

Ritow,H. Space charge, field emission and the ionic condenser. A report, 8=2342. The field effect of space-charge in the intermittent glow in hydrogen, 8=2343. Wire-cylinder electric discharges in air in relation to the space-charge field emission hypothesis, 9=4648. The space charge field emission hypothesis applied to Hayashi data on discharges through gases, 9=7032

Ritschl,R. The present state of spectrophotometry in the visible and ultraviolet, 9=2204

Ritschl,R. and Polze,S. Contributions to the production of diffraction gratings by photographic reproduction of interference fringes, 9=3356

Ritson,D. See Fung,S., 6=3271; Iloff,E.L., 6=1616, 6=5410

Ritson,D.M. See also Baldwin,D.E., 9=4872; Burrowes,H.C., 9=6027, 9=6043; Feld,B.T., 6=1624; Hill,R.D., 6=2388; Lannutti,J.E., 6=5427; Widgoff,M., 7=2697, 7=9924

Ritson,D.M., Pevsner,A., Fung,S.C., Widgoff,M., Zorn,G.T., Goldhaber,S. and Goldhaber,G. Characteristics of K^{+}- particles, 6=2439

Ritt,R.K. See Kazarinoff,N.D., 9=7215

Rittenhouse,K.D. See Weisz,P.B., 6=1235

Ritter,G.J. and Series,G.W. Nuclear electric quadrupole moment of potassium 39, 5=7284. Double resonance measurements of hyperfine structures in potassium, 7=6476

Ritter,H.A. See Kirchner,F., 6=4472

Ritti,A. See Blet,G., 7=400

Rittner,E.S. Use of p-n junctions for solar energy conversion, 5=1848. Simultaneous transport of heavy and light holes in semiconductors with a degenerate valence band, 6=2865. Electron processes in photoconductors, 7=7924. On the theory of the Peltier heat pump, 9=6863. See also Rutledge,W.C., 7=5440, 8=8853

Rittner,E.S. and Ahlert,R.H. Thermionic emission from barium activated molybdenum, 8=4093

Rittner,E.S., Ahlert,R.H. and Rutledge,W.C. Studies on the mechanism of operation of the L cathode. I, 7=5439. On the mechanism of operation of the barium aluminate impregnated cathode, 8=6010

Rittner,E.S. and Fine,S. Localized photoeffect in PbS photocells, 5=5422

Rittsten,S. See Lohmander,B., 8=3628

Ritus,V.I. Production of π-mesons by photons and nucleon isobars, 5=3137. Renormalization of the equations of the new Tamm–Dancoff method, 6=7976. The scattering of photons by nucleons and nucleon isobars, 6=8957. Angular operators for nuclear reactions, 8=3364. An invariant representation of the scattering matrix, 8=5647. Spin structure of the scattering matrix for reactions involving γ-quanta, 9=10617

Ritz,H. Cell calculation for a heterogeneous reactor by the three-group diffusion theory, 9=11505

Ritz,V.H. See Attix,F.H., 8=4303, 8=6003

Ritzi,M. See Emendörfer,D., 9=711; Höcker,K.H., 5=8887

Rivers,J.L. See Podolsky,B., 7=6664

Rivers,W.K.,Jr. See Stanford,A.L.,Jr, 8=3886, 9=11349

Rivier,D. Gauge invariance and renormalization in electrodynamics, 5=2404. On the definition of an infinitesimal group of gauge transformations in electrodynamics, 5=6735

Rivière,A.C. The formation of He^5 by the deuteron bombardment of Li^7, 7=6559. See also Collins,L.E., 9=7090

Rivière,A.C. and Treacy,P.B. The design of a multiple wire proportional counter and its use in the study of the α-particles from the reaction ^{7}Li + p., 6=4460. Angular distribution of α-particles from ^{7}Li(d, α)^{5}He, 7=7379

Rivière,J.C. Contact potential difference measurements by the Kelvin method, 7=7078

Rivin,A.I. The behaviour of particles with spin in crossed constant and varying magnetic fields, 7=3957

Rivkind,A.I. Proton relaxation in H_2O–D_2O mixtures containing paramagnetic ions, 7=6397. See also Kozy̆rev,B.M., 5=1055

Rivlin,R.S. See Adkins,J.E., 5=9993

Roach,A.G. See Burawoy,A., 3=3882

Roach,F.E. Diurnal and seasonal variation of the airglow, 5=2347. A review of observational results in airglow photometry, 5=10121. The night airglow, 9=7688. See also Hunten,D.M., 6=9114; Pettit,H.B., 5=5147; St.Amand,P., 5=5796

Roach,F.E., McCaulley,J.W. and Marovich,E. Origin of [^{0}OI] 5577 in the airglow and the aurora, 9=12913

Roach,F.E., McCaulley,J.W. and Purdy,C.M. Comparison of absolute intensities of [OI] 5577 in the auroral and sub-auroral zones, 9=12914

Roach,F.E. and Meinel,A.B. The height of the nightglow by the van Rhijn method, 6=6269. Nightglow heights: A reinterpretation of old data, 6=6270

Roach,F.E. and Rees,M.H. The absolute photometry of the gegenschein, 6=8556

Roaf,D. See Booth,D.L., 8=1260, 8=1965, 8=3280

Roalsvig,J.P. Angle distribution by pair production in photographic emulsions, 7=5603. See also Hisdal,E., 6=8235

Roalsvig,J.P. and Haslam,R.N.H. Absolute β-counting in a proportional flow-counter, 9=8543

Roalsvig,J.P., Haslam,R.N.H. and McKenzie,D.J. Photoneutron cross section of Ni^{58}, 9=8624

Roalsvig,J.P., Haslam,R.N.H., Skarsgard,L.D. and Wuschke,E.E. Photo alpha reactions in silver, 9=8625

Roarty,J.D. See Jacobi,W.M. 9=10142

Robb,J.C. See Callear,A.B., 5=5015, 5=6075

Robb,W.L., Sampson,J.B., Stehn,J.R. and Davidson,J.K. Fission-product build-up in long-burning thermal reactors, 6=3245

Robben,F. Vibrational relaxation of nitric oxide, 9=10176

Robbins,A. See Thomas,J.O., 8=2067, 8=3606

Robins,A.B. Li^7(α, n)B^{10} reaction, 6=3189. See also Doyle,W.T., 6=2395; Graetzer,H.G., 7=4706; Greenlees,G.W., 8=4313

Robbins,A.R. See Thomas,J.O., 6=7056

Robbins,H. and Schwartz,B. Chemical etching of silicon. I. The system HF, HNO_3, and H_2O, 9=9008

Robins,M.L. See La Mer,V.K., 9=8980

Robbins,W.H.M. A microscope method of measuring thicknesses of fine particles, 5=1273

Robbrecht,G.G. and Verhaeghe,J.L. Measurements of the permeability tensor for "Ferroxcube" at 24, 000 Mc/s, 9=2498

Roberson,R.E. Orbital behavior of earth satellites. I, 8=4686 II, 8=4687. Gravitational torque on a satellite vehicle, 8=6682

Roberson,R.E. and Tatistcheff,D. The potential energy of a small rigid body in the gravitational field of an oblate spheroid, 8=6681

Robert,H. Dispersion of longitudinal waves propagated along the ternary axis in aluminium, 7=6965

Robert,J. Measurement of the half-life of radon (Rn^{222}) by calorimetry. 7=2576. A comparison of adiabatic microcalorimetric methods and differential ionization methods in the precise measurement of radioactive half-lives, 9=13628. See also Bouchez,R., 6=7642; Lecoin,M., 6=5338, 7=8118; Péri,G., 8=625; Perrot,M., 6=6659, 7=282; Tobailem,J. 5=4888, 5=6420

Robert,J. and Tobailem,J. A measurement of the half-life of RaE(Bi^{210}), 7=1541

Robert,P.O. Essential reduction in the tolerance dose recommended by the International Committee for Radiological Protection, 6=7918. Possible improvement of masks and filters for protection against radioactive powders, 8=6572

Roberts,A. The microtron as a high-energy, high current particle accelerator, 8=7096. See also Baskir,E. 7=6284; Chestnut,W.G., 7=1594; Davis,H.F., 9=11379; Heer,E., 9=2636, 9=3782

Roberts,A.C. and Cottrell,A.H. Creep of alpha uranium during irradiation with neutrons, 7=2755

Roberts,A.L. See Chaklader,A.C.D., 9=9126

Roberts,A.S. See Abraham,G., 5=4862; Herzenberg,A., 7=9312

Roberts,B.W. Neutron diffraction study of the structures and magnetic properties of manganese bismuthide, 7=2410. See also Heikes,R.R., 7=8015; Kasper,J.S., 6=2239

Roberts,B.W. and Bean,C.P. Large magnetic Kerr rotation in BiMn alloy, 5=1993

Roberts,B.W. and Vineyard,G.H. Short-range order coexisting with long-range order in Cu_3Au, 6=3379

Roberts,D.E. See Frederikse,H.P.R., 6=5882; Newton,C.J., 6=6954

Roberts,D.F.T. and van Someren,E.H.S. A simple monitor circuit for a spectrographic A. C. arc source, 6=4979

Roberts,D.H. Photoconductivity in lead selenide, 9=1475

Roberts,D.H. and Baines,J.E. Photoconductivity in chemically deposited films of lead selenide, 9=8151

Roberts,D.H., Stephens,P.H. and Hunt,P.H. Effect of oxygen on the carrier life-time in silicon, 8=186

Roberts,D.H. and Wilson,B.L.H. The performance of infra-red photoconductive cells, 8=5911. Some effects of oxygen on resistivity in silicon, 9=8115

Roberts,F. See Montgomery,P.O'B., 6=8721

Roberts,F.F. and Tillman,J.R. The barrier height of point-con-

tact germanium diodes inferred from measurements of the voltage, dependence of capacitance, 5=3778

Roberts,J. See Allen,W.D., 5=9156

Roberts,J.A. Evidence of echoes in the solar corona from a new type of radio burst, 8=7648. See also Bracewell,R.N., 5=1455; Loughhead,R.E., 8=4630; Wild,J.P., 6=8505, 7=955,

Roberts,J.E. See also Jobling,A., 9=1907

Roberts,J.E., Taylor,A.J. and Woods,D.E. A mechanical Gardner mobilometer, 7=4819

Roberts,J.H. Absolute flux measurement of anisotropic neutron spectra with proton recoil tracks in nuclear emulsions, 8=4205. See also Limentani,S., 9=2711; See Hee Ahn, 8=3381; Smith,A.B., 8=324, 9=10138

Roberts,J.H. and Kinney,F.E. Measurement of neutron spectra by use of nuclear emulsions loaded with Li^6 glass specks, 7=9929

Roberts,J.L. and Jaffé,H.H. Some overlap integrals involving d orbitals. II, 8=384

Roberts,J.O. See Lovett,J.E., 7=9840

Roberts,J.P. See also Jackman,E.A., 5=9185

Roberts,J.P. and Wheeler,C. Diffusion of zinc in zinc oxide, 7=9422

Roberts,K.V. The electromagnetic field in a agrangian quantum theory, 5=8479

Roberts,L.D. See also Abele,R.E., 5=8038; Dabbs,J.W.T., 5=9012*; Erickson,R.A., 5=3873; Hill,J.E. 5=9108; Murray,R.B., 6=1373; Wilkinson,M.K., 5=3793

Roberts,L.D., Hill,J.E. and Fitch,T.E. Slowing down distribution to indium resonance of U^{235} fission neutrons from a point fission source in two aluminum light water mixtures, 5=9109

Roberts,L.D. and Murray,R.B. Magnetic and thermal properties of UI$_3$ at liquid helium temperatures, 6=478

Roberts,L.D., Murrary,R.B., Dabbs,J.W.T. Influence of crystalline electric fields on antiferromagnetic transitions, 6=1353

Roberts,L.M. The atomic heat of samarium from 2° to 20°K, 7=6132. The atomic heats of calcium, strontium and barium between 1.5° and 20°K, 7=8575. The atomic heats of lithium, sodium and potassium between 1.5° and 20°K, 7=8576. See also Parkinson,D.H., 5=7915, 7=6133

Roberts,L.M. and Fray,S.J. A simple theory for solid-backed bolometers, 6=2827

Roberts,L.M. and Lock,J.M. The specific heats and magnetic susceptibilities of alloys of cerium with lanthanum at low temperatures, 7=8573

Roberts,L.W. See Gould,L., 7=1258

Roberts,M.de V. See Longuet-Higgins,H.C., 5=6368

Roberts,M.W. Stability of evaporated films, 9=2961

Roberts,N.H. See Blood,H.L., 6=7378

Roberts,P.H. On the reflection and refraction of hydromagnetic waves, 5=6316. Hydromagetic disturbances in a fluid of finite conductivity, 5=9782; II, 7=9762. The equilibrium of magnetic stars, 6=5655. Twisted magnetic fields, 7=528. See also Bertiau,F.C., 9=11756; Chamberlain,J.W., 6=109

Roberts,P.W. See Heyland,G.R., 5=4727

Roberts,R.B. General patterns of biochemical synthesis, 9=9108

Roberts,S. Interpretation of the optical properties of metal surfaces, 6=1122. Aging characteristics of electroluminescent phosphors, 7=6040. Digest of the literature on dielectrics. Volume XVIII-1954. Conduction phenomena in dielectrics, 7=9152. The Volume XIX-1955. Conduction phenomena in dielectrics, 7=9153. Optical properties of nickel and tungsten and their interpretation according to Drude's formula, 9=6779

Roberts,S.J., Sturrock,P.A., Thompson,W.B. and Whipple,R.T.P. The wriggling discharge in free space, 7=1343

Roberts,T.R. See also Laquer,H.L., 9=4528; Los Alamos Physics and Cryogenics Groups, 9=11478; Sydoriak,S.G., 7=5266, 7=6117

Roberts,T.R. and Sydoriak,S.G. Thermodynamic properties of liquid helium three. I. The specific heat and entropy, 5=6987. Thermomolecular pressure ratios for He^3 and He^4, 6=3680

Roberts,V. An optical absorption cell for use at low temperatures, 5=7837. See also Jones,F.E., 6=7882; Lawson,W.D., 5=9660; Macfarlane,G.G., 5=4654, 5=7848, 8=4953, 8=5464 9=3280, 9=10243, 9=12135

Roberts,V. and Quarrington,J.E. Accurate measurements of absorption in indium antimonide and gallium antimonide, 5=8765

Roberts,W.H. Performance of permanent magnets at elevated temperatures, 8=8119

Roberts,W.O. See also Athay,R.G., 5=5193; Correll,M., 9=11740; Pecker,J.C., 5=1376, 5=5128, 5=5192; Rothschild,K., 5=5188

Roberts,W.O. and Trotter,D.E. Solar prominences and geomagnetic disturbance, 5=9373

Robertson,A.F. and Gross,D. An electrical-analog method for transient heat-flow analysis, 9=5604

Robertson,A.J.B. See Rideal,E.K., 5=8528

Robertson,H. See Hochberg,S., 5=9158

Robertson,H.H. Phase calculations for nuclear scattering on the pilot ace, 6=8547; See also Barnett,M.P., 6=8911 Bransden,B.H., 7=2678, 8=1265, 9=1663; Burke,P.G., 8=686 Haas,F.A., 9=2828; Sugie,A., 7=2999

Robertson,H.P. The theoretical aspects of the nebular redshift. 5=7626, Cosmological theory, 7=6813

Robertson,H.S. Moving striations in direct current glow discharges, 7=2279

Robertson,J.C. and Ward,A. Particle selection in crystals of CsI(Tl), 9=9898

Robertson,J.H. (Conf. rep.). See Cruickshank,D.W.J., 7=5738

Robertson,J.M. A fast digital computer for Fourier operations, 5=4199. Some properties of Fourier strips, with applications to the digital computer, 5=5748. Structure of naphthalene and anthracene, 8=3591

Robertson,K.A. See McInnes,B., 9=9104

Robertson,P. See Elliott,A., 6=4105

Robertson,R.E. Eyring rate equation and the temperature dependence of solvolytic reactions, 6=9007. See also Glew,D.N., 6=1956; McConnell,H.M., 8=6372, 9=4818, 9=5942

Robertson,W.D. See Boettner,R.C., 7=4818

Robertson,W.W. Kirchhoff's laws and Maxwell's cyclic currents-a pedagogical point, 7=5354. See also Babb,S.E., Jr, 9=3285; Hughes,D.S., 6=7282; Weigang,O.E., Jr, 9=7429

Robertson,W.W. and Babb,S.E., Jr. Phase changes and spectral shifts, 8=8684

Robertson,W.W., Babb,S.E., Jr and Matsen,F.A. Effects of high pressure on the near ultraviolet absorption spectra of benzene and monosubstituted benzenes, 7=5178

Robertson,W.W. and King,A.D., Jr. Spectroscopic evidence for long-range repulsive intermolelcular forces, 9=10208

Robertson,W.W. and Matsen,F.A. Ultraviolet absorption spectrum of benzene in N-hexane at pressures to 6000 bars, 6=1974

Robertson,W.W. and Reynolds,R.E. Effects of hydrostatic pressure on the intensity of the singlet-triplet transition of α-chloronaphthalene in ethyl iodide, 9=1281

Robertson,W.W., Robinson,J.M. and Babb,S.E., Jr. Spectroscopic comparison of $\pi - \sigma$ to $\pi - \pi$ electron forces between benzene and various diluent molecules, 8=9090

Robey,D.H. Theory of the effect of a thin air film on the vibrations of a stretched circular membrane, 5=121. On the contribution of a contained viscous liquid to the acoustic impedance of a radially vibrating tube, 5=2519. On the radiation impedance of an array of finite cylinders, 5=7787. On the radiation impedance of the liquid filled squirting cylinder, 5=7788. Variable resonant transducer, 6=7225

Robey,D.H. and Potts,D.H. Derivation of the free-space scalar Green's function, 6=7099

Robillard,A. Electrets, 9=9591

Robillard,T.R. See Goldwasser,E.L. 5=7119

Robin,G. See Lonchamp,J.P., 8=7122

Robin,J. See also Coulon,R,, 5=5312, 6=224, 8=3869, 9=12029

Robin,J., Bergeon,R., Galatry,L. and Vodar,B. Perturbation of electronic resonance spectra by foreign gases under high pressure, 8=3867

Robin,J., Desmaret,M. and Ubelmann,E. Study of the 7620 and 6880 A bands of the spectrum of pure oxygen compressed up to 5000 kg/cm^2, 7=5180

Robin,J. and Robin,S. Internally heated cell for spectroscopic work at high pressures and high temperatures, 7=2013

Robin,J. and Vodar,B. Observation of two "satellite" bands near the resonance lines of potassium, under pressures of argon up to 1200 atmospheres, and of mercury, under pressures of argon and nitrogen reaching 6000 atm., 6=6512. Apparatus for spectrographic studies up to 6000 atmospheres, 7=2014

Robin,J.P. Theoretical considerations on methods of investigation of ionic structures in the special case of metal oxides. 6=5526

Robin,L. Harmonic distortion by a waveguide of a single with sinusoidal frequency modulation, 5=2036. The spherical functions of Legendre and spheroidal functions. Volume 1, 8=2089; II, 9=6435

Robin,S. Photoelectric spectrophotometer for the vacuum ultraviolet. Application to the study of reflecting powers, 5=831. See also Robin,J., 7=2013; Robin,St., 6=4989

Robin,S. and Robin,St. Vacuum spectrograph and concave grating in normal incidence for the far ultraviolet, 7=5160. Bands induced by pressure near to the resonance lines of mercury in emission in the presence of rare gases, 7=9598. Perturbations of the resonance frequency 1849.57 A of mercury in pure mercury vapour, 8=567. Perturbation of the resonance line 1850 A of mercury by compressed H_2, N_2, A and Xe, 8=570. Grating spectrograph for the far ultraviolet. Application to the study of perturbations of the resonance lines of mercury by pressure, 9=6703

Robin,St. See also Robin,S., 7=5160, 7=9598, 8=567, 8=570, 9=6703

Robin,St. and Robin,S. The perturbations of spectral lines in atomic spectra by the pressure of electrically neutral particles, 6=4989

Robin-Kandare,S., Damany,H. and Tertian,L. Structure and reflectivity of germanium films prepared by vacuum evaporation, 9=13828

Robin-Kandare,S. and Vodar,B. Reflecting power of bulk silicon and germanium between 1000 and 3000 A, 9=7987

Robinet,Y. See also Morand,M., 7=8001

Robinet,Y., Winand,L. and Guében,G. Determination of the maximum energy of β-spectra by the method of absorption in gold (Forro's method), 7=4676

Robins,D.A. The magnetic susceptibility and electrical resistivity of some transition metal silicides, 8=3228

Robins,J.L. See Powell,C.J., 9=342

Robins,W.H.M. The significance and application of shape factors in particle size analysis, 5=1263

Robinson,A.C. See Lothian,B.W., 8=8123

Robinson,A.M. See Lambert,J.D., 5=8552

Robinson,B.J. Experimental investigations of the ionospheric E-layer, 9=5275

Robinson,B.L. See also Beggs,W.C., 6=3159; Fink,R.W., 5=7321, 7=670, 9=7317

Robinson,B.L. and Fink,R.W. L/K-capture ratios, mean L-fluorescence yields, and transition energies in orbital electron-capture. 6=4601

Robinson,C. Liquid-crystalline structures in soluctions of a polypeptide, 7=1114

Robinson,C.F. Compound ion-resonance mass spectro-meter, 6=2943. Nonuniform fields in cycloidal-focusing mass spectrometers, 6=6720. Space charge in cycloidal-focusing mass spectrometers, 6=7476. Second-order aberrations in a modified Mattauch-type mass spectrometer, 8=2360. Mass spectrometer image displacements due to second-order abberrations, 8=5988

Robinson,C.F. and Hall,L.G. Small general purpose cycloidal-focusing mass spectrometer, 6=6719

Robinson,C.S. See Leiss,J.E., 5=6512, 8=266; Malmberg,J.H., 8=702; Miller,R.C., 8=1835

Robinson,C.V. Improved methane proportional counting method for tritium assay, 6=2333

Robinson,D. See also Nicholls,R.W., 7=2481

Robinson,D. and Nicholls,R.W. Intensity measurements on the O_2^+ Second Negative, CO Ångström and Third Positive and NO γ and β molecular band systems, 8=3854

Robinson,D.K. See Guptill,E.W., 5=8560

Robinson,D.L. Revealing dislocation sites in aluminum by transmission electron microscopy, 9=5153

Robinson,D.W. An apparatus for the measurement of dynamic mechanical properties of polymers over a wide temperature range, 5=2245. Ebert spectrometer for the far infrared, 9=11995. See also Dadson,R.S., 5=812; Thomas,D.A., 5=3185

Robinson,D.W. and Dadson,R.S. A re-determination of the equal-loudness relations for pure tones, 6=4280. Threshold of hearing and equal-loudness relations for pure tones, and the loudness function, 8=1401

Robinson,E.S. See Jones,L.H., 6=5779

Robinson,F.N.H. Current and velocity fluctuations at the potential minimum, 8=8031. A generalization of MacDonald's inversion theorem, 9=3163. See also Abraham,M. 9=11427; Grace,M.A., 5=1117; Kurti,N. 7=2137

Robinson,F.N.H. and Haus,H.A. Analysis of noise in electron beams, 6=6700

Robinson,G.B. and Geiger,F.E.,Jr. Modulation pickup in nuclear magnetic resonance r.f. spectrometers, 8=8282

Robinson,G.D. A discussion on "radiative balance": The use of surface observations to estimate the local energy balance of the atmosphere, 6=7881

Robinson,G.W. Some results of the high dispersion electronic emission spectrum of formaldehyde, 6=6510. On asymmetric rotors, 8=3414

Robinson,G.W. and McCarty,M.,Jr. Electronic spectra of free radicals at 4°K-NH_2, 8=7805. Electronic spectra of free radicals at 4°K-HNO, NH and OH, 8=7806. Trapped NH_2 radicals at 4.2°K, 9=8719. Radical spectra at liquid helium temperatures, 9=10779

Robinson,G.W., McCarty,M.,Jr and Keelty,M.C. Electronic spectrum of monomeric nitrogen dioxide at liquid helium temperature, 8=2959

Robinson,H.G. Quadrupole spectrum of $BiCl_3$, 6=2292. Bolometer detection of nuclear quadrupole resonance, 6=6849

Robinson,J.D. and Feenberg,E. Time dilatation and Doppler effect, 8=490

Robinson,J.M. See Babb,S.E.,Jr, 9=3285; Robertson,W.W., 8=9090

Robinson,K. and Steward,E.G. Summarized proceedings of a conference on the structures and textures of metals- London, October, 1954, 6=2467

Robinson,K.W. Electronic detection of heavy mesons, 6=705. Radiation effects in circular electron accelerators, 9=350

Robinson,L.B. Effect of delayed fission neutrons on reactor kinetics, 5=2196. Elastic scattering of low-energy electrons by atomic nitrogen and atomic oxygen, 7=3358. Nuclear quadrupole resonance at low frequency, 8=9126. The nuclear spin resonance spectrum of Al^{27} in spodumene, 9=2927. The role of the electrokinetic potential in some surface tension phenomena, 9=7835, See also Bergsteinsson,J.L., 8=7078; Bloom,M., 9=2926; Rocard,J.M., 9=11260

Robinson,N.W. and Berz,F. Initial pumping and recovery of ionization gauges, 9=6606

Robinson,P.D. Wave functions for the hydrogen atom in spheroidal coordinates. II. Interaction with a point charge and with a dipole, 8=4363. See also Coulson,C.A., 8=4362

Robinson,P.H. See also Green,M., 7=7879; Rosenberg,A.J., 9=913

Robinson,P.H., Rosenberg,A.J. and Gatos,H.C. On the preparation and regeneration of clean germanium surfaces, 7=988

Robinson,P.R. See Harding,J.B., 5=5495

Robinson,R.A. See Bates,R.G., 6=9013

Robinson,R.B. and Buchanan,R.H. Undamped free pulsations of an ideal bubble, 7=1109

Robinson,R.L. See also Hamilton,J.H. 9=5007; Smith,W.G., 7=2589, 8=320

Robinson,R.L. and Langer,L.M. Beta decay of Ru^{103}, 8=1927. Inner beta spectra of Ag^{111} and Rb^{86}, 9=5005

Robinson,R.O.A. The Bethe-Salpeter equation for many-body systems, 5=7708. α^3 corrections to the ground state of helium, 6=1494. Ground states of hydrogenic atoms, 6=3121 The fracture zones of orogenesis, 7=8309. A note on a proof by Dyson, 7=8349

Robinson,T.S., Smollet,M., and Pratt,R.G. A simple graphical method of calculating the density of current carriers in a semi-conductor from the Hall coefficient, 7=7093

Robinson,W.A. See Proctor,W.G., 6=5321, 7=2805, 8=7314

Robinson,W.H. and Smoluchowski,R. Low-angle X-ray scattering by surface defects, 6=7750. Small angle scattering of X-rays by plastically deformed single crystals, 9=7042

Robison,P.C. See Bodansky,D., 9=6118

Robl,H.R. Nuclear excitation by electrons, 7=8101

Robley,R. The emission of the red lines of O I in the upper atmosphere, 7=5762. Annual variation of the blue light in the night sky by photographic spectrophotometry, 9=4145. See Mayaud,P.-N., 5=1397

Robrecht,G.G. Contribution to the study of the properties of anisotropic ferromagnetic media in the centimetre wave region, 9=12461

Robson,A.E. See also von Engel,A., 8=203, 8=7054

Robson,A.E. and Hancox,R. Choice of materials and problems of design of heavy-current toroidal discharge tubes, 9=4653

Robson,A.E. and Thonemann,P.C. An arc maintained on an isolated metal plate exposed to a plasma, 9=7026

Robson,A.E. and von Engel,A. Excitation processes and the theory of the arc discharge, 5=6171. Motion of a short arc in a magnetic field, 7=1350. An explanation of the Tanberg effect, 7=6211

Robson,B.A. The mean free path of alpha-particles in nuclear matter, 8=2570. See also Learner,A., 8=6653; Mohr,C.B.O., 6=6835
Robson,J.G. See Campbell,F.W., 8=4604, 9=1972, 9=4169
Robson,J.M. Angular correlation in the beta decay of the neutron, 6=2453. The electron neutrino angular correlation in the beta decay of the free neutron, 9=3744. See also Clark,M.A., 9=2596
Robson,J.W. and Gregg,E.C. Bremsstrahlung measurements with a Compton electron spectrometer, 7=4457
Rocard,J.M. Theoretical and experimental study of the forms of the curves obtained in nuclear magnetic resonance, 7=3548. A contribution to the study of nuclear paramagnetic resonance in very low fields, 8=2453
Rocard,J.M., Bloom,M. and Robinson,L.B. Nuclear magnetic resonance in lead-containing compounds, 9=11260
Rocard,J.M. and Frank,P.J. Indirect interactions between the nuclear spins N^{14} and H^{1} in very low magnetic fields, 8=7318
Rocard,Y. Propagation of sound in a variable wind, 7=6960. The focusing of energy caused by irregular sound propagation, 8=3809. Path of sound trajectories in the upper atmosphere, 9=4157. Focusing of sound energy in the air due to wind effects, 9=7884. Atmospheric propagation of powerful acoustic signals over great distances, 9=12918
Rocchiccioli,C. Determination of the structure of metallic chlorates by infrared absorption spectrography, 6=7573
Rocco,A.G.De. See De Rocco,A.G.
Rocco,G. See Petrow,H.G., 5=2191
Rocco,W.A. and Sears,G.W. Electron bombardment furnace temperature controller, 6=1174
Roch,J. Comparison of the sensitivities of paramagnetic electron resonance spectrographs in the 3 cm band, 8=8194. Specttrometer for electron paramagnetic resonance: influence of the amplitude of the magnetic field modulation on the form of the line obtained by synchronous detection, 9=8331
Roche,J. and Jaffray,J. On the transition point of chromium sesquioxide and its electrical conductivity at moderately elevated temperatures, 5=7902
Rochester,G.D. See Dilworth,C.C., 5=6482; Macpherson,I. 5=9119
Rochlin,R.S. Fission-neutron cross-sections for threshold reactions, 9=12694
Rock,R.I.La. See La Rock,R.I.
Roclawski-Conjeaud, M. See also Berthelot,A. 5=7367; Naggiar,V., 6=5378, 7=1506, 7=9393; Szteinsznaider,D., 7=7371
Roclawski-Conjeaud,M. and Cotton,E. Excitation curves of the reaction ^{16}O(d, p)^{17}O*, 6=7684
Rocklin,S.R. See Andre,C.G., 6=3204; Delbecq,C.J., 5=8027
Rockmore,R.M. Pion-deuteron scattering in the impulse approximation, 7=2996. Single-particle energies in a degenerate electron gas at high density, 9=10260
Rockmore,R.M. and Taylor,J.G. Internal pairs in the capture of π^- by protons, 9=5998
Rodbell,D.S. Study of precipitate particles in Cu–Co employing ferromagnetic resonance, 8=8887; See also Bean,C.P., 5=2894
Rodbell,D.S. and Bean,C.P. Influence of pulsed magnetic fields on the reversal of magnetization in square-loop metallic tapes. 6=4515. Some properties of the coercive force in soft magnetic materials, 6=8277
Rodberg,L.S. Pion production in pion–nucleon collisions, 7=8197. The many-body problem and the Brueckner approximation, 8=1532. Energy shifts in the Feynman formalism, 8=2144
Rodberg,L.S. and Weisskopf,V.F. Fall of parity, 7=5033
Rodda,S. [Conf. refs] Secondary electron emission, 5=7126
Rode,V.E. See Kondorskii,E.I., 9=12458
Rodemich,E.R. See Meeron,E., 8=8600
Roder,H.M. See Powell,R.L., 8=5833, 9=13228
Roderick,G.W. See Hasted,J.B., 9=274
Roderick,H., Lönsjö,O. and Meyerhof,W.E. Decay scheme of the mirror nucleus p^{29} and related results, 5=2126
Rodgers,K.F. See Weinreich,G., 9=6240
Rodgers,K.F.,Jr. See Boyle,W.S. 9=1370, 9=11204
Rodier,N. See Jaffray,J. 5=9610
Rodimov,B.N. Laws governing the magnetic field of a betatron, 9=5808
Rodin,A.M. and Kuchaĭ,S.A. Measurement of the depth of penetration and the coefficient of diffusion of a gas in a metal, 8=5494. Certain thermodynamic properties of a solid under high pressure, 6=8441. On the problem of the determination of the coefficients of compressibility and the elastic bulk modulus of a solid, 9=10317. See also Ekhlakov,A.D., 8=8481
Rodionov,K.P. and Shavrov,V.G. On the problem of the anistropy of electrical conductivity in ferromagnetics, 8=3989
Rodionov,S.F. Electrophotometric investigations of the brightness of the night sky, 8=1378. See also Bezverkhniĭ,Sh.A., 7=937
Rodionov,S.F., Khaĭkin,M.S. and Shal'nikov,A.I. A self-quenching light counter, 5=6242
Rodionov,Yu.F. See Baranov,S.A., 8=8277
Rodionova,L.M. See Shamovskiĭ,L.M., 9=8996
Rodney,W. See Weir,C., 7=5970
Rodney,W.S. Optical properties of cesium iodide, 6=192. See also Malitson,I.H., 8=2222
Rodney,W.S. and Djurle,E. Infrared phase-contrast refractometer, 8=4848
Rodney,W.S. and Malitson,I.H. Refraction and dispersion of thallium bromide iodide, 7=1168
Rodney,W.S., Malitson,I.H. and King,T.A. Refractive index of arsenic trisulfide, 9=174
Rodney,W.S. and Spindler,R.J. Index of refraction of fused-quartz glass for ultraviolet, visible and infrared wavelengths, 5=828
Rodot,H. See Rodot,M., 6=7414
Rodot,M. Theory of the transverse magneto-thermoelectric effect in semiconductors, 6=8768. On electron scattering by the optical modes in indium antimonide, 8=2315. On transport effects in indium antimonide, 9=6976
Rodot,M. See also Fumeron-Rodot,H., 9=9622
Rodot,M., Duclos,P., Kover,F. and Rodot,H. Preparation of indium antimonide. Determination of effective masses, 6=7414
Rodrigue,G.P. See also Jones,R.V., 9=431. Wolf,W.P., 9=1990
Rodrigue,G.P., Pippin,J.E., Wolf,W.P. and Hogan,C.L. Ferrimagnetic resonance in some polycrystalline rare earth garnets, 9=424
Rodriguez,A.E. An approximation for the radial distribution function, 7=5930
Rodriguez,A.E. and Santa Maria,H.A. Calculation of intermolecular forces in liquids, 5=7747
Rodriguez,J. See Carminatti,H., 6=7647; Fränz,I. 5=4863, 9=3835-6; Radicella,R., 9=6611*, 9=2804
Rodríguez,M., Pérez. See Pérez Rodríguez,M.
Rodriguez,P.M. See Wolsky,S.P., 7=9185
Rodriguez,S. Theory of cyclotron resonance in metals, 9=4015. Magnetic field dependence of ultrasonic attenuation in metals at low temperatures, 9=4387. See also Olson,R., 8=7987
Rodskjer,N. The uviometer, an actinometer constructed by T. E. Aurén, 7=930. The Aurén solarimeter, 7=931
Roe,C.P. and Brass,P.D. The adsorption of ionic surfactants and their gegenions at the air–water interface of aqueous solutions, 5=1337
Roe,E.M.F. See Beale,R.N., 5=7244
Roe,G.M. See Hurwitz,A.,Jr., 6=7701; Pell,E.M., 6=6642; Zimm,B.H., 6=4070
Roebber,J.L. See Mains,G.J., 5=10034
Roebuck,D.S.P. See Archer,M.S., 5=1997
Roederer,B. On the mass estimation of charged particles in nuclear photographic emulsions by means of the variable-cell method, 5=8289. See also Gottstein,K., 6=4657
Roederer,J. See Gottstein,K., 6=4657
Roederer,J.G. On the theory of the latitude effect of the nucleon component of cosmic radiation, 5=1972. The physical significance of the vectors B and H of classical electromagnetism, 9=12506
Roehling,D.J. See Grover,G.M., 9=9691; Pidd,R.W., 9=13366
Roehrich-Goussu,O. Measurement of the activity of α-emitters using cine-nucleography, 5=2106
Roensch,A.P. See Hemmendinger,A., 5=8036
Roeper,E. A new schlieren diaphragm, 5=7883
Roesch,W.C. Dose for nonelectronic equilibrium conditions, 9=3845. See also Larson,H.V., 6=2158; Reddie,J.S., 6=8833
Roeser,W.F. and Lonberger,S. T. Methods of testing thermocouples and thermocouple materials, 8=1659
Roesler,F.C. Some applications of Fourier series in the numerical treatment of linear behaviour, 5=3178. Glancing angle reflection of elastic waves from a free boundary, 5=5285. Indentation hardness of glass as an energy scaling law, 6=2458. Brittle fractures near equilibrium, 7=2757. See also Benbow,J.J., 7=4820; McCusker,C.B.A., 7=8710
Roesler,F.C. and Twyman,W.A. An iteration method for the determination of relaxation spectra, 5=3179

Roesler,F.L. See Chamberlain,J.W., 5=5149
Rogachev,D.L. See Zaslavskiĭ,A.I., 7=6732
Rogachev,I.M. See Dzhelepov,B.S., 9=12656
Roganov,V.S. See Baranov,P.S., 8=6097, 8=6326, 9=672
Rogasa, G.L. and Peed,W.F. L X-ray energies of Np, Pu and Am, 6=2149
Roger,F. An approximate but simple experimental law for the α-disintegration energy of the heavy radioactive elements, 5=4902. Quasi-linearity of the energy of the β-transitions between the heavy radioactive elements, 5=7328. A matrix method for the coupling of components in molecular spectroscopy, 7=7253
Rogers,B.S. See Hayes,F.N., 5=3643, 6=2964, 6=5344
Rogers,D. See also Grant,D.F., 9=7638
Rogers,D., Stanley,E. and Wilson,A. J.C. The probability distribution of intensities. VI. The influence of intensity errors on the statistical tests, 5=9263
Rogers,D.H. Demonstration of electrical transients, 7=3463 See also Edwards,M.H., 6=6651
Rogers,E.H. See Agnew,L.E., 8=8975
Rogers,E.J. Method for damping phase oscillations in a synchrotron, 8=2358
Rogers,F.T., Jr. Effect of pile irradiation on the dielectric constant of ceramic BaTiO$_3$, 6=8760
Rogers,G.L. A new method of analysing ionospheric movement records, 6=7084. Device for use with a non-recording microphotometer, 6=8643. Two hologram methods in diffraction microscopy, 7=302. A simple method of calculating moiré patterns, 9=4486
Rogers,G.T. See McLaren,A.C., 8=7580
Rogers,J.L. See Henry,W.G., 6=5250-1
Rogers,J.W. See Allen,W.A., 9=7824; Espersen,G.A., 9=9686
Rogers,K. See Sargent,C.P. 5=7389, 5=9955
Rogers,K.C. See also Rinehart,M.C., 6=3274; Stein,P.C., 8=6172
Rogers,K.C. and Lederman,L.M. Interactions of 85-MeV positive pions with deuterons, 7=3723
Rogers,M.H. The propagation and structure of shock waves of varying strength in a self-gravitating gas sphere, 6=4264. Analytic solutions for the blast-wave problem with an atmosphere of varying density, 9=11929. See also McVittie,G.C., 6=8561
Rogers,M.S. See Stevens,S.S., 5=4478
Rogers,M.T. See Narasimhan,P.T., 8=8392; Thompson,H.B., 7=6663
Rogers,S.E. See Plester,D.W., 6=5054
Rogers,W.M. See also Powell,R.L., 8=3020, 8=5833
Rogers,W.M. and Powell,R.L. Tables of transport integrals

$$J_n(x) \equiv \int_0^x \frac{e^z z^n dz}{e^z - 1)^2} \quad 8=5574$$

Rogerson,J.B., Jr. A statistical analysis of spectroheliograms, 5=5183
Roggen,A.van See van Roggen,A.
Roggen,L. van. See van Roggen,L.
Roggenkamp,P.L. See Bolotin,H.H., 5=8152
Roginskii,S.Z. See Enikeev,Z.Kh., 9=13292
Rogosa,G.L. and Peed,W.F. Tc K X-ray spectrum, 6=2147
Rogosa,G.L. and Schwarz,G. X-ray path through calcite in Laue diffraction, 5=8398
Rogożinski,A. On the use of absorbing screens within the sensitive volume of a diffusion cloud chamber, 5=3846. See also Picard,E., 5=2810
Rohan,J.J., Pickering,N.E. and Kennedy,J. Diffusion of radioactive antimony in silicon, 9=12816
Rohatgi,V.K. Photoelectric effect from borosilicate glass, 8=7023
Rohatschek,H. The theory of magnetophotophoresis, 5=6866 The theory of gravito-photophoresis, 7=6973. The forces in pure photophoresis and in gravito-photophoresis, 7=6974
Rohatschek,H. and Desoyer,E. Vortex rings of water in air, 5=101
Rohleder,J. Properties of KCI crystals containing metallic thallium centres. Photoelectric effect, 5=4669. The absorption spectrum of KC1 crystals containing metallic thallium centres, 5=8615
Rohler,R. On the electron emission from cathode surfaces following a glow discharge, 6=1273. The influence of edge sharpness and contrast on the perceptibility of detail in photography, with especial reference to diagnostic radiology, 8=476
Rohmer,R. See also Freymann,R., 7=4346
Rohmer,R., Freymann,M. and Freymann,R. Studies of the energy levels of solids by the method of Debye absorption, 6=1197
Rohner,E. Spectrophotometry of fluorescent lamps using filters, 6=179. Audiofrequency oscillations in low-pressure mercury discharges, 7=4397. An automatic filter spectrograph, 7=7721
Rohner,E. and Strutt,M.J.O. An automatic filter spectrograph, 7=9064. Automatic spectrometer using interference filters, 8=5768
Rohoziński,S.G. Electron–positron pair annihilation at arbitrary polarizations, 9=2581
Rohr,R.C. See also Henry,H.F. 9=9906
Rohr,R.C. and Birkhoff,R.D. K-shell internal conversion coefficients, 5=7340
Rohrbaugh,J.H. See also Gerson,R., 6=2071; Hatcher,R.D., 6=2013
Rohrbaugh,J.H. and Hatcher,R.D. Theory of the echelette grating II, 8=8714
Rohrbaugh,J.H., Pine,C., Zoellner,W.G. and Hatcher,R.D. Theory of the echelette grating. III, 8=8715
Röhrdanz,K. and Ulmer,K. The emission of negative ions due to the effect of chlorine molecules on caesium surfaces, 8=7104
Rohrer,H. See Grassmann,P., 7=411; Olsen,J.L., 7=8636
Rohringer,G. See Broda,E. 5=3032
Rohrlich,F. Infrared divergence in bound state problems, 5=4354 Analysis of the first short period and its isoelectronic sequences, 6=3111. Classification of emission lines λ 5694 and λ 5446 in the solar corona, 6=5641. Coulomb corrections to Delbrück scattering, 8=5180. Theoretical multiplet strengths, 9=10748. Sum rules for multiplet strengths, 9=10749. See also Jauch,J.M. 5=1511; Johnson,H.R., 9=7394, 9=8693; Joseph,J., 9=525
Rohsenhow,W.M., Barger,J.P. and Lewins,J. Thermal-resistance concept aids fuel-temperature calculations, 9=12714
Roĭ,N.A. The dependence of coercive force and permittivity of barium titanate ceramic upon mechanical stresses, 6=5067. The temperature variation of the electrostrictive and elastic properties of barium titanate ceramic, 6=5081. The dielectric and piezo-electric properties of the solid solutions (Ba,Sr)TiO$_3$, (Ba, Pb)TiO$_3$, Ba(Ti, Sn)O$_3$ and Ba(Ti, Zr)O$_3$, 6=6597. Occurrence and development of ultrasonic cavitation. Review, 8=533.
Roĭ,N.A. and Frolov,D.P. Electro-acoustical efficiency of a spark discharge in water, 8=4047
Roig,A. See Krigbaum,W.R., 9=11537
Roig,J. See Deloffre,L., 6=2889
Roĭkh,I.L. Constitution of photographically active particles, evolved during the atmospheric corrosion of metals, 7=825 The composition of the photographically active particles produced by metals under atmospheric corrosion, 7=3886
Roĭnishvili,N.N. See Mandzhavidze,Z.Sh., 8=2455, 9=558
Roitsin,A.B. See Deigen,M.F., 9=13794
Rojansky,V. Quantum-mechanical operators, 5=2438. Q-number modification of the Lorentz rotations, 9=10587
Rol,P.K. See Kistemaker,J., 6=1313
Rolfe,J. Hydroxide absorption band in alkali halide crystals, 8=6835. See also Lipsett,F.R. 9=5649
Rolland,P.Le. See Le Rolland,P.
Rollefson,G.K., See Lindquist,R.H., 6=4057; Mains,G.J. 5=10034
Rollefson,R. See Schurin,B., 7=6978
Rollet,N., Brossel,J. and Kastler,A. Polarization of the optical resonance of the isotope 198 of mercury, 6=3612
Rollett,J.S. See also Cohen,E.R., 6=2330; Lavine,L.R., 6=7837
Rollett,J.S. and Davies,D.R. The calculation of structure factors for centrosymmetric monoclinic systems with anisotropic atomic vibration, 5=4194
Rollier,M.A. See also Maxia,V. 9=9905
Rollier,M.A. and Maxia,V. Radiation stability of deuterated beryllium complex moderator, 9=12704
Rollier,M.A., Sealand,E., Morpurgo,A. and Caglieris,A. Half-life and radiations of the long-lived isotope of niobium (^{94}Nb), 5=9852
Rollin,B.V. and Petford,A.D. The electrical properties of indium antimonide at low temperatures, 6=1231
Rollins,F.R. See Grosskreutz,J.C., 9=7048
Rollnik,H. Scattering maxima and bound states, 6=8594. On the theory of decaying states, 6=8595. On the symmetries of the Dirac field, 8=1507. A formal theory of the optical potential, 9=1694. See also Kramer,G., 9=9213
Rolov,B.N. Pair-creation of fermions with spin 3/2 due to the motion of a boson in an external field, I, 9=10589;

II, 9=10590*. Two-photon annihilation of fermion-pairs with spin 3/2, 9=10591

Rolph,P.M. See Greenlees,G.W., 8=4313

Romain,J. Theory of the elastic collision of particles in Minkowski space–time, 7=61. Theory of the linear harmonic oscillator with the aid of non Hermitian canonical variables, 7=3007

Romain,P. See Clastre,J., 6=7839

Roman,I. An image analysis of multiple-layer resistivity problems, 9=10958

Roman,N.G. and Haddock,F.T. A model for nonthermal radio-source spectra, 6=6306

Roman,N.T. and Yaplee,B.S. Radio sources and the Milky Way at 440 mc, 8=1440

Román,P. Quantization of the electromagnetic field in a new type of representation, 5=6732. Conservation laws and quantum mechancal operators, 6=4180. On the isocovariance properties of leptons, 7=5849. Some properties of combined PC-transformation and associated selection rules, 8=4743. A remark on conservation rules, 9=3114. Generalized Stokes parameters for waves with arbitrary form, 9=13131

Romand,J. See also Astoin,N. 5=8589; Balloffet,G., 5=9223 6=6507, 8=7060, 9=12326; Fabre,D., 6=4335

Romand,J. and Balloffet,G. Different practical designs for sliding sparks for spectrography in the far ultraviolet, 5=8585. The far ultraviolet emission spectra of sliding sparks in vacuum, on organic supports, 7=6984

Romand,J., Balloffet,G. and Vodar,B. A simple arrangement for the production of the continuous Lyman spectrum in the far ultraviolet, 5=4502

Romand,J. and Vodar,B. A vacuum spectrograph for spectrochemical emission analysis in the far ultraviolet, 9=1264. Considerations of vacuum spark sources for spectrochemical analysis by emission in the far ultraviolet, 9=9393

Romanenko,E.V. Miniature piezoelectric ultrasonic receivers, 8=3822. Experimental investigation of the propagation of finite-amplitude spherical waves, 9=11922. See also Naugol'nȳkh,K.A., 8=6757, 9=11925

Romanet,R. See Braillon,B. 9=13478

Romankevich,A.V. On the lifetime of two types of π°-mesons, 7=9915

Romanko,J. See also Feldman,T. 5=3642, 6=8124; Welsh,H.L. 5=6046

Romanko,J., Feldman,T., Stansbury,E.J. and McKellar,A. The rotational Raman spectrum of ethylene, 5=1724

Romanko,J., Feldman,T. and Welsh,H.L. The Raman spectrum of ethane, 6=249

Romanov,A.M. Ionization of lithium on tungsten, 9=8229

Romanov,A.M. and Starodubtsev,S.V. Adsorption and ionization of sodium on hot tungsten, 8=6004

Romanov,V.A. Precision measurement of the energy of some lines in the spectra of Ir^{192} and $Eu^{152,154}$, 9=12666: See also Kel'man,V.M., 5=323, 6=5375, 7=5399, 7=7336, 8=1941, 8=3359; Lashkarev,V.E., 9=3448

Romanov,V.E. See Biberman,L.M., 8=5760

Romanov,Yu.F. See Bak,M.A., 6=6455, 6=8414, 9=9960; Dmitriev,V.N., 9=13703

Romanova,M.F. Interferometric measurements in metrology, 8=4901

Romanova,T.A. See Belovitskiĭ,G.E., 5=9066, 6=2385; Dul'kova,L.S., 6=5423

Romanovskaya,K.M. See Bogomolov,C.S. 9=14006

Romanovskii,E.A. and Timushev,G.F. Inelastic scattering cross-sections of 4.5 MeV deuterons on some light nuclei, 9=10114

Romanovskii,V.A. See Nakhodkin,N.G., 9=11103

Romanovskiĭ,V.V.A. Determination of absorption coefficients of powder phosphors, 5=1707

Romanowski,M. See also Henderson,J.T., 6=1398

Romanowski,M. and Bailey,R. Suggested modifications to a method for the determination of the absolute ampere, 9=10957

Romanowski,M. and Fraser,P.A. Considerations on the primary winding of the Campbell standard inductor, 6=1399

Romanowski,M. and Olson,N. An absolute determination of resistance, 8=3981

Romanowski,T.A. and Voelker,V.H. Photoneutron cross sections of Li^6 and Li^7, 9=6124

Romanowski,W. See Gumiński,K., 5=4640

Romantseva,A.S. See Varfolomeev,A.A., 7=6583

Romashko,N.D. See Fogel',Ya.M., 9=2455

Romberg,W. The polynomial requirement for the determination of eigenvalues, 7=6911. Calculation of the S–P matrix elements of the helium atom, 9=11511. See also Holtsmark,J., 7=3096; Kelen,A., 7=5093; Olsen,H., 8=2924, 9=156

Rome,M. Relation of antimony transmission and the photoelectric yield of Cs–Sb, 5=2610

Romer,A. Accident and Professor Röntgen, 9=4662

Römer,H. See also Fragstein,C., 8=6882

Römer,H. and v. Fragstein,C. A simple method for magnification determination in the electron microscope, 9=11119

Romer,R.H. Twin paradox in special relativity, 9=3092. See also Dicke,R.H., 6=194

Romer,R.H. and Dicke,R.H. New technique for high resolution microwave spectroscopy, 5=7835

Romick,G.J. See also Clark,K.C., 9=5296

Romie,F.E. See Kreith,F., 5=5361

Romishevskii,E.A. See Zhigulev,V.N., 9=13499

Rommel,G. See Amoignon,J., 8=2867

Rompe,R. The physics of electrical breakdown in solid insulation, 5=3811. See also Niekisch,E.A., 6=8449

Rompe,R. and Ihln,A. On a new kind of radiation source, the metal high pressure lamp, 9=4506

Rompe,R. and Rother,H. On the properties of a rapidly varying plasma, 9=8244

Ron,A. Penetration of a magnetic field into a one dimensional plasma, 9=3597

Rona,T.P. See Livengood,J.C. 5=131

Ronchi,L. Bibliographic survey of the problem of perception of size, 5=3352. On the limits of the validity of the formula for psychological magnification, 5=3353. The influence of a mydriatic on the Stiles-Crawford effect, 5=9314. Geometrical optics of toroidal junctions in configuration lenses, 5=9789. On the elctrical response of the human eye to red stimuli of different time distribution of luminance, 8=6568. Peculiar form of interaction between cones and rods revealed by the electroretinogram of a human dark-adapted eye, 9=9116. See also Carrara,N., 5=7691, 9=3077; Ercoles, A.M., 6=8535; Toraldo di Francia,G., 7=6786

Ronchi,L. and Russo,V. Complex amplitude distribution on the axis of a spherical mirror used for rapid scanning, 7=1162

Ronchi,L. and Scheggi,A.M. Residual aberrations of conflection doublets for high-speed scanning, 7=1167

Ronchi,L. and Toraldo di Francia,G. On the response of the human eye to light stimuli presenting a spatial or temporal gradient of luminance, 7=8327

Ronchi,L. and Zoli,M.T. Some experiments on the vision of virtual images, 5=7573. Psychological effects on observations extending in time, 6=5578. The influence of recognition of the test object in observations with a telescope, 7=3863. An investigation of the factors which influence the location of an image seen through a telescope, 7=3864

Ronchi,V. Recent improvements in interferometry, 5=2636. A review of the basis of the optics of the 17th century, 7=207. New viewpoints in optical engineering, 8=7851. An elementary introduction to the use of the grating interferometer, 9=2244. Images and shadows from the viewpoint of "energy-optics," 9=3255. Energy theory of resolving power, 9=7926

Roncin,J. See Bruma,M., 7=771

Ronne,B.E. See Ekspong,A.G., 8=3294, 9=7229, 9=11368, 9=13623

Ronzio,A.R. Metal loaded scintillator solutions, 9=3329

Ronzio,A.R., Cowan,C.L.,Jr and Reines,F. Liquid scintillators for free neutrino detection, 8=2439

Roo,J.L.de. See de Roo,J.L.

Rood,J.L. Intermediate laboratory experiment in physical optics using an electron microscope, 6=4441. See also Brewster,G.F., 9=172

Rood,P. A model showing current conduction in an n-type semiconductor, 5=2736

Roof,R.B.,Jr Orientation of a single-crystal fragments by means of X-ray rotation photographs, 5=9260. X-ray absorption coefficients of thorium, uranium, and plutonium–experimental determination and theoretical interpretation, 9=5782. X-ray absorption coefficients of the elements with Z = 1 to 17 for Mo Kα radiation, 9=5783. Experimental determination of atomic scattering factors, 9=13358. See also Aronson,S., 7=8239

Rook,J.R. See Goldfarb,L.J.B., 9=12604

Rooksby,H.P. Changes in the structure of oxide cathodes at high temperatures, 5=8059. See also Francombe,M.H., 7=2816; Peiser,H.S. [Eds] 5=5741

Rooney,A., See Skapski,A., 7=7648

Roop,R.W. See Bobb,L., 6=1005
Roos,B.W. See Cohen,E.G.D., 6=5726, 7=1124
Roos,C.E. K fluorescence yield of several metals, 7=4426. See also Fowler,J.M., 5=6048; Peterson,V.Z., 7=4732
Roos,O.V. See V.Roos,O.
Roos,O.von. See von Roos,O.
Roosbroeck,W.van. See van Roosbroeck,W.
Roose,G. See Lau,E., 9=3250
Roothaan,C.C.J. Study of two-center integrals useful in calculations on molecular structure. IV. The auxiliary functions $C\alpha\beta^{\gamma\delta\epsilon}(\rho a,\rho b)$ for $\alpha \geq 0$, 6=5295. Evaluation of molecular integrals by digital computer, 8=6371. See also Mullikan,R.S., 9=8697; Ruedenberg,K., 6=5294
Roothan,C.C.T. and Scherr,C.W. Evaluation of molecular integrals by electronic digital computers, 7=6379
Rooyen,G.T. van. See van Rooyen,G.T.
Rop,W.de. See de Rop,W.
Roper,G.C. See Coulter,L.V., 9=10934
Ropp,G.A. Examination of the isotope effect in the condensation of o — x benzoylbenzoic acid-carboxyl-C^{14} to anthraquinone -9-C^{14}, 6=1681. See also Melton,C.E., 9=1561, 9=4756
Ropp,G.A. and Hodnett,E.M. Isotope fractionation studies of reactions with cleavage of a carbon-14 to hydrogen bond in the rate-determining step, 7=2763
Rorschach,H.E. See Biedenharn,L.C., 8=2549; Houston,W.V., 6=290
Rorschach,H.E.,Jr. Flow of helium II in narrow slits, 7=3208. See also Swim,R.T., 5=1774
Rosati,S. See Barsella,B., 9=13622; Picasso,L.E., 9=7294; Radicati,L.A., 7=9412
Rosato,F.J. See Junger,M.C., 5=126
Rösch,J. Temperature fluctuations in the tube of an astronomical telescope, 5=9358. Rapid sequential photobraphy of the solar photosphere and spots, 7=30. The doubling of telescopic images, 7=4968. Experimental study of the defects of the image of a star as a function of the diameter of the objective used [in a telescope], 8=4620. Visual photometer for studying the earth-light on the moon, 9=3033
Rösch,S. Double-refraction interference colours of very thin plates, 9=6802
Roschen,J. and Thornton,C.G. Solid-state dissolution of germanium by indium in semiconductor devices, 9=861
Roscoe,R. Viscosity determination by the oscillating vessel method. I. Theoretical considerations, 9=2122. See also Hastewell,L.J., 5=4129, 7=5705
Roscoe,R. and Bainbridge,W. Viscosity determination by the oscillating vessel method. II. The viscosity of water at 20°C, 9=2123
Rose,A. Recombination processes in insulators and semiconductors, 5=2721. Space-charge-limited currents in solids, 5=4645. Performance of photoconductors, 6=2886. Performance of photoconductors, 7=7924. Quantum limitations in vision and television, 9=6406. See also Gerritsen,H.J., 9=6989; Lampert,M.A., 9=6985, 9=7514; Ruppel,W., 9=6983; Smith,R.W., 5=4646
Rose,A. and Lampert,M.A. Photoconductor performance, space-charge currents, and the steady-state Fermi level, 9=5720. Gain-bandwidth product for photoconductors, 9=6998
Rose,A.J. and Barraud,J. Point focusing of an X-ray beam, 5=9257
Rose,A.S. Metallographic aspects of alloy junctions, 9=859
Rose,B. See also Brinkworth,M.J., 6=3979; Dickson,J.M., 5=5625; Freeman,J.M., 5=2188; Newton,J.O., 7=2607
Rose,B. and Milsted,J. A measurement of the half-life of Pu^{241}, 6=7643
Rose,B., Taylor,A.E. and Wood,E. Measurement of the neutron spectrum from Zeta, 8=6345
Rose,D., Ostrander,H. and Hamermesh,B. Argonne 7.7-meter bent-crystal gamma-ray spectrometer, 7=6514
Rose,D.C. See also Fenton,A.C., 8=8095, 9=7138, 9=12437. Simpson,J.A., 6=5995
Rose,D.C., Fenton, K.B., Katzman,J. and Simpson,J.A. Latitude effect of the cosmic ray nucleon and meson components at sea level from the Arctic to the Antarctic, 6=8854
Rose,D.C. and Katzman,J. The geomagnetic latitude effect on the nucleon and meson component of cosmic rays at sea level, 6=8853. The sudden increase in cosmic ray intensity of February 23, 1956, 6=8855
Rose,D.G. See Gucker,F.T.,Jr, 5=1280
Rose,D.J. On the magnification and resolution of the field emission electron microscope, 6=2923. Townsend ionization coefficient for hydrogen and deuterium, 7=1411. Microplasmas in silicon, 7=3284
Rose,D.J. and Brown,S.C. High-frequency gas discharge plasma in hydrogen, 5=5428. Microwave gas discharge breakdown in air, nitrogen, and oxygen, 8=199
Rose,D.J., De Bitetto,D.J. and Fisher,L.H. The first Townsend ionization coefficient for hydrogen, 6=6744
Rose,F.W.G. The mass reaction laws for the reactions between free carriers and impurities in semiconductors considering electron spin, 7=9685. On the mass-action laws in degenerate semiconductors, 8=3095. On the impact ionization in the space-charge region of p-n junctions, 8=4994. The mass-action laws for free carriers and amphoteric impurities in semiconductors, 9=6919. Trap concentrations in germanium, their determination from lifetime measurements and the relation to a practical breakdown voltage in p-n junction rectifiers, 9=12280. See also Ransom,P. 7=380
Rose,F.W.G., Billig,E. and Parrott,J.E. A simple derivation of the thermoelectric voltage in a non-degenerate semiconductor, 8=5016
Rose,F.W.G. and Sandiford,D.J. An easy derivation of the hole lifetime in an n-type semiconductor with acceptor traps, 6=2084
Rose,G.S. See also Patterson,D., 6=7744
Rose,G.S. and Ward,S.G. Contact electrification across metal-dielectric and dielectric-dielectric interfaces, 7=7077
Rose,H. and Absalom,R.M. The effectiveness of neutrons as a function of their energy in the natural uranium envelope of Zephyr, 7=7400
Rose,H.E. Electronic computer for color printing, 5=7621
Rose,H.E. and Langmaid,R.N. Separation of particulate materials into size ranges, 7=2723
Rose,H.J. See also Kamke,D., 6=5984; Warburton,E.K., 8=8304, 9=7342,
Rose,H.J., Trost,W. and Riess,F. The spin assignments of the 9.16 MeV and 6.44 MeV states in N^{14}, 9=12630
Rose,H.J. and Warburton,E.K. Lifetime of the 3.56 MeV state of lithium 6, 8=1912
Rose,J. See Blandin,J., 7=8652
Rose,J.E. See Miller,C.E., 6=5972
Rose,M.E. Conversion coefficients of the $\underline{L}$ shell, I., 5=9888 Statistical tensors for oriented nuclei, 8=4255. See also Beard,D.B., 8=679; Brysk,H., 9=1738; Church,E.L., 9=639; Green,T.A., 8=9042
Rose,M.E. and Becker,R.L. Polarization of conversion electrons following β decay, 9=642
Rose,P.H. Development of the calorimeter heat transfer gauge for use in shock tubes, 9=244. See also Beghian,L.E., 8=7298; Chapman,K.R., 6=1288; Gove,H.E., 9=2786; Petschek,H.E., 5=2569
Rose,W. Volumes and surface areas of pendular rings, 8=9131
Rose-Innes,A.C. A frequency modulated microwave spectrometer for electron resonance measurements, 7=8017. Observation by cyclotron resonance of the effect of strain on germanium and silicon, 9=1455. See also Bijl,D., 5=2003, 9=7184; Broom,R.F., 7=2136, 7=2228; Hilsum,C., 9=2480
Rosen,A. See Forster,H.H., 5=6416
Rosen,B. Laboratory investigations relating to the problem of molecular carbon and soot: Introductory report, 6=872*
Rosen,B. and Weniger,S. Emission spectrum of calcium oxides, 9=10760
Rosen,C., Banks,E. and Post,B. The thermal expansion and phase transitions of WO_3, 6=8729. The thermal expansion of cubic sodium tungsten brozes, 6=8730
Rosen,G. Dynamic analog speech synthesizer, 8=1576. Ignition of combustible gases, 9=5627. H theorems for one-dimensional combustion of a gas, 9=8951. Geometrical significance of the Einstein-Maxwell equations, 9=9188. Integration theory for one-dimensional viscous flow, 9=13054
Rosen,J.S. Solutions under pressure, 9=5414
Rosen,L. The use of nuclear emulsions for neutron spectrometers, 9=14012. See also Brolley,J.E.,Jr, 7=8828, 8=2566; Cranberg,L., 6=7700; Frye,G.M.Jr, 5=9927; Putnam,T.M., 7=2335
Rosen,L. and Brolley,J.E.,Jr. Polarized protons from the elastic scattering of α-particles by hydrogen, 8=2514. Time-reversal invariance and parity conservation in strong interactions, 9=6112
Rosen,L. and Stewart,L. Experimental checks of the statistical theory of nuclear reactions, 5=9101. Neutron emission probabilities from the interaction of 14-MeV neutrons with Be,

Ta, and Bi, 7=8840

Rosen,N. Gravitational waves, 7=6838. Note on relativistic motion in a scalar field, 7=7565. Energy and momentum of cylindrical gravitational waves, 8=4702. See also Lindeman, H., 7=8793; Peres,A., 9=11787

Rosen,N. and Shamir,H. Gravitational field of an axially symmetric system in first approximation, 8=1482

Rosen,P. Entropy of radiation, 5=914. Electromagnetic waves in an ionized gas, 6=6808. Low-energy inelastic atomic collisions, 8=2001. Ionization cross section of argon– argon collisions near threshold, 8=2002. Variational approach to magnetohydrodynamics, 8=8936

Rosen,S. and An Min Chung, Application of the least-squares method, 6=3593. A spherical wave expansion for double β-decay, 9=12655. See also Primakoff,H. 9=5020

Rosenbaum,G. See Atkins,K.R., 9=5631

Rosenbaum,B.M. and Welber,B. Specific heat and heat of transformation of MgCd$_3$, 6=3693

Rosenbaum,H.S. See Brown,N. 9=6333

Rosenbaum,J.H. Equation of state for water at extreme pressures, 7=6933. A note on the propagation of a sound pulse in a two-layer liquid medium, 9=4378

Rosenbaum,O. Elastic scattering of negative chlorine and bromine ions in argon, neon and nitrogen, 9=5816. Absorption and charge reversal of negative chlorine and bromine ions in gases, 9=5817

Rosenbaum,O. and Neuert,H. The formation of stable negative ions in various gases and vapours by electron collision, 5=1950

Rosenberg. See also Rozenberg

Rosenberg,A.F. See Hill,D.G., 6=5781

Rosenberg,A.J. See also Lavine,M.C., 8=7514; Robinson,P.H., 7=988

Rosenberg,A.J., Robinson,P.H. and Gatos,H.C. Thermal restoration of oxygenated germanium surfaces, 9=913

Rosenberg,B. Photoconductivity and the visual receptor process, 8=7012. Evidence for the triplet state in photoconductivity in anthracene, 9=1469. Photoconduction and cis-trans isomerism in β-carotene, 9=9654. See also Kallmann,H., 5=5085

Rosenberg,H.M., The thermal conductivity of metals at low temperatures, 5=3668. The thermal and electrical conductivity of lithium at low temperatures, 7=2113. The thermal conductivity of metals at low temperatures. Deviations from ideal behaviour, 7=5263. See also Berman,R. 5=5725, 5=6076. Carruthers,J.A., 7=5264; McCammon,R.D., 7=4816, 8=3523; Hull,D., 9=12181

Rosenberg,L.D. See also Rozenberg,L.D.

Rosenberg,L.D. and Makardov,L.O. On the origin of the bulging at a liquid surface under the action of ultrasound, 7=8481

Rosenberg,M. See Kondorskiĭ,E., 8=7173

Rosenberg,R. and Lax,M. Free-carrier absorption in n-type Ge, 9=4582

Rosenberg,V.M. See Nadgornȳi,E.M., 9=11549

Rosenberger,G.B. A cryogenic oscillator, 9=9664

Rosenblatt,D.B. See also Feder,R., 9=856; McReynolds,A.W. 5=5663

Rosenblatt,D.B., Smoluchowski,R. and Dienes,G.J. Radiation induced changes in the electrical resistivity of α brass, 5=8742

Rosenblith,W.A. Some quantifiable aspects of the electrical activity of the nervous system (with emphasis upon responses to sensory stimuli), 9=10446. Sensory performance of organisms, 9=11681. See also Hughes,J.R., 7=4924*

Rosenblith,W.A. and Stevens,K.N. Comments on "The relations of hearing loss to noise exposure", D.R. criteria, etc., 6=7233

Rosenbloom,P.C. See Honig,J.M. 5=5057, 6=770

Rosenblum,B. See also Kip,A.F., 8=394

Rosenblum,B. and Nethercot,A.H.Jr. Microwave spectra of tritium iodide and tritium bromide, 5=1700. Quadrupole coupling constant and molecular structure of Co^{17}, 7=9794

Rosenblum,B., Nethercot,A.H.,Jr and Townes,C.H. Isotopic mass ratios, magnetic moments and the sign of the electric dipole moment in carbon monoxide, 8=9074

Rosenblum,B., Townes,C.H. and Geschwind,S. Recent determination of atomic mass ratios by microwave spectroscopy, 9=3298

Rosenblum,S. Remarks on the spark counter, 5=3844. α-Particle spectra, 5=7322. The historical aspect of the discovery of artificial radioactivity, 6=581. See also Frilley,M. 5=7318; Milsted,J., 5=443

Rosenblum,S., Sant'ana Dionisio,J. and Valadares,M. Magnetic spectrograph with pre-acceleration for the study of low-energy electrons, 6=4443

Rosenblum,S. and Tyrén,H. α-particle spectrum of polnium isotopes, 5=2132

Rosenblum, S., Valadares,M. and Bernas,R. The spectrum of conversion electrons emitted in the transmutation ionium–radium, 5=2157

Rosenbluth,A.W. See Rosenbluth,M.N., 5=2983, 5=9391

Rosenbluth,M. See Andresen,A., 8=2642

Rosenbluth,M.N. See also Longmire,C.L., 6=6396; MacDonald, W.M., 8=524

Rosenbluth,M.N. and Kaufman,A.N. Plasma diffusion in a magnetic field, 8=2421

Rosenbluth,M.N. and Longmire,C.L. Stability of plasmas confined by magnetic fields, 7=8727

Rosenbluth,M.N., MacDonald,W.M. and Judd,D.L. Fokker–Planck equation for inverse-square force, 7=8462

Rosenbluth,M.N. and Rosenbluth,A.W. Monte Carlo calculation of the average extension of molecular chains, 5=2983. Further results on Monte Carlo equations of state, 5=9391

Rosenbluth,M.N. and Rostoker,N. Theoretical structure of plasma equations, 9=3599

Rosenbruch,K.J. The contrast sensitivity of the eye as a factor in the evaluation of optical images, 9=10452. See also Rosenhauer,K., 9=6694

Rosendahl,G.R. Tolerance for roof prisms, 9=10886

Rosendahl,F. and Kaiser,H. Periodic processes in spark erosion of beryllium bronze, 5=2557

Rosendorf,S., Stahl,R. and Yekutieli,G. On the mass of fast K-particles, 5=4968

Rosendorf,S. and Yekutieli,G. A new method for mass measurements of fast, charged particles, 5=7598

Rosendorff,S. See also Bierman,E., 9=4920; Eisenberg,Y., 6=5405, 7=748, 7=4755; Lipkin,H.J., 6=2684; Lynch,G. 9=3758; Margolis,B., 9=11355

Rosendorff,S. and Eisenberg,Y. Multiple scattering measurements in nuclear emulsions, 8=1157

Rosenfalck,A.M. See Buchmann-Olsen,B., 7=2104

Rosenfeld,A.H. See also Alvarez,L.W., 7=5651, 7=8881; Eberhard,P., 9=12592; Leitner,J., 9=13580; Nordin,P., 9=2659

Rosenfeld,A.H., Solmitz,F.T. and Tripp,R.D. $\bar{K}^0 - K^-$ mass excess, 9=6038

Rosenfeld,A.H., Swanson,R.A. and Warshaw,S.D. Cross section for C^{12}(p, pn)C^{11}, 6=6901

Rosenfeld,L. On the foundations of statistical thermodynamics, 5=9622. Remarks on the charge distribution in nuclei, 7=7290. Amsterdam Nuclear Reactions Concerence. Conclusions, 8=1951. Physics and metaphysics, 8=6612

Rosenfield,A.R. Examination of the validity of the critical resolved twinning stress hypothesis, 8=3557. Revised calculation of deformation twinning systems, 9=8986

Rosenfield,A.R. and Averbach,B.L. Effect of stress on the expansion coefficient, 6=2035

Rosengren,J.W. and Baron,N. Elastic photoproduction of π^0 mesons from deuterium 6=3226

Rosenhauer,K. The accuracy of optical measurement of radius of curvature, 6=1878. An optical polarization method for the visual estimation of the geometrical aberrations of objectives, 8=3845. Precision measurements with the ring spherometer, 9=3176

Rosenhauer,K. and Rosenbruch,K.J. A method of measuring the contrast transmission function of photographic objectives, 9=6694

Rosenhead,L. A discussion on the first and second viscosities of fluids: The second coefficient of viscosity: A brief review of fundamentals, 5=81

Rosenson,L. Momentum spectrum of positrons from the decay of μ^+ mesons, 8=1861

Rosenstock,H.B. Dynamics of simple lattices, 5=3255. On the optical properties of solids, 6=2542. On the optical properties of solids. II, 8=3451. Vibrations of a one-dimensional ionic lattice, 9=1852. Infrared absorption by sodium chloride-type lattices, 9=2924. See also Phillips,J.C., 9=7720

Rosenstock,H.B. and T.A.Chubb. Translational motion of a sphere in a magnetic field. 6=5255

Rosenstock,H.B. and Schulman,J.H. Models for luminescence degradation in organic solids, 9=3314

Rosenstock,H.M. See also Melton,C.E., 7=4605

Rosenstock,H.M. and Melton,C.E. Metastable transitions and collision-induced dissociations in mass spectra, 7=4493

Rosenstock,H.M., Sites,J.R., Walton,J.R. and Baldock,R. Mass spectra of CuCl, CuBr, and CuI, 6=2520

Rosenstock,H.M., Wahrhaftig,A.L. and Eyring,H. Metastable ions in mass spectra, 6=2207

Rosental',I.L. See Podyoretskiĭ,M.I., 5=1231

Rosenthal,A.H. Color control by ultrasonic wave gratings, 5=8630

Rosenthal,I.L. See under Rozental',I.L.

Rosenwasser,H., Dreyfus,R.W. and Levy,P.W. Radiation-induced coloring of sodium azide, 6=3343,

Rosenzweig,A. and Cromer,D.T. The crystal structure of $KAu(CN)_2$, 9=13940

Rosenzweig,L.N. See Rozentsveĭg,L.N.

Rosenzweig,M.R. Comment on Egan's "Remarks on rare PB words", 8=1575

Rosenzweig,N. (Phys.Ref) Level density of a system of Fermi particles, 7=3967. Influence of shell structure on the level density of a highly excited nucleus, 8=729. Spacings of nuclear energy levels, 8=7307

Rosenzweig,W. See Rossi,H.H., 5=7583

Roser,F.X. Problems of large-area scintillation counters, 6=430. See also Gross,B., 9=12908

Roshchin,V.V. See Bronshteĭn,I.M., 9=8225-6

Roshchȳna,H.P., Dadenkova,M.M. and Tarapon,V.A. An investigation of molecular scattering of light in alcohol solutions, 8=6888

Roshchȳna,H.P. and Shȳmans'kȳĭ,Yu.I. The Third Conference on the Liquid State of Matter, 8=6702

Rosi,F.D. Effect of crystal growth variables on electrical and structural properties of germanium, 9=1875. See also Steele,M.C., 9=2259

Rosi,S. See Rinaldi,R., 7=5236

Rosier,L. See Avignon,P., 9=2820

Rosin,S. Mirror condenser for spectrographs, 5= 5977. Concentric lens, 9=10733. See also Lovell,D.J., 5=166

Rösinger,S. Organic compounds as moderators and cooling media in nuclear reactors, 9=8658. See also Breitling,G., 6=762

Rosinski,J. and Lieberman,A. Automatic isokinetic sampling, 9=912

Rosler,L. See Schultz,H.L., 6=6732

Roslyakov,V.V. See Rzhanov,A.V., 7=4340

Rosner,B.S. and Heise,G.A. Anesthesia and hearing, 5=3358

Ross,A.A. Nuclear level densities, 8=730

Ross,A.A., Mark,H. and Lawson,R.D. Nucleon energy levels in a diffuse potential, 6=6071. Nucleon energy levels in a velocity-dependent potential, 7=2521

Ross,B. and Madigan,J.R. Thermal generation of recombination centers in silicon, 8=6998

Ross,D.A. and Hutchinson,F. Lower limit to the rate with which OH radicals react with methylene blue, 8=6483

Ross,D.S. See Kelly,D.H., 9=4416

Ross,H.H. See Ellis,R.H.Jr., 5=3833

Ross,I. See Nicholson,W.Q., 5=9347

Ross,I.G. See Goodman,L., 7=4601; Hunt,G.R., 9=1312

Ross,I.M. See also Barrie,R., 5=3764; Broom,R., 9=10992; Hilsum,C., 7=6183

Ross,I.M. and Saker,E.W. Applications of indium antimonide, 5=9659. A magneto-resistance displacement gauge, 7=3994

Ross,I.M., Saker,E.W. and Thompson,N.A.C. The Hall-effect compass, 8=3094

Ross,J. The statistical mechanical theory of transport processes. IX. Contribution to the theory of Brownian motion, 6=4220. See also Mason,E.A., 7=642; Mori,H., 8=2187; Oppenheim,I., 7=7629; Rice,S.A., 9=11864

Ross,J. and Mason,E.A. The energy of interaction of He^+ and H^-, 7=3476

Ross,J.F. See Hine,G.J., 5=4753

Ross,L.W. Accuracy of solar-flare observations, 7=35

Ross,M. Meson-meson interaction in meson scattering, 5=553. A theory of pion photoproduction, 6=8407. Pion effects on Fermi interactions, 7=2972. Pion–hyperon scattering and K^-–p reactions, 9=6024. See also Kotani,T., 8=9034, 9=5015; Lichtenberg,D.B., 7=103, 8=8247, 9=2622

Ross,M. and Lichtenberg,D.B. Λ-Nucleon potential from hyperfragment data, 9=594

Ross,M.A.S. The β-disintegration of RaD, 7=2593. See also Bayman,B.F., 5=3054; Cochran,A.J., 8=4052; Peat,S.W., 6=1518

Ross,M.A.S., Cochran,A.J., Hughes,J. and Feather,N. The fluorescence yields of the L levels of bismuth, 5=8224. Fluorescence yields of the L levels of Bi, 6=632

Ross,M.H. See Lichtenberg,D.B., 7=9539

Ross,P.M. and Hanau,R. Simultaneous minimization of chromatic and spherical aberrations, 9=7927

Ross,S. and Cutillas,M.J. The transmission of light by stable foams, 6=8108

Ross,W.D. Methods of representing radiation formulas, 5=159

Ross,W.J. See Whale,H.A., 6=5262

Ross,W.L. See Crooker,A.M., 5=5962

Rossberg,D. See also Bass,R., 8=1346

Rossberg,D. and Magun,S. The piezoelectricity of ice, 7=7854

Rossel,J. See also Allemand,C. 5=1807; Berthet,H. 5=6472; Chollet,L., 6=3952; Enz,H., 9=6761; Zangger,C., 5=9047, 9=6144

Rossel,J. and Weber,J. The reaction $K^{40}(nth, p)A^{40}$, 9=7363

Rosselet,P. See also Weill,R., 8=5183-4, 9=12545, 9=13991

Rosselet,P., R.Weill. and Gailloud,M. Production of a hyperfragment by the capture of a negative hyperon, 6=6202

Rosser,S.E. See Weissman,H.B., 5=5557

Rosser,W.A. See Wood,B.J., 7=9942

Rosser,W.A.Jr. and Wise,H. Thermal decomposition of nitrogen dioxide, 6=4056. Gas-phase oxidation of ammonia by nitrogen dioxide, 7=3783. Kinetics of reaction between hydrogen and nitrogen dioxide, 7=5698

Rosser,W.G.V. See Armitage,B.H., 8=1931; Lock,W.O., 5=6455; Muirhead,H., 5=6454

Rosset,J. and Buyle-Bodin,M. On a phase change in paradichlorobenzene at very low temperatures, 9=13226

Rossetti,C. Action of infrared radiation on an ultrasonic steady state, 7=9048

Rossi,A. See Colombo,S., 5=4910, 5=9879 Frauenfelder,H., 6=6864, 7=6504, 7=9853, 8=746-7; Levine,N., 8=8269

Rossi,B. Lectures on fundamental particles, 5=9939. Lectures on the origin of cosmic rays, 6=1337. See also Bridge,H.S., 5=6498, 6=5831; Clark,G., 7=9750; Dilworth,C., 5=9953

Rossi,C. See Bianchi,U., 9=3212

Rossi,G. See Bonetti,A., 6=4002; Caldirola,P., 7=8923, 8=361; Casini,G., 9=11495

Rossi,H.H. and Failla,G. Tissue-equivalent ionization chambers, 6=5343

Rossi,H.H. and Rosenzweig,W. A device for the measurement of dose as a function of specific ionization, 5=7583

Rossi,M.De See De Rossi,M.

Rossikhin V.S. and Tverdokhlebov,V.I. The determination of the electron temperature in a rarefied flame, 8=6918

Rossing,T.D. See also Sanders,R.M., 8=8883

Rossing,T.D. and Legvold,S. Collision excitation of molecular vibrations in halogen-substituted methanes, 5=7230

Rossini,T. See Facchini,U., 7=3578

Rosskopf,F. See Kangro,W., 8=7877

Rössle,E. See also Gardener,M., 7=7179; Lloyd,J.L., 7=7429

Rössle,E. and Schopper,E. Absorption analysis of the star-producing component of cosmic rays. II Nuclear processes in nuclear emulsions, 5=1970

Rössler,F. A proposed explanation of the longest wavelength infrared emission from the high-pressure mercury discharge, 5=169. Measurement of the spectral distribution in the infrared region of the ultraviolet standard, 8=7793. See also Behrens,H., 6=5816; Fünfer,E., 5=6082

Rössler,F. and Pösch,H. Boundary zone effects in the determination of temperatures of luminous flames, 7=320

Rossman,K. Absorption spectrum of polyethylene in the near infrared, 5=8623. See also Narahari Rao,K., 9=3279

Rossmann,K., France,W.L., Narahari Rao,K., and Nielsen,H.H. Infrared spectrum and molecular constants of carbon dioxide. II. Levels 10°0 and 02°0 10°0 and 02°1 coupled by Fermi resonance, 6=4558

Rossmann,K., Narahari Rao,K. and Nielsen H.H. Infrared spectrum and molecular constants of carbon dioxide, I. γ_2 of $C^{12}O_2^{16}$ at 15 μ, 6=2282

Rossmann,K. and Straley,J.W. Fundamental absorption bands of H_2Te, 6=8101

Rossmann,M.G. Radiation from a hollow cylinder, 5=7805

Rossmann,M.G., Jacobson,R.A., Hirshfeld,F.L. and Lipscomb,W.N. An account of some computing experiences, 9=9023

Rossouw,A.J. See Leisegang,E.C., 5=7806

Rossouw,A.S. See Higgins,T.H.S., 6=755

Rossum,L.van See van Rossum,L.

Rosswog,K. See Mecke,R., 6=7381

Rostoker,N. See Brophy,J.J., 6=334; Ekstein,H., 6=941

Rosenbluth,M.N., 9=3599
Rostomyan,M.G. See Babayan,Kh.P., 8=8280
Rostovsky,V.S. See Davydov,A.S., 9=8520
Rot,A. A problem of stationary states in the theory of the double solution, 7=112. On the stationary states of a particle in an enclosure and the theory of the double solution, 7=5053. Airy functions, 8=479
Rotblat,J. See Boag,J.W., 9=7238; Burcham,W.E., 7=9381, 8=6309; Freemantle,R.G., 5=339, 5=1189-90, 5=2180; Gibson,W.M., 8=333
Rotenberg,A. See Spruch,L., 6=6833
Rotenberg,B.A. See Ksendzov,Ya.M., 9=10951
Rotenberg,D.L. See Hisatsune,I.C., 6=2487
Rotenberg,M. Nuclear Hartree-Fock calculations, 6=1465
Rotenberg,M. and Wilets,L. Variational wave function for nuclear matter, 8=5263
Roth,B. See Porter,W.S., 9=1770
Roth,E. The analysis of heavy water by mass spectrometric methods, 5=5067. See also Ceccaldi,M., 7=6000; Goldman,M., 7=4648
Roth,H. Pressure distribution on a wall under impact of a subsonic gas jet, 6=4883. Measurement of the galvanomagnetic effects in pure tellurium, 9=8136. See also van Lint,V.A.J., 9=11010
Roth,H.L. See v.Krzywoblocki,M.Z., 9=1165
Roth,J. Thermodynamic functions of sodium cyanate and potassium cyanate, 9=6857
Roth,J.G. See Swank,R.L., 5=662
Roth,K.W. See Ellyett,C.D., 6=2615
Roth,L. See Zwerdling,S. 9=8134
Roth,L.M. See also Button,K.J., 9=6254; Gold,L., 6=5872, 8=621; Kleiner,W.H., 9=12797; Lax,B., 5=2035, 5=5524, 6=5252, 9=12016; Zwerdling,S., 8=6852, 8=8761, 9=6970, 9=7947
Roth,L.M. and Lax,B. g factor of electrons in germanium, 9=13457
Roth,L.M., Lax,B. and Zwerdling,S. Theory of optical magneto-absorption effects in semiconductors, 9=6971
Roth,L.M. and Pratt,G.W.,Jr. A many-body treatment of dielectric screening for impurity states and excitons in semiconductors, 9=6927
Roth,R.S. Classification of perovskite and other ABO_3-type compounds, 7=5742; See also Burdick,M.D., 5=6542; Coughanour,L.W., 5=5393, 5=6543; Jaffe,B., 6=6607
Roth,W. Nondestructive testing by ultrasound: Objectives and potentialities, 7=4085. Stoichiometry, spectra, and mechanism of light emission for diborane–nitric oxide explosions, 8=9160. Vacuum ultraviolet continuum emission in neon, 9=7942. Vibrational relaxation of CN in the shock tube, 9=12009. Resonance radiation behind shock waves in Xe, 9=13152
Roth,W. and Gloersen,P. Shock-tube study of luminosity in xenon, 9=1269
Roth,W.L. Magnetic structures of MnO, FeO, CoO, and NiO, 9=444. Multispin axis structures for antiferromagnets, 9=2502
Rothberg,G.M. See also Eisenstadt,M., 9=6212, 9=7481
Rothberg,G.M., Eisenstadt,M. and Kusch,P. Free evaporation of alkali halide crystals, 9=5623
Rothe,H. and Kramer,L. The recording of X-ray interference patterns by means of a counter tube and a cadmium sulphide cell. Comparative measurements, 8=4055
Rothem,T. See de-Shalit,A., 8=1162; Lipkin,H.J., 8=5313
Rothen,A. Improved method to measure the thickness of thin films with a photoelectric ellipsometer, 7=5903. Comment on the Rothen photoelectric ellipsometer, 8=2827
Rothenstein,B. On the recovery of internal friction after deformation, 8=7557
Rothenstein,B. and Hrianca,J. The influence of included carbon on the mobility of Bloch walls, 9=2512. The influence of temperature on the distribution of ferromagnetic domains from the standpoint of the coercive force, 9=2514
Rother,H. The stark effect in hydrogen at low field strengths, 6=4987. On the influence of the convection on an arc, 9=3530. Calculation of the effective ionization voltage in plasmas, 9=3592. See also Rompe,R. 9=8244
Rotherham,L. The role of metallurgy in a nuclear energy project, 8=4341
Rothery,R.W. See Herman,R., 9=5526
Rothhardt,L. On association in binary liquid mixtures, 5=6793
Rothkirch,L. On the magneto-resistive change in anistropic semiconductors, 9=12245
Rothman,H. Positive column of discharge in the Ne–Hg mixture at a small discharge current, 8=8004
Rothman,M.A. See also Dubey,V.S., 6=8943; Porter,W.C., 9=3826; Van Patter,D.M., 7=7375, 7=8821
Rothman,M.A., Hans,H.S. and Mandeville,C.E. Gamma rays excited by inelastic scattering of neutrons in various elements, 6=623
Rothman,M.A., Van Patter,D.M., Dubey,V.S., Porter,W.C. and Mandeville,C.E. Inelastic neutron scattering from rhodium and niobium, 7=8170
Rothman,S.J. See also Weil,R., 9=10292
Rothman,S.J. and Fisher,E.S. A note on the elastic constants of uranium, 9=13843
Rothschild [Lord]. Calibration of a calorimeter: a minor peaceful use for plutonium, 9=1389
Rothschild,K., Pecker,J.C. and Roberts,W.O. The prominence of July 25, 1951, 5=5188
Rothschild,S. Some unusual phosphors, 5=3603. Large-screen, high-current photoconductive cells using zinc sulfide, cadmium sulfide, or cadmium sulfide, or cadmium selenide phosphors, 6=8800
Rothschild,S. and Eaton,G.K. The influence of fluxes on the colour of luminescent sulphides of zinc and cadmium, 7=4179
Rothstein,J. Dislocation model of liquids, 5=3486. Rate of exhaust through a tube or orifice, 8=2181. Nuclear spin echo experiments and the foundations of statistical mechanics, 8=6663. Residual concentration of a daughter substance removed by a bimolecular reaction, 8=9044
Rothwell,P. Sound propagation in the lower atmosphere, 6=7094. Cosmic rays in the earth's magnetic field, 8=8098. See also Elliot,H., 7=2385
Rothwell,P., Wade,B. and Goodings,A. Directional measurements on extensive air showers, 7=2375
Rotman,G. Method of determination of mean kinetic energy of electrons in Druyvesteyn–Davydov distribution, 8=8002
Rotshtein,A.Ya. See Mel'nikov,A.V., 9=1581
Rotter,F. Some applications of the four luminance functions of the black-body in precision photometry, 8=7787
Rottgardt,K.H.J. and Berthold,W. Change of luminescent screen properties under electron irradiation in cathode-ray tubes, 6=1103
Rottgardt,K.H.J., Berthold,W. and Dietrich,H. Secondary emission from cathode ray tube screens, 5=1908
Rottmann,H. See Nöldeke,G., 8=312
Rottmann,R. The nuclear quadrupole moment of Mn^{55}, 9=3821
Rouard,P. Study of the structure of thin layers by optical procedures, 6=6962
Rouard,P., Malé,D. and Trompette,J. On the absorption of energy in solid thin films, 7=2050
Rouault,M. and St.Arnaud,C. Structure of the $CH_2 = CH - C \equiv N$ molecule [studied] by electron diffraction, 7=8082
Roubine,E. See Bonnet,M., 6=2257
Roubínek,F. On the problem of chemi-emission, 6=8821. See also Koc,St., 7=6250
Roucayrol,J.C. and Oberhausen,E. An arrangement for the quantitative determination of weak β-ray emitters with fluorescent solutions, 6=619
Roucayrol,J.C., Oberhauser,E. and Schussler,R. Liquid scintillators in filter paper –a new detector, 8=761*
Rouch,J. Observations of the electric field of the atmosphere, made at Monaco during the partial eclipse of the sun of the 20th June, 2954, 5=1400
Roughton,F.J.W. Rapid reactions in biology, 5=5036. See also Pearson,L., 5=5025
Roulston,K.I. See also Williams,R.C., 7=2594
Roulston,K.I. and Naqvi,S.I.H. Reduced Compton effect scintillation spectrometer, 7=1567. Gamma-detection efficiency of organic phosphors, 8=3895
Roult,G. See Hocart,R., 5=8378
Roumegous,A. Wide-band amplifiers in nuclear physics, 6=3455
Rouquayrol,F. See Deloupy,C., 8=3863; Vergnoux,A.M., 6=3667
Rourke,F.M. See also Butler,J.P., 6=7644; Collins,T.L., 7=3569; Eastwood,T.A., 8=7331; White,F.A., 5=3987, 6=3929, 8=3335, 8=8056
Rourke,F.M., Sheffield,J.C., Davis,W.D. and White,F.A. Charge permutation and dissociation of molecular ions by impact with neutral molecules, 9=8784
Rousé,A.G. Centrifugal and Coriolis forces as observed in a rotating system, 9=13045; See also Liuima,F.A., 5=177
Rouse,J.L. See Caro,D.E., 6=416

Rouskol,E.L. The contraction of dense clouds of gas and dust, 6=1788
Rousseau,M. See Canals-Frau,D., 9=5485
Rousseau,M.D. See Belcher,E.H., 5=10158
Rousseau-Gaudiex,M. See Nomarski,G., 5=6069
Rousset,A. See also Bothorel,P., 7=6417; Lochet,R., 6=7324, 6=8118, 7=5221, 7=5256; Rybak,B., 6=2524
Rousset,A. and Lochet,R. On the anisotropic scattering of aqueous solutions of isotropic ions, 5=3655
Rousset,A., Lochet,R. and Dubarry,J.L. Molecular phosphorescence at liquid nitrogen temperature. Vibrational structure of some aromatic and heterocyclic derivatives, 9=9462
Rousset,A., Lochet,R., Lacueille,R. and Meyer,Y. Study of transfers of activation in molecular crystals, starting from retarded fluorescence of impurities in solid solution, 9=12106
Roussopoulos,P. On the theory of non-stationary processes in quantum mechanics, 7=6906
Roussopoulos,P. and Vardalakis,G. On the lifetime of excited states and the width of spectral lines in quantum electrodynamics, 7=6907
Roussopoulos,P.N. On the scattering of neutron by an atom of hydrogen, 6=4022. On the interaction between a molecular gas and radiation, 8=6670
Rout,H.K. See Dutta,A.K., 7=134
Rout,R.J. See Barker,P.R., 5=3858, 5=4093
Routly,P.M. See Bell,G.D., 9=10759, 9=12002; Davis,M.H., 5=7828; Olsen,K.H., 5=7827, 9=13156
Rouvina,J. See Jones,W.B., 5=9692, 7=6299
Roux,D. Indirect nuclear spin interactions in weak fields, 9=12477; See also Beeler,R., 6=1380, 6=5240, 7=9341
Roux,D.P. and Bene,G.J. Nuclear magnetic resonance splittings in very weak fields (35-15 gauss), 7=5521
Roux,E.Le See Le Roux,E.,
Roux,H.le. See le Roux,H.
Roux,J. The photodielectric effect in the sulphide and oxide of zinc, 6=7385. The photodielectric effect obtained with ZnS(Cu, Co) and ZnS(Cu, Ni), 7=4212
Roux,M. See also Besnainou,S. 5=9805, 7=6379, 9=10182
Roux,M., Besnainou,S. and Daudel,R. Investigations into the distribution of the electron density in molecules. I. Effect of chemical bonds, 6=3901
Roux,M. and Daudel,R. On the theory of directed valence: polarization of a carbon atom by a proton, 5=5578
Rouze,S.R. See Grube,W.L., 5=239
Rouzeyre,M. See Rabinovitch,J., 9=1347
Röver,W. See Cap,F., 5=821
Roveri,A. See Barbanti-Silva,L., 7=506; Iori,I., 5=9339
Rovinskiĭ,B.M. and Lyuttsau,V.G. Relaxation of oriented microscopic stresses. I, 7=9433. Relaxation of nonoriented microstresses. II, 9=5209
Row,M.V.J. and Rao,S.R. Wobbling of an audio note due to a rotating target, 6=8634
Row,R.V. Theoretical and experimental study of electromagnetic scattering by two identical conducting cylinders, 5=8097 See also Keilson,J. 9=13514
Rowe,A.H. See Makin,S.M., 7=7449
Rowe,G.W. Vapour lubrication of titanium and zirconium, 6=5466. See also Bowden,F.P., 5=3202, 6=3326; Golden,J., 8=3529
Rowe,W.C. See Wild,J.P., 5=15
Rowen,J.H. and von Aulock,W. Measurement of the complex tensor permeability of ferrites, 5=1053
Rowland,F.S. Ratio of HT/HTO in the atmosphere, 9=9064; See also Fireman,E.L., 5=3097; Markowitz,S.S., 9=3890; Wolfgang,R., 5=9902
Rowland,F.S. and Wolfgang,R. Tritium-recoil labeling of organic compounds, 7=3580
Rowland,F.S. and Wolfgang,R.L. Production of He^{6} by high-energy protons, 8=9046. Absolute assay and study of short-lived radionuclides by a recoil technique, 8=9048
Rowland,P.R. Preparation of the specimens for the electron diffraction camera, 5=4124. A three-dimensional face-centred cubic model for the study of crystal phenomena, 5=7501
Rowland,R.E. Cascade gamma rays from $_{84}$Po^{214} (RaC′), 5=9058 See also Miller,C.E., 6=5972
Rowland,T.J. Knight shift measurements for Ba^{135}, Ba^{137}, Cd^{111}, and Cd^{113}, 7=629. Pt^{195} nuclear magnetic resonance in metallic platinum, 9=9844. See also Bloembergen,N., 5=4830; Hubbard,P.S.,Jr, 8=5696; Walchli,H.E., 6=6081
Rowland,T.J. and Bromberg,J.P. Nuclear magnetic resonance of molten and solid thallium salts, 8=9127
Rowlands,G. See Gugan,D., 8=8139; Rhodes,P., 5=6287; Teale,R.W., 8=1135
Rowlands,J.R. See Hush,N.S., 7=3141
Rowley,J.C. See Naghdi,P.M., 5=2252
Rowlinson,J.S. The reduced equation of state, 7=1241. See also Booth,C., 5=5732; Jepson,W.B., 5=9479, 8=3772
Rowlinson,J.S. and Sutton,J.R. The statistical thermodynamics of solutions of non-spherical molecules. I. The thermodynamic functions, 5=4418. II. Liquid-vapour equilibrium and the formation of azeotropes, 5=5258
Rowntree,R.F. See Cox,J.T., 7=9111
Rowson,B. Measurements of the angular diameters of two galactic radio sources at a wavelength of 10. 7 cm, 7=4985
Roy,A. See Chakraborty,S.C., 7=3788
Roy,A.N. See Bhattacharya,A., 6=105
Roy,D. See Kar,K.C., 6=3491
Roy,D.J.Le. See Le Roy,D.J.
Roy,D.K. See Das,T.P. 5=2954, 5=5739, 5=9245, 7=3824; Ghose,T., 7=9795, 7=9831, 8=7321, 9=8352; Saha,A.K., 7=626
Roy,G.M. See West,J.M., 9=12707
Roy,J.C. Evidence for neutrons with an energy of 20. 3 MeV in the NRX reactor, 9=10136. See also Eastwood,T.A., 9=10135; Roy,L.P., 7=4662, 8=5383
Roy,J.C., Berry,P.J. and Roy,L.P. Reactor neutron-capture cross section of 18-minute Rb^{88}, 8=4320
Roy,J.C., Eastwood,T.A. and Hawkings,R.C. Evidence for the formation of long-lived Bi^{208} by the (n, 2n)reaction on bismuth, 9=596
Roy,J.C. and Kohman,T.P. Iron 60, 7=8123
Roy,J.C. and Roy,L.P. Radioactive decay of Au^{200}, 9=7313. Effective and thermal neutron capture cross section and resonance capture integral of Pr-143, 9=11474
Roy,J.C. and Wuschke,D. Neutron capture cross section of I^{129} and I^{130}, 9=2822
Roy,L.P. See also Roy,J.C., 8=4320, 9=7313, 9=11474
Roy,L.P. and Roy,J.C. Reactor neutron capture cross section of 51 day Sr^{89}, 8=5383
Roy,L.P., Roy,J.C. and Merritt,J.S. New radioisotope of platinum — Pt^{200}, 7=4662
Roy,L.P. and Yaffe,L. Pile neutron capture cross section of 33 HR. Ce^{143}, 7=721. Thermal neutron capture cross section of Ce^{142}, 7=722. Search for successive neutron capture reactions on Mg^{26}, Si^{30} and Cr^{54}, 7=4733
Roy,N.K. On the Raman spectra of styrene and polystyrene at -180°C, 5=862
Roy,P.K. K^{-}-absorption in nuclei, an isobaric spin and angular momentum analysis, 9=2836. Low-energy application of relativistic K-meson-nucleon, 9=10616
Roy,R. See also Verma,J.K.D., 6=8296
Roy,R. and Verma,J.K.D. Polarization of electromagnetic waves for vertical propagation in the ionosphere, 8=4188
Roy,R.R., Goes,M.L. and Berger,J. Angular distribution of photoelectrons, 6=2120
Roy,R.R., Goes,M.L. and Kozlowitz,I. The angular distribution of electrons in the Compton effect, 7=9371
Roy,R.R., Goes,M.L. and Pirson,A. The de-excitation of C^{12} by the emission of a nuclear pair, 7=9352
Roy,R.R., Lagasse,A., Goes,M.L., Achari,R. and de Henau,A. The excited states of C^{13}, 7=9324
Roy,R.R., Lagasse,A., Goes,M.L. and Diltoer,J. K-shell ionization of various elements by alpha-particles, 6=3110
Roy,R.R., Lagasse,A., Goes,M.L. and Moerman,R. On the O^{18}(α, n) Ne^{21} reaction, 6=1556
Roy,S.B. Ultraviolet absorption spectra of frozen solutions of o-, m- and p-chlorotoluene in isobutyl alcohol, 6=8098. Ultraviolet absorption spectra of solutions of bromotoluenes in isobutyl alcohol at different temperatures, 7=7737. Electronic spectra of o-chlorophenol in different environments and at different temperatures, 9=3284
Roy,S.K. See Dingle,R.B., 8=843-5; Krishnan,K.S., 7=3121; MacDonald,D.K.C., 5=4824
Roy,S.K.Dutta See Dutta Roy,S.K.
Roy,S.K.Ghosh Roy,S.K.
Roy,T.C. Radiation damping in Compton scattering, 5=3077. Consideration of energy flow in the vibration of a stellar model, 5=4322
Roy,U.B. See Bhattacharyya,R., 7=8264
Roy-Pochon,C. Colours by lamplight, 5=4576
Royal,J. See Bowman,M.G., 6=6947; Neubert,T.J., 6=6947
Royce,M.R. See Hadley,C.P., 7=2161

Royden,H.N. and Caldwell,D.O. Calibration of current integrators for small beam currents, 6=7390
Royden,H.N. and Wright,B.T. Small-angle proton-proton scattering at 20 MeV, 9=4911
Royden,V. Measurement of the spin and gyromagnetic ratio of C^{13} by the collapse of spin-spin splitting, 5=1122
Royer,G.L. Lawrence,H.C., Kodama,S.P. and Warren,C.W. Manual and continuous recording attachments for the Beckman model DU spectrophotometer, 5=6887
Royer,H. See Françon,M. 5=4501
Royer,L. Thin films and epitaxy, 6=6959
Royon,J. Experimental study of the diffusion of ions through electrolytic deposits under the influence of an electric field, 6=7787
Royston,R.J. The linear extrapolation length at the surface of an imperfectly absorbing cylinder, 5=4978. The absorption of neutrons by a small, strongly absorbing rod, 5=6527
Rozanova,N.B. and Granovskiĭ,V.L. On the initiation of the electrical breakdown of a gap in high vacuum, 6=8811. Phenomena at the electrodes during a powerful electric breakdown in high vacuum, 7=4413
Rozen,B.Ya. See Akhumov,E.I., 7=2772
Rozenberg,G.V. Stokes' vector-parameter, 6=1138. Present state of the theory of the optical properties of semi-transparent metal coverings, 6=6545. Optical conditions inside a scattering medium and spectroscopy of disperse substances, 9=13193
Rozenberg,G.V. and Mikhaĭlin,I.M. Experimental discovery of ellipticity of polarization of scattered light, 9=5594. Review of methods for rendering ultrasonic fields visible 6=4919. A calculation of the amplification of cylindrical sound focus-systems, 6=4935. Conditions for obtaining maximum ultrasound concentration, 7=1976. The efficiency of ultrasonic focusing radiators, 8=926. See also Bebchuk,A.S., 8=3761, 9=6577; Kanevskiĭ,I.N., 8=924; Makarov,L.O., 8=3762; Oshchepkov,P.K., 6=4929; Rozenberg,L.D. See Rosenberg,L.D.
Rozenberg,L.D. and Kazantsev,V.F. The physics of ultrasonic matching of solid materials, 9=13868
Rozenberg,M. The nature of the coercive force of polycrystalline ferromagnetic materials, 9=13436
Rozenblat,M.A. On the design of magnetic modulation detectors for magnetic field intensity [measurement], 8=227
Rozenshteĭn,L.D. See Bazhenov,N.M., 7=2091; Vartanyan,A.T., 9=8149
Rozental',I.L. On the Fermi theory of multiple production of particles in the collision of nucleons, 5=3456. Relativistic transformations and the laws of conservation of energy/momentum. Applications to certain problems of the physics of cosmic rays, 5=5857. A quasi-unidimensional interpretation of the hydrodynamical theory of multiple particle production 7=1074. On the spatial characteristics of the nuclear-active component of extensive showers of cosmic rays, 7=6314. The possible multiple production of μ-mesons, 9=11386. See also Belen'kiĭ,S.Z., 6=6940, 8=5177; Emel'yanov,A.A., 8=2456; Maksimenko,V.M., 8=4749; Milekhin,G.A., 8=4101; Nikishov,A.I., 9=2773; Podgoretskiĭ,M.I., 6=62; Zatsepin,G.T., 7=7199
Rozental',I.L. and Strel'tsov,V.N. On traversal of matter by high energy μ-mesons, 9=12572
Rozentsveĭg,L.N. Modification of the double proton scattering experiments, 6=6721. Polarized neutrons from the reaction D (γ, n), 7=2664. On production of a pencil of polarized electrons, 7=4440. See also Akhiezer,A.I., 8=1832; Gerasimenko,V.I., 7=3400; Kresnin,A.A., 7=6270; Sitenko,A.G., 7=8164; Vȳsotskiĭ,G.L., 8=1726
Rozentsveĭg,L.N. and Sitenko,A.G. Disintegration of relativistic deuterons in the electric field of the nucleus, 6=6163
Rozes,J. See Prache,P.M., 9=12206
Rozgachev,K.I. Stepwise excitation of mercury atoms by electron impact, 9=8680
Rozgachev,K.I. and Fabrikant,V.A. The step-by-step excitation of atoms, 7=9340
Rozhanskiĭ,V.N. See also Feĭgin,L.A., 7=9464; Shchukin,E.D., 8=3082
Rozhanskii,V.N. and Dekartova,N.V. On the phenomenlogy of damping of torsional oscillations in metal wires, 9=8936
Rozhanskiĭ,V.N., Dekartova,N.V. and Bakeeva,I.A. Regularities in the production of single crystals of zinc by the method of zone crystallization, 8=4525
Rozhdestvenskiĭ,V.V. See Alkhazov,D.G., 9=7307
Rozis-Saulgeot,A.M. Constancy of the absorbing properties of interstellar matter, 6=5614, See also Divan,L. 7=9507. Contribution of Balmer lines to the u magnitude on the photoelectric 3-colour (u, b, v) ultraviolet, blue and yellow system, 9=7748*. On force-free magnetic fields, 9=8375. Highly ionized regions of interstellar matter, 9=9134. The influence of interstellar reddening on the contribution of the Balmer lines to photoelectric magnitudes, 9=12970
Rozkoš,M. The (γ, p) reaction on indium, 9=7359. (γ, p) reaction in cobalt, 9=8621. See also Dlouhý,Z., 5=9924
Rozkoš,M. and Petržīka,V. The dependence of the density of photographic emulsions on the energy of β-radiation, 6=8544
Rozman,I.M. Yield of luminescence in organic scintillators, 5=6954. The relationship between temperature and the luminescent yield of plastic scintillators with triphenylpyrazoline, 7=9630. Plastic scintillators, 9=6769. Theory of quenching of fluorescence in solutions, 9=9477. The dependence of temperature of the luminescence yield in plastic scintillators of polystyrene base, 9=10847. See also Andreeshchev,E.V., 7=9631, 9=10850; Kilin,S.F., 9=9458, 9=12123-4
Rozman,I.M. and Tsimmer (Zimmer),K. The damage to plastic scintillators by ionizing radiations, 7=7782
Rozman,I.M. and Zimmer,K.G. The damage to plastic scintillators by ionizing radiations, 8=987. On the use of plastic scintillators for dose measurements, 8=1917
Rozner,B. See Burde,J., 7=8132
Rozovskiĭ,M.I. The radial deformation of an anisotropic hollow sphere possessing elastic remanence, 7=1089. Concerning the magnetization of bodies in the presence of magnetic viscosity, 7=9273
Rozsival,M. See Semiletov,S.A., 8=3493
Rozycki,H.J. Inexpensive free-fall apparatus, 7=3029
Rozzi,G. See Cottini,C., 6=5175
Ruamps,J. Emission spectrum of the molecule CuAu, 5=1686. On intensity calculations in the band spectra of diatomic molecules (for the case of the harmonic oscillator), 7=5171. On the calculation of intensities of bands in diatomic spectra (for the harmonic oscillator). Development in a converging series for the particular case $\omega_1 = \omega_2$, 7=6992. Method of approximation of rapid convergence for the wave-functions of the anharmonic oscillator, 7=9015
Ruane,T.F. Spiegel,V.,Jr, 9=4894
Ruark,A.E. See Fitz,H.C.,Jr, 9=3714
Rubbia,C. See also Baker,W.F., 9=137698; Bassi,P., 9=6568; Conversi,M., 9=3612, 9=8267-8, 9=9975; Focardi,S., 7=9242
Rubbia,C. and Toller,M. On the applicability of ^{4}He gas scintillators as analyzers of neutron energy and polarization, 9=3690
Rubbia,C. and Torelli,G. A new type of pulse-height analyser for rapid pulses, 9=8424
Rubbino,A. See Cavallaro,S., 9=671; Cortini,G., 9=669; Emma,V., 9=670; Milone,C., 7=9882, 8=7381, 9=13684
Ruben,G. Polarization of light at aluminized [glass-] coelostat mirrors, 9=9533
Rubenstein,C. A general theory of the surface friction of solids, 7=2760. See also Mack,C., 9=888
Rubenstein,H. See Hale,M.E., 9=8298; Pollack,I., 9=1977, 9=6658
Rubenstein,L.S. Porperties of Zircaloy-2, 9=12820
Rubenstein,R.A. and Snyder,J.N. New treatment of the Auger effect and the fluorescence yield in the lighter elements, 5=4926. Theoretical analysis of the charge distribution on the recoil Cl ions from K capture in A37, 5=8182
Rubesh,É Production of oriented germanium crystals by the contact method, 9=1934
Rubin,A. See Ajzenberg-Selove,F., 6=6899
Rubin,A.G. Angular distributions of neutrons from $Al^{27}(d, n)Si^{28}$, 8=336. See also Cohen,B.L., 9=5036, 9=5041, 9=10091
Rubin,A.G., Ajzenberg-Selove,F. and Mark,H. Energy levels of Si^{28}, 7=2652
Rubin,A.G., Johnson,G.D. and Reynolds,J.B. Neutrons from the proton bombardment of P^{31}, 7=2643
Rubin,E.L. See also Sundheim,B.R., 7=3221
Rubin,E.L. and Sundheim,B.R. Radial distribution functions in binary gas mixtures, 9=1167
Rubin,H. See also Zwislocki,J., 8=2722, 9=4189
Rubin,H. and Collins,F.C. Concentration over potential at reversible electrodes, 5=3224
Rubin,M. and Suess,H.E. U.S. Geological survey radiocarbon dates. III. 6=5547

Rubin,N.B. See Kotov,V.I., 8=5985, 8=7089

Rubin,R. See Heinrich,F., 5=9086

Rubin,R.J. Quantum-mechanical properties of a one-dimensional system composed of hard spheres, 5=8112. See also Bazley,N.W., 9=1844; Herman,R., 5=4836, 7=2469, 8=9102, 9=5526, 9=13084; Wall,F.T., 7=8085

Rubin,R.J. and Shuler,K.E. Relaxation of vibrational nonequilibrium distributions. I. Collisional relaxation of a system of harmonic oscillators, 6=7163. II. The effect of the collisional transition probabilities on the relaxation behavior, 6=7164. III. The effect of radiative transitions on the relaxation behavior, 7=3988

Rubin,S. See also Tautfest,G.W., 6=6895

Rubin,S., Passell,T.O. and Bailey,L.E. Chemical analysis of surfaces by nuclear methods, 7=6683. Proton elastic scattering cross-sections of Si, Cl, K, Sc, Ti, and Mn, 9=10098

Rubin,S. and Sachs,D.C. High-resolution magnetic spectrometer, 6=418

Rubin,T. and Leach,R.O. An investigation of the low pressure photolysis of acetone by means of the mass spectrometer, 5=1331

Rubinow,S.I. Variational principle for scattering with tensor forces, 5=4378. See also Feshbach,H., 5=4379; Sartori,L., 9=4915

Rubinow,S.I. and Wu,T.T. First correction to the geometric-optics scattering cross section from cylinders and spheres, 6=8877

Rubinowicz,A. On a generalization of the reciprocity theorem for solutions of the oscillation equation with multipole sources, 6=3860. Propagation of discontinuities in electromagnetic intensities and proof of uniqueness for the initial value problem for Maxwell's equations, 6=4524. The law of the conservation of momentum and the propagation of discontinuities in electromagnetic intensities, 6=4525. The diffraction wave in Kirchhoff diffraction theory, 8=3003

Rubinshteĭn,L.I. On the question of the uniqueness of the solution to the one-dimensional Stefan's problem in the case of a one-phase initial state of a heat-conducting medium, 8=2288

Rubinshtein,R.N. and Fistul',V.I. Determination of the surface conductivity of semiconducting crystals by the "wedge" method, 9=13287

Rubinson,W. and Howland,J.J.,Jr. K-electron ejection in the beta decay of S^{35}, 5=2139

Rubtsov,V.I. See Baradzeĭ,L.T., 8=3217, 8=3367

Ruby,L. See also Ehlers,K.W., 9=1535; Gow,J.D., 9=8467; Jakobson,M., 7=1383

Ruby,L., Heusinkveld,M., Jakobson,M., Smith,B.H. and Wright,B.T. Studies with a three-dee three-phase proton cyclotron, 6=7472

Ruby,S.L. See also Babcock,R.B., 9=12524; Rustad,B.M., 5=4031

Ruby,S.L., Schupp,F.D. and Wolley,E.D. Effect of monoenergetic fast neutrons on n-type germanium, 9=4045

Ruby,W.R. Mixing machine of high precision for study of rapid reactions, 5=6570

Rüchardt,H. Production and destruction of α centres in KBr crystals, 5=8391. Ionic disorder in X-irradiated KBr crystals, 6=8476. See also Overhauser,A.W., 9=5160

Ruckenstein,E. See Friedländer,E., 9=8451

Rücker,D. The electroluminescence of silicon carbide, 8=7843

Rudakov,S.N. See Lyamshev,L.M., 6=8062, 7=4076

Rudakov,V.P. See Vlasov,N.A., 9=11447

Rudberg,E. See Borelius,G. (Conf. rep.), 7=3933, 8=4694

Rudberg,H. On the theory of relativistic diffusion, 8=29. The compactification of a Lorentz space and some remarks on the foundation of the theory of conformal relativity, 8=30

Rudd,J.F. See also Andrews,R.D., 6=8716, 8=5879

Rudd,J.F. and Andrews,R.D. Birefringence changes during retraction of oriented polystyrene monofilaments. II. Changes in radial distribution of birefringence, 6=8717. Birefringence changes during retraction of oriented polystyrene monofilaments. III. Correlation with internal stress changes, 9=4494

Rudd,J.F. and Gurnee,E.F. Photoelastic properties of polystyrene in the glassy state. II. Effect of temperature, 8=5820

Rudenko,N.S. See Bogoyavlenskiĭ,I.V., 8=2000; Grigor'ev,V.N., 8=1999

Ruder,R. See Maurer,R., 6=6947

Ruderman,I.W. See Heindl,C.J., 6=8413

Ruderman,M. See also Cini,M., 9=2623; Gatto,R., 8=6162, 9=1649; Nishimura,K., 7=6546

Ruderman,M. and Karplus,R. Spin of the Λ° particle, 6=4013

Ruderman,M.A. See also Bludman,S.A., 6=3262; Drell,S.D., 7=6269; Gasiorowicz,S., 7=8416, 8=2796; Goebel,C.J., 6=83; Karplus,R., 5=5888

Ruderman,M.A. and Gasiorowicz,S. Limits on coupling constants in field theories with finite sources, 8=6634

Rudik,A. See Okun',L., 7=9913

Rudik,A.P. See Berestetskiĭ,V.B., 9=2770; Berestetsky,V.B., 8=6255, 9=1741; Geshkenbein,B.V., 9=13642; Ioffe,B.L., 7=3002, 7=8386

Rudin,M. Criteria for thermodynamic equilibrium in gas flow, 9=2145

Rudinger,G. On the reflection of shock waves from an open end of a duct, 5=7777. Improved wave diagram procedure for shock reflection from an open end of a duct, 6=147

Rudkjobing,M. On the density and temperature dependence of the free-free hydrogen transition probabilities, 5=5200. The solar photospheric emission lines inside H and K, 8=3652

Rudloff,A. See Reizler,W., 5=3853*

Rudnaya,A.I. The effect of the electromechanical inertia of mirror galvanometers on the results of the thermometer time-lag constant determination, 8=5847

Rudnick,I. On the attenuation of high amplitude waves of stable saw-tooth form propagated in horns, 8=2198. On the attenuation of finite amplitude waves in a liquid, 8=8641

Rudnick,P. See Glass,N.W., 9=4693

Rudolph,H. Photoelectric polarimeter attachment, 5=1744

Rudolph,H.D. See Maier,W., 5=9498

Rudolph,J. The influence of oxygen, hydrogen and water vapour on the electrical conductivity of barium oxide and barium strontium oxide, 9=5671. The conduction mechanism of oxide semiconductors at high temperatures, 9=13276

Rudolph,O.B. See Werner,G.K., 5=3248

Rudolph,P.S. See Lind,S.C., 7=9446; Melton,C.E., 9=1561, 9=7125

Rüdorff,W. and Kändler,J. Lithium-nickel fluoride, Li_2NiF_4, a fluorspinel, 8=228

Rudstam,G. Spallation of medium weight elements, 7=7370

Rudstam,S.G. Spallation of elements in the mass range 51-75, 5=4051

Rudström,L. The K X-ray absorption edge of aluminum in metal and oxide, 8=7067. See also Nordfors,B., 8=8019

Rudström,L. and Sjöberg,S. On the L_1 X-ray absorption spectrum of metallic and vitreous selenium and of selenium dioxide, 8=5945

Rudyak,V.M. See Ivlev,V.F., 8=7195

Ruedenberg,K. Free-electron network model for conjugated systems. V. Energies and electron distributions in the FE MO model and in the LCAO MO model, 5=1103*. Theorem on the mobile bond orders of alternant conjugated systems, 9=1841. See also Ham,N.S., 6=7596-7, 7=6379, 9=1838-9

Ruedenberg,K., Roothaan,C.C.J. and Jaunzemis,W. Study of two-center integrals useful in calculations on molecular structure. III. A unified treatment of the hybrid, coulomb, and one-electron integrals, 6=5294

Ruedl,E. See Cremer,E., 8=8467

Ruegg,H. See Wanders,G., 8=6637

Ruehle,A.E. See Wooten,L.A., 5=3856

Ruehle,R.A. See Singer,S., 6=2204

Ruehrwein,R.A. and Hashman,J.S. Formation of ozone from atomic oxygen at low temperatures, 9=7568

Ruelle,D. Representation of the isobaric spin of particles with strong interactions, 8=7694. Representation of forms in ψ and ψ^f, 9=1087. Analyticity of Wightman functions at completely space-like points, 9=6510

Rüetschi,P. and Delahay,P. Hydrogen overvoltage and electrode material. A theoretical analysis, 5=3225. Influence of electrode material on oxygen over voltage: a theorectical analysis, 5=5043. Potential at zero charge for reversible and ideal polarized electrodes, 5=5693. Electron theory of metals and hydrogen overvoltage, 5=9211

Rüetschi,R. See Debrunner,P., 6=3967, 9=7318; Heer,E., 5=9344, 6=1472, 6=3109

Ruffino,G. An algebraic electronic counter for interference fringes, 8=6884

Ruffler,H. The alteration of the luminescence of manganese-activated cadmium chlorophosphate by bismuth, 9=6758

Ruhl,H.D. See Herscher,L.W., 8=959

Rühl,W. On the structure of thin sheets of salt condensed at low temperatures. I. Alkali halides, 6=2559. II. the halides of heavy metals Cu, Ag and Tl, 6=2560

Ruijgrok,T.W. Exactly renormalizable model in quantum field theory. I. The diagram analysis, 8=2772. II. The physical-particle representation, 8=2773

Ruijgrok,T.W. and van Hove,L. Exactly renormalizable model in the quantum theory of fields, 7=8377

Ruiz,J. Cano. See Cano Ruiz,J.

Rukenshteĭn,É. See Fridlender,É., 9=1570

Rukhadze,A.A. On the problem of the interaction of nucleons through the pseudovector meson field, 6=919. The problem of the two-nucleon interaction in the Tamm-Dancoff method, 9=13021. See also Agranovich,V.M., 9=1625, 9=2577; Agranovich,V.N., 9=9933; Anishchenko,Yu.V., 8=1830; Popov,Yu.M., 6=3281

Rukpaul,K. See Shoffa,G., 9=2505

Rumer,Yu.B. Action as coordinate of space. VIII, 5=33; IX, 5=34

Rumer,Yu.B. Tensor analysis and Lamé metrics, 5=6718. See also Pokrovskiĭ,V.L., 7=1899, 8=1492

Rumfelt,A.Y. and Como,R.J. Rapid insertion device for coaxial attenuators, 9=11298

Rumsey,N.J. Note on a suggested method for evaluating image sharpness, 5=8676. The effect of eccentric loading of optical flats during grinding or polishing, 5=8679. The eccentric loading of optical flats during grinding, 7=7528

Rumsey,V.H. Kinetics of piles with reflectors, 5=536

Rumsh,M.A. Electron diffraction camera of a simplified design, 7=1372. See also Berlaga,R.Ya., 8=7022

Rumyantsev,V.V. The stability of equilibrium of a solid containing cavities filled with a liquid, 9=13046

Rumyantseva,E.I. See Kleshchevnikova,S.I., 9=1463

Runciman,W.A. Atomic configurations in luminescent centres, 5=3612. Fluorescent centres in uranium-activated sodium fluoride, 5=7859. Absorption and emission spectra of bismuth-activated phosphors, 5=8605. The liminescence of uranium-activated sodium fluoride, 6=8692. Stark-splitting in crystals, 7=4136. Luminescence centres in fluorides activated by uranium, 7=4185. Optical fluorescence in non-destructive testing, 8=3887. Absorption and fluorescence spectra of ions in crystals, 8=5777. Analysis of the spectra of gadolinium salts, 9=9400. See also Curry,N.A., 9=13963 Douglas,A.S., 5=7306; Elliott,J.P., 7=8787

Runcorn,S.K. Recent progress in the theory of the main geomagnetic field, 5=6639. Rock magnetism-geophysical aspects, 5=7547. The electrical conductivity of the earth's mantle, 5=7561. Experiments on the displacement of the ultraviolet absorption edge of olivine at high pressures, 6=6521. Core motions and reversals of the geomagnetic field, 6=9061. On the interpretation of stellar magnetic fields, 7=3928. Rock magnetism, 9=7662

Runcorn,S.K. and Tozer,D.C. The electrical conductivity of olivine at high temperatures and pressures, 6=9066

Rundle,R.E. The structure of ice, 5=10067. Antiferromagnetic ordering and electronic structure of $CuCl_2.2H_2O$ as determined from nuclear magnetic resonance, 8=6049. See also Atoji,M., 9=6381; Dahl,L.F., 7=8947-8, 7=9467; Florio,J.V., 6=9050; Martin,D.S.Jr, 7=888; Nakamoto,K., 6=4554; Smith,H.G., 8=4519

Rundle,R.E., Nakamoto,K. and Richardson,J.W. Concerning hydrogen positions in aquocomplexes-$CuCl_2.2H_2O$, 6=1455

Rundo,J. An apparatus for the measurement of γ-radiation from the human body, 5=9884

Rundqvist,S. Crystal structure of Ni_3B and Co_3B, 9=2994

Runnals,O.J.C. The crystal structures of some intermetallic compounds of plutonium, 7=901. UO_2-fabrication and properties, 9=12713. See also Hanna,G.C., 6=8975

Runnalls,O.J.C. and Boucher,R.R. Neutron yields from americium-beryllium alloys, 6=1632. Neutron yields from actinide–beryllium alloys, 6=8974

Runyan,W.R. Growth of large diameter silicon and germanium single crystals, 7=3815. Growth of large diameter silicon and germanium crystals by the Teal–Little method, 9=10357

Runyan,W.R. and Anderson,R.E. Mechanical impedance measurements of soils, 6=1922

Runyan,W.R. and Nolle,A.W. Nuclear magnetic resonance study of liquid crystal transitions, 8=79

Rupert,A. See Galambos,R., 9=6422

Rupp,E. See Györgyi,G., 7=7284

Ruppel,W. On the field effect in insulating ZnO powder, 8=7961. See also Gerritsen,H.J., 9=6989; Lautz,G., 5=8784, 6=7394; Parmenter,R., 9=13279

Ruppel,W., Gerritsen,H.J. and Rose,A. An approach to intrinsic zinc oxide, 9=6983

Ruppersberg,H.K. A method for determining complex dielectric constants at wavelengths of 8 to 80 cm and temperatures to −150°C, 8=6937

Rupprecht,G. Experiments on the electrical and photoconductivity of thin films of indium oxide, 5=1823. Measurement of germanium surface states by pulsed channel effect, 8=5887

Rupprecht,H. On the anomalous temperature dependence of the Hall coefficient of lightly doped p-type InAs, 9=8118. Concentraction and mobility of electrons in zinc oxide single crystals of definite composition, 9=8132

Rupprecht,H. and Weiss,H. The anomaly of the Hall coefficient of lightly p-doped InAs, 9=12309

Rupprecht,J. and Heck,C. Anisotropy of the dielectric properties of oriented barium ferrite, 9=3421

Rusakov,I.G. Equivalent lay-outs for elements of oscillatory systems with distributed constants, 6=4896

Rusakov,S.V. See Belousov,A.S., 9=2641

Rusakov,V.A. See Dzhelepov,V.P. 7=3625; Ivanov,V.G., 7=4459, 7=4701

Rusanov,V.D. See Logunov,V.N., 8=2354, 8=7087

Rusbridge,M.G. On the reaction $^{13}C(\alpha, n)^{16}O$, 7=2631

Rusconi-Muller,C. See Glansdorff,P., 7=3184

Rush,J.H. A semi-annual periodicity in the beginnings of recurrent magnetic storm series, 5=5755

Rush,P.E. See Bradley,D.E., 7=9963; Charsley,P., 8=3565

Rush,P.P. See Green,L.C., 7=3560, 9=8677

Rushbrooke,G.S. See also Pearson,F.J., 8=69; Wood,P.J., 8=1768

Rushbrooke,G.S. and Scoins,H.I. On the Ising problem and Mayer's cluster sums, 5=5902

Rushbrooke,G.S. and Wood,P.J. On the high-temperature susceptibility for the Heisenberg model of a ferromagnet, 6=2224. On the Curie points and high temperature susceptibilities of Heisenberg model ferromagnetics, 9=13423

Rushton,E. Effects of irradiation on the dielectric properties of polythene, 9=5174

Rushton,W.A.H. Physical measurement of cone pigment in the living human eye, 7=6789

Rushton,W.A.H., Campbell,E.W., Hagins,W.A. and Brindley,G.S. The bleaching and regeneration of rhodopsin in the living eye of the albino rabbit and of man, 5=4249

Rushworth,F.A. See Lawrenson,I.J., 9=1880, 9=12493

Rusinov,L.I. See Gvozdev,V.S., 7=6446, 8=4277; Kel'man,V.M., 6=5375; Kogan,A.V., 8=5292

Ruska,E. See also Arend,H., 5=2786; Müller,K., 5=5444; Riecke,W.D., 9=3570

Ruska,E. and Wolff,O. A 100 kV transmission electron microscope for high resolution and small field, 6=5927

Ruske,W. On the magnetic properties of thin electrolytically deposited nickel films, 9=7164; Thin nickel films with very large coercive force and high energy product, 9=13437

Rus'kin,V.I. Interpretation of the maximum in the total cross-section of proton–proton scattering in the 1 BeV region, 9=12555. Account of resonance $\pi - \pi$-interaction within the framework of Fermi's statistical theory of multiple-production of particles, 9=12582

Ruskol,E.L. See Safronov,V.S., 7=12

Russek,A. Exchange moment contributions to a modified shell model, 5=9004. Collective motion in a modified shell model, 8=1895. See also Karp,S.N., 6=7558

Russek,A. and Thomas,M.T. Ionization produced by atomic collisions at keV energies, 8=8846; II, 9=12399

Russell,A.M. Statistical approach to spatial measurement, 7=3034. Rotational magnetic moments of Li^6F and Li^7F, 7=8079. Magnetic moments due to rotation in Li^6F and Li^7F, 9=5119. See also Kastner,S.O., 6=520

Russell,A.M. and Abbott,R.C. Whisker growth from iodide titanium wire, 8=7595

Russell,B.R. (Ed) See Breckenridge,R.G., (Ed) 7=7924

Russell,C. See Dale,W.M., 6=6230

Russell,D.S. An infrared cell for small gas samples, 9=2203

Russell,G.A. See also Dexter,D.L., 6=244

Russell,G.A., and Klick,C.C. Configuration co-ordinate curves for F-centers in alkali halide crystals, 6=3362

Russell,H.N. and Moore,C.E. The first spectrum of barium, Ba I, 6=6506

Russell,J.E. See Breit,G., 6=3162, 6=7623, 7=5550; Fonda,L., 9=6040

Russell,J.L.Jr. See also Reich,C.W., 7=2637

Russell,J.L.,Jr., Phillips,G.C. and Reich,C.W. Scattering of

alpha particles from helium, 7=1393
Russell,J.T. See Lefevre,H.W., 9=5392-3
Russell,M.C.B. and Boag,J.C. A miniature unit for controlling the duration of radioactivity measurements, 8=1150
Russell,M.C.B. and Leng,J. An automatic quartz-fibre electrometer, 8=3274. II. Carbon-13 isotope effect, 9=7566
Russell,P.C. and Stewardson,E.A. A re-measurement of the $L\alpha_{1,2}$ lines of lanthanum, 7=5368
Russell,R.A. and Thompson,H.W. Intensities of vibration bands. VI. Alkyl esters, 5=5325. VII. The NH group, 5=5326. Vibrational band intensities and the electrical anharmonicity of the NH group, 6=4549
Russell,R.D. Abundances of meteoric lead isotopes, 7=5808. See also Shillibeer,H.A., 5=1154
Russell,R.D. and Allan,D.W. The age of the earth from lead isotope abundances, 7=928
Rüssmann,H. The differential equations of a dynamical model universe, 9=12940
Russo,V. See Checcacci,P.F., 8=5595; Ronchi,L. 7=1162
Rust,H.H. and Drubba,H. Determination of distance in liquids by acoustic transit-time technique, 9=9345
Rust,H.H. and Krohn,J. Piezoelectric force measurement, 5=4398
Rust,P.M. See Whittaker,A.G., 7=5699
Rustad,B.M. See also Kistner,O.C., 7=1547, 7=4675, 9=4995; 9=10071; Melkonian,E., 9=11369; Schwarzschild,A., 7=657
Rustad,B.M. and Ruby,S.L. Gamow-Teller interaction in the decay of He^6, 5=4031
Rustgi,M.L. Sum rules for photodisintegration of H^3 and He^3, 7=7389. Deuteron photoeffect with a repulsive core, 8=8333. See also Breit,G., 9=9959; Levinger,J.S., 6=6345, 7=6432, 7=7309; Zernik,W., 9=10124
Rustgi,M.L. and Levinger,J.S. Photodisintegration of helium, 7=6573
Rustgi,O.P. See Katti,P.K., 6=4241; Trikha,S.K., 7=325; Walker,W.C., 8=2999, 9=6777, 9=7986
Rutgers,A.J., De Smet,M. and Rigole,W. Streaming currents with nonaqueous solutions, 9=9671
Rutgers,A.J. and Janssen,R. Experimental test of Overbeek and Wijga's theory, 5=7983
Rutgers,G.A.W. See also ter Horst,D.T.J., 7=3320
Rutgers,G.A.W. and de Vos,J.C. Relation between brightness, temperature, true temperature and colour temperature of tungsten. Luminance of tungsten, 5=1657
Ruthberg,S. Microwave double-sweep method for analysis of time-dependent cavity characteristics, 9=3667
Rutherford,R.I. See Ellis,A.J., 9=8955
Rutherglen,J.G. See Flack,F.C., 5=1179; Grant,P.J., 5=5626
Rutkevich,B.N. and Fainberg,Ya.B. Propagation of oscillations in electron beams with uncompensated space charge, 9=9886
Rutkowski,C.P. See Gaines,G.L.,Jr, 8=5675; Speece,A.L., 7=9562
Rutland,W. Structural parameter determination of small aromatic systems in non-crystalline solids, 9=13831
Rutledge,A.R. See Milton,J.C.D., 9=3688
Rutledge,R.L. See Gutowsky,H.S., 8=7455, 9=4090
Rutledge,W.C. See also Rittner,E.S., 7=5439, 8=6010
Rutledge,W.C., Milch,A. and Rittner,E.S. Measurement of instantaneous absolute barium evaporation rates from dispenser cathodes, 8=8853
Rutledge,W.C. and Rittner,E.S. Studies on the mechanism of operation of the L cathode, II, 7=5440
Rutner,E., McLain,W.H.,Jr. and Scheller,K. Thermodynamic functions of cyanogen and the equilibrium constants for the reaction $\frac{1}{2}C_2N_2 \rightleftharpoons CN$ between 1000° and 4500°K, 6=2843
Rutscher,A. The influence of a magnetic field on moving striations in glow discharges, 8=5035
Rutten,F.Van See Van Rutten,F.
Rutter,J.W. See Bolling,G.F., 6=3351; Holmes,E.L., 8=4792; Smith,V.G., 6=717; Tiller,W.A., 6=1157
Rüttiger,K. See Kulenkampff,H., 8=8209
Rutz,W.A. See Hess,W.N. 9=11935
Rutzler,J.E.,Jr. See Skinner,S.M., 5=273
Růžek,V. An instrument for measuring the changes of angular velocity with an accuracy of 0.005% of the nominal value, 6=7173
Rvachev,A.L. The inertia of the photoeffect and electrical conductivity of cuprous oxide, 8=7018
Rvachev,A.L. and Andrievskii,A.I. The effect of photoconductivity of the barrier layer on the spectral distribution of the photovoltaic effect, 9=11034
Ryabikov,C.V. See Birger,N.G., 7=3624
Ryabinin,Yu.N. Sublimation of a crystal lattice under the effect of a strong shock wave, 7=1699. Some investigations on the dynamic compression of a substance, 7=6655. See also Likhter,A.I., 8=1648
Ryabinin,Yu.N., Livshits,L.D. and Vereshchagin,L.F. The effect of very high [hydraulic] pressure on the electrical conductivity of silicon, 9=2335
Ryabinkin,Yu.S. See Adirovich,É.I., 8=7005
Ryabov,A.P. See Grekov,N.N., 8=6032
Ryabushko,A.P. On the equations of motion of rotating masses in the general relativity theory, 8=5600
Ryabushko,A.P. and Fisher,I.Z. On the motion of rotating masses in the general theory of relativity, 8=6619
Ryan,F.M. See Pugh,E.W., 9=3642
Ryan,J.E. See Ogilvie,J.C., 5=3351
Ryan,J.J. See Hyman,M.,Jr, 9=4471
Ryan,L.R. See Narahari Rao,K. 9=3278
Ryan,R.D. See Pearcey,T., 5=4
Ryan,T.M. See Goldsmith,M., 9=8664
Ryason,R. and Wilson,M.K. Vibrational spectrum and structure of nitryl chloride, 5=1696
Ryazanov,A.N. See Shklyarevskiĭ,I.N., 6=8081, 9=10868*; Sinel'nikov,K.D., 9=9522
Ryazanov,E.V. Examples of exact solutions of problems of propagation of shock waves in a gravitating gas for zero temperature gradient, 9=13094. Some exact solutions of the magnetogasodynamic equations in the presence of gravitational forces and zero temperature gradient, 9=13498. See also Korobeĭnikov,V.P., 9=8384
Ryazanov,G.V. Sum over trajectories for the Dirac equation, 8=5641. Quantum mechanical probabilities as sums over trajectories, 9=2101. A phenomenological calculation of the effect of a non-conducting medium in quantum electrodynamics, 8=503. Radiative corrections to Compton scattering taking into account polarization of the medium, 8=8200
Rybak,B. See also Lochet,R., 7=5221
Rybak,B., Lochet,R. and Rousset,A. Use of phosphorescence at ordinary temperatures for chemical analysis. 1. Amino acids, 6=2524
Rȳbak,S.A. See Krivoglaz,M.A., 8=3005, 8=8442
Rȳbakov,B.V. Ranges of protons in medium and heavy elements, 5=8847. See also Bogdanov,G.F., 6=6162, 6=8376, 9=10111
Rȳbalko,F.P. and Yakutovich,M.V. Stable and unstable macrolocalization of plastic deformation [of steel] in static torsion, 9=8937
Rybka,T.W. and Katz,L. Photoneutron reactions in lithium, 8=5378
Rydbeck,O.E.H. A theoretical study of E-layer behaviour during a solar eclipse, 6=7043
Rydbeck,O.E.H. and Wilhelmsson,H. A theoretical investigation of the ionospheric electron density variation during a solar eclipse, 5=3312
Rydberg,J. An automatic sample changer for radiometric work, 5=8862
Ryde,H. See also Fröman,P.O., 8=7335; Holm,G., 9=11140
Ryde,H. and Herrlander,C.J. Gamma transitions in the decay of La^{142}, 8=6231
Ryde,N. and Andersson,B. A precision curved crystal gamma-ray spectrometer, 6=1540
Ryder,F.D. and Hardison,H.V. Large-sensitive area portable alpha monitor, 7=9845
Ryder,J.D. Physics in engineering-a problem in appraisal, 5=8460
Rydz,J.S. and Johnson,S.W. A color "Electrofax" process, 9=1994
Ryffert, H. On the propagation of "exponentially bounded waves of finite amplitude", 6=8043
Ryhage, R. A 180° mass spectrometer for analysis of organic compounds of high molecular weight, 9=7098
Rȳkalin, N. N. On the separability conditions of solutions of linear parabolic equations in orthogonal coordinates, 9=9128
Rylander, C.G. See Sievert, R.M., 8=6267
Rylander, P.N. See also Meyerson, S. 8=215
Rylander, P.N. and Meyerson, S. Organic ions in the gas phase. V. $C_6H_5^+$ ion from toluene, 8=216
Ryle, M. Radio investigations of the structure of the solar corona, 6=6299. The Mullard Radio Astronomy Observatory, Cambridge, 7=9497. See also Shakeshaft, J.R., 7=21
Ryle, M. and Hewish, A. The Cambridge radio telescope, 7=9

Ryle, M. and Scheuer, P.A.G. The spatial distribution and the nature of radio stars, 5=6689

Ryley, D.J. An electrically-driven disk atomizer for high speeds of rotation, 8=5690

Rymer, T.B. An electron diffraction examination of thin films of aluminium and gold prepared by vacuum evaporation, 6=4691. (Conf. rep.). Summarized proceedings of a Symposium on Thin Films, Reading, September, 1956, 7=7451

Rymer, T.B., Fayers, F.J. and Hewitt, S.J. Stacking faults in vacuum evaporated crystals of copper and silver, 7=3845

Ryndin, R. See Puzikov, L., 7=9009, 8=4741

Rȳndin, R.M. See also Bilen'kiĭ, S.M., 9=3885, 11797; Bilenky, S.M., 9=1754, 8486; Zastavenko, L.G., 9=3739, 9950

Rȳndin, R.M. and Smorodinskiĭ, Ya.A. Unitarity relations for elastic scattering of particles with an arbitrary spin, 8=1816. Minami transformation for nucleon–nucleon scattering, 8=2470*

Rȳndȳch, N.A. See Holȳk, O.Z., 8=6688

Ryšavý, D. A contribution to the problem of concentrated suspensions, 9=97

Rȳskin, G. Ya. The measurement of diffusion coefficients by methods of activation analysis and isotopic dilution, 9=13810. See also Konstantinov, B.P., 7=312, 9=5621, 13860; Naumov, A.N. 9=11590

Rysselberghe, P. Van. See Van Rysselberghe, P.

Ryter, C. Paramagentic resonance, in the 10 000 Mc/s region, of europium and gadolinium subjected to a cubic crystalline field, 8=1277

Ryter, C. and Lacroix, R. Paramagnetic resonance of europium and of gadolinium in fluorites, 6=8870

Ryter, C., Lacroix, R. and Extermann, R. A high resolution Hertzian spectrograph allowing the separate observation of paramagnetic absorption and dispersion in the 3 cm band, 6=3838

Rȳtov, S.M. The magnetic flux set up by a dipole inside a circular ferromagnetic wire, 5=4799. On thermal radiation in waveguides, 5=6320. The acoustic properties of a thin-layered medium, 6=6440. Fluctuations in oscillating systems of the Thomson type. I, 6=6800; II, 6=6801. Electromagnetic properties of a finely stratified medium, 6=7559. The connection between the distribution of a quasimonochromatic stationary process and the distribution of its envelope, 7=123. On thermal fluctuations in distributed systems, 7=3987. Correlation theory of Rayleigh scattering of light. I, 8=1632; II, 8=1633. Correlation theory of thermal fluctuations in an isotropic medium, 8=2821. See also Levin, M.L., 6=8435

Rytz, A. See Colli, L., 8=8343; Gribi, M., 9=13406

Ryu, N., Nakajima, Y. and Nonaka, I. On the high frequency ion source, 9=4717

Ryumina, K.P. See Granovskiĭ, V.L. 9=2378

Rȳvkin, S.M. On the mechanism of the formation of pulses in semiconducting crystal counters, 6=6729. The so-called "secondary" and "through" photo-current in semiconductors, 7=4373. Mechanism of pulse formation in semiconducting crystal counters, 7=6295. On kinetics of photodiodes, 9=1466. See also Aĭrapetyants, A.V., 7=8677, 9201, 8=7965; Goryunova, N.A., 6=5888; Ivanov, Yu.L., 8=6991; Khansevarov, R.Yu., 8=4006; Mashovets, T.V., 6=5874, 7=9187; Vitovskiĭ, N.A., 8=8189

Rȳvkin, S.M., Bogomazov, A.P., Konovalenko, B.M. and Matveev, O.A. A semiconducting device for detection of gamma-rays, 9=1748

Rȳvkin, S.M. and Khansevarov, R.Yu. Temperature dependence of the spectral distribution of photoconductivity for gallium selenide and telluride, 7=7120. The influence of surface treatment of semiconductors on the magnitude and spectral distribution of photoconductivity, 9=1467

Rȳvkin, S.M., Konovalenko, B.M. and Smetannikova, Yu.S. The energy-dependence of the conductivity induced in layers and single crystals of CdS during bombardment by electrons, 5=4668

Rȳvkin, S.M. and Makhalov, Yu.A. The distribution of minority current-carrier concentration due to motion of the injection region and the presence of a field (on a "null" method for the measurement of mobility), 7=9177

Rȳvkin, S.M. and Strokan, N.B. The kinetics of phototriodes, 8=7977. On the problem of relaxation of non-equilibrium conductivity on recombination at traps, 9=5682

Rȳvkin, S.M., Strokan, N.B. and Makovskii, L.L. On the problem of kinetics of the valve-type, p-n junction photo-elements, 9=8155

Rȳvkin, S.M., Strokan, N.B., Tuchkevich, V.M. and Chelnokov, V.E. Silicon photodiodes, 8=7976

Rȳzhanov, S. G. Frequencies of the capillary and elastic vibrations in an electrocapilllary nucleus [nuclear model], 5=1108. On the question of rotational levels and the spectra of heavy nuclei. II, 6=1471. Theory of asymmetrical fission of heavy nuclei, 6=6890. The relation between α-decay and nuclear deformation, 7=2585. α-Disintegration of Th^{227} according to the collective model and spin of Ra^{223} in its ground state, 9=13634

Rȳzhkov, Yu.G. Measurement of the electrical current in an ocean, 7=9989

Rȳzhkova, K.P. and Sarȳcheva, L.I. Measurements of the absorption coefficient for nuclearly active particles of high energy, 5=8888

Rzaev, M.A. See Lekhtinen, G.N., 9=5790

Rżany, H. See Budzanowski, A., 7=9297; Janik, J.A., 9=11370

Rzepka, J. See Dargent, R. 9=10306

Rževkin, S.N. Sound radiators with travelling waves, 7=5942

Rzewuski, H. Investigation of lead sulphide layers by the electric field pulse method, 9=5730. See also Bartenbach, M. 9=5725

Rzewuski, H. and Sosnowski, L. Use of electric field pulses as a method of investigating semiconducting films, 5=8752

Rzewuski, J. On differential structure of non-local field theories, 5=4344. II; 5=9405. Some remarks on non-local theories, 7=8985. The spinor space, 8=6632. Two theorems concerning the field equations in the spinor space, 9=43. Field theory. I. Classical theory, 9=1041. On a possible geometrical interpretation of gauge transformations, 9=2064. The 13-parametric group of transformations of the spinor space and its representations, 9=5362. See also Królikowski, W. 5=9409, 7=1886, 2968, 3978, 5037, 5039; Nagy, K.L., 9=7779

Rzhanov, A.O. The relationship between the surface and the volume recombination in germanium triodes with alloyed p-n junctions, 6=7413

Rzhanov, A.V. Influence of recombination at the contact on the V-A characteristics of a rectifier, 5=7051. The effect of impurities on the lifetime of excess charge carriers in Ge, 7=1292

Rzhanov, A. V., Arkhipova, I.A. and Bidulya, V.N. On the applicability of the method of measuring the speed of surface recombination by the change of semiconductor resistance in a magnetic field, 8=6980

Rzhanov, A.V., Neizvestnȳĭ, I.G. and Roslyakov, V.V. Investigations of surface conductivity and surface recombination in specimens of germanium, 7=4340

Rzhanov, A.V., Novototskiĭ-Vlasov, Yu.F. and Neizvestnȳĭ, I.G. Investigation of the field effect and of surface recombination in germanium specimens, 8=1057

Rzhanov, A.V., Pavlov, N.M. and Selezneva, M.A. Investigation of the energy states and the effective capture cross-sections of the surface recombination levels in germanium, 9=11001

Rzhendzinskaya, K. A. See Slobodin, Ya.M., 7=1204

Rzhevkin, S.N. Some results of an analysis of the singing voice, 6=8073. Certain consequences of the theory of sound diffraction on an elastic sphere, 7=4080. See also Aver'yanova, V.G., 6=8047; Velizhanina, K.A., 8=557

Saakyan, G.S. See Kocharyan, N. M., 7=2621, 2635, 9=12418

Saavedra, I. Symmetries of leptonic interactions, 9=6516. On the electron–muon mass difference, 9=7787

Sabbadini, A. See Caracciolo, A. 9=7724

Sabbata, V.De. See De Sabbata, V.

Sabel, C.S. See Dunn, P.D., 9=3665

Sabey, B.E. Pressure distributions beneath spherical and conical shapes pressed into a rubber plane, and their bearing on coefficients of friction under wet conditions, 8=4499

Sabin, G.A. Transducer calibration by impedance measurements, 6=7226. New technique for measuring transducer blocked impedance, 8=8653

Sabine, H.J. Manufacture and distribution of acoustical materials over the past 25 years, 5=3529

Sabine, P.E. Making acoustical virtues out of architectural necessities, 5=6863

Sabliet, S. Introduction to a theory of sets based on prime numbers, adaptable to electronic computer programming, 7=4962

Sabol, W.W. See Hawkins, N.J., 6=1067, 1982, 7=2025; Mattraw, H.C. 5=6918

Sabry, A. See Källén, G. 5=9408

Sabsovich, L.L. See Kolomenskiĭ, A.A., 7=465

Saby, J.S. Junction rectifier theory, 7=7886

Sacchetti, L. See Aliverti, G., 9=6385

Sacerdote, C.B. Measurements upon damping materials, 6=1007. Detecting sound fields, 9=4403. See also Sacerdote, G., 6=6461

Sacerdote, G. and Sacerdote, C.B. A method for the measurement of the directivity factor, 6=6461

Sacerdote, G.G. See also Ferrero, M.A., 6=5742

Sacerdote, G.G. and Bordone-Sacerdote, C. Panoramic representation of the sound field. 8=2941

Sacerdoti, G. A study of the motion of a charged particle in the magnetic field of a toroidal solenoid, 9=13376. A study of a figure-of-eight magnetic container, 9=13377. See also Ageno, M., 9=13383; Alberigi, A., 9=11143

Sachl, V. Elastic scattering of electrons by helium and hydrogen atoms in ground quantum states, 8=5438

Sachs, A.M. See also Coffin, T., 7=8182, 8=1862

Sachs, A.M., Winick, H. and Wooten, B.A. Scattering of 37 MeV positive pions on hydrogen, 9=545. Interactions of 38 and 61 MeV positive pions in deuterium, 9=695

Sachs, D.C. See Rubin, S., 6=418

Sachs, L.M. See Copeland, P.L., 6=7490

Sachs, M. Semiempirical model for direct nuclear breakup reactions, 6=7666. Selection rules for the absorption of polarized electromagnetic radiation by mobile electrons in crystals, 8=2647. Implications of parity nonconservation and time reversal noninvariance in electromagnetic interactions, 9=6513

Sachs, R. See also Lax, M., 8=176

Sachs, R. and Bergmann, P.G. Structure of particles in linearized gravitational theory, 9=2033

Sachs, R.G. Classification of the fundamental particles. 5=9940. Interpretation of the phase shifts in pion-nucleon scattering. 6=4203. See also Capps, R.H., 5=2153; Enoch, J., 8=1190; Fry, W.F., 8=6187; Holladay, W.G., 5=1518; Treiman, S.B., 6=6362, 7=742

Sachs, R.G. and Treiman, S.B. Classification of the Eisenberg and similar events, 6=4656

Sachs, R.K. See Ehlers, J., 9=9187

Sachtler, W.M.H. Work function and electrical conductivity of hydrogen covered nickel films. The effect of contamination, 7=449

Sack, N. d^{n}p Configurations of TiII and NiII. 6=6085

Sack, R.A. Statistics of imperfectly flexible molecular chains, 7=3511. Relaxation processes and inertial effects. I. Free rotation about a fixed axis, 7=5306. II. Free rotation in space, 7=5307. A modification of Smoluchowski's diffusion equation, 7=9018. Restricted random walks and the use of moments, 8=2816. A contribution to the theory of the exchange narrowing of spectral lines, 8=2957. Taylor's theorem for shift operators, 8=4617. See also Longuet-Higgins, H.C., 8=4384

Sack, S. See Lazarus, J.P., 6=553

Sacton, J. Contribution to the study of the range—energy curve for electrons of 23 to 90 keV in a nuclear emulsion, 7=7153. See also Amerighi, M.C., 9=9980; Bacchella, G.L., Heughebaert, J., 7=9917

Sadauskis, J. See Jesse, W.P. 5=4764, 6=1329, 3799, 8=3195

Sadeh, D. Determination of excited states of carbon between 18 and 21 MeV by photonuclear reactions, 9=13680

Sadhukhan, P. Graphical method for estimation of contrast in electron microscopy, 9=2406. Electron scattering and image contrast in electron microscopy, 9=11125

Sadô, A. See also Anno, T., 6=8915, 7=7274, 8755, 9=1829

Sadô, A. and Anno, T. Near ultraviolet absorption spectra of orthometa- and para-phenylenediamine vapors, 6=221

Sadron, C. General methods of determining the masses and dimensions of macromolecules. 6=5304

Saeland, E. See Ehrenberg, L. 5=3227; Popovic, D. 5=9931; Rollier, M.A. 5=9852

Saelman, B. Note on the equation of motion of a rocket, 6=3513. Note on an artificial satellite, 7=5015. Some notes on Newton's second law of motion, 8=3735

Sáenz, A.W. Elementary derivation of Hlavatý's canonical forms for the electromagnetic tensor in unified field theory, 5=32. Transport equation in quantum statistics for spinless molecules, 7=3989

Sáenz, A.W. and O'Rourke R.C. Number of states and the magnetic properties of an electron gas. 6=4485

Saermark, K. Scattering of a plane monochromatic wave by a system of strips, 9=10719

Saffman, P.G. and Taylor, G. The penetration of a fluid into a porous medium or Hele-Shaw cell containing a more viscous liquid, 8=4791

Safford, G.J. and Melkonian, E. Determination of the absolute neutron fission cross section of U^{235}, 9=6147

Safrata, R.S. See Kurti, N., 8=6929

Šafrata, S. See also Beneš, J., 6=7806

Šafrata, S., Bednářová, V. and Beneš, J. The growth of single crystals of barium titanate from melts with barium chloride, 6=7807

Šafratová-Eckertová, L. The measurement of the induced conductivity of an antimony-caesium cathode, 6=8794

Safronov, B.G. See Fogel', Ya.M. 5=8848, 8877; Grigor'ev, V.N., 8=1999; Sinel'nikov, K.D., 8=3402, 8375

Safronov, V.S. On the turbulence in the protoplanetary cloud, 9=985

Safronov, V.S. and Ruskol, E.L. The possibility of turbulence in the primary planetary cloud, 7=12

Saftic, B. See Varićak, M., 6=1895

Sagalyn, P.L. Proposed coincidence scheme for the elimination of the Doppler effect. 6=4990

Sagalyn, P.L., Melissinos, A.C. and Bitter, F. Separation and identification of overlapping hyperfine structure components: application to mercury resonance radiation, 8=8681

Sagalyn, R.C. and Faucher, G.A. Aircraft investigation of the large ion content and conductivity of the atmosphere and their relation to meteorological factors, 5=1406. Space and time variations of charged nuclei and electrical conductivity of the atmosphere, 9=9089

Sagane, R. See Dudziak, W.F. 9=7271

Sagar, A. Piezoresistance in n-type GaAs, 9=2360

Sagar, F.H. Fluctuations in intensity of short pulses of 14.5-kc sound received from a source in the sea, 6=1010. Comparison of experimental underwater acoustic intensities of frequency 14.5 kc with values computed for selected thermal conditions in the sea, 8=98

Sagawa, T. See Hayasi, T. 5=7509

Sage, B.H. See Lynn, S. 6=6405; Reamer, H.H. 5=7727, 7=3200, 9=1916

Sage, S.J. and Swing, R.E. Diffraction grating study: derivation and experimental verification of the cause of tilted spectral images, 5=4564

Sagel, K. See Münster, A. 5=2752, 6=2877, 8=3487, 9=2953, 10919.

Sager, N., Waite, J.H., Poppell, J.W. and Howland, W.S. Servo-mechanism for the regulation of blood pressure, 7=2881

Sah, C.-T., Noyce, R.N. and Schockley, W. Carrier generation and recombination in p–n junctions and p–n junction characteristics, 8=178

Sah, C.-T. and Shockley, W. Electron–hole recombination statistics in semiconductors through flaws with many charge conditions, 8=1678

Saha, A.K. On the determination of electron density distribution in the ionospherica regions from h'–f records, 7=6767. See also Banerjee, B.M., 9=8351; Banerjee, M.K., 5=1123; Das, T.P., 5=2954, 5738; Pal, M.K., 7=8148

Saha, A.K., Banerjee, B.M., Das, T.P., Roy, D.K., Ghosh Roy, S.K. and Ghose. T., A nuclear magnetic resonance appara-

Saha, A.K. and Ray, S. Some features of the automatic P'-f records obtained at ionosphere field station haringhata. 6=4751

Saha, A.K., Ray, S., Datta, S. and Mitra, R.K. Ionospheric observations during the solar eclipse of June 20, 1955. 6=6267

Saha, K.R. Atmospheric turbulence and diffusion. I, 5=4233; II, 5=5142

Saha, M.N. Determination of the electron concentration and the collision frequency in the ionospheric layers from polarization patterns of the o and x waves, 6=2592

Saha, N.K. See also Kaila, K.L., 7=2341; Nandi, S.K., 5=1211; Nath, N., 9=11319

Saha, N.K. and Kaila, K.L. Source-straggling of α-particles from a polonium source. 6=6116

Saha, N.K. and Nath, N. Operating characteristics of the spark counter, 8=254

Saha, N.K. and Rangan, L.K. Determination of absolute cross-section of (n, p) reaction in S^{32}, 6=8382

Sahai, B. See Bhattacherjee, S.K., 8=1918, 9=12642

Sahai, M.M. See Srivastava, S.S., 5=9629

Sahasrabudhe, P.W. See Deutsch, E.R., 8=1372

Sahay, J.N. Transference number in barium thiocyanate and lead nitrate by a moving boundary technique, 8=8502.

Sahiar, A.B. See Naranan, S., 7=3696, 8=223; Subramanian, A., 8=2376

Sahni, R.C. Electronic states of molecules. I. Electronic structure of BH, 6=7586. Electronic structure of BH, 7=6379

Saibel, E. See Ling, F.F., 8=4497

Saika, A. See Gutowsky, H.S., 8=408

Sailor, V.L. Angular momentum associated with slow-neutron resonances, 7=2670. See also Landon, H.H., 5=7375; Marshak, H., 9=684; Patronis, E.T. Jr., 9=9563; Shore, F.J., 9=5072; Wood, R.E., 5=5640

Sailor, V.L., Foote, H.L, Jr, Landon, H.H. and Wood, R.E. High resolution crystal spectrometer for neutrons, 6=1637

Sailor, V.L., Landon, H.H. and Foote, H.L. Jr. Neutron resonances in the rare earth elements, 5=1215

St Amand, P. A new type of nightglow-auroral photometer, 6=9111. Instrumentation for nightglow research, 7=1789. See also Pettit, H.B., 5=5147

St Amand, P. and Ashburn, E.V. The frequency distribution of the intensity of aurorae and the night airglow for 5577[OI], 5=6654

St Amand, P., Pettit, H.B., Roach, F.E. and Williams, D.R. On a new method of determining the height of the nightglow, 5=5796

St Arnaud, C. See Rouault, M., 7=8082

St George, R.C.C. See Baxter, L., II, 7=2102

Saint Guilhelm, R. On the mathematical form of physical laws; general theorem concerning the invariance imposed on the system of equations representing a phenomenon, 9=11778

Saint-Guilly, B. See Lenoble, J., 5=4541

Saint-James, D. A new attempt to interpret colour centre phenomena, 7=5736. Colour centres in alkali halides, 7=8940. Calculation of energy bands in a solid with spin-orbit interaction, 8=4412. Determination of the force laws in diamond-type crystals, 9=8788

St John, D.S. See Randall, D., 8=7403

St John, R.M. and Winans, J.G. Motion and spectrum of arc cathode spot in a magnetic field, 5=7079

St Lorant, S.J. See Fowler, P.H., 7=8867

St Pierre, L.E. and Dewhurst, H.A. Oxygen effects in the radiation chemistry of polyethylene, 8=8507

Saito, H. See Kawamura, R., 6=4888; Higuchi, S., 7=7670 Masumoto, H., 7=9759

Saito, K. Polar rays of the solar corona, 9=3058

Saito, K. and Suga, K. A wave-length shifter for Cherenkov radiation in water and aqueous lead salt solution, 9=5974

Saito, N. Statistical mechanics of flexible linear polymers. I. Moments of end-to-end distance of a polymer, 5=2982. Irreversible processes and fluctuations, 8=6662

Saito, N., Furukawa, M. and Tomita, I. On the enrichment of arsenic-76 by hot-atom effect, 8=6283

Saitô, N. and Hori, J. A note on thermodynamics of the harmonic oscillator with radiation damping, 9=10938

Saitô, N. and Kato, T. On the viscoelasticity and complex dielectric constant in the presence of an electric field and a shearing laminar flow in solution of macromolecules, 9=7842

Saitô, N. and Namiki, M. On the quantum mechanics-like description of the theories of the Brownian motion and quantum statistical mechanics, 7=5896

Saito, O. On the effect of high energy radiation on polymers. I. Cross-linking and degradation, 9=10211; II. End-linking and gel fraction, 9=10212; III. Viscosity, 9=10213

Saito, R. and Morita, M. Clebsch-Gordan coefficients for $j_2 = 5/2$, 6=6501

Saito, S. The crystal structure of VCo_3, 9=10374. See also Kozima, K., 9=11269; Kurosaki, S., 6=1713; Shimomura, Y., 7=4905

Saito, Y. Narrowing effect in nuclear magnetic double resonance in solids, 9=8357. See also Fukuroi, T., 7=9761; Okaya, Y., 5=8411

Saitov, I.S. See Grishin, V.G., 8=7246, 8225

Saiyid Ishar Husain. See Husain, S.I., 9=10560

Sakadi, Z. Stationary motion of viscous fluid around a rotating solid sphere, 9=6573

Sakai, H. See also Hirano, K., 5=3156; Yamanaka, C., 6=6623

Sakai, H., Little, J.W. and Watanabe, K. Photoionization counter for determination of ionization potential, 7=7189

Sakai, M. Angular correlation of gamma rays from Fe^{*56}, 5=9877. Note on the nuclear level of spin 2^+, 7=617. See also Kurbatov, J.D., 5=5608; Morita, M., 7=9369; Yamazaki, T., 9=7324

Sakai, M. and Ikegami, H. Sector type double focusing beta ray spectrometer. I. General properties, 9=7234

Sakai, M., Ohmura, H. and Momota, T. Multichannel angular correlation measurement of gamma rays from the disintegration of Ag^{110m} and spin assignment of excited levels of Cd^{110}, 9=8550

Sakai, T. See also Harada, K., 9=4063

Sakai, T. and Inoue, S. An analysing equipment for the zero-crossing interval and its application to speech analyses, 7=1156

Sakairi, H. See Hasiguti, R.R., 9=5247

Sakaki, Y. See also Maruse, S., 9=3568

Sakaki, Y. and Möllenstedt, G. Note on the use of point cathodes in electron optics., 6=5921

Sakakura, A.Y. See Ritchie, R.H., 7=3186

Sakamizu, H. See Fukushima, K., 6=6489

Sakamato, M. On the photoconductivity of BaO, 5=5418. On the threshold of the exciton band in BaO, 5=6146. Diffusion of cobalt into single crystals of copper, 9=10291. See also Arai, T., 8=2621; Hirone, T., 9=10289-90

Sakamoto, M. and Ishiguro, E. He-He repulsive potential, I, 6=7575

Sakamoto, M. and Kobayashi, S. Chemical and thermal polish of KCl crystals, 9=5176. One to one correspondence between etch pits and dislocations in KCl crystals, 9=10225

Sakamoto, M., Kobayashi, S. and Ishii, S. Effect of oxygen gas on the photoconductivity of BaO, 5=5423

Sakamoto, N. See Sasaki, W., 5=933

Sakamoto, Y. Madelung constants of simple crystals expressed in terms of Born's basic potentials of 15 [significant] figures, 8=6393. See also Huggins, M.L., 9=13769

Sakamoto, Y. and Sasakawa, T. The elastic scattering of high energy neutron by deuteron, 9=12559

Sakamoto, Y. and Takahasi, U. Born's and Hund's basic potential as useful tools for calculating Madelung's coefficients of complex crystals, 9=7488

Sakata, K. See Sakata, T., 5=3721, 9=10296

Sakata, S. On a composite model for the new particles, 7=1058, 6884

Sakata, T. Hall effect in cesium antimonide with audiofrequency currents, 5=5521. On the thermoelectric power of cesium antimonide, 5=5426

Sakata, T. and Sakata, K. Change of oxygen concentration with temperature of the nickel and cobalt oxide solid solutions, 9=10296

Sakata, T., Sakata, K. and Kigoshi, K. On the resistivity and crystal structure of binary oxide of nickel and cobalt, 5=3721

Sakayanagi, Y. Theory of grating with circular grooves (curved grating), 5=1738. Ruling of a curved grating, 5=6962

Sakayanagi, Y. and Satô, Y. A near infrared spectrometer using a plane grating, 5=6885

Sakellaridis, P. Emissions in the neighbourhood of absorption discontinuities in the L region of the X-ray spectra of the rare earths, 5=7091. Multiplets characteristic of the rare earths in their X-emission spectra, 5=7092. Characteristic multiplets in the X-ray emission spectra of erbium, 9=2381

Saker, E.W. See also Ross, I.M., 5=9659; 7=3994, 8=3094

Saker, E.W., Cunnell, F.A. and Edmond, J.T. Indium antimonide as a fluxmeter material, 5=7176

Sakharov, A.D. See Zel'dovich, Ya.B., 8=334

Sakharova, M.P. An asymptotic representation of the acoustic field of a point source in a wedge-shaped region, 9=11945

Sakita, B. $K_{\mu 2}$ decay and leptonic decay of hyperons, 9=11391. See also Iwata, K., 5=9426

Sako, J.H. See Tobin, J.M., 9=680

Saksena, B.D. The infra-red absorption spectra of α-quartz between 4 and 15 microns, 8=4879

Saksena, B. D. and Pant, L.M. Cathodo-luminescence of MgO, 5=856. Decay of phosphorescence of long duration in magnesium oxide, 5=5331. Relative intensities of anthracene and naphthacene emissions under cathode ray, ultraviolet, and X-ray excitations, 5=6936. Cathodo-luminescence spectrum and energy levels in MgO, 5=6955. Cathodo-luminescence spectra of beryl, 5=8642. Cathodo-luminescence spectra of alkali halides, 6=8698

Saksena, B.D. and Viswanathan, S. Principal lattice frequency of MgO, 6=4080

Saksena, G.D. See also Rank, D.H., 7=9065, 8=4849, 9=185; Wiggins, T.A., 8=6797

Saksena, G.D., Wiggins, T.A. and Rank, D.H. Molecular constants of carbonyl sulfide and a coriolis perturbation, 9=12745

Sakudo, T. Effect of iron group ions on the dielectric properties of $BaTiO_3$ ceramics, 8=1036

Sakuma, T. See Kanazawa, A., 9=11844

Sakuntala, M. Oscillations in nitrogen glow discharge, 5=1868. See also Fowler, R.G., 8=1043

Sakurai, A. The flow due to impulsive motion of a wedge and its similarity to the diffraction of shock waves, 5=3497. On exact solution of the blast-wave problem, 6=996. Decrement of blast-waves, 6=997. The flow due to impulsive motion of a wedge. II, 7=161. See also Kato, Y., 6=7038

Sakurai, J.J. High-energy π–He experiments: charge symmetry and the determination of the K-meson spin, 7=9923. Associated production of strange particles, 7=9926. Possible violation of charge independence in strong interactions, 8=1214. Mass reversal and weak interactions, 8=2137. Rest mass of the neutrino, 8=6121. Associated photoproduction of K and Λ particles and possible "up–down" assymetry in the Λ decay, 8=7284. $K_{\mu 3}$ decay: tests for time reversal and the two-component theory, 8=8249. Wilson–Peierls ambiguity in high-energy photoproduction, 9=1675. Symmetry laws and strong interactions, 9=6519. $\Xi^- - \Xi^0$ mass difference, 9=10002

Sakurai, T. The cross-chain configuration and a new type of phase transformation in solid long chain acid amides, 6=1461. The flow past a flat plate accompanied with an unsymmetric dead air at Mach number 1, 6=6429. Properties of evaporated films of tellurium, 6=6966. Flow past a bent flat plate with an unsymmetric dead air at Mach number 1, 9=10691

Sakurai, T. and Yabe, M. The phase transformation of solid normal hexadecanamide, 9=9048

Sakvarelidze, I. I. Energy spectrum of the penetrating particles in extensive atmospheric cosmic ray showers, 6=6756

Sala, O. See Stammreich, H., 9=6747

Salai, A. See Chikai, Yu., 9=2745

Salam, A. A survey of field theory. II. Fields and particles, 5=8481. On generalised dispersion relations, 6=4662. The interaction Lagrangian for fundamental particles, 7=5834. On parity conservation and neutrino mass, 7=9527. On the inter-relation of scalar and pseudoscalar theories, 8=5650. γ_5-symmetrization, 9=4276. See also d'Espagnat, B., 7=8993, 8=5624; Hamilton, J., 5=1541; Kemmer, N. 5=5892; Matthews, P.T., 5=716, 3140, 7=7585, 8=2138, 4247-8, 9=1070, 11398, 11838

Salam, A. and Gilbert, W. On generalised dispersion relations. II., 6=5416

Salam, A. and Polkinghorne, J.C. On the classification of fundamental particles, 6=2653

Salam, A. and Tiomno, J. On the masses of elementary particles, 9=8438

Salam, A. and Ward, J.C. Weak and electromagnetic interactions, 9=5358

Salam, A. (Conf. rep.) Non-conservation of parity, 8=3694

Salama, K. See Mokhtar, M., 9=5456-7

Salamandra, G.D., Naboko, I.M. and Sevast'yanova, I.K. A fast repetition rate flash lamp, 9=9544

Salandin, A. See K-collaboration, 9=13575

Salandin, G. See Ceccarelli, C., 5=9967, 6=3258

Salandin, G.A. See Baldo-Ceolin, M., 7=8880; Ceolin, C., 9=13576; Davies, J.H., 6=3270*; Grilli, M., 8=8996, 9=2648, 3791; Keefe, D., 9=8480

Salant, E.O. See Hill, R.D., 5=549, 8293, 6=2388; Hornbostel, J., 5=6491, 9124, 6=4667, 9=2652

Salaruddin, M. A portable instrument [using thermocouples] for determining soil temperatures at various depths, 9=9086

Salbert, E. See Wohle, W., 6=1017

Sălceanu, C. The internal pressure of liquids, 6=112. The viscosity of metal wires, 6=1661. Photographs of acoustic resonance spectra of liquids, 6=2729. Viscosity and internal friction in metal wires, 6=3328. On the temperature variation of sound velocity in water, 8=545. A vacuum viscometer for metal wires, 8=2044. Experimental study of "curtains" of liquid in relation to surface tension, 8=2843 Acoustic resonance of aqueous solutions, 9=2178

Sălceanu, C. and Bojin, S. The thermal conductivity of gases and vapours, 7=307

Sălceanu, C. and Zăgănescu, M. Experimental study of elastic creep in metal wires, 6=6981. Viscosity correction for the sound velocity measured by a resonance method, 8=6737. Influence of the thickness of the walls of a resonance tube on the speed of sound in liquids, 9=1189

Saldick, J. See also Moses, A.J., 7=3346

Saldick, J. and Allen, A.O. Backscattering from targets of low atomic number bombarded with 1-2 MeV electrons, 5=491

Salecker, H. On the size of the electron radius, 5=7932. See also Eisenlohr, H., 9=12548

Salecker, H. and Wigner, E.P. Quantum limitations of the measurement of space–time distances, 8=8577

Saleem, M. See Ahmad, N., 9=1962

Sales, M. See Meggers, W.F., 9=5500

Salet, G. Singular points in plane elasticity, 6=3510

Salgueiro, L. and Gomes Ferreira, J. A comparative study of the spectra of the X-rays obtained by electronic bombardment and by fluorescence, 6=3767

Salié, N. Calculation of the lowest ^3P, ^1D and ^1S terms of C, N^+, O^{++}, F^{3+} and Ne^{4+} by means of the variational method, 9=10161

Salikhov, S.G. Paramagnetic resonance absorption in rare earth metals at centimetre wavelengths, 5=1058. Temperature dependence of paramagnetic resonace absorption of centimetre waves, 8=7519. See also Vonsovskiĭ, S.V., 7=565

Salim, S., Abd El-fattah El-nadi, and Ortner, G. On the close pair effect in cosmic ray stars, 9=4764

Salin, R. See Leuba, P., 5=8244; Thibaud, J., 5=1911

Salka, O. See Norinder, H., 5=2697, 7=4391

Salkoff, M. and Bauer, E. Excitation of molecular vibration by collision, 8=798. Excitation of molecular vibration on collision, 9=761. Vibrational relaxation times in oxygen, 9=8709

Sal'kov, E.A. See also Lashkarev, V.E., 8=1066

Sal'kov, E.A., Fedorus, G.A. and Sheinkman, M.K. On the effect of surface treatment on certain characteristics of the photoconductivity of CdS single crystals, 9=12291

Sal'kov, Ye.A. See Lashkar'ov, V.Ye., 8=7014

Salkovitz, E.I. See also Schindler, A.I., 5=8905, 8=1676; Weertman, J., 7=1682

Salkovtiz, E.I., Bailey, G.C. and Schindler, A.I. Effect of neutron irradiation on the Curie temperature of a variety of ferrites, 9=5898

Salkovitz, E.I. and Schindler, A.I. Resistivity of dilute magnesium alloys, 5=6125

Salkovitz, E.I., Schindler, A.I. and Kammer, E.W. Transport Properties of dilute binary magnesium alloys, 7=3755. Friedel theory of thermoelectric power applied to dilute magnesium alloys, 7=9703

Sall', A.O. On the theory of the microphone chamber of Veĭngerov's spectrophone and the optico-acoustical gas analyser, 6=8632. On the optimum optical density in absorption analysis of gas or liquid mixtures, 9=9414

Saller, H. A. Beneficial effects of radiation on metals, 7=3747

Salli, I. V. Theory of crystal growth, 5=615

Salmang, H. The glassy state from an atomic and molecular view, 8=9129

Salmeron, R. A. See also Cooper, W. A., 6=7708, 7=3700, 8852, 8=5246; James, G.D., 5=6518

Salmeron, R. A. and Zichichi, A. A remark concerning the backward–forward asymmetry in Λ^0-decay, 9=9997

Salmi, E.W. See Beyster, J.R., 7=2675; Grover, G.M., 9=9691; Pidd, R.W. 9=13366

Salmon, A.J. The control of reactors, 8=4338. See also

Chick, D.R., 8=4329
Salmon, G.L. See Booth, D.L., 8=1965, 3280
Salmon, J. On the theory of high-frequency low-pressure discharges. The calculation of electron distribution function, 5=6179. On the theory of high frequency discharges in low-pressure gases: Determination of the breakdown conditions, 6=2909. Theory of a h.f. discharge at very low pressures, 7=3325. Study of plasmas in the transient region 7=5421. Theory of the high-frequency discharge in gases at low pressures. An experimental study of ion sources of the high-frequency type, 8=5021. See also Arsac, A., 9=4362; Brin, A., 9=11161; De Lacoste., 9=7088; Winter, J., 5=1121
Salmon, K. See Gadsden, M., 9=4148
Salmon, L. Some analytical aspects of gamma spectroscopy, 5=6443. See also Smales, A.A., 7=9957
Salmon, P.G. See Abson, W., 8=669-70, 5158, 5160
Salmon, V. Equivalent circuit for spherical radiation in a solid, 6=8627. Surface transportation noise-a review, 6=8637
Salmona, A. See Herman, L., 7=4172
Salomonovich, A.E. Radio emission of the moon in the 8 millimeter band, 8=6583. See also Vitkevich, V.V., 9=7731
Salomonovich, A.E., Pariiskii, Yu.N. and Khangil'din, U.V. Observations of the total solar eclipse of June 30, 1954, at millimeter wavelengths, 9=10509
Salomons-Grobben, N. See Nijgh, G.J., 9=8555; Wapstra, A.H., 9=8556
Saloom, J.A. See Hines, M.E., 5=9696
Salpeter, E. See Cocconi, G., 9=2026
Salpeter, E. E. Electron screening and thermonuclear reactions 5=20. Nuclear reactions in stars, II. Protons on light nuclei, 5=3405. The luminosity function and stellar evolution, 5=5167. Energy production in stars, 7=3927. Stellar energy sources, 8=1456. Nuclear reactions in stars. Buildup from helium, 8=2594. On mayer's theory of cluster expansions, 9=1098. Some atomic effects of an electronic electric dipole moment, 9=3726. See also Kabir, P.K., 8=784; Krall, N.A., 9=13679; Newcomb, W.A., 5=4876
Salsburg, Z.W. See also Cohen, E.G.D., 7=8449; Fickett, W., 8=3535; Wojtowicz, P.J., 8=76
Salsburg, Z.W., Cohen, E.G.D., Rethmeier, B.C., and de Boer, J. Cell-cluster theory of the liquid state. IV. A fluid of hard spheres, 7=8448
Salsburg, Z. W., Jacobson, J.D., Fickett, W. and Wood, W.W. Application of the Monte Carlo method to the lattice-gas model. I. Two-dimensional triangular lattice, 9=3156
Salsburg, Z.W., Wojtowicz, P.J. and Kirkwood, J.G. Theory of multi-component fluid mixtures, 7=7656
Salt, F.W. and Thomas, J.G.N. Determination of the oxide film thickness on tin, 7=1679
Salter, D.C. See also Dickson, J.M., 5=5625, 7=9870
Salter, L. On the thermodynamics of crystalline lattices, 6=4081
Salter, R. See Corran, O.G., 8=2006; Lambert, J.D., 8=89
Saltsburg, H. See Buff, F.P., 7=3050, 7649
Saltzman, B.E. Generalized thermodynamic properties of diatomic and triatomic gases, 9=271
Saltzman, R.S., Arbogast, J.F. and Osborn, R.H. High temperature recording polarimeter, 6=276
Salutsky, M.L. and Kirby, H.W. Preparation and half life of carrier-free yttrium-90, 5=7349
Salvatori, G. See Poiani, G., 7=505
Salvetti, C. See Colli, L., 8=8054
Salvetti, F. See Picciotto, E., 6=5347
Salvini, G. The Italian project for an electron-synchrotron, 5=319. The Italian design of a 1000 MeV electronsynchrotron: a comparison between the strong and the weak focusing, 5=9694. The Frascati 1000 MeV electron synchrotron and possible researches with it, 7=5372. The present state of the 1000 MeV National Electron Synchrotron [Rome], 9=4730. See also Ageno, M., 9=13383; Alberigi, A., 9=11143
Salwen, H. Resonance transition in molecular beam experiments. I. General theory of transitions in a rotating magnetic field, 5=9766; II. Averages over the velocity distribution, 6=1422. Theory of multiple-quantum transitions in the ground state of K^{39}, 6=3115. See also Trischka, J., 9=8759
Salwen, H. and Trischka, J. Dipole moment function of CO($^1\Sigma^+$), 9=10199
Salzberg, B. See also Miller, W., 7=3288
Salzberg, B. and Siegel, K. Semiconductor p–n junction radiation counter, 9=499
Salzberg, C.D. See also McAlister, E.D., 6=5755
Salzberg, C. D. and Villa, J.J. Infrared refractive indexes of silicon germanium and modified selenium glass, 7=6976. Index of refraction of germanium, 8=6795
Salzberg, H.W. and Schuldiner, S. Calculation of the concentration of atomic hydrogen at a cathode. II, 5=589
Salzburg, Z.W. See Cohen, E.G.D., 5=9466
Salzman, F. See Salzman, G., 8=8988
Salzman, G. Neutron–electron interaction, 5=8508. Nucleon structure in the static theory, 7=2984. See also Schnitzer, H.J., 9=3772, 6026
Salzman, G. and Salzman, F. Solutions of the static theory integral equations for pion–nucleon scattering in the one-meson approximation, 8=8988
Sam, D. See Gevantman, L.H., 5=4984
Samal, E. The accuracy of temperature measurements with thermocouples in practice, 6=6573
Samal, K. On relation between spectral number and ultrasonic wattage from Raman and Nath's theory, 9=1341. See also Dutta, A.K., 6=2749, 7=7686, 8=3816
Samal, K., Patanaik, K.M. and Dutta, A.K. On ultrasonic wattage and spectral number relationship, 6=6457
Samarin, A. M. and Svet, D. Ya. On the modulation reflectometry of molten metals, 6=7316. The emissivity of molten metals, 9=13215
Samelson, H. See Allison, H.W., 9=12815
Saminskiĭ, E.M. See Bresler, S.E., 9=5905
Samois, N. See Eisler, F., 8=1208, 1212*, 2513, 9=2658, 2662, 2667; 7=8859, 9530; Impeduglia, G., 9=2616; Plano, R., 7=8174
Samois, N.P. See Budde, R., 7=1651; Chretien, M., 8=8239
Samman, A. Experimental study of transient α-particle substructures in C^{12}, 6=7673. On the presence of different transient substructures in the nucleus of C^{12}, 7=2633. See also Cüer, P., 5=3094, 6393
Samoilov, B.N., Sklyarevskii, V.V. and Stepanov, E.P. Polarization of Au^{198} nuclei in a gold–iron alloy, 9=13604
Samoilov, I.M. Electron-optical system of electrodes for the injectors for electron accelerators, 9=8218
Samoilov, L.N. See Bogdanov, G.F., 9=10111; Vlasov, N.A., 5=9069
Samoilov, O.Ya. See Prokhorenko, V.K., 9=13064
Samoĭkiv, P.S. See Shlyagin, K.N., 8=6281
Samoĭlovich, A.G. and Klinger, M.I. Theory of semiconductors with a zone of impurities, 6=4392
Samoĭlovich, A.G., Klinger, M.I. and Nitsovich, V.M. On the correlation between electrons in narrow impurity bands in semiconductors, 8=4002
Samoĭlovich, A.G. and Kondratenko, V.M. Contribution to the theory of atomic semiconductors, 7=3268
Samoĭlovich, A.G. and Korenblit, L.L. Magneto-optical properties of the exciton, 5=8952. Degeneration of the electron gas in semiconductors, 6=5091. The theory of quantal kinetic phenomena in semiconductors, 8=3999. Faraday effect of the Mott exciton, 9=12156
Samoĭlovich, A.G. and Tovstyuk, K.D. The energy spectrum of current carriers in semiconductors of the germanium type, 9=1438
Samokhvalov, A.A. and Fakidov, I.G. The Hall effect and the effect of a magnetic field on resistance of magnetite, 8=4035
Samosudov, B.E. See Ivanenko, I.P., 9=2810
Sampath, S. See Vishnievsky, A.I., 9=8214
Sample, J.T. Small-angle scattering of fast polarized neutrons by heavy nuclei, 6=1633
Sample, J.T., Neilson, G.C., Chadwick, G.B. and Warren, J.B. Gamma rays from the deuteron bombardment of boron 10, 6=1538
Sample, J.T., Neilson, G.C. and Warren, J.B. Performance of a fast neutron collimator, 5=7404
Sampson, D. and Margenau, H. Line broadening of an impurity spectrum in silicon, 6=8202
Sampson, D.H. The opacity at high temperatures due to Compton scattering, 9=6843
Sampson, J.B. See also Robb, W.L., 6=3245
Sampson, J.B. and Tucker, C.W., Jr. Intensity distribution of X-ray diffraction pattern of a finite crystal containing point defects, 7=5739
Sampson, M.B. See McEllistrem, M.T., 9=5047; Miller, D.W., 6=2394; Rasmussen, V. K., 5=2149, 6=642, 1557; Rees, J.R., 8=1262

Samsahl, K. See also Taugbøl, K., 5=4043
Samsahl, K. and Taugböl, K. A new method for extraction of radioactive phosphorus-32, 5=5620
Samsel, T.F. See Stephenson, R.J., 8=4230
Samson, A.M. Resonance emission by finite volumes, 9=13143
Samson, J.A.R. See Walker, W.C., 8=2999; Weissler, G.L. 9=7126
Samsonov, G.V. The electrical conductivity of certain compounds of transition metals with boron, carbon and nitrogen, and their alloys, 6=8766. See also Kolomoets, N.V., 9=11065; Neshpor, V.S., 8=4491
Samsonov, G.V. and Latŷsheva, V.P. Diffusion of boron, carbon and nitrogen in transition metals of groups IV, V and VI of the periodic system, 7=1668
Samsonov, G.V. and Neshpor, V.S. The superconductivity of borides, carbides, nitrides and silicides of transition metals, 7=1312. The compactability of powders of the borides, carbides and nitrides of the refractory metals, 7=1673. On connection between the work function of electrons from hexaborides of alkali-earth and rare-earth metals and their electron structure, 9=11094
Samsonov, G.V. and Solonnikova, L.A. Diffusion of silicon in transition metals, 8=8454
Samuel, A.H. See Monchick, L., 7=5704
Samuel, D.R. See Deacon, E.L., 7=4033
Samuel, I. On a method for the calculation of bond orders, 5=8372. Calculation of the characteristic constants of a molecule starting from the partial derivatives of the secular equation, 6=2297. The polygon method for the graphical study of determinants. Applications to problems of theoretical chemistry, 8=3419
Samuel, J. See Corodetzky, S., 9=5045
Samuels, J.C. On propagation of waves in slightly rough ducts, 9=6626. Reflection and refraction of elastic waves at the interface of two moving semi-infinite plane media, 9=10720
Samŷlov, S.V., Tsukerman, V.A. and Model', I.Sh. Glow of gases irradiated by soft X-rays, 8=7831
Sanada, J. See Kikuchi, S., 9=352
Sanadze, T.I. Paramagnetic resonance in neodymium nitrate, 8=8921
Sanatani, S. Relativistic Hamiltonian and wave equations of an electron in an assembly, 5=5219. Wavestatistical derivation of the formula for transition probability, 6=2697. The effect of phenomenological three-body forces on the saturation of binding energies of light nuclei, 9=8506. See also Kar, K.C., 5=5218
Sancetta, S.M. and Carleton, R.J., Jr. Variable resistance bicycle ergometer for performance of recumbent exercise, 7=4919
Sánchez del Río, C. See Montes Ponce de León, J., 6=7641
Sancier, K.M. See also Sayre, E.V., 6=1062, 8=7817
Sancier, K.M., Fredericks, W.J. and Wise, H. Luminescence of solids produced by surface recombination of atoms, 9=7972
Sancier, K.M. and Richeson, W. Simple sensitive electrical pressure gauge, 6=3516
Sandage, A. On the mass of the RR Lyrae stars, 6=3451. Axial rotation and stellar evolution, 5=9386. See also Hoyle, F., 7=2920
Sandars, P.G.H. See Woodgate, G.K., 8=7300
Sanday, A.P. See Lambert, J.D., 5=796
Sandel, T.T. See also Feddersen, W.E., 8=842; Jeffress, L.A., 6=4761
Sandel, T.T., Teas, D.C., Feddersen, W.E. and Jeffress, L.A. Localization of sound from single and paired sources, 5=10152
Sandels, E.G. An instrument for the measurement of salinity in estuaries, 7=2789
Sandenshaw, T.A. and Gibney, R.B. The electrical resistivity and thermal conductivity of plutonium metal, 9=8091
Sander, K.F. See Davies, D.H., 8=8041; Pizer, H.I., 7=2
Sander, W. Measurement of the dislocation energy of bismuth and gallium layers at low temperatures, 7=6638
Sanders, C.L. See also Wyszecki, G., 7=9647
Sanders, C.L. and Wyszecki, G. Correlate for lightness in terms of C.I.E.-tristimulus values. I, 7=0080. L/Y ratios in terms of the C.I.E.-chromaticity coordinates, 8=6890
Sanders, E., Durham, K. and Camp, M. An improved rotational surface viscometer, 5=6785
Sanders, E.T. A fraction collector for chromatography, 5=10055
Sanders, J.E. A comparison of the average number of neutrons emitted in fission of some uranium and plutonium isotopes, 6=7699
Sanders, J.H. A proposed method for the measurement of the velocity of light, 9=4410. See also Almqvist, E., 5=8173; Collington, D.J., 6=557
Sanders, P.C. See Hayes, F.N., 5=3643
Sanders, R.M. Study of the $C^{14}(p,n)N^{14}$ and $C^{14}(\alpha,n)O^{17}$, 7=2629. Further observations on reversible rotation in magnetic films, 8=8884
Sanders, R.M. and Rossing, T.D. Reversible rotation in magnetic films, 8=8883
Sanders, T.M., Jr. See Dousmanis, G.C., 6=3626; Filipovich, G., 9=8333; Lamb, W.E., Jr., 6=6852; Weinreich, G., 9=6969
Sanderson, M.J. See Cummings, W.V., Jr., 5=2312.
Sanderson, R.T. Divalent hydrogen in the FHF^- ion, 5=3950. Relation of stability ratios to Pauling electronegativities, 6=1437. Electronegativities and bond energies, 6=3902
Sandford, B.P. Relative intensities of the oxygen lines at 5577 A and 6300 A in the night sky, 8=7633
Sandiford, D. J. Carrier lifetime in semiconductors for transient conditions, 7=4327. Temperature dependence of carrier lifetime in silicon, 8=4010. See also Rose, F.W.G., 6=2084
Sandiford, D.J. and Shields, J. Reverse current and carrier lifetimes in silicon p-n junctions, 7=7887
Sandin, A. See Borelius, G., 6=1153
Sandler, Y.L. Surface paramagnetism of germanium films, 8=2412. Hindered rotation in adsorbed hydrogen. Adiabatic cooling by adsorbed parahydrogen, 9=1820
Sandler, Y.L. and Gazith, M. Surface properties of germanium, 9=11595
Sandlin, B.J. and Thompson, J.C. Precision thermometer system for the liquid helium region, 9=10930
Sandmann, W.H. See Keuffel, J.W., 6=2963, 8=8252, 9=1666
Sando, H. See Funatogawa, Z., 8=3238
Sándor, E. and Wooster, W.A. The elastic constants of [99.7% pure] vanadium single crystals, 9=5189
Sándor, T. See Bozóki, G., 9=2465, 12429; Chaloupka, P., 9=13409; Jánossy, L., 7=4508
Sandorfy, C. See Payette, G., 9=3987
Sandquist, C.L. and Lyons, P.A. Diffusion coefficients for the system biphenyl in benzene, 5=784
Sandri, G. Influence of "New unstable particles" on the electromagnetic properties of nucleons. 6=4829. See also Streekantan, B.V., 6=6185
Sandri, R. On flame propagation in explosive mixtures of gases I. General theory, 7=1703; II. On the decomposition flame of ozone, 7=1704; III. Flame propagation in mixtures of methane and nitrogen air, helium air, and argon air, 7=1705
Sandros, K. See Bäckström, H.L.J., 6=1099
Sands, D.E. See also Zalkin, A., 9=13929
Sands, D.E. and Zalkin, A. The crystal structure of $MoCl_5$, 9=13930
Sands, M. Synchroton oscillations induced by radiation fluctuations, 5=2784. See also Bloch, M., 8=1191, 9=4944
Sands, R. See Franken, P., 8=9077
Sands, R.H. Paramagnetic resonance absorption in glass. 5=8914. See also Adams, M., 8=4388; Rempel, R.C., 8=406
Sandstad, J. Note on the observation of the Tartini pitch, 6=4131
Sandström, A.E. On the correlation between geomagnetic activity and the diurnal variation of cosmic rays, 5=9749. Experimental evidence of the directional components of cosmic ray, 8=7147. The latitude effect of the cosmic ray nucleonic component in relation to the magnetic dip, 9=4765. See also Nordfors, B., 8=8019
Sandström, A.E. and Nordfors, B. The transparency of cellulose acetate, cellophane, nylon, mylar, and teflon in the region 3-10 Å, 5=195
Sandström, R. See Beckman, O., 8=2533
Sandweiss, J. See also Barkas, W.H., 7=3225; Birge, R.W., 5=9122; Goldhaber, G., 8=7370; Stork, D.H., 7=2152
Sandweiss, J. and Barshay, S. Identity and parity of K mesons and the parity of hyperons from a strong reaction, 8=285
Sanfirova, T.P. See Zhurkov, S.N., 9=4077
Sanford, B.P. Measurement of the optical constants of thin dielectric films by means of frustrated total reflection, 8=5801
Sanford, J.R. See Courant, H., 9=8421
Sänger, R. and Spring, F. The propagation of explosion waves through supercooled clouds, 5=6831
Sanghi, I. See also Parthasarathy, N.V., 8=6827
Sanghi, I. and Wynne-Jones, W.F.K. Effect of introducing Li

in the positive plates of Ni accumulators, 8=3545
Sangiust, V. Note on the decay of ^{82}Sr, 8=8290. See also Fasana, A., 9=9961
Sangren, W.C. The role of digital computers in nuclear design, 7=9490
Sangster, M. The influence of the space charge in an electron beam accelerated in a constant electrostatic field up to energies of several MeV, 5=5437
Sangster, R.C. and Carman, J.N., Jr. Contraction of germanium on melting, 5=3676. Liquid surface tension measurements by analysis of solid-state curvatures; the surface tension of liquid germanium, 5=6795
Sangster, R.C. and Irvine, J.W., Jr. Study of organic scintillators, 6=3635
Sangster, W.M. See Yih, C.-S., 7=4004
Saniewska, T. See Ciok, P., 8=5090, 9=3930
Sanikidze, D.G. See Lifshits, I.M., 9=2280
Sanin, A.A. Amplitude analyser of voltage pulses, 5=7146
San'ko, L.A., Takibaev, Zh.S. and Shakhova, Ts.I. Investigation of the angular distribution of secondary particles in showers produced by high-energy nucleons, 9=2467
Sann, K. See Awender, H., 6=6606
Sanna, G. See Ageno, M., 9=13383; Alberigi, A., 9=11143
Sanna, R. See De Marco, A., 8=8191
Sannikov, D.G. An approximation to the Thomas-Fermi function, 8=8372. See also Shirokov, Yu.M., 7=94
Sano, M. On the gamma-transition of nuclei, 6=6836. See also Arima, A., 9=11417; Okai, S., 6=8955-6
Sano, M., Yoshida, S. and Terasawa, T. Direct and compound processes in nuclear reactions, 8=6285
Sanochkin, Yu.V. On the theory of a non-ideal Bose gas, 9=9255
Sans, P.Pascual de. See Pascual de Sans, P.
Sansom, H.C. See Charlesby, A., 5=8321
Sansome, G. Periodic solutions of the second kind of the generalized pendulum equation, 9=9270
Sant, A.J. See also Miller, O.E., 8=5824, 9=2191
Sant, A.J. and Miller, O.E. Instrument for selecting visually neutral photographic dye images, 8=1638
Sant, O.J. Van. See Van Sant, O.J.
Santa Maria, H.A. See Polkinghorne, J.C., 7=6599; Rodriguez, A.E., 5=7747
Sant'ana Dionisio, J. See Rosenblum, S., 6=4443
Santangelo, M. See Ciccarello, I.S., 9=9820; Curatolo, M., 5=362; Palma Vittorelli, M.B., 6=480, 3016, 7=905
Santangelo, R. See Borelli, V., 9=2556; Eisler, F., 8=1208, 1212* 9=2658, 2662, 2667
Šantavý, I. Transformation of Sommerfeld's formula for vertical dipole, 5=4819. The radiation of an electric dipole near the boundary between two media, 6=509
Santen, J.H.van. See van Santen, J.H.
Santesmases, J.Garcia. See Garcia Santesmases, J.
Santhamma, V. Force constants of BCl$_3$ molecule. 6=4540. The inverse kinetic energy matrix elements for the out-of-plane vibrations in furan, thiophene, cyclopentadiene and their substituted compounds, 7=6384
Santini, M. See Careri, G., 9=10924
Santis, V.De. See De Santis, V.
Santos, M.D.de Souza. See de Souza Santos, M.D.
Santos, M.D.S. See Borello, O.A., 9=663-4
Santos Villaça, S.dos. See dos Santos Villaça, S.
Santry, D.C. See Pate, B.D., 9=10046
Sanyal, L. The flow of a viscous liquid in a circular tube under pressure-gradients varying exponentially with time, 6=8019. The equations of motion of an incompressible viscous fluid in the parallel system of coordinates, 7=7645
Sanyal, N.K. See also Mitra, S.S., 6=114, 8=8730
Sanyal, N.K. and Mitra, S.S. Relation between viscosity and surface tension of liquids, 6=3518
Sapaly, J. On the use of photomultipliers in photoelasticity, 9=10640
Saperstein, A.M. See also Breit, G., 5=1531; Hull, M.H., Jr., 5=1530; Wertheim, M.S., 7=2233
Saperstein, A.M. and Durand, L., III. Boundary value treatment of nucleon-nucleon phase shifts. 7=2993
Saphir, G. Scattering and absorption of π^+ mesons in lead, 7=2696. See also Fowler, W.B., 6=3290; 6=6937; Maenchen, G., 6=2387
Saplakoglu, A., Bollinger, L.M. and Coté, R.E. Properties of s-wave and p-wave neutron resonances in niobium, 9=685
Sapon, S.M. See Zimmerman, S.A., 8=2928
Saporetti, F. See Bassi, P., 9=6568; Borelli, V., 9=2556
Saporoschenko, M. Ions in nitrogen, 9=3606
Saporte, R. Refection electron microscopy: direct observation of fragile objects under the electron beam, 7=2735. See also Fert, C., 7=4446, 5=7105; Pradal, F., 8=5955
Sapozhkov, M.A. Correlation method of measuring the transmission distortion coefficient, 7=4060. On a peculiarity of the intelligibility of formants, 9=13126
Sapp, R.C. See Dempesy, C.W., 8=8920, 9=453; Jastram, P.S., 6=3161; Richardson, J.T., 8=8919
Sarabhai, V., Desai, U.D. and Venkatesan, D. Cycle of world-wide changes in the daily variation of meson intensity, 5=375. Solar influence on the anistropy of primary cosmic radiation. I. Studies at low latitudes, 5=9748
Sarabhai, V., Duggal, S.P., Razdan, H. and Sastry, T.S.G. A solar flare type increase in cosmic rays at low latitudes, 6=7506
Sarabhai, V., Nerurkar, N.W. and Bhavsar, P.D. Study of the anisotropy of cosmic rays with narrow angle telescopes, 6=454
Sarace, J.C. See Mason, D.R., 9=13309
Sarada, K.A. See Mitra, A.P., 9=10537
Saraf, B. Energy levels of Rh^{103} from the decay of Pd^{103} and Ru^{103}, 5=2999. Inner Bremsstrahlung emitted in electron capture decay of Ni^{59}, A^{37}, and Fe^{55}, 6=4613. See also Hans, H.S., 5=4018; Mandeville, C.E., 5=4901
Saraf, J.R. Raman spectra of some simple and complex halides of cadmium, 6=7312. Raman spectra of iodic acid at different dilutions, 6=7314. Polarization of Raman lines of iodic acid and the structure of the acid molecule, 6=7619
Saraf, J.R. and Sharma, P.N. Determination of ultrasonic velocity in some complex chlorides of mercury, 6=4263
Saraf, J.R. and Srivastava, L.N. Ultrasonic velocity in iodic acid solutions by optical diffraction method, 7=177
Sarafanov, V.I. Dielectric strength of titanates of metals of the 2nd group of Mendeleev's table at continuous and alternating (f=50c/s) voltage, 5=6118. See also Skanavi, G.I., 5=6119
Saraiva de Toledo, P. The reaction Be^9(n, 2n)B^8 in heterogeneous thermal reactors moderated with beryllium. I. Effect k_∞, 9=3937. See also Dillenburg, D., 9=3937; Toledo, P.S.
Sarason, D.E. See Cork, J.M., 8=7302
Sarazin, A. See Cachon, P., 9=12364
Sarbeĭ, O.G. See Borzyak, P.G., 9=3561, 12358
Sarbeĭ, O.H. See Borzyak, P.H., 8=7103
Sard, R.D. See Annis, M., 8=1175; Fowler, J.M., 9=2460; Stearns, B.F., 7=7364
Sarjant, R.J. See Kenney, M.J., 6=8031
Sargeant, H.I. See Morrow, C.T., 7=180
Sargent, B.W. See Dawson, W.K., 7=7540
Sargent, C.P. See also Bertozzi, W., 8=6324
Sargent, C.P., Cornelius, R., Rinehart, M., Lederman, L.M. and Rogers, K. Diffusion cloud-chamber study of very slow mesons. I. Internal pair formation, 5=7389
Sargent, C.P., Rinehart, M., Lederman, L.M., Rogers, K.C. Diffusion cloud-chamber study of very slow mesons. II. Beta decay of the muon, 5=9955
Sargent, J. Recording microwave hygrometer, 9=7850
Sargent, W.L.W. See Hazlehurst, J., 9=10637
Sarinyan, M.G. See Babayan, Kh.P., 9=2579
Sarkar, S. The influence of constant electric and magnetic fields on the spin of the particle, 9=10598
Sarkes, L.A. See Hine, G.J., 5=4753
Sarles, L.R. and Cotts, R.M. Double nuclear magnetic resonance and the dipole interaction in solids, 9=2930
Sarma, G. See Cribier, D., 9=12825
Sarma, N. See also Allan, H.R., 5=7358, 6=7681
Sarma, N., Govindjee, M. and Allan, H.R. A study of the reaction ^{12}C(d, p)^{13}C, 7=3655
Sarma, N.V.G. See Mitra, A.P., 9=10537
Sarma, N.V. Gurunadha. See Gurunadha Sarma, N.V.
Sarma, R.N.Sen. See Sen Sarma, R.N.
Sarmaniote, G. See Lockwood, J.A., 6=6759
Sarminskaya, T.N. See Sazhin, B.I., 9=4043
Sarmousakis, J.N. and Low, M.J.D. Chemisorption data and the Elovich equation, 6=9018
Sarojini, T. and Rahman, A. Variational method for the vibrations of the Indian drums, 8=2879
Sarolea, L. Integral equation method in the theory of liquids, 9=2134

Saroléa, L. and Koppe, H. Evaluation of the density matrices for homogeneous systems in thermal equilibrium, 8=7722
Sarolea, L. and Mayer, J.E. Integral equation method in the theory of liquids, 6=3532
Sarpkaya, T. Oblique impact of a bounded stream on a plane lamina, 9=5399
Sarrafian, G.P. See Jones, H.J., 6=5544
Sartain, C.C. and Yockey, H.P. Cryostat for reactor irradiation, 8=8735
Sartori, L. See also Halpern, F.R., 9=9229
Sartori, L. and Rubinow, S.I. Scattering of low-energy neutrons by deuterons, 9=4915
Sarup, R. See Dieke, G.H., 9=1315
Sarver, J.F. and Hummel, F.A. Phase equilibria and fluorescence in the system $Zn(PO_3)_2-Mg(PO_3)_2$, 9=8855
Sary̆cheva, L.I. See Abrosimov, A.T., 8=6019; Ivanovskaya, I.A., 8=1859,* 7150; Ry̆zhkova, K.P., 5=8888; Zatsepin, G.T., 7=6313
Sasakawa, T. On the energy matrix of the tensor forces, 7=5872. See also Kajikawa, R., 7=6554; Sakamoto, Y., 9=12559
Saski, S. See Yano, S., 9=5940; Ishiguro, K., 9=11026; See also Akao, H., 6=3707
Sasaki, W. See also Kanai, Y., 7=5329, 9=9623
Sasaki, W. and Kanai, Y. Galvanomagnetic effects of a heavily doped germanium crystal, 7=377
Sasaki, W., Sakamoto, N. and Kuno, M. Some electrical properties of AlSb, 5=933
Sasaki, W. and Shibuya, M. Experimental evidence of the anisotropy of hot electrons in n-type germanium, 7=5325
Sasaki, W., Shibuya, M. and Mizuguchi, K. Anisotropy of hot electrons in n-type germanium, 9=10997
Sasaki, W., Shibuya, M., Mizuguchi, K. and Hatoyama, G.M. Anisotropy of hot electrons in germanium, 9=5701
Sasaki, W. and Yoshida, E. Acoustoelectric effect in n-type germanium, 8=3109
Sasaki, Y. Study of the state of nitrogen adsorbed on evaporated barium film, 7=9954
Sasaki, Y., Kimura, K. and Kubo, K. Electron diffraction investigation of triphenylamine, 9=10204
Sasisekharan, V. An application of the difference-Patterson method, 6=8483
Saslow, M.G. See Flanagan, J.L., 9=160
Sasovskaya, I.I. See Skornyakov, G.P., 9=10866
Sastry, G.S. See Krishnamurthi, M., 9=3044
Sastry, K.S.R. and Jnanananda, S. Attenuation coefficients for gamma rays from Co^{60}, 9=11348
Sastry, T.S.G. See Sarabhai, V., 6=7506
Satake, S. See Hosoya, S., 7=8255
Satarov, V.I. See Dzhelepov, V.P., 6=1589, 7=8201; Golovin, B.M., 9=12553
Satchler, G.R. Deuteron stripping and the collective nuclear model, 5=5627. Gamma radiation following the surface scattering of nucleons, 6=2361. Polarization in nuclear reactions, 6=2384. Angular distribution of nuclear reaction products, 7=2620. The study of nuclear collective motion by stripping reactions, 8=4259. Deuteron stripping with polarized deuterons, 8=4315. Nuclear potential and symmetry energy, 8=9008. Time reversal and polarized nuclear reactions, 9=1647. See also Brink, D.M., 6=8918; Gray, T.P., 5=7274; Huby, R., 9=1769; Sawicki, J., 8=6303
Sato, G. See Kurosaki, S., 6=1713
Sato, H. On the thermal conductivity of ferromagnetics, 6=281. Experimental investigation on the transition of laminar separated layer, 6=7203. Electrical resistivity of Au_3Cu at low temperatures, 7=6160. Remarks on the volume magnetostriction and the anisotropic forced magnetostriction, 8=1782. Magnetostriction and elastic properties of ferromagnetic substances at high magnetic fields, 8=8932. Note on the information capacity of a coloured picture, 9=10460. See also Alers, G.A., 9=9785; Arrott, A., 9=11199; Tani, I., 7=7664
Sato, H. and Arrott, A. Transitions from ferromagnetism to antiferromagnetism in iron aluminium alloys, 8=8909. Transitions from ferromagnetism to antiferromagnetism in iron–aluminium alloys. Theoretical interpretation, 9=11200
Sato, H., Arrott, A. and Kikuchi, R. Remarks on magnetically dilute systems, 9=7150
Sato, I. See also Nakabayasi, K., 5=3440
Sato, I. and Ichikawa, Y. A classical treatment of the scattering of electromagnetic waves by nucleons, 5=6753
Sato, I. and Itabashi, K. Electromagnetic properties of deuteron, 6=3489
Sato, I., Itabashi, K. and Sato, S. On the recoil correction to adiabatic nuclear potential, 6=6375
Sato, K. and Koyasu, M. Dependence of sound absorption coefficient upon area of acoustic materials, 9=9360. The effect of the room shape on the sound field in rooms (studies on the measurement of absorption coefficient by the reverberation chamber method. I, 9=13138
Sato, M. Studies on the wetting effect and surface tension of solids. The effect of wetting of liquids on the Young's modulus of glass, 5=1580. The effect of wetting of liquids on the Young's modulus of marble, steatite, agalmatolite and porcelain, 5=1581. The weakening effect on paraffin and waxes with its application for determining their surface tensions in solid state, 5=4410. A method of accurate determination of absolute values of X-ray levels in copper. II (6), 5=7293. An experimental study on the change in Young's modulus of quenched carbon steel due to wetting by liquids, 5=9996. General formula of the Racah coefficient, 6=3081. On the characteristic of the weakening effect, 6=3322. The wetting effect on quenched carbon steel within its elastic limit, 6=3323. See also Iso, C., 7=680; Obi, S.-Y., 5=4283; Taguti, R., 7=2095, 9=9536; Yoshimoto, H., 9=11077-8
Sato, M. and Tino, Y. Variation of the magnetic anisotropy energy of Ni and of Ni-Cu alloys as a function of the temperature, 6=4498
Sato, S. On a new method of drawing the potential energy surface, 5=5687. Potential energy surface of the system of three atoms, 6=2493. Recoil effect and spin-orbit coupling, 6=4207. See also Okabayashi, T., 8=5619; Sato, I., 6=6375; Tsubouchi, T., 9=6821; Yasumori, I., 5=3216
Sato, T. On anomalous variations of maximum electron density and its height in the F2 region of the ionosphere, 5=10110. On anomolous variations of critical frequencies and virtual heights of the F1 and E regions of the ionosphere, 6=7872. Disturbances in the F1 and E regions of the ionosphere associated with geomagnetic storms, 8=1376. Note on collective energy losses in metals, 8=4074. Disturbances in the ionospheric F2 region associated with geomagnetic storms. I. Equatorial zone, 9=1949; II. Middle latitudes, 9=1950; III. Auroral latitudes, 9=1951. See also Maeda, K.I., 9=7680; Yonemitsu, K., 9=8084, 11057
Sato, T., Nagao, S. and Toriyama, Y. Space-charge limited current in insulating oil, 6=8172
Sato, T. and Namikawa, T. On latitudinal distributions of diurnal and semidiurnal components of h'F2 of the ionosphere, 6=830
Sato ,T . and Noguchi, S. Note on some properties of gamma brass, 8=3987
Sato, Y. Potential barrier for proton transfer in hydrogen bond, 9=6204. See also Sakayanagi, Y., 5=6885
Sato, Y. and Nagakura, S. Infrared absorption studies on the hydrogen bonds between various phenol derivatives and some proton acceptors, 6=8311
Satoh, T. See Kanai, E., 6=1639
Satomura, S. Ultrasonic Doppler method for the inspection of cardiac functions, 8=4602
Satone, H. Researches on the establishment of standards for measuring thermal radiation, 9=253
Satou, S. See Negita, H., 6=5290, 7=8752
Satsevich, I.E. See Nikol'skiĭ, S.I., 7=3418
Satten, R.A. Effects of atomic quadrupole moments upon the index of refraction, 7=5155. Reply to Jørgensen's letter, absorption spectra of lanthanide and actinide ions, 5=3582. Crystalline field selection rules: the effect of vibration electronic interaction, 7=9968. Time reversal symmetry and electromagnetic polarization fields, 8=6787. On the theory of electronic–vibrational interaction for rare earth and actinide series ions in crystals. II. Octahedral complexes, 9=5140
Satten, R.A. and Young, D.J. Symmetry of the local crystalline field about rare earth ions in octahydrated sulfate crystals, 5=3954
Satterly, J. The tangential drag of a soap film, 5=1579. Vibrational dynamics with lenses, mirrors, and prisms, 6=1876. Moments of inertia of solid rectangular parallelopipeds, cubes, and twin cubes, and two other regular polyhedra, 7=3018. Moments of inertia about selected axes of regular polygons, right pyramids on regular polygonal bases, and of the Platonic and some Archimedian polyhedra, 8=528.

Moments of inertia of plane triangles, 9=71. Moments of inertia of skeleton figures and shells, 9=3169. Induced rocking, 9=3174

Satterthwaite, C.B. See also Biondi, M.A., 9=2354; Corak, W.S., 5=3791, 6995, 6=4372-3

Satterthwaite, C.B. and Ure, R.W., Jr. Electrical and thermal properties of Bi_2Te_3, 8=7935

Saturno, A.F. and Parr, R.G. Improved simple analytical wave functions for atoms, 8=9070

Satyanarayana Murthy, D. See Ramachandra Rao, B., 7=3856

Satyanarayana Murty, D. See Ramachandra Rao, B., 9=4132; Rao, B.R., 6=2587*

Satyanarayana Murty, J. Theoretical investigation on the diffraction of light by superposed ultrasonic waves, 5=1635. See also Ramachandra Rao, B., 7=298, 9=1339

Satyanarayana Murty, M. See Krishnamurty, B., 9=140

Sauer, J.A. See also Deeley, C.W., 8=6448, 9=5190; Fuschillo, N., 7=8246, 8=405; Tu, L.Y., 5=6826; Woodward, A.E., 9=7474

Sauer, J.A., Wall, R.A., Fuschillo, N. and Woodward, A.E. Segmental motion in polypropylene, 9=4030

Sauer, J.A., Woodward, A.E. and Fuschillo, N. Nuclear magnetic resonance and thermal expansion in partially crystalline polypropylene, poly(butene-1), and poly(pentene-1), 9=13220

Sauer, R.L. Nondestructive interferometric thickness measurement of thin transparent films, 8=5809

Sauerbrey, G. Use of quartz vibrator for weighing thin layers and as a micro-balance, 9=9274

Sauermann, G. See also Ewald, H., 6=5949; 9=8236; Haug, A., 9=6223; v. Schierstedt, G., 6=6099

Sauermann, G. and Ewald, H. Construction and testing of a double-focusing stigmatic mass spectrometer, 9=8237

Sauka, Ya.Ya. Crystals of potassium tetraborate tetrahydrate, $K_2B_4O_7.4H_2O$, 9=10388

Saum, G.A. and Hensley, E.B. Fundamental optical absorption in the IIA-VIB compounds, 9=5545

Saumagne, P. See Lascombe, J., 7=6376

Saunders, B.G. Cloud chamber for counting nuclei in aerosols, 6=5500. See also Huffman, F.N., 7=5393; Johnston, L.W., 8=6096

Sauders, F., Yeager, E. and Hovorka, F. Ultrasonic waves and electrochemistry. V. The frequency characteristics of the electrokinetic and the a.c. polarized electrode effects, 5=6847

Saunders, H. and Paslay, P.R. Inextensional vibrations of a sphere–cone shell combination, 9=6620

Saunders, J.B. An improved optical test for spherical aberration, 5=825. Refractivity measurements on thick plates, 5=870. Refractivity measurements on Canada balsam by interferometry, 5=3548. Inverting interferometer, 5=3650. Construction of a Kösters double-image prism, 7=5244. The Kösters interferometer, 7=5245. Parallel testing interferometer, 9=5588

Saunders, J.B. and Gross, F.L. Interferometer for large surfaces, 9=6784

Saunders, J.H. See Sirvetz, M.H., 6=3823

Saunders, M. and Hyne, J.B. Trimeric association of t-butanol by N.M.R., 8=8512. Study of hydrogen bonding in systems of hydroxylic compounds in carbon tetrachloride through the use of NMR, 9=6199. Hydrogen bonded species in alcohols, 9=8748

Saunders, M.J. See also Smith, A.G., 7=9478

Saunders, M.J. and Smith, A.G. Phase contrast observations of flames, 6=1123

Saunders, O.A. See Cobb, E.C., 6=7344

Saunders, R.D. See Haybittle, J.L., 7=2777

Saunders, W.M. See Williams, J.W., 5=1340

Saunier, N. See Latapie, C., 7=9316; Levi, C., 8=744, 9=10103, 13631

Saupe, A. See Maier, W., 9=4349, 5416

Saur, E. and Unger, E. Spectro-analytical investigation of the evaporation process of binary alloys, 9=5622

Saur, G., Laue, H.J. and Borchers, H. The effect of corpuscular radiation on the creep properties of metals, 9=6285

Saur, R.L. Topographic microscope, 9=1353

Saurel, J. Apparatus for the determination of the equations of state of compressed gases at high temperatures. Application to the study of nitrogen up to 1000 kg/cm² and 1000°C, 9=3220. See also Galperin, B., 5=8527

Saurel, J., Bergeon, R., Johannin, P., Dapoigny, J., Kieffer, J. and Vodar, B. Equation of state and thermal conductivity of gases at high pressures and elevated temperatures, 8=3925

Saurel, J. and Lecocq, A. Variation with pressure of the specific heats C_v and C_p up to 900 atm and to temperatures 300, 400, 500, 600, 700 and 800°C, 9=9571

Saurel, J. and Vodar, B. An apparatus for the determination of equations of state of gases under high pressures and at high temperatures, 6=4895

Sauter, E. Measurement of the intensity of the 1849 A line of a low-pressure mercury lamp, 8=7855. See also Braunbek, W., 7=6952

Sauter, F. See also Busse, C.-A., 5=1805; Pütter, P.S., 8=8065

Sauter, F. and Weisse, J. The theory of internal field emission, 5=4719

Sauter, F. and Wüster, H.O. The emission of photoelectrons from the K-shell in the direction of the liberating γ-ray, 5=7329

Sautter, D. See also Glaser, G., 6=1260

Sautter, D. and Seiler, K. Noise of Ge monocrystals, 9=5706

Sauvenier, H. Additional absorption of mixed crystals of silver halides with impurities, 7=3829. Effect of desensitizers on the regression of the latent image, 9=5289. The influence of $S^=$ ions on the reciprocity failure of the surface image at very short exposures, 9=12924

Sauzade, M. and Stefant, R. Measurement of rapid variations of the earth's magnetic field, 9=11185

Sauze, A. See Perrot, M., 6=6659

Savadatti, M.I. See Tawde, N.R., 8=4382, 9=11528

Savage, A. See Miller, R.C., 7=3750, 9=4555, 8072, 12221

Savage, C.M. and Edwards, T.H. Infrared spectrum of hydrogen sulfide in the 2.6-micron region, 7=7747

Savage, J.C. Reflection from a fluid of higher sound velocity, 9=1211

Savage, R.H. and Schaefer, D.L. Vapor lubrication of graphite sliding contacts, 6=1669

Savage, R.L. See Skinner, S.M., 5=273

Savage, W.R. See also Johnson, R.G., 7=2121

Savage, W.R., Hudson, D.E. and Spedding, F.H. Mass spectrometric study of heats of sublimation of dysprosium, samarium, thulium and ytterbium, 9=5636

Savchenko, O.V. See Akimov, Yu.K., 9=1767, 2788; Neganov, B.Š., 8=1874

Savedoff, M.P. Physical constants in extra-galactic nebulae, 7=1937. Gas dynamics of galaxy collisions, 9=986. Gasdyanmical effects of star formation, 9=992. The Crag and Cygnus A as gamma ray sources, 9=10544

Savedoff, M.P. and Greene, J. Expanding H II Region, 6=5609

Savel, P. Techniques used for protection of personnel likely to be irradiated by α and γ-rays and by thermal and slow neutrons, 5=1420. See also Nahmias, M.E., 5=2170

Savel'ev, V.Ya. and Kononenko, V.A. Investigation into slow neutron counters, 9=8403

Savel'eva, A.I. See Grigorov, N.L., 9=2837

Savelli, M. Experimental study of the spectrum of local transparencies in a photographic film uniformly exposed, 7=5783. See also Faure, P., 8=478; Picinbono, B., 6=1090

Savelli, V. See Caciotti, M., 8=1572

Savich, A.V. On the absence of stable Tc and Pm isotopes and other anomalies in the distribution of β-stable nuclei, 5=8984. Nuclear shells and the classification of atomic nuclei, 6=6841

Savich, I.G. See Osherovich, A.L., 9=12725

Savin, F.D. See Alekseeva, K.I., 8=1748

Savina, L.I. See Mikhaĭlov, I.G., 8=7770

Savino, J.M. and Sibbitt, W.L. Capillary viscometer for inert gases and vapors at high temperatures and pressures, 9=6604

Savintsev, P.A. Variation of the physical properties of crystals with their molecular concentration, 7=4844. Physical properties of alloys and molecular concentration, 9=860

Savintsev, P.A. and Avericheva, V.E. Melting temperature of contact layers in crystals, 8=6906

Savitski, M.J. Effects of composition and processing variables on the magnetic properties of the 50% nickel–iron alloy, 8=8893

Savornin, F. Vacuum study of the thermo-E.M.F. of very thin films of aluminium 6=5895. Influence of thickness on the thermoelectric power of thin films of aluminium and cobalt, 7=9206. Effect of thickness on the resistivity and thermoelectric power of thin cobalt films, 8=5869. Development [in time] of the electrical resistance of thin films of cobalt, 8=6951. Experimental determination of the mean free path in cobalt, 9=8836. Thermoelectric power and mean free path in thin slices of cobalt, 9=11064. See also Savornin, J., 5=3795, 6=6660

Savornin, J. and Lejeune, G. Attempts to perfect a solar distillation apparatus, 6=8541

Savornin, J. and Savornin, F. Discontinuities in the thermoelectric properties of thin metallic films, 5=3795. Contribution to the study of the thermoelectric properties of thin aluminium films, 6=6660

Savoskin, V.I. See Glotova, G.I., 9=11168; Granovskiĭ, V.L., 9=2378

Savvinȳkh, S.K. See Pokrovskiĭ, V.L., 9=1092-3, 11292

Savvon, S.M. See Tsvetkov, V.N., 6=6551

Saw Pak Thong. See Thong Saw Pak.

Sawada, K. A relation between Taketani's treatment and Brueckner's one, 5=9391. Variational treatment of pion-nucleon interaction, 5=9391. Correlation energy of an electron gas at high density, 7=6374. See also Akiba, T., 5=737; Brueckner, K.A., 7=6891-2, 9=3635; Fukuda, N., 5=736, 1504

Sawada, K., Brueckner, K.A., Fukuda, N. and Brout, R. Correlation energy of an electron gas at high density: plasma oscillations, 8=399

Sawada, M. See also Ishimura, T., 9=9684; Shiraiwa, T., 8=8022, 9=13361; Tsutsumi, K., 8=8023, 9=8195

Sawada, M. and Shaw, C.H. Calculation of the transmission factor in X-ray scattering, 9=2384

Sawada, M., Tsutsumi, K. and Hayase, A. Fine structures of X-ray absorption spectra of cobalt in the face centered cubic lattice and close-packed hexagonal lattice, 8=8021

Sawada, M., Tsutsumi, K., Shiraiwa, T. and Obashi, M. On the amorphous state of the binary system of nickel-sulfur, 5=7407. On the structure of the X-ray non-diagram lines $K\beta_\eta$ for elements from Cr(24) to Zn(30), 5=9690. On the fine structures of X-ray absorption spectra of amorphous substances. The amorphous state of the binary system of nickel-sulfur. II, 5=9980

Sawada, R. and Haurwitz, B. The lunar air tide, 5=10118

Sawada, S. Thermal and electrical properties of tungsten oxide (WO_3), 7=7817. Microscopic and X-ray studies on tungsten oxide (WO_3), 7=8297. See Also Furuichi, S., 8=1182, 2487, 9=3788; Horie, T., 5=2614; 7901; Ishikawa, Y., 6=5072, 7=4270; Kawabe, K., 7=8925; Nomura, S., 5=2708; Yoshida, I., 9=13209

Sawada, S. and Danielson, G.C. Optical indices of refraction of WO_3, 9=5491. Domain structure of WO_3 single crystals, 9=5659. Electrical conduction in crystals and ceramics of WO_3, 9=5710

Sawada, S., Nomura, S., Fuji, S. and Yoshida, I. Ferroelectricity in $NaNO_2$, 9=276

Sawada, T. See Otsuki, S., 5=9429, 6=8927

Sawaguchi, E., Mitsuma, T. and Ishii, Z. Double hysteresis loop of $(Pb_\lambda Ca_{1-\lambda})TiO_3$ ceramics, 7=7849

Sawaki, T. Achromatic anti-reflection coating for practical use, 8=5803

Sawamoto, K. See Yamaka, E., 5=3720, 6=1233, 3740, 9=4590

Sawamura, M. See Hiida, K., 7=84, 8350

Sawaragi, Y. and Tokumaru, H. The theory of creep of visco-plasto-elastomer, 9=884

Sawatzky, A. Diffusion of indium in tin single crystals, 9=841. See also Jaumot, F. E., Jr, 7=1669

Sawatzky, A. and Jaumot, F.E., Jr. Diffusion of zinc in single crystals of silver, 6=1641

Sawicki, J. The deuteron polarizability and its effect on the Rutherford scattering, 5=1120. Coulomb effects in the $^6Li(n,\alpha)^3H$ and $^6Li(p,\alpha)^3He$ reactions, 5=7380. Disintegration of the Be^9-nucleus in Coulomb field, 5=9910. Note on Coulomb effects in stripping reactions, 6=1569. Proton polarization in (n, p) reactions and nuclear optical model, 6=3992. Note on the nucleon self-action in the classical scalar meson field theory, 6=7985. Note on the $^6Li(d,\alpha)^4He$ reaction, 7=705. Neutron polarization in (p, n) reactions and nuclear optical model, 7=2642. Disintegration of the ^9Be nucleus in Coulomb field, 7=5617. Proton polarization in (d, p) reactions, 7=6561. Polarization of nucleons from the break-up of the deuteron in the electromagnetic field of a nucleus, 7=9386. Deuteron stripping on spheroidal nuclei, 8=3371. Inelastic scattering of deuterons from spheroidal nuclei, 8=3372. Unified nuclear model and direct nuclear photoeffect. I. Weak coupling effects, 8= 5260. Inelastic scattering of nucleons and deuterons from spheroidal nuclei, 8=8320. Deuteron stripping on spheroidal nuclei. I, 9=2792. Deuteron stripping on spheroidal nuclei. II, 9=2703. Neutron polarization and angular distributions in (p, n) reactions and nuclear optical model, 9=11463. Appendix IV to the paper by Sawicki, 9=11463. See also Czyż, W., 6=5393, 7=2656, 7386, 8832, 8=5375, 9=1768; Dabrowski, J., 5=4073, 7373, 9911, 6=6829, 6892, 8370; de Swart, J.J., 9=5059; Plebański, J., 6=7135

Sawicki, J. and Czyż, W. Note on the two-stage mechanism of the (γ, d) reactions, 7=9880. Note on the (γ, d) reactions, 8=3379; An addendum, 8=5373

Sawicki, J. and Folk, R. Doublet splittings in nuclei and the strongly correlated nuclear wave functions, 9=8493

Sawicki, J. and Satchler, G. R. Shape effects in deuteron stripping on spheroidal nuclei, 8=6303

Sawicki, J. and Szymanski, J. Polarization effects in beta decay accompanied by internal bremsstrahlung, 8=1246. Polarisation effects in beta decay accompanied by internal bremsstrahlung. I, 9=1739

Sawicki, J. and Szymanski, Z. Nucleon–surface interaction and the (p, n) reactions, 7=9869. Nucleon–surface interaction and the (p, n) reactions, 9=5037

Sawicki, J. and Watanabe, S. High energy nucleon–deuteron elastic scattering and the nucleon–nucleon forces, 9=7256

Sawkill, J. Nucleation in silver azide: an investigation by electron microscopy and diffraction, 5=5013

Sawle, D. See Biehl, A.T., 7=3688

Sawle, D.R. Continuous alpha air monitor, 7=4655

Sawyer, B. See also Bennett, D.C., 6=7011

Sawyer, B. and Smoluchowski, R. Magnetic influence on the recrystallized gain texture of a ferromagnetic alloys, 8=1126

Sawyer, G.A. See also Boyer, K., 9=12342; Burkhardt, L.C., 7=7938, 8=8828; Finkelstein, D., 8=7127

Sawyer, G.A. and Burkhardt, L.C. Search for the reaction (Td, y) He^5, 5=7371

Sawyer, G.A., Scott, P.L. and Stratton, T.F. Experimental demonstration of hydromagnetic waves in an ionized gas, 9=3655

Sawyer, J.S. Planetary atmospheres and convection in rotating fluids. Jet streams as a feature of the earth's atmosphere, 8=2102

Sawyer, R. A. See Wahr, J.C., 5=7826

Sawyer, R.F. Isotopic properties of the K-meson decay interaction, 8=6176. Charge properties of the K meson and hyperon decay interaction, 9=3790

Saxe, R.F. Uniform-field breakdown in air, 6=8219. The examination of spark discharges with short exposures, 7=3315. Ion cyclotron resonance, 7=9743

Saxe, R.F. and Chippendale, R.A. Millimicrosecond exposures by image tubes, 5=9346

Saxe, R.F. and Lewis, T.J. Measurement of the statistical time lag of breakdown in gases and liquids, 5=7070

Saxena, A.N. Z_A term in the mass formula, 7=607. See also Ghoshal, S. N., 5=9055, 6=5315; Panofsky, W.K.H., 9=12343

Saxena, M.C. See Ingram, D.J.E., 9=12467

Saxena, R.P. See Mitra, A.N., 8=7269

Saxena, S.C. Thermal diffusion of gas mixtures and determination of force constants, 5=8554. On the two schemes of approximating the transport coefficents (Chapman–Cowling and Kihara)., 6=4893. Evaluation of collision integrals occurring in higher approximations to diffusion coefficients. 6=5722. Higher approximations to diffusion coefficients and determination of force constants, 6=6422. Thermal conductivity and force between like molecules, 6=6556. Thermal conductivity of He–A–Xe ternary mixture, 6=8726. Thermal conduction and gas analysis, 7=4266. Generalised relations for the three elementary transport coefficients of inert gases, 7=8465. Transport coefficients and force between unlike molecules, 9=11913. See also Mason, E.A., 9=1368, 10692; Srivastava, B.N., 6=5723, 7=4267, 8549

Saxena, S.C. and Mason, E.A. Higher approximations for the transport properties of binary gas mixtures. III. Isotopic thermal diffusion, 8=2186

Saxena, S.C. and Srivastava, B.N. Second approximation to the thermal diffusion factor on the Lennard-Jones 12 : 6 model, 5=9476

Saxon, D.S. Tensor scattering matrix for the electromagnetic field, 6=1409. Formulation of high-energy potential scattering problems, 7=8417. See also Melkanoff, M.A., 6=3210, 7=6285; Moe, M., 9=1082

Saxon, D.S. and Schiff, L.I. Theory of high-energy potential scattering, 8=512
Saxton, J.H. Aluminium–nickel mirror, 8=7854
Sayanagi, K. On the light distribution in the photographic image, 7=7710. On the location of the optical response origin, 9=9377
Sayasov, Yu.S. Probability of electron capture by neutral atoms in three-particle collisions, 7=8685. On equilibrium ionization produced by dust particles, 9=12405
Sayce, L.A. The production of accurate linear scales by means of the Merton nut, 5=1564. Sayers, B.McA. See also Cherry, E.C., 7=194; Leakey, D.M., 8=3620
Sayers, B.McA. and Cherry, E.C. Mechanism of binaural fusion in the hearing of speech, 8=470
Sayers, J. Recent laboratory studies of recombination cross-sections 6=6747. See also Yeung, T.H.Y., 7=7191
Sayers, N.D., Taylor, G.R. and Emeléus, K.G. Laboratory production of the Vegard-Kaplan bands, 5=3552
Sayied, A.M. The Čerenkov effect in composite (isotropic) media, 8=1815
Sayre, D. See Friedlander, P.H., 6=4102. Love, W.E., 5=1354, 8402
Sayre, E.V. Absorption spectrum and quantum states of the praseodymium ion. II. Anhydrous praseodymium fluoride in films, 6=1063*. Absorption spectra at 4°K of single crystals of normal and isotopically substituted sodium and potassium nitrates, 9=9418. See also Miller, D.G., 8=9103
Sayre, E.V. and Freed, S. Spectra and quantum states of the europic ion in crystals. I. Absorption spectrum of anhydrous europic chloride, 6=5776; II. Fluorescence and absorption spectra of single crystals of europic ethylsulfate nonahydrate, 6=5777
Sayre, E.V., Miller, D.G. and Freed, S. Symmetries of electric fields about ions in solutions. Absorption and fluorescence spectra of europic chloride in water, methanol, and ethanol, 7=4150
Sayre, E.V., Sancier, K.M. and Freed, S. Absorption spectrum and quantum states of the praseodymium ion. I. Single crystals of praseodymium chloride, 6=1062. Partial revision: Absorption spectrum and quantum states of the praseodymium ion. I. Single crystals of praseodymium chloride, 8=7817
Sayres, A. and Wu, C.S. Gas scintillation counter, 8=1798
Sazhin, B.I. See also Mikhaĭlov, G.P., 5=7012, 9633, 6=5837, 7=2167, 8=3074
Sazhin, B.I., Lobanov, A.M., Gol'denberg, A.L., Sarminskaya, T.N., Marakhonov, I.A. and Kabin, S.P. Investigation of various properties of polyethylene subjected to the effect of γ-radiation, 9=4043
Sbitnikova, I.S., See Spivak, G.V., 6=4496, 9=7083
Scace, R.I. and Slack, G.A. Solubility of carbon in silicon and germanium, 9=13071
Scadden, E.M. Improved molybdenum separation procedure, 7=9944. See also Bunney, L.R., 7=9376
Scaife, B.K.P. The high temperature susceptibility of a lattice of permanent dipoles, 5=8727. Isothermal pressure dependence of the dielectric properties of eugenol, glycerol and water, 6=1193. On the molecular theory of electrostriction, 6=2855. Dipole moment fluctuations of a dielectric body, 7=4300
Scala, L.C., Hickam, W.M. and Langer, A. Gas circulating apparatus containing a magnetic balance, 9=3177
Scalan, R.S. and Fink, R.W. Activation cross-sections for reactions of chlorine and copper with 14.8 MeV neutrons, 9=2825
Scales, W.W. Specific heat of LiF and KI at low temperature, 9=2286
Scandrett, J.H. See Crittenden, R.R., 9=4943
Scanes, P. Mass flowmeters, 9=10664
Scanlan, R. Analogue study of columns of variable section in the elastoplastic state with the help of electrical resistance models, 6=4699
Scanlon, J.P. A slide rule technique for calculating neutron energies from tracks in nuclear emulsions, 5=8301. See also Green, L.L., 5=5628
Scanlon, J.P., Stafford, G.H., Thresher, J.J. and Bowen, P.H. Neutron time-of-flight spectrometer for use with the Harwell 110 inch cyclotron, 8=1852
Scanlon, W.W. Lifetime of carriers in lead sulfide crystals, 7=6175. Surface studies on cleaved crystals of lead sulfide, 7=7873. Intrinsic optical absorption and the radiative recombination lifetime in PbS, 8=8698. Recent advances in the optical and electronic properties of PbS, PbSe, PbTe and their alloys, 9=9628. The lifetime of charge carriers in PbS, 9=11018. See also Allgaier, R.S., 9=3479; Brebrick, R.F., 5=951, 7=9966; Humphrey, J.N., 7=3298; Petritz, R.L., 5=4659
Scanlon, W.W. and Brebrick, R.F. The preparation and electrical properties of lead sulfide crystals, 5=3770
Scanlon, W.W., Brebrick, R.F. and Petritz, R.L. The chemical and physical properties of lead sulfide single crystals, 7=7924
Scaramuzzi, F. See Careri, G., 9=10929
Scarf, F.L. Spectrum and nonrelativistic limit of a Bethe-Salpeter equation 6=907. Discrete states for singular potential problems, 8=2807. Scattering amplitudes for the Thirring model, 9=1083. New soluble energy band problem, 9=5145. On the ordered-exponential solutions for the Thirring model, 9=7797. Anticommutator for a nonlinear field theory, 9=12993. See also Geffen, D.A., 6=4845
Scarf, F.L. and Umezawa, H. Admissible solutions of the covariant two-body problem, 8=2143
Scarfiello, R. Change of variables in distributions and their Fourier transforms, 5=5817
Scari, O. The emission spectrum of the BiO molecule, 6=8656. See also Kovács, I., 9=1275, 6717
Scarl, D. See Reynolds, G.T., 9=9901*
Scarpati, R. See Califano, S., 7=9085
Scarsi, L. See also Amaldi, E., 5=8278; Bacchella, G.L., 7=3703; 8=4249; Berthelot, A., 7=7432; Davies, J.H., 6=3270*; Di Corato, M., 5=4956, 9125; Haber-Schaim, U., 5=8279; K-collaboration, 9=13575
Scatchard, G. See Johnson, J.S., 5=3243
Scatturin, V. See also Bellon, P., 7=890; Perutz, M.F., 5=4212
Scatturin, V., Tornati, M. and Zannetti, R. A system for the elimination of absorptional errors in X-ray investigation with Debye-Scherrer cylindrical cameras, 6=800
Schaack, G. See Hellwege, K.H., 7=7742
Schaaffs, W. Basis and intuitive interpretation of the Rao formula for sound velocity, 5=3508. Remarks on a paper by R. Schall and G. Thomer on the problem of the absorption of X-rays by compressed fluids, 6=2153. An X-ray flashtube for the production of X-ray diffraction in a microsecond, 6=7452. Contribution to the problem of exo-electron emission from metals, 9=13364*. See also Kannebley, G., 5=3510
Schaaffs, W. and Hermann, K.H. On the bridging of high current contacts in arc discharges, 5=1859
Schaaffs, W. and Woelk, H. Measurements of the contact potential difference on cadmium sulphide, 9=5695
Schach, M. See Hass, G., 9=13216
Schacht, L., Scheibe, G. and Schuller, H. The transfer of monomolecular films to solid supports, 6=5442
Schade, O.H., Sr. Optical and photoelectric analog of the eye, 6=8534
Schade, R. See Oswald, F., 5=288
Schade, W.J. See Barth, C.A., 9=6710
Schaefer, C.A. and Thodos, G. Reduced thermal conductivity correlation. Gaseous and liquid hydrogen, 9=249
Schaefer, D.L. See Dunkerley, H.S., 6=5121; Savage, R.H., 6=1669
Schaefer, G.W. See Brown, G.E., 6=4214
Schaefer, H.J. Extra-atmospheric cosmic ray dosage during the large solar flare of 23 February 1956, 8=3215. See also McDaniel, E.W., 7=2878
Schaefer, K. Intermolecular forces and the effective cross-sections found by means of the phenomena of transport, 5=1599
Schaefer, T. See Richards, R.E., 9=13473
Schaefer, V.J. Silver and lead iodides as ice-crystal nuclei, 5=3333
Schaefer, W. The correction of deviation errors in a prism system for a heliostat, 9=3029
Schaeffer, O.A. Effect of isotopic substitution on the mass spectra of molecules. III. Carbon dioxide, theoretical interpretation, 5=8875. See also Thompson, S.O., 5=6578
Schaeffer, O. A. and Owen, H.R. Effect of isotopic substitution on the mass spectra of molecules. II. Oxygen and carbon dioxide, experimental, 5=8874
Schaeffer, O.A. and Zähringer, J. High-sensitivity mass spectrometric measurement of stable helium and argon isotopes produced by high-energy protons in iron, 9=5098. Production of helium and argon in iron targets by energetic protons, 9=6113

Schaeffer, R. Mechanism of formation of pentaborane-9 from pentaborane-11, 7=8234. See also Dickerson, R.E., 7=6743
Schafer, A.C. See Niedrach, L.W., 8=5506
Schäfer, G. See Altrichter, O., 6=6496
Schäfer, K. On some approximation processes in the computation of bonding energy of H_2^+ ions, 5=2926. Thermodynamics and statistics of boundary surfaces, 5=9460
Schäfer, K. and Gründler, K.-H. The heat transport on quartz powder–gas mixtures, a method for the determination of the thermal conductivity of gases at high temperatures, 9=13211
Schäfer, K., Perez Masiâ, A. and Jüntgen, H. Studies on surface effects with capillary-inactive aqueous solutions, 5=9461
Schäfer, K. and Reiter, F.W. Measurement of the absolute thermal conductivity of gases up to 1100°C, 7=303
Schäfer, L. See Eichenauer, W., 8=3053
Schäfer, O. and Schlitt, H. A contribution to the theory of binaural hearing, 5=5959
Schafer, W.D. See Leachman, R.B., 5=7919
Schäffer, E. See Greiner, H., 9=181, 4425, 4427, 9396, 9520
Schaffer, O. On the influence of the form of the rulings of a plane phase grating on the light distribution in the Fraunhofer diffraction pattern, 9=12150
Schaffhauser, E. and Hardung, V. Propagation of non-periodic pressure waves in a tube with elastic walls, 5=8538
Schafroth, M.R. Superconductivity of a charged boson gas, 5=1849. Theory of superconductivity, 5=3789. Superconductivity of a charged ideal Bose gas, 6=1252. Connection between superfluidity and super-conductivity, 6=1870. Remarks on the Meissner effect, 8=5927. See also Blatt, J.M., 6=1868, 7=327; Butler, S.T., 7=3263
Schafroth, M.R. and Blatt, J.M. Phenomenological equations for super-conductors, 6=3750, 7=3303
Schafroth, M.R., Butler, S.T. and Blatt, J.M. Quasichemical equilibrium approach to super-conductivity, 7=8637
Schalén, C. An attempt to determine objective prism radial velocities, 5=3403
Schalge, R. Evaluation of transverse aberrations with the dupligram method, 9=3348
Schall, R. The stability of slow detonations, 5=2267
Schall, R. and Thomer, G. On the problem of X-ray absorption in compressed fluids, 6=2152
Schall, R. and Wecken, F. Production and measurement of high temperatures. Addendum, 8=5842
Schallamach, A. On the abrasion of rubber, 5=2260
Schalscha, E. Radioactive decay of ruthenium-95, 6=7648
Schamp, H.W. see Michels, A., 5=2481
Schamp, H.W., Jr. See also Mason, E.A., 9=373, 5104
Schamp, H.W., Jr, Mason, E.A., Richardson, A.C.B. and Altman, A. Compressibility and intermolecular forces in gases: methane, 9=112
Schampers, P.P.M. See Warmoltz, N., 5=5473
Schardt, A.W. Short-lived isomers of As^{75} and As^{77}, 8=7311. See also Dropesky, B.J., 6=3949
Schardt, A.W. and Welker, J.P. Energy levels of As^{75}, 5=9001
Scharenberg, R.P. See also Beghian, L.E., 8=7298, 9=497; Goldring, G., 8=5269; Stewart, M.G., 5=8216
Scharenberg, R.P., Stewart, M.G. and Wiedenbeck, M.L. Directional correlation of gamma rays from Sn^{116}, 6=2367
Scharf, B. Critical bands and the loudness of complex sounds near threshold, 9=6660. Loudness of complex sounds as a function of the number of components, 9=7911
Scharff, M. See also Bøggild, J.K., 5=4961, 7610, 8281, 7=1643, 8=7264
Scharff, M. See Bøggild, J.K., 8=7264; Brene, N., 7=3702; Davies, J.H., 6=3270*
Scharff, M., Gjeldaker, G. and Sørensen, S.O. Three examples of complete τ-decay, 6=5404
Scharff-Goldhaber, G. Regularities in the level schemes of heavy even-even nuclei, 7=616. See also Harbottle, G., 7=656
Scharff-Goldhaber, G., Alburger, D.E., Harbottle, G., and McKeown, M. Studies of decay schemes in the osmium-iridium region. I. Isomers Os^{190m}(10 min) and Os^{189m} (5.7 hr), 9=2766
Scharff-Goldhaber, G., der Mateosian, E., Harbottle, G. and McKeown, M. Decay of U^{232} (74 yr), 5=8190
Scharff-Goldhaber, G. and McKeown, M. Triple isomerism in Ir^{192}, 9=13621
Scharff-Goldhaber, G. and Weneser, J. System of ever-even nuclei, 5=6390
Scharfman, H. Scattering from dielectric coated spheres in the region of the first resonance, 5=2024
Scharmann, A. Measurement of fluorescence decay times with a fluorometer having variable light path, 6=7310. See also Hanle, W., 9=4462; Hardtl, K.H., 9=1313
Scharschmidt, J. A crystal holder for focusing X-ray spectrographs with a continuously adjustable radius of curvature, 9=4669
Schaschkow, J.M. See Petrow, D.A., 9=12813
Schatz, P.N. Hybridization and ionic character in CH_3Cl, 5=2051 Potential function of NF_3, 8=9085. See also Mason, E.A., 7=642; McKean, D.E., 6=3065
Schatz, P.N. and Levin, I.W. Absolute infrared intensities of the fundamental vibrations of NF_3, 8=9084
Schatzki, T.F. See Amdur, I., 8=2860, 9=6602
Schatzman, E. Remarks on the evolution of stars, III. Interpretation of axial rotations, 5=1481; IV. On the evolutionary track of cluster stars. V. On the formation of stellar systems. VI. Notes on the Pleiades, 5=2385; Laws of conservation, and origin of the angular momentum of stars, 6=872*. Effect of pressure on radioactive periods, 6=2342. The formation of systems of positive energy, 6=3438. On the condensation of interstellar material, 9=990. On the cooling of interstellar matter, 9=2001. See also Cayrel, R., 5=5170; The pulsation of a composite atmosphere, 7=2942; The pulsation of a model of a red-giant (star), 7=2943
Schatzman, E. and Cayrel, R. The polarization of light by graphite powders; and the interstellar polarization, 6=1797
Schauer, A. See Kranz, J., 9=11211
Schawlow, A.L. Structure of the intermediate state in superconductors, 6=2125. Penetration of magnetic fields through superconducting films, 8=3143. See also Geller, S., 5=6633; Townes, C.H., 6=2772
Schawlow, A.L. and Devlin, G.E. Intermediate state of superconductors: influence of crystal structure, 8=5011. Effect of the energy gap on the penetration depth of superconductors, 9=4621
Schawlow, A.L. and Townes, C.H. Effect on X-ray fine structure of deviations from a Coulomb field near the nucleus, 6=1488. Infrared and optical masers, 9=5919
Schay, G. See also Hedvig, P., 7=7850
Schay, G. and Szabó, P. Some remarks on Brill and Pelzer's method of determining crystallite size, 6=4740
Schechter, D. See Kohn, W., 6=338
Schecter, L. See also Crandall, W.E., 7=4789; Ellis, R.E., 5=9050, 6=2391
Schecter, L., Crandall, W.E., Millburn, G.P. and Ise, J.Jr. Cross sections for producing high-energy neutrons from carbon targets bombarded by protons, deuterons, and He^3 particles, 5=2175
Schectman, R.M. and Good, R.H., Jr. Generalizations of the virial theorem, 7=5042
Schedling, J.A. and Wien, J. Differential thermal analysis investigation of the exothermic reaction of $CaSO_4.2H_2O$, 7=6681
Scheer, J.J. and Zalm, P. Crystal structure of sodium potassium antimonide (Na_2KSb), 9=9041
Scheer, M. See also Harigel, G., 9=2382; Kulenkampff, H., 9=2383
Scheer, M. and Zeitler, E. The reconciliation of the Sommerfeld theory of Röntgen bremsstrahlung with experimental observations, 5=8832
Scheer, M.D. Gas phase oxidation of formaldehyde, 5=9202. See also Klein, R., 9=5220, 12848
Scheffels, W. See Lenz, F., 7=1364, 9=2408
Scheffers, H. On the determination of mean free paths of conduction electrons from galvanomagnetic effects, 6=8175
Scheffler, K. See Gobrecht, H., 5=1716, 9=12117
Scheggi, A.M. See Ronchi, L., 7=1167
Scheibe, A. The quartz clock as frequency and time standard, 5=5207
Scheibe, A., Adelsberger, U., Becker, G., Ohl, G., and Süss. Construction and performance of new quartz clocks at the physikalisch-technischen bundesanstalt, 6=4163.
Scheibe, E. See v.Weizsäcker, C.F., 9=2040
Scheibe, G. See Schacht, L., 6=5442
Scheibe, K. and Wuest, W. Liquid manometer with photoelectric scanning, 9=6569
Scheibe, M. See Resler, E.L., Jr., 5=9493
Scheiber, D.J. and Mead, D.J. Low-temperature dielectric absorption in polymethyl methacrylate, 7=9675
Scheibner, E.J. See Atalla, M.M., 9=8998
Scheidegger, A.E. General statistical hydrodynamics in porous

media, 5=7734. Gravitational radiation, 6=45. Finite displacements in rheological bodies, 6=5464. Correlation tensors in statistical hydrodynamics in porous media, 6=6408. Rheology of the earth. The basic problem of geodynamics, 7=8308. On a new theory of mountain building, 8=2063. A survey of the mathematics available for describing fracture, 8=8452. The random-walk model with autocorrelation of flow through porous media, 9=104. On the theory of flow of underground fluids in compressible strata, 9=7825

Scheidegger, A.E. and Larson, V.C. Asymmetry of the concentration front during miscible displacement in porous media, 9=3187

Scheidhauer, K. See Bittel, H., 7=362

Scheil, E., Wachtel, E. and Kalkuhl, A. Magnetic investigations on copper-iron alloys, 9=13419

Schein, M. Production of high energy electron pairs by negative π-mesons in nuclear collisions, 5=2205. See also Bowen, T., 8=696; Chou, C.N., 5=1966, 4769; Glasser, R.G., 5=9973; Haskin, D.M., 6=4005, 7=682; Kalberg, I., 9=1643; Koshiba, M., 7=520, 9=375; Orear, J., 5=2206; Teucher, M.W., 9=3755, 12419; Williams, D.B., 6=1626

Schein, M., Haskin, D.M. and Glasser, R.G. Nucleon-nucleus interactions at very high energy, 5=6276. Heavy unstable particles produced in the high energy pion beam of the Berkeley Bevatron, 6=4019

Schein, M., Haskin, D.M. and Leenov, D. Unstable ${}_1H^4$ fragment from the capture of a Σ^- hyperon, 6=3255

Schekman, A.I. See Stern, S.C., 9=8973

Schelen, B.J.J. See van Geel, W.C., 7=8217

Schelkunoff, S.A. On representation of electromagnetic fields in cavities in terms of natural modes of oscillation, 6=4523.

Schellenburg, L., See also Franzen, W., 6=652, 3986

Schellenberg, L., Baumgartner, E., Huber, P., and Seiler, F. Total effective cross-section of N^{15} and O^{18} for neutrons in the MeV-energy range, 9=13687

Scheller, K. See Rutner, E., 6=2843

Schellhorn, H. See Herrmann, R., 6=1954

Schelling, H.von. See von Schelling, H.

Schellman, J.A. Dielectric saturation, 6=5064. Dielectric saturation of associated liquids, 7=7843

Schenk, H. See also Maecker, H., 5=4694

Schenk, H. and Dehlinger, U. The binding in NiAs and Fe$_3$C, 6=8487

Schenck, H., Jr. On the focusing of sunlight by ocean waves, 8=1373

Schenk, J. A problem of heat transfer in laminar flow between parallel plates, 5=4587. Some properties of liquid sulfur and the occurrence of long chain molecules, 7=8452. On the molecular constitution of liquid and amorphous sulfur, 7=8453. See also Prins, J.A., 6=8485, 8=3473

Schenk, J. and van Laar, J. Heat transfer in non-Newtonian laminar flow in tubes, 9=4514

Schenkel, F.W. Special purpose multiplier phototubes for scintillation counting, 9=5799

Schensted, C.E. Electromagnetic and acoustic scattering by a semi-infinite body of revolution, 5=4815. See also Siegel, K.M., 5=4814, 4816

Schensted, I.V. See Siegel, K.M., 5=4814

Schepers, J. Pelsmaekers, J., 9=9388

Scher, A.M., Young, A.C. and Malmgren, A.L. Multichannel recording apparatus for physiological studies, 5=8426

Scheraga, H.A. Non-Newtonian viscosity of solutions of ellipsoidal particles, 5=8532

Scherb, F. See Clark, G., 7=9750; Day, R.B., 9=7257; Clark, G.W., 7=7978

Scherber, F.I. See Minkoff, G.J., 9=7016

Scherer, J.R. See also Mills, I.M., 5=9559, 8=9082

Scherer, J.R. and Potts, W.J. Normal coordinates for the out-of-plane deformations of vinyl bromide, 9=7430

Schérer, M. See Bermond, J., 8=3279, 9=3699; Wind, G., 5=3848

Schermer, R. and Corngold, N. Resonance capture of neutrons in infinite homogeneous media, 9=6010

Scherr, C.W. An SCF ICAO MO study of N$_2$, 5=4849. See also Roothaan, C.C.J., 7=6379

Scherrer, P. See Albers-Schönberg, H., 5=2075, 2152; Brunner, J.H., 9=7319, 11444; Erdös, P., 9=6122; Gimmi, F., 6=4624, 6=6884; Glättli, H., 5=441; Gränicher, H., 5=9630, 8=3990; Heer, E., 6=1472; Meier, R.W., 5=6469

Scherrer, V.E. See also Faneuff, C.E., 8=3934; Mclean, E.A, 6=2829; McLean, E.A., 8=2257

Scherrer, V.E., Allison, B.A. and Faust, W.R. Gamma radiation from interaction of 3.2-MeV neutrons with various materials, 5=523

Scherrer, W. On linear field theory. I. An action principle and its application in cosmology, 5=29. II. Weak fields, 5=4335; III. The gravitational equations, 5=8468; IV. Static fields, 6=4173. Correction and completion of "On linear field theory", 5=4334. Continuous vector fields in linear field theory, 7=6867. On linear field theory. V, 9=29

Scheuer, P.A.G. A statistical method for analysing observations of faint radio stars, 8=4628. See also Edge, D.O., 9=995; Ryle, M., 5=6689

Schey, H.M., Scattering of neutrons by nonspherical nuclei, 9=6136

Schick, K. See Schmitz, G., 5=9675

Schierholz, H. See Groth, W.E., 8=3547

Schiessler, R.W. See Cutler, W.G., 9=1121; Griest, E.M., 9=1123

Schierstedt, G.v. See v. Schierstedt, G.

Schiesser, H. Arrangements for the production of artificial reverberation, 5=2543

Schiessler, R.W. See Cutler, W.G., 6=1183; Lowitz, D.A., 9=5395

Schiff, B. The cellular method for a close-packed hexagonal lattice, with applications to titanium, 5=8945. The cellular method for close-packed hexagonal titanium, 6=4536

Schiff, H. See Budzinski, E.E., 7=8270; Horton, G.K., 7=1732, 9=772

Schiff, H.I. See Cloutier, G.G., 9=12396; Herron, J.T., 6=7492, 9=363; Jackson, D.S., 6=2208

Schiff, L.I. Nuclear multipole transitions in inelastic electron scattering, 5=1176. Paper representations for the non-cubic crystal classes, 5=1344. Nuclear dispersion contribution to high-energy electron scattering, 5=6213. Electric monopole transitions in C^{12} and O^{16}, 5=7278. Low-energy physics from a high-energy standpoint, 5=8982. Interpretation of electron scattering experiments, 5=9391. Lattice quantization of non-linear field theory, 5=9391. Approximation method for high-energy potential scattering, 6=6364. Approximation method for short wavelength of high-energy scattering, 7=1914. Effects of proton correlations on the scattering of high-energy electrons from nuclei, 7=8815. Note on the elastic scattering of high-energy particles, 8=5173. Sign of the gravitational mass of a positron, 9=524. Electromagnetic structure of the neutron, 9=529. Gravitational properties of antimatter, 9=5343. See also Saxon, D.S., 8=512

Schiffer, J.P. Energy levels in Ca^{42} and Ca^{44}, 5=3088. See also Bonner, T.W., 6=6149; Gossett, C.R., 6=650; Kraus, A.A., Jr., 7=3619; Lee, L.L., Jr., 8=335, 9=12682; Windham, P.M., 7=696

Schiffer, J.P., Bonner, T.W., Davis, R.H. and Prosser, F.W. Jr. Study of the reaction mechanism for (He^3, p) reactions with Li^6, B^{10}, and C^{13}, 7=2625

Schiffer, J.P., Gossett, C.R., Phillips, G.C. and Young, T.E. Inelastic scattering of protons from Cl^{35} and Cl^{37}, 6=6154

Schiffer, J.P., Kraus, A.A., Jr. and Risser, J.R. Analysis of angular distributions in the C^{13}(α, n)O^{16} reaction, 7=4707

Schiffer, J.P. and Lee, L.L., Jr. Measurements of proton strength functions, 7=9319. Proton strength functions from (p, n) reaction cross sections, 8=2527

Schiffer, J.P., Lee, L.L., Jr., Davis, R.H. and Prosser, F.W., Jr. Measurements of the proton strength function, 8=2526

Schiffer, J.P., Lee, L.L., Jr., Yntema, J. L. and Zeidman, B. Single-particle interpretation of proton spectra from (d, p) reactions, 8=7374

Schiffer, J.P., Lee, L.L., Jr. and Zeidman, B. Single-particle states of the neutron from gross structure in the proton spectra of (d, p) reactions, 9=13617

Schiffer, J.P., Moore, M.S. and Class, C.M. Compound states of the system Ni^{58} + p, 7=3535

Schiffman, T. See Ekstein, H., 6=6438

Schigolev, P.V. Effects of electropolishing on the physico-chemical properties of the surface of pure aluminium, 7=4835

Schikarski, W. On the dependence of the pair-production cross-section on the atomic number, 8=8214

Schilb, T., Bennett, C. and Adams, C.E. Ultrasonography by a bleach-out method, 7=7696

Schilberg, L.E. See Kretschmar, G.G., 8=4022

Schild, A. On gravitational theories of Whitehead's type, 6=4172

Schiller, P. The internal damping of elastic vibrations due to eddy currents in a magnetic field, 6=4520. The mechanical relaxation in pure ice single crystals, 9=5207

Schiller, R. New transition to ray optics, 5=4488. See also Bohm, D., 5=3414-15

Schiller, S. See von Ardenne, M., 9=4700

Schilling, G.F. and Sterne, T.E. Densities and temperatures of the upper atmosphere inferred from satellite observations, 9=5267

Schilling, H. Measurements of the thermoelectric power of upper oxide [CU_2O] in the single-phase region, 5=8788

Schillman, E. On the inclusion and effect of impurities in indium arsenide, 6=8197. The diffusion of impurities in indium arsenide, 6=8198. The doping of indium arsenide with metals of the first sub-group of the periodic system, 9=12271.* See also Folberth, O.G., 9=5690

Schimmel, F.M. See also Bruin, F., 6=5246

Schimmel, F.M. and Heineken, F.W. Paramagnetic resonance of the reaction products of the free radical tri-p-nitrophenylmethyl and oxygen, 8=3424

Schimmel, G. See Brüche, E., 5=9192; Narath, A., 5=6961

Schimmer, B. See also Faissner, H., 7=509, 1430; Lauterjung, K.H., 8=9035, 9=11306, 11448

Schimmer, B. and Lauterjung, K.H. On the cosmic-ray showers observed under increasing lead absorbers, 6=1341

Schindewolf, U. Mass assignments of 23 sec Pd^{107m} and 4.8 min Pd^{109m}; search for < 3 sec Pd ^{105m}, 9=567. See also Alexander, J.M., 8=6235; Swenson, L.W., 8=6208

Schindewolf, U.L., Winchester, J.W. and Coryell, C.D. Decay properties of 74-second Ag^{111m}, 7=4672

Schindler, A.I. See also Overhauser, A.W., 8=173; Salkovitz, E.I., 5=6125, 7=3755, 9703, 9=5898

Schindler, A.I. and Salkovitz, E.I. Ferromagnetic Hall coefficient of nickel alloys, 5=8905

Schindler, A.I., Smith, R.J. and Salkovitz, E.I. Electrical resistivity of the Ni-Pd alloy system between 300°K and 730°K, 8=1676

Schindler, F.M. See Buff, F.P., 9=1150

Schiopu, M., Onu, V. and Păstrăvanu, M. A calibration method for the mercury thermometer, 9=6850

Schirber, J.E. and Swenson, C.A. Superconductivity of β mercury, 9=12301

Schirmer, H. The theory of the electrical conductivity of plasmas, 5=8873. On the theory of the thermal conductivity of plasmas, 5=9602. On the calculation of the electrical conductivity and the thermal conductivity of plasmas with application to a xenon high-pressure discharge, 7=3339. The effect of the self magnetic field on the transport phenomena in a plasma, 9=7105. The electrical and thermal conductivities of xenon high pressure plasmas, 9=7106. On the theory of transport phenomena in discharges at high current densities, 9=12404. The temperature of short arcs in high-pressure xenon, 9=13346

Schirmer, H. and Friedrich, J. The electrical conductivity of a plasma. I, 8=5995; II, 8=5996. The thermal conductivity of a plasma, 9=8254

Schirrwitz, H. See Hart, H., 9=1156

Schiske, P. Third-order paths in electron mirrors, 7=5380. Treatment of transition points in the "parabola method" and similar computation procedures, 7=5382. The lower limit of the chromatic-aberration of magnetic lenses having a prescribed maximum field strength, 7=5384. See also Glaser, W., 5=981-2, 7102

Schissel, P. Dissociation energies of Cu_2, Au_2, and Au_2, 7=8076. See also Porter, R.F., 5=2837

Schissler, D.O. See also Stevenson, D.P., 5=9209, 9=902

Schissler, D.O. and Stevenson, D.P. Reactions of gaseous molecules ions with gaseous molecules. II, 6=5471

Schittko, F.J. See Jaeckel, R., 9=4357

Schlachter, M.M. See Lande, K., 9=10491

Schlag, E.W. See Rabinovitch, B.S., 8=7575

Schlamp, G. See Münster, A., 5=2752

Schlechtweg, H. On the problem of stress relief with constant flow limit in the origin of internal stresses, 6=736. See also Glatzel, E., 6=1412

Schleede, A. On the short-time afterglow of phosphors under square-wave excitation, 9=6768

Schleede, A. and Schleede-Glassner, J. On the so-called pressure destruction and pressure coloration of luminescent materials, 9=12082

Schleede-Glassner, J. See Schleede, A., 9=12082

Schlegel, H. See Grabner, H., 9=11081; Larché, K., 9=13200

Schlegel, R. Steady-state theory at Chicago, 9=3036

Schlein, P.E. See Limentani, S., 9=2711

Schlenker, F. Formation of high polymers through metal reinforcement of polymeric oil-containing film-formers and of various synthetic resins, 7=3804

Schlesinger, M. See Halperin, A., 9=5578, 7517

Schley, U. See also Hoffmann, F., 5=5961, 8=3840

Schley, U. and Hoffmann, F. On the noise of radiation thermocouples, 9=3518

Schlieder, S. See Dürr, H.P., 9=11822

Schlier, C. The Stark effect of symmetric top molecules at high field strengths, 5=5991. Measurement of the hyperfine structure of potassium fluoride with the molecular beam resonance method, 7=6438.* Dipole moment of the diatomic molecule, 9=6206. See also Bennewitz, H.G., 5=6526; Graff, G., 9=5121

Schlier, R.E. Adsorption of oxygen and carbon monoxide on tungsten, 9=5231. See also Dillon, J.A., Jr., 9=7528; Farnsworth, H.E., 5=4993, 9=2944, 7546, 8979; George, T.H., 9=89777

Schlier, R.E. and Farnsworth, H.E. Low-energy electron diffraction studies of cleaned and gas-covered germanium (100) surfaces, 7=7862. Structure and adsorption characteristics of clean surfaces of germanium and silicon, 9=7530. Structure of epitaxed copper deposited by evaporation onto a clean (00.1) face of a titanium crystal, 9=9029

Schlitt, H. Sensitivity and response time of a gas-filled thermoelectric radiation pyrometer, 5=6090. A thermoelectric vacuum gauge, 6=5724. See also Schäfer, O., 5=5959

Schlivitch, S. On a new class of solid photoluminescent materials, 8=2246

Schlögl, R. Adiabatic compression of an ideal gas under finite piston-velocities, 6=302

Schlögl, R. and Helfferich, F. Comment on the significance of diffusion potentials in ion exchange kinetics, 7=3782

Schlömann, E. Ferromagnetic resonance in polycrystalline ferrites with large anisotropy. I. General theory and application to cubic materials with a negative anisotropy constant, 9=8328. Spin-wave analysis of ferromagnetic resonance in polycrystalline ferrites, 9=9795. See also Leibfried, G., 6=282

Schlömann, E. and Green, J.J. Fine structure in the decline of the ferromagnetic resonance absorption with increasing power level, 9=13448

Schlömann, E. and Zeender, J.R. Ferromagnetic resonance in polycrystalline nickel ferrite aluminate, 8=8868

Schlosser, E.-G. A screened homogeneous magnetic field, 5=4781

Schlosser, H. Photoconductivity of thin films of arsenic trisulfide, 7=7926

Schluchter, A.W. See Marburger, R.E., 9=854

Schlueter, D.J. and Peck, E.R. Refractivity of air in the near infrared, 8=2223

Schlumbohm, H. The statistics of electron avalanches in uniform fields. III, 8=8834. The statistics of electron avalanches in proportional counter tubes. IV, 8=8954. A ballistic amplifier of low noise level for ionization chambers and counter tubes, 9=7233

Schlüpmann, K. See Fricke, G., 9=11521

Schlüter, A. The cosmical constant and the classical limit of Einstein's field equations, 5=7625. The gyro-relaxation effect, 9=7113. Force-free magnetic fields. II, 9=9868. See also Biermann, L., 9=702, 989, 2099; Davis, L., 9=2522; Hain, K., 9=1607; Hertweck, F., 9=9867; Kippenhahn, R., 9=5323; Lüst, R., 6=5646, 7=7202, 9=1606, 5813; Trefftz, E., 9=10157

Schlüter, J. See Laukien, G., 7=632

Schluter, R. See Widgoff, M., 7=2697, 9924

Schluter, R.A. Neutral pion-deuteron production in 400-MeV n-p collisions, 5=1241. See also Burrowes, H.C., 9=6027, 6043

Schluter, R.A. and Wright, S.C. High-pressure diffusion cloud-chamber system, 6=437

Schmatz, W. See Wittig, F.E., 9=12188

Schmauch, H. See Schubert, G.U., 8=7042

Schmeider, L. See Bagge, E., 9=13517

Schmeissner, F. See Riedel, O., 5=3792

Schmeling, P. On the half-life of Y^{90}, 5=5604. See also Zimen, K.E., 5=3123

Schmellenmeier, H. Apparatus for the continuous introduction of

constant amounts of gas into a vacuum system, 9=4356. The influence on solid surfaces of an ionized gas atmosphere. I. The reaction between tungsten and carbon, 9=4727

Schmelzer, C. See Bock, R., 8=8807; Heinze, D., 6=2786

Schmerling, E.R. An easily applied method for the reduction of h–f records to h–h profiles including the effects of the earth's magnetic field, 8=2065. See also Ratcliffe, J.A., 6=7870

Schmerling, E.R. and Thomas, J.O. The distribution of electrons in the undisturbed F_2 layer of the ionosphere, 6=7869

Schmid, E. An iteration method for the structural assignment on molecular vibration spectra, 7=8050. See also Blaha, F., 7=6653; Brandmüller, J., 6=4334; Futschik, F., 6=5917; Lintner, K., 7=6238

Schmid, E. and Lintner, K. On the effect of heavy-particle irradiation on the plasticity of metal crystals, 5=7441

Schmid, G. and Pessel, H. The dispersion of ultrasonic waves in aqueous solutions of 2-2-valent electrolytes, 8=7767. The dispersion of ultrasonic waves in a solution of polyacrylic acid in water, 8=7768

Schmid, G. and Schmidt, W. A contribution to the measurement of sound dispersion in liquids, 5=5949

Schmid, L.A. Explicit expression for spherical harmonics, 9=2. See also Burson, S.B., 9=9745, 12647; Cork, J.M., 5=1163, 8183, 6=607, 1509, 7=2586.

Schmid, L.C. and Burson, S.B. Decay of $_{60}Nd^{151}$ (12 min), 9=12645. Decay of $_{26}Sm^{155}$ (23.5 min), 9=13639

Schmid, L.C., Burson, S.B. and Cork, J.M. Decay of $_{64}Gd^{161}$ (3.73 min), 9=12644

Schmid, P. f-Calculation in heterogeneous nuclear reactors by matrix formalism, 5=4083. See also Meyer, K.P., 9=13627

Schmid, P. and Huber, P. Absolute pair creation cross-section of lead for gamma rays from Co^{60} and Na^{24}, and pair production of RaC gamma radiation in lead, 5=9061

Schmidt, A. See Eckart, F., 5=9663

Schmidt, F.H. See Gerhart, J.B., 9=9940; Keister, G.L., 5=3040; Penning, J.R., 7=2572, 3582; Yavin, A.I., 6=626

Schmidt, G. Photoeffects in semiconductors, 6=1247. Determination of the electrostriction constant Q_{11} of barium titanate ceramic, 6=6608. Two experiments on the electromechanical behaviour of barium titanate ceramic in the Curie region, 8=3078. Electrostriction in barium titanate above the Curie point, 8=7893. An investigation on plasmas in external magnetic fields. I. Steady state, 9=2431; II. Varying fields, 9=3596. The intensity distribution near the focus of a photographic objective, 9=3263. See also Kálmán, G., 8=5413

Schmidt, G.F. and Stuart, H.A. Lattice structures with spatial hydrogen-bridge systems and lattice transformations in polyamides, 9=6379

Schmidt, G.K. Intensity distribution of X-ray reflections in the prescence of principal stresses of the first and second kind, 7=3839. Procedure for precise determination of the displacement of a reflection in X-ray strain measurements, 7=8288

Schmidt, G.M.J. See Hirshfeld, F.L., 5=4186, 6=7828, 7=6420

Schmidt, H. Light absorption in classical and quantum theory, 5=1706. Sound propagation in granular substances, 5=3504. Disordered one-dimensional crystals, 7=4862. A causal theory for waves propagating with a velocity greater than that of light, 8=7684. On the invariant and causal solutions of the differential equations $(\Box \mp \kappa^2)\,\varphi(r,t) = S^4(r,t)$, 9=5. Interference fringes in the absorption spectra of evaporated metallic layers, 9=4456

Schmidt, H.E. Measurement of the Righi–Leduc effect on some copper and silver alloys, 9=5610

Schmidt, H. and Engelbrecht, J. An interferometric device for the examination of stellar spectra using blackened [silver] relief images, 9=6441

Schmidt, H.U. See Meyer, F., 9=4839

Schmidt, H.W. Moderation of fast neutrons in media of high atomic number, 7=8203. Space charge phenomena in a betaron, 7=9712

Schmidt, I. Some problems related to testing color vision with the Nagel anomaloscope, 5=7569

Schmidt, K. A simple method for the measurement of large path differences in the microscope, 5=1736. Decay and mechanism of the luminescence of gases excited by fast electrons, 9=2225. See also Friedl, W., 9=6163; Hanle, W., 9=494; Menzel, E., 5=1735

Schmidt, K.H. See Lambrecht, H., 6=4775

Schmidt, K.J. Electron avalanches in [parallel] plate counters, 5=1933. Secondary electron production in avalanche discharges in gas-vapour mixtures, 5=1934.

Schmidt, L. See Görlich, P., 8=256

Schmidt, M. See Korte, H., 5=161

Schmidt, O.J. Role of solid particles in planetary cosmogony, 6=892*

Schmidt, P.F. Hydrogen doping as the mechanism of electrolytic rectification, 7=5341. Anodic oxide formation on silicon, 9=11021

Schmidt, P.F. and Blomgren, M. Potential measurements during jet etching of p-type Ge and p-type Si, 9=12270

Schmidt, P.W. A new method for calculating the effect of the collimating system on the small-angle X-ray scattering pattern, 6=3372. Small angle X-ray scattering from solutions of alkali metals in liquid ammonia, 8=904. The small angle X-ray scattering from polydisperse solutions of ellipsoidal particles. 9=7041

Schmidt, P. W. and Hight, R., Jr. Calculation of the intensity of small-angle X-ray scattering at relatively large scattering angles, 9=8200

Schmidt, T. Remarks on the determination of the masses of extra-galactic nebulae. I. On the applicability of the virial theorem to the determination of the mass of extra-galactic nebular clusters, 5=2382. Separation of dust and gas in interstellar clouds, 9=5306. See also Marschall, H., 8=3389, 8409

Schmidt, U. The truth of phase contrast images formed in commercial phase contrast microscopes, 5=9597. The possibilities of evaluating a two-dimensional colour-schlieren system, 8=6892. Image-formation in the intermediate-image iconoscope on diminution of the electron-optical magnification, 9=12372

Schmidt, V. See Bethge, H., 9=13839

Schmidt, V.A. See Smith, E.R., 9=130

Schmidt, W. The hyperbolic field tube, an electron-beam tube as the multiplier in an analogue computer, 6=4773. See also Schmid, G., 5=5949

Schmidt, W. and Baumann, K. Quantum field theory as distribution theory, 7=2964

Schmidt-Ott, W.D. A simple method for the estimation of the efficiency of a NaI well-type scintillator, 9=9490. The electron, positron and gamma spectrum of Cu^{64}, 9=10060

Schmidt-Rohr, U. See Bock, R., 8=8807, 9=6292; Daniel, H., 8=8297, 9=2749; Lauterjung, K.H., 9=11306, 11448

Schmidt-Tiedemann, K.J. Electron production in the gases N_2, H_2 and O_2 at low pressures (p.d. ~ 50 mm cm), 8=8795. The theory of the relaxation effects in electron avalanches, 9=13387

Schmidtmayer, J. and Mayer, D. A convenient method of solving linear problems involving complex numbers, 8=8565

Schmied, H. and Fink, R.W. Ratio of L/K X-ray intensities in thallium-204 decay, 8=2539. Thermal exchange of iodine with methyl iodide and with hydrogen iodide in the gas phase, 8=3534

Schmieder, L. See Allkofer, O.C., 9=8469

Schmillen, A. On the decay time of fluorescence of acridine orange, 5=3596. On the question of energy transfer in solid poly-acene solutions, 8=6876. On the question of energy transfer in organic crystals, 9=12102

Schmitt, A. See Günther, P., 9=1325; Zeil, W., 9=5956

Schmitt, F.O. Molecular biology and the physical basis of life processes, 9=9111. Interaction properties of elongate protein macromolecules with particular reference to collagen (tropocollagen), 9=11667. Molecular organization of the nerve fiber, 9=11673

Schmitt, H.J. The permittivity of barium titanate at 10 Gc/s, 8=6946. See also Meyer, E., 6=6595

Schmitt, H.W. See also Gibbons, J.H., 6=710, 9=10122; Leachman, R.B., 5=1219; Macklin, R.L., 6=4651; Masket, A.V.H., 8=4162

Schmitt, H.W. and Leachman, R.B. Ionization vs. energy relation for fission fragments, 6=3993

Schmitt, O.H. Biological transducers and coding, 9=10444

Schmitt, R. See also Cüer, P., 5=9329, 6=7925

Schmitt, R. and Simon, F. Reciprocity failure in the principal nuclear emulsions and its interpretation in the hypothesis of a variable distribution, 9=13997

Schmitt, R.A. See also Gindler, J.E., 7=1615

Schmitt, R.A. and Duffield, R.B. Low-energy activation functions for photofission of U^{238} and Th^{232}, 7=4730

Schmitt, R.A. and Sharp, R.A. Measurement of the range of recoil atoms, 9=5057

Schmitt, R.G. See Hirt, R.C., 5=5323

Schmitt, R.W. Electrical resistivity minimum reported in copper-zinc alloys, 5=3719. Possible approach to the low-temperature resistance maximum in dilute alloys of transition metals in noble metals, 6=8210. See also Jacobs, I.S., 9=4780

Schmitt, R.W. and Fiske, M.D. Electrical resistivity minimum and structural defects in copper, 5=3718

Schmitt, R.W. and Jacobs, I.S. Magnetization and magnetoresistance of some dilute alloys of Mn in Cu, 8=233

Schmitz, G. and Schick, K. An approximate integration of the Elenbaas-Heller differential equation, 5=9675

Schmitz, N. Elastic nucleus scattering of positive K-mesons at low energies, 9=11486. See also Biswas, N.N., 9=6143; Derado, I., 9=9913, 11388

Schmitz, W. and Gross, R. Rotation processes in ultrasonic interference fields, 5=6818

Schmitz, W.D. See Suits, G.H., 7=2226

Schmorak, M. See also Cohen, S.G., 5=3220; Novakov, T., 9=604; Stockendal, R., 7=647, 9=603

Schmorak, M., Stockendal, R., McDonell, J.A., Bergström, I. and Gerholm, T.R. Energy levels in Pb^{205} from the decay of Bi^{205}, 7=6437

Schmouker, J. See also Barjon, R., 6=4644, 7=1381, 9=8864

Schmouker, J., Erdős, P., Jordan, P. and Stoll, P. (γ, α), $(\gamma, n\alpha)$ and (γ, t) reactions on the isotopes Br^{81}, Ag^{109}, K^{39} and O^{16}, 5=6464

Schmunk, R. E. and Smith, C.S. Pressure derivatives of the elastic constants of aluminium and magnesium, 9=8927

Schmutzer, E. On the theory of surface tension of solutions. Remarks on the relation between radial distribution function and the thermodynamic functions, 5=9473. Remarks on a unitary variation principle for the fundamental laws of mechanics, electrodynamics and gravitation, 6=1841. On relativistic electrodynamics in arbitrary media, 7=3459. Contribution to the projective theory of relativity, 8=4700. Minkowski electrodynamics as a result of a field-theoretical study, 8=6621. A new interpretation of the projective theory of relativity and application to a cosmological model, 8=7675. Contribution to the projective theory of relativity. II, 9=7753. Special-relativistic evaluation of a variant of projective relativity theory, 9=10566. Self interaction of the electromagnetic wave-field according to a nonlinear electrodynamics based on a projective relativity theory, 9=10567

Schnabel, B. Diffraction theory of aberrations, 9=13191

Schnable, G.L. See Hazel, J.F., 5=1720

Schneeberger, M. See Eisenberg, Y., 8=6177, 9=2644, 6041; Lohrmann, E., 8=1199

Schneeberger, R.J. Area sources of low-energy electrons for electron optic studies, 6=6694

Schneer, C.J. Polymorphism in one dimension, 5=5699

Schneider, A. and Heymer, G. The coefficients of expansion of solid and liquid metals and semi-metals, 9=10911

Schneider, E.E. Paramagnetic resonance of X-rayed Teflon, 5=7189. See also Forrester, P.A., 7=1743

Schneider, E.E. and Caffyn, J.E. Some observations of the paramagnetic resonance absorption conductivity and optical absorption of single crystals of sodium chloride containing manganese, 5=5709

Schneider, F. The mechanism of high frequency discharges between plane electrodes, 5=1866. Objective spectrophotometric observations on glow discharges, 7=6222

Schneider, G. See Haase, G., 6=2838

Schneider, H. On measuring speech intelligibility, 5=7793. A portable scintillation apparatus for use in geology, 5=8855. Experiments with ^{14}C using a scintillation counter, 5=9841. Elastic and inelastic scattering of protons from carbon, 6=6893. Schneider, H. See also Hanle, W., 9=1640; Reitmann, D., 9=640; van Heerden, I.J., 9=5029

Schneider, H. and Barnard, E. Double scattering of electrons, 8=6124

Schneider, H., van Heerden, I.J. and Reitmann, D. On the internal conversion of the E3-transition in ^{107}Ag, 9=2768

Schneider, J. Stimulated emission of radiation by relativistic electrons in a magnetic field, 9=11353

Schneider, J. and Hofmann, F.W. Cyclotron resonance in flames, 9=1377

Schneider, M. See Busch, G., 5=3727

Schneider, P. Thermionic emission of thoriated tungsten, 8=3209

Schneider, R. Measurement of small temperature differences with the hot-wire bridge, 6=5052

Schneider, R.F. See Friend, J.P., 6=238

Schneider, S. Interferometer for analyzing mixtures of hydrogen isotopes, 5=8657

Schneider, T. and Schranz, P. Possibilities and limitations of infrared image converters, 9=6672

Schneider, W. Theory of the β-spectrometer with two thin lenses. I. Calculation of the ray pencils in a ring focus of the β-spectrometer, 8=1094; II. Calculation of the optical properties of the ring-focus β-spectrometer, 8=1095

Schneider, W.G. Properties of the hydrogen bond. The role of lone pair electrons, 5=2961. See also Barfield, R.N., 9=10714; Bernstein, H.J., 6=3070=1, 7593, 7=6404; Compton, D.M.J., 7=9696, 8=7011; Ferguson, J., 7=2060, 8=3865, 7833, 9=1468; Kommandeur, J., 8=3136-7; Whalley, E., 5=5265, 9795

Schneider, W.G., Bernstein, H. J. and Pople, J.A. Proton magnetic resonance chemical shift of free (gaseous) and associated (liquid) hydride molecules, 8=2620

Schneider, W.G. and Waddington, T.C. Effect of gases on the photoconductivity of anthracene, 6=8799

Schneider, W.H. The complete interpretation of probe characteristics for plasmas containing several electron graphs, 5=7083. The characteristic size of the plasma of a low pressure mercury discharge with several electron groups, 6=5905. The plasma characteristics of a low-pressure mercury discharge with several electron groups, 7=5361

Schneiderreit, R. Remarks concerning experiments for demonstrating the quantum nature of visible light, 7=7705

Schnell, E. Slippage of water over nonwettable surfaces, 7=1102

Schnell, J. See Kessler, F.R., 8=7960

Schnelle, P.D. See Glasser, L.G., 8=8718

Schnepp, O. Changes in the near ultraviolet spectrum of crystalline hexamethylbenzene accompanying a low temperature phase transition, 9=198. Low-temperature phase transition of crystalline hexamethylbenzene. II, 9=6358. Near ultraviolet absorption spectrum of crystalline 1, 3, 5-trichlorobenzene, 9=7954. See also Fox, D., 5=1349, 6607; Kopelman, R., 9=6733; McClure, D.S., 5=10071; Person, W.B., 5=2599; Pimental, G.C., 5=2600

Schnepp, O. and Kopelman, R. Near ultraviolet spectrum of crystalline hexachlorobenzene, 9=7955

Schnepp, O. and McClure, D.S. Near ultraviolet spectrum of crystalline hexamethyl benzene and the structure of the hexamethyl benzene molecule, 7=3140. Near ultraviolet spectrum of crystalline durene, 9=7956

Schneps, J. π^+-Mesonic decay of a hyperfragment, 9=2716. See also Chesick, E.B., 9=3779; Fry, W.F., 5=3136, 5650, 9131, 9945, 6=686, 1611, 1627, 3183, 3259, 4659, 6929, 7=2684, 2692, 8195; Swami, M.S., 7=663

Schneps, J., Fry, W.F. and Swami, M.S. Disintegration of hyperfragments. III, 7=7421

Schnettler, F.J. See also Van Uitert, L.G., 7=6340

Schnettler, F.J. and Monforte, F.R. Effect of cobalt on the relaxation frequency of nickel-zinc ferrite, 8=8907

Schnitger, H. Helix type gaseous discharge noise sources at low plasma densities, 7=4407

Schnitzer, H.J. and Salzman, G. Discrepancy between π^-—proton scattering and a dispersion equation, 9=3772. Alternative method for comparing pion-proton scattering data with dispersion equations, 9=6026

Schnopper, H.W. See Parratt, L.G., 9=8197

Schnürer, E. Absorption and conductivity measurements on CdS in the soft X-ray region, 5=939

Schnurmann, R. Symposium on principles of penetrant methods, 8=4609

Schober, H. Information theory in optics and telescopy, 6=7249. Some fundamental notes on the application of information theory to optics, 8=4844

Schodder, G.R. See Kuhl, W., 5=2520

Schœbel, C. See Morand, M., 8=5572

Schoeck, G. Moving dislocations and solute atoms, 6=6253. Influence of irradiation on creep, 8=6422

Schoeck, G. and Seeger, A. Activation energy problems associated with extended dislocations, 5=5727

Schoen, A.H. Correlation and the isotope effect for diffusion in crystalline solids, 9=847

Schoen, L.J. See also Klein, R., 6=4723, 9=5220

Schoen, L.J., Kuentzel, L.E. and Broida, H.P. Glass Dewars for optical studies at low temperature, 8=6926

Schoen, L.J. and Rebbert, R.E. Electrical discharge induced luminescence of solids low temperatures, 9=12119

Schoenfeld, R. See Berman, M., 7=2879

Schoeni, K. See Lehovec, K., 8=2300

Schoening, F.R.L. and van Niekerk, J.N. X-ray measurements of particle size and strain distribution in cold worked silver, 5=7423

Schoepfle, G.K. and Arnold, D.L. Correlation of high school and college grades, 9=2024

Schöfer, R. See Heywang, W., 6=5847

Schoffa, G. See Thom, H.E., 9=5918

Schofield, D. See also Bate, G., 5=6297; Dickens, P.G., 9=3151

Schofield, D. and Brown, R.F. An investigation of some barium titanate compositions for transducer applications, 7=7687

Schofield, E.B. See Thomas, L.B., 5=6584

Schofield, P. See Pople, J.A., 6=3078, 7=8789

Schoknecht, G. X-ray analysis of crystal structure, with fold integrals. II. Method of measurement, and determination of electron density in NaCl, 9=6375. See also Hosemann, R., 7=6739, 9=6374

Schol, K. See van den Boomgaard, J., 7=6107

Scholes, W.E. See Parkin, P.H., 5=3340

Scholte, J.G. and Veldkamp, J. Geomagnetic and geoelectric variations, 5=4216

Scholz, A. Photochemical phenomena in sensitized AgCl crystals in the temperature range −185°C to +20°C, 7=9442

Schomaker, V. See also Wong, C.-H., 8=7466-7

Schomaker, V., Waser, J., Marsh, R.E. and Bergman, G. To fit a plane or a line to a set of points by least squares, 9=13917

Schön, J., Mehl, W. and Gerischer, H. An apparatus for the recording of impedances in electrochemical investigations, 5=7465

Schön, M. Photoconduction and luminescence in crystals of the ZnS group, 5=3627. Model of the bands in phosphorescent crystalline sulphides, 7=4197. Remarks on glow curve theories, 9=12074. On the radiationless transitions of electrons in the lattice of sulphide phosphors excited in the long wavelength tail of the absorption, 9=12787. See also Houtermans, F.G., 9=4479

Schönberg, M. A non-linear generalization of the Schrödinger and Dirac equations. II, 5=749. Vortex motions of the Madelung fluid, 5=5226. Quantum mechanics and geometry. I, 8=8579. Quantum mechanics and geometry. II, 9=1036; III, 9=3108; IV, 9=7777; V, 9=7778

Schönberg, N. See Hägg, G., 5=2318

Schönheit, E. On the photographic detection of ions in the mass spectrograph, 7=7539. Mass-spectroscopic investigation of the photoionization in gases, 8=4083. A simple mass spectroscope of high sensitivity with stigmatic directional focusing, 8=7120. Ion identification with the scintillation detector in mass spectroscopy, 9=3692

Schönhofer, A. The temperature dependence of energy losses in the band model of solids, 8=8423. See also Haug, A., 8=5477

Schonland, B.F.J. and Malan, D.J. Upward stepped leaders from the Empire State Building, 5=3355

Schonland, D. See Bennett, J.E., 6=8278

Schonland, D.S. The use of overlapping intervals in multiple scattering measurements, 5=7138. On the determination of the principal g-values in electron spin resonance, 9=7182. See also Irving, J., 5=2996

Schoo, W. See Polak, H.L., 8=5304

Schoonmaker, R.C. See also Porter, R.F., 8=7130, 9=6214

Schoonmaker, R.C. and Porter, R.F. Gaseous species in the vaporization of sodium hydroxide, 8=8628. Mass spectrometric study of ferrous chloride vapor, 9=118. Heats of dimerization of alkali fluoride molecules, 9=6215. Mass spectrometric study of alkali hydroxide vapors, 9=12758

Schöpf, H.G. Conservation and invariance, 7=5825. The energy current velocity in the electromagnetic field, 8=1138. On the energy-momentum tensor of Dirac-like fields, 8=8585

Schopper, E. Elementary particles in cosmic radiation, 9=11172. See also Dio, W.H., 8=5208; Janner, K., 6=413; Kuhn, G., 5=1971; Rössle, E., 5=1970

Schopper, E., Magun, S. and Braun, W. Topography of the latent image, 5=9328

Schopper, H. The optical investigation of diffusion of metals into one another, 6=2463. Nuclear resonance scattering of γ-rays by V^{51}, 6=4618. Small-angle elastic scattering γ-rays, 7=7351. Circular polarization of γ-rays: further proof for parity failure in β decay, 7=9362. Experimental demonstration of the non-conservation of parity by measuring the circular polarization of γ-rays, 9=3109. Polarization effects in Mott scattering, 9=8615. Measurement of circular polarization of γ-rays, 9=11350. See also Appel, H., 8=4293, 6251; Clausnitzer, G., 6=4673; Galster, S., 9=2567; Hartwig, G., 9=6097; Jüngst, W., 9=11445

Schopper, H. and Galster, S. The circular polarization of internal and external Bremsstrahlung, 8=6252

Schopper, H. and Müller, H. Lepton conservation and time reversal in β-decay, 9=13001

Schor, R. See Krimm, S., 6=5305

Schorygin, P. and Kruschinski, L. Dependence of the intensity of the Raman lines on the frequency of the exciting light in the resonance region, 8=7824

Schossberger, F. and Franson, K.D. Adhesion of evaporated metal films, 9=7543

Schott, C. See Jaenicke, W., 6=4763

Schott, G. See Britton, D., 5=5007, 7=2764

Schott, G.L. See also Bauer, S.H., 9=900

Schott, G.L. and Kinsey, J.L. Kinetic studies of hydroxyl radicals in shock waves. II. Induction times in the hydrogen-oxygen reaction, 9=5219

Schottky, W. See Haken, H., 6=3358

Schouten, J.P. and Beukelman, B.J. On the radiation pattern of a paraboloid of revolution, 5=1071

Schouten, J.P. and de Hoop, A.T. On the reflection of an electromagnetic plane wave by a perfectly conducting rough surface 8=243

Schpinel', V.C. See Delyagin, N.N., 9=10073

Schrack, R.A. The electrostatic field and the symmetry of snowflakes, 9=2990. See also Leiss, J.E., 8=1867, 9=1715

Schrader, W. Theory of the dispersion filter (Christiansen colour filter), 9=12071

Schrag, R.L. A method for studying large-scale irregularities in region E of the ionosphere, 5=5775. M-type ionospheric reflections at 15 kc/s, 5=6329

Schram, B.L. See Polak, H.L., 8=5304

Schram, H. and Herman, L. The influence of electron concentration on the probability of forbidden transitions, 7=3133

Schram, H., Herman, L. and Lunt, R.W. Superelastic collisions and apparent transition probabilities: the case of pure nitrogen, 6=3633. The influence of electronic and molecular concentration on the apparent probability of the transition $A^3\Sigma_u - X^1\Sigma_g$ of the nitrogen molecule, 7=6378

Schramm, K.H. A stastical theory of superconductivity, 6=4414. Theory of the velocity of sound in metals. 6=5730

Schrank, G. Energy control for external cyclotron beams, 5=8028. See also Dayton, I.E., 6=3206

Schrank, G., Gugelot, P.C. and Dayton, I.E. Direct interaction in $Fe^{56}(p, p')Fe^{56}$,* 5=2171

Schrank, G.E. See Burkig, J.W., 9=4910

Schranz, P. See Schneider, T., 9=6672

Schraud, A. The dependence of the output of gas-cooled nuclear reactors on cooling gas pressure and the reactor dimensions, 9=8659

Schrauzer, G.N. Determination of the ionic character with the aid of the theory of stability ratios, 5=4845

Schreckendgust, J.G. and Gowing, D.M. High-speed, direct-reading glossmeter, 8=2251

Schreiber, F. Hysteresis-relaxation and permeability of silicon-iron containing carbon, 8=658. Characteristic features of the Néel theory of the magnetic after-effects of foreign atoms, 8=7190

Schreiber, G. High intensity low pressure mercury vapour lamps for Raman spectroscopy, 9=4421, 7949. See also Deubner, A., 9=9437

Schreiber, G. and Schubert, R. Purification of substances by growth of single crystals from the melt, and the distribution of impurities in crystals, 9=6368

Schreiber, H.P. See also Benson, G.C., 5=10066, 6=6814

Schreiber, H.P. and Benson, G.C. Edge energies of alkali halide crystals, 5=9251

Schreiber, L. See Cremer, L., 7=3103

Schreiber, W.F. Oscillographic measurements of probability distributions, 5=3712

Schremp, E.J. Isotopic spin and the group space of the proper

Lorentz group, 5=9422. Parity nonconservation and the group-space of the proper Lorentz group, 8=5638. G-conjugation and the group-space of the proper Lorentz group, 9=5366

Schreyer, G. See Kortüm, G., 9=2236

Schrieffer, J.R. Effective carrier mobility in surface-space charge layers, 5=2732. Evaluation of some nonlocal theories for a thin superconducting film, 7=5352. Mobility in inversion layers: theory and experiment, 7=7864. Theory of superconductivity, 9=319. See also Bardeen, J., 7=1286, 6193, 8=1708; Pines, D., 9=2348, 3510

Schriever, B.D. See Whalin, E.A., 6=3225

Schriever, K. See Holzapfel, L., 7=3797

Schriever, W. Para- and diamagnetic susceptibilities in non-fluctuating weak fields, 9=5870

Schrock, V.E. and Starkman, E.S. Spherical apparatus for measuring the thermal conductivity of liquids, 8=5837

Schröck-Vietor, W. The estimation of the technical quality and information-content of X-ray photographs by inspection of their autocorrelograms, 8=5571. See also Hellwege, K.H., 6=1735

Schröder, A. One-particle levels with spin-orbit interaction according to the shell model for nuclei, 8=1911

Schröder, E. Superconducting compounds of niobium, 9=1488. See also Lautz, G., 6=8212, 9=1487

Schröder, F.-K. See Kuhl, W., 5=2520

Schröder, G.A. The influence of atmospheric moisture on the breakdown voltage of a plate spark gap, 7=6204

Schröder, H. Optical properties of the distribution of light produced by interference polarizers, 6=5025. The application of interference polarizers in photometry and colorimetry, 6=5026

Schröder, K. Yield phenomena in copper-arsenic alloys, 8=5501. The influence of arsenic content in copper crystals on easy glide at −183°C, 9=10324

Schröder, M. The statistical parameter of the frequency curves of large rooms, 5=1649. Measurement of dielectric constants through the splitting of degenerate eigen-frequencies, 5=7003

Schröder, R. On dielectric relaxation in polar liquids, 9=5666

Schrödinger, E. A thermodynamic relation between frequency-shift and broadening, 5=1454. The philosophy of experiment, 5=1489. The wave equation for spin 1 in Hamiltonian form, 5=4387; II, 6=2688. Might perhaps energy be a merely statistical concept? 9=16. See also Bass, L., 5=9525

Schroeder, F. See Forbes, S.G., 7=4749; Nyer, W.E., 6=8394

Schroeder, H.H. See Hass, G., 6=1118

Schroeder, M.C., See Lucchesi, P.J., 9=13875

Schroeder, R. See Lippincott, E.R., 5=6587, 7231

Schroff, D.H. See Stannett, W.A., 7=7082

Schröter, E.H. An explanation of the red shift in the solar spectrum, 6=1815. Chromospheric structure in Balmer lines, 8=3658. The interpretation of the red-shift and the centre-limb variation of Fraunhofer lines by consideration of temperature fluctuations in the solar atmosphere, 9=4229. See also Mattig, W., 9=9521

Schröter, J. A remark on Ludwig's proof of the ergodic theorem, 9=13038

Schrötter, H. See Brandmüller, J., 8=4882

Schrüffer, E. The shape of the jet when air streams into low pressure chambers, 8=7735. See also Kulenkampff, H., 9=2383

Schubert, C.C. and Pease, R.N. Reaction of paraffin hydrocarbons with ozonized oxygen: Possible role of ozone in normal combustion, 6=5469

Schubert, D.C. See Marton, L., 7=452, 9=13415

Schubert, E.D. Some preliminary experiments on binaural time delay and intelligibility, 7=192. See also Webster, J.C., 5=672

Schubert, E.D. and Elpern, B.S. Psychophysical estimate of the velocity of the traveling wave, 9=10468

Schubert, E.D. and Parker, C.D. Addition to Cherry's findings on switching speech between the two ears, 5=9320

Schubert, G. See Eichhoff, G., 9=10848

Schubert, G.U. The superconducting parabolic cylinder in a longitudinal magnetic field, 8=7986. The theory of the effect of a groove in a superconductor, 9=1489. The superconducting elliptical cylinder in a longitudinal magnetic field, 9=8159. See also Näbauer, N., 8=8790

Schubert, G. U. and Schmauch, H. The superconducting elliptical cylinder in a transverse magnetic field, 8=7042

Schubert, K. Some examples of position-correlation of electrons in crystal structures, 5=6608. Some relations between crystal structures, I. Chemical elements, 7=9981. Some relations between crystal structures. II. Structures with commensurable position correlation of partners, 9=5255; III. Uniaxial stretching of crystal structures on increase of electron concentration, 9=5256; IV. Sequences of layers of closest-packed spheres, 9=7620; V. Interaction of two positional correlations of electrons in the case of brass-like alloy phases, 9=13913

Schubert, K., Dörre, E. and Günzel, E. Crystal-chemical data on phases of B elements, 5=4204

Schubert, K., Kiefer, B. and Wilkens, M. Ordered phases with large periods in alloys, 5=2232

Schubert, M. Unavoidable errors in the recording of spectra, 9=9394

Schubert, R. See Deubner, A., 9=9437; Schreiber, G., 9=6368

Schuch, A.F., Grilly, E.R. and Mills, R.L. Structure of the α and β forms of solid He^3, 8=6516

Schuch, R.L. See Anderson, E.C., 6=5169; Van Dilla, M.A., 5=350

Schücking, E. Non-static spherically symmetric solutions of the vacuum field equations in [Jordan's] extended theory of gravitation, 7=6862. See also Heckmann, O., 6=870, 8550, 7=6815

Schuele, D.E. See also Carome, E.F., 8=3827

Schuele, D.E., Gutowski, F.A. and Carome, E.F. Interferometric determination of ultrasonic absorption in castor oil, 7=9577

Schüepp, W. Measurement of the darkening of the sun during an eclipse, 8=8550

Schuhl, C. Calculation for a thick-walled graphite ionization chamber designed for measuring high gamma energy (up to 5) MeV), 7=2351. See also Basile, R. 5=7095, 9088, 9925

Schuhl, C. and Basile, R. On the activation curve of the reaction P$^{31}(\gamma, n)$P^{30} near threshold, 5=9089

Schuldiner, S. See also Castellan, G.W., 8=9164; Hoare, J.P., 7=1709, 8=9165; Salzberg, H.W. 5=589

Schuldiner, S., Castellan, G.W. and Hoare, J.P. Electrochemical behaviour of the palladium-hydrogen system. I. Potential determining mechanisms, 8=9163

Schuldiner, S. and Hoare, J.P. Note on the potential of the α-Pd/H$_2$, 5=10033. Effect of poisoned sites on the electrical analog of a metal/solution interface, 7=9945

Schuldt, S.B. See Glassgold, A.E., 7=7377

Schüler, H. and Bingel, W. On the electron affinity of oxygen, 5=6351

Schüler, H. and Krimmel, E. Flash photolysis in a single tube system, 9=6349

Schüler, H. and Lutz, E. Further development of experimental layout for emission spectroscopy of organic substances in the positive column of a glowing discharge. Observations with chlorobenzene (C_6H_5Cl), 9=5573

Schüler, H. and Michel, A. On a spectroscopic study of benzyl and benzal radicals (C_6H_5 CH_2 and C_6 H_5 CH), 5=8604

Schüler, H., Michel, A. and Grün, A.E. New emission bands produced by electrical excitation of ammonia, 5=4518

Schüler, H. and Stockburger, M. The mechanism of reaction of organic molecules in the positive column of a glow discharge, 9=5574

Schuler, K. E. On the temperature equilibrium and the work function of small carbon particles in flames, 6=872*

Schuler, R.H. Chemical effects of (d, p), (n, 2n) and (y, n) activation of iodine, 5=3228. Comments on the importance of ion-molecule reactions in liquid-phase radiation chemistry, 7=4840. See also Bernstein, W., 6=2362

Schuler, R.H. and Allen, A.O. Yield of the ferrous sulfate radiation dosimeter: an improved cathode-ray determination, 6=1704. Absolute measurement of cyclotron beam currents for radiation-chemical studies, 6=2935

Schuler, R.H. and McCauley, C.E. Recoil energy effects in the hot atom chemistry of iodine, 7=3794

Schüler, H. and Michel, A. On a new band system of the OH radical or ion, 6=7280

Schuller, F. See also Galatry, L., 9=12755

Schuller, F. and Bergeon, F. Variation of volume of localization of electrons and displacement by collision in electronic transitions, 9=3997

Schuller, F.G. See Galatry, L., 7=7255, 8=367

Schuller, H. See also Schacht, L., 6=5442

Schüller, W. See Küchler, L., 9=3947
Schulman, A.I. See Egan, J.P., 9=10465
Schulman, J. See Birnbaum, M., 5=6197
Schulman, J.H. Physical measurements and the nature of the luminescent centre, 5=3609. See also Birks, J.B.(Eds). 9=6868; Ginther, R.J., 9=4473; Rosenstock, H.B., 9=3314
Schulman, J. H. Colour centres in metaphosphate glass, 6=4092
Schulman, J.H., Claffy, E.W. and Potter, R.J. Concentration dependence of quantum efficiency of luminscence in KCl:Tl, 8=1616
Schulman, J.H., Etzel, H.W. and Allard, J.G. Application of luminescence changes in organic solids to dosimetry, 8=8703
Schulman, J.H. and Klick, C.C. Luminescent centers in sulfide phosphors, 7=2063
Schulman, J.H., Klick, C.C. and Rabin, H. Measuring high doses by absortption changes in glass, 5=4919
Schul'man, L.A. Electron spin resonance of F-centres in alkali halide crystals (considering the second coordination sphere), 9=9822
Schulte, D.H. See Fan, C.Y., 5=5805
Schulte, H.J. See Camac, M., 5=8805
Schulten, R. See also Gaus, H., 5=2195
Schulten, R. and Gaus, H. On the temperature rise in thermal reactors after failure of the cooling, 5=4079
Schultz, B.H. Surface recombination as a function of the concentration of charge carriers in the interior, 5=3732. Analysis of the decay of photoconductance in germanium, 6=1246. Storage of injected carriers at surface of germanium, 7=6170, 7867
Schultz, G. See Koshiba, M., 9=375
Schultz, H. The deviations from Matthiessen's rule for platinum resistance thermometers in the temperature range from 20 to 90°K, 8=8737. The magnetoresistance of germanium in the temperature range of 10 to 20°K, 9=12269. Investigation of lattice defects in cold-worked tungsten by means of residual-resistance measurements, 9=12837. See also Erdmann, J., 9=4638; Krautz, E., 9=5673, 8083, 12773
Schultz, H. L. See also Draper, J.E., 9=2765; Fenstermacher, C.A., 8=4301
Schultz, H.L., Pieper, G.F. and Rosler, L. Multichannel systems for pulse-height and time-of-flight analysis, 6=6732
Schultz, M.A. A first look at fusion-reactor control, 7=9862. See also Morton, G.A., 7=7924
Schultz, M. L. and Morton, G.A. Photoconduction in germanium and silicon, 6=3744
Schultz, R.D. See also Barsh, M.K., 8=8727
Schultz, R.D. and Dekker, A.O. Absolute thermal decomposition rates of solids. II. The vacuum sublimation rate of molecular crystals, 6=1158
Schultz, T.D. On a minimum property of free energies, 8=6658
Schultz, T.J. Measurement of membrane tension, 5=7726. Air-stiffness controlled condenser microphone, 6=4268. On the distinction between velocity-sensitive and pressure gradient-sensitive microphones, 6=5736. Acoustic wattmeter, 6=7229
Schultz, W. On the theory of rectification at the metal-semiconductor contact, 5=293. The influence of the surface on the electrical properties of rectifiers and transistors, 7=7921. Electron levels of a one dimensional lattice vacancy, 9=5146. See also Harten, H.-U., 5=8773
Schultz, W. and Harten, H.U. The vapour-phase/semiconductor and metal/semiconductor systems, 6=4409
Schultze, R.S. [Ed.] Science and applications of photography, 5=7586
Schultze-Gebhardt, F. See Krebs, H., 5=3284
Schultz, A. See Kluge, W, 5=975, 4700, 8800, 6=6724, 7=2280
Schulz, A.K. On the relaxation times derived from ultrasonic investigations and dielectric measurements and their dependence on viscosity, 5=1798. On the relation between the dispersion of the velocity of sound, the specific heat, the density and the thermal conductivity of glycerine, 5=2457. On a method for determining the velocity of ultrasound in liquid and solid substances in a wide temperature range, 5=5958
Schulz, D. Note on intensity measurements with ionization chambers, 6=6726
Schulz, G. Refractive index determination in the interference microscope, of CdS for example, 5=2634. The measurement of the thickness of thin objects with an incident-light interference microscope, 6=3648. Interferometric evaluation of thickness and shape using the two-sided technique, 7=292. Criticism of von Neumann's proof of acausality in quantum mechanics, 9=9193. Interference fringes of equal thickness in the case of large wedge angle and large aperture, 9=12141. See also Kind, E.G., 9=7922
Schulz, G.J. Characteristics of the Bayard-Alpert ionization gauge at pressures above 10^{-5} mm Hg, 8=80. Measurement of atomic and molecular excitation by a trapped-electron method, 9=3958. Formation of H^- ions by electron impact on H_2, 9=5849
Schultz, G.J. and Brown, S.C. Microwave study of positive ion collection by probes, 5=7086
Schulz, G.J. and Fox, R.E. Excitation of metastable levels in helium near threshold, 7=7310
Schulz, G.V. and Cantow, H.J. On the correlation between the thermodynamic excess functions and the virial coefficients of macromolecular solutions, 7=1960
Schulz, H. See Moser, H., 9=13145
Schulz, K. See Suhrmann, R., 5=9644, 10042
Schulz, L.G. Experimental study of the optical properties of liquid Hg and liquid Ga in the wavelength range of $0.23\ \mu$ to $13\ \mu$ 7=2072. Comparison of calculated and experimental values for the optical reflectivity of the liquid alloys Hg–In, Hg–Tl, Ga–In at 25°C, 7=2073. The experimental study of the optical properties of metals and the relation of the results to the Drude free electron theory, 7=7025
Schulz, M.W., Jr. See Benoit, A.W., 5=6850
Schulz, P. See also Bauer, A., 5=1876, 7=2283, 6085, 8=3858; Gerthsen, P., 5=7989
Schulz, P., Bauer, A. and Gerthsen, P. Investigations on arc cathodes, 7=3332
Schulz, P. and Steck, B. Investigations on the positive column of xenon high-pressure arcs at higher loadings, 7=6228
Schultz, P. and Strub, H. High-pressure discharges in xenon with helium addition, 7=6229
Schulz, P. and Stubert, K.F. Apparatus for measuring the aging and fading produced by light, 6=7334
Schulz, W.D. Interaction of nonlocal and local fields, 5=7700
Schulz-Du Bois, E. On the dielectric dispersion of polar liquids, 6=2852. Ambipolar diffusion and formation of negative ions in decaying plasmas in oxygen. 6=5906. Elementary processes of electron recombination in decaying discharge plasmas, 6=6743
Schulz-du Bois, E.O. Paramagnetic spectra of substituted sapphires. I. Ruby, 9=11248. See also Geusic, J.E., 9=9809, 9826; Scovil, H.E.D., 9=11254
Schulze, D. A measuring template (Messschablone) for the statistical evaluation of optical or electron microscope photographs of dispersed particles, 9=5180. On the structure of the magnetically oriented granules in Alnico in the permanent magnet condition, 9=5884. A method for the determination of the distribution-frequency of axial relationships in disperse systems, 9=6353
Schulze, G.E.R. See also Henke, J., 9=4110
Schulze, G.E.R. and Henke, J. Further development of the limiting chamber for the recording of small-angle X-ray scattering, 9=9015
Schulze, H. See Lehmann, K., 7=426
Schulze, K.J. See Poppa, H., 9=13840
Schulze, M. See Eichenauer, W., 9=8058
Schulze, R. The $\Delta\alpha$ effect [anisotropy of the thermal expansion coefficient of cold-worked ferromagnetic materials], 5=4788. See also Diehl, W., 8=7570
Schultz-Grunow, F. A new isotope separation process, 8=7431
Schumacher, B.W. Controlled corpuscle beam discharges. A proposed new method for attaining high temperatures and energy densities, 7=7944
Schumacher, B.W. and Gadamer, E.O. Electron beam fluorescence probe for measuring the local gas density in a wide field of observation, 9=2141
Schumacher, E. Age determination of stone meteorites by the Rubidium-strontium method, 6=6261. A lower limit for the age of the universe, 7=8354. See also Clusius, K., 6=3543; 9=7403-4; Clusius, P.A.K., 6=3127
Schumacher, K. See Luy, H., 6=6238
Schumacher, R.T. Dymamics of interacting spin systems, 9=6225. See also Elliott, D.F., 7=8061
Schumacher, R.T. and Slichter, C.P. Electron spin paramagnetism of lithium and sodium, 6=3021
Schuman, R.P. See Butler, J.P., 6=7644, 8342; Eastwood, T.A., 8=7331; Jones, M., 6=3934; White, F.A., 8=3335
Schuman, R.P., Turk, E.H. and Heath, R.L. Decay of short-lived

barium and lanthanum fission products, 9=12646

Schumann, G. Artificial radioactive products in the atmosphere, 6=8528. See also Haxel, O., 5=10126

Schumann, R.W. 1024-channel neutron time-of-flight analyzer, 7=488

Schumann, R.W. and McMahon, J.P. Argonne 256-channel pulse-height analyzer, 7=487

Schumann, W. On the elimination of secondary tensions produced by large deformations in three-dimensional photoelasticity, 9=9258

Schumann, W.O. On the influence on the propagation of very long electric waves of the magnetic field of the earth, 5=5537. The influence of the earth's magnetic field on the propagation of long-electric eaves, 5=9793. Influence of the earth's horizontal magnetic field on electric waves between the earth and ionosphere, which run obliquely to the magnetic meridian, 6=4534. On the intepretation of the atmospherics produced by lightning discharges, 6=5568. On wave propagation in a plasma between two infinite conducting planes in the direction of an applied external magnetic field, 7=2449. On the characteristic electric oscillations of the cavity earth–air–ionosphere excited by lightning flashes, 8=7206. On the propagation of electrical waves along a dielectrically bounded plasma layer with a longitudinal magnetic field, 8=8944. On the propagation of long electric waves in a magnetized plasma and their transmission through plasma layers, 9=2544. The plasma condenser, 9=5836. Hydromagnetic waves in plasmas, 9=11282. The "backward wave" in a metallic waveguide, which is filled with longitudinal by magnetized plasma, 9=13511

Schupp, A.A. See Nelson, D.F., 9=11354

Schupp, F.D. See also Ruby, S.L., 9=4045

Schupp, F.D., Colvin, C.B. and Martin, D.S., Jr. Cross section for the $Ca^{40}(\gamma, 3p3n)Cl^{34}$ reaction, 7=9883. Photonuclear reactions of gallium and arsenic with 70 MeV bremsstrahlung, 9=6125

Schüppel, W. See also Andrä, W., 9=11201

Schüppel, W. and Málek, Z. Measurement of the magnetic anisotropy of evaporated thin nickel films, 9=13428

Schurin, B. and Rollefson, R. Infrared dispersion of hydrogen See also Thomas, A.R., 9=3404

Schuring, B. and Rollefson, R. Infrared dispersion of hydrogen bromide, 7=6978

Schurink, F. See Jongejans, B., 7=8711, 8=3212

Schurz, J. Calculation of the shear stress for the falling sphere viscometer, 5=9454

Schussler, R. See Roucayol, J.C., 8=671

Schusta, J. See Krug, W., 9=3253-4

Schuster, G. See Jawtusch, W., 5=2216, 7398

Schuster, K. Turbulence and the growth of waves, 8=7733

Schuster, M. See Bültemann, H.J., 8=6685

Schütt, K. The discharge mechanism in argon-filled proportional counters, 6=1314

Schütte, M. On the band spectrum of calcium chloride, 5=1688

Schütte, R. See Becker, E.W., 7=641

Schutten, J. The anti-contamination circuit of the Amsterdam isotope separator. II, 5=1136. A three filament assembly for a solid source mass spectrometer with alternately heated side filaments, 9=13379. See also Kistemaker, J., 6=1313

Schutten, J., Boerboom, A.J.H., v.d. Hauw, T. and Monterie, F. Precise measurement of isotope ratios with a single collector mass spectrometer, 8=1101

Schutten, J., Zilverschoon, C.J. and Kistemaker, J. The anti-contamination circuit of the Amsterdam isotope separator. I, 5=1135

Schütz, H. A method of measurement for investigating fluorescence decay processes, 9=12114

Schütze, W. and Bernhard, F. A new method of measuring very small ion currents in high vacuum, 6=5960

Schützer, W. On Bohm–Pines theory of plasma, 7=9017. See Bohm., 6=3503

Schuurman, W. See Michels, A., 5=2479, 7=8455

Schuyer, J. The diamagnetic susceptibility of aromatic compounds, 5=8916

Schwab, G.M. Experiments connecting semiconductor properties and catalysis, 7=7876

Schwab, G.M., and Lorensen, K. Raman spectrum investigations of association in thioacetic acid, 9=10790

Schwabe, E. The temperature dependence of the magnetic properties of barium ferrite, 8=7183. See also Andrä, W., 6=1357

Schwabe, G. Directional photoeffect in PbS layers, 5=3784. Directionally dependent photoeffect in PbS layers, 5=3785. On a photoelectromotive force dependent on the direction of light incident on polycrystalline lead sulphide layers, 6=5105

Schwabe, K., Wagner, K. and Weiszmantel, C. Investigation of the adsorption of anions on metal surface using radioactive indicators, 8=4509

Schwager, E.A. and Fischer, A. A note on the problem of "self activation" in ZnS, 8=4889. Sensitive detection of lead and the incorporation of lead in zinc sulphide, 8=6495

Schwan, H.P. See Carstensen, E.L., 9=4390, 6644

Schwar, J.P. See Pojl, H.A., 9=6900

Schwartz, A. See Carlisle, R.W., 9=13123

Schwartz, B. See Robbins, H., 9=9008

Schwartz, C. Theory of hyperfine structure, 5=3010. Hyperfine structure anomaly in atomic p-states, 5=9020. Theory of hyperfine structure, 7=3550. Calculations in Schrödinger perturbation theory, 9=4289. Uses of approximate wave functions, 9=4290. See also Gartenhaus, S., 8=8260

Schwartz, C. and Tiemann, J.J. New calculation of the numerical value of the Lamb shift, 9=6155

Schwartz, C.L. See Drell, S.D., 9=3910

Schwartz, C.M. See Austin, A.E., 7=2834

Schwartz, H.M. Excitation of molecules in the beta decay of a constituent atom, 5=3935. Theory of atomic perturbation in alpha decay, 6=614. Ground-state solution of the non-relativistic equation for helium, 6=6857

Schwartz, I. See Katz, M.S., 5=7574; Kelsey, P.A., 9=10459

Schwartz, J. Spin echo apparatus, 8=2454. See also Cohen, V.W., 9=12616

Schwartz, J.T. See Ogle, K.N., 9=4168

Schwartz, M. Method for obtaining complete quantitative pole figures for flat sheets using one sample and one sample holder, 6=7027. Penumbra and simple shadow cone of cosmic radiation, 9=12417. See also Budde, R., 7=1651; Chretien, M., 8=8239; Eisler, F., 7=8859, 9530, 8=1208, 1212*, 2513, 9=2658, 2662, 2667; Impeduglia, G., 9=2616; Kellogg, P.J., 9=13410; Logan, R.A., 5=2756, 6=1221; Plano, R., 7=8174

Schwartz, M. and Copeland, P.L. Secondary emission by positive ion bombardment, 5=1924

Schwartz, M. and Muldawer, L. Approximate elastic spectrum of β-AuZn from temperature diffuse scattering of X-rays, 9=4005

Schwartz, R.B., Corbett, J.W., and Watson, W.W. Alpha-particle bombardment of A^{36} and A^{40}, 6=3188

Schwartz, R.F. See Lombardini, P.P. 8=8902

Schwartz, R.N. and Eckerman, J. Shock location in front of a sphere as a measure of real gas effects, 6=6451

Schwartz, S.B. and Zirin, H. Ionization of Fe XIV in a hot plasma, 9=8255. Collisional ionization cross-section for Fe XIV in the solar corona and the coronal electron temperature, 9=12958

Schwartze, W. Electron microscopical investigation of magnetic powder patterns, 7=9259

Schwarz, E. See Peterson, A.W., 8=2175

Schwarz, G. The theory of electrical conduction anisotropy of polyelectrolytes in solution, 6=8447. See also Rogosa, G.L., 5=8398

Schwarz, H.A. and Allen, A.O. The radiation chemistry of nitrite ion in aqueous solution, 5=5049

Schwarz, H.A., Losee, J.P., Jr. and Allen, A.O. Hydrogen yields in the radiolysis of aqueous solutions, 5=1334

Schwarz, R.F. See Borneman, E.H., 5=8770; Brill, P.H., 9=4580, 6952; Daniel, P.J., 9=1311

Schwarzl, F. See Brinkman, H.C., 8=4431

Schwarzman, B.F. See Dorman, L.I., 7=516

Schwarzschild, A. See also Benczer-Koller, N., 8=8295, 9=12643; Kistner, O.C., 7=1547, 4675

Schwarzschild, A., Rustad, B.M. and Wu.C.S. Decay of A^{41}, 7=657

Schwarzschild, M. Mass distribution and mass-luminosity ratio in galaxies, 5=700. Photographs of the solar granulation taken from the stratosphere, 9=12957. See also Frenkiel, F.N., 5=5182; Härm, R., 5=4323

Schwarzschild, M. and Härm, R. Evolution of very massive stars, 9=12941

Schwarzschild, M., Howard, R. and Härm, R. Inhomogeneous stellar models. V. A solar model with convective envelope and inhomogeneous interior, 7=8361

Schwebel, A. See also Mann, W.B., 9=5030

Schwebel, A., Isbell, H.S. and Moyer, J.D. Determination of carbon-14 in solutions of C^{14}-labeled materials by means of a proportional counter, 5=4162
Schwebel, S.L. Born approximation in a three-body scattering problem, 6=7148
Schweber, S.S. On reduction formulae in field theory, 5=7684. On the Yang-Feldman formalism, 5=9434. See also Greenberg, O.W., 8=4723; Wightman, A.S., 5=5860
Schwed, P. See Cooper, H., 6=4417; Groetzinger, G., 5=966; Hacskaylo, M., 5=9240; Hill, J.J., 5=5346; Rarita, W., 9=1084; Wiener, B., 5=6159
Schweiger, R.N. See Metz, F.I., 7=5213
Schweinler, H.C. Some consequences of thermal neutron capture in silicon and germanium, 9=10130. See Crawford, J.H., Jr., 5=9655, 6=7801; Stevens, D.K., 6=489
Schweitzer, W.G., Jr. See Kessler, K.G., 9=9448, 11520; Zahn, C.T., 6=8289
Schweizer, F. Half-life of K^{37}, 8=5301
Schweizer, L. See Nonnenmacher, W., 8=8917
Schwemin, A.J. See Parmentier, D., Jr, 6=436
Schwendeman, R.H. Tables of coefficients for the energy levels of a near symmetric top, 8=2608. See also Bartell, L.S., 6=2303
Schwentek, H. Calculation of a characteristic value for the absorption in the ionosphere from an automatic statistical analysis of field strength records, 8=8541
Schwerdt, K.R. See McClintock, F.A., 9=7547
Schwerin, A.K. See Demers, P., 9=14001
Schwering, F. See Falk, G., 8=7121
Schwertz, F.A. and Freund, R.E. Voltage dependence of electroluminescent brightness. II. Chemically deposited phosphor films, 5=6951
Schwertz, F.A., Haller, M.N. and Mazenko, J.J. Self-luminous halftones, 5=1429
Schwertz, F.A., Mazenko, J.J. and Michalik, E.R. Voltage dependence of electroluminescent brightness. I. Dielectric embedded phosphors, 5=6950
Schwetman, H.D. See also Young, M.E., 9=9130
Schwetman, H.D. and Burmeister, C. Solution of polynomials by use of an electromechanical synthesizer, 9=7728
Schwetzoff, V. The optical sensitization of photoconductors of the lead salts group, 7=9199. Measurements of the reflecting power, the optical absorption and the spectral response of photoconducting layers. Case of oxidized lead sulphide, 9=4455. On the optical properties of thin photoconductive layers. The case of microcrystalline layers of lead sulphide, 9=12288
Schwieger, H. Photoelastic shock investigations on thin glass bars, 5=9494. Stress optic methods for the investigation of dynamic states of stress, 9=4323
Schwieger, H. and Dietz, H. Optical polarization experiments on the elastic impact theory of St. Venant and Flamant, 6=726
Schwieger, H. and Haberland, G. The photographic representation of uniform shear beyond the first isochromatic order in photo-elasticity experiments, 6=6399
Schwinger, J. Dynamical theory of K mesons, 7=2682. Spin, statistics, and the TCP theorem, 8=2760. A theory of the fundamental interactions, 8=2767. On the Euclidean structure of relativistic field theory, 9=1033. Addendum to spin, statistics, and the TCP theorem, 9=3110. Euclidean quantum electrodynamics, 9=12998
Schwink, C. New quantitative procedures for the electron-optical shadow method, 6=1286. The influence of the internal state on the position of the poles in magnetized nickel wire, 6=2227. A magnetic heating effect in oxidized nickel wires, 8=235. See also Hoffmann, H., 9=9772
Schwink, C. and Murrmann, H. Field superposition for increasing the sensitivity of the electron-optical shadow method, 9=5803
Schwuttke, G.H., Weinreich, O.A. and Keck, P.H. A sensitive method for measuring optical scattering in silicon, 9=3357
Sciacchitano, A. Phenomena of the interaction of radio waves: the Luxembourg effect, 7=4573
Sciama, D.W. On the formation of galaxies in a steady state universe, 7=13. Charges and parities of elementary particles, 7=9531. On a non-symmetric theory of the pure gravitational field, 8=4699. On a geometrical theory of the electromagnetic field, 8=4727
Ścibor-Marchocki, R.I. Analysis of Hypex horns, 5=9502
Scisłowski, W. Present state of the theory of "F-centres", 5=5213
Sciuti, S. See Caglioti, G., 5=6280; Prosperi, D., 8=7328, 9=607, 13520
Sciver, W. Van. See Van Sciver, W.
Sciver, W.J. Van. See Van Sciver, W.J.
Sclar, N. Ionized impurity scattering in nondegenerate semiconductors, 7=3257. Neutral impurity scattering semiconductors, 7=3258. See also Burstein, E., 7=7924
Sclar, N. and Burstein, E. Optical and impact recombination in impurity photoconductivity in germanium and silicon, 5=7060
Scobie, J. Electron capture in arsenic 74 and arsenic 76, 7=9359. See also Drever, R.W.P., 7=3604
Scobie, J. and Gabathuler, E. The L/K-capture ratio in ^{126}I, 9=620
Scobie, J. and Lewis, G.M. K-capture in carbon 11, 7=8799
Scofield, J.H. Scattering of polarized electrons by polarized nucleons, 9=7250. See also Newton, R.G., 8=7294
Scofield, N.E. See Howland, P.R., 6=7656; Hubbell, J.H., 9=5027
Scoins, H.I. See Rushbrooke, G.S., 5=5902
Scolman, T.T. See also Quisenberry, K.S., 6=5335, 7=1527
Scolman, T.T., Quisenberry, K.S., and Nier, A.O. Atomic masses of the stable isotopes, $10 \leqslant A \leqslant 30$, 6=5336
Scolnik, R. See Dunkelman, L., 9=6392; Koomen, M.J., 6=9098, 7=2883
Scotoni, I. See Bassi, P., 6=3795, 8258, 7=8680; Loria, A., 9=7226
Scott, A. See Henderson, C., 7=4455
Scott, A.B. The surface energy of sodium, 5=1073. Color center reactions, 5=8393. See also Fredericks, W.J., 8=9117; Neilson, G.W., 5=5723; Watson, L.R. 6=5509, 9=7518
Scott, A.B. and Hills, M.E. Chemical determination of the oscillator strength of F centers, 8=4434
Scott, A.B. and Hu, K.-H. Absorption spectra of luminescent thallous chloride solutions, 6=222
Scott, B.L. See Moszkowski, S.A., 9=565
Scott, C.B. See Menefee, A., 6=9019
Scott, D.R. Transient heat flow in anisotropic strata, 5=240
Scott, D.W. See Reynolds, H.L., 6=4635*
Scott, E.J. Single crystals of the oxides of the transition elements by the flame fusion method, 6=2531. See also McGuire, T.R., 6=5226
Scott, E.L. See Neyman, J., 5=1450, 5194
Scott, F.H. An X-ray investigation of alloy phases in soldered joints, 9=8911. See also Gibson, F.C., 8=3037
Scott, F.R. See Bendt, P.J., 5=3118
Scott, G.D. Optical constants of thin-film materials, 5=2633. Precession of a gyro and model of a gyrocompass, 7=3028. Obtaining low orders of interference in measuring film thicknesses by multiple beam interferometry, 9=3345. See also Aziz, R.A., 6=7748, 7=8218, 9429; Chandra, S., 8=9143, 9=720
Scott, G.G. Gyromagnetic ratio of iron at low magnetic intensities, 5=8922. Gyromagnetic ratio of nickel at low magnetic intensities, 6=494. Gyromagnetic ratios of the iron-nickel alloys, 6=7538. Gyromagnetic ratio of cobalt, 7=3453. Compensation of the earth's magnetic field, 7=6329. See also Coleman, R.V., 8=1771, 9=457
Scott, G.G. and Coleman, R.V. Domain changes during longitudinal magnetization of iron whiskers, 8=3255
Scott, H.D. See Dalton, A.W., 9=8602
Scott, H.H. Historical development of the sound level meter, 8=4824
Scott, J.C.W. The distribution of F^2 region ionization at high latitudes, 5=3308
Scott, J.M.C. Neutron-widths and the density of nuclear levels, 5=1115. The retardation of alpha particles when capture and loss occur, 5=2136. Scattering of polarized positrons by polarized electrons, 8=1161. Estimating the life of a satellite, 8=1464
Scott, M. See Goldschmidt-Clermont, Y., 6=2185.
Scott, M.B., Hanson, A.O. and Kerst, D.W. Electro- and photodisintegration cross sections of Cu^{63}, 6=1554
Scott, M.J. Polarization measurements in $p-\alpha$ elastic scattering, 8=8223
Scott, M.J. and Segel, R.E. Neutron-induced charged particle reactions in potassium-39, 6=6168
Scott, N.J. See Wainfan, N., 9=13827
Scott, P.C. and Hugus, Z.Z., Jr. Partial molal entropies of ions in aqueous solution, 8=6708

Scott, P.H. and Churchill, S.W. Transmission of light through multiply scattering dispersions of latex with a partially reflecting boundary, 9=9528

Scott, P.L. See Sawyer, G.A., 9=3655

Scott, R. Thermal conductivity of UO$_2$, 9=3375

Scott, R., Hall, A.R. and Williams, J. The plastic deformation of uranium oxides above 800°C, 9=10328

Scott, R.B. See Armstrong, G.T., 6=3678

Scott, R.G. Structure of spherulites as revealed by selected-area electron diffraction and electron microscopy, 8=9147. See also Geil, P.H., Jr, 9=13891

Scott, R.L. Corresponding states treatment of nonelectrolyte solutions, 6=7196. See also Benninga, H., 6=116

Scott, S.A. See Taylor, H.W., 9=7331

Scott, T.A., Jr and Wagner, E.L. Vibrational spectra and structure of oxamide and dithiooxamide, 9=3295

Scott, W.T. Torque condition for equilibrium, 5=9447. Theory of the Faradaic admittance, III. Application of diffusion theory to current-interrupter studies, 6=1692. Who was Earnshaw? 9=11771. See also Goldberg, J.S., 6=1309

Scotti, A. See Colombo, S., 5=4910, 9879; Duimio, F., 6=3492; Gallone, S., 7=8883; Prosperi, G.M., 9=13027

Scotto, M. and Parzen, P. Excitation of space charge waves in drift tubes, 6=6799

Scovil, G.W. Physical properties of titanium. II. The Hall coefficient and resistivity, 7=1271

Scovil, H.E.D. See also Buckmaster, H.A., 6=6517; Feher, G., 7=4875; Geusic, J.E., 9=9826

Scovil, H.E.D., Feher, G. and Seidel, H. Operation of a solid state maser, 7=4876

Scovil, H. E.D. and Schulz-DuBois, E.O. Three level masers as heat engines, 9=11254

Screaton, G.R. Meson production by a meson nucleon collision in the Heisenberg representation, 7=8888. Dispersion relations for pion production in a pion–nucleon collision, 9=4935. See also Gilbert, W., 7=1915

Scrimger, J.A. and Hunten, D.M. The intensity at the bottom of the fraunhofer D. lines, 6=887. Observation of atmospheric sodium in absorption, 7=2867. Absorption of sunlight by atmospheric sodium, 7=9991

Scrivins, J. See Lambert, J.D., 5=8552

Scrocco, M. and Mathieu, J.P. Study of the scattering spectra of anglesite, 9=5128

Scurlock, R.G. See Bishop, G.R., 5=9013; Cacho, C.F.M., 6=2318; Grace, M.A., 7=8784, 9363, 8=8265

Se Hee Ahn and Roberts, J.H. Energy and angular distributions of neutrons from the interaction of 14. 1 MeV neutrons with zirconium, 8=3381

Seaborg, G.T. Recent work with the transuranium elements, 9=13724. See Fields, P.R., 6=3933; Folger, R.L., 5=4933; Ghiorso, A., 5=7357, 9846, 8=6236-7; Glass, R.A., 7=2624; See Vandenbosch, R., 9=3932; Nervik, W.E., 5=4050; Strominger, D., 8=9027; Thomas, T.D., 7=7329; Vandenbosch, R., 8=4327; Wade, W.H., 8=6304

Seager, J.S. See Dawes, J.G., 7=7444

Seagrave, J.D. Recoil deuterons and disintegration protons from the n-d interaction, and n-p scattering at E_n = 14. 1 MeV, 5=3115

Seagrave, J.D. and Cranberg, L. n–d Scattering at 2. 45 and 3. 27 MeV, 7=4465

Seagrave, J.D. and Henkel, R.L. Total cross section of deuterium for neutrons from 0. 2 to 22 MeV, 5=5641

Seal, R.T. See Birks, L.S., 8=5946

Seaman, W.B., Ter-Pogossian, M.M. and Ittner, W.B., III. The relative biologic effects of X-rays and beta rays, 5=10134

Searcy, A.W. An electrostatic model for prediction of shapes of covalent molecules and ions, 9=754. Prediction of isomeric form and bond angles for covalent molecules and ions, 9=8763. See also Meschi, D.J., 9=10917; Parsons, A.E., 9=8758

Searcy, A.W. and Freeman, R.D. Measurement of the molecular weights of vapors at high temperature. II. The vapor pressure of germanium and the molecular weight of germanium vapor, 5=3685

Searle, L. The recombination spectrum of nebular hydrogen, 9=4234

Sears, B.J. See Kennedy, J.M., 5=6407; Sharp, W.T., 5=5591

Sears, G.W. Viscosity anomaly of supercooled liquids, 5=5247. Screw dislocations in growth from the melt, 5=10062. Evaporation of perfect crystals, 6=5520. Influence of adsorbed films on crystal growth kinetics, 6=7805. Growth of mercury platelets from the vapor, 7=849. Fibrous growth of NaClO$_3$, 7=8257. Role of crystal edges in evaporation, 8=3033. Effect of poisons on crystal growth, 9=1930. Growth of potassium chloride crystals from aqueous solution, 9=1933. Twist in lithium fluoride whiskers, 9=9004. Two-dimensional nucleation of non-coherent layers, 9=9005. Growth mechanism for graphite whiskers, 9=10361. See also Gilman, J.J., 8=4527; Rocco, W.A., 6=1174

Sears, G.W. and Coleman, R.V. Growth mechanism of near-perfect crystals, 7=848

Sears, P.G., Wilhoit, E.D. and Dawson, L.R. Conductances of trimethylphenylammonium chloride and iodide in water and in dimethylformamide at 25°C, 5=8346

Sears, R.L. An evolutionary sequence of solar models, 9=10524

Seaton, M. J. Electron temperatures and electron densities in planetary nebulae, 5=699. Deactivation by collisions of the 2*s* metastable state of hydrogen in planetary nebulae, 5=1478. Electron densities in planetary nebulae, 5=2381. Collisions between protons and metastable atoms or ions having outer p^q shells, 5=4320. Cross sections for 2s-2p transitions in H and 3s-3p transitions in Na produced by electron and by proton impact, 5=6252. Approximate calculation of cross-sections for atomic photoionization. I. The use of hydrogenlike wave-functions for the continuous states, 5=7299; II. A relation between the quantum defect and the phase of the wave-function at the spectral limit, 5=7300. Further calculations on electron excitation of forbidden lines: transitions with electric quadrupole moments, 5=8165. Theories of the airglow spectrum, 5=10122. Interpretation of the spectrum of the Orion Nebula, 6=1821. The calculation of cross-sections for excitation of forbidden atomic lines by electron impact, 6=8651. Excitation processes in the aurora and airglow. III. Low-latitude aurorae, 6=9137. A possible explanation of the drop in F-region critical densities accompanying major ionospheric storms, 7=947. On the extinction correction used in the determination of airglow emission heights by the van Rhijn method, 7=962. The kinetic temperature of the interstellar gas in regions of neutral hydrogen, 7=1009. The photo-ionization cross section of neutral atomic calcium, 7=1518. The use of extrapolated quantum defects as a check on calculated phases for scattering of electrons by positive ions, 8=358. The application of variational methods to atomic scattering problems. V. The zero energy limit of the cross-section for elastic scattering of electrons by hydrogen atoms, 8=791. Electron impact ionization of Ne, O, and N, 9=5847. Oxygen red lines in the airglow. II. Collisional deactivation effects, 9=10425. See also Bransden, B.H., 8=4368; Kaiser, T.R., 6=2569; Marriott, R., 7=4646; Martin, V.M., 9=1812;

Seaton, M. J. and Osterbrock, D.E. Relative [O II] intensities in gaseous nebulae, 7=7560

Seavey, M.H. See Tannenwald, P.E., 7=3446

Seavey, M.H., Jr. See also Tannenwald, P.E., 7=3443

Seavey, M.H., Jr and Tannenwald, P.E. Ferromagnetic resonance in ultra-thin films, 8=8877. Direct observation of spin-wave resonance, 9=4808

Seay, F. See Jeffress, L.A., 5=7802
Percival, I.C., 6=9138, 8=5439

Sebaoun, W. A new determination of the specific [α-] activity of radium, 7=654. See also Basile, R., 5=9925; Gauvin, H., 7=7536, 9=13993

Sébaoun, W. and Gauvin, H. Measurement of the cross-section for Ta$^{181}(\gamma, p)$Hf^{180} with γ-rays of 14. 8 and 17. 6 MeV, 9=8620

Sebban, J. See Chapiro, A., 6=6234

Sebestyén, L.G. See Váradi, P.F., 7=1119

Secco, E.A. Dissociation of water vapor in electric discharge, 6=750. Diffusion and exchange of zinc in crystalline zinc sulfide, 9=5183

Secco, E.A. and Moore, W.J. Diffusion of zinc in crystalline zinc oxide, 5=8306. Diffusion and exchange of zinc in crystalline zinc oxide, 7=5665

Sechi, B. See Baldo, M., 5=4960, 8280; Baldo-Ceolin, M., 6=3181; Belliboni, G., 5=4955; Ceccarelli, C., 5=9967; Ceccarelli, M., 6=3258; Davies, J.H., 6=3270*; Grilli, M., 5=6524

Sechi-Zorn, B. See Falla, D.F., 7=8887

Secker, P.E. See also Guile, A.E., 9=4651

Secker, P.E. and Guile, A.E. Magnetic deflexion of arcs, 8=5939

Seckler, B.D. See also Keller, J.B., 7=6066

Seckler, B.D. and Keller, J.B. Geometrical theory of diffraction in inhomogeneous media, 9=3234. Asymptotic theory of diffraction in inhomogeneous media, 9=3235

Seddon, J.C. Electron densities in the ionosphere, 5=4223. Differential absorption in the D and lower-E regions, 8=5542. See also Jackson, J.E., 8=6536

Seddon, J.C. and Jackson, J.E. Absence of bifurcation in the E-layer, 5=5139. Use of rockets for the study of the ionosphere, 6=825

Seddon, J.C., Pickar, A.D. and Jackson, J.E. Continuous electron density measurements up to 200 KM, 5=4224

Sederholm, C.H. See Pimentel, G.C., 6=3887

Sedov, L.I. Theoretical formulae for the Stellar "mass-luminosity" and "mass-radius" relationships, 7=1864. Examples of gas motion and certain hypotheses on the mechanism of stellar outbursts, 9=3661

Sedov, N.N. See Spivak, G.V., 7=7231

Sedov, V.L. See Kondorskiĭ, E.I., 9=2516, 13446; Sharvin, Yu.V., 7=1311

Sedra, R.N. and Hazzaa, I.B. Effect of radiation from solar flares on the ionosphere and the earth's magnetic field, 5=9291

Seed, J. Angular correlation in the reaction $^{14}N(d,\alpha\gamma\gamma)^{12}C$, 5=3100

Seed, T.J. V.H.F. observations on the Aurora Australis, 9=1966

Seed, T.J. and Ellyett, C.D. Low-lattitude reflections from the Aurora Australis, 8=6562

Seeds, W.E. See Ford, M.A., 8=2236; Hooper, C.W., 5=6625

Seeger, A. Theory of crystal plasticity. I. Basic ideas of the theory, 5=2248; II. The basic structure of the close-packed metals and its influence on plastic deformation, 5=2249; III. The temperature- and velocity-dependence of plasticity, 5=2250. Stacking faults in close-packed lattices, 5=5726. Jogs in dislocation lines, 5=5729. Radiation damage and diffusion processes in the noble metals, 5=6536. The generation of lattice defects by moving dislocations, and its application to the temperature dependence of the flow-stress of F.C.C. crystals, 6=3318. Electron theoretical investigations of defects in metals. I. Lattice defects in nickel, cobalt and their alloys, 6=4537. On the theory of the low-temperature internal friction peak observed in metals, 7=2736. A variation principle for conduction phenomena in the presence of a magnetic field or asymmetric scattering mechanisms, 8=170. On the electrical resistivity of stacking-faults in monovalent metals, 8=172. On some physical consequences of the non-linear theory of dislocations, 9=800. Theory of crystal plasticity. IV. Hardening and glide mechanism of densest packed metals and alloys, 9=4050. The investigation of dislocation density and dislocation arrangement in plastically deformed crystals by means of low-angle X-ray scattering, 9=4107. Radiation damage and strengthening due to irradiation, 9=6293. See also Bross, H., 9=2912, 8806; Schoeck, G., 5=5727; Stehle, H., 7=1476

Seeger, A., Berner, R. and Wolf, H. Experimental determination of stacking-fault energies in face-centred cubic metals, 9=8816

Seeger, A. and Bross. H. Electron theoretical investigations of defects in metals. II. The binding energy of vacancy pairs in monovalent and transition metals, 6=6042

Seeger, A., Diehl, J., Mader, S. and Rebstock, H. Work-hardening and work-softening of face-centred cubic metal crystals, 7=4817

Seeger, A., Donth, H. and Pfaff, F. The mechanism of low temperature mechanical relaxation in deformed crystals, 8=4432

Seeger, A. and Haasen, P. Density changes of crystals containing dislocations, 8=3465

Seeger, A. and Kröner, E. The theory of small angle scattering of X-rays and neutrons from extended dislocations in solids, 9=8815

Seeger, A. and Mann, E. Application of nonlinear elasticity theory to defect sites in crystals, 9=13777

Seeger, A. and Stehle, H. Electron theoretical investigations on defects in metals. IV. The electrical resistance of dislocations, 7=1477

Seeger, A.K. Small angle scattering from dislocations in deformed single crystals, 9=7511

Seeger, K. On delayed electron emission from metals, 5=6202. The delayed electron emission of metals [bombarded with electrons], 5=7124. Delayed electron emission from germanium, 7=6252. Delayed electron emission and outer photoelectric effect for germanium after electron bombardment, 8=5953 . Microwave field dependence of drift mobility in germanium, 9=8128. Microwave induced carrier multiplication in germanium, 9=10995

Seeger, R.J. Progress report on physics in engineering education, 6=1826. On the physics of fluids, 9=11875. Physics for the first grade, 9=12975

Seehof, J., Smithberg, S. and Armstrong, M. Electron-permeable window for cathode-ray tubes, 8=8048

Seehof, J.M. and Trurnit, H.J. Effect of sorbed water vapor upon the electrical conductivity of conditioned chromium films, 6=2077

Seeley, J.S. See Houghton, J.T., 8=860

Seelmann-Eggebert, W. See Baró, G.B., 5=5597, 5609; Flegenheimer, J., 7=650; Nassiff, S.J., 5=5610

Seely, B.K. Detection of certain ions in 10^{-10}-to 10^{-15}-gram particles, 5=5073

Seely, G.R. Molecular orbital study of the porphyrins, 7=8074

Seely, G.R. and Calvin, M. Photochemical studies of the porphyrins. III. Photoreduction of a porphyrin by benzoin, 5=9215

Seeman, N. See also Glasser, R.G., 7=8176, 8=1198, 9=2647

Seeman, N. and Glasser, R.G. Analysis of an electron shower associated with a very energetic He nucleus, 7=3412

Seeman, N., Shapiro, M.M. and Stiller, B. Nonmesonic decay of a helium hyperfragment, 6=3999

Seemann, F.W. See Gobrecht, H., 5=6047; Hahn, D., 5=9580, 7=5232, 8=5797, 9=3334

Seemann, H.E. and Splettstosser, H.R. The effect of kilovoltage and grid ratio on subject contrast in radiography, 5=6670

Seemann, H.J. and Staats, H. Vibration treatment of metals, 8=97

Seethakara Rao, V. See Ramanamurti, M.V., 5=9686

Segaert, O. See Mortier, P., 8=4194

Segaert, O.J.A. See Lemmer, H.R., 5=9035

Segal, B.G. See Venkataraman, B., 9=8335

Segal, B.I. See Vul, B.M., 8=6975

Segal, I.E. Uniqueness of the fine-structure constant, 7=1047. Convergent approach to the theory of elementary particle interactions, 7=2985. Direct formulation of causality requirements on the S operator, 8=2795. Foundations of the theory of dynamical systems of infinitely many degrees of freedom. I, 9=4295

Segal', R.B. See Bronshtein, I.M., 9=12360

Segall, B. Calculation of the band structure of "complex" crystals, 7=3819. Band structure calculations of semiconductors by the Kohn–Rostoker–Korringa method: application to germanium, 9=6967. See also Rasmussen, J.O., 7=660; Williams, F.E., 8=2981

Segall, H. See also Aston, J.G., 6=5525

Segall, H. and Aston, J.G. Study of nuclear resonance of the supercooled rotational transition of 2, 3-dimethylbutane, 5=4842

Segall, R.L. See Wood, W.A., 8=3523

Segar, A.M. See Booth, N.E., 8=5199, 9=8538

Ségard, N. and Besème, E. Study of the maximum speed attained at the breaking point by a quartz vibrator whose sinusoidal oscillation does not deform the moving surface, 5=797. The use of piezoelectric quartz for obtaining the Doppler effect, 5=3535

Segard, N. and Cassette, J. Theoretical study of an ultrasound field, 9=1206. Distribution of sound pressure in a sinusoidal ultrasonic field emitted by a circular quartz disk vibrating as a piston, 9=11947

Segard, N., Cassette, J. and Cocquerez, F. Piezoelectric probe of quartz constructed to measure ultrasound pressure and to study an ultrasound field, 9=1216, 11964

Ségard, N. and Deffontaines, E. Design of a recording microphotometer. Stabilization of the light source employed, 9=3252

Segard, N. and Pouliquen, J. The diffraction of light by a progressive plane ultrasonic wave. Calculation of ray intensities, 7=5249

Segard, N., Pouliquen, J. and Deffontaines, E. Diffraction of light by a progressive ultrasonic wave. Calculation of the intensity of the rays, 9=2245

Ségard, N. and Vandenbossche, A. Theoretical and experimental study of the diffraction figure of a heliometer, 5=3653

Segawa, H. and Hori, S. μ-Meson decay in the theory of individual mass reversal and in the two component theory of neutrino, 8=1498

Segawa, T. and Teramoto, E. Statistical mechanics of surface tension of curved interface. I, 5=777

Segawa, W. Stress-strain relations for viscoelastic large deformation, 8=4470

Segel, R.E. Gamma-ray decay in Hg^{200}, 9=2755. Neutron-capture gamma rays in Cl^{36}, 9=6103. See also Kienle, P., 9=5572, 11435; Scott, M.J., 6=6168

Segel, R.E. and Hanna, S.S. Polarization in the H^2(d, p)H^3 reaction, 7=6562

Segel, R.E., Kane, J.V. and Wilkinson, D.H. Parity conservation in strong interactions: the ^{7}Be(n, α)^{4}He reaction, 8=1978

Segel, S.L. See also Barnes, R.G., 6=8901, 7=8058; Bray, P.J., 8=9092; Cassabella, P.A., 7=6399

Segel, S.L. and Barnes, R.G. Dimerization of solid group IIIB trihalides. II. Iodine nuclear quadrupole resonance spectra of AlI$_3$, GaI$_3$, and InI$_3$. 7=2493. Nuclear quadrupole moment ratio of Re^{185} and Re^{187}, 7=9827

Segel, S.L., Barnes, R.G. and Bray, P.J. Nuclear quadrupole resonances of Cl^{35} and Br^{79} in some heterocyclic compounds, 7=3502

Segeletz, R. The showing of the degree of planeness of a high polish by means of surface topography, 6=3647

Segrè, E. Fermi and neutron physics, 5=8458. Antinucleons. Richtmyer lecture 1957, 7=8996. High energy scattering and polarization, 8=1956. Nuclear radii from antiproton measurements, 9=578. See also Agnew, L., 8=6142; Agnew, L.E., Jr, 8=7249; Barkas, W.H., 7=3225; Baldwin, J., 7=708; Button, J., 8=7256; Chamberlain, O., 5=336, 1919, 6=1298, 2183, 3787, 4637, 5830, 5955, 6145, 6186, 7=3371, 8=8227, 9=7262; Ypsilantis, T., 5=6236

Segre, S. On the formation of magneto-hydrodynamic shock waves, 9=2520

Sehgal, M.L., Hans, H.S. and Gill, P.S. Thermal neutron cross-sections for producing some isomers, 9=11477

Sehon, A.H. and Darwent, B. deB. Reactions of Hg (^{3}P$_1$) with toluene, 5=6567

Šehter, V.M. See Okun, L.B., 9=2603; Shekhter, V.M.

Seibold, E.A, and Sutton, L.E. Structure of ferrocene, 6=542

Seidel, G. See also Keesom, P.H., 9=2942, 4583

Seidel, G. and Keesom, P.H. He^3 cryostat for measuring specific heat, 9=1391. Specific heat of gallium and zinc in the normal and superconducting states, 9=5634. Nuclear specific heat of gallium and zinc, 9=12191

Seidel, H. Ferrite slabs in transverse electric mode wave guide, 7=4568. See also Scovil, H.E.D., 7=4876

Seidel, H. and Boyet, H. Form of Polder tensor for single crystal ferrite with small cubic symmetry anisotropy energy, 8=2403

Seiden, J. Amplitude of oscillation in the strong-focused synchrotron, 5=993. The effects on the orbits of correlation between alignment defects of the sectors in the synchrotron, 5=1913. Quadrupole resonance in liquids, 5=5588. Orbit stability in the strong-focusing synchrotron, 5=7131. The action of a rotating magnetic field on the resonance of a system of spins, 5=8161. Large-angle elastic scattering of protons in a synchrotron, 5=8835. Transverse relaxation and correlation function of a quantum variable, 6=1839. Theory of relaxation by semi-rotations in quadrupole resonance, 6=3107. On the hypothesis of random a priori phases and the transition probability concept, 6=3468. The scattering of protons by residual gas in a synchrotron. I. Elastic scattering, 6=5155. Reversibility and irreversibility in nuclear resonance, 7=2545, 4629; I. Theory of nuclear relaxation in liquids, 7=8771. Nuclear magnetic resonance, Quadrupole relaxation in liquids, 7=2546. Quadrupole relaxation and line width in nuclear magnetic resonance in compressed liquids, 7=5112. Quadrupole resonance in liquids, 7=5113. The Overhauser effect in liquids, 8=2522. The influence of the structure of liquids on nuclear relaxation by translation, 8=2845. The persistence of thermodynamic equilibrium in an isolated material system, 9=66. Theory of impurity paramagnetism in semiconductors at low temperatures, 9=3625. Theory of the Ising model for an imperfect lattice, 9=5127. See also Hue, J., 7=7298

Seiden, J. and Lurçat, F. The inelastic scattering of particles accelerated in a synchrotron, 5=8025

Seidl, F. On the effect of different kinds of radiation on the properties of piezo-quartz and vibrating crystals, 7=6157

Seidl, R. On the problem of the systemization of β-spectra, 7=3601. On the characteristics of thin layers of copper and iron, 7=6248. Concerning the mechanism of the emission process in chemoemission, 7=6256. A contribution to the systematization of β-spectra, 9=8534. See also Bačkovský, J., 6=7856

Seidlitz, L., Bleuler, E. and Tendam, D.J. Elastic and inelastic scattering of 18 MeV alpha particles from neon, argon and xenon, 8=5364

Seidov, Yu. M. See also Seiidov, Yu.M.

Seidov, Yu.M. and Galishev, V.S. On the interaction of the states of two zones in the single-electron scheme, 6=7567

Seifert, G. and Stasiw, O. Sensitizing absorption and photochemical reaction products in silver bromide during irradiation, 5=4266

Seigel, A.E. See Slawsky, Z.I., 9=10641

Seigel, H.O. Mathematical formulation and type curves for induced polarization, 9=11640

Seigle, L.L. See Balluffi, R.W., 5=2229; Resnick, R., 7=8212

Seiidov, Yu.M. See Seidov, Yu.M.

Seĭidov, Yu.M. See Vonkovskiĭ, S.V., 6=6765

Seiler, F. See Schellenberg, L., 9=13687

Seiler, H. See Möllenstedt, G., 8=8055

Seiler, K. See also Kleinknecht, H., 5=1829; Kronmüller, H., 6=5883; Sautter, D., 9=5706

Seiler, K. and Geist, D. The semiconductor—semiconductor system, 6=4408

Seith, W., Heumann, T. and Walther, G. Investigations on the movement of markers during the diffusion of gold and silver, 6=1640

Seith, W. and Wever, H. On the mechanism of electrolytic transport in solid intermetallic phases, 5=3223

Seitz, F. Physical properties of the alkali halide crystals, 5=8383. Fermi statistics and its applications, 5=8458. Theory of color centers in the alkali halides, 5=9391. On the theory of the Kirkendall effect, 5=9391, 9982. On the theory of the bubble chamber, 8=6103. Point imperfections in solids, 9=796. See also Amelinckx, S., 7=5730; Koehler, J.S., 5=6612, 8=2666

Seitz, F. and Turnbull, D. [Eds]. Solid state physics. Advances in research and application. Volume 1, 6=6038. Solid state physics. Advances in research and applications. Volume 2, 7=3471

Seitz, J. and Huber, P. Cross-section for the O^{16}(n, d)C^{13} reaction for fast neutrons, 5=6471

Seitzer, W.H. and Tobolsky, A.V. The interaction of β-particles with organic liquids in the presence of vinyl monomers, 5=7469

Seiwatz, H. Low-frequency rotational hysteresis losses in ferrites, 8=7178. Measurement of dielectric surface charge density, 9=12200

Seiwatz, R. and Green, M. Space charge calculations for semiconductors, 9=1436

Seiwert, R. The intensity ratio of the sodium D lines in fluorescence emission, 6=8092. Collisions with sodium atoms in one of the two 3 ^{2}P states, 6=8093. The influence of radiation-diffusion on the intensity ratio of the alkali resonance lines, 6=8657. The decay of the luminescence of crystal phosphors of the ZnS type, 7=7771. See also Ermisch, W., 9=5107, 12098; Friedrich, H., 8=2975, 9=8691; Ludwig, W., 8=588; Waibel, E., 6=8113

Sekera, Z. Light scattering in the atmosphere and the polarization of sky light, 7=6770. See also Dave, J.V.. 9=12901; Deirmendjian, D., 5=5143, 5789, 6=7891

Sekerskiĭ, S. and Lavrukhina, A.K. Radiochemical investigation of the reaction Si^{30}(p, π^+)Si^{31}, 8=3368

Seki, H. See also Atkins, K.R., 6=5049, 9=5631

Seki, H., Granato, A. and Truell, R. Diffraction effects in the ultrasonic field of a piston source and their importance in the accurate measurement of attenuation, 6=3579

Seki, S. See Fritz, J.J., 8=7185; Tadokoro, H., 5=7853; Yukitoshi, T., 8=7459

Sekido, Y. On the cosmic-ray storms, 5=9391. Cosmic-rays and corpuscles from the sun, 7=521. Two types of geomagnetic disturbance, 7=924. See also Kodama, M., 7=8694

Sekido, Y., Wada, M., Kondoh, I. and Kawabata, K. Correlation among magnetic storms, solar phenomena and cosmic-ray storms, 6=7507

Sekido, Y., Yoshida, S. and Kamiya, Y. Anisotropy of cosmic rays observed with an alt-azimuth telescope, 5=373. Search for point source of cosmic rays, 6=1804. Point source of cosmic rays in Orion, 9=5857

Sekiguchi, N. On a character about the secular motion of the mean pole of the earth, 5=1485

Sekiguchi, S. See Furuya, A., 5=4616

Sekiguchi, T. See also Goldstein, L., 8=2369

Sekiguchi, T. and Herndon, R.C. Thermal conductivity of an electron gas in a gaseous plasma, 9=2264
Sekikawa, K. See Nishioka, A., 5=5905, 6=4380, 9=5239
Sekine, K. On the renormalization of a parity non-conserving interaction, 9=3121. Parity non-conservation and the algebra of elementary particles, 9=7775
Sekine, T. See Kotera, Y., 6=1991
Sekino, S. and Nishikawa, T. Microwave spectrum of vinylidene chloride, 7=4156
Sekita, Y. See Kawasaki, K., 9=5233
Sekiyama, H. See Koide, S., 9=8735
Sekizawa, H. See also Aiyama, Y., 8=1133; Iida, S., 9=8319
Sekizawa, H., Iida, S. and Miyadai, T. A Richter type magnetic loss in yttrium-iron garnet, 9=13443
Selberg, H.L. and Johansson, C.H. Numerical calculation of the temperature rise in ignition by hot wires, 8=8733
Selby, S.M. See Hodgman, C.D.[Eds], 6=4794
Selby-Lowndes, G.F.C. See Cross, A.S., 6=3434
Seldam, C.A. ten. See ten Seldam, C.A.
Selecki, A. The separation of isotopes in an ultracentrifuge, 9=5097
Selector, J.M. See Nikitin, S.J., 6=2947
Selektor, Ya.M., Nikitin, S.Ya., Bogomolov, E.G. and Zombovskiĭ, S.M. Scattering of protons with energies 460-660 MeV by protons, 7=6283
Selén, H. Microwave spectrum of chlorobenzene, 8=6850
Seleznev, V.K. See Bol'shov, V.G., 7=2315
Seleznev, V.M. See Nikol'skiĭ, S.I., 8=1756
Seleznev, V.P. See Bodner, V.A., 9=9269
Selezneva, M.A. See Rzhanov, A.V., 9=11001
Self, S.A. See Boot, H.A.H., 8=5069
Seliger, H.H. Transmission of positrons and electrons, 6=409. The applications of standards of radioactivity, 9=2720. See also Mann, W.B. 7=5414; 8=7324; Smith, C.C., 7=5413; Ziegler, C.A., 6=369, 5975
Seliger, H.H., Mann, W.B. and Cavallo, L.M. Average energy of sulfur-35 beta decay, 8=8294
Seliger, H.H. and Ziegler, C.A. Liquid-scintillator temperature effects, 6=5974. Thermal quenching in alpha- and gamma-excited fluorescent solutions, 7=5214
Seliger, H.H., Ziegler, C.A. and Jaffe, I. Role of oxygen in the quenching of liquid scintillators, 6=1992
Seligman, H. (Conf. rep.) Radioisotopes in scientific research, Unesco Conference, 8=5291
Semin-Younis, S. Absolute neutron and gamma-ray spectra of JEEP measured by means of nuclear emulsions, 7=8846
Selin, L.-E. See Kleman, B., 5=2570; Lagerqvist, A., 5=4517, 7=5169, 6987, 8=7807
Selivanenko, A.S. An exciton state of an imperfect molecular crystal, 7=5732. On the quantum-mechanical calculation of the scattering of free excitons by phonons in a molecular crystal, 9=11562. Kinetic parameters of a free exciton for certain types of molecular crystals, 9=12793
Selivanov, G.I. See Balandin, M.P., 6=4021; Novikov, A.N., 6=3295; Pontekorvo [Pontecorvo] B.M., 5=7393, 9146
Selivanov, V.P. See Kogan, V.S., 9=9685
Seliverstov, D.M. See Vorob'ev, A.A., 7=9860
Selizawa, H. See Iida, S., 6=1367
Sellars, J.R. Laminar flow in channels with porous walls at high suction Reynolds numbers, 5=5248
Sellen, J.M. See also Hart, E.L., 9=13545
Sellen, J.M., Cocconi, G., Cocconi, V.T. and Hart, E.L. Cross-sections for double and triple meson production in hydrogen by photons with energies up to 1 BeV, 8=6155. Multiple meson production by photons in hydrogen, 9=6034
Sellen, J.M.Jr. See Moravcsik, M.J., 6=2918
Sellerio, A. and Spitale, M.C. Simultaneous determination of the thermal properties of poor conductors by a current impulse [method], 8=5836
Sellmaier, A. Electric and magnetic behaviour of niobium nitride (NbN) in the transition to super-conductivity, 6=1250
Sellschop, J.P.F. See de Veiga Simao, J., 7=5621
Selove, W. Angular distribution of pickup deuterons for 95-MeV protons on carbon, and implications as to internal interactions in carbon, 5=7360. (p, d) Pick-up deuteron measurements at 95 MeV, 6=3200. Interpretation of the $H^3(p, n)$ reaction, 6=6155. See also Gettner, M., 9=12578; Glashow, S., 6=3982
Selove, W. and Teem, J.M. Measurements of the interaction of 95 MeV protons with He^4, 9=3891
Selwyn, E.W.H. Range finder without moving mechanical parts, 5=768
Selzer, E. Characteristic properties of dead-beat galvanometers used as partial fluxmeters, 6=5996. See also Burkhart, K., 7=1763
Semadeni, Z. Some remarks on the Bloch's theory of spin-waves, 9=9751
Seman, O.I. On the existence of an extremum of the coefficient of spherical aberration for axially symmetric systems in electron optics, 5=1887. Relativistic aberration functions and the normal coefficients of electron-optical aberrations, 5=5439
Semba, K. See Ouchi, T., 6=7962; Senba, K.
Semchinova, A.M. See Flerov, G.N., 8=6316; Parfanovich, D.M., 7=2628, 8=1733
Semenchenko, V.K. Phase transitions and critical phenomena in anisotropic phases, 7=9657
Semenenko, E.E. See Sudovtsov, A.I., 7=3251
Semenkovich, S.A. See also Kolomoets, N.V., 9=11065
Semenkovich, S.A. and Astashev, N.N. Refining tellurium by sublimation, 8=7641
Semennikov, Yu.B. An investigation of an electron–acoustic converter, 8=6761. See also Oshchepkov, P.K., 6=4929
Semenov, B.Z. See Kats, M.L., 7=261, 9=9484
Semenov, E.V. See Boltaks, B.I., 9=12246
Semenov, S.S. Method of verifying the equation of state of gases at high temperature, 8=86. See also Logunov, V.N., 8=7087, 9=5826
Semenov, Yu. A. See Pivovarov, G.Ya., 9=12355
Semenova, O.P. and Durkina, A.V. The influence of gas composition on spectral line intensity during thermal excitation, 7=9072
Semeonoff, B. Measurement of loudness:an addendum, 7=7702
Semerchan, A.A. See Baskin, M.L., 8=9179; Vereshchagin, L.F., 7=4006, 9=7829
Semiletov, S.A. Electron diffraction investigation of the structure of thin layers of cadmium sulphide, selenide and telluride, 7=7512. Electron diffraction determination of the structure of antimony telluride, 7=8302. Electron diffraction investigation of the structure of germanium films produced by vacuum deposition, 7=8304. See also Kurov, G.A., 7=4807, 8=180; Pinsker, Z.G., 6=6259
Semiletov, S.A. and Pinsker, Z.G. An electronographic study of the Bi-Se alloy system, 5=7543. Electronographic investigation of the degree of perfection of single germanium crystals, 7=6755
Semiletov, S.A. and Rozsival, M. Electron diffraction investigation of InSb films, 8=3493
Semisch, G. See Witzmann, H., 7=6018, 9=1306
Semjonow, V. See Alexander, H., 9=3246
Sen, A.K. $L_{2,3}$ and K emission spectra of magnesium, aluminium and lithium in higher orders, 7=6232. See also Das Gupta, K., 5=6195
Sen, B.B. Note on the solution of some problems of semi-infinite elastic solids with transverse isotropy, 5=5236
Sen, D. See Hariharan, P. 9=3347, 12143, 13189; Joglekar, G.D., 9=4568
Sen, D.C. See Chen, J.M., 9=7239, 7291-2; Dye, Y.B., 9=7273; Lee, W.T., 9=4949
Sen, D.K. A static cosmological model, 8=3635
Sen, D.N. See Lane, T.J., 5=842
Sen, H.K. Nonlinear theory of space-charge wave in moving, interacting electron beams with application to solar radio noise, 5=3400. Structure of a magnetohydrodynamic shock wave in a plasma of infinite conductivity, 6=3859
Sen, H.K. and Guess, A.W. Radiation effects in shock-wave structure, 8=6745
Sen, H.K. and White, M.L. Thermal tides in the earth's atmosphere, 6=2577. Thermal and gravitational excitation of atmospheric oscillations, 8=4580
Sen, K.K. On the problem of softening of radiation by multiple Compton scattering in stellar atmospheres containing free electrons, 5=2384. Trigonometrical series method in solving the problem of softening and degree of polarization of radiation in an electron atmosphere, scattering according to Rayleigh's law and involving Compton change in wavelength, 7=5252
Sen, N.R. Saha's theory of thermal ionisation, 7=5437
Sen, P. A simple non-local quantum electrodynamics, 6=4185. A mass spectrum from a field theory model of the non-local theory, 6=4818. Renormalized Dirac Maxwell equations, 6=7972. A gauge invariant Lagrangian for a non-

local electrodynamics, 7=9524. Non-local theory of elementary particles, 8=5635. The coefficients of friction and wear, 9=887

Sen, S.K. Ultraviolet absorption spectra of ortho- and para-tolunitrile in vapour, liquid and solid states, 6=6523. Ultraviolet absorption spectra of phenyl acetonitrile, phenyl acetate, phenyl salicylate and monomeric styrene in the liquid and solid states, 7=246. Ultraviolet absorption spectra of O-methoxy-phenol and 2, 4, 6-trichlorophenol in different states, 7=7736. See also Ashmore, A., 8=274, 346, 3382, 9=8410; Chatterjee, S.D., 9=316, 3495; Viswesvariah, M.N., 9=11142

Sen, S.N. See also Krishna Murti, G.S.R., 7=906; Sirkar, S.C., 6=8484

Sen, S.N. and Bishui, B.M. On the fluorescence in diamond excited by X-rays, 7=7778

Sena, L.A. and Taube, N.S. "Contact" phenomena in plasma, 6=5116

Senba, K. Remarks on the weak lepton processes, 8=1499. On a classification of light particles, 8=7228. See also Machinda, S., 6=2661; Ouchi, T., 6=8574, 7=5855, 8=5621; Semba, K.

Sen Choudhury, P.K. and Sengupta, S.N. Cloud chamber analysis of cosmic-ray showers under 10 to 23 cm of lead, 7=6316

Senderoff, S. and Mellors, G.W. Reversible chlorine electrode for the measurement of electromotive force in molten salt cells, 8=2052

Senent, F. See also Catalá, J. 5=9085, 9104, 6=3221, 4641, 4677, 8=8270, 9=5046, 13549

Senent, F., Aguilar, J., de la Cuadra, M. and Miralles, L. Study of neutron-proton scattering in photographic plates. I. Angular distribution of recoil protons scattered by 2.33 MeV neutrons, 7=4463

Senent, F., Villar, E. and Bonet, A. Determination of nuclear parities and spins by application of Butler's formula, 8=8264

Senftle, F.E., Farley, T.A. and Lazar, N. Half-life of Th^{232} and the branching ratio of Bi^{212}, 7=4659

Senftle, F.E., Lee, M.D., Monkewicz, A.A., Mayo, J.W. and Pankey, T. Quartz helix magnetic susceptibility balance using the Curie–Cheneveau principle, 8=6025

Senett, W.P., Gollob, F. and Taylor, T.I. Binary diffusion of similar or isotopic molecules in three component systems, 5=9477

Senftle, F.E. and Champion, W.R. Tables for simplifying calculations on activities produced by thermal neutrons, 5=3109

Senftleben, H. and Lange-Hahn, R. The influence of electric fields on the heat transfer in liquids, 9=3378

Sengers, J.V. See Michels, A., 6=3672

Sengupta, A.M. Some problems of elastic plates containing circular holes. II, 5=2449

Sen Gupta, M.K. Calculation of last radius of an optical system for the correction of zonal chromatic aberration, 9=10734

Sen Gupta, P. Pulsating fluid sphere in general relativity, 9=4254

Sen Gupta, P.K. Periodic influx of interplanetary dust particles into the terrestrial atmosphere, 5=2368. Origin of the zodiacal light and the variations of its brightness, 6=7942. Excitation of the spectrum of the sunlit aurora, 9=9103. See also Sen Gupta, P.K.

Sengupta, S. Nuclear electric quadrupole moment of Na^{23}, 5=2076. Nuclear moments and shell structure, 5=9005. Nuclear moments in jj-coupling, 6=4585. See also Ghosh, S., 6=3098

Sen Gupta, S. and Mukhopadhyay, H. Problem of perturbed boundary condition in quantum mechanics, 8=891

Sengupta, S.N. See also Choudhury, P.K., 7=6316; Sinha, M.S., 7=8855

Sen Gupta, S.N. and Sinha, M.S. Cascade decay of a heavy K-meson, 7=9405

Senio, P. See Tucker, C.W., Jr. 5=9273, 6=796, 6=6945, 7=3840

Senior, T.B.A. The scattering of electromagnetic waves by a corrugated sheet, 9=9877. See also Hey, J.S., 9=2539

Senise, J.T. Note on positive-ion effects in pulsed electron beams, 8=8029

Senitzky, B. See also Buck, P., 7=2557; Perl, M.L., 5=4873, 5587

Senitzky, B. and Moll. J.L. Breakdown in silicon, 8=7957

Senitzky, B. and Rabi, I.I. Hyperfine structure of Rb^{85,87} in the 5P state, 6=6853

Senitzky, I.R. Quantum effects in the interaction between electrons and high-frequency fields. II, 5=6222. Quantum effects in the interaction between electrons and high-frequency fields. Vacuum fluctuation phenomena, 7=2971. Induced and spontaneous emission in a coherent field, 9=474; II, 9=13508. Behaviour of a two-level solid-state maser, 9=2531

Sennett, F.E. See Coughanour, L.W., 5=5393, 6543

Senkevich, A.A. The effect of the finiteness of the amplitude of a sound source on the [acoustic] waveform, 8=6764

Sens, J.C. Capture of negative muons by nuclei, 9=4929. See also Lundy, R.A., 8=7261, 8984; Telegdi, V.L., 7=2615

Sens, J.C., Swanson, R.A., Telegdi, V.L. and Yovanovitch, D.D. Experimental μ^--capture rates: evidence on exclusion principle effects and the type of interaction, 8=278. Reestablishment of μ^+ polarization in depolarizing media by an external magnetic field, 8=693. An experimental test of the Fermi–Teller "Z-law", 8=1856

Sen Sarma, R.N. See Anders, E., 6=5511

Sense, K.A., Snyder, M.J. and Filbert, R.B., Jr. The vapor pressure of zirconium fluoride, 5=2667

Sentis, A. On a theory of the viscoelasticity of materials, 6=1659-60. On the propagation of waves in a viscoelastic medium, 7=5124. On a new theory of capillarity, 9=100

Senyukov, R.V. See Demkov, Yu.N., 9=11512

Septier, A. Experimental study of a helix waveguide for a heavy-particle linear accelerator: phase velocity, 5=1915. Experimental study of a helix waveguide for a proton linear accelerator: shunt impedance, 5=1916. Theoretical resolving power of an electrostatic immersion lens, 5=5441. Practical realization of a quadruple magnetic lens for high-energy particles, 6=8233. Study of the stray fields of a 4-pole magnetic lens, 7=4444. Study of the effective focal length of a 4-pole magnetic lens and the variations in the gap, 7=5385. An ion-optical bench for the study of magnetic quadrupole lenses and deflectors for particle accelerators, 8=1099. An experimental study of the spherical aberration of a system of two magnetic quadrupole lenses, 8=1100. The correction of aperture aberrations in a system of two magnetic quadrupole lenses, 8=3182. Use of a strong focusing doublet in electron microscopy, 8=4070. Optical properties of a doublet formed by two strong focusing magnetic lenses, 8=5054. On the form of the faces of a magnetic sector with homogeneous field and the correction of aperture aberration, 9=3566. See also Grivet, P., 5=8009; Morpurgo, M., 9=540

Septier, A., and Chartier, G. The realization of magnetic quadrupole lenses without iron, 9=11118

Sepúlveda, G.M. See Haurwitz, B., 8=5596

Seraphin, B. See Heywang, W., 7=595

Serber, R. See Pais, A., 5=9966; Pais, A., 7=3970, 9=6530

Serbulenko, M.G. See Gutin, S.S., 7=772

Serdobol'skiĭ, V.I. Application of the dispersion relations to determination of bound states, 8=5658

Serdobov, M.V. See Dzantiev, B.G., 7=8781

Serdyuk, R.L. See Kats, Ya.M., 7=4651

Serebrennikov, Yu.I. The possibility of estimating the mean lifetime of alpha particles within nuclei, 9=13624

Serebrjakow, W. See Zöllner, W., 9=4936

Seren, L. See Birnbaum, M., 5=6197, 7998

Serfass, E.J. See Freeman, J.B., 5=6597

Sergeev, A.G. See also Krisyuk, É.M., 8=6242; Latȳshev, G.D., 8=7358; Sergeyev, A.G.; Zhernovoĭ, A.I., 8=7359

Sergeev, A.G., Krisyuk, É.M., Latȳshev, G.D., Trofimov, Yu.N. and Remennȳĭ, A.S. The decay scheme of B^{212} → Po^{212}, 8=6241

Sergeev, A.G., Vorob'ev, V.D., Remennȳĭ, A.S., Kol'chinskaya, T.I., Latȳshev, G.D. and Egorov, Yu.S. Effect of finite nuclear dimensions on the relative internal conversion coefficients in L-subshells, 9=2769

Sergeeva, V.M. See also Zhuze, V.P., 8=4969, 9=3458

Sergeeva, V.M. and Shtrum, E.L. The purification of indium and the preparation of InSb with high electronic mobility, 8=4986

Sergent, B. See Croce, P., 7=296; Françon, M., 5=9585, 6=275*

Sergent, P. Photoproduction of two pions on a nucleon, 9=8475. See also Langevin-Joliot, H., 7=9353

Sergeyev, A.G. See also Krisyouk, E.M., 8=5303; Sergeev, A.G.

Sergeyev, A.G., Vorobyev, V.D., Remenny, A.S., Kolchinskaya, T.I., Latyshev, G.D. and Yegorov, Yu.S. Influence of the finite dimensions of the nucleus on the relative conversion coefficients in the L-subshells, 9=8554

Sergienki, V.A. A double magnetic-lens spectrometer with improved focusing for the recording of coincidences, 9=13528
Sergienko, A.A. and Gretsov, V.K. Transition of turbulent boundary layer to a laminar one, 9=9288
Sergiescu, V. On the thermal conductivity of molecular crystals with internal rotation, 9=10894
Series, G.W. The fine structure of the line 4686 Å of singly ionized helium, 5=837. Nuclear electric quadrupole moment of K^{39}, 7=5564. Radio-frequency spectroscopy of excited atoms, 9=4428. See also Ritter, G.J., 5=7284, 7=6476
Series, G.W. and Stevens, K.W.H. The Stark effect in hydrogen-like spectra, 5=833
Series, G.W. and Willis, K. Note on the Li II spectrum, 8=1598
Seriff, A.J. The response of seismometers in series and parallel connections, 9=7659
Serin, B. Structure of the intermediate state of superconductors, 5=964. See also Budnick, J.I., 6=6653; Chanin, G., 9=9658; Lynton, E.A., 9=4792
Serin, B., Lynton, E.A. and Gittleman, J. Critical fields of superconductive hollow cylinders in transverse magnetic fields, 9=9656
Serment, V. See Alba, F.A., 8=7372, Alba Andrade, F., 6=8375*; Mazari, M., 8=7386
Serpe, J. Remarks on the application of distribution theory to quantum field theory, 5=1508. Remarks on parity conservation and the two-component theory of the neutrino, 8=3695
Serra, A. See Beneventano, M., 9=8415; Pellegrini, U., 9=505
Serra, J.M. See Codina, J.M., 6=804
Serre, J. The study of acetylene by the method of atoms in molecules, 6=5286
Serres, A. See Perakis, N., 5=7044, 8079, 6=4491, 4507, 7=4538
Serson, P.H. An electrical recording magnetometer, 8=2062
Serson, P.H., Mack, S.Z. and Whitham, K. A three-component airborne magnetometer, 8=2707
Servajean, R. A study of the [distribution] field of Evershed velocities in a sunspot, 9=10530. See also Laborde, G., 8=4664
Servant, R. Control of a birefringent quarter-wave plate by a method of displacement of fringes in the 3 cm band, 7=2445
Servant, R. and Cazayus-Claverie, J. Dielectric anisotropy of paper at 3400 Mc/s. The influence of humidity, 8=2292
Servant, R. and Duroux, J. A fluorescent eyepiece for refraction measurements in the near ultraviolet, 6=5757
Servant, R. and Gougeon, J. Rectilinear birefringence and dichroism of paper at 9350 Mc/s, 6=6592
Servant, R., Loudette, P. and Charru, A. A direct measurement of the ellipticity in the Hertzian Cotton effect by a quarter-wave method, 5=8095
Servi, I.S. Etching patterns in high-purity zinc, 8=1367
Service, D.H. See Johnston, L.H., 9=5038
Servoss, R.R. and Clark, H.M. Vibrational spectra of normal and isotopically labeled boric acid, 7=55998. Vibrational spectra of normal and B^{10}-labeled methyl borate, 7=5999
Servoz-Gavin, P. See Müller-Warmuth, W., 9=5936
Servranckx, R. A helical waveguide to accelerate protons from 1 MeV to 10 MeV, 5=8023. Solution of an equation associated with the Bessel equation, 5=8437
Sery, R.S. See Gordon, D.I., 8=8115
Seshagiri Rao, T. See also Krishnamurthi, M., 9=3044
Seshagiri Rao, T. and Hubbard, J.C. Ultrasonic dispersion in 1, 1 and 1, 2 dichloroethane vapors, 5=4449.
Sessler, A.M. Mesonic corrections to the quadrupole moment of the deuteron, 5=740. See also Cooper, L.N., 9=12187; Frantz, L.M., 9=1700; Kerst, D.W., 6=5157, 9=11148; Nielsen, C.E., 7=7099
Sessler, A.M. and Foley, H.M. Statistical atom with angular momentum, 5=459. Hyperfine structure of deuterium and nucleon–nucleon spin–orbit potentials, 8=6352. Hyperfine structure of He^{3+} and He^{3}, 5=4877
Sessler, A.M. and Mills, R.L. Nucleon size contributions to the hyperfine structure of hydrogen and helium, 8=5430
Şessler, G. See Meyer, E., 8=2899
Sesták, B. The sub-structure of crystals of silicon–iron alloy, 9=5251
Sestier, A. See Bouquet, G., 7=6586
Sestrich, D. See Johnston, W.D., 9=9039
Seth, K.K. Nuclear radii by low-energy neutron scattering, 8=9014. (Conf. rep.). Nuclear sizes and density distributions, 8=6217
Seth, K.K., Hughes, D.J., Zimmerman, R.L. and Garth, R.C. Nuclear radii by scattering of low-energy neutrons, 8=5272
Sethumadhavan, K. See Das, A.K., 8=2745
Sethuraman, R. Rates of fading of reflected pulses of vertically incident electromagnetic waves at Ahmedabad on 2. 6 and 4. 0 Mc/s, 9=4131
Setlow, R. See Preiss, J.W., 6=7286
Setničková, A. See Herzmann, J., 7=971
Sette, D. Structural effects in the ultrasonic absorption of liquid mixtures, 5=5957. Ultrasonic absorption in aniline-nitrobenzene and aniline-ethyl alcohol mixtures, 6=122. See also Barone, A., 8=1561; Della Pergola, G., 6=2537; Della Pergola, G.C., 7=2220, 8620; Griffing, V., 5=4553
Sette, D., Busala, A. and Hubbard, J.C. Energy transfer by collisions in vapors of chlorinated methanes, 5=5951
Setterlund, G.G. See Skoog, J.A., 9=4401
Setterwall, M. A mechanical binary—decimal converter, 6=2605
Setti, R. L. Unstable fragments, 5=9947. See also Bonetti, A., 5=4962, 6281, 6503, 6=4002; Davies, J.H., 6=3270; * di Corato, M., 5=376; Grilli, M., 5=6485; Levi-Setti, R.
Setti, R. Levi. See Levi Setti, R.
Setty, C.S.G.K. See Ratcliffe, J.A., 6=7870
Setty, P.S.V. Influence of external atmosphere on a. c. silent discharges, 9=11070
Setty, P.S.V. and Srivastava, C.M. Effect of monochromatic radiations on the frequency of radio-frequency oscillations in a.c. "silent" discharges, 8=8156
Setty, P.S.Venkataswamy. See Venkataswamy Setty, P.S.
Sevast'yanova, I.K. See Salamandra, G.D., 9=9544
Sevchenko, A.N. and Curinovich, G.P. Determination of the nature of an elementary emitter when the directions of the absorption and emission oscillators do not coincide, 8=2971. Polarization of luminescence excited by polarized and natural light, 9=12075
Sevchenko, N.A. and Florinskaya, V.A. The spectrum of reflection and transmission of different modifications of silica in the wavelength region 7=24μ, 7=3165.
Sevchenko, N.A. and Florinskaya, V.A. The spectrum of reflection and transmission of different modifications of silica in wavelehgth region 7-24μ, 7=3165. Infrared transmission spectra of porous and quartz-like glass, 9=12065. The transmission spectra of quartz glass in the region 2-24μ, 9=9438. Reflection spectra of crystalline quartz plates, cut at various angles with respect to the optical axis, in the 7-24μ wavelength region, 9=12133
Severiens, J.C. See also Diddens, A.N., 8=6270; Huiskamp, W.J., 7=8806
Severiens, J.C. and Hanna, S.S. Lifetimes of the first excited states of B^{10} and Al^{28}, 7=3540
Severin, H. See Meyer, E., 6=5260, 6595, 9=9880
Severnyĭ, A.B. Some results of studies on non-stationary processes on the sun, 8=2105. Theoretical astrophysics, 8=3634. A spectroscopic investigation of the deuterium D$_{\alpha}$-line in active regions on the sun, 8=4666. Non-stationary processes in solar flares as a pinch effect, 9=10536. On the production of high-energy particles and hard radiation in solar flares, 9=9153
Seward, F.D. Reaction mechanism in inelastic scattering of protons from Mg, Cr, and other elements from 3. 5 to 7 MeV, 9=8595
Seward, F.D., Slaus, I. and Flulbright, H.W. Reaction F^{19}(d, p)F^{20} and the spin of F^{20}, 7=8156
Sewell, G.L. Electrons in polar crystals, 9=13789
Sewell, P.B. Electron-image recording by xerography, 7=6756. See also Lucas, L.N.D., 7=3761
Sexl, T. On a property of Poiseuille flow, 5=4407
Sexl, T. and Spielberg, K. On the problem of the stability of Poiseuille flow, 8=7732
Sexl, T. and Spurny, E. A descriptive interpretation of the appearance of energy bands in a periodic potential field, 7=6371
Sexton, M.C. and Craggs, J.D. Recombination in the afterglows of argon and helium using microwave techniques, 8=8078
Seya, M. and Goto, K. On the energy distributions of diffracted light from plane gratings, 8=6886. Production of replica gratings. I, 9=4488
Seyer, W.F. See Nobe, K. 9=5224. Staudhammer, P., 7=6179
Seyerlein, J. See Harigel, G., 9=2382; Kulenkampff, H., 9=2383

Seymour, D.W. See also Stergis, C.G., 5=6655
Seymour, D.W. and Swann, W.F.G. A determination of μ-mesotron rest lifetime and a verification of the relativistic expression for variation of lifetime with momentum, 5=2839
Seymour, E.F.W. See Chapman, A.C., 7=4634, 9=1881
Seymour, R.C. See Patterson, D., 5=2454
Sgarlata, F. See Palma-Vittorelli, M.B., 6=5237; Vittorelli, M.B.P., 7=905
Shabanova, L.N. See Ostrovskiĭ, Yu.I., 8=6808
Shabanskiĭ, V.P. Heating of the electron gas and transport processes in conductors, 8=4420. The Boltzmann equation for metals in strong fields, 5=4635. On deviations from Ohm's law in metals, 5=4636. Transfer processes in conductors with nonlinear effects, 7=3248. Non-equilibrium processes in impurity semiconductors, 9=2325. See also Ginzburg, V.L., 5=8741
Shabel'nikova, A.E. See Yasnopol'skii, N.L., 9=9696
Shabudin, A.F. See Axhgireĭ, L.S., 8=6300; Meshcheryakov, M.G., 7=703,* 1598, 1650
Shack, R.V. Characteristics of an image-forming system, 6=7255. Outline of practical characteristics of an image-forming system, 6=7256
Shacklett, R.L. Nuclear size estimates from X-ray fine structure measurements, 9=576
Shacklett, R.L. and DuMond, J.W.M. Precision measurement of X-ray fine structure; effects of nuclear size and quantum electrodynamics, 7=6473
Shaduri, R.S. See Chavchanidze, V.V., 8=8198
Shafer, Yu.G. See Dorman, L.I., 5=1030, 7=516; Kuz'min, A.I., 6=8856; Vernov, S.N., 8=5098
Shaffer, D.B. Maximum range of a projectile in a vacuum, 7=3030
Shaffer, E.C. See Cess, R.D., 9=10902
Shaffer, W.H. See also DeLoach, B.C., 6=5274; Hanson, H., 7=7734; Keller, F.L., 6=8892
Shaffer, W.H. and Louck, J.D. Operational procedure for the determination of the matrix elements of the direction cosines for a rigid symmetrical rotator, 9=7434
Shafi, M. See Evans, D., 9=3795
Shaforth, S.M. and Hanna, S.S. Angular correlation in the 2.86–0.72 MeV cascade in B^{10}, 7=2599
Shafranov, V.D. On equilibrium magnetohydrodynamical configurations, 8=1792. Structure of a shock wave in a plasma, 8=2196. An annular magneto-vortex, 8=2427. Propagation of an electromagnetic field in a medium with spatial dispersion, 9=1629
Shafranova, M.G. See Dul'kova, L.S., 6=5423, 7=4765, 9=2630
Shafranovskiĭ, I.I. See Mikheev, V.I., 8=3570
Shafroth, S.M. See also Levesque, R.J.A., 9=10055; Shaforth, S.M.
Shafroth, S.M. and Marcus, J.A. Annihilation of positrons in superconducting lead, 6=7662
Shah, G.Z. See also Advani, M.K., 6=4444; Gatha, K.M., 5=3098, 4930; Harihar, P., 6=4648; Patel, N.J., 5=6212
Shah, G.Z. and Gatha, K.M. Nuclear shell numbers in light elements, 5=2991. The nuclear potential well for high energy nucleon scattering, 5=5581. Scattering of high energy nucleons by non-uniform nuclei, 5=8986. The elastic scattering of 90 MeV neutrons by copper, 7=5632
Shah, K.B. See Vaidya, P.C., 6=5673
Shah, S.M. Energy levels of mu-mesic atoms, 6=1489. See also Bhatia, A.B., 9=11407; Vachaspati, 5=448
Shahbender, R.A. See Bergman, R.H., 9=5439
Shail, R. See Power, E.A., 9=13132
Shain, C.A. Straightening curvilinear records, 5=4331. Location on Jupiter of a source of radio noise, 6=876. 18.3 Mc/s radiation from Jupiter, 6=6298. Changes in the absorption of cosmic noise observed during two ionospheric disturbances, 7=953. Galactic absorption of 19.7 Mc/s radiation, 7=5802. The Sydney 19.7 Mc radio telescope, 8=2094. See also Gardner, F.F., 8=4637; Higgins, C.S., 5=13; Kerr, F.J., 7=5801; Komesaroff, M.M., 9=11651
Shain, C.A. and Kerr, F.J. A note on factors affecting the interpretation of observations of transient echoes from the ionosphere, 5=10117
Shain, C.A. and Mitra, A.P. Effects of solar flares on the absorption of 18.3 Mc/s cosmic noise, 5=692
Shain, I. See De Mars, R.D., 9=8957
Shajn, G.A.Hase, V.T. and Pickelner, S.B. On the presence of dust and gas in the bright diffuse nebulae, 6=872,*
Shakeshaft, J.R. The isotropic component of cosmic radio-frequency radiation, 5=691. See also Edge, D.O., 9=995
Shakeshaft, J.R. and Baldwin, J.E. The radio emission from the direction of the "supergalaxy", 9=6448
Shakeshaft, J.R., Ryle, M., Baldwin, J.E., Elsmore, B. and Thomson, J.H. A survey of radio sources between declinations −38° and +83°, 7=21
Shakhidzhanyan, L.G. See Fleishman, D.G., 9=9899
Shakhova, Ts.I. See San'ko, L.A., 9=2467
Shakhovskoĭ, G.P. See Butuzov, V.P., 7=1224
Shakhparonov, M.I. The problem of the applicability of the second law of thermodynamics to large objects in the universe, 5=6686. Further remarks about the applicability of the second law of thermodynamics to large volumes of a gravitating gas, 7=1242. On the theory of polarization of dielectrics, 7=6142
Shakhulov, O.A., Kebuladze, N.A., Androniskasvili, E.L. and Abashidze, K.A. New decay mode of a heavy meson? 7=1646
Shakhvorostov, V.N. See Takibaev, Zh.S., 5=882
Shaki, M. Determination of a few zero-temperature coefficients (TC) cuts of Y-cut EDT (ethylene diamine tartrate) crystals for longitudinal mode of vibration, 6=7388. See also Klier, E., 5=10059
Shakin, C. and Birman, J. Electronic energy bands in Zns: preliminary results, 8=2028
Shakurov, P.F. See Shuleĭkin, V.V., 6=9085
Shalabutov, Yu.K. Non-steady processes in heaters, 9=12353
Shalabutov, Yu.K. and Maslennikova, N.S. Energy distribution of photoelectrons in the external photoeffect of the antimony-caesium photocathode, 7=405
Shalamov, Ya.Ya. See Blinov, G.A., 8=1802, 9=2625; Lomanov, M.F., 9=2570, 8474; Meshkovskiĭ, A.G., 7=2710, 3735, 8=1878, 2497, 8246, 9=2637
Shalgosky, H.I. See Campbell, J.T., 9=8982
Shalimoff, G.V. See Conway, J.G., 8=6875
Shalit, A.de. See de Shalit, A.
Shallcross, F.V. and Carpenter, G.B. X-ray diffraction study of the cubic phase of ice, 7=5743
Shal'nikov, A.I. Concerning the reality of the non-stationary model of the intermediate state, 8=7032. See also Feĭgin, L.A., 7=408; Rodionov, S.F., 5=6242
Shal'nikova, N.A. and Yakovlev, I.A. X-ray determination of the constants of the crystal lattice and the coefficients of thermal expansion in leuco-sapphire and ruby, 7=8298
Shaltiel, D. See Low, W., 8=6945, 9=1424, 8342, 13600
Shaly̆t, S.S. Galvanomagnetic properties and hole conduction in tellurium, 7=1296. Galvanomagnetic properties of tellurium at low temperatures, 7=9202
Shamba, N.A. and Sheftal', N.N. Spiral growth of silicon crystals, 8=3563
Shamburov, V.A. Dividing mechanisms based on the crystallographic principle of the close packing of geometrically identical bodies, 8=2826
Shamfarov, Ya.L. See Galkin, A.A., 8=2051
Shamir, H. See Rosen, N., 8=1482
Shamonin, Yu.Ya. See Zaripov, M.M., 6=5245
Shamos, M.H. See Fafarman, A., 5=1019, 6=4430; Reier, M., 6=1536
Shamov, V.P. Mechanism of the fission of heavy nuclei at high excitation energies, 6=644. Fission of uranium and protoactinium at high excitation energies, 8=1986. Fission of silver nuclei by high-energy protons, 9=2840. See also Denisenko, G.F., 9=699; Ivanova, N.S., 6=643; Lozhkin, O.V., 6=2396, 7=683; Perfilov, N.A., 5=9142, 7=8152
Shamov, V.P. and Lozhkin, O.V. Asymmetries of the ranges of fragments in the fission of heavy nuclei by very fast particles, 6=1567
Shamovskiĭ, L.M. The problem of the mechanism of the luminescence of alkali halide crystal phosphors, 7=6020. See also Dunina, A.A., 9=10833; Zhvanko, Yu.N., 8=983
Shamovskiĭ, L.M., Dunina, A.A. and Gosteva, M.I. Conductivity of silver bromide in the presence of bromine, 6=7393. Hole conductivity in silver bromide, 6=8790. An investigation of the ionic conductivity of KI : Tl phosphors, 7=6173
Shamovskiĭ, L.M., Dunina, A.A. and Zhvanko, Yu.N. The structure of alkali halide phosphors and the mechanism of processes of luminescence, 8=979
Shamovskiĭ, L.M., Rodionova, L.M. and Glushkova, A.S. A method for the growing of alkali-halide-phosphors for scintillation counters, 8=8996

Shamovskii, L.M. and Zhvanko, Yu.N. Electron-acceptor levels in alkali-halide crystal phosphors, which are due to the activator, 9=9467
Shamshev, V.N. See Lapitskiĭ, Yu.A., 7=1385; Levintov, I.I., 7=6623, 8159, 9387, 9394
Shand, J.A. See Duffus, H.J., 8=2708, 4544
Shandor, É. Investigation of poorly formed monocrystals of unknown symmetry by means of an X-ray goniometer, 7=8285
Shang Yi Ch'en. Some consideration about the precision of the international standard of wavelength, 9=177. See also Ch'en S.-Y.
Shang Yi Ch'en., Bennett, R.B. and Jefimenko, O. Absorption bands of rubidium due to the presence of foreign gases, 6=2781
Shankar, J. and Khubchandani, P.G. Single crystal oscillation photographs about three crystallographic axes from a single setting on a Weissenberg camera, 7=8279
Shankland, R.S. Atomic and nuclear physics, 6=2308. See also Brugger, R.M., 7=2673
Shankland, R.S. and Flynn, E.A. Acoustics of Severance Hall, 9=9354
Shankland, R.S., McCuskey, S.W., Leone, F.C. and Kuerti, C. New analysis of the interferometer observations of Dayton C. Miller, 5=5850
Shanks, D. Monochromatic approximation of blackbody radiation, 6=4285. A study of postulates; the "thermodynamic" derivation of the adiabatic gas law, 6=4374
Shannon, R.R. See Kapany, N.S., 7=4258
Shao, P. Measurement of dielectric surface charge density and total charge density of a condenser, 9=5647
Shapiro, A.M. Table of properties of the "elementary" particles, 7=72. See also Chen, F.F., 5=9073, 6=6897; Erwin, A.R., Jr., 9=13581; Henri, V.P., 8=6180; Pless, I.A., 8=690; Widgoff, M., 7=2697
Shapiro, B.S., See Al'pert, Ya.L., 8=8543
Shapiro, F.L. Energy dependence of the reaction cross-section for slow neutrons, 8=8349. See also Bergman, A.A., 8=3323; Lazareva, L.E., 6=7738
Shapiro, G. See also Garwin, R.L., 9=11382
Shapiro, G., Ernst, W.S. and Ovadia, J. Radiation dose distribution in water for 22.5-MeV-peak roentgen rays, 7=985
Shapiro, H.S. Virial series of the ideal Bose–Einstein gas, 6=133
Shapiro, I. See also Gibbins, S.G., 9=8038; Lehmann, W.J., 9=1286, 6736-9; Williams, R.E., 9=7464; Lehmann, W.J., 8=4377-8
Shapiro, I. and Ditter, J.F. Mass spectrum and vapor pressure of pentaborane-d_9, 7=5716
Shapiro, I. and Landesman, H. Constant flow-rate circulating system, 5=8433
Shapiro, I.G. See Zȳsina-Molozhen, L.M., 5=3496
Shapiro, I.P. Determination of the forbidden band width from diffuse reflection spectra, 9=12132
Shapiro, I.S. On the nature of τ-mesons and V_2^0-particles, 5=1247. Disintegration into particles with zero rest mass, 5=1517. Expansion of wave functions in irreducible representations of the Lorentz group, 6=5698. Peculiarities of the levels of non-spherical even-even nuclei, 6=8930. Parity of wave-functions of para- and ortho-states, 7=5602
Shapiro, I.S., Dolinskiĭ, É.I. and Blokhintsev, L.D. Problem of the interaction of μ-mesons with nucleons, 8=3303, 3305
Shapiro, I.S., Dolinskiĭ, É.I. and Mishakova, A.P. The problem of the spin and parity of the τ-meson, 7=6607
Shapiro, I.S., Dolinsky, E.I. and Mishakova, A.P. On the spin and parity of the τ-meson, 7=7425
Shapiro, I.S. and Éstulin, I.V. The electric charge of the neutron, 6=6944
Shapiro, J. See also Hull, M.H., Jr., 8=1846; Preston, M.A., 5=1532, 7=7600
Shapiro, J. and Breit, G. Metastability of 2s states of hydrogenic atoms, 9=5092
Shapiro, J. and Preston, M.A. A study of nucleon forces with repulsive cores. II. Low energy properties, particularly charge independence, 6=4822
Shapiro, M.M. Mesons and hyperons, 6=4655. See also Berstein, S., 6=4652; Seeman, N., 6=3999
Shapiro, P. and Higgs, R.W. Inelastic scattering of 2.6 MeV neutrons from Fe^{54}, Fe^{56}, and Fe^{57}, 8=764. NaI summing spectrometer, 8=6276
Shapiro, S. See Artman, J.O., 8=4173; Bloembergen, N., 9=8354
Shapley, A.H. The day-to-day coordination of I.G.Y. observations, 9=7658
Shapley, H. and Hearn, A.B. The borders of the Milky Way, 5=1449
Shapley, L.H. and Hearn, A.B. Summary of a survey on the borders of the Southern Milky Way, 6=872*
Shaposhnikov, I.G. See Belousova, N.K., 8=4115
Shapovalova, A.I. See Voyutskiĭ, S.S., 7=1695
Sharapova, Yu.F. See Gramenitskiĭ, I.M., 6=5195
Sharbaugh, A.H. See also Crowe, R.W., 5=2700, 2779
Sharbaugh, A.H., Bragg, J.K. and Crowe, R.W. Dependence of the electric strengths of liquids on electrode spacing, 5=5395
Sharbaugh, A.H. and Crowe, R.W. Digest of the literature on dielectrics. Volume XVII-1954. The breakdown of dielectrics, 7=9152
Sharbaugh, A.H., Crowe, R.W. and Cox, E.B. Influence of molecular structure upon the electric strengths of liquid hydrocarbons, 6=6680
Sharbaugh, A.H. and Fuoss, R.M. Determination of small gap widths used in breakdown studies by capacitance measurements, 5=7991
Sharf, D.J. Intelligibility of reiterated speech, 9=6656
Sharma, A.P. See Prakash, Y., 8=6107
Sharma, B.D. See Deo, P.G., 7=2830
Sharma, C.B. The absorption spectrum of bismuth selenide and bismuth telluride in the region 2900-2200Å, 5=194
Sharma, H.D. Similarity theorem for air under low frequency discharge using a Maze counter, 9=8188. See also Jatar, D.P., 7=2277, 3312, 4395, 4404, 4416, 6209, 9215, 9=5765, 7028
Sharma, J. Thermoluminescence of some aromatic hydrocarbons, 6=1117. Thermoluminescence properties of some alkali halides, 6=2806
Sharma, J.K.N. A simple liquid air transfer valve for controlled evaporation, 9=10920
Sharma, O.M.P. and Sodha, M.S. On dependence of resolving power of prism, grating and reflecting echelon on stage of resolution and detecting instrument, 5=3542
Sharma, P.N. See Lal, K.C., 9=3227; Saraf, J.R., 6=4263
Sharma, R.L. Equivalent circuit of a resonant, finite, isotropic elastic circular disk, 7=4041
Sharma, R.S. Equation of state of solids, 7=1240. See also Dayal, B., 6=1411
Sharma, S.K. Anomalous variation of total absorption of radio waves reflected from the F2 region of the ionosphere around mid-day, 8=4578. Effect of thermal expansion of the F$_2$ region of the ionosphere on the absorption of high frequency radio waves, 9=4851. See also Banerjee, D.K., 7=3855
Sharman, L.J. and McCallum, K.J. Effect of pile irradiation on sodium chlorate, 5=7474. Chemical effects of the C$^{12}(\gamma, n)$ C^{11} reaction in anhydrous sodium carbonate, 5=8356
Sharonov, V.V. and Sytinskaja, N.N. Role of meteoric matter in the process of surface formation of satellites and minor planets, 6=1806
Sharonov, Yu.A. See Ptitsȳn, O.B., 9=13756
Sharp, D. Variational principle for geometrodynamics, 9=12984
Sharp, J. See Gallop, J.W., 7=3364, 8661
Sharp, R.A. See also Meadows, J.W., 6=3981; Schmitt, R.A., 9=5057
Sharp, R.A., Diamond, R.M. and Wilkinson, G. Nuclear reactions of cobalt with protons from 0- to 100-MeV energy, 6=3209
Sharp, R.D. and Buechner, W.W. Coulomb excitation studies using inelastically scattered particles, 9=653. Angular distributions of elastically and inelastically scattered protons from indium, 9=5040
Sharp, R.R. See Bockelman, C.K., 7=8157
Sharp, R.T. Two-nucleon potential from Chew–Low theory, 9=50. Self and external meson fields, 9=6525
Sharp, R.T. and Bach, G. Time reversal effects in muon decay, 8=1858
Sharp, R.T. and Jackson, J.D. Orthogonality of the Furry-Sommerfeld-Maue wave functions and their use in perturbation theory, 5=6770
Sharp, W.T. See also Hanna, G.C., (Eds)., 9=3931; Kennedy, J.M., 5=5617, 6407
Sharp, W.T., Kennedy, J.M., Sears, B.J. and Hoyle, M.G. Tables of coefficients for angular distribution analysis, 5=5591
Sharpe, J. An international survey of photomultipliers for scintillation counting, 9=11317
Sharpe, J.W. See Miller, R., 6=7460
Sharpe, L. See Webster, J.C., 6=162

Sharshanov, A.A. See Stepanov, K.N., 9=349

Sharvin, Yu.V. Measurement of surface tension at the boundary between superconducting and normal phases, 8=5693. See also Balashova, B.M., 7=413

Sharvin, Yu.V. and Sedov, V.L. Crystalline anisotropy of the intermediate state of tin, 7=1311

Shaskol'skaya, M.P. See also Kochnov, V.E., 8=3512

Shaskol'skaya, M.P. and Vekilov, Yu.Kh. Etch figures on slip lines and on polygonal blocks in silver chloride crystals, 8=3572

Shaskol'skaya, M.P. and Zhui-Fan, Sun'. The mechanism of plastic deformation in rock salt crystals, 9=13855. Etch and dislocation figures on doubly refracting bands in [plastically deformed] rock salt crystals, 9=13856

Shastry, T.S.G. See Venkatesan, D., 6=3813

Shatalov, A.A. Photochemical conversion of colour centres in heated crystals of potassium chloride, 6=9041. On the photochemical transformation of colour centres in heated alkali-halide crystals, 8=5484

Shatas, R.A. See also Marshall, J.F., 7=6174; Pomerantz, M.A., 5=7957

Shatas, R.A., Marshall, J.F. and Pomerantz, M.A. Emission of energetic secondary electrons produced by 1.3-MeV electron bombardment, 5=990. Dependence of secondary electron emission upon angle of incidence of 1.3-MeV primaries, 6=5933. Post-bombardment conductivity in MgO crystals, 8=8770

Shatenshtein, A.I. See Broude, V.L., 9=10780; Landsberg, G.S., 6=8683

Shatilov, A.V. See Tolstoĭ, N.A., 6=5014, 7=4221

Shats, M.M. See Starik, I.E., 9=11733

Shattes, W.J. and Wegener, H.A.R. Lifetime and nickel precipitation in silicon, 8=5899

Shattuck, R.D. Capacitance-type displacement probe, 9=13120

Shatzkes, M. See Chasanov, M.G., 8=8366, 9=3913

Shaukat, M.A. See Davis, D.H., 9=7290; K-collaboration, 9=13575

Shavitt, I. See also Boys, S.F., 7=3480

Shavitt, I. and Boys, S.F. A general expression for intermolecular potentials, 7=3066

Shavrov, V.G. See Rodionov, K.P., 8=3989

Shavtvalov, L.Ya. See Vasil'ev, S.S., 9=5012

Shaw, C. See Murcray, D., 8=6553

Shaw, C.C. See Gates, D.M., 8=1625, 9=1961

Shaw, C.H. See Gordon, W.L., 5=3690, 9=110; Sawada, M., 9=2384; Soules, J.A., 6=2156, 9=4666

Shaw, C.H. and Foreman, W.T. Ultraviolet transparent alkali metal filters, 9=7970

Shaw, D. and Mason, B.J. The growth of ice crystals from the vapour, 5=4173

Shaw, D.F. Scattering of 14.3 MeV neutrons by ^{4}He nuclei, 5=3113. An automatic monitor for measuring tritium contamination in air, 5=5594

Shaw, E.A.G. On the determination of electromechanical coupling coefficients in a polyresonant piezoelectric vibrator, 5=8557. On the resonant vibrations of thick barium titanate disks, 6=2734. See also Thiessen, G.J., 8=1384-5

Shaw, E.A.G. and Thiessen, G.J. Improved cushion for ear defenders, 8=2719

Shaw, H. See Cohen, D., 5=1160

Shaw, H.J. See Chodorow, M., 9=2390

Shaw, J.H. Nitric oxide fundamental, 6=2284. The abundance of atmospheric carbon monoxide above Columbus, Ohio, 9=13967. See also Birkeland, J.W., 8=8322, 9=7668; Burch, D.E., 7=5764; Lakshmi, K., 6=225; Sloan, R., 5=6652, 6-6271

Shaw, P.F.D. See Baker, J.M., 6=7631; Booth, D.L., 6=6160; Preston, G., 5=1195

Shaw, R. Spinor identities, 5=2413. Virtual masses of interacting fields, 5=4353

Shaw, R.W. See Decker, D.L., 9=4620

Shaw, T. See Kellermann, E.W., 8=1755; Kellermann, T., 7=7200

Shaw, T.M. Dissociation of hydrogen in a microwave discharge, 9=8698. See also Elsken, R.H., 5=7483; Windle, J.J., 5=278, 7=2163

Shaw, T.M. and Elsken, R.H., Techniques for nuclear magnetic resonance measurements on granular hygroscopic materials, 5=4796

Shaw, W.C., Hudson, D.E. and Danielson, G.C. Electrical properties of boron single crystals, 8=628

Shchaenko, V.V. See Trapeznikova, Z.A., 6=7297

Shcheglov, P.V. Some problems associated with the application of electron-optical converters in astronomy, 9=3030

Shchegolev, I.F. Signal-to-noise ratio in a regenerative detector of nuclear paramagnetic resonance, 9=12484

Shchegolev, V.A. See Blinov, G.A., 9=2625

Shchelkin, K.I. Phenomena in the vicinity of detonation formation in a gas, 6=6989. Two cases of unstable combustion, 9=13099

Shchepetkin, Yu.P. An aspherical diffraction grating with one plane of symmetry. II. Permissible values of aberrations. The range of application and efficiency of an aspherical grating, 9=8003

Shcherbakov, N.A. See Alekseeva, K.I., 8=1748. See Makogon, M.B,, 9=5199

Shcherbakov, Yu. See Kozodaev, M., 6=5415

Shcherbakov, Yu.A. See Kozodaev, M.S., 7=4771, 8=7272; Lyapidevskiĭ, V.K., 5=893

Shcherbakova, M.N. See Gramenitskiĭ, I.M., 5=8227, 6=7731, 7=9866, 8=2381; Zhdanov, G.B., 8=7153; Varfolomeev, A.A., 7=1431

Shcherbakova, M.Ya. Calculation of the resolving power and choice of [number of] cycles for a three-stage radio-frequency mass spectrometer, 7=9239. See also Doilnitsin, E.F., 9=8235; Doil'nitsȳn, E.F., 7=9238

Shcherbina, A.G. See Kolenko, E.A., 9=9559

Shchukin, E.D. The crystal deformability criterion and adsorption effects, 9=10325. See also Kochanova, L.A., 9=13863; Likhtman, V.I., 9=12834

Shchukin, E.D., Rozhanskiĭ, V.N. and Goryunov, Yu.V. The change of electrical resistance with elementary slip formation, 8=3082

Shchukin, I.P. Some problems in recombination luminescence associated with various forms of excitation in KCl(Tl) phosphors, 6=8688. On the ratio of probabilities of capture and recombination of electrons in a KCl-Tl crystal, 9=12790. See also Morgenshtern, Z.L., 7=4164

Shchukina, L.A. See Shigorin, D.N., 7=583

Shchuruvna, V. See Pavlikovskiĭ, A., 8=2166, 9=9248

Shear, D.D. See Bennett, F.D., 9=9327

Sheard, A. See Austin, I.G., 8=1049

Sheard, A.R. See Goldsmid, H.J., 9=1491

Sheard, F.W. Calculation of the thermal expansion of solids from the third-order elastic constants, 9=13217

Shearer, J.L. Electric network analog study of viscous flow normal to parallel, evenly spaced cylinders, 9=9292

Shearer, J.N. See Rank, D.H., 5=8659, 6=8707, 7=1482, 2011, 4111, 8519, 9065

Shearer, J.N. and Wiggins, T.A. An achromatic scanning device, 5=4507

Shearer, J.N., Wiggins, T.A., Guenther, A.H. and Rank, D.H. 1-type doubling in N_2O, 7=584

Shearman, E.D.R. The technique of ionospheric investigation using ground back-scatter, 6=833, 4117

Shebanov, V.A. See Blinov, G.A., 9=2625; Lomanov, M.F., 9=2570, 8474; Meshkovskiĭ, A.G., 7=2710, 3735, 8=1878, 2497, 8246, 9=2637

Sheehy, M.J. and Halley, R. Measurement of the attenuation of low-frequency underwater sound, 7=7685

Sheer, C. and Moore, J. Measurement of scattering cross sections for low-energy neutron resonances, 5=5636

Sheer, C., Zinn, A. and Hartmann, N. Continuously variable mercury delay line equipment for the measurement of short time intervals, 6=4225

Sheffield, J.C. See also Rourke, F.M., 9=8784; White, F.A., 8=3335, 4199, 8056

Sheffield, J.C. and White, F.A. Application of nuclear magnetic resonance to field monitoring and control in mass and alpha energy spectrometry, 8=5060

Sheftel', I.T. See Kolomiets, B.T., 7=8616

Sheftal', N.N. See Shamba, N.A., 8=3563

Sheĭnin, B.I. See Katarzhis, A.K., 5=8696

Sheĭnkman, M.K. See Broude, V.L., 9=4609; Lashkarev, V.E., 8=1066, 9=318; Lashkar'ov, V.Ye., 8=7014, 9318; Rashba, É.I., 9=4604; Sal'kov, E.A., 9=12291

Shekhter, L. See Nakhman, M., 9=9894

Shekhter, L.N., Myasnikov, I.A. and Pshezhetskiĭ, S.Ya. Connection between the catalytic properties of zinc oxide and sulphide and their luminescence, 7=2770

Shekhter, V.M. Scattering of neutrinos by electrons, 8=8202. On β-decay of hyperons, 9=2661. On weak interactions

possible in the Feynman–Gell–Mann Scheme, 9=11817. See also Ansel'm, A.A., 8=1877, 9=9921; Okun', L.B., 9=539
Shekhtman, I. See Larish, É., 9=2165, 13403
Sheldon, J.W. Use of the statistical field approximation in molecular physics, 5=8959
Shelepin, L.A. On the theory of particles with higher spins, 9=1072
Sheline, R.K. The possible existence of rotational levels in Al^{28}, 7=6440. The decay of ^{90}Nb, 8=3330. See also Bjørnholm, S., 7=4653, 8=5273
Sheline, R.K. See Hansen, P.G., 8=6233, 9=12648; Johnson, N.R., 4600; Nielsen, O.B., 9=8533; Wilkinson, J.R., 5=9044
Sheline, R.K. and Wilkinson, J.R. Isobaric triplet Cr^{48}-V^{48}-Ti^{48}, 5=8188
Sheline, R.K., Wilkinson, J.R., Dropesky, B.J. and Shull, T.T. Evidence against the existence of 23-hour V^{53}, 6=587
Shelson, W. A photoelastic method employing scattered light for the solution of plane stress problems, 7=5091
Shelton, H. Thermionic emission from a planar tantalum crystal, 8=1745. See also Wuerker, R.F., 9=7095
Sheludko, A. and Todorova, M. The problem of the rate of electrolyte deposition of metals, 5=5041
Shemilt, L.W. See Dudley, R.S., 5=5044; Singh, R., 5=8699
Shemyakin, M.M. See Shigorin, D.N., 7=583
Shen, K.Y. and Singer, S.F. Intensity variation of vertical cosmic-ray air showers, 7=6323
Shendrick, T.N. See Venevtsev, Yu.N., 7=8215
Shenker, H. Magnetic anisotropy of cobalt ferrite (Co$_{1.01}$Fe$_{2.00}$O$_{3.62}$) and nickel cobalt ferrite (Ni$_{0.72}$Fe$_{0.20}$Co$_{0.08}$Fe$_2$O$_4$), 8=2405
Shenker, H., Lauritzen, J.I., Jr, Corruccini, R.J. and Lonberger, S.T. Reference tables for thermocouples, 5=6162
Shenstone, A.G. The third spectrum of nickel (Ni III), 5=172. Standard wavelengths in copper (Cu II), 5=9546
Shepanski, J.R. and Butler, S.T. An expansion for Coulomb wave functions, 6=7153
Shepelenko, F.P. See Demkov, Yu.N., 8=5657
Shepeleva, I.M. See Orlov, A.N., 9=8774
Shephard, W.D. See Crittenden, R.R., 9=4943; Eisberg, L.M., 5=3085; Walker, W.D., 6=4008, 7=2622
Shepherd, G.G. See also Feldman, T., 7=3156; Hunten, D.M., 5=4245; Mathai, P.M., 7=3154
Shepherd, G.G. and Hunten, D.M. On the measurement of rotational temperature from unresolved auroral nitrogen bands, 5=10130
Shepherd, J. See Barker, P.R., 5=4093
Shepherd, L.R. The zero-energy fast breeder reactor, ZEPHYR, 8=4335. See also Holmes, J.E.R., 5=3841
Shepherd, M.L. See Fan, H.Y., 7=7924
Shepherd, R.S. Polarization of light from the cathode glow, 9=11079
Shepherd, W.C.F. Spontaneous ignition of an inflammable gaseous mixture on release from compression, 5=586
Shepherd, W.G. See Peterson, R.W., 7=4504; Wargo, P., 7=1377, 6668
Shepp, A. Rate of recombination of radicals. I. General sector theory; a correction to the methyl radical recombination rate, 6=5477. Index of refraction effect on absolute fluorescence measurements, 7=2059. Fluorescence of naphthalene and anthracene vapors under β-ray excitation, 7=9638
Shepp, A. and Kutschke, K.O. Rate of recombination of radicals. III. Rate of recombination of ethyl radicals, 7=7475
Sheppard, N. See also Bethell, D.E., 5=3568; Brown, J.K., 5=8624; Dixon, R.N., 5=3571; Marrinan, H.J., 5=216; Petch, H.E., 6=8102; Yates, D.J.C., 6=1070
Sheppard, N., and Simpson, D.M. [Mrs J.N. Agar]. Correlations between characteristic frequencies of the paraffins and the skeletal frequencies of some structurally analogous polar molecules, 5=4839
Sheppard, N. and Yates, D.J.C. Changes in the infra-red spectra of molecules due to physical adsorption, 7=6669
Sheppard, P.A. Planetary atmospheres and convection in rotating fluids. The general circulation of the earth's atmosphere, 8=2102. See also Deacon, E.L., 7=5766
Shepstone, B.J. See Alberts, L., 8=6060
Shepstone, B.J. and Alberts, L. The influence of tension strains on the remanence of α-iron at high temperatures, 9=8306
Sher, I.H. and Chanley, J.D. New technique for compressing surface films, 5=5063
Sher, N.C. See Jacobi, W.M., 9=10142
Sher, R. See also Kouts, H., 7=739
Sher, R. and Floyd, J.J. Triton-induced reactions, 6=3987
Sherby, O.D. See Tegart, W.J.M., 9=6336
Shercliff, J.A. Experiments on the dependence of sensitivity on velocity profile in electromagnetic flowmeters, 6=2710. Some engineering applications of magnetohydrodynamics, 6=3857. Entry of conducting and non-conducting fluids, in pipes, 6=8614
Sheremet'ev, G.D. Optical properties of uranium hexafluoride. I. Absorption spectra in the visible and near ultraviolet regions, 7=4146; II. Photoluminescence and its temperature dependence, 7=9097
Sheridan, J. See Thomas, L.F., 5=6019
Sheridan, K.V. See Mills, B.Y., 6=1801, 6310, 6312, 8=1416; Wild, J.P., 8=1438
Sheridan, W.F. See Dillon, J.A., Jr., 5=6566; Ghosh, S.N., 7=3780, 5426, 8=7134, 9=8692
Sherif, I.I. The molecular heats of gases from the aspects of heat transfer, 6=3696
Sheriff, R.M. See Rastogi, R.G., 6=7061
Shering, H. The mean geometrical distances of annular cross-sections, 6=6030
Sherman, A.E. See Coensgen, F.H., 9=11163
Sherman, B.F. and Ravenhall, D.G. Zero-zero transition in carbon-12, 6=8316
Sherman, C. High-precision measurement of the average value of a magnetic field over an extended path in space, 9=9748
Sherman, C.H. Dynamic mechanical stability in the variable-reluctance and electrostatic transducers, 9=152. Mutual radiation impedance of sources on a sphere, 9=9336
Sherman, N. Coulomb scattering of relativistic electrons by point nuclei, 7=457. See also Bjorklund, F.E., 6=5312; Culler, G., 6=2456
Sherman, N. and Nelson, D.F. Determination of electron polarization by means of Mott scattering, 9=11356
Sherman, R.H. See Polo, S.R., 5=6015
Shermergor, T.D. Thermodynamic theory of the [elastic] relaxation processes, 8=7553
Sherr, R. See also Hornyak, W.F., 6=1565; Kavanagh, R.W., 5=3064; Li, C.W., 5=503
Sherr, R., Gerhart, J.B., Horie, H. and Hornyak, W.F. Decay rates of C^{14}, N^{14*} and O^{14}, 6=1513
Sherr, R., Li, C.W. and Christy, R.F. Coulomb excitation of F^{19} by alpha particles, 5=1177
Sherrard, E.I. See Thomas, L.F., 5=6019
Sherrard, E.S. See Perls, T.A., 7=5145
Sherrick, C.E., Jr. Effect of background noise on the auditory intensive difference limen, 9=4404
Sherrill, F.A. See also Wittels, M.C., 8=6419, 9=12809; Wittles, M.C., 6=6249
Sherill, F.A., Wittels, M.C. and Blewitt, T.H. X-ray determination of conjugate deformation twins in copper, 8=3556
Sherry, N.P.R. See Bates, L.F., 5=5520, 8921; Blackman, L.C.F., 6=6779
Sherry, P.B. and Coulson, C.A. The vibrational frequency distribution of graphite. I. Out-of-plane modes of a single layer, 7=2800
Shersby-Harvie, R.B.R.- See Boot, H.A.H., 8=1137, 5069
Sherwin, C.W. On the average volume per photon in blackbody radiation, 7=5947
Sherwin, C.W., Kodman, F., Jr., Kovaly, J.J., Prothe, W.C. and Melrose, J. Detection of signals in noise: A comparison between the human detector and an electronic detector, 6=7237
Sherwin, J. See Biehl, A.T., 7=3688
Sherwood, A.C. See Porter, N.A., 9=378
Sherwood, J.E. and Ovenshine, S.J. Nuclear spins of I^{128} and I^{130}, 9=10017
Sherwood, J.E., Stephenson, T.E. and Berstein, S. Stern-Gerlach experiment on polarized neutrons, 5=2220
Sherwood, J.W.C. Elastic wave propagation in a semi-infinite solid medium, 8=920. Propagation in an infinite elastic plate, 9=1180
Sherwood, R.C. See also Ellis, W.C., 8=229, 8928; Williams, H.J., 7=6358, 8=3239, 8126, 9=9778
Sherwood, R.C., Remeika, J.P. and Williams, H.J. Domain behavior in some transparent magnetic oxides, 9=7161
Shestopalov, V.P. and Kondrat'ev, B.V. Spatial resonance in a helical waveguide, placed in a dispersive medium, 9=9883
Shestopalova, S. See Dzhelepov, B., 8=6271

Shestopalova, S.A. See Dželepow, B.S., 9=1744
Shestoperov, V.Ya. See Grigorov, N.L., 8=6018, 9=379
Shevardin, A.N. See Kosman, M.S., 7=3236
Shevchenko, O.P. See Neudachin, V.G., 9=12678
Shevchenko, V.G. See Chuvilo, I.V., 8=2578, 8334
Shevelev, A.K. The nature of the solid solution of boron in alpha iron, 9=10293
Shewell, J.R. On the formation of quantum-mechanical operators, 9=1051
Shewmon, P. Thermal diffusion of vacancies in zinc, 9=6261. Diffusion in metals, 9=6303
Shewring, D. See Norbury, J., 8=3748
Shi Lang Chi. See Chi Shi Lang
Shi, Y.Y. See Kolsky, H., 9=833
Shibaoka, Y. On the transverse vibration of an elliptic plate with clamped edge, 6=6437. On the buckling of an elliptic plate with clamped edge. I, 7=3020. On the buckling of an elliptic plate with clamped edge. II, 8=5667
Shibata, H. A method of determining the correlation between f_0F2 and sunspot number, 9=5274. On the world-wide distribution of f_0F2, 9=11646. See also Higashi, S., 5=2845, 7=3422, 7201, 8703-4, 9=12424; Toyoda, H., 9=13256
Shibata, K. Simple absolute method for measuring diffuse reflectance spectra, 7=2053. Viscoelastic properties of polymeric substances, 7=4814
Shibata, N. See Imai, T., 5=7128; Yoshida, S., 6=6714, 5=988, 5449
Shibata, S. See also Kimura, M., 6=5302
Shibata, S., Kishita, M. and Kubo, M. Electron diffraction investigation and magnetic measurements on nickel (II) bisacetylacetone, 7=6751
Shibta, T. System of differential equations which are equivalent of Dirac's equation for hydrogen atom, 5=3017. On Lorentz transformations and continuity equations of angular momentum in relativistic quantum mechanics, 5=8515. See also Koike, Y., 6=5191
Shibata, T. and Kimura, T. Forms of relativistic dynamics referred to the new fundamental group of transformations, 7=5027
Shibayama, K. See Fukushima, K., 6=6489; Nimura, T., 7=4103
Shibuya, M. Electrical properties in cubic semiconductors with spheroidal energy surfaces, 5=3724. Hot electron problem in semiconductors with spheroidal energy surfaces, 5=8748. See Sasaki, W., 7=5325, 9=5701, 10997
Shibuya, Y. Magnetic flux increase and resistance of circular indium rods at the superconducting transition, 9=5739. Magnetic flux increase in non-circular tin rods at the superconducting transition, 9=5740. Paramagnetic effect in superconductors. I. Quasi-paramagnetism and resistance of indium at the superconducting transition, 9=11043. II. Quasi-paramagnetism in non-circular cylindrical tin specimens, 9=11044
Shibuya, Y. and Tanuma, S. Paramagnetism observed at the superconducting transition, 5=6157
Shida, S. See also Yamazaki, H., 6=7789, 8=7472
Shida, S., Kuri, Z. and Furuoya, T. Mercury photosensitized polymerization of acetylene, 8=9167
Shida, S., Yamazaki, H. and Arai, S. Radiation stability of liquid cyclooctatetraene, 8=8508
Shidlovskiĭ, M.K. Electrical conductivity of amorphous selenium in strong electric fields, 5=1853
Shiel, V., Wyly, L.D. and Braden, C.H. Decay of Ir^{192}, 7=4671
Shields, B.D.C. See Pool, R.A.H., 8=3046
Shields, F.D. Thermal relaxation in carbon dioxide as a function of temperature, 7=7669. Measurements of thermal relaxation in CO_2 extended to 300°C, 9=7895
Shields, F.D. and Lagemann, R.T. Tube corrections in the study of sound absorption, 7=7679
Shields, H. See Ard, W.B., 6=484; Gordy, W., 6=1388-9
Shields, J. Breakdown in silicon pn junctions, 9=5714. See also Sandiford, D.J., 7=7887
Shields, J.H. and Ellis, J.W. Dispersion of birefringence of quartz in the near infrared, 6=2817
Shiffman, C.A. The thermal conductivity of tin-indium alloys in the normal state, 8=2271
Shifrin, F.Sh. The relation between electronic energy levels and interatomic distances in molecules, 6=6821. A method of studying the electronic terms of diatomic molecules. The electronic terms and lengths of molecules of the alkali metals and their hydrides, 7=4588
Shifrin, K.S. A universal formula for rate of descent of a sphere in fluid, 9=9293
Shigemitsu, Y. Statistical theory of turbulence. I. Hypothesis of vortex chaos motion, 5=6789. II. Foundation of similarity theory of turbulence, 6=110; III. Extension of similarity theory of turbulence, 6=3522. Experimental studies on laminar sub-layer in turbulent boundary layer involving separation, 8=3759. Non-similarity theory of decaying turbulence, 9=11882
Shigeta, J. Oriented overgrowth of evaporated crystallites. Fluoride crystallites on cleavage surfaces of single crystals, 6=4075
Shigeta, J. and Hiramatsu, M. Etch pits of Sb single crystals, 9=13894
Shigetomi, S. and Mori, S. Electrical properties of Bi_2Te_3, 7=371
Shigin, V.A. See Gorolov, G.V., 7=704
Shigorin, D.N., Shemyakin, M.M., Shchukina, L.A., Kolosov, M.N. and Mendelevich, F.A. The nature of the intramolecular hydrogen bond, 7=583
Shikin, I.S. On the exact solutions of the equations of one-dimensional gas-dynamics with shock- and detonation-waves, 9=9322
Shiklosh, T. See Kondorskiĭ, E.I., 7=3455
Shil'krut, D.I. Velocity of propagation of elastic waves in not quite elastic media (signal velocity), 6=6444. Note on the theory of development of real micro-cracks in hard substances during deformation, 9=5203
Shillibeer, H.A. and Russell, R.D. The potassium-argon method of geological age determination, 5=1154
Shilliday, T.S. Performance of composite Peltier junctions of Bi_2Te_3, 8=626. See also Gorton, H.C., 6=3736
Shim, M. and Moore, W.J. Diffusion of nickel in nickel oxide, 7=5664
Shimada, H. Photoelastic investigation of stresses in composite models with notches and holes, 8=2824
Shimada, J. See also Abe, H., 5=2880, 9=8339; Kumagai, H., 5=8901; Ôno, K., 8=2564, 9=10112
Shimada, J., Abe, H. and Ôno, K. Paramagnetic resonance absorption in copper formate, 6=3023
Shimada, O. An evaluation of plasma-ion temperature, 5=6183
Shimada, R. See Ito, M., 7=2038, 7740
Shimamoto, Y. Symmetries in baryon–K meson interactions, 9=3793
Shimanouchi, T. On the calculation of the characteristic values and vectors for vibrational secular equations, 6=3061. General formulas for kinetic energy matrix elements of in-plane vibration in planar molecules, 7=578. Flexibility of chemical bond as revealed by the rocking frequencies in ethylene, 7=5529. See also Hashimoto, M., 6=3345; 7=4224; Ichishima, I., 9=3974; Kakiuti, Y., 7=3487; Mann, D.E., 7=8046-7; Miyazawa, T., 6=1984, 8=9087; Mizushima, S., 7=6387; Yamaguchi, A., 9=13153
Shimanouchi, T., Kakiuti, Y. and Gamo, I. Out-of-plane CH vibrations of benzene derivatives, 7=3486
Shimanouchi, T. and Mizushima, S. On the helical configuration of a polymer chain, 5=5579
Shimanouchi, T., Tsuchiya, S. and Mizushima, S. C–Cl stretching frequencies and the molecular structure of polyvinyl chloride, 9=8713
Shimanskaya, N.P. See Kilimov, A.P., 9=12104
Shimanskaya, N.S. Determination of the branching ratio in the disintegration scheme of Po^{210}, 7=1550. A calorimetric determination of the mean energy of the β-spectra of P^{32}, S^{35}, Cu^{64}, W^{185} and Au^{198}, 7=2590. See also Gorshkov, G.V., 9=10052
Shimanskiĭ, R.S. See Meĭklyar, P.V., 5=5087
Shimaoka, K. See Honjo, G., 6=5445
Shimauchi, A. Precise determination of nuclear quadrupole resonance line of solid iodine, 9=5955. See also Kojima, S., 5=2091, 2948-9, 5319, 6=533, 1441, 9=8372
Shimauchi, M. See Kimura, Y., 9=3780
Shimazaki, T. The effect of the solar tides and the temperature change on the daily variation in electron density and height of the F2-layer, 5=4222. The characteristics of the F2 regions as deduced from the daily variations in the ionospheric layer, 9=4140. Dynamical structure of the ionospheric F2 layer, 9=5269. Effect of the S_q current system on the ionospheric E and F1 regions, 9=5272. [Seasonal] non-Chapmanlike variations in the ionospheric E and F1 layers. (Effect of the S_q current systems II), 9=5273. A theoretical study of the dynamical structure of the ionosphere, 9=10417

Shimazu, H. A relativistic wave equation for a particle with two mass states of spin 1 and 0, 7=5854
Shimazu, M. On the emission intensities of the O_2 atmospheric bands ($b^1\Sigma_g^+ - X^3\Sigma_g^-$), 5=6892
Shimizu, H. See Fujiwara, S., 9=743; Kikuchi, Y., 9=13122
Shimizu, I. See Notsuki, M., 5=5164
Shimizu, K. Altitude-variation of cosmic ray stars, 8=6022. See also Kubota, H., 8=144; Murata, H., 6=1457, 7=9779; Yokota, R., 8=3880
Shimizu, M. A note on the ferromagnetic resonance in αFe_2O_3, 7=3428
Shimizu, T. Distribution of ions around charged fine wires, 9=374
Shimoda, K. Atomic clocks and frequency standards on an ammonia line. II, 5=21; III, 5=22. Precise frequency of the 3, 3 inversion line of ammonia, 8=3875. Characteristics of the beam type maser. I, 8=4172. Characteristics of the beam type maser. II, 9=11253. See also Hirakawa, H., 6=5002; 7=5202-3; Miyahara, A., 6=5001; Nishikawa, T., 5=2587, 6=540
Shimoda, K., Nishikawa, T. and Itoh, T. Microwave spectrum of methylamine, 5=2607
Shimoda, K., Takahasi, H. and Townes, C.H. Fluctuations in amplification of quanta with application to maser amplifiers, 9=8393
Shimoda, K. and Wang, T.C. New method for the observation of hyperfine structure of NH_3 in a "maser" oscillator, 6=1082
Shimoda, K., Wang, T.C. and Townes, C.H. Further aspects of the theory of the maser, 6=5768
Shimoda, M. and Obi, S. Studies on stellar models with partially degenerate cores and outer convective zones, 9=4238
Shimodaira, H. See Hara, O., 5=1505, 3429
Shimokawa, J. See Komatsu, C., 6=7360
Shimomura, K. Nuclear quadrupole resonance in some bromine and iodine compounds, 5=2054. Structural investigation of $SnBr_4$ by means of nuclear quadrupole resonance, 7=3509. Structural investigation by means of nuclear quadrupole resonance. I. Determination of crystal symmetry, 8=8532; II. Tin tetrabromide, 8=8533; III. Arsenic tribromide, 8=8534
Shimomura, K. and Inoue, N. Zerosplitting cone of nuclear quadrupole resonance spectrum for spin 5/2, 9=11270
Shimomura, K., Kushida, T., Inoue, N. and Imaeda, Y. Pure quadrupole spectra of metal bromates, 5=2053
Shimomura, Y., Kojima, M. and Saito, S. Crystal structure of ferromagnetic nickel oxide, 7=4905
Shimooda, H. Solar and interplanetary magnetic field. II. Polar rays and the general magnetic field, 9=10523
Shimose, I. Equation of state for vapor-liquid-solid system, 6=512. Statistical theory of phase transition. III. Application to vapor-liquid-solid equilibrium, 6=3677. Lattice theory of liquid state, 6=6421
Shimozawa, T. See Morino, Y., 6=8903, 9=13487
Shimura, Y. See Harasima, A., 6=3528
Shinabarger, E.W. See Misrahy, G.A., 9=1968, 8=2720, 1978
Shindo, M. See also Hatano, S., 5=1526
Shindo, M. and Nishijima, K. Recoil correction to the adiabatic nuclear potential, 6=77
Shindo, T. A note on the theory of dislocation in germanium, 6=5093
Shine, W.W. See Hammerling, P., 8=3185
Shingu, H. and Fujimoto, T. Empirical correlation between molecular structure and zero-point energies in hydrocarbons, 9=12737
Shinn, D.H. Tables of group refractive index for the ordinary ray in the ionosphere, 5=5546
Shinnaka, Y. On the metastable transition and the crystal structure of ammonium nitrate, (Tetragonal Modification). 6=5540
Shinoda, G. See also Kato, Y., 5=984
Shinoda, G., Suzuki, T. and Kato, S. The soft X-ray spectroscopy of the solid state by the electronic differentiating method: Aluminium L_3, 6=6685
Shinoda, S. See Yamaguti, T., 9=9534
Shinohara, K. See also Fujiwara, S., 7=8206
Shinohara, K., Amemiya, A. and Danno, A. Effects of ionizing radiations on polyethylene, 9=11573
Shinohara, U. Experimental studies on the mechanism of electric spark discharge, 9=2372
Shinosaki, G. See v. Krzywoblocki, M.A., 6=4882
Shinozuka, S. Special method for boring very fine round holes, 7=986
Shinyanskiĭ, L.A. The absorption of ultrasonic vibrations in rubber, 5=132
Shinyanskiĭ, L.A. and Solon'ko, V.N. Absorption of ultrasonic vibrations as a characteristic of the elastic properties of rubber, 7=3768
Shionoya, S. Sensitized luminescence of zinc sulfide phosphors activated with copper and manganese, 5=7857. Thermoluminescence of zinc sulfide phosphors doubly activated with copper and manganese, 6=1115
Shionoya, S. and Amano, K. Sensitization of the luminescence of manganese incorporated in zinc sulfide phosphors, 6=8691
Shipek, C.J. See Hamilton, E.L., 6=1917
Shipley, E.F. See Swets, J.A., 9=7710
Shipley, E.N., Owen, G.E. and Madansky, L. Response of NaI(Tl) to sodium nuclei, 9=9902. Angular distributions of neutrons inelastically scattered from sodium, 9=12687
Shipley, T. Convergence function in binocular visual space. I. A note on theory, 8=468; II. Experimental report, 8=469
Shipley, T. and Walker, G.L. Chromatic significance of spectrophotometric errors, 7=2094
Shiraiwa, T. See also Ishimura, T., 9=9684; Sawada, M., 5=7407, 9690, 9980; Takeya, K., 5=5487
Shiraiwa, T., Ishimura, T. and Sawada, M. Fine structures of X-ray absorption spectra of crystalline and amorphous germanium, 8=8022. The theory of the fine structure of the X-ray absorption spectrum [in solids], 9=13361
Shirakawa, Y. and Miyazaki, T. Magnetic properties of spheroidal graphite cast iron, 9=5880
Shirakawa, Y., Ohara, T. and Amemiya, D. Thermocouples with curved characteristics composed of Fe-Al-Cr and Cu-Ni alloys, 9=11066
Shirane, G. A note on the magnetic intensities of powder neutron diffraction, 9=5262. See also Jona, F., 5=4574, 6111, 7=3843; Pepinsky, R., 6=5068
Shirane, G., Danner, H. and Pepinsky, R. Neutron diffraction study of orthorhombic BaTiO, 7=3844
Shirane, G., Jona, F. and Pepinsky, R. Some aspects of ferroelectricity, 6=2849
Shirane, G., Newnham, R. and Pepinsky, R. Dielectric properties and phase transitions of $NaNbO_3$ and (Na, K)NbO_3, 5=922
Shirane, G., Pepinsky, R. and Frazer, B.C. X-ray and neutron diffraction study of ferroelectric $PbTiO_3$, 5=5753, 6=7846
Shirane, G., Pickart, S.J., Nathans, R. and Ishikawa, Y. Neutron-diffraction study of antiferromagnetic $FeTiO_3$ and its solid solutions with α-Fe_2O_3, 9=7173
Shire, E.S. An analogue computer for nuclear reactions, 5=9904
Shire, E.S. and Edge, R.D. The production of neutrons and protons by the bombardment of boron by low energy alpha-particles, 5=6448
Shiren, N.S. See also Jacobsen, E.H., 9=12472; Post, R.F., 5=4715
Shiren, N.S., and Tucker, E.B. Spin-phonon interaction in ruby, 9=11249
Shirer, H.W. See Meryman, H.T., 5=4330
Shirkevich, M.G. See Koshkin, N.I., 6=8054
Shirkov, D.V. Two-charge renormalization group in pseudoscalar meson theory, 7=1065. The compensation equation in superconductivity theory, 9=9661. See also Blank, V.Z., 7=5040, 5829, 8=1536, 6113; Bogolyubov, N.N., 6=902, 4182, 4806; 7=81-2, 8807; Ginzburg, I.F., 8=7681; See also Sirkov, D.V.; Maier, M.É., 9=7791
Shirkov, M.F. On the centre of inertia in the general theory of relativity, 5=4333
Shirley, V.S. See also Gallagher, C.J., Jr., 9=6078
Shirley, V.S. and Rasmussen, J.O. Electron-capture decay of gadolinium-151, 8=2546
Shirley, V.S., Smith, W.G. and Rasmussen, J.O. Conversion-electron and photon spectra of Gd^{147} and Gd^{149}, 8=5296
Shirlkov, Yu.M. See Tumanov, K.A., 5=40
Shirn, G.A. See Huntington, H.B., 5=9237
Shiro, I. See Hirao, K., 9=11657
Shirobokov, M.Ya. See Kholodenko, L.P., 8=7890; Ovsyannikova, I.A., 6=4741
Shirokov, M.F. On the interaction between gravitational capillary and magnetohydrodynamical waves, 8=3264. A general relativity theory or gravitation theory? 6=4801. On velocity and temperature discontinuities near the walls of a body around which rarefied gases move with velocities near to or larger than that of sound, 9=117. See also Prudkovskaya, O.V., 7=7135
Shirokov, M.F. and Brodovskiĭ, V.B. On the equations of motion

of finite masses in the general theory of relativity, 7=2958
Shirokov, M.I. Problem of the spin of the Λ^0-particle, 7=5648. Reactions involving polarized particles, 8=1952. The time reversal and reactions involving polarized particles, 8=4716. See also Baldin, A.M., 6=7668; Chou Kuang-Chao, 8=6188; Chzhou Guan-Chzhao., 8=7312, 8312
Shirokov, V.I. See Bonch-Bruevich, A.M., 9=9457
Shirokov, Yu.M. On the interaction of particles of a new type of spin ½ with an external field, 6=7980. On a new class of relativistic equations for an elementary particle, 7=1923. On conditions of relativistic invariance in quantum theory, 7=5878. A group-theoretical consideration of the first principles of relativistic quantum mechanics. I. The general properties of the inhomogeneous Lorentz group, 8=4709; II. A classification of irreducible representations of an inhomogeneous Lorentz group, 8=4710; III. Irreducible representations of classes P_0 and O_0 and not fully reducible representations of an inhomogeneous Lorentz group, 8=4711. Group-theoretical analysis of the foundations of relativistic quantum mechanics. IV. Space reflections in quantum theory, 8=7713. Relativistic theory of polarization effects, 9=2089. Relativistic corrections to phenomenological Hamiltonians, 9=10595. Group-theoretical treatment of the foundations of relativistic quantum mechanics. V. Irreducible representations, 9=12988. See also Filimonov, G.F., 7=5041; Kaminskii, A.K., 9=13593; Zhirnov, V.A., 6=8601; Zhivopistsev, F.A., 9=12632
Shirokov, Yu.M., Balashov, V.V. and Tumanov, K.A. On a method of direct calculation of the nucleon-nucleon interaction Hamiltonian from experimental values of the levels of light nuclei, 7=8105
Shirokov, Yu.M. and Sannikov, D.G. On the problem of unquantized relativistically invariant renormalized equations for a three-dimensional extended particle, 7=94
Shirokov, V.I. See Kuznetsova, L.A., 8=986
Shirokovskiĭ, V.P. Electron states in crystals, 9=1861
Shirokovskiĭ, V.P. See also Sokolov, A.V., 7=4874, 8=4413
Shirokshina, Z.V. and Suikovskaya, N.V. Preparation of translucent films which are transparent in the infrared spectral region, 9=12138
Shironas, V.I. See Vizbaraĭte, Ya.I., 7=4641
Shirshov, N.M. See Latȳshev, G.D., 8=7358
Shiryaev, B.M. See Protopopov, A.N., 8=8358, 9=13710
Shishakov, N.A. On the anomalous structure of iron crystals obtained in the initial stage of condensation from vapour, 8=4534. A simple method for the determination of crystal lattice constants by electron diffraction patterns from the surface of an object, 9=9052
Shishikura, R. On the specific heat of normal solid alcohol of probable carbon number 32, 6=300
Shishkin, G.V. See Baranov, S.A., 8=8277
Shishkin, L.A. See Akhiezer, A.I., 8=7856
Shishkin, N.I. Dependence of the kinetic properties of liquids and glasses on temperature, pressure and volume, 7=1113
Shishkov, A.G. See Telesnin, R.V., 8=5118
Shishlovskiĭ, A.A. See Gorban', I.S., 6=8082, 7=1217; Lisitsa, M.P., 8=1001
Shitov, E.V. See Belousov, A.S., 7=7436
Shitsman, M.E. See Miropol'skiĭ, Z.L., 9=5616; Stȳrikovich, M., 5=6980
Shizume, T. See Kihara, T., 5=3254, 5272
Shkarofsky, I.P. Effect of variation of d.c. current in a modulated electron beam, 8=4056
Shklover, D.A. See Ioffe, R.S., 5=9531
Shklovskaya-Kordi, V.V. See Zarembo, L.K., 7=1130, 1140, 8=544, 3829
Shklovskaya-Kordy, V.V. See Krassilnikov, V.A., 7=9574
Shklovskiĭ, I.S. Presence of lithium, beryllium and deuterium in the solar atmosphere, 7=1022. The identification of the most powerful discrete sources of radio-emission of the Galaxy with the remains of supernova stars, which have flared-up in the last 2000 years, 7=1852. Interplanetary medium and some problems of physics of the upper atmosphere, 9=3039. On the nature of the fine structure of emission of active regions on the sun, 9=11739
Shklovskiĭ, I.S. and Konovich, É.V. On the models of the solar chromosphere, 8=6598
Shklovsky, I.S. Possible observation of monochromatic radio-emission from interstellar molecules, 6=1789. See also Morozov, V.M., 6=9102; Pickelner, S.B., 9=2000
Shklyarevskiĭ, I.N. The question of phase relationships at the boundary of dielectric and metal, 7=286. A new interferometric method to determine optical constants of metals, 8=4898. See also Sinel'nikov, K.D., 6=8131, 8=976, 1637
Shklyarevskii, I.N., Avdeenko, A.A. and Padalka, V.G. Measurement of the optical constants of antimony in the infrared spectral region at temperatures of 290° and 110°K, 9=9386
Shklyarevskiĭ, I.N. and Miloslavskiĭ, V.K. An interferometric method of measuring the dispersion of liquid and solid substances, 5=827. A new modification of the polarization method of measurement of the optical constants of metals, 9=10864
Shklyarevskiĭ, I.N. and Nosulenko, N.A. Measurement of optical constants of tin by an interferometric method, 8=1592
Shklyarevskii, I.N. and Padalka, V.G. Measurement of the optical constants of copper, gold and nickel in the infrared region of the spectrum, 9=10865
Shklyarevskiĭ, I.N. and Ryazanov, A.N. Measurement of the refractive indices of thin layers of zinc sulphide and cryolite, 6=8081. Dispersion of the phase-shift of thin aluminium films, 9=10868*
Shlyarevskii, I.N., Starunov, N.G. and Padalka, V.G. Measurement of the optical constants of silver in the infrared spectral region, 9=12130
Shkoda-Ulyanov, V.A. See Gol'danskiĭ, V.I., 5=9096, 9=687
Shkolnik, V. See also Standil, S., 9=1655
Shkolnik, V. and Standil, S. Determination of an absolute pair production cross section by relative measurements, 8=1168
Shlaer, W.J. See Thorndike, E.H., 9=13174
Shlyagin, K.N. Electron spectra of Pu^{239}, Pu^{240} and Pu^{241}, 6=8355. See also Baranov, S.A., 6=5363
Shlyagin, K.N. and Samoĭlov, P.S. Low energy γ-transitions in Tu^{169}, 8=6281
Shmarts, V.L. On the thermal expansion of crystals, 5=1347. On the determination of the temperatures of recrystallization of metals, 8=3939. On a definition of the ponderomotive interaction force between a magnet and a ferromagnetic material, 8=7197
Shmartsev, Yu.V. See Tuchkevich, V.M., 9=5744
Shmatov, V.T. On the thermodynamical theory of relaxation phenomena in systems with additional parameters, 8=5731. See also Skrotskiĭ, G.V., 8=8111
Shmelev, I.I. See Barkhatov, A.N., 8=6756, 6772
Shmit, O.A. The influence of polarized light on colour centres in alkali halide crystals, 8=1330
Shmoys, J. See also Keller, J.B., 6=3497
Shmoys, J. and Karp, S.N. Calculation of charge density distribution of multilayers from transit time data, 8=5538
Shmulyakovskiĭ, Ya.É. See Slobodin, Ya.M., 7=1204
Shmushkevich, I. Deduction of relationships among cross-sections based on the hypothesis of isotopic invariance, 6=6932. See also Dushin, N., 6=6933
Shmushkevich, I.M., The impulse approximation, 7=3003. Angular distribution and polarization of electrons emitted in the β-decay of aligned nuclei, 8=6261. Depolarization of μ^--mesons in μ-mesic atom formation, 9=8682. Depolarization of μ^--mesons by the formation of μ-mesic atoms, 9=12574. See also Akhiezer, A.I., 8=1832; Okun', L.B., 9=555
Shneĭder, A.D. Kinetics of the growth of photocurrent and the photoconductivity quenching effect in CdS, 7=2250. Quenching of photoconductivity in HgS, 7=2251. See also Butsko, N.I., 9=1476
Shockley, W. "Transistor physics". The forty-sixth Kelvin lecture, 6=1238. Electrons, holes, and traps, 8=4956. Predicted intervalley scattering effects in germanium, 8=6986. See also Sah, C.-T., 8=178, 1678
Shockley, W. and Last, J.T. Statistics of the charge distribution for a localized flaw in a semiconductor, 7=8609
Shoda, K. See Kimura, M. 8=4061, 9=9931
Shoemaker, D.P. See Wilson, F.C., 7=9805
Shoenberg, D. The de Haas–van Alphen effect in copper, 9=5876. See also Dhillon, J.S., 5=4805
Shoffa, G., Ristau, O. and Rukpaul, K. Anomaly in magnetic anisotropy of $K_3Fe(CN)_6$ single crystals at low temperatures, 9=2505
Shofenji, K. On solvent effects in dipole moment determinations, 9=8760. See also Uchiyama, S., 7=8623, 9=13307
Shogenji, K. and Uchiyama, S. Resistivity and Hall coefficient of semiconductors, 7=8607. On electrical resistivity and Hall coefficient of PbTe crystals, 8=5897. The galvanomagnetic effects in single crystal of PbTe, 9=9629

Sholokhova, E.D. See Smolenskiĭ, G.A., 9=1418

Sholokhovich, M.L. See also Khodakov, A.L., 7=344, 4907

Sholokhovich, M.L., Fesenko, E.G., Kramarov, O.P. and Khodakov, A.L. Preparation and properties of single crystals of solid solutions of barium and lead titanates and of single crystals of lead titanate, 7=4857

Shonle, J.I. See Fowler, W.B., 9=6023

Shôno, H. See Kumagai, H., 9=13382

Shôno, Y. See Hamada, T., 6=76

Shook, C.A. See Folk, R., 8=8639

Shook, G.B. Angular distributions and correlations for alpha-particle scattering by C^{12}, Mg^{24} and Ca^{40}, 9=7354

Shoolery, J.N. Nuclear magnetic resonance spectroscopy, 5=6592. See also Bloom, A.L., 5=3978; Dailey, B.P., 5=9808; Huggins, C.M., 5=8130

Shoolery, J.N. and Alder, B.J. Nuclear magnetic resonance in concentrated aqueous electrolytes, 5=5921

Shoon Kyung Kim. Mean first passage time for a random walker and its application to chemical kinetics, 8=8598

Shoosmith, J. See Herzberg, G., 6=6520, 9=12007

Shore, F.J. See also Haas, R., 9=8430; Patronis, E.T., Jr., 9=9563

Shore, F.J. and Sailor, V.L. Slow neutron resonances in U^{235}, 9=5072

Shore, S.G. See Weaver, J.R., 9=1843

Shorr, B.F. Influence of non-uniform heating and creep on the change of stressed conditions, 9=12842

Short, A.M. See Macpherson, I., 5=9119

Short, M.A., Steward, E.G. and Tomlinson, T.B. Electroluminescence in disordered zinc sulphide, 6=3641

Shortall, J.W. See Flora, J.W., 6=8395

Shorter, D.E.L. See Axon, P.E., 3=3528, 8574

Shorthill, R.W. and Fowles, G.R. Interferometric measurements of isotope shifts in mercury II and mercury III with enriched isotopes, 8=4858

Shorȳgin, P.P. and Ivanova, T.M. On the simultaneous observation of Raman scattering of light and of fluorescence, 9=1296

Shostak, A. Interaction energy among three helium atoms, 6=1448

Shostakovich, N.V. See Alikhanyan, A.I., 7=3411, 6591; Potapov, L.I., 6=6750

Shotov, A.P. The breakdown of a p-n junctions in Ge at the collision [avalanche] voltage, 7=2243. Collision ionization in germanium p-n junctions, 8=6988. See also Vul, B.M., 7=9196, 8=2330

Shou Feng Wang. See Wang Shou Feng.

Shpak, M.T. Spectrum of simpler hydrocarbon solutions over a wide range of temperatures, 8=6839. See also Prikhot'ko, A.F., 9=9419-20

Shpetnȳi, A.I. Energy and angular distribution of neutrons emitted in the Be^{9}(d, n)B^{10} reaction, 8=5362

Shpigel', I.S. Quick-operating electrodynamic vacuum valve, 9=6611. Plasma acceleration, 9=11169

Shpigel', I.S. Raĭzer, M.D. and Myaé, É.A. Dependence of the amplitude of the first harmonic of a nuclear magnetic resonance absorption signal on the amount of detuning, 7=9338

Shpinel', V.S. The γ-rays of Tc^{95}, 5=4911. See also Delyagin, N.N., 7=6496, 8096

Shpinel', V.S. and Grois, Sh.O. Vertical focusing in a spiral orbit β-spectrometer, 7=4450

Shpinel', V.S. and Kuznetsova, G.A. An investigation of chains of radioactive transitions, 6=5356

Shpol'skiĭ, É.V. and Klimova, L.A. Emission spectrum corona in solutions at low temperatures, 7=7767

Shrader, R.E. See also Bube, R.H., 5=1718; Hegyi, I.J., 8=2988; Larach, S., 6=5023, 8115, 7=1203, 8=7537

Shrader, R.E. and Larach, S. Effect of temperature on the spectral distribution of blue emission bands of ZnS : I and ZnS : Cu : I phosphors, 7=2066*

Shraĭfel'd, T.Ya. See Korenblit, L.L., 6=2080-1

Shrednik, V.N. Adsorption of zirconium and barium on tungsten and the electron work function, 9=11614. See also Komar, A.P., 7=6112, 8=8731

Shreffler, R.G. See Christian, R.H., 5=266

Shreir, L.L. See Stebbens, A.E., 9=9384

Shrikantia, G.S. A five particle decay of a heavy meson? 5=2201. See also George, E.P., 6=2975

Shtarkov, L.N. See Aleksandrov, Yu.A., 8=1976*

Shteĭn, V.K. Investigation of the collector characteristics of the palletron, 5=5458

Shteĭnberg, A.A. See Korenblit, L.L., 7=1279

Shteĭnberg, I.B. See Sokolov, A.V., 6=5267

Shteĭbok, N.I. Basic characteristics of ionization chambers, 5=6240. Basic problems in the application of radioactive radiations in measuring technique, 5=6445

Shteinshleifer, Z. See Lamb, J., 9=13107

Shtenbek, M. and Baranskiĭ, P.I. Investigation of the Peltier effect and of the thermal e.m.f. in germanium, 6=6662. Methods for the precise measurement of Peltier effect and thermoelectromotive force, 7=2263. A study of the motion of minority current carriers in the bulk in germanium, 7=9186. An experimental study of the connection between the Peltier effect and the thermoelectromotive force in germanium, 7=9205

Shtepa, N.I. The radius of curvature method for construction of space trajectories of charged particles in electrostatic fields, 7=2292. Graphical-analytical construction for the trajectories of charged particles in alternating electric and steady magnetic fields, 8=4068. Grapho-analytical constructions of trajectories of charged particles in magnetic fields, 8=7107. Graphical-analytical construction of trajectories of charged particles in electrostatic and magnetic fields, 9=9713

Shtepan, S.E. The problem of elastic anisotropy of cubic crystals in the plane (h, k, l), 8=5495

Shtol'ts, E.V. See also Shur, Ya.S., 8=4151, 9=418

Shtol'ts, E.V., Shur, Ya.S. and Kandaurova, G.S. Magnetic properties of magnetically anisotropic specimens composed of ferromagnetic powders. I. Magnetization curves and particular cycles of the hysteresis loop, 9=417

Shtol'tser, N.V. See Mazurin, O.V., 9=13274

Shtranikh, I.V. See Belovitskii, G.E., 9=11331. Lazareva, L.E., 6=1585

Shtrikman, S. See Aharoni, A., 8=2413, 8107; Frei, E.H., 7=6352, 9=9770

Shtrum, E.L. See Sergeeva, V.M., 8=4986; Zhuze, V.P., 8=4969, 9=3458

Shuba, Yu.A. Photoelectronic emission from CdS, 7=404

Shubin, A.A. See Motulevich, G.P., 9=8839, 9385

Shubin, G.N. See Lapkin, N.I., 9=10335

Shubin, Yu.V. See Garber, R.I., 9=12835

Shubnikov, A.V. Some peculiarities of thermal deformation in crystals, 7=7467. On spherulite formation, 8=3567. Embryonic forms of spherulites, 8=3568

Shubnikov, A.V., Zheludev, I.S., Konstantinova, V.I. and Silvestrova, I.M. Study of piezoelectric textures, 9=9592

Shuck, A.B. See Kelman, L.R., 6=5586, 6280-1

Shuck, A.S. Remote fuel fabrication—how it was done for E.B.R.-II, 8=5407

Shuf, A.V. See Baev, B.V., 5=7129

Shugart, H.A. See Ewbank, W.B., 8=5267, 9=13597; Hubbs, J.C., 8=722, 7=2541, 6449; Marino, L.L., 8=6211; Nierenberg, W.A., 7=2544, 9=4966

Shugurov, O.A. See Izhak, I.A., 8=3077

Shugurov, V.K. See Budrite, S.D., 9=11510

Shu-I Liu. See Liu Shu-I

Shukhtin, A.M. and Egorov, V.S. An apparatus for observation of anomalous dispersion in processes of short duration, 8=945

Shukla, B.M. Comparative kinetics of the time development of the positive and negative Joshi effect in the halogens under "normal" and "wall influenced" discharge, 5=9684

Shukolyukov, Yu.K. See Rik, G.R., 7=2565

Shuleĭkin, V.V. Part played by the tangential force of the wind in the increment of the energy of waves, 7=1104. Growth of length of waves under the action of wind, 7=4012

Shuleĭkin, V.V. and Korneva, L.A. Influence of a variable stream of solar positive particles on the wind in the ionosphere, 6=7082

Shuleĭkin, V.V. and Shakurov, P.F. Sodium line in the absorption spectrum of air above the sea level, 6=9085

Shuler, K.E. Analysis of vibrational relaxation data in shock wave experiments, 9=9325. Relaxation processes in multistate systems, 9=10630. See also Bazley, N.W., 9=1844; Berl, W.G., 7=1230; Broida, H.P., 8=3038; Herman, R., 9=1845; McKinley, J.D., Jr., 9=901; Montroll, E.W., 7=7470; Rubin, R.J., 6=7163-4, 7=3988

Shuler, W.E. See Axtmann, R.C., 9=13750

Shuleshko, P. A new method of solving boundary value problems of mathematical physics, 9=6437. Generalization of previous methods of solving boundary value problems of mathematical physics, 9=6438

Shulgin, A.T. and Baker, A.W. Determination of Hammett sigma

constants by intramolecular hydrogen bonding, 9=2871
Shul'ha, M.S. The specific heat of Mg-Zn ferrite, 8=6930
Shull, C.G. See also Gersch, H.A., 6=7527; Nathans, R., 9=9783; Wilkinson, M.K., 5=3793, 6=7526
Shull, C.G. and Wilkinson, M.K. Neutron diffraction studies of the magnetic structure of alloys of transition elements, 5=2878
Shull, E.R. High-current mercury arc Raman source, 5=8592. Vibrational spectrum of 3, 3, 3-trichloropropene-1, 7=8523
Shull, E.R., Thursack, R.A. and Birdsall, C.M. Vibrational spectra of organosilicon compounds. I. Vinyltrichlorosilane, 6=1985
Shull, F.B. See also Elwyn, A.J., 9=2795
Shull, F.B. and Elwyn, A.J. Proton angular distributions from $Zn^{64,66,67,68}$(d, p) reactions, 9=3898
Shull, H. Natural spin orbital analysis of hydrogen molecule wave functions, 9=8741. See also Ellison, F.O., 6=2298; Goodman, L., 5=3944, 7=4601, 8=1290; Hagstrom, S., 9=7445; Howell, K.M., 9=7452; Lowdin, P.-O., 6=4595
Shull, H. and Ebbing, D.D. Floating wave functions for H_2^+ and H_2, 8=4391
Shull, H. and Hagstrom, S. Single-center wave function expansion for H_2, 7=6379
Shull, H. and Löwdin, P.-O. Role of the continuum in superposition of configurations, 5=9019. Correlation splitting in helium-like ions, 7=2554. Natural spin-orbitals for helium, 5=9807. Variation theorem for excited states, 8=6659. Superposition of configurations and natural spin orbitals. Applications to the He problem, 9=7396
Shull, H. and Simpson, W.T. Consolidated variation perturbation theory, 8=8596
Shull, T.T. See Sheline, R.K., 6=587
Shul'man, A.R. The secondary electron emission of di-electrics, 6=4450.* The work function of thin films of thorium oxide and thorium on tungsten, 9=3547. See also Kapitsa, M.L., 9=7062
Shul'man, A.R. and Myakinin, E.I. Secondary electron emission from nickel and molybdenum at low energies of primary electrons, 7=4460
Shul'man, A.R. and Pisarevskiĭ, A.N. Temperature variations of the work function of n and p germanium, 6=5876
Shul'man, A.R., Zakirova, I.R., Morozov, Yu.A. and Fridrikhov, A. The secondary electron emission of nickel, 8=7105. A method of investigating secondary electron emission from non-metallic substances, 9=4695
Shulman, C.I. Measurement of shot noise in CdS crystals, 5=5420
Shul'man, L.A. Deĭgen, M.F., 9=8860
Shulman, R.G. Hole trapping in germanium bombarded by high-energy electrons, 6=5870. N.M.R. and hyperfine interactions in paramagnetic solutions, 9=1149. Observation of the Co^{59} nuclear magnetic resonance in paramagnetic salts, 9=11266. See also Jaccarino, V., 7=6458, 8=656; Mays, J.M., 8=3283; Spitzer, W.G., 5=5408
Shulman, R.G. and Jaccarino, V. Effects of superexchange on the nuclear magnetic resonance of MnF_2, 7=858. Nuclear magnetic resonance in paramagnetic MnF_2, 8=7322. Origin of nuclear magnetic resonance shifts in paramagnetic MnF_3, 9=1590
Shulman, R.G., Mays, J.M. and McCall, D.W. Nuclear magnetic resonance in semiconductors. I. Exchange broadening in InSb and GaSb, 6=1232
Shulman, R.G. and Wyluda, B.J. Copper in germanium: recombination center and trapping center, 6=5871. Nuclear magnetic resonance of Si^{29} in N- and P-type silicon, 7=384. Effects of gadolinium upon the H_2O^{17} nuclear resonance, 9=7197
Shulman, R.G., Wyluda, B.J. and Anderson, P.W. Nuclear magnetic resonance in semiconductors. II. Quadrupole broadening of nuclear magnetic resonance lines by elastic axial deformation, 8=177
Shulman, R.G., Wyluda, B.J. and Hrostowski, H.J. Nuclear magnetic resonance in semiconductors. III. Exchange broadening in GaAs and InAs, 9=814
Shulman, R.G., Wyluda, B.J. and Matthias, B.T. Diamagnetic nuclear magnetic resonance shifts in alloys, 9=2955
Shul'man, S.G. See Ukhanov, Yu.I., 8=974
Shultin, A.A. See Cross, E.F., 8=3448, 9=1230
Shul'ts, I.N. See Gudris, N.M., 9=9446
Shultz, A.R. Evaluation of quantum yields for polymer cross-linking and scission by light, 9=1922
Shulyat'ev, S.A. See Taluts, G.G., 8=3265, 7497
Shumina, L.A. See Markov, B.F., 7=3790
Shumov, Yu.V. See Venevtsev, Yu.N., 8=3586
Shumskii, P.A. Density of glacier ice, 9=13966
Shumway, G. A resonant chamber method for sound velocity and attenuation measurements in sediments, 6=4946. See also Hamilton, E.L., 6=1917
Shuppe, G. See Gofman, I.I., 8=1091; Gorbatȳĭ, N.A., 7=9231, 9=257
Shur, Ya.A. See also Baranova, N.A., 7=1457; Glazer, A.A., 9=9777; Shtol'ts, E.V., 9=417
Shur, Ya.S. and Abel's, V.R. Investigation of the magnetic structure of silicon-iron crystals by the powder method, 6=4495
Shur, Ya.S., Shtol'ts, E.V. and Kandaurova, G.S. Magnetic properties of magnetically anisotropic specimens composed of ferromagnetic powders. II. The dependence of the magnetization curves on the mechanism of formation of a demagnetized state, 9=418
Shur, Ya.S., Shtol'ts, E.V., Kandaurova, G.S. and Bulatova, L.V. On the domain structure of a manganese-bismuth alloy of high coercivity, 8=4151
Shuraleva, E.I. On the stability of F-centres in NaCl: Ni phosphor, 7=9101
Shurcliff, W.A. Haidinger's brushes and circularly polarized light, 5=6666. New visual phenomenon: the greenish-yellow blotch, 9=13976. See also Baxter, L., II., 6=5035, 7=2102; Bird, G.R., 9=3358; Makas, A.S., 6=1139
Shurgan, J. See Ginell, R., 5=5928, 7748
Shurman, M.B. See Benenson, R.E., 8=1853
Shushurin, F. See Glasko, V.B., 9=2046
Shustrov, B.N. See Mamȳrin, B.A., 9=5815
Shute, G.G. See Booth, N.E., 9=8538; Lasich, W.B., 6=5390; Spicer, B.M., 7=7391; Moon, P.B., 8=7306; Fisher, P.S., 8=1250
Shute, G.G. and Fisher, P.S. Polarization measurements of gamma radiation from sulphur-34, 8=6273
Shutilov, V.A. See Mikhaĭlov, I.G., 7=3082, 8=4822, 4903, 6885
Shut'ko, A.V. See also Zaretskiĭ, D.F., 6=5396, 7=8106
Shut'ko, A.V. and Zaretskiĭ, D.F. On the capture of thermal neutrons by lead isotopes, 6=3232*
Shutt, R.P. See Block, M.M. 5=8295, 7=700; Bolze, E.M., 8=3278; Eisberg, L.M. 5=3085; Fowler, W.B. 5=351, 4976, 7=699, 701
Shuvalov, L.A. The dielectric and piezoelectric properties of polarized $BaTiO_3$ ceramics in various ferroelectric phases, 7=9678. The question of determining the piezo-modulus d_{31} from the radial vibrations of a disk, 9=12229. See also Zheludev, I.S., 7=8254, 8=3070
Shuvalov, L.A., Aleksandrov, K.S. and Zheludev, I.S. The question of the domain structure of triglycine sulphate crystals, 9=13259
Shuvalov, Yu.N. Distribution of electron density in the CdS crystal as a function of changes in its electrical conductivity, 7=1737. The connection between changes in electrical conductivity and distribution of electron density in the CdS crystal, 7=1738
Shvangiradze, R.R. Anomalous changes in the intensity of spectral lines of samarium in a d.c. arc, 9=10756
Shvartsman, B.F. See Dorman, L.I., 7=512
Shvedko, É.F. See Krasnov, V.M., 8=6678
Shvets, A.D. See Esel'son, B.N., 7=4284, 8=7867
Shvidkovskiĭ, E.G. See Danilin, B.S., 8=6532
Shvist, P. On low-temperature luminescence of CuBr, 9=12093. See also Ivanova, N.I. 9=10828
Shȳmans'kȳĭ, Yu.I. See Roshchȳna, H.P., 8=6702
Shyuttse, V. An investigation of the isotopic constitution of boron, 6=7638. See also Ordzhonikidze, K., 6=8336
Sibani, S. See Cecchini, G. 9=7725
Sibbitt, W. L. See Jefferson, T.B., 9=1364; Savino, J.M., 9=6604
Sibilia, J.P. See Lippincott, E.R., 9=1292
Sibley, W.A. See Plint, C.A. 8=1342
Sicard, A. See Lecamp, M., 6=1682; Pannetier, G., 5=8700
Sicard, L., Eyraud, L., Malécot, G., Elston, J. and Eyraud, C. Measurement of the thermal diffusivity of solids, 9=12165
Šícha, M. Influence of a high-frequency field on the stratification [striations] in a glow discharge, 9=4656
Šícha, M. and Veselý, V. Measurement of electron concentration of plasma in toroidal resonator, 9=4735
Sichirollo, A.E. See Amerighi, M.C., 9=9980; Baldo-Ceolin, M., 7=8882, 8=1885; Fiorini, E., 7=9244
Sicre, J.E. See Brodersen, P.H., 6=1061
Sida, D.W. The detachment of electrons from negative hydrogen ions by impact with neutral atoms, 5=3854. The scattering

of positive ions by neutral atoms, 7=8665. See also Massey, H.S.W. 5=2369

Siddall, G. See Holland, L., 7=1678, 9=220

Siddiq, A.K.M. See also Bergsteinsson, J.L., 8=7078

Siddiq, A.K.M. and Haslam, R.N.H. The nuclear absorption of X-rays by oxygen, 9=2811

Siddique, M.H. See Husain, A., 9=9977

Sidei, T. See also Huzimura, R., 9=2230; Yano, S., 9=5940

Sidei, T., Higasimura, T. and Kinosita, K. The self-scattering of the Compton recoil electrons produced by Co^{60} gamma-rays, 7=6268. Monte Carlo calculation of the multiple scattering of the electron, 7=9719

Sidei, T. and Yano, S. Hindered rotation of water molecules of hydration in $Mg(H_2O)_6Cl_2$ and $Mg(H_2O)_6Br_2$, 6=1426. Study on the hydrogen bond in NH_4HF_2 by NMR, 9=8747

Sidhu, S.S. See also Heaton, L., 7=3668; Meneghetti, D., 7=3457

Sidhu, S.S., Heaton, LeR. and Mueller, M.H. Neutron diffraction techniques and their applications to some problems in physics, 9=12883

Sidhu, S.S., Heaton, LeR. and Zauberis, D.D. Neutron diffraction studies of hafnium–hydrogen and titanium–hydrogen systems, 7=908

Sidhu, S.S., Heaton, L., Zauberis, D.D. and Campos, F.P. Neutron diffraction study of titanium–zirconium system, 6=8984

Sidman, J.W. Vibrational analysis of the emission spectrum of coronene as a forbidden transition, 5=8602. Concentration dependence on the absorption and fluorescence spectra of mixed crystals of anthracene with phenanthrene at 77°K, 7=5182. Polarized absorption and fluorescence spectra of crystalline anthracene at 4°K: Spectral evidence for trapped excitons, 6=3623. Electronic and vibrational states of anthracene, 6=7579. Electronic and vibrational states of tetracene (naphthacene), 6=7580. Phosphorescence spectra of the β-halonaphthalenes, 6=8117. Electronic spectra and structure of the carbonyl group, 7=9784. Spin–orbit coupling in the $^3A_2$-$^1A_1$ transition of formaldehyde, 9=738. See also Pople, J.A., 8=3420

Sidman, J.W. and McClure, D.S. Electronic and vibrational states of azulene, 6=3888

Sidorov, A.I. See Iglitsyn, M.I., 8=1059, 1063

Sidorov, É.A. On the connection between surface friction and heat exchange. 7=9437

Sidorov, N.I. See Baev, B.V. 5=7129

Sidorov, T.A. Infrared spectra at low temperatures and structure of quartz and cristobalite, 9=12047

Sidorov, T.A. and Sobolev, N.N. Isotope shift in the infrared spectrum of boric acid and its structure, 7=6989. Infrared and Raman spectra of boron oxide. II. Infrared spectra and molecular structure, 8=2967. III. Interpretation of the vibrational spectrum and calculation of the isotopic effect, 8=2968

Sidorov, V.A. See Bogdanov, G.F., 6=6162, 8376, 9=10111; Vlasov, N.A. 5=9069

Sidorov, V.M. Production of charged π-mesons by nucleons, 5=9148. Formation of π^+-mesons in 660 MeV p-p collisions, 7=2708. See also Bogachev, N.P. 9=9974, 11364; Meshcheryakov, M.G., 7=691

Sidorov, V.M. and Grigor'ev, E.L. Observation of particles of charge $Z > 2$ in fissions produced in photographic emulsion by high-energy neutrons, 8=6340

Siebenmann, P.G. See Babiskin, J., 8=2338

Siebert, M. See Haurwitz, B., 8=5596

Siebert, W. Non-dispersive infrared spectroscopy, 5=1667

Siebertz, K. See Groschwitz, E., 6=8185

Siedentopf, H. Methods and results of radio astronomy. I, 5=10; II, 2363. On the optical interpretation of the gegenschein, 5=6692. Observations of the zodiacal light at Jungfraujoch and theoretical comments, 6=1810. The information content of stellar spectra from photographic and photoelectric observations, 8=2746. See Elsässer, H., 6=8518, 9089; Elwert, G., 9=1998

Siegbahn, K. Introductory lecture on beta- and gamma-ray transitions, 5=6430. Beta- and gamma-ray spectroscopy, 5=9868. See also Lindqvist, T., 8=6247; Nilsson, R., 8=5549; Nordling, C., 7=4668, 5569, 9=1860; Sokolowski, E., 6=4625, 8=5910, 7424; Wassberg, G., 9=8199

Siegbahn, K. and Edvarson, K. β-ray spectroscopy in the precision range of 1:10^5, 6=3155

Siegel, A. Stochastic basis of Onsager's minimum principle, 6=5057. Stochastic basis of the Eulerian variational principle in linear dissipative processes, 7=5894. See also Wiener, N., 6=3501

Siegel, A. and Wiener, N. "Theory of measurement" in differential-space quantum theory, 6=2694

Siegel, K. See Salzberg, B., 9=499

Siegel, K. M. Far field scattering from bodies of revolution, 9=4847

Siegel, K. M., Alperin, H.A., Bonkowski, R.R., Crispin, J.W., Maffett, A.L., Schensted, C.E. and Schensted, I.V. Bistatic radar cross sections of surfaces of revolution, 5=4814

Siegel, K. M., Crispin, J.W. and Schensted, C.E. Electromagnetic and acoustical scattering from a semi-infinite cone, 5=4816

Siegel, L.A. Small-angle X-ray scattering from solutions of Aerosol OT in nonaqueous media, 9=5227

Siegel, R. See Gettner, M., 9=12578

Siegel, R.T. Polarization of 350-MeV neutrons elastically scattered from nuclei, 6=709. See also Love, W.A., 9=6016

Siegel, R.T., Hartzler, A.J. and Love, W.A. Scattering of polarised neutrons from protons at 350 MeV, 6=1634

Siegel, S. Microwave spectrum and barrier to internal rotation for trans-fluoro-propylene, 8=2607

Siegert, A.J.F. On the theory of condensation, 5=245. Metastable states of a finite lattice gas, 5=4434. See also Lewis, M.B., 6=2726

Siegert, A.J.F. and Teramoto, E. Simplified derivation of the binary collision expansion and its connection with the scattering operator expansion, 8=5631

Siegfried, J.G. See Hartman, P.L., 7=3138

Siegman, A.E. Analysis of multivelocity electron beams by the density-function method, 8=7080

Siegman, A.E. and Morris, R.J. Proposal for a "staircase" maser, 9=11255

Siegman, A.E., Watkins, D.A., and Hsieh, H.-C. Density-function calculations of noise propagation on an accelerated multivelocity electron beam, 8=7081

Siekman, J.G. Lifetime measurement by time to pulse height conversion, applied to the 517 keV level of ^{85}Rb, 7=6494. See also Poppema, O.J., 5=4869

Siekman, J.G. and de Waard, H. Lifetime measurements by conversion line shift: lifetime of the 40 keV state of Tl^{208}, 8=1235. Lifetime measurements of the first excited states of Tl^{208} and Ra^{224}, 9=1732

Siekman, J.G. and Pott, G.T. Lifetime of the 241 keV state of Tn^{220}, 9=12650

Siemssen, R.H. See Bodenstedt, E., 9=2694

Sierro, J., Muller, K.A. and Lacroix, R. Paramagnetic resonance of chromium in a single crystal of rutile, 9=12469

Sieskind, M. Remark on the absorption spectra of red HgI, 7=4157. Luminescence of single crystals of red HgI_2 at very low temperatures, 8=139. See also Barriol, J., 6=3355; Nikitine, S., 5=6024, 6=324,* 798, 8=8680

Sieskind, M. and Nikitine, S. On the dichroism of the line spectrum of very thin single crystals of red HgI_2 at very low temperatures, 7=9094

Sieskind, M., Nikitine, S. and Grun, J.B. New data on reflection and absorption spectra. Anomalous dispersion and transition probabilities of single crystals of red mercuric iodide perpendicular to the optical axis, 9=10773

Sievert, R.M. A versatile instrument for the measurement in r units of radiation doses, 8=6275

Sievert, R.M., Gustafsson, S. and Rylander, C.G. Gamma radiation from some Swedish foodstuffs, 8=6267

Siewert, J. See Reuter, B., 8=185

Siewert, R. On the theory of radiation diffusion. I. Growth and decay of the excitation density, 9=4321

Signal, M.I. See Vitkevich, V.V., 8=2098

Sigmond, R.S. See Nydal, R., 8=1227

Signell, P.S. See also Bryan, R.A., 8=8257; Swart, J.J., 8=1216

Signell, P.S. and Marshak, R.E. Phenomenological two-nucleon potential up 150 MeV, 7=7172. Semiphenomenological two-nucleon potential, 8=2468

Signell, P.S., Zinn, R. and Marshak, R.E. Range of spin–orbit force between two protons, 9=2679

Signer, P. See Eberhardt, P., 9=3867, Herr, W. 9=2729; Lundén, A., 7=639

Sigoloff, S.C. Fast-neutron-insensitive chemical gamma-ray dosimeter, 7=4656

Sigwart, K. and Nassenstein, H. Phenomena in the boundary layer of two liquid phases, 6=119

Sihvonen, Y.T. Spectroheliometer for continuously monitoring solar radiation in five wavelength bands, 7=9990. See also

Bleil, C.E. 9=4047; Boyd, D.R., 9=7596; Vuylsteke, A.A., 9=4468
Sihvonen, Y.T. and Boyd, D.R. Radiation discrimination with photoconducting crystals, 8=8779. Ohmic probe contacts to CdS crystals, 9=304
Sihvonen, Y.T., Boyd, D.R. and Woelke, C.D. Some properties of green and red-green luminescing CdS, 9=5561
Sikkeland, T. See also Ghiorso, A., 8=6236-7
Sikkeland, T., Thompson, S.G. and Ghiorso, A. Reactions of uranium-238 with carbon ions, 9=3906
Sikkema, C.P. Scattering of fast neutrons by neon in the energy region 1.9 to 3.5 MeV, 7=9395
Sikkema, C.P., Pasma, P.J. and van Barneveld, H.H. Scattering of fast neutrons by neon 22, 8=5387
Sikorski, J. See Challice, C.E. (Conf. rep.), 7=5673; Charles, A., 6=5446
Sikorskiĭ, Yu.A. Effect of disruptions of the crystal lattice on the dielectric constant of rocksalt crystals, 7=2169
Siksna, R. Two different breakdowns between a positive electrode with small curvature and a plane 5=3798. Some peculiarities of the current-potential characteristics of positive corona discharge, 5=3799. Photographs of the light phenomena of positive corona, 6=389. Some constructional details of a photoelectric condensation nucleus counter. 7=933. Charged condensation nuclei formed in a room by corona discharge when alternating the polarity of the corona potential and by using alternating corona potential, 7=1794. Conduction of electricity through ice and snow. I. Discharge of a condenser through ice crystals, 7=6161. II. Current through a circuit with ice crystal inserted, 7=6162. See also Norinder, H., 5=5152, 6=9129, 7=3314, 9=8260
Siksna, R. and Metnieks, A. Conduction of electricity through ice and snow. III. Current through snow and distribution of potential in a snow sandwich, 7=6163
Silant'ev, A.N. Decay scheme of Ba^{140}, 8=7332. The use of an EPPV-51 electron automatic potentiometer for a scintillation spectrograph, 9=3876
Šilar, J. and Nováková, O. A study of the integral and local sensitivities of photocathodes, and of their effect on the characteristics of the scintillation detector plateau, 9=8206
Silberberg, A. See Eliassaf, J., 6=1706
Silberberg, R. See Chamberlain, O. 9=7262; Goldhaber, G., 8=8319
Silberg, P.A. Infrared absorption of three-layer films, 7=7763. See also Bachman, C.H., 8=8082
Silberg, P.A. and Bachman, C.H. Diffusion of hydrogen in palladium, 9=2949
Silberman. See Zil'berman.
Silberman, E. Sound velocity and attenuation in bubbly mixtures measured in standing wave tubes, 7=9572
Silberstein, M.S. See Bernsohn, E., 9=12703
Silberstein, R. Comments on the Villard-Stein-Yeh paper, "Studies of transequatorial ionospheric propagation by the scatter-sounding method", 9=4852
Silbert, M.G. See Jarmie, M., 9=13669
Silcock, J.M. Double reflexion in aluminium-copper alloys 7=897
Silcox, J. See Hirsch, P.B., 9=1873
Silin, V.P. On a theory of interaction of nucleons and mesons, 5=50. On the scattering of π-mesons by nucleons, 5=551. On the spectrum of excited systems of many particles, 5=755. On the modified Tamm method. 5=6750. On the article "On the spectrum of excited systems of many particles", 5=8519. On some thermodynamical inequalities, 6=6580. The kinetics of paramagnetic phenomena, 6=6764. On the theory of a degenerate electron liquid, 8=2031. Oscillations of a Fermi liquid in a magnetic field, 8=5703. A theory of an anomalous skin effect in metals, 8=5908. On the optical properties of metals in the infrared region, 8=8429. Oscillations of a degenerate electron fluid, 9=2090. Theory of the optical properties of conductors in the case of oblique incidence of radiation, 9=2242. On the theory of plasma waves in a degenerate electron liquid, 9=8831. See also Ginzburg, V.L. 5=72,* 6=2075
Silin, V.P. and Faĭnberg, V.Ya. The Tamm-Dancoff method, 6=2657
Silin, V.P., Tamm, I.E. and Faĭnberg, V.Ya. Method of truncated field equations and its application to the scattering of mesons by nucleons, 5=8502
Silk, E.C.H. See Barnes, R.S., 8=3503
Sill, R.C. General relation for calculation of Tammann constants for different confining media, 6=8616
Sill, R.C. and Skapski, A.S. Method for the determination of the surface tension of solids, from their melting points in thin wedges, 6=3525
Sillars, R.W. The effect of field emission on the behaviour of semiconductor contacts, 6=2093
Sillitti, R. See Baistrocchi, R., 9=11998
Sillitto, R.M. Correlation between events in photon detectors, 7=7704
Sillitto, R.M. and Wilson, M.D. "Virtual" Fresnel diffraction patterns, 8=7849
Sils, V. See Smakula, A., 6=103, 1727
Silsbee, H.B. See Bemski, G. 5=6359; Ewbank, W.B., 8=5267, 9=13597; Hobson, J.P. 5=3970, 7=1512; Hubbs, J.C., 7=2541, 8=722; Marino, L.L., 8=6211; Nierenberg, W.A., 7=2544, 9=4966
Silsbee, R.H. F-band oscillator strength determination in NaCl and KCl 7=864. Focusing in collision problems in solids, 8=8450. See also Stevens, D.K. 8=8918; Wertz, J.E., 8=5485
Silva, E. See also de Souza Santos, M.D., 9=655; Farinelli, U., 9=3917, 8627; Ferrero, F., 9=6123, 8623; Goldemberg, J., 9=493, 1774
Silva, E. and Goldemberg, J. Photodisintegration of samarium, 6=3988. Study of the reactions $Se^{82}(\gamma, n)Se^{81}$ and $Se^{82}(\gamma, n)Se^{81*}$, 7=8160. Inelastic scattering of photons in Y^{89}, 8=5376. (γ, n) and (γ, p) reactions in titanium, 9=1775
Silva, E., Goldemberg, J., Smith, P.B. and Marquez, L. (γ, n) and $(\gamma, 2n)$ Reactions in ^{93}Nb, 9=668
Silva, J.Andrade e. See Andrade e Silva, J.
Silva Porto, S.Peieira Da. See Pereira Da Silva Porto, S.
Silveira, A.da. See da Silveira, A.
Silver, A.H. and Bray, P.J. Nuclear magnetic resonance absorption in glass. I. Nuclear quadrupole effects in boron oxide, soda-boric oxide, and borosilicate glasses, 9=5952. Nuclear magnetic resonance study of boron carbide, 9=8968
Silver, A.L.L. Equal beating chromatic scale, 7=7692
Silver, E.G. and Waniek, R.W. On the use of nuclear research emulsions with embedded wires, 5=1434
Silver, M. See also Kallmann, H., 9=10983
Silver, M. and Honnold, V.R. Alternating current conductivity study of oxygen chemisorption on PbS, 6=7795
Silver, R.S. and Mackay, R.W. Mass transfer theories of fuel bed combustion, 5=7906
Silver, S. See Ehrlich, M.J. 5=5528; Heins, A.E., 5=2903, 5=6080
Silverman, A. See also McDaniel, B.D., 8=9000; Wolfe, B., 5=8180, 8253
Silverman, A., Wilson, R.R. and Woodward, W.M. Photoproduction of K mesons in hydrogen, 8=290
Silverman, B.D. and Weiss, P.R. Polarization of the electron gas in metals by substitutional impurities, 9=10261
Silverman, D. See Evans, J.F., 5=1371
Silverman, R.A. Some remarks on scattering from eddies, 6=834. Turbulent mixing theory applied to radio scattering, 6=7042. Scattering of plane waves by locally homogeneous dielectric noise, 9=2542. See also Kay, I., 9=11959
Silverman, R.A. and Balser, M. Statistics of electromagnetic radiation scattered by a turbulent medium, 5=1069
Silverman, R.H. See Plumb, R.C., 5=3249
Silverman, S. See Benedict, W.S., 6=7288-9, 7=7743
Silverman, S.J. and Singleton, J.B. Technique for preserving lifetime in diffused silicon, 9=8112
Silverman, S.M. $\alpha \to \beta$ Transformation of quartz, 7=3828. Theorem for generalized oscillator strengths, 9=3144
Silverman, S.M. and Lassettre, E.N. Comparison of theoretical and experimental electron collision cross sections for three excitations in helium, 9=1810
Silvernail, C.J. High-speed wide-range fluorite spectrograph, 7=2001
Silverstein, E. and Slater, W. An alinement and co-ordinate system for nuclear emulsion stacks, 7=1833
Silverstein, E.A. See Douglas, R.A., 7=2654; McEllistrem, M.T., 7=2653; Weinman, J.A., 8=6313
Silverstein, E.M. A systematic study of hyperfragments produced by 4.5 GeV π^- in nuclear emulsion. II. Non-mesic decays, 9=11433
Silvester, A.G. A simple periscope system for remote operations, 6=2026
Silvestri, M. See also Brigoli, B., 8=2834; Cerrai, E., 9=3964
Silvestri, M. and Adorni, N. Continuous measurement of deute-

rium concentration in hydrogen by means of thermal conductivity, 6=6858. An apparatus for continuous isotopic analysis of hydrogen-deuterium mixtures, 7=3579. Apparatus for standard measurement of the isotopic exchange of deuterium between hydrogen and water vapour at atmospheric pressure and 100°C, 7=8116

Silvestrini, V. See Bertanza, L., 9=9912; Borelli, V., 9=2556; Eisler, F., 8=1208, 1212,*9=2658, 2662, 2667

Sil'vestrov, Yu.N. See Sil'vestrova, I.M., 9=12227

Sil'vestrova, I.M. Determination of the temperature conductivity coefficients of ethylene diamine tartrate, 8=3018. See also Chumakov, A.A., 8=5860; Indenbom, V.L., 7=8444; Konstantinova, V.P., 9=13257-8

Sil'vestrova, I.M. and Sil'vestrov, Yu.N. Apparatus for measuring the pyroelectric polarization in crystals, 9=12227

Silvestrova, J.M. See Shubnikov, A.V., 9=9592

Silvey, G.A. Zn_3As_2, a semiconducting intermetallic compound, 8=1699

Silvidi, A.A. Beta spectroscopy using a diffusion cloud chamber. 7=6300. See also McGrath, J.W., 9=813

Silvidi, A.A. and McGrath, J.W. Proton magnetic resonance study of the structure of potassium pentaborate, 9=8363

Sim, A. Solution of cubics and quartics, 5=683. A quantitative theory of the electro-formation of metal—germanium point contacts, 7=8629. A note on surface recombination velocity and photoconductive decays, 9=3447. A note on the use of filters in photo-conductive decay measurements, 9=4573

Sim, A.C. and Lewin, L. Point source and sink in a parallelepiped, 5=2718

Sim, G.A. The fraction of structure factors determined in sign by a selected atom or group of atoms in a molecule, 9=7631

Šimáně, C. See Urbanec, J., 5=4708

Simanton, J.R. See also Rightmire, R.A., 9=6077

Simanton, J.R., Rightmire, R.A., Long, A.L. and Kohman, T.P. Long-lived radioactive aluminium-26, 5=3039

Simao, J. de Veiga, See de Veiga Simao, J.

Simchen, A.E. Potassium chloride whiskers in electrolyte cells, 9=5246. See also Braun, E.A., 5=2305

Simerská, M. The crystal structure of tetrammine copper sulphate $Cu(NH_3)_4SO_4 . H_2O$, 5=5114. A statistical method for the determination of the signs of structure factors, 6=7841. Determination of the orientation of monocrystals with irregular surface by means of an X-ray spectrometer with a Geiger–Müller counter, 9=10369. See also Toman, K., 9=10365

Simha, R. On the degradation of branched chain molecules, 6=5505. See also Frisch, H.L., 6=4068, 8=441

Simha, R. and Hadden, S.T. Application of cell theory to liquid hydrocarbons, 7=147

Simha, R., Wall, L.A. and Bram, J. High-speed computations in the kinetics of free-radical degradation. I. Random initiation, 9=6340

Simic, J. See Corge, C., 9=13613; Koički, S., 9=8552

Simkin, D.J. Surface tension of liquids: A note on a paper by Simons and Wilson, 6=6419. See also Bondi, A., 7=3216

Simmons, B.D. and Biagi, F. Pressure calibration of condenser microphones above 10 000 cps, 5=144

Simmons, B.E. The dynamic reactivity interpretation of pulsed neutron measurements, 9=7393

Simmons, B.E., Van Patter, D.M., Famularo, K.F. and Stuart, R.V. Coulomb excitation of neodymium, 5=2166

Simmons, D.A. See Hart, J., 5=2788

Simmons, F.S. and DeBell, A.G. Photographic technique for measuring temperatures in luminous rocket exhaust flames, 8=8736. Photographic pyrometry with a colour-separation camera, 9=9561

Simmons, C.J. Comments concerning the Kallmann–White–Newell article, "Physical properties of the atmosphere from 90 to 300 kilometers", 8=4557

Simmons, J. and Dorn, J.E. Analyses for diffusion during plastic deformation, 9=842

Simmons, J.E. Effect of proton–proton scattering on an initial longitudinal spin polarization, 7=1395

Simmons, J.W. See Fine, J., 5=4539; Kwak, N., 6=1085, 7=3145; Slayton, G.R., 5=192; Wagner, R., 7=5537

Simmons, R.O. Lattice parameter changes in deuteron-irradiated germanium, 9=5171

Simmons, R.O. and Balluffi, R.W. Low-temperature thermal expansion of copper, 8=149. X-ray study of deuteron-irradiated copper near 10°K, 8=6426. X-ray and expansion effects produced by imperfections in solids: deuteron-irradiated germanium, 9=10280

Simms, P.C. and Steffen, R.M. Lifetime of the 247 keV excited state of Cd^{111}, 8=733. β-γ angular correlation experiments and time-reversal invariance of the beta interaction, 9=2741

Simnad, M. See also Yang, L., 5=9213

Simnad, M. and Smoluchowski, R. Effect of proton irradiation upon the electrode potential of tungsten, 6=764. Effect of proton irradiation upon the rate of solution of Fe_2O_3 in hydrochloric acid, 6=765

Simnad, M.T., Smoluchowski, R. and Spilners, A. Effect of proton irradiation upon hydrogen reduction of NiO, 9=5166

Simon, A. Ambipolar diffusion in magnetic field, 5=5431. Diffusion of like particles across a magnetic field, 6=2142. Ignition of a thermonuclear plasma by high-energy injection, 9=4745. Alternative neutral burnout equation, 9=8247. See also Goldman, D.T., 9=2421; Lang, M., 7=6730

Simon, A. and Clifford, C.E. The attenuation of neutrons by air ducts in shields, 9=13556

Simon, A.C. and Gildner, D.A. Microscope attachment for accurate microdrilling and the removal of analytical samples from small areas, 9=4504

Simon, A. and Kriegsmann, H. On the Raman spectrum of solid and liquid H_2O_2, 5=3635

Simon, A., Kriegsmann, H. and Steger, E. Investigations on the improvement of the technique of Raman spectroscopic photography. I. The development of new Hg lamps, 6=8120. Contribution to the improvement of the technique of Raman spectroscopic photography. II. An apparatus for powder photographs, 6=8121

Simon, A.W. Theory of beams composed of two elastic materials, 9=13042

Simon, F. On different methods of preparing emulsions sensitive to charged particles, 6=3422. See also Berman, R., 5=8697; Kurti, N., 7=2137; Schmitt, R., 9=13997

Simon, G. The damping of elastic waves of high frequency in single crystals of a cubic ferromagnetic material, 8=7760. The behaviour of plane ultrasonic waves in homogeneously magnetized single crystals, 9=5450

Simon, H. and Suhrmann, R. (Eds). The photoelectric effect and its applications, 9=3496

Simon, H. and v.Heimendahl, M. The measurement of X-ray interference fringes with cadmium sulphide cells, 8=7603

Simon, I. Structure of neutron-disordered silica, 7=1665. See also Cornish, R.M., 9=9284; Reitzel, J., 8=2043

Simon, J. See Triché, H., 5=7820

Simon, P. Geomagnetic activity and sunspots, 5=5185. Chromospheric flares of particular importance and geomagnetic activity, 5=5186. Relations between the critical frequency of the F2 layer of the ionosphere at Fribourg and active centres on the sun during the years 1948-1951, 5=7556. Radio-emissive, and non radio-emissive solar [spot] centres. I. Optical and geomagnetic properties, 9=1001. Geomagnetic activity and [solar] eruptions, 9=12889. See also Avignon, Y., 7=6824

Simon, R. Study of wave propagation in the generalized Roche model, 5=9384. The hydromagnetic oscillations of an incompressible cylinder, 9=7209. On the reflection and refraction of hydromagnetic waves at the boundary of two compressible gaseous media, 9=8377. See also Counson, J., 7=1032; Cousinié, P., 9=13368; Fert, C., 7=4445, 7149; Ledoux, P., 5=5201, 8=5591; Pradal, F., 7=7951, 8=8822

Simon, Y. and Bok, J. Photoconductivity in zinc telluride, 9=9653

Simonds, J.L. See Nelson, C.N., 6=4764

Simonetta, M. Kinetics and mechanism of reactions of nucleophilic substitutions, 6=4709. See also Favini, G., 8=2958, 9=2884

Simonetta, M. and Carrà, S. The height of the barrier hindering rotation in nitrosodimethylamine, 9=2872

Simonetta, M., Favini, G., Carrà, S.and Pierpaoli, V. Electronic spectra of mono-, di- and tri-azines of the Naphthalene series. I. Benzotriazine and its derivatives, 7=4148

Simonetta, M., Favini, G. and Pierpaoli, V. The electronics absorption spectrum of naphthotriazines, 7=9614

Simonetta, M. and Vaciago, A. Quantum-mechanical calculation of the potential barrier for inversion of the phosphine molecule, 7=8051

Simoni, F.De. See De Simoni, F.

Simonoff, G. See Lefort, M., 9=8575

Simonot, Y. Haemolytic and chemical action of ultrasonic radiation. The influence of frequency and pressure, 6=5739.

See also Dognon, A., 5=4458-9, 6=117

Simonov, N.N. See Zel'dovich, Ya.B., 7=1702

Simonov, Yu.H. See Kazarinov, Yu.M., 7=2717

Simonov, Yu.N. See Kazarinov, Yu.M., 9=2638

Simons, H.A.B. An apparatus giving an α-particle microbeam for the irradiation of living cells, 5=1413. See also Palmer, R.B.J., 6=3432

Simons, J.C., Jr. See Grim, W.M., Jr., 9=13527

Simons, J.H. See also Cramer, W.H., 7=7994; Muschlitz, E.E., Jr., 6=5952

Simons, J.H. and Wilson, W.H. Surface tension and viscosity of liquids, 5=5246

Simons, L. Calculation of energy levels of the valence electron in sodium, 5=4874. The inverse reactions $B^{11}(p, \gamma)C^{12}$ and $C^{12}(\gamma, p)B^{11}$, 8=767. Remarks on Coulomb excitation, 8=4310. Calculation of sizes, effects and neutron fluxes in cylindrical graphite reactors, on all sides surrounded by a finite reflector, 8=4356. Some properties of the irregular rotational spectra in odd-mass nuclei, 8=6221. On the angular distributions in (p, γ) and (p, γ, γ) reactions, 9=6106. Spin and parity of the 760 keV resonance level in the reaction $Si^{20}(p, \gamma)P^{31}$ and of the intermediate levels in P^{31}, 9=8577. 515 keV and 679 keV resonances in the reaction $Na^{23}(p, \gamma)Mg^{24}$, 9=8580. On the triple angular correlations in (p, γ) reactions, 9=8588. Spin and parity of the 4. 2 MeV level in Si^{28}, 9=13612

Simons, S. The absorption of very high frequency sound in dielectric solids, 8=4804. See also Garcia Moliner, F., 8=5470

Simonyi, K. Some problems in the design and construction of nuclear physics accelerators for particle energies of a few MeV, 7=3365. On the possibility of the utilization of atomic energy without charge reaction, 7=4690. See also Hrehuss, G., 9=7236; Kálmán, G., 8=5413; Neszmélyi, A., 8=4328

Simonyi, K. and Uzsoky, M. About the star-like fusion reactor, 8=4357

Simova, P. On a new case of molecular diffraction of light observed during the dissolution of two illimitably miscible liquids, 5=4571

Simova, P.D. Investigation of the spectra of combination scattering of light by liquids in the high-frequency region, 6=247

Simova, P.D. and Skorchev, B. On the effect of intramolecular hydrogen bonds on Raman spectra, 6=1997

Simowa, P.D. The rotational structure of the 217 cm^{-1} band of the Raman spectrum of carbon tetrachloride, 7=6035

Simpson, A.W. See Bates, L.F., 6=2251; Hurd, J.D., 9=6891

Simpson, C.J.S.M. Out of the plane bending vibrations of planar molecules, 6=5285

Simpson, D.M. See Sheppard, N., 5=4839

Simpson, F.B. See also Fluharty, R.G., 7=726; Simpson, O.D., 6=8386

Simpson, F.B. and Fluharty, R.G. Neutron transmission measurements and resonance parameters in Cd, 7=3669

Simpson, J.A. The theory of the three-crystal electron interferometer, 5=1890. The cosmic radiation and solar-terrestrial relationships, 7=1025. Electron interference experiments, 7=2299. See also Conforto, A.M., 8=1112; Klein, R., 8=7870; Leder, L.B., 9=344; Lüst, R., 8=1451; Marton, L., 5=1889, 8016, 9702, 9=341, 522; Meyer, P., 5=1032, 9736, 7=2387; Rose, D.C., 6=8854

Simpson, J.A., Babcock, H.W. and Babcock, H.D. Association of a "unipolar" magnetic region on the sun with changes of primary cosmic-ray intensity, 5=6699

Simpson, J.A., Fenton, K.B., Katzman, J. and Rose, D.C. Effective geomagnetic equator for cosmic radiation, 6=5995

Simpson, J.A., McCraw, T.F. and Marton, L. Distribution of electrons scattered by solids, 7=1373

Simpson, J.H. On the thermal and optical excitation of colour centres, 8=4436

Simpson, J.H. and Carr, H.Y. Diffusion and nuclear spin relaxation in water, 9=3207

Simpson, J.W. On the thermal ionization of trapped electrons in ionic solids, 5=8949

Simpson, N.H. See Hackerman, N., 7=1670

Simpson, O. Electronic properties of aromatic hydrocarbons. III. Diffusion of excitons, 7=6720. See also Northrop, D.C., 5=2722, 6=2884, 3873-4, 8=4025

Simpson, O. and Northrop, D.C. Fluorescence transfer in condensed aromatic hydrocarbons, 5=3620

Simpson, O.D. See also Fluharty, R.G., 7=726

Simpson, O.D., Fluharty, R.G. and Simpson, F.B. Neutron resonance parameters and transmission measurements in U^{235}, 6=8386

Simpson, S.D. See Cowper, G., 5=6413

Simpson, W.T. Classification of π-electron states, 6=8898. Modification of the vector model to include a first-order nonorthogonality correction, 7=2785. Calculation of bond eigenfunction matrix elements with the vector model, 7=4598. Resonance free theory of carotenoid pigments, 7=6379. Formal Hückel theory, 8=4394. See also Albrecht, A.C., 5=8612; Braunstein, J., 5=2962-3; Hunt, H.D., 7=8054; McGlynn, S.P., 8=9095; Nelson, R.C., 5=6916; Shull, H., 8=8596

Simpson, W.T. and Peterson, D.L. Coupling strength for resonance force transfer of electronic energy in Van der Waals' solids, 7=6702

Sims, A.L. and Leeson, T.S. An ultra-microtome, 7=7041

Sims, C.C. and Bobber, R.J. Pressure phone for hydrophone calibrations, 9=13118

Sims, C.T., Gaines, G.B. and Jaffe, R.I. Refractory-metal thermocouples containing rhenium, 9=8180

Sims, G.D. See also Gabor, D., 6=6737, 6739

Sims, G.D. and Gabor, D. Theory of the preoscillating magnetron. II. Perturbations of a double stream steady state, 7=490

Sinaev, A.N. See Bayukov, Yu.D., 7=8142

Sinani, S.S. See also Gordyakova, G.I., 8=7993; Gordyakova, G.N., 8=7048

Sinani, S.S. and Gordyakova, G.N. Solid solutions of Bi_2Te_3-Bi_2Se_3 as a material for thermoelements, 7=7127

Sinanoglu, O. and Pitzer, K.S. Theoretical pre-exponential rate factors for abstraction reactions, 9=6342

Sinclair, D. Automatic balance for measurement of the strength of glass fibres, 6=3325. See also Brown, J.L., 9=13571; Hogg, W.R., 6=6936; Hughes, I.S., 6=3205

Sinclair, J.R. See Coulter, L.V., 9=10934

Sinclair, R.M. Gammar radiation from the interaction of 4. 4-MeV neutrons with Fe^{54} and Fe^{56}, 5=9930. Gamma radiation from inelastic scattering of fast neutrons by isotopes of tellurium nickel and copper, 6=3966. Nuclear energy levels excited by fast neutrons, 8=307. See also Emmerich, W.S., 7=2716

Sinel'nikov, K.D. See also Esel'son, B.N., 7=4284; Kaganov, M.I., 8=809

Sinel'nikov, K.D., Ivanov, V.E., Safronov, B.G., Azovskiĭ, Yu.S. and Aseev, G.G. Separation of isotopes in non-stationary molecular flow, 8=8375

Sinel'nikov, K.D. and Ryazanov, A.N. On the increase of the resolving power of optical systems, 9=9522

Sinel'nikov, K.D., Safronov, B.G., Aseev, G.G. and Azovskiĭ, Yu.S. Separation of isotopes by the passage of an atomic beam through an ionizing region, 8=3402

Sinel'nikov, K.D., Shklyarevskiĭ, I.N. and Vlasenko, N.A. Optical characteristics of compound interference light-filters, 6=8131. Complex interference optical filters with improved characteristics, 8=976. Double refraction by fluoride layers, 8=1637

Sinel'nikov, N.N. and Filipovich, V.N. The adiabatic calorimeter—an apparatus for the simultaneous determination of thermal capacity and thermal conductivity, 8=6928

Sinfelt, J.H. and Drickamer, H.G. Resistance in a liquid–liquid interface. III. The effect of molecular properties, 5=8544

Sing Poen Ong. See Ong Sing Poen.

Singer, J. Jig for aligning specimens on pole figure goniometers, 6=2553. See also Anolick, E.S., 8=8903; Chernock, W.P., 7=1667

Singer, J. and Cromer, D.T. The crystal structure analysis of zirconium sulphate tetrahydrate, 9=13941

Singer, J.M. See Grumer, J., 7=7826

Singer, J.R. Magnetic susceptibility of NiO and CoO single crystals, 7=2424. Electro-mechanical model of the human visual system, 7=4926. Information theory and the human visual system, 9=9115. See also Yariv, A., 9=8344

Singer, J.R. and Johnson, S.D. Transistorized nuclear resonance magnetic field probe, 9=8359

Singer, K. Use of Gaussian functions for intermolecular potentials, 8=1297

Singer, L.S. Paramagnetic resonance absorption in some Cr^{+3} complexes, 5=2887. Synthetic ruby as a secondary standard for the measurement of intensities in electron paramagnetic resonance, 9=12474

Singer, L.S. and Kikuchi, C. Paramagnetic resonance absorption in single crystals of diphenylpicrylhydrazyl at low temperatures, 6=485

Singer, S. See also Frauenfelder, H., 6=6864; Zimmerman, E.J., 5=996

Singer, S., Neher, L.K. and Ruehle, R.A. Pulsed photomultipliers for fast scintillation counting, 6=2204

Singer, S.F. Application of an artificial satellite to the measurement of the general relativistic "red shift", 7=1042. Crucial experiment concerning the origin of meteorites, 7=2931. "Radiation belt" and trapped cosmic ray albedo, 9=1567. Trapped albedo theory of the radiation belt, 9=1568. Cause of the minimum of the earth's radiation belt, 9=13970. A new model of magnetic storms and aurorae, 8=4545. Cosmic-ray evidence on the origin of meteorites, 8=5582. See also Corrigan, J.J., 8=8100; Shen, K.Y., 7=6323; Wentworth, R.C., 9=13538

Singer, S.F. and Wentworth, R.C. A method for the determination of the vertical ozone distribution from a satellite, 8=4560

Singh, A.D. and Pathria, R.K. Bose–Einstein statistics and helium films, 9=10921

Singh, B. Excitation of characteristic K X-rays from elements by protons, deuterons, and alpha particles, 8=3166. Cross sections for L-shell ionization of Ag by protons, deuterons, and alpha particles, 8=7434

Singh, B.P., Hans, H.S. and Gill, P.S. Investigation of the decay of polonium-210, 9=638. The study of noise pulses and a liquid scintillator, 9=11312

Singh, D.D. See Puri, B.R., 8=3933

Singh, H. Sound absorption in relation to free volume of liquids, 9=102. See also Parthasarathy, S., 8=3796, 9=4368

Singh, H. and Nolle, A.W. Pressure dependence of the viscoelastic behavior of polyisobutylene, 9=7553

Singh, I. Effect of e.m. radiation on the self-energy of free-electrons. I, 5=2403

Singh, J. A spectroscopic study of a condensed and uncondensed spark between copper electrodes in three different gases at various pressures. IV. Possible explanations of observed spectral peculiarities, 7=4387. A note on temperature compensation in gravimeters, 9=7664

Singh, J.J. Radiative capture of protons in Be^9, 9=8583. Gamma rays from Si^{29} + p, 9=13664. See also Broude, C., 6=2404, 7=6520, 9817; Green, L.L., 5=9002, 6=5384

Singh, J.J., Davis, V.W. and Krone, R.W. Energy levels in Na^{23} from the $\mathrm{Ne}^{22}(p, \gamma)\mathrm{Na}^{23}$ reaction, 9=12628

Singh, K. Spatial distribution of electrons in the nitrogen molecule, 8=4386. See also Bowden, F.P., 5=2282

Singh, K.K. Fermi's statistical theory of multiple pion production, 5=9145. See also Baijal, J.S., 6=6392

Singh, L. A new electronic concept of the double bond, 7=7280. A new electronic concept of the aromatic bond, 7=7281. "Satellite-electron" theory of ferromagnetism, antiferromagnetism and related phenomena, 8=225. A new approach to the diamagnetic anisotropy of benzene. The anisotropy of σ-electrons, 9=394

Singh, L.S. See Castillejo, L., 9=4905-6; Dube, P., 5=1150; Yadav, H.N., 9=11371

Singh, N.L. Rotational analysis of the β bands of phosphorus monoxide, 9=5114

Singh, N.L. and Straley, J.W. Vibrational intensities in halogenated methanes. II. Methylene bromide and methylene iodide, 7=2515

Singh, P.P. See also Griffiths, G.M., 9=9895

Singh, P.P., Griffiths, G.M., Ssu, Y.I. and Warren, J.B. The neutron yield from heavy ice targets bombarded with protons below the $D(p, n)^2p$ threshold, 9=10104

Singh, R. See also Band, W., 7=4283

Singh, R. and Shemilt, L.W. Critical constants of n-butanol, 5=8699

Singh, R.G. See Hariharan, P., 9=7996

Singh, R.N. and Murty, Y.S.N. Limiting polarization curves for radio wave propagation in the ionosphere, 8=7216

Singh, R.N. and Prakash, A. Study of the E-layer winds with continuous-wave radio signals, 9=4136

Singh, S. On the jet formation by explosives with lined hemispherical cavities, 6=111.* Spatial distribution of fragments of explosively loaded thin-walled steel cylinders, 7=1938. Corner fractures in explosively loaded thin-walled steel cylinders, 7=5662. Penetration by high-speed metallic jets, 7=8446. A note on penetration by rotating shaped charges, 8=2169. Possible explanation of "after-jet" by the detonation of shaped charges, 8=5724. See also Dieke, G.H., 6=5769

Singh, S., Krishnaswamy, N.R. and Soundraraj, A. Hardness plateaus and twinning in steel by explosives with lined cavities, 6=6986

Singh, S. and Soundraraj, A. Twinning in explosively loaded steel, 8=7590

Singh, V. On the interaction Hamiltonian of symmetric pseudoscalar meson theory, 9=6529

Singletary, J.B. and Wood, D.E. Scattering of 14 MeV neutrons by carbon, 9=11484

Singleton, D.G. A study of "Spread-F" ionospheric echoes at night at Brisbane. III. Frequency spreading, 7=6764

Singleton, J.B. See Silverman, S.J., 9=8112

Singleton, J.H. and Halsey, G.D., Jr. The growth of crystalline layers on foreign surfaces, 5=5062

Singru, R.M. See Jha, S., 9=7320

Singwi, K.S. See Kothari, L.S., 5=9280, 6=8025, 7=5747, 6621, 9418; Khubchandani, P.G., 8=8980

Sinha, A.P.B. See Irani, K.S., 8=2668

Sinha, K.P. On the quantum yield of colour centres in alkali halides, 9=11569. Electronic configuration of cations in some distorted spinels, 8=3459. See also Finch, G.I., 5=5119, 7=6658

Sinha, K.P. and Biswas, A.B. On the theory of photographic process, 5=4267

Sinha, K.P. and Dasgupta, A.K. Evaporation of trace impurities from the matrix of a host lattice, 5=10072

Sinha, M.S. See also Basu, N., 8=4253; Biswas, N.N., 7=8179; Sen Gupta, S.N., 7=9405

Sinha, M.S. and Das, N.C. Evidence for direct emission of a pair of γ-rays from the point of decay of a K-meson, 7=4758. Nuclear size from cosmic-ray interactions, 7=5548. Production of θ° from an S-event, 8=292. Identification of particles from a probable Λ°-decay, 8=295

Sinha, M.S. and Mallik, C.R. Associated production of Σ^0 and $K\mu^{+}{}_{2}$, 8=6196

Sinha, M.S. and Sengupta, S.N. Evidence for a heavy neutral K-particle and its cascade decay, 7=8855

Sinha, S.P. and Prasad, S.S. Determination of internuclear distance in di-atomic molecules from the intensity of vibrational bands, 9=10195

Sinisgalli, A.A. See Ollom, J.F., 6=3631

Sinitsy̆n, M.V. See Zel'dovich, Ya.B., 9=5444; Luk'yanov, S.Yu., 8=8005

Sinke, G.C. See Hildenbrand, D.L., 9=12198

Sinn, W. Influence of physiological optics on lighting practice, 5=7567

Sinno, K. Studies on the disturbances in F2 layer associated with geomagnetic disturbances, 5=10115, 6=9083. On radio propagation disturbances, 9=4141. On the origin of long-lived solar corpuscular streams which appeared last solar cycle 1950 to 53, 9=4215. Characteristics of solar outbursts to excite geomagnetic storms, 9=10513. See also Nagata, T., 6=2586

Sinnott, K.M. Apparatus for the measurement of shear modulus and internal friction between 4.2 and 100°K, 9=2971

Sinton, W.M. Observations of solar and lunar radiation at 1.5 millimeters, 6=10. Observation of a lunar eclipse at 1.5 MM, 6=3441

Sinue, J. See Huynh, V.D., 9=8514

Sinvhal, S.D. See Bappu, M.K.V., 8=3649

Sinyakov, E.V. and Gal'pern, V.V. Investigation of the dependence of the dielectric permittivity and the tangent of the dielectric loss angle of barium titanate on the strength of a high-frequency electric field, 6=7380

Sinyakov, E.V. and Izhak, I.A. Influence of mechanical pressure on the dielectric characteristics of ferroelectric ceramics, 5=7008

Sinyavskiĭ, A.P. See Khartman, V.G., 6=4465

Sinyukova, I.A. See Stepanov, I.V., 9=10887

Sioles, G.W. See Levy, S.E., 9=11968

Sion, E. Time constants of radiosonde thermistors, 5=5760

Siota, T. Particle size determination by small angle X-ray scattering, 9=5786

Siota, Y. Periodic potential in metals, 9=11548

Sipahioglu, O. Interval of time between chromospheric eruptions and geomagnetic perturbations, 7=4997

Šípek, L. A note on the calculation of the profile of pole pieces of a strong focussing synchrotron, 9=5823

Sippel, R.F. See Bent, R.D., 5=7344, 8217

Šips, L. See Alaga, G., 8=5323, 6263, 9=6090

Sira, M.Y.Ben. See Ben Sira, N.Y.

Sirenko, A.F. See Pines, B.Ya., 9=6307, 9013, 7=6649

Siri, W.E. Apparatus for measuring human body volume, 7=970

Sirkar, S.C. See also Biswas, S.G., 9=11635

Sirkar, S.C. and Biswas, D.C. On the fluorescence of p-chlorotoluene in the solid state at low temperatures, 6=3634

Sirkar, S.C. and Kastha, G.S. Raman spectrum of frozen solution of CS$_2$ in methyl cyclohexane, 6=1996

Sirkar, S.C. and Sen, S.N. On the nature of extra reflections in the Laue photographs of some diamonds of known relative fluorescence efficiencies, 6=8484

Sirkar, S.C., Voelz, F.L. and Cleveland, F.F. Raman and infrared spectra and structure of 2, 6-dioxaspiro (3, 3)heptane, 5=9579

Sirkis, M.D. See Coleman, P.D., 6=7548

Širkov, D.V. See Bogoljubov, N.N., 6=4805, 9=8158; Shirkov, D.V.

Sirlin, A. Angular distribution of betatron target radiation, 6=2933. Spectrum of target bremsstrahlung at small angles, 7=6275. Pion decay and possible nonlocal effects in the theory of Fermi interactions, 8=5632. See also Behrends, R.E., 6=908; Kinoshita, T., 7=8863, 8865, 9912; 8=5219, 9=6014, 7278. Margolis, B., 9=11355

Sirlin, A. and Spitzer, R. Possible methods for the determination of strange-particle parities, 9=12593

Sirota, N.N. The temperature dependence of the thermal capacity of solid bodies, 8=3050

Sirotin, Yu.I. Thermal stresses arising on the heating and cooling of monocrystals, 7=8445. See also Indenbom, V.L., 7=8444

Sirotinskaya, A.A. See Bogomolov, A.A., 9=14004; Bogomolov, C.S., 9=14000, 14007

Sirotyuk, M.G. Transformation of acoustic longitudinal waves into shear or torsional vibrations, 9=11920

Sirounian, V. See Callaway, J., 7=9771

Sirvetz, M.H. See also Blum, S.L., 9=9796

Sirvetz, M.H. and Saunders, J.H. Resonance widths in polycrystalline nickel-cobalt ferrites, 6=3823

Sirvetz, M.H. and Zneimer, J.E. Microwave properties of polycrystalline rare earth garnets, 9=430

Sisefsky, J. A method for determination of particle penetration depths in a filter, 9=4051

Sisman, O. See Bopp, C.D., 5=10036, 6=3340

Sissons, H.A. See Jowsey, J., 6=8533

Sistiaga, J.M. Residual tensions in metals; their determination. I. Generalities. Methods of determination, 9=6315; II. Methods of determination (continued). Conclusions, 9=6316

Sitenko, A.G. Generation of γ-quanta in the collision of charged fast π-mesons with nuclei, 7=3626. Theory of the stripping reaction, 7=3657. Production of π-meson pairs by high-energy γ-rays on nuclei, 7=3726. On the polarization of nucleons in high energy stripping reactions, 9=8573. Fission of non-spherical nuclei, 9=11487. Bremsstrahlung of ultra-relativistic particles in a central field, 8=3284. See also Akhiezer, A.I., 6=5385, 7437, 7=7383, 8=1796, 5363, 7376, 9=1608; Rozentsveig, L.N., 6=6163

Sitenko, A.G. and Kaganov, M.I. Energy losses of a charged particle moving in an anisotropic medium, 5=8827

Sitenko, A.G. and Kolemenskiĭ, A.A. Motion of a charged particle in an optically active anisotropic medium. I, 6=6701

Sitenko, A.G. and Rozentsveĭg, L.N. Diffraction production of proton-antiproton pairs by high-energy photons, 7=8164

Sitenko, A.G. and Stepanov, K.N. On the oscillations of an electron plasma in a magnetic field, 7=3465

Sitenko, T.N. See Lyashenko, V.I., 7=5328

Sites, J.R. See Boyd, G.E., 5=9845; Rosenstock, H.M., 6=2520

Sitkei, G. Contribution to the theory of [liquid] jet atomization, 9=10657

Sitko, R.Ya. See Zheludev, I.S., 7=7847, 8=3070

Sitnik, G.F. Energy distribution in absolute units of the continuous spectrum in the centre of the solar disk, 7=3920. A primary standard for absolute spectrophotometric measurements, 7=4113. Application of silver sulphide photoelectric cells with a barrier layer to absolute spectrophotometry and pyrometry. II. Method of application of a S.S.P.C. [silver sulphide photoelectric cell] to absolute spectrophotometric and pyrometric measurements, 8=2225. The effect of scattered light in a monochromator during absolute measurements using a standard source, 8=6796

Sitnikov, K. P. Concerning an experimental verification of the thermodynamical theory of spin-spin paramagnetic relaxation in parallel fields, 9=821. Determination of spin-lattice relaxation time from the shape of the [paramagnetic] absorption curve in parallel fields, 8=9128

Sitte, K. Note on the technique of experiments on air shower time variations, 6=5988. Electron production in showers of energies between 10 and 100 GeV, 7=507. The extragalactic density of cosmic radiation, 7=7997. See also Askowith, J.G., 5=1963; Froehlich, F.E., 5=1962; Gozani, T., 9=3623

Sitte, K., Froehlich, F.E. and Nadelhaft, I. Electron production in high-energy nuclear interactions, 5=1977

Sittig, E. See Bauer, H.J., 9=7428

Sittkus, A. Studies on daily variations of cosmic radiation with a large ionization chamber, 5=9746. Observations on radioactive vapour from atomic experiments in the years 1953/54, 6=841. The anomalous increase of the cosmic radiation on February 23rd, 1956, 7=518. Analysis of fallout particles from technical nuclear experiments, 9=13626. See also Lehmann, L., 9=7584; Remy, E., 5=6271, 7=2389

Sittkus, A., Kuhn, W. and Andrich, E. The observation of the cosmic ray eruption of the 23rd February 1956 in Freiburg-im-Breisgau, 6=8271

Sivadjian, J. New sensitive layers for scientific use, 5=10150

Sivarajan, S.R. Light scattering in silver sols, 5=4569. See also Krishnan, R.S., 5=878

Sivaramakrishnan, N. H. and Rao, M.R.A. Studies on macromolecules. The spreading properties of rubber and its derivatives, 5=6376

Sivaramakrishnan, V. Magneto-optic constants of ions in aqueous solutions, 9=231. Faraday effect in cubic crystals, 8=3009. Dispersion of Faraday rotation in some optical glasses, 8=3010. See also Ramaseshan, S., 7=4250

Sivaramamurty, V. See Haranath, P.B.V., 9=12010

Sivertsen, E. See Peterson, G.E., 6=4951, 9=1217

Sivukhin, D.V. Diffraction of a plane sound wave at a spherical cavity, 6=4939. Theory of elliptic polarization of light reflected from isotropic media, 6=5037. The principle of superposition and theory of dispersion, 9=11296. On the energy of the electromagnetic field in dispersing media, 9=11297

Sizmann, R. See Riehl, N., 9=10843

Sixtus, K.J., Kronenberg, K.J. and Tenzer, R.K. Investigations on barium ferrite magnets, 6=8865

Sizeland, M.L. See Cuninghame, J.G., 5=9718

Sizoo, G.J. See de Haan, E.F., 6=2925, 3153; Hamers, H.C., 7=8674; van Duuren, K., 9=8401; Zijp, W.L., 5=2108

Sjöberg, N. See Lunden, A., 5=7462

Sjöberg, N.G. See Lunden, A., 6=3338

Sjöberg, S. See Rudström, L., 8=5945

Sjoblom, R. See Cox, S., 9=5076; Friedman, A.M., 6=6108; Smith, A., 9=3934

Sjoblom, R.K. See Smith, A.B., 9=10138; Vandenbosch, S.E., 9=12659

Sjöborg, T. See Haeffner, E., 6=2334

Sjögren, B. Angular distributions of proton groups from the reaction B^{10}(d, p)B^{11}, 7=6558. Comparison between experimental and theoretical angular distributions of some proton groups from B^{10}(d, p)B^{11} and O^{18}(d, p)O^{19}, 8=8322. See also Ingelstam, E., 6=7253

Sjögren, B. and Ahnlund, K. Proton angular distributions from the reaction N^{14}(d, p)N^{15}, 8=8323

Sjölander, A. On the scattering of slow neutrons by KCl, 8=6147. On two-phonon processes in neutron diffraction against crystals, 8=6148

Sjölander, A. and Köhler, S. Polarization of nucleons by scattering with spin-orbit coupling, 5=2422

Sjöstrand, F.S. Fine structure of cytoplasm: the organization of membranous layers, 9=10438

Sjöstrand, N.G. Measurements on a subcritical reactor using a pulsed neutron source, 7=731. How to solve the reactor equation in eleven coordinate systems, 9=710. See von Dardel, G., 5=1250, 2218

Sjöstrand, N.G. and Rentze, A. The "geometric buckling" of spheroidal nuclear reactors, 8=6341

Skalinski, T. See Diamond, F., 8=7426

Skalinsky, T. Optical orientation of atoms in the saturated vapour of caesium, 8=5417

Skal'skaya, I.P. See Grinberg, G.A., 6=6802; Lebedev, N.N., 9=1399

Skanavi, G.I. See also Gubkin, A.N., 7=6155, 9=5664, 12223;

Kashtanova, A.M., 9=12212

Skanavi, G.I. and Demeshina, A.I. Dielectric properties of bismuth titanates, 7=2177. Neutralizing effect in silicate glasses, 8=6947

Skanavi, G.I. and Gubkin, A.N. The problem of considering the internal field in the relaxation polarization in polycrystalline dipolar dielectrics, 5=6104. Investigation of the dielectric polarization of organic dipolar crystals, 5=7015

Skanavi, G.I. and Kashtanova, A.M. Methods of measuring the coefficient of thermo-e.m.f. in semiconductors, 7=1317

Skanavi, G.I., Ksendzov, Ya.M., Trigubenko, V.A. and Prokhvatilov, V.V. Relaxation polarization and losses in nonferroelectric dielectrics possessing very high dielectric constants, 8=1672

Skanavi, G.I. and Lipaeva, G.A. The temperature and frequency dependence of the dielectric constant and loss angle of solid dielectrics at a wavelength of 3 cm, 6=8162

Skanavi, G.I. and Maslov, V.V. Dielectric characteristics and structure of polycrystals of the system ZnO. TiO$_2$−1.5 MgO . TiO$_2$, 5=7011

Skanavi, G.I. and Matveeva, E.N. New non-ferroelectric dielectrics possessing very high dielectric constants and low conductivity, 6=8759

Skanavi, G.I. and Sarafanov, V.I. Dielectric strength of titanates of metals of the 2nd group of Mendeleev's table at h.f. voltages, 5=6119

Skapski, A., Billups, R. and Rooney, A. Capillary cone method for determination of surface tension of solids, 7=7648

Skapski, A.S. Capillary relation between temperatures and size of ice particles in clouds, 9=12906. See also Sill, R.C., 6=3525

Skards, I.V. The obtaining of ultrasonic radiation of constant intensity when irradiating in a vessel with untuned bottom, 6=4928. A powerful ultrasonic installation for irradiating microorganisms, 6=6459

Skarsgard, H.M. See Bell, R.E., 6=7674

Skarsgard, L.D. See Roalsvig, J.P., 9=8625

Skarsvåg, K. Method of recording the decay of phosphorescence, 5=6030. A fast neutron detector, 8=8186. Proton−proton scattering with unpolarized beam and target, 9=1662. See also Ashmore, A., 8=8224

Skavlem, S. and Espe, I. Application of the variational method to the calculation of proton-proton scattering in the region 0-5 MeV, 6=3485

Skavlem, S. and Tjötta, S. Steady rotational flow of an incompressible, viscous fluid enclosed between two coaxial cylinders, 5=2503

Skeats, N.B. See Terry, J.E., 5=5355

Skertchly, A.R.B. A proportional counter tube for X-ray diffraction analysis, 6=5167. The Laue goniometer and its use as a proportional diffractometer, 6=8480. On a proposed detector for the visual observation of X-ray diffraction images by electronic scanning, 7=873.* A proportional counter tube for X-ray diffraction analysis, 7=7974. Calculation of the macro absorption factor for a cylindrical specimen irradiated with a fine beam, 9=7604

Skidmore, I.C. See Marlow, W.R., 8=7580

Skidmore, M.R. See McNally, J.R., Jr. 8=1080

Skiff, E.W. See Dols, C.G., 8=4114

Skilbreid, O. See Elbek, B., 9=8591; Nielsen, K.O., 9=1720

Skillman, T.L. and Bender, P.L. Measurement of the earth's magnetic field with a rubidium vapor magnetometer, 9=2999

Skinner, G.B. Limitations of the reflected shock technique for studying fast chemical reactions, 9=10345

Skinner, H.A. The valence-states of some elements from groups 2, 3 and 4; configurations containing *d*-orbitals, 5=10048. See also Pritchard, H.O., 5=3014

Skinner, K.G. Digest of the literature on dielectrics. Ceramic insulation, 9=5649

Skinner, M.W. and Thompson, H.W. Intensities of vibration bands. VIII. The C ≡ N group, 5=5327

Skinner, N.J. See also Lyon, A.J., 8=7627; Wright, R.W., 6=8511

Skinner, N.J., Hope, J. and Wright, R.W. Horizontal drift measurements in the ionosphere near the equator, 9=4138

Skinner, N.J. and Wright, R.W. F$_2$-layer regularities at Ibadan, 5=1389. Some geomagnetic effects in the equatorial F$_2$-region, 5=5788. Recombination and ion production from the total electron content, 6=828. Equatorial ionospheric absorption, 6=9079. The effect of the equatorial electrojet on the ionospheric E$_s$ and F2 layers, 7=8951

Skinner, R. A quantum mechanical description of collective motions, 6=8597

Skinner, R.E. and Cohen, E.R. Reduced delayed neutron group representations, 9=8652

Skinner, S.M. Diffusion, static charges, and the conduction of electricity in nonmetallic solids by a single charge carrier. I. Electric charges in plastics and insulating materials, 5=6101. II. Solution of the rectifier equations for insulating layers, 5=6102

Skinner, S.M., Savage, R.L. and Rutzler, J.E., Jr. Electrical phenomena in adhesion: further comments on electron atmospheres, 5=273

Skirda, N.V. See Zhdanov, A.P., 8=3376

Skirrow, G. and Wolfhard, H.G. Studies of chlorine trifluoride flames, 5=9611

Skjeggestad, O. The nature of the taper tracks of heavy ions in nuclear emulsions, 8=6105. A simple method for charge determination of heavy fragments from nuclear disintegrations, 9=1642. An investigation of heavy fragments emitted from stars in nuclear emulsions, 9=10040. See also Breivik, F., 9=10041

Skjeggestad, O. and Sørensen, S.O. Mesonic decay in flight of a triton hyperfragment, 6=6187. Mesonic decay of a lithium hyperfragment, 7=2581. Emission of heavy fragments in nuclear disintegrations, 9=6104

Skjeggestad, O., Sörensen, S.O. and Solheim, A. Disintegration of hyperfragments, 7=7422

Skjöldebrand, R. A fast-neutron scintillation counter with tissue response, 5=8040. An infrared spectrometer and its use for the isotopic analysis of heavy water, 7=230. See also Carlbom, L., 6=7637

Sklar, D.L. See Ward, W.D., 9=4175, 7711-12, 10473, 11689

Sklyarevskiĭ, V.V. See also Samoilov, B.N., 9=13604

Sklyarevskiĭ, V.V., Fomenko, D.E. and Stepanov, E.P. Investigation of U^{235} fission γ-rays in the energy region up to 250 keV, 7=6517

Sklyarevskiĭ, V.V., Stepanov, E.P. and Medvedev, B.A. K-shell X-rays from fission fragments and their fission-fragment/charge distribution, 9=7368

Skobelkin, V.I. On N.S. Akulov's theory of "autogenesis", 5=5686.* Birefringency in non-linear electrodynamics, 5=6733. Variational principles in hydrodynamics, 7=1100. See also Kogarko, S.M., 9=1194, 9324

Skobelkin, V.I. and Solomko, R.N. Magnetostatics with ferromagnetics, 5=8085

Skobkin, V.S. See Flerov, G.N., 8=3388

Skochdopole, R.E. See also Gerstein, B.C., 7=8572; Griffel, M.: 6=7358

Skochdopole, R.E., Griffel, M. and Spedding, F.H. Heat capacity of erbium from 15 to 320°K, 6=1177

Skogen, N. Inverted soap bubbles—a surface phenomenon, 6=4235. Formation of electron beams in h.f. discharges and some related phenomena, 7=432. Increase of surface tension of certain solutions when brought into contact with hot gases, 8=3764

Skoglund, A. and Ore, A. Changes in the dielectric constant of crystal phosphors irradiated with X-rays, 6=8171

Skolnick, L.P., Kondo, S. and Lavine, L.R. An improved X-ray method for determining cation distribution in ferrites, 9=1940

Sholnik, M.I. and Puckett, H.R., Jr. Relaxation oscillations and noise from low-current arc discharges, 5=3806

Skonieczny, R.F. See Hahn, R.B., 6=5513

Skoog, J.A. and Setterlund, G.G. Space requirements for equipment items subjected to random excitation, 9=4401

Skopenko, A.I. See Kvasnitskaya, A.N., 8=5902

Skorchev, B. See Simova, P.D., 6=1997

Skorka, S. Latitude effect of the nucleon and meson components of cosmic-rays at sea level in the Indian and Atlantic oceans, 8=8102. See also Bagge, E., 8=8092

Skorko, E. See Skorko, M., 7=9669

Skorko, M. and Skorko, E. The model of the electron, 7=9669

Skornyakov, G.P. The asymmetry of the voltage in a d.c. arc, 7=423

Skornyakov, G.P. and Kirillova, M.M. Application of Kravets' method for the determination of the optical constants of metals, 9=12137

Skornyakov, G.P. and Sasovskaya, I.I. Effect of the contact surface on the optical properties of silver in the region of its reflection minimum, 9=10866

Skornyakov, G.V. Three-body problem with short-range forces. II, 7=3005

Skornyakov, G.V. and Ter-Martirosyan, K.A. The solution of the problem of the motion of three nucleons in the limiting case of short-range forces, 6=6358. Three-body problem with short-range forces. I. Scattering of low-energy neutrons by deuterons, 7=3004

Skorobogatov, B.S. Investigation of the propagation of waves in optical waveguides, 8=6897

Skotnický, J. An electronic thermoregulator, 6=1173. Principles of an instrument for precision colorimetry (of solutions), 9=5236

Skramstad, H.K. See Wright, J.H., 7=4964

Skribeland, S. See Landmark, B., 8=8544

Skripin, G.V. See Kuz'min, A.I., 6=5201. See also Skrȳpin, G.V.

Skripkin, V.A. Conditions for shock waves according to the general theory of relativity, 9=11931

Skripov, F.I. Nuclear-resonance generator, working in the magnetic field of the earth, 9=11258. See also Mel'nikov, A.V., 9=1581; Raskin, Sh.Sh., 5=214

Skrotskiĭ, G.V. Influence of strong gravitational field on propagation of light, 7=8366. See also Zȳryanov, P.S., 9=4814

Skrotskiĭ, G.V. and Alimov, Yu.I. Ferromagnetic resonance in a circularly polarized electromagnetic field of arbitrary amplitude, 9=11231

Skrotskii, G.V. and Kokin, A.A. On the theory of nuclear paramagnetic resonance in liquids, 9=11267. A system of magnetic moments in a weak variable magnetic field, 9=12443

Skrotskiĭ, G.V. and Kurbatov, L.V. Theory of the anisotropy of the ferromagnetic resonance absorption line width, 9=2495

Skrotskiĭ, G.V. and Shmatov, V.T. On the thermodynamical theory of resonance and relaxation phenomena in ferromagnetics, 8=8111

Skrotskiĭ, G.V., Zȳryanov, P.S. and Izyumov, T.G. Effect of electron paramagnetic resonance on the optical Faraday effect at low temperatures, 9=12157

Skrȳpin, G.V. See Kuz'min, A.I., 6=8856. See also Skripin, G.V.

Skrȳshevskȳĭ, A.F. The structure of molten Au–Sn compounds, 8=7747

Skrȳshevskȳĭ, A.F., Kartȳkov, D.M. and Kartȳkova, D.P. The structure of liquid mercury, 8=6701

Skrzypczak, E. See Bogdanowicz, J., 9=10000; Danysz, M., Filipkowski, A., 9=2713

Skudrzyk, E. Sound radiation of a system with a finite or an infinite number of resonances, 9=2155. Theory of noise and vibration insulation of a system with many resonances, 9=3239. Scattering in an inhomogeneous medium, 7=4083. See also Whitmarsh, D.C., 8=2922

Skudrzyk, E.J. Vibrations of a system with a finite or an infinite number of resonances, 9=2154

Skulski, R.W. and Weimer, D. Reflection of a compression wave from a symmetrical wedge, 6=128

Skumanich, A. On bright-dark symmetry of solar granulation, 5=4297. On thermal convection in a polytropic atmosphere, 5=4303

Skurnik, E. A contribution to the study of high frequency ion source, 8=2363

Skvortsov, Yu.V. See Antonov, Yu.N., 7=6318

Skyrme, D.M. See also Lande, K., 9=10491; Randle, T.C., 7=1659

Skyrme, D.M. and Harding, G.N. The mechanism of neutron emission in high energy fission, 9=2838

Skyrme, T.H.R. A new model for nuclear matter, 5=1111. Meson theory and nuclear matter, 5=5893. Quantum field theory, 5=8487. The nuclear surface, 7=3517. Fusion induced by mu-mesons, 7=9384. Collective motion in quantum mechanics, 7=5887. Nuclear moments of inertia. 7=7304. The effective nuclear potential, 9=8489, The spin-orbit interaction in nuclei, 9=8490. Some distortion effects in the nuclear p-shell, 9=8491. A non-linear theory of strong interactions, 9=13003. See also Batchelor, R., 6=1317; Bell, J.S., 7=2523, 7299, 8=502; Elliott, J.P., 6=3085, 7627; Perring, J.K., 7=602; Pickavance, T.G., (Conf. rep.). 6=8951

Skzhipchak, E.S. See Bayatyan, G.L., 9=13665

Slabchenko, A.G. See Fesenko, E.G. 5=4122

Slabospitskiĭ, R.E. See Fogel', Ya.M., 8=5080

Slabospitskiĭ, R.P. See Fogel', Ya.M., 8=7128, 7138

Slack, G.A. Effect of isotopes on low-temperature thermal conductivity, 7=3185. Thermal conductivity of potassium chloride crystals containing calcium, 7=3189. See also Scace, R.I., 9=13071

Slack, G.A. and Newman, R. Thermal conductivity of MnO and NiO, 9=2261

Slade, J.J., Jr. See Badoyannis, G.M., 6=6482

Slade, R.F. See Kennedy, A.J., 7=3773

Sladek, R.J. Thermal conductivity of indium-thallium alloys at low temperatures, 5=3667. Effective masses of electrons in indium arsenide and indium antimonide, 7=3281. Magnetoresistance oscillations in single-crystal and polycrystalline indium arsenide, 8=8769. Impurity band conduction in strong magnetic fields, 9=6911

Slansky, S. Influence of the coherence of the illumination on the contrast of the image of a black point in the presence of a small defect of focus, 6=185*

Slater, J.C. One-electron energies of atoms, molecules, and solids, 5=6400. Problem of ferromagnetism, 5=9391. Work on molecular theory in the solid-state and molecular theory group at M.I.T., 5=9391. Modern physics, 6=4792. Barrier theory of the photoconductivity of lead sulfide, 7=399. (Conf. rep.). International Conference on Current Problems in Crystal Physics, 8=3444. Interaction of waves in crystals, 8=3445. Band theory, 9=6234. See also Koster, G.F., 5=2303; Mahlman, G.W., 7=7924

Slater, L.J. A short table of the Laguerre polynomials, 5=5161, 6=2600

Slater, M. See also Blackstock, A.W., 5=4716; Hurst, G.S., 6=4676

Slater, M., Bunyard, G.B. and Randolph, M.L. Combination ion chamber-proportional counter dosimeter for measuring gamma-ray contamination of neutron fields, 9=492

Slater, N.B. Recession of the galaxies in Eddington's theory, 5=7. New formulation of gaseous unimolecular dissociation rates, 6=7782. On the theory of unimolecular gas reactions: A quantum harmonic oscillator model, 7=818. The rôle of specific dissociation probabilities in theories of gas reaction rates, 7=3786. On the theory of unimolecular gas reactions; the effect of anharmonicity on high-pressure rates, 7=3787. Classical motion under a Morse potential, 8=1292. General molecular models which give the Arrhenius form of first-order dissociation rate, 9=7413

Slater, P.N. Measurement of submicron circular apertures by scanning microscopy, 9=6566. See also Dobrowolski, J.A., 7=2101

Slater, P.N. and Weinstein, W. Light transmitted by very small pinholes, 8=1584

Slater, W. See Levi-Setti, R., 7=8853, 9908; Silverstein, E., 7=1833

Slater, W.E. A systematic study of hyperfragments produced by 4.5 GeV π^- in nuclear emulsion. I. π^--mesic decays, 9=11432. See also Levi Setti, R., 9=2715, 10042

Slätis, H. On the determination of the relative intensities of conversion lines recorded photographically in a semicircular beta-ray spectrograph, 5=1155. Low pressure diffusion cloud chamber tracks of fragments from the spontaneous fission of californium 252. I., 7=679. Microscope mechanical object stage for the study of the tracks of charged particles in photographic emulsions or other objects in transparent media, 9=3367. On bubble chambers, 9=12527. See also Bergkvist, K.E., 5=4008; Hjalmar, E., 7=761; Hjalmar, E.H., 6=1553; Mladjenović, M., 5=3078, 9896; Rasmussen, J.O., 5=8201; Sujkowski, Z., 9=5000

Slätis, H. and Herrlander, C.J. Intermediate image focusing in coincidence beta-ray spectrometers, 5=8013

Slattery, J. See Bonner, T.W., 9=13693

Slattery, J.C. See Bonner, T.W., 9=6137; Chapman, R.A., 7=3643; Marion, J.B., 6=7685

Slattery, J.C., Chapman, R.A. and Bonner, T.W. Excited states in Be^7 and Be^8, 8=728

Slattery, R.E., Lu, D.C. and Wiedenbeck, M.L. Long-lived radioactivity of Eu^{152} and Eu^{154}, 5=481

Slaughter, G.G. See also Block, M.M., 6=6919

Slaughter, G.G., Harth, E.M. and Block, M.M. V-particle production by 1.9 MeV π^- mesons, 8=2511

Šlaus, I. The investigation of the mechanism of the Cr^{52}(d, p)Cr^{53} reaction, 9=8600. See also Seward, F.D., 7=8156

Slaus, I. and Alford, W.P. Elastic scattering of deuterons from Mg, Al, Ti, V, Cr, Co, Ni and Cu, 9=10113

Slavatinskiĭ, S.A. See Birger, N.G., 6=7730, 7=3623-4

Slavík, J.B. See also Kodes, J., 9=12282

Slavík, J.B. and Tichý, J. Artificial reverberation and the acoustics of [concert] halls, 8=2931. An evaluation of the sound absorption coefficients measured by the standing-wave method and by the reverberation method, 8=3817

Slavin, I.I. A short review of the work on noise and noise control carried out in USSR up to 1957, 9=11972

Slavin, M. Photographic plate with constant contrast, 5=1426

Slavnov, D.A. and Sukhanov, A.D. On the question of causality in a theory with indefinite metric, 9=9197

Slavnov, V.V. Free convection in vertical metal tubes of circular cross-section, 7=2115

Slawsky, Z.I. See also de Wette, F.W., 5=412, 2919; Jansen, L., 5=413; Michels, A., 5=2480

Slawsky, Z.I., Seigel, A.E., Ho, L.T., Kopp, H.J. and Vanderslice, J.T. Comparison study between a microwave interferometer and an electrical contact system for following the motion of high-speed projectile, 9=10641

Slayton, G.R., Simmons, J.W. and Goldstein, J.H. Microwave spectrum and properties of vinylene carbonate, 5=192

Sleator, D.B. See Kahl, G.D., 9=224

Sleator, W.W. Proof of the expression $(E/p)^{1/2}$ for the velocity of sound by use of an equality of energies, 6=1915

Śledzik, J. Modified Bohm and Pines collective description of electron interactions in crystals. I, 9=6245; II, 9=8834

Slee, O.B. Apparent intensity variations of the radio source hydra-A, 6=4779. See also McGee, R.X., 6=2613; Mills, B.Y., 7=5803, 8=1416

Sleicher, C.A., Jr. See Oppenheim, A.K., 9=5397

Slepian, J. Failure of the ionic centrifuge prior to the ionic expander, 6=3927. Inapplicability of certain hydromagnetic principles to the ionic centrifuge, 9=2864. Hydromagnetic equations for two isotopes in a completely ionized gas, 9=4751. Electron acceleration against an opposing field in a vacuum electromagnetic discharge, 9=5759

Slettebak, A. Line broadening in the spectra of O- and early B-type stars, 6=6326

Slevogt, H. The influence of spherical aberration and coma on the illumination in the image of a Lambert radiator, 9=1252. On the diffraction theory of wavefronts with only one plane of symmetry, 9=1340

Slezov, V.V. See Bass, F.G., 8=7896; Kaganov, M.I., 8=3085; Lifshits, I.M., 9=2956

Slichter, C.P. Diffusion effects in magnetic resonance of the alkali metals, 5=6336. Spin resonance of impurity atoms in silicon, 5=8106. Concept of temperature and the Overhauser nuclear polarization effect. 6=4586. Magnetic resonance studies of self-diffusion in simple solids, 9=4052. See also Carver, T.R., 6=5319; Hebel, L.C., 8=192, 9=7006; Pines, D., 6=1476, 7=5727; Schumacher, R.T., 6=3021; Spokas, J.J., 9=7495

Slichter, L.B. Remarks relative to Maxwell's formula for the magnetic susceptibility of disseminated materials, 7=9752

Slichter, L.B. and Knopoff, L. Field of an alternating magnetic dipole on the surface of a layered earth, 9=7147

Slichter, W.P. Proton magnetic resonance in polyamides, 5=9803

Slichter, W.P. and Mandell, E.R. Molecular motion in polypropylene, isotactic and atactic, 8=8433. Molecular motion in polypropylene, isotactic and atactic, 9=4031. Molecular motion in some glassy polymers, 9=13762

Sliepcevich, C.M. See Boll, R.H., 6=2016; Chin, J.H., 6=7321-2

Slifkin, L. See also Kuper, A., 5=1288; Letaw, H.Jr., 6=4684; Tomizuka, C.T., 5=1286; Williams, G.P., Jr., 9=1892

Slifkin, L. and Tomizuka, C.T. Mechanism of intermetallic diffusion, 5=4115. Evidence for vacancy mechanism in intermetallic diffusion, 7=4799

Slifkin, L.M. See Letaw, H., Jr., 5=566

Sliv, L.A. Analysis of the phenomenon of formation of monochromatic positrons, 5=486. The analysis of the phenomenon of the production of monoenergetic positrons, 5=9898. See also Birbrair, B.L., 9=11424; Peker, L.K., 7=9331

Sliv, L.A. and Band, I.M. Internal conversion coefficients of γ-radiation in the K-shell, 7=1575

Sliv, L.A. and Peker, L.K. A possibility of checking the nuclear shell model, 5=1106. The collective model and the properties of the low excited levels of nuclei, 7=2519

Sliv, L.A. and Volchok, B.A. Investigation of the average nuclear potential parameters, 9=13586

Slivkov, I.N. Effect of the electrode temperature on the electric strength of a vacuum gap, 8=7052. The mechanism of electric breakdown in vacuum, 8=8008. See also Lapitskiĭ, Yu.A., 7=1385

Sloan, G.J. See Jarrett, H.S., 5=389, 7=2487

Sloan, L.G. Glass resistor for use in vacuum systems, 7=3061

Sloan, L.L. and Habel, A. Color signal systems for the red-green color blind. An experimental test of the three-color signal system proposed by Judd, 5=8428. Recognition of red and green point sources by color-deficient observers, 5=8429. New methods of rating and prescribing magnifiers for the partially blind, 7=9481

Sloan, R., Shaw, J.H. and Williams, D. Infrared emission spectrum of the atmosphere, 5=6652. Thermal radiation from the atmosphere, 6=6271

Sloanaker, R.M. See Mayer, C.H., 8=8, 1428, 2096-7

Slobben. J. See Konijn, J., 9=12661

Slobodchikov, S.V. See Nasledov, D.N., 8=7934

Slobodin, Ya.M., Shmulyakovskiĭ, Ya.É. and Rzhendzinskaya, K.A.

Slobodskaya, P.V. Development of a method for determining the relaxation period of the excited vibrational state of molecules by means of the spectrophone, 9=2868

Slomp, G., Jr. See McGarvey, B.R., 9=7202

The combination scattering (Raman) spectra of low molecular polysiloxanes, 7=1204

Slonczewski, J.C. Origin of magnetic anisotropy in cobalt-substituted magnetite, 8=5116. Origin of magnetic anisotropy in $Co_xFe_{3-x}O_4$, 9=400

Slonczewski, J.C. and Weiss, P.R. Band structure of graphite, 8=804

Sloth, E.N. and Garner, C.S. Magnetic moments of some octahedral complexes or iridium, 5=2062

Slots, W. See de Vries, A.E., 6=4596

Slovokhotov, L.I. See Aleksandrov, Yu.A., 8=1976*

Słowikowski, W. Note on the application of the Pauli ring to form the metric tensor in the general theory of relativity, 7=62

Slowinski, E.J., Jr. New form of molecular potential function for use in molecular vibrational analysis, 6=1428. Note on the polishing of fluorite windows, 8=1007. See Bellis, H.E., 7=2022

Slowinski, E.J., Jr, and Claver, G.C. On the temperature dependence of the intensity of infrared absorption bands of liquids, 5=6013

Slowinski, E.J., Jr, Gates, E.E. and Waring, C.E. The effect of pressure on the surface tension of liquids, 8=67

Sluis, K.L. Vander See Vander Sluis, K.L.

Slutsker, A.I. See Veselovskiĭ, P.F., 6=1201-2; Zhurkov, S.N., 8=5524

Slutsky, L.J. Lattice dynamics of hexagonal close-packed metals. III, 9=2896. See also Garland, C.W., 8=1305

Slutsky, L.J. and Garland, C.W. Elastic constants of magnesium from 4.2°K to 300°K, 8=422. Elastic constants of indium antimonide from 4.2°K to 300°K, 9=5195. Lattice dynamics of hexagonal close-packed metals, 7=5721

Sluyters, T. See Michels, A., 7=8570

Sluyters, T.J.M. and de Haas, E. Grating vacuum monochromator for the spectral range 1000-6500 A, 8=6798

Slykhouse, T.E. See also Fitch, R.A., 8=937

Slykhouse, T.E. and Drickamer, H.G. Effect of pressure on CN^- dissolved in an alkali halide lattice, 8=3461. The effect of pressure on the optical absorption edge of germanium and silicon, 9=3301. The effect of pressure on the absorption edge in silver halides, 9=4457

Slyusar, B.F. See Hertsriken, S.D., 8=7511

Slyusarev, G.G. Effect of a temperature gradient in glass on the image produced by an optical system, 9=10732. Optical systems with phase layers, 7=8540

Slyusarev, G.G. and Kulikovskaya, N.I. Change in the distribution of light energy in a diffraction image by means of filters of variable transparency, 9=9519

Smakula, A. Resolving power of prisms made from homogeneous thallium bromoiodide crystals, 6=1024

Smakula, A. and Kalnajs, J. Precision determination of lattice constants with a Geiger-counter X-ray diffractometer, 6=807. Oxygen impurity in silicon single crystals, 9=8801

Smakula, A., Kalnajs, J. and Sils, V. Densities and imperfections of single crystals, 6=1727

Smakula, A. and Sils, V. Precision density determination of large single crystals by hydrostatic weighing, 6=103

Smales, A.A. A comparison of some methods for the determination of trace impurities in semiconductors, 7=840

Smales, A.A., Mapper, D., Wood, A.J. and Salmon, L. The determination by radioactivation of trace quantities of arsenic,

antimony and copper in pure silicon, 7=9957
Small, A.M., Jr. Some parameters influencing the pitch of amplitude modulated signals, 5=8431. Note on the threshold of pulsed signals as a function of duty cycle and carrier frequency, 5=9322. See also Thurlow, W.R., 5=3361
Small, A.M., Jr, Bacon, W.E. and Fozard, J.L. Intensive differential thresholds for octave band noise, 9=7708
Small, K. A. See Cade, R., 8=3980
Small, S.H., Lillegraven, A. and Storebø, P.B. Natural airborne radioactivity at Kjeller, Norway, 8=4595
Small, V.G. The thermal neutron absorption cross-sections of U^{238} and Th^{232}, 5=9926. See also Green, A. 5=4106
Small, V.G. and Spurway, A.H. Oscillator apparatus for the measurement of thermal neutron absorption cross-sections in B.E.P.O., 5=5662
Smaller, B. See also Delbecq, C.J., 7=2808, 9=3303; Fields, P., 7=4877; Matheson, M.S., 5=4798
Smaller, B., Hennig, G.R. and Yasaitis, E.L. Paramagnetic resonance absorption in [metal] graphite compounds, 5=2886
Smaller, B. and Matheson, M.S. Paramagnetic species produced by γ irradiation of organic compounds, 8=6486
Smallman, R.E. See also Atkinson, H.H., 9=7044; Hirsch, P.B., 9=1873; Williamson, G.K., 5=9253, 6=2548
Smallman, R.E. and Westmacott, K.H. Stacking faults in face-centred cubic metals and alloys, 7=8906. Structure of quenched and irradiated metals, 9=7510
Smallman, R.E. and Willis, B.T.M. An X-ray study of neutron irradiated lithium fluoride, 7=8938
Smart, J.S. The Néel theory of ferrimagnetism, 5=8895. Application of the Bethe-Weiss method to ferrimagnetism, 6=2995
Smartt, R.N. and Steel, W.H. Birefringence of quartz and calcite, 9=8008
Smedt, J.De. See De Smedt, J.
Smeets, J.M.G. See de Jong, J.J., 8=9149
Smekal, A.G. Two contributions on the question of crystal growth, 5=10058
Smel'makh, M.F, See Reĭnov, N.M., 8=8130
Smerd, S.F. Non-linear plasma oscillations and bursts of solar radio emission, 5=4293
Smerd, S.F. and Wild, J.P. The effects of incomplete resolution on surface distributions derived from strip-scanning observations, with particular reference to an application in radio astronomy, 7=3903
Smeshkova, V.A. See Balakov, V.V., 5=4658
Smet, M. De. See De Smet, M.
Smetannikova, Yu.S. See Nasledov, D.N., 9=11016; Rȳvkin, S.M., 5=4648
Smets, H. Computing aid for reactor-kinetics equations, 9=12711
Smets, H.B. A criterion for nonlinear stability of nuclear reactors, 9=13716
Smiałowski, M. and Szklarska-Śmiałowska, Z. The mechanism of diffusion of cathodic hydrogen into iron, 5=563
Smid, J. See also Szwarc, M., 8=2046
Smid, J. and Szwarc, M. Kinetics of decomposition of isobutyryl peroxide and reactions of isopropyl radicals, 9=1918
Smidt, D. Decay of luminescence of silver-activated zinc sulphide after excitation by single α-particles and electrons, 5=6028
Smidt, J. Electron spin resonance of coals: saturation effect, 8=1312
Smiley, E.F. and Winkler, E.H. Shock-tube measurements of vibrational relaxation, 5=2496
Smilga, V.P. See also Deryagin, B.V., 9=1913
Smilga, V.P. and Deryagin, B.V. The role of the surface properties of a semiconductor in adhesion phenomena, 9=12844
Smirenkin, G.N. See Kuz'minov, B.D., 9=5078; Nesterov, V.G. 9=12695
Smirnitskiĭ, V.A. See Vaĭsenberg, A.O., 8=1869, 2488, 5286, 9=2620, 10043.
Smirnitsky, V.A. See Weissenberg, A.O., 8=6163
Smirnov, A.A. See also Danilenko, V.M., 8=4461; Dȳkhne, A.M., 8=4950; Krivoglaz, M.A., 6=2462, 7=774
Smirnov, A.A. and Stoyanov, I.A. The theory of the residual electrical resistivity of interstitial alloys, 8=3984
Smirnov, A.G. Free convection of heat in mercury in a closed circular tube in a transverse magnetic field, 8=1644. Free convection of heat in mercury in a closed circular tube in a transverse magnetic field, 9=3382. Free heat convection of mercury in closed circular tubes, 9=8029
Smirnov, A.P. See Lazarev, B.G., 8=7027
Smirnov, B.A. See Predvoditelev, A.A., 7=6654
Smirnov, B.G. See Gofman, I.I., 8=1091
Smirnov, B.I. Investigation of the intensity of the X-ray diffraction lines of deformed molybdenum, 9=10305. Intensity change of X-ray lines on deformation of polycrystals, 7=9460. See also Tsobkallo, S.O., 9=878
Smirnov, I.A. See Devyatkova, E.D., 9=1361*, 10896
Smirnov, L.S. Measurement of short lifetimes of charge carriers in germanium, 8=1060. See also Patskevich, V.M., 8=2357; Vavilov, V.S., 7=2824, 8690, 8=5491, 7512
Smirnov, L.S. and Vavilov, V.S. Probability of recombination capture of current carriers by Frenkel defects in n-type germanium, 8=5891
Smirnov, M.S. See Bongard, M.M., 6=9152
Smirnov, S.V. See Mel'nikov, A.V., 9=1581
Smirnov, Yu. F. See Neudachin, V.G., 9=11419
Smirnova, N.L. Structural types with closed-packed atoms. Possible structural types in compounds AB_3, 7=6734. Structural types in the close packing of atoms. Possible structural types with composition AB_4, 7=8287
Smirnova, T.S. See Belov, N.V., 8=446
Šmirous, K. The effect of additives on the properties of gallium antimonide, 6=7407. The effect of impurities on the properties of indium antimonide, 6=8194. The influence of impurities on the properties of aluminium antimonide, 7=370. See also Bednář, J., 5=4782, 7=313
Šmirous, K., Štourač, L. and Bednář, J. The semiconducting compound SiTe, 9=5709
Smit, C., Vredenberg, W.J. and Smit, J.A. Excitation functions of the triplet lines 4713 and 5876 A of helium measured with low energy electrons, 8=5767
Smit, J. The spontaneous Hall effect in ferromagnetics, I, 6=3008. The spontaneous Hall effect in ferromagnetics. II, 8=3233. Hall effect in ferromagnetics, 9=1576
Smit, J. and Beljers, H.G. Ferromagnetic resonance absorption in $BaFe_{12}O_{19}$, a highly anisotropic crystal, 6=1361
Smit, J. and van Beuren, H.G. Elastic after-effect in α-iron in relation to the elastic constants of cubic metals, 5=1302
Smit, J.A. See also Boers, A.L., 6=5764; Jongerius, H.M., 7=1997; Smit, C., 8=5767; Snelleman, W., 6=5822; Somers, P.J., 7=434; van Hengstum, J.P.A., 6=3923
Smit, J.A. and Jongerius, H.M. Renewed measurement of excitation functions, 7=3149
Smit, R. Influence of humidity on measurements with radiation pyrometers, 7=1237
Smith, A. See also Cox, S., 9=5076
Smith, A. and Dutton, D. Behavior of lead sulfide photocells in the ultraviolet, 9=3501
Smith, A., Fields, P., Friedman, A. and Sjoblom. R. Thermal-neutron-induced fission of Th^{229}, 9=3934
Smith, A.B. See also Nobles, R.G. 6=4025
Smith, A.B., Fields, P.R. and Friedman, A.M. Prompt gamma rays accompanying the spontaneous fission of Cf^{252}, 7=2600. Fission modes of $_{94}Pu^{242}$, 7=6584
Smith, A.B. Fields, P.R. and Roberts, J.H. Spontaneous fission neutron spectrum of Cf^{252}, 8=324
Smith, A.B., Fields, P.R., Sjoblom, R.K. and Roberts, J.H. Precise determination of the U^{233} fission neutron spectrum, 9=10138
Smith, A.B., Friedman, A.M. and Fields, P.R. Spontaneous fission kinetics of Cf^{252}, 6=4631
Smith, A.C.H. See Fox, J.W., 9=10166
Smith, A.G. Daylight visibility of stars from a long shaft, 5=5845. See also Barrow, C.H., 7=9498; Carr, T.D., 8=2095; Register, H.I., 9=6416; Saunders, M.J., 6=1123
Smith, A.G. and Carr, T.D. Radio-frequency observations of the planets in 1957-1958, 9=12949
Smith, A.G., Carr, T.D. and Perkins, W.H. Anomalous night-time reception of a major solar radio burst, 9=6446
Smith, A.G., Saunders, M.J. and Vatsia, M.L. Some effects of turbulence on photographic resolution, 7=9478
Smith, A.J. See Green, J.W., 8=8272
Smith, A.M.O. See also Murphy, J.S., 7=163
Smith, A.M.O. and Murphy, J.S. Micromanometer for measuring boundary layer profiles, 5=8530
Smith, A.W. Effect of neutron bombardment on a zinc sulfide phosphor, 6=2795. On the mechanism of electrolytic rectification, 8=1700. Extended range Pirani gauge,

9=7852. The impedance, rectification, and electroluminescence of anodic oxide films on aluminum, 9=8905. See also Birkhoff, R.D., 6=406; Hove, J.E., 7=2110

Smith, A.W. and Rasor, N.S. Observed dependence of the low-temperature thermal and electrical conductivity of graphite on temperature, type, neutron irradiation, and bromination, 7=2109

Smith, B. and Boorse, H.A. Helium II film transport. I. The role of substrate, 5=5371; II. The role of surface finish, 5=7911; III. The role of film height, 5=7912; IV. The role of temperature, 5=7913

Smith, B.A. See Woolley, J.C., 7=3756, 5671, 8=9141, 9=2954

Smith, B.H. See also Ruby, L., 6=7472

Smith, B.H. and MacKenzie, K.R. Three-phase radiofrequency system for Thomas cyclotrons, 6=7471

Smith, B.O., Jennings, A.P.H. and Grimshaw, A. G. A portable lamination detector for steel sheet, 8=4612

Smith, C.C. See also Davenport, T.I., 5=3992

Smith, C.C., Seliger, H.H. and Steyn, J. Efficiency of 4π-crystal-scintillation counting. 1. Experimental technique and results, 7=5413

Smith, C.F. A projection spectrum comparator, 7=9063

Smith, C.G. Motion of an arc in a magnetic field, 8=202

Smith, C.K. See Weaver, C.V., 8=275

Smith, C.L. See Tyroler, J.F., 6=6286

Smith, C.S. The microstructure of polycrystalline materials, 5=2227. See also Daniels, W.B., 9=1902; Nash, H.C., 9=8925; Reitz, J.R., 7=2460; Schmunk, R.E., 9=8927; Winder, D.R., 8=6449

Smith, D. See Dwight, K., 9=2481

Smith, D.D. See Werner, G.K., 5=3248

Smith, D.E. (Ed.) Proceedings of the International Congress of Radiation Research, 9=5164

Smith, D.F. Hydrogen fluoride polymer spectrum, hexamer and tetramer, 8=6844. See also Kuipers, G.A., 6=7274; Pemsler, J.P., 5=848

Smith, D.H. See Lewis, H.W., 7=1813

Smith, D.K. A new aid for the rapid determination of absorption corrections by Albrecht's method, 9=12869

Smith, D.O. Magnetization of a magnetite single crystal near the Curie point, 6=5253. Development of a vibrating-coil magnetometer, 6=7510. Magnetization reversal in thin films, 7=2430. Static and dynamic behavior of thin permalloy films, 9=419. See also Goodenough, J.B., 8=2291, 9=5649; Huber, E.E., Jr, 9=421

Smith, D.O. and Weiss, G.P. Steady-state and pulse measurement techniques for thin magnetic films in the v.h.f.-u.h.f. range, 8=8856

Smith, D.S. See Baird, K.M., 7=7731, 8=958, 2230, 9=9402; Hara, K., 9=10873

Smith, D.W. and Hedberg, K. Molecular structure of gaseous dinitrogen tetroxide, 7=4608

Smith, E. See also Bilby, B.A., 5=9239, 6=8475, 8=4429

Smith, E. and Nutting, J. Direct carbon replicas from metal surfaces, 6=5447

Smith, E.A. and Guard, R.W. High-temperature vacuum furnace for tensile testing, 6=6979

Smith, E.B. and Alder, B.J. Perturbation calculations in equilibrium statistical mechanics. I. Hard sphere basis potential, 9=6548

Smith, E.B. and Hildebrand, J.H. Liquid isochores and derived functions of n-C_7F_{16}, c-$C_6F_{11}CF_3$, c-$C_4Cl_2F_6$, n-2, 2, 3$C_4Cl_3F_7$, $CCl_2F.CCl_2F$, and CCl_4, 9=10939

Smith, E.J. See also Fox, J.W., 9=10166

Smith, E.J. and Heffernan, K.J. The decay of the ice-nucleating properties of silver iodide released from a mountain top, 7=936

Smith, E.J., Kassander, A.R. and Twomey, S. Measurements of natural freezing nuclei at high altitudes, 6=1769

Smith, E.K., Jr. Worldwide occurrence of sporadic E, 7=8311

Smith, E.M. See Greenough, G.B. 5=3268

Smith, E.R. See also Edelman, S., 5=7723

Smith, E.R., Edelman, S., Jones, E. and Schmidt, V.A. Stroboscopic interferometer for vibration measurement, 9=130

Smith, E.T. and Stevens, G.W.W. Photographic images for resolution testing in radiography, 5=9332

Smith, E. van P. Interstellar polarization in the southern Milky Way, 6=6323. Hα profiles in the chromosphere, 9=7741. See also Jefferies, J.T., 9=4219

Smith, F.B., Jr, Grove, N.B., Henry, R.W. and Becker, R.A. Decay scheme of Mo^{91}, 7=2582

Smith, F.G. See also Adgie, R., 7=1854; Baldwin, J.E., 7=1853

Smith, F.G., O'Brien, P.A. and Baldwin, J.E. The radio source in the direction of the galactic centre, 8=853

Smith, F.H. See Johnson, P.D., 7=9632

Smith, F.L. See Downs, J.W., 8=4891

Smith, F.M. See Barkas, W.H., 5=5460, 6=2440, 5420, 7=3225, 5637, 8=1184, 4203, 9=4950, 11396; Chupp, W.W., 5=9123; Gilbert, F.C., 8=8973; Heckman, H.H., 6=4009, 6924

Smith, F.T. On the ionization of solid particles, 8=6006

Smith, F.T. and Kistiakowsky, G.B. Kinetics of coordinate bond formation. III. Method of temperature patterns and the reaction $NH_3 + BF_3$, 9=12850

Smith, G.C. The initial fatigue crack, 8=3523

Smith, G.F. Velocity analysis of thermionic emission from single-crystal tungsten, 6=442

Smith, G.P. See Bridges, W.H., 5=4604; Cathcart, J.V., 9=867

Smith, G.W. and Farmelo, D.R. Radionuclides arranged by gamma-ray energy, 8=7350

Smith, G.W. and Hinde, R.M. A simple scanning mechanism for X-ray diffraction, 7=872

Smith, G.W. and Squire, C.F. Pressure studies on the nuclear magnetic resonance of solid hydrogen between 1. 2° and 14°K, 8=6229

Smith, H.A. Improving the quality of science instruction in elementary and secondary schools, 9=4247. See also Combs, R.L., 5=2671; Posey, J.C., 7=6108

Smith, H.A., Combs, R.L. and Googin, J.M. Vapor pressure studies involving solutions in light and heavy waters. I. The apparatus and the determination of vapor pressures at 30° of solutions of sodium and potassium chlorides in ordinary water, 5=2670

Smith, H.A. and Posey, J.C. The separation of hydrogen and deuterium by the reaction of iron with steam, 8=6364

Smith, H.G. and Rundle, R.E. X-ray investigation of perfection in tin whiskers, 8=4519

Smith, H.J. Non-thermal solar system sources other than Jupiter, 9=7734. See also Jefferies, J.T., 9=4219

Smith, H.L. See Cohen, A.J., 9=808, 7952; Ghiorso, A. 5=9846; Prestwood, R.J., 5=7327

Smith, H.M. Precision measurement of time, 5=5906

Smith, I.E. See Crocco, L., 9=10346

Smith, J.A.S. See Cox, E.G., 5=6634, 9=11637; Emsley, J.W., 9=12487

Smith, J.C. See Orgel, A.R., 4=4246

Smith, J.E. See Ellis, R.B., 8=7738

Smith, J.E.W.L. See Freeman, H.C., 9=7607

Smith, J.F. See also Armstrong, P.E., 9=6321; Griffel, M., 8=599; Payne, A.R., 7=3039; Vest, R.W., 8=1662

Smith, J.F. and Ogren, J.R. Electrical properties and thermal expansion of the Laves phases, $CaMg_2$ and $MgCu_2$, 9=4559

Smith, J.H. See also Bacon, G.E., 7=9267; Barton, M.Q., 8=5379

Smith, J.H., Purcell, E.M. and Ramsey, N.F. Experimental limit to the electric dipole moment of the neutron, 8=1174

Smith, J.H. and Street, R. Resistivity and magnetoresistance of Au_2Mn, 8=2311

Smith, J.J. A method of solving Mathieu's equation, 6=3435

Smith, J.M. and Brown, G.M. Thermodynamics, 9=12193

Smith, J.V. The crystal structure of proto-enstatite, $MgSiO_3$, 9=9036

Smith, K. See Bransden, B.H., 9=11361; Stephenson, J.W., 7=8770

Smith, K.C.A. See also Allen, J.W., 6=6636

Smith, K.C.A. and Oatley, C.W. The scanning electron microscope and its fields of application, 6=3314

Smith, L. and Gluckstern, R.L. Focusing in linear ion accelerators, 5=4734

Smith, L.G. Intracloud lightning discharges, 9=3016. Measurements of light masses with the mass synchrometer, 9=5096. The electric charge of raindrops, 5=6660. See also Friedman, L., 8=6361

Smith, L.G. and Damm, C.C. Mass synchrometer, 6=8239

Smith, L.M. See Mason, P., 5=7445

Smith, L.W. Measurement of the scattering constant in nuclear emulsion, 5=4740. See also Coor, T., 5=7377

Smith, L.W., McReynolds, A.W. and Snow, G. Elastic p-p angular distribution 440-1000 MeV, 5=4736

Smith, M. and Symons, M.C.R. Absorption spectra of solvated anions, 7=3142

Smith, M.B. See Young, T.F., 5=1323

Smith, M.C., Olson, D.M. and Brown, H.L. Testing machine for short-time creep and stress-rupture testing at 2000°C to 2500°C, 7=8227

Smith, M.J. and Vaughan, J.R.M. A microwave thermistor calorimeter, 6=8885

Smith, M.J.A. See Doyle, W.T., 9=11566

Smith, M.L. Production and utilization of electro-magnetically enriched isotopes, 6=2191

Smith, M.S. See also Parker, R., 9=1406

Smith, M.S., Smith, R.R., Joki, E.G. and Evans, J.E. Neutron total cross section of Np^{237} from 0.02 to 2.8 eV, 7=9396

Smith, N.O. See Acampora, F.M., 6=8985

Smith, P. Bond dissociation energy of the C_6H_5–F bond, 9=766. Standard enthalpy and free energy of formation of diimide, 9=4084. See also Power, G., 9=10652, 10688

Smith, P.B. See also Silva, E., 9=668

Smith, P.B. and Endt, P.M. Resonant absorption of gamma radiation from the Al^{27}(p, γ)Si^{28} reaction, 8=5351. Resonant absorption of gamma radiation from the Si^{30}(p, γ)P^{31} reaction, 8=5352

Smith, P.F. Some measurements of the magnetic field produced by ridged pole pieces, 7=7229. See also Richard, J.D.Jr, 6=1935

Smith, P.G. See Hey, J.S., 7=9573, 9=1195

Smith, P.L. The specific heats of magnesium and zinc, 5=7922. See also Bailey, C.A., 9=9570; Lipson, H.G., 5=7849; Meyer, H., 9=8053

Smith, P.L. and Wolcott, N.M. The specific heats of cadmium and mercury, 7=2142

Smith, P.W., Jr. Phase velocities and displacement charactistics of free waves in a thin cylindrical shell, 6=139. Sound transmission through thin cylindrical shells, 8=91. Effect of heat radiation on sound propagation in gases, 8=1559. Vibrations of cylindrical shells, 8=2888. Minimum axial phase velocity in shells, 8=8642. See also Junger, M.C. 5=4454

Smith, R.A. The electronic and optical properties of the lead sulphide group of semi-conductors, 5=3769. See also Hasted, J.B. 6=4469-70

Smith, R.B. See Corbett, J.W. 9=11577-8

Smith, R.C. See Mozley, R.F., 9=2410

Smith, R.D. See Holmes, J.E.R. 5=3841

Smith, R.H. See Heindsmann, T.E. 5=4487

Smith, R.J. See Schindler, A.I. 8=1676

Smith, R.K. See Allen, L., Jr. 7=9890; Bame, S.J., Jr, 8=6152; Cranberg, L., 9=5043; Henkel, R.L., 6=655; Knight, J.D., 9=1782

Smith, R.L. See Helliwell, R.A., 8=6563

Smith, R.R. See also Evans, J.E. 5=3986; Smith, M.S., 7=9396

Smith, R.R., Alley, N.P., Lewis, R.H. and VanderDoes, A. Neutron absorption cross sections of Pa^{231} and Pa^{232}, 6=1599

Smith, R.R. and Reeder, S.D. Activation cross sections of Y^{90} and Pr^{142}, 6=1594

Smith, R.R., Reeder, S.D. and Lewis, R.H. Successive neutron capture in Tb^{159}. 6=8383

Smith, R.S. Effective dielectric constant of heterogeneous media, 6=6590

Smith, R.V. Instrumentation for fast neutron time-of-flight studies, 9=506

Smith, R.W. Properties of ohmic contacts to cadmium sulfide single crystals, 5=4667. Edge electroluminescence from ZnS single crystals, 6=1113. Low-field electroluminescence in insulating crystals of cadmium sulfide, 7=3162. Electroluminescence in weak fields, 7=4226. Properties of deep traps derived from space-charge-current flow and photoconductive decay, 9=6999. See also Lampert, M.A., 9=7514

Smith, R.W. and Raynor, G.V. The effect of liquid media on the grey tin ⇌ white tin transformation in commercially pure tin, 8=1016

Smith, R.W. and Rose, A. Space-charge-limited currents in single crystals of cadmium sulfide, 5=4646

Smith, S.D. Design of multilayer filters by considering two effective interfaces, 8=1629. See also Heavens, O.S., 7=6048; Moss, T.S., 7=7901, 8534, 9=6975

Smith, S.D. and Heavens, O.S. A tunable infra-red interference filter, 8=3002

Smith, S.D. and Moss, T.S. Anti-reflexion coatings for indium antimonide and other semi-conductor filters, 8=2996

Smith, S.J. See also Branscomb, L.M. 5=6254, 8166, 6=8527, 7=6466, 9=2432; Burch, D.S. 9=3607

Smith, S.J. and Branscomb, L.M. Atomic negative-ion-photodetachment cross-section and affinity measurements 6=3801

Smith, S.J. and Burch, D.S. Photodetachment cross section of the negative hydrogen ion, 9=5853

Smith, S.J., Burch, D.S. and Branscomb, L.M. Experimental photodetachment cross section and the ionospheric detachment rate for O_2^-, 9=946

Smith, S.W. and Dimmick, F.L. Measurement of the light adaption of the rods, 7=6793

Smith, S.W., Morris, A. and Dimmick, F.L. Effects of exposure to various red lights upon subsequent dark adaptation measured by the method of constant stimuli, 5=7572

Smith, T. The optical imagery of curved surfaces, 7=9055. See also Finlayson, D.M., 7=1293; Jones, D.A., 7=1757; Llewellyn, J.P., 8=1013

Smith, V. See Little, V.I. 5=3219

Smith, V.G., Tiller, W.A. and Rutter, J.W. A mathematical analysis of solute redistribution during solidification, 6=717

Smith, W.A. The electric strength and surface condition of the alkali halides, 7=1351

Smith, W.B. See Clark, G.W., 7=7978

Smith, W.E. Time delays of spectrograph outputs by low-pass filters, 5=4509

Smith, W.G. See also Hamilton, J.H., 9=3863, 5007; Hollander, J.M., 6=5360, 6070; Lazar, N.H., 8=4273; Shirley, V.S., 8=5296; Thulin, S., 7=1548

Smith, W.G., Asaro, F. and Hollander, J.M. Electron spectrum of the U^{230} decay series, 7=1558

Smith, W.G., Gibson, W.M. and Hollander, J.M. Electron-capture decay of Am^{239} and Am^{240}, 7=5591

Smith, W.G., Hamilton, J.H., Robinson, R.L. and Langer, L.M. Beta decay of Tb^{161}, 7=2589

Smith, W.G. and Hollander, J.M. Radiochemical study of neutron-deficient chains in the noble metal region, 5=7350. Conversion electron spectra of Cm^{242} and Cm^{244}, 6=1545

Smith, W.G., Robinson, R.L., Hamilton, J.H. and Langer, L.M. Beta decay of thulium-171, 8=320

Smith, W.G., Stelson, P.H. and McGowan, F.K. Decay of I^{130} → Xe^{130}, 9=10051

Smith, W.I.B. See Gemmell, D.S., 9=7335; Morton, A.H., 9=7104

Smith, W.J. Control of residual aberrations in the design of anastigmat objectives, 8=941. Thin lens analysis of secondary spectrum, 9=9380

Smith, W.J., Levio, W.J. and Smoluchowski, R. Surface studies of X-ray irradiated potassium chloride crystals, 6=3360

Smith, W.L. Regenerative stochastic processes, 5=9354

Smith, W.M., Stewart, J.A. and Taylor, G.W. The quenching of potassium resonance radiation by hydrogen and deuterium, 5=836

Smith, W.R. Mutual reflection of two shock waves of arbitrary strengths, 9=13097

Smith, W.V. Evaluation of molecular quadrupole moments from microwave spectral line breadths. I. Theoretical, 6=8913. See also Calhoun, B.A., 8=230, 8871; Keller, S.P., 8=5427; Sorokin, P.P. 9=4822

Smith, W.V., Gelles, I.L. and Sorokin, P.P. Electron spin resonance of acceptor states in diamond, 9=4826

Smith, W.V., Lackner, H.A. and Volkov, A.B. Pressure broadening of linear molecules. II. Theory, 5=2586

Smith, W.V., Overmeyer, J. and Calhoun, B.A. Microwave resonance in gadolinium-iron garnet crystals, 9=7177

Smithberg, S. See Seehof, J., 8=8048

Smither, R.K. Controlled capillary gas leak, 7=1968. Angular distribution of protons and tritons from the reactions Be^{9}(d, p)Be^{10} and Be^{9}(d, t)Be^{8} at low bombarding energies, 7=8825

Smithies, D. See Baxendael, J.H., 5=7475; Baxendale, J.H., 6=2510

Smith-Rose, R.L. Electron density profiles in the ionosphere during the I.G.Y., 9=3008, 4133

Smithson, J.R. and Litovitz, T.A. Absorption of sound in manganous sulfate solutions, 6=4916

Smits, F. and Zähringer, J. A mass spectrometer for the smallest quantities of gas, 5=8839

Smits, F.M. Formation of junction structures by solid-state diffusion, 8=4997. See also Batdorf, R.L. 9=7533; Bond, W.L., 6=8705; Miller, R.C., 7=8213

Smits, F.M. and Miller, R.C. Rate limitation at the surface for impurity diffusion in semiconductors, 7=2197

Smits, F.M., Miller, R.C. and Batdorf, R.L. Surface effects on the diffusion of impurities in semiconductors, 9=12251

Smits, L.J. See also Gorter, C.J., 8=2410

Smits, L.J., Derksen, H.E., Verstelle, J.C. and Gorter, C.J. Relaxation in the spin system of paramagnetic salts, 7=1452

Smoke, E.J. and Di Vita S. Digest of the literature on dielectrics. Volume XIX-1955. Ceramic insulation, 7=9153. Digest of the literature on dielectrics. Ceramic insulation, 8=2291

Smolenskiĭ, G.A. New ferroelectrics and antiferroelectrics of oxygen-octahedral type, 7=341. New ferroelectrics and antiferroelectrics. 7=9158. Survey of progress in research on ferroelectrics, 8=3070. The problem of emergence of spontaneous polarization in crystals, 9=1409

Smolenskiĭ, G.A. and Agranovskaya, A.I. Dielectric polarization and losses of certain complex compounds, 9=1419

Smolenskiĭ, G.A., Agranovskaya, A.I., Popov, S.N. and Isupov, V.A. New ferroelectrics of complex composition. II. $Pb_2Fe^{3+}NbO_6$ and Pb_2YbNbO_6, 9=1420

Smolenskiĭ, G.A. and Isupov, V.A. Ferroelectric properties of solid solutions of barium stannate in barium titanate, 5=2707*

Smolenskiĭ, G.A., Isupov, V.A. and Agranovskaya, A.I. The high dielectric constant of niobates and tantalates of divalent metals, 6=8167. Phase transitions in ferroelectric solid solutions based on strontium pyrotantalate, 7=9157. Solid solutions of barium metaniobate and metatantalate in barium titanate, having ferroelectric properties, 7=9159

Smolenskiĭ, G.A., Isupov, V.A., Agranovskaya, A.I. and Sholokhova, E.D. Non-ferroelectric phase transitions in solid solutions formed in the systems $(Ca, Sr)(Ti, Zr)O_3$ and $Na(Nb, Ta)O_3$, 9=1418

Smolenskiĭ, G.A. and Kozlovskiĭ, V.Kh. Thermodynamic theory of anti-ferroelectrics, 5=921

Smolenskiĭ, G.A. and Pasy̆nkov, R.E. About the problem of the molecular theory of ferroelectrics, 5=8731

Smolenskiĭ, G.A., Tarutin, N.P. and Grudtsin, N.P. Ferroelectric characteristics of solid solutions of barium zirconate in barium titanate, 5=7009

Smolkin, G.E. See Butslov, M.M. 9=10499; Zavoĭskiĭ, E.K., 5=9726, 7=4225, 4374

Smollett, M. Transistor technology. Germanium photo-transistors, 8=1701. See also Robinson, T.S., 7=7093

Smollett, M. and Pratt, R.G. The effect of adsorbed air on photo-conductive layers of lead sulphide, 5=7966

Smoluchowski, R. Structure and anisotropy of diffusion in grain boundaries, 5=5717. Behaviour of defects in alkali halides produced by high-energy protons and gamma rays, 5=5719. Radiation effects in solids, 9=824, 7526. See also Burgess, H., 5=6539; Couling, S.R.L., 5=3163; Lang, G., 5=9063; Li, Y.-Y., 5=2236; Robinson, W.H., 6=7750, 9=7042; Rosenblatt, D.B., 5=8742; Sawyer, B., 8=1126; Simnad, M., 6=764-5; Simnad, M.T., 9=5166; Smith, W.J., 6=3360; Vassamillet, L.F., 9=7508; Vaughan, W.H., 9=877; Wiegand, D.A., 8=7525

Smolyanskii, R.E., Gurevich, V.M., Raĭkhlin, A.M. and Lukasevich, M.I. Investigation of industrial etching of the surface of germanium single crystals preparatory to applying molten indium, 9=9009

Smorgonskiĭ, V.Ya. Calculation of the phase and group velocity of surface waves, 5=8929

Smorodin, Yu.A. See Baradzeĭ, L.T., 8=3217, 3367

Smorodina, T.A. See Bronshteĭn, I.M. 5=7123, 6=7467, 8829

Smorodinskiĭ, Ya. See Baz', A., 6=1462; Puzikov, L., 8=4741

Smorodinskiĭ, Ya.A. Polarization in the scattering of protons by protons, 5=333. The analytical nature of the nonrelativistic scattering amplitude and the potential, 9=9234. See also Baz', A.I. 5=1178; Golubenkov, V.N., 7=1930; Kagan, Yu.A. 9=9641; Ry̆ndin, R.M., 8=1816, 2470*; Zel'dovich, Ya.B. 5=6432

Smorodinsky, J. See Puzikov, L., 7=9009

Smotrich, H. and Feldman, L. Three directional motion vacuum sealed joint, 7=3060

Smushkevich, M.I. See Okun', L.B. 6=8368

Smushkov, I.V. See Pines, B.Ya. 8=8473-4, 9=13808

Smy̆rnov, A.A. The theory of the electrical resistance of alloys. A survey, 8=6954. See also Maty̆sina, Z.A., 8=6953; Smirnov, A.A.

Smy̆rnov, A.A. and Stoyanov, I.O. Theory of the residual electrical resistance of intrusion alloys, 8=7895

Smyth, C.P. Dielectric behaviour and structure. Dielectric constant and loss, dipole moment and molecular structure 6=5836. See also Fish, K., 9=1412; Miller, R.C., 6=4872; Rampolla, R.W. 9=5654; Rathmann, G.B., 7=2162

Smyth, M.J. Photoelectric investigations of solar corpuscular radiation. I. 5=1461; II, 5=5831. The corpuscular radiation of the sum, 7=3911

Smythe, R., Worlock, R.M. and Tollestrup, A.V. Recoil protons from meson photoproduction in hydrogen and deuterium, 9=549

Smythe, W.R. Charged right circular cylinder, 6=8159

Smythies, J.R. A preliminary analysis of the stroboscopic patterns, 7=6792

Sneddon, I.N. See Eason, G., 6=7210

Snegirev, B.N. See Kovner, M.A., 7=5226

Snelgrove, P., El-Hussaini, J. and DuMond, J.W.M. Corrected values of tungsten K-series X-ray wavelengths with the 2-meter curved crystal diffraction spectrometer, 5=314

Snell, A.H. See also Green, A.E.S., 8=3360; Pleasonton, F., 7=9373

Snell, A.H. and Pleasonton, F. Spectrometry of recoils from neutrino emission in argon-37, 5=3067. Spectrometry of the neutrino recoils of argon-37, 6=2360. Multiple ionisation in xenon following internal conversion, 6=8363. Ionization following beta decay in krypton-85, 8=5420. Charge spectrometry for Xe^{133}-Cs^{133}, 9=3851

Snelleman, W. and Smit, J.A. Photoelectric temperature measurement by line reversal, 6=5822

Snelling, G.F. See Nicholson, K.P., 5=3843; Tomlinson, H.S., 5=9727

Snider, J.L. and Nicol, J. Atomic heats of normal and superconducting thallium, 7=4290

Snider, R.F. and Curtiss, C.F. Kinetic theory of moderately dense gases, 8=2875

Snieder, J. Influence of porosity on the g-factor of ferrites, 8=2397. The K_1- and true g-values of polycrystalline ferrites, 8=2398. Ferromagnetic resonance in polycrystalline ferrites, 8=6034, 7177

Snitko, O.V. The influence of adsorbed molecules on the longitudinal photoconductivity of cuprous oxide, 8=7017. The effect of molecular absorption on the field effect in Cu_2O [single crystals], 8=7025. See also Lyashenko, V.I., 8=7973; Rashba, E.I., 9=10968

Snitko, O.V. and Hry̆tsenko, Yu.I. Longitudinal photoconductivity of Cu_2O single crystals, 8=7015

Snitzer, E. and Mingins, C.R. On the anisotropic thermal conductivity of tetragonal $BaTiO_3$, 9=2260

Snook, S.C. See Ramsay, J.F., 7=8944

Snow, A., Porter, F.A.E. and Tomalin, A.W. A compact and versatile fraction collector, 8=6496

Snow, A.I. and Moyer, H.C. Radiation chemistry of solid paraffins, 8=2699

Snow, G. See Coor, T., 5=7377; Smith, L.W., 5=4736

Snow, G.A. Charge conjugation and the τ^0 meson, 6=8399. Comparison of Σ^+p and Σ^-n systems, 8=5245. See also Day, T.B., 9=4986, 12589, 12602, 13732; Fry, W.F., 5=9131, 6=1611, 1627, 3183, 3259, 6925, 7=2692, 8195; Glasser, R.G., 7=8176, 8=1198, 8997, 9=2647

Snow, R.L. See Barker, R.S., 5=9809

Snow, W.B. Effect of arrival time on stereophonic localization, 5=2350. Rectification in the sound level meter, 8=4830

Snow, W.J. See Miller, W.F., 8=3885, 9=10862

Snow, W.R. See Fite, W.L., 9=7410

Snowden, K.U. Grain-boundary extrusion and deformation during the fatigue of lead in a partial vacuum, 9=13847

Snowden, M. See Randle, T.C., 7=1659

Snowdon, S.C. See also Hans, H.S., 8=8979

Snowden, J.C. Steady-state behavior of the dynamic absorber, 9=10722

Snowdon, J.C. and Parfitt, G.G. Isolation from mechanical shock with one- and two-stage mounting systems, 9=9344

Snowdon, S.C. See also Machwe, M.K., 9=11480

Snowdon, S.C., Eisenbud, L. and Marshall, J.F. Analytical representation of angular distribution data, 8=8566

Snowdon, W. The disturbance of stress in an infinite plate by a lemniscate-shaped hole, 5=6778

Snyder, A.L. See also Gupta, I.C., 7=5638

Snyder, A.L., Chang, W.Y. and Gupta, I.C. Double-plate cloud-chamber study of V^0 particles: Mean lifetimes of θ^0 and Λ^0 particles, 7=5639

Snyder, C.W. See Johnson, C.H., 8=5951

Snyder, D.D. See also Bleil, C.E., 9=4047

Snyder, D.D. and Bleil, C.E. On the mechanism for carrier excitation in CdS, 9=6987

Snyder, D.D. and Montgomery, D.J. Bulk density of separated lithium isotopes, 8=410. Electrical resistivity of separated lithium isotopes, 8=2297

Snyder, E.S. and Frankel, S. Decay of Hf^{181}, 7=6497

Snyder, H.A. and Donnelly, R.J. Film flow from a rotating beaker of helium two, 9=10926

Snyder, H.S. See Courant, E.D., 8=3172; Goldberg, J.S., 6=1309

Snyder, J.N. Determination of alpha-alpha scattering phase shifts, 5=997. See also Kerst, D.W., 9=11148; Nilson, R., 9=582; Rubenstein, R.A., 5=4926, 8182

Snyder, L.C. and Parr, R.G. Some extraordinary functions for improving calculations for electronic energies, 8=8369

Snyder, M.J. See Sense, K.A., 5=2667

Snyder, R.G. Intramolecular and intermolecular coupling of CH$_2$ rocking modes in n-paraffins, 8=3411

Snyder, R.G. and Hisatsune, I.C. Infrared spectrum of N$_2$O$_4$, 7=5995

Snyder, S. See Fagg, L.W., 6=1609

Snyder, T. See Creutz, E., 5=4110, 4112; Wigner, E.P., 5=4111

Snyder, W.S. See also Neufeld, J., 6=9033, 7=7993

Snyder, W.S. and Neufeld, J. Disordering of solids by neutron radiation, 5=4827. Vacancies and displacements in a solid resulting from heavy corpuscular radiation, 6=8420

Soane, C.M. See Cheesman, G.H., 7=8946

Sobel, F. See Anselone, P.M., 7=1161

Sobel, M. and Huyett, M.J. Selecting the best one of several binomial populations, 7=4967

Sobel'man, I.I. Theory of the breadth of atomic spectral lines, 5=6905. Broadening of spectrum lines due to collisions with electrons, 7=4141

Sobel'man, I.I. and Feinberg, E.L. Some optical effects of plasma oscillations in a solid body, 8=8428

Sobering, S. See Funt, B.L., 5=7311

Soberman, R.K. High-altitude cosmic-ray neutron intensity variations, 6=5994. Onset of convection in liquids subjected to transient heating from below, 9=8028. Effects of lateral boundaries on natural convection, 8=6904. See also Neuburg, H.A.C., 5=3859

Soberman, R.K., Beiser, A. and Korff, S.A. Variation of the position of the cosmic-ray neutron intensity maximum with geomagnetic latitude, 6=456

Sobey, A.E., Jr. See Horton, C.W., 9=1208

Sobinyakov, V.A. See Grigorov, N.L., 8=6018

Sobolev, N.D. On the nature of initial rupture, 9=8899

Sobolev, N.N. See also Egorov, V.N., 9=9674; Kitaeva, V.F., 7=4142; Sidorov, T.A., 7=6989, 8=2967-8

Sobolev, N.N. and Faizullov, F.S. A photoelectric pyrometer for the measurement of the colour temperature of flames, 8=3949

Sobolev, V.D. See Bormosov, Yu.N., 6=8021; Koshkin, N.I., 6=8054; Nozdrev, V.F., 7=3081, 5138

Sobolev, V.V. Transmission of radiation in a heterogeneous medium, 7=5207. Diffusion of radiation in a semi-infinite medium, 8=1646. Theoretical astrophysics, 8=3634. The diffusion of radiation in a medium of finite optical thickness, 8=4774. Diffusion of radiation in a plane lamina, 8=6672. See also Dodonva, N.Ya., 6=4301; Gross, E.F., 7=2815

Sobolev, Yu. P. See Kondrat'ev, L.N., 7=3599; Novikova, G.I., 8=1923; Oganov, M.N., 7=5977;* Yakovlev, G.N., 8=3542

Soboleva, I.N. See Zakharova, M.I., 7=786

Soboleva, N.A. The accuracy of the spherical collector method, 9=4683. Examination of photocathodes by using radioactive indicators, 9=12356

Sobolevskaya, R.B. See Kapitsa, M.L., 9=7062

Sobottka, S.E. See Ehrenberg, H.F., 9=5052

Sobotvich, É. V. See Starik, I.E., 9=11733

Sobra, K. Current densities in the anode spots of spark discharges in air at atmospheric pressure, 9=9673

Šobra, K. See Hermoch, V., 5=4690

Sochard, I. See Sommers, H.S., Jr., 6=2121

Sochava, I.V. and Trapeznikova, O.N. Specific heat of chain structures at low temperatures, 7=8571. Internal rotation and the specific heat of sundry polymers at low temperatures, 9=2891

Sochava, L.S. See Bogomolov, V.N., 7=9133

Socio, M.De. See De Socio, M.

Soderberg, B.A. See Durham, G.S., 9=773

Soderman, R.A. Instrumentation and measurements, 5=2700. Digest of the literature on dielectrics. Volume XVIII-1954. Instrumentation and measurements, 7=9152; Volume XIX-1955. Instrumentation and measurements, 9=5649 Digest of the literature on dielectrics. Instrumentation and measurements, 8=2291. See also Hart, J. (Eds.), 9=5649

Soderman, R.A. and Hall. H.P. Digest of the literature on dielectrics. Instrumentation and measurements, 9=5649

Sodha, M.S. Shrinkage effect of close components in spectroscopic instruments, 6=6504. Variation of mobility with electric field in nondegenerate semiconductors, 8=2303. Mobility of carriers in nondegenerate semiconductors at low electric fields, 8=6967. On errors in collimation, 9=5497. Electron mobility in partially ionized atomic hydrogen, 9=5840. Internal ballistics of a gun after all burnt, 9=9272. Resolving power of an instrument with a circular aperture, in white light [and viewed by eye], 9=9379. See also Chaturvedi, K.C., 7=7722, 7788; Cushing, V., 9=13397; Machwe, M.K., 5=5347; Mitra, S.S., 9=9413; Sharma, Om.P., 5=3542

Sodha, M.S. and Agrawal, D.B. Low-field mobility of carriers in nondegenerate semiconductors, 8=7915

Sodha, M.S. and Eastman, P.C. Mobility of electrons in nondegenerate semiconductors considering electron-electron scattering, 8=5877. Effect of neutral impurities on mobility in nondegenerate semiconductors, 8=6966. Variation of Hall mobility of carriers in nondegenerate semiconductors with electric field, 8=7917. Hall mobility of carriers in impure nondegenerate semiconductors, 9=1439

Sodha, M.S. and Jain, V.K. On physics of armour penetration, 9=9273

Sodha, M.S. and Mitra, S.S. Blurring of objects moving relative to observer, 8=1388. On the design of an absorption cell, 9=5515. Effect of natural line width on resolving power of Fabry Perot etalon, 9=9517

Sodha, M.S. and Varshni, Y.P. Transport phenomena in completely ionized gas considering electron-electron scattering, 9=2433. Transport properties of nondegenerate n-type semiconductors considering electron-electron scattering, 9=9603. Transport phenomena in nondegenerate semiconductors considering electron-electron scattering, 9=9604. Dependence of electron mobility on magnetic field in a fully ionized gas, 9=9724

Soemitro, Prawirowardojo, S. and Dickinson, W.C. Note on the measurement of e/m by the Hoag method, 8=4218

Soergel, V. See Boehm, F., 8=7341

Soest, G. van. See van Soest, G.

Soeya, T. and Kono, R. On some transition phenomena in aqueous solution of polyvinylalcohol, 9=8769

Soffer, L. See Tauber, G.E., 9=6914

Softky, S.D. Photodisintegration of carbon-12 by 330-MeV bremsstrahlung, 5=4942. Millisecond gamma emitter from protons on tantalum, 5=7362

Softky, S.D. and Nather, R.E. Low-background counter for solid β-emitting samples, 8=252

Soga, M. See also Nakamura, K., 9=12676

Soga, M. and Fujita, J. Widths of the giant resonance of photonuclear reaction, 8=1974

Sogo, P. See Feltham, R.D., 7=8062

Sogo, P.B. and Jeffries, C.D. Nuclear magnetic moments of Cl^{36}, Rh^{103}, and W^{183}, 5=7290

Sogo, P.B., Nakazaki, M. and Calvin, M. Free radical from perinaphthene, 7=8057

Sogolova, T.I. See Kargin, V.A., 6=8993

Sohma, J. See Odajima, A., 6=4560, 8=5452, 9=9838

Sohoni, D.K. See Naik, Y.G., 5=8661

Soifer, C. See Quimby, E.H., 5=1421

Sokol, G.A. See Aleksandrov, Yu.A., 8=1976*

Sokolik, G. See Ivanenko, D., 6=7979

Sokolik, G.A. Remarks on the theory of fusion, 5=3435. On the theory of non-linear relativistically invariant equations, 6=7115. The classification of non-linear equations and relativistically invariant interactions by the Lorentz group representations, and the theory of fusion, 6=7116. On the problem of the connection between ordinary and isotopic spaces, 8=37. Interpretation of an "anomalous" representation of the inversion group, 9=5352. See also Konstantinova, É.L., 6=6394

Sokolik, H. See Ivanenko, D., 7=9518

Sokoloff, J. and Hamermesh, M. Calculation of scattering from a complex square well by a variational method, 8=1513

Sokolov, A. See also Sokolow, A.

Sokolov, A. and Kerimov, B. On the scattering of particles by a

force centre according to the radiation damping theory, 7=7607
Sokolov, A.A. Another contribution to the discussion on the quantum theory of radiating electrons, 6=8237. On the theory of the neutrino with oriented spin, 8=1823*, 6120. Theory of Dirac particles with oriented spins and parity non-conservation, 9=7795
Sokolov, A.A., Arutyunyan, V.M. and Muradyan, R.M. Calculation of the scattering phase shifts with account of the second approximation, 9=11842
Sokolov, A.A., Guseĭnov, I.I. and Kerimov, B.K. On scattering of Dirac particles by a short-range force centre taking damping into account, 8=7230
Sokolov, A.A., Ivanenko, D.D. and Ternov, I.M. Excitation of macroscopic oscillations by quantum fluctuations, 7=3980
Sokolov, A.A. and Kerimov, B.K. On a statistical theory of the atomic nucleus. II, 5=1107. Scattering of zero spin particles including damping, 6=8583. Theory of scattering of Dirac particles with inclusion of damping, 7=1064. Contribution to the theory of scattering of particles by a fixed centre [of forces] with damping taken into account, 7=3976. Effect of damping on the polarization of Dirac particles in scattering, 8=1529
Sokolov, A.A., Kerimov, B.K. and Guseinov, I.I. Damping theory study of elastic scattering of Dirac particles with account of polarization effects, 8=5174
Sokolov, A.A. and Loskutov, Yu.M. On the polarization properties of Cherenkov radiation, 7=8994
Sokolov, A.A. and Lysov, B.A. Compton scattering of lingitudinally polarized photons on electrons with oriented spin, 9=9927
Sokolov, A.A. and Matveev, A.N. On the radiation emitted by ultra-high-velocity electrons moving in a constant magnetic field, 6=5154
Sokolov, A.A. and Ternov, I.M. On the quantum theory of a luminescent electron. I.II-IV, 6=5153. Polarization effects in the radiation emitted by the radiating electron, 7=2320. On the quasiclassical interpretation of quantum effects in the theory of a "light-emitting" electron, 8=1828
Sokolov, A.A., Ternov, I.M. and Loskutov, Yu.M. On the question of a covariant definition of pseudovector spin, 9=9226
Sokolov, A.A., Ternov, I.M. and Strakhovskiĭ, G.M. Investigation of stability of motion of electrons in orbital accelerators taking into account quantum effects, 7=2290*
Sokolov, A.A. and Tsȳtovich, V.N. Theory of electron field mass in the presence of a medium, 6=4820
Sokolov, A.A. and Tumanov, V.S. Uncertainty relation and fluctuation theory, 6=7123
Sokolov, A.D. See Golyamina, I.P., 8=4809
Sokolov, A.G. See Grigoryan, S.S., 9=11932
Sokolov, A.V. Dispersion formulae of the quantum optics of metals in the many-electron theory, 5=7225. On the absorption and emission of röntgen rays by ferromagnetic metals, 5=9689. See also Orlov, A.N., 8=8020; Vonsovskiĭ, S.V., 6=2883
Sokolov, A.V. and Cherepanov, V.I. A correction to the paper "Dispersion formulae of quantum optics of metals in the many-electron theory", 7=9589
Sokolov, A.V., Cherepanov, V.I. and Sheĭnberg, I.B. Dispersion formulae of quantum optics of metals in the multi-electron theory considering electron damping, 6=5267
Sokolov, A.V. and Shirokovskiĭ, V.P. Group theory method in the quantum physics of a solid body. (Point symmetry), 7=4874. The description of electronic states in a cubic crystal, 8=4413
Sokolov, A.V. and Tsipis, S.M. On the density of states of the conduction electrons in ferromagnetics, 5=9756
Sokolov, A.V. and Veksler, A.Z. Thermoelectronic emission in ferromagnetics, 5=1017
Sokolov, B.V. See Nasledov, D.N., 8=7951
Sokolov, E.I. See Zamorzaev, A.M., 8=445
Sokolov, I.A. See Aĭrapetyants, A.V., 8=7965; Kogan, A.V., 7=5585, 9240
Sokolov, L.I. See Meshkovskiĭ, A.G., 6=8268, 7=4520, 8=4097
Sokolov, M.M. and Karabanov, N.I. The field γ-radiometer SG-42, 9=9896
Sokolov, N.D. The hydrogen bond, 6=2295. See also Aleksandrov, I.V., 9=7196; Glasko, V.B., 9=11513
Sokolov, N.N. See Andrianov, K.A., 6=7758
Sokolov, S.N. Green's function for a photon, accurate to e^4, 8=511
Sokolov, V.A. See also Gorban', A.N., 9=5577; Tolstoi, N.A., 9=12090
Sokolov, V.A., Grozina, I.S. and Gorban', A.N. On "candoluminescence" of CaO and Al_2O_3, 9=9366
Sokolov, V.I. See Boltaks, B.I., 9=12543
Sokolov, V.M. See Dukel'skiĭ, V.M., 7=7991
Sokolov, Yu.L. Sulkovskaya, M.M., Al'bitskaya, E.A. and Karpushkina, E.I. Levels of the Li^6 nucleus, 7=4617. Nuclear levels in Li^6, 6=8326
Sokolova, I.B. See Dul'kova, L.S., 6=5423, 7=4765, 9=2630; Vagradov, G.M., 9=13566
Sokolova, I.G. See Kliya, M.O., 9=12864
Sokolova, R.S. See Krȳlova, T.N., 7=9642
Sokolova, V.I. See Goryunova, N.A., 9=4112
Sokolovskaya, A.I. See also Bazhulin, P.A., 6=8699
Sokolovskaya, A.I. and Rautian, S.G. The effect of the refractive index of the scattering medium on the intensity of Raman lines, 9=12060
Sokolow, A. and Kerimow, B. On the theory of the Dirac particle with orientated spin, 9=1060
Sokolowski, E. See also Bergkvist, K.E., 5=4008; Nordling, C., 7=4668, 5569, 9=1860
Sokolowski, E., Edvarson, K. and Siegbahn, K. Relative conversion probabilities in the K, L_I and L_{II} shells of the 238.6 keV γ-line of ThB, 6=4625
Sokolowski, E., Nordling, C. and Siegbahn, K. Magnetic analysis of X-ray produced photo and Auger electrons, 8=5910. Chemical shift effect in inner electronic levels of Cu due to oxidation, 8=7424
Sokol'skaya, A.V. and Él'piner, I.E. Synthesis of ammonia and cyanogen compounds in an ultrasonic wave field, 8=5507
Sokol'skaya, I.L. Surface migration of tungsten atoms in an electrical field, 7=6634. Intermetallic alloys of platinum and gold with the alkaline and alkaline earth metals, 7=9191
Šolc, I. Further investigations on the bi-refracting filter, 5=4573. A new method of determining optical rotation, 5=8670. Low-frequency vibrations of rectangular ADP plates, 5=9489. Stability of polished surfaces, 9=8873
Soleillet, P. On the value of the lifetime of a state excited by an optical resonance, 5=461
Solem, A. and Jansen, L. On the kinetic energy of molecular electrons in compressed gases, 7=573
Solem, A.D. See Jansen, L., 7=2156
Solev'eva, L.P. See Grigor'ev, E.L., 7=3649
Solheim, A. See also Breivik, F., 9=10041; Skjeggestad, O., 7=7422
Solheim, A. and Sörensen, S.O. Delayed disintegration of a nuclear fragment, 5=2204
Solimene, N. See also Wagner, R.S., 5=4538, 7=7762
Solimene, N. and Dailey, B.P. Microwave spectrum of 1, 1-difluoroethane, 5=1701. Structure and barrier height of methyl mercaptan from microwave data, 5=2981
Solís, M. See also Vigón, M.T., 5=677, 3374
Solis, M. and Aguilar, M. Influence of the adaptational level of one eye on the differential threshold of the other, 6=4759
Solli, R. See Brun, J., 7=7316
Sollom, P.H. and Brown, J. A centimetre-wave parallel-plate spectrometer, 6=4526
Solmitz, F. See Alvarez, L.W., 7=5651; Heiberg, E., 5=2806
Solmitz, F.T. See Alvarez, L.W., 7=8881; Crawford, F.S., Jr., 8=1207, 9=1687, 4956, 6048, 7282; Eberhard, P., 9=12592; Leitner, J., 9=13580; Nordin, P., 9=2659; Rosenfeld, A.H., 9=6038
Šoln, J. See Jakšić, B., 8=5220, 9=3111
Solntseff, N. On the theory of scattering measurements in nuclear emulsion. I. The distribution functions of the coordinate differences, 8=5171; II. The estimation of true scattering in the presence of distortion, 8=5172. See also George, E.P., 6=3975; Herz, A.J., 6=7723, 7=4956
Solntsev, G.S. and Dmitrieva, M.M. Two-electrode H.F. discharge at pressures from 100 mm Hg to atmostpheric pressure, 6=4422
Solntsev, G.S. and Zastenker, G.N. The influence of humidity on the initiation of microwave pulse discharges, 9=7022
Solodovnikov, A.A. See Grenishin, S.G., 7=9079, 9=10768
Solomko, R.N. See Skobelkin, V.I., 5=8085
Solomon, A.L. Thiourea, a new ferroelectric, 7=2159
Solomon, I. Relaxation processes in a system of two spins, 5=8133. Multiple echoes in solids, 8=1311. Multiple echoes in solids, 9=818. Measurement of magnetic resonance relaxation in the presence of a driving field, 9=11256. Rotary spin echoes, 9=12483. See also Abragam, A.,

8=2521, 5289, 9=10019
Solomon, I. and Bloembergen, N. Nuclear magnetic interactions in the HF molecule, 6=7591
Solomon, L.N. Semantic approach to the perception of complex sounds, 9=965. Search for physical correlates to psychological dimensions of sounds, 9=7706. Semantic reactions to systematically varied sounds, 9=10467. See also Webster, J.C., 5=6851, 6=1013, 7234
Solomon, S.S. Space-charge waves in crossed electric and magnetic fields, 6=5257
Solomons, C. See also Goodkin, J., 8=3932
Solomons, C. and Janz, G.J. Cryoscopic assembly for precise measurements under controlled atmospheres at temperatures up to 500°C, 8=3032
Solon, L.R. See O'Brien, K., 9=4160, 4876
Solon'ko, V.N. See Shinyanskiĭ, L.A., 7=3768
Solonnikov, V.A. See Ladÿzhenskaya, O.A., 9=8380
Solonnikova, L.A. See Samsonov, G.V., 8=8454
Solov'ev, A.M. See Vertsner, V.N., 8=3490, 9=12856
Solov'ev, B.G. Equation for the N-particle wave-function in the many-body problem, 9=11848
Solov'ev, C.P. See Verbitskaya, T.N. 9=12819
Solov'ev, E.S. See Flaks, I.P., 8=3203-4
Solov'ev, K.I. See Abrosimov, A.T., 9=12432
Solov'ev, L. See Burshteĭn, É., 6=7551
Solov'ev, L.D. The asymptotic electron Green's function in the infrared region to an accuracy of e^4, 7=1895. Dispersion relations for S- and P-waves in the meson photoproduction reaction in the first approximation to 1/m, 8=2481. See also Solovyov, L.D.
Solov'ev, L.S. See Burshteĭn, É.L., 7=1380, 1466
Solov'ev, M.I. See Van Gan-Chan, 9=2626
Solov'ev, M.M. See Baradzeĭ, L.T., 8=3367
Solov'ev, M.V. See Baradzeĭ, L.T., 8=3217
Solov'ev, S.P. See Venevtsev, Yu.N., 9=10952; Zhdanov, G.S., 8=5859
Solov'ev, V.A. The theory of the ultrasonic interferometer, 7=3086. See also Mikhaĭlov, I.G., 6=4900, 8=1344, 9=5430
Solov'ev, V.G. Bremsstrahlung accompanying collisions of π-mesons with nucleons, 6=692. A particular model in quantum field theory, 7=100. Nucleon [Green] function in quadratic approximation, 7=3951. Investigation of a model in quantum field theory, 8=1535. On the conservation of combined parity, 8=2761. An equation for the Green's functions of a system of fundamental particles, 8=5655. On the interaction Lagrangian of K-mesons and hyperons, 8=6189. Two classes of interaction Lagrangians, 9=9212. On the possibility of the appearance of a superfluid state of nuclear matter in a case where p-p and n-n interactions are taken into account, 9=10012. The verification of the parity conservation for strong interactions, 9=10577. The occurrence of a superconducting state of an atomic nucleus, 9=11429. Conditions of superfluidity of an atomic nucleus and the phase transition temperature, 9=13592. See also Bogolyubov, N.N., 9=9243; Kurchatov, B.V., 9=2787; Soloviev, V.G.
Solov'ev, V.G. and Galanin, A.D. 5=1230
Solov'eva, L.P. Nuclear interaction of 220 MeV deuterons, 7=4725
Solov'eva, V.I. See Abrosimov, A.T., 6=7502, 8=8090
Soloviev, V.G. The hypothesis of conservation of combined parity only in strong, electromagnetic and weak interactions, 8=2762. Conditions of superfluidity of nuclear matter, 9=4987. On the superfluid state of the atomic nucleus, 9=8502. Possibly test of conservation of parity in production of K-mesons and hyperons, 9=13570. See also Solov'ev, V.G.
Solovyov, L.D. Photoproduction of mesons on nucleons: phase shift analysis and dispersion relations, 8=5372. See also Logunov, A.A., 8=5371, 9=7248
Solt, I.H., Jr. See also Fletcher, P., 9=9798; Strandberg, M.W.P., 6=8280; White, R.L., 7=1448
Solt, I.H., Jr, White, R.L. and Mercereau, J.E. Multiplicities of the uniform precessional mode in ferrimagnetic resonance, 8=8870
Soltamov, U.B. and Grishin, E.S. Investigation of the effect of low energy electrons on the p-n junction in germanium, 9=3471
Somayajulu, G.R. Dependence of force constant on electronegativity, bond strength, and bond order. VII, 9=725. On covalent bond length and bond order. VIII, 9=726. Boiling point and other physical properties of the halogens and halides, 7=3801
Somayajulu, G.R. and Palit, S.R. Boiling point and atomic size, 7=3802. Relationship between atomic and ionic radii, 7=5572
Somayajulu, V.Y. and Narayana Rao, N. Observations on galactic radiation at 30 Mc/s, 9=10419
Someren, E.H.S. van. See van Someren, E.H.S.
Somers, B.G. See Inskeep, R.G., 8=8629
Somers, P.J. and Smit, J.A. Measurements on arc discharges in nitrogen at 1 atm and higher pressure, 7=434
Somervaille, I.J. Sensitivity of a vibrating reed null indicator, 5=769
Somerville, J.M. See also Blevin, H.S., 7=6306
Somerville, J.M. and Fletcher, N.H. Ring conduction in the early stages of sparks, 7=3317
Somerville, J.M. and Grainger, C.T. Current distribution in an expanding spark channel, 6=4419. Multiplicity in the anode marks of sparks, 7=2269
Somerville, T. and Gilford, C.L.S. Acoustics of large orchestral studios and concert halls, 7=4106
Somes-Charlton, B.V. Television techniques in observational astronomy, 6=5602
Somigliana, R. See Kaftal, S., 7=3776
Sommer, A.H. New photoemissive cathodes of high sensitivity, 5=9667. Activation of silver-magnesium and copper-beryllium dynodes, 8=7098. N-type and p-type conduction in alkali-antimonide photoemitters, 9=2326. Multi-alkali photo cathodes, 9=3552. See also Spicer, W.E., 9=6938, 12258
Sommer, J. Acoustic analysers, 6=4942. The sublimation pressures of the systems NaCl + NaCl. $2H_2O$ and $CaCl_2$. H_2O + $CaCl_2$. $2H_2O$, 9=7562
Sommerfield, C.M. Magnetic dipole moment of the electron, 7=9670. The magnetic moment of the electron, 9=519. See also Karplus, R. 9=3152, 6538
Sommerhalder, R. See Jaggi, R., 9=9655, 13331
Sommeria-Klein, J. Construction of a 700 kV ion accelerator tube. Development of oscillating electron ion sources, 6=6716
Sommermeyer, K. See also Herbst, W., 9=2750
Sommermeyer, K. and Dresel, H. The specific primary ionization [I] by electrons of medium energy in hydrogen, nitrogen, oxygen and argon, 5=8872. The specific primary ionization in gases by electrons of medium energy. II, 6=4466
Sommermeyer, K. and Waechter, K.H. Absorption coefficients for β-ray-emitting radio isotopes. II. Fundamentals of β-ray dosimetry, 6=4611. Absorption coefficients of β-active isotopes. Dosage distribution around small radioactive bodies having surface emission, 7=2591
Sommers, H.S., Jr. See also Goldstein, L., 6=4030
Sommers, H.S., Jr, Berry, R.E. and Sochard, I. Photoelectromagnetic effect in insulating CdS, 6=2121
Sommers, H.S., Jr, Dash, J.G. and Goldstein, L. Transmission of slow neutrons by liquid helium, 5=4109
Somogy, A. See Chaloupka, P. 9=13409
Somogyi, A. See Bozóki, G. 9=2465, 12429; Filipkowski, A. 9=2713; Jánossy, L., 7=4508
Sona, A. See Colli, L., 8=1977
Sona, A.M. See Colli, L., 9=13688; Della Corte, M., 6=4632; Marcazzan, G., 9=2595
Sona, P.G. A general type of experiment proposed to test the conservation of parity in strong interactions at high energies, 9=3766
Sonchik, K.K. Temperature dependence of the breakdown time-lag in rocksalt, 9=5770. Remarks on the article by Cooper and Grossart, "Time delays in internal electric breakdown of solid dielectrics", 9=5771
Sonder, E. Effect of antimony impurity on self-diffusion of silver, 6=1642. Magnetic and electrical properties of reactor-irradiated silicon, 9=11024. See also Kuper, A., 5=1288*; Tomizuka, C.T., 6=8982
Sonder, E. and Stevens, D.K. Magnetic properties of n-type silicon, 8=5119
Sondericker, J.H., Jr. See Goland, A.N., 9=8436
Sondheimer, E.H. The Kelvin relations in thermo-electricity, 6=4416. Electrical conductivity of anisotropic thin films, 6=6609. Electron-phonon equilibrium and the transport phenomena in metals at low temperatures, 8=396. See also Engleman, R., 6=5084; Hanna, I.I., 7=5493;

Hebbon, J.E., 9=5869; Lewis, B.F., 5=1815
Sone, K. See Ito, K., 9=13480; Stammreich, H., 5=6045
Sonett, C.P. and MacKenzie, K.R. Relative stopping power of various metals for 20-MeV protons, 6=1310
Sonin, A.S. See Rez, I.S., 9=13269
Sönksen, D. On the growth of thin KCl layers on single crystal substrates (electron microscope observations), 7=2793
Sonna, P.G. See Alberigi, A., 9=11143
Sonnen, R.K.M. See Kronig, R., 8=5818
Sonoda, M. See Kumabe, I., 5=5471
Sontheim, R. Swiss efforts in the field of nuclear energy, 7=3682
Soo, S.L., Tien, C.L. and Kadambi, V. Determination of turbulence characteristics of solid particles in a two-phase stream by optical autocorrelation, 9=11889
Sood, B.S. See Moon, P.B., 8=7306
Sood, P.C. See also Green, A.E.S., 9=3803; Trainor, L.E.H., 9=2685, 13620
Sood, P.C. and Green, A.E.S. Proton potential anomaly and nuclear radius constant for mirror nuclei, 8=5258
Soole, B.W. A modified pocket integrating ion chamber type B.D. 11 of nearly uniform polar response, 5=4752. The angular distribution of multiply-scattered γ-radiation, 5=7337. Photographic badges for the estimation of the quality of X and gamma radiation, 7=442
Soper, J.M. Nuclear forces and the structure of the lithium isotopes, 8=1217
Soran, V. and Diaconeasa, B. The ultra-anoptral microscope, an improvement of Wilska's method, 7=9650
Sorensen, R.A. Electromagnetic effects in meson-nucleon scattering, 9=3778
Sörensen, S.O. See Breivik, F., 9=10041; Haugerud, Ö., 5=9151; Scharff, M., 6=5404; Skjeggestad, O., 6=6187, 7=2581, 7422, 9=6104; Solheim, A., 5=2204
Sorenson, J. See Lecar, M., 9=6382
Sorger, G. See Feldtkeller, R., 5=1992
Soriano, S. Perturbations of the energy levels of a particle in a spheroidal hole, 7=614
Sorokin, A.A. See Delyagin, N.N., 7=6496; Forafontov, N.V., 9=10053; Ovechkin, V.V., 9=8433
Sorokin, G.P. See Kot, M.V., 9=3459
Sorokin, O.M. Photoelectron emission from mercury selenide, 9=3560
Sorokin, O.V. Measurement of surface recombination velocity in a thin semiconductor sample with qualitatively different faces, 7=4333. On the measurement of lifetime, diffusion coefficient and surface recombination velocity of minority current carriers in thin semiconducting specimens, 7=7908. A method of measuring the bulk lifetime and diffusion coefficient of charge carriers by the measurement of the change of resistance of a semiconductor in a magnetic field, 8=4000. See also Pikus, G.E., 9=415; Zhuze, V.P., 7=7909, 9=5687
Sorokin, P.P. See also Bloembergen, N., 8=4389; Smith, W.V., 9=4826
Sorokin, P.P., Gelles, I.L. and Smith, W.V. Multiple quantum transitions in paramagnetic resonance, 9=4822
Sorokin, P.V. and Taranov, A.Ya. Polarization of protons scattered elastically by nuclei of C^{12}, 7=4709
Sorokin, P.V., Val'ter, A.K., Gavrilovskii, B.V., Karadzhev, K.V., Man'ko, V.I. and Taranov, A.Ya. Polarization of protons scattered on O^{16}. Spin and parity of the 3.11 MeV level in the F^{17} nucleus, 8=1903
Sorokin, P.V., Val'ter, A.K., Malakhov, I.Ya. and Taranov, A.Ya. Polarization of protons elastically scattered on Si^{28} nuclei, 9=12674
Sorokin, V.I. On the effect of formation of a fountain of drops from the surface of a vertically oscillating liquid, 8=4786. Investigation of water-air resonators, 8=6779
Sorokin, V.S. The law of conservation of momentum and the measure of momentum in physics, 8=6611
Sorokina, L.A. See Konorova, E.A., 7=6149, 9=4661
Soroko, L.M. Reaction $p + p \rightarrow \pi^0 + p + p$ in the region 400-600 MeV, 6=6205. Elastic p-p scattering and peculiarities of the π-meson-nucleon interaction, 7=4466. Resonance interaction of a π-meson with nucleons and π-meson production by nucleons, 8=2496. Possible experiments for investigation of inelastic scattering of nucleons. I, 8=8220. Some possible experiments for the investigation of inelastic scattering of nucleons, 9=1658. See also Akimov, Yu.K., 9=1767, 2788; Meshcheryakov, M.G., 7=6282
Sorrels, J.D., Leighton, R.B. and Anderson, C.D. Associated production of Ξ^- with two θ^0 particles, 6=2435
Sorrels, J.D., Trilling, G.H. and Leighton, R.B. Λ^0-fragment decay in a cloud chamber, 6=3256
Soshea, R.W., Dekker, A.J. and Sturtz, J.P. X-ray-induced color centers in MgO, 9=1876
Sosin, A. See also Dieckamp, H., 7=3765; Meechan, C.J., 8=6952, 9=5173
Sosin, A. and Koehler, J.S. Electrical resistivity tensor for aluminum single crystals deformed at helium temperature, 6=2127
Sosinskii, M.L. A low-pressure mercury arc for study of light scattering, 9=13192
Soška, F. Equations of motion for damped longitudinal, torsional and flexural oscillations of piezoelectric bars, 9=4366. Electrical equivalent circuit of damped shear vibrations of piezoelectric bars, 9=4367
Soskin, M.S. See Brodin, M.S., 9=12135
Sosniak, J. and Bell, R.E. Genetic measurement of the half life of Bi^{207}, 9=2724
Sosnovsky, A.N., Spivak, P.E., Prokofiev, Yu.A., Kutikov, I.E. and Dobrinin, Yu.P. Measurement of the neutron lifetime, 9=8457
Sosnovsky, H.M.C. Effect of crystal orientation on the activation energy for the catalytic decomposition of formic acid on silver, 5=9210
Sosnowski, L. Current problems in the physics of semiconductors, 5=5213. Contribution of current carriers in the reflection of light from semiconductors, 8=4976. Electronic processes at grain boundaries, 9=6250. Determination of surface states in PbS crystals, 9=11019. See also Chęcińska, H., 5=1845; Infeld, L., 5=5213; Ostrowski, J.W., 5=1846; Rzewuski, H., 5=8752
Sotskii, B.A. and Fedorov, F.I. On the molecular of reflection and refraction of light. II. Light incident on the boundary between an isotropic medium and vacuum or another isotropic medium. Total reflection, 9=9365
Souch, A.E. Chlorine 38, 34 ratios from heavy ion bombardments, 5=6447. Decay of ^{70}As produced by ^{14}N bombardment of Cu, 5=9857. See also Greenless, G.W., 5=7356
Soudain, G. Interferometric measurements of the small deformations of a membrane applied to the measurement of high pressures, 6=4344
Soudek, I. Photoelectric spectrophotometers, 8=5776. The dependence of the decay of luminescence on the surface concentration of the sample, 9=4465. The dependence of the spectral composition of the luminescence of zinc-cadmium sulphides on the excitation intensity, 9=4467. Temperature dependence of the photoluminescence intensity of zinc-cadmium sulphide, 9=7975. The effect of irradiation on the dielectric losses of luminescent zinc-cadmium sulphide, 9=8076. The temperature dependence of the photoluminescence of silver-activated zinc-cadmium sulphides, 9=12085
Soul, D.C. See Bessey, G.E., 5=1281
Soulage, G. Freezing nuclei of the atmosphere, 9=4147
Soulard, A. See Brot, C., 9=12215
Soule, D.E. Magnetic field dependence of the Hall effect and magnetoresistance in graphite single crystals, 9=4628. Analysis of galvanomagnetic de Haas-van Alphen type oscillations in graphite, 9=4629
Soule, D.E. and McClure, J.W. Band structure and transport properties of single-crystal graphite, 9=6235
Soulé, J.L. See Le Bouffant, L., 5=1274
Soules, J.A., Gordon, W.L. and Shaw, C.H. Design of differential X-ray filters for low intensity scattering experiments, 6=2156
Soules, J.A. and Shaw, C.H. X-ray K-absorption spectra of solid argon and krypton, 9=4666
Soundraraj, A. See Singh, S., 6=6985, 8=7590
Souriau, J.M. A general schema for relativistic physics, 7=8972. Dirac equations in the general relativistic schema, 7=9014. The energy-momentum tensor in variational relativity, 8=32. The second invariance in variational relativity, 8=8575. An axiomatic relativity for microphysics, 9=2030. Physical consequences of a unified theory, 9=7754
Sourisseau, G. See Lascombe, J., 7=6376
Southgate, P.D. Internal friction of single crystal silicon from 25°C to 1100°C, 7=9935. Temperature dependence of internal friction in germanium, 8=4477
Southwell, R.V. Use of an analogue to resolve Stokes's

paradox, 8=3758
Southwick, R.D. See Huntington, H.B., 5=7771
Soutif-Guicherd, J. Study of the Faraday effect of anhydrous and hydrated paramagnetic salts at 3 kMc/s, 5=8083. Equation of circular waves in a gyroparamagnetic medium, 6=5261. Calculation of the Faraday effect in a gyroparamagnetic medium, 6=6809. Paramagnetic Faraday effect, 8=8952
Souza, M. Ferreira de. See Ferreira de Souza, M.
Souza Santos, M.D. de. See de Souza Santos, M.D.
Sowter, C.V. See Dagley, P., 8=3344; Grace, M.A., 7=9363
Sozinov, I.I. See Boltaks, B.I., 8=3479, 7535
Spaa, J.H. A beam-scanned rotating heavy-ice target for high loads, 8=3374
Špaček, L. On the question of very pure iron, 5=4782. On the question of the diffusion of carbon in iron, 5=8305. The investigation of cold working texture in iron using the Bitter-Akulov colloid technique, 5=8323. Again on the work on pure iron, 6=3003. The domain structure in polycrystalline iron, 6=7523. Surface structure of Weiss domains on very slightly inclined (100) planes, 9=9780. The structure of the superficial layer on the (100) plane of iron. The dendritic structure, 9=12860
Spaepen, J. Density of neutron-irradiated lithium fluoride crystals, 9=827
Spalding, D.B. The theory of flame phenomena with a chain reaction, 6=7346. See also Hutcheon, I.C., 8=3928
Spandöck, F. Acoustic calibration standards, 6=2760. The limitations of electro-acoustic transducers, 6=3575
Spangenberg, K. and Haussühl, S. The elastic constants of alkali halides of the rock-salt type, 9=4075
Spangler, R.D. See also Watkins, J.M., 6=6969
Spangler, R.D. and Cooper, E.B. Equipment to measure the energy absorption of films at high strain rates, 7=5686
Sparks, R.A., Prosen, R.J., Kruse, F.H. and Trueblood, K.N. Crystallographic calculations on the high-speed digital computer SWAC, 6=9045
Sparnaay, M.J. On thermal hysteresis of transformations in solids, 7=6111. Attractive forces between flat plates, 7=9930. The interaction between two cylinder shaped colloidal particles, 9=12855. Measurements of attractive forces between flat plates, 9=1912. See also Overbeek, J.T.G., 5=8107
Sparrow, E.M., Eichhorn, R. and Gregg, J.L. Combined forced and free convection in a boundary layer flow, 9=7823
Sparstad, T. and Amble, E. Microwave spectrum and structure of $(CH_3)_3$ CCN, 7=9088
Spartakov, A.A. and Tolstoĭ, N.A. Stable dipole moments of aerosol particles, 6=7794
Spasibukhov, Yu.I. See Grigoryan, S.S., 9=11932
Spear, R.H. See Bird, J.R., 6=6064, 8=5357
Spear, W.E. Electron bombardment effects in thin dielectric layers, 6=2182. Volume generated currents and secondary effects in amorphous selenium films, 7=2233. Transit time measurements of charge carriers in amorphous selenium films, 7=7105. Surface effects in electron-irradiated Ge at 80°K, 9=4581
Spear, W.G. Scintillation dose-rate meter is reliable, easy to maintain, 7=9735. A portable scintillation alpha survey instrument, 9=1637. Transistors shrink contamination detectors, 9=12528
Spearman, K.R., Jr. Correcting anthracene dosimeter readings for neutron response, 7=3612
Speck, D.R. Hyperfine structure and nuclear moments of gadolinium, 6=3925. See also Woodward, E.C., 5=1680
Speck, D.R. and Jenkins, F.A. Nuclear moments of Hf^{177} and Hf^{179}, 6=5318
Speck, F. See Edwards, H.D., 6=6294
Spedding, F.H. See also Anderson, G.S., 8=1710, 9=2314; Barson, F., 7=2120; Behrendt, D.R., 7=6345; 8=2395; Elliott, J.F., 6=1372; Gerstein, B.C., 7=8572; Griffel, M., 6=7358; Jennings, L.D., 8=159; Johnson, R.G., 7=2121; Rhodes, B.L., 8=2396; Savage, W.R., 9=5636; Skochdopole, R.E., 6=1177; Thoburn, W.C., 8=6042, 9=3634
Spedding, F.H., Daane, A.H. and Herrmann, K.W. The crystal structures and lattice parameters of high-purity scandium, yttrium and the rare earth metals, 7=898
Spedding, F.H., Powell, J.E. and Svec, H.J. A laboratory method for separating nitrogen isotopes by ion exchange, 6=3926
Spedding, H. and Whiffen, D.H. Intensities in the infra-red spectrum of benzene, 7=5200
Speece, A.L., Rutkowski, C.P. and Gaines, G.L., Jr. Apparatus for the measurement of small contact angles between liquids and solids, 7=9562
Speer, F. A determination of the reflected part of secondary electron emission from copper and gold, 5=1906. See also Gobrecht, H., 5=7964
Speers, G. See Fisher, P.S., 8=1240
Spees, A.H. Acoustic Doppler effect and phase invariance, 6=1909
Speich, G.R. and Cohen, M. Rapid-quenching hot stage for metallography, 9=4505
Speidel, R. See Möllenstedt, G., 8=4842
Speiser, D. Scattering of neutrons by nitrogen N^{14}, 5=3110
Speiser, R., Blackburn, R. and Johnston, H.L. Vapor pressure of niobium, 9=3387
Speisman, G. Convergent Schrödinger perturbation theory, 7=9546
Spence, R. The role of chemistry in a nuclear energy project, 8=4340
Spence, R.D. Proton resonance in barium chlorate monohydrate, 5=7538. Angular momentum in sphero-conal coordinates, 9=6534. See also Carlson, E.H., 6=3830; Jain, P.L., 5=5930; Michel, R.E., 7=5519; Muller, J.H., 9=3214; Nye, J.F., 7=8909
Spence, R.D. and Ewing, R.D. Evidence for antiferromagnetism in $Cu_3(CO_3)_2(OH)_2$ [mineral azurite], 9=2504
Spence, R.D., Forstat, H., Khan, G.A. and Taylor, G. Antiferromagnetism in $NiBr_2.6H_2O$, 9=11225
Spence, R.D. and Muller, J. Proton resonance in guanidine aluminum sulfate hexahydrate, 7=6401
Spence, R.D. and Muller, J.H. Proton resonance in dioptase $(CuSiO_3.H_2O)_6$, 9=2984
Spence, R.W. See Ghiorso, A., 5=9846
Spencer, C.W. and Bazzard, G.H. A semi-automatic pen-recorder chart analyser, 6=4797
Spencer, D.E. See Moon, P. 5=2896, 7201, 6=1396, 2253, 7=999, 8=6062
Spencer, E.G. See also Garver, R.V., 8=3125; LeCraw, R.C., 8=2402, 8891, 8915; Porter, C.S., 9=241; [illegible]., 9=241; Tompkins, J.E., 8=8939
Spencer, E.G. and LeCraw, R.C. Wall effects on microwave measurements of ferrite spheres, 5=4783. Magneto-acoustic resonance in yttrium iron garnet, 9=3663
Spencer, E.G., LeCraw, R.C. and Ault, L.A. Note on cavity perturbation theory, 8=1669
Spencer, E.G., LeCraw, R.C. and Clogston, A.M. Low-temperature line-width maximum in yttrium iron garnet, 9=13449
Spencer, E.G., LeCraw, R.C. and Porter, C.S. Ferromagnetic resonance in yttrium iron garnet at low frequencies, 9=398
Spencer, E.G., LeCraw, R.C. and Reggia, F. Circularly polarized cavities for measurement of tensor permeabilities, 5=4784
Spencer, H.E. Quantum efficiency of photoconductive lead sulfide films, 8=1702. Effect of thickness of thin films of lead sulfide on the spectral response of photoconductivity, 9=6996. Proportionality between photoconductance and time constant in lead sulfide films, 9=8150
Spencer, H.M. Temperature dependence of the heat capacity of gases, 6=8747
Spencer, J.L. See Bellarts, H.J., 6=3995
Spencer, J.W. See Lowitz, D.A., 9=5395
Spencer, L.V. Theory of electron penetration, 5=7117. See also Berger, M.J., 9=4322, 7700; Doggett, J.A., 7=456; Olson, C.A., 8=4215
Spencer, M. The shape of irregularities in the upper ionosphere, 5=9290. See also Briggs, B.H., 5=5772; Phillips, G.J., 5=9289
Spencer, M.P. See Denison, A.B., Jr, 7=137
Spencer, R.C. Microwave optics. I. Report on microwave optics, 6=8876
Spencer, R.H. See Gray, T.S., 8=5165
Spencer, R.R. See also Young, T.E., 8=329
Spencer, R.R., Phillips, G.C. and Young, T.E. Inelastic scattering of protons from Cu^{65}, Ni^{58}, Ni^{60}, and Ni^{62}, 8=331
Spencer, T.W. Reflection of an acoustical pressure pulse from a liquid–solid plane boundary, 6=4934. Papers presented at the Conference of Elastic Wave Propagation, California Institute of Technology, March 7 and 8, 1957, 9=1181
Spenke, E. Silicon power rectifiers, 9=13308. See also Emeis, R., 8=5002
Speranskaya, N.I. A method of determining spectral colour

coordinates, 9=12921

Sperduto, A. See also Bockelman, C.K., 7=8157; Buechner, W.W., 6=1564, 3984, 7=7293; Endt, P.M., 6=8371, 7=2571; Mazari, M., 7=8104, 9819, 9821, 9=3828

Sperduto, A. and Buechner, W.W. (p, p') and (p, α) reactions from K^{39}, 8=2560

Sperduto, A., Buechner, W.W., Bockelman, C.K. and Browne, C.P. (d, p) reactions from carbon, nitrogen, and oxygen, 5=1201 oxygen, 5=1201

Sperling, G. See Happ, H., 9=3492

Sperling, H.G. and Hsia, Y. Some comparisons along spectral sensitivity data obtained in different retinal locations and with two sizes of foveal stimulus, 7=9996

Sperling, H.G. and Lewis, W.G. Some comparisons between foveal spectral sensitivity data obtained at high brightness and absolute threshold, 9=12920

Spernol, A. Mobility of protons in ice, 5=5691

Speroni, G. See Califano, S., 7=9085

Speyer, E. Testing low-precision optics, 9=3362

Spicer, B.M. Photoprotons from oxygen, 5=8250. (y, P) reaction in argon-40, 6=2410. The cross-section for the ^{16}O$(\gamma, n)^{15}$O reaction, 8=6321. See also Penfold, A.S., 6=1582

Spicer, B.M., Allum, F.R., Baglin, J.E.E. and Thies, H.H. Photoneutrons from natural magnesium, 8=8331

Spicer, B.M., Muirhead, E.G. and Shute, G.C. Protons ejected from nickel by 17.5 MeV breamsstrahlung, 7=7391

Spicer, B.M. and Penfold, A.S. Energy stability of the 22-MeV betatron at the University of Illinois, 6=396. C$^{12}(\gamma, n)$ yield curve near threshold, 6=2411

Spicer, W.E. X-ray induced luminescence from air, 5=6049. Luminescence from sodium chloride, 7=6023. Photoemissive, photoconductive, and optical absorption studies of alkali-antimony compounds, 9=3504. The influence of defect levels on photoemission, 9=3553. Relationship between signal-to-noise ratio and threshold of response of infrared photoconductors limited by generation-recombination noise, 9=12287

Spicer, W.E. and Sommer, A.H. Intermetallic semiconductors containing alkali metals, 9=6938

Spicer, W.E., Sommer, A.H. and White, J.G. Studies of the semiconducting properties of the compound CsAu, 9=12258

Spiegel, E.A. The smoothing of temperature fluctuations by radiative transfer, 8=4770

Spiegel, V., Jr, Miller, W.C. and Waldman, B. Plural scattering of electrons at 1.00 MeV, 1.75 MeV, and 2.50 MeV. II, 9=4895

Spiegel, V., Jr, Ruane, T.F., Anthony, D.J., Waldman, B. and Miller, W.C. Absolute electron-nuclear differential scattering cross sections at 1.00 MeV, 1.75 MeV, and 2.50 MeV. I, 9=4894

Spiegler, K.S. Transport processes in ionic membranes, 9=103

Spielberg, K. See Sexl, T., 8=7732

Spielberg, N. Intensities of radiation from X-ray tubes and the excitation of fluorescence X-rays, 9=8194

Spieker, L.J. See Jones, H.J., 6=5544

Spiers, F.W. Radiation absorption and energy loss by primary and secondary particles, 5=342

Spiers, J.A. A proposed notation for quantized angular momenta, 5=2401

Spiers, V.M. See Fremlin, J.H., 5=5483

Spiesecke, H. and Mecke, R. Infrared absorption spectrum of 2, 4, 6, 8, 9, 10-hexathiaadamantane, 7=2035

Spieth, W. Annoyance threshold judgments of bands of noise, 7=198. Downward spread of masking, 7=8337

Spieth, W. and Trittipoe, W.J. Temporary threshold elevation produced by continuous and "impulsive" noises, 9=970. Intensity and duration of noise exposure and temporary threshold shifts, 9=1979

Spieth, W. and Webster, J.C. Listening to differentially filtered competing voice messages, 5=9513

Spiewak, M. Magnetic field dependence of high-frequency penetration into a superconductor, 8=7981. Magnetic field dependence of the surface impedance of superconducting tin, 9=6986

Spighel, M. See Feuvrais, L., 9=605

Spilners, A. See Simnad, M.T., 9=5166

Spindel, W. See also Kauder, L.N., 9=8686

Spindel, W. and McLaren, E.H. Simple safety device for Hg diffusion pumps, 5=1593

Spindel, W. and Taylor, T.I. Separation of nitrogen isotopes by chemical exchange between NO and HNO$_3$, 5=7309. Concentration of nitrogen-15 by chemical exchange in a thermal diffusion column, 5=8338. Preparation of 99.8% nitrogen-15 by chemical exchange, 6=6095

Spindler, H. Influence of characteristic yield point of mild steel by sandblasting, 9=6334

Spindler, R.J. See Rodney, W.S., 5=828

Spinks, J.W.T. See Cormack, D.V., 5=4150; Katz, L., 5=8251; Riegert, A.L., 9=11323

Spinner, S. See Weir, C., 7=5970

Spinney, K.T. The energy spectrum of neutrons reflected from a moderator, 5=5647. Neutron attenuation in concrete, 9=4918

Spinrad, B.I. Anisotropic diffusion lengths in diffusion theory, 5=6537. Threshold values of internal conversion coefficients for the K-shell, 5=7341

Spiridonov, V.M. See Gorbunov, A.N., 8=3380, 8336-7

Spiridonov, V.P. See Akishin, P.A., 8=3439

Spirin, G.S. See Gofman, I.I., 8=1091

Spit, B.J. Some carbon replica techniques for the electron microscopy of small specimens and fibres, 8=2681

Spitale, M.C. See Sellerio, A., 8=5836

Spitsȳn, A.V. See also Vavilov, V.S., 7=2824, 8=5491, 7512

Spitsȳn, A.V. and Vavilov, V.S. On the recombination of minority carriers in n-type germanium through lattice defects induced by fast neutron irradiation, 9=4587

Spitsȳn, V.I. and Mikhailenko, I.E. Effect of the intensity of radioactive emission of S^{35} on the rate of the isotopic exchange of sulphur in the system K$_2$S*O$_4$–SO$_3$, 9=12847

Spitzer, L. See Mestel, L., 7=5796

Spitzer, L., Jr. On a possible interstellar galactic corona, 6=7104. Co-operative phenomena in hot plasmas, 8=774*. Influence of fluid motions on the decay of an external magnetic field, 8=2423. Disruption of galactic clusters, 8=3636. The stellerator concept, 9=1792. See also Oort, J.H., 5=5171

Spitzer, L., Jr. and Field, G.B. On the abundance of interstellar beryllium, 5=4286

Spitzer, L., Jr. and Lautman, D.A. The distribution of interstellar sodium and calcium, 6=3439

Spitzer, M. Influence of a magnetic field on the polarization of the radiation 2139 Å emitted in optical resonance by a zinc atom, 5=460. Selective reflection of cadmium vapour, 6=260. Selective reflection of resonance radiations of cadmium vapour, 7=7784. Optical resonance in cadmium vapour with separated odd and even isotopes, 9=8694

Spitzer, R. Commutation relations of interacting spinor fields, 7=5850. Contribution of three-body forces to the binding of hyperfragments, 8=5285. See also Halpern, F.R., 9=9229; Sirlin, A., 9=12593

Spitzer, R. and Stapp, H.P. Polarization and angular correlation in the production and decay of particles on spin $^1/_2$ and spin $^3/_2$, 8=8961

Spitzer, W. See also Fan, H.Y., 6=2101, 7=7924

Spitzer, W. and Fan, H.Y. Infrared absorption in n-type silicon, 8=3122

Spitzer, W.G. and Fan, H.Y. Infrared absorption in indium antimonide, 6=346. Determination of optical constants and carrier effective mass of semiconductors, 7=7094. Effect of neutron irradiation on infrared absorption in silicon, 8=4878

Spitzer, W.G., Firle, T.E., Cutler, M., Shulman, R.G. and Becker, M. Measurement of the lifetime of minority carriers in germanium, 5=5408

Spitzer, W.G. and Kaiser, W. Optical properties of crystalline boron, 9=1327

Spitzer, W.G., Kleinman, D. and Walsh, D. Infrared properties of hexagonal silicon carbide, 9=4449

Spitzer, W.G., Kleinman, D.A. and Frosch, C.J. Infrared properties of cubic silicon carbide films, 9=4450

Spitzer, W.G. and Whelan, J.M. Infrared absorption and electron effective mass in n-type gallium arsenide, 9=6948

Spivak, G.V. See also Igras, E., 9=13264

Spivak, G.V. and Dombrovskaya, T.N. Electron optical method of studying dynamic thermal processes in opaque media, 6=6770

Spivak, G.V., Dombrovskaya, T.N. and Sedov, N.N. Observation of the domain structure of a ferromagnetic using photoelectrons, 7=7231

Spivak, G.V., Dubinina, E.M., Sbitnikova, I.S., Pryamkova, I.A. and

Vinogradov, D.P. The development of electron microscope methods for observing the microgeometry and emission centres of thermo-cathodes, 9=7083
Spivak, G.V. and Gel'berg, A. Study of the auto-emission of electrons by nickel, 7=2291
Spivak, G.V., Igras, É., Pyramkova, I.A. and Zheludev, I.S., The observation of domain structure in barium titanate by means of an electric mirror, 9=13265
Spivak, G.V., Igras, É. and Zheludev, I.S. On peculiarities of ferroelectric domain structure visualized by means of an electron microscope, 9=4550
Spivak, G.V., Kanavina, N.G., Sbitnikova, I.S. and Dombrovskaya, T.N. Representation of the domains of a ferromagnetic by the electron-optical method, 6=4496
Spivak, G.V., Krokhina, A.I., Yavorskaya, T.V. and Durasova, Yu.A. Etching of dielectrics by ionic bombardment, 8=213
Spivak, G.V., Prilezhaeva, I.N. and Azovtsev, V.K. Magnetic contrast in an electron mirror and observation of the domains of a ferromagnetic, 6=4497
Spivak, P.E. See Sosnovsky, A.N., 9=8457
Spizharskii, S.N. See Gerasimov, F.M., 9=10874
Splettstosser, H.R. See Seemann, H.E., 5=6670; Wilsey, R.B., 7=1355
Spoedlin, R. Remarks on the calculation and functioning of Kapitza liquefiers, 9=2142
Spoendlin, R. The hydrogen and helium liquefier at the A. Cotton Laboratory at Bellevue. General remarks on helium liquefiers, 5=2684
Spohr, D.A. See also Kurti, N., 7=2137; Webber, R.T., 7=7048
Spohr, D.A. and Webber, R.T. Resistance minimum of magnesium: Electrical and thermal resistivities, 7=4316
Spokas, J.J. and Slichter, C.P. Nuclear relaxation in aluminum, 9=7495
Spokes, G.N. and Gaydon, A.G. Absorption spectra of flat flames using a multiple-reflexion technique, 8=963
Sponer, H. Intra- and intermolecular radiationless quantum transitions in complex molecules, 9=7446. See also Chen, T.C., 7=6379; Franck, J., 6=8899; Kanda, Y., 8=8702; Narahari Rao, K., 7=7735
Sponer, H. and Cooper, C.D. Vapor absorption spectra of light and heavy naphthalenes at 2900-2500 Å, 5=5324
Sponer, H., Kanda, Y. and Blackwell, L.A. Delayed fluorescence in naphthalene crystals at 4°K, 9=212
Sponsler, G.C. See Logan, B.F., 5=7107
Spooner, H. Summarized proceedings of a conference on stress analysis—Sheffield, September, 1955, 6=2479
Sprackling, M.T. See Nye, J.F., 7=8909
Sprague, G. See also Gartlein, C.W., 8=5555
Sprague, G., Tomboulian, D.H. and Bedo, D.E. Calculations of grating efficiency in the soft X-ray region, 5=8658
Spratt, J.P. See Messenger, G.C., 8=4981
Spray, C.A.F.T. A sample etching technique for revealing dislocations in silicon, 7=853
Spreadborough, J. See Christian, J.W., 7=4903, 8=1327
Spring, F. See Sänger, R., 5=6831
Spring, K.H. Bonding optical components to metal mounts, 9=236
Spring, K.H. and Barton, N.P. Optical semi-reflectors. Suitable methods and materials, 7=284. Some "black" interference reflectors, 7=285
Springer, A.M. Apparatus for changing the playback time of a sound recording, 6=3590. An apparatus for temporal lengthening and pick-up of sound records, 6=7244. An acoustic time regulator for sound recording, 6=8640. Acoustical time regulator, 7=8497
Springer, C.E. Union parallel displacement, 9=1995
Springer, T. Solution of a neutron transport problem by Monte-Carlo method, 9=2600. Investigation of inelastic moderation of fast neutrons, 9=3749. See also Hohmann, H., 9=12706; Maurer, K., 8=8032
Sproat, D. See Exley, D., 8=3852
Sproson, W.N. New equipment and methods for the evaluation of the performance of lenses for television, 8=593
Sproull, R.L. Modern Physics. A textbook for engineers, 6=4793
Sproull, R.L., Moss, M. and Weinstock, H. Effect of dislocations on the thermal conductivity of lithium fluoride, 9=6823
Spruch, G.M. See Kallmann, H., 6=5799, 7307
Spruch, L. Bounds on scattering phase shifts. II, 8=2794. See also Gold, W., 8=6264
Spruch, L. and Gold, W. Coulomb corrections in the theory of internal bremsstrahlung, 9=6096
Spruch, L. and Kelly, M. Bounds on scattering phase shifts. I, 8=2793
Spruch, L. and Rotenberg, A. Interaction contribution to nuclear isomerism, 6=6833
Spruit, F.J. See Dammers-de Klerk, A., 7=1199
Spry, W.J. Correction for the finite magnetic modulation amplitude in paramagnetic and nuclear magnetic resonance lines, 8=1781. See also Nishina, Y., 8=3107
Spurlock, C.H. See Vandenbelt, J.M., 6=1033
Spurny, E. See Sexl, T., 7=6371
Spurny, H. See Grümm, H., 7=6257
Spurr, R.T. Creep and static friction, 6=2485. The "ploughing" contribution to friction, 6=6988. See also Hughes, G. 5=3199
Spurr, R.T. and Newcomb, T.P. The variation of friction with velocity, 7=3779. The adhesion theory of friction, 7=4822
Spurrier, R.A. See Eisberg, R.M., 9=8501
Spurway, A.H. See Green, A., 5=4106; Small, V.G., 5=5662
Spuy, E. van der. See van der Spuy, E.
Squeri, L. See Calapaj, G.G., 9=1524
Squire, C.F. See Briscoe, C.V., 7=7464, 9=4041; Low, F.J., 9=1879; Smith, G.W., 8=6229; Thompson, J.C., 5=391
Squire, L.C. Boundary layer growth in three dimensions, 5=794
Squire, R.K. See Moyer, B.J., 7=8198
Squire, W. See Glick, H.S., 8=435; Markstein, G.H., 5=6817
Squires, E.J. The inelastic scattering of protons by C^{12}, 8=5345. The polarization of neutrons emitted from nuclei by protons, 9=535. The use of an effective three-body potential in the nucleus, 9=1695. See also Bell, J.S., 9=13020
Squires, G.L. Relation between the vibration frequencies of a crystal and the scattering of slow neutrons, 6=7012. See also Stewart, A.T., 5=2060
Squires, G.L., Bockelman, C.K. and Buechner, W.W. Measurement of energy levels in F^{19} and O^{16}, 7=1508
Squires, G.L. and Stewart, A.T. The scattering of slow neutrons by ortho- and para-hydrogen, 5=6532
Squires, P. The equatorial clouds of Jupiter, 8=4644
Squires, R.K. See O'Keefe, J.A., 9=11767
Srdoč, D. An oxygen-quenched Geiger-Müller counter, 6=5166
Šrebel, A.A. Fast gated decade scaler using triodes, 5=7148
Sreedhar, A.K. See Brewer, D.F., 8=4926; Kemp. W.R.G., 5=7891, 6=3670
Sreedhara Murthy, N. See Tawde, N.R., 7=8747, 9=8716, 10175
Sreekantan, B.V. See also Bridge, H.S., 5=6498; DeStaebler, H., Jr., 5=9128; Naranan, S., 8=223
Sreekantan, B.V., Naranan, S. and Ramanamurty, P.V. On the angular distribution of penetrating cosmic-ray particles at a depth 103 MWE below ground, 6=7501
Sreekantan, B.V., Sandri, G. and Pevsner, A. Angular correlation in new unstable particle decays, 6=6185
Sreekantath, G.M. Improved light valve for the photographic recording of vibrations, 8=2884
Sreekantath, G.M. and Mathai, A.O. A method for comparing ultrasonic velocities in solids and liquids using a spectrometer, 7=6959
Sreekantath, G.M. and Verghese, C.A. A compensated moving cylinder viscometer, 8=3753. On the optical properties of a biprism combined with a coarse grating, 8=3911. The use of coarse gratings to find the refractive index of liquids, 8=7790. On the intensity of ultrasonic beams diffracted by a wire grating, 9=7900
Sretenskiĭ, L.N. Sonic radiation from a rotating dipole, 6=6460
Srinivasamurthy, B. Sudden commencements and impulses in Kodaikanal magnetograms—their hourly frequency, 9=9055
Srinivasan, G. See Mohanty, S.R., 5=5430, 9683
Srinivasan, K.V. A simple direct-reading dielectric meter, 9=4541
Srinivasan, R. Thermal expansion of nitrates of lead, barium and strontium, 5=4588. A simple apparatus for the determination of the thermal conductivity of crystals, 5=9600. The thermal expansion of calcite from room temperature up to 400°C, 5=9506. Thermal expansion of potassium iodide, 6=2828. Pyrolysis of mercury dimethyl vapor, 8=4504. Thermal expansion of sodium and potassium chlorides from liquid-air temperatures to +300°C, 9=254. Thermal expansion of potassium bromide from liquid air temperature to 300°C, 9=255. Elastic constants of calcium fluoride, 9=1904. Dispersion of the stress optical coefficient of the alkali halides, 9=2250, 9259. See also Benson, S.W., 5=3208; Krishnan, R.S., 7=1223; Mohanty, S.R., 5=5430, 9683
Srinivasan, S.K. A note on charge independence and nucleon-

antinucleon interactions, 9=1657. See also Ramakrishnan, A., 5=1024, 9738, 6=4787, 7=6317, 9=7270

Srinivasan, S.K., Butcher, J.C., Chartres, B.A. and Messel, H. Numerical calculations on the new approach to the cascade theory. III, 9=376

Srinivasan, S.K. and Venkatesan, K. Photo production of pion pairs by a nucleon, 9=12585

Srinivasan, T.M. See Ramanathan, K.G., 5=3697, 7924, 7=9142

Srinivasa Rao, K.N. See Venkatachaliengar, K., 5=2412

Srinivasa Rao, P. See Mohanty, S.R., 5=4703-4, 9685, 7=4405

Sri Ram, K. See Duggal, V.P. 9=11374

Sriraman, S. See Venkateswarlu, K., 5=9773, 8=4141-2, 7166-7

Srirama Rao, M. Analysis of meteoric body Doppler radar records taken during a Geminid shower period, 9=3010. Size of irregularities in the E region of the ionosphere, 9=7670. See also Ramachandra Rao, B., 7=3856, 8=8179; Rao, M.S.

Srirama Rao, M. and Armstrong, R.L. Investigation of the drifts of the effective point of radio reflection along a meteor train, 9=2006

Srivastav, R.P. The excited states and β-transitions of some medium-light nuclei, 9=6059

Srivastava, B.N. Large-area distilled water Cerenkov counter, 9=498. See also Saxena, S.C., 5=9476

Srivastava, B.N. and Madan, M.P. Thermal conductivity of argon-neon mixture, 5=2659

Srivastava, B.N., Rastogi, R.P. and Verma, A.S. Non-equilibrium thermodynamics with finite reaction velocity and liquid helium. II, 5=2692

Srivastava, B.N. and Saxena, S.C. Generalised relations for the thermal diffusion factor of inert gas mixtures with one invariable constituent, 6=5723. Thermal conductivity of binary and ternary rare gas mixtures, 7=4267. Formulas for thermal conductivity of ternary gas mixtures, 7=8549

Srivastava, B.N. and Srivastava, K.P. Combination rules for potential parameters of unlike molecules on exp-six model, 7=1123. Force constants for unlike molecules on exp-six model from thermal diffusion, 7=8744. Mutual diffusion of pairs of rare gases at different temperatures, 9=6601

Srivastava, B.N. and Srivastava, R.C. Thermal conductivity and Eucken correction for diatomic gases and binary gas mixtures, 9=6828

Srivastava, B.P. See Chandra, S., 9=4857

Srivastava, C.M. On the observed reversal of Joshi effect on exposure to light with increasing intensity, 5=2774. See also Setty, P.S.V., 8=8156

Srivastava, C.M. and Khastgir, S.R. On the maintenance of current in the stepped leader stroke of a lightning discharge, 5=7563

Srivastava, G.P. Dielectric properties of amines and methylene chloride at 3.38 cm, 6=3706. Dielectric behaviour of mixture of polar gases at microwave frequencies, 7=4301. Electric susceptibility of ethyl chloride in the centimetre region, 7=5297. Pressure variation of electric susceptibility at microwave frequencies, 9=9585. See also Krishnaji, 7=7011, 8527, 8=2243, 3062, 9=1414; Varshni, Y.P., 9=5652

Srivastava, G.P. and Varshni, Y.P. Variation of dielectric constant with temperature, 6=8161. Dielectric behaviour of organic liquid-water mixtures, 7=8581

Srivastava, K.K. See Krishna, B., 8=3970

Srivastava, K.P. Intermolecular potentials for unlike interaction on exp-six model, 7=5500. Unlike molecular interactions and properties of gas mixtures, 8=3442. Force constants for like molecules on exp-six model from thermal conductivity, 9=8764. See also Srivastava, B.N., 7=1123, 8744, 9=6601

Srivastava, L.N. See Saraf, J.R., 7=177

Srivastava, P.P. and Sudarshan, G. Multiple production of pions in nuclear collisions, 8=5230

Srivastava, R.B.L. See Mitra, S.N., 5=8941, 9792, 7=8312

Srivastava, R.C. Performance of hot wire thermal diffusion columns, 5=4424. Clusius and Dickel column constants for a gas consisting of hard spherical molecules, 7=4023. See also Srivastava, B.N., 9=6828

Srivastava, R.S. See Khastgir, S.R., 8=1382; Tantry, B.A.P., 9=1633

Srivastava, S.C. See also Prakash, S., 9=10704

Srivastava, S.C, and Charandas, P. Simple equation for estimating the dipole moment of a molecule from solution data, 9=7468

Srivastava, S.N. See Varshni, Y.P., 9=2120, 6164

Srivastava, S.S., Rangan, C.S. and Sahai, M.M. Microwave dielectric measurements. II. 8700 to 9700 Mc/s range, 5=9629

Ssu, Y.I. See Griffiths, G.M., 9=9895; Singh, P.P., 9=10104

Staas, F.A. See Wansink, D.H.N., 5=8707, 6=5813

Staats, H. See Seemann, H.J., 8=97

Staats, P.A. See also Morgan, H.W., 6=7295, 8=2963-4

Staats, P.A., Morgan, H.W. and Goldstein, J.H. Infrared spectra of T_2O, THO, and TDO, 6=4998. Infrared spectrum of TCN, 7=2024

Stableford, C.V. See Bracewell, R.N., 8=1439

Stablein, P.F. See Kuczynski, G.C., 5=2453

Stabnikov, M.V. See Komar, A.P., 6=8837

Stacey, D.S. See Nidey, R.A., 6=640

Stacey, F.D. The fluctuating field model of ferromagnetism with particular reference to nickel, 6=461. The behavior of ferromagnetics under strong compression, 6=3030. The ionization of liquid argon by α-particles, 8=7139. Thermal activation of ferromagnetic domains, 9=3648. An objection to the single domain inclusion theory of magnetic hysteresis in dispersion-hardened alloys, 9=11207. Thermo-remanent magnetization (TRM) of multidomain grains in igneous rocks, 9=13964. See also Williams, R.L., 7=9746

Stacey, K.A. See Alexander, P., 5=4157

Stachórska, D. Temperature changes and condensation during adiabatic expansions of air saturated with vapour, 6=8257

Stachowiak, H. Some properties of distribution functions of electron-photon cascades at large absorber depth, 7=5044

Stadelmaier, H.H. Some notes on the relation between the elastic moduli of anisotropic crystallites and quasi-isotropic polycrystalline aggregates, 5=9998

Stadler, H.L. Absorption of positive pions by deuterium at 76 and 94 MeV, 5=501. Ferroelectric switching time of $BaTiO_3$ crystals at high voltages, 9=4553. See also Meitzler, A.H., 8=4942

Staehelin, P. See also Maeder, D., 5=9051

Stafeev, V.I. The effect of the bulk resistance of the semiconductor on the form of the current-voltage characteristic of a diode, 9=5717. Modulation of the diffusion length as a new working principle of semiconducting devices, 9=13311. The current-voltage characteristics of diodes under extremely high injection rates, 9=13313. See also Lebedev, A.A., 7=4357

Stafeev, V.I. and Tuchkevich, V.M. Investigation of the resistance variation of germanium in a magnetic field, 6=5877. The dependence of the Hall constant on temperature and magnetic field strength in a p-type germanium, 9=3472

Stafford, G.H. High energy nuclear physics, 9=1634. See also Hillman, P., 6=5436, 6943; Pickavance, T.G., (Conf. rep.), 6=8951; Scanlon, J.P., 8=1852

Stafford, G.H., Tornabene, S. and Whitehead, C. Polarized neutron beams, 7=8202

Stafford, G.H., Whitehead, C. and Hillman, P. Polarization in neutron proton scattering at 95 MeV, 7=8898

Staflin, T. See Huldt, L., 9=1456, 2332, 3340

Stähelin, P. The position of the first excitation state in nuclei with even proton and neutron number, 5=6378. See also Hermannsfeldt, W.B., 7=9856; 8=8300

Stähelin, P., Maeder, D. and Pochon, M. Investigation of 15 min antimony using [γ-γ and β-γ] coincidence-spectrographs with dual energy dispersion, 5=9040

Stahl, H.A. Radiation of the Huggins-Bol, type A, high-pressure mercury lamp, 9=6820

Stahl, R. See Rosendorf, S., 5=4968

Stahl, R.H. and Ramsey, N.F. Neutron-proton scattering at 91 MeV, 5=1252

Stahl-Brada, R. and Low, W. Optical spectrum of Co^{2+} in the cubic crystalline field of CaF_2, 9=5536

Stair, A.T., Jr and Nielsen, J.R. Vibrational spectra of sym-trioxane, 7=8524

Stair, R. and Johnston, R.G. Effects of recent knowledge of atomic constants and of humidity on the calibrations of the National Bureau of Standards thermal-radiation standards, 5=3537. Preliminary spectroradiometric measurements of the solar constant, 7=5758

Stair, R., Johnston, R.G. and Bagg, T.C. Spectral distribution of energy from the sun, 5=1393

Stairmand, G.D. See Parton, J.E., 6=2991

Stairs, R.A. Electron in liquid ammonia, 8=6706

Stakhanov, I.P. See Barashenkov, V.S., 7=6582; Stupochenko, E.V., 8=2192

Stakhanov, V. See Markov, M., 5=9127
Stakutis, V.J. See also Toolin, R.B., 8=2713
Stakutis, V.J., Morse, R.W., Dill, M. and Beyer, R.T. Attenuation of ultrasound in aqueous suspensions, 5=6833
Staley, D.O. See Suomi, V.E., 8=4583
Stallan, W.J. An instrument for the measurement of relief heights, 5=9451
Stallwood, R.A. See also Fields, T.H., 5=2210, 8=8242-3; Kane, J.A., 5=337; Sutton, R.B., 5=2805
Stallwood, R.A., Sutton, R.B., Fields, T.H., Fox, J.G. and Kane, J.A. Neutral pions from proton-proton collisions, 8=2492
Stamm, R.F. and Button, P.A. Rayleigh's ratio (absolute turbidity levels) for benzene and carbon tetrachloride. II. Corrections, 6=1136
Stammers, D.W. See Nitka, H., 5=10154
Stammreich, H. and Forneris, R. The Raman frequency of liquid bromine, 5=215
Stammreich, H., Forneris, R. and Sone, K. Raman spectrum of sulfur dichloride, 5=6045
Stammreich, H., Forneris, R. and Tavares, Y. Raman spectra and force constants of PI_3 and AsI_3, 7=2067. Raman spectrum of thionyl bromide, 7=3155. Raman spectra and force constants of GeI_4 and SnI_4, 7=4607
Stammreich, H., Sala, O. and Tavares, Y. Raman spectrum and structure of iron pentacarbonyl, 9=6747
Stanbury, A.C. Note on alpha particle stars in nuclear emulsions, 7=1834
Standil, S. Burst in NaI(Tl) near sea level, 5=1027. See also Shkolnik, V., 8=1168
Standil, S. and Moore, R.D. Absolute pair production cross section of lead at 2.76 MeV, 7=3615
Standil, S. and Pringle, R.W. Scintillation spectrometer study of cosmic radiation at great depths, 6=2984
Standil, S. and Shkolnik, V. Measurements of absolute pair production cross sections at low energies, 9=1655
Standing, K.G. Angular distributions of deuterons from (p, d) reactions in light nuclei. I. Nitrogen, 6=3198. See also Reynolds, J.B., 6=3199
Standing, K.G. and Jovanovich, J.V. Coherent scattering of 1.33 meV γ-rays by lead, 9=628
Standley, K.J. See also Barlow, G.S., 7=2455, 8=1315; Peters, J., 8=3973
Standley, K.J. and Reich, K.H. Ferromagnetic resonance in nickel and in some of its alloys, 6=1363
Standley, K.J. and Stevens, K.W.H. The anisotropy correction in ferromagnetic resonance, 7=1438
Stanevich, A.E. See Yaroslavskii, N.G., 9=10781
Stanford, A.L., Jr and Rivers, W.K., Jr. Efficiencies of sodium iodide crystals, 8=3886. Angular correlation and angular distribution attenuation coefficients, 9=11349
Stanford, C.P. See also Allen, R.G., 5=1216; Bernstein, S., 6=1583, 4652
Stanford, C.P., Stephenson, T.E. and Bernstein, S. Neutron spin from magnetic resonance experiment, 5=1253
Stanford, G.S. See also Pieper, G.F., 6=2393
Stanford, G.S. and Pieper, G.F. Fast coincidence system with amplitude discrimination and accidentals monitoring, 5=9724. Excited states of S^{34}, 6=7619
Stanford, R.W. See also Hills, T.H., 7=1822
Stanford, R.W. and Hills, T.H. An advance in X-ray film processing, 7=1825
Stang, L.G., Jr, Tucker, W.D., Banks, H.O., Jr, Doering, R.F. and Mills, T.H. Production of iodine-132, 5=499
Stanghellini, A. Determination of the p-wave coupling constant f^2 of pion-nucleon scattering from analysis of the α_{31} phase-shift, 6=7140. Charge independence and pion scattering, 8=3773. See also Bosco, B., 9=7280; Cini, M., 6=6361, 9=11360; Cocconi, G., 7=8188; Pedretti, E., 5=9963; Puppi, G., 6=6197, 7=8408
Stangler, F. Observations on 18/8 chrome nickel-steel points in the field emission microscope, 7=6752. See also Hörl, E., 6=5925
Staniforth, R.A. See Peed, W.F., 7=3341
Stăniloae, L. See Grigoriu, A., 9=13971
Stanislavova, J. See Nadjakov, G., 9=9643
Stanislavova, Yu. See Nadzhakov, G., 7=7925
Stanisz, O. See Ciok, P., 8=5090; Jurak, A., 7=2374; Miesowicz, M., 7=7198, 8=267
Stankevich, I.V. See Bochvar, D.A., 9=9247
Stankevich, K.S. An investigation of the radio emission of the galactic centre at $\lambda = 91.6$ cm, 8=6588
Stankowski, J. Non-linear effects in Rochelle salt, 9=4545. See also Pajak, Z., 9=3427
Stanley, C.R. A new phenomenon associated with active nitrogen, 5=8595. A method for the determination of collision-induced vibrational transition probabilities, with results for $N_2(B^3\Pi g)-N_2$ collisions, 7=9295
Stanley, C.W. and Kruger, P. Determination of Sr^{90} activity in water by ion-exchange concentration, 7=4850
Stanley, E. A rapid numerical method of calculating structure factors, 5=4193. The distribution of the mean intensity of a finite group of reflexions, 5=7524. The weighting of intensities for statistical surveys, 5=7528. See also Rogers, D., 5=9263
Stanley, G.J. See also McGee, R.X., 6=2613
Stanley, G.J. and Price, R. An investigation of monochromatic radio emission of deuterium from the galaxy, 6=8554
Stanley, J.M. Vapor phase crystallization of cadmium sulfide crystals, 7=1730
Stanley, R.C. Etch pits on calcite cleavage faces, 9=9011
Stanley, R.W. See also Meggers, W.F., 9=5509
Stanley, R.W. and Dieke, G.H. Interferometric wavelengths of iron lines from a hollow cathode discharge, 5=4504
Stanley, R.W. and Meggers, W.F. Wavelengths from iron-halide lamps, 7=5161
Stannard, F.R. See Baxter, P., 7=3391; Davis, D.H., 9=7290; K-collaboration, 9=13575; Kumar, R.C., 7=9411
Stannett, A.W. and Schroff, D.H. Temperature coefficient of resistivity of polythene and oil-impregnated paper, 7=7082
Stanojević, D.M. See Jurić, M.K., 5=7339
Stansbury, E.E., McElroy, D.L., Picklesimer, M.L., Elder, G.E. and Pawel, R.E. Adiabatic calorimeter for metals in the range 50-1000°C, 9=8049
Stansbury, E.J. See Romanko, J., 5=1724; Welsh, H.L., 5=6046
Stansfield, D. Some observations on the solid state of argon, 7=2791. The surface tensions of liquid argon and nitrogen, 9=1142
Stansfield, G.J. The geometry of twisted multi-filament structures, 8=3522
Stantic, S. See Alvial, G., 7=9413; Marchi, C., 7=7434
Stanton, H.E. High-energy methyl ions from propane under electron impact, 9=11133. See also Morrison, J.D., 8=8835
Stanton, H.E. Chupka, W.A. and Inghram, M.G. Electron multipliers in mass spectrometry; effect of molecular structure, 6=5957
Stanton, J.S. See Baker, W.H., 5=4751
Stanton, R.M. See Jennings, L.D., 8=159
Stanworth, J.E. See Baynton, P.L., 7=5337, 6055
Stanyukovich, K.P. Some stationary relativistic flows, 8=5711. Interaction of two bodies, "radiating" gas streams, 8=5713. Note on the motion of bodies with large velocities in a weak field of gravity, 9=1117. Some stationary relativistic motions of a gas in a conducting medium, 9=2146. Shock waves in a conducting ultrarelativistic gas, 9=11937. See also Golitsȳn, G.S., 8=6072*; Kaplan, S.A., 6=4880, 7=5476
Stapp, H.P. Relativistic theory of polarization phenomena, 6=6334. Chew-theory approach to the scattering of low-energy K^+ particles by nucleons, 7=5649. Theory of high-energy deuteron scattering, 7=8827. Some experimental tests of the Lüders theorem, 7=9520. Charge-exchange scattering of K^0 beams as a test of the parity-doublet proposals, 8=2503. Structure of mesons, 9=536. See also Cziffra, P., 9=9952; Spitzer, R., 8=8961
Stapp, H.P., Ypsilantis, T.J. and Metropolis, N. Phase-shift analysis of 310-MeV proton-proton scattering experiments, 7=3372
Starfelt, N. The use of scintillation spectrometers in the study of continuous gamma and X-ray spectra between 0.01 and 20 MeV, 7=666. See also Kockum, J., 9=7235, 12686; Lidén, K., 5=3068, 9335
Starfelt, N. and Cederlund, J. Internal bremsstrahlung from Pr^{143} and Pm^{147}, 7=3607
Starfelt, N. and Koch, H.W. Differential cross-section measurements of thin-target bremsstrahlung produced by 2.7- to 9.7-MeV electrons, 6=5936
Starfelt, N. and Svantesson, N.L. Internal and external bremsstrahlung in connection with the beta decay of S^{35}, 5=3069
Starik, A.M. See Golubchin, G.N., 9=4641
Starik, I.E., Shats, M.M. and Sobotovich, É.V. On the age of meteorites, 9=11733
Starikov, M.A. See Garif'yanov, N.C., 9=13458
Stark, D.S. The conductance of a column of vapour for gases at

low pressures, 7=6939
Stark, G.W.V. See Rasbash, D.J., 7=6930
Stark, K.H. See Powell, A., 6=6603
Stark, R.H. Rates of convergence in numerical solution of the diffusion equation, 7=7405
Stark, R.M. See Richardson, D., 7=1939
Starkey, T.V. The laminar flow of suspensions in tubes, 5=1575. The laminar flow of streams of suspended particles, 6=1884. Viscosity and action, 7=5100. Action and viscous flow, 7=9026
Starkiewicz, J., Bate, G., Bennett, H. and Hilsum.C. A single crystal photodiode of lead sulphide, 7=5351
Starkman, E.S. See Schrock, V.E., 8=5837
Starner, J.W. See Brolley, J.E., Jr., 5=9097; Bunker, M.E., 5=4019, 7=652, 3596; Cranston, F.P., Jr, 8=5307; Knight, J.D., 6=6113; Mize, J.P., 5=480, 6=1508, 6863
Starnzas, M.S. See Kolomoets, N.V., 6=6425
Starodubtsev, S.V. See Arifov, U.A., 5=1923, 8=5062; Romanov, A.M., 8=6004
Starr, V.P. Hydrodynamical analogy to $E = mc^2$, 9=9183
Starr, W.L. and Streed, E.R. Modification of the Gier blackbody reflectometer for use with the Beckman IR-3 spectrometer, 5=7825
Startsev, G.P. A three-beam interferometer for the investigation of anomalous dispersion, 7=5243. See also Morozova, N.G., 7=9596
Startsev, V.I. See also Obreimov, I.V., 9=2985
Startsev, V.I. and Aronova, P.M. Determination of micro-distortions in slip bands of rock salt, 9=13857
Starunov, N.G. See Shklyarevskii, I.N., 9=12130
Stary, F. See Eckardt, A., 9=11627
Staryĭ, I.B. See Vaĭnshteĭn, É. E., 7=1352, 8=2350, 9=9681-2
Stashkov, G.M. See Birger, N.G., 6=7730, 7=3623-4
Stasiw, O. Electronic and ionic processes in silver halide crystals, 9=12788. See also Koswig, H.D., 8=4875, 9=3305; Seifert, G., 5=4266
Statsova, M.M. and Vainshtein, B.K. Electron diffraction determination of the structure of Tl_2Se, 9=12882
Stasyuk, I.V. See Glauberman, A.E., 9=13775
Staszewski, W. On the mutual influence of spheres in vibrating air, 5=798. See also Adamczyk, B., 6=8041
Staszewski, W. and Adamczyk, B. Spontaneous electrification of dust figures in a Kundt's tube, 9=2183
Statton, W.O. See also Hoffman, L.C., 6=1648
Statton, W.O. and Godard, G.M. Tridirectional X-ray patterns of oriented film at wide and small angles, 8=9146
Statz, H. See also deMars, G.A., 5=5411; Eriksen, W.T., 7=6178; Koster, G.F., 9=4825
Statz, H., Davis, L., Jr and deMars, G.A. Structure of surface states at the germanium-germanium oxide interface, 5=5412
Statz, H. and deMars, G.A. Electrical conduction via slow surface states on semiconductors, 8=5875
Statz, H., deMars, G.A., Davis, L., Jr. and Adams, A.Jr. Surface states on silicon and germanium surfaces, 6=2874. Surface states on silicon and germanium surfaces, 7=5336. Measurements of inversion layers on silicon and germanium and their interpretation, 7=7869
Staub, H. See Stephens, W.E., 8=8213
Staub, H.H. See Brun, E., 7=6451; Bumiller, F., 6=414, 5380; Frei, C.J., 9=5997; Meyer, V., 9=6081
Staude, H. Some considerations on the theory of the photographic latent image, 7=3880. See also Brauer, E., 5=1425
Staudhammer, P. and Seyer, W.F. Electrical resistivity of cyclohexane as a function of temperature and water concentration, 7=6179
Stauff, D.W. See also Gilman, J.J., 8=8799
Stauff, D.W. and Montgomery, D.J. Effect of air damping on transverse vibrations of stretched filaments, 5=5942
Stauff, J. Surface-active substances in solution, 5=7477
Stauffer, H. See Grögler, N., 9=6772; Houtermans, F.G., 9=4479
Stauss, H.E. Method for measuring magnetostriction corrected for initial domain distribution and its application to nickel and iron, 8=8924. Influence of light upon the magnetization of massive iron, 9=3644. Magnetostriction of low-density cobalt rondel, 9=4785. Form effect in linear magnetostriction, 9=7166
Staveley, L.A.K. See Mathot, V., 5=9468; Pool, R.A.H., 8=3046
Stavinskii, V.S. On the question of the mechanism of emission of instantaneous neutrons in fission, 9=12692. See also Agranovich, V.M., 8=8335
Stavitskaya, T.S. See also Aĭrapetyants, S.V., 9=4591; Gershteĭn, É.Z., 9=5748; Kolomoets, N.V., 7=8642; Stil'bans, L.S., 7=3307
Stavitskaya, T.S. and Stil'bans, L.S. The effect of degeneration on the efficiency of semiconductor thermoelectric cells, 8=7991
Steacie, E.W.R. See Farmer, J.B., 5=8349; Tanaka, I., 7=5427
Stead, J.C. See Ewles, J., 6=5013
Stearns, B.F. See also de Pagter, J.K., 5=1008
Stearns, B.F., Jones, D.R., de Pagter, J.K. and Sard, R.D. Neutron production by μ mesons which penetrate lead, 7=7364
Stearns, M. See also Stearns, M.B., 5=2087, 7=4637, 8=363
Stearns, M. and Stearns, M.B. Energies of π-mesonic X-rays, 7=439. Radiative yields of the K series in π-mesonic atoms, 8=3167
Stearns, M., Stearns, M.B., DeBenedetti, S. and Leipuner, L. Limits on π-meson mass from mesonic X-rays, 5=545. Energies of the K transitions of π-mesonic X-rays, 5=3981
Stearns, M.B. See also Stearns, M., 5=545, 3981, 7=439, 8=3167
Stearns, M.B. and Stearns, M. Mesonic atoms: radiative yields of the μ-meson K and L series and the effect of meson capture in chemical compounds, 7=4637
Stearns, M.B., Stearns, M., DeBenedetti, S. and Leipuner, L. Energies of π^- mesonic X-ray K lines, 5=2087
Stearns, M.B., Stearns, M. and Leipuner, L. Mesonic atoms: radiative yields of the π-meson L series, 8=363
Stearns, R.L. and Gregg, E.C. Energy spectrum of electrons produced in aluminum by 17.8 MeV bremsstrahlung, 6=3778
Stebbens, A.E. and Shreir, L.L. Refractive index of uranium oxide produced by anodic oxidation, 9=9384
Stebbings, R.F. Gaseous and surface reactions involving helium metastable atoms and resonance photons, 7=9250
Stebbins, D.W. See Decker, R.W., 5=7969
Stech, B. On the scattering of particles with spin $\frac{1}{2}$. I. Relativistic treatment of the scattering, 6=2671. The mesonic correction in β-disintegration, 6=6125. γ_5-invariance and strong interactions, 9=4275. See also Alder, K., 7=8802; Bakke, F., 6=2672*; Boehm, F., 8=7341, 8298; Kramer, G., 9=9213
Stech, B. and Jensen, J.H.D. The coupling constants in the theory of β-decay, 5=6435. μ-meson decay and β-decay processes, 5=9126
Stech, B. and Kramer, G. γ_5-invariance and strong interactions, 9=10596
Steck, B. See Schulz, P., 7=6228
Steckelmacher, W. The flow of gas at very low pressure, 8=2184
Stecker, K. Oscillograph recording of changes of double refraction, 5=8666. On the semiconducting properties of cuprous oxide. XII. The conductivity of cuprous oxide at high temperatures and low pressures, 9=12259; XIII. Conductivity measurements on cuprous oxide when thermal equilibrium is disturbed, 9=12260
Stecki, J. On surface tension of ideal solutions, 7=5912
Stedeford, J.B.H. Further investigations of charge exchange and electron detachment. I. Ion energies 3 to 40 keV, 5=2831
Stedman, C.K. Acoustical damping for linear accelerometers, 9=6650
Stedman, R. See Palevsky, H., 8=2277
Steeb, S. See also Richter, H., 9=2964
Steeb, S., Jürgensen, K.H. and Magun, S. Diffusion of mercury in amorphous selenium, 8=1336
Steeg, M.G. van der. See van der Steeg, M.G.
Steel, W.H. A general equation for the choice of glass for cemented doublets, 5=6064. Multiple images in reflecting microscopes, 5=6976. The defocused image of sinusoidal gratings, 6=8079. Effects of small aberrations on the images of partially coherent objects, 7=5955. See also Bruce, C.F., (Conf. rep.), 7=6969; Smartt, R.N., 9=8008
Steele, D. and Whiffen, D.H. Infrared absorption intensities of hexafluorobenzene, 9=3293
Steele, E.L. Descriptive theory of semiconductors, 7=5312
Steele, H.L., Jr. and Walsh, P.J. Effect of moving striations on microwave conductivity of a coaxial discharge, 5=2777
Steele, M.C. Anomalous longitudinal magnetoresistance of metal single crystals, 5=4685. Oscillatory galvanomagnetic properties of antimony single crystals at liquid helium temperatures, 6=381. Magnetic field dependence of the Seebeck effect in germanium, 7=7932. See also Berlincourt, T.G., 5=7191; Glicksman, M., 8=5895; Hein, R.A., 7=3305; Lampert, M.A., 9=12249
Steele, M.C. and Babiskin, J. Oscillatory thermomagnetic properties of a bismuth single crystal at liquid helium tem-

peratures, 5=5425

Steele, M.C. and Glicksman, M. High electric field effects in n-indium antimonide, 9=6974

Steele, M.C. and Rosi, F.D. Thermal conductivity and thermoelectric power of germanium–silicon alloys, 9=2259

Steele, S.R. See Waring, W., 8=8455

Steele, W.A. Concerning a theory of multilayer absorption, with particular reference to absorbed helium, 7=2782. See also Mendelssohn, K., 9=3393

Steele, W.A. and Aston, J.G. Heats of adsorption on a prepared uniform surface, 6=1709

Steele, W.A. and Halsey, G.D., Jr. The interaction of gas molecules with capillary and crystal lattice surfaces, 5=4154

Steele, W.C. and Decius, J.C. Infrared absorption of lanthanum, scandium, and indium borate and the force constants of borate ion, 7=2032

Steenbeck, M. The principle of minimum electrode voltage and extreme entropy production, 9=13385

Steenbrugghe, R. Van. See Van Steenbrugghe, R.

Steenland, M.J. See Beun, J.A., 5=9777, 6=3017, 7=8716; Diddens, A.N., 8=6270; Gallaher, L.J., 5=3972; Huiskamp, W.J., 6=6876, 7=8806; Poppema, O.J., 5=4870; Postma, H., 8=321, 3345; Wheatley, J.C., 6=3156

Steeple, H. See Tucker, C.W., Jr, 7=3840

Steers, E.B.M. See Bovey, L.F.H., 7=2010

Steese, C.M. and Whittaker, A.G. Spectrophotometric study of the liquid-phase equilibrium $N_2O_4 \rightleftharpoons 2NO_2$ in pure nitrogen tetroxide, 6=4060

Ştefănscu, D. See Badareu, E., 9=13342

Ştefănscu, S.S. Open lines of a magnetic field, 8=8154

Stefanishina, A.V. See Galkin, A.A., 8=2051

Stefant, R. See Sauzade, M., 9=11185

Steffen, E. Investigation of the sound absorption coefficients in reverberation rooms, 9=11975

Steffen, K.G. On the 208/113 keV γ-γ cascade in hafnium^{177}, 7=7331

Steffen, K.G., Hinrichs, O. and Neuert, H. About the measurement of an n-γ angular correlation in the reaction Be$^9(\alpha, n\gamma)$C^{12}, 6=6132

Steffen, K.G. and Neuert, H. The γ-γ angular correlation in the reaction Be$^9(\alpha, n\gamma\gamma)$C^{12} and the spin of the second excited state of C^{12}, 7=6539

Steffen, R.M. Extranuclear effects on angular correlations of nuclear radiations, 5=9900. Influence of the time-dependent quadrupole interaction on the directional correlation of the Cd^{111} gamma rays, 6=6847. See also Brazos, J.N., 6=6075; Simms, P.C., 8=733, 9=2741

Steffen, R.M. and Zobel, W. Magnetic moment of the 247-keV excited state of the Cd^{111} nucleus, 5=5586. Magnetic moment of the 247-keV excited state of Cd^{111}, 6=6848

Steffensen, J.F. On the problem of three bodies in the plane, 7=5900

Steger, E. See Simon, A., 6=8120-1

Stegmann, H. Structure changes in selenium under the action of light, 7=8216

Stegmüller, F. See Adler, H., 7=6014

Stegner, A. See Ciok, P., 6=690

Stegun, I.A. See also Kessler, K.G., 7=2000

Stegun, I.A. and Abramowitz, M. Generation of Coulomb wave functions by means of recurrence relations, 5=6773

Stehle, H. See also Seeger, A., 7-1477

Stehle, H. and Seeger, A. Electron theoretical investigations on defects in metals. III. The influence of dislocations on the crystal density and related problems, 7=1476

Stehle, P. Particle transport, electric currents, and pressure balance in a magnetically immobilized plasma, 6=1269. Dynamical principle for classical mechanics, 7=3022. Calculation of electron–electron scattering, 8=6125

Stehle, P.M. See Bég, M.A.B., 9=7255

Stehn, J.R. See also Robb, W.L., 6=3245

Stehn, J.R. and Clancy, E.F. Nomogram for radioisotope buildup and decay, 5=6409

Stehney, A.F. See Perlow, G.J., 8=1984, 9=6146

Steier, W.H. and Coleman, P.D. Dipolar magnetodynamic ferrite modes, 9=13447

Steigman, J. See Jacobson, A., 6=5183

Stein, F., Einspruch, N.G. and Truell, R. Temperature dependence of fractional velocity changes in a silicon single crystal, 9=7882

Stein, G. Reductions in aqueous solutions induced by ionizing radiation, 6=6232. See also Jortner, J., 5=6794, 9=8961

Stein, M.L. See Glassgold, A.E., 7=7377

Stein, P.C. Search for a long-lived charged particle, 8=6109*. Polarization of recoil protons from the photoproduction of π^0 mesons from hydrogen, 9=12557. See also Christie, E.R., 6=4028; Odian, A.C., 6=4647; Osborne, L.S., 5=3133; Wattenberg, A., 7=4612; Weinstein, R.M., 6=662

Stein, P.C. and Rogers, K.C. Photoproduction of π^0 mesons from hydrogen at 500-900 MeV, 8=6172

Stein, R. See also Reuter, B., 5=3771

Stein, R. and Reuter, B. On the problem of the photoeffect in lead sulphide and related substances, 6=2117; II, 2118

Stein, R.S. Interaction of methylene deformation frequencies in paraffin crystals. II. A theoretical treatment of the interaction of vibrations, 5=6911. See also Fessenden, R.W., 5=231; Volungis, R.J., 5=8147

Stein, R.S. and Sutherland, G.B.B.M. Effect of intermolecular interactions between CH frequencies on the infrared spectra of n-paraffins and polythene, 5=1692

Stein, S. The role of ionospheric-layer tilts in long-range high-frequency radio propagation, 8=5155. The role of F-layer tilts in detection of auroral ionization, 8=6538. See also Gerjuoy, E., 5=4840, 8124; Masters, J.I., 7=4269

Stein, V.K. See Shteĭn, V.K.

Stein, W.E. Velocities of fragment pairs from U^{233}, U^{235}, and Pu^{239} fission, 8=348

Stein, W.E. and Leachman, R.B. Fast detector of heavy particles, 7=4476

Stein, W.E. and Whetstone, S.L., Jr. Prompt-neutron emission from spontaneous-fission modes of Cf^{252}, 9=701

Steinbach, S. A quick acting search tone spectrograph for the speech-frequency region, 7=187, 4088

Steinberg. See also Shteinberg.

Steinberg, E.P. See Flynn, K.F., 6=3242; Glendenin, L.E., 5=5071; Nasuhoglu, R., 8=8357

Steinberg, J.L. See Alon, I., 5=4292, 7=6825; André, P., 6=7889; Denisse, J.-F., 5=4288; Kazès, I., 5=4291, 8=482; Pick-Gutmann, M., 9=7730

Steinberg, M.S. Viscosity of the electron gas in metals, 8=2649. Resonant absorption of sound in metals, 8=6759. Magnetic effects in the attenuation of transverse acoustic waves by conduction electron transport, 8=7480. Ultrasonic attenuation and dispersion in metals at low temperatures, 9=2171

Steinberg, P.H. See Limentani, S., 9=2711

Steinberger, I.T. See also Alexander, E., 7=4202; Tabor, H., 6=8516

Steinberger, I.T., Low, W. and Alexander, E. Influence of alternating electric fields on the light emission of some phosphors, 5=8635

Steinberger, J. See also Budde, R., 7=1651; Chinowsky, W., 6=2444*; Chretien, M., 8=8239; Eisler, F., 7=8859, 9530, 8=1208, 1212*, 2513, 9=2658, 2662, 2667; Impeduglia, G., 9=2616; Lee, T.D., 7=9529; Lokanathan, S., 5=9951; Plano, R., 7=8174

Steinberger, J. and Wolfe, H.B. Electrons from muon capture, 6=2446*

Steinemann, A. Atomic faults in crystal structure, 7=861. Dielectric properties of ice crystals. II. Dielectric investigations of ice crystals containing foreign atoms, 9=6899. See also Gränicher, H., 5=9630, 8=3990

Steinemann, A. and Gränicher, H. Dielectric properties of ice crystals. I. Dynamic theory of the dielectric constant, 9=6898

Steiner, H. See Agnew, L., 8=6142

Steiner, H.M. See also Agnew, L.E., 8=8975; Agnew, L.E., Jr, 8=7249; Button, J., 8=7256; Chamberlain, O., 6=6145, 8=8227; Jungerman, J.A., 7=6576

Steiner, H.M. and Jungerman, J.A. Proton-induced fission cross sections for U^{238}, U^{235}, Th^{232}, Bi^{209}, and Au^{197} at 100 to 340 MeV, 6=1568

Steiner, K., Hampel, B. and Bremer, O. A liquid cuvette with continuously variable layer thickness for infrared spectroscopy, 8=6828

Steinert, L.A. Geometrical anisotropy of magnetic materials in wave guides and cavities, 9=9791

Steinhardt, R.G., Jr, Granados, F.A.D. and Post, G.I. X-ray photoelectron spectrometer with electrostatic deflection, 6=1722

Steinhaus, D.W. Photoelectric comparator for wavelength and intensity measurements of spectra, 9=6809

Steinhaus, J.F. "Glo-ball" development, 6=8290

Steinitz, R. See Juretschke, H.J., 8=5879

Steinlin, U. The application of three-colour photometry in stellar statistics, 6=5652

Steinmann, O. Equivalent periodic potentials, 9=8830

Steinmaurer, R. An unusual sudden intensity increase of the cosmic radiation, 6=7503

Steinmaurer, R. and Gheri, H. Changes in phase of the diurnal variation of the cosmic radiation over the years, 5=8068

Steinwedel, H. On the diagonalization of the dipole Hamiltonian of free and bound electrons in an electromagnetic radiation field, 5=4347. See also McVoy, K., 6=2669

Stejskal, E.O. and Gutowsky, H.S. Proton magnetic resonance of the CH_3 group. IV. Calculation of the tunneling frequency and of T_1 in solids, 9=744

Stejskal, E.O., Woessner, D.E., Farrar, T.C. and Gutowsky, H.S. Proton magnetic resonance of the CH_3 group. V. Temperature dependence of T_1 in several molecular crystals, 9=8366

Steketee, J. See van Vliet, K.M., 6=8075

Steketee, J.A. On Volterra's dislocations in a semi-infinite elastic medium, 8=4548. Some geophysical applications of the elasticity theory of dislocations, 9=1941

Stekhanov, A.I. Intensity distribution in the OH region of the combination scattering [Raman] spectrum of gypsum, 6=5792. Interacting extra-molecular and inter-molecular oscillations of water molecules in the gypsum crystal, 8=7823. Raman spectra of crystals containing complex ions, 8=4881. Temperature dependence of the Raman spectrum intensity of a gypsum crystal, 5=8639

Stekolnikov, I.S. Longitudinal gradients in the channel of a long spark, 8=2345

Stekol'nikov, I.S. and Bagirov, M.A. Investigation of the speed of development of the leader of a long spark, 5=4688

Steljes, J.F. See also Carmichael, H., 5=9744, 7=4515; Godby, E.A., 5=5619, 5757

Steljes, J.F. and Carmichael, H. Rapid decrease of cosmic ray intensity, 9=3619

Stelletskaya, T.I. See Il'ina, V.A., 8=4407

Stelmakh, M.R. See Kogan, A.V., 7=9240

Stelson, P.H. Angular distribution of α particles from the Na^{23} (p, α) Ne^{20} reaction, 5=2135. See also McGowan, F.K., 5=8214, 7=2610, 6513, 9859, 8=9036; Smith, W.G., 9=10051

Stelson, P.H. and Campbell, E.C. Cross section for excitation of Pb^{207m} by inelastic scattering of neutrons, 5=4077. Cross section for the $Be^9(n, \alpha)He^6$ reaction, 7=7396

Stelson, P.H. and McGowan, F.K. Gamma-ray yields from Coulomb excitation, 5=8213. Polarization of γ rays in Ta^{181}, 7=4677. Coulomb excitation of medium-weight even-even nuclei, 9=652

Stelzer, I. See Carasso, J.I., 8=3108

Stelzer, K. On the absolute determination of neutron flux with indium probes, 9=3752

Stemme, O. See also Andrä, W., 9=11201. Magnetic field anisotropy in electrolytically prepared nickel films, 9=12449

Stenius, Å.S. Reflectance and transmittance of inhomogeneous diffusing layers, 5=226. Influence of optical geometry and absorption coefficient on diffuse reflectance values, 5=8631

Stensland, B. On the phase and the amplitude of cosmic ray diurnal variation, 7=4518

Stenzel, H. Introduction to the calculation of sound phenomena. (Sound fields of radiators, piston diaphragms, spheres, etc), 8=6760

Stepanov, A.F. See Kizel', V.A., 7=1950, 9108

Stepanov, A.V. On the electrostatic theory of ionic crystals, 9=5124. On the strengths of bonds in crystals of the elements of Groups V and VI of the Mendeleev periodic system of the elements, 9=13771. See also Krasnov, V.M. 5=233, 8=6678; See also Lange, T.I., 9=13843; Zhitnikov, R.A., 7=5902, 9=8011-12

Stepanov, A.V. and Bobrikov, V.P. Dependence of the optical limit of elasticity in the system (111); [011] on temperature in rock salt crystals, 7=5679

Stepanov, A.V. and Éidus, I.M. Temperature dependence of the elastic constants of monocrystals of sodium chloride and silver chloride, 6=7760

Stepanov, B.I. Absorption and emission of light by a grey substance, 6=4327. Vavilov's law, 6=6532. Negative luminescence and negative photoeffect, 7=1193. Universal relationship between the absorption and luminescence spectra of complex molecules, 7=8517. Influence of the thermal radiation background on spectroscopic processes, 8=4855. See also Alentsev, M.N., 5=6932; Girin, O.P., 5=6026; Kazachenko, L.P., 7=9597

Stepanov, B.I. and Apanasevich, P.A. Natural shape of energy levels, 8=2599. Classification of secondary emission of light, 8=2970

Stepanov, B.I. and Gribkovskii, V.P. Absorption and luminescence of a harmonic oscillator, 9=9201

Stepanov, B.I. and Kazachenko, L.P. Form of absorption and luminescence bands of complex (phthalimide) molecules, 7=7003

Stepanov, B.I. and Khvashchevskaya, Ya.S. Absorption spectra obtained using cold light-sources, 8=2235

Stepanov, B.I. and Prima, A.M. Vibrational spectra of silicates, 9=12046

Stepanov, B.M. On the introduction of dynamical variables in quantum field theory, 6=7958. Non-relativistic regularization of the S-matrix, 7=101. Observation on the dispersion relations for scattering of pions by nucleons, 8=3717. See also Logunov, A.A., 7=4783, 5655

Stepanov, E.P. See Klyarevskii, V.V., 7=6517; Samoilov, B.N., 9=13604; Sklyarevskii, V.V., 9=7368

Stepanov, G.V. See Kul'varskaya, B.S., 9=7061

Stepanov, I.V. and Feofilov, P.P. Two types of luminescence spectrum of rare earths in artificial fluorite crystals, 7=263

Stepanov, I.V., Sinyukova, I.A. and Chernevskaya, É.G. Optical single crystals of strontium and barium fluorides, 9=10887

Stepanov, K.N. Kinetic theory of magnetohydrodynamic waves, 8=7202. Low-frequency plasma oscillations in a magnetic field, 9=2447. See also Sitenko, A.G., 7=3465

Stepanov, K.N. and Sharshanov, A.A. Hard focusing in linear electron accelerators, 9=349

Stepanov, K.N. and Tkalich, V.S. On electron plasma oscillations in external electric and magnetic fields, 9=362

Stepanov, V.G., Zakharchenko, V.F. and Bezel', V.S. A rotating plasma, 8=5072

Stepanova, A.A. See also Zhdanov, G.S., 8=3558; Zhuravlev, N.N., 9=10378

Stepanova, A.A. and Zhuravlev, N.N. X-ray study of the borides YbB_6, UB_4, HoB_4 and GdB_4, 9=10379

Stepanova, G.I. See Lifshits, I.M., 6=7814, 7=1735, 8=2040

Stephan, W. Characteristic Bitter figures on silicon-iron crystals with internal strains, 5=6294. The Bitter patterns on iron-silicon crystals with internal stresses, 7=2413. Magnetic domain structure in Si-Fe crystals with internal strain, 9=4797. Production of large metallic single crystals at high temperatures, 9=5250

Stephen, M.J. A variational method for calculating nuclear spin-spin interactions in molecules, 8=379. A variational method for calculating magnetic shielding constants in molecules, 8=381. The infra-red spectrum of diamond, 8=1610. Double refraction phenomena in quantum field theory, 8=4906. The effect of molecular interaction on magnetic shielding constants, 9=13753. See also Buckingham, A.D., 8=3905; Coulson, C.A., 7=1526, 8=3873

Stephen, M.J. and Lidard, A.B. The Faraday effect in semiconductors, 9=8098

Stephen, W. The Bitter line patterns on silicon-iron crystals with internal stresses, 9=5883

Stephens, C. See Green, L.C., 9=6158, 8677

Stephens, D.R. and Drickamer, H.G. Effect of pressure on some charge transfer spectra, 9=6721. Pressure-induced ligand field peak in K_2ReCl_6, 9=7958

Stephens, F., Jr. Asaro, F. and Perlman, I. Low-lying 1-states in even-even nuclei, 5=2073

Stephens, F.H. See Richard, J.D.Jr., 6=1935

Stephens, F.S. See also Hoff, R.W., 6=1526; Newton, J.O., 8=7378

Stephens, F.S., Asaro, F. and Perlman, I. Classification of the energy levels of odd-mass nuclei in the heavy-element region, 9=4972

Stephens, F.S., Jr. See also Asaro, F., 5=4914, 6=613, 2352; Hummel, J.P., 5=4904; Juliano, J.O., 8=319; Rasmussen, J.O., 5=8202; Strominger, D., 6=7645

Stephens, F.S., Jr., Asaro, F., Amiel, S. and Perlman, I. Plutonium-237 m, another case of E3 isomerism for neutron number 143, 8=734

Stephens, F.S., Jr., Asaro, F. and Perlman, I. Radiations from 1^- states in even-even nuclei, 6=1468. Odd-parity rotational bands in even-even nuclei, 8=2554

Stephens, K.G. and Walker, D. The charges carried by fast nitrogen, oxygen and fluorine ions passing through matter, 5=5465. Loss of electrons from fast nitrogen ions in collisions with single gas molecules, 5=6239

Stephens, P.H. See Roberts, D.H., 8=186

Stephens, R.E. Computation of achromatic objectives, 5=822. Cross-field error in unsymmetrical range finders, 5=2452. Secondary chromatic aberration, 8=1589. Range finders using projected images, 8=3910. Selection of glasses for three-color achromats, 9=6686. Note on measurement of sine-wave response of lenses, 9=9376

Stephens, R.W.B. Symposium on optical and surface methods of non-destructive testing, 8=3749. The mechanical properties of ice. II. The elastic constants and mechanical relaxation of single crystal ice, 8=7559

Stephens, W.E. See also Cohen, L., 7=1612; Cohen, L.D., 9=11473; Hartley, W.H., 7=2658; Mann, A.K., 5=4937; Rhodes, J.L., 8=5380; Toms, M.E., 5=5634, 8=342; Verbinski, V.V., 8=7389; Wolff, M.M., 9=5055

Stephens, W.E., Mann, A.K., Patton, B.J. and Winhold, E.J. Fine structure in the (γ, p) reaction in oxygen, 5=6467

Stephens, W.E. and Staub, H. Search for pair production by protons, 8=8213

Stephenson, C.B. Gas-dust interaction in the accretion of interstellar dust by the sun, 9=11719

Stephenson, C.C., Rice, D.W. and Stockmayer, W.H. Order-disorder transitions in the alkali borohydrides, 6=1752

Stephenson, C.V. Radial vibrations in short, hollow cylinders of barium titanate, 6=1904. Higher modes of radial vibrations in short, hollow cylinders of barium titanate, 7=170. Vibrations in long rods of barium titanate with electric field parallel to the length, 7=3097. See also Lovell, R.J., 5=2050

Stephenson, G. A classical calculation of the nucleon–meson coupling constant, 7=8405. Finsler geometry and unified field theories, 7=9515. Quadratic Lagrangians and general relativity, 8=7669. See also Kilmister, C.W., 5=4337

Stephenson, G. and Kilmister, C.W. Special relativity for physicists, 8=5597

Stephenson, H.P. and Voelz, F.L. Raman spectra of 2- and 3-fluoropyridine, 5=1723

Stephenson, J.W. and Smith, K. Tabulation of the Wigner 9j coefficients, 7=8770

Stephenson, R.J. and Samsel, T.F. Experiment on the reflection and absorption of neutrons, 8=4230

Stephenson, S.T. See Doran, D.G., 7=4427; El-Hussaini, J.M., 8=8803

Stephenson, T.E. See Allen, R.G., 5=1216; Bernstein, S., 6=4652; Sherwood, J.E., 5=2220; Stanford, C.P., 5=1253

Steppuhn, A. On the inner field in the Kerr effect of dipolar liquids, 8=1038

Stergis, C.G., Coroniti, S.C., Nazarek, A., Kotas, D.E., Seymour, D.W. and Werme, J.V. Conductivity measurements in the stratosphere, 5=6655

Sterin, Kh.E. See Aleksanyan, V.T., 8=968; Gonikberg, M.G., 9=12062

Sterk, M.J. See also Aten, A.H.W.Jr., 6=3936; Nussbaum, R.H., 5=4912, 6=3143

Sterk, M.J., Nussbaum, R.H. and Cerfontain, H. The intensity of the soft second β-spectrum in ^{142}Pr, 5=8199

Sterk, M.J., Nussbaum, R.H. and Wapstra, A.H. The decay of ^{51}Ti and the nuclear levels in ^{51}V, 5=6429

Sterman, L.S. Investigation of heat exchange in the boiling of a liquid in pipes, 5=6982. On the theory of heat exchange on boiling in pipes, 5=9603

Stern, D.M. See Ferry, J.D. 5=3242

Stern, E.A. Theory of the anharmonic properties of solids, 9=2894. See also Neher, H.V., 5=6272

Stern, F. Self-consistent field calculation for three configurations of atomic iron, 7=2560. Effects associated with a linear energy term in the valence band of intermetallic semiconductors, 9=9610. See also Matossi, F., 9=1301; Talley, R., 5=9656

Stern, F. and Dixon, J.R. Narrowing the energy gap in semiconductors by compensation, 9=8097

Stern, F. and Talley, R.M. Impurity band in semiconductors with small effective mass, 6=1210. Optical absorption in p-type indium arsenide, 8=183

Stern, M. See Webb, W.W., 9=12839

Stern, M.E, The moving flame experiment, 9=12172

Stern, M.O. See Ashkin, J., 5=1228, 6=2443, 7=3719

Stern, R.A. See Oppenheim, A.K., 9=5397, 10711

Stern, S.A. See Waterman, P.C., 9=10217

Stern, S.C., Baumstark, J.S., Schekman, A.I. and Olson, R.K. Simple technique for generation of homogeneous millimicron aerosols, 9=8973

Stern, S.C. and Hill, C.W. Simple ultraviolet radiometer, 6=1019

Sternberg, E. and Chakravorty, J.G. Thermal shock in an elastic body with a spherical cavity, 9=10312

Sternberg, J. Triple-shock-wave intersections, 9=6636

Sternberg, M. Observation of uranium in the thermionic emission microscope, 6=4688

Šternberk, J. On the problem of studying the ideal magnetization intensity of manganese ferrite, 9=8316. On the question of the influence of magnetic interactions on the initial permeability of sintered ferrites, 9=8317. See Brož, J., 5=4802, 6=495

Sterne, T.E. High-altitude atmospheric density, 8=7620. Formula for inferring atmospheric density from the motion of artificial earth satellites, 8=7621. Development of some general theories of the orbits of artificial earth satellites, 9=3069. Note on R.R. Newton's paper, "Motion of a satellite around an unsymmetrical central body," 9=12972. See Schilling, G.F., 9=5267

Sternglass, E.J. High-speed electron multiplication by transmission secondary electron emission, 6=5938. Origin of the characteristic energy losses of electrons in solids, 7=2308. Theory of secondary electron emission by high-speed ions, 8=212. On an extended structure for the electron, 8=4219. Theoretical problems of an extended model of the electron and the proton, 8=4220. See also Holliday, J.E., 8=8814, 9=12378

Sternglass, E.J. and Wachtel, M.M. Transmission secondary electron multiplication for high-speed pulse counting, 9=2399

Sternheim, G. See Piontelli, R., 5=8347, 6=1694, 7=824

Sternheimer, R.M. Electronic polarizabilities of ions from the Hartree-Fock wave functions, 5=1131. Multiple scattering correction for counter experiments, 5=1931. Polarization of nucleons elastically scattered from nuclei, 5=4056*. Angular distribution of pions from θ^0 decay, 5=6500. Energy distribution of γ-rays from π^0 decay, 5=8283. Polarization of protons elastically scattered from nuclei, 6=421. Total cross sections for scattering and absorption of pions by nuclei, 6=3278. Density effect for the ionization loss in various materials, 6=6710. Effect of the atomic core on the nuclear quadrupole coupling, 7=4643. Effect of the exclusion principle on the interaction of K mesons with nuclei, 7=7363. Electronic polarizabilities of ions, 8=5423. Effect of a complex spin-orbit coupling on the polarization of protons elastically scattered from nuclei, 9=3743. Effect of an electric dipole moment of the proton on the energy levels of the hydrogen atom, 9=6160. Range-energy relations for protons in Be, C, Al, Cu, Pb, and air, 9=12556. See also Block, M.M., 6=1560; Lindenbaum, S.J., 8=5228, 7=4776, 8190

Sternheimer, R.M. and Foley, H.M. Nuclear quadrupole coupling in polar molecules, 6=5292

Sternheimer, R.M. and Lindenbaum, S.J. Pion production in pion-nucleon collisions, 8=2493

Sternling, C.V. See Oppenheim, A.K., 9=5397

Sterrett, K.F. See Zabetakis, M.G., 7=7830

Sterzer, F. $J = 0 \rightarrow 1$ rotational transition of trifluoroiodomethane, 5=2936*

Sterzer, F. and Beers, Y. Pure quadrupole spectra of CH_3I and CF_3I vapors, 6=240

Stettin, DeW., Jr. Hormone regulation, 9=10443. See Mehler, A.H., 8=1594

Stettler, R. Optical imagery of surfaces and volumes, 6=1025. Calculation of the wave-surface corresponding to a pencil of rays, 9=1241. Radially symmetrical optical media, 9=3256

Steubing, W. and Günther, R. The Fowler line 4686Å of ionized helium in the homogeneous electric field, 5=7832

Steubing, W. and Hengevoss, J. Band spectra in homogeneous electric fields, 9=197. The Fowler line 3203 of ionized helium in uniform electric fields, 9=12014

Steubing, W. and Lebowsky, F. The electrical and magnetic effect on the hydrogen line H_β for fields which are crossed at 90 degrees, 9=4432

Steudel, A. Advances in performance and applications of the Fabry–Perot interferometer, 8=8713. The nuclear moments of the rare Lu^{176} isotope and of Lu^{175}, 9=2695. On the hyperfine structure in the spectrum of lutetium and the nuclear moments of Lu^{175} and Lu^{176}, 9=4431. See also Finckh, E., 5=6902; Kopfermann, H., 6=1968, 5765, 9=4430; Lindenberger, K.H., 5=4512; Lührs, G., 5=6394;

Nöldeke, G., 5=171; Penselin, S., 5=8653
Steudel, A. and Stotz, S. Fabry–Perot interferometer mirrors of multiple dielectric films for the spectral region from 2300 to 3000 A, 8=7846
Steudel, A. and Thulke, H. A contribution on the electron configurations in the RuI spectrum, 5=1677
Steuer, M.F. See McCormac, B.M., 7=2651, 8=1268
Stevels, J.M. See also Kats, A., 7=2288; Volger, J., 6=1199, 7=4892, 6148
Stevels, J.M. and Kats, A. The systematics of imperfections in silicon–oxygen networks, 7=1745
Stevens, B. The fluorescence quenching of anthracene, 9-phenylanthracene and 9: 10-diphenylanthracene in the vapour phase, 5=6032. First-order deactivation of excited β-naphthylamine molecules with low vibrational energy reserve, 6=3884. First-order decomposition of excited aniline molecules in the vapor phase, 6=7604
Stevens, B.A. Modification of Teele's method of heterochromatic photometry, 6=1021
Stevens, C.L. Filter networks, 8=4827
Stevens, C.M. See Fields, P.R., 6=3933; Halperin, J., 9=13706; Huizenga, J.R., 5=2109; Magnusson, L.B., 5=2120; Mech, J.F., 6=6861; Studier, M.H., 5=2124; Wing, J., 9=2733
Stevens, D.J. See Keam, D.W., 9=12525
Stevens, D.K. See also Crawford, J.H., Jr., 5=9655, 6=7801; Sonder, E., 8=5119
Stevens, D.K., Cleland, J.W., Crawford, J.H., Jr. and Schweinler, H.C. Magnetic susceptibility of germanium, 6=489
Stevens, D.K. and Crawford, J.H., Jr. Magnetic susceptibility of indium antimonide, 5=8080
Stevens, D.K., Sturm, W.J. and Silsbee, R.H. Magnetic susceptibility of neutron-irradiated quartz, 8=8918
Stevens, E.J. See Northwood, T.D., 8=8667
Stevens, G.W.W. See Davenport, A.N., 5=2104; Smith, E.T., 5=9332
Stevens, J.R. See also Fowler, C.A., Jr., 7=2422
Stevens, J.R. and Ivey, D.G. Mechanical behavior of a polymer at temperatures through the glass transition temperature, 9=5211
Stevens, K.N. See also House, A.S., 5=9516; Rosenblith, W.A., 6=7233
Stevens, K.N. and House, A.S. Development of a quantitative description of vowel articulation, 5=6853. Studies of formant transitions using a vocal tract analog, 6=6478
Stevens, K.W.H. Population changes with magnetic field, 6=5096. The Ising model and ferrimagnetism, 7=6334. Amplification using a precessing magnetic moment, 8=5137. Circuit analogues of Suhl-type masers, 8=5138. The wave mechanical damped harmonic oscillator, 9=2097. See Bates, L.F., 5=4793; Bleaney, B., 5=2885; Carter, W.S., 7=1444; Danielian, A., 7=5468. See Fidone, I., 9=10267; Mott, N.F., 8=1310; Series, G.W., 5=833; Standley, K.J., 7=1438
Stevens, N.M. See Hanna, G.C., (Eds.), 9=3931
Stevens, S.S. Pitch discrimination, mels, and Kock's contention, 5=3362. The measurement of loudness, 5=9518. Calculation of the loudness of complex noise, 7=195. Concerning the form of the loudness function, 7=8494. On the validity of the loudness scale, 9=9348. See also Poulton, E.C., 5=4479; See also Zwicker, E., 7=8493
Stevens, S.S., Rogers, M.S. and Herrnstein, R.J. The apparent reduction of loudness: a repeat experiment, 5=4478
Stevenson, A. See Prussin, S., 9=7819
Stevenson, A.F. Note on Krishnan's reciprocity relation in light scattering, 8=2259
Stevenson, A.F. and Bhatnager, H.L. Effect of anisotropy on light scattering by streaming freely flexible linear macromolecules, 9=1345
Stevenson, D.P. On the average energies of molecular ions, 9=13738. Heat of chemisorption of hydrogen in metals, 5=3701. See also Gioumousis, G., 9=9032; Ibers, J.A., 8=4398; Langer, A., 5=1011; Otvos, J.W., 6=5186; Schissler, D.O., 6=5471; Wagner, C.D., 8=6473
Stevenson, D.P. and Schissler, D.O. Rate of the gaseous reaction, $X^+ + YH = XY^+ + Y$, 5=9209. Reactions of gaseous molecule ions with gaseous molecules. IV. Experimental method and results, 9=902
Stevenson, D.T. See also Kingston, R.H.(Eds)., 7=8601
Stevenson, D.T. and Keyes, R.J. Measurement of carrier lifetimes in germanium and silicon, 5=2745. Measurements of the recombination velocity at germanium surfaces, 5=3761
Stevenson, M.J. See also Mattis, D.C., 9=13790
Stevenson, M.J. and Townes, C.H. Quadrupole moment of O^{17}, 7=9826
Stevenson, M.L. Σ^0 mass, 9=2665. See also Alvarez, L.W., 6=3269, 7=5651, 9=7360; Crawford, F.S., Jr., 5=4055, 7=9874, 8=1207, 9=1687, 2660, 4953, 4956, 6039, 6048, 7282, 12586
Stevenson, P.C. See also Folger, R.L., 5=4933; Gunn, S.R., 8=6339; Hicks, H.G., 6=1574, 6152
Stevenson, P.C., Hicks, H.G., Nervik, W.E. and Nethaway, D.R. Further radiochemical studies of the high-energy fission products, 9=2839
Stevenson, R. Solid methane—changes in phase under pressure, 8=431. Compressions and solid phases of CO_2, CS_2, COS, O_2, and CO, 8=432. Tentative phase diagram for solid H_2S, 8=1017
Stevenson, R.W.H. See also Duncanson, A., 9=2239
Stevenson, R.W.H. and Nettley, P.T. Infra-red transmission limits and reflectivity of lithium-6 fluoride and lithium-7 fluoride, 9=218. Refractivity and lattice constant ratios of lithium-6- and lithium-7-rich fluorides, 9=7590
Steward, E.G. See McKeag, A.H., 5=3602, 7=5229; Robinson, K., 6=2467; Short, M.A., 6=3641
Stewardson, E.A. See also Brown, B., 7=458; Chapman, K.R., 6=1288; Russell, P.C., 7=5368
Stewardson, E.A. and Wilson, J.E. The $M_{IV, V}$ spectra of ^{68}Er, 6=2914
Stewart, A.B. Glow discharge resonance, 5=8802. Oscillating glow discharge plasma, 6=7446. Law of atmospheres, 7=5931
Stewart, A.L. Wave functions for helium and similar atomic systems, 8=785. See Boyd, T.J.M., 7=4494; Dalgarno, A., 7=5886, 6380, 6413, 8760, 9=13730; Moisseiwitsch, B.L., 5=2090, 6=7587
Stewart, A.T. Angular correlation of photons from positron annihilation in solids, 5=9064. Momentum distribution of metallic electrons by positron annihilation, 7=3616. See also Brockhouse, B.N., 6=1731, 8=6399; Graham, R.L., 5=1167; Green, R.E., 5=5618; Squires, G.L., 5=6532
Stewart, A.T. and Brockhouse, B.N. Vibration spectra of vanadium and a Mn–Co alloy by neutron spectrometry, 8=6400
Stewart, A.T. and Squires, G.L. Analysis of ortho- and parahydrogen mixtures by the thermal conductivity method, 5=2060
Stewart, C. Proposed massless remote vibration pickup, 8=7759
Stewart, D.T. Electron excitation functions of infra-red nitrogen spectra, 5=5307. Electron excitation functions of the first negative bands of $N_2{}^+$, 6=7275. Electron excitation functions of N_2^+ bands, 6=8654. Spectroscopic evidence for presence of atoms in active nitrogen, 7=2005. See also Gribbon, P.W.F., 6=9143
Stewart, D.T. and Emeleus, K.G. Note on an experiment by Rayleigh on active nitrogen, 5=5432
Stewart, D.T. and Gabathuler, E. Some electron collision cross sections for nitrogen and oxygen, 8=7450
Stewart, E.S. See Hickman, J.S., 8=1566
Stewart, G.S. See Hey, J.S., 7=2447
Stewart, H.S. See Lovell, D.J., 5=166
Stewart, H.V. See Keister, G.L., 7=8613
Stewart, J.A. See Smith, W.M., 5=836
Stewart, J.D. Some notes on the theory of thermal-neutron reactors, 6=1608
Stewart, J.E. Absorption of radiant energy by solid particles in suspension, 5=3591. Use of partially oriented solid samples and unpolarized radiant energy in the analysis of infrared absorption spectra, 5=6923. Infrared absorption spectrum of N-Dl-methylaminodiborane between 15 and 40 microns, 6=1074. Infrared absorption spectra of urea, thiourea, and some thiourea-alkali halide complexes, 7=5193. Vibrational spectra of primary and secondary aliphatic amines, 9=6740
Stewart, J.L. and Westerfield, E.C. A theory of active sonar detection, 9=7914
Stewart, J.W. Compressibilities of some solidified gases at low temperature, 5=2678
Stewart, J.W. and La Rock, R.I. Compression and densities of four solidified hydrocarbons and carbon tetrafluoride at 77°K, 9=885
Stewart, K.H. Ferromagnetic domains, 5=1984
Stewart, L. Neutron spectrum and absolute yield of a plutonium-

beryllium source, 5=6530. See Brolley, J.E., Jr, 8=2566; Frye, G.M., Jr, 5=9927; Rosen, L., 5=9101, 7=8840

Stewart, M.G. See also Hammer, C.L., 7=7328; Scharenberg, R.P., 6=2367

Stewart, M.G., Scharenberg, R.P. and Wiedenbeck, M.L. Angular correlation of the gamma rays of Ba^{134}, 5=8216

Stewart, N.G., Crooks, R.N. and Fisher, E.M.R. The radiological dose to persons in the U.K. due to debris from nuclear test explosions, 5=9312

Stewart, R.W. A new look at the Reynolds stresses [in turbulent shear flows], 6=7179. See Grant, H.L., 5=820

Stewartson, K. On the steady flow past a sphere at high Reynolds number using Oseen's approximation, 6=4881. Motion of a sphere through a conducting fluid in the presence of a strong magnetic field, 6=6813. The dispersion of a current on the surface of a highly conducting fluid, 8=5132, 6068. On the free convection from a horizontal plate, 9=1369. Magnetohydrodynamics of a finite rotating disk, 9=3657

Steyn, J. Absolute standardization of beta-emitting isotopes with a liquid scintillation counter, 7=3608. See Smith, C.C., 7=5413

Stibbs, D.W.N. See Busbridge, I.W., 5=701

Stich, M.L. Maser amplifier characteristics for transmission and reflection cavities, 8=4171

Stichel, P. On the question of time reversal in strong interactions, 8=6631

Stickler, J.J. See Borneman, E.H., 5=8770

Stidham, H.D. See Lord, R.C., 5=4853

Stiefel, M.B. See Kerper, M.J., 9=2976

Stiegler, J.O. See Noggle, T.S., 9=10310

Stiegler, K. On the deduction of the Lorentz–Einstein transformation from Maxwell's electromagnetic field equations, 8=2124. The hypothesis of corpuscular waves and the special theory of relativity, 8=6657. Determination of the [longitudinal] spherical aberration in catoptrical systems with one arbitrary surface of revolution, 9=5479. General method for determining the caustic for a catoptric system with one surface of revolution, 9=9373. Determination of the surface of revolution of a catoptric system from given equations of the caustic, 9=9374. On the mechanical foundation of the theory of special relativity, 9=12981

Stieler, W. An X-band spectrometer for the detection of paramagnetic resonances, 9=5906

Stier, P.M. See also Barnett, C.F., 5=1917, 9=367

Stier, P.M. and Barnett, C.F. Charge exchange cross sections of hydrogen ions in gases, 6=8259

Stier, P.M., Barnett, C.F. and Evans, G.E. Charge states of heavy-ion beams passing through gases, 5=998

Stierstadt, K. The permeability of copper ferrite in h.f. alternating fields; peculiarities in the region of the Curie point, 7=539

Stiff, G.M. See Davies, D.A., 9=8193

Stigmark, L. See Minnhagen, L., 5=2556, 8-5762; Friesen, S., 5=1437

Stil'bans, L.S. The commutation [kommutatsiya] of semiconducting thermoelements, 7=9208. On the choice of the ratio of the cross-sections of the branches of semiconductor thermoelements, 8=5018. See also Airapetyants, S.V., 9=4591; Gershteĭn, É.Z., 9=5748; Ioffe, A.F., 6=8216; Iordanishvili, E.K., 6=8809, 7=2264; Joffe, A.F., 9=4635; Kolomoets, N.V., 6=6425, 7=8642; Lekhtinen, G.N., 9=5790; Poltinnikov, S.A., 7=7911; Stavitskaya, T.S., 8=7991

Stil'bans, L.S., Bok, B.I. and Lifshits, E.L. On a carrier scattering mechanism in lead telluride, 7=5332

Stil'bans, L.S. and Fedorovich, N.A. Impulse-operation of cooling thermoelectric cells, 8=7994

Stil'bans, L.S., Iordanishvili, E.K. and Stavitskaya, T.S. Thermoelectric refrigeration, 7=3307

Stiles, W.S. Interim report to the Commission Internationale de l'Éclairage, Zurich, 1955, on the national physical laboratory's investigation of colour matching (1955), 6=3660. The basic data of colour-matching, 6=5039. Further studies of visual mechanisms by the two-colour threshold method, 7=6785

Stiles, W.S. and Burch, J.M. N.P.L. colour-matching investigation: final report (1958), 9=4162

Stille, U. Measurements and calculations in physics. Fundamentals of the introduction of physical quantities and the definition of units, 6=889. See Brömer, H.H., 9=12319; Cario, G., 5=4236; Moser, H., 9=3241

Stiller, B. See also Seeman, N., 6=3999

Stiller, B. and Louckes, F.I., Jr. Semi-automatic recorder for filar micrometer eyepiece and its application to track measurement, 6=8722

Stiller, H. Internal friction as a consequence of a re-ordering process, 9=12833

Stillinger, D. See Margenau, H., 9=12403

Stillinger, F.H., Jr. See Buff, F.P., 6=7183

Stimson, H.F. Heat units and temperature scales for calorimetry, 6=1172

Stimson, M.M. Sodium and potassium cation dependence of the infrared absorption of COO$^-$, 5=2597

Stimson, R. See Knoll, H.A., 7=4927

Stinson, D.C. See Kooi, C.F., 9=8318

Stinson, V.P. How to shield reactor beams, 5=535

Stippel, H. The use of dipole-singularities for the calculation of a heterogeneous reactor, 9=2847

Štirand, O. See Pekárek, L., 7=6198

Stirland, D.J. See Campbell, D.S., 6=2473

Stiss, R. See Scheibe, A., 6=4163

Stitch, M.L. See Honig, A., 5=189

Stitt, R.K. See Keuffel, J.W., 6=2963, 8=8252

Stix, T.H. Oscillations of a cylindrical plasma, 7=7238. Generation and thermalization of plasma waves, 9=359. See also Burnett, C.R., 9=2375

Stix, T.H. and Palladino, R.W. Experiments on ion cyclotron resonance, 9=2439

Stock, D.I. See Calvert, R., 7=820

Stock, J. Remarks on the critical time period and the Schwarzchild exponent in photographic processes, 6=3424

Stock, J.R. See Bowman, J.C., 5=9271

Stockburger, M. See Schüler, H., 9=5574

Stockendal, R. See also Herrlander, C.J., 7=6492; Hultberg, S., 9=8548; McDonnell, J.A., 8=3317; Novakov, T., 9=604; Schmorak, M., 7=6437

Stockendal, R., McDonell, J.A., Schmorak, M. and Bergström, I. Nuclear isomerism in odd lead isotopes, 7=647

Stockendal, R., Novakov, T., Johansson, B. and Schmorak, M. On the decay of Bi^{204}, 9=603

Stocker, C.F. See Larach, S., 8=7537

Stockhausen, J.H. See Barton, J.C., 7=2381, 8=1113

Stöckmann, F. Negative photoeffect in semiconductors, 6=2092. On the effect of boundary layers on photoconduction, 7=6188. On the dependence of photocurrents on the electric field strength, 7=6190. The ranges of charge carriers in photoconductors, 7=7924. Electron spectra of crystals, 9=4009. Electron spectra in crystals, 9=4010. Physics and applications of photoconductivity, 9=8145. See also Batt, E., 9=4612; Polke, M., 9=13322

Stöckmann, F., Klontz, E.E., MacKay, J., Fan, H.Y. and Lark-Horovitz, K. On the photoconduction of germanium after irradiation with fast electrons, 9=5729

Stockmann, L.L. See Loftus, T.P., 7=6486; Mann, W.B., 9=5030

Stockmayer, W.H. Isotope effects on thermodynamic functions of hindered rotators, 7=9778. Forces between macromolecules, 9=8772. See Benoit, H., 6=3656; Stephenson, C.C., 6=1752

Stockton, F.D. See Nielsen, L.E., 6=4745, 7=2856

Stoddard, A.E. See Unterberger, R.R., 8=1806

Stodiek, W. Arrangement for precise scattering measurements in nuclear emulsions, 5=9343

Stoeckly, R.E. See McClintock, F.A., 9=7547

Stoering, J.P. See Bratenahl, A., 8=5389

Stoffregen, W. Variation of fEs during solar eclipses, 6=831. The solar eclipse of 30 June 1954: preliminary report, 6=7050

Stogryn, D.E. See Eliason, M.A., 7=3479

Stoicheff, B.P. High resolution Raman spectroscopy of gases, V. Rotational spectra of allene, allene-d_4 and allene-1, 1-d_2, 6=1998. IX. Spectra of H_2, HD and D_2, 7=9090. X. Rotational spectrum of butatriene ($H_2C{=}C{=}C{=}CH_2$), 7=9091. High resolution Raman spectroscopy of gases. XI. Spectra of CS_2 and CO_2, 8=3877. See Callomon, J.H., 7=7779; Costain, C.C., 9=7471; Dowling, J.M., 9=7968; Herzberg, G., 5=3955; Lancaster, J.E., 7=276; Langseth, A., 6=5020; Swalen, J.D., 8=8693

Stoker, J.J. See Peters, A.S., 5=2026

Stoker, P.H. Generation of the soft component of the cosmic radiation in lead, 6=4482

Stokes, A.R. The production of fibre diagrams with the optical diffraction spectrometer, 5=4188. The theory of light scattering by suspensions of randomly oriented long prisms, 7=4247. See Hooper, C.W., 5=6625

Stokes, C.S. See Streng, A.G., 8=7771

Stokes, R.H. See also Bates, R.G., 6=9013; Northrop, J.A., 9=496

Stokes, R.H., Northrop, J.A. and Boyer, K. Apparatus for measuring the energy spectra of mass-selected particles in coincidence with fission, 8=8958

Stokes, R.J. See also Cottrell, A.H., 6=3320

Stokes, R.J., Johnston, T.L. and Li, C.H. Crack formation in magnesium oxide single crystals, 8=6430

Stokes, S. and Pickett, L.W. Absorption of bicycloheptane and bicycloheptene in the vacuum ultraviolet, 5=2596

Stokkink, A.J. See Luyckx, A., 5=3619, 7=4236

Stolarik, J.D. See Heppner, J.P., 8=6523

Stoletov, G.D. See Kumekin, Yu. P., 9=12554; Meshcheryakov, M.G., 7=2644, 8=3293; Zrelov, V.P., 9=13380

Stoll, P. (γ, α) processes in Li^7, N^{14} and O^{16}, 5=2186. See Balzer, R., 9=10080; Beusch, W., 7=9736; Erdös, P., 5=1207, 6=601, 660, 9=6122; Glättli, H., 6=433; Hofmann, A., 9=6121; Knoepfel, H., 9=2227, 6760; Schmouker, J., 5=6464

Stoll, S.J. Origin and analysis of gas in electron tubes, 6=3797

Stoller, S.M. Site selection and plant layout, 5=8268

Stolovy, A. and Harvey, J.A. Radiation widths of levels in nuclei near closed shells, 8=8267

Stolow, N. A modified apparatus for measuring the swelling of polymer films in solvents, 5=770. Maximum sensitivity in pneumatic gauging, 5=4397. The measurement of film thickness with a pneumatic hypodermic needle mechanism, 6=8014

Stolyarov, G.A. See Flerov, G.N., 9=11173

Stolyarova, E.L. and Konstantinov, I.E. A two-crystal scintillation gamma-spectrometer, 9=8434

Stolyarova, G.S. See Tumanyan, V.A., 9=13543

Stolz, H. On the theory of the electrical conductivity of semiconductors at high frequencies, I, 7=9172. On the phenomenon of de-electrification of small conducting bodies in an extended electromagnetic high-frequency field, 9=7008. The theory of the secondary electron emission from metals. The transport process, 9=11101

Stolz, H. and Streitwolf, H.W. A theory of secondary electron emission from metals, 9=8211

Stolzenberg, K. Measurements with the Ulbricht sphere, 9=165

Stone, A.P. Isotope shifts in the spectrum of helium, 5=8594. Calculation of isotope shifts in the spectrum of helium, 6=1970. Expressions for certain Wigner coefficients, 8=1510

Stone, G. See Everhart, E., 5=6232, 8845

Stone, H.E. Calculating spatial distribution of reactivity coefficients, 8=5403

Stone, J.M. See Anderson, O.A., 9=4744; Baumeister, P.W., 6=2812; Wark, D.Q., 5=4238

Stone, K.F. and Force, R.J. Flip-coil target positioner for use with accelerators, 9=12387

Stone, M.L. See Fricker, S.J., 8=5556

Stone, N. See Humphreys, F.E., 7=3043

Stone, N.W.B. See Cook, A.H., 5=106; 8=531; Wilson, W., 7=9662

Stone, R.S. Recent developments in nuclear instrumentation at the Knolls Atomic Power Laboratory, 8=2597. See Wade, E.J., 5=8263

Stone, T. See Kinsey, B.B., 6=8369

Stone, W.G. See also Bortner, T.E., 7=4439

Stone, W.G. and Cochran, L.W. Ionization of gases by recoil atoms, 7=8686

Stonehill, A.A. See Artandi, C., 8=6099

Stoneley, R. The propagation of surface elastic waves in a cubic crystal, 6=2730

Stooksberry, R.W. and Crouch, M.F. Neutron-proton capture cross-section, 9=11375

Stoppini, G. See Beneventano, M., 6=7724, 9=3781; Carlson-Lee, D., 5=8249; John, W., 8=1192; Lepri, F., 6=435

Stora, R. See Olbert, S., 8=1753

Storch, G. See Polke, M., 9=13322

Storebø, P.B. See Small, S.H., 8=4595

Storey, J.R. Cosmic-ray latitude survey along 145° East longitude using an airborne neutron monitor, 9=4767. Lattitude dependence of a Forbush-type cosmic-ray intensity decrease observed at aircraft altitude, 9=4768. See also Farley, F.J.M., 5=1025, 7=8707

Storey, J.R. Fenton, A.G. and McCracken, K.G. Effective magnetic meridian for cosmic rays, 8=3214. A survey of the cosmic-ray nucleonic component along 145° East longitude, using an airborne monitor, 8=7158

Storey, L.R.O. A method to detect the presence of ionized hydrogen in the outer atmosphere, 7=3858. A method for interpreting the dispersion curves of whistlers, 7=9994. See Hines, C.O., 9=4120; Koster, J.R., 5=5156

Storey, O. Protons outside the earth's atmosphere, 9=942

Storey, R.S., Jack, W. and Ward, A. The fluorescent decay of CsI(Tl) for particles of different ionization density, 8=4892

Stork, D.H. See also Barkas, W.H., 7=3225; Birge, R.W., 5=9122, 6=1622, 7=3708; Evans, D., 9=3795; Helmy, E., 9=2635; Melkanoff, M.A., 9=6044; Price, O.R., 9=2650; Whetstone, S.L., Jr, 6=4015

Stork, D.H., Birge, R.W., Haddock, R.P., Kerth, L.T., Sandweiss, J. and Whitehead, M.N. Search for antiprotons, 7=2152

Storks, K.H. See Heidenreich, R.D., 6=821

Storm, M., See Metropolis, N., 9=654-5

Størmer, C. The polar aurora, 6=3395

Storruste, A. See also Kløve, A., 9=3872; Messelt, S., 6=6883

Storruste, A. and Tjóm, P.O. Small angle scattering of 1.33 MeV and 1.17 MeV gamma rays, 8=6367

Story, H.S. See also Hoffman, R.W., 6=3306

Story, H.S. and Hoffman, R.W. Stress annealing in vacuum deposited copper films, 8=816

Story, J.S. See Lane, A.M., 7=1638; Perring, J.K., 5=9106

Stössel, W. See Menzel, E., 6=1724, 9=6361

Stott, A. and Axon, P.E. The subjective discrimination of pitch and amplitude fluctuations in recording systems, 5=8575

Stott, F.D. Sonic gas analyser for measurement of CO_2 in expired air, 8=2702

Stott, G. See Angus, W.R., 5=4158-9, 9=11190-1

Stott, J.B. An isothermal micro-calorimeter, 6=2047

Stott, P. See Cusack, N. 5=1945, 6214

Stotz, S. See Steudel, A., 8=7846

Stoudenheimer, R.G. See also Engstrom, R.W., 9=4684

Stoudenheimer, R.G. and Moor, J.C. An image-converter tube for high-speed photographic shutter service, 8=477

Stoughton, R.W. See Halperin, J., 9=13689, 13706

Štourač, L. See Šmirous, K., 9=5709

Stout, J.W. Absorption spectrum of magnanous fluoride, 9=12041. See also Catalano, E., 5=7921, 6=1178; Jaccarino, V., 7=6458

Stout, J.W. and Catalano, E. Heat capacity of zinc fluoride from 11 to 300°K. Thermodynamic functions of zinc fluoride entropy and heat capacity associated with the antiferromagnetic ordering of manganous fluoride, ferrous fluoride, cobaltous fluoride, and nickelous fluoride, 6=301

Stout, P.R. See Delwiche, C.C., 9=9091

Stout, V.L. and Gibbons, M.D. Gettering of gas by titanium, 6=4246

Stoutenburg, D.V. See Kraus, J.D., 5=9363

Stovall, E.J., Jr. See Burkhardt, L.C., 7=7938

Stow, R.W. Rapid high-sensitivity recording thermometer, 8=7872

Stoy, R.H. The Cape magnitudes and their relationship to the International System, 7=3921

Stoyanov, I.A. See Smirnov, A.A., 8=3984

Stoyanov. I.O. See Smy̆rnov, A.A., 8=7895

Stoyanova, I.G. Distribution of electron density in the electron-microscope image, 7=453. Electron microscope investigation of thin layers of antimony by the dark field method, 6=6955. Electron microscope investigation of objects in a gaseous medium, 8=3497. See also Zaĭdes, A.L., 6=7751

Stoyanova, I.G. and Frimer, A.I. Investigation of the mechanism of image formation in the electron microscope, 5=5442

Stoyko, A. and Stoyko, N. On the progressive variation of the rotation of the earth, 8=2748

Stoyko, N. The atomic clock and the irregularity of the rotation of the earth, 7=5017. See Stoyko, A., 8=2748

Straat, H.W. See Forrest, J.W., 6=1950, 5756

Strabala, F.I. See Edgerton, H.E., 6=5592

Strachan, C. Formation of an alpha-group in the shell-model of a heavy nucleus, 8=4264

Strachan, C. and Murray. A.M. Spin-orbit coupling and the extraordinary Hall effect, 8=4125. Spin-orbit coupling and the extraordinary Hall effect, 9=7155

Strachan, E. See Barrer, R.M., 5=8368

Strachan, J.F. and Harris, N.L. Bombardment of various elements by Hg^+ and A^+ ions, 7=2340*. X-ray hazard in sputtering apparatus, 6=9159

Stradomskii, V.B. Modification of the charging equipment for a

personal dosimeter, 9=9918
Strait, L.A., Goyan, F.M. and Kumler, W.D. Semisolid nickel sulfate filter, 7=2051
Straiton, A.W., Tolbert, C.W. and Britt, C.O. Apparent temperatures of some terrestrial materials and the sun at 4.3 millimeter wavelengths, 8=8725
Strakhov, L.P. The influence of surface states of PbS and CdS on the contact potential, 9=13242. See Berlaga, R.Ya., 5=958, 8=7022
Strakhovskiĭ, G.M. See Sokolov, A.A., 7=2290*
Strakna, R.A. See Jacobson, A., 6=5183
Straley, J.W. Vibrational intensities in halogenated methanes. I. Methylene chloride, 6=1456. See Mallard, W.C., 8=371; Rossmann, K., 6=8101; Singh, N.L., 7=2515; Wingfield, E.C., 5=2935, 5559
Stranathan, J.D. See Wild, J.W., 8=3977
Strandberg, M.W.P. Quantum mechanical amplifiers, 7=6369. Inherent noise of quantum-mechanical amplifiers, 7=7240. Computation of noise figure for quantum-mechanical amplifiers, 8=1793. Spin–lattice relaxation, 9=817. Design of examinations and interpretations of grades, 9=3080. Physics laboratory administration and operation, 9=12976. See also Collins, S.A., Jr, 9=5915; Davis, C.F., Jr, 7=2488, 9=4819; Mattuck, R.D., 9=1278, 5238; Peter, M., 7=8043; Tate, P.A., 5=167; Tinkham, M., 5=3936, 3953, 7842; Wolga, G.J., 9=8859
Strandberg, M.W.P., Davis, C.F., Faughnan, B.W., Kyhl, R.L. and Wolga, G.J. Operation of a solid-state quantum-mechanical amplifier, 8=8161
Strandberg, M.W.P., Tinkham, M., Solt, I.H., Jr and Davis, C.F., Jr. Recording magnetic-resonance spectrometer, 6=8280
Strandell, N. A photographic method of studying the spread of trochoidal electron beams, 7=3349
Strange, J.W. Some unsolved problems in luminescence, 5=3598
Strangways, D.H. See Wilsey, R.B., 7=1354-5
Stranks, D.R. A scintillation counter for the assay of radioactive gases, 6=2200. See Carson, A.S., 8=3938
Stranski, I.N. See Friemel, W., 6=6246; Knacke, O., 7=1226
Strasber, M. Damping of pulsating air bubbles in water, 5=141*. Gas bubbles as sources of sound in liquids, 6=1905. Onset of ultrasonic cavitation in tap water, 9=3191
Strashkevich, A.M. Graph-analytical methods of finding the trajectories of relativistic charged particles in electrostatic fields, 5=1885. Extension of the electron-optical theory of deflecting electrostatic systems to the case of relativistic particles, 6=8231. New physics-engineering methods of modelling and calculation of the trajectories of relativistic charged particles in electrostatic fields, 7=1362
Strashkevich, A.M. and Gluzman, N.G. Aberrations of relativistic electron beams, 6=8825
Strasman, P. See Boulègue, G., 9=5080
Strasser, A. See Wolfhard, H.G., 8=7583
Strassl, H. Nomograms for ecliptic and galactic coordinates, 6=872*. See Mezger, P.G., 9=11723
Strassman, F. See Fritze, K., 7=1544
Strassmann, F. See Herrmann, G., 5=6476, 8=3385
Strathdee, J. See also McConnell, H.M., 9=8731
Strathdee, J. and Takahashi, Y. On the self-stress of composite particles, 9=1065. Unrenormalizable interactions and the structure of elementary particles, 9=7786
Stratonovich, R.L. The entropy of a system consisting of a random number of particles, 5=8722. Entropy in quantum statistics, 6=4850. A gauge-invariant analogue of the Wigner distribution, 7=1081. On distributions in representation space, 7=2963. On the statistical interpretation of quantum theory, 8=2165. A certain method for calculation of quantum distribution functions, 8=2814. See Kuznetsov, P.I., 7=552
Stratton, K. See also Dolphin, G.W., 8=4448
Stratton, K. and Dolphin, G.W. Electron bombardment of counting diamonds, 7=865
Stratton, R. Field emission from semiconductors, 6=332. The effect of field emission on the behaviour of semiconductor contacts, 6=5862. Surface barriers at semiconductor contacts, 6=6631. The effect of free electrons on lattice conduction at high temperatures, 7=5315. On the elementary theory of thermoelectric phenomena, 7=9204. On the surface free energy and specific heat of a metal, 7=9290. The influence of interelectronic collisions on conduction and breakdown in covalent semiconductors, 8=3096. The influence of interelectronic collisions on conduction and breakdown in polar crystals, 8=5872. On the hot electron effect in n-type germanium, 8=7939. See Chasmar, R.P., 6=8195
Stratton, T.F. See also Boyer, K., 9=12342; Burkhardt, L.C., 7=7938, 8=8828; Finkelstein, D., 8=7127; Holmgren, H.D., 5=2163; Sawyer, G.A., 9=3655
Stratton, T.F., Blair, J.M., Famularo, K.F. and Stuart, R.V. Experimental determination of the absolute differential cross sections for the O$^{16}(d,p)$O^{17}, O$^{16}(d,p)$O^{17*}, and O$^{18}(d,p)$O^{19*}, 5=5630
Straubel, H. Millikan's oil drop experiment, 6=1186. Use of the Curie point of ferrites for temperature regulation, 9=13444. See Teichgräber, M., 9=4597
Straubel-Fischer, E. On the ferroelectric domain structure of Rochelle salt, 7=9677
Strauch, K. Double scattering experiment with 96-MeV protons, 5=8031. See also Ashmore, A., 8=1270; Gerstein, G., 8=1258; Pless, I.A., 8=690
Strauch, K. and Titus, F. Inelastic scattering of 96-MeV protons, 7=2638. Direct excitation of nuclear energy states in carbon by 96-MeV protons, 6=6896
Straughan, B.W. See Bardsley, W., 6=7809, 9=807
Straumanis, M.E. The refraction correction for lattice constants calculated from powder or rotation crystal patterns, 6=812. See also James, W.J., 6=9047
Straumanis, M.E. and Weng, C.C. The precise lattice constant and the expansion coefficient of chromium between +10 and +60°C, 6=3376
Strauss, A.J. Distribution coefficients and carrier mobilities in InSb, 9=6972. See Harada, R.H., 9=10358; Zitter, R.N. 9=13305
Strauss, H.J. Investigations on the existence range of the electrodeless ring discharge, 9=1495
Strauss, S.W. Electrical resistivity of vitreous ternary lithium-sodium silicates, 6=7396
Strauss, S.W., Moore, D.G., Harrison, W.N. and Richards, L.E. Fundamental factors controlling electrical resistivity in vitreous ternary lead silicates, 6=7395
Strauss, W.A. See also Edse, R., 7=3201
Strauss, W.A. and Edse, R. Vacuum-type gas-flow calibrator, 9=7847
Streater, R.F. On the unphysical region in dispersion relations, 9=10612
Streater, R.F. and Taylor, J.C. Notes on meson decays, 8=6153
Streed, E.R. See Starr, W.L., 5=7825
Street, J.C. See Gordon, G.D., 8=8238; Niemann, F.L., 8=8237; Pless, I.A., 8=690
Street, R. See also Bacon, G.E., 5=4785, 7=9267, 9=4116; Lewis, B., 9=1588; Phillips, J.H., 5=7183; Smith, J.H., 8=2311
Street, R. and Hall, E.O. Magnetic domain structure in twinned crystals of silicon iron, 6=3004
Street, R. and Lewis, B. The elasticity and antiferromagnetism of Cr$_2$O$_3$, 7=2740
Street, R. and Woolley, J.C. A comparison of magnetic viscosity in isotropic and anisotropic high coercivity alloys, 7=2425
Streetman, J.R. Evaluation of certain three-center integrals, 5=8972. See Girifalco, L.A., 9=2913
Strehlow, R.A. Method of extrapolating equation-of-state data to higher temperatures, 5=9485
Strehlow, R.A. and Cohen, A. Comment on reflected shock wave studies, 8=5725. Limitations of the reflected shock technique for studying fast chemical reactions and its application to the observation of relaxation in nitrogen and oxygen, 9=4087
Streit, J.F. See Brock, R.L., 8=8969
Streitwolf, H.W. The theory of the secondary electron emission from metals. The excitation process, 9=11100. See also Stolz, H., 9=8211
Streitwolf, H.W. and Brauer, W. The time constant for secondary emission, 9=2403
Střelka, V. Exo-electron emission from thin aluminium layers, 9=11093
Strelkov, P.G. See Borovik-Romanov, A.S., 5=4602; Itskevich, E.S., 6=6575, 8=4936; Kalinkina, I.N., 8=7875
Strel'tsov, V.N. See Rozental', I.L., 9=12572
Streng, A.G., Stokes, C.S. and Streng, L.A. Detonation velocity of gaseous ozone, 8=7771
Streng, L.A. See Streng, A.G., 8=7771

Stribel, T. On the decay scheme of I^{128}, 6=1514. On the γ-radiation of tellurium-129, 6=1532. Measurement of the K-shell conversion coefficient of the 95 keV transition in Ho^{165}, 6=2376. On the decay of Al^{25}, 6=6115. A new measurement of the γ-ray transition in coincidence with the β-decay of S^{37}, 6=6128. Determination of the hafnium content of zirconium through an activation analysis, 8=8514. About the decay of the palladium isomers Pd^{105m} and Pd^{109m}, 9=6099. Mass determination and the γ-spectrum of 22 min lutetium, 9=7334

Stricht, A. Vander. See Vander Stricht, A.

Strickland, L. See Gerrard, J.A.F., 7=8306

Stickland-Constable, R.F. See King, M.B., 7=148; Kitchener, S.A., 8=4524

Striebel, H.R. See also Clement, J.D., 8=6150

Striebel, H.R., Darden, S.E. and Haeberli, W. Polarization of $Li^7(p, n)Be^7$ neutrons, 8=6294

Striebel, H.R. and Huber, P. Fast neutron scattering in helium in the energy range 2.61-4.09 MeV, 7=8897

Striganov, A.R. Isotope spectrum analysis, 6=6859. See also Dontsov, Yu.P., 7=9060; Korostȳleva, L.A., 5=6896; Oganov, M.N., 7=5977*, 8=5434

Striganov, A.R. and Dontsov, Yu.P. The isotope effect in atomic spectra, 6=209

Striganov, A.R., Gavrilov, F.F. and Efremov, C.P. Quantitative spectral analysis of an enriched uranium isotope mixture, 7=9068

Striganov, A.R. and Korostȳleva, L.A. Investigation of the isotope effect in the spectrum of uranium, 6=1969. The atomic spectrum of plutonium, 7=5975*

Striganov, A.R., Korostȳleva, L.A. and Dontsov, Yu.P. Isotope shift in the spectrum of plutonium, 5=6900

Strijland, J.C. and Nanassy, A.J. The influence of compressed gases on the vapour density of mercury and on the oscillator strength of the 2537 A line, 9=12018

Strikha, V.I. See Lashkarev, V.E., 8=1056

Strimple, J.H. See Browne, T.C., 7=9152; Giess, E.A., 5=2700

Stringfellow, M.W. See Moffatt, J., 8=3277, 7383

Stripp, K.F. and Bube, R.H. The effect of superposing a small alternating excitation on the steady excitation of a luminescent material, 5=4548

Strizhak, V.I. Cross-sections for inelastic scattering of 2.5 MeV neutrons by nuclei, 7=4740

Strnat, K. Magnetization curves of tubular nickel specimens under torsion and pressure, 7=9760. See Koch, K.M., 9=447

Strobel, G. Cayrel-De. See Cayrel-De Strobel, G.

Stroffolini, R. Validity of the intermediate-coupling approximations, 7=1913. See also Bosco, B., 5=9435, 6=5690, 9=2629; Cini, M., 8=2458; De Alfaro, V., 9=9982

Stroffolini, R. and Varcaccio, G. K^--meson parity from the reaction $K^- + d \rightarrow \Lambda^0 + p + \pi^-$, 9=12588

Stroh, A.N. Brittle fracture and yielding, 5=9163. The formation of cracks in plastic Flow II, 6=3319. The strength of Lomer-Cottrell sessile dislocations, 6=8474. The existence of microcracks after cold-work, 7=5689. A theory of the fracture of metals, 8=2690. The cleavage of metal single crystals, 8=4484. Dislocations and cracks in anisotropic elasticity, 8=5499

Stroh, W.R. Direct measurement of the acoustic ratio, 9=5470

Strohrmann, G. Voltaic potentials of monomolecular films in electric fields, 6=8755

Strokan, N.B. See Rȳvkin, S.M., 8=7976-7, 9=5682, 8155

Stroke, G.W. Interferometric measurement of wave-front aberrations in gratings and echelles, 5=1739. Photoelectric fringe signal information and range in interferometers with moving mirrors, 8=5808. See Harrison, G.R., 5=3472, 7=2088

Stroke, H.H. See also Christensen, R.L., 6=3118, 7=9825; Hull, R.J., 9=13158; Reynolds, J.B., 8=7297

Stroke, H.H., Jaccarino, V., Edmonds, D.S., Jr and Weiss, R. Magnetic moments and hyperfine-structure anomalies of Cs^{133}, Cs^{134}, Cs^{135}, and Cs^{137}, 7=3555

Stromberg, R.R. Pore-size distribution in Collagen and leather by the porosimeter method, 5=4985

Strombotne, R.L. See Reilly, C.A., 7=7271

Strömgren, B. Dust and the origin and evolution of stars, 6=872*

Strominger, D. Lifetime of the 186 keV level of thorium-231, 9=8531. See also Gallagher, C.J., Jr, 8=5305; Rasmussen, J.O., 5=8202

Strominger, D., Hollander, J.M. and Seaborg, G.T. Table of isotopes, 8=9027

Strominger, D. and Rasmussen, J.O. 4.1 × 10^{-8} second metastable state in Pa^{231}, 6=598. Concerning lifetimes of low energy E1 gamma transitions in odd mass spheroidal nuclei, 7=9333

Strominger, D., Stephens, F.S., Jr and Rasmussen, J.O. Three-millimicrosecond metastable state in Pb^{209}, 6=7645

Strong, H.M. Fusion curve of iron to 96 000 atmospheres: temperature of the earth's core, 9=13222. See also Bundy, F.P., 5=1767

Strong, H.M. and Bundy, F.P. Measurement of temperatures in flames of complex structure by resonance line radiation. I. General theory and application to sodium line reversal methods, 5=1765; II. Sodium line reversal by high-resolution spectroscopy, 5=1766. Fusion curves of four group VIII metals to 100 000 atmospheres, 9=13224

Strong, J. Interferometry for the far infrared, 7=6061. See also Vanasse, G.A., 9=9409

Strong, J. and Vanasse, G.A. Interferometric spectroscopy in the far infrared, 9=10766

Strong, R.L., Chien, J.C.W., Graf, P.E. and Willard, J.E. Studies of I atom and Br atom recombination following flash photolysis of gaseous I_2 and Br_2, 7=8243

Stroot, J.P. See Burgman, J.O., 9=6017; Lundby, A., 8=3347-8

Strosche, H. On the action of cadmium selenide layers in the selenium rectifier, 5=6136. On the mode of action of cadmium selenide layers in the selenium rectifier. II. [Further] contribution, 6=8207

Strotzer, G. On the electrical "clean up" of gases in the high-vacuum pressure range, 8=7755

Stroud, W.G., Terhune, E.A., Venner, J.H., Walsh, J.R. and Weiland, S. Instrumentation of the rocket-grenade experiment for measuring atmospheric temperatures and winds, 5=6643

Strub, H. See Schulz, P., 7=6229

Struck, C.W. See Ellis, S.G., 8=3140

Strugal'skii, Z.S. See Vernov, S.N., 9=12431

Struik, R.R. See Freistadt, H., 9=977

Strukov, N.A. See Nosenko, B.M., 9=10849

Strum, P.D. See McWhorter, A.L., 8=3266

Strumski, C.J. See Janes, G.S., 6=7665

Strunin, B.M. Statistical theory of strains in metals, 9=13846

Strunin, R.I. See Bogomolov, V.N., 7=9133

Struthers, J.D. Solubility and diffusivity of gold, iron and copper in silicon, 7=3751. See Bemski, G., 9=9630

Strutinski, V. See Ericson, T., 9=1756

Strutinsky, V. See Ericson, T., 9=8566

Strutinskiĭ, V.M. The theory of α-decay of non-spherical nuclei, 6=6119. Angular distribution of fission fragments, 6=6891. Excitation of rotational states in α-decay of even-even nuclei, 8=2535

Strutt, M.J.O. See Frei, A.H., 9=9600; Guggenbühl, W., 6=3721; Rohner, E., 7=9064, 8=5768

Struve, O. The spectra of binary stars, 5=7652. Dust and related phenomena in stars; introductory report, 6=872*. See Böhm-Vitense, E., 6=3449; Huang, S.-S., 6=3453

Stryland, J.C. See May, A.D., 9=9442

Stuart, A.A.V. and Mackor, E.L. Electronic spectra of carbonium ions, 8=373

Stuart, A.V. On the structure of ethylene, 6=535

Stuart, A.V. and Sutherland, G.B.B.M. Effect of hydrogen bonding on the deformation frequencies of the hydroxyl group in alcohols, 6=4551

Stuart, G.A. and Meltzer, B. Perturbation analysis of stationary dense electron flow and a space-charge-limited triode, 8=1105

Stuart, G.W. Effect of neutron interaction on criticality, 7=1621; II, 8166. Thermal flux distribution from a fast neutron line source, 6=1630. Satellite-measured radiation, 9=12902

Stuart, H.A. See also Schmidt, G.F., 9=6379

Stuart, H.A. and Fendler, H.G. Light scattering measurements on solutions of high-polymeric substances, 7=7792

Stuart, J.T. and Woodgate, L. Experimental determination of the aerodynamic damping on a vibrating circular cylinder, 5=1604

Stuart, M.R. Dielectric constant of quartz as a function of frequency and temperature, 6=312

Stuart, R.V. See Holmgren, H.D. 5=2163; Simmons, B.E., 5=2166; Stratton, T.F., 5=5630

Stuart-Monteith, G. The determination of the dynamic properties

of crystal diodes, 5=7963
Stubb, T. Brillouin zones, 7=4867. Measurements of the temperature variation of the effective mass of the free carriers in silicon with 3 cm wavelength, 9=9632. A contribution to the study of the efficiency in a photon excited p-n junction in silicon, 9=12281
Stubbe, L. and Gossick, B. Measurements of the Dember potential in bulk germanium, 9=6990
Stubbins, W.F. Alternating-gradient channel using permanent bar magnets, 5=8001. Design of regenerative extractors for synchro-cyclotrons. I. Small-amplitude extraction, 9=353
Stubbs, H.L. See Wiren, J., 7=4093
Stubbs, M.J. and Thompson, M.W. A combined liquid nitrogen cryostat, furnace and liquid helium bath, 8=3623
Stubert, K.F. See Schulz, P., 6=7334
Stuckes, A.D. Some theoretical and practical considerations of the Johnsen-Rahbek effect, 6=2845. Thermal conductivity of indium antimonide, 7=7811
Stuckes, A.D. and Chasmar, R.P. Measurement of the thermal conductivity of semiconductors, 7=7899
Studer, F.J. and Cusano, D.A. Transparent phosphor coatings, 5=6940
Studier, M.H. See also Fields, P.R., 5=527*, 6=590, 3933, 9=13704; Ghiorso, A., 5=9846; Magnusson, L.B., 5=2120; Mech, J.F., 6=6861
Studier, M.H., Gindler, J.E. and Stevens, C.M. Long-lived isomer of Np^{236}, 5=2124
Studier, M.H. and Huizenga, J.R. Correlation of spontaneous fission half-lives, 5=2112
Stueckelberg, E.C.G. Violation of parity conservation and general relativity, 7=5822. Theory of the radiation of photons of small arbitrary mass, 7=8498. Leptonic gauge transformation and charge conservation, 8=7262
Stueckelberg, E.C.G. and Wanders, G. Acausality of the non-local interaction, 5=1513. Elementary particles and composite particles, 5=6740. On the meaning of relativistic wave functions, 5=9439
Stuetzer, O.M. Ion drag pressure generation, 9=8265
Stuijts, A.L. and Wijn, H.P.J. Preparation and properties of crystal-oriented ferroxplana samples, 9=2509
Stull, D.R. See Hildenbrand, D.L., 9=6861, 12198
Stull, J.L. See Bickford, L.R., Jr, 5=8906
Stull, V.R. See Donahue, T.M., 7=2868
Stultz, K.F. See also Altman, J.H., 7=3882; Higgins, G.C., 9=11701; Jones, L.A., 5=4265, 7=4951
Stultz, K.F. and Koch, D.A. Role of chromaticity difference in color graininess judgments, 7=1837
Stultz, K.F. and Zweig, H.J. Relation between graininess and granularity for black-and-white samples with nonuniform granularity spectra, 9=10489
Stump, R. See also Byers, D.H., 9=4993; Wackerle, J., 7=5605
Stump, R. and Talley, H.E. Lifetime of positrons in superconducting lead and tin, 5=967
Stumpers, F.L.H.M. A bibliography of information theory (communication theory—cybernetics). Second supplement, 8=892. The spectrum of limited Gaussian noise, 9=3164
Stumpf, H. Double Franck-Condon processes in perturbed crystal lattices as mechanisms for radiationless transitions, 6=3357. A new quantum mechanical principle of conductivity and a critique of Bloch's theory, 7=357. A phosphor model on a quantum-mechanical basis. I. Electron and phonon reaction kinetics. II. Transition matrices of the quenching centre. III. Transition probabilities for steady perturbation and discrete spectra. IV. Energy dissipation of optical ion oscillations, 9=3325; V. Probability of thermal electron processes at the recombination centre, 9=12077. See Fues, E., 5=2299, 5080, 9=6267, 10242
Stumpff, P. The motion of material in the tail of the comet Morehouse, 29 October 1908, 9=9149
Stupegia, D.C. See Mueller, C.R., 7=7652
Stupochenko, E.V. and Stakhanov, I.P. On the theory of non-stationary discontinuities in relaxing media, 8=2192
Stupp, E. See Honig, H., 9=2933
Sturge, M.D. A note on the theory of diffusion of copper in germanium, 9=2951. The diffusion of boron in germanium, 9=5182
Sturgis, N. See Harrison, G.R., 7=2088, 9=3355
Sturm, B. Diffusion theory of finite, heterogeneous reactor configurations, 9=3948
Sturm, W.J. See also Binder, D., 5=2304, 9235, 7=8209; Stevens, D.K., 8=8918
Sturm, W.J. and Wechsler, M.S. Density and resistivity changes in Au–Cd upon quenching, 8=2296
Sturrock, P.A. Static and dynamic electron optics. An account of focusing in lens, deflector and accelerator, 6=1284. Nonlinear effects in electron plasmas, 8=3198. Nonlinear effects in alternating-gradient synchrotrons, 8=4057, 5971. A variational principle and an energy theorem for small-amplitude disturbances of electron beams and of electron–ion plasmas, 9=1507. Kinematics of growing waves, 9=5961. See Roberts, S.J., 7=1343
Sturtz, J.P. See Soshea, R.W., 9=1876
Stüwe, H.P. Some observations on creep in zinc single crystals, 8=9155. Creep in zinc single crystals at the temperature of liquid nitrogen, 9=8942
Stỹrikovich, M.A. and Shitsman, M.E. New results on the temperature distribution in a boiler water-pipe at very high pressures, 5=6980
Subashiev, V.K. See Maslakovets, Yu.P., 7=4372
Subba Rao, B.N. See Joshi, M.C., 8=8307, 9=1750, 3381
Subbarao, E.C. See Büssem, W.R., 8=168
Subbarao, E.C., McQuarrie, M.C. and Buessem, W.R. Domain effects in polycrystalline barium titanate, 9=277
Subba Rao, K. See also Ramachandra Rao, B., 9=2164, 10703
Subba Rao, K. and Ramachandra Rao, B. Ultrasonic studies on some aqueous solutions of electrolytes, 9=1152. Study of temperature variation of ultrasonic velocities in some organic liquids by modified fixed-path interferometer method, 9=6631. Ultrasonic studies in some organic liquid mixtures, 9=10706
Subbarao, M.K. See also McLay, A.B., 6=6036
Subbarao, M.K. and McLay, A.B. Diffraction of 3.2 cm electromagnetic waves by dielectric rods. I. Lucite and tenite 1 in. diameter cylinders, 6=6035
Suber, L.I. and Palinchak, S. Digest of the literature on dielectrics. Volume XVIII—1954. Rubber and plastic insulation, 7=9152
Suber, L.L. See Palinchak, S., 7=9153
Subotić, S. and Maglić, B. An accurate determination of the energy of the D$(d, n)^3$He reaction, 5=9081
Subrahmanyam, D.L. See Peterson, G.E., 6=4951
Subrahmanyam, N. Occurrence of negative and positive Joshi effects in electrostatic and electromagnetic regions of a selfmaintained a.c. discharge. II. Influence of external magnetic field, 5=4699
Subrahmanyam, N., Bhatawdekar, M.G. and Ramaiah, N.A. Surface dependence of Joshi effect and adsorption, 5=312
Subrahmanyam, N. and Ramaiah, N.A. Occurrence of positive and negative Joshi effects in Geiger and self-maintained regions of low frequency electric discharge in iodine vapour: influence of temperature, 5=311
Subrahmanyam, R.V. See Bhargava, B.N., 8=4570
Subrahmanyam, S.V. Elastic constants of thallium alum, 6=4694. Dependence of the elastic properties of cadmium on temperature, 6=6218. Thermo-elastic behaviour of cubic crystals, 8=5496. See also Bhimasenachar, J., 7=5906, 9556
Subrahmanyam, V. Studies of Joshi effect in neon with non-degassed and degassed discharge tubes, 6=5903
Subramaniam, A. A cosmic-ray shower selecting circuit, 5=5498. See also Naranan, S., 7=3696
Subramanian, A., Naranan, S., Ramanamurthy, P.V., Sahiar, A.B. and Lal, S., Flux of slow μ-mesons and protons near the geomagnetic equator, 8=2376
Subramanian, A. and Verma, S.D. Intensity distribution of high energy pions in the atmosphere, 9=12421
Subramanian, N. See Rajgopala Rao, P. 9=9282
Subramanian, N.K. See Paranijpe, M.M., 7=7184
Subramanian, N.R. See Gopalaswamy, T.R., 9=6906
Subudhi, K.S. Performance of the corona blades in Becker's self-exciting electrostatic generator, 8=8742
Succi, C. See Conversi, M., 9=3612, 8267-8, 9975; Fiorini, E., 7=9244, 8=2441, 4095; Giacconi, R., 7=3423; Giori, C., 8=760; Lovati, A., 5=365, 6=2946
Suchan, H.L. and Drickamer, H.G. Two pressure induced phase transitions in triglycine sulfate, 9=12845
Suchan, H.L., Wiederhorn, S. and Drickamer, H.G. Effect of pressure on the absorption edges of certain elements, 9=10784
Sucher, J. Reduction of the Dirac equation, 6=6353. S-matrix formalism for level-shift calculations, 8=1518. Energy

levels of the two-electron atom to order α^3ry; ionization energy of helium, 8=5432. See Day, T.B., 9=12589, 12602, 13731
Suchet, J. Comments on the variation of resistivity with temperature of ceramics based on the oxides of manganese and nickel, 5=7973. Relations between the structure of ferrites and the conditions of their resonance in waveguides. Unidirectional guides, 7=1471
Suchet, J.P. Effect of minor additions on the resistivity of ferrites, 6=8767. Low frequency dispersion of ρ and ϵ in ferrites, 7=7232
Suchkin, G.L. On spatial harmonics and wave modes in a periodic waveguide, 8=7095
Suchkov, A.I. Variation with temperature of magnetic properties of nickel-zinc and copper-zinc ferrites, 6=2231
Suchkov, B.A. Amplitude fluctuations of a sound in a turbulent medium, 8=5722
Suchow, L. New method for making magnetic fields visible, 8=2394
Suchy, K. Stepwise transition from wave optics to ray optics in inhomogeneous anisotropic absorbing media. III. Group propagation, 5=163. Coupled wave equations for inhomogeneous anisotropic media, 5=400. See also Argence, E., 6=511; Bibl, K., 5=4228; Delobeau, F., 7=1778; Rawer, K., 8=8540, 8946, 9=3591, 12515
Suchy, K. and Vila, P. The magnetic field in the F2 layer at Dakar, 9=1946
Suckling, E.E. Ultrasonic energy generated by sand-blast, 9=153. Observations on resolution and on field variations in near field sonic optical systems, 9=7871
Suckling, E.E. and MacLean, W.R. A method of transducing an ultrasonic shadowgraph or image for display on an oscilloscope, 5=4466. Outlining effect in ultrasonic images, 6=5738. Sonic images, 7=7693
Sucksmith, W. Some magnetic properties of dilute anisotropic ferromagnetic alloys, 8=1773. Magnetic properties and the structure of metals, 8=3227. See also Ahern, S.A., 7=3452; Bate, G., 5=6297; Lothian, B.W., 8=8123
Sucksmith, W. and Anderson, S.P. A general purpose electromagnet, 6=5254
Sucov, E. See Kallmann, H., 5=6034, 8=2250
Sud, R.K. See Lakhanpal, M.L., 5=3683
Suda, K. See Hitotuyanagi, Z., 9=5330-1
Šuda, P. The influence of tension on the structure of Bitter–Akulov patterns, 7=542
Sudakov, V.V. Vertex parts for very high energies in quantum electrodynamics, 6=4809. Consequences of the renormalizability of quantum electrodynamics and meson theory, 7=3949. Scattering of mesons by mesons in quantum meson field theory, 7=3962. See also Dyatlov, I.T., 8=5214; Pomeranchuk, I.Ya., 6=7126
Sudakov, V.V. and Ter-Martirosyan, K.A. Consequences of renormalizability of pseudoscalar meson theory with two interaction constants, 7=3975
Sudarshan, E.C.G. See also Bose, S.K., 9=6524; Deser, S., 9=13018; Gamba, A., 9=3127; Marshak, R.E., 8=1177; Okubo, S., 9=4946, 4948, 6047; Teutsch, W.B., 9=9964; Weinberg, S., 8=7282
Sudarshan, E.C.G. and Marshak, R.E. Mass difference of $\Sigma^{\pm}$ and their anomalous magnetic moments, 7=2693. Chirality invariance and the universal Fermi interaction, 8=3301
Sudarshan, G. Annihilation of antinucleons, 6=7131. See Marshak, R., 7=6606; Srivastava, P.P., 8=5230
Suddeth, J.A. See Marton, L., 5=1889, 9=522
Sudovtsov, A.I. See also Lazarev, B.G., 8=7027
Sudovtsov, A.I. and Semenenko, E.E. Peculiarities of the temperature dependence of the electrical resistance of ferromagnetic metals at low temperatures, 7=3251
Süe, P. Estimation of the range of the recoil atoms P^{32} and S^{35} emitted by the reactions (n, α) and (n, p) on chlorine, 5=1590. Analysis of light elements by the utilization of the nuclear reactions d, n and d, α, 6=4072. See also Bonnin, A., 5=9839; Pauly, J., 5=8248, 7=6529
Süe, P. and Albert, P. Microdosage of sulphur by means of the nuclear reactions $S^{32}_{16}(d, \alpha)P^{30}_{15}$, 6=7003
Süe, P. and Pauly, J. Study of the recoil of Cu^{62} obtained by the reaction $Cu^{63}(\gamma, n)Cu^{62}$. Application to the preparation of carrier-free Cu^{62}, 5=9090
Suekane, S. See also Hayashi, C., 9=12699; Marumori, T., 7=6427-8, 6430; Otsuki, S., 5=9429, 6=8927
Suekane, S. and Watari, W. On the binding energies of very light nuclei, 7=608
Suekane, S. and Yamaguchi, Y. The magnetic octupole moments of nuclei, 9=11420. The hexadecapole moments of atomic nuclei, 9=11421
Suematsu, S. See Nonaka, I., 6=1576
Suemoto, Z. Interferometric study of profiles of faint Fraunhofer lines, 9=4228. See Redman, R.O., 5=5833
Sueoka, S. The theory of the photonuclear reaction using the independent particle model of the nucleus, 9=5053
Suess, H.E. U.S. geological survey radiocarbon dates. I, 5=1379. See also Bien, G.S., 9=12911; Rubin, M., 6=5547
Suess, H.E. and Urey, H.C. Abundances of the elements, 7=927
Suffczyński, M. On the ground state of the mesonic atom, 5=457. Quantization of non-linear electrodynamics, 5=3427. Bloch's theory of nuclear paramagnetic resonance, 5=5213. The Hamiltonian in electrodynamics formulated without potentials, 5=5213. Hamiltonian formulation of non-linear electrodynamics, 5=5213. Two-center integrals for iron using wave functions with exchange, 6=3871, 8468. Numerical determination of the ground state of the mesonic atom, 6=4591. Energy integrals for 3d electrons in body-centred iron, 6=7584. Two-centre integrals over the atomic sphere, 7=564. Two-centre integrals in solids, 7=5492. Neutron polarization from electron disintegration, 8=1264. Three-centre integrals in iron, 8=7485. The disintegration of deuterons by electrons, 9=1771. On some applications of the OPW calculations, 9=1865. A model for investigation of the optical properties of noble metals, 9=9508. The optical properties of noble metals, 9=10266. On the width of the 3d electron band in iron, 9=12780. The numerical values of the two centre integrals for 3d electrons in transition metals, 9=12781. On the 3d electron band in body centered structure, 9=13784
Suga, H. See Yukitoshi, T., 8=7459
Suga, K. Nuclear interactions in nucleon–proton and nucleon–carbon nucleus collisions above 10 GeV, 9=8572. See Hinotani, K., 5=2840; Saito, K., 9=5974; Tanaka, Y., 7=7998; Watase, Y., 6=3287, 8=1747
Suga, T. and Yosihara, K. A new method on infrared photography, 6=7929
Sugahara, Y. See Furuichi, S., 7=6600, 9907, 8=6184
Sugai, I. Numerical analysis for design of electron guns with curved electron trajectories, 9=4704. See Fukushima, K., 6=6489
Sugai, S. and Furuichi, J. On diffusion of radioactive ions in ion exchangers, 5=7415. Studies of high polymers by radioactive method. I. Self-diffusion of ions in ion exchangers, 6=1673. Studies of high polymers by radioactive method. II. Self-diffusion of polystyrene in its dilute solution, 8=6705
Sugai, T. See Hasiguti, R.R., 9=5247
Sugaike, S. See Miyazawa, H., 5=959, 7=8622
Sugano, R. and Munakata, Y. On the Bethe–Salpeter equation for the scalar–spinor particle system, 7=6883
Sugano, S. See Kamimura, H., 9=739; Tanabe, Y., 5=2591-2, 6=8668, 7=9610; Tsujikawa, I., 9=4441
Suganomata, S. See Takemoto, S., 6=2408, 8=4314
Suganuma, R. See Fukiki, Y., 9=13822
Sugarman, N. See also Jodra, L.G., 5=9917; Kruger, P., 5=9916; Porile, N.T., 7=9864, 8=3386
Sugarman, N., Campos, M. and Wielgoz, K. Recoil studies of high-energy proton reactions in bismuth, 6=3203
Sugarman, N., Duffield, R.B., Friedlander, G. and Miller, J.M. Disintegration of bismuth by 2.2-BeV-protons, 5=509
Sugarman, R. and DeBenedetti, S. Time structure of cosmic-ray showers, 6=4479
Sugata, E., Kaneda, S., Kishi, T. and Hayashi, H. A study of electron beam filter, 9=8220
Sugawara, M. Electromagnetic properties of the deuteron, 5=9438. On the electromagnetic properties of the deuteron, 6=3486. The relativistic and exchange current corrections to the deuteron magnetic moment and the thermal n–p capture cross-section, 6=6378. K_{e3} and $K_{\mu 3}$ decay modes, 9=3789. Universal weak boson and fermion interaction, 9=5361. On the phototubes sensitive to the wide spectral region, 9=8208. See Kanazawa, A., 7=5870; Kimura, M., 9=9931; Matsumoto, T., 5=4367; Morinaga, H., 9=10031
Sugawara, T. Nuclear magnetic resonance in solid solutions of

transition metals in copper and aluminum, 7=8905. Nuclear spin-lattice relaxation in solid hydrogen, 6=561

Sugawara, T., Masuda, Y., Kanda, T. and Kanda, E. Nuclear magnetic resonance in solid hydrogen with various ortho concentrations, 5=7250

Sugden, T.M. See Bulewicz, E.M., 6=4714; Hurle, I.R., 9=193; James, C.G., 5=1762, 4164; Knewstubb, P.F., 8=3941, 6917

Sugie, A. The effect of the mass difference between charged and neutral pions on the nuclear force, 5=59. See also de Sabbata, V., 6=3989; Morita, M., 5=6461

Sugie, A., Hodgson, P.E. and Robertson, H.H. The contribution of tensor forces to $n-\alpha$ scattering, 7=2999

Sugihara, M. On the effect of magnetic field cooling on magnetostriction of 45-25 Perminvar and 65 Permalloy, 9=5892

Sugihara, T.T. See also Herber, R.H., 6=8352

Sugihara, T.T., Drevinsky, P.J., Troianello, E.J. and Alexander, J.M. Fission yields of natural uranium with deuterons of 5, 10 and 13.6 MeV: deuteron capture and competition with stripping, 8=8353

Sugihara, T.T. and Halpern, I. Photonuclear yields from arsenic at 140 MeV and 320 MeV, 6=3990

Sugimoto, K. Magnetic moment of the first excited state of $_{62}$Sm^{152}, 9=10020

Sugimoto, K. and Mizobuchi, A. Magnetic moment of the second excited state of F^{19}, 6=7629

Sugimoto, K., Mizobuchi, A. and Yamamoto, H. Quadrupole moment of the second excited state of ^{19}F, 9=13603

Sugimoto, M. See Ariyama, M., 9=8679

Sugimoto, O. See Fujii, S., 9=10118

Sugioka, E. See Ishiguro, M., 8=5488

Sugita, M. The metabolic turnover and the maintenance of the low entropy level, 5=7565

Sugita, Y. See Hirone, T., 6=715

Sugiura, M. See Chapman, S., 8=4123

Sugiura, Y. See also Matsuura, K. 7=6008, 7759-60, 8=3868

Sugiura, Y. and Hatoyama, G.M. Paramagnetic resonance of silicocarbon, 8=3251

Suh, K.S. Λ-nucleon interaction in the hypernucleus $_{\Lambda}$Be^9, 9=2714

Suh, K.S. and Bethe, H.A. Recoil momentum distribution in electron pair production, 9=13544

Suhl, H. Ferromagnetic resonance in nickel ferrite between one and two kilomegacycles, 5=2872. Subsidiary absorption peaks in ferromagnetic resonance at high signal levels, 6=3817. Proposal for a ferromagnetic amplifier in the microwave range, 7=6363. Effective nuclear spin interactions in ferromagnets, 8=2392. Theory of the ferromagnetic microwave amplifier, 8=4168. Origin and use of instabilities in ferromagnetic resonance, 8=8869. The ferromagnetic microwave amplifier, 9=2526. Quantum analog of the ferromagnetic microwave amplifier, 9=8329. See also Anderson, P.W., 6=2226; Brout, R., 9=11567; Clogston, A.M. 6=2996; Matthias, B.T., 8=7980, 9=3512; Tien, P.K., 8=3268

Suhl, H. and Matthias, B.T. Exchange scattering in superconductors, 9=4623. Impurity scattering in superconductors, 9=9608

Suhl, H., Van Uitert, L.G. and Davis, J.L. Ferromagnetic resonance in magnesium-manganese aluminium ferrite between 160 and 1900 Mc., 6=1362

Suhner, F. See de Mallemann, R., 5=610

Suhrmann, R. Experimental contribution to the theory of the external photoelectric effect of solid alkali metals, 5=1839. See also Simon, H., (Eds.), 9=3496

Suhrmann, R. and Schulz, K. On the resistance variation of transparent amorphous films of nickel with the absorption of hydrogen, 5=9644. Electronic interaction between nitrogen and evaporated films of nickel, 5=10042

Suhrmann, R. and van Lessen, L. Photoelectric investigation on evaporated Ni, Bi and Ge films, 9=9692

Suhrmann, R., Wedler, G. and Dierk, E.A. On the temperature dependence of the spectral photoemission from semiconducting bismuth films, 9=4687

Suhrmann, R. and Winter, E.O. Density and viscosity measurements on mercury and very dilute potassium and caesium amalgams from the freezing point to 30°C, 6=2707

Suhrmann, R. and Wuttke, H.G. On the changes on tempering of the temperature dependence of resistivity of evaporated films of pure bismuth, bismuth-antimony and bismuth-tellurium alloys, 5=9646

Suikovskaya, N.V. See Shirokshina, Z.V., 9=12138

Suita, H. See Tanaka, K., 9=9017

Suita, T. See also Inuishi, Y., 5=9634-5, 6=6681, 8=8753, 9=3540; Itoh, N., 7=5348, 8590; Powers, D.A., 6=319; Yamanaka, C., 5=4641, 6=6623, 7=8627, 9=3491

Suita, T. and Itoh, N. Dielectric breakdown and pulse conduction of silver halide crystals, 6=5076

Suits, G.H. Exact current-voltage relation for the metal-insulator-metal junction with a simple model for trapping of charge carriers, 8=3059

Suits, G.H., Schmitz, W.D. and Terhune, R.W. Excess noise in InSb, 7=2226

Sujak, B. On the emission of photo-electrons from F centres in NaCl, 6=3738. A remark on the excitement of the electrodes when a positive Joshi effect inversion is observed under continuous discharge, 6=6672. The retarding potential as a stabilizing factor for the working conditions of aluminium G-M counters, 6=8248. Air-flux sensitivity of the pulses of the negative point-to-plane corona in air at atmospheric pressure, 7=2267. On the induced emission of photoelectrons in a gaseous atmosphere, 7=6254. Point-counter for the investigation of external electrostatic fields, 8=8741. On the problem of the measurement of thermally stimulated co-electron emission of exo-electrons with the use of spark counters during loss of water of crystallization, 9=5795. On the response of open Geiger counters to surface discharges on deformed organic insulators, 9=8398. On the induced reverse response of the oxidized aluminium G-M counter to visible light, the Joshi effect, and the Geiger counter sensitivity to the air-flux, 9=11300

Sujak, B. and Mader, J. Inhibition and stimulation of the tendency to photostimulated co-emission of exo-electrons by means of a high-frequency discharge in air, 9=5796

Sujkowski, Z. and Slätis, H. On the L-Auger lines in the beta-ray spectrum of the active deposit of thoron, 9=5000

Suk, M. Lifetime determination for muons from anomalous absorption, using nuclear emulsion method, 9=7272

Sukhanov, A.D. See Slavnov, D.A., 9=9197

Sukhanovskiĭ, V.V. Towards the theory of multilayer two-component dielectric coatings, 6=8130. A theory of multilayer dielectric coatings, 7=5235. Phase characteristics of multilayer dielectric mirrors, 9=9507. Reflection spectra of dielectric mirrors, 9=10867. See Korolev, F.A., 7=5242

Sukharevskii, I.V. See Povzner, A.Ya., 9=13509

Sukharevskii, V.G. Investigation of stripping reactions of the (d, p) type in silicon isotopes, 9=12680

Sukhinin, N.I. See Pines, B.Ya., 7=6648

Sukhorukikh, V.S. Fresnel diffraction from a narrow screen, a slit and a semi-plane for a non-spherical wave, 9=9523

Sukhov, L.V. See Belovitskiĭ, G.E., 5=9066, 6=2385, 9=11331; Dul'kova, L.S., 6=5423

Sukhovarov, V.F. See Makogon, M.B., 9=5199

Sukova, T.M. See Lepeshinskaya, V.N., 9=12362

Suladze, K.V. See Kvartskhava, I.F., 7=3195, 9=2267

Sulkovskaya, M.M. See Sokolov, Yu.L., 6=8326, 7=4617

Sullivan, A.M. See Krafft, J.M., 7=6647

Sullivan, J. See Fitzgerald, M.E., 7=2779

Sullivan, J.H. Rates of reaction of hydrogen with iodine, 9=7571. Rate of reaction of hydrogen with iodine at equilibrium, 9=7574

Sullivan, J.O. See Wentink, T., Jr, 8=8501

Sullivan, J.V. See Bayliss, N.S., 5=184

Sullivan, S.A. Interference measurements in the infrared spectrum of neon, 6=202

Sullivan, W.H. Trilinear chart of nuclides, 7=5540

Sully, A.H. Recent advances in knowledge concerning the process of creep in metals, 7=1692

Sultanoff, M. See Eichelberger, R.J., 8=7580

Sultanov, A.M. See Bormosov, Yu.N., 6=8021

Sulyaev, R. See Kozodaev, M., 6=5415

Sulyaev, R.M. See Kozodaev, M.S., 7=4771, 8=7272

Sul'zhenko, L.L. See Votinov, M.P., 9=6324

Sumbaev, O.I. Measurement of the relative intensities of [gamma]-lines by a two-metre crystal diffraction γ-spectrometer, 7=6516. Reflection of γ-radiation from bent quartz plates, 8=1821

Sumby, W.H., Chambliss, D. and Pollack, I. Information transmission with elementary auditory displays, 9=966

Sumi, M. Theory of excited plasma waves, 9=2429. Excitation of oscillations in a plasma layer, 9=4747. Oscillations of

electron cloud in external fields, 9=8258
Sumino, K. Interaction of dislocation with atomic order in solid solutions, 9=6270
Sumino, K. and Yamamoto, M. Interaction of dislocations with atomic order in solid solution, 7=783
Summerfield, M.B. See Ingard, K.U., 9=2186
Summers, A.C. See Barraclough, T.W., 9=10700
Summers, C.R. See Gibson, F.C., 8=3037
Summers, R. See Chidley, B., 8=8986
Summers-Gill, R.G. Scattering of 12 MeV protons, 24 MeV deuterons, and 48 MeV alpha-particles by beryllium, 9=649
Sumner, F.H. See also Brooker, R.A., 6=1778, 7101; Gray, B.F., 8=3423; Pritchard, H.O., 5=435, 5576, 6=4570
Sumner, F.H. and Webb, D.P.D., A proportional counter tube for X-ray diffraction analysis, 7=7974
Sumner, J.F. See Wyatt, R.M.H., 8=7580
Sumoto, I. An interesting phenomenon observed on some dielectrics, 5=7943
Sun, C.R. and Wright, B.T. Radionuclide K^{37}, 8=1919
Sun, H. and Weissler, G.L. Absorption cross sections of methane and ammonia in the vacuum ultraviolet, 5=5997. Absorption coefficients of nitric oxide in the vacuum ultraviolet, 5=8627. Absorption cross sections of carbon dioxide and carbon monoxide in the vacuum ultraviolet, 5=9563
Sun, K.H. See also Babcock, R.V., 9=12524; Barnartt, S., 5=7721; Thomas, C.C., Jr, 7=9726
Sun, K.H., Malmberg, P.R. and Pecjak, F.A. High-efficiency slow-neutron scintillation counters, 6=8835
Sun, K.H. and Pecjak, F.A. Recoil separation of isotopes, 7=3568
Sun, R. Diffusion of cobalt and chromium in chromite spinel, 8=9134. See Bardeen, J., 7=1286
Sun', Zhui-Fan. See Shaskol'skaya, M.P., 9=13855-6
Sunakawa, S. The formal theory of scattering, 6=6371. See also Kanki, T., 8=5615
Sunakawa, S., Imamura, T. and Utiyama, R. Renormalization of two-electron Green-function, 5=4350. On the longitudinal and scalar photons, 9=1648
Sunakawa, S. and Tanaka, K. Proton–neutron mass difference, 9=13548
Sund, R.E. See Arns, R.G., 9=6098, 8532
Sundahl, E. See O'Neill, W.J., 9=13523
Sundaram, S. See Venkateswarlu, K., 6=1423-4*, 4543, 7=5510
Sundaram, V. Light scattering in soap-solvent systems. Depolarisation factors of transversely scattered light in sodium oleate-xylene systems during and after gel-formation, 5=2641. See Buch, K.P., 5=3236; Desai, R.L., 5=3235
Sundaramma, K. Paramagnetic resonance in some cupric salts, 6=3835. Complex magnetic permeability tensor and paramagnetic resonance absorption in $CuSO_4 . 5H_2O$, 8=232
Sundaramma, K. and Suryan, G. Absolute values of paramagnetic resonance absorption in crystalline copper sulphate, 7=9451
Sundara Rao, K.J. See Dharmatti, S.S., 9=7195
Sundaresan, M.K. Separable nonlocal potential and nuclear saturation, 7=3525. See Dalitz, R.H., 6=7996; See Nigam, B.P., 8=6199, 9=568, 13016
Sunderland, R.J. See Hobson, J.P., 7=1512; Hubbs, J.C., 8=722; See Nierenberg, W.A., 7=2544, 9-4966
Sundheim, B.R. Transport processes in multicomponent liquids, 7=9563. See also Cafasso, F., 9=11904; Greenberg, J., 8=9135, 9=1298; Rubin, E.L., 9=1167
Sundheim, B.R. and Greenberg, J. High temperature modification of the Beckman DU spectrophotometer, 7=242. Absorption spectra of molten salts, 8=2237
Sundheim, B.R. and Harrington, G. Absorption spectrum of $NiCl_2$ in molten LiCl/KCl, 9=12042
Sundheim, B.R. and Rubin, E.L. Critical point and the Born–Green equation, 7=3221
Sung, Y.K. See Inuishi, Y., 9=3540
Sunyar, A.W. Fast *E*2 transitions, 5=5605. See Alburger, D.E. 5=8192; Deutsch, M., 8=1925; Goldhaber, M., 7=7159; 8=2461; Grodzins, L., 9=12617
Suomi, V.E., Businger, J.A., Kuhn, P.M. Note on radiative divergence as determined by the "black ball", 9=6393
Suomi, V.E., Staley, D.O. and Kuhn, P.M. A direct measurement of infra-red radiation divergence to 160 mb, 8=4583
Suoninen, E.J. Influence of indirect excitation upon the intensity of a fluorescent X-ray line in two particular cases, 9=5779
Suoninen, E.J. and Hyvärinen, L.P. Intensity of fluorescent X-ray lines from a homogeneous binary sample, 9=12110
Supek, I. Electrical conductivity of metals at low temperatures, 8=4951. Electrical conductivity of metals at low temperatures, 9=10964
Supper, C.E. See Nordman, C.E., 5=8403
Süptitz, P. The mean lifetime of photoelectrons in AgCl, 9=3431. The properties of photoelectrons in silver chloride at room temperature, 9=5142. On the drift mobility of electrons in silver chloride, 9=12255
Suquet, P. See Dognon, A., 8=6864
Sural, D.P. See Basu, D., 6=8005
Suran, J.J. See Jackson, J.M., 8=251
Surange, P.G. See Banerjee, D.K., 7=3855
Surange, S.L. See Dheer, P.N., 8=5839
Surányi, P. On the decay of positive K^-mesons, 9=1678. See Fenyves, E., 9=3622
Suratman, P.C. See van der Leeden, P., 7=162
Suri, S.K. See Graves, W.E., 6=3145; Nussbaum, R.H., 7=4660
Surin, A. On the energy–momentum tensor in the perfect fluid schema for the Jordan–Thiry (unified) theory, 9=3099. Conservation conditions in the perfect fluid schema for the Jordan–Thiry theory, 9=7761
Surinov, Yu.A. Some problems in the theory of radiative exchange and transfer of heat in absorbing media, 9=13214
Surkov, V.Z. Electron emission from dielectric films bombarded with positive hydrogen ions, 7=5408
Surkov, Yu.A. Experimental investigations of alpha-decay of elements of medium atomic number, 8=2543
Surkova, L.V. See Alpers, V.V., 6=8970, 7=6315; Gurevich, I.I., 8=8088, 8235
Surma, M. See Małecki, J., 9=11184; Piekara, A., 7=6362
Surugue, J., [Ed]. General techniques of the physics laboratory. Volume 1, 6=4795
Suryan, G. See Sundaramma, K., 7=9451
Suryanarayana, C.V. and Venkatesan, V.K. Conductance of concentrated solutions of strong electrolytes, 7=4832. The viscosity of concentrated aqueous solutions of sodium chloride, 9=3185
Suryanarayana, M. See Krishnmurthi, M. 6=4266
Suryanarayana, V., Achyuta Rao, I. and Ramakrishna Rao, V. The fluorescence and emission spectra of the three isomeric fluoro-toluenes, 8=3892
Suryanarayana, V. and Ramakrishna Rao, V. Analysis of the near ultraviolet absorption spectrum of orthochloroanisole, 6=8097
Suryanarayana Rao, K. Rotational analysis of the γ system of the PO molecule, 9=1819. See Douglas, A.E., 9=2873
Sushchinskiĭ, M.M. Transformation of the observed outline of Raman spectrum line into the true one, 5=213. See Bazhulin, P.A., 6=8699; Markova, S.V., 7=278
Sushkin, N.G. and Kushnir, Yu. M. On the action of electrons on multilayered photographic films, 8=8053
Suslina, L.G. See Gross, E.F., 9=9429, 12066
Süss, R. See Adelsberger, U., 8=6610
Susse, C. Variation of the elastic constants of quartz as a function of pressure up to 1000 atmospheres, 5=7449. Measurement of the modulus of rigidity of nickel up to 1000°C, 7=5682
Süssmann, G. Specific heat of the nucleus in the gas-drop model, 5=2988. The degree of freedom of the gas-drop model of the nucleus, 5=2989. Momentum of phonons, I, 6=3048. Momentum of phonons. II, 9=2900. See Weizsäcker, C.F., 9=2040
Sussman, H. On the use of unicellular rubber for underwater acoustic devices, 7=7688
Sussmann, J.A. Polarizability of a dilute solid solution of dipolar molecules at low temperature, 9=3420. Debye losses due to electrons trapped at vacancies, 9=3428
Sussman, M. Note on perfect Lambertian diffusers, 8=5787
Suszkin, A. Detection efficiency of a parallel-plate counter with gas filling, 5=1935
Sutcliffe, R.C. Rain-natural and artificial, 6=3390
Sutherland, G.B.B.M. Infra-red radiation, 8=4840. Applications of infrared spectroscopy to biological problems, 9=9391. See also Beer, M., 9=1288; DeGraaf, D.E., 7=5196; Haas, M., 6=8103; Krimm, S., 6=8681, 7=2474; Liang, C.Y., 6=8680; Mara, R.T., 5=1693, 6=7294; Stein, R.S., 5=1692; Stuart, A.V., 6=4551
Sutherland, G.B.B.M., Tanner, K.N. and Wood, D.L. Infrared evidence for collagen structures, 5=639
Sutherland, J.B. See Kelley, F.M., 6=7277
Sutherland, T.H. See Funt, B.L., 7=1716; Hogg, B.G., 7=3617
Sutherns, E.A. See Loening, E.E., 5=3373

Sutliffe, R.C. Planetary atmospheres and convection in rotating fluids. The influence of condensation on planetary atmospheres, 8=2102

Sutor, D.J. and Harper, F.R. The crystal structures of the dibromide and di-iodide of 5: 10-dihydro-5: 10-dimethylarsanthren, 9=13947

Sutphen, W.T. See Ogg, R.A., Jr., 5=5018

Sutradhar, N.G. See Chatterjee, S.D., 6=491

Sutter, G. See Gorodetzky, S., 9=1751-2, 12669

Sutton, A.L. See also Basinski, Z.S., 5=5357; Booker, G.R., 7=7503

Sutton, A.L. and Hume-Rothery, W. The lattice spacings of solid solutions of titanium, vanadium, chromium, manganese, cobalt and nickel in α-iron, 6=2464

Sutton, C.R. and Leeser, D.O. Radiation effects on reactor materials: metals,. 5=600

Sutton, D.J. and Mumme, W.G. The effect of remanent magnetization on aeromagnetic interpretation, 8=5525

Sutton, J. See Draganic, I., 5=7476

Sutton, J.E. See Rowlinson, J.S., 5=5258

Sutton, J.R. See Rowlinson, J.S., 5=4418

Sutton, L.E. See Pilcher, G., 5=5380; Seibold, E.A., 6=542

Sutton, P.M. Computation of mean Debye temperature of cubic crystals from elastic constants. II, 6=791. Propagation of sound in plate-shaped solid delay lines, 9=2159. See Proctor, T.M., 9=6904

Sutton, R.B. See also Fields, T.H., 5=2210, 8=8242-3; Kane, J.A., 5=337; Stallwood, R.A., 8=2492

Sutton, R.B., Fields, T.H., Fox, J.G., Kane, J.A., Mott, W.E. and Stallwood, R.A. Proton-proton scattering at 437 MeV, 5=2805

Sutton, R.M. Two notes on the physics of walking, 6=1774

Suura, H. On a treatment of many-particle systems in quantum field theory, 5=714, 9391. Radiative correction to high-energy electron scattering, 5=8494. Contribution of recoil to charge distribution of nucleons, 8=7241. See also Gasiorowicz, S.G., 9=11808; Yennie, D.R., 7=4454

Suura, H. and Wichmann, E.H. Magnetic moment of the Mu meson, 7=5646

Suwalski, G. See Brümmer, O., 9=11632

Suzor, F. See also Charpak, G., 9=5003, 10048

Suzor, F. and Charpak, G. Study of the period of decay of the 57 keV level connected with the disintegration of MsTh$_2$, 5=3042. Study of internal bremsstrahlung of autoionization and of electrons emitted simultaneously with β-rays by phosphorus 32. I, 9=5002

Suzuki, A. See Yoshida, U., 8=7949

Suzuki, C. See Teramoto, E., 6=1729, 6434

Suzuki, H. Slow motion of dislocation in face-centred cubic crystal, 5=10074. Some observations on dislocations in copper crystals, 6=1736. See also Nishiyama, Z., 9=11592; Suzuki, T., 5=9391; Tubota, H., 5=2753, 6=7749, 9=12290

Suzuki, H., Ikeda, S. and Takeuchi, S. Deformation of thin copper crystals, 6=5457

Suzuki, K. X-ray studies on the structures of solid solutions NaCl-CaCl$_2$. II. Structures of $\{111\}$ and $\{310\}$ plate-zones, 5=10094. X-ray studies on the structures of solid solutions NaCl–CaCl$_2$. III. Influence of heat treatments on the diffuse reflexions of X-rays due to $\{111\}$ abd $\{310\}$ plate-zones, 9=9027. Magnetic annealing of Fe$_3$Al single crystals, 9=13427. See Chikazumi, S., 5=8396, 9248, 9=8293; Miyake, S., 5=3286

Suzuki, M. See Hayasi, T., 9=5775

Suzuki, R. Deuteron photodisintegration at high energies, 7=6575

Suzuki, S. Effects of electron bombardment upon bromides of cadmium and silver, 9=11574. See also Hatanaka, T., 5=7641; Kimura, K., 7=9804

Suzuki, S. and Tsuchiya, A. A time-sharing polarimeter at 200 Mc, 8=1422

Suzuki, T. A theory of slip-band formation and work-hardening in face-centred cubic metal crystals, 5=2247. Electron diffraction on supercooled gold, 6=1652. Formation of oxides of noble metals during cathode vaporization, 9=5764. See also Matukura, Y., 7=9967; Shinoda, G., 6=6685; Takagi, S., 6=820; Takayama, K., 5=1863

Suzuki, T. and Imura, T. Sub-structures and networks of dislocations in face-centred cubic metals, 5=6613

Suzuki, T. and Suzuki, H. Dislocation networks in crystals, 5=9391

Suzuki, T. and Uwoki, I. Differential method for adjusting the wave-front aberrations of a lens system, 9=6690

Suzuki, T. and Willis, B.T.M. Diffraction from dislocations, 6=5534

Suzuki, T. and Yamamoto, M. Influence of order–disorder on creep of a superlattice alloy, 9=10331

Suzuki, Y. Fundamental problem of statistical mechanics. I, 5=76

Suzuoka, T. An electrical resistance study of the system (Cr$_x$Mn$_{1-x}$)Sb, 9=8157

Svantesson, N.L. A scintillation spectrometer study of the photodisintegration of O^{16}, 7=9390. Some applications of scintillation spectrometry in the study of nuclear properties, 8=724. See Starfelt, N., 5=3069

Svartholm, N. Two problems in the theory of the slowing down of neutrons by collisions with atomic nuclei, 7=3666. See Arbman, E., 6=1287

Svec, H.J. See Spedding, F.H., 6=3926

Švec, Z. See Řezníček, J., 8=3891

Svechnikov, S.V. Properties of cadmium sulphide photocells irradiated by γ and β-rays, 7=2252. Characteristics of the additional conductivity of cadmium selenide single crystals under X-ray excitation. I. Static characteristics, 8=3141; II. Kinetic characteristics, 8=3142. On the determination of the parameters of silver sulphide barrier-layer photocells, 8=4029. Comparison of some characteristics of photoresistors FSK-M and FS-K under X-ray radiation, 8=5921. On the peculiarities of photoconductivity in cadmium selenide, 8=7016

Svechnikov, S.V. and Aleksandrov, V.T. Some photoelectric properties of CdSe and CdTe single crystals, 8=4030

Svedberg, P. See Kelen, A., 8=1064

Svenshnikov, B.Ya. See Pilipovich, V.A., 9=9478

Svenson, A.C. See Thomas, J.A., 6=6266, 7865

Svensson, G. The cosmic ray photon and π^0-meson energy spectra at 20-30 km above sea-level, 8=7144

Svensson, H. The third order aberrations in the interferometric measurement of concentration gradients, 9=7998. See Thompson, T.E., 9=3024

Svensson, I.B. See Andersson, G., 8=3356

Svensson, N.L. Experiments on controlled fractures, 8=2689

Svensson, S.I., Hellgren, G. and Perers, O. The Swedish Radioscientific Solar Eclipse Expedition to Italy, 1952. Preliminary report, 8=1432

Sventitskiĭ, N.S. See Pedos, F.Z., 8=3850, 9=6701

Sverdlin, A.S. Approximate relationships between frequencies of isotopic molecules of the XY$_4$ type, 9=7438. See Godnev, I.N., 8=1289

Sverdlov, L.M. Relation between anharmonicity constants and the frequencies of isotopic molecules, 7=2470

Sverdlov, L.M. and Vinochodova, O.N. Computation and interpretation of the vibration spectrum of iso-butylene, 5=8115

Sverdlov, Yu. L. See Zhabotinskiĭ, M.E., 9=1274

Sverdlov, Z.M. Investigation of luminescence of sodium fluoride activated with uranium, 9=10831

Sverdrup, H.U. Planetary atmospheres and convection in rotating fluids. The circulation of the oceans, 8=2101

Sveshnikov, B.Ya. Theory of the effect of concentration on the decay of fluorescence in solutions, 7=5216. On the theory of concentration quenching of fluorescence of solutions, 8=2247. See also Kudryashov, P.I., 8=2974; Kuznetsova, L.A., 8=986, 9=10809; Pilipovich, V.A., 8=6878, 9=12113

Sveshnikov, B.Ya. and Kuznetzova, L.A. On the diffusion theory of the kinetics of bimolecular reactions in solution, 9=10344

Sveshnikov, B.Ya., Kuznetsova, L.A. and Molchanov, V.A. On the possibility of transition of one kind of concentration quenching of fluorescence to another, 7=3150

Sveshnikov, B.Ya. and Tishchenko, G.A. The mechanism of concentration extinction of the fluorescence of anthracene solutions, 7=4214

Svet, D.Ya. See Samarin, A.M., 6=7316, 9=13215

Svetlolobov, I.A. See Varfolomeev, A.A., 9=9925

Svidzinskiĭ, A.V. Determination of the Green functions for the Bloch–Nordsieck model by a functional integration method, 7=1891

Svidzinskii, K.K. A theory of the hyperfine structure of rotational spectra of symmetrical-top molecules, 9=12026. See Basov, N.G., 7=4591

Sviridova, R.K. See Grum-Grzhimailo, S.V., 9=12043

Svirskii, M.S. See also Vonsovskii, S.V., 8=7030, 9=8153, 12795

Svirskiĭ, M.S. and Ishmukhametov, B.Kh. The problem of the statistics of spin waves, 8=7483

Svirskiĭ, M.S. and Vonsovskiĭ, S.V. The possibility of spontane-

ous ionization in a system of interacting electrons in a crystal, 9=6249

Swaay, M. van See van Swaay, M.

Swalen, J.D. Structure and potential barrier to hindered rotation in methyl alcohol, 6=521. Note on the calculation of energy levels in molecules with internal torsion, 6=4548. See also Herschbach, D.R., 9=2869

Swalen, J.D. and Herschbach, D.R. Internal barrier of propylene oxide from the microwave spectrum, I, 7=8048

Swalen, J.D. and Stoicheff, B.P. Microwave spectrum of methyl difluorosilane, 8=8693

Swalin, R.A. Correlation between frequency factor and activation energy for solute diffusion, 7=777. Model for solute diffusion in crystals with the diamond structure, 9=839. See Meckel, B.B., 9=7506

Swallow, A.J. Reduction of riboflavin to a stable free radical using X-rays, 6=766. See Haybittle, J.L., 7=2777

Swami, M.S. Mass of the charged Σ hyperons, 9=7293. See also Fry, W.F., 5=2200, 2214, 5650, 9131, 9945, 6=686, 1611, 1627, 3183, 3259, 4659, 6925, 7=2684, 2692, 8195; Schneps, J., 7=7421

Swami, M.S., Schneps, J. and Fry, W.F. Beta decay of a C^9 nucleus, 7=663

Swaminathan, T.M. and Krishnamurthy, S.G. The band spectrum of molybdenum oxide, 5=1687

Swamy, M.K. Rama. See Rama Swamy, M.K.

Swamy, M.S. See Biswas, S., 5=7596

Swamy, N.V.V.J. See also Melvin, M.A., 7=8348

Swamy, N.V.V.J. and Green, A.E.S. Coulomb exchange energy from shell-model wave functions, 9=3805

Swan, J.B. See Powell, C.J., 9=342

Swan, M.J. A permeameter controller for magnetic measurements, 8=7192

Swan, P. Solution of many-body scattering problems by Fredholm's equation, 5=743. The elastic scattering of electrons by the excited 2*s* and 2*p* states of atomic hydrogen, 5=1899. The relation between zero-energy scattering phase-shifts, the Pauli exclusion principle and the number of composite bound states, 5=2429. The ionization by electrons of the excited 2s and 2p states of atomic hydrogen, 6=2211. See Bransden, B.H., 7=2678

Swanekamp, F.W. See Van Uitert, L.G., 7=6341, 8=6983, 9=7176

Swank, R.K. and Buck, W.L. Decay times of some organic scintillators, 5=1728

Swank, R.K., Buck, W.L., Hayes, F.N. and Ott, D.G. Spectral effects in the comparison of scintillators and photomultipliers, 8=8701

Swank, R.K., Phillips, H.B., Buck, W.L. and Basile, L.J. Decay times of scintillators, 9=4474

Swank, R.L. and Roth, J.G. Apparatus for measuring relative blood viscosity, 5=662

Swann, C.P. See also Metzger, F.R., 8=5283; Rasmussen, V.K., 8=9021; Van Patter, D.M., 6=7679

Swann, C.P. and Metzger, F.R. Production of Y^{89m}, Ba^{137m}, and Hg^{199m} by inelastic neutron scattering, 6=1604. Lifetimes of the 6.91 and 7.12 MeV excited states of O^{16}, 8=732

Swann, C.P., Rasmussen, V.K. and Metzger, F.R. Lifetime of the first excited state of Li^7, 9=10035

Swann, W.F.G. The acquirement of cosmic ray energies by electromagnetic induction in galaxies, 5=3861. Results of limitations on space current densities in galactic and intergalactic space, 5=6260. Mass-energy relation in quantum theory, 8=1488. Acceleration of particles to cosmic ray energies by electromagnetic induction, 8=5949. Theory of the A.F. Joffe [Ioffe] method for rapid measurement of the thermal conductivity of solids, 9=9548. See Seymour, D.W., 5=2839

Swanson, B.S. See Petrick, M., 9=3186

Swanson, D.L. and Williams, J.W. Effect of molecular weight distribution on the creep behavior of cellulose acetate, 5=8327

Swanson, D.W. See Dimitroff, J.M., 6=7248

Swanson, H.E., Fuyat, R.K. and Ugrinic, G.M. Standard X-ray diffraction powder patterns, III. Data for 34 inorganic substances, 5=3282; IV. Data for 42 inorganic substances, 5=5106

Swanson, H.E., Gilfrich, N.T. and Cook, M.I. Standard X-ray diffraction powder patterns. VI. Data for 44 inorganic substances, 7=6741. Standard X-ray diffraction powder patterns. VII. Data for 53 [inorganic] substances, 8=4533

Swanson, H.E., Gilfrich, N.T. and Urginic, G.M. Standard X-ray diffraction powder patterns. V. Data for 45 inorganic substances, 7=6740

Swanson, J.A. Saturation Hall constant of semiconductors, 6=1211. See Juretschke, H.J., 6=7391

Swanson, J.L. and Welch, F.H. Teflon critical-experiment fuel elements, 8=4347

Swanson, K.M. See Andrew, E.R., 7=6709

Swanson, R.A. Depolarization of positive muons in condensed matter, 9=4930. See also Lundy, R.A., 8=7261, 8984; Rosenfeld, A.H., 6=6901; Sens, J.C., 8=278, 693, 1856

Swanson, R.A., Lundy, R.A., Telegdi, V.L. and Yovanovitch, D.D. Redetermination of the μ^+ mean life, 9=9969

Swanson, R.E. and McFarland, R.H. Temperature sensitivities of the sensitized fluorescence spectrum of thallium, 5=6040

Swanwick, J.D. A new double spoon gauge, 9=1120

Swart, J.J., Marshak, R.E. and Signell, P.S. Effect of the spin-orbit potential on the magnetic moment of the deuteron, 8=1216

Swart, J.J.de. See de Swart, J.J.

Swartz, C.D. See Ames, O., 7=6563

Swartz, C.E. High energy Cerenkov counter, 6=5976. See Cumming, J.B., 9=2780

Swartz, G.A. See Yoshikawa, H.H., 6=6999

Swartz, J.C. See Wriedt, H.A., 9=4022

Swarup, G. See also Maxwell, A., 8=1436, 3641

Swarup, G. and Parthasarathy, R. Evidence of limb-brightening of the sun at 60 cm wavelength, 5=6694. Solar brightness distribution at a wavelength of 60 centimetres. I. The quiet sun, 6=4778

Swarup, P. Absorption and dispersion of microwaves in methyl bromide, 6=2853. Dispersion of microwaves in ND_3, 7=1170. Paramagnetic resonance line shapes, 9=9810. See Krishnaji, 5=276

Sweeney, E.J. Effect of the test stimulus on the measurement of dark adaptation, 9=10450

Sweeney, M. See Gallagher, W.J., Jr, 8=8287

Sweeny, D.M. See Mizushima, S., 7=2477

Sweeny, K.H. and Geckler, R.D. The rheology of suspensions, 5=573

Sweeny, R.F. Improved method of calculating reaction rate constants for free radicals, 8=2696

Sweet, P.A. Field reversal in magnetic variable stars, 5=5841. The structure of sunspots, 7=4994. The topology of force-free magnetic fields, 8=5110

Sweetman, D.R. The elastic scattering of protons by helium 3, 5=4053. See McKee, J.S.C., 9=12605

Swegler, E.W. See Weisz, P.B., 5=10031

Swengel, R.C., Hess, W.B. and Waldorf, S.K. Principles and application of the ultrasonic flowmeter, 5=7737

Swenson, C.A. Compression of the alkali metals to 10 000 atmospheres at low temperature, 5=8333. Properties of indium and thallium at low temperatures, 6=2832. New modification of solid nitrogen, 6=4363. Phase transition in solid mercury, 8=6471. See Herman, R., 9=1375; Jennings, L.D., 9=4619; Schirber, J.E., 9=12301

Swenson, D.A. See Johnston, L.H., 8=6143, 9=5038

Swenson, G.W., Jr. See King, I.R., 8=1460

Swenson, L.W., Schindewolf, U. and Wall, N.S. The elastic scattering of 30.5 MeV alpha-particles from Ni, Cu and Au, 8=6208

Swenson, R.W. See Havrillak, S., 5=2704

Swensson, J. See Migeotte, M., 6=4159

Swern, L. See Duncan, B.J., 6=6775

Swetnick, M.J. See also Corrigan, J.J., 8=8100; Neuburg, H.A.C., 5=3859

Swetnick, M.J. and Anton, N.G. BF_3 neutron spark counter, 8=253

Swets, D.E. See Frank, R.C., 7=6632, 9=850

Swets, J.A. Indices of signal detectability obtained with various psychophysical procedures, 9=7709

Swets, J.A., Shipley, E.F., McKey, M.J. and Green, D.M. Multiple observations of signals in noise, 9=7710

Swiatecki, W.J. The effect of a potential gradient on the density of a degenerate Fermi gas, 5=4391. Nuclear surface energy and the diffuseness of the nuclear surface, 5=5583. Average nuclear potentials and densities, 5=5584. Systematics of spontaneous fission half-lives, 6=1512. Systematics of fission asymmetry, 6=1606. Deformation energy of a charged drop. I. Qualitative features, 6=2425. Perturbation treatment of the many-body problem, 6=2650. Systematics of fission thresholds, 6=3239. Perturbation

treatment of the nuclear many-body problem, 6=7995. Deformation energy of a charged drop. II. Symmetric saddle point shapes, 7=2680. See Eriksson, T., 5=4979

Swick, D.A. and Karle, I.L. Structure and internal motion of C_2F_6 and Si_2Cl_6 vapors, 5=8978

Świerczkowski, S. and Wojciechowski, K.F. On the order–disorder transition temperature in n-component alloys, 9=8892

Swift, O.F. and Bayard, R.T. A rugged BF_3 proportional counter, 9=11304

Swihart, J. See Ekstein, H., 8=8587

Swihart, J.C. See Belinfante, F.J., 7=8364-5, 8=1467

Swihart, T.L. Model atmospheres and the solar continuum, 6=5636. Model atmospheres, 6=5657. Model atmospheres with high hydrogen-metal ratio, 6=5658

Swim, R.T. and Rorschach, H.E., Jr. Flow of helium *II* through narrow slits, 5=1774

Swinbank, W.C. Comments on a paper by E.G. Bowen entitled "The influence of meteoric dust on rainfall". I, 5=655

Swindells, J.F. Calibration of liquid-in-glass thermometers, 9=3399

Swing, R.E. See Sage, S.J., 5=4564

Swings, P. The spectra of the comets, 7=1021. Note on the relative intensities of the OI multiplets $3s^5S^0$-$3p^5P$ and $3s^3S^0$-$3p^3P$ in aurorae, 6=9139

Swinnerton, A.J. and Waller, C. The density and composition of Ilford G5 nuclear emulsion, 9=14005

Swire, B.E. A proposed modification to the C.S.I.R.O. Mark I computer, 5=5814

Swoboda, T.J., Toole, R.C. and Vaughan, J.D. New magnetic compounds of the ilmenite-type structure, 9=8290

Sworski, T.J. Yields of hydrogen peroxide in the decomposition of water by cobalt γ-radiation. I. Effect of bromide ion, 5=1335. See Hochanadel, C.J., 5=8358

Sybel, C. von. See von Sybel, C.

Sydoriak, S.G. See also Laquer, H.L., 9=4528; Los Alamos Physics and Cryogenics Groups, 9=11478; Roberts, T.R., 5=6987, 6=3680

Sydoriak, S.G. and Roberts, T.R. Study of boiling in short narrow channels and its application to design of magnets cooled by liquid H_2 and N_2, 7=5266. Thermodynamic properties of liquid helium three. Vapor pressures below 1°K, 7=6117

Syeduzzaman. See Hossain, A., 8=5195

Sykes, E.C. See Armstrong, D., 9=11624

Sykes, J. The equilibrium of a self-gravitating rotating incompressible fluid spheroid with a magnetic field, 7=8024

Sykes, J.B. Moderation and diffusion of neutrons from a localized pulsed source, 5=9975. Feasibility of a proposed method of measurement of intermediate neutron spectra, 5=9979

Sykes, J.B. (Transl.). Theoretical astrophysics, 8=3634

Sykes, M.F. See also Domb, C., 6=4487, 6768, 7=8713, 8932, 8=226, 1663; Fisher, M.E., 7=7154

Sykes, M.F. and Fisher, M.E. Susceptibility of the Ising model of an antiferromagnet, 9=4778

Sylwestrowicz, W.D. and Gibbons, D.F. On the temperature dependence of yield stress for aluminium, 9=10318

Symanzik, K. Schwinger's functional in field theory, 6=1528. Derivation of dispersion relations for forward scattering, 7=3966. On the scattering at very high energies, 7=7606. On the renormalization of the axial vector β-decay coupling, 9=4274. See Lehmann, H., 5=1510, 9411, 7=8376

Symmes, D., Chapman, L.F. and Halstead, W.C. The fusion of intermittent white noise, 5=7580

Symmons, H.F. See Bogle, G.S., 9=9806

Symon, K.R. See also Kerst, D.W., 6=5157

Symon, K.R., Kerst, D.W., Jones, L.W., Laslett, L.J. and Terwilliger, K.M. Fixed-field alternating-gradient particle accelerators, 7=1382

Symonds, J.L. Methods of measuring strong magnetic fields, 5)7175. See also Burcham, W.E., 6=2400; Chackett, G.A., 6=2401; Moon, P.B., 5=6226

Symonds, J.L., Warren, J. and Young, J.D. Excitation functions up to 980 MeV for proton-induced reactions in some light elements, 8=757

Symons, M.C.R. Metal solutions, 9=9305. See also Bamford, C.H., 5=7190; Bennett, J.E., 5=5517

Symons, M.R.C. See Griffiths, T.R., 9=10776; Smith, M., 7=3142

Symons, M.C.R. and Townsend, M. Electronic spectrum of trapped ethanol radicals, 7=3495

Symons, N.K.J. See Geil, P.H., Jr, 9=13891

Syneček, V. A contribution to the inequality relations in structure analysis, 5=4196. See Brož, J., 6=8987

Synge, J.L. Note on the Whitehead-Rayner expanding universe, 5=708. Relativity. The special theory, 6=5668. The motion of a viscous fluid conducting heat, 7=1101. Flux of energy for elastic waves in anisotropic media, 7=5936. Geometrical optics in moving dispersive media, 7=5952. The hypercircle in mathematical physics. A method for the approximate solution of boundary value problems, 7=6803. An invariant gravitational density, 8=2125. A model in general relativity for the instantaneous transformation of a massive particle into radiation, 8=3687. On the behaviour, according to Newtonian theory, of a plumb line or pendulum attached to an artificial satellite, 9=5339. See O'Raifeartaigh, L., 8=5601; Pounder, J.R., 6=5699

Sȳnorov, V.F. The influence of the surface on the sign of the conductivity in AlSb and InSb, 8=4004. See Presnov, V.A., 7=9181

Syozi, I. and Nakano, H. Statistical models of ferrimagnetism, 5=9758

Syrbe, G. Electromechanical properties of single crystals of tellurium, 9=12310. See Matthăi, G., 9=5245

Syrett, J.J. The variation of power in a fast reactor for a linear increase of reactivity, 5=5645. The variation of neutron flux with number of fuel elements in the approach to criticality of Zephyr, 5=5646

Sȳrkin, L.N. The temperature dependence of the thermal ionic polarization, 7=494. Investigation of the form of the potential contour for ions in perovskite type crystals, 7=7495

Sȳrnikov, Yu.P. See Mikhaĭlov, I.G., 9=5430

Sȳrovatskiĭ, S.I. Instability of tangential detonations in a compressible medium, 5=1309. Magnetohydrodynamics, 8=5133. The stability of shock waves in magnetohydrodynamics, 9=9860. See Korchak, A.A., 9=12420

Syrovatskij, S.I. Magnetohydrodynamics, 9=8378

Sȳsoev, M.I. α-, β- and γ-radiations and dielectric strength of compressed air, 7=9223

Sȳsoeva, L.M. See Aĭrapetyants, S.V., 9=4591

Sȳtaya, E.P. See Gorbatyĭ, N.A., 7=9231

Sȳtenko, O.H. The theory of (d, p) and (d, n) reactions, 8=8325

Sytinskaja, N.N. See Sharonov, V.V., 6=1806

Syuĭ Syuĭ-Yun. A determination of the ratio of the effective cross-sections for the capture and recombination of optical electrons in the crystal phosphors ZnS–Cu, Co., 7=862 Determination of the effective cross-sections of capture and recombination of thermal electrons in the phosphor ZnS–Cu, Co, 7=4241

Szabó, É. See Gombás, P., 5=8148, 8983

Szabó, P. See Schay, G., 6=4740

Szalay, A. and Berényi, D. Unusual radioactivity observed in the atmospherical precipitation in Debrecen (Hungary) between Apr. 22-Dec. 31, 1952, 5=10119. A β-ray spectrometer of toroid-sector type, 9=12375

Szalay, L. See Ketskeméty, I., 6=8689

Szalay, L. v. See v. Szalay, L.

Szamosi, G. On the repulsive interaction between nucleons, 5=440. On the quantum statistics of nucleons, 5=2066. The relativistic motion of a point mass in the case of a general force, 7=60. Repulsive forces and the problem of saturation in the nucleus. 7=601. Variational principle and potential in relativistic dynamics, 7=3935. See also Marx, G., 5=4341, 6=4576; Ziegler, M.A., 6=7986

Szamosi, G. and Marx, G. Classical motion of nucleons in a scalar field, 5=3417. Classical motion of the nucleons in a scalar meson field, 5=5884

Szamosi, G. and Ziegler, M.A. A possible correction of the semi-empirical mass formula, 7=7288

Szanto, J. Apparatus for optical clarification applied in light scattering photometry, 7=3177

Szasz, G.J. Stereochemical consequences of intramolecular attractive forces, 6=2518

Szász, L. Calculation of the electron affinity of alkali atoms and of the ionization energy of the Ca atom, 7=4639

Szczurówna, W. See Pawlikowski, A., 9=6554

Székely, A. Investigation of an ionized gas by means of weak electrical alternating fields, 8=8072. Investigation of an ionised gas by means of weak alternating electric fields, 9=1559

Szekerez, G. New formulation of the general theory of relativity, 5=1497. Ether drift and gravitational motion, 7=2960. See Kantor, W., 7=1879

Szendrei, M.E. and McElhinny, M.W. The behaviour of the E1 layer during the solar eclipse of 25 December, 1954, 6=7053. Recombination and attachment in the F1 and F2 layers during the solar eclipse of 25 December 1954, 6=9080

Szépfalusy, P. On the orthogonality of the wave functions of the electrons in an atom, 6=8937. On a new type of interaction between nucleons, 7=71. The inhomogeneity correction of the Fermi kinetic energy of particles with half integral spin, 7=6474. The Hartree–Fock method in the case of an unorthogonalized system of single electron wave-functions, 7=6903. See Gombás, P., 6=4593, 8=5252

Szhenov, Yu.K. Surface ionization of calcium, strontium and magnesium on oxidized tungsten, 7=503. See Kucheryaev, A.G., 9=10021

Szigeti, B. Theory of dielectric absorption due to rotational oscillations in crystalline long chain substances, 9=12205

Szigeti, G. Electroluminescence excited by direct currents in silicon carbide crystals, 5=219

Szigeti, G., Bauer, G.T. and Weiszberg, J. A microphotometric measurement of the electroluminescence of silicon carbide crystals, 5=218

Sziman, O. Polarization filters, 6=8719

Szimański, K. Hyperfragments from the Ξ particle and the determination of the Ξ parity, 9=10003

Szivek, J. See Kiss, D., 7=4478

Szkatuła, A. See Budzanowski, A., 7=9297; Janik, J.A., 7=5411

Szklarska-Śmiałowska, Z. See Śmiałowski, M., 5=563

Szöke, A. and Meiboom, S. Radiation damping in nuclear magnetic resonance, 9=5929

Szostak, R. See Martin, M., 9=6093

Szpor, S. and Kotłowski, J. A series of photographic studies on cloud-to-ground and cloud-to-cloud lightning flashes, 8=4596

Szteinsznaider, D. See also Berthelot, A., 5=7367; Naggiar, V., 6=5378, 7=1506, 9393

Szteinsznaider, D., Roclawski-Conjeaud, M. and Naggiar, V. Excitation curves for the reactions $O^{18}(p, n)F^{18}$ and $O^{18}(p, \alpha)N^{15}$ for protons of 2.6 to 4.3 MeV, 7=7371

Szücs, S. and Delfosse, J.M. Measurement of the mass of Rn^{222} by mass spectrography, 9=13594

Szulkin, P. On the reflection of electromagnetic waves in the ionosphere with vertical sounding, 9=7217

Szwarc, M. Single-triplet excitation energy of aromatic compounds and their reactivities, 5=3937. See also Binks, J.H., 9=7417; Jaffe, L., 7=9666; Levy, M., 5=582, 1308; Luner, C., 6=2507; Rembaum, A., 5=6353; Smid, J., 9=1918

Szwarc, M. and Herk, L. Pseudo-energy transfer in some unimolecular decompositions, 9=1919

Szwarc, M. and Smid, J. Hydrogen bonding in radical reactions. Some remarks on CF_3 radicals, 8=2046

Szwarc, M. and Taylor, J.W. Pyrolysis of acetone and the heat of formation of acetyl radicals, 6=2490

Szymanowski, W., Wiśniewski, R., Gołębiowski, R. and Olszewska, I. Application of pressed powder methods to investigations of infrared absorption spectra of solids, 8=6845

Szymanski, H. See Primak, W., 6=4033

Szyański, J. Nucleon polarization in Λ decay, 9=1683. Hyperfragment decay energy and angular distribution. I, 9=3840. See Sawicki, J., 8=1246, 9=1739

Szymański, Z. On linear electrodynamics with higher derivatives, 5=7686. Excited levels of nuclei with mixed configurations. I. Method of calculation, 9=1718. II. Numerical example, 9=1719. On the deformability of nuclear cores, 9=8504. On the deformability of the nuclear core, 9=11425. See also Sawicki, J., 7=9869, 9=5037

Taback, L. See Wright, J.H., 7=4964

Tabbutt, F.D. See Kistiakowsky, G.B., 9=5629

Tabellini, P. On a wave guide with a conducting screen, 5=7211

Tabibian, R.M. See Heller, W., 5=230

Tabor, D. The mechanism of rolling friction, 5=575. II. The elastic range, 5=5005. Elastic work involved in rolling a sphere on another surface, 5=4140. The physical meaning of indentation and scratch hardness, 6=5465. See also Eldredge, K.R., 5=5004; Greenwood, J.A., 5=9197, 8=4500; Hansen, W.W., 7=3778; Pascoe, M.W., 6=4708; Raraty, L.E., 8=4495

Tabor, H. Selective radiation. I. Wavelength discrimination. A new approach to the harnessing of solar energy, 7=1783; II. Wavefront discrimination. A new approach to the harnessing of solar energy, 7=1784. Radiation, convection and conduction coefficients in solar collectors, 9=11653. See also Hayman, H.J.G., 7=9025

Tabor, H. and Steinberger, I.T. An instrument for measuring absorptivities for solar radiation, 6=8516

Tabor, W.J. Microwave spectrum and barrier to internal rotation of acetic acid, 8=2605

Taborov, V.F. See Polotskii, I.G., 9=11928

Taboué, R. See Cojan, J.L., 9=8688

Taboury, F.J. Experimental study of the infrared band of the valency vibration of ketonic carbonyl, 7=5191

Tabuchi, D. Dispersion on absorption of sound in imperfect gases in general chemical kinetics, 6=1679. Dispersion and absorption of sound in liquids in general chemical equilibrium and its application to chemical kinetics, 7=8232. Dispersion and absorption of sound in ethyl formate and study of the rotational isomers, 8=8643

Tabuchi, S. and Tanaka, S. Surface states and barrier characteristic of rectifiers, 5=1835

Tachibana, T., Inokuchi, K. and Inokuchi, T. Electron microscopic observation of monolayers of synthetic linear polymers, 6=2466

Tachiki, M. See also Horie, T., 5=7901; Yosida, K., 9=11203

Tachiki, M. and Nagamiya, T. Origin of the magnetic anisotropy energy of antiferromagnetic Cr_2O_3, 8=8109

Tachon, J. See Auchlair, J.-M., 5=8261

Täcklind, S. See Vogl, G., 6=5810

Taçonis, K.W. Bulk formation of helium-II in capillaries, 5=4595. See also Wansink, D.H.N., 5=8707, 6=5818, 7=8560, 8567

Taconis, K.W. and Wansink, D.H.N. Some experiments with ^{3}He-^{4}He mixtures, 9=2276

Tadić, D. Longitudinal polarization of β particles in the decay of Pr^{144}, 9=12660. See also Alaga, G., 8=5323, 6263, 9=6090

Tadokoro, H., Seki, S. and Nitta, I. Infrared absorption spectrum of deuterated polyvinyl alcohol film, 5=7853

Tadros, S. See El Bedewi, F.A., 8=5359, 9=657, 1721

Taffara, L. See Annis, M., 5=1234; Budini, P., 6=6708; Ceolin, C., 7=8183, 8=706, 8991, 9=3135, 9993, 13576; Costa, G., 6=4011; Dallaporta, N., 5=9941

Taffara, S. On a new parameter related to the electron density of a stellar atmosphere, 5=4316

Taft, E. and Apker, L. Fermi level in amorphous antimony films, 5=1816. Photoelectric emission from polycrystalline graphite, 6=367

Taft, E., Philipp, H. and Apker, L. Exciton-induced photoemission from BaO near 80°K, 9=4685

Taft, E.A. See also Philipp, H.R., 7=6185, 9=5584

Taft, E.A. and Horn, F.H. Zone purification of silicon, 8=3626

Taft, E.A., Philipp, H.R. and Apker, L. Photoelectric emission from the valence band in AgBr, 8=5006

Taft, H.D. Scattering of 217-MeV positive pions on hydrogen, 6=3280. See also Fowler, E.C., 7=7372; Nordin, P., 9=2659

Taft, R.W., Jr. Concerning the electron-withdrawing power and the electronegativity of groups, 7=4842

Taft, R.W., Jr. and Evans, H.D. Determination of fractional steric inhibition of resonance from σ_R values, 8=7452

Tagantsev, K.V. and Terenin, A.N. Effect of the adsorption of gases on the luminescence of zinc oxide, 7=6017. The influence of gas adsorption on ZnO luminescence, 7=9626

Tagantzev, K. See Terenine, A., 7=4187

Tager, P.G. The secondary field during stereophonic two-channel transmission and certain fixed arrangements of the source of sound in the primary field, 6=4962

Taggart, M.S., Jr. See Brannon, H.R., 5=5129

Tagirov, R.B. On the method of measurement of the spectral reflection coefficient of mirrors, 9=9511. On the cause of infrared emission-band shift in flame spectra, 9=10765

Taglang, P. See Meyer, A.J.P., 5=1988, 2871, 7=2409, 8=4131

Tagliaferri, G. See Bacchella, G.L., 8=4249; Bowen, T., 8=8258, 9=2632; Lovati, A., 5=365; Walker, J., 6=2971

Tagliavini, G. See Arich, G., 9=5396

Taguchi, I. and Naya, S. Matrix-theoretical derivation of inequalities, 9=7627

Tagüeña, M. On the visibility of X-rays, 7=4928

Taguti, R. and Sato, M. Use of an exponential function to establish a uniform chromaticity scale, 7=2095. The exponential function for the uniform chromaticity scale, 9=9536

Tahsin, S.I. Propagation of a sound pulse in a medium with a complex elastic modulus, 8=4800

Tai, C.T. The electromagnetic theory of the spherical Luneberg lens, 8=3842

Tai Chen To. See Chen To Tai.

Tai, Tsun Wu. High-frequency scattering, 7=2446

Tai, Y.-K., Millburn, G.P., Kaplan, S.N. and Moyer, B.J. Neutron yields from thick targets bombarded by 18 and 32 MeV protons, 8=2562

Tainsh, R.J. See Harper, A.F.A., 7=8550; Kemp, W.R.G., 8=4910

Tait, G.W.C. Determining concentration of airborne plutonium dust, 6=3930

Tait, G.W.C. and Townshend, R.E. Radioactive uniform extended sources, 7=8120

Tait, J.H. Some topics in neutron diffusion theory, 6=8976. See also Biram, M.B., 5=9977

Tait, R.I. See Richardson, E.G., 7=5129

Tak, M.G.A. See Wanmaker, W.L. 5=3625

Takabayasi, T. Remarks on the hydrodynamical representation and certain generalization of quantum mechanics, 5=4380. On the hydrodynamical representation of non-relativistic spinor equation, 5=6765. On the structure of Dirac wave function, 6=89. Relativistic hydrodynamics equivalent to the Dirac equation, 6=910. Hydrodynamical description of the Dirac equation, 6=4192. New classical spin theory as the limit of the Dirac equation, 6=4193. Variational principle in the hydrodynamical formulation of the Dirac field, 6=4819. The vector representation of spinning particle in the quantum theory. I, 6=6355. Theory of the Dirac field as a continuous assembly of small rotating bodies, 8=1506. New symmetry property and new conservation relations for the Dirac field, 8=2774. On the two-component neutrino field, 8=3697. Symmetrical structure and conservation relations of four-component neutrino field, 8=5182. Right-left asymmetry and two-component neutrino, 8=5612. A note on Fermi interactions, 9=1055. The parity space of the electromagnetic field, 9=4265. Charge symmetry for weak interactions, 9=4273. Relatavistic particle with internal rotational structure, 9=11794

Takabayasi, T. and Raman, V.V. The invariance of mass-reversal and the form of the interactions, 9=5356

Takács, L. On a probability problem arising in the theory of counters, 6=7934

Takada, K. See Wakeshima, H., 8=6905

Takagi, M. Electron-diffraction study of the structure of supercooled liquid bismuth, 6=4871. The double circular-disc sector used for electron diffraction, 9=7656

Takagi, R. Growth features of colloidal lead hydroxide crystals, 7=3811. Growth of oxide whiskers on metals at high temperature, 8=6500

Takagi, S. On the temperature diffuse scattering of electrons. I. Derivation of general formulae, 9=10399; II. Applications of practical problems, 9=10400. See also Fujii, S., 7=715-16; Hosoya, S., 7=8255; Koba, Z., 9=3753, 13412; Kuriyama, M., 7=8908

Takagi, S. and Suzuki, T. Intensity measurement in electron diffraction by means of a CdS single crystal, 6=820

Takagi, Y. Ferroelectricity and antiferroelectricity of some ionic crystals, 5=9391. See also Hirano, K., 5=3166, 4117-18, 10002, 6=1179; Makita, Y., 9=10949

Takagi, Y. and Makita, Y. Ferroelectricity if $NaNH_4$-tartrate, 9=10948

Takahashi, H. Resonance escape probability in water lattice, 9=7391. The thermal neutron spectrum in a heterogeneous reactor, 9=8650. See also Kinase, W., 6=2063; See also Yonezawa, T., 9=11649

Takahashi, I., Ogawa, T., Yamano, M. and Hirai, A. Shift of center frequency of an ammonia inversion spectrum, 7=6007

Takahashi, I., Ogawa, T., Yamano, M., Hirai, A. and Takeyama, M. Stark modulation atomic clock, 7=1038

Takahashi, M. See Masumoto, H., 7=9759

Takahashi, N. and Kazato, K. New method for the preparation of thin metallic films in the electron microscope, 7=4808

Takahashi, S. Internal friction and critical stress of copper alloys, 7=8220. See also Hibi, T., 5=1893, 6=8234; Takeya, K., 5=5487

Takahashi, T. See Inoue, T., 5=3924; Magono, C., 9=6865

Takahashi, Y. A note concerning the quantization of spinor fields, 5=3425. On the equivalence theorem, 6=78. The relationship between the statistical and field theoretical treatments of multiple meson production, 6=4018. Theory of multiple boson production, 6=8585. On the theory of multiple meson production, 7=8193. On the generalized Ward identity, 7=9523. On the thermal expansion of solids, 9=9552. See also Ito, D., 7=717; Strathdee, J., 9=1065, 7786

Takahashi, Y. and Umezawa, H. A general treatment of expanding systems. I. Formulation, 8=893; II. Application to multiple meson processes, 8=894

Takahasi, H. Statistical and formal theories of thermal fluctuation, 5=9391. See also Kinase, W., 8=6944; Shimoda, K., 9=8393

Takahasi, U. See Sakamoto, Y., 9=7488

Takahata, M. See Kaneko, S., 5=9750, 6=2215, 4669; Kubozoe, T., 5=3870

Takaishi, T. The ionic adsorption of gases on semi-conductors and their catalytic activities. I. The theory of adsorption, 6=8454; II. The law of the vertual atmosphere and its applications, 6=8455

Takaishi, T. and Kobayashi, A. Entropy of chemisorbed hydrogen, 7=8249

Takaisi, Y. The forces on a circular cylinder moving with low speeds in a semi-infinite viscous liquid bounded by a plane wall, 5=5907*. The drag on a circular cylinder moving with low speeds in a viscous liquid between two parallel walls, 5=9456. Note on the drag on a circular cylinder moving with low speeds in a semi-infinite viscous liquid bounded by a plane wall, 7=138. Note on the drag on a circular cylinder moving with low speeds in a viscous liquid between two parallel walls, 7=139. The drag on a circular cylinder placed in a stream of viscous liquid midway between two parallel planes, 7=3048. The wall-effect upon the forces experienced by an elliptic cylinder in a viscous liquid, 8=4781. Note on the forces on an elliptic cylinder moving in a viscous liquid at small Reynolds numbers, 9=2131

Takaki, H. and Hayashi, J. The effect of tension on the magnetostriction of iron single crystals, 9=9784

Takaki, H., Kawai, N., Miyake, C., and Morita, T. A torsion magnetometer for determining free radicals in some organic solutions, 9=10168

Takaki, H. and Nakamura, Y. The magnetostriction constants of silicon steel. II, 5=2875

Takaki, H. and Tsuji, T. The measurement of magnetostriction by means of strain gauge, 7=4553. A note on the magnetoresistance effect of strain gauge wire, 9=13333

Takaku, K. See Nomura, Y., 5=9791

Takakubo, K. On the low-velocity interstellar gas, I, 9=5303; II, 5304

Takakura, T., Baba, K., Nunogaki, K. and Mitani, H. Radiation of plasma noise from arc discharge, 5=2773

Takami, H. A study of the compressible flow past a Cherry profile, 6=1896. A study of the compressible flow past Tomotika-Tamada's profiles, 6=4885. Stability of two-dimensional Szymański flow, 9=11881

Takamura, J. See also Nakamura, Y., 9=4787

Takamura, J. and Miura, S. Grain boundary-hardening due to piled-up dislocations, 9=11609

Takano, F. Theory of excitations in liquid helium 4, 8=5843. On the non-orthogonality difficulty in ferromagnetism, 9=9755

Takano, K. The effect of passing a linear plane wave over a step, 9=10669

Takano, N. See Nonaka, I., 8=3375

Takano, T. See Igarasi, S., 8=6210

Takano, Y. and Hull, M.H., Jr. Analysis of polarization in neutron-proton scattering, 7=5659

Takao, K. See also Fujimoto, T., 9=13210

Takao, K. and Fujimoto, T., Heat transfer in the rarefied gases, 9=1366

Takase, B. On the stability of the binary system in the fluctuating density field of the interstellar matter, 5=4284

Takasu, T. A counterpart of relativity theory as an extended Laguerre geometry, 9=10565

Takata, K. See Wakeshima, H., 9=10910

Takayama, K. See also Kojima, S., 5=2901

Takayama, K., Suzuki, T. and Yabumoto, T. Hall effect in positive column, 5=1863

Takayanagi, K. The theory of collisions between two diatomic molecules, 5=1080. Rotational transition of hydrogen molecule by collision, 7=6393. Vibrational transition in molecular collision. II. Influence of the Van der Waals force, 9=3999. Excitation of the molecular vibration by collision, 9=12744. Molecular collisions in the two-dimensional gases, 9=13083

Takayanagi, K. and Kaneko, S. Vibrational transition in molecular collision, 5=2045

Takayanagi, K. and Ohno, K. Collisions between non-spherical molecules. I. Molecular collisions in hydrogen gas at lower temperatures, 6=2723

Takazawa, K. and Tomotika, T. On the optical absorption of thin BaO film in the ultraviolet region, 5=2612

Takebe, H. Beta-ray spectra. I, 5=4906*; II, 5=4907*; III, 5=6433; Also Matsunobu, H., 6=6338; Nakagawa, K., 7=7355

Takebe, H., Nakamura, S. and Taketani, M. β-ray spectrum of RaE, 6=6872

Takeda, A. See Hagihara, H., 9=13910

Takeda, G. Strong pion-pion interaction model applied to pion-nucleon scattering in the 1-BeV region, 6=1625. Branching ratio for alternative modes of decay of hyperons and θ^0 mesons, 6=3263. See also Capps, R.H., 7=106

Takeda, G. and Watson, K.M. Scattering of fast neutrons and protons by atomic nuclei, 5=3450

Takeda, M. See also Gutowsky, H.S., 8=408; Kikuchi, S., 9=352; Oda, Y., 9=10099

Takeda, M. and Gutowsky, H.S. Proton magnetic resonance of solid symtetrachloro and tetrabromoethane, 7=5513

Takeda, M. and Jardetzky, O. Proton magnetic resonance of simple amino acids and dipeptides in aqueous solution, 7=8059

Takeda, M., Kondo, M., Kato, S., Hu, C., Nakasima, R. and Yamabe, S. Elastic scattering of 5.7 MeV protons from Ni and Cu, 7=8819

Takeda, M., Kondo, M., Nakasima, R., Hu. C., Toi. A., Yamazaki, T. and Yamabe, S. Elastic scattering of 5.7 MeV protons, 7=9868

Takeda, S. Afterglow of pure and mixed gases, 8=4092. Afterglow of pure and mixed gases, 9=12324

Takeda, S. and Holt. E.H. Improvements in the microwave propagation method of studying decaying gas plasmas, 9=11166

Takei, T. See Yamaguchi, T., 9=12866

Takeishi, Y. Auger ejection of electrons from barium oxide by inert gas ions and the cathode fall in the normal glow discharges, 6=6691

Takekoshi, E. See Kumabe, I., 7=5636, 8=8340; Muto, J., 8=5370

Takemoto, S. The complex dielectric constant and permeability of Ni-Cd ferrite system at microwave frequencies, 9=4548

Takemoto, S., Dazai, T., Chiba, R., Suganomata, S. and Ito, S. Angular distribution of proton groups from the reaction $F^{19}(d, p)F^{20}$, 6=2408

Takemoto, S., Dazai, T. and Suganomata, S. Angular distributions of the $Si^{28}(d, p)Si^{29}$ reaction, 8=4314

Takeno, H. On equivalent observers. II, 5=1493

Takeno, H. and Ueno, Y. On the wave theory of light in general relativity III. Electromagnetic four potential, 6=8569

Takeo, M. See Ch'en, S., 7=7732

Takeshita, K. See Morita, S., 9=2794; Nonaka, I., 6=1576, 8=3375

Taketa, H. See also Nakamura, T., 6=1360

Taketa, H. and Nakamura, T. A note on the ground state of antiferromagnetism, 7=1437

Taketani, M. Studies on nuclear forces in Japan, 5=9391. See also Fukuda, N., 5=1504; Inoue, K., 6=8590; Katayama, Y., 9=12537; Takebe, H., 6=6872

Taketani, M., Hatanaka, T. and Obi, S. Populations and evolution of stars, 6=7936

Taketani, M., Katayama, Y., Seal Ferreira, P.I., Bund, G.W. and de Paula e Silva, P.R. Meson decays and structure of muon, 9=12568

Takeuchi, H. Torsional oscillations of the earth and some related

problems, 9=10404. See Elasser, W.M., 6=9055
Takeuchi, S. See Suzuki, H., 6=5457
Takeya, K. and Nakamura, K. Current amplification by electron bombardment in the semiconductor barrier layer, 9=5713
Takeya, K., Shirakawa, T. and Takahashi, S. The effect of positive ion bombardment on the oxide cathode, 5=5487
Takeyama, M. On the dielectric properties of α-phase n-higher alcohols and associated electromotive force, 9=9584. See also Takahashi, I., 7=1038
Takeyama, T. See Koda, S., 6=732
Takezaki, Y., Miyazaki, T. and Nakahara, N. Photolysis of dimethyl peroxide, 7=828
Takezawa, S. See Kudo, K., 9=4483
Takhtareva, N.K. See Borshchevskiĭ, A.S., 8=8491
Takibaev, Zh. See Kaipov, D., 6=6754
Takibaev, Zh.S. Explanation of the transition effect of "stars" in the stratosphere, 6=7499. Dependence of the multiplicity of shower particles on the atomic number of the struck nucleus, 8=1754. See also Boos, É.G., 8=7152; Kaipov, D.K., 8=5234; Mironenko, Yu.P. 5=4273; San'ko, L.A., 9=2467
Takibaev, Zh.S. and Shakhvorostov, V.N. Application of the phenomenon of light interference for determining the "noise level" of the microscope stage, 5=882
Takibaev, Zh.S. and Usik, P.A. Contribution of primary α-particles to development of the nucleon cascade in the stratosphere, 8=646
Takibaev, Zh.S., Usik, P.A. and Antonova, M.G. Generation of π-mesons by cosmic ray particles of high energy, 7=4772
Takizawa, É.I. and Meixner, J. Molecular relaxation in μ- and Γ-space, 9=10631
Takovleva, E.S. The mechanism of plastic deformation and mechanical properties of aluminium. I-II, 9=6327
Taksar, I.M. See also Kunin, P.E., 8=4738
Taksar, I.M. and Plume, Z.Ya. Some boundary problems of the theory of impulsive magnetization, 6=2249
Talalaeva, E.V. See Belov, K.P., 9=5743
Talanin, Yu. N. See Komar, A.P., 9=11097
Talât-Erben, M. Displacement of the maximum in the concentration-time diagram of two first-order consecutive reactions, 6=2489. Induction period in uni-bi- and bi-unimolecular consecutive reactions involving fairly reactive intermediate, 7=4824. Displacement of the maximum in the concentration-time diagram of uni-bi-, bi-uni-, and bi-bimolecular consecutive reactions, 7=4825
Talbert, J.M. See Padgett, W.M., II, 7=6003
Talbot, A. and Kitchener, J.A. Diffusion (or conduction) along a slightly tapering tube, and its application to the determination of diffusion coefficients, 6=3534
Talbot, J.H. Decomposition of $CaSO_4.2H_2O$ in the electron microscope, 6=4726
Talbott, F.L. See Bernstein, S., 6=1583; Bondelid, R.O., 7=2677
Talboy, J.H., Jr See Nichols, R.T., 5=8012
Talekar, V.L. Studies of rectification in a gas (nitrogen) discharge between coaxial cylindrical electrodes. I. Theory of rectification in a.c. silent discharges, 7=2270; II. Rectification in semiozonizers, 7=2271; III. Rectification in full ozonizers, 7=5360
Talham, R.J. See Comley, R.E., 8=4177; Jacobson, M.J., 9=13130
Talini, N. See Arcipiani, B., 9=9715
Talley, C.P. Macroscopic surface structures formed on boron upon solidification, 9=2933. Mechanical properties of glassy boron, 9=11602
Talley, H.E. See Stump, R., 5=967
Talley, R. and Stern, F. On the degeneracy effect in InAs, 5=9656
Talley, R.M. See also Stern, F., 6=1210, 8=183
Talley, R.M. and Nielsen, A.H. Infrared spectrum and molecular constants of C_2D_2, 5=1704
Tallini, B. See Bertanza, L., 7=7982
Tallone, L. See also Bertoline, G., 5=6274; Bisi, V., 9=2646, 3614; Cester, R., 8=1761; Debenedetti, A., 5=548, 2841, 3128, 9740, 9946, 6=5196, 7=3413-14
Talman, J.D. Self-consistent field calculation of the nuclear boundary diffuseness, 6=4582
Talmi, I. Energies of $f^n_{7/2}$ nuclear configurations, 7=9330. Ground state and excited levels of Cl^{40}, 7=9820. See also Carlson, B.C., 5=447; Goldstein, S., 6=5313, 7=3523; Lipkin, H.J., 6=3084, 7=622; Thieberger, R., 6=6067; Unna, I., 9=3825
Talmi, I. and Thieberger, R. Nuclear binding energies in the shell model, 6=7622
Tal'roze, V.L. See also Tantsȳrev, G.D., 8=3202
Tal'roze, V.L. and Frankevich, E.L. The ionic impact method and the estimation of the proton affinity of molecules, 7=5425
Taluts, G.G. See also Giterman, M.Sh., 9=10248; Orlov, A.N., 9=13531
Taluts, G.G. and Shulyat'ev, S.A. On the problem of the spectrum of an electron system in an external field, 8=3265. On the theory of the Stark effect for excitons. I, 8=7497
Talutz, G.G. See Zȳryanov, P.S., 9=12413
Talvitie, N.A. and Paulus, H.J. Recording, photometric particle-size analyzer, 7=773
Talwar, S.P. On the equilibrium configurations of prolate fluid spheroids under the influence of a uniform external magnetic field, 9=5958. Hydromagnetic stability of a [perfectly] conducting, inviscid, incompressible fluid of variable density, 9=9870. Stability of magnetic stars in a decay field, 9=10547. See also Naqvi, A.M., 5=5840
Talwar, S.P. and Tandon, J.N. On the radial pulsation of magnetic stars, 7=7562
Tal'yanskiĭ, I.I. On positive definiteness of the energy in a theory with higher derivatives, 6=7989
Tamagaki, R. See Iwadare, J., 7=108, 2991, 6896-8; Otsuki, S., 5=6751, 6=6369
Tamagnini, C. Mongini. See Mongini Temagnini, C.
Tamai, E. See Nakagawa, S., 6=3814, 8=8103, 9=2777
Tamai, Y. Frictional behaviour and structure of the surface oxides of steel, 8=7574
Tamaki, F. A divergent shock tube for obtaining supersonic flows, 6=4889. Experimental studies on the stability of the transonic flow past airfoils, 8=3783
Tamaki, F. and Kim, Chul-Soo. Studies on the hypersonic flow using a double-diaphragm shock tube, 8=3785
Tamarkin, P. See also LaCasce, E.O., Jr., 6=1926; Morse, R.W., 6=4415; Proud, J.M., 6=1911; Proud, J.M., Jr., 8=2919
Tamarkin, P. and Eby, R.K. Tank wall lining for underwater sound use, 5=7782
Tamássy-Lentei, I. See Gáspár, R., 9=6864, 11525
Tamm, E.I. See Belousov, A.S., 7=7436, 9=2641
Tamm, I.E. On the structure of nucleons, 7=6885. On the paper of L. Yanoshi (Jánossy) "Further considerations concerning the physical interpretation of the Lorentz transformations", 7=8977. See also Kobzarev, I.Yu., 8=8250; Silin, V.P., 5=8502
Tamm, I.E., Gol'fand, Yu.A. and Faĭnberg, V.Ya. Semi-phenomenological theory of the interaction of π-mesons with nucleons. I. The scattering of π-mesons by nuclei, 5=1243
Tamm, K. See also Meyer, E., 9=2151
Tamm, K. and Haddenhorst, H.G. Measurements by optical methods of the sound velocity in aqueous solutions of electrolytes in dependence on concentration and temperature, 5=3509
Tamor, S. Polarization in scattering by complex nuclei, 5=3448. See also Auer, P.L., 9=3535
Tamres, M. See Bernstein, R.B., 6=1435
Tamura, M. See Kurata, M., 5=6589
Tamura, T. On the neutron He^4 scattering, 5=555. On the collective description of nuclear surface oscillation, 7=3516. Splitting of $^3S_1$ and $^1S_0$ states in Li^6, 7=4623. Quantum mechanical description of nuclear collective motions, 8=9005. Two-particle interactions in deformed nuclei, 9=2677. See also Miyazima, T., 6=8928; Nagasaki, M., 5=3967; Morita, M., 5=4861*
Tamura, T. and Choudhury, D.C. Inelastic scattering of protons by various nuclei, 9=7338
Tamura, Y. An analysis of the electric field after lightning discharges, 5=659
Tamura, Y., Ogawa, T. and Okawati, A. The electrical structure of thunderstorms, 9=6391
Tan Hoang Pham. See Pham Tan Hoang., 5=8474
Tan Syao-Vei. See Prokoshkin, Yu.D., 9=12544
Tanabe, H. See Huruhata, M., 6=8520, 9088
Tanabe, T. See Obi, S.Y., 5=4283
Tanabe, Y. On the expansion formula of atomic orbitals in spherical harmonics around another center, 7=593. On the variational problem connected with the Thomas Fermi

method, 8=2822. See also Kamimura, H., 9=739; Matsumura, T., 9=6364

Tanabe, Y. and Kamimura, H. On the absorption spectra of complex ions. IV. The effect of the spin–orbit interaction and the field of lower symmetry on d electrons in cubic field, 9=10789

Tanabe, Y. and Sugano, S. On the absorption spectra of complex ions. I, 5=2591; II, 2592; On the absorption spectra of complex ions. III. The calculation of the crystalline field strength, 6=8668; The absorption spectra of ruby, 7=9610

Tanaev, A.A. Heat exchange in a free laminar movement of gases near vertical walls [taking account] of varying viscosity, 7=7053

Tanaevsky, O. and Vassy, É. Variations of the natural and artifical radioactivity of the atmosphere, 5=9305. Natural and artificial radioactivity of the atmosphere, 7=3862

Tanaka, G. See Tanaka, H.

Tanaka, H. Adiabatic process and the stationary state, 6=6365. See also Eisler, F., 9=2662, 2667; Futama, H., 8=4513; Hatanaka, T., 6=6303, 7106; Ito, D., 5=62, 5861, 8=3291, 4237, 5648, 7696, 7698, 9=33; Murota, T., 7=6873;

Tanaka, H. [Tanaka, G.] See also Eisler, F., 8=1208, 1212*

Tanaka, I. See also Lossing, F.P., 7=2343

Tanaka, I. and Komatsu, C. Ionization potential of benzyl radical, 5=7261

Tanaka, I. and Okuda, M. Photochemical reactions of cyclooctatetraene, 5=597

Tanaka, I. and Steacie, E.W.R. Sensitized photoionization in far ultraviolet, 7=5427

Tanaka, J. and Nagakura, S. Appearance of two intramolecular charge transfer absorptions observed with some disubstituted benzenes, 6=8099

Tanaka, J., Nagakura, S. and Kobayashi, M. Ultraviolet and infrared absorption spectra of substituted acetophenones and benzoic acids, 6=1976

Tanaka, K. Meson–nucleon scattering in the Tamm–Dancoff method, 7=4766. Properties of the fixed-source meson theory, 7=8415. Application of dispersion relations to S-wave meson–nucleon scattering, 8=1520. Application of dispersion relations to nucleon structure, 8=5191. Application of dispersion relations to neutron-electron interaction, 8=8591. Structure of the neutron, 9=4914. See also Coester, F., 5=742; Ekstein, H., 7=1068, 8=8587. Kikuchi, Y., 8=2083; Sunakawa, S., 9=13548

Tanaka, K., Abe. H. and Hirano, K. On the mechanism of aging in aluminium-Silver alloys, III. Variation of the Young's modulus, 5=7409

Tanaka, K., Katayama, K., Chikawa, J. and Suita, H. Use of balanced filters for automatic recording X-ray diffractiometer, 9=9017

Tanaka, K. and Maniwa, H. Variation of the Young's modulus of the alloy Mg_3Cd with the order-disorder transition, 6=5452

Tanaka, M. See Kojima, S., 8=8394, 9=9848

Tanaka, O. See Ôno, K., 9=10112

Tanaka, R. See Marumori, T., 6=3082; Murayama, T., 6=8851

Tanaka, S. Some remarks on the charge conjugation, 5=728. The composite model for new unstable particles. I, 7=7411; II, 7412. The parity non-conservation and the strength of the interaction of elementary particles, 8=41. Some aspects of ultrasonic attenuation in common metals, 9=3230. See also Kamefuchi, S., 6=4196, 6354; Ôno, K., 8=2564, 9=10112; Tabuchi, S., 5=1835; Umezawa, H., 5=3422

Tanaka, S., Kobayashi, M. and Masumi, T. Anisotropic conductivity of CdS single crystals, 9=13292

Tanaka, S. and Masumi, T. Surface photoconductivity of cadmium sulphide modified with magnetic field, 8=4023. Magnetoresistance effect in cadmium sulphide, 9=1450

Tanaka, S., Nasu, T. and Yamada, T. A high sensitive G-M counter for semi-hard X-ray beam and its application, 5=1002

Tanaka, T. Note on the partition function of a free rotator, 5=264

Tanaka, Y. Emission bands of NO in the vacuum ultraviolet region excited in the NO afterglow, 5=1691. Absorption spectrum of nitrogen in the region from 1075 to 1650 A, 5=7841. Continuous emission spectra of rare gases in the vacuum ultraviolet region, 5=8596. See also Hinotani, K., 5=2840; Jursa, A.S., 6=886; LeBlanc, F., 8=6810; Nakasima, R., 7=6536; Ogawa, M., 9=7945; Toyoda, H., 9=13256; Watase, Y., 6=3287, 8=1747; Wilkinson, P.G., 5=6073

Tanaka, Y., Jursa, A.S. and LeBlanc, F.J. Hopfield's emission bands of O_2 in the region 1900-2350 A, 6=4986. Continuous emission spectrum of neon in the vacuum ultraviolet region, 7=4128. Absorption spectrum of CO in the vacuum ultraviolet region, 7=5177. Continuous emission spectra of rare gases in the vacuum ultraviolet region. II. Neon and helium, 8=2952. Higher ionization potentials of linear triatomic molecules CO_2, CS_2, COS, N_2O, 8=9080

Tanaka, Y., LeBlanc, F. and Jursa, A. Second positive bands in the Lewis–Rayleigh afterglow of nitrogen, 9=9404

Tanaka, Y. and Ogawa, M. On the chemiluminescence of the sodium D lines in the reaction between ozone and sodium vapour, 6=9105

Tanaka, Y., Suga, K. and Mitani, S. The energy spectrum of nucleons in the air shower, 7=7998

Tanatarov, L.V. See Kaganov, M.I., 7=2812

Tanczos, F.I. Calculation of vibrational relaxation times of the chloromethanes, 6=8895

Tandberg-Hanssen, E. On the correlation between radio-frequency radiation from the sun and solar activity, 5=4294. A study of the penumbra–umbra ratio of sunspot pairs, 7=1024. On the correlation between solar flares and radio bursts, 8=2744. Variations in the height of ionospheric layers during magnetic storms, 8=6535. On the interpretation of sudden decreases in cosmic rays from the sun, 8=7157. Physical conditions in limb flares and active prominences. III. The difference between the surge and loop prominences of December 19, 1956, 9=10535. See also Eriksen, G., 7=1012; O'Brien, P.A., 5=6696

Tandberg-Hanssen, E. and Zirin, H. Physical conditions in limb flares and active prominences. I. The loop prominences of November 12 and 22, 1956, 9=10533

Tandon, J.N. Geomagnetic activity and solar M-regions for the current epoch of the sunspot minimum, 7=923. Focussing of solar-ion streams and formation of coronal streamers, 7=7557. See also Talwar, S.P., 7=7562

Taneda, S. Experimental investigation of the wakes behind cylinders and plates at low Reynolds numbers, 6=3553. Experimental investigation of the wake behind a sphere at low Teynolds numbers, 7=4000. Experimental studies of the lift on two equal circular cylinders placed side by side in a uniform stream at low Reynolds numbers, 8=5679. Oscillation of the wake behind a flat plate parallel to the flow, 9=10667

Tanenbaum, M. Semiconducting compounds, 5=2700

Tanenbaum, M., Valdes, L.B., Beuhler, E. and Hannay, N.B. Silicon *n-p-n* grown junction transistors, 5=7961

Tanford, C. Intrinsic viscosity and kinematic viscosity, 6=948

Tang Au-Chin. The problem of internal rotations of molecules, 5=4834

Tang, C.C.H. Backscattering from dielectric-coated infinite cylindrical obstacles, 7=7243

Tang, T.Y. and Kao, K.-Y. The effect of surface recombination on the spectral response of photoconductivity of n-type germanium, 8=3116

Tang, Y.C. The effect of the final state interaction on the decay of Hyper-^{5}He, 9=3839. See also Lemmer, R.H., 9=13589

Tangen, R. See Andersen, S.L., 8=4300, 9=8578; Lönsjö, O., 5=6442

Tangherlini, F.R. See Lazarus, A.J., 9=6035

Tani, I. and Sato, H. Boundary-layer transition by roughness element, 7=7664

Tani, K. See Teramoto, E., 6=1729; Yamamoto, T., 7=356

Tani, N. See Asagoe, K., 6=8126

Tani, S. Formal theory of scattering in the quantum field theory, 9=13017

Tani, S. and Watari, W. Connection of the strong coupling theory with the weak coupling theory in the bound meson problem. The symmetrical scalar theory, 6=6374

Tani, S. and Yamazaki, K. On the meaning of the solution to the one-body Dirac equation, 5=5874

Taniguchi, S. See also Aoyagi, K., 9=13426; Yamamoto, M., 6=6011

Taniguchi, S. and Yamamoto, M. A note on a theory of the uniaxial ferromagnetic anisotropy induced by cold work or by magnetic annealing in cubic solid solutions, 5=2016. On the uniaxial anisotropy induced by magnetic annealing in ferrites, 6=6008

Tanikawa, Y. On the interaction forms of the beta-decay, 5=9391. Renormalizable theory for Fermi interactions, 8=881. See also Oneda, S., 9=5360

Tanikawa, Y. and Watanabe, S. Chirality of tensors and parity-nonconserving interactions, 8=6624. Fermi interaction caused by intermediary chiral boson, 9=5359

Tanisaki, S. Growth spirals on crystals of $\mathrm{WO_3}$, 6=7008. Effect of external stress on the domain structure of $\mathrm{WO_3}$, 9=10262

Taniuti, T. On the theories of higher derivative and non-local couplings. I, 6=6346; II, 7998. On the Heisenberg's non-linear meson equation, 6=7997. On the wave propagation in the non-linear fields, 9=10570

Tanneberger, H. An investigation of the critical state by ultrasonics, 9=9557

Tannenbaum, E. See also Atalla, M.M., 9=8998; Bak, B., 7=2048; 3510, 4609

Tannenbaum, E., Myers, R.J. and Gwinn, W.D. Microwave spectra, dipole moment and barrier to internal rotation of $\mathrm{CH_3NO_2}$ and $\mathrm{CD_3NO_2}$, 6=7577

Tannenwald, L.M. Asymptotic spherical shock decay, 5=5953. Coulomb scattering in a very strong magnetic field, 9=7087

Tannenwald, P.E. Multiple resonances in cobalt ferrite, 5=8132. Ferromagnetic resonance in manganese ferrite single crystals, 6=2238. See also Artman, J.O., 5=9768; Kingston, R.H., 8=3241; Seavey, M.H., Jr, 8=8877, 9=4804

Tannenwald, P.E. and Seavey, M.H. Anisotropy of cobalt-substituted Mn ferrite single crystals, 7=3446

Tannenwald, P.E. and Seavey, M.H., Jr. Ferromagnetic resonance in thin films of permalloy, 7=3443

Tanner, K.N. See Sutherland, G.B.B.M., 5=639

Tanner, N. Parity in nuclear reactions, 8=756. Direct radiative capture of protons by $\mathrm{O^{16}}$ and $\mathrm{Ne^{20}}$, 9=10108

Tanner, N.W. Coincidence measurements of the β-decay of boron 12, 6=3154. Angular distribution of γ-radiation from $^{9}\mathrm{Be}(\alpha, n\gamma)^{12}\mathrm{C}$, 6=6131. The stripping mechanism in the reaction $^{9}\mathrm{Be}(\alpha, n)^{12}\mathrm{C}$, 9=3904

Tanner, R.L. An advanced laboratory project: construction of a Wilson cloud chamber, 8=4200

Tanner, W.P., Jr. Theory of recognition, 7=980. What is masking? 9=4178. Graphical presentation of data in the framework of the theory of signal detectability, 9=10463. See also Clarke, F.R., 9=10464; Green, D.M., 7=8957

Tanner, W.P., Jr. and Birdsall, T.G. Definitions of d' and η as psychophysical measures, 9=4179

Tannhauser, D.S. Concerning a systematic error in measuring diffusion constants, 6=7742. Self-diffusion of bromine in silver bromide, 9=8805

Tannhauser, D.S., Bruner, L.J. and Lawson, A.W. Temperature variation of the elastic constants of AgBr, 6=6219

Tannhauser, D.S. and Lawson, A.W. Elastic constants of AgBr at 28°C, 5=3184

Tantry, B.A.P. See also Khastgir, S.R., 8=1382

Tantry, B.A.P. and Srivastava, R.S. Polarization of atmospheric pulses due to successive reflections from the ionosphere, 9=1633

Tantsȳrev, G.D. and Tal'roze, V.L. Inversion of temperature dependence of intensity of fragment lines in molecular mass spectrum, 8=3202

Tanttila, W.H. See Cowen, J.A., 9=508; Jennings, D.A., 8=3831, 8431, 9=591; Kraus, O., 9=590; Proctor, W.G., 5=8135, 6=4089

Tanuma, S. Low temperature thermoelectric power of Cu-Mn alloys, 9=13337. See also Shibuya, Y., 5=6157

Tanzman, I.J. See Westheimer, G., 6=3407

Tao, K. On the propagation of ultra short waves beyond the horizon, 6=508

Tao, L.N. General solution of Reynolds equation for a journal bearing of finite width, 9=10650

Taoka, T. Magnetic after-effect in $\mathrm{Ni_3Mn}$ alloy, 6=5222

Taoka, T. and Aoyagi, S. Electron microscopic studies on the structure of mosaic boundaries in Ni—Mn single crystal, 6=5451

Taoka, T. and Ohtsuka, T. The magnetic properties and their temperature dependence of ferromagnetic alloys with an order-disorder transformation. I. $\mathrm{Ni_3Fe}$, 5=2867; II. $\mathrm{Ni_3Mn}$, 5=2868

Tapley, J.G. See Bennett, J.E., 5=3886, 5516; Ingram, D.J.E., 5=1871, 3891, 6299, 7=6347

Tappe, G. See Reichardt, W., 9=5556

Tarabella, A. and Bibron, R. Magnetostrictive delay lines, 6=1323

Tarakanov, V.M. See Zaĭdel', A.N., 8=5513

Tarama, K. See Teranishi, S., 8=3246

Taranov, A. Ya. See Deĭneko, A.S., 7=6556; Sorokin, P.V., 7=4709, 8=1903, 9=12474

Tarantin, N.I. See also Flerov, G.N., 8=6316; Gerlit, Yu.B., 8=1971; Volkov, V.V., 9=13676

Tarantin, N.I., Gerlit, Yu.B., Guseva, L.I., Myasoedov, B.F., Filippova, K.V. and Flerov, G.N. Mass distribution of fission products produced by irradiation of gold and uranium by nitrogen ions, 8=7398

Tarapon, V.A. See Roshchȳna, H.P., 8=6888

Tarasov, E.K. See Orlov, Yu.F., 8=7086, 9=9719; Vladimirskiĭ, V.V., 6=2939

Tarasov, K.I. A new type of interference etalon, 7=294. Interference mirrors on an aluminium base, 9=12145

Tarasov, V.V. Velocity of sound and zero-point energy for the quase-crystal lattice of liquids, 7=1951. Atomic chain and layer structure of glass, 8=3472. On the temperature factor e^{-2M} in the intensity of the Bragg maxima in the case of chain-structure crystals, 9=9035. See also Tarasova, L.M., 6=6561

Tarasov, Yu.A. Interaction between nucleon and antinucleon, 6=6347. On the problem of bound states in positronium, 8–1839

Tarasova, E.I. See Leiteizen, L.G., 9=11112

Tarasova, L.I. and Feofilov, P.P. Polarization of luminescence and the nature of luminescent centres in NaCl:Ag and KCl:Tl crystals, 9=9479

Tarasova, L.M. and Tarasov, V.V. Zero vibrational energy of chains and layers and the heat capacity, 6=6561

Tarasova, L.V. Present-day ideas concerning the mechanism of electrical breakdown in high vacuum, 6=6671

Tarasova, V.P. See Graevskaya, Ya.I., 7=8281

Taratȳnova, G.P. The motion of an artificial satellite in a non-central terrestrial gravitational field with atmospheric resistance, 8=4691. See also Okhotsimskiĭ, D.E., 8=4690

Tarbet, C.S.C. and Daly, E.F. Infrared vacuum spectrometer with prism/grating double monochromator, 9=6700

Tárczy-Hornoch, A. Prisms for laying out angles in surveying, 8=2268

Tardieu, P. See Durandeau, P., 8=3183

Tardif, L. See Lipsett, F.R., 9=5567

Tariel, G. See Hoang, T.F., 5=4958, 4966

Tarján, I. See also Nagy, J., 7=7487

Tarján, I. and Turchányi, G. Technical remarks on the growth of single crystals from the melt, 6=9028. A remark on the Kyropoulos crystal growing process, 7=6689

Tarnick, U. Surface tension of dilute aqueous solutions of electrolytes, 9=5404

Tarnóczi, T. See Pál, L., 7=4532

Tarnóczy, T. Acoustical improvement of the Budapest State Theatre, 5=3531. Haemolysis as indicator for crossed ultrasonic fields, 8=6781

Tarnóczy, T.H. Determination of the speech spectrum through measurements of superposed samples, 7=4096

Tarrago, X. See also Lefort, M., 9=1923, 8575

Tarrago, X., Masri, É. and Lefort, M. The oxidation of ferrocyanide ions in aqueous solutions by gamma radiation, 7=5703

Tartaglia, A.A. See Trumbore, F.A., 9=8126

Tartaglione, E. See Cennamo, F., 9=5411, 11905

Tartak‿vskiĭ, B.D. Experimental investigation of the acoustics of an open space using a distributed system of speakers, 7=203. Ultrasonic interference filters with variable frequency band-pass, 8=3810. Diffraction of sound waves in converging beams, 9=5467. See also Gudemchuk, V.A., 9=11960; Kaminir, G.I., 6=8052; Podoshevnikov, B.F., 9=5452

Tarte, P. Some remarks on the spectra of nitrites and nitrosamines, 5=6007

Tarte, P. and Deponthière, R. Assignment of the OH bending frequency in alcohols, 7=6386

Tarui, Y. See Kikuchi, M., 5=954

Tarumov, É.Z. See Gol'danskiĭ, V.I., 6=1605, 3238, 7690; Levintov, I.I., 7=8159, 9387

Tarutin, N.P. See Smolenskiĭ, G.A., 5=7009

Tasaki, I., Davis, H. and Eldredge, D.H. Exploration of cochlear potentials in guinea pig with a microelectrode, 5=1418

Taschek, R.F. See Allen, R.C., 7=2669; Diven, B.C., 6=2423

Taseer, A.L. See Chaudhri, R.M., 7=3377*; Chaudri, R.M., 6=7482*

Tashiro, M. The effects of the polarisation of the constituent ions on the photoelastic birefringence of the glass, 7=6077

Taşköprülü, N.S. The dispersion of ultrasound velocity in MnSO$_4$ solutions, 5=5274. The laws for the excess absorption and the dispersion of sound in MgSO$_4$ solutions at frequencies above 3 Mc/s, 5=5948. See also Ener, C., 5=3505

Tasman, H.A. See also Boerboom, A.J.H., 9=1158

Tasman, H.A. and Boerboom, A.J.H. Calculation of the ion optical properties of inhomogeneous magnetic sector fields, including the second order aberrations in the median plane, 9=7096

Tasny-Tschiassny, L. Nets composed of parts of circles for the approximate solution of field problems, 5=6315

Tassie, L.J. Nuclear scattering of high energy electrons on the independent-particle model, 6=6148. The scattering of 121 keV electrons and positrons, 6=6702. A model of nuclear shape oscillations for γ-transitions and electron excitation, 7=5549. Scattering of high energy electrons by carbon and the nuclear density distribution, 7=7365. Inelastic scattering of electrons by nuclei, 7=8772. Double scattering of β particles, 8=265

Tassie, L.J. and Barker, F.C. Application to electron scattering of center-of-mass effects in the nuclear shell model, 9=2576

Tatarinova, L.I. Electron diffraction investigation of amorphous antimony sulphide, 8=3501

Tatarskiĭ, V.I. Criterion of the applicability of geometrical optics to problems of the propagation of waves through a medium characterized by slight refractive index variations, 5=124. Theory of the propagation of sound waves in a turbulent stream, 5=125. On amplitude and phase pulsations of a wave propagated in a weakly non-homogeneous atmosphere, 6=7089. On the propagation of waves in a locally isotropic turbulent medium with smoothly varying characteristics, 8=7631. See also Gurvich, A.S., 9=12907

Tararskii, V.I., Gurvich, A.S., Kallistratova, M.A. and Terent'eva, L.V. The influence of meteorological conditions on the intensity of light scintillation near the earth's surface, 9=10432

Tatarskii, V.I. and Zhukova, L.N. The chromatic scintillation of stars, 9=12964

Tatcher, M.D. See Fischer, G.E., 8=6297

Tate, C. See Bransden, B.H., 9=11361

Tate, P.A. and Strandberg, M.W.P. A simple high-temperature microwave spectrograph, 5=167

Tatel, H.E. See Helfer, H.L. 5=5821; Tuve, M.A., 5=1380

Tatevskiĭ, V.M. See also Galashin, E.A., 7=1818; Kotov, Yu.I., 8=3878; Kuzyakov, Yu.Ya., 9=5508; Tyulin, V.I., 8=969

Tatevskii, V.M., Tunitskii, L.N. and Novikov, M.M. Vibrational constants and dissociation energy of the BeF molecule, 9=10177

Tati, H. See Tati, T., 6=6192

Tati, T. An attempt in the theory of elementary particles, 6=6352. Separation energies and nuclear structures in light nuclei, 6=6838

Tati, T. and Tati, H. On Λ^0-binding energies in hyperfragments, 6=6192

Tatistcheff, D. See Roberson, R.E., 8=6681

Tatro, C.A. See also Murray, P.C., 5=1423

Tatro, C.A., Palfrey, T.R., Jr, Whaley, R.M. and Haxby, R.O. Differential cross sections for photodisintegration of the deuteron at far forward and backward angles, 9=5062

Tatsumoto, E. Magnetoresistance coefficients and their temperature dependence in iron and silicon-steel, 8=7988. See also Yamashita, T., 8=4153

Tatsuzaki, I. See also Yokozawa, Y., 5=2883

Tatsuzaki, I. and Yokozawa, Y. Influence of temperature on the pure nuclear quadrupole resonance in hexachloroethane, 8=8396

Tattersall, G.H. The rheology of Portland cement pastes, 5=5681

Tau, L. See Anderson, H.L., 9=6020; Beneventano, 9=3781; Beneventano, M., 6=7724; Carlson-Lee, D., 5=8249, 7=1836

Taub, A.H. Isentropic hydrodynamics in plane symmetric space-times, 6=6335. Approximate solutions of the Einstein equations for isentropic motions of plane-symmetric distributions of perfect fluids, 8=36

Taube, N.S. See Sena, L.A., 6=5116

Taubenheim, J. A simple correlation measure, 9=1997

Tauber, A., Banks, E. and Kedesdy, H.H. Magnetic germanates isostructural with garnet, 8=8901

Tauber, G.E. Energy levels of Pb^{208}, 5=8159. On equations of motion in general relativity, 6=895. The gravitational fields of electric and magnetic dipoles, 7=7566. A generalized variational principle for transport phenomena, 9=1428. Evaluation of two-center exchange integrals, 9=1835. Spin rotational constant of H$_2$, 9=2874. See also Bhatia, A.B., 7=6699; Wu, T.-Y., 6=2328

Tauber, G.E. and Soffer, L. Transport phenomena in semiconductors for warped energy surfaces, 9=6914

Tauber, G.E. and Wu, T.-Y. Self-consistent treatment of the independent-particle central-field nuclear model, 7=5544

Täubert, P. Remarks on high speed tensile tests, 9=5215. A theory of the creep in metals, including strengthening and recovery, 9=13866. See also Eder, F., 5=3194

Taubert, R. An electrostatic energy filter, 9=4702. See also Ehrenberg, H.F., 6=417

Tauc, J. Theory of thermoelectric power in semiconductors, 5=290. Determination of the optical activation energy of germanium by the method of photoelectric lines, 5=4670. The theory of a bulk photo-voltaic phenomenon in semiconductors, 5=7970. The thermodynamics of non-barrier layer photo-voltaic phenomena, 5=9670. Electronic phenomena in semiconductors with a temperature gradient, 6=7401. The thermal photo-electric phenomenon in semiconductors, 6=7426. Photo-magnetic phenomenon in a semi-conductor in a non-homogeneous magnetic field, 7=4325. Electron emission from silicon p–n junctions, 8=1090. Generation of an e.m.f. in semiconductors with nonequilibrium current carrier concentrations, 8=3097. The share of thermal energy taken from the surroundings in the electro-luminescent energy radiated from a p–n junction, 9=4477. Electron impact ionization in semiconductors, 9=6922. A note on the theory of the anomalous thermo-electric phenomenon in semiconductors, 9=8108. On the origin of electromotive forces in semiconductors, 9=12240. See also Drahokoupil, J., 9=6988

Tauc, J. and Abrahám, A. The photo-electric properties of indium antimonide, 5=3783. Thermal breakdown in silicon p–n junctions, 8=7956

Tauc, J. and Matyáš, M. The electric and thermoelectric properties of indium antimonide, 6=344

Tauer, K.J. See also Weiss, R.J., 6=5827, 8=5853, 9=3413

Tauer, K.J. and Weiss, R.J. Magnetic second-order transitions, 6=1354

Taŭgbŏl, K. See also de Maine, M.M., 8=4507; Samsahl, K., 5=5620

Taugbøl, K. and Samsahl, K. A new method for production of radioactive iodine-131, 5=4043

Taure, I. See Chudars, Ya., 9=13389

Taurel, L. Study of the scattering of light by ammonium phosphate and sodium chloride single crystals, 7=5251. Study of Rayleigh scattering by quartz in monochromatic light, 7=6070. See also Barriol, J., 5=1740; Chapelle, J., 5=4565, 7877, 9=13254; Hadni, A., 9=9435

Taurel, L. and Chapelle, J. Study of light scattering by monoammonium phosphate, 5=6964. Observation of the Rayleigh scattering of single crystals of sodium chloride, 5=8660

Taurel, L. and Launay, B. Study of Rayleigh scattering by supercooled benzophenone, 7=7034

Taurel, L., Pourel, E. and Thomassin, F. Ferroelectric properties of glycine sulphate, 8=3069

Tausend, A. See Gobrecht, H., 7=7087

Tausner, M. See Larsen, S., 8=1859

Tautfest, G.W. Absolute cross sections for the reactions B$^{11}(\gamma, 2p)$Li^9 and C$^{12}(\gamma, 3p)$Li^9, 8=5374. Search for delayed neutrons from the photon bombardment of lithium, 9=3914. See also Brown, K.L., 7=447; Crowe, K.M., 5=9129; Loeffler, F.J., 9=12521

Tautfest, G.W. and Fechter, H.R. Nonsaturable high-energy beam monitor, 5=4731

Tautfest, G.W. and Panofsky, W.K.H. Measurement of the radiative correction to electron–proton scattering by observation of the absolute cross sections, 7=4453

Tautfest, G.W. and Rubin, S. Elastic scattering of protons from B^{11} and N^{14}, 6=6895

Tautz, H. Determination of the thermal conductivity of vulcanized rubber as a function of extension, 9=10897

Tauzin, P. Concerning an experiment of Nichols and G. Hull, and photophoresis, 5=4489

Tavares, Y. See Stammreich, H., 7=2067, 3155, 4607, 9=6747

Tavernier, G. See Dopchie, H., 6=5401

Tavernier, J. Contribution to the study of the mobility of the charge carriers in InSb, 7=2225. Influence of mass fluctuations in a crystal on the phonon mean free path, 8=2639. Discussion of Ziman's formula on the thermal conductivity of crystals, 8=3017. On the thermal conductivity of disordered dielectric alloys, 9=2262. Remarks on the measurements of thermal conductivity, 9=8023. The calculation of the thermal conductivity of disordered structures, 9=13207

Tavger, B.A. Splitting of atomic terms with integral total angular momenta in a magnetic crystal, 9=2909

Tavger, B.A. and Zaïtsev, B.M. Magnetic symmetry of crystals, 6=7004

Tavkhelidze, A.N. See also Logunov, A.A., 7=5655, 8=2498, 5371, 9=1079, 3118, 3141-2

Tavkhelidze, A.N. and Fedyanin, V.K. Approximate equations for scattering amplitude of photons by nucleons, 8=6116

Tawchelidse, A.N. See Logunow, A.A., 9=3147

Tawde, N.R. and Chandratreya, P.V. Mass asymmetry effect in Hutchisson's theory of vibrational transition probabilities, 6=6045

Tawde, N.R. and Gejji, N.V. Test of the workability of Lotmar's potential energy function, 6=8304

Tawde, N.R. and Gopalkrishnan, K. Study of Hulbert-Hirschfelder $U(r)$ function in C_2(Swan) system, 5=3929

Tawde, N.R. and Katti, M.R. A case for efficacy of Hulburt-Hirschfelder potential function, 9=6178

Tawde, N.R. and Parvatikar, K.G. A table for the calculation of surface tension from measurements of sessile drops, 5=778. Measurement of surface tension by unstable pendant drops, 7=141

Tawde, N.R., Patil, B.S. and Savadatti, M.I. Correspondence in analytical treatments of vibrational transition probabilities of diatomic molecules, 9=11528

Tawde, N.R., Patil, B.S., Sreedhara Murthy, N. and Katti, M.R. On the use of Hutchisson's and Manneback's mathematical techniques for the derivation of vibrational transition probabilities, 7=8747

Tawde, N.R. and Rajeswari, V. Vibrational temperatures in C_2 (Swan) system in rare gases and Ramsauer effect, 5=4523. Theoretical transition probabilities for C_2 Swan system, 5=9557

Tawde, N.R. and Savadatti, M.I. A note on Ta-You Wu's method of calculating overlap integrals for Morse oscillator, 8=4382

Tawde, N.R. and Sreedhara Murthy, N. A note on the validity of the revised rotational structure constants of green-yellow system of VO bands, 9=8716. On the calculational procedures in the derivation of the vibrational transition probabilities of the first negative $(b^4\Sigma^-g \rightarrow a^4\Pi_u)$ bands of O_2^+, 9=10175

Taxman, N. Classical theory of transport phenomena in dilute polyatomic gases, 8=5716

Tayler, R.J. A note on hydromagnetic stability problems, 7=4002. Hydromagnetic instabilities of an ideally conducting fluid, 7=4411. The influence of an axial magnetic field on the stability of a constricted gas discharge, 8=631. See also Adlam, J.H., 9=5957

Taylor, A. Improved demountable crystallographic rotating anode X-ray tube, 7=874

Taylor, A. and Jones, R.M. Further magnetic and X-ray diffraction studies on iron-rich iron–aluminum alloys, 9=855. Constitution and magnetic properties of iron-rich iron–aluminum alloys, 9=8897

Taylor, A. and Pratt, P.L. The transient conductivity increase in deformed alkali halides, 9=288

Taylor, A.E. High-energy protons, 8=1172. See also Alphonce, R., 5=4108; Love, W.A., 9=6016; Randle, T.C., 7=1659; Rose, B., 8=6345

Taylor, A.E. and Wood, E. Proton–proton scattering at 134 MeV, 7=2336

Taylor, A.J. See Roberts, J.E., 7=4819

Taylor, B.W. See Magarvey, R.H., 6=4867, 7=1110, 1949

Taylor, C. A peak height comparison method for mass spectrometry, 5=2800. A thermostat to replace low-temperature slush baths, 5=5376

Taylor, C.A. A method of determining the relative positions of molecules using Fourier-transform principles, 5=1363. See also Crowder, M.M., 8=2061; Hughes, W., 8=6497; Morley, K.A., 7=3837; Pinnock, P.R., 6=3374

Taylor, C.A. and Morley, K.A. An improved method for determining the relative positions of molecules, 9=7648

Taylor, C.A. and Thompson, B.J. Some improvements in the operation of the optical diffractometer, 8=1370. A critical method of focusing an optical diffractometer, 8=8523. Attempt to investigate experimentally the intensity distribution near the focus in the error-free diffraction patterns of circular and annular apertures, 9=2247

Taylor, C.J. See Ashby, V.J., 9=692

Taylor, D. Trends in nuclear instrumentation, 5=1140. See also Parke, A.V.M., 8=3548

Taylor, D.F. Transistor technology: improved junction fabrication, 8=1701

Taylor, D.J. See Bagguley, D.M.S., 8=609

Taylor, E.A. See Hanna, G.C., (Eds), 9=3931; Lee-Whiting, G.E., 7=3352

Taylor, E.F. and Bloembergen, N. Nuclear spin saturation by ultrasonics in sodium chloride, 9=5950

Taylor, E.H. See also Datz, S., 6=8847-8

Taylor, E.H. and Datz, S. Study of chemical reaction mechanisms with molecular beams. The reaction of K with HBr, 5=10029

Taylor, F.R. See Myerson, A.L., 7=7739

Taylor, G. A discussion on the first and second viscosities of fluids: the two coefficients of viscosity for an incompressible fluid containing air bubbles, 5=83. A discussion on the first and second viscosities of fluids: note on the volume viscosity of water containing bubbles, 5=84. Fluid flow in regions bounded by porous surfaces, 6=4230. See also Morton, B.R., 6=3837; Saffman, P.G., 8=4791; Spence, R.D., 9=11225

Taylor, G.I. Diffusion and mass transport in tubes, 5=1583

Taylor, G.R. See also Alexander, L.E., 5=10015; Sayers, N.D., 5=3552

Taylor, G.R. and Darin, S.R., Birefringence and crystallization in elastomers, 5=10016

Taylor, G.W. See Smith, W.M., 5=836

Taylor, H.A. See also Boynton, C.F., Jr, 5=1332; Bromberg, M.L., 6=1686; Burwasser, H., 6=2509; Chen, M.C., 8=439

Taylor, H.E. A simple d.c. method for the determination of the electrical resistance of glass, 7=392. The dielectric relaxation spectrum of glass, 7=1256. An investigation of the dielectric relaxation exhibited by glass. I. Theory and methods of measurement, 8=2293; II. Soda-silica and soda-lime-silica glasses, 9=6896

Taylor, H.F.W. See Dent, L.S., 6=3367

Taylor, H.L., Lönsjö, O. and Bonner, T.W. Nonelastic scattering cross sections for fast neutrons, 6=674

Taylor, H.W. and Frisken, W.R. Gamma–gamma directional correlation in Cd^{110}, 9=7332

Taylor, H.W. and Pringle, R.W. Gamma-gamma directional correlation in Pt^{192}, 5=9878

Taylor, H.W. and Scott, S.A. Disintegration of Ag^{110m}, 9=7331

Taylor, I.J. See Barros, F.de S., 9=7346, 8609

Taylor, J. See also Ladell, J., 9=13904-5

Taylor, J. and Parrish, W. Absorption and counting-efficiency data for X-ray detectors, 5=6196*

Taylor, J.A. See Ferguson, J., 5=860

Taylor, J.B. See Alfrey, G.F., 6=253

Taylor, J.C. Calculation of potentials from the new Tamm-Dancoff equation, 5=730. Singular integral equations in quantum field theory, 5=5215. Self-energy effects on meson-nucleon scattering according to the Tamm–Dancoff method. 5=5886. The form of the divergencies in quantum electrodynamics, 6=3478. Renormalization in meson theories, 6=7975. The electron–phonon interaction, according to the adiabatic approximation, 7=9291. Radiative beta decay of the pion, 8=1865. Space-time reflections and isobaric spin, 8=3703. Beta decay of the pion, 8=7265. See also Streater, R.F., 8=6153

Taylor, J.C. and Coles, B.R. Thermoelectric powers in palladium-silver and palladium-rhodium alloys, 6=3754

Taylor, J.G. Classical electrodynamics as a distribution theory, 6=3033. Quantum electrodynamics and Hilbert space theory, 7=8988. Classical electrodynamics as a distribution theory. II, 8=3259. Dispersion relations and Schwartz's distributions, 9=1075. Possible parity assignments for the strange particles, 9=7774. See also Bremermann, H.J., 8=2766; Oehme, R., 9=4945; Rockmore, R.M., 9=5998

Taylor, J.G., Moravcsik, M.J. and Uretsky, J.L. Determination of the pion–nucleon coupling constant from photoproduction

angular distribution, 9=4934
Taylor, J.G.V. See Kerr, J.T., 6=580; Merritt, J.S., 9=8527
Taylor, J.H. Pressure dependence of the resistivity, Hall coefficient, and energy gap for InAs, 6=1230
Taylor, J.H. and Yates, H.W. Infrared evidence for atmospheric ozone at sea level, 7=1775. Atmospheric transmission in the infrared, 7=5760
Taylor, J.K. See Greenfield, M.A., 7=9898
Taylor, J.L. An exact solution of the spherical blast wave problem, 5=3513
Taylor, J.M. See De Wolff, P.M., 9=7611
Taylor, J.R. See Adams, C.H., 5=2700
Taylor, J.W. The surface energies of the alkali metals, 5=8947. The significance of wetting in reactor technology, 5=9464. See also Szwarc, M., 6=2490
Taylor, J.W. and Hartman, P.L. Photoelectric effects in certain of the alkali halides in the vacuum ultraviolet, 9=6997
Taylor, K.N.R. See Alfrey, G.F., 7=8530, 8=4894
Taylor, K.W. α-particle counting behaviour of diamond conduction counters at field strengths up to 200 kV cm^{-2}, 7=481. See also Moss, T.S., 9=6975
Taylor, L.R. A tilting micromanometer with continuous sensitivity control, 5=5245
Taylor, L.S. The basis for standards for radiation protection, 7=983
Taylor, M.A. The crystal structure of Mn_3Al_{10}, 9=10372
Taylor, M.M. See Ogilvie, J.C., 9=963, 11686
Taylor, R. See also Eaborn, C., 8=738; Windsor, M.W., 7=9777
Taylor, R. and Mitchell, M.J. An F.F.A.G. synchrotron with straight sections having acceptable betatron oscillations, 9=3583
Taylor, R. and Walkinshaw, W. Effect of straight sections on particle dynamics in the proposed 6. 5 GeV spiral-ridged synchrotron, 8=5978
Taylor, R.A. See Howland, P.R., 6=7656
Taylor, R.C. Raman spectra, vibrational assignments, and force constants for BH_3CO and BD_3CO, 7=6036. See also Emery, A.R., 8=6854
Taylor, R.R. and Bissot, T.C. Raman spectra of phosphorous trifluoride-borane and phosphorous trifluoride-borane-d_3, 7=2069
Taylor, R.C. and Cross, P.C. Raman spectra of hydrogen peroxide in condensed phases, 1. The spectra of the pure liquid and its aqueous solutions, 6=1111
Taylor, R.C. and Vidale, G.L. Raman spectrum and vibrational assignments of gaseous dimethyl ether, 7=3158
Taylor, R.D. See also Dash, J.G., 5=8703, 7=4282, 9659, 9=2281
Taylor, R.D. and Dash, J.G. Hydrodynamics of oscillating disks in viscous fluids. Viscosities of liquids He^3 and He^4, 7=6927
Taylor, R.D., Johnson, B.H. and Kilpatrick, J.E. Entropy, heat capacity, and heats of transition of 1, 2, 3-trimethylbenzene, 5=7930
Taylor, R.D. and Kilpatrick, J.E. Entropy, heat capacity, and heats of transition of 1, 3, 5-trimethylbenzene, 5=7931
Taylor, R.E. See Mozley, R.F., 9=2410
Taylor, R.G. See Fritz, J.J., 9=2287
Taylor, R.J. Some observations of wind velocity autocorrelations in the lowest layers of the atmosphere, 6=5559. An electronic analogue of the saturated vapour pressure curve of water, 7=3199. A linear, unidirectional anemometer of rapid response, 8=2873. Physical methods of investigating chemical problems, 8=4501. Thermal structures in the lowest layers of the atmosphere, 8=7634. See also Chapman, D., 5=1697
Taylor, R.J. and Dyer, A.J. An instrument for measuring evaporation from natural surfaces, 8=4552
Taylor, R.T. Proton-gamma angular correlation studies of Be^9 and $Ca^{40}(d, p\gamma)$ stripping reactions, 9=6116. See also Cacho, C.F.M., 6=2318; Grace, M.A., 7=8784, 8=1233, 8265
Taylor, S. See also Baumel, P., 8=8254; Harris, G., 6=1618, 4020, 7=6604, 8=1880, 2479; Orear, J., 6=6195, 7=3710
Taylor, S., Harris, G., Orear, J., Baumel, P. and Lee, J. Lining-up nuclear emulsion stacks, 9=7228. Lifetimes and decay spectra of τ'^+ and $K_{\mu 3}{}^+$, 9=7283
Taylor, S.J. See Dvoretzky, A., 8=5664
Taylor, T.C. Crack-free alloyed junctions in silicon using pure aluminum, 8=5904
Taylor, T.E. See Reed, T.M., III, 9=3184
Taylor, T.I. See also Kauder, L.N., 9=8686; Senett, W.P., 5=9477; Spindel, W., 5=7309, 8338, 6=6095
Taylor, T.I. and Clarke, J.C. Exchange of nitric oxide with water in nitric acid solutions as a means of concentrating oxygen-18, 9=11518
Taylor, W.B. See Williamson, K.I., 8=6445
Taylor, W.G.A. Spherical aberration in the Fizeau interferometer, 8=998
Taylor, W.H. See Black, P.J., 8=3585; Ferguson, R.B., 9=13944
Taylor, W.J. Distribution of kinetic and potential energy in vibrating molecules, 5=425. Refinement of the Lennard-Jones and Devonshire theory of liquids and dense gases, 6=2714. Distribution of vibrational frequencies of a crystal by Fourier transformation of the heat capacity, 7=1731. Isotope effect and structure of the B_2O_3 and B_4O_6 molecules, 8=2627
Taylor, W.K. An automatic system for obtaining particle size distributions with the aid of the flying spot microscope, 5=1279
Tayman, W.P. See Washer, F.E., 9=5488
Taysum, D.H. A priori calculation of the number of bacteria in a turbid suspension, 6=8715
Tazaki, H. See Kamigaichi, T., 6=6638, 7=5458
Tchan, Y.T. Phase-fluorescence microscopy, 7=7040
Tchen, C.-M. Interfacial waves in viscoelastic media, 6=4260. Stability of oscillations of superposed fluids, 6=6417. Approximate theory on the stability of interfacial waves between two streams, 7=4001. Kinetic equation for a plasma with unsteady correlations, 9=8246
Tcheng, M.-L. See Dufay, J. 7=1788
Tchernikova, L.A. See Chernikova, L.A.; Kondorsky, E., 8=8758
Tchoubar, C. See Oberlin, A., 8=7550
Tea, P.L. A string-net analog for the numerical solution of the equations of Laplace and Poisson, 5=3382
Tea, P.L.Jr and Baker, H.D. New detector unit for irradiance measurements, utilizing an integrating sphere and a photomultiplier tube, 7=212
Teague, G.W. See Buchanan, J.S., 9=13869
Teale, F.W.J. See Weber, G., 7=6032
Teale, R.W. See also Harrison, F.W., 7=7217; Tebble, R.S., 7=3438
Teale, R.W. and Rowlands, G. Some magnetothermal relations for ferromagnetics, 8=1135
Teaney, D. See Portis, A.M., 9=4858
Teare, J.D. See Binnie, A.M., 6=4233; Hammerling, P., 9=10710
Teas, D.C. See Feddersen, W.E., 8=842; Sandel, T.T., 5=10152
Teasdale, J.G. See Walker, R.L., 5=8291
Teasdale, T.S. Permanent magnetic moments of a superconducting sphere, 5=8779
Tebble, R.S. The Barkhausen effect, 6=2250. See also Fox, M., 9=2489
Tebble, R.S. and Teale, R.W. Magneto-thermal effects in nickel and cobalt, 7=3438
Téboul, M. and Nifontoff, N. On the effect of fluctuations in selenium photovoltaic cells, 7=7116. On the scintillation effect in photovoltaic p-n junction diodes, 8=5912
Tecce, J. See Pollack, I., 8=8668, 9194
Tedford, D.J. See Aked, A., 5=7985
Teegarden, K. Fine structure in the exciton bands of the alkali halides, 8=579
Teegarden, K.J. V centers in evaporated alkali halide films, 6=3361. Luminescence of potassium iodide, 7=4216
Teele, R.P. Measuring circuit for radiometers, 5=158
Teem, J.M. See Alyea, E.D., Jr, 8=1145; Kruse, U.E., 6=2192; Selove, W., 9=3891
Tefft, W.E. See Wachtman, J.B., Jr, 9=875
Tegart, W.J.M. See also Dyson, B.F., 9=8922
Tegart, W.J.M. and Sherby, O.D. Activation energies for high temperature creep of polycrystalline zinc, 9=6336
Tegelaar, P. and Boiten, R.G. A new device for half-shadow compensation in photo-elasticity, 5=879
Teichgräber, M. and Straubel, H. Dependency of the electrical resistance of thin zinc oxide layers on mechanical strains, 9=4597
Teichner, W.H. and Kobrick, J.L. Effects of viewing distance with the Howard-Dolman apparatus, 7=975
Teichner, W.H., Kobrick, J.L. and Dusek, E.R. Commonplace viewing and depth discrimination, 5=10147. Effects of target separation and distance on commonplace binocular depth discrimination, 6=3409
Teillac, J. Internal conversion: comparison of some experimental and theoretical results, 5=9889. See also Albuoy, G., 9=13629; Bouchez, R., 5=7333; Poffé, N., 9=12670;

Valladas, G. 5=4903

Teirlinck, M. See Van Itterbeek, A., 7=8470, 8=2897

Teisseyre, R. The diffraction of a dipole field by a perfectly conducting wedge, 5=8094. The diffraction on a conducting wedge. The general solutions for dipole field, 6=3043. General solutions for the diffraction of a dipole field by a perfectly conducting wedge, 7=554

Teital, R.J. Conceptual design for internally cooled LMFR, 6=6181

Teitelbaum, P. Magnetic moments of odd nuclei in *jj* coupling, 5=3000

Teitler, S. Generation-recombination noise in a two-level impurity semiconductor, 9=2324

Teitler, S. and Ginsburg, N. Debye–Hückel theory and the concentration dependent dielectric constant, 7=1251. Note on interference fringes from thin windows, 9=3343

Teitler, S. and Wallis, R.F. Entropy, irreversible processes and fluctuations, 9=1095

Teja, J.D. See Burgman, J.O., 9=6017

Telbisz, F. See Chaloupka, P., 9=13409

Telegdi, V.L. Consequences of atomic conversion for the interpretation of experiments on the spin-dependence of muon absorption, 9=13731. See also Ammar, R., 8=297; Bargmann, V., 9=11807*; Brown, L.M., 8=2483; Burgy, M.T., 8=1173, 7251, 9=2597; Cook, B.C., 7=2659; Friedman, J.I., 7=5643, 7416; Levi-Setti, R., 9=10042; Lundy, R.A., 8=7261, 8984; Mayer, M.G., 8=1824; Meyer-Schützmeister, L., 7=1613; Oxley, C.L., 6=1541; Sens, J.C., 8=278, 693, 1856; Swanson, R.A., 9=9969

Telegdi, V.L., Sens, J.C., Yovanovitch, D.D. and Warshaw, S.D. Magnetic quenching of 3-photon annihilation in solids, 7=2615

Telegina, I.V. See Kolontsova, E.V., 7=8273, 8=6411, 9=10304

Telesnin, R.V. and Karchagina, E.V. On magnetic superviscosity of ferrites, 8=7182

Telesnin, R.V. and Lednev, I.A. Observation of magnetic viscosity of ferrites at low temperatures, 7=5457

Telesnin, R.V. and Shishkov, A.G. The influence of magnetic viscosity on the frequency characteristics of ferrites, 8=5118

Telfair, D. The dynamic mechanical and electrical behavior of polymethyl methacrylate, 5=275

Telford, J.W. A new aspect of coalescence theory, 6=9115

Telford, J.W., Thorndike, N.S. and Bowen, E.G. The coalescence between small water drops, 5=6647

Tel'kovskiĭ, V.G. The secondary electron emission from metals under the action of ions and neutral particles, 7=448

Tel'kovskiĭ, V.G. and Pistunovich, V.I. Passage of ions of various gases through a thin silver foil, 7=9731

Teller, E. See also Duerr, H.P., 6=2649; Johnson, M.H., 5=5889; Latter, A.L., 9=9053

Tellex, P.A. and Waldron, J.R. Reflectance of magnesium oxide, 5=1710

Tellez-Plasencia, H. Calculation of the atomic mass and the mean atomic number of mixtures and compounds, 5=8171. The photographic effect of X-rays. The influence of the range of primary or secondary electrons and of the volume of the grains, 5=9330. Studies of the "technical" continuous spectrum of X-rays. II. A universal formula for the total mass absorption coefficient, μ/ρ for X-rays and gamma-rays, 6=1278; III. Universal formula for mass ionization coefficients, i/ρ, of X- and γ-rays, 6=5913. Singular and collective phenomena in X-ray photography, 9=13987

Tel'tevskii, I.A. See Gerasimov, F.M., 9=10874

Teltow, J. Impurity diffusion in polar crystals, 6=795. An elastic model for local defects, 7=9454. See also Ebert, I., 5=7512

Teltow, J. and Wilke, G. On dipole resonance of associated defects in silver bromide, 5=2711

Temesváry, S. The element Cf^{254} and the light curves of type I supernovae. A contribution to the question of the cosmic synthesis of heavy elements, 7=9506. See also Kippenhahn, R., 9=4241

Temkin, A. Polarization and exchange effects in the scattering of electrons from atoms with application to oxygen, 8=5437

Temkin, A.G. Influence of the integral criterion of form on the process of heat conduction, 6=8723. A theorem on the maximum of a temperature gradient, 6=8724

Temkin, A.Ya. The transformation of 2 photons into a π^0-meson and the production of π^0-mesons in the Compton effect, 5=1237. Towards a theory of neutron moderation, 7=6622

Temko, K.V. See Adirovich, É.I., 8=7005

Temko, S.V. On the deduction of the Fokker–Planck equation for a plasma, 7=3330. On the quantum-kinetic equation for systems with several types of charged particles, 9=4316. See also Klimontovich, Yu.L., 8=3200, 9=2901

Temmer, G.M. Angular shapes of nuclei, 9=574. See also Ambler, E., 5=3973, 6=3105; Barloutaud, R., 7=7291; Frankel, S., 8=1926; Heydenburg, N.P., 6=684, 7=2331, 2529

Temmer, G.M. and Heydenburg, N.P. Coulomb excitation process in the lighter odd-mass nuclei, 5=446. Properties of excited states of Pd and Cd nuclei by Coulomb excitation, 5=7279. Fast E2 transition probabilities from Coulomb excitation, 6=1463. Coulomb excitation of medium-weight nuclei, 7=2528. Contribution of Coulomb excitation to inelastic scattering between nuclear resonances, 7=2530. Low-lying excited states of Na^{22}, 9=2705

Temperley, H.N.V. Treatment of liquid He^3 based on the "cell" model, 5=4593. The liquid "cell" model applied to ^{3}He, 6=2043. Combinatorial problems suggested by the statistical mechanics of domains and of rubberlike molecules, 6=5598. New evidence about the nature of the liquid helium transition, 7=1235. The influence of boundary conditions on the Onsager–Ising partition function for the plane square lattice, 7=4523. The statistical mechanics of the steady state, 7=6918. Would a classical gas of non-attracting rigid spheres show a phase transition? 7=6950. A study of the "irreversibility paradox" for a simple statistical assembly, 7=9021. The equation of state of a gas of elastic spheres, 8=915. On the enumeration of Mayer cluster integrals, 9=3166. The equation of state of an imperfect gas of elastic spheres, 9=10627

Tempest, W. See also Parbrook, H.D., 9=1202

Tempest, W. and Parbrook, H.D. Absorption of ultrasound in light gases, 6=3571

Temple, E.B. Quantitative measurement of gas density by means of light interference in a schlieren system, 7=1995

Templeton, D.H. Prediction of Madelung constants, 6=519. Rate of convergence of Madelung series by the method of Bertaut, 6=788. Systematic absences corresponding to false symmetry, 6=8473. Accuracy of bond distances in oblique coordinate systems, 9=13921. See also Jones, R.E., 7=2796

Templeton, D.H. and Dauben, C.H. Lattice parameters of some rare earth compounds and a set of crystal radii, 5=2319

Templeton, I.M. A superconducting reversing switch, 5=5364. A superconducting modulator, 5=7980. See also Christian, J.W., 8=5014; Jan, J.P., 8=5013; Linhart, J.G., 6=2882; MacDonald, D.K.C., 8=5933, 9=2364; Pearson, W.B., 5=8786, 8=1711

Tenaglia, L. Structure of the proton and electron-proton scattering, 7=7593. Electromagnetic properties of the proton and renormalization of the coupling constant, 7=8380. Decay rate and spectrum of electrons from μ^--mesons of the K-shell, 9=12567

ten Bruggencate, P. The temperature of the solar atmosphere, 5=1457

ten Bruggencate, P. and Elste, G. Temperature and turbulence in quiescent prominences determined from line-widths, 9=1003

ten Bruggencate, P. and Voight, H.H. The tower telescope of Göttingen observatory. II. Instrumental adjuncts and improvements, 9=10498

Tendam, D.J. See Bleuler, E., 6=640; Gailar, O.H., 9=3903; Seidlitz, L., 8=5364

Tenerz, E. Remarks on the calculation of characteristic temperatures of cubic crystals from the elastic constants, 7=4574. On the calculation of lattice vibrations in KCl, 8=6396

Teng, L.C. Linear theory of betatron oscillations in sectorial cyclotrons, 7=4462.

Teng, L.C. Continual injection into circular ion accelerators, 6=5944

Teng Fan, T.Y. The character of the instability of an incompressible fluid of constant kinematic viscosity and exponentially varying density, 5=4325

Ten Gyn. See Barashenkov, V.S., 9=3886

Tennent, R.M. A method of detecting an observer bias, 8=4695. See also Hillas, A.M., 8=1180

Tennery, V.J. and Anderson, F.R. Examination of the surface and domain structure in ceramic barium titanate, 9=866

Ten Seldam, C.A. Calculation of the interatomic distance at which a model of compressed solid helium becomes a metal, 7=4576; Addendum, 7251. See also Michels, A.,

8=3160, 9=6968
Tensmeyer, L.G. See Eyring, H., 6=4365
Tentyukova, G.N. See Mukhin, A.I., 7=6608
Tenzer, R.K. A precision measuring arrangement for research on the ageing of permanent magnets, 6=3028. See also Kronenberg, K.J., 8=8925; Sixtus, K.J., 6=8865
Tenzer, R.K. and Kronenberg, K.J. Phase analysis of Alnico V based on temperature effects, 8=9139
Teodoresco, I. See Popovici, A., 9=9217
Teodorovich, É.V. Effect of the structure of the proton on the Lamb shift, 8=2602. "Latent structure" in the Lee model, 9=12999
Teodorovich, É.V. and Kolesnikov, N.N. Role of three-particle forces in the three-body problem, 7=8098
Teplov, I.B. Investigation of (d, p) reactions in phosphorus and chlorine, 7=712. See also Komarov, V.V., 9=2835; Neudachin, V.G., 9=12678
Teplov, I.B. and Yur'ev, B.A. Investigation of the reactions $K^{39}(d,p)K^{40}$ and $Ca^{40}(d,p)Ca^{41}$, 8=6308. Angular distributions for some (d, p) reactions, 8=8326
Teplov, I.B., Yur'ev, B.A. and Markelova, T.N. Angular distribution of products of the reaction $S^{32}(d,p)S^{33}$, 7=6568
Teplova, Ya.A. See also Nikolaev, V.S., 8=1730, 4090, 5986
Teplova, Ya.A., Dmitriev, I.S., Nikolaev, V.S. and Fateeva, L.N. On the interaction between lithium ions and matter, 8=1744. Range and specific ionization of multi-charged ions in gases, 8=7136
Terada, J. An X-ray study of barium-strontium-calcium triple oxide, 5=8313
Ter-Akop'yan, G.M. See Karnaukhov, V.A., 9=13675
Teramoto, E. Statistical theory of chain molecules, 5=9391. The statistical mechanical aspect of the H-theorem. II, 6=8010. See also Kurata, M., 8=3775; Segawa, T., 5=777; Siegert, A.J.F., 8=5631
Teramoto, E., Kurata, M., Chûjô, R., Suzuki, C., Tani, K. and Kajikawa, T. Statistical properties of lattice chains, 6=1729
Teramoto, E. and Suzuki, C. The statistical mechanical aspect of H-theorem, 6=6434
Terandy, J. See Hart, E.J., 9=3802
Teranishi, S. and Tarama, K. Magnetic and electric properties of vanadium trioxide, 8=3246
Teranishi, T. See Kamada, K. 9=11441
Terao, K. The ignition mechanism in the Diesel engine. I, 5=4145; II, 5=7454
Terao, N. On the resistance to rupture of glass at low pressure, 5=6555. See also Trillat, J.-J., 5=6601, 6=5448, 9=6288
Terao, N. and Berghezan, A. Transformation of metal lattices under the influence of impurity elements: transformation of nickel under the influence of nitrogen, 9=10397
Terasawa, T. See Sano, M., 8=6285
Terashima, Y. On the plural-multiple model of high energy meson showers, 5=9942. See also Hayakawa, S., 6=6761
Terekhov, Yu.V. See Burgov, N.A., 9=2744, 8537, 8539
Terenin, A. See also Ermolaev, V., 9=1317; Wilessow, F., 9=13367
Terenin, A. and Putzeiko, E. Optical sensitization of semiconductors by chlorophyll and related pigments, 9=4576
Terenin, A.N. See also Tagantsev, K.V., 7=6017, 9626
Terenin, A.N. and Ermolaev, V.L. Intermolecular transfer of energy in the phenomenon of sensitized luminescence of organic systems. II, 6=6533
Terenine, A. Action of additional illumination or of a constant field on the spectrum of photoelectric sensitivity, 7=4201
Terenine, A., Putzeiko, E. and Tagantzev, K. The action of vapours and of oxygen on the photoelectric effect and luminescence of ZnO, 7=4187
Terent'ev, I.A. See Novozhilov, Yu.V., 9=10618
Terent'ev, V.V. See Flerov, G.N., 8=3388
Terent'eva, L.V. See Tatarskii, V.I., 9=10432
Terentiuk, F. Measurement of artificial radioactivity in the atmosphere at Ottawa, Canada, 8=4592
Terfloth, H.P. See Jensen, P., 6=1631
ter Haar, D. On the use of grand ensembles in statistical mechanics; a new derivation of Saha's formula, 5=8521. Foundations of statistical mechanics, 6=95. On the transport properties of metals and semi-conductors, 6=2867. Theories of collective behaviour, 8=885. Problems of collective motion in physics, 9=5382. Collective phenomena in science, 9=9252. See also Coldwell-Horsfall, R.A., 6=496, 8=3453, 9=6943; Dempsey, E., 6=2994; DempseGreen, C.D., 5=3467
ter Haar, D. and Green, C.D. The Ehrenfests' wind-wood model in two dimensions, 5=1789
ter Haar, D. and Neaves, A. Heat conductivity of semiconductors, 5=3726. On the thermo-electric power of metals, 5=3794. On thermal conductivity and thermoelectric power of semiconductors, 7=7047
ter Haar, D. and Nicol, W.M. Proof of the Heisenberg relations, 5=7711
ter Haar, D., Nicol, W.M. and Barnett, M.P. On the existence of a bound state in neon, 7=8464
ter Horst, D.T.J. and Rutgers, G.A.W. Current-zero phenomena in high current a.c. arcs, 7=3320
Terhune, E.A. See Stroud, W.G., 5=6643
Terhune, R.W. See also Kikuchi, C., 9=8349; Makhov, G., 8=4174; Suits, G.H., 7=2226
Terhune, R.W. and Peters, C.W. Electric field induced vibration rotation spectrum of H_2 and D_2, 9=6724
Terletskiĭ, Ya.P. Relativistic effects of repulsion in a scalar field and of attraction in vector field, 6=5680. Further discussion on fluctuations in gravitating systems, 6=6296. Systematics of Salam and Polkinghorne and the hypothesis of the neutron charge, 6=8969. The structure of elementary particles, 7=2980. On a rational system of symbols for elementary particles, 7=2987. A more accurate diffusion equation for cosmic protons in interstellar medium, 7=5799. Production of very strong magnetic fields by means of a rapid compression of conducting shells, 7=8006. The motion of attenuated plasma in an alternating magnetic field, 7=9709. See also Glasko, V.B., 9=2046; Konyukov, M.V., 5=5946, 7=430; Logunòv, A.A., 6=7938; 7=5798; Magalinskiĭ, V.B., 6=4834, 8=5232, 7721
Terletskij, I.P. On the calculation of fluctuations and correlations by the Gibbs method, 8=1539
Terletskij, J.P. See Konjukov, M.V., 9=2424
Ter-Martirosyan, K. Equation for vertex part corresponding to fermion–fermion scattering, 9=1081
Ter-Martirosyan, K.A. Reaction (d, p) on heavy nuclei, 6=3213. Charge renormalization for arbitrary values of e_0 which are not small, 7=1054. See also Abrikosov, A.A., 8=6628; Berestetsky, V.B., 8=6255, 9=1741; See also Dyatlov, I.T., 6=5702, 8=5214; Gol'din, L.L., 9=2739, 12621; Pomeranchuk, I.Ya., 6=7126; See Skornyakov, G.V., 6=6358, 7=3004; Sudakov, V.V., 7=3975
Ter-Mikaelyan, M.L. Scatter of high-energy electrons in crystals, 5=987. The interference emission of high-energy electrons, 5=991. Spectrum of damaging radiation in a [refracting] medium, 7=3118. Contribution to the theory of multiple scattering, 9=11840
Ter-Mikayelian, M.L. On the theory of multiple scattering, 9=8571
Terminasov, Yu.S. See Gal'perin, E.L., 9=8913
Ter Minassian-Saraga, L. Contribution to the study of adsorption and desorption on the surfaces of liquids, 5=5055. See also Zutrauen, H.A., 5=7926
Ternov, I.M. See Sokolov, A.A., 6=5153, 7=2290*, 2320, 3980, 8=1828, 9=9226
Ternov, I.M. and Tumanov, V.S. Radiation from a polarized radiating electron, 9=12996
Terol, S. and Otera de la Gándara, M.J. Luminescence of the anhydrous borates of zinc. II. Activation with manganese, 9=10811
Ter-Pogossian, M.M. See Seaman, W.B., 5=10134
Terpstra, J. An optical dilatometer, 7=1212
Terracini, O. See Ferrero, F., 9=1777
Terrani, S. See Bisi, A., 5=4012, 5599, 9053, 6=3149, 6105, 8345, 7=3534; Bolla, G., 5=1895; Kaftal, S., 7=3776
Terreaux, C. Nuclei levels and the shell model, 9=6060. See also Bleuler, K., 5=3124, 6384, 7=8775; Heitler, W., 5=9391
Terrell, J. Distributions of fission neutron numbers, 8=7395. Fission neutron spectra and nuclear temperatures, 9=5074. See also Diven, B.C., 6=2423, 8=765
Terrell, J. and Holm, D.M. Excitation function for $Fe^{56}(n,p)Mn^{56}$, 8=2585
Terrell, J.R. See Johnson, J.C., 5=6020
Terrien, J. Standards of light, 5=819. Measurement of length by interference, 6=4342. Measurement of the luminous flux from sources of light: selection and properties of the white paint used in a photometric sphere, 6=8642. Standard wavelengths in the visible spectra of krypton-86 and mercury-198, 8=6806. Discussion of the reproducibility

of the wavelength of the $2p_{10}$-$5d_5$ emission line of Kr^{86}, the proposed standard unit of length, 9=12005

Terrien, J. and Hamon, J. Optical interference with a metre path difference, 5=222. On the interferometric measurement of length with a photoelectric method of observation, 7=2079*

Terrien, J., Hamon, J. and Masui, T. Spectral profile and causes of broadening of certain highly monochromatic radiations of mercury-198, 8=568. Spectral profile and causes of broadening of certain highly monochromatic radiations of krypton-86, 8=569

Terrien, J. and Masui, T. Interferometric measurement of the wavelength, of certain radiations in the near infra-red, 7=2080

Terrier, C. See Bizette, H., 7=2405, 4545, 9268, 8=3245

Terry, J.E. Cherenkov radiation and its practical applications, 7=5398

Terry, J.E. and Skeats, N.B. Liquid metal coolants, 5=5355

Terry, N.B. Some considerations of the magnetostrictive composite oscillator method for the measurement of elastic moduli, 7=7463. The behaviour of a vibrating visco-elastic cylinder, 8=3795

Terry, N.B., Mumford, H. and Holloway, D.G. Novel uses of the ultrasonic light cell, 6=8629

Terry, N.B. and Woods, H.J. A magnetostrictive oscillator for measuring elastic wave velocities in small rods, 5=5275. The measurement of elastic wave velocity in small cylindrical specimens, 5=9180

Ter-Sarkisyan, G.S. See Nikitina, A.N., 7=6994

Terskiĭ, A.A. See Faĭdysh, A.N., 7=7013

Tertian, L. See also Robin-Kandare, S., 9=13828; See Trillat, J.J., 5=6601, 6=5448, 9=1899, 6288

Terwilliger, K.M. See also Cole, F.T., 7=7949; Hammer, C.L. 5=8000; Jones, L.W., 7=446; Kerst, D.W., 6=5157; Symon, K.R., 7=1382

Terwilliger, K.M., Jones, L.W. and Pruett, C.H. Beam stacking experiments in an electron model F.F.A.G. accelerator, 8=1720

Terwilliger, M.A. See Harrison, A.J., 9=5519

Tesch, K. See Fucks, W., 7=7474

Tessman, J.R. Magnetic anisotropy at 0°K, 5=1060

Testerman, M.K. See Cannon, W.W., 7=1388; Raible, R.W., 5=5267

Teszner, S. See Bobenrieth, A., 5=1907

Tetel'baum, Ya.I. Diffraction of radio waves by a flat [rectangular] plate, 5=8934

Tetenbaum, M. See Linnenbom, V., 5=8309

Teterina, N.A. See Vashman, A.A., 9=11991

TeTse, Chang. See Berreman, D.W., 9=9045

Teucher, M. On a star with more than 200 shower particles, 5=6267. See also Castagnoli, C., 5=6484*; Haber-Schaim, U., 5=8279; Hänni, F., Hänni, F.D., 7=3415; Lohrmann, E., 5=9965, 6=3806; Winzeler, H., 6=6182

Teucher, M., Thirring, W. and Winzeler, H. A search for angular correlations in τ-meson decay, 5=6497

Teucher, M., Winzeler, H. and Lohrmann, E. A possible example of production and annihilation of an antiproton, 6=5062

Teucher, M.W. See also Jain, P.L., 9=13408, 13671; Lohrmann, E., 9=4957, 13670

Teucher, M.W., Haskin, D.M. and Schein, M. Production spectrum of mesons in high-energy nucleon–nucleon collisions, 9=3755

Teucher, M.W., Lohrmann, E., Haskin, D.M. and Schein, M. Nuclear interaction of a proton of about 10^{15} eV producing an electron–photon cascade of 2.4×10^{13} eV, 9=12419

Teunissen, P. See Poulis, J.A., 7=1433

Teutonico, L.J. See also Truell, R., 7=4902; Waterman, P.C., 7=3099

Teutonico, L.J., Granato, A. and Truell, R. Effect of copper on ultrasonic attenuation in germanium, 6=8057

Teutsch, W.B. See also Arnowitt, R., 7=3705; Okubo, S., 9=4946; Weinberg, S., 8=7282

Teutsch, W.B. and Hughes, V.W. Effect of an electric field on positronium formation gases: Theoretical, 6=8950

Teutsch, W.B. and Love, W.F. Hall effect and resistance of dilute gold-chromium alloys at low temperatures, 7=3250

Teutsch, W.B. and Sudarshan, E.C.G. Decay of the cascade particles, 9=9964

Tevikyan, R.V. Solution of Schwinger's equation for the Bloch–Nordsieck model, 6=7120. Two-electron Green's function in the Block–Nordsieck approximation, 8=1501. Green's function in scalar electrodynamics in the Bloch–Nordsieck approximation, 8=1502. On improvement of perturbation theory formulae, 8=1831. The n-electron Green's function in the Bloch–Nordsieck approximation, 9=4272

Tewari, S.G. See Cadambe, V., 6=5707

Tewes, H.A. Excitation functions for some proton-induced reactions of thorium, 5=4931. See also Coleman, G.H., 5=8231

Tewordt, L. The theory of electron impact ionization in insulating crystals, 5=329. Distortion of the lattice around an interstitial, a crowdion, and a vacancy in copper, 8=1326. See also Bardeen, J., 9=5733; Madelung, O., 5=8761

Thacher, H.C., Jr. See Dahler, J.S., 6=8024

Thackeray, A.D. Note on small dark clouds, 6=1786. Spectroscopic indications of an internal spiral arm in the Galaxy, 7=3926

Thackeray, D.P.C. Preferential ionization of argon in the presence of air and its application to electric discharge devices, 8=1076. The emission of light from electric discharges of microsecond durations in gases at atmospheric pressure, 8=3912. A spectrograph attachment for high speed cameras, 8=5765. See also Courtney-Pratt, J.S., 7=9487

Thaler, R.M. Polarizability of the neutron, 9=9958. See also Biedenharn, L.C., 6=554, 1470; 7=3528; Gammel, J.L., 7=105, 2997, 7971, 8=270, 2473, 6137; Goldstein, M., 6=1561; Igo, G., 7=5616, 8=2504; Kerman, A.K., 9=6105; McManus, H., 8=6138

Thaler, R.M. and Biedenharn, L.C. A note on the calculation of Coulomb penetration and Coulomb wave functions, 7=9308

Thaler, R.M., Goldstein, M., McHale, J.L. and Biedenharn, L.C. Calculation of electric dipole Coulomb excitation and dipole bremsstrahlung, 6=5935

Thambyahpillai, T. See van Heerden, I.J., 6=2986

Thamer, B.J. See Bidwell, R.M., 6=8999

Theilacker, W. See Kortüm, G., 6=1718, 9=5598

Theimer, O. Selection rules for Raman scattering: the case of calcite, 5=8640. Selection rules and temperature dependence of the first-order Raman effect in crystals, 6=3637. Raman and infrared intensities in the vibrational spectra of hydrocarbons. II. The CH vibrations of straight n-paraffins, 8=120. Equilibrium concentration of vacancy pairs in ionic crystals, 8=9118. Spectroscopic determination of the absolute bond moment of the CH bond in ling hydrocarbon chains, 9=3297. Entropy of vacancies in ionic crystals, 9=4025. On the reciprocal action energy of charge carriers in a plasma, 9=4749. On the effective ionization potential of atoms in a plasma, 9=7119. See also Hoffman, H., ~~8=3197, 9=187~~; Plint, C.A., 9=1342

Theimer, O. and Plint, C.A. Light scattering by nearly perfect crystals, 8=3904

Theimer, O.H. Raman and infrared intensities in the vibrational spectra of hydrocarbons. I. Skeletal vibrations of straight zigzag chains, 7=9618

Theimer, R. See also Narasimham, N.A., 7=9619; Nielsen, J.R., 8=122, 9=3976

Theimer, R. and Nielsen, J.R. Infrared and Raman spectra of fluorinated ethylenes. VII. 1, 1-difluoro-2, 2-dibromoethylene, 7=7750; VIII. 1, 1-difluoro-2-bromoethylene, 7=9086; Infrared and Raman spectra of fluorinated ethanes. IX. 1, 1, 1-trifluoro-2-chloro-2-bromoethane, 8=121. Infrared and Raman spectra of fluorinated ethylenes. IX. 1, 1-Difluoro-2-chloro-2-bromoethylene, 9=3294

Theis, W. Electron optical investigations on Se, 6=1651

Theis, W.R. Structure of phase space and a relation between angular momentum and density distribution of nucleons in the nucleus, 5=3960. Classical derivation and interpretation of Heber's nucleon model, 6=909. Towards a basis of the Thomas-Fermi statistical theory, 6=939. A unified statistical treatment of the valence electrons in metals, 6=1414. Explicit potentials for given scattering functions of charged particles with absorption, 8=886. The influence of the electron polarization on the cross-section for pair-annihilation in flight, 8=6129. A classification of the various terms in weak interactions, 8=7691. See also Böckmann, K., 8=7236

Theissing, H.H. and Caplan, P.J. Atmospheric attenuation of solar millimeter wave radiation, 6=6268. Measurement of the solar millimeter spectrum, 7=1013

Theissing, H.H., Dieter, F.A. and Caplan, P.J. Analysis of the

emissive phase of a pulsed maser, 9=2528
Thekaekara, M. and Dieke, G.H. Emission lines from preionized levels in krypton and xenon, 8=2233
Thelen, A. Contribution to the theory of reduction of reflection with multilayers, 7=5237
Thelen, A. and König, H. Electric conductivity and structure of sputtered indium oxide films, 7=788
Theillier, E. Recent improvements in geomagnetic measurements, 7=4910
Thellung, A. On the energy spectrum in quantum hydrodynamics and the theory of helium II, 6=6562. Quantum hydrodynamics and the theory of helium II, 9=2272. See also Chester, G.V., 7=6905
Thenard, J. and Guillon, H. Time selectors using delay lines, 7=2352
Thénard, M. See Le Gallic, Y., 7=9365, 9=3869
Théodoridès, P. Shock wave in a non-monatomic fluid, 9=6633
Theuerer, H.C., Whelan, J.M., Bridgers, H.E. and Beuhler, E. Heat treatment of silicon using zone heating techniques, 8=3121
Theus, R.B. See also Harris, E.G., 7=4410
Theus, R.B. and Beach, L.A. Angular correlations in the two-photon Compton effect, 7=7350
Theus, R.B., Beach, L.A. and Faust, W.R. Analysis of scintillation spectrometer observations of the penetration of Cs^{137} gamma radiation through water, 5=4925
Thewlis, J. Unit-cell dimensions of lithium fluoride made from Li^6 and Li^7, 5=4205. Neutron radiography, 7=769. See also Berman, R., 6=1162; Tucker, C.W., Jr, 7=3840
Thewlis, J. and Davey, A.R. Thermal expansion of grey tin, 5=1757. Thermal expansion of diamond, 6=6558
Thewlis, J. (Ed). Irradiation damage, 9=5163
Thews, G. and Lübbers, D. A rapid recording absorption spectrophotometer, 5=7836
Thibaud, J. See also Leuba, P., 5=8244
Thibaud, J., Verzaux, P. and Salin, R. First results obtained with the 1 MeV particle accelerator installed at Lyons, 5=1911
Thie, J.A. Boiling-water-reactor instability, 8=7404. Fluid poison control of boiling water reactors, 8=7413
Thieberger, R. Calculations in nuclear spectroscopy with the harmonic oscillator shell model, 7=8093. See also Talmi, I., 6=7622
Thieberger, R. and de-Shalit, A. Binding energies of heavy nuclei, 8=304. The 3^- level in A^{40}, 8=5274
Thieberger, R. and Talmi, I. Lowest states of particle excitation in even-even nuclei, 6=6067
Thiede, F.C. See Armington, J.C., 5=666
Thiede, H. Observation of an interference effect in echo-sounding over great distances, 5=1652. Investigations on the properties of ferrites as transducers for liquids, 5=2521
Thiel, H. On the crystal structure of black phosphorous, 6=5536
Thiel, M. Van. See Van Thiel, M.
Thiele, B. See Becherer, G., 9=5241
Thiele, R. See Kuttruff, H., 5=1650
Thielemann, W. Some field dependent effects during partial irradiation of CdS single crystals, 9=5726. Field effect in CdS single crystals, 9=10991
Thielemann, W. and Kreher, K. Induction phenomena in photoconducting single crystals, 9=13319
Thielens, G. New scintillators for the detection of thermal neutrons, 8=3276
Thielert, R. See Bagge, E., 7=4516
Thielheim, K.O. Multiplication of fast neutrons in thick fuel elements, 9=6148. On the transport theory treatment of small critical research set-ups. II, 9=7377. The transport theory treatment of small, critical pieces of fuel. I, 9=8656
Thieme, M.T. and Bleuler, E. Conversion of the Pt^{196} gamma rays, 6=2379. Decay scheme of Au^{194}, 6=3948
Thiers, R.E. See also Baker, M.R., 9=914; Valle, B.L., 6=2137
Thiers, R.E., Margoshes, M. and Vallee, B.L. Simple ultraviolet photometer, 9=9371
Thies, H.H. See Spicer, B.M., 8=8331
Thiessen, G. On the solar granulation, 5=4296. Color- and light-intensity distribution in the central region of M 31, 6=1820. Observations of pulsating stars. I. The supergiant system, BM Cassiopeiae, 6=5663. Synchrotron radiation from the Crab nebula, 7=7551. Observations on pulsating stars. II. Estimation of the true pulsation velocity from measurements of the radial velocity, 9=5335
Thiessen, G.J. On the efficiency of an acoustic line source with progressive phase shift, 6=153. Performance of a type B fog horn, 6=3558. Improved type B fog-horn system using exponential and catenoidal horns, 6=4259. See also Embleton, T.F.W., 9=2177; Shaw, E.A.G., 8=2719
Thiessen, G.J. and Embleton, T.F.W. Efficiency of a linear array of point sources with linear phase variation, 8=8655
Thiessen, G.J. and Shaw, E.A.G. Acoustic irritation threshold of ringbilled gulls, 8=1385
Thiessen, G.J., Shaw, E.A.G., Harris, R.D., Gollop, J.B. and Webster, H.R. Acoustic irritation threshold of Peking ducks and other domestic and wild fowl, 8=1384
Thimm, G. See Bergmann, G., 9=1295
Thirion, J. See also Mackin, R.J., 6=4615; 7=1564; Naggiar, V., 6=5378, 7=1506
Thirion, J. and Barloutaud, R. Gamma-rays from the inelastic scattering of protons by nitrogen 14, 5=8240
Thirring, W. On the meson-meson interaction, 5=1527. Coherent meson processes, 5=2197. Renormalization of meson pair theory, 6=84. Introduction to quantum electrodynamics, 6=1843. On the interpretation of the interaction of low-energy π-mesons, 6=3490*. Depolarization of stopped particles, 7=755. On interacting spinor fields in one dimension, 9=2066. On the number of fundamental fields, 9=6517. Lorentz-invariant theories of gravitation, 9=11782. See also Deser, S., 5=1126; Haber-Schaim, U., 5=7701; Teucher, M., 5=6497
Thirring, W.E. A soluble relativistic field theory, 8=2758. Theory of the internal space, 9=1045. See also Fubini, S., 7=3950
Thiry, H. Contribution to the standization of radioactive elements. Measurement of radioactive lifetimes, 7=7324
Thiry, Y. On the static character of a stationary model universe in the Jordan-Thiry unified theory, 6=894
Thoburn, W.C., Legvold, S. and Spedding, F.H. Magnetic properties of the Gd-La and Gd-Y alloys, 8=6042. Magnetic properties of terbium metal, 9=3634
Thode, H.G. See also Blades, A.T., 6=600, 7=730; Fleming, W.H., 7=727, 3593; Kennett, T.J., 6=6917, 7=9891; Petruska, J.A., 6=680; Wanless, R.K., 5=9110; Yaffe, L., 5=1217
Thodos, G. See Schaefer, C.A., 9=249
Thom, H.E., Wahler, B.E. and Schoffa, G. Paramagnetic resonance in free radicals. I. Diaryl nitric oxide radicals, 9=5918
Thom, H.G. See Pupke, H., 6=3763
Thoma, H.U. See Baumgartner, W., 5=6126
Thomaes, G. Thermodiffusion in condensed phase systems. New apparatus for measurement of soret coefficients, 6=4874. Thermal diffusion near the critical solution point, 6=7189
Thomas, A.G. The departures from the statistical theory of rubber elasticity, 5=5675. Shape of a liquid interface, 7=5914. See also Barrett, L.R., 9=6580; Long, D.A., 7=1205-6
Thomas, A.R. See Richards, E.W.T., 7=8506
Thomas, A.R., Schurin, B. and Morris, J.C. Temperature error associated with imbedded thermocouples, 9=3404
Thomas, B.S. and Holladay, W.G. Statistics of pi mesons, 8=5221
Thomas, C.C., Jr, Sun, K.H. and Marusich, E.A. Čerenkov-photovoltaic monitor for high-intensity radiation, 7=9726
Thomas, D.A. Characteristic impedances for flexure waves in thin plates, 8=8638
Thomas, D.A. and Robinson, D.W. Some dynamic mechanical properties of polyisobutylene over a wide temperature range, 5=3185
Thomas, D.E. See Beale, J.R.A., 9=4599
Thomas, D.G. Infrared absorption in zinc oxide crystals, 9=6749. The diffusion and precipitation of indium in zinc oxide, 9=8882. See also Collins, R.J., 9=4614; Krusemeyer, H.J., 8=5873
Thomas, D.G. and Lander, J.J., Hydrogen as a donor in zinc oxide, 7=2239
Thomas, D.G.B. Physical properties of certain liquid binary alloys of tin and zinc. Appendix: the determination of viscosity, 8=899
Thomas, D.K. and Baker, T.W. X-ray diffraction studies of "active" magnesium oxide, 7=1758
Thomas, E. Ionization pumps. Pumps using evaporation and ionization, 6=8032. Device for the production by lazy-tongs of straight line translatory motion within a vacuum, 6=8622. Study of an evaporation and ionization [evaporion] pump, 9=9312

Thomas, E. and Van Steenbrugghe, R. Apparatus for feeding Ti into a vapour-ion pump, 9=7859
Thomas, F.G. See Duncan, J.F., 8=5188
Thomas, G. See Nicholson, R.B., 8=3495
Thomas, G.E. See Bollinger, L.M., 6=673, 7=3670, 7979
Thomas, G.L. See Laufer, A.R., 7=185
Thomas, H. The outer photoelectric effect of the alkali metals. I. The dependence on layer thickness for potassium of the range of photo-electrons in the metal, 7=7121. See also Ketelle, B.H., 6=6860; Mayer, H., 6=6610, 7=7122
Thomas, H.C. See Brosi, A.R., 9=4996; Gaines, G.L., Jr, 6=1711; Merriam, C.N., Jr, 6=4729
Thomas, J. See Ayant, Y., 9=7151, 13431
Thomas, J.A. Sporadic E at Brisbane, 6=7079. Double-layer phenomena in the E_s region, 7=6765
Thomas, J.A., Brown, H.E. and Cairns, G.G. A further note on ionospheric recorders and sporadic E, 8=6533
Thomas, J.A. and Burke, M.J. Motion in the night-time E_s region at Brisbane, 7=5755
Thomas, J.A. and Svenson, A.C. Lunar tide in sporadic E at Brisbane, 6=6266
Thomas, J.A., Svenson, A.C. and Brown, H.E. Ionospheric recorders and sporadic E, 6=7865
Thomas, J.B. See also Williams, T.R., 9=9595
Thomas, J.B. and Williams, T.R. On the detection of signals in nonstationary noise by product arrays, 9=6662
Thomas, J.B. and Wong, E. Experimental study of d.c. corona at high temperatures and pressures, 9=3538
Thomas, J.E., Jr. and Rediker, R.H. Effect of electric field on surface recombination velocity in germanium, 6=2103
Thomas, J.G.N. See Salt, F.W., 7=1679
Thomas, J.J. See Dousmanis, G.C., 9=2319
Thomas, J.O. The distribution of electrons in the iono-sphere, 9=7677. See also Beynon, W.J.G., 7=1781; Ratcliffe, J.A., 6=7870; Schmerling, E.R., 6=7869
Thomas, J.O., Haselgrove, J. and Robbins, A. The electron distribution in the ionosphere over Slough. I. Quiet days, 8=2067
Thomas, J.O. and Robbins, A. Ionospheric true height and M.U.F. calculations, 8=3606
Thomas, J.O. and Robbins, A.R. Movements in the F2 layer of the ionosphere during the solar eclipses, 6=7056
Thomas, J.O. and Vickers, M.D. The conversion of ionospheric virtual height-frequency curves to electron density-height profiles, 9=11652
Thomas, J.T., Fox, J.K. and Callihan, D. A direct comparison of some nuclear properties of U-233 and U-235, 9=13712
Thomas, J.W. The diffusion battery method for aerosol particle size determination, 5=10040
Thomas, K. See also Franks, A., 8=6510; Wright, P., 8=9200
Thomas, K. and Franks, A. Study of X-ray scattering from fatigued metals, 9=7045
Thomas, K.A. See Hindmarsh, W.R., 9=6707
Thomas, L.A. See Brown, C.S., 5=6600, 7=1262; Kell, R.C., 7=7675
Thomas, L.B. and Schofield, E.B. Thermal accommodation coefficient of helium on a bare tungsten surface, 5=6584
Thomas, L.F., Sherrard, E.I. and Sheridan, J. The microwave spectra of some partially deuterated methyl derivatives. I. Methyl cyanide and methyl acetylene, 5=6019
Thomas, L.H. Tables of statistical electron distributions for atoms with degree of ionization zero to four and of the corresponding electrostatic potentials, 5=458. General relativity and particle dynamics, 9=3106. See also Tycko, D.H., 8=1992
Thomas, L.H. and Umeda, K. Dependence on atomic number of the diamagnetic susceptibility calculated from the Thomas-Fermi-Dirac model, 6=8935. Atomic scattering factors calculated from the T.F.D. atomic model, 7=6467
Thomas, M.T. See Russek, A., 8=8846, 9=12399
Thomas, N. On the production of sound by jets, 5=6816. See also Bernard, R., 6=5010
Thomas, P.J. See Maccoll, A., 6=1674
Thomas, P.M. See Barrow, R.F., 8=2612
Thomas, R. See Green, J.R., 7=3040
Thomas, R.D. Simplified air-sampling method, 9=12520
Thomas, R.G. Collision matrices for the compound nucleus, 5=1543. A formulation of the theory of alpha-particle decay from time-independent equations, 5=4022. Correction to the exponential dependence of neutron transmissions, 5=4945. Collision matrix for (n, p) and (p, d) reactions, 6=677. See also Lane, A.M., 5=6392; 8=9045; Porter, C.E., 7=1619
Thomas, R.G., Walt, M., Walton, R.B. and Allen, R.C. Spin dependence of the S-wave neutron interaction with Li^7, 6=1593
Thomas, R.H. See Lockett, E.E., 7=4663
Thomas, R.N. The source function in a non-equilibrium atmosphere. I. The resonance lines, 9=11742. See also Athay, R.G., 6=3446-7, 7=4995, 8=4653, 4657, 9=6457; Bhatnagar, P.L., 7=3929; Burgers, J.M., [Eds.], 8=8568; Jefferies, J.T., 9=11743-4
Thomas, T.D. See also Vandenbosch, R., 9=3932
Thomas, T.D., Vandenbosch, R., Glass, R.A. and Seaborg, G.T. Decay properties of Pu^{235}, Pu^{237}, and a new isotope Pu^{233}, 7=7329
Thomas, T.S.E. A method of measuring the thermal constants of granular materials, 8=1009
Thomas, W. The second virial coefficients of A, Kr, Xe, N_2, and CO_2 in the temperature range 0° to 1200°C, 7=6947. See also Hess, E., 6=945; Moser, H., 7=7067-8
Thomas, W.J.O. See also Gordy, W., 6=2515
Thomas, W.J.O., Cox, J.T. and Gordy, W. Millimeter wave spectra and centrifugal stretching constants of the methyl halides, 5=190
Thomas, W.R. and Leak, G.M. The diffusion of carbon in alpha iron, 5=565. The binding energy of nitrogen in a dislocation, 6=2265. The binding energy of nitrogen in a dislocation, 9=4022
Thomassen, J. See Nordhagen, R., 7=667
Thomassen, L. See Grimes, D.M., 6=1689
Thomassin, F. See Taurel, L., 8=3069
Thomer, G. See Schall, R., 6=2152
Thommen, K. The sputtering of crystals by canal rays, 8=8463
Thompson, A.B. See Ellis, R.A.E., 7=311
Thompson, A.L. See Dahlstrom, C., 9=2722; Danby, G.T., 9=2723
Thompson, A.M. See also Worthley, B., 8=1718
Thompson, A.M. and Lampard, D.G. A new theorem in electrostatics and its application to calculable standards of capacitance, 6=6588
Thompson, A.R. See Brown, R.H., 5=8444, 7=22; Maxwell, A., 8=1436
Thompson, B.J. Illustration of the phase change in two-beam interference with partially coherent light, 8=1627. See also Taylor, C.A., 8=1370, 8523, 9=2247
Thompson, B.J. and Wolf, E. Two-beam interference with partially coherent light, 7=9643
Thompson, B.W. Portable survey meter for fast and slow neutrons, 5=5660
Thompson, C.M. See Boggs, J.E., 9=8068
Thompson, D.D. See McConnell, H.M., 7=6405, 9=8353
Thompson, D.J. See Dunn, P.D., 7=4563, 8=8034. 9=3665
Thompson, D.O. Temperature dependent creep in zinc crystals, 5=4135
Thompson, D.O., Blewitt, T.H. and Holmes, D.K. Low-temperature measurements of the Young's modulus and internal friction of copper during irradiation, 8=412
Thompson, D.O. and Glass, F.M. Elastic constant-internal friction spectrometer, 9=4073
Thompson, D.O. and Holmes, D.K. Dependence of Young's modulus and internal friction of copper upon neutron bombardment, 6=5454. Effects of neutron irradiation upon the Young's modulus and internal friction of copper single crystals, 6=6972. Dislocation contribution to the temperature dependence of the internal friction and Young's modulus of copper, 9=7550
Thompson, D.O., Holmes, D.K. and Blewett, T.H. Neutron irradiation effects upon Young's modulus and internal friction of copper, 6=729
Thompson, G.I. The continuous spectrum of the low chromosphere, 9=7746
Thompson, H.B. and Rogers, M.T. Conductance apparatus for use with unplatinized electrodes, 7=6663
Thompson, H.W. Advances in molecular spectroscopy, 6=2780. See also Checkland, P.B., 5=3569; Christensen, M.T., 5=1082, 7=6389; Dagg, I.R., 7=1484; Mills, I.M., 5=1086, 2942; Overend, J., 6=3060, 4553; Russell, R.A., 5=5325-6, 6=4549; Skinner, M.W., 5=5327
Thompson, H.W., [Conf. rep.] Molecular spectroscopy, 5=2555
Thompson, J.B. Negative ions in the positive column of the oxygen discharge, 9=12333. The attachment of slow electrons in air and oxygen, 9=12398

Thompson, J.C. Paramagnetic effect in superconducting tin, indium, and thallium, 6=5110. See also Sandlin, B.J., 9=10930
Thompson, J.C. and Squire, C.F. Magnetization of tin at the superconducting transition, 5=391
Thompson, L.C. Gamma radiation from deuterons on several light nuclei, 5=514
Thompson, M.C., Jr. See Cook, R.K., 6=1008
Thompson, M.W. Some effects of the self-absorption of neutrons in neutron-detecting foils, 6=8416. Evidence for the trapping of interstitial atoms in irradiated tungsten, 8=6425. See also Stubbs, M.J., 8=3623
Thompson, M.W. and Jefferson-Loveday, D.W. A cryostat for reactor irradiations in liquid nitrogen, 9=2849
Thompson, N. Dislocations in face-centred cubic lattices, 5=5714
Thompson, N. and Wadsworth, N.J. Metal fatigue, 8=2691. Structural changes and energy dissipation during fatigue in copper, 8=3527
Thompson, N., Wadworth, N. and Louat, N. The origin of fatigue fracture in copper, 6=2483
Thompson, N.A.C. See Ross. I.M., 8=3094
Thompson, P.O. See Bertsch, W.F., 6=6471; Webster, J.C., 6=7917, 7=9586
Thompson, R.W. Least-squares curvature [of cloud-chamber tracks] in non-uniform magnetic field, 5=7150. See also Burwell, J.R., 5=4971; Kim, Y.B., 5=2199
Thompson, R.W., Burwell, R.J. and Huggett, R.W. The θ^0 meson, 8=1193
Thompson, S. See Phillips, L., 9=1730
Thompson, S.G. See Amiel, S., 7=6491; Asaro, F., 5=4914; Choppin, G.R., 5=7314; Crane, W.W.T., 5=3117; Fields, P.R., 6=3933; Ghiorso, A., 5=7357, 9846; Harvey, B.G., 5=9042, 7=2580; Hjalmar, E., 7=761; Hjalmar, E.H., 6=1553; Hoff, R.W., 5=1142, 6=1526; Hulet, E.K., 5=474; Sikkeland, T., 9=3906
Thompson, S.O. and Schaeffer, O.A. Radiation induced equilibrium of hydrogen deuterium mixtures, 5=6578
Thompson, T.E. See also Oncley, J.L., 9=3372
Thompson, T.E., Oncley, J.L. and Svensson, H. Grating tangentimeter, 9=3024
Thompson, W.B. On the acceleration of cosmic-ray particles by magneto-hydrodynamic waves, 6=3858. A phenomenological theory of the constricted gas discharge at moderate current, 7=4399. Thermonuclear reaction rates, 7=4726. On the acceleration of cosmic ray particles, 7=6312. Thermonuclear power: a theoretical introduction, 7=7359. Radiation from a plasma, 7=9212. See also Roberts, S.J., 7=1343
Thompson, W.E. See Kern, B.D., 9=8636
Thomsen, J.S. Statistical analog of the second law, 5=7714. See also Bearden, J.A., 7=9837
Thomsen, S.M. See also Bube, R.H., 5=2764
Thomsen, S.M. and Bube, R.H. High sensitivity photoconductor layers, 5=7972
Thomson, A. See also Penner, S.S., 8=2961
Thomson, A., Hooker, W.J. and Penner, S.S. Infrared absorptivities and emissivities of gases, 9=13166
Thomson, B. Embrittlement of tungsten wire, 6=744
Thomson, D.M. The yield and angular distribution of neutrons from the reaction ^{63}Cu(p, n)^{62}Zn at 18 MeV, 6=7682
Thomson, G. The containment of plasma by the pinch discharge, 9=1548
Thomson, J. Instrument transducers, 7=7563
Thomson, J.H. The rotation of the first Russian earth-satellite, 9=14. See also Shakeshaft, J.R., 7=21
Thomson, J.M. An attempt to detect linearly polarized radio emission from the Galaxy, 8=7
Thomson, J.O. See Careri, G., 9=10929
Thomson, M.M. See Kalra, S.N., 9=2023
Thomson, R. See Bassani, F., 6=6252; Huntington, H.B., 6=1739
Thomson, S.J. and Wardle, G. The diffusion of helium in sodium chloride, 5=1285
Thomson, W.T. An approximate theory of armor penetration, 5=2254. Note on "An approximate theory of armor penetration", 5=8322
Thonemann, P.C. Current limitation in the low pressure mercury arc, 7=3333. See also Allen, J.E., 5=310; Butt, E.P., 9=5084; Robson, A.E., 9=7026
Thonemann, P.C., Butt, E.P., Carruthers, R., Dellis, A.N., Fry, D.W., Gibson, A., Harding, G.N., Lees, D.J., McWhirter, R.W.P., Pease, R.S., Ramsden, S.A. and Ward, S. Production of high temperatures and nuclear reactions in a gas discharge [Zeta], 8=773
Thonemann, P.C. and Harrison, E.R. A high current proton source, 5=9716, 9=3576
Thong Saw Pak. Noise from hot-cathode discharges, 5=5429. New effects of an auxiliary electrode on a discharge at low pressure, 8=5022
Thor Rama. See Rama Thor.
Thorburn, R. Permanent dissociation of sulphur hexafluoride in corona discharges, 5=4689. Ionization and dissociation by electron impact in fluorine, hydrogen fluoride, chlorine and hydrogen chloride, 9=11151. See also Craggs, J.D., 7=9248; Tozer, B.A., 9=2452
Thorburn, R. and Craggs, J.D. Electron impact studies of the dissociation energies of N_2 and H_2, 7=576
Thorell, B. See Chance, B., 9=10771
Thorley, N. See Dickson, E.W., 8=3750, 9=10321
Thorn, D.C. See Crain, C.M., 7=7844
Thorn, R.J. See also Ackermann, R.J., 7=3220, 9=13161
Thorn, R.J. and Winslow, G.H. Rate of evaporation of graphite, 5=8694. Transmissivity of thin carbon films, 6=8703. Vaporization coefficient of graphite and composition of the equilibrium vapor, 7=3197
Thornburg, W. Reflecting objective for microspectroscopy, 5=8681. Pulse counting photometer for microspectroscopy, 6=2774
Thorndike, A.M. See Abashian, A., 7=6605; Block, M.M., 5=8295, 7=700; Bolze, E.M., 8=3278; Cool, R.L., 8=8255; Eisberg, L.M., 5=3085; Fowler, W.B., 5=351, 4976, 7=699, 701
Thorndike, E.H. See also Boley, F.I., 5=9062; Hwang, C.F., 9=11366
Thorndike, E.H. and Shlaer, W.J. Scintillations from liquid helium, 9=13174
Thorndike, E.M. Color-correcting lens for underwater photography, 5=7587
Thorndike, N.S. See Telford, J.W., 5=6647
Thorne, C.J. See Barker, R.S., 5=8958
Thorne, R.P. Nuclear spin of americium-241, 7=2539
Thorne, R.P. and Warren, R.F. A narrow-band optical filter to isolate the 4245 A spectral region, 8=3881
Thornton, B.S. Microinterferometric examination of nuclear emulsion plates, 5=5160. The effects of collimation and oblique incidence in length interferometer. II, 5=8656. The effects of collimation and oblique incidence on the visibility of intereference fringes, 9=5587. Effect of surface roughness on the phase change at reflection in interferometers, 9=6783. An uncertainty relation in interferometry, 9=7992. See also Bruce, C.F., 6=8012, 7=7039, 8=5807; Harle, G.A., 6=1132
Thornton, B.S. and Kelly, J.C. Multiple-beam interferometric method of studying small vibrations, 6=2813
Thornton, C.G. See Roschen, J., 9=861
Thornton, D.E.J., Meads, R.E. and Collie, C.H. Energy levels of Na^{23} from the Ne^{22}(p, γ)Na^{23} reaction, 9=585
Thornton, H.R. See Moore, D.G., 9=7561
Thornton, P.R. and Hirsch, P.B. The effect of stacking fault energy on low temperature creep in pure metals, 8=6465
Thornton, R.L. See Kelly, E.L., 6=8818
Thornton, W.A. Light output of luminescent plastics, 5=205. Electroluminescence in zinc sulfide, 6=3643. Electroluminescence in zinc sulphide, 7=1209. Electroluminescence deterioration, 7=5228. AC-DC electroluminescence, 9=5575. Electroluminescent thin films, 9=9492
Thorp, J.M. The dielectric behaviour of vapours adsorbed on porous solids, 9=6885
Thorp, J.S. An X-ray method for studying radial current distributions in electron beams, 5=9700. See also Bright, A.W., 6=1334
Thorpe, H.A. On abbreviating "db re 0 0002 microbar", 5=813. Proposed sound level meter standards on environmental influences and internal noise, 8=4831
Thorpe, M.M. See Wyman, M.E., 9=2827
Thorpe, R.E. See Nixon, A.C., 8=6485
Thorsen, V. On the theory of the acoustic resonator, 6=3578. On the magnetic moment of the proton, 6=3917. New points of view concerning the hydrogen atom and the hydrogen spectrum, 6=3924. On the binding energy of the first elements in the periodic table, 9=3811
Thorson, W. See Moffitt, W., 8=2005

Thorson, W.R. Vibronically induced absorption of forbidden infrared transitions, 9=6188

Thorson, W.R. and Badger, R.M. On the pressure broadening in the gamma bands of nitric oxide, 7=9607

Thorwart, W. See Früngel, F., 8=6751

Thosar, B.V. See Joshi, M.C., 5=1161, 6=8343, 9=1750, 3881

Thouless, D.J. Energy levels of π-mesic atoms, 6=8332. The effect of P-state and higher angular momentum hard-core interaction in nuclear binding, 7=5547. Accuracy of the Born approximation in nuclear many-body theory, 7=8414. Use of field theory techniques in quantum statistical mechanics, 7=9554. Application of perturbation methods to the theory of nuclear matter, 9=4284. Single-particle energies in the many-fermion system, 9=11819

Thouvenin, J. Dissociation and ionization of air by a shock wave, 9=5846. See also Joigneau, S., 8=7905

Thrane, P. The diurnal and the semidiurnal atmospheric solar tide, 9=2022

Thrap, R.H. See Peek, H.M., 7=5132

Thresher, J.J. See also Moffatt, J., 8=1822; Scanlon, J.P., 8=1852

Thresher, J.J., van Zyl, C.P., Voss, R.G.P. and Wilson, R. Large scintillators as threshold detectors for high-energy processes, 6=1320

Thresher, J.J., Voss, R.G.P. and Wilson, R. Neutron-proton scattering at small angles, 5=5658

Thring, M.W. Some recent developments in the physics of fuel combustion, 7=7059. See also Kenney, M.J., 6=8031

Thro, C. See Ceccaldi, M., 7=6000

Throssell, J. See Levy, M., 5=1308

Thrush, B.A. The homogeneity of explosions initiated by flash photolysis, 6=2831. See also Lipscomb, F.J., 6=3886

Thuillier, J.M. Thermal conductivity of semiconductors, 6=2083, 6627. See also Aigrain, P., 6=4399; Rigaux, C., 7=2191, 8=3996

Thulin, A. A simple 500 Mc/s oscillator for use with electrodeless mercury-198 lamps, 5=6979. A photoelectric light-spot-displacement detector, 5=9398. Result of a new absolute determination of the acceleration due to gravity at the Pavillon de Breteuil, 8=6609. See also Devaux, P., 7=3038

Thulin, S. Studies in nuclear spectroscopy with electromagnetically separated gaseous isotopes. I. Isotope separator and sample preparation, 5=3023; II. Disintegration of some krypton and xenon isotopes, 5=3047. See also Ahnlund, K., 5=4059

Thulin, S., Moreau, J. and Atterling, H. The decay of As^{71}, 5=3046. The decay of Kr^{79}, 5=3048

Thulin, S., Rasmussen, J.O., Gallagher, C.J., Jr, Smith, W.G. and Hollander, J.M. Decay scheme of Re^{183} and rotational bands of daughter nucleus W^{183}, 7=1548

Thulke, H. See Steudel, A., 5=1677

Thuman, W.C. and Brown, A.G. Preliminary studies of the intensity of light scattered by water fogs and ice fogs, 5=2343

Thun, R. New electron diffraction apparatus for continuous recording, 9=8227. See also Hass, G., 8=2995, 9=6308

Thureau, P. See Leroux, J.P., 9=1305

Thürkauf, M. See Gribi, M., 9=4708

Thürlemann, B. On the electromagnetic measurement of the velocity of flow of liquids, 6=3523

Thurlow, G.G. See Godridge, A.M., 5=6991, 8=3048

Thurlow, W.R. Further observation on pitch associated with a time difference between two pulse trains, 8=1402

Thurlow, W.R. and Bernstein, S. Simultaneous two-tone pitch discrimination, 7=8339

Thurlow, W.R. and Bowman, R. Threshold for thermal noise as a function of duration and interruption rate, 7=4941

Thurlow, W.R. and Elfner, L.F. Continuity effects with alternately sounding tones, 9=13981

Thurlow, W.R. and Rawlings, I.L. Discrimination of number of simultaneously sounding tones, 9=13982

Thurlow, W.R. and Small, A.M., Jr. Pitch perception for certain periodic auditory stimuli, 5=3361

Thurmond, C.D. See also Feher, G., 8=2653; Kaiser, W., 9=7597; Trumbore, F.A., 7=811

Thurmond, C.D., Trumbore, F.A. and Kowalchik, M. Germanium solidus curves, 7=1675

Thurn, H. Permittivity and mechanical loss in long-chain polymers, 5=4447

Thurnau, D.H. Quantum efficiency measurements on several phosphors under excitation in the extreme ultra-violet, 6=4329

Thuro, G. An automatic device for fixing thick nuclear emulsion layers, 6=7931

Thuro, G. and Paić, M. Study of the dissolution of silver grains from thick nuclear plates in the fixer, 7=3885

Thuronyi, G. Annotated bibliography on natural and artificial radioactivity in the atmosphere, 7=1807. Annotated bibliography on radioactivity in the atmosphere (supplement), 8=8556. Selective annotated bibliography on thunderstorm sferics (supplement), 9=10433. See also Rice, M.L., 7=1426-7, 9=12895

Thursack, R.A. See Shull, E.R., 6=1985

Thurston, E.G. Simple triggering and marking system for measuring shock-wave velocities in tubes, 5=7773

Thurston, E.G. and Tsui, Y.T. On the lowest flexural resonant frequency of a circular disk of linearly varying thickness at its center, 5=9487

Thurston, G.B. Nonlinear acoustic properties of orifices of varied shapes and edge conditions, 8=8656. See also Hargrove, L.E., Jr, 8=3008

Thurston, G.B., Hargrove, L.E., Jr and Cook, B.D. Nonlinear properties of circular orifices, 8=2839

Thurston, J.N. See Moak, C.D., 9=12380

Thurston, L. See Hazen, W.E., 9=3084

Thurston, R.N. Disk-loaded torsional wave delay line. II. Theoretical interpretation of results and design information, 7=4064. See also Andreatch, P., Jr, 7=4063; Mason, W.P., 8=2913

Thurston, W.H. See Windle, J.J., 8=7453

Thwing, E.J. Spread of perstimulatory fatigue of a pure tone to neighboring frequencies, 5=8432. Effect of repetition on articulation scores for PB words, 6=4950. Masked threshold and its relation to the duration of the masked stimulus, 6=6485. See also Egan, J.P., 5=668, 6=858

Thyagarajan, G. See Venkateswarlu, K., 9=10794-5

Thyssen, M. See Garnir, H.G., 7=3892

Tibell, G. See Alphonce, R., 5=4108, 7=9382, 8=5196, 5343; Hillman, P., 8=7369; Johansson, A., 9=8593; Tyrén, H., 8=3369, 5198

Tice, G. See Benedict, F.D., 6=2364

Tichacek, L.J., Kmak, W.S. and Drickamer, H.G. Thermal diffusion in liquids; the effect on nonideality and association, 6=8028

Tichelaar, G.W. and Lazarus, D. Effect of pressure on anelastic relaxation in silver-zinc, 9=5204

Ticho, H. See Crawford, F.S., Jr, 9=7282

Ticho, H.K. See also Alvarez, L.W., 7=5651, 9=12601; Barkas, W.H., 6=5420, 8=4203; Crawford, F.S., Jr, 8=1207, 9=2660, 4953, 6039, 6048; Freden, S.C., 5=9138, 7=5645; Melkanoff, M.A., 9=6044; Price, O.R., 9=2650

Ticho, H.K. and Gauger, J. Fast timing of scintillation pulses, 6=7486

Tichý, J. Methods of measuring sound absorption by means of the standing waves, 6=5734. The electrical equivalent circuit of damped flexural vibrations in piezoelectric bars, 7=7673. The electrical equivalent schemes of vibrating piezoelectric crystal bars, 8=7758. Sound absorption of grooved porous sheets, 9=2175. Absorption coefficients of a porous material with slits, 9=13101. See also Slavík, J.B., 8=2931, 3817

Tidman, D.A. A quantum theory of refractive index, Čerenkov radiation and ionization loss, 6=4975. A quantum theory of refractive index, Čerenkov radiation and the energy loss of a fast charged particle, 7=7163. The energy loss of fast charged particles. III, 8=3283. Structure of a shock wave in fully ionized hydrogen, 9=1552. Suprathermal particle production by binary stars, 9=3040. See also Chartres, B.A., 6=864; Parker, E.N., 9=1550-1

Tidman, D.A. and Ogilvie, K.W. Counting rate of cosmic ray counter telescopes in inclined directions, 8=2374

Tidwell, E.D. See Allen, H.C., Jr, 5=8963, 6=7293, 8104, 7=5199; Benedict, W.S., 9=1822, 3291; Plyler, E.K., 6=1978, 3607, 6513, 9=2202

Tiedema, T.J. See Melsert, H., 6=9048

Tielsch, H. and Boczer, A. A contribution to the visual detection of ultrasonics by thermal methods, 5=6842

Tiemann, J.J. Asymptotic expansion for high-energy potential scattering, 8=1521. See also Holonyak, N., Jr, 9=13204; Igo, G., 8=2504; Schwartz, C., 9=6155

Tien Chi Chen. Expansion of electronic wave functions of molecules in terms of "united-atom" wave functions, 6=1436. See also Chen, T.C.

Tien, C.L. On the eddy diffusivities for momentum and heat, 9=10903. See also Soo, S.L. 9=11889

Tien, P.K. and Suhl, H. A traveling-wave ferromagnetic amplifier, 8=3268

Tiensuu, V.H. See Ergun, S., 9=331; Wentink, T., Jr, 8=3871

Tien Ping King. See Ping King Tien.

Tiers, G. Van D. Deuterium isotope effect in proton nuclear resonance spectroscopy, 9=2880

Tietge, J. See Alles, W., 9=3800, 7284; McKenna, S., 9=3799

Tietz, T. Note to the solution of the Schrödinger equation for finite systems, 5=748. Approximate analytic solution of the Thomas-Fermi equation, 5=3008. On the physically useful boundary conditions of the Schrödinger equation, 5=3457. On an approximation to the Fermi distribution function, 5=3983. An improved approximate analytic solution of the Thomas-Fermi equation for atoms, 5=7303. On an approximation to the Fermi distribution for free positive ions, 5=7304. Comparison of the approximate solutions for free neutral atoms, 5=9025. Reply to Brinkman's letter: concerning my letter "Approximate analytic solution of the Thomas-Fermi equation for atoms", 6=569. Note on the atom form factor calculated from the Thomas-Fermi model, 6=570. On the approximate Thomas-Fermi function for a compressed neutral atom, 6=1492. The solution of the Schrödinger equation for an approximate atomic field, 6=5329. On the enumeration of the eigenvalues of the Schrödinger equation in limited regions, 7=111. Atomic energy levels for the approximate Thomas-Fermi potential, 7=2553. An approximation to the Thomas-Fermi function, 7=3559. Approximate solution of the Thomas-Fermi equation with Amaldi-Fermi condition, 7=4640. On the variation of the diamagnetic susceptibility of water due to temperature, 7=9756. A table of the incoherent scattering factor, 8=6640. About a certain method for finding the asymptotic phases, 8=6641. Paramagnetic susceptibility of conduction electrons, 8=8106. Approximate analytical solution of the Schrödinger equation for the Thomas-Fermi potential for the s-states, 9=1797. A comparison of the Born and the asymptotic W.K.B. approximation for the phase shift, 9=3138. Momentum transfer cross-section in the Thomas-Fermi theory, 9=3727. Angular momentum distributions for the Thomas-Fermi field, 9=5091. Scattering power of atoms for X-rays and electrons according to the statistical theory of the atom, 9=5102. Discrete states for non singular and singular potential problems, 9=5373. Electron scattering cross section with relativistic correction based on the Thomas-Fermi theory, 9=5993. X-ray incoherent scattering function of atoms based on the Thomas-Fermi theory, 9=7398. The total cross-section and the diffusion-scattering cross-section of Hartree potentials, 9=8689. On the variation of the diamagnetic susceptibility of water with temperature in the Thomas-Fermi model, 9=9758. Phase-shifts in the statistical theory of atoms, 9=10149. Thomas-Fermi model for diatomic hydrides, 9=10167. Electron scattering cross sections with relativistic correction in the first Born approximation for Thomas-Fermi and Hartree potentials, 9=12720. See also Majewski, M., 7=9342*, 8=5187; Nowak, W., 8=7710; Odziemczyk, J., 8=2598; Titts, T.,

Tietze, A. Experiments on the electrostatic charging of CO$_2$ snow, 8=3967

Tiggelen, A.Van. See Van Tiggelen, A.

Tighe, N.J. Fused-quartz fibers. A survey of properties, applications, and production methods, 7=5782

Tikhodeev, N.N. Some applications of the methods of similitude and dimensions in the theory of the D.C. corona discharge, 6=2130. Differential equation of unipolar corona and its integration in the simplest cases, 6=2131. On a regularity in the transition of unipolar corona into spark discharge, 7=2275. See also Aleksandrov, G.N., 7=8645

Tikhodeev, P.M. Light units (draft of new standard), 5=8576

Tikhomirov, M.V. See Kupriyanov, S.E., 6=6745

Tikhonov, L.V. On the question of the investigation of the fine structure in the intensities of diffraction lines—pure metals, 9=12871

Tikhonov, V.I. Replacement of a non-stationary random process by a stationary one, 7=1086

Tikhonova, N.V. See Mikhaĭlov, G.D., 6=8059

Tilden, E.F. See Bozorth, R.M., 6=498

Till, F. See Lengyel, B., 5=2835

Till, J.E. See Cormack, D.V., 6=8815; Johns, H.E., 5=1165

Tiller, C.O. and Clark, G.W. Coercive force vs. thickness for thin films of nickel-iron, 8=6057

Tiller, W.A. Alloy dentritic growth, 6=7800. Production of dislocations during growth from the melt, 8=9120. See also Bolling, G.F., 6=3351; Smith, V.G., 6=717

Tiller, W.A. and Rutter, J.W. The effect of growth conditions upon the solidification of a binary alloy, 6=1157

Tillett, J.P.A. Fracture of glass by spherical indenters, 6=2457

Tilley, D.R. See Cheever, G.D., 8=5297

Tillieu, J. Contribution to the theoretical study of molecular magnetic susceptibilities, 8=5100-1. See also Baudet, J., 7=7278; Guy, J., 6=2, 774, 8457, 8910, 8=4116

Tillieu, J., Baudet, J. and Guy, J. Table of two-centre integrals, 7=8351

Tillieu, J. and Guy, J. General equations for the determination of magnetic susceptibility of molecules without permanent moments, 5=1104. Calculation of molecular magnetic susceptibilities and anisotropies, 5=1105. Calculation of the magnetic susceptibility of the molecule of hydrogen, 5=7266. Calculation of the magnetic susceptibility of acetylene hydrocarbons, 6=5507. Calculation of the magnetic susceptibility of ethylenic hydrocarbons, 6=5508

Tillman, J.R. See Henderson, J.C., 7=2192, 5339; Roberts, F.F., 5=3778

Tillman, T.W. See Jerger, J.F., 9=13983

Tilton, G. See Patterson, C., 5=4217

Tilton, G.R. See Aldrich, L.T., 6=8945; Wetherill, G.W., 6=8344

Tilton, L.W. Noncrystal ionic model for silica glass, 8=3471. Density formula for alkali silicate glasses from annealing to glass-processing temperatures, 9=6298

Timan, B.L. Heat capacity of gases at high temperatures, 5=3698. The influence of ionic interaction on the equilibrium concentration for the case of multiply thermally ionized gas, 5=6249. Effect of ions on gas reactions, 5=6564*. Consideration of the effect of non-central forces on the bremsstrahlung in neutron-proton collisions, 6=8246. See also Aptekar', I.L., 6=7494, 7497; Gaek, Yu.V., 7=5288

Timbrell, V. The terminal velocity and structure of airborne aggregates of microscopic spheres, 5=1257. The terminal velocity and size of airborne dust particles, 5=1264. A calculator for numerical Fourier synthesis, 9=980

Timcke, R. Synchronized stroboscopy of the sound waves emitted from the human voice organs, 6=1015

Timm, U. Computation on electrostatic lenses, 6=401*. The angular distribution and cross-section of the reaction Li^7(p, α)α below 600 keV, 7=8153. See also Conrad, B., 8=6292; Dahnick, W., 6=1299

Timm, U., Neuert, H. and Elsner, B. The angular distribution of particles from the D-D reactions in the region of low D-energies, 5=2177

Timma, D.L. See Charles, G.W., 5=9547, 7=4129; Kirby, H.W., 6=6165

Timmer, C. Density of color centers in barium as a function of the vapor pressure of barium, 7=6726

Timnick, A. See Jones, W.H., 5=8236

Timofeev, A.A. See Klyarfel'd, B.N., 6=6665

Timofeev, A.D. and Fogel', Ya.M. The separation of an atomic beam into components with oriented electron-shell spins, using an exponential magnetic field, 9=6170

Timofeev, B.B. A device for studying magnetic anisotropy, 8=3230

Timofeev, V.N. and Nevskiĭ, A.S. On the paper "radiation from a sphere in the presence of self-absorption", 7=1980

Timofeeva, G.G. Pinch effect and breaking of an arc in a constriction, 9=8189. See also Granovskiĭ, V.L., 5=8798, 9=2378

Timofeeva, G.G. and Granovskiĭ, V.L. Deformation of the arc column in rarefied gases at heavy currents, 6=6676

Timofeeva, T.V. and Khormushko, S.P. Screens for the recording of slow neutrons, 9=11313

Timofeeva, V.A. Dependence of the form of the steady-state diagram of brightness distribution on the absorption/scattering coefficient ratio, 8=589. See also Gliki, N.V., 7=8263

Timofeeva, V.A. and Pleteneva, I.A. Investigation of the process of crystallization of barium titanate from barium chloride melts, 9=12865

Timofeevicheva, O.A. and Pugachevich, P.P. The surface tension of metallic indium, 9=9300

Timoshin, I.Ya. See Kuznetsov, E.V., 9=8420

Timoshin, L.A. The construction of a long-life vibration-proof heater for high-temperature cathodes, 9=12354

Timrot, D.L. See Tsederberg, N.V., 7=306

Timushev, G.F. See Romanovskii, E.A., 9=10114

Tinaut, D. See Villena, L., 7=9023

Ting Tsuan Wu. See Tsuan Wu Ting, 8=3076

Ting, T.-W. and Li, J.C.M. Thermodynamics for elastic solids. General formulation, 7=7075

Ting, Y. Hyperfine structure and quadrupole moment of lanthanum 139, 8=723

Ting, Y. and Lew, H. Hyperfine structure of Cu^{63} and Cu^{65}, 7=2558

Ting Yu. See Yu Ting.

Tingle, E.D. See Kay, E., 8=3622

Tingwaldt, C. Measurement of the spectral reflecting power of solid bodies in the infrared, 7=7707. See also Moser, H., 9=3241

Tingwaldt, C. and Kunz, H. The realization of a blackbody at the gold- and at the silver-point for pyrometric temperature measurements, 9=3243

Tinkham, M. Paramagnetic resonance absorption by the ferrous ion, 5=4797. Cyclotron resonance in bismuth, 6=3722. Paramagnetic resonance in dilute iron group fluorides I. Fluorine hyperfine structure, 6=8312; II. Wave functions of the magnetic electrons, 6=8313; Energy gap interpretation of experiments on infrared transmission through superconducting films, 7=4377. Penetration depth, susceptibility and nuclear magnetic resonance in finely divided superconductors, 9=1481. See also Glover, R.E., III, 7=2443, 8=5923; Ohlmann, R.C., 9=237; Richards, P.L., 9=320; Strandberg, M.W.P., 6=8280

Tinkham, M. and Ferrell, R.A. Determination of the superconducting skin depth from the energy gap and sum rule, 9=12296

Tinkham, M. and Glover, R.E., III. Superconducting energy gap inferences from thin-film transmission data, 8=5925

Tinkham, M. and Strandberg, M.W.P. Theory of the fine structure of the molecular oxygen ground state, 5=3936. Interaction of molecular oxygen with a magnetic field, 5=3953. Line breadths in the microwave magnetic resonance spectrum of oxygen, 5=7842

Tinlot, J. See Bardon, M., 8=6181; Heer, E., 9=2636, 3782

Tinlot, J.H. See Baskir, E., 7=6284; d'Andlau, C., 7=3701, 8=1205

Tino, Y. On disappearance of the Hopkinson effect, 5=9769 See also Sato, M., 6=4498

Tinoco, I., Jr. The dynamic electrical birefringence of rigid macromolecules, 6=316. Optical activity of a solution of macromolecules in a hydrodynamic field, 7=7799

Tiomno, J. Mass reversal and the universal interaction, 5=1500. Diagrams for processes involving hyperons, 7=1641. On the theory of hyperons and K-mesons, 7=8851. Non conservation of parity and the universal Fermi interaction, 8=879. Note on the gamma decay of neutral pions, 8=5222. Relativistic theory of spinning point particles, 8=8583. See also Bohm, D., 5=3414; Giambiagi, J.J., 5=6741; Mac-Dowell, S.W., 9=1074; Oliveira, C.G., 9=7275; Salam, A., 9=8438

Tipnis, C.B. See Parthasarathy, S., 5=4455, 7785, 8572, 6=2750, 9=1338, 3352

Tipple, P.M. See Henisch, H.K., 5=3760

Tipsord, R.F. See Arvin, M.J., 9=11058

Tirskii, G.A. Two exact solutions to the nonlinear Stefan problem, 9=13204

Tiruvenganna Rao, P. See also Haranath, P.B.V., 5=5986, 9555, 6=4298, 9=5506, 12006, 12010-12; Kanaka Durga, K., 99422; Leelavathi, V., 5=7830; Prasad, N.D., 5=5989; Ramana Rao, J.V., 5=7831; Reddy, S.P., 7=9600; Venkateswara Rao, V., 9=2200, 11532

Tiruvenganna Rao, P. and Haranath, P.B.V. New vibrational analysis of the visible emission bands of Cl$_2{}^+$, 6=4298

Tischer, M. and Hess, S. The material equations in arbitrary media, 9=12505

Tishchenko, G.A. See Bonch-Bruevich, A.M., 7=9625; Sveshnikov, B.Ya., 7=4214

Tishchenko, V.D. See Morgulis, N.D., 6=5125

Tishkin, P.A. See Dzhelepov, B.S., 9=12656

Tishkov, P.G. Second relaxation in a spin system at room temperature, 7=9788

Tisljar-Lentulis, G. See also Weinzierl, P., 9=11338

Tisljar-Lentulis, G. and Weinzierl, P. A method of measuring high relative intensities of positive and negative electrons, 7=4449

Tissen, K.P. See Kalashnikov, S.G., 9=4036, 12263

Tissen, M.Yu. Counting losses due to the statistical nature of the photoelectric effect in a scintillation 4π-counter for β-emitters, 9=3695

Tisza, L. Generalized phase rule and the symmetry of the superfluid state, 8=6920

Tisza, L. and Manning, I. Fluctuations and irreversible thermodynamics, 7=3990

Titchmarsh, E.C. On the eigenvalues in problems with spherical symmetry, 8=3726

Ţiţeica, R. and Palade, G. Infrared absorption spectrum of certain micas, 9=12049

Ţiţeica, Ş. Theoretical considerations on the disintegration $\pi \to \mu$, 9=9973. See also Hulubei, H., 8=280, 7263

Titijevskaia, A.S. See Derjaguin, B.V., 5=8109

Titkov, A.S. See Dobretsov, L.N., 5=8829

Titov, N.E. See Gorodinskii, G.M., 7=7327

Titov, V.N. See Brÿzzhev, L.D., 5=78

Tits, J. Homogeneous and isotropic spaces in relativity, 7=6843

Titterton, E.W. Review of photonuclear processes, 5=6462. See also Carver, J.H., 5=9091; Gemmell, D.S., 9=8579; Keam, D.W., 9=12525; Mann, A.K., 7=2663; Tomlinson, H.S., 5=9727

Titterton, E.W. and Brinkley, T.A. Ground-state transitions in the reaction ^{10}B(n, t)^{8}Be, 7=6578

Tittes, E. See Lautz, G., 9=5742

Tittman, J. Moderation of neutrons in SiO$_2$ and CaCO$_3$, 5=5655. See also Nelligan, W.B., 9=4882

Titts, T. See also Tietz, T.

Titts (Tietz), T. Concerning the choice of physically acceptable solutions of the Schrödinger equation for the hydrogen atom, 6=8009

Titus, F. See Strauch, K., 6=6897, 7=2638

Titus, W.F. Total photoelectric cross sections of copper, molybdenum, silver, tantalum, and gold at 662 keV, 9=13728. See also Hubbell, J.H., 8=7071

Titushina, V.P. and Fabrikant, V.A. Investigation of the radiation flux divergence of the 2537 A line in a mercury discharge, 9=12024

Tiwari, R. An approximate solution in Einsten's field theory of 1953, 7=5026

Tiwari, S.Y. and Bhattacharya, B. Concerning the complex conjugate of a function, 6=2602

Tixaire, A. Galindo. See Galindo Tixaire, A.

Tjin a Djie, H. See Michels, A., 8=3160

Tjóm, P.O. See Storruste, A., 8=6367

Tjötta, S. Steady rotational flow generated by a sound beam, 7=7663. See also Holtsmark, J., 7=3096; Skavlem, S., 5=2503

Tjutins, I. and Ulmanis, L. Skin effect in a ferromagnetic conductor with simultaneous premagnetization by constant perpendicular fields, 5=5417

Tkachenko, A.D. A tonal method of determining intelligibility of speech transmitted by paths of communication, 6=7235

Tkachuk, A.M. See Tolstoĭ, N.A., 6=8112, 8=980

Tkachuk, N.N. See also Tolstoĭ, N.A., 6=8112, 7=9098, 8=980

Tkachuk, N.N. and Tolstoĭ, N.A. Instrument for determining the relative pulsations of luminous fluxes, 5=9527

Tkalich, L.G. See Iordanishvili, F.K., 8=5012

Tkalich, V.S. On the possibility of using a travelling wave to achieve focusing in a linear accelerator, 8=639. Focusing in a linear accelerator by means of travelling waves, 8=7093. See also Stepanov, K.N., 9=362

Tlustá, D. See Mašín, A., 9=8896

To Tai Chen. See Chen To Tai.

Tobailem, J., Accurate measurements of radioactive half-lives, 5=3999. Measurement of the period of Ra*D*, 5=7316. Contribution to the standardization of radioelements. Precise measurements of radioactive lifetimes, 6=594. See also Bouchez, R., 6=7642; Robert, J., 7=1541; Vuccino, S., 7=665

Tobailem, J. and Robert, J. A measurement of the period of ThB(Pb^{212}), 5=4888. The half life of Tl^{204}, 5=6420

Tobias, C.A. Effects of radiations on populations of cells and multicellular organisms, 9=11680

Tobias, J.V. Relative occurrence of phonemes in American English, 9=11969

Tobias, P.E. Color correction process, 5=6973

Tobin, J.M. and Sako, J.H. Thermal neutron absorption cross section of xenon-124, 9=680
Tobin, M. Video differential planimeter, 9=7821
Tobin, M.C. Selection rules for normal modes of chain molecules, 5=6374. Simple crystal powder source for Raman spectroscopy, 9=10793
Tobin, M.C. and Carrano, M.J. Infrared spectra of polymers. I. Effect of crystallinity on the infrared spectrum of polyethylene and on the infrared spectra of nylon 6 and nylon 11, 7=2040
Tobin, R. See also Birnbaum, M., 5=7998
Tobin, R., McElhinney, J., and Cohen, L. Photoneutron thresholds for iron, germanium, rubidium, and hafnium, 9=674
Tobin, R.A. See Bendel, W.L., 9=3915. Cohen, L., 9=8522
Tobocman, W. Calculation of reduced widths from stripping cross-sections, 6=5386. Transition amplitudes as sums over histories, 6=7152. Many-body perturbation theory, 7=7622. Impulse approximation for stripping reactions, 8=337. Numerical evaluation of deuteron stripping cross sections and polarizations, 9=12675. See also Cooper, L.N., 5=2995; Foldy, L.L., 7=3968; Utiyama, R., 5=5875
Tobocman, W. and Foldy, L.L. Integral equations for the Schrödinger wave function, 9=13024
Tobocman, W. and Kalos, M.H. Numerical calculation of (d, p) angular distributions, 5=2183
Tobolsky, A.V. Stress relaxation, birefringence and the structure of gelatin and other polymeric gels, 5=9218. Stress relaxation studies of the viscoelastic properties of polymers, 6=6976. Expected square of the length of a hydrocarbon-type chain, 9=10215. See also Catsiff, E., 5=572; Seitzer, W.H., 5=7469
Tobyáš, V. Dynamic magnification of the Galitzin seismograph excited by shock motion of the ground, 6=7854
Tocci, L. See Bizzeti, P.G., 9=2558
Tochigi, H. See Uyeda, R., 9=10307
Tochilin, E. and Alves, R.V. Neutron spectra from mock-fission sources, 9=6145
Tod, D.B. See Hiebert, R.D., 9=495
Toda, M. On the theory of quantum liquids. I. Surface tension and stress, 5=7742. On the theory of superconductivity, 5=9391. On the quantum effect on melting, 9=3386. On the theory of the Brownian motion, 9=10633. See also Prigogine, I., 8=2805
Todd, A. Pile irradiation of polyethylene terephthalate ("Terylene"), 5=603
Todd, B.J. Outgassing of glass, 6=127. Equilibrium between glass and water vapor at bake-out temperatures, 7=1672. Gettering of oxygen by a nonoperating ion gauge, 8=3190
Todd, E.P. Specular reflection from a spherical surface, 9=9499
Todd, L.J., Dettre, R.H. and Andrews, D.H. Automatic adiabatic control for calorimeter shields, 9=8051
Todd, M.N., Jr. See Breene, R.G., Jr, 8=2004
Todd, W.B. See Metzger, F.R., 9=8557
Todes, O.M. See Zharkovskiĭ, A.G., 7=4564
Todesco, G. See Gessaroli, R., 7=8877
Todhunter, K.H. and Wolstenholme, B. A multi-range laboratory flowmeter, 5=1578
Todorov, I. See Kalitzȳn, N.S., 8=5178
Todorov, I.T. See Logunov, A.A., 9=7802
Todorova, M. See Sheludko, A., 5=5041
Toennies, J.P. and Greene, E.F. Dissociation of nitrogen in shock waves, 5=7779. Dissociation energies of carbon monoxide and nitrogen from reflected shock wave studies, 7=5536
Tōhei, T. See Kimura, M., 8=4061, 9=9931
Toi, A. See Kondo, R. 9=10096; Takeda, M., 7=9868; Yamabe, S., 9=13658
Toishi, K. and Miura, S. A light condenser for spectrographical purposes, 5=3556
Tokumaru, H. See Sawaragi, Y., 9=884
Tokunaga, K. See Verma, G.S., 9=2503
Tokunaga, S. Meson showers by heavy primary particles, 8=5215. See also Minakawa, O., 9=12425
Tokunaga, S., Ishii, T. and Nishikawa, K. Nuclear disintegration cascades by heavy primaries, 7=9378*. A cascade shower in nuclear emulsions, 8=5179
Tokuoka, Z. See Katayama, Y., 6=2639
Tol. T. and Oosterkamp, W.J. Visibility of X-ray quantum fluctuations on image intensifier radiographs, 5=316
Tolansky, S. An optical shadow-casting microscope, 5=238. The rapid assessment of multilayer dielectric high-reflectors, 7=289. Perfection of contour by vacuum deposited thin films, 7=9430. Symmetry of snow crystals, 8=4526. Isotope enrichment in a continuous feed process, 8=9073. Three dimensional microscopy, 9=863. See also Howes, V.R., 5=7418-19
Tolansky, S. and Emara, S.H. An occasional mode of growth in diamond, 5=9230. Precision multiple-beam interference fringes with high lateral microscopic resolution, 5=9587
Tolansky, S., Halperin, A. and Emara, S.H. On the occurrence of slip in diamond, 8=6450
Tolansky, S. and Howes, V.R. Induction of ring cracks on diamond surfaces, 7=6686
Tolansky, S. and Patel, A.R. Rectilinear etch pits on diamond, 7=8931
Tolansky, S., Stephens, R.W.B. and Heavens, O.S. Symposium on optical and surface methods of non-destructive testing, 8=3749
Tolansky, S. and Williams, A.P. Directional hardness studies on single crystals of tin and bismuth, 5=9193
Tolansky, S. and Wood, A.F.B. Multiple-beam interferometric studies on oscillating quartz crystals, 8=5810
Tolbert, B.M. See also Baker, E.M., 5=2820; Weaver, H.E., 6=1440
Tolbert, B.M., Kirk, M. and Upham, F. Carbon-14 respiration pattern analyzer for clinical studies, 9=12919
Tolbert, C.W. See Straiton, A.W., 8=8725
Toledo, P. Saraiva de. See de Toledo, P.S., Saraiva de Toledo, P.
Tolhoek, H.A. On the foundation of the collective model of the nucleus, 5=3956. Electron polarization, theory and experiment, 7=3359. Parity non-conservation during hyperon disintegration, 8=8256. The capture of muons by complex nulcei, 9=8640. See also Brussaard, P.J., 8=2809, 3337-8; de Groot, S.R., 7=9403; Hartogh, C.D., 5=4908, 5622, 9=62, 9245-6; Huiskamp, W.J., 6=6876; Poppema, O.J., 5=4869; Postma, H., 8=321, 3345; Wheatley, J.C., 6=3156
Tolhoek, H.A. and Brussaard, P.J. On the theory of alpha disintegration and the determination of nuclear radii, 5=8197
Tolhoek, H.A., Hartogh, C.D. and de Groot, S.R. The angular distribution of the radiations emitted by oriented nuclei: the influence of the precession of nuclear spins in intermediate states, particularly after a K capture, 5=9880
Tolhoek, H.A. and Luyten, J.R. A theoretical estimate of the influence of the character of the four-fermion interaction on the muon capture rate, 8=2485
Tolhurst, G.C. Speech reception and temporary hearing loss as a function of exposure to high-level noise, 6=6474
Tolhurst, G.C. and Peters, R.W. Effect of attenuating one channel of a dichotic circuit upon the word reception of dual messages, 6=7236
Tolkachev, B.V. See Baradseĭ, L.T., 8=3217, 3367
Toll, J.S. Causality and the dispersion relation: logical foundations, 7=3011. See also Knight, J.M., 8=2788; Lutzky, M., 9=7205; Prats, F., 9=4280; Wong, D.Y., 7=9005
Tollenaar, D. and Bisschop, M.C. The bar viscometer, 5=6784
Toller, A.L. See Newson, H.W., 6=6170
Toller, M. See Rubbia, C., 9=3690
Tolles, W.E. and Ihrig, L.C. Modulation of radiant energy from incandescent filaments, 7=1987
Tollestrup, A.V. See also Clegg, A.B., 8=291; See Fazzini, T., 9=2615; Keck, J.C., 6=3223; 7=757; Smythe, R., 9=549; Walker, R.L., 5=4065; Watson, K.M., 6=2450
Tollestrup, A.V., Keck, J.C. and Worlock, R.M. Photoproduction of positive pions in hydrogen–counter telescope method, 5=8292
Tollis, B. De. See De Tollis, B.
Tolmachev, V.V. Time correlation in classical statistical systems composed of a large number of interacting particles, 7=7624. Calculation of time correlation functions for statistical systems with action-at-a-distance for any time up to free-path time, 7=8435. See also Kvasnikov, I.A., 9=1056; Tyablikov, S.V., 8=4764, 8417
Tolmachev, V.V. and Tyablikov, S.V. Method of calculating of statistical sums for (the exchange problem in) ferromagnetics taking into account the restrictions of spin wave occupation numbers, 6=8860. Concerning a new method in the theory of superconductivity. II, 8=7035
Tolmachov, V.V. See Bogoljubov, N.N., 9=8158
Tolmon, F.R. and Wood, J.G. Fringe spacing in interference

microscopes, 6=5029

Tolpadi, S.S. Equation of state of solids, 8=3452. Equation of state of zinc, cadmium and magnesium, 8=4405

Tolpȳgo, K.B. Emissivity of an abrupt p-n junction and its effects on the conductivity of the semiconductor, 6=8779. Remarks on the letter of Gubanov and Makovskiĭ on the reasoning in the paper of Tolpȳgo and Zaslavskaya "Ambipolar diffusion in semiconductors at large currents", 7=1302. The dependence of the injection efficiency of a p-n junction on its structure and operating conditions, 8=4012. The microscopic theory of electronic states in polar crystals, 8=7493. Features of the saturation process in semiconductor thermocathodes, 9=7060. See also Deĭgen, M.F. (Conf. rep.), 8=7907; Dȳkman, I.M., 7=5733; Giterman, M.Sh., 8=5471; Gorkun, Yu.I., 8=6409, 9=13349; Gribnikov, Z.S., 8=7964; Kaplunova, E.I., 7=6191, 8=1684; Kaplunova, O.I., 8=6972; Kucher, T.I., 7=3822; Mashkevich, V.S., 7=4863, 8=5461; Moskalenko, S.A., 9=10245; Rashba, É, I., 7=1303, 8=6970, 9=10968

Tolpȳgo, K.B. and Fedorchenko, A.M. Interaction between an electron hole and lattice oscillations in a homopolar crystal, 7=4873

Tolpȳgo, K.B. and Rashba, É.I. Bipolar diffusion of current carriers in the presence of deep traps, 7=1278

Tolpȳgo, K.B. and Uritskiĭ, Z.I. Contribution to the theory of polaron mobility, 6=8472

Tolpȳgo, K.B. and Zaslavs'ka, I.H. The spectrum of natural oscillations of NaCl taking account of ionic deformation, 8=7481

Tolpȳgo, K.B. and Zaslavskaya, I.G. Ambipolar diffusion in semiconductors at large currents, 7=1300

Tolstoi, N. Some methods and results of the kinetic study of luminescence and photoconductivity, 7=4211

Tolstoĭ, N.A. On the possibility of a two-step mechanism of excitation in sulphide phosphors, 6=5015. A flash-like burst of luminescence in zinc sulphide phosphors, and the two-step mechanism of its stimulation, 7=4162. Flash outburst [of luminescence] of the phosphor ZnS–Ni, 7=4169. Kinetics of infrared luminescence of cuprous oxide. II. Theoretical interpretation, 7=9099. A relationship between the blue and red emission bands in the ZnS:Co phosphor, 9=9469. The possibility of using pulse lamps for the study of the relaxation of luminescence and of photoconductivity, 9=12109. See also Arkhangel'skaya, V.A., 9=12094; Spartakov, A.A., 6=7794; Tkachuk, N.N., 5=9527

Tolstoĭ, N.A., Kolomiets, B.T., Golikova, O.I. and Tsenter, M.Ya. Photoconductivity and luminescence of polycrystalline CdS (Cu), 6=8801

Tolstoĭ, N.A. and Litvinenko, I.A. Direct measurement of the total light of rapidly decaying processes of luminescence, 6=7299

Tolstoĭ, N.A. and Shatilov, A.V. On a certain theoretical property of luminescence and photoconductivity relaxation curves, 6=5014. Formal analysis of the theory of two-stage excitation of phophorescence and photoconductivity. I. Steady-state relationships, 7=4221

Tolstoĭ, N.A. and Sokolov, V.A. Certain luminescent and photoelectric properties of polycrystalline cadmium selenide, 9=12090

Tolstoĭ, N.A., Tkachuk, A.M. and Tkachuk, N.N. Temperature dependence of the relaxation time of luminescence of platinocyanides of barium and of potassium, and of fluorite activated with europium, 6=8112. The flash-like burst of luminescence. I. ZnS:Ni phosphors. (I), 8=980

Tolstoĭ, N.A., Tkachuk, N.N. and Preobrazhenskiĭ, R.K. Kinetics of infrared luminescence of cuprous oxide. I. Experimental, 7=9098

Tolstov, K.D. See Barachenko, V.S., 9=3886; Dul'kova, L.S., 6=5423

Tolstov, V.V. Horizontal movements in the F-layer of the ionosphere, 9=5276

Tolstoy, I. Note on the propagation of normal modes in inhomogeneous media, 5=4443. Dispersion and simple harmonic point sources in wave ducts, 6=137*. Resonant frequencies and high modes in layered wave guides, 7=4055. Shallow water test of the theory of layered wave guides, 8=8652. See also Biot, M.A., 7=7677

Tolstoy, I. and Usdin, E. Wave propagation in elastic plates: Low and high mode dispersion, 7=4047

Tom, S. See Zijp, W.L., 5=2108

Tomalin, A.W. See Snow, A., 8=6496

Toman, K. Movement of the F-region, 5=5141. The structure of Guinier-Preston zones. I. The Fourier transform of the diffuse intensity diffracted by a Guinier-Preston zone, 5=10085. A note on the structure of Guinier–Preston zones, 6=7815

Toman, K. and Petržílka, V. The distribution of bismuth in case and recrystallized copper, 5=4986

Toman, K. and Simerska, M. Defocusing effects in the Schulz type diffractometer, 9=10365

Toman, L., Jr. See Wolff, G.A., 9=11545

Tomaš, P. See Paić, M., 9=12389

Tomasch, W.J., Structure in the thermoelectric power of dilute indium–lead alloys, 8=7046

Tomasch, W.J. and Reitz, J.R. Thermoelectric power of dilute indium–lead and indium–thallium alloys, 9=3523

Tomaschek, R. Fundamental behaviour of sensitive springs, 6=1872

Tomashevskiĭ, É.E. See Zhurkov, S.N., 9=8898

Tomasini, A. Excitation of nuclei by absorption of π-mesons. III, 6=3976. Multiple emission in nuclear reactions, 7=9863. Potential inelastic scattering by complex nuclei, 8=755

Tomasini, G. See Argan, P.E., 9=9910; Astbury, P., 5=6483; Bacchella, G.L., 7=3703; Bonetti, A., 5=4962, 6281, 6503, 6=4002; Ciuffolotti, L., 9=5978; Cortini, G., 9=503; Davies, J.H., 6=3270*; De Marco, A., 8=8191; Di Corato, M., 5=9118

Tomášková, L. Star disintegration in the emulsions of nuclear plates, 5=5502. See also Dubinský, J., 7=511

Tomatis, A. Relations between audition and phonation, 6=8636

Tomboulian, D.H. See also Bedo, D.E., 8=1717, 9=4665; Sprague, G., 5=8658

Tomboulian, D.H. and Bedo, D.E. Metal foils as filters in the soft X-ray region, 5=8809. Absorption and emission spectra of silicon and germanium in the soft X-ray region, 7=2286. Spectral characteristics of the radiation emitted by electrons accelerated in a synchrotron, 8=3186

Tomboulian, D.H. and Hartman, P.L. Spectral and angular distribution of ultraviolet radiation from the 300-MeV Cornell synchrotron, 6=5939

Tombs, N.C. and Watkins, J. The physical and chemical properties of some nickel–zinc ferrite compounds, 7=1445, 4541

Tomczak, Z. See Bartenbach, M., 9=5725

Tomiie, Y. The electron distribution and the location of the bonded hydrogen atom in crystals, 9=13770

Tomiki, T. Electronmicroscopic observations of alkali halide crystals, 9=13836. See also Hibi, T., 9=12798; Ishii, T., 9=13796

Tomil'chik, L.M. See Fedorov, F.I., 9=9505

Tomilovskiĭ, G.E. See Indenbom, V.L., 8=3574, 9=12765

Tomiser, J. Pressure broadening values of the potassium lines 7664.91 Å and 7698.98 Å and their Zeeman components in absorption, 5=1684. Pressure broadening of the rubidium lines $\lambda = 7800.23$ Å and $\lambda = 7947.60$ Å and their Zeeman components in absorption, 5=4522

Tomishima, H. See Miyazawa, H., 9=11560

Tomishima, Y. See Asano, S., 6=6816, 8=5457-9, 9=11551-2; Umeda, K., 5=10086

Tomita, I. See Saito, N., 8=6283

Tomita, K. On the state of solid hydrogen, 5=3925. Frequency dependence of paramagnetic resonance in $K_2CuCl_4 . 2H_2O$, 5=9391. Equivalence between the line width and the rate of energy relaxation in the inversion spectrum of ammonia, 9=12058. See also Kubo, R., 5=2881, 9391

Tomita, T. Effect of vacuum on electron focus in X-ray tube, 9=5805

Tomiyasu, K. See Forrer, M.P. 8=8948

Tomizuka, C.T. See also Darby, J.B., Jr., 9=7532; Kuper, A., 5=1288*; Kuper, A.B., 7=4798; Lazarus, D., 6=8981; Millea, M.F., 6=3352; Slifkin, L., 5=4115, 7=4799

Tomizuka, C.T. and Lazarus, D. Reproducibility of diffusion measurements: time of anneal and method of counting radiation, 5=3160

Tomizuka, C.T. and Slifkin, L. Diffusion of cadmium, indium, and tin in single crystals of silver, 5=1286

Tomizuka, C.T. and Sonder, E. Self-diffusion in silver, 6=8982

Tomkeieff, S.I. Atomic sizes and bond types in their relation to the periodic system and to the structure of the

atom, 5=3022
Tomkins, C.K. See Los, J.M., 6=5502
Tomkins, F.S. See also Fred, M., 5=7287, 8=108; Manning, T.E., 6=5320; Meggers, W.F., 7=7727
Tomkins, F.S. and Fred, M. Electrodeless discharge tubes containing rare earth and heavy element halides, 8=5759
Tomlin, D.H. The vapour pressure of calcium. II, 5=243. See also Hyman, R.A., 6=1638; Mortlock, A.J., 6=4037-8
Tomlin, D.H. and Fayers, F.J. Adaptation of a projection microscope for microphotometry, 6=8641
Tomlin, S.G. See Worthington, C.R., 6=6686
Tomlinson, H.M. An electro-polishing technique for the preparation of metal specimens for transmission electron microscopy, 9=868
Tomlinson, H.S., Titterton, E.W. and Snelling, G.F. A 9" expansion cloud chamber, 5=9727
Tomlinson, N.P., Horowitz, M. and Reynolds, C.H. Analog computer construction of conformal maps in fluid dynamics, 5=2458
Tomlinson, R.C. See Holdsworth, J.F., 5=1271
Tomlinson, R.H. See Fickel, H.R., 9=8631, 11489-90; McMullen, C.C., 7=3589; Melaika, E.A., 5=6477; Petruska, J.A., 6=679-80; Voigt, E.M., 5=5058; Wiles, D.M., 5=4001, 8185, 7=729
Tomlinson, T.B. Luminescence in ZnS:Cu, Cl single crystals, 7=1192. Luminescence in ZnS:Cu, Cl phosphors at high Cu concentration, 7=2056. Relation between the concentrations of chlorine and of copper in ZnS:Cu, Cl, 7=4181. See Short, M.A., 6=3641
Tomlinson, T.B. and White, E.A.D. The green-2 band in the ultraviolet luminescence of zinc sulphide, 7=6028
Tommila, E. See Kenttämaa, J., 9=12194
Tomnovec, F.M. See also Cook, C.S., 7=2603
Tomnovec, F.M. and Mather, R.L., Experimental gamma-ray collimator sensitivity patterns, 8=9041
Tomonaga, S. Intermediate coupling theory of pion-nucleon scattering, 5=9391. Elementary theory of quantum-mechanical collective motion of particles. I, 6=6388; II, 6389
Tomono, Y. and Ikushima, A. Diffusion of iron in single crystals of copper, 9=13813
Tomotika, T. On the influence of oxygen gas upon the optical absorption bands of evaporated barium oxide films in the ultraviolet region, 9=10777. See also Takazawa, K., 5=2612; Uchida, Y., 7=5734
Tomozawa, Y. See Ezawa, H., 7=7577; Umezawa, H., 6=4814, 7=89
Tomozei, C. See Nadolschi, V., 9=7916
Tompa, A.S. See Acampora, F.M., 6=8985
Tomkins, F.C. See also Bartlett, B.E., 8=7580; Jacobs, P.W.M., 5=9214
Tompkins, F.C. and Young, D.A. The photochemical and thermal formation of colour centres in potassium azide crystals, 6=7020
Tompkins, J.E. Energy distribution in partially ferrite-filled wave guides, 8=8169
Tompkins, J.E. and Spencer, E.G. Retardation effects caused by ferrite sample size on the frequency shift of a resonant cavity, 8=8939
Toms, M.E. and McElhinney, J. Photoproduction of alpha particles from several metallic elements, 9=675
Toms, M.E. and Stephens, W.E. Photoprotons from lead-208 and tantalum, 5=5634. Photoneutrons from lead, 8=342
Tomura, M. and Otsuka, E. Note on the shift of band edge of germanium with temperature, 5=6131
Tonani, F. Crystallographic applications of equal density photographs, 5=2292
Toner, W.T. See McKee, J.S.C., 9=12605
Tonge, D.G. See also Wohlfarth, E.P., 8=1134
Tonge, D.G. and Wohlfarth, E.P. The remanent magnetization of single domain ferromagnetic particles. II. Mixed uniaxial and cubic anisotropies, 8=4118
Tongiorgi, E. See Lonati, R.D., 8=1238
Tonin, M. See Ferrari, F., 8=7288
Tonks, L. Particle transport, electric currents, and pressure balance in a magnetically immobilized plasma, 5=4693. Trajectory-wise analysis of cylindrical and plane plasmas in a magnetic field and without collisions, 9=4742. Self-consistent field of single-type electrons in a uniform magnetic field, 9=9865
Tonndorf, J. Fluid motion in cochlear models, 7=8958. Harmonic distortion in cochlear models, 9=4180. Localization of aural harmonics along the basilar membrane of guinea pigs, 9=4181. Beats in cochlear models, 9=7714
Tonnelat, J. See Guinand, S., 5=2643
Tonnelat, M.A. Application of the general solution of the equations $g_{\underset{+-}{\mu\nu};\rho} = 0$ to the determination of a particular affine connection, 5=26*. Validity of the general solution of Einstein's equations $g^{\overset{\mu\nu}{+-}}{}_{;e} = 0$ in the case $\varphi = 0$, 5=1496. The general solution of Einstein's equations $g_{\underset{+-}{\mu\nu};\rho} = 0$, 5=2394. On the approximate equations of the Einstein-Schrödinger theory, 5=8473. On the approximate equations of the Einstein-Schrödinger theory. II, 6=2627. Approximate equations of the unified field theory of Einstein-Schrödinger, 6=4799. The general solution of Einstein's equations $g_{\underset{+-}{\mu\nu};\rho} = 0$, 7=6851. General solution of the equations $g_{\underset{+-}{\mu\nu};\rho} = 0$. Expression of the affine connection as a function of the non-dissociated, fundamental tensor $g_{\mu\nu}$, 8=4697. The principles of electromagnetic theory and relativity, 9=7765
Tonning, A. Scattering of electromagnetic waves by an acoustic disturbance in the atmosphere, 8=1141
Tonnquist, G. New sample holder for reflection measurements with the Beckman model DU spectrophotometer, 5=7824
Tonolo, A. On the integrals of de Broglie's electromagnetic equations. I, 6=7114. On the determination of the electromagnetic field in the interior of a homogeneous isotropic conductor. I, 7=547; II, 3460. On the integrals of de Broglie's electromagnetic equations, 7=1889
Toole, R.C. See Swoboda, T.J., 9=8290
Toolin, R.B. and Stakutis, V.J. Qualitative indication of nadir sky blue, 8=2713
Tooze, M.J. See Worthley, B., 8=1718
Ţopa, V. See Agîrbiceanu, I., 9=10726
Topolya, N.V. See Fogel', Ya.M., 8=7137
Toporets, A.S. The effect of external factors upon the results of measurements of reflected light, 7=259. See also Ivanov, A.P., 6=8109-10
Toporkova, É.P. See Alpers, V.V., 6=9872; Grigor'ev, A.P., 8=1915
Toppel, B.J. Spin of N^{16}, 6=6076. See also Alburger, D.E., 6=1523; Bloom, S.D., 7=5554; Wilkinson, D.H., 6=2312
Toppel, B.J., Bloom, S.D. and Wilkinson, D.H. Isotopic spin selection rules. X. The 7.18 MeV state of ^{20}Ne, 7=5555
Toppel, B.J., Wilkinson, D.H. and Alburger, D.E. Low-lying states of F^{19}: reaction F^{19}(p, p')F^{19}, 6=3208
Toptigin, I.N. See Dolginov, A.Z., 7=6507
Toptÿgin, I.N. Multiple scattering of polarized electrons, 9=12539
Toraldo di Francia, G. A family of perfect configuration lenses of revolution, 5=3543. Capacity of an optical channel in the presence of noise, 5=6875. Resolving power and information, 5=6882. Conflection doublets, 5=9788. On resolving power and information, 6=1027, 4970. Electromagnetic cross-section of a small circular disc with unidirectional conductivity, 6=6807. Integro-differential equations and Babinet's principle for plane screens with unidirectional conductivity, 7=556. On the cross-section theorem for electromagnetic waves, 7=1214. Modern trends in the evaluation of optical images, 7=5956. New stigmatic system of the concentric type, 7=8502. On a macroscopic measurement of the spin of electromagnetic radiation, 7=8730. Introduction to the modern theory of electromagnetic diffraction, 8=6077. Babinet's principle for diffraction at a plane screen with directional conductivity, 8=8164. See also Carrara, N., 5=7691; Ercoles, A.M., 6=3413, 8535; Fiorentini, A., 5=4491, 6=4128, 7=6787; Ronchi, L., 7=8327
Toraldo di Francia, G. and Ronchi, L. Scattering of light by the retina, 7=6786
Toraldo di Francia, G. and Zoli, M.T. Study of the best representation of spherical aberration using polynomials, 5=1662. Perfect concentric systems with an outer shell of constant refractive index, 8=7789
Tordella, J.P. Fracture in the extrusion of amorphous polymers through capillaries, 6=4702
Torelli, G. See Conversi, M., 9=3612, 8267, 9975; Focardi, S., 7=9242; Rubbia, C., 9=8424; Succi, C., 9=8268
Torikai, Y. and Negishi, K. A simple method for the visualiza-

tion of ultrasonic fields, 6=3574
Toriyama, Y. See Sato, T., 6=8172
Torizuka, K. Chlorine pure quadrupole spectra in some solid compounds, 5=1092
Torizuka, Y. See also Fujimura, T., 6=5220
Torizuka, Y., Kojima, Y., Okamura, T. and Kamiryo, K. The Zeeman effect in ammonia microwave spectra, 5=6928
Torki, B. See also Éberhard, P., 8=1266; Garg, J., 8=4319; Winter, K., 9=3921
Torki, B., Winter, K. and Rémy, E. The angular correlation of neutrons from the $Be^9(n, 2n)Be^8$ reaction, 8=7387
Torlin, B.Z. See Tunitskii, N.N., 8=6366
Tornabene, S. See Kuehner, J.A., 9=6030-1; Stafford, G.H., 7=8202
Tornati, M. See Scatturin, V., 6=800
Torők, C. See Zocher, H., 6=1023
Torondzhadze, A.F. Determination of the constant parameters in the dependence of the cosmic absorption coefficient on wavelength, 9=10504. An investigation of the relation between colour excess and the factor for converting selective absorption into total absorption, 9=12968
Toropov, A.P. and Kitova, A.I. Experimental measurement of the viscosity of a stretched liquid, 7=6928
Toropova, T.P. Separation of the components [contributing to] the reduction of light by the earth's atmosphere, 7=1785. See also Boiko, P.N., 9=13968
Torres, J.S. See Hennessey, J.J., 6=7051
Torres Balsami, C.A.de. See de Torres Balsami, C.A.
Torrey, H.C. Nuclear spin relaxation by translational diffusion. II. Diffusion in a b.c.c. lattice, 5=3256. Bloch equations with diffusion terms, 7=2548. Effects of translational diffusion on nuclear spin relaxation in simple condensed systems, 9=4040. See also Bennett, L.H., 8=1293; Walter, R.I., 6=7532
Torroja Miret, J.M. and Pajares Díaz, E. Balance-barometer, 6=3547
Tortasa, J. See Perrot, M., 7=282
Tortosa, J. Reflection factors of thin films of gallium, 7=5238. Some properties of thin metallic layers. II. Study of thin metallic layers of gallium, 8=815. See also Dumontet, P., 7=8536; Perrot, M., 6=6659, 7=7026
Tortrat, A. On the definition of entropy in information theory, 5=5903. See also Blanc-Lapierre, A., 9=1101, 6540
Toruń, A. See Feltynowski, A., 5=2233, 75740
Tosberg, W. See Reeb, O., 5=9530
Tosca, L. See Giulotto, L., 6=5720, 9=109, 4344
Toschek, P. See Paul, W., 7=9829
Toschi, R. See Ageno, M., 9=13383; Alberigi, A., 9=11143
Tosi, C. See Prosperi, G.M., 6=3703
Tosi, M.P. See also Fumi, F.G., 7=5720, 6713
Tosi, M.P. and Airoldi, G. The interaction between equilibrium defects in the alkali halides: the "first excited state" binding energies of the impurity complex and of the vacancy pair, 8=6412
Tosi, M.P. and Fumi, F.G. The interaction between equilibrium defects in the alkali halides: the "ground state" binding energy of the vacancy pair, 8=1317
Tosi, R. See Block, M., 9=12581
Totaro, C. On reflection and refraction in magnetohydrodynamics, 8=7200. On the wave equation of G. Lampariello for moving bodies, 9=1621. The phenomena of reflection and refraction in moving bodies, 9=1628
Tóth, E. See Kuczogi, E., 6=8546
Toth, K.S., Faler, K.T. and Rasmussen, J.O. New terbium isotope, Tb^{152}, 9=12640
Toth, K.S. and Rasmussen, J.O. Studies of rare earth alpha emitters, 8=7333. Nuclear spectroscopic studies of neutron-deficient isotopes in the rare earth region, 9=12639
Totsia, Kh. See Nakhman, M., 9=9894
Tottle, C.R. Dounreay experimental reactor station, 7=8172
Touchard, J. On the collective character of the first excited 0^+ state of O^{16}, 7=8774. See also Jean, M., 8=1218
Toulis, W.J. Simple anechoic tank for underwater sound, 6=1011. Theory of a resonance method to measure the acoustic properties of sediments., 6=4945. Radiation load on arrays of small pistons, 7=7698. Acoustic refraction and scattering with compliant elements. I. Measurements in water, 8=553; II. Analysis, 8=554
Touloukian, Y.S. See Hilsenrath, J., 8=3913
Toupin, R.A. Piezoelectric relations and the radial deformation of a polarized spherical shell, 9=6902
Toupin, R.A. and Lax, M. Lattice of partly permanent dipoles, 8=1667
Tournarie, M. Inversion of the composition product in physics, 6=1830. Use of the second moment as a criterion of breadth of Debye-Scherrer lines. Elimination of the instrumental effect., 6=5535. Use of the second moment as a criterion of breadth of Debye-Scherrer lines. Physical significance, 6=7028. A contribution to the histography of functions, especially in the inversion of the composition product, 6=7098. Method of inversion of the product of composition of histographic functions, 8=1407. See also Perio, P., 7=770*
Tourte, J. See Lochet, R., 6=7324
Touschek, B. A speculation on the capture mechanism for K-mesons, 5=9140. The symmetry properties of Fermi Dirac fields, 8=5634. A note on the Pauli transformation, 9=11824. See also Amaldi, E., 5=8278; Cini, M., 8=2147; Radicati, L.A., 7=8801
Touschek, B.F. The mass of the neutrino and the non-conservation of parity, 7=8387. Parity conservation and the mass of the neutrino, 7=9528. See also Morpurgo, G., 5=711, 1540, 6730
Tousey, R. Optical problems of the satellite, 7=3931. Rocket measurements of the night airglow, 9=1958. See also Hass, G., 7=3167; 8=2252, 9=6778; Johnson, F.S., 9=6465; Koomen, M.J., 6=9098, 9108, 7=2883
Tousset, J. and Moussa, A. Separation of RaD and RaE by evaporation in vacuo of the oxides obtained by anodic deposition, 8=1942. The β-spectrum of RaD. A study of the direct transition to the ground state of RaE, 8=2544
Tove, P.A. Scintillation spectrometry using long light guides, 6=3794. See also Andersson, G., 8=3356; Arbman, E., 8=6240; Tyrén, H., 5=1144
Tovstyuk, K.D. See Samoĭlovich, A.G., 9=1438
Towe, G.C., Gomberg, H.J. and Freeman, J.W. Wet-process autoradiography modified for studying metals, 5=4269
Towle, D.M. and Lindsay, R.B. Absorption and velocity of ultrasonic waves of finite amplitude in liquids, 5=6823
Towle, J.H. See also Batchelor, R., 9=2829, 3905; Berenbaum, R., 7=3539; Devons, S., 6=3944, 8245; Runbury, D. St P., 6=3943
Towle, J.H., Berenbaum, R. and Matthews, J.H. γ-radiation following proton capture in ^{35}Cl, ^{37}Cl and ^{39}K, 7=3611
Towle, L.C. and Lockwood, J.A. Cosmic-ray increases associated with solar flares, 9=4770
Towle, L. T. See MacDonald, D.K.C., 6=4039, 5085
Townes, B.M. See Ashmore, A., 8=1270
Townes, C.H. Comments on frequency-pulling of maser oscillators, 8=661. See also Autler, S.H., 6=237; Cedarholm, J.P., 9=1030; Combrisson, J., 6=7546, 7=5484; Dailey, B.P. 5=2959; Dousmanis, G.C., 6=3626; Geschwind, S., 5=2100; Giordmaine, J.A., 8=7516; Gordon, J.P., 5=8607; Honig, A., 5=189; Rosenblum, B., 8=9074, 9=3298; Schawlow, A.L., 6=1488; 9=5919; Shimoda, K., 6=5768, 9=8393; Stevenson, M.J., 7=9826
Townes, C.H. and Schawlow, A.L. Microwave spectroscopy, 6=2772
Townsend, G.B. See Carnt, P.S., 9=6411
Townsend, J. R. X-ray diffraction from microcrystalline random layer structures, 9=13903
Townsend, M. See Symons, M.C.R., 7=3495
Townsend, M.A. A hollow cathode glow discharge with negative resistance, 7=3337
Townsend, W.G. and Williams, G.C. The electrical breakdown of gases in uniform high frequency fields at low pressure, 9=2377
Townshend, R.E. See Tait, G.W.C., 7=8120
Toxen, A.M. Thermal resistivity of point defects, 8=4908
Toyama, M. See Miyatake, O., 7=4616; Morino, Y., 9=13487
Toye, T.C. The effect of copper on the work function of liquid tin, 9=7053
Toye, T.C. and Jones, E.R. Physical properties of certain liquid binary alloys of tin and zinc, 8=899
Toyoda, H. and Nagashima, M. Electrical resistivity of arc-evaporated carbon film, 9=9614
Toyoda, H. Waku, S. Shibata, H. and Tanaka, Y. Some ferroelectrical properties of triglycine sulfate, 9=13256
Toyoda, K., Ikenoue, T. and Isobe, T. Proton magnetic resonance studies of the acetic acid, phenol, and water in mixtures with pyridine, 8=9093
Toyoda, T. Recoil effects in the strong coupling theory. II,

6=6377. A unified theory of the Fermi interaction, 9=1058. See also Ceolin, C., 9=11809; Dallaporta, N., 9=9223; Inoue, K., 6=8590

Toyoda, Y. See Miura, I., 5=9739, 6=1342

Toyozawa, T. Exciton–lattice interaction and a theory of the line shape of exciton absorption bands, 9=7504

Toyozawa, Y. Theory of the electronic polaron and ionization of a trapped electron by an exciton, 5=3917. See also Kubo, R., 6=8770; Uemura, Y., 5=9391

Tozer, B.A. Measurements of ionization cross sections for electron impact. I. Technique and data for methane, 8=2366. See also Craggs, J.D., 7=9248

Tozer, B.A., Thorburn, R. and Craggs, J.D. The attachment of slow electrons in air and oxygen, 9=2452

Tozer, D.C. See Runcorn, S.K., 6=9066

Tracy, R.A. See Blades, J.D., 7=8009

Trail, C.C. See also Johnson, C.H., 6=7740; Raboy, S., 9=3725

Trail, C.C. and Raboy, S. Scintillation spectrometer with an anticoincidence annulus of NaI(Tl), 9=8435

Traill, R.J. See Ferguson, R.B., 9=13944

Trainor, L.E.H. The formation of antisymmetric wave functions, 7=7618. See also Dixon, W.R., 5=3080

Trainor, L.E.H., Bhatia, A.B. and Sood, P.C. Quasi-lattice model of nuclear matter, 9=2685

Trainor, L.E.H. and Brown, S.B. A note on the X-ray spectrum of a 70 MeV synchrotron, 5=3812

Trainor, L.E.H. and Dixon, W.R. The possibility of phase change in nuclear matter, 6=3097

Trainor, L.E.H. and Sood, P.C. Nature of nuclear matter in the free-meson lattice model, 9=13620

Trambarulo, R., Clark, A. and Hearns, C. Planarity of the formic acid monomer, 8=7464

Trambarulo, R. and Moser, P.M. Microwave spectrum of formic acid, 5=191

Tramer, A. Raman spectrum of antimony trichloride crystals. 9=9440. Vibration spectrum of sodium nitrite, 9=13170

Trammel, G.T. See also Blosser, H.G., 9=1545

Trammell, A. See Wiltse, J.C., 7=10001

Trammell, G.T., Zeldes, H. and Livingston, R. Effect of environmental nuclei in electron spin resonance spectroscopy, 8=5122

Tran an Nhan. Measurement of the rate of opposite [charge]-emission in a doubly ionized electric field, 8=8847

Tränkle, E. The solution of a particular heat conduction problem and its application to analogous physical problems, 5=2656. The calculation of the resonance frequencies of radial oscillations of circular disks and rings, 7=8467

Tranter, C.J. A further note on dual integral equations and an application to the diffraction of electromagnetic waves, 5=395

Traon, A. Le. See Le Traon, A.

Trapeznikov, V.A. On the theory of the fine structure of the X-ray absorption spectra of solids, 8=4049

Trapeznikova, O.N. See Sochava, I.V., 7=8571, 9=2891

Trapeznikova, Z.A. On the interaction of "blue" and "samarium" centres in the ZnS:Sm(Cl) phosphor, 9=9473. Antonov-Romanovskiĭ, V.V., 7=4166; Manenkov, A.A., 8=585

Trapeznikova, Z.A. and Shchaenko, V.V. Some optical properties of new ZnS phosphors activated by rare earth metals, 6=7297

Trapnell, B.M.W. The surface areas of evaporated metal films, 5=4991. See also Pickup, K.G., 6=8846

Trapp, R.H. See Wiener, G., 8=8895

Traub, A.C. Two-color monitoring method for reproducing thin film thicknesses, 7=2730. Suppression of multiple images in Lippmann's integral method of stereoscopy, 7=4935

Traub, A.C. and Osterberg, H. Brewster angle apparatus for thin film index measurements, 7=1992

Traub, J. and Foley, H.M. Variational calculations of the 2 ^{3}S state of helium, 9=1803

Traughber, R.L. See Moak, C.D., 8=8276

Trautman, A. On the proofs of "backward" uniqueness for some non-conservative fields describable by differential equations of the hyperbolic type, 6=52. On a generalisation of the Einstein–Infeld approximation method, 7=5020. Solution of one-body problem by the Einstein–Infeld approximation method, 7=5021. On the conservation theorems and equations of motion in covariant field theories, 7=6865. Killing's equations and conservation theorems, 7=6866. Discontinuities of field derivatives and radiation in covariant theories, 7=8984. On the conservation theorems and coordinate systems in general relativity, 8=31. Proof of the non-existence of periodic gravitational fields representing radiation, 8=1470. The propagation of discontinuities in the Riemann tensor, 8=3682. Radiation and boundary conditions in the theory of gravitation, 8=8574. Boundary conditions at infinity for physical theories, 9=1018. On gravitational radiation damping, 9=2028

Traving, G. See Hunger, K., 7=57

Trawick, W.G. and Berman, A.S. Concerning the separation of isotopes by surface diffusion in porous media, 7=5578

Traynard, P. See Charuel, R., 6=299

Treacy, P.B. The spin, energy and lifetime of ^{8}Be, 5=4052. Magnetic moment of an excited state of the fluorine-19 nucleus, 6=1475. Magnetic properties of F^{19} in the 197 keV nuclear level, 7=6439. Extranuclear effects with fast recoiling nuclei, 8=5340. See also Grace, M.A., 8=1233; Riviere, A.C. 6=4460, 7=7379

Treadwell, K.M. See Jacobi, W.M., 9=10142

Treanor, C.E. See Nicklas, J.P., 8=4360; Wurster, W.H., 8=8697

Treanor, P.J. Chromospheric interferometry, 9=11750

Trebukhovsky, Yu.V. See Vishnevsky, M.E., 8=5318

Treder, H. Electric force and the definition of charge current in [Einstein's] unified theory, 7=8979. Shock waves of the gravitational field, 9=3094. Space–time structure of a static spherically symmetric scalar field, 9=3105. See also Geissler, D., 9=6491; Papetrou, A., 9=10558

Tredgold, R.H. Anharmonicity and monomelecular reactions, 6=754. Density matrix and the many-body problem, 7=5080. On the interpretation of the characteristic energy losses of electrons in thin foils, 7=8659. See also Ayres, R.U., 7=1475; Hurd, J.D., 9=6891

Trees, R.E. Polarization energy for 3d and 4p electrons, 5=3013. Application of the Rayleigh-Schrödinger perturbation theory to the hydrogen atom, 6=6092. Comparison of first, second, and third approximations in Bacher and Goudsmit's theory of atomic spectra, 8=2948. Low even configurations in the first spectrum of rhenium (Re I), 9=1805. Low even configurations in the first spectrum of ruthenium (Ru I), 9=10757. See also Bozman, W.R., 7=5573

Trees, R.E., Cahill, W.F. and Rabinowitz, P. Computation of atmoic energy levels: Spectrum of singly-ionized tantalum (Ta II), 6=6851

Trefall, H. On the positive temperature effect in the cosmic radiation, 5=8070. On the positive temperature effect in the cosmic radiation and the μ-e decay, 6=447. On the barometer effect on the hard component of the cosmic radiation, 6=2216. On the positive temperature effect in the cosmic radiation and the π-μ decay, 7=8709

Trefall, H. and Trumpy, B. Observations of cosmic radiation following the solar flare of February 23rd, 1956, 6=6752

Trefethen, L. Nucleation at a liquid–liquid interface, 8=1014

Trefftz, E. See also Preuss, H., 8=353

Trefftz, E., Schlüter, A., Dettmar, K.H. and Jörgens, K. Oscillator strengths for neutral helium, 9=10157

Trefonas, L. and Lipscomb, W.N. Crystal and molecular structure of diboron tetrafluoride, B_2F_4, 8=832

Trehan, S.K. The stability of an infinitely long cylinder with a prevalent force-free magnetic field, 8=2424. The hydromagnetic oscillations of twisted magnetic fields. I, 8=2428. On the stability of force-free magnetic fields, 9=8373. The effect of fluid motions on the stability of twisted magnetic fields, 9=9855. See also Majumdar, R.C., 5=735*

Trehan, S.K. and Reid, W.H. The hydromagnetic oscillations of twisted magnetic fields. II, 8=2429

Trehan, Y.N. See Goswami, A., 8=823

Tréhu, Y.M. See Work, R.N., 6=8917

Treille, P. See Becker, J., 5=6264

Treiman, S.B. Radiative decay of the Θ^0 particle, 5=544. Method for determining spins of hyperons, 6=4012. Parity conjugation and hyperfragments, 7=3695. Recoil effects in K capture and β decay, 9=698. Ξ^- capture reactions in hydrogen, 9=4954. See also Ballam, J., 5=3129, 6=4000; Federbush, P., 9=2585; Goldberger, M.L., 8=5224, 6627, 8987, 9=1665, 6531; Hodson, A.L., 5=1226; Jackson, J.D., 7=6508, 9911, 8=3350, 7716; Khuri, N.N., 8=515; Pais, A., 7=4763, 8=299, 9=556; Sachs, R.G., 6=4656; Wyld, W.H., Jr, 7=6594*

Treiman, S.B. and Pais, A. Three-pion decay modes of neutral K mesons, 7=8178

Treiman, S.B., Reynolds, G.T. and Hodson, A.L. Angular correla-

tion effects in unstable particle decay, 5=3130
Treiman, S.B. and Sachs, R.G. Neutron-electron interaction in cutoff theory, 6=6363. Alternate modes of decay of neutral K mesons, 7=742
Treiman, S.B. and Wyld, H.W., Jr. Gamma stability of K-mesons, 5=9956. Angular correlation effects in V-particle decay, 6=1619. Decay of the pi meson, 6=3264. Parity mixing effects in τ-θ decay, 7=7418
Treinin, A. See Jortner, J., 9=8961
Trekhov, E.S. Investigation of the optical contact between mica and glass, 7=8548. See also Obreimov, I.V., 7=6629
Trellis, M. Distribution of corona streamers, as a function of latitude, during the solar cycle, 5=1464. See also Gentili di Giuseppe, M., 7=3917
Trembach, V.V. The calculation of wavy-surface mirror reflectors for lighting fittings, 5=9532
Trembasky, R. See Lamoral, R., 6=8639
Trembley, J. See Fouché, V., 5=7386; Hoang, T.F., 5=4958, 4966, 6506; Jauneau, L., 5=6511
Trenam, R.S. See Bleaney, B., 5=2889
Trendelenburg, E.A. The production of ultra-high vacua with oil diffusion pumps, 9=13077. See also Carmichael, J.H., 9=4728, 10486; Gentner, W., 5=2228
Trent, G.H. See Piddington, J.H., 6=6309, 7=4982
Trent, H.M. Isomorphisms between oriented linear graphs and lumped physical systems, 5=6849. On the construction of schematic diagrams for mechanical [vibrating] systems, 9=127. On the conceptual necessity and use of perfect couplers in schematic diagrams, 9=6483. See also Bernstein, B., 9=1209
Trentini, G. von. See von Trentini, G.
Tretner, W. On the lower limit of spherical aberration in magnetic electron lenses, 7=5386. Effective region [Existenzbereiche] of rotationally symmetric electron lenses, 9=5809
Tretyakov, E.F. See also Goldin, L.L., 6=8349
Tret'yakov, E.F., Grishuk, G.I. and Gol'din, L.L. Internal conversion electron study of the lower excited levels of U^{235}, 8=7308
Tret'yakov, E.F., Kondrat'ev, L.N., Khlebnikov, G.I. and Gol'din, L.L. Spectrum of the internal conversion electrons accompanying the α-decay of Pu^{238} and Pu^{240}, 9=12663
Tret'yakova, M.I. Determination of the masses of slow charged particles in photographic emulsions, 8=1812. See also Gramenitskiĭ, I.M., 5=8227, 6=7731, 8=2381; Zamchalova, E.A., 6=700; Zhdanov, G.B., 8=7153
Treupel, H. See Boettcher, A., 6=5543
Trevena, D.H. On space charge waves, 9=3557
Treves, D. See Aharoni, A., 8=8107; Frei, E.H., 7=6362, 9=9770
Treviño Arizpe, R. Study of the binary equilibrium between hydrogen and its isotopes, 7=812
Trevoy, D.J. and Johnson, H., Jr. The water wettability of metal surfaces, 9=101
Trexler, J.H. Lunar radio echoes, 8=1448
Trey, F. and Oberhauser, F. On a transformation of p-Si into n-Si by α-rays, 8=7954
Triantos, D.D. See Reynolds, J.M., 5=2000
Tribuno, C. See Cortini, G., 8=9056; De Benedetti, S., 8=731; Ferrero, F., 6=4027, 8379, 7=7976, 8163, 8=339, 761; Hanson, A., 7=3661; Milone, C., 8=7381
Tribus, M. See Chin, J.H., 6=7321-2
Trice, J.B. Miniature fission chamber, 8=8183. Measuring reactor spectra with thresholds and resonances, 8=8363
Triché, H. The intensity of spectral lines, 8=4851
Triche, H. and Simon, J. The influence of the physical state of an element on its optical spectra: the case of ferrosilicon and ferroboron, 5=7820
Triebwasser, S. Behaviour of ferroelectric $KNbO_3$ in the vicinity of the cubic-tetragonal transition, 6=2066. Study of the second-order ferroelectric transition in tri-glycine sulfate, 9=5656. Study of ferroelectric transitions of solid-solution single crystals of $KNbO_3$-$KTaO_3$, 9=6890
Trier, J.O. See Kopfermann, H., 6=1968
Trier, P.E., Hammerton, J.C. and Wolfendale, E. A time-of-flight neutron spectrometer, 5=559
Triers, V.I. See Kornfel'd, M., 7=4010
Trifan, G. See Luca, E., 9=7982
Trifonov, E.D. On the question of symmetry of many-electron Schrödinger wave-functions, 8=7714
Trigg, G.L. Dimensions and units in electromagnetism, 7=6359. Electromagnetic equations in generalized units, 9=13491
Trigger, K.R. See Hoskins, R.H., 9=7179, 11244
Trigolet, F. See Meinnel, J., 7=5302
Trigubenko, V.A. See Skanavi, G.I., 6=1672
Trikha, S.K. Viscosity and heat conductivity of liquid He^3, 9=13232. See also Nanda, V.S., 7=6122
Trikha, S.K. and Nanda, V.S. On solutions of He^3 and He^4, 6=8740. Vapor pressure of the solution of He^3 in He^4, 6=8741. On the effective normal fluid density of solution of He^3 in He^4, 8=6923. On solutions of He^3 and He^4, 9=12183
Trikha, S.K. and Rustgi, O.P. Surface tension of liquid He^4 and liquid He^3, 7=325
Trillat, J.J. An X-ray diffraction method for the study of formation and structure of surface films, 6=7826. X-ray spectrograph for the kinetic study of formation and structure of surface layers, 7=6670. Recent progress in the techniques of electron diffraction, 9=2963
Trillat, J.-J., Terao, N., Tertian, L. and Gervais, H. Study of crystalline orientation phenomena by electron diffraction and simultaneous ionic attack, 5=6601. Application of the method of ionic scouring in electron diffraction: study of the structure of thermal deposits on crystalline or amorphous supports, 6=5448
Trillat, J.J. and Tertian, L. A method of obtaining images in electron diffraction and microscopy without a photographic emulsion, 9=1899
Trillat, J.J., Tertian, L. and Terao, N. Misorientation caused by ionic bombardment of thin monocrystalline or strongly oriented metal films, 9=6288
Trilling, G. See Besson, C., 8=1187
Trilling, G.H. See also Brown, J.L., 9=13571; Kadyk, J.A., 7=4760; Sorrels, J.D., 6=3256
Trilling, G.H. and Leighton, R.B. Cloud-chamber investigation of charged V particles, 6=2436. Cloud-chamber study of the production and decay of strange particles, 7=3699
Trilling, G.H. and Neugebauer, G. Cloud-chamber study of negative strange particles, 7=3704
Trilling, L. On thermally induced sound fields, 5=6837
Tripp, A.M. See Waggener, W.C., 9=10770
Tripp, C. See Ypsilantis, T., 5=6236
Tripp, R. See Baldwin, J., 7=708; Chamberlain, O., 5=1919; Horwitz, N., 9=13552
Tripp, R.D. Polarization of the deuteron in the reaction $p + p \rightarrow \pi^+ + d$, 6=5434. See also Alvarez, L.W., 7=5651, 8881; Chamberlain, O., 6=5955, 7=3371; Eberhard, P., 9=12592; Gatto, R., 8=5211; Leitner, J., 9=13580; Nordin, P., 9=2659; Rosenfeld, A.H., 9=6038
Tripp, W. See Behr, A., 5=3394
Trischka, J. Electric dipole moments of the lower vibrational states of molecular CsF and CsCl, 7=2511. See also S Salwen, H., 9=10199
Trischka, J. and Salwen, H. Dipole moment function of diatomic molecules, 9=8759
Trischka, J.W. See also Braunstein, R., 5=7235; Kastner, S.O., 6=520; Marple, D.T.F., 6=8106
Trischka, J.W. and Braunstein, R. Rotational spectra of RbCl by the molecular beam electric resonance method, 5=1085
Trishina, Z.D. See Pil'shchikov, A.I., 7=4536
Trittipoe, W.J. Temporary threshold shift as a function of noise exposure level, 8=2721.
Residual effects of low noise levels on the temporary threshold shift, 9=4176. Residual effects at longer pre-exposure durations, 9=9123. See also Pollack, I., 9=11690; Spieth, W., 9=970, 1979
Trivedi, N.K. See Vepa, R.K., 6=5749
Trivero, G. See Demichelis, F., 6=4609, 8=5295; Ricci, R., 5=4002; Ricci, R.A., 5=6427, 6=3138
Trivich, D. See Hoekstra, J.J., 5=1345
Trlifaj, L. The static model of the nucleon, 5=3434. The slowing down and diffusion of neutrons in finite media [according to elementary diffusion theory], 5=8297. Some aspects of the spherical harmonics method for neutron-transport problems in cylindrical geometry, 9=3747. On the anisotropy of a heterogeneous medium with respect to the diffusion of neutrons. I, 9=8461; II, 8462
Trlifaj, M. Thermal and non-radiative transitions of electrons at imperfections in ionic crystals, 5=8382. A contribution to the theory of the resonance transfer of excitation energy in solids, 6=7565. Thermal dissociation energy and the basic state of $F_2{}^+$ centres, 6=7820. The theory of diffusion of "localized" excitons in solids, 9=4028. The diffusion of the excitation energy in molecular crystals, 9=5149. A theory of non-radiative transfer of excitation energy in

solids, 9=8832. Theory of the non-radiative recombination of electrons at perturbation centres in polar crystals, 9=8837. The interaction of excitons with the oscillations of the crystal lattice, 9=8840. The properties of excitons produced during the transition of fast charged particles through a crystal, 9=8842. See also Antončík, E., 7=114
Trnka, J. See Bohun, A., 9=8205
Trocheris, M. The collective-particle model and its applications to heavy nuclei, 6=2310
Trodden, W.G. See Brodie, I., 9=5793
Trofimenko, A.T. See Vulis, L.A., 7=7051
Trofimenko, I.T. See Akhmanov, S.A., 9=9804
Trofimov, Yu. N. See Sergeev, A.G., 8=6241
Trognon, J. See Devaux, P., 7=3038
Troianello, E.J. See Sugihara, T.T., 8=8353
Troitskaya, N.V. See Pinsker, Z.G., 8=3596
Troitskiĭ, V.S. Contribution to the theory of the molecular generator and of fluctuations of its vibrations, 8=7205. The theory of the molecular oscillator and its fluctuations, 9=8704
Troitskiĭ, V.S., Lyubina, A.G. and Zolotov, A.V. Experimental study of the thermal noise of some conductors, 5=284
Trolan, J.K. See also Dyke, W.P., 5=8816
Trolan, J.K., Barbour, J.P., Martin, E.E. and Dyke, W.P. Electron emission from a lattice step on clean tungsten, 6=1283
Trombe, F. See Henry la Blachetais, C., 7=2404
Trombe, F. and Foëx, M. On the production of cold means of solar radiation, 6=4371
Tromp, R.L. See Regier, R.B., 9=8648
Trompette, J. Determination of the reflectivity, transmissivity, and absorptivity of thin silver films evaporated on quartz, 6=5004. The wavelength variation of the optical constants of thin silver films, 6=6500. Optical properties of thin films of silver in the visible and near ultraviolet, 7=2076. Determination of the optical constants of very thin layers of lead in vacuum and in air, 9=9506. See also Malé, D., 7=6053; Philip, R., 6=193*, 7=6052; Rouard, P., 7=2050
Troneva, N.V., Marchukova, I.D. and Borovskii, I.B. X-ray L spectral series of CeB_6 and CeO_2, 9=9683
Troshkina, V.A. See Homiakov, K.G., 3694
Trossi, L. See Colombino, P., 8=6128
Trost, A. Effect of geometrical parameters and the time-constant on the accuracy of X-ray diffraction measurements with a counter-tube goniometer, 6=3369. X-ray interference measurements with a proportional counter and a single-channel discriminator, 9=7039
Trost, F. See Haussühl, S., 9=12175
Trost, P.A. See Fenton, A.G., 6=8857
Trost, W. See Rose, H.J., 9=12630
Trost, W.R. Orbital constructions and electron populations in the transition elements, 9=4012
Trott, A.J. See Hunt, S.E., 5=6231, 6=5950
Trott, W.J. and Lide, E.N. Two-projector null method for calibration of hydrophones at low audio and infrasonic frequencies, 5=9503
Trotter, D.E. See Roberts, W.O., 5=9373
Trotter, J. The crystal structures of some mesitylene and durene derivatives. II. Nitromesitylene, 9=13948. See also Catterall, J.A., 9=2386, 13360; Gale, B., 7=2726
Troubetzkoy, E.S. See Margolis, B., 7=5634; Rae, E.R., 9=6132
Troughton, A.G.H. See Lee, E.W., 9=1587, 9775
Trousil, Z. A contribution to the question of thermal acceptors in germanium, 5=9654. The application of titanium hydride in experimental technique, 6=8744. Apparatus for the laboratory production of germanium crystals, 6=9029. Bulk photovoltaic phenomenon, 7=396. See also Bednář, J., 5=4782
Trout, E.D., Kelley, J.P. and Lucas, A.C. Broad beam attenuation in concrete for 50 to 300 kVp X-rays and in lead for 300 kVp X-rays, 9=3544
Trout, T. See Page, L.A., 5=7343
Trowse, F.W. See Caldin, E.F., 5=5022
Troy, D.J. See Glasser, L.G., 9=1255
Trubetskoi, A.I. See Doil'nitsin, E.F., 9=8235
Trubetskoĭ, A.I. See Doil'nitsȳn, E.F., 7=9238
Trubitsin, A.M. See Vorob'ev, A.A., 5=7001
Trubitsȳn, V.P. The equation of state of crystalline MgO, 9=5125
Trubnikov, B.A. Radiation of a plasma in a magnetic field, 8=4841. Tracing back the kinetic equation to the differential form in the case of Coulomb collisions, 9=9730
Truby, F.K. Hexagonal microstructure of ice crystals grown from the melt, 6=785
True, W.W. Shell theory and collective theory for the Pb isotopes, 6=3144
True, W.W. and Ford, W.W. Shell-model theory of Pb^{206}, 8=9006
Trueblood, K.N. Symmetry transformations of general anisotropic temperature factors, 7=879. See also Donohu, J., 7=1752; McCullough, J.D., 9=10373; Sparks, R.A., 6=9045
Truell, R. Ultrasonic methods and radiation effects in solids, 9=10712. See also Einspruch, N.G., 8=7776, 9=7880; Eubank, H.P., 5=347; Granato, A., 7=1141; 8=2188; Hikata, A., 6=6442; 8=1560; Mylonas, C., 8=7522, 9=4044; Seki, H., 6=3579; Stein, F., 9=7882; Teutonico, L.J., 6=8057; Ying, C.F., 7=173
Truell, R. and Bayer, R. Evidence for dislocation breakaway in pure aluminium, 8=7563
Truell, R., de Klerk, J. and Levy, P.W. Neutron irradiation effects in borosilicate glass and their detection by ultrasonic attenuation and velocity measurements, 8=5490
Truell, R., Teutonico, L.J. and Levy, P.W. Detection of directional neutron damage in silicon by means of ultrasonic double refraction measurements, 7=4902
Truesdell, C. A discussion on the first and second viscosities of fluids: The present status of the controversy regarding the bulk viscosity of fluids, 5=90. Hypo-elastic shear, 6=4693
Trukhlyaev, P.S. See Manenkov A.A., 7=6448
Trulio, J.G. See Kimball, G.E., 8=2623
Trumbore, C.N. See Miller, W.W., 6=1702
Trumbore, F.A. Solid solubilities and electrical properties of tin in germanium single crystals, 7=9184. See also Thurmond, C.D., 7=1675
Trumbore, F.A. and Isenberg, C.R. Two-phase germanium-zinc "whiskers", 9=9002
Trumbore, F.A., Isenberg, C.R. and Probansky, E.M. On the temperature-dependence of the distribution coefficient. The solid solubilities of tin in silicon and germanium, 9=8895
Trumbore, F.A. and Tartaglia, A.A. Resistivities and hole mobilities in very heavily doped germanium, 9=8126
Trumbore, F.A., Thurmond, C.D. and Kowalchik, M. Germanium-oxygen system, 7=811
Trump, J.G. See Aarset, B., 5=344; Bourne, H.C., Jr, 5=6175; Cloud, R.W., 8=2182
Trumpler, R.J. Observational results on the light deflection and on red-shift in star spectra, 7=6811
Trumpy, B. On the correlation between the intensity of different components of cosmic rays, the meteorological conditions and magnetic storms, 6=2987. On the correlation between the intensity of different components of cosmic rays, the meteorological conditions and magnetic storms, 7=522. Magnetic and cosmic ray storms, 9=5864. See also Graue, A., 7=5624; Trefall, H., 6=6752
Trumpy, G. Circular polarization of gamma-rays following polarized neutron capture, 6=629. Measurement of circularly polarized gamma-radiation following polarized neutron capture, 7=7343. On the determination of nuclear spins by the study of neutron capture gamma rays, 9=3812. See also Meier, R.W., 5=6469
Trunin, R.F. See Al'tshuler, L.V., 9=1372
Trurnit, H.J. See Faucher, J.A., 8=1003; Seehof, J.M., 6=2077
Truss, C.V. Chromatic flicker fusion frequency as a function of chromaticity difference, 8=1392
Trutia, A. See Grigorovici, R., 9=11597
Tsaï, B. See Bizette, H., 5=8078, 8909, 6=462, 469, 6002, 7=2405, 4545, 9268, 8=3245
Tsai-Chü. The latitude effect and the E-W asymmetry of the nucleonic component of the cosmic rays, 5=3868. On a super-σ star produced by the capture of a K-σ meson, 5=8891. Star produced by the capture of a hyperon Σ^-, 6=5425. A study of the nucleonic component of the cosmic radiation in the vicinity of the equator by means of sensitive emulsions, 6=6757. Determination of distortion vectors in nuclear emulsions, 7=8971. Detailed studies of an event involving the multiple production of strange particles, 9=2671. See also Dépaux, B., 9=2627, 13525; Morand, M., 5=9139
Tsai-Chü, Chemel, B. and Desprez-Rebaud, S. Associated production of a K^+-meson and a hyperfragment, 8=8855
Tsai-Chü and Claret, J. On the choice of the most sensitive

parameter to the variation of velocity of particles in nuclear emulsion, 8=2448

Tsai Chü, Le Gentil, M.C. and Morand, M. The measurement of ionization by means of "blob" lengths in nuclear emulsion, 6=5956

Tsai-Chü, and Morand, M. On the total intensity and the differential momentum spectra of the nucleon component of the cosmic radiation measured by means of nuclear emulsions in the neighbourhood of the equator, 5=360. On the energy loss, by ionization, of the nucleonic component in the atmosphere, 5=2846. Estimates of the angle of scattering, increase in intensity at high latitudes and relative abundances of slow secondary nucleons in the atmosphere, 5=3857. Multiple production of strange particles, 7=2685

Tsao, C.H. See Kalbach, R.M., 9=4912-13

Tsarenko, N.V. Heat transfer in the viscous-gravitational range of the flow of a liquid in a rectangular channel, 9=13212

Tsarenkov, B.V. See Nasledov, D.N., 8=8521

Tsarev, B.M. See Kapitsa, M.L., 9=7062; Kudintseva, G.A., 9=4677

Tschamler, H. Frequency assignments for normal aliphatic compounds. I. The normal paraffins in the range 1450 cm^{-1} to 650 cm^{-1}, 5=1083

Tschernikow, N.A. See Logunow, A.A., 9=3147

Tschiegg, C.E. See also Greenspan, M., 6=6446-7, 8=2210, 2896, 9=2160

Tschiegg, C.E. and Hays, E.E. Transistorized velocimeter for measuring the speed of sound in the sea, 9=11966

Tschoegl, N.W. The general relationships between the elastic constants of isotropic materials in n dimensions, 8 =8480. Elastic moduli in monolayers, 9=11601

Tsederberg, N.V. and Timrot, D.L. Experimental determination of the thermal conductivity of liquid oxygen, 7=306

Tseĭtlin, L.A. The skin effect in an array of conductors of rectangular cross-section, 7=7114. On a possible method of obtaining a homogeneous magnetic field, 8=4146. On determination of magnetic and electric fields in thin films and shells, 9=1631.

Tseĭtlin, V.B. See Volkov, D.I., 7=6355

Tsekhmistrenko, Yu.V. The kinetic energy of a nucleon in strong coupling theory, 8=6645. Theory of photoproduction and scattering of π-mesons assuming strong coupling. I, 8=7275; II, 7276. The scattering and absorption of γ-quanta by nucleons in strong coupling theory, 8=7277

Tsenter, E.M. See Chatskevich, M.V., 8=7026

Tsenter, M.Ya. See Tolstoĭ, N.A., 6=8801

Tsepelevich, E.E. See Rez, I.S., 9=13269

Tseplyaev, V.I. See Kiselev, M.I., 9=1558

Tserkovnikov, Yu.A. Stability of plasma in a strong magnetic field, 7=5478. See also Bogolyubov, N.N., 8=3029; Zubarev, D.N., 8=6666, 9=8164

Tsetlin, M.L. See Gel'fand, I.M., 7=6589

Tsidil'kovskiĭ, I.M. The Nernst-Ettingshausen effect in strong magnetic fields, 7=7910. The Nernst-Ettingshausen effect in mercury telluride, 9=2329. Adiabatic galvano- and thermo-magnetic phenomena in semiconductors. I. Impurity semiconductors, 9=3450. See also Amirkhanov, Kh.I., 8=3104; Bashirov, R.I., 7=6172; Bass, F.G., 5=8745, 7=3269; Zhuze, V.P., 9=6941, 9625

Tsidil'kovskiĭ, I.M. and Bass, F.G. On the work of G.M. Avak'yants on the theory of the equation of transfer in a strong electric field, 5=8683

Tsien, C.-T. See Kê, T.-S., 7=1684

Tsigler, I.N. See Belyaev, L.M., 9=9000

Tsikin, A.N. See Koĭkov, S.N., 7=2168, 9=12352

Tsimmer (Zimmer), K.G. Experimental determination of the gram-roentgen in ergs, 5=1139. See also Rozman, L.M., 7=7782; Zimmer, K.G.

Tsintsadze, N.L. See Polovin, R.V., 8=1088, 8157

Tsipis, S.M. See Sokolov, A.V., 5=9756

Tsitsin, F.A. See Mikisha, A.M., 8=4673

Tsobkallo, S.O. New X-ray cameras for studying the fine structure of polycrystalline materials, 6=7025

Tsobkallo, S.O. and Smirnov, B.I. X-ray study of distortions in the crystal lattice of aluminium deformed at liquid-nitrogen temperature, 9=878

Tsuan Wu Ting. See Li, J.C.M., 8=3076

Tsubaki, A. Nishiyama, Z., 9=11592

Tsubokawa, I. The magnetic properties of chromium-tellurium-selenium system, 6=6771. On the magnetic properties of vanadium sulfide and selenide, 9=11226. On the magnetic properties of nickel sulfide, 9=11227. See also Hirone, T., 7=3437

Tsubomura, H. Nature of the hydrogen bond. II. The effect of hydrogen bonding and other solute-solvent interactions upon the shape and intensity of the infrared OH band of phenol, 6=1079; III. The measurement of the infrared absorption intensities of free and hydrogen-bonded OH bands. Theory of the increase of the intensity due to the hydrogen bond, 6=4325. Ultraviolet and infrared absorption spectra of 4-methoxypyridinium salt, 8=7815

Tsubomura, H. and Nagakura, S. Dipole moment of the molecular complex between triethylamine and iodine, 7=9802

Tsubouchi, T. and Sato, S. On the heat transfer coefficients of cylindrical bodies. III, 9=6821

Tsuchida, R. See Fujita, J., 5=9815; Nakamoto, K., 8=2013; Yamada, S., 5=418, 640

Tsuchikura, H. and Ichige, K. Observation of metal sections by means of the 300 kV electron microscope, 8=4467

Tsuchiya, A. See Hatanaka, T., 5=7641; Suzuki, S., 8=1422

Tsuchiya, S. See Mizushima, S., 7=6398; Shimanouchi, T., 9=8713

Tsuchiya, T. Mass spectrometric detection of free OH radicals in the thermal decomposition products of H_2O vapour, 5=6598

Tsugé, S. On a theory of shock waves in locally supersonic zone and a new boundary-value problem for Tricomi's equation, 9=7867

Tsui, Y.T. See Thurston, E.G., 5=9487

Tsui-Fang and Craggs, J.D. Measurements of relative intensities of spectral lines in the emission from hydrogen and helium spark channels, 8=4863

Tsuji, H. The transformation equations between one- and n-dimensional spectra in the n-dimensional isotropic vector or scalar fluctuation field, 5=5229. Experimental studies on the characteristics of isotropic turbulence behind two grids, 5=7758. Experimental studies on the spectrum of isotropic turbulence behind two grids, 7=4031

Tsuji, M. Electron distribution in semiconductors, 5=2734. Electron transport in metals, 8=3458. Transport phenomena in monovalent metals, 9=1855, 10962. The thermoelectric, galvanomagnetic and thermomagnetic effects of monovalent metals, 9=8177; II. The thermoelectric power for anisotropic media, 9=8178; III. The galvanomagnetic and thermomagnetic effects for anisotropic media, 9=8179

Tsuji, T. The temperature dependence of forced magnetostriction, 9=11214. See also Takaki, H. 7=4553, 9=13333

Tsujikawa, I. Absorption lines in the antiferromagnetic states of $MnCl_2.4H_2O$ and $MnBr_2.4H_2O$, 9=4445

Tsujikawa, I. and Couture, L. Optical observation of a phase change of manganese fluosilicate hexahydrate, 5=8665

Tsujikawa, I. and Sugano, S. Anomalous g-shifts of excited states of Cr^{3+} in ruby, 9=4441

Tsujimura, A. See Kôi, Y., 5=8131, 7=9303

Tsujiuchi, J. A density filter improving aberrant optical image, 8=560. A filter for improving aberrated optical images and its use as a double or triple focus filter, 8=2220. Effect of the condenser's aberration on the image formed in a microscope, 9=6692. See also Ukita, Y., 9=5602

Tsukada, K. Microwave spectra of $SPCl_3$, experimental, 5=2589. Contribution of overlap integral to nuclear quadrupole coupling, 5=6358. Zeeman splitting of nuclear quadrupole resonance line of iodine, 7=627. See also Kojima, S. 5=2944, 2948-9, 5319, 8129, 9571, 6=1441, 9=8372

Tsukerman, V.A. See also Samȳlov, S.V., 8=7831

Tsukerman, V.A. and Manakova, M.A. Sources of short X-ray flashes for investigation of rapid processes, 7=9711

Tsukernik, V.M. On the theory of antiferromagnetism, 8=4121. See also Kaganov, M.I., 8=7163, 8108, 9=1579, 2337, 9792, 12447

Tsukkerman, I.I. Short quadrupole magnetic lenses, 9=1520

Tsun Wu Tai. See Tai Tsun Wu, 7=2446

Tsuneoka, Y. See Kumabe, I., 7=5636, 8=8340; Muto, J., 8=5370

Tsuneto, T., Hirosige, T. and Fujiwara, I. Relativistic wave equations with maximum spin two, 6=6393

Tsurumi, I. Optical method for determining the small phase retardation with white light, 6=1140

Tsushima, T. See Miyahara, S. 9=9789

Tsutsumi, K. Fine structures of X-ray K absorption spectra of nickel in oxides of nickel, 9=11091. See also Sawada, M., 5=7407, 9690, 9980, 8=8021

Tsutsumi, K., Hayase, A. and Sawada, M. Fine structures of X-

ray K absorption spectra of copper in various copper compounds, 8=8023
Tsutsumi, K. and Obashi, M. Fine structures of the X-ray absorption by the single crystal of germanium, 9=11092
Tsustumi, K., Obashi, M. and Sawada, M. Absorption coefficients of fine structures of X-ray absorption spectra at various absorber thickness, 9=8195
Tsuya, N. On the spin wave field theory and its application to the microwave resonance, 5=1042. On the internal field of the microwave resonance in ferrites, 5=1048. Theory of magnetostriction and g factor in ferrites, 9=401, 5897. See also Hirone, T. 5=2869, 7=3437
Tsuya, Y. See Yoshida, S., 7=7858
Tsuzuki, M. See Minakawa, O., 9=12425
Tsuzuku, T. Conical spiral structure and laminar cleavage of graphite, 8=8519
Tsuzuku, T. and Komoda, T. Layer growth of artificial graphite, 5=5076. Conical crystals of graphite, 7=896
Tsvang, L.R. See Gurvich, A.S., 9=1290
Tsvelȳkh, N.G. See Lisitsa, M.P., 8=1626
Tsvetkov, N.M. See Bogoroditskiĭ, N.P., 7=2185
Tsvetkov, V.N. See also Frisman, E.V., 6=7329
Tsvetkov, V.N., Frisman, É.V. and Mukhina, L.S. Dynamical birefrigence of polymethylmethacrylate solutions with various solvents and the form of the macromolecules, 6=8137
Tsvetkov, V.N., Frisman, É.V., Ptitsȳn, O.B. and Kotlyar, S. Ya. Effect of form in the flow birefringence of polymer solutions, 9=3360
Tsvetkov, V.N. and Savvon, S.M. Dynamic double refraction in solutions of high molecular weight polystyrene, 6=6551
Tsvetkov, V.P. See Glauberman, A.E., 6=6420
Tsvetkov, Yu. D. See Bubnov, N.N., 9=9815*
Tsvirko, Yu. A. See Deĭgen, M.F., 8=6707
Tsȳgikalo, A.A. See Val'ter, A.K., 8=5058
Tsȳn, N.M. See Borovȳk, Ye. S., 8=7753-4; Lazaryev, B.H., 8=6720
Tsȳrlin, L.É. Some problems of the mathematical theory of the d.c. corona discharge, 7=2268. Remarks on V.I. Popkov's paper "On the theory of corona discharge in a gas at constant voltage", 7=8643. Remarks on V.I. Popkov's paper "On the problems of the theory of the bipolar direct-current corona", 7=8647
Tsȳtko, S.P. See also Guseva, M.I., 9=13815
Tsȳtko, S.P. and Antuf'ev, Yu. P. γ-resonances in reactions of proton capture by silicon, 7=1566
Tsȳtovich, V. See Ivanenko, D., 6=8581
Tsȳtovich, V.N. On relativistic corrections in the two-body problem, 5=3463. On the causal development of bound systems with relative time, 5=5862. On the spectrum of positronium in external fields, 5=9024. Interaction between a medium and the [electric] current entering it, 8=8147. On the interaction between a medium and a ring current incident on it, 9=12507. See also Ivanenko, D., 5=8826; Sokolov, A.A., 6=4820
Tsyunaĭtis, G.K. See also Yutsis, A.P., 5=4521
Tsyunaĭtis, G.K., Kibartas, V.V. and Yutsis, A.P. The self-consistent field for the basic configuration of atoms of helium type, 7=633
Tsyunaĭtis, G.K. and Yutsis, A.P. Two configurational approximation in the case of the configuration $1s^22s^22p3s$ of the carbon atom, 5=4875. Two-configurational approximation for two low-lying configurations of boron, 5=7298
Tszyan Pi-Khuan. See Boltaks, B.I., 8=7049
Tu, L.Y., Brennan, J.N. and Sauer, J.A. Dispersion of ultrasonic pulse velocity in cylindrical rods, 5=6826
Tuan, S.F. Vertex corrections to the pion K-meson interaction, 7=8192. Unphysical region in heavy-meson–nucleon dispersion relations, 9=7286. See also Dalitz, R.H., 9=11389; Moses, H.E., 9=10613
Tubaev, V.M. See Pivovar, L.I., 8=8007, 9=3527
Tubiana, M. Artificial radioactivity and biology, 6=583
Tubiana, M. Dutreix, J. and Dutreix, A. Dispersion of secondary electrons set in motion by 22 MeV X-rays, 6=5928
Tubis, A. Tables of atomic wave functions and energies for light elements, 6=5331
Tubota, H., Matukura, Y. and Okazaki, A. Temperature dependence of diffusion potential of metal rectifiers, 5=2754
Tubota, H. and Suzuki, H. Photo-voltaic effect in Se-photocells having artificial intermediate layers of CdSe, CdTe, ZnSe and ZnTe, 9=12290
Tubota, H., Suzuki, H. and Matumura, O. The temperature dependence of the optical absorption of zinc selenide, 6=7749
Tubota, H., Suzuki, H. and Okazaki, A. The temperature dependence of zero bias resistance of metal rectifiers, 5=2753
Tuchkevich, V.M. See also Lebedev, A.A., 7=4357. Rȳvkin, S.M., 8=7976; Stafeev, V.I., 6=5877, 9=3472
Tuchkevich, V.M. and Chelnokov, V.E. Current–voltage characteristics of diffused silicon p–n junctions, 9=8156
Tuchkevich, V.M. and Shmartsev, Yu. V. On the field dependence of the Hall coefficient in p-type germanium, 9=5744
Tuchkevich, V.V. See Kel'man, V.M., 8=1941, 3359
Tuck, D.G. Bombardment of glass by alpha-particles, 6=4031. Application of charge-transfer theory to the heats of adsorption of the inert gases on charcoal, 9=5235. See also Martin, G.R., 9=6065
Tuck, J.L. See Burkhardt, L.C., 7=7938; Elmore, W.C., 9=8249; Honsaker, J., 8=779; Kruskal, M., 8=4160; Phillips, J.A., 6=2955
Tucker, C.W., Jr. See also Sampson, J.B., 7=5739
Tucker, C.W., Jr and Senio, P. X-ray scattering by neutron-irradiated single crystals of boron carbide. I, 5=9273. X-ray scattering effects due to localized static lattice defects, 6=796. On the nature of thermal spikes, 6=6945
Tucker, C.W., Jr, Senio, P., Thewlis, J. and Steeple, H. Joint note on the β-uranium structure, 7=3840
Tucker, D.G. Underwater echo-ranging, 6=7245. Arrays with constant beam-width over a wide frequency-range, 8=96
Tucker, D.G., Welsby, V.G. and Kendell, R. Electronic sector scanning, 8=7780
Tucker, E.B. See Day, E.A., 8=5984; Jacobsen, E.H., 9=12472; Shiren, 9=11249
Tucker, G.L. See Anderson, A.G., 6=4587
Tucker, H. St G. The particle size of some Witwatersrand mine dust, 8=2039
Tucker, J. See Gellman, H., 5=5163
Tucker, M.J. The analysis of finite-length records of fluctuating signals, 7=6805. An electronic feedback seismograph, 8=3601
Tucker, P.E., Davidson, R.A. and Partridge, W.S. Time delay between high-speed pellets and associated luminosity and ionization, 8=8074
Tucker, R.F., Jr. Paramagnetic resonance study of copper-doped silver chloride [crystals], 9=4821
Tucker, R.N. and Gibbs, P. Imperfection dependence of the catalytic decomposition of H_2O_2 on Al_2O_3, 9=904. Impurity penetration along dislocation lines in α-Al_2O_3, 9=5181
Tucker, W.D. See Stang, L.G., Jr, 5=499
Tuczek, H. Contribution to the explanation of high vacuum breakdown from field-emission pictures, 8=7059. See also Fünfer, E., 9=4748; Herold, H., 9=13396
Tudorovskiĭ, A.I. Remarks on the paper "Sources of illumination in accurate colour measurements of non-self luminous bodies" by G.N. Rautian, N.V. Lobanova and M.A. Znamenskaya, 6=8140. An objective with a phase plate, 9=10744
Tuernal-Vatran, L. See Harrand, M., 5=4534
Tufte, O.N. See Ewald, A.W., 9=919, 6982
Tukish, E. See Dovzhenko, O., 8=4098
Tukish, E.I. See Dobrovol'skiĭ, S.P., 7=3419
Tulczyjew, B. See Dąbrowski, J., 9=6114
Tulczyjew, W. On the energy–momentum tensor density for simple pole particles, 7=9000. On the motion of rotating bodies in the general theory of relativity, 9=2029. Equations of motion of rotating bodies in general relativity theory, 9=9170
Tulinov, A.F. Study of nuclear energy levels by measuring the angle of emission of the reaction products, 7=4625. A method of measuring the lifetimes of excited states of atomic nuclei, 8=1913. See also Balashov, V.V., 9=11439; Boyarkina, A.N., 9=11438
Tulinov, V.F. A study of slow μ-mesons in the stratosphere by the method of delayed coincidences, 8=6016. See also Vernov, S.N., 9=9740
Tulinova, Z.I. See Baradzeĭ, L.T., 8=3217, 3367
Tulinsky, A. Basic beryllium acetate. III. Evidence for chemical bonding; assessment of accuracy, 9=13936
Tulinsky, A. and Worthington, C.R. Basic beryllium acetate. II. The structure analysis, 9=13935
Tulinsky, A., Worthington, C.R. and Pignataro, E. Basic beryllium acetate. I. The collection of intensity data, 9=13934
Tulub, A.V. Relativistic correction to the Maxwell distribution,

8=913. The phonon interaction of electrons in polar crystals, 9=5136. The influence of the electron-phonon interaction on the cyclotron resonance frequency, 9=10247. See also Novozhilov, Yu. V., 7=6916

Tulub, T.P. See Bobovich, Ya. S., 6=5793, 9=9445, 13171

Tulunay, S.Ü. See Riggs, L.A., 9=10462

Tumanov, K.A. See also Shirokov, Yu. M., 7=8105

Tumanov, K.A. and Shirokov, Yu. M. Quantum electrodynamics in configuration representation. IV. Relativistic equation for the electron-positron system, 5=40

Tumanov, V.S. See Sokolov, A.A., 6=7123; Ternov, I.M., 9=12996

Tumanyan, S.Kh. Asymptotic distribution for the χ^2 criterion, 7=2913

Tumanyan, V.A. See also Varfolomeev, A.A., 8=1758

Tumanyan, V.A. Zharkov, V.A. and Stolyarova, G.S. Calculation of pseudo-trident processes with estimation of cross-section for direct formation of electron-positron pairs by electrons, 9=13543

Tunakan, S. Resistance measurements on thin films of tin, 5=4639. Resistance variation of thin metallic films brought about by absorption of gases. (Experiments with self-supported silver films), 7=4320. Variation of resistance of thin, freely supported copper and gold films due to the surrounding gas, 7=7923. A new simple method for the production of thin metal films in the form of narrow bands, 8=9144. Resistance variation of thin metallic films by gas adsorption. (Experiments on self-supported copper films), 9=3435; (Experiments on self-supported gold films), 9=3436. On the electric resistance of very thin aluminium layers, 9=3439

Tunitskaya, V.F. See Levshin, V.L., 7=4240, 8=141

Tunitskii, L.N. See Tatevskii, V.M., 9=10177

Tunitskiĭ, N.N., Devyatȳkh, G.G., Pemrov, P.C. and Torlin, B.Z. The separation of the isotopes of carbon by thermal diffusion of carbon monoxide, 8=6366

Tunkelo, E. See Palevsky, H., 9=11557; Pelah, I., 9=6232

Tunmer, H. On a feature of Galactic radio emission, 8=2738

Tunnicliff, D.D. Measurement of nearby stray radiation in ultraviolet spectrophotometers, 6=199. See also McConnell, H.M., 5=6012

Tuomi, D. See Candidus, E.S., 5=5359

Tuomikoski, P. Infrared spectrum and hydrogen bonding of pyrrole, 5=2945. Dielectric constant and association of pyrrole, 5=7007. On the Fermi resonance and isotope effect in the infrared spectrum of carbon tetrachloride, 6=227. The hagenbach-couette correction in capillary viscometry, 6=951

Tuominen, J. The latitude drift of sunspot groups, 5=8454. On the vortices postulated in von Wiezsäcker's theory of the origin of the solar system, 9=2009

Tuominen, J., Riihimaa, J. and Tuori, K. The solar eclipse of June 30, 1954 as observed in Helsinki on wave-length, 3.7 metres, 7=2922

Tuori, K. See Tuominen, J., 7=2922

Turbadar, T. Complete absorption of light by thin metal films, 9=2240

Turberfield, K.C. See Collington, D.J., 6=557

Turchányi, G. See Tarján, I., 6=9028, 7=6689

Turchin, V.F. Multiphonon processes in crystals, 8=3455. The excitation by slow neutrons of optical oscillations in a crystal, 9=5175

Turchinetz, W. See also Carver, J.H., 8=2541, 2577, 9=2816, 3918, 6127; Funt, B.L., 5=7311; Pringle, R.W., 5=10101

Turchinetz, W. and Pringle, R.W. Decay scheme of La^{138}, 6=8347

Turf, J. See Vanhuyse, V.J. 9=2422

Turk, B.M. See Davidson, H.W., 5=129

Turk, E.H See Schuman, R.P. 9=12646

Turk, W.E. Tracer experiments in photocells, 7=1308

Turkdogen, E.T. See Leake, L.E., 5=905

Turkevich, A. See Metropolis, N., 9=654-5; Reed, G.W., 6=2619, 8=11

Turkevich, J. See Larach, S., 5=6291; Pastor, R.C., 6=487, 5243

Turkin, Yu. I. Investigation of self-absorption phenomenon in hyperfine structure components, 7=9605

Turkot, F. See Heinberg, M., 8=6173

Turley, J.W. See Comer, J.J., 5=4125

Turnbull, A.G. See Appleton, E.V., 6=3388

Turnbull, A.H. A measurement of Schwarzchild's constant, 5=9326. The molecular flow conductance of a pipe of elliptical cross-section, 5=9480. An oil-free pumping system, 8=5709

Turnbull, D. Diffusion short circuits and their role in precipitation, 5=5669. See also DeSorbo, W., 9=13787; Frank, F.C., 7=2725, Hillig, W.B., 6=5518; Newkirk, J.B., 5=6602; Seitz, F., 7=3471; Turnbull, D. (Ed.)., See Seitz, F., 6=6038, 7=3471

Turnbull, D. and Cohen, M. H. Concerning reconstructive transformation and formation of glass, 9=5179

Turnbull, J. See Molyneux, L., 8=6564

Turner, A. Electromagnetic sonometer, 5=4442

Turner, A., Jr. See Brice, B.A., 6=3659

Turner, A.F. See Berning, P.H., 7=4158; Hass, G., 6=1118

Turner, B.M. A constant-volume, membrane, interferometric microrespirometer, 6=7095

Turner, C.H.M. On the concept of an instantaneous power spectrum, and its relationship to the autocorrelation function, 5=2019

Turner, C.M. See also Bloom, S.D., 7=3592

Turner, C.M and Bloom, S.D. Production of millimicrosecond pulses by radio-frequency sweeping of the ion beam in the terminal of an electrostatic accelerator, 9=355

Turner, D.R. Junction delineation on silicon in electrochemical displacement plating solutions, 9=12274

Turner, D.T. See Mullins, L., 9=8968

Turner, D.W. A photon counter of high sensitivity for the vacuum ultra-violet region, 7=7177

Turner, E.B. The use of a shock tube to obtain line broadening data, 5=7822

Turner, J.F. The internal conversion electron spectrum of ^{241}Am, 5=8223. A search for the emission of high energy γ-radiation from a preparation of Ac227, 7=671. See also Cavanagh, P.E., 7=9848, 8=6258

Turner, J.S. See Morton, B.R., 6=2826

Turner, R. C. See also Anderson, W., 5=658, 6=7897

Turner, R.C., Radley, J.M. and Mayneord, W.V. Alpha-ray activities of humans and their environment, 8=4290

Turner, R.D. The diffraction of a cylindrical pulse by a half-plane, 7=555

Turner, R.E. Random events in a liquid, 9=1144

Turner, S.E. Fast neutron activation analysis. Silicon and aluminium, 7=4851

Turner, T.E., Fiora, V.C. and Kendrick, W.M. Microwave spectrum of imine-deuterated ethylenimine, 6=1084

Turner, T.E. and Howe, J.A. Determination of molecular structures from rotational spectra measurements, 6=4572

Turner, W.J. Photoemission from silver into sodium chloride, thallium chloride, and thallium bromide, 6=3746

Turney, T.A. and Wright, G.A. Absorption spectrum of the nitrosonium ion, 8=7814

Turov, E.A. Zener's theory of ferromagnetism, 5=1040. On the theory of the g-factor in ferromagnetic metals, 8=4117. See also Irkhin, Yu. P., 8=3995; Vonsovskiĭ, S.V., 6=1347

Turovtsev, V.V. See Luk'yanov, A.V. 9=1780, 2833

Turrell, G.C. and Gordon, J.E. Infrared spectrum of the dimethylnitrilium ion, 9=6734

Turrell, G.C., Jones, W.D. and Maki, A. Infrared spectra and force constants of cyanoacetylene, 7=7754

Turrin, A. Proposal for a distributed regenerative action to extract the beam from a weak-focusing synchroton by exciting the resonance: 2 radial oscillations/3 revolutions, 8=5950. See also Ageno, M., 9=13383; Alberigi, A., 9=11143

Turton, C.N. See Wolfgang, R., 5=9902

Tur'yan, Ya. I. Mechanism of polarization in the polarography of simple ions of nickel and cobalt, 7=8924

Tuson, K.R. Single exposure photography of a high speed event, 5=4277

Tutihasi, S. Reciprocity law failure in desensitized emulsions, 5=1427. Quenching of photoconductivity in cadmium sulfide, 6=5106. Optical absorption by silver halides, 7=3147

Tutovan, W. Magnetic permeability for magnetization by a rotating alternating field in the presence of a longitudinal direct field, 9=7159

Tutter, M. The lifetime of the 1.416 MeV level of radium C'. 9=12633

Tuttle, T.R., Jr. Analysis of the E.S.R. absorption spectrum of Wurster's blue ion, 9=7183. See also Weissman, S.I., 7=5514

Tuttle, T.R., Jr., Ward, R.L. and Weissman, S.I. Spin density in naphthalene negative ion, 6=8904

Tuttle, T.R., Jr and Weissman, S.I. C^{13} Hyperfine splitting in naphthalene negative ion, 6=8905

Tuul, J. See Farnsworth, H.E., 9=8978-9
Tuve, M.A., Tatel, H.E. and Hart, P.J. Crustal structure from seismic exploration, 5=1380
Tuyl, H.H. Van. See Van Tuyl, H.H.
Tuzhilin, A.A. Comment on A.A. Senkevich's letter to the editor "Effect of the finite amplitude of an acoustic radiator on the wave-form", 9=5464
Tuzi, Y. See also Okamoto, H. 9=10352
Tuzi, Y. and Okamoto, H. Surface area variation of evaporated barium film by oxidation, 9=5186. Adsorption of water vapour on lead borosilicate glass in vacuum, 9=10353
Tuzi, Z., Kawata, K. and Hori, I. The photoelastic behaviour of cross-linked polymers, 8=3906
Tuzzolino, A.J. Elastoresistance constants of p-type InSb at 77°K, 7=4343. Piezoresistance constants of p-type InSb, 8=2320. Piezoresistance constants of n-type InAs, 9=2359
Tverdokhlebov, V.I. Probe studies of a rarefield flame, 6=5047. Connection between Langmuir probe-characteristic method and the method of two probes in determination of electron temperature, 8=4044. See also Rossikhin, V.S., 8=6918
Tverskoĭ, N.P. See Bazilevich, V.V., 8=6908
Twarowska, B. Location of radioactive substances in a rock by application of the method of transparent slices of granite and nuclear emulsions, 5=4886
Tweel, L.H. van der. See van der Tweel, L.H.
Tweet, A.G. Properties of grain boundaries in gold-doped germanium, 5=8757. Electrical properties of plastically deformed germanium, 5=8760. Precipation of Cu in Ge, 7=5670. Precipitation of Cu in Ge. II. Supersaturation effects, 8=6439; III. Quench effects in nearly perfect crystals, 8=6440. Evidence for vacancy clusters in dislocation-free Ge, 9=4024. Precipitation in semiconductors, 9=10294
Tweet, A.G. and Gallagher, C.J. Structure sensitivity of Cu diffusion in Ge, 6=8980
Tweet, A.G. and Tyler, W.W. Enhanced Cu concentration in Ge containing Ni at 500°C, 9=4578
Twersky, V. Scattering theorems for bounded periodic structures, 7=1066. On scattering and reflection of sound by rough surfaces, 7=3101
Twidle, G.G. The spectral reflectivity of back-surface and front-surface aluminized mirrors, 7=9112
Twiss, R.Q. On the initial space charge distribution in a cylindrical magnetron diode, 5=8867. On the preoscillation state in a cylindrical magnetron, 6=6740. See also Brown, R.H., 6=2009, 7=4108, 8=2932-3
Twiss, R.Q. and Brown, R.H. The question of correlation between photons in coherent beams of light, 7=6971
Twiss, R.Q., Little, A.G. and Brown, R.H. Correlation between photons, in coherent beams of light, detected by a coincidence counting technique, 7=9588
Twite, O.A. See Bostick, W.H., 7=6217
Twomey, S. Experimental test of the Volmer theory of heterogeneous nucleation, 9=8040. See also Smith, E.J., 6=1769
Twomey, S. and McMaster, K.N. The production of condensation nuclei by crystallizing salt particles, 8=9186
Twyman, W.A. See Roesler, F.C., 5=3179
Tyabin, N.V. Non-stationary flow of visco-plastic medium in a circular pipe, 6=8017. The flow of a liquid of anomalous viscosity between two flat plates and between two co-axial cylinders, 7=1103
Tyablikov, S.V. On the energetic spectrum in a polarized crystal. II, 5=2302. On a study of the interaction of electrons with a phonon field by the method of intermediate coupling, 5=5084. On a variational principle in the many-body problem, 9=9204. See also Bogolyubov, N.N., 9=10621. Tolmachev, V.V., 6=8860, 8=7035
Tyablikov, S.V. and Amatuni, A.Ts. The ground state of antiferromagnetics as obtained by the method of elementary excitations, 6=7512
Tyablikov, S.V. and Tolmachev, V.V. Distribution functions for the classical electron gas, 8=4764. On the interaction between electrons and lattice vibrations, 8=8417
Tyanutova, G.V. See Dorman, L.I. 5=1030; Kuz'min, A.I., 6=8856
Tyapkin, A.A. Energy spectrum of γ-rays from the decay of π^0-mesons, 7=1570. See also Bayukov, Yu.D., 7=6524, 8142; 8=1868, 3308, 5225; Prokoshkin, Yu.D., 7=6543, 8=1876, 5235; Zrelov, V.P., 8=8221
Tyapkin, A.A., Kozodaev, M.S. and Prokoshkin, Yu.D. Formation of π^0-mesons by 670 MeV protons on the nuclei of various elements, 5=9147
Tyapkin, Yu.D. See Bagaryatskiĭ, Yu.A., 8=3484, 9=10382
Tycko, D.H., Thomas, L.H. and King, K.M. Numerical calculation of the wave functions and energies of the $1\,^1S$ and $2\,^3S$ states of helium, 8=1992
Tye, R.P. See Brown, A.R.G., 6=2028; Powell, R.W., 8=1042
Tykodi, R.J. Thermodynamics of adsorption, 5=609. See also Aston, J.G. 5=10047
Tyler, J.E. Monochromatic measurement of the volume scattering of natural waters, 7=7794
Tyler, J.E. and Richardson, W.H. Nephelometer for the measurement of volume scattering function in situ, 8=2260
Tyler, R.W. and Eisen, F.C. Emulsion sensitivity for the photography of cathode-ray tubes, 9=10490
Tyler, R.W., Webb, J.H. and York, W.C. Measurements of electrical polarization in thin dielectric materials, 5=3706
Tyler, W.W. Injection breakdown in iron-doped germanium diodes, 5=1831. Deep level impurities in germanium, 9=6271. See also DeSorbo, W., 7=5287; Newman, R. 5=944, 6=4411, 7=3279; Tweet, A.G., 9=4578; Woodbury, H.H., 6=341, 7=3273
Tyler, W.W. and Dash, W.C. Dislocation arrays in germanium, 8=402
Tyler, W.W. and Newman, R. Hall mobility of optically excited carriers in germanium, 5=6129
Tyler, W.W., Newman, R. and Woodbury, H.H. Properties of germanium doped with cobalt, 5=2747. Properties of germanium doped with nickel, 5=5410
Tyler, W.W. and Woodbury, H.H. Properties of germanium doped with iron. I. Electrical conductivity, 5=943. Scattering of carriers from doubly charged impurity sites in germanium, 6=4396
Tymms, P. See Flewett, T.H., 6=2472
Tyndall, E.P.T., Artman, R.A., Wert, C.A. and Eisner, R. Creep of zinc crystals, 5=4136
Tyrell, H.V. See Mara, R.T., 5=1693
Tyrén, H. See also Hillman, P., 8=5197; Lovati, A., 6=3789; Maris, T.A.J., 7=6551, 8=5342, 5346; Rosenblum, S., 5=2132
Tyrén, H., Hillman, P. and Johansson, A. The polarization of 173 MeV protons inelastically scattered by carbon, 8=327
Tyrén, H. and Maris, T.A.J. Studies of inelastic scattering of 185 MeV protons on carbon, 7=6552. Inelastic scattering of 185 MeV protons on oxygen, calcium and carbon, 8=5341. Inelastic scattering of 185 MeV protons on nuclei with masses from fluorine to potassium, 8=5344. Inelastic scattering of 185 MeV protons on elements between Ca and Zn, 8=6295. Inelastic scattering of 185 MeV protons on lithium, beryllium, boron and nitrogen, 8=7362
Tyrén, H., Maris, T.A.J. and Hillman, P. Inner shell structure of nuclei, 8=1893. High energy (p, 2p) reactions and proton binding energies, 8=5347
Tyrén, H., Tibell, G. and Maris, T.A.J. The scattering of 181 MeV protons off helium, 8=3369. The scattering of 185 MeV protons from deuterium and neon, 8=5198
Tyrén, H. and Tove, P.-A. Short-lived radio-nuclides produced by a synchrocyclotron, 5=1144
Tyroler, J.F. and Smith, C.L. New computer method for obtaining optimum area, 6=6286
Tyulin, V.I. See also Kotov, Yu.I., 8=3878
Tyulin, V.I. and Tatevskiĭ, V.M. Apparatus for obtaining Raman spectra of gases, 8=969
Tyutekin, V.V. A method of measuring the mechanical parameters of rubber at sonic and ultrasonic frequencies, 6=4901. The propagation of elastic waves in a medium with cylindrical channels, 7=3078. Scattering of plane waves by a cylindrical cavity in an isotropic elastic medium, 9=9342. See also Vovk, A.E., 8=6735
Tyutikov, A.M. and Efremov, A.I. Secondary-electron multipliers for recording long-wavelength X-radiation, 8=3133
Tyutyunnik, A.D. and Estulin, G.V. The influence of the microstructure on the diffusion of chromium in nickel-based alloys, 8=4458
Tyutyunnikova, E.V. See Voĭtsekhovskaya, I.A., 8=7882
Tyzzer, F. See Ingard, K.U., 9=2186
Tyzzer, F.G. See also Hardy, H.C., 6=4958
Tyzzer, F.G. and Leedy, H.A. Advances since 1929 in methods of testing acoustical performance of acoustical materials, 5=3530
Tzara, C. On the resonant absorption of photons in carbon, 6=6906. On the nuclear absorption of photons, 7=5628. A method of production of a narrow spectrum of high-energy photons, 7=9053. See also Bellicard, J.B., 7=8830; Braffort, P. 5=3893

Tzoar, N. and Klein, A. Inner bremsstrahlung in mu-meson decay, 8=5218

Tzoar, N., Raphael, R. and Klein, A. Meson-theoretical origin of the spin-orbit coupling between two nucleons, 9=12547

Tzou, K.H. The states of spin of tensor fields and comparison with those of fields of maximum integral spin in the theory of fusion, 7=5843. Detailed comparison of tensor fields with fields of maximum integral spin in connection with their composition, 7=5844. Matrix formulation of the vector field and of the field of maximum-spin 1 and comparison of their internal structure, 7=7589. On the gauge invariance of neutrino fields, 7=8388. On matrix theories of the photon, 7=8987. Charged vector field of zero proper mass, 7=8995. A study of tensor fields without supplementary conditions, 8=1493.* A non-linear theory of particles of spin 1, 8=3711. Identification of the solutions of Dirac equations under P.T.C., 9=4277. On the chirality invariance of the pion–nucleon interactions, 9=9976

Tzu, H. -Y. The electric multipole internal conversion induced by neutron transition, 8=3361. The electric multipole radiation emitted by a neutron, 9=1749. See also Chen, J.M., 9=7239, 7291-2; Dye, Y.B., 9=7273; Lee, W.T., 9=4949

Ubbelohde, A.R. Cataphoresis of crystal nuclei, 5=619. Transport phenomena in melts and the mechanism of melting, 5=7741. Crystallography and the phase rule, 6=8460. Hole and claw defects in graphite, 7=9971. Abnormal values of A' and 'E' in migration processes, 8=4453. See also Al-Mahdi, A.A.K. 5=4589; Andrews, J.N., 5=3678; Ewing, V.C., 5=7458; Gallagher, K., 5=10068; Harpur, W.W. 5=9647, 6=2859; Lewis, F.A., 8=623; McGrath, W.D. 5=2046; Plester, D.W., 6=5054
Ubbelohde, A.R., Blackman, L.C.F. and Mathews, J.F. Metallic conduction in the crystal compounds of graphite, 9=6946
Ubbelohde, A.R. and Orr, J. Anisotropic thermo-electric effects in graphite, 7=6197
Ubelmann, E. See Robin, J., 7=5180
Überall, H. Radial spreading during photon diffusion, 6=2374. Hyperfragment production, 6=5433. High-energy interference effect of bremsstrahlung and pair production in crystals, 7=461. Polarization of bremsstrahlung from monocrystalline targets, 7=7964. Angular distribution of neutrons from μ-absorption in nuclei, 8=692. Polarization of electrons from μ–e decay, 8=5216. Hyperfine splitting effects in the capture of polarized μ-mesons, 9=11516. See also Dyson, F.J., 5=8833; Fronsdal, C., 8=7239, 9=2566, 4924; Györgyi, G., 8=6259, 8296
Überall, H. and Wolfenstein, L. Capture of μ-mesons in deuterium, 9=2609
Uberoi, M.S. Stability and structure of Bunsen flame, 5=251. Investigation of turbulence in the solar atmosphere, 5=4302. On the solar granules, 6=5631
Uberoi, M.S. Equipartition of energy and local isotropy in turbulent flows, 8=5687
Uberoi, M.S. and Gilbert, E.G. Technique for measurement of cross-spectral density of two random functions, 9=4313
Uberoi, M.S. and Kovasznay, L.S.G. Analysis of turbulent density fluctuations by the shadow method, 5=2487
Uberoi, M.S., Kuethe, A.M. and Menkes, H.R. Flow field of a Bunsen flame, 8=3036
Uberoi, S. Flow field of a flame in a channel, 9=4359
Ubisch, H. von. See von Ubisch, H.
Uchevatkin, I. See Dzhelepov, B., 8=6271
Uchevatkin, I.F. See Dzhelepov, B.S., 7=6510, 9=1744
Uchida, E. Magnetic properties of cobalt telluride, 5=8073. Note on the ferromagnetism of CoTe. 6=5221
Uchida, E. See also Kondoh, H. 9=9768
Uchida, E. and Kondoh, H. Magnetic properties of FeTe, 5=6295.* Magnetic properties of nickel telluride, 6=3019
Uchida, E., Kondoh, H. and Fukuoka, N. Magnetic and electrical properties of manganese telluride, 6=3730
Uchida, R. See Kikuchi, Y., 8=2083
Uchida, Y. See also Fukuda, K., 9=13399
Uchida, Y. and Nakai, Y. On the V-centers in alkali iodide crystals, 5=3271
Uchida, Y., Nakai, I. and Tomotika, T. On the oscillator strength of V_2 centers in potassium iodide crystal, 7=5734
Uchida, Y. and Ueta, M. Recent experiments on colour centres, 5=9391
Uchiyama, S. Theory of thermoelectric refrigeration, 9=2366. See also Shogenji, K., 7=8607, 8=5897, 9=9629
Uchiyama, S. and Shogenji, K. Anomalies of electrical properties of lead telluride crystal, 7=8623. Electrical forming effects of lead selenide and lead telluride rectifiers, 9=13307
Udal'tsov, V.A. See also Vitkevich, V.V., 9=7731, 12946
Udal'tsov, V.A. and Vitkevich, V.V. On the intensity distribution on the discrete radio source, Taurus-A, 9=9141
Ude, H. See Freiwald, H., 6=1683, 2492
Udelson, B.J. Effect of microwave signals upon different regions of a d.c. hydrogen glow discharge, 7=6224
Udelson, B.J., Creedon, J.E. and French, J.C. Microwave measurements of the properties of a d.c. hydrogen discharge, 8=204
Udovichenko, Yu.K. See Leont'ev, N.I. 9=11147
Uebersfeld, J. On some methods of utilizing resonant cavities in paramagnetic resonance, 5=2884. The effect of exchange in the paramagnetic resonance of charcoals, 6=479. Realization of a high-sensitivity apparatus for paramagnetic electron resonance at 9200 Mc/s, 6=4511. Spectrometer for paramagnetic resonance. Study of free radicals in irradiated (γ-ray) substances and in coals, 6=6783. Action of high-energy radiations on solids. Paramagnetic electronic resonance and lattice defects in solids, 7=770.* Evidence for excited states of the chemical bond from paramagnetic electron resonance, 7=6396. See also Erb, E., 8=7315, 7317; Motchane, J.L., 9=510
Uebersfeld, J. and Erb, E. Paramagnetic resonance of charcoals. Detection of a free radical unstable in air, 5=7188. Anisotropy in the paramagnetic electron resonance spectra of irradiated glycine, 6=3022. Effects of temperature on the electronic paramagnetic resonance of coals and charcoals (charbons), 6=8871. A new effect of oxygen on the paramagnetic resonance of charcoals, 7=1717. Paramagnetic resonance spectrometers, 7=2555. Paramagnetic resonance in charcoals. Surface effects, 7=2722. Saturation and relaxation time in the paramagnetic electron resonance of sugar charcoals, 7=5714
Uebersfeld, J., Étienne, A. and Combrisson, J. Paramagnetic resonance, a new property of coal-like materials, 5=388
Ueda, A. See Murota, T., 7=6873, 6877
Ueda, I. See Hirakawa, K., 5=2703; Okazaki, A., 6=5537
Ueda, M. The absorption spectrum of nitric oxide in the far-ultraviolet region, 5=6912
Ueda, R. See Kobayashi, J., 6=2561, 8761
Uehling, E.A. See Bjorkstam, J.L., 9=9836
Uematsu, S. See Inuishi, Y., 9=13351
Uemura, Y. On the coupled dislocations along a grain boundary, 6=1738, 5528. See also Kawamura, H., 9=10977
Uemura, Y. and Inoue, M. The change of carrier concentration in the simple semiconductors with static magnetic field, 9=296. The change of carrier concentration in the graphite with static magnetic field, 9=297
Uemura, Y., Inui, T. and Toyozawa, Y. Theory of the electronic structure of colour centres, 5=9391
Ueno, H. See Yagi, T., 9=382
Ueno, S. The probabilistic method for problems of radiative transfer. II. Milne's problem, 8=4771. The variational method for problems of radiative transfer. Non-coherent formation of an absorption line in the Milne–Eddington model, 8=7663. The Laplace transform method for problems of radiative transfer. II. Milne's problem with non-coherent scattering, 9=1110. The probabilistic method for problems of radiative transfer. Diffuse reflection and transmission in a finite atmosphere, 9=2114; Non-coherent formation of an absorption line in the Milne–Eddington model, 9=4319; IV. Milne's problem with non-coherent scattering, 9=4320. The probability method for radiative transfer problems. Milne's problem with non-coherent scattering in non-conservative cases, 9=7816. The probability method for radiative transfer problems. Transmission and diffuse reflection in a finite atmosphere with non-coherent scattering, 9=7817
Ueno, Y. On the wave theory of light in general relativity. II. Light as the electromagnetic wave, 5=3410. See also Takeno, H., 6=8569
Ueta, M. See also Ishii, T., 9=13796; Uchida, Y., 5=9391
Ueta, M. and Hirai, M. Interaction of exciton with R center in KCl crystal, 9=13786
Ueta, M., Hirai, M. and Watanabe, H. Interaction of exciton with electron trapping centers in alkali halide crystals. I. F and U centers in KCl and KBr crystals, 9=10240
Ueta, M. and Känzig, W. Generation of electron traps by plastic flow in alkali halides, 5=5086
Uffen, R.J. See Knopoff, L., 5=4219
Ufford, C.W. See Green, L.C., 9=8677; Innes, F.R., 8=5774; Meshkov, S., 6=3093
Ufford, C.W. and Callen, H.B. Orbit–orbit interactions in atomic spectra, 8=5415
Ufimtsev, P. Ya. Secondary diffraction of electromagnetic waves on a disk, 8=3271. Approximate computation of the diffraction of plane electromagnetic waves at certain metal bodies. I. Diffraction patters at a wedge and a ribbon, 9=1615. II. Diffraction on a disk and a finite cylinder, 9=9876. Secondary diffraction of electromagnetic waves at a strip, 9=1619
Uflyand, Ya.S. See Grinberg, G.A., 6=6802
Ugrinic, G.M. See Swanson, H.E., 5=3282, 5106, 7=6740
Uhler, J. See also Alväger, T., 8=5987
Uhler, J. and Alväger, T. A method of rapid electromagnetic separation of radioactive isotopes, 9=6169
Uhler, U. The blue band-system of niobium oxide, 5=839. The rotational analysis of the β-system of zirconium oxide, 5=841. See also Kleman, B., 9=8718; Lagerqvist, A., 5=840
Uhler, U. and Akerlind, L. The rotational analysis of the singlet system A of zirconium oxide, 7=577
Uhlhorn, U. On the connection between transformations in classi-

cal mechanics and in quantum mechanics and the phase space representation of quantum mechanics, 7=110. See also Andersén, E., 8=6652
Uhlig, C.A.E. Investigations on the ultra-corona discharge, 5=7071
Uhlir, A., Jr. Micromachining with virtual electrodes, 6=3339
Uhlmann, A. Scheme of quantum mechanics with indefinite metric, 9=7781. Investigations on quantum theories with indefinite metric, 9=10569
Uhlmann, E.M. and Hsieh, C.L. Some physical characteristics of a 45-MeV linear electron accelerator for therapeutic applications, 5=7096
Ui, H. Formal theory of nuclear direct interaction in nuclear scattering, 7=689. General theory of deuteron induced reaction. I. (d, p) and (d, n) reactions, 7=6565. See also Kawai, M., 6=8388
Uitert, L.G. Van. See Van Uitert, J.G.
Ukaji, I. See Masumoto, H., 5=2014
Ukhanov, Yu.I. A pulse method for the study of photoelectric properties of p–n junctions in germanium, 7=5340. Frequency characteristic of a germanium infrared diode-modulator, 8=7963. Modulation of infrared radiation in germanium at low temperatures, 9=196. A study of the induced absorption of infrared radiation in a germanium diode, 9=9621
Ukhanov, Yu.I. and Shul'man, S.G. Effect of a strong electric field on the transparency of a germanium diode, 8=974
Ukholin, S.A. See Gonikberg, M.G., 9=12062
Ukita, Y. and Tsujiuchi, J. Interferometric study of microscope objectives, 9=5602
Ulbert, K. A table-type, vacuum evaporation device for electron microscopy, 8=9150
Ulbricht, H. See Falkenhagen, H., 7=8240
Ulbrich, R. See Joerges-Heyden, M., 5=4627; Musset, E., 6=4387
Ulegla [Ulehla], I. Anomalous equations for spin $^1/_2$ particles, 8=1809. On the theory of the equations for particles with a single spin $^3/_2$ and with a single proper mass, 6=2651.
Úlehla, I. The magnetic moment of the proton, 5=4356. A new possible theory of the μ-meson, 9=2602. Single-nucleon model of the nucleus, 9=3804. See also Ulegla, I.
Ulinich, F.R. See Pokrovskiĭ, V.L., 9=1092-3, 11292
Ullman, R. See Frank, H.P., 5=6057
Ullmann, D. Research into a new theory concerning the origin of turbulence, 9=10655
Ullrich, G.J. The theory of the Hüfner rhombus, 6=3592*
Ullrich, R. and Lochte-Holtgreven, W. Some possible applications of the interferometer using correlated rays, 9=1336
Ullrich, W. See Cappeller, U., 9=4985
Ulmanis, L. See Tjutins, I., 5=5417
Ulmanis, U. See Dubinskaya, N., 9=5986
Ulmanis, U.A. and Dubinskaya, N.A. On the question of using thulium-170 for measuring the thickness of materials, 9=11873
Ulmer, K. See also Baurman, E. 9=5785; Röhrdanz, K., 8=7104
Ulmer, K. and Ziegler, B. Determination of the gamma spectrum from a 30 MeV betatron using a Compton spectrometer, 6=4619
Ulmer, K. and Vernickel, H. On the structure of the soft X-ray edge at constant wavelength for tungsten, 9=4671
Ulrich, G. Cathode fall, current density and width of Crookes dark space of the normal glow discharge in rare gas-hydrogen mixtures, 7=6225. Discontinuities in the formation curve gradients during the anodic oxide layer formation on aluminium and tantalum from aqueous electrolytes (preliminary communication), 7=8242
Ulrich, H. See Neunhoeffer, O., 5=6938
Ulrich, J.P. See Johnson, C.H., 9=648
Ulsenheimer, G. See Bosch, J., 9=11660
Ultee, C.J. See Edgell, W.F., 5=1703, 7=8526
Ulusoy, E. On a photoelectrically controlled recording vacuum gauge, 9=1161
Ulwick, J.C. See Marcou, R.J., 8=6085; Pfister, W., 5=5140
Ul'yanov, V.V. See Pargamanik, L.É., 9=2832
Umanskii, M.M. See also Ezhkova, Z.I., 9=13218; Kvitka, S.S., 9=9014; Zhdanov, G.S., 8=3558; Zubenko, V.V., 7=7818, 8=3930, 9=13908
Umanskiĭ, M.M. and Kheĭker, D.M. X-ray goniometric methods of investigating crystals, 7=8286
Umanskij, J.S. and Nikolaeva, S.M. The determination of the strength of the interatomic bond and the lattice distortion in the case of some Al- or Ti-containing compounds of high melting point and their solid solutions, 7=9423
Umarov, S.U. and Gurvich, L.G. Theory of the metal-semiconductor contact, 7=2207
Umeda, K. See also Kamada, Y., 9=9578; Kobayashi, S., 6=572; Thomas, L.H., 6=8935, 7=6467
Umeda, K. and Kobayashi, S. Systematization of the approximate solutions of the Thomas-Fermi equation, 6=571. Thomas-Fermi function for impurity atom dissolved in a matrix metal, 9=8800
Umeda, K. and Tomishima, Y. On the influence of the packing on the atomic scattering factor based on the Thomas-Fermi theory, 5=10086
Umezawa, H. See also Ezawa, H., 7=7577; Kamefushi, S., 6=5687, 7=86; Konuma, M., 7=1890, 8=4714-5630; Nakagawa, K., 9=2655, 7289; Scarf, F.L., 8=2143; Takahashi, Y., 8=893-4; Visconti, A., 6=7142
Umezawa, H., Kamefuchi, S. and Tanaka, S. On the time reversal in the quantized field theory, 5=3422
Umezawa, H., Kamefuchi, S., Tomozawa, Y. and Konuma, M. On the renormalization cut-off, 7=89
Umezawa, H., Konuma, M. and Nakagawa, K. The hyperon decays and the structure of interactions, 8=6193
Umezawa, H. and Miyazawa, H. On the symmetry law and the pion decay, 9=1672
Umezawa, H. and Oneda, S. Commutation relations between different fields, 5=713
Umezawa, H., Podolanski, J. and Oneda, S. Commutation relations between different fields, 5=5867
Umezawa, U., Tomozawa, Y., Konuma, M. and Kamefuchi, S. High energy behaviour of renormalizable fields, 6=4814
Umezawa, H. and Visconti, A. General theory of propagators, 5=6729, 5=37, 5=712, 5=1506. Renormalisation and mass levels, 6=2647. Commutation relations and relativistic wave equations, 6=7154. The isomerism of elementary particles, 8=2784
Umezawa, M. A note on nuclear moments, 5=9391. Pairing in shell models, 5=9830
Unal, B. and Kahan, T. Quantum theory of dispersion and the Kramers–Heisenberg formula in the statistical operator formalism, 7=5881. Propagation of guided electromagnetic waves in a gyroelectric electron plasma, 9=5965
Unal, B.C., Chevalier, A. and Kahan, T. A quantum theoretical treatment of Faraday rotation in chromium alum at centrimetre wavelengths, and its comparison with experiment, 8=5821
Unal, B.C. and Vigier, J.P. Introduction of Einstein–Kramers and Cayley–Klein relativistic parameters in the relativistic theory of fluids with internal spin, 8=865. Introduction of Einstein–Kramers and Cayley–Klein relativistic parameters in the relativistic hydrodynamics of Weyssenhoff's fluid with spin, 8=866
Unangst, D. See Elschner, B., 6=3007
Unbehauen, R. A method for the Hurwitz factoring of a polynomial, 9=12932
Underhill, A.B. On the significance of the hydrogen-helium ratio determined from model atmospheres, 5=7658
Underhill, A.B. and Waddell, J.H. Stark broadening functions for the hydrogen lines, 9=9403
Underhill, L.H. See Hochberg, S., 5=995, 9158
Underwood, C.R. and Houslip, R.C. The behaviour of humidity-sensitive capacitors at room temperatures, 6=2721
Unger, E. See Saur, E., 9=5622
Unger, F. Thermal conduction in round wire coils, 5=6074
Unger, H.G. Transmission characteristics of waves on dielectric tubes, 6=4529
Unik, J.P. See Gallagher, C.J., Jr, 8=5305
Unna, I. Coulomb energies of mirror nuclei, 9=1704
Unna, I. and Talmi, I. Energies of ground and excited nuclear configurations in the first $p_{1/2}$ region, 9=3825
Uno, R. On the electrical properties of polycrystalline boron, 9=10986
Unno, W. Anisotropy of solar convection, 7=9502. Turbulent motion in the solar atmosphere. I. Doppler widths of photospheric lines, 9=10525; II. Turbulent velocities in the lower chromosphere, 9=10526
Unsöld, A. Astrophysical notes on the origin of cosmic radiation, 5=6690. Theory of continuous stellar spectra. (Summary), 8=3659. The average physical properties and spectra of stellar atmospheres as a function of their hydrogen and helium content, 8=4684
Unsöld, A. and Weidemann, V. Fraunhofer lines and the struc-

ture of stellar atmospheres, 7=1029

Unterberger, R.R. Microwave spectrometer tests electron resonance, 9=8332. See also Gutowsky, H.S., 8=7455

Unterberger, R.R., Garcia de Quevedo, J.L. and Stoddard, A.E. Double modulation system for narrowing electron resonance absorption lines, 8=1806

Untermyer, S. Turbine contamination causes only small problem with boiling-water reactors, 6=682. See also Huntley, H.W., 5=8269

Untermyer, S.A. Dual cycle improves boiling-water reactors, 5=9938

Unwin, R.S. The geometry of auroral ionization, 9=1965

Unwin, R.S. and Gadsden, M. Determination of auroral height by radar, 8=2076

Uny, C. and Nifontoff, N. Measurement of deviations from Ohm's law and of the flicker effect exhibited by very thin films of silver, gold and aluminium, 7=5308. Observations on some electrical properties of extremely thin silver films, 8=4465

Unz, H. Scalar–vector analog of Green's theorem, 9=1

Uo, K. See Hayashi, S., 6=2601

Upadhyay, C.S. See Vishnievsky, A.I., 9=8214

Upham, F. See Tolbert, B.M., 9=12919

Uphaus, R.A. See Primak, W., 9=2220

Uppal, M.Y. See Griffith, T.C., 8=1848

Upson, U.L., Connally, R.E. and Leboeuf, M.B., Analyzing for low energy gamma emitters in a radio nuclide mixture, 5=8178

Upton, E.K.L. See Hawkins, G.S., 9=6449

Urano, Y. An equivalent circuit of a bolometer, 6=298. Photoelectric spectrochemical analysis for trace of boron in graphite, 9=6355

Urazovskiĭ, S.S. and Chernyavskiĭ, P.A., Anomalies in the temperature dependence of the viscosity of supercooled liquids, 7=3997

Urbach, F. See Moser, F., 6=5787; 7=7014, 9=8966; Nail, N.R., 6=2768, 7=6687

Urbain, G. The influence of ambient temperature on the readings from optical pyrometers with disappearing filaments, 5=6992

Urbakh, V. Yu. Nonlinear theory of vector fields, 9=1050

Urban, P. See Florian, A., 5=2067, 2069; Hanke, L., 9=6520; Kassecker, T., 6=6842; Ledinegg, E., 6=503, 9=2889, 3626; Mitter, H., 5=1902

Urbanec, J. and Šimáně, C. X-rays excited by protons on Zn, Cu, Ni, Co, Fe, 5=4708

Urbanik, K. Some remarks on the asymptotic behaviour of the cosmic ray cascade for large depth of the absorber. I. Estimation of factorial moments, 6=4474. On a stochastic model of a cascade, 7=119

Urbanik, K. and Zięba, A. Prediction of solar activity, 6=7943

Urbanowski, W. Elastic-plastic deformation of a thick-walled spherical vessel subjected to internal pressure, 7=2747

Ure, R.W., Jr. Ionic conductivity of calcium fluoride crystals, 7=7860. See also Bowers, R., 9=8172; See also Satterthwaite, C.B., 8=7935

Ures, M. Ya. See Vanyukov, M.P., 8=7061

Uretsky, J.L. See also Ise, J., 9=461; Lawson, R.D., 7=9329, 8=5255; Redmond, P.J., 8=7689; Taylor, J.G., 9=4934

Uretsky, J.L., Kenney, R.W., Knapp, E.A. and Perez-Mendez, V. Photoproduction of positive pions from protons, 8=7274

Uretsky, J.L. and Redmond, P.J. Calculation of the magnetic moments of nucleons by use of a modified propagator, 9=12549

Uretz, R.B. and Perry, R.P. Improved ultraviolet microbeam apparatus, 8=7852

Urey, H.C. The cosmic abundances of potassium, uranium and thorium and the heat balances of the earth, the moon and Mars, 6=3382. Distribution of elements in the meteorites and the earth, and the origin of heat in the earth's core, 6=9060. Origin of the surface structure of the moon, 7=2929. Diamonds, meteorites, and the origin of the solar system, 7=4989. Planetary atmospheres and convection in rotating liquids. The escape of planetary atmospheres, 8=2102. See also Donn, B., 6=3442; Suess, H.E., 7=927

Urey, H.C. and Brewer, A.W. Fluorescence in planetary atmospheres, 7=8358

Urich, W. See Papapetrou, A., 5=5211

Urick, R. J. Calibration of two transducers assumed identical, 9=9335. See also Whitmarsh, D.C., 8=2922

Urick, R.J. and Hoover, R.M. Back-scattering of sound from the sea surface: Its measurement, causes, and application to the prediction of reverberation levels, 7=4082

Uridge, F. See Randle, T.C., 7=1659

Urin, M.G. See also Mokhov, V.N., 6=6135

Urin, M.G. and Mokhov, V.N. Polarization of relativistic protons in Coulomb scattering, 7=3378

Uritskiĭ, Z.I. See Gurevich, L.É., 8=9116; Tolpȳgo, K.B., 6=8472

Urlau, R.R. See Logie, H.J., 8=989

Urquhart, H.M.A. and Goldman, J.E. Magnetostrictive effects in an antiferromagnetic hematite crystal, 6=3826

Urry, G. and Urry, W.H. Automatic Toepler pump of improved design, 7=1118

Urry, W.H. See Urry, G., 7=1118

Ursell, F. On the short-wave asymptotic theory of the wave equation $(\nabla^2 + k^2)\phi = 0$, 7=9041

Ursell, H.D. See Balashov, V., 9=7639

Ursenbach, W.O. See Cook, M.A., 6=2494, 2747

Urstein, T. See Bosch, H., 9=1747

Ursu, I. The paramagnetic effect in the viscous streaming of oxygen–gas mixtures in a magnetic field, and its use in the investigation of gases, 9=5421. Variation of the viscosity of some gas and oxygen mixtures under the influence of a magnetic field, 9=10685. See also Mercea, V., 9=5420; Mercha, V., 9=5422

Urtiew, P.A. See Oppenheim, A.K., 9=10711

Urushibara, Y., Iimura, F. and Ikeda, K. Polymorphism in solution of *cis*- and *trans*-β-methoxy-*p*-nitrochalcone, 5=3239.* On the coincidence of fusion points in the polymorphs of dibenzoylmethane and of its enolethers, 6=778

Urusovskaya, A.A. See Indenbom, V.L., 9=13858; See Klassen-Neklyudova, M.V., 7=8223, 8274, 8=424

Ury, J.F. A diagram of state for superheated steam, 9=1395

Uryû, N. Application of the spherical model to antiferromagnetism. I, 5=2858; II, 2859. On the approximate nature of the spherical model, 5=2860. Note on the magnetic anisotropy of the cobalt ammonium Tutton salt $Co(NH_4)_2(SO_4)_2.6H_2O$, 6=7517. See also Nakamura, T., 6=7359

Usachev, E.P. See Makovskiĭ, F.A., 8=4014, 7007

Usdin, E. See Tolstoy, I., 7=4047

Ushanova, N.I. See Godnev, I.N., 8=1289

Ushita, T. On the domain of electrical discharge classified by the influences of air flow and ultraviolet irradiation on the discharge characteristics in point-to-plane gaps in air, 5=3800

Usik, P.A. See Takibaev, Zh. S., 7=4772, 8=646

Usikov, O. Ya. See Mȳkhaĭlov, H.S., 8=8810

Usmanova, M. See Bannik, B.P., 8=8281

Ust'yanov, V.I. The electrical properties of the system tin–antimony, 8=7904. See also Konozenko, I.D., 9=1460, 3875

Usui, T. Landau's model of liquid He^3, 9=6848. See Koide, S., 5=9391

Utiyama, R. A theory of new particles, 6=72. Invariant theoretical interpretation of interaction, 6=2683. See also Sunakawa, S., 5=4350, 9=1648

Utiyama, R. and Nakano, T. A tentative theory of v-particles, 5=9391

Utiyama, R. and Tobocman, W. Conservation of parity and the new particles, 5=5875

Utkin, K.G. See Ganichev, D.A., 9=13372; Kel'man V.M., 9=5804

Uto, H. See Lande, K., 9=10491

Utterback, N.G. See Herwig, L.O., 6=428

Uttley, A.M. Initiation of pattern recognition and trial-and-error learning in a conditional probability computer, 9=10495

Uwoki, I. See Suzuki, T., 9=6690

Uyeda, R. A theory on image formation of electron microscope, 5=5443. See also Ichinokawa, T., 5=6208; Miyake, S., 5=7518

Uyeda, R., Masuda, T., Tochigi, H., Ito, K. and Yotsumoto, H. Magnification calibration of electron microscopes by crystal lattice spacings, 9=10307

Uyeda, S. See Nagata, T. 5=3884, 6=4744

Uyemura, T. and Morishige, T. Studies on the explosion mechanism of electric blasting caps by ultra-high-speed grid framing camera, 6=1685

Uzan, R. Thermionic properties of moulded cathodes made of metals and alkaline earth oxides, 5=5491. See also Déjardin, D., 7=6309; Mesnard, G., 6=5189-90

Uzsoky, M. See Simonyi, K., 8=4357

Vacca, G. and Perreau, L. On an abnormal β-radiation from metallic uranium, 5=9052
Vacca, M.T. Magnetohydrodynamical wave in an electrically conducting fluid in an unlimited tube of rectangular cross-section, 9=468. On helicoidal vortices in magnetohydrodynamics, 9=3653
Vacchelli, G. On a synthetic method for the estimation of the total reactivity absorbed by the control system of large power reactors, 8=6344
Vacek, K. Ionic conductivity of the photographic emulsion gel, 5=5811. The surface nature of the polycrystalline and monocrystalline AgBr plates, 7=6695
Vacek, K. and Zachoval, L. Chemical sensitization of photographic emulsions, 5=5812
Vachaspati. Quantum mechanics in generalized Hilbert space, 9=3113
Vachaspati and Shah, S.M. Consistency of nuclear radii from electron scattering and Coulomb energy data, 5=448
Vachenya, S.A. and Dorfman, Ya. G. Thermoelectric properties of ferrites near Curie temperature, 8=7990
Vaciago, A. See Simonetta, M., 7=8051
Vacirca, S. See Berman, M., 5=7995
Vafiadi, V.G. See Lebedev, A.A., 6=8565
Vaganov, P.A. and Ostroumov, V.I. α-Particles emitted by heavy nuclei in emulsions under the action of high-energy protons, 8=6299
Vagradov, G.M. and Sokolova, I.B. On π-meson scattering on deuterium, 9=13566
Vaidya, P.C. A new static spherically symmetric solution of Einstein's unified field theory, 5=4339. The general relativity field of a radiating star, 7=6832
Vaidya, P.C. and Shah, K.B. Influence of expanding space on the gravitational fields surrounding individual stars, 6=5673
Vaidya, S.M. The two-body spin-orbit interaction, 8=5251
Vainberg, B.I. See also Arkhangel'skaya, V.A., 9=9496
Vaĭnberg, B.I., Danilov, V.P. and Pekerman, F.M. A luminescent lamp for luminescence analysis, 5=6027
Vaĭnshteĭn, B.K. Atomic factors of electron scattering, 5=466. Quantitative relations in Fourier expansions of the electron density of crystals, 5=1364. Kinematic theory of the intensity of reflections in electronograms. I. Point electronograms, 7=6753; II. Electronograms from textures and polycrystals, 7=6754. Accuracy of the Fourier series of potentials in electron diffraction crystallography, 7=8303.* Normalization of intensity curve in the method of radial distribution, 7=8434. The theory of the method of radial distribution, 7=9979. The intensity of reflections in electron diffraction patterns (general case), 8=3595. See also Pinsker, Z.G., 8=3594; Stasova, M.M., 9=12882
Vaĭnshteĭn, B.K. and Dvoryankin, B.F. Influence of chemical bonds on atomic scattering of electrons, 7=7954
Vainshtein, B.K. and Kurdyumova, R.N. Cubic modification of $(NH_4)_2GeF_6$, 9=10398
Vaĭnshteĭn, B.K. and Lobachev, A.N. On determining the character of the scattering of electrons (dynamic or kinetic) in electron diffraction investigations, 7=8301. C—H distance in the crystal structure of paraffins, 9=10202
Vaĭnshteĭn, É.E., Barinskiĭ, R.L. and Narbutt, K.I. On the theory of X-ray absorption spectra, 5=7094
Vaĭnshteĭn, É.E., Bril', M.N. and Starȳĭ, I.B. On several regularities in the structure of the X-ray emission K-spectrum of titanium in titanates, 8=2350. Fine structure of the X-ray K absorption spectra of titanium in the form of the titanate, 9=9681
Vainshtein, É.E., Starȳi, I.B. and Zhurakovskii, E.A. Fine structure of the X-ray K absorption spectra of titanium in the carbide state, 9=9682
Vaĭnshteĭn, É.E. and Kotlyar, B.I. X-ray emission spectra of Mn and Cu in a Heusler alloy in the magnetic transition range of temperatures, 7=5367
Vaĭnshteĭn, É.E., Staryĭ, I.B. and Bril', M.N. The fine structure of the basic X-ray K-absorption spectrum of titanium in certain dielectric materials, 7=1352
Vaĭnshteĭn, É.E. and Vasil'ev, Yu. N. The influence of the chemical bond on the fine structure of the Kβ-group lines of X-ray emission spectra of titanium in certain compounds, 7=9228. X-ray emission lines of the K_β-group of titanium in carbides, 8=3164
Vaĭnshteĭn, L.A. The calculation of atomic wave-functions and oscillator strengths with an electronic computer, 8=783. Electron waves in periodic structures, 8=7094. The method of approximate separation of variables and its application to boundary value problems of electrodynamics and acoustics, 9=4317. Regarding G.L. Suchkin's critical note [on electron waves in periodic structures], 9=4699. Group velocity of damped waves, 9=5966
Vaĭnshteĭn, L.A. and Yavorskiĭ, B.M. On the approximate calculation of oscillator strengths and the effective cross-section for photo-ionization, 5=6354
Väisälä, Y. The theory of compensators, 7=7804
Vaisberg, O.L. Light absorption in a mixture of negative ions O_2^-, H^- and O^-, 9=10505
Vaĭsenberg, A.O. Heavy unstable particles (hyperons and K-mesons), 6=2431-2. Momentum spectrum of the cosmic radiation and the positive excess in the (0. 1-2. 5) × 10^9 eV/c range at an altitude of 3250 m, 8=5089. See also Alikhanyan, A.I., 8=5088
Vaĭsenberg, A.O. and Smirnitskiĭ, V.A. Energy dependence of the angular correlation in $\pi^+-\mu^+-e^+$ decay, 8=1869. Investigation of correlations in $\pi \to \mu \to e$ decays, 8=2488. Mesonic decay of a tritium hyperfragment, 8=5286. Decay of a beryllium hyperfragment, 9=10043
Vaĭsenberg, A.O., Smirnitskiĭ, V.A., Kolganova, É.D., Minervina, É.V., Pesotskaya, E.A. and Rabin, N.V. Angular correlation for low-energy positrons emitted in $\pi^+-\mu^+-e^+$ decay, 9=2620
Vaĭsman, I.A. On the calculation of nuclear magnetic moments on the basis of $j-j$ coupling between protons and neutrons, 5=450. On the magnetic moments of doubly odd nuclei, 5=1118. Classification of nuclear magnetic moments, 8=1904. Some new nucleon magic numbers, 9=10010
Vaks, V.G. and Ioffe, B.L. On $\pi \to e + \nu + \gamma$ 9=2613, 2617
Valadares, M. On the natural width of conversion electron lines, 5=9887. See also Frilley, M., 5=7318, 7=8804, 9=10086; Milsted, J., 5=443; Rosenblum, S., 5=2157, 6=4443
Valat, J.G. See Huguenin, E.L., 7=5374
Valatin, J.G. On the definition of finite operator quantities in quantum electrodynamics, 5=727. State vector and quantization in an over-all space-time view, 5=4346. Nucleon motion in a rotating potential, 7=5545. Comments on the theory of superconductivity, 8=2336
Valatin, J.G. and Butler, D. On the collective properties of a boson system, 9=2105
Valckx, F.P.G. See Paris, C.H., 5=511
Valdes, L.B. See Tanenbaum, M., 5=7961
Valdivia, J. See Koch, G.E., 5=7145
Valdrê, U. See Brini, D., 5=8065
Vale, W.R.F. See Lambert, J.D., 5=8552
Valeev, Kh. S. and Mashkovich, M.D. Nonlinear semiconductors based upon $ZnO-TiO_2$, 8=7000
Valeev, S. Kh., Drozdov, N.G. and Frumkin, A.L. Some investigations on Li-Zn ferrites, 9=5896
Valenta, L. The dependence of the spontaneous magnetization on the magnetic field at low temperatures, 5=8086. The spontaneous magnetization of a one-dimensional model of a ferromagnetic toroid in a magnetic field, 5=9762. On the theory of the spontaneous magnetization of thin films. I, 9=8303; II, 8304
Valenta, M.W. and Ramasastry, C. Effect of heavy-doping on the self-diffusion of germanium, 7=5667
Valentin, F. Recording microphotometer with a linear density scale, 7=1816. Photoelectric detection of the Raman effect, 7=7019. See also Lochet, R., 6=8118, 7=5221
Valentin, P. See Ribaud, G., 6=8728
Valentin, S. See Feix, M., 6=3298, 7=9399
Valentine, J.M. and Curran, S.C. Average energy expenditure per ion pair in gases and gas mixtures, 8=5997
Valentine, R.C. Contrast in the electron microscope image, 8=2682
Valentiner, S. The specific heats of iron and nickel, 9=3406
Validov, M.A. Reflection of light by a system of thin films deposited on an opaque metal layer, 9=9513
Valiev, K.A. Magnetic resonance of nuclei of paramagnetic atoms, 8=8922. Spin-lattice relaxation and nuclear magnetic resonance in salts of the rare-earth elements, 9=9841. See also Al'tshuler, S.A., 9=2140; Bashkirov, Sh. Sh., 9=2932
Valk, H.S. Contribution to elastic scattering from inelastic processes: Application to high-energy electron scattering from hydrogen and deuterium, 7=8817. High-energy electron scattering from nuclei with finite charge distributions,

9=2809. See also Davey, P.O., 9=3908

Valk, H.S. and Malenka, B.J. Dispersion contribution to high-energy electron-deuteron scattering, 7=2302

Valkenburg, A.Van. See Van Valkenburg, A.

Valkenburg, M.E.Van. See Van Valkenburg, M.E.

Valkó, I.P. See Fisher, F., 9=7059

Val'kov, V.I. and Maslenkova, G.L. Raman spectra of H_2O and D_2O at various temperatures, 8=7820

Valladas, G. See also Olkowsky, J., 7=1405

Valladas, G., Teillac, J., Falk-Vairant, P. and Benoist, P. The $\alpha-\gamma$ and α–X-ray angular correlations in Io (Th^{230}_{90}), 5=4903

Vallarta, M.S. On the albedo effect of cosmic rays, 5=9391

Vallarta, M.S., Gall, R. and Lifshitz, J. Geomagnetic coordinates and cosmic radiation, 8=5097

Vallauri, G. Effects of electromagnetic induction. Unipolar induction, 6=6029. Homopolar induction produced by rotating electromagnets, 6=6797

Vallauri, M.G. and Forsbergh, P.W., Jr. Wide-band high-pressure dielectric cell, 8=3971

Valle, P.E. The temperature gradient necessary for the formation of low-velocity layers, 8=8537

Valleau, J.P. Transport of energy and momentum in a dense fluid of rough spheres, 8=2848. See also Longuet-Higgins, H.C., 8=3768, 9=13065

Vallee, B.L. Simultaneous determination of sodium, potassium, calcium, magnesium and strontium by an new multichannel flame-spectrometer, 5=1342. See also Baker, M.R. 5=8586, 6=3610, 9=914; Thiers, R.E., 9=9371

Vallee, B.L. and Adelstein, S.J. Effects of inert gases on d.c. arc discharge, 5=3803

Vallee, B.L. and Baker, M.R. Anode temperatures and characteristics of the d.c. arc in noble gases, 6=2136

Vallee, B.L. and Thiers. R.E. Effect of alkali and alkaline earth chlorides on the anode temperature of the d.c. arc, 6=2137

Vallée, R. An algebraic viewpoint in the macroscopic theory of observation, 5=8483. On a method of integrating Maxwell's equations, 6=6027. On hydrodynamics in the Jordan–Thiry theory, 9=7762

Valouch, M. See Boček, M., 9=5243

Valoukh, M. and Borovskiĭ, I.B. The distribution of an impurity in a monocrystal of metallic zinc having a honeycomb substructure, 9=12876

Valstar, A. See Rietdijk, J.A., 8=2283

Val'ter, A.K. See also Deĭneko, A.S., 7=6556; Klyucharev, A.P., 7=1599; Sorokin, P.V., 8=1903, 9=12674

Val'ter, A.K. and Tsÿgikalo, A.A. A 4 MV vertical electrostatic generator at the Physico-Technical Institute of the Academy of Sciences of the U.S.S.R., 8=5058

Valuev, B.N., Gavrilov, B.I., Zatsepina, G.N. and Lazareva, L.E. Average number of neutrons in a single act of fission in photodisintegration of uranium and thorium, 6=1586

Van Aardenne, G.M.V. See Van Den Berg, G.J., 6=3687

Vanagas, V.V. See Levinson, I.B., 7=9058

Van Allen, J.A. See also Cahill, L.J., Jr, 8=4537, 7625; Meredith, L.H., 5=2348, 8062

Van Allen, J.A. and McIlwain, C.E. Cosmic-ray intensity at high altitudes on February 23, 1956, 8=4104

Van Amerongen, C. See Volger, J., 6=1199

Van Artsdalen, E.R. See Bredig, M.A., 6=4717

Vanasse, G.A. See also Gebbie, H.A., 7=226; Strong, J., 9=10766

Vanasse, G.A., Strong, J. and Loewenstein, E. Far infrared spectra of H_2O and H_2S taken with an interferometric spectrograph, 9=9409

van Baarle, C. See de Vroomen, A.R., 8=4033

van Barneveld, H.H. See Sikkema, C.P., 8=5387

van Beek-Visser, E. Composition of nitrogen oxide equilibria, 9=6338

van Beelen, H., van Itterbeek, A. and Velds, C.A. The influence of cold rolling on the coercive force of thin iron plates, 9=13439

van Bergeijk, W.A. Observations on models of the basilar papilla of the frog's ear, 8=1383. Hydrostatic balancing mechanism of Xenopus larvae, 9=13975. See also David, E.E., Jr, 8=8561, 9=10475

Van Bladel, J. Applications of radar to astronomy and meteorology, 6=879. Fields in gap-excited rectangular ducts, 8=8166. Momentum kicks for particles crossing a gap at an angle, 9=8239

van Boort, H.J.J. See also Milatz, J.M.W., 7=1245

van Boort, H.J.J. and Klerk, M. High frequency oscillations in low pressure mercury arcs, 7=1339

van Bueren, H.G. Influence of lattice defects on the electrical properties of cold-worked metals, 7=9165-6. Plastic creep of germanium single crystals, 9=4079. See also Smit, J., 5=1302

van Bueren, H.G., Hornstra, J. and Penning, P. Dislocations in germanium and silicon, 9=801

van Bueren, H.G. and Jongenburger, P. Resistivity in metals. Resistivity changes by plastic deformation of polycrystalline metals, 5=6158*

van Calker, J. An investigation of the time-varying development processes in sparks, optical absorption therein, and subsequent afterglows, 6=1259

van Calker, J. and Braunisch, H. On the spectroscopic measurement of the temperature of condensed spark discharges, 7=421

van Calker, J. and Fröhlich, W. Experiments on electrets of carnauba wax and the formation of their heterocharge, 9=12225

van Cittert, P.H. Degree of coherence, 8=5741

Van Cott, H.P. See Morris, A., 5=6867

Van Craeynest, L. Absorption measurement of ultrasonic waves in water and electrolytic solutions, 7=1145

Vand, V. Methods for the correction of X-ray intensities for primary and secondary extinction in crystal structure analysis, 6=813

Vand, V., Eiland, P.F. and Pepinsky, R. Analytical representation of atomic scattering factors, 9=7633

van Daal, H.J. See Bosman, A.J., 8=3232

van Daatselaar, C.J. Ionospheric absorption measurements at the K.N.M.I. (Koninklijk Nederlands Meteorologisch Instituut), 6=8883

Vandakurov, Yu. V. Some antisymmetrical magnetic fields with double focusing. I, 7=1365; II, 1366. Electron-optical systems whose fields are independent of one coordinate, 7=6259. Investigation of the stability of the motion of particles in accelerators with radially increasing fields and auxiliary systems for producing focusing in a beam of particles, 8=7091. On the theory of aberrations in electron-optic focusing systems with a curvilinear axis, 8=7108. An investigation of axially symmetric magnetic fields for focusing a three-dimensional beam with a spiraling central trajectory of slowly changing radius, 9=5807. On the theory of the focusing process in accelerators with magnetic field periodic in the azimuth, 9=11141

van Dam, E.W. See Holland, L., 7=787

Van Dang Nguyen. See Nguyen Van Dang.

van Dantzig, D. Markoff chains in abstract sets and applications to processes with absorbing regions and to the problem of "buckles", 6=3504. On the relation between geometry and physics and the concept of space-time, 7=6844

van de Geijn, J. See van den Bold, H.J., 8=3333

van de Hulst, H.C. Solid particles in interstellar space: Introductory report, 6=872.* On the polarization of the zodiacal light, 6=1809. The zodiacal light, 7=4991

Vandekerkhove, E. A study regarding the luminous rings observed to surround some novae, 6=1822. The effect of a type-II population on the reddening of extragalactic nebula, 7=2940

Vandenbelt, J.M. and Spurlock, C.H. Collaborative study of the performance of Cary spectrophotometers, 6=1033

van den Berg, C.B. and Brinkman, H. High luminosity spectrometry in the soft X-ray region. I. The cylinder spectrometer, 5=3813

van den Berg, G.J. See also Gorter, C.J., 7=9198

Van Den Berg, G.J., Van Itterbeek, A., Van Aardenne, G.M.V. and Herfkens, J.H.J. Determination of the velocity of ultrasonic waves in liquid helium by the optical method, 6=3687

van den Berg, J. The transmission of the vocal cavities, 5=2538. Imitation of Dutch vowels and words by a hemilaryngectomized subject using a throat loudspeaker as a pseudolarynx, 5=2539. Calculations on a model of the vocal tract for vowel /i/ (meat) and on the larynx, 5=4476. See also Huijer, P., 8=4233

van den Berg, J., Zantema, J.T. and Doornenbal, P., Jr. On the air resistance and the Bernoulli effect of the human larynx, 8=466

van den Bergh, S. Polarization of starlight in the region of the Pleiades, 7=17. Interstellar gas and star creation, 9=4201

van den Beukel, A. On the theory of the acousto-electric

effect, 7=2151
van den Bold, H.J. See also Middelkoop, W.C., 6=3937; Rietjens, L.H.T., 6=3157, 4603; van der Kooi, J.B., 7=669
van den Bold, H.J., van de Geijn, J. and Endt, P.M. The decay of the nuclides ^{75}Se and ^{75}Ge, 8=3333
van den Boogaart, A. See Blaisse, B.S., 9=13347
van den Boomgaard, J. Zone-melting processes for pure compounds AB with a negligible vapour pressure, 7=2794. Zone-melting processes for compounds AB with a measureable vapour pressure under influence of the atmosphere, 7=2795. See also Kröger, F.A., 5=2738
van den Boomgaard, J. and Schol, K. The P-T-x phase diagrams of the systems In–As, Ga–As and In–P, 7=6107
van den Boomgaard, J., Kröger, F.A. and Vink, H.J. Zone melting of decomposing solids, 5=9232
Vandenbosch, R. Decay of Np^{241}, 9=4990. See also Thomas, T.D., 7=7329
Vandenbosch, R. and Seaborg, G. T. Considerations on the probability of nuclear fission, 8=4327
Vandenbosch, R., Thomas, T.D., Vandenbosch, S.E., Glass, R.A. and Seaborg, G.T. Spallation-fission competition in heaviest elements; helium-ion-induced reactions in uranium isotopes, 9=3932
Vandenbosch, S.E. See also Vandenbosch, R., 9=3932
Vandenbosch, S.E., Diamond, H., Sjoblom, R.K. and Fields, P.R. Beta decay of Bk^{250} and Bk^{249}, 9=12659
Vandenbossche, A. See Ségard, N., 5=3653
van den Brink, G. Perception of the detail of moving objects, 6=9156. The visibility of details of a moving object, 9=9121
van den Brink, G. and Bouman, M.A. Visual contrast thresholds for moving point sources, 7=8330
van den Broek, J. See van der Marel, L.C., 7=8718, 8=3253
van den Burg, F.A.W. See Kramers, H.C., 5=1769
van den Dungen, F.H. Rayleigh's principle in the case of damped oscillations, 5=5290
van den Eijk, J. and Kasteleyn, M.L. A method of measuring flanking transmission in flats, 6=7240
Van de Plas, R. See Korn, T.S., 8=2217
van der Aa, J.M.L.C. See Gerritsen, A.N., 9=286
Vanderberg, R.M. and Ellis, J.W. Different ice forms under ordinary conditions, 5=3285
van der Bijl, W. The maximum of a distribution- or spectrum-function, 7=1838
van der Brugge, J.F. See van Nooijen, B., 6=6130, 8=3329
van der Burgt, C.M. Performance of ceramic ferrite resonators as transducers and filter elements, 7=4070. Controlled crystal anisotropy and controlled temperature dependence of the permeability and elasticity of various cobalt-substituted ferrites, 7=8011
VanderDoes, A. See Smith, R.R., 6=1599
van der Eijk, W. See Wapstra, A.H., 8=5302
van der Elsken, J. See Ketelaar, J.A.A., 6=5000, 9=6730
Vanderhaeghe, G. See Bacchella, G.L., 7=3703, 8=4249; Baldo-Ceolin, M., 7=8860; Demeur, M., 6=8952; Heughebaert, J., 7=9917
v.d. Hauw, T. See Schutten, J., 8=1101
van der Hegge Zijnen, B.G. Modified correlation formulae for the heat transfers by natural and by forced convection from horizontal cylinders, 9=250
van der Heide, H. See Wijn, H.P.J., 7=7233
van der Held, E.F.M. See Boeschoten, F., 7=8553
Vanderhoff, J.W. See Bradford, E.B., 5=8366
van der Houven van Oordt, A.J. See Bloem, J., 7=9103; Diemer, G., 8=7836
van der Kint, L. See Beljers, H.G., 5=386
van der Kooi, J.B. and van den Bold, H.J. The disintegration energy of ^{51}Cr, 7=669
Van der Lann, H. See Nicholls, R.W., 9=7886
van der Leeden, P. Thermodynamics of the lambda-point, 5=8701. Thermodynamics of two-phase systems, 5=8719. On triple points, 5=8720. On critical points, 6=4364
van der Leeden, P., Liem Djan Nio and Suratman, P.C. The velocity of free falling droplets, 7=162
van der Leun, C. Investigation of light nuclei with (p, γ) reactions, 8=7361. See also Endt, P.M., 5=3092; Kluyver, J.C., 5=3091, 9029
van der Leun, C. and Endt, P.M. The reaction ^{32}S(p, γ)^{33}Cl, 7=9385. Investigation of four resonances in the reaction Si^{29}(p, γ)P^{30}, 9=651
van der Leun, C., Endt, P.M., Kluyver, J.C. and Vrenken, L.E. Investigation of four resonances in the reaction ^{26}Mg(p, γ)^{27}Al, 7=8824
van der Linden, C.A.M. Thermal stresses in a plate containing two circular holes of equal radius, the boundaries of which are kept at different temperatures, 9=1115
van der Linden, J.P. See Lim, T.G., 9=3927
van der Lugt, W. See also Hardeman, G.E.G., 6=3010, 8=3242; Poulis, N.J., 8=3243
van der Lugt, W., Poulis, N.J., Hardeman, G.E.G. and Hass, W.P.A. Nuclear magnetic resonance in dilute Cu–Mn alloys, 8=4282
van der Lugt, W., Poulis, N.J. and Hass, W.P.A. Nuclear magnetic resonance in dilute Cu-Mn alloys, 9=13475
Van der Maas, G.J. and Purvis, W.J. "Curie point" motor, 6=4514
van der Maas Reddy, J. and Lipscomb, W.N. Molecular structure of $B_{10}H_{12}(CH_3CN)_2$, 9=12756
van der Maesen, F. and Brenkman, J.A. Acceptor activity of copper in *n* and *p*-type germanium of different resistivity, 5=3758
van der Marel, L.C. See also Gorter, C.J., 5=3890
van der Marel, L.C., van den Broek, H., Wasscher, J.D. and Gorter, C.J. On the susceptibility of $CuCl_2.2H_2O$ powder in the antiferromagnetic and paramagnetic states, 6=3000
van der Marel, L.C., van den Broek, J. and Gorter, C.J. Paramagnetic relaxation in iron ammonium alum and diluted iron ammonium alum at very low temperatures, 7=8718. Paramagnetic relaxation in some diluted and undiluted chromium, copper and manganese salts at very low temperatures, 8=3253
van der Pauw, L.J. A method of measuring specific resistivity and Hall effect of discs of arbitrary shape, 8=1039. Analysis of the photoconductance in silicon, 9=317. See also Nijland, L.M., 8=4993
van der Pauw, L.J. and Polder, D. The photo-thermoelectric phenomenon in semiconductors, 7=3296
van der Raay, H.B. See Riddiford, L., 5=6225
van der Raay, H.V. See Goldsack, S.J., 6=4142
Vanderryn, J. Infrared spectrum of BF_3, 9=6726
Vanderschmidt, G.F. See Lion, K.S., 6=426
Vanderslice, J.T. See also Griffing, V., 5=6348-9, 6=2273; Mason, E.A., 8=357, 2634, 3404, 4372, 6370, 9=727, 5104, 7415, 8262, 12386; Slawsky, Z.I., 9=10641
Vanderslice, J.T., Mason, E.A. and Lippincott, E.R. Interactions between ground-state nitrogen atoms and molecules. The $N-N_1$, $N-N_2$, and N_2-N_2 interactions, 9=6176
Vanderslice, J.T., Mason, E.A. and Maisch, W.G. Interactions between oxygen and nitrogen: $O-N$, $O-N_2$, and O_2-N_2, 9=12757
Vanderslice, J.T., Mason, E.A., Maisch, W.G. and Lippincott, E.R. Ground state of hydrogen by the Rydberg-Klein-Rees method, 9=6180
Vander Sluis, K.L. General formulas for least squares reduction of Zeeman data, 6=7276. Application of a digital computer to the Zeeman method in atomic spectroscopy, 9=11990. See also McNally, J.R., Jr, 9=9401; Wise, J.H., 6=7268
Vander Sluis, K.L. and Griffin, P.M. Nuclear spin of polonium-209(Po^{209}), 6=1477
Vander Sluis, K.L. and McNally, J.R., Jr. Nuclear spin of uranium-235, 5=4865. Fabry-Perot interferometer with finite apertures, 6=1129
van der Spuy, E. The interaction of neutron and alpha-particles, 6=8385. Investigation of the states of an electron in a proposed electromagnetic field, 7=2312. The effective atomic field for electron scattering, 9=7247. The α, α interaction, 9=8611
van der Spuy, E. and Pienaar, H.J. Relation of scattering phases to interaction parameters, 8=6286. The interaction of two-alpha-particles, 8=6311
van der Steeg, M.G. and de Vos, K.J. Reversibility of the coercive force in Alnico 5, 7=2417
Vander Stricht, A. See Apers, D.J., 9=4861; Capron, P.C., 9=4982, 12634
van der Tweel, L.H. Implication for auditory theory of unitary pitch perception despite diplacusis, 6=7914
van der Tweel, L.H. and Keyman, J.Q. Calibration of shutter speeds, 5=5810
van der Veen, B. On the angle between wave front and displacement of plane acoustic waves in quartz, 9=129
van der Vegt, A. and Jonker, C.C. An estimate of the imaginary part of the complex potential of neutron scattering, 7=9419

Van der Velde, B. See Demuynck, J., 7=9351
Vander Velde, J.C. See Brown, J.L., 9=13571
van der Venne, M.J. See Coekelbergs, R., 6=1672
Van der Vorst, W. and Dekeyser, W. Luminescence of decorated dislocations, 7=4171
van der Waals, J.H. See MacLean, C., 8=1131, 9=13471; Platteeuw, J.C., 8=3056
van der Waerden, B.L. The theory of the swing separator, 9=5417
van der Walt, N.T. Constant current source for direct current arcs, 6=5760. Electromechanical crystal structure factor computer, 7=892
Van Der Walt, R. The relation between cosmic-ray intensity and geomagnetic activity during periods of high and low solar activity, 9=13411
van der Ziel, A. Estimate of the time constant of secondary emission, 8=210. Noise figure of reactance convertors and parametric amplifiers, 9=13507. See also Hannam, H.J., 9=5792; Lindemann, W.W., 8=3205; van Vliet, K.M., 8=4960
Van de Walle, R. See also Allewaert, J., 8=2463
Van de Walle, R. and Verjaeghe, J. A source of error in the interpretation of the measurements of the specific primary ionization by means of a Wilson chamber, 8=5078. Specific primary ionization in mixtures of alcohol and water vapours, 9=12394
Vandewauwer, J. See Luyckx, A., 9=216
van Dijk, H. and Durieux, M. A new calculation of the saturated vapour pressure of liquid helium for use as a temperature scale, 7=323. Thermodynamic temperature scale T_{L55} in the liquid helium region, 8=3045. On the temperature scale in the liquid ^{4}He region, 9=9560
van Dijk, S., Hall, J.A. and Leaver, V.M. The influence of rate of cooling on the zeros of mercury-in-glass thermometers, 9=267
Van Dilla, M.A. See also Anderson, E.C., 9=6101
Van Dilla, M.A., Schuch, R.L. and Anderson, E.C. K-9: a large 4π gamma-ray detector, 5=350
van Doorn, C.Z. Temperature dependence of the energy-gap in ZnS, 5=3920. Quantum efficiency of F-centre fluorescence in KCl, 8=5791. Anisotropy of colour centres in alkali halides, 9=810. See also Botden, T.P.J., 5=859
van Doorn, C.Z. and de Nobel, D. Luminescence, transmission and width of the energy gap of CdTe single crystals, 6=5005
van Doorn, C.Z. and Haven, Y. Dichroism of the F and M absorption bands in KCl, 6=2788. Absorption and luminescence of colour centres in KCl and NaCl, 7=5994
van Dorn, W.G. Origin of the lunar craters and maria, 9=7736
van Dorsten, A.C. A generator for fast neutrons, 6=2454
van Dranen, J. The properties of substances at the critical point, 5=3686. The heat of evaporation of helium, 5=3691
van Duijn, J. and van Galen, J. Influence of vacancies of the thermal expansion of lead near the melting point, 7=8557
van Duuren, K. A simple and compact arrangement for measuring the β-activity of weak radioactive samples, 9=6088
van Duuren, K., Jaspers, A.J.M. and Hermsen, J. G-M counters, 9=11302
van Duuren, K. and Sizoo, G. J. The gas discharge mechanism for the argon–alcohol proportional counter, 9=8401
Van Duzer, T. and Brewer, G.R. Space-charge simulation in an electrolytic tank, 9=7069
Van Dyken, A.R. See also Bowman, M.G., 6=6947; Neubert, T.J., 6=6947; Novick, A., 6=6947
Van Dyken, A.R., Bowman, M.G., Neubert, T.J. and Novick, A. Neutron-induced discomposition of graphite. V. Thermal conductivity measurements, 6=6947
Van Eck, J. See Michels, A., 9=6968
van Egmond, W. See Jongerius, H.M., 7=1997
Vaněk, J. Theory of elastic waves produced by a spherical source for generalized boundary conditions, 7=4045
Vanetsian, R.A. and Fedchenko, E.D. Elastic scattering of 18.7 MeV protons by Ni and Cu nuclei, 6=7478
Vanfleet, H.B. See Partridge, W.S., 9=3175
van Galen, J. See van Duijn, J., 7=8557
Van Gan-Chan, Van Tsu-Tszen, Din Da-Tsao, Dubrovskiĭ, L.N., Kladnitskaya, E.N. and Solov'ev, M.I. A propane bubble-chamber study of the interaction between 250-270 MeV π^+-mesons and carbon nuclei, 9=2626
van Geel, C. Self induction and inertia effects [Na werking] in gaseous discharges, 5=6178. Influence of self induction and after-effect in gas discharges on their stability, 7=1323
van Geel, W.C. On the luminescence of oxide layers formed by electrolytic oxidation, 7=4203. See also Winkel, P., 8=6479
van Geel, W.C., Pistorius, C.A. and Bouma, B.C. Luminescence of the oxide layer on aluminium during and after its formation by electrolytic oxidation, 8=7842
van Geel, W.C., Pistorius, C.A. and Winkel, P. Photo effects with anodic oxide layers on tantalum and aluminium, 8=5917
van Geel, W.C. and Schelen, B.J.J. Some properties of oxide layers produced on aluminium by electrolytic oxidation, 7=8217
van Gelder, A.P., de Graaf, A.M. and Kronig, R. New calculations on the Faraday effect in wave guides, 9=11291
Vangengeĭm, S.D. On the influence of temperature on the intercrystalline adsorption effect in binary silver-based alloys. 8=4439. See also Arkharov, V.I., 8=4437-8
van Gerven, L., van Itterbeek, A. and de Laet, L. Magnetic absorption phenomena in germanium at low temperatures, 9=8334
van Gerven, L., van Itterbeek, A. and de Wolf, E. Paramagnetic electron resonance in "Donetz" coal, 6=4508. The transverse relaxation time of paramagnetic electron resonance in diphenylpicrylhydrazyl between 15°K and 300°K, 7=8751. Experimental arrangements for the measurement of paramagnetic relaxation and resonance, and of magnetic nuclear resonance in the Louvain laboratory. II. Paramagnetic electron resonance in weak magnetic fields, 8=8132
Vango, S.P. See Krieve, W.F., 6=8748
van Gool, W. Fluorescence and photoconduction of silver-activated cadmium sulphide, 8=2248. Fluorescence and photoconductivity in Ag-activated Zn-Cd sulphides, 9=12084
van Gool, W. and Cleiren, A.P.D.M. Influence of hydrogen on the red ZnS-Cu fluorescence, 9=12086
van Groenou, A. Broese. See Broese van Groenou, A.
van Gurp, G.J. See Diemer, G., 8=5794, 9=6256
Van Heel, A.C.S. One radius doublets, 5=6878. Thickness control of thin layers, 7=3171, 6050. Remarks on the three slit method, 8=6883. See also Brouwer, W., 5=7882
van Heel, A.C.S. and Walther, A. Some methods for measurements on thin films, 9=5590
van Heerden, I.J. Angular distributions of elastically and inelastically scattered deuterons from neon, 8=6302. See also Bhowmik, B., 6=5413
van Gerven, L. See also van Itterbeck, A., 7=3449; Burge, E.J., 8=2444; Possener, M., 6=5200; Reitmann, D., 9=640; Schneider, H., 9=2768
van Heerden, I.J. and Prowse, D.J. Energy levels of ^{40}A, 7=4619
van Heerden, I.J., Reitmann, D. and Schneider, H. The internal conversion spectra from the decay of ^{197}Hg^m, 9=5029
van Heerden, I.J. and Thambyahpillai, T. The 27-day recurrence tendency of cosmic ray intensity, 6=2986
van Heerden, P.J. Metal gaskets for demountable vacuum systems, 6=973. Concept of distance in affine geometry, 7=2888. Primary photocurrent in cadmium sulfide, 7=5350. Copper-doped germanium as a model for high-resistivity photoconductors, 8=3112. On the analogy between dynamics and a game of cards, 9=3173. See also Redington, R.W., 9=12289
van Hengstum, J.P.A. Spectroscopic measurement of transition probabilities of the cadmium atom, 5=9022
van Hengstum, J.P.A. and Smit, J.A. Measurement of "optical" transition Probabilities of Cd, 6=3923
van Heuven, E.W. On the noise of fluorescent lighting installations, 5=6862
Van Heyningen, R.S. and Brown, F.C. Transient photoconductivity in silver chloride at low temperatures, 9=1478
Van Horn, D.D. See Cooley, W.J., 8=8457
Van Horne, B.H. and Hause, C.D. Near infrared spectrum of DCl, 6=7290
van Hove, L. Time-dependent correlations between spins and neutron scattering in ferromagnetic crystals, 5=556. Quantum-mechanical perturbations giving rise to a statistical transport equation, 5=7706. Energy corrections and persistent perturbation effects in continuous spectra, 6=2689; II. The perturbed stationary states, 6=4847. Statistical mechanics: A survey of recent lines of investigation, 7=7632. The approach to equilibrium in quantum statistics, 7=8440. Some remarks on the optical model for nucleon–nucleus elastic scattering, 8=1954. A remark on the time-dependent pair distribution, 8=5702. See also Frazer, W.R., 8=2771; Hugenholz, N.M., 8=4263; Placzek, G., 5=2224; Ruijgrok, T.W., 7=8377

Van Hulsteyn, D.B. See Kornhauser, E.T., 8=2878

Vanhuyse, V.J. On the (β_0, k) diagrams for circularly symmetric TM waves in infinite irisloaded waveguides, 5=3903. On the proper frequencies of terminated corrugated waveguides. I. Identical cavities; II. Cavities with slightly different diameters, 5=5529. On the proper frequencies of terminated corrugated waveguides with slightly different diameters, 6=2258. On the resonance frequencies and the field configurations in terminated corrugated waveguides, 6=3864. Anomalous attenuation in linear electron accelerators, 9=7102. See also Grosjean, C.C., 5=2034

Vanhuyse, V.J., Verhaeghe, J.L. and Turf, J. The multipactor effect in a linear electron accelerator, 9=2422

van Isacker, J. Stellar scintillation, 7=4917

van Itterbeek, A. Measurements on the electrical and magnetic properties of thin films at low temperature, 6=6645. Measurements with ordinary sound and ultrasonics carried out in the physical laboratory of the University of Louvain, 7=8482. Velocity of sound in liquid helium, 9=1192. See also Coremans, J.M.J., 8=6716, 9=13072; Mariens, P., 7=1142; Rietveld, A.O., 7=1115; 8=2868; van Beelen, H., 9=13439; Van Den Berg, G.J., 6=3687; van Gerven, L. 6=4508, 7=8751, 8=8132, 9=8334

van Itterbeek, A., de Greve, L. and Duchateau, W. Magnetic susceptibility measurements on germanium between room temperatures and liquid hydrogen temperatures, 5=5510

van Itterbeek, A. and de Laet, W. Measurements on the velocity of sound in helium gas at liquid helium temperatures. Calculation of the specific heats, 8=3043

van Itterbeek, A. and de Rop, W. Measurements on the velocity of sound in air under pressures up to 20 atm combined with thermal diffusion, 7=189

van Itterbeek, A., de Rop, W. and Forrez, G. Measurements on the velocity of sound in nitrogen under high pressure, 7=6964

van Itterbeek, A. and Duchateau, W. Further measurements on the magnetic susceptibility of germanium down to liquid helium temperatures, 6=8282. Measurements on the magnetic susceptibility of white tin and copper down to liquid helium temperatures, 7=8717

van Itterbeek, A. and Forrez, G. Measurements on the velocity of sound in helium gas at liquid helium temperatures, 5=1642

van Itterbeek, A., Forrez, G. and Teirlinck, M. Measurements on the velocity of ultrasonic waves in helium at 1°K with different frequencies, 7=8470. Measurements on the velocity of ultrasonic waves in liquid helium, 8=2897

van Itterbeek, A., Lambert, H. and Forrez, G. Measurements on the second virial coefficient of nitrogen between 90 and 65°K with use of ultrasonics, 7=165

van Itterbeek, A. and Nihoul, J. Measurements of thermal diffusion in H_2-He mixtures by using ultrasonics, 5=6801

van Itterbeek, A., Pollentier, R. and Peelaers, W. Measurements on the magnetic susceptibilities of Ag–Mn and Cu–Mn alloys, 9=8282

van Itterbeek, A. and van Gerven, L. Experimental arrangements for the measurement of paramagnetic relaxation and resonance, and of magnetic nuclear resonance in the Louvain laboratory. I. Paramagnetic relaxation, 7=3449

van Itterbeek, A. and Zink, J. Measurements on the velocity of sound in oxygen gas under high pressure, 8=3808

van Kampen, N.G. Quantum statistics of irreversible processes, 5=764. The connection between the *R*-matrix and the *S*-matrix, 5=2421. Completeness of stationary scattering states. I, 5=3445; II. 8=8505. On the theory of stationary waves in plasmas, 6=3042. Can the S-matrix be generated from its lowest-order term, 7=8419. The dispersion equation for plasma waves, 7=8466. Causality and the Kramers–Kronig relation. I, 8=2811; II, 2812. Derivation of the phenomenological equations from the master equation. I. Even variables only, 8=2818; II. Even and odd variables, 8=2819. Thermal fluctuations in a nonlinear system, 8=3733. The method of stationary phase and the method of Fresnel zones, 8=5815. Spectral decomposition of the operator p^2-q^2, 8=6660. See also de Groot, S.R., 5=3466

van Keymeulen, J. Dielectric behavior of kaolinite and dickite, 6=8763. Dielectric losses in TiO_2 single crystals, 8=3976

van Keymeulen, J. and Dekeyser, W. Dielectric loss of and defects in clay minerals, 8=1670

van Kleef, T.A.M. Structure and Zeeman effect in the spectrum of the iridium atom. Ir I, 8=2950

van Kleef, T.A.M. and Klinkenberg, P.F.A. Structure of TaI, 6=3113

van Koppen, G.M. See Corbet, H.C., 5=7108

van Kranendonk, J. Theory of quadrupolar nuclear spin-lattice relaxation, 5=2300. Theory of the low temperature properties of ferromagnetic crystals, 5=3875. Spin-deviation theory of ferromagnetism. I. General theory, 6=3818; II. The non-ideal spin-deviation gas, 6=3819. Theory of induced infra-red absorption, 8=3417. Induced infra-red absorption in gases. Calculation of the binary absorption coefficients of symmetrical diatomic molecules, 8=4381. Statistical theory of ferro- and antiferromagnetism, 9=410. Nuclear relaxation in magnetic materials, 9=815. See also Kasteleijn, P.W., 6=5210, 6000

van Kranendonk, J. and Bloom, M. Nuclear relaxation in antiferromagnetic crystals, 6=7016

van Kranendonk, J. and Van Vleck, J.H. Spin waves, 8=4119

van Krugden, H. See Konijn, J., 9=12661

Van Laar, J. See Milatz, J.M.W., 7=1245; Schenk, J., 9=4514

van Leeuwen, J.M.J. See Cohen, E.G.D., 6=5726, 7=1124

van Lessen, L. See Suhrmann, R., 9=9692

van Lieshout, R. See also Farrelly, B., 5=9858; Girgis, R.K., 9=631, 10081, 13648; Hayward, R.W., 9=5023; Koerts, L., 5=7319; Nussbaum, R.H., 5=478; Polak, H.L., 8=5304; Ricci, R.A., 7=5601, 9=5024, 8528; Ythier, C., 9=1729

van Lieshout, R., Greenberg, D.H., Koerts, L.A.C. and Wu, C.S. Decay of Cr^{48}, 6=608

Van Lint, V.A.J. See also Arnold, W.H., 5=6501

van Lint, V.A.J. and Roth, H. High-energy electron irradiation of germanium and tellurium, 9=11010

Van-Loc Phan. See Phan Van-Loc.

van Loef, J.J. Gamma rays from inelastic neutron scattering, 6=1539

van Loef, J.J. See also Rapaport, J., 9=8639

van Loef, J.J. and Lind, D.A. Measurements of inelastic scattering cross sections for fast neutrons, 6=3234

van Meerssche, M. and Germain, G. Structure of trans $(CH_3NO)_2$, 9=13954

van Ments, M. See Corbet, H.C., 5=7108

van Meurs, N. Temperature dependence of the conductivity of electrolyte solutions, 9=2981

Van Name, F.W., Jr. Experiment for measuring the coefficient of restitution, 9=78. Graphical analysis of the moment of inertia experiment, 9=1113

van Ness, B. See Clark, J., 6=5569

Van Niekerk, C.G. Measurement of the noise of ducted fans, 6=6493

van Niekerk, J.N. See Schoening, F.R.L., 5=7423

Van Nooijen, B. Some methods in nuclear spectroscopy, 9=489. See also Konijn, J., 7=8797, 8=3334, 5308, 9=3859

van Nooijen, B., Konijn, J., Heyligers, A., van der Brugge, J.F. and Wapstra, A.H. On the decay of ^{48}Sc and ^{48}V, 8=3329

van Nooijen, B., Konijn, J. and Wapstra, A.H. Triple coincidence measurements in the decay of ^{48}V, 8=4304

van Nooijen, B., Mostert, P., van der Brugge, J.F. and Endt, P.M. Gamma–gamma angular correlation in the decay of ^{48}Sc, 6=6130

van Nooijen, B. and Wapstra, A.H. Gamma–gamma angular correlation in the decay of ^{203}Pb, 7=9370

van Nooyen, B. See de Raad, B., 5=3052

van Oeveren, W.J. See Meyer, G., 9=8037

van Ooijen, D.J. The thermoelectric power of cold-worked platinum between liquid air and room temperature, 7=3309. The thermoelectric power of copper, silver and gold after coldworking, 7=7931. See also Druyvesteyn, M.J., 7=3308

van Oordt, A.J. van der Houven. See van der Houven van Oordt, A.J.

van Oosterhout, G.W. A rapid method for measuring coercive force and other ferromagnetic properties of very small samples, 7=525

Van Ostenburg, D.O. and Montgomery, D.J. Charge transfer upon contact between metals and insulators, 9=3414

van Paemel, O. See Mariens, P., 7=135

Van Patter, D.M. See also Blair, J.M., 5=1199; Porter, W.C., 9=3826; Rothman, M.A., 7=8170; Simmons, B.E., 5=2166

Van Patter, D.M., Porter, W.C. and Rothman, M.A. Q-value measurements for aluminum and chlorine, 7=7375

Van Patter, D.M., Rothman, M.A., Porter, W.C. and Mandeville, C.E. Inelastic proton scattering from phosphorus and zinc, 7=8821

Van Patter, D.M., Swann, C.P., Porter, W.C. and Mandeville, C.E.

Q-Value measurements for phosphorus and chlorine, 6=7679
Van Patter, D.M. and Whaling, W. Nuclear disintegration energies, 5=2099. II, 8=3363
van Peski, Tinbergen, T. See also Gorter, C.J., 6=5209; Kramers, H.C., 5=1769
van Peski-Tinbergen, T. and Gorter, C.J. Susceptibilities of antiferromagnetic crystals at the absolute zero of temperature, 5=1043
van Putten, J.D. See Brown, J.L., 9=13571
van Regemorter, H. Correlation curves in the Schuster-Schwarzschild hypothesis, 5=6709. The temperature of excitation for strong and weak lines, 5=6710. Computation of absorption lines in stellar spectra, 6=5650. Calculation of absorption lines in stellar spectra, 6=6324. On the broadening of hydrogen lines by the field of electrons, 8=7809. See also Pecker, J.-C., 5=6708*
van Reijen, L.L. See Corbet, H.C., 5=7108
Van Riet, R. Raman spectrum and infrared spectrum of the molecule CH_3-CD_3, 5=6043
van Roggen, A., van Roggen, L. and Gordy, W. Paramagnetic resonance of free radicals at millimeter wave frequencies, 7=3500
van Roggen, A. and Vroom, R.A. Apparatus for the measurement of the lifetime of phosphorescence phenomena, 5=5336
van Roggen, L. See van Roggen, A., 7=3500
van Roosbroeck, W. Injected current carrier transport in a semi-infinite semiconductor and the determination of lifetimes and surface recombination velocities, 5=5405. Theory of the photomagnetoelectric effect in semiconductors, 6=3720. See also Pfann, W.G., 5=1847
van Rooyen, G.T. and Backofen, W.A. Distribution of interface stress in plane strain and axial symmetric compression, 9=8935
van Rossum, L. On the determination of the mass of unstable heavy particles by photometry of their tracks in nuclear emulsions, 5=4977. On the photometry of nuclear tracks, 5=7601. The determination of the masses of heavy mesons and hyperons by the photometry of their tracks in nuclear emulsions, 5=9961. See also Barkas, W.H., 7=3225; Kerth, L.T., 8=9063
Van Rutten, F. Measurement of surface conductivity, 5=7460
Van Rysselberghe, P. Reaction rates and affinities, 8=9162
Van Sant, O.J. Magnetic viscosity in 4-79 molybdenum Permalloy, 7=7228
van Santen, J.H. See Haven, Y., 9=1868
Van Sciver, W. Spectrum and decay of NaI, 6=5796
Van Sciver, W. and Hofstadter, R. Scintillations and luminescence in unactivated NaI, 5=4549
Van Sciver, W.J. and Bogart, L. Fundamental studies of scintillation phenomena in NaI, 9=4472
van Soest, G. See Dokoupil, Z., 5=2679
van Someren, E.H.S. See Roberts, D.F.T., 6=4979
Van Steenbrugghe, R. See Thomas, E., 9=7859
van Swaay, M. See Juenker, D.W., 6=8621
Van Thiel, M. See also Becker, E.D., 7=3792
Van Thiel, M., Becker, E.D. and Pimentel, G.C. Infrared studies of hydrogen bonding of methanol by the matrix isolation technique, 8=1294. Infrared studies of hydrogen bonding of water by the matrix isolation technique, 8=1294
Van Tiggelen, A. See Deckers, J., 8=3942
Van Tsu-Tszen. See Van Gan-Chan, 9=2626
Van Tuyl, H.H. See Kinderman, E.M., 9=8646
Van Uitert, L.G. D.C. resistivity in the nickel and nickel zinc ferrite system, 6=350. High-resistivity nickel ferrite—the effect of minor additions of manganese or cobalt, 6=2078. Nickel copper ferrites for microwave applications, 6=6776. Magnetic induction and coercive force data on members of the series $BaAl_xFe_{12-x}O_{19}$ and related oxides, 7=5470. Magnesium-copper-manganese-aluminum ferrites for microwave applications, 8=3235. Effects of annealing on the saturation induction of ferrites containing nickel and/or copper, 8=3236. See also Flaschen, S.S., 6=6625; Suhl, H., 6=1362
Van Uitert, L.G., Read, M.H. and Schnettler, F.J. Permanent magnet oxides containing divalent metal ions. I, 7=6340
Van Uitert, L.G. and Swanekamp, F.W. Permanent magnet oxides containing divalent metal ions. II, 7=6341. Resistivity and density of polycrystalline yttrium iron garnet, 8=6983
Van Uitert, L.G., Swanekamp, F.W. and Haszko, S.E. Line widths in polycrystalline yttrium iron garnet, 9=7176
Van Valkenburg, A. See Lippincott, E.R., 9=2209; Weir, C.E., 9=13168
Van Valkenburg, H.E. See Cook, E.G., 5=6779
Van Valkenburg, M.E. The two-helix method for polarization measurement of meteoric radio echoes, 5=693
Van Valkenburg, M.E., Clay, W.G. and Huth, J.H. Impact phenomena at high speeds, 7=1698
Van Valkenburg, M.E. and Hendricks, C.D., Jr. Method for producing high-velocity metallic and plastic pellets, 5=9449
Van Veld, D. and Meissner, K.W. Interferometric wavelength measurements of germanium lines of a hollow cathode discharge, 6=8650
Van Veld, R.D. See Meissner, K.W., 9=3273
Van Vleck, J.H. The cohesive energies of alkali metals, 5=9391. Fundamental theory of ferro- and ferri-magnetism, 7=3432. Magnetic properties of metals, 9=395. Line-breadths and the theory of magnetism, 9=396. The antiferromagnetic state in the chrome alums, 9=440. The magnetic susceptibility of oxygen in a clathrate compound, 9=767. The concept of temperature in magnetism, 9=1575. See also Meyer, H., 8=3249; van Kranendonk, J., 8=4119
van Vliet, K M. On the equivalence of the Fokker–Planck method and the free-energy method for the calculation of carrier density fluctuations in semiconductors, 7=8612. Derivation of the fluctuation-dissipation theorem, 8=1540. Noise in semiconductors and photoconductors, 8=4959. Irreversible thermodynamics and carrier density fluctuations in semiconductors, 8=8759. See also Hill, J.E., 8=8767, 9=1454;
van Vliet, K.M. and Blok, J. Electronic noise in semiconductors, 6=3719. Electronic noise in photoconducting insulators, 6=6649
van Vliet, K.M., Blok, J., Ris, C. and Steketee, J. Measurements of noise and response to modulated light of cadmium sulphide single crystals, 6=8075
van Vliet, K.M. and van der Ziel, A. On the noise generated by diffusion mechanisms, 8=4960
van Vucht, J.H.N. See Braun, P.B., 5=5109-10
van Wageningen, R. See also Poppema, O.J., 5=4869
van Wageningen, R. and Groenewold, H.J. Symmetries in the elastic spin ½–spin 0 scattering, 8=2797
van Wieringen, A. and Warmoltz, N. On the permeation of hydrogen and helium in single crystal silicon and germanium at elevated temperatures, 7=8903
van Wieringen, J.S. Paramagnetic resonance in single crystals of SiC doped with N, P, B or Al, 9=9807. See also Beljers, H.G., 5=386
van Wieringen, J.S. and Kats, A. Paramagnetic resonance and optical investigation of silicate glasses and fused silica, coloured by X-rays, 9=452. Paramagnetic resonance of hydrogen [in X-ray irradiated] fused silica, 9=12891
van Wijk, W.R. See Fritschen, L.J., 9=128891
Van Winkle, M. See Crawford, H.R., 9=6583
van Wyk, C.B. Charge conjugation and angular momentum, 8=509.* Polarization of particles with spin unity, 8=8197. Covariant description of spin, 9=3128
Van Wylen, G.J. See Collins, S.C., 5=7925
Vanyukov, M.P., Isaenko, V.I. and Khazov, L.D. Investigation of the luminous phenomena associated with the development of the channel of the spark discharge, 6=2132
Vanyukov, M.P. and Mak, A.A. Temperature of the channel of the spark discharge, 9=12322
Vanyukov, M.P., Mak, A.A. and Muratov, V.R. Time spectra of spark-discharge emission in inert gases, 9=12000
Vanyukov, M.P., Mak, A.A. and Ures, M.Ya. Instantaneous brightness of the channel of a spark discharge in a capillary, 8=7061
Vanyukov, M.P. and Nilov, E.V. Use of an electron-optical converter for photographing high-speed processes, 5=7612
Van Yuyl, H.H. See Lefevre, H.W., 6=2363
van Zeggeren, F. See also Benson, G.C., 7=7494
van Zeggeren, F. and Benson, G.C. The quantum mechanical calculation of the surface energy of sodium chloride — A first approximation, 6=8887. Calculation of the surface energies of alkali halide crystals, 7=7493
van Zelst, J.J. Zaalberg. See Zaalberg van Zelst, J.J.
van Zoonen, D. The efficiency of halogen-quenched Geiger-counters for X-rays, 5=1000. Gas discharge mechanism of halogen-quenched counters, 5=5467. Double pulses in rare gas–halogen Geiger counters, 7=1401. See also Kuiper, J., 5=1947
van Zyl, C.P., Voss, R.G.P. and Wilson, R. The elastic scattering

of 136 MeV neutrons by nuclei, 7=2667
Vapaille, A. See Epelboin, I., 5=1756, 6=1149, 6557, 7=7043
Varadaiah, V. V. and Ramakrishna Rao, M. Sakurada equation for the intrinsic viscosities of polymer solutions, 6=4226
Váradi, P.F. Ion pump, 5=788. See also Adám, J. 9=9689; Gergely, G., 5=9529
Váradi, P.F. and Sebestyén, L.G. A simple, vacuum leak detector using a radio-frequency mass spectrometer, 7=1119
Varberg, T. See Brun, J., 7=7316, 9=3963
Varcollier, H. Neglected elements in classical electromagnetism: their possible utility in the theory of the atom, 5=9754
Varcaccio, G. See Stroffolini, R., 9=12588
Vardaiah, V.V. and Rao, V.S.R. Variation of Huggin's constant with solvent power for polymethyl methacrylate solutions, 9=10681
Vardalakis, G. See Roussopoulos, P., 7=6907
Vardya, M.S. The effect of vorticity on the specific heat ratio of a non-relativistic Fermi-Dirac gas, 5=2687. The effect of exchange potential on the mass-radius relation for cold bodies, 5=7638
Varfolomeev, A.A. and Gerasimova, R.I. Disintegration of beryllium and carbon nuclei as a result of π^--meson capture, 7=1583
Varfolomeev, A.A., Gerasimova, R.I. and Karpova, L.A. K-meson decay of a slow secondary particle, 7=4754. A possible example of anomalous decay of a hyperfragment, 7=4756
Varfolomeev, A.A., Gerasimova, R.I. and Tumanyan, V.A. Multiple electron production in a high-energy electron–photon shower, 8=1758
Varfolomeev, A.A., Gerasimova, R.I., Zamchalova, E.A., Podgoretskiĭ, M.I. and Shcherbakova, M.N. Energy spectrum of π-mesons produced by cosmic rays in photographic emulsions, 7=1431
Varfolomeev, A.A., Golenko, D.I. and Svetlolobov, I.A. Characteristics of the electromagnetic cascades in photoemulsions when the influence of the medium on the radiation processes is taken into account, 9=9925
Varfolomeev, A.A., Romantseva, A.S. and Kutukova, V.M. Angular distribution of fragments in the fission of uranium^{238} by neutrons of various energies, 7=6583
Varfolomeev, A.T. Absorption of slow π^- mesons by nuclei, 9=13695
Varga, P. See Ádám, A., 5=7803, 6=171
Varga, R.S. Numerical solution of the two-group diffusion equations in x-y geometry, 9=1787
Varho, O. See Laurikainen, K.V., 9=5293, 13582
Varićak, M. The change of resistivity of NTC semi-conductors with temperature, 5=2727. Study of the use of thermistors for the measurement of low pressures, 7=1961. Experiments in the use of thermistors for low pressure measurements, 8=538. Sensitive semiconductor-detector for infrared radiation, 9=3383. See also Paić, M., 9=12389
Varićak, M. and Vošicki, B. Oscillographic measurement of the Penning-gauge characteristics, 5=8548
Varićak, M., Vošicki, B. and Saftić, B. Experimental determination of the Penning-gauge characteristics, 6=1895
Varley, J.H.O. A mechanism for the displacement of ions in an ionic lattice, 5=3265. A new interpretation of irradiation-induced phenomena in alkali halides, 5=4180. Effect of alloying on the energy-levels of inner electronic shells, 7=3472. The existence of a metastable phase isomorphous with the stable phase of a pure metal, 7=4852. The thermal expansion of pure metals and the possibility of negative coefficients of volume expansion, 7=5269. See also Flint, O., 9=8907; Levy, M., 5=5091
Varma, J. The reaction ^{24}Mg(p, γ)^{25}Al, 7=1596. See also Mandeville, C.E., 5=4901
Varma, J. and Jack, W. The reaction ^{24}Mg(p, γ)^{25}Al at the 418 keV resonance, 8=1225
Varma, J. and Mandeville, C.E. Level scheme of In^{115}, 5=3963
Varma, K.T.R. See Rastogi, R.P., 7=5917
Varma, R.K. See Murty, G.S., 9=2008
Varnerin, L.J. and Carmichael, J.H. Trapping of helium ions and the re-emission of trapped atoms from molybdenum, 8=8624
Varnerin, L.J., Jr. and Carmichael, J.H. Ionic pumping mechanism of helium in an ionization gauge, 5=7752
Varnerin, L.J., Jr. and White, D. Ultimate vacuum in a vacuum-enclosed ionization gauge, 5=117
Varney, R.N. Reactions of nitrogen activated by electric discharge, 5=6568. Physics in engineering–a rejoinder, 5=8461. See also Kovar, F.R., 7=9745
Varsányi, F. See Bardócz, Á., 6=4074
Varsavsky, C. See Billings, D.E., 6=5642-3
Varshavskiĭ, Ya.M., Vasil'ev, G.Ya., Karpov, V.L., Lazurkin, Yu.S. and Petrov, I.Ya. On isotopic exchange between gaseous hydrogen and solid polymers under the action of ionizing radiations, 8=3403
Varshneya, N. See Gottstein, K., 6=4657
Varshneya, N.C. See Biswas, N.N., 6=5407, 7722*, 7=741, 3722 8873; McKenna, S., 9=3799
Varshni, Y.P. The uncertainty principle and the Bohr theory of the hydrogen atom, 5=763. Relation of the vibrational constant ω_e of molecule XY with those of XX and YY, 5=7241. Variation of p–p scattering cross section with energy, 6=5160. Dependence of alpha disintegration energy on proton and neutron number, 6=6865. Thomas-Fermi model for diatomic hydrides, 7=8745. Comparative study of potential energy functions for diatomic molecules, 8=3408. Correlation of molecular constants. I. Deduction of relations, 8=7445; II. Relation between force constant and equilibrium internuclear distance, 8=7446. Neutron–proton interaction, 9=2588. On Wu–Yang potential energy function, 9=3971. See also Karnatak, R.C., 6=5136; Sodha, M.S., 9=2433, 9603-4, 9724; Srivastava, G.P., 6=8161, 7=8581
Varshni, Y.P. and Karnatak, R.C. On Flammersfeld's range–energy relation for electrons [in aluminium], 9=4714
Varshni, Y.P. and Majumdar, K. Spectroscopic constants of molecules. III. Regularities in vibration frequencies in a molecular group, 5=8117; IV. Similarities in ground state vibration frequencies of isoelectronic diatoms, 6=3057; V. Similarities in constants of different groups, 6=8305
Varshni, Y.P. and Mitra, S.S. On Badger's rule, 6=3877
Varshni, Y.P. and Srivastava, G.P. Temperature dependence of dielectric constant, 9=5652
Varshni, Y.P. and Srivastava, S.N. Viscosity of normal paraffins, 9=2120. Electron affinities of the lighter elements, 9=6164
Varsimashvili, T.V. and Kostanashvili, N.I. Transition effect of stars in a lead absorber, 9=5861
Vartanian, P.H. See Ayres, W.P., 6=3821; Hogan, C.L., 8=4169; Melchor, J.L., 6=4530
Vartanyan, A.T. Effect of hydrogen on the photo conductivity of solid films of dyes, 7=1304
Vartanyan, A.T. and Karpovich, I.A. Electrical conduction and photoconductivity of phthalocyanines, 7=4364. On the photoconductivity of violanthrone and pyranthrone, 7=9200
Vartanyan, A.T. and Rozenshtein, L.D. Photoconductivity of indigo, 9=8149
Vartapetian, H. The level scheme of Cs^{131}, 7=5552. The half-life of the 396 keV level of Lu^{175}, 7=7325. The half-life of 50 keV E1 radiation and of the 286 keV level in Ra^{223} (AcX), 8=4276. Fast E$_2$ transition in Ra^{224}, 8=5299. Contribution to the study of gamma transition probabilities by the delayed-coincidence method, 9=6092. See also Dick, L., 5=1979, 7330, 6=6102, 7=1535; Foucher, R., 5=1979, 7330, 6=6102, 7=1552, 8=4306; Perrin, N., 7=1573
Vartapetian, H. and Dick, L. Short-lived isomeric state in UX$_2$ (Pa^{234}), 6=5370
Vartapétian, H., Dick, L., Foucher, R. and Perrin, N. The period of the 122 keV level of Cs^{131}, 6=3939. Fast coincidences with NaI(Te) scintillators. Measurement of short lifetimes of excited states in Cs^{131} and UX$_2$, 7=1542
Vartapetian, H. and Foucher, R. The half life of the first rotational level in Ra^{226}, 8=4275
Vasek, L.J. and Anderson, J.M. Work function of sodium chloride, 9=7052
Vasenin, R.K. and Konovalov, P.F. An ionization [counter] X-ray investigation of the structure of bismuth telluride, 7=2851
Vash, A.M. See Frazer, J.F., 5=7177
Vashman, A.A., Lipis, L.V. and Teterina, N.A. A very-high-frequency source for excitation of spectra in gaseous mixtures, 9=11991
Vašíček, A. Note on the formula for the reflection of light from glass with a thin metallic film, 5=6050. On the reflection and transmission of light through thin transparent films, 7=4243. Note on the limits of the polarimetric method of thin film measurements, 7=7795. A remark on the reflection of light from a metal with a thin interfering non-metallic film, 9=4482. On the derivation of equations for the reflection and refraction of light from a thin film, 9=7989. On the formulae for the light reflected and transmitted by a thin metal film, 9=7990

Vasileff, H.D. Thermal ionization of impurities in polar crystals, I. Formal theory, 5=1350. II. Application to interstitials in cubic ZnS, 5=4181. Electron self-energy and temperature-dependent effective masses in semiconductors: n-type Ge and Si, 7=3275

Vasil'ev, D.M. The methodology of the X-ray study of textured polycrystalline specimens, 6=7844. On the measurement of macrostresses by the X-ray method of angle photographs, 7=6646. On the microstresses arising in polycrystalline specimens during plastic deformation, 9=10315

Vasil'ev, G.F. See Elinson, M.I., 7=2370, 9=4682, 7055

Vasil'ev, G.Ya. See Varshavskiĭ, Ya.M., 8=3403

Vasil'ev, I.A. and Petrzhak, K.A. A radiochemical investigation of photofission of Th^{232}, 9=2842. Dependence of efficiency of an end-window counter on the hardness of beta-spectrum, 9=11303

Vasil'ev, L.V. See Khartman, V.G., 6=4465; Kucheryaev, A.G., 9=10021

Vasil'ev, S.S., Komarov, V.V. and Popova, A.M. Effective cross-section for the reaction (n, 2n) on Be^{9}, 8=4325. Study of the reactions (n, α) and (n, t) on Be^{9}, 8=6327. Fast-neutron-induced disintegration of the C^{12} nucleus into three α-particles, 8=6335. Nuclear emulsions with powder fillers, 9=8422

Vasil'ev, S.S. and Shavtvalov, L.Ya. β-spectrum of F^{20} and F^{17}, 9=5012

Vasil'ev, V.D. See Bogomolov, V.N., 7=9171

Vasil'ev, V.P. Measurement of diffusion coefficients by a method of continuous measurements, 7=4795

Vasil'ev, Yu.N. See Vaĭnshteĭn, É.E., 7=9228, 8=3164

Vasil'eva, M.Ya. See also Zaitsev, A.A., 9=13398

Vasil'eva, M.Ya. and Kaptsov, N.A. Study of the difference between ignition and extinction voltage of a glow discharge under various conditions, 7=6200

Vasileva, N. See Pacheva, I., 9=12327

Vasilevskiĭ, K.P. See also Neporent, B.S., 8=4856

Vasilevskii, K.P. and Neporent, B.S. Dependence of the infrared absorption by water vapour on its concentration and on path length for the case of a separate line and for a group of lines in the 2.7 μ band, 9=10799

Vasiliu, G., Calenicenco, N. and Mateiciuc, V. Methods used in measurement of the electrical conductivity of air, 8=461

Vasin, I.G. See Yaroslavskiĭ, M.I., 7=7691

Vaskas, E.M. Note on the Wasserman–Wolf method for designing aspheric surfaces, 7=9591

Vaško, A. The light gathering power of optical systems with an electron optical member, 6=7335. Non-selective infrared radiation receivers. II, 7=7815

Vásquez, B.M. See Alba A.F., 6=8375,* 8=7372,*

Vassamillet, L. See Hirth, J.P., 8=6504

Vassamillet, L.F. See also Brocklehurst, R.E., 8=2276

Vassamillet, L.F. and Smoluchowski, R. Measurement of dislocation densities by the Lambot method, 9=7508

Vassel, C.R. Effect of first long period elements on the resistivity of copper and of aluminium, 9=8088

Vasserman, A.M. See Abrikosov, N.Kh., 9=12818

Vasserman, I.I. Resonance method for determining the electron density and the number of collisions in the plasma of a gaseous discharge, 7=9219

Vassilkov, R.G. See Goldansky, V.I., 9=12584

Vassy, A. Relations between atmospheric ozone and storms, 5=1383. A study of time-resolved spectra of long sparks, 5=7072. See also Rasool, I., 6=9071, 9=12894

Vassy, A. and Vassy, É. Presence of the 3303 A line in the emission spectrum from artificial sodium clouds, 9=9084

Vassy, É. See Gasnier, R., 7=5753; Mende, H., 9=1632; Tanaevsky, O., 5=9305, 7=3862; Vassy, A., 9=9084

Vasudevan, R. See Ramakrishnan, A., 8=4672

Vateva, E. See Borisov, M., 8=7356

Vatsia, M.L. See Smith, A.G., 7=9478

Vaucouleurs, G. de. See de Vaucouleurs, G.

Vaugham, L.M. See Parks, G.S., 5=2264

Vaughan, F. and Dinsdale, A. Adsorption and desorption of moisture in fired ceramic materials, 9=7587

Vaughan, J. See Ellis, A.J., 9=8955; Jowsey, J., 6=8533

Vaughan, J.D. See Swoboda, T.J., 9=8290

Vaughan, J.R.M. See Smith, M.J., 6=8885

Vaughan, P. See Langton, N.H., 7=7479

Vaughan, P.A. A phase-determining procedure related to the vector-coincidence method, 9=7642

Vaughan, T.B. See Ramm, C.A., 6=2936

Vaughan, W.H., Leivo, W.J. and Smoluchowski, R. Density and hardness changes produced by plastic deformation in KCl crystals, 9=877

Vaughn, F.J. See Imhof, W.L., 9=10131

Vaughn, G.W. See Johnson, V.R., 6=8440, 7=1696, 8=429

Vauquois, B. Remarks on the solar radio radiation on 10 cm, 5=7642. Influence of the age of a centre of activity of radio emission on its radiation at centimetric wavelengths, 6=2620. See also Coupiac, P., 7=2924; Laffineur, M., 5=2376, 2378, 6=6302

Vauthier, R. A double-focusing arrangement applicable to ordinary mass-spectrometers, 6=2189. A study of the electron beam from a mass spectrometer ion source, 6=2196. Applications of the optics of electric charges to mass spectrometry, 6=2941

Vautier, C. See Colombani, A., 8=5870, 9=1446

Vautier, R. Effect of magnetostriction on the initial permeability of manganese–zinc ferrites, 6=7521. The energy of magnetization, 9=4790. See also Guillaud, C., 7=2415, 9261

Vautier, R. and Berteaud, A.J. Variation of the g-factor of yttrium garnet in which the Cr^{3+} ions have been substituted for the Fe^{3+} ions, 9=2497. The variation of the width of the absorption curve of yttrium iron garnet with substitution of Cr^{3+}, 9=4811. The direct measurement of the width of the resonance curves of ferromagnetic materials, 9=11230

Vautier, R. and Kagan, W. Variation of the resonance field in nickel-zinc ferrite chromites, 7=9262

Vautier, R. and Marais, A. Switching times of a square-loop ferrite, 9=8313

Vaux, L.H. de. See de Vaux, L.H.

Vavilov, P.V. Radiative decay of the Λ^0 particle, 6=8401. Interaction cross-section of π-mesons with nucleons at high energies, 7=9925. On the bubble chamber, 8=2442. Ionization losses of high-energy heavy particles, 8=5065

Vavilov, V.S. Semiconductor converters of radiant energy, 6=2079. On photo-ionization by fast electrons in germanium and silicon, 9=5700. See also Patskevich, V.M., 8=2357; Smirnov, L.S., 8=5891; Spitsȳn, A.V., 9=4587

Vavilov, V.S. and Britsȳn, K.I. On the quantum yield of the photo-ionization in silicon, 9=9633. The quantum yield of the internal photoeffect in germanium, 9=11039

Vavilov, V.S., Gippius, A.A. and Gorshkov, M.M. On the reflection coefficients of germanium and silicon crystals, 8=3900

Vavilov, V.S., Malovetskaya, V.M., Galkin, G.N. and Landsman, A.P. Silicon solar batteries as sources of electrical supply for artificial earth satellites, 8=4027

Vavilov, V.S., Smirnov, L.S., Galkin, G.N. Spitsȳn, A.V. and Patskevich, V.M. Formation of crystalline lattice defects in germanium under bombardment by fast electrons, 7=2824

Vavilov, V.S., Smirnov, L.S. and Patskevich, V.M. Energy of ionization by electrons in crystals of germanium, 7=8690

Vavilov, V.S., Smirnov, L.S., Spitsȳn, A.V., Patskevich, V.M. and Galkin, G.N. On the defects in the crystalline lattice of n-type germanium, 8=7512

Vavilov, V.S. Spitsȳn, A.V., Smirnov, L.S. and Chukichev, M.V. The effect of fast-neutron irradiation on recombination of electrons and holes in germanium crystals, 8=5491

Vavilov, Yu.N. On interpretation of the spatial distribution of nuclear-active particles in extensive air showers. 8=4099. See also Antonov, Yu.N., 7=6318; Nikol'skiĭ, S.I., 7=4512

Vavilov, Yu.N., Evstigneev, Yu.F. and Nikol'skiĭ, S.I. Investigation of the penetrating component of extensive cosmic-ray air showers, 8=1757

Vavřin, J. Physical laws of electromagnetism in the light of the transformations of motion, 6=3467

Vaze, G.H. On the proportional response of large area liquid scintillation counter for cosmic rays, 7=4473

Vázquez, D. See Barcala, J., 6=187, 8646-7; Françon, M., 9=6799

Vázquez, R.M. See Mazari, M., 9=5981

Vdovin, Yu.A. Production of a nuclear star and a π-meson by a γ-ray, 6=7688. Excitation of nuclear stars by γ-rays, 7=684. Production of π-meson pairs by γ-rays and bremsstrahlung of π-mesons on nuclei, 7=1649. Production of proton–antiproton pairs by high-energy γ-quanta, 8=5381. See also Bushev, A.S., 8=9058

Vdovin, Yu.A., Levich, V.G. and Myamlin, V.A. Current-voltage characteristics of an electrolyte-semiconductor junction, 9=13312

Veall, N. See also Emery, E.W., 5=2117, 4010, 6423

Veall, N., Lowe, A.E. and Whyard, R.E. The stability of the calibration of liquid sample Geiger-Müller counter tubes, 5=2816
Vecher, A.A. See also Gerasimov, Ya. I., 9=12196
Vecher, A.A. and Gerasimov, Ya.I. The thermodynamic properties of copper-palladium alloys, 9=12197
Vedam, K. See Hoshino, S., 9=6265; Pepinsky, R., 8=7883, 9=1417, 2304, 3425, 10950
Vedder, J. See Dudziak, W.F., 9=7271
Vedenov, A.A. Theory of the π-meson decay, 7=2689. Certain solutions of the equations of plasma hydrodynamics, 9=7114. A new method in the classical statistical mechanics, 9=9249. The thermodynamic properties of a degenerate plasma, 9=9732. Free energy of strong electrolytes, 9=12852
Veelken, R. On the theory of the electrical transitions in alkali halides. I. The exchange interaction potential between fast electrons and lattice vibrations in polar crystals, 6=1733; II. Calculation of the electron damping; Numerical results, 6=1734
Veen, B. van der. See van der Veen, B.
Veenendaal, A.L. See Berghuis, J., 5=9268
Veenstra, P.C. Mass spectrometric determination of isotope abundance by the use of an a.c. method, 9=4720
Veeraraghavan, N. Half-lives of short-lived activities with a pulsed neutron source and a ten channel time analyser, 6=7646. See also Ramanna, R., 5=5635
Vega, M.A. de la. See de la Vega, M.A.
Vegard, L. The Doppler displacement of the ionospheric hydrogen lines and its bearing on the auroral theory and solar terrestrial relationships, 5=3321. Intensity variations of auroral hydrogen lines and the influence of the solar proton radiation on the auroral luminescence, 5=5802. Facts to be taken into account in the interpretation of ionospheric processes, 6=2579. Phenomena caused by solar X-rays and properties of the solar electric ray bundles producing the aurorae, 6=7077. Recent progress relating to the study of aurorae and kindred phenomena, 9=3018. Composition, variations and excitation of the auroral luminescence spectra, 9=9101
Vegard, L. and Kvifte, G. Theory and observations of the enhancement of auroral hydrogen lines with increasing distance from the magnetic axis point, 5=5801. The forbidden O I lines and phosphorescence bands emitted from inert gases containing traces of oxygen, 7=4126
Vegard, L., Kvifte, G., Omholt, A. and Larsen, S. Studies of the twilight sodium lines from observations at Oslo and Tromsø, and results of auroral spectrograms from Oslo, 5=5794
Vegors, S.H., Jr. See also Duffield, R.B., 9=3830
Vegors, S.H., Jr. and Axel, P. Seven new isomers with half-lives between 10^{-5} and 10^{-1} second, 6=3940
Vegt, A. van der. See van der Vegt, A.
Veiga Simao, J. de. See de Veiga Simao, J.
Veinberg, V.B., Dul'neva, N.M., Meingard, P.N. and Yakovenko, V.L. Polar spectrohydronephelometer, 9=9526
Veĭnberg, V.B. and Mal'tsev, Yu. V. The conversion of radiations into electricity, 7=7517
Veit, J. Application of integral equations to the solution of the Maxwell equations, 9=8389
Veith, W. On the photoelectric properties of evaporated cadmium sulphide, 5=3781. Electron velocity in the cavity cathode, 5=3849
Veĭts, I.V. and Gurevich, L.V. Dissociation energies of oxides of Mg, Ca, Sr and Ba, 6=9001. Bond energy in CaOH and SrOH molecules, 7=9304. The ground electronic states of the molecules of oxides of the group II elements, 7=9785
Vejvodová, J. On the problem of magnetic focusing of beams of electrons emitted with thermal velocities, 9=4703. See also Eckertová, L., 7=7960
Vekilov, Yu.Kh. See Shaskol'skaya, M.P., 8=3572
Veklenko, B.A. On the Green's function of the radiation diffusion equation, 8=1647. Green's function for the resonance radiation diffusion equation, 9=10638. Simultaneous diffusion of photons and particles, 9=11867. Theory of the resonance emission by a gaseous discharge, 9=13144. See also Biberman, L.M., 7=1986
Veksler, A.Z. Photo-electron emission in a ferromagnetic, 6=1375. The theory of electron emission from ferromagnetics under the influence of an electrostatic field, 8=4064. See also Sokolov, A.V., 5=1017; Vonsovskiĭ, S.V., 6=2883
Veksler, G.S. The effect of magnetic field distribution at the gap of a recording head on the loss of residual induction in the tape, 6=4963
Veksler, V.I. On a new mechanism for the generation of relativistic electrons in cosmic space, 8=2733. The present state of the problem of acceleration of atomic particles, 9=13381. See also Burshtein, E.L., 6=2184
Veksler, V.I. and Ben'yaminovich, M.B. Generation of tantalum and nickel ions when the respective metals are bombarded by positive caesium ions, 7=1422
Veksler, V.I. and Kovrizhnȳkh, L.M. On cyclic acceleration of particles in high-frequency fields, 9=2427
Velasco, R. Ultraviolet spectra of LiH and LiD, 8=1607. See also Garcĭa-Riquelme, O., 5=5983-4, 7=9066
Velâzquez, L. See Diaz Losada, E., 5=330
Velde, B. Van der. See Van der Velde, B.
Velde, J.C. Vander. See Vander Velde, J.C.
Velde, J.V. See Brown, J.L., 8=1213
Veldkamp, J. See Scholte, J.G., 5=4216
Velds, C.A. See van Beelen, H., 9=13439
Velibekov, V.R. and Meshcheryakov, V.A. Effective potential of the π-meson-nucleon interaction, 7=1063
Velichkina, T.S. See Yakovlev, I.A., 6=8712, 7=7791, 8474, 8=8651
Velizhanina, K.A. See also Baranova, Z.N., 8=3811
Velizhanina, K.A. and Rzhevkin, S.N. Study of the sound absorbers for the anechoic chamber of the Physics Faculty of Moscow State University, 8=557
Veljković, S. See Bowen, E.J., 6=6536
Veloric, H.S. See also Forster, J.H., 9=8143
Veloric, H.S., Prince, M.B. and Eder, M.J. Avalanche breakdown voltage in silicon diffused p-n junctions as a function of impurity gradient, 7=388
Vember, T.M. See Cherkasov, A.S., 7=1191
Venable, D. Positive ion oscilloscope trigger for shocks in low-density gases, 6=146. See also Ballard, H.N., 8=6746; Knight, H.T., 8=8647
Venable, D. and Kaplan, D.E. Electron beam method of determining density profiles across shock waves in gases at low densities, 5=6828
Venable, W.H., Jr. Simple recording gamma-ray spectrometer, 7=9857
Venables, J.D. and Broudy, R.M. Dislocations and selective etch pits in InSb, 9=805. Relation between generation and motion stress of dislocations in InSb, 9=8810. Photoanodization of InSb, 9=10301
Venables, J.D. See also Broudy, R.M., 7=367, 5317
Venanzi, L.M. See Chatt, J., 9=11530
Vendramini, R. A simple apparatus for fixing electron microscope specimens in osmic vapour, 9=2962
Vendryes, G. Is industrial fusion for tomorrow ? 9=5087
Vendryes, G. See also Auclair, J.M. 5=8260, 6=670, 712
Vendryes, G., Hubert, P. and Auclair, J.-M. A study of the variation of the effective fission cross-section of ^{239}Pu in the thermal and epithermal regions, 5=2190
Venema, A. The production of ultra-high vacua by means of a diffusion pump, 9=6608
Venema, A. and Bandringa, M. The production and measurement of ultra-high vacua, 9=5423
Vénéroni, M. See Pradal, J., 8=7304
Venet, A.-M. See Abribat, M., 5=9304
Venetta, B.D. Microscope phase fluorometer for determining the fluorescence lifetimes of fluorochromes, 9=7979
Venevtsev, Yu. N. See also Verbitskaya, T.N. 9=12819; Zhdanov, G.S., 8=5859
Venevtsev, Yu. N., Kapȳshev, A.G. and Shumov, Yu. V. X-ray investigation of the system $PbTiO_3-BaSnO_3$, 8=3586
Venevtsev, Yu. N. and Zhdanov, G.S. Crystal chemistry of ferroelectrics of perovskite-type structure, 8=3070
Venevtsev, Yu. N., Zhdanov, G.S. and Shendrik, T.N. X-ray investigation of the system $PbTiO_3$-"$PbSnO_3$", 7=8215
Venevtsev, Yu. N., Zhdanov, G.S., Solov'ev, S.P. and Ivanova, V.V. Internal fields in ferroelectric $PbTiO_3$, 9=10952
Vengel', T.N. and Kolomiets, B.T. Vitreous semiconductors. Some properties of materials in the system $As_2Se_3-As_2Te_3$. II, 8=1048
Veniar, F.A. Signal detection as a function of frequency ensemble. I, 9=4183; II, 9=4184. Effect of auditory cue on discrimination of auditory stimuli, 9=4186
Venkatachalam, K.A. and Kabadi, M.B. The diamagnetic susceptibilities of methane and the ammonium ion, 5=9755
Venkatachaliengar, K. and Srinivasa Rao, K.N. The irreducible

representations of the Lie-algebra of the orthogonal group with spin $^3/_2$, 5=2412
Venkatakrishnan, P.V. Design of a structure factor computer for X-ray crystal structure analysis, 9=12873
Venkataraman, B. and Fraenkel, G.K. Paramagnetic resonance of methyl substituted *p*-benzosemiquinones, 5=4794. Proton-deuteron hyperfine structure in paramagnetic resonance: $A\pi$-σ interaction, 6=3891
Venkataraman, B., Segal, B.G. and Fraenkel, G.K. Paramagnetic resonance of methyl- and chloro-substituted p-benzosemiquinones, 9=8335
Venkataraman, S. A "null" method of measuring surface tension, with a torsion balance, 6=6418
Venkata Rao, G. See Bhimasenachar, J., 7=5680
Venkataratnam, G. See Bhimasenachar, J., 5=9997
Venkatasubramanian, V.S. On the structural part of the compressibility of liquids, 7=5905. Sound velocity in a Lennard Jones liquid model, 9=137. Application of the Flory model to sound velocities in normal paraffin liquids, 9=139. Space-charge effects in a proportional counter, 9=491. On the structural part of the compressibility of liquids, 9=2117. On the compressibility of liquid mixtures in relation to conformal solution theory, 9=2137
Venkataswamy Setty, P.S. Oscillographic study of R/F oscillations in "silent" electrical discharges, 9=11072
Venkatesan, D. Changes in amplitude of the 27-day variation in cosmic ray intensity during the solar cycle of activity, 8=4112. The magnetic storm effects and the interplanetary electromagnetic state, 8=8101
Venkatesan, D. See also Dattner, A., 9=11730; Sarabhai, V., 5=375, 9748
Venkatesan, D. and Dattner, A. Long term changes in the daily variation of cosmic ray intensity, 9=7142
Venkatesan, D. and Shastry, T.S.G. Effect of lunar atmospheric tide on the meson intensity at Kodaikanal, 6=3813
Venkatesan, K. See Srinivasan, S.K., 9=12585
Venkatesan, V.K. See Suryanarayana, C.V., 7=4832, 9=3185
Venkateswara Rao, V. and Tiruvenganna Rao, P. The visible emission spectrum of Cl_2^+, 9=2200. Charge-transfer transition in Cl_2^+, 9=11532
Venkateswarlu, K. and Krishna Pillay, M.G. Force constants of the radicals of XY_4 type, 5=8957
Venkateswarlu, K. and Ramanathan, K. Diamagnetic susceptibility of the tungstate ion, 5=6309
Venkateswarlu, K. and Sriraman, S. Temperature dependence of the magnetic susceptibility of sodium and potassium, 5=9773. Diamagnetism and hydrogen bond, 8=4141. The diamagnetic susceptibility of oxalate, tartrate and citrate ions, 8=4142. Magnetic susceptibility of alkali elements. I. Sodium and potassium, 8=7166; II. Liquid alloys of sodium and potassium, 8=7167
Venkateswarlu, K. and Sundaram, S. Evaluation of force con- from Raman effect data: molecules, radicals and groups of of the type XY_4, 6=1423; II. Molecules and radicals of the planar XY_3 type, 6=1424.* Evaluation of force constants from raman effect data: molecules, radicals and groups of pyramidal XY_3 type, 6=4543. Evaluation of force constants from Raman effect data: molecules of the type XY_3Z, 7=5510
Venkateswarlu, K. and Thyagarajan, G. Intensity studies in Raman effect. I. Relative intensities of Raman lines in liquids, 9=10794. II. On the wing accompanying the Rayleigh line in liquids and liquid mixtures, 9=10795
Venkateswarlu, P., Edwards, H.D. and Gordy, W. Methyl alcohol. I. Microwave spectrum, 5=7855
Venkateswarlu, P. and Gordy, W. Methyl alcohol. II. Molecular structure, 5=8146
Venkateswarlu, P. and Verma, R.D. Emission spectrum of bromine excited in the presence of argon. I, 8=952; II. The band system in the region 3150-2970 A, 8=953; The emission spectrum of iodine bromide in the presence of argon. I. The band system in the regions 5425-5360 A, 4520-4415 A and 4120-4010 A, 8=6817; II. The band system in the region 3915-3540 A, 8=6818
Venkiteshwaran, S.P. See also Jagannathan, P., 7=8321
Venkiteshwaran, S.P., Gupta, B.K. and Huddar, B.B. Measurement of the electrical potential gradient in the atmosphere by radiosonde, 5=4221
Venne, M.J. van der. See van der Venne, M.J.
Venner, J.H. See Stroud, W.G., 5=6643
Venstrem, E.K., Likhtman, V.I. and Rebinder, P.A. On the electrocapillary effect of the lowering of hardness and the external friction of metals, 6=6987
Ventsel', M.K. A note on the solution of Kepler's equation, 9=10497
Venttsel', V.A. See Brandt, N.B., 9=2507
Venugopalan, M. A possible mechanism of the potential variation of the Joshi effect, 9=13388
Venugopala Rao, P. See Ramachandra Rao, B., 5=1605, 6=2761
Venzke, G. Room and building acoustics of the multi-purpose studios of the Hamburg broadcasting station, 5=6865. On the design of reverberation rooms for measurement purposes, 6=7243. See also Händler, W., 5=1645
Vepa, R.K. and Trivedi, N.K. Pulse techniques for acoustical measurements in broadcast studios, 6=5749
Vepřek, J. An equipment for the measurement of low velocities of liquids, 9=5400
Verbaandert, J. The new Secretan printing chronograph. (Its use in the time services of the Royal Observatory of Belgium), 7=1870
Verbinski, V.V., Hurlimann, T., Stephens, W.E. and Winhold, E.J. (n, p) Reactions in Mg, Ni, Cu, Rh, and Pd at 14 MeV, 8=7389
Verbitskaya, T.N. Ferro-electric ceramic with sharply defined nonlinear properties, 6=2062. Investigation of electrostriction in ferroelectric ceramics, 7=8594
Verbitskaya, T.N., Zhdanov, G.S., Venevtsev, Yu.N. and Solov'ev, C.P. Electrical and X-ray investigation of the system $BaTiO_3-BaZrO_3$, 9=12819
Verdaguer, F. See Hancock, D.A., 6=3192
Verde, M. Pseudoscalar nuclear field and polarization, 5=738. Asymptotic expansions of phase shifts at high energies, 6=2663. The high energy limit of the potential scattering. I. Non relativistic kinematics, 7=9008; II. Relativistic kinematics, 8=5645. The inversion problem in wave mechanics and dispersion relations, 9=2094
Verderber, R.R. Texture of evaporated NiFe thin films, 9=12823
Verdier, P.H. Stark-effect, resonant cavity microwave spectrograph, 9=194
Verdier, P.H. and Wilson, E.B., Jr. Relative intensities of microwave absorption lines, 9=1290. Force constant calculations in linear triatomic molecules from infrared and microwave data, 9=8703
Verdini, L. Velocity of elastic waves and internal friction in polymethyl methacrylate, 7=8469. See also Bordoni, P.G., 9=12769; Gabrielli, I., 5=7768, 9492
Verebeĭchik, N.M. and Odelevskiĭ, V.I. Dielectric losses in glasses. II. Investigation of the electrical and physical properties of alumina-sodium glasses, 7=2181; III. Relaxation "high-temperature" dielectric losses in alkaline glasses, 7=2182
Vereshchagin, L.F. See also Kalashnikov, Ya.A., 7=2138; Likhter, A.I., 7=9684, 8=1648; Ryabinin, Yu.N., 9=2335
Vereshchagin, L.F. and Brandt, I.V. X-ray investigations of the structure of matter at pressures up to 30 000 atmospheres, 7=6742
Vereshchagin, L.F. and Kabalkina, S.S. An investigation of the crystal structure of rubidium halides at high pressure, 7=9466
Vereshchagin, L.F. and Kalashnikov, Ya.A. Production of high temperatures at high pressures, 7=2126
Vereshchagin, L.F., Kuznetsov, L.F. and Alaeva, T.I. Dielectric properties of castor oil at high pressures, 6=8166
Vereshchagin, L.F., Likhter, A.I. and Ivanov, V.I. Production of very high pressures with a conical piston device, 7=810
Vereshchagin, L.F., Semerchan, A.A., Filler, F.M. and Galaktionov, V.A. Effect of the reservoir on the flow of a stream of water at supersonic speed, 9=7829
Vereshchagin, L.F., Semerchan, A.A., Firsov, A.I., Galaktionov, V.A. and Filler, F.M. Investigations of the hydrodynamics of jets of liquid emerging from nozzles under a pressure up to 1500 atm., 7=4006
Vereshchagin, L.F. and Yuzefovich, N.A. The measurement of sound velocity in liquids at a pressure of up to 2500 atm. by an optical method, 9=5443
Vereshchagin, L.F. and Zubova, E.V. The dependence on atomic number of the shearing force of the elements at high pressure, 8=4473
Véret, C. See Arnulf, A., 5=9296, 7=6771; Chevalerias, R., 7=9115
Verghese, C.A. See Sreekantath, G.M., 8=3753, 3911, 7790, 9=7900

Vergne, L. De La. See De La Vergne, L.
Vergnes, M. Level scheme of $_{75}$Re^{187}, 9=4994. The lifetimes of excited states of gadolinium 155, 9=8525. See also Marty, N., 6=5369, 7=6495,* 8776
Vergnes, M. and Marty, N. Half-lives of the excited states of Eu^{153}, 7=6493
Vergnoux, A.M. The OH band of hambergite, 6=3619. Dispersion of birefringence in the infrared of uniaxial crystals, 7=6076. Infrared spectrography and structure of crystals, 7=6758. See also Deloupy, C., 8=3863
Vergnoux, A.M., Blanc, J. and Vierne, R. Dispersion of the birefringence of Rochelle salt in the visible and the near infrared, 7=4249
Vergnoux, A.M. and Deloupy, C. Description of an infrared spectrometer with prisms and gratings adapted to the study of crystals, 7=5983
Vergnoux, A.M., Lacourt, J. and Rouquayrol, F. Study of some sources of infrared, 6=3667
Vergunas, F.I. Law of attenuation of afterglow of ZnS phosphors close to and in the region of temperature extinction, 7=6021
Vergunas, F.I. and Agashkin, O.V. The photodielectric effect in the ZnS:Cu phosphor, 9=10946
Vergunas, F.I. and Gasting, N.L. The decay laws of the afterglow of zinc sulphide phosphors in the temperature extinction region, 6=5018
Vergunas, F.I. and Krasovskaya, L.R. Decay of afterglow of ZnS:Cu phosphors in log J, log t and log J, log (1 + pt) coordinates, 9=10822
Vergunas, F.I. and Lukontsever, Yu. L. Determination of the absolute values of the parameter γ, equal to the ratio of probabilities of localisation and recombination, for the ZnS–Cu phosphor, 9=9472
Verhaeghe, J. See also Allewaert, J., 8=2463; Demuynck, J., 5=4724, 7=9351; Van de Walle, R., 8=5078, 9=12394
Verhaeghe, J. and Demuynck, J. On the conversion-electron spectra of the elements Ba^{137} and Ba^{134}, 5=3072
Verhaeghe, J.L. See Robbrecht, G.G., 9=2498; Vanhuyse, V.J., 9=2422
Verhagen, C.M.C. See Koelmans, H., 9=12095
Verhoogen, J. See Evernden, J.F., 7=917
Veringa, F. On some properties of nonthreshold flicker, 8=6569
Verkamp, J.P. and Williams, S.L. Testing nuclear-plant leaktightness, 6=7704
Verkerk, B. Autoradiography in the study of surface phenomena, 6=9163. See also Winkel, P., 9=3489
Verkin, B.I. The temperature dependence of the magnetic susceptibility of elements, 7=6344. See also Aleksandrov, B.N., 8=8421; Dmitrenko, I.M., 8=1778, 9=2508
Verkin, B.I. and Dmitrenko, I.M. The pressure dependence of the basic parameters of the de Haas-van Alphen effect in zinc, 9=13416
Verkin, B.I., Dmitrenko, I.M. and Lazarev, B.G. Effect of hydrostatic pressure on magnetic properties of monocrystalline Bi at low temperatures, 7=2412
Verle, I.I. [Werle, J.] New approach to the question of the influence of relativistic terms in the meson theory of nuclear forces, 5=51. See also Werle, J.
Verlet, L. Interpretation of giant resonances in the elastic scattering of neutrons by nuclei, 7=1617. On the optical model for nuclear reactions, 8=2581. See also Drell, S.D., 5=9136; Gourdin, M., 8=6136; Martin, A., 5=338
Verlet, L. and Gavoret, J. On the optical model for nuclear reactions, 9=3883
Verma, A.R. Interferometric and X-ray investigation of the growth of long-chain fatty acid crystals. I. Polymorphism and polytypism in palmitic acid crystals, 5=3252
Verma, A.S. See Srivastava, B.N., 5=2692
Verma, G.R. Application of Dirac's δ-function in isolated-force problems of the theory of elasticity. I, 6=3509
Verma, G.S. Ultrasonic absorption in sugar solutions, 5=5956. Determination of elastic constants of solids by ultrasonic diffraction methods, 5=8318. Ultrasonic absorption in sugar solutions, 8=5730. Origin of ultrasonic relaxation in chemically active media, 9=2166. See also Kor, S.K., 9=149
Verma, G.S. and Kor, S.K. Temperature dependence of ultrasonic velocity in amyl acetate-toluene mixtures, 6=2740. Temperature dependence of ultrasonic velocity in plastics, 7=8471. A comparative study of ultrasonic absorption in MnSO$_4$ with MgSO$_4$ solutions, 8=4805
Verma, G.S. and Tokunaga, K. Antiferromagnetism of CuF$_2$.2H$_2$O, 9=2503
Verma, J.K.D. See also Roy, R., 8=4188
Verma, J.K.D. and Roy, R. Polarization of the echoes from the ionosphere, 6=8296
Verma, R.D. Emission spectrum of bromine excited in the presence of argon. III. The band system in the region 2660-2590 A, 8=2955. See also Venkateswarlu, P., 8=952-3, 6817-18
Verma, S.D. See Subramanian, A., 9=12421
Vermeer, J. The electric strengths of glasses with different sodium contents, 7=8591. On the relation between ionic conductivity and breakdown strength of glass, 7=8592. The electrical conduction of glass at high field strengths, 7=8600
Vermeil, C. The accelerating or inhibiting effects of hydrocarbons in aqueous solution on the oxidation of FeSO$_4$ by ionizing radiations. I, 6=5494
Vermeulen, R. Stereo reverberation, 6=2762. A comparison between reproduced and "live" music, 6=4282
Vermilyea, D.A. Growth of anodic Ta$_2$O$_5$ films during illumination with ultraviolet light, 5=5670. On the mechanism of electrolytic rectification, 7=819. On the theory of electrolytic crystal growth, 7=3812. Ionic conductivity of anodic films at high field strengths: Transient behavior, 7=7906. On the use of the Nernst equation in the theory of electrolytic crystal growth, 7=9961. Electrodeposition onto metal whiskers, 8=3543. On the nucleation of new crystals during electrodeposition, 8=6477. See also Bean, C.P., 6=2072; Price, P.B., 8=6478, 9=10360
Vernickel, H. See Ulmer, K., 9=4671
Vernier, P. The role of plate saturation in the limitation of the (star) magnitudes attained by classical photography and with the aid of the electron microscope, 6=4151. Study of the characteristics of photographic emulsions exposed to constant fluxes of electrons or of light, 7=9485. A study of the fluctuations of transparency in photographic plates exposed to electrons, 7=9486
Vernon, E.V. An apparatus for the determination of dynamic elastic moduli at low strains, 8=3511
Vernon, F.L., Jr. See Feynman, R.P., 7=3981
Vernon, R.C. Ferroelectricity, 5=5392
Vernotte, P. Elegant methods of summarizing an experimental curve: the search for a mathematical form, the condition of regularity. Application to extrapolation, 5=2358. The division of heat between sliding bodies when their relative movement is not periodic, 5=2661. The smoothing of unformulated experimental laws, 5=7617. The differentiation of experimental curves, 5=7618. On the natural convection of heat from a wire, 5=7892. How to deduce the true diffusivity from the measurement of the diffusion of a substance. Transposition by thermokinetics, 5=8547. The interpretation of experimental results by a regularity condition, 6=4. The smoothing of unformulated experimental laws by an averaging operation which does not introduce any artificial confusion, 6=4771. The differentiation of experimental laws, 6=5666. The successive differentiation of experimental laws, 6=6329. Concerning the direct measurement of the acceleration due to gravity, 7=58. On the principles of the interpretation of measurements, 7=5018. The reduction of experiments by the method of least imprecision or by the method of least squares, 7=5019. The bar problem in a periodic system when the physical properties depend on the temperature, 6=7336. The bar problem in any periodic system, the physical properties depending on the temperature, 6=7337. Paradoxes in the continuous theory of the heat equation, 8=6900. The true heat equation, 9=3373. Does heat propagate? 9=5605. The integration of the heat transport equation when the physical properties depend strongly on temperature. Application to diffusion, 9=9545. Is it necessary to change the fundamental laws of the boundary layer, and those dependent upon them? 9=7833. A method of calculating the experimental error with a view to its elimination, 9=11776. Elimination of the experimental error by a method of calculation when the result sought does not depend linearly on the measurements, 9=11777
Vernov, S.N., Ginzburg, V.L., Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Investigation of the composition of primary cosmic rays, 8=6015
Vernov, S.N., Gladyshev, V.A., Filatov, V.M., Charakhch'yan, A.N. and Charakhch'yan, T.N. The character of the absorbtion of cosmic-ray particles at various altitutes, 7=3420

Vernov, S.N., Goryunov, N.N., Zatsepin, G.T., Kulikov, G.V., Nechlin, Yu.A., Strugal'skii, Z.S. and Khristiansen, G.B. Investigation of the core of extensive air showers, 9=12431
Vernov, S.N., Grigorov, N.L., Ivanenko, I.P., Lebedinskii, A.I., Murzin, V.S. and Chudakov, A.E. Possible mechanism of production of "terrestial corpuscular radiation" under the action of cosmic rays, 9=13969
Vernov, S.N., Grigorov, N.L., Logachev, Yu.I. and Chudakov, A.E. Measurement of cosmic-ray intensity on an artificial earth satellite, 9=1566
Vernov, S.N., Logachev, Yu.I., Chudakov, A.E. and Shafer, Yu.G. Investigation of cosmic ray variations, 8=5098
Vernov, S.N., Tulinov, V.F. and Charakhch'yan, A.N. 27 days variation of the intensity of cosmic rays in the stratosphere, 9=9740
Vernyi, E.A. and Egorov, V.N. Isotopic shifts in the spectrum of thorium Th^{232}-Th^{229}, 9=12004
Véron, M. On the iterative calculation of evaporation-exchangers, 7=7049. On the semi-graphical calculation of evaporation-exchangers, 7=7050
Veronesi, P. See Brini, D., 5=1869, 1874, 9745, 6=3793, 7=8809, 8=2457, 9=5985; Ferretti, L., 5=9679
Verschaffelt, J.E. On the minima of entropy production and the dissipation of energy, 5=2689. On the thermomechanics of electrical conduction, 5=2693. The concept of the velocity of reaction, 5=7455. On the relative flow of a fluid, 6=7362. Centrifugal motion, 6=8610-11. Relative flow of a fluid, 6=8612
Vershinin, O.E. See Kozyrev, B.P., 9=9452
Verschoor, J.T. See Ong Ping Hok, 6=6114
Verstelle, J.C. See also Smits, L.J., 7=1452
Verstelle, J.C., Drewes, G.W.J. and Gorter, C.J. High frequency susceptibilities of some paramagnetic alums at liquid hydrogen temperatures, 9=454
Vertman, A.A. See Glazov, V.M., 9=11896
Vertsner, V.N., Degteva, L.V. and Kharionovskiĭ, Yu.S. An electron microscope method for the observation of the profile of diffraction gratings, 8=3903
Vertsner, V.N., Gorbunov, B.V. and Oksman, Ya.A. Structural peculiarities of antimony sulphide layers, 8=1705
Vertsner, V.N., Kel'ner, N.A. and Solov'ev, A.M. Formation of oxides in lead sulphide layers and photoresistors, 8=3490
Vertsner, V.N. and Malakhov, L.N. Application of the electron shadow microscope technique to the study of the distribution of potential in p–n junctions, 8=3124. Application of an electron-optical method to the study of micro-distributions of electric fields, 9=10309
Vertsner, V.N. and Solov'ev, A.M. Use of the EM-3 electron microscope for X-ray spectral microanalysis, 9=12856
Vervier, J., Delfosse, J., Boxus, J. and Martegani, A. Inelastic scattering of 14 MeV neutrons by carbon, 9=5064
Vervier, J.F. Radiative-capture cross-section for neutrons from an Sb–Be source, 9=8630
Vervier, J.F. and Martegani, A. Effective total cross-sections for neutrons with energy near 14 MeV, 8=6330. Total neutron cross sections near 14 MeV, 8=8346
Verzaux, P. See Leuba, P., 5=8244; Thibaud, J., 5=1911
Vescan, T.T. On the generalization of Schwarzschild's problem, 8=2117. Remarks concerning a note on the generalization of the Schwarzschild problem, 9=3097. Researches on the probable nature of certain atomic and nuclear forces, 9=4959. Remarks on the probable structure of nuclei and of some elementary particles (baryons), 9=7296
Vescan, T.T. and Ionită-Bârsan, G. Remarks on certain spectral relativistic corrections concerning spatially extended nuclei, 8=780.
Veselago, V.G. Dipole moment of the HDSe molecule, 7=9883. Determination of the structure and the dipole moment of the HDSe molecule from its microwave spectrum, 9=10201. See also Zemskov, E.M., 9=9434
Veselago, V.G. and Prokhorov, A.M. The microwave spectrum of HDSe, 7=4155
Veselov, M.G. and Bersuker, I.G. Adiabatic approximation in the quantum theory of atoms, 8=3392
Veselovskiĭ, P.F. The temperature relation of the dielectric loss coefficient ϵ'' of polar polymers, 5=7013. Measurement of ϵ' and tan δ of a solid dielectric in the cm-wave range in the temperature interval –100 to +100°C, 5=9628
Veselovskiĭ, P.F. and Slutsker, A.I. Investivation of the relaxation processes in polyvinyl acetate at temperatures below the softening temperature, 6=1201. Investigation of relaxation processes in polyvinyl acetate, 6=1202
Veselý, V. See Šícha, M., 9=4735
Vest, R.W. See also Griffel, M., 8=599
Vest, R.W., Griffel, M. and Smith, J.F. Heat capacity of sodium tungsten bronzes from 1.8 to 4.2°K, 8=1662
Vestergaard, R. The control of nuclear reactors, 9=7375
Vestine, E.H. Relations between fluctuations in the earth's rotation, the variation of latitude, and geomagnetism, 6=9067
Vette, J.I. Photoproduction of neutral pions at energies 500 to 940 MeV, 9=2639. See also Walker, R.L., 5=8291
Veubeke, B. Freaijs de. See Freaijs de Veubeke, B.
Vialli, M. and Zanotti, L. Two new histophotometers for the study of absorption curves, 8=5742
Vice, R.W. See Dagg, M., 7=8307
Vicena, F. On the connection between the coercive force of a ferromagnetic and internal stress, 5=4778. A comment on the work on pure iron, 5=4782. On the question of the effect of stresses produced during precipitation, 5=4806. On the influence of dislocations on the coercive force of ferromagnetics, 6=7511
Vicentini, M. See Careri, G., 9=3206; Paoletti, A., 9=106
Vick, F.A. See Hopkins, B.J., 8=6008
Vickers, D.C. See Cade, R., 6=2847
Vickers, M.D. See Thomas, J.O., 9=11652
Vickery, R.C. and Klann, A. Magnetic susceptibilities of vanadates of neodymium and praseodymium, 8=3247. Preparation and magnetic properties of pyrochlore-type titanates of neodymium and praseodymium, 8=3248. Crystallographic and magnetochemical studies on ABO$_3$ group compounds of lanthanon and manganese oxides, 8=6037
Victor, A.C. See Douglas, T.B., 9=2291
Vidal, D. and Blet, G. Study of the effect of time of reheating on the thermoelectric power of polycrystalline selenium, 9=3522
Vidal, G. and Girard, F. A new method of determining Poisson's ratio of metals and alloys, 9=10316
Vidal, G. and Girard, F. On a new method of applying sinusoidal fatigue stresses at 87 kc/s, 7=6650
Vidal, G., Girard, F. and Lanusse, P. An apparatus for testing metals to failure under an alternating high-frequency stress, 6=4706
Vidale, G.L. See Frisch, H.L., 7=2476; Halford, J.O., 7=3485; Taylor, R.C., 7=3158
Vierira, A.H. Guerra. See Guerra Vieira, A.H.
Viejobueno, J.L. de Briones. See de Briones Viejobueno, J.L.
Vienet, R. See Desjonquières, J., 6=5128; See Prévot, F., 5=6224
Viénot, J.C. Construction of a Mach–Zehnder interferometer for the study of the perturbations of a light wave in the vicinity of an obstacle, 7=6063. Measurement of a profile in coherent light, 7=6068. Determination of the Fourier spectra of photographic images, 9=1991. Interferometric study of the Fourier spectrum of the photographic image, 9=5483
Vierne, R. See Vergnoux, A.M., 7=4249
Viervoll, H. Fourier syntheses of electron-diffraction data, 5=5118
Vieth, R.F. See Dobrov, W.I., 9=12468
Vieth, V.G. The magneto-catalytic effect of ortho-parahydrogen conversion in nickel catalysts, 5=6571
Vigdorovich, V.N. See Glazov, V.M., 8=5517
Vigier, J.P. See Bohm, D., 8=2129; Halbwachs, F., 6=903, 911, 9=3133, 6498, 9182, 9218; Hillion, P., 8=2759, 3709-9; Karpman, G., 7=8712; Unal, B.C., 8=865-6
Vigne, J.P. On the use of cyclopropane on a self-quenching gas for geiger counter fillings, 6=5962
Vigneron, L. See also Philbert, G., 9=1764-5
Vigneron, L., Chastel, R. and Genin, J. The diffusion of radioactive rare gases in nuclear emulsions, 5=7604. Influence of liquid drying agents on the gelatine of photographic emulsions used in nuclear physics, 5=7606. Anomalies in the diffusion of radon in 'dry' photographic gelatine emulsions. The possible existence of two forms of gelatine, 5=7607
Vigness, I. Magnetostrictive electricity in strain gauges, 7=2154. See also Conrad, R.W., 8=2885
Vignudelli, A. See Marchi, C., 7=8879
Vigón, M.A. and Díez, L. Perturbation of neutron density of (absorbent) probes, 6=4674
Vigon, M.T. and de la Vega, M.A. Changes in the latent image before development. III. Experimental confirmation based on the density variation, 6=4139
Vigón, M. de Aránzazu. See de Aránzazu Vigón, M.
Vigón, M.T. de la Vega, M.A. and Solís, M. Changes in the latent

image before development. I. Theoretical treatment, 5=677
Vigón, M.T. and de Paul, J. Changes in the latent image before development. II. Effect of a second exposure, 6=4138
Vigón, M.T. and Olagorta, M.A. Variation of dimensions, as a function of exposure, in the photographic image of a crack with a diffuse edge, 6=4134
Vigón, M.T. and Solís, M. On the effect of two successive illuminations on photographic layers, 5=3374
Vigone, M. See Bisi, V., 9=2646, 7285; Cester, R., 8=1761; Debenedetti, A., 5=548, 2841, 3128, 9740, 9946, 6=5196, 7, 3413-14; Garelli, C.M., 8=6013
Vigoureux, P. See Wentworth-Jessop, J., 7=6798
Vihinen, S. See Korhonen, U., 9=1936
Vijayaraghavan, R. See Dharmatti, S.S., 9=7195
Vikin, B.P. See Aksenov, S.I., 6=7209
Viktorov, D.V. and Maksimov, M.Z. Dependence of the taper length of emulsion tracks on particle charge, 7=5786
Viktorov, I.A. The effect of surface imperfections on the propagation of Rayleigh waves, 8=5718. Rayleigh-type waves on cylindrical surfaces, 8=6732
Vila, P. See Suchy, K., 9=1946
Vilbig, F. and Haase, K.H. Some systems for speech-band compression, 6=6477
Vilím, F. A new method for measuring the susceptibility of paramagnetic and diamagnetic substances, 6=7519. See also Krupička, S., 9=8321
Villa, J.J. See Cleek, G.W., 9=13138; McAlister, E.D., 6=5755; Salzberg, C.D., 7=6976, 8=6795
Villaça, S. dos Santos. See dos Santos Villaça, S.
Villaça, S.S. See de Souza Santos, M.D., 9=665; Goldemberg, J., 9=493
Villani, S. See Cerrai, E., 9=3964
Villar, E. See Catalá, J., 6=7479, 8372, 7=3530, 9=5044; Senet, F., 8=8264
Villard, O.G., Jr, Peterson, A.M., Manning, L.A. and Eshleman, V.R. Some properties of oblique radio reflections from meteor ionization trails, 8=4639
Villars, D.S. See Rekers, R.G., 6=6502
Villars, F. A note of rotational energy levels in nuclei, 7=9327. Collective rotations in nuclei, 9=1697. See also Feshbach, H., 8=2787
Villena, L., Tinaut, D. and Montilla, J. Optical constants of viscoelastic materials, 7=9023
Villeneuve, A.T. See Harrington, R.F., 8=8951
Villers, G. Magneto-crystalline energy of a single crystal of magneto-plumbite, 9=13432. See also Guillaud, C., 6=6005, 7522
Villers, G. and Loriers, J. Interpretation of the magnetic properties of yttrium garnet with Al^{3+}, Ga^{3+} and Cr^{3+} ions substituted for Fe^{3+} ions, 8=3231
Villers, G., Loriers, J. and Claudel, C. Some properties of mixed garnets of gadolinium-erbium and gadolinium-yttrium, 9=9788
Villers, G., Loriers, J. and Pauthenet, R. The interpretation of the magnetic properties of erbium garnet in which Al^{3+} and Cr^{3+} ions have been substituted for Fe^{3+}, 9=3638
Villers, P. de. See de Villers, P.
Villi, C. On the momentum dependence of the nuclear potential, 9=2676. On a theorem concerning the single particle energy of a Fermi gas with interactions, 9=2680. A remark on the interpretation of the electron–nucleus scattering experiments, 9=7357. See also Beretta, L., 5=3830, 6235, 8840; Clementel, E., 5=4352, 8153, 8492, 9962, 6=422, 694, 2667, 4014, 4649, 7=749, 3964, 5391, 8404, 8406, 9919, 9=2674; Ferrari, F., 5=45, 5=2198; Gabrielli, I., 2=750; Kind, A., 5=5885; Pisent, G., 9=9949
Villiers, J.W.L. De. See De Villiers, J.W.L.
Villiez, H.v. See v. Villiez, H.
Villiger, W. See Gribi, M., 9=4708
Vincent, C.H. The gas-multiplier: a new type of electron multiplier, 6=3747
Vincent, D. See Carter, C., 8=1085
Vincent, G. See also Leboutet, H., 8=4059; Warnecke, R., 8=4058
Vincent, G., Dumez, F. and Malbec, M. Measurement of some characteristics of a strongly ionized plasma, 9=5827
Vincent, H.C.G. An improved orientation stage for microscopic optical crystallography, 8=5827
Vincent, J. Apparent absorption and real absorption in the vibration–rotation spectra of gases, 7=5185. See also Blet, G., 9=9651
Vincent, L.D. See Little, R.N., Jr., 5=5637
Vincent-Geisse, J. Theoretical study relating to ideas of intensity and width of absorption lines, 5=6909. Contribution to the study of the intensity and the width of infrared absorption lines, 6=216. Intensity and width of absorption lines or bands in the infrared, 6=3618
Vincent-Geisse, J. and Lecomte, J. Measurement of the dispersion of liquids in the infrared by an interferometric method, 7=5241. Some anomalies shown by the interference fringes obtained with semireflecting layers in the infrared, 7=7028
Vincent-Geisse, J., Queyrel, M. and Lecomte, J. Reflection method for the determination of the optical constants in the infrared of very absorbing solids, 9=2234. Measurement of the dispersion of liquids in the infrared between 14 and 30μ, 9=3265
Vincenz, B. See Geneux, E., 6=1359
Vinci, D. Some notes on the mechanism of flicker photometers, 8=7788
Vinen, W.F. Mutual friction in a heat current in liquid helium II. I. Experiments on steady heat currents, 7=6120; II. Experiments on transient effects, 7=6121; III. Theory of the mutual friction, 8=154; IV. Critical heat currents in wide channels, 8=3041. Detection of single quanta of circulation in rotating helium II, 8=4924. See also Hall, H.E., 5=6084, 7=6118-19
Vines, R.G. See Bennett, L.A., 5=9601
Vinetskiĭ, V.L. Optical properties of F^{-} -centres, 8=2037. See also Deĭgen, M.F., 7=6703, 8=2661
Vinetskii, V.L. and Deigen, M.F. On polarized luminescence of coloured crystals, 9=9468
Vinetskiĭ, V.L. and Giterman, M.Sh. On the theory of interaction between "superfluous" charges in ionic crystals, 8=2032
Vineyard, G.H. Neutron diffraction study of liquid mercury, 5=107. Potential energy of a molecule in a liquid, 6=4868. Theory of order-disorder kinetics, 6=5271. Scattering of slow neutrons by a liquid, 8=5205. See also Roberts, B.W., 6=3379
Vinh, A. Le Phat. See Le Phat Vinh, A.
Vinh Mau. The β-decay interaction from the experimental data on β-recoil-nucleus angular correlation, 8=1245. The β-interaction coupling constants and the polarization of the emitted electrons, 8=4296
Vinitskiĭ, A.Kh. See Boos, É.G., 8=7152
Vink, H.J. See Bloem, J., 5=5414; Kröger, F.A., 5=2730, 2738, 3749, 3752, 9=8802, 10219; van den Boomgaard, J., 5=2332
Vinochodova, O.N. See Sverdlov, L.M., 5=8115
Vinogradov, A.F. A scintillation counter with the type "Б" 1 device [photomultiplier], 9=11314
Vinogradov, D.P. See Spivak, G.W., 9=7083
Vinogradov, G.V. See Pavlov, V.P., 9=11876
Vinogradova, K.I., Galavanov, V.V. and Nasledov, D.N. Production of indium antimonide of a high degree of purity by zone refining, 9=1989
Vinogradova, M.B. See Gusev, V.D., 9=11644
Vinogradov, S.I. See Bȳkov, V.N., 8=6521
Vinogradov, S.N. and Linnell, R.H. The system pyridine-pyrrole and the association of pyrrole, 5=2476
Vinokurov, L.A. See also Antonov-Romanovskiĭ, V.V., 6=8687, 7=267-8; Bukke, E.E., 9=10852
Vinokurov, L.A. and Fok (Fock), M.V. Quenching of the phosphors ZnS–Cu, Co and ZnS–Cu, Ni by infrared light, 7=4168. The effect of temperature on the recombinative interaction of blue and green luminescence centres in a ZnS:Cu phosphor, 9=12087
Vintaikin, E.Z. See Kornev, Yu.V., 6=6560
Vintera, J. See Broz, J., 9=8315
Vinti, J.P. Theory of the effect of drag on the orbital inclination of an earth satellite, 9=5337. New approach in the theory of satellite orbits, 9=12973
Violet, C.E. Multiple scattering of 2.4-MeV electrons in nuclear emulsion, 7=3357. See also Gilbert, F.C., 6=6921; 7=751, 8185; Iloff, E.L., 6=5410
Violett, T. See Rense, W.A., 9=5495
Vis, V.A. Method of obtaining uniform evaporated layers, 7=2729
Visconti, A. Application to the theory of quantized fields of an exact solution to certain linear operator equations, 5=2402. See also Umezawa, H., 5=37, 712, 1506, 6729, 6=2647, 7154, 8=2784
Visconti, A. and Umezawa, H. Scattering problems in field theory, 6=7142
Vise, J.B. See Benczer-Koller, N., 8=8295
Vishnievsky, A.I., Sampath, S. and Upadhyay, C.S. A comparative study of cylindrical, elliptical and prismatic forms of elec-

tronic tubes, 9=8214
Vishnevsky, M.E., Grigoriev, V.K., Ergakov, V.A., Nikitin, S.J., Pushkin, E.V. and Trebukhovsky, Yu.V. On the polarization of electrons in β-decay, 8=5318
Visky, T. See Hulubei, H., 8=280
Visscher, W.M. Self-energy effects on meson-nucleon scattering according to the Tamm-Dancoff method, 5=739. See also Ferrell, R.A., 6=4579, 7=1374
Visscher, W.M. and Ferrell, R.A. Beta decay of C^{14} and nuclear forces, 8=1934
Visser, S.W. Behaviour of the present sunspot cycle, 8=7660, 9=2013
Viste, R. See Blanc, D., 5=8850, 6=5963
Visvanathan, S. See Kothari, L.S., 6=8025; Mohanty, S.R., 7=5363
Viswanath, G. and Kasha, M. Confirmation of the anomalous fluorescence of azulene, 6=4328
Viswanathan, A. Influence of the thickness of thin layers on their structure: the case of the alloy Cu–Be, 6=5444. Contribution to the study of copper–beryllium alloys, 8=7536
Viswanathan, K.S. The theory of the elasticity of crystals, 5=7507. See also Raman, C.V., 5=4492, 4543, 9992, 9999
Viswanathan, S. See Saksena, B.D., 6=4080
Viswesvariah, M.N. and Sen, S.K. A comparative study of betatron and direct injection in the electron synchrotron proposed for the Institute of Nuclear Physics, Calcutta, 9=11142
Vita, S. Di. See Di Vita, S.
Vitale, B. Electromagnetic properties of nucleons and barion–heavy meson interactions, 7=9532. See also Agodi, A., 7=9537; Amaldi, E., 5=8278; Amati, D., 6=2654, 6583, 7139, 7=8409, 8991, 8=1188, 1195-6, 1201, 1203, 4251, 5236, 9=557, 2621, 12594; Baldo, M., 5=6492, 8280; Belliboni, G., 5=4955; Ceccarelli, M., 5=6522; Galzenati, E., 9=7287; Grilli, M., 5=2173, 4049
Vitale, S. See Beltrametti, E.G., 8=8204
Vítek, V. See Brandejs, S., 5=5145
Vitkevich, V.V. Radio stars and the methods of their investigation, 8=4638. On investigation of the solar supercorona by the reception of radio emission from Jupiter, 8=4660. New data on the solar supercorona, 8=6599. An investigation of ionospheric inhomogeneities by radiastonomical method, 9=9076. See also Udal'tsov, V.A., 9=9141
Vitkevich, V.V. and Kameneva, Z.I. Bursts of solar radio emission, 9=3043
Vitkevich, V.V., Kuz'min, A.D., Salomonovich, A.E. and Udal'tsov, V.A. A radio image of the sun with 3.2 cm waves, 9=7731
Vitkevich, V.V. and Sigal, M.I. On the radio-emission of coronal condensations, 8=2098
Vitkevich, V.V. and Udal'tsov, V.A. The application of interferometric reception to the recording of high-speed time processes, 9=12946
Vito, A. De. See De Vito, A.
Vitol, V.G. and Kirko, I.M. An (electric-circuit) analogue of the skin effect in a ferromagnetic metal, 9=3637
Vitovskii, N.A. and Maleev, P.I. The problem of measuring the hole diffusion length in cadmium sulphide, 9=10989
Vitovskiĭ, N.A., Maleev, P.I. and Rȳvkin, S.M. The mechanism of pulse formation in crystal counters when a "through conductive-channel" is formed, 8=8189
Vittalachar, V. and Krishnamurthy, S.G. Band spectrum of tungsten oxide, 5=1689
Vittorelli, M.B.P., Palma, M.U., Palumbo, D., Santangelo, M. and Sgarlata, F. A hypothesis of the covalent bond confirmed by X-ray spectroscopy, 7=905
Vittorelli, M.B. Palma. See Palma Vittorelli, M.B.
Vittoria, A.O. On the determination of the diameter distribution of atmospheric particles of chloride by the Liesegang reaction, 7=1797
Vittoz, B. Accidental birefringence and absolute variation of the indices in quartz, 5=1741. New method of measuring directly the piezo-optic effect. Application to quartz. I, 7=349; II, 6156
Vittozzi, P. The wall effect in ionization chambers, 7=1404. See also Imbò, G., 5=8037
Vivargent, M. See Yuasa, T., 6=1517
Vivo, J.L. See Wertz, J.E., 6=1382-3, 1385, 3024
Vizbaraĭte, Ya.I., Kantserevichyus, A.I. and Yutsis, A.P. Self-consistent Fock field for the excited helium atom, 7=634
Vizbaraĭte, Ya.I., Kavetskis, V.I. and Yutsis, A.P. Multiconfigurational approximation in the case of atoms of the He type, 7=4642
Vizbaraĭte, Ya.I., Shironas, V.I., Kavetskis, V.I. and Yutsis, A.P. Fok [Fock] self-consistent field in the multiconfigurational approximation for the helium atom, 7=4641
Vizsolyi, E.I. See Orient, O.J., 7=8673
Vlaardingerbroek, M.T. Gas discharge breakdown as a function of frequency, 7=1340
Vladimirskiĭ, K.V. On modulating effects in nuclear magnetic resonance, 8=2524. Radiative instability in nuclear magnetic resonance experiments, 8=3326. See also Aksenov, S.I., 6=7209
Vladimirskiĭ, V.V. Theoretical possibility of separating beams of charged particles with different polarizations in a magnetic field, 7=3344. On the mechanism of fission of heavy nuclei, 8=5397
Vladimirskii, V.V. and Kalebin, S.M. The stability of rotating ferromagnetic bodies suspended in a magnetic field, 9=9749
Vladimirskiĭ, V.V. and Tarasov, E.K. On the possibility of dispensing with a critical energy in an accelerator with strong focusing, 6=2939
Vladimirsky, V.V. and Ilyina, I.L. Optical model calculation of the interaction of slow neutrons with prolate nuclei, 8=6331
Vladimirov, V.V. See Glauberman, A.E., 9=13775
Vlam, C.C. The shape of the emission bands of luminescent solids, 5=3631
Vlasáková, L. See Hrbek, A., 9=8207
Vlasenko, N.A. See Sinel'nikov, K.D., 6=8131, 8=976, 1637
Vlasenko, V.I. and Zhdanov, G.S. Automatic synthesis of two-dimensional representations of atomic structures, 8=3578
Vlasov, A.A. Transfer of mass and charge by surface waves, 5=4409. A new principle of existence of high-temperature plasmoids, 9=9729
Vlasov, K.B. Anisotropy of the permeability and magnetocaloric effect in antiferromagnetics, 6=1348. Thermodynamics of irreversible processes in a [magnetically] polarized magnetoelastic medium. I, 9=8278. On thermodynamic irreversible processes of polarized magnetoelastic media. II, 9=4779. See also Vonsovskiĭ, S.V., 5=7179, 6=1347
Vlasov, K.B. and Ishmukhametov, B.Kh. Ferromagnetism of substances of ferrite type and antiferromagnetism, 5=1041
Vlasov, K.P. Method of determining the turbulent velocity of flame propagation, 7=9136
Vlasov, N.A. See also Bogdanov, G.F., 6=6162, 8376, 9=10111
Vlasov, N.A., Kalinin, S.P., Ogloblin, A.A., Samoĭlov, L.N., Sidorov, V.A. and Chuev, V.I. Interaction of protons with tritium and excited states of He^4, 5=9069
Vlasov, N.A. and Rudakov, V.P. Angular β-γ correlation in the decay of Ba^{139} and the sign of the ratio of the β-interaction constants, 9=11447
Vlček, M. The damping of a Helmholtz resonator, 7=4079. The damping of resonators, 9=10723. See also Merhaut, J., 8=2926
Vleck, J.H. Van. See Van Vleck, J.H.
Vliet, K.M. van. See van Vliet, K.M.
Vodar, B. Contribution to the study of the electrical conductivity of thin metallic layers at low temperatures, 6=6612. Application of thin metallic films to the preparation of electrical resistances, in particular electrical resistances of high values, 6=6967. See also Astoin, N., 5=8589; Bergeon, R., 5=3574, 6=966; Coulon, R., 5=1675; 5312, 6=224, 7=5183, 8=3869, 9=12029; Dapoigny, J., 5=7772, 6=965, 7=2761, 8=6467; Galatry, L., 5=5313, 6=5774; Galperin, B., 5=8527; Guengant, L., 5=576; Johannin-Gilles, A., 7=5988; Kieffer, J., 5=5915, 9=142; Lazarre, F., 7=156; Offret, S., 5=1806; Oksengorn, B., 6=1057; Robin, J., 6=6512; 7=2014, 8=3867; Robin-Kandare, S., 9=7987; Romand, J., 5=4502, 9=1264, 9393; Saurel, J., 6=4895, 8=3925
Vodar, B., Minn, S. and Offret, S. A method for the evaporation of metals, using an intermittent vacuum arc, 6=1159
Vodden, H.A. A method for recording logarithmic variations of resistance, 5=1803
Vodička, V. Conduction of fluctuating heat flow in a wall consisting of many layers, 5=3665. Heat waves in multilayer cylindrical bodies, 5=3666. Some problems on heat conduction in stratiform bodies, 9=9547
Vodop'yanov, K.A. See also Vorob'ev, A.A., 7=2180
Vodop'yanov, K.A. and Galibina, G.I. Dielectric losses in simple and mixed alkali-halide crystals at a high frequency, 9=13248
Vodop'yanov, K.A. and Vorozhtsova, I.G. High-frequency dielectric losses in muscovite mica with mineral inclusions of limonite and biotite, 9=9589
Voeĭkov, D.D. Methods of improving the stability of the Hall

effect probes, 9=8142
Voeks, V.W. Some deterrents to effective teaching, 6=1824
Voelker, F. See Bronner, W.L., 9=12388
Voelker, V.H. See Romanowski, T.A., 9=6124
Voelz, F.L. See Palm, A., 5=5556; Polo, S.R., 5=6015; Sirkar, S.C., 5=9579; Stephenson, H.P., 5=1723
Voelz, K. The theory of the internal damping of oscillating solids, 5=4127
Voevodskiĭ, V.V. See Bubnov, N.N., 9=9815; * Molin, Yu.N., 8=3468, 9=12759
Vogan, E.L. See also Forsyth, P.A., 5=5180, 6=881, 5626, 7=7522; Hines, C.O., 6=2261, 7=7556
Vogan, E.L. and Campbell, L.L. Meteor signal rates observed in forward-scatter, 8=1454
Voge, J. See du Castel, F., 8=4186
Vogel, F.L. Jr. On the orientation effect in the polygonization of bent silicon crystals, 9=11606
Vogel, F.L., Jr and Lovell, L.C. Dislocation etch pits in silicon crystals, 7=3817
Vogel, H. See Boer, K.W., 6=1245
Vogel, J.C. See Münnich, K.O., 9=4151
Vogel, J.K. On the detection of single electron avalanches and their secondary processes in gases, 8=641
Vogel, J.K. and Raether, H. On the detection of a single-electron avalanche and its secondary processes in gases, 7=7138*
Vogel, R.C. See Fischer, J., 5=2265
Vogel, T. Notes on the acoustical properties of materials, 7=205. On the use of pseudo-tensors in physics, 7=3934
Vogelaere, R. de. See de Vogelaere, R.
Vogelsang, W.F. and McGruer, J.N. Angular distributions from deuteron-induced reactions in sodium, 8=9051
Vogl, G. and Täcklind, S., 6=5810
Vogl, T.P. See Garbuny, M., 8=5830
Vogler, G. Investigations of the internal demagnetizing factor, 7=9275. Changes of length in a magnetic field of solids containing dispersed ferromagnetic particles, 9=13440
Vogt, E. Nucleon-core polarization in the calculation of the strength function, 6=3913. Resonance theory of neutron cross sections of fissionable nuclei, 9=5073. See also Henning, W., 9=6301; Herring, C., 6=2090
Vogt, E. and Friedewold, H. On dia- and paramagnetism in metallic mixed crystal series. VII. α-Phases of copper and silver with B-elements, 6=6782
Vogt, E. and Gerstenberg, D. Magnetic investigations on gold-rich mixed crystals with titanium and vanadium, 9=11195
Vogt, E. and Lascoux, J. Interaction of a nucleon with the nucleus, 7=9809
Voigt, A.F. See Day, M.C., Jr., 6=609, 3947; King, A.M., 7=4731; Richardson, A.E., 8=9170
Voigt, D. Magnetic rotatory power of some derivatives of silicon, 6=7332. See also Mazerolles, P., 5=8374
Voigt, E.M. and Tomlinson, R.H. The determination of pore size distribution and surface area from adsorption isotherms, 5=5058
Voigt, F. Dispersion of the complex transverse susceptibility of lithium ferrite in the frequency range 10-10 000 Mc/s, 8=8127
Voigt, H. Dynamic bursting tests on hollow specimens, 6=6223
Voigt, H.H. Identification of cosmic sources of radio radiation with optical objects, 5=6688. A three-stream model of the solar photosphere, and line asymmetry of the infrared oxygen triplet, 9=5318.* Modern solar observation, 9=10522. "Three-stream" model of the solar photosphere. II. The infrared Ni lines 7789 and 7798A, 9=11752. See also ten Bruggencate, P., 9=10498
Voigt, J. See Böer, K.W., 9=4464, 6759
Voigt, W. A simple method for the measurement of the thickness of very thin fibres and threads, 5=1566. A compensator for the measurement of optical phase differences in high polymers and crystals, 6=4351. The measurement of experimentally produced optical phase differences in natural crystals, 7=5257
Voigtlaender-Tetzner, G. The theory of X-ray distribution curves of fluids and amorphous materials, 8=7743
Voĭkhanskiĭ, M.E. Selection rules for electromagnetic transitions in deformed nuclei, 8=5280. Asymptotic selection rules for beta-decay of deformed nuclei, 8=7344
Voĭstkovskiĭ, K.F. Plastic deflection of ice beams, 7=4813
Voĭtovetskiĭ, V.K., Levin, B.A. and Marchenko, E.V. Soft 15-800 keV γ-radiation accompanying U^{235} fission induced by thermal neutrons, 7=6518
Voĭtsekhovskaya, I.A., Golubeva, L.A. and Tyutyunnikova, E.V. Dielectric relaxation losses in ionic crystals (preliminary communication), 8=7882
Voĭtsekhovskiĭ, K.F. Thermionic emission from ordering binary alloys, 8=3207
Voĭtȳshen, S.Yu. See Pilat, I.M., 8=7962
Vojta, G. Saturation theory in magnetic nuclear resonance, 9=5930
Volchok, B.A. See Sliv, L.A., 9=13586
Volchok, H.L. and Kulp, J.L. Half-life of yttrium-90, 5=2111
Völcker, H. Investigations on the possible deviation of thermal neutron currents, 9=7383. Investigations on the possible deflection of thermal neutron currents, 9=11493
Vold, M.J. van der Waals' attraction between anisometric particles, 5=2283
Voldaikina, K.G. See Cherkasov, A.S., 7=1191
Vol'f, V.M. Intensity of harmonic and combination components in nonlinear distortions of oscillations of complex form, 6=5583
Volger, J. Dielectric loss in insulating solids caused by impurities and colour centres, 8=3978. See also Hofman, D., 7=9156; Kröger, F.A., 5=3749, 3752
Volger, J. and Stevels, J.M. Electric polarizability of colour centres in quartz crystals and glasses, 7=4892. Further experimental investigation of the dielectric losses of various glasses at low temperatures, 7=6148
Volger, J., Stevels, J.M. and van Amerongen, C. Dielectric losses of various monocrystals of quartz at very low temperatures, 6=1199
Volk, W. Precision of mass spectrometer analyses of carbureted water gas, 5=4161
Volke, C. Absorption spectrum and photochemistry of silver halide crystals with sulphur, selenium and tellurium additions, 5=181. Photochemistry in sensitized silver halide crystals, 7=9443
Vol'kenshteĭn, M.V. Concerning the structure and mechanical properties of amorphous polymers, 9=13806. See also Bazhenov, N.M., 7=2091
Vol'kenshteĭn, M.V. and Ptitsȳn, O.B. Relaxation theory of vitrification. I. Solution and investigation of the fundamental equation, 7=4793
Volkenshteĭn, N.V., Fedorev, G.V. and Vonsovskiĭ, S.V. Hall effect in pure nickel at helium temperatures, 9=2315
Volkin, H.C. Effect of asymmetric oxygen scattering on the slowing-down length of neutrons in water, 5=4107. Angular averages in the scattering of slow neutrons by gases, 7=5657. Slow-neutron scattering by rotators, 9=6006
Volkoff, G.M. See Bloom, M., 9=2926; Haering, R.R., 6=6055; Waterman, H.H., 5=5740
Volkov, A.B. See Brennan, J.G., 5=3975; Smith, W.V., 5=2586*
Volkov, D.I. and Chechernikov, V.I. Temperature relation of the magnetostriction of ferromagnetic alloys, 5=4789. On the temperature dependence of the paramagnetic susceptibility of ferromagnetic alloys, 8=4138
Volkov, D.I., Chechernikov, V.I. and Tseĭtlin, V.B. Temperature variation of the magnetostriction of ferromagnetic alloys, 7=6355
Volkov, D.V. See Aleksin, V.F., 8=6646
Volkov, S.D. On the theory of strength, 7=8912
Volkov, V.V. See also Flerov, G.N., 8=6316
Volkov, V.V., Guseva, L.I., Pasyuk, A.S., Tarantin, N.I. and Filippova, K.V. The cross-sections for californium isotope production by irradiating U^{238} with accelerated carbon ions, 9=13676
Volkov, V.V., Pasyuk, A.S. and Flerov, G.N. Stripping reaction in the interaction of accelerated N^{14} nitrogen ions with the nuclei of some elements, 8=1972
Volkov, Yu.D. See Chechernikov, V.I., 9=2506
Volkov, Yu.M. See Bazhanov, E.B., 7=8162, 9=2819
Volland, H. On the theory of solar eclipse effects in earth's magnetic field, 7=922
Vollerner, N.F., and Karnovskii, M.I. Calculation of the concentration coefficient of certain directive acoustical systems, 9=13109
Vollmer, B. See Norinder, H., 9=9094
Vollmer, J. Study of the effective thermal emittance of cylindrical cavities, 8=3929
Vollmer, J., Duke, J. and Wysocki, C. High-speed radiation pyrometer, 6=2045
Vollmer, J., Rein, G.C. and Duke, J.A. Light guide radiation pyrometry, 9=1385

Volman, D.H. Hydrogen peroxide photocatalyzed reaction of hydrogen and oxygen, 6=1697. Photochemical evidence relative to the excited states of oxygen, 6=2511. Photochemical oxygen–hydrogen reaction at 1849 A, 6=7790

Volmer, M. The colloidal nature of mixtures of liquids near the critical solution point. I, 9=6351

Vol'mir, A.S. and Mineev, V.E. Experimental investigation of bulging of shells under dynamic stresses, 9=10322

Volokhova, T.I. Paramagnetic relaxation in monocrystals of some salts of elements of the iron group, 7=4879

Volokhova, T.M. Paramagnetic relaxation in single crystals of certain salts of the iron group elements, 8=5121

Volokhova, Z.V. See Rabinovich, I.B., 9=7463

Volokobinskiĭ, Yu.M. The electric moments of polar gases and liquids, 5=7002. Some problems of the theory of the breakdown of inhomogeneous dielectrics, 5=7089. The tunnel effect in sulphide rectifiers, 7=9195. The influence of the electric field on the properties of thin dielectric and semiconducting layers, 7=9224. See also Bogoroditskiĭ, N.P., 8=6938

Voloshinskiĭ, A. and Kobelev, L. Dispersion relations for electronic plasma, 9=2048

Volosok, V.I. and Chirikov, B.V. Compensation of the space charge of an electron beam, 8=1089

Volosov, D.S. Principles of a theory of thermo-optical aberrations. I. Thermo-optical aberrations of the image position 9=10730; II. Thermo-optical aberration of magnification, 9=10731; III. Thermo-optical aberrations of systems consisting of thin components, 9=11986

Volotskaya, V.G. See Borovik, E.S., 9=11053

Volpe, J. and Hinman, G. Internal conversion in Hg^{198}, 7=2611

Volpi, G.G. See Boato, G. 6=4711; Kistiakowsky, G.B., 8=3532-3

Volungis, R.J. and Stein, R.S. Temperature dependency of the statistical segment size of polyethylene, 5=8147

Volz, F. Atmospheric turbidity and its spectral extinction, 7=1799

von Alvensleben, A. The apparatus functions, grating ghosts and stray light for the two new plane gratings in the Gottinger solar spectrograph, 9=5298

von Ardenne, M. The visual manifestation of magnetic fields, 5=2853. On making (ultra-) sound visible using an electron-optical image converter, 6=990

von Ardenne, M., Schiller, S. and Westmeyer, H. On plasma researches with an electron beam probe of small diameter, 9=4700

von Ardenne, M. and Westmeyer, H. Ultramicrotome of simple construction, 9=9542

von Aulock, W. See Rowen, J.H., 5=1053

von Batchelder, F.W. See also Raeuchle, R.F., 6=4108

von Batchelder, F.W. and Raeuchle, R.F. Lattice constants and Brillouin zone overlap in dilute magnesium alloys, 7=3473

von Behr, J. The calculation of the nuclear quadrupole scattering of positive muons in a weak relativistic energy region, 8=8232

von Behr, J. and Marschall, H. An extension of the Born approximation adapted to the Coulomb field, 6=2685. Note on the quadrupole interaction energy in μ-mesic atoms, 9=8683

von Békésy, G. Paradoxical direction of wave travel along the cochlear partition, 5=3355. Human skin perception of travelling waves similar to those on the cochlea, 5=10151. Current status of theories of hearing, 6=7913. Preparatory and air-driven micromanipulators for electrophysiology, 7=1812. Simplified model to demonstrate the energy flow and formation of traveling waves similar to those found in the cochlea, 7=6797.* Sensations on the skin similar to directional hearing, beats, and harmonics of the ear, 7=8341. Neural volleys and the similarity between some sensations produced by tones and by skin vibrations, 8=841. Funneling in the nervous system and its role in loudness and sensation intensity on the skin, 9=1983. Synchronism of neural discharges and their demultiplication in pitch perception on the skin and in hearing, 9=6421. Neural funneling along the skin and between the inner and outer hair cells of the cochlea, 9=11695

Vonberg, D.D. See Gallop, J.W., 7=3364, 8661

von Bertele, H. The existence and demonstration of point emission from mercury surfaces, 5=7077. A new phenomenon of electron emission from thin mercury films, 9=1509

von Bezold, D. Reactions in gas discharges with the spectrochemical detection of non-metals through excitation with ultra-short waves, following (the method of) Gatterer and Frodl, 6=6670

von Borries, B. and Langner, G. A two-stage permanent magnet projector system for electron microscopes, 9=1522

von Borries, B. and Lenz, F. Predetermination of magnetostatic electron optical imaging systems, 6=6698

von Braunmühl, H.J. See Lottermoser, W., 5=6841

Vonbun, F.O. Analysis of a multipole state separator and focuser for polarizable molecules, 8=9100

von Buttlar, H. Lead analysis by the isotopic dilution method with RaD as carrier, 5=5070. See also Frische. R.H., 9=281

von Dardel, G. and Sjöstrand, N.G. Diffusion parameters of thermal neutrons in water, 5=1250. Absorption cross section of boron for thermal neutrons, 5=2218

von Dardel, G.F. A portable twenty-four channel kicksorter, 5=8045

von Ehrenstein, D., Fricke, G., Kopfermann, H. and Penselin, S. Investigation of the hyperfine-structure splitting of both ground states $^2D_{3/2}$ and $^2D_{5/2}$ of Y^{89} by the atomic beam resonance method, 8=8371

von Eller, G. The optical harmonic synthesizer and its possibilities. I, 5=7523. Karle-Hauptman inequalities and Euclidean geometry, 5=10088. Graphical calculation of the determinants of J. Karle and H. Hauptman, 6=2558

von Engel, A. Ionized gases, 6=3798. Internal radiation and nature of discharges, 7=1322. See also Bickerton, R.J., 6=5124; Corrigan, S.J.B., 8=5456, 9=1813; Francis, G., 6=8220; Robson, A.E., 5=6171, 7=1350, 6211

von Engel, A. and Robson, A.E. The excitation theory of arcs with evaporating cathodes, 8=203. Mechanism of electron emission from the arc cathode, 8=7054

von Foerster, H. See Ernst, E.W., 5=8020

VonFoerster, H.M. See Purl, O.T., 5=4718; Weinstein. M., 6=6693

von Fragstein, C. The determination of the film thickness and optical constants of "thin" films, 5=1664. On the formulation of Kirchoff's law and its use for a suitable definition of diffuse reflection factors, 5=4490. Is a light path always reversible ?, 5=6873. Demonstration of the intersection curves in the total reflection of calcite, 9=3359. See also Römer, H., 9=11119; Weber, K., 5=1296

von Fragstein, C. and Römer, H. Anomalies in optical constants, 8=6882

von Friesen, S. Photo-electric mass determinations in nuclear emulsions. II. A new correction for local variations in the emulsion with a report on the photo-electric identification of K-particles, 5=1436

von Friesen, S. and Kristiansson, K. Further evidence for a longlived neutral K-particle, 8=2500

von Friesen, S. and Stigmark, L. Photo-electric mass determinations in nuclear emulsions. III. Description of the new experimental arrangements, 5=1437

von Gierke, G. See Alston, M.H., 7=1647, 1653

von Gierke, H.E. See Nixon, C.W., 9=11693

von Goeler, E. See Frauenfelder, H., 7=6504, 8=746

Vong, T.S. See Levengood, W.C., 9=1905

von Hagenow, K.U. On the problem of rotating cosmic gaseous masses, 6=30

von Haza-Radlitz, C. See Haken, W., 9=8314

von Heimendahl, M. See Simon, H., 8=7603

von Herrmann, P. and Pieper, G.F. Angular distributions of protons from the alpha-particle bombardment of B^{10}, Al^{27}, and P^{31}, 7=4705

von Hippel, A. See Miles, P.A., 8=3065

von Hippel, A.R. [Ed.] Dielectric materials and applications, 5=4618. Dielectrics and waves, 5=6103

von Hoerner, S. Solutions of hydrodynamic equations with linear velocity dependence, 6=974. Frequencies of stars with various chemical composition, 9=7. See also Hain, K., 5=2509

von Hofe, C. The field of view and image brightness in telescopes, 5=6977

von Issendorff, H. See Bienlein, H., 9=4713, 9938; Wegener, H., 9=5008

von Kenschitzki, C.H. and Wildermuth, K. The distribution of nucleons in heavy nuclei, 9=3807

von Keussler, V. On generally valid exact formulae for "spectral slit width", 6=7263

von Kienlin, A. Magnetic materials with the Perminvar effect. I. Contribution to the understanding of the Perminvar

effect and its temperature dependence, 8=8124. II. The importance of composition, in ferrites with small cobalt content, for the Perminvar effect, 8=8125. Contribution to the explanation of magnetic after-effect through electron diffusion in ferrites, 8=8138. Magnetic materials with the Perminvar effect. III. The dependence between over-stochiometric oxygen content and Perminvar effect in ferrites containing cobalt, 9=5894; IV. Perminvar effect and magnetic annealing effect in connection with after-effect phenomena in ferrites caused by electron diffusion, 9=5895. The behaviour of isolated stabilized Bloch walls in magnetization cycles, 9=9782. Zero crystal anisotropy energy in manganese doped magnetite, 9=11202

von Klitzing, K.H. See also Gielessen, J., 6=7417

von Klitzing, K.H. and Gielessen, J. The saturation magnetization of nickel under high hydrostatic pressure, 7=540. The influence of hydrostatic pressure on the magnetization of Au_2Mn, 8=7191

von Klitzing, K.H. and Pietzcker, A. Magnetic domains and lattice distortions of cobalt, 9=11210

von Klüber, H. Further measurements to detect a general magnetic field of the sun, 5=697. Granulation of the solar surface, 7=2934. Spectroscopic measurements of magnetic fields on the sun, 7=3910. Width of the green mercury line from a 198-isotope lamp, 8=3857. See also Beggs, D.W., 7=1859; Jarrett, A.H., 7=47

Vonkovskii, S.V. and Seĭidov, Yu.M. On indirect exchange interaction, 6=6765

von Krzywoblocki, M.Z. On the stability of Bénard-Kármán vortex street in compressible fluids. II, 5=1596. On some problems in free molecule-slip flow regimes, 5=9455. On some aspects of diabatic flow and general interpretation of the wave mechanics fundamental equation, 8=7731. See also Gustafson, W.A., 8=7729-30

von Krzywoblocki, M.Z. and Bloomquist, R.E. On heat phenomena on rotating bodies in free molecule flow, 9=5612

von Krzywoblocki, M.Z. and Roth, H.L. Shock-boundary layer interaction on a body at Mach numbers up to 5, 9=1165

von Kryzywoblocki, M.Z. and Shinosaki, G. On drag of some bodies in free molecule flow, 6=4882

von Laue, M. On cosmology, 7=6814

von Leeuwen, F.J. The bass reflex enclosure in acoustics, 7=1982

von Lindern, L. On meson production by high-energy nucleon collisions, 6=7729. Multiple meson production and angular distribution of shower particles produced in cosmic ray "jets", 7=8702. See also K-collaboration, 9=13575

von Ments, M. Synchronization of pendulum clocks with the help of signals taken from a quartz-crystal clock, 7=2945

von Minnigerode, G. The influence of lattice defects on the transition temperature of different superconductors, 9=12303. See also Hilsch, R., 8=174

von Neumann, J. Mathematical foundations of quantum mechanics, 5=6766

von Planta, C. and Huber, P. Measurement of the source-strengths of a Be-photo- and of a Ra-Be-neutron source, 7=2714

von Planta, P.C. Experimental study of the slit function of an Ebert spectrometer in the visible and near-infrared, 7=7724

von Roos, O. A new method of removing self-energy divergencies in quantum electrodynamics, 6=4187. Theory of the reflection of positive ions at metal surfaces, 7=7169. Theory of the kinetic emission of secondary electrons, liberated by positive ions, 7=7170. Destruction of metastable helium atoms in binary collisions, 9=7409

von Schelling, H. Indication for the existence of at least four basic excitations in color vision, 5=3347. Advanced color geometry, 6=1146. Concept of distance in affine geometry and its applications in theories of vision, 6=4130. Reply to P.J. van Heerden [Concept of distance in affine geometry], 7=2889. Re-evaluation of Boynton's sensitivity data, 7=4931

von Schierstedt, G., Ewald, H., Liebl, H. and Sauermann, G. A new determination of the masses of S^{32}, S^{33}, S^{34} and C^{12}, 6=6099

Vonsovskiĭ, S.V. Some problems of the multi-electron theory of semiconductors, 6=4391. See also Svirskiĭ, M.S., 9=6249; Volkenshteĭn, N.V., 9=2315

Vonsovskiĭ, S.V. and Cherpanov, V.I. Extension of the Bogolyubov–Tyablikov perturbation theory method to the non-stationary case, 8=7504

Vonsovskiĭ, S.V., Cherpanov, V.I. and Galishev, V.S. Theory of exciton absorption of light, 8=4408

Vonsovskiĭ, S.V. and Galishev, V.S. On the theory of the electric conduction of semiconductors, 5=936

Vonsovskiĭ, S.V. and Kushnirenko, A.N. Excited states of an atomic semiconductor on the many-electron model, 8=7909

Vonsovskiĭ, S.V. and Paduchev, B.V. The electric conduction of metals, taking account of the electron interaction. Case of a Fermi spectrum, 5=762. Electric conduction of metals taking account of the electron interaction. (Case of a Bose spectrum), 5=932

Vonsovskiĭ, S.V. and Salikov, S.G. Paramagnetic relaxation in metals, 7=565

Vonsovskiĭ, S.V., Sokolov, A.V. and Veksler, A.Z. The photoeffect in metals, 6=2883

Vonsovskiĭ, S.V. and Svirskiĭ, M.S. On the theory of superconductivity of metals, 8=7030. On the absence of superconductivity in ferromagnetics, 9=8163. On the statistics of spin and polar excitations in crystals, 9=12795

Vonsovskiĭ, S.V. and Vlasov, K.B. Atomic magnetic moments of ferromagnetics, 5=7179

Vonsovskiĭ, S.V., Vlasov, K.B. and Turov, E.A. The quantum theory of ferromagnetism, 6=1347

von Sybel, C. See Hegemann, F., 7=1335

von Szalay, L. The determination, by means of a new procedure, of the temperature distribution in a finite, long cylindrical body, 5=2655

von Szalay, L. and Löcherer, K.H. On the general solution with boundary conditions of the [equation of] transfer of heat or electrical energy, 7=9130

von Trentini, G. Focusing of electric waves through guide plates, 5=2031. Maximum transmission of electromagnetic waves by a pair of wire gratings, 5=9787

von Ubisch, H. On the theory of the temperature jump in a rare-field gas and its experimental verification, 6=2722. See also Lodding, A., 6=4718

von Villiez, H. See Krebs, K., 9=4698

von Wartburg, R. See Eggert, J., 5=10157

von Wartenberg, H. See Hilsch, R., 8=174

von Weizsäcker, C.F. Complementarity and logic, 6=899-900. Complementarity and logic. II. Quantum theory of a simple alternative, 9=2039

von Weizsäcker, C.F., Scheibe, E. and Süssmann, G. Complementarity and logic. III. Multiple quantization, 9=2040

von Weyssenhoff, H. See Groth, W., 6=5788

von Zahn, U. See Paul, W., 8=8059

Vook, F.L. and Balluffi, R.W. Length and resistivity changes in germanium upon low-temperature deuteron irradiation and annealing, 9=5170. Structure of deuteron-irradiated germanium, 9=5172

Vook, R. and Wert, C. Expansion of copper upon low-temperature deuteron irradiation, 8=2673

Voong, E.T.L. See Wakelin, J.H., 5=8316

Voorhees, B.G. See Gray, I.L., 7=3806

Voorhies, H.G. Second-order aberrations in sector shaped electromagnetic analyzers, 5=8007. See also Jones, W.B., 5=9692

Voříšek, M. Distribution of stars caused by cosmic rays in nuclear emulsions, 5=5503. A detector for slow neutrons, 9=8413

Vorobeĭ, Z.F. See Bogoroditskiĭ, N.P., 5=952

Vorob'ev, A.A. Notes on effect of plastic deformation of monocrystals of alkali-halide salts on their dielectric strength, 6=5849. Dielectric strength of crystals, their mechanical and thermal stability and lattice energy, 6=5850. Optical absorption in compounds of metals of the first and second group of Mendeleev's table and the energy of the crystalline lattice, 6=8662. The refraction of light in crystals and the energy of the bonds between ions, 7=4121

Vorob'ev, A.A., Korolev, V.A., Komar, A.P. and Seliverstov, D.M. Internal conversion coefficient of γ-radiation of 53 keV energy in the L-shell of Th^{230}, 7=9860

Vorob'ev, A.A. and Kuchin, V.D. The problem of light emission by dielectrics in strong electric fields, 7=4305

Vorob'ev, A.A. and Nakhodnova, A.P. High-frequency dielectric losses and lattice energy of compounds of metals from the second group, 9=9590. Conductivity and lattice energy of compounds of metals from the second group of Mendeleeff's table, 9=9596

Vorob'ev, A.A. and Vodop'yanov, K.A. Dielectric losses in alkali halide crystals at high frequency, 7=2180

Vorob'ev, A.A. and Vorob'ev, G.A. On some processes in the electric breakdown of solid dielectrics, 9=13350

Vorob'ev, A.A., Zavadovskaya, E.K. and Trubitsin, A.M. The correspondence between the stability of chemical compounds and their dielectric strength, 5=7001
Vorob'ev, E.D. See Flerov, G.N., 9=11173
Vorob'ev, G.A. Dependence of the dielectric breakdown strength of some alkali halide monocrystals on the duration of application of the voltage, 6=5077. See also Vorob'ev, A.A., 9=13350
Vorob'ev, V.A. Probability of charge exchange in nucleons with energies $3 \times 10^9 - 10^{10}$ eV in interaction with air, 8=1752
Vorob'ev, V.D. See Sergeev, A.G., 9=2769; Vorobyev, V.D.
Vorob'ev, Yu.V. Diffusion patterns in electrostatic immersion lenses, 7=6262. On the possibilities of increasing the resolution of the emission microscope with the aid of an electron mirror, 8=7111. See also Malakhov, L.N., 9=13286
Vorob'ev, Yu.V., and Vyazigin, A.A. The field chromatic aberrations in the electron microscope, 9=13374
Vorob'eva, O.B. See Mostovskii, A.A., 9=11098, 12357
Vorobyev, V.D. See Sergeyev, A.G., 9=8554; Vorob'ev, V.D.
Vorobyov, V.D. See Krisyouk, E.M., 8=5303
Vorona, J. See Olness, J.W., 9=5039
Voronel', A.V. On the equation of the melting curve, 9=10941. The heat of evaporation and the law of corresponding conditions, 9=12179
Voronyuk, P.I. See Klinger, M.I., 8=3117, 7946
Vorotnikov, P.E. See Baev, B.V., 5=7129
Vorovich, I.I. and Krasovskii, Yu.P. A method for solutions of elasticity equations, 9=13850
Vorovich, I.I. and Yudovich, V.I. Stationary flow of viscous liquids, 9=7828
Vorozhtsov, B.I. Measurement of dielectric properties of electrical insulating materials, 9=9579
Vorozhtsova, I.G. See Vodop'yanov, K.A., 9=9589
Vorst, W. Maenhout-van der. See Maenhout-van der Vorst, W.
Vorst, W. Van der. See Van der Vorst, W.
Vos, A. and Wiebenga, E.H. Refinement of the P–P bond length in P_4S_7, 6=8486
Vos, B.H. Measurements of thermal conductivity by a non-steady-state method, 7=3187
Vos, J.C. de. See de Vos, J.C.
Vos, J.J., Lazet, A. and Bouman, M.A. Visual contrast thresholds in practical problems, 7=2896
Vos, K.J. de. See de Vos, K.J.
Voshage, H. See also Herr, W., 5=477; Hintenberger, H., 5=473
Voshage, H. and Hintenberger, H. The potassium isotope as reaction product of cosmic rays in Carbo iron meteorites, 9=11735. Quantitative mass spectrometric determination of extremely small alkali concentrations by the method of complete evaporation, 9=13881
Vošicki, B. See Paić, M., 9=12389; Protić, O.V., 5=7147; Varićak, M., 5=8548, 6=1895
Voss, B. See Bittel, H., 6=8177
Voss, G.A. See Albach, W., 8=8105; Hanle, W., 9=3969
Voss, R.G.P. See also Astbury, A., 9=1671, 9967; Thresher, J.J., 5=5658, 6=1320; van Zyl, C.P., 7=2667
Voss, R.G.P. and Wilson, R. Neutron and proton distributions in heavy nuclei, 5=9821. The scattering of high energy neutrons by a coulomb field, 6=2455. Neutron inelastic cross-sections between 55 and 140 MeV, 6=6912. The analysis of high-energy neutron cross-sections, 6=6913
Votava, E. Dislocations in CdS crystals and their effect on photoconductivity, 9=4607. See also Amelinckx, S., 5=3264
Votava, E., Berghezan, A. and Gillette, R.H. The revelation of dislocations in metal crystals by evaporation, 9=1872
Votinov, M.P. and Kuvshinskiĭ, E.V. Laws governing the conversion of work into heat in the adiabatic deformation of butyl rubber vulcanizates, 9=6325. Thermoelastic phenomena in SKS-30A and SKB rubbers in adiabatic deformation up to the breaking point, 9=8934
Votinov, M.P., Sul'zhenko, L.L. and Kuvshinskiĭ, E.V. Thermoelastic phenomena in rubbers based on natural latex during cyclic deformation, 9=6324
Votruba, V. Isobaric spin and description of antiparticles, 7=5848
Votruba, V. and Christov, C.J. The algebra of isotopic spins $(\frac{3}{2}, \frac{1}{2})$, 5=4358
Vouaux, P. See Bernanose, A., 6=250
Vouk, V.B. The extinction cross-section coefficient of large perfectly absorbing spherical particles, 7=2070
Vousden, J.E. See Pittendrigh, L.W.D., 5=8854
Vousden, P. An explanation of the structures of hexagonal barium titanate and titanium dioxide, 6=7847
Vovk, A.E., Pasternak, R.N. and T͡yutekin, V.V. An experimental investigation of the wave properties of a medium with cylindrical channels, 8=6735
Voyutskiĭ, S.S., Shapovalova, A.I. and Pisarenko, A.P. Part played by diffusion in the phenomena of the mutual adhesion of high polymers, 7=1695
Voyutskiĭ, S.S., Zaĭonchkovskiĭ, A.D., Kargin, V.A., and Reznikova, R.A. Investigation of the scattering of light in mixtures of high polymers, 7=2786
Vrána, J. See Ciok, P., 8=1117; Pernegr, J., 9=4762
Vrataric, F. See McDade, J.C., 9=13090
Vrátný, F. See Haak, W.H., 9=7861
Vredenberg, W.J. See Smit, C., 8=5767
Vreeland, J.A. and Murakawa, K. Isotope shift in the spectrum of W I, 9=10758
Vreeland, T. See Frank, F.C., 8=5520
Vreese, C. de. See de Vreese, C.
Vrenken, L.E. See van der Leun, C., 7=8824
Vries, A.E. de. See de Vries, A.E.
Vries, C. de. See de Vries, C.
Vries, D.A. de. See de Vries, D.A.
Vries, H. de. See de Vries, H.
Vries, H.L. de. See de Vries, H.L.
Vries-Hamerling, T. de. See de Vries-Hamerling, T.
Vrijer, F.W. de. See de Vrijer, F.W.
Vrkljan, V.S. A contribution to Darwin's derivation of the magnetic moment of the electron and positron, 5=2433
Vroelant, C. Contribution to the study of molecular wavefunction. I, 9=7444
Vroelant, C., Laforgue, A. and Masse, J.L. An attempt to express the Pauli principle as an "exclusive force". Numerical comparison with the classical electric force, 6=1838
Vroom, R.A. See van Roggen, A., 5=5336
Vroomen, A.R. de. See de Vroomen, A.R.
Vrščaj, S. The stabilization of magnetic fields using nuclear resonance, 9=5867
Vuagnat, A.M. and Wagner, E.L. Vibrational spectra and structure of solid sulfamic acid and the sulfamate ion, 7=3144
Vuccino, S. A study of the application of coincidence methods to the absolute calibration of Na^{24}, Co^{60} and Sc^{46}, 5=9030. Improvement of coincidence techniques applied to the [absolute] standardization of radioactive intensity (for sources of 5-50 μc), 6=4599. Absolute measurements of β-activity. Application to the determination of the milligramme Ra equivalent, 9=13635
Vuccino, S. and Tobailem, J. Milligramme Ra-equivalents of some γ-emitting radioelements, 7=665
Vucht, J.H.N. van. See van Vucht, J.H.N.
Vu Haï. See Haï Vu; Johannin, P., 6=7762
Vukovic, J. See Maglic, B., 8=6305
Vuks, M.F. Additivity of tensor and bond polarizibilities, 7=9801
Vuks, M.F. and Atakhodzhaev, A.K. Determination of the orientational relaxation time for a series of liquids from the scattering line-width, 7=1111
Vul, B.M. Dielectric characteristics of the transition layers in semiconductors, 5=7037. On the breakdown of junction layers in semiconductors, 7=4358. See also Bogdanov, S.V., 7=1263, 9680
Vul, B.M. and Segal, B.I. Theory of the p–n junctions in semiconductors, 8=6975
Vul, B.M. and Shotov, A.P. Surface discharges at p–n junctions, 7=9196. Edge breakdown of p–n junctions in germanium, 8=2330
Vul'fson, K. New method of determination of the velocity of light, 7=1159
Vul'fson, K.S. The application of an electron-optical image intensifier to the pulse measurement of the velocity of propagation of light, 9=13133
Vulis, L.A., Kosov, N.D. and Potseluĭko, V.A. Determination of thermal conductivity of friable materials by the Mal'mgren-Shuleĭkin method, 6=8145
Vulis, L.A. and Potseluĭko, V.A. On the determination of the temperature dependence of thermal conductivity, 6=8144
Vulis, L.A. and Trofimenko, A.T. Heat [transfer] problems for a laminar current flowing along walls, 7=7051
Vulkonskii, B.M. Determination of the luminous characteristics of photoconductors, 9=11032
Vuster (Wooster), V.A. A retigraph (direct protection X-ray goniometer), 6=809. An automatic recording microdensitometer, 6=862. See also Wooster, W.A.
Vuylsteke, A.A. and Sihvonen, Y.T. Sulfur vacancy mechanism in

pure CdS, 9=4468
Vyalov, G.N. The anomalous magnetic moment of nucleons, 7=3001
Vyatskin, A.Ya. The diffraction and inelastic scattering of electrons, 5=4725. Theory of inelastic scattering of electrons in metals. I, 9=8616; II, 8617
Vyat-skin, A.Ya. and Makhov, A.F. Retardation of electrons in certain metals and semiconductors, 8=7115
Vyazigin, A.A. See Vorob'ev, Yu.V., 9=13374
Vȳshnevs'kȳĭ, V.N. The luminescence of mixed naphthalene–anthracene crystals, 8=6870. See also Borȳsov, M.D., 8=7498
Vȳsochanskiĭ, A.S. Photoluminescence of thallium chloride, 7=6016. Photoluminescence of thallium bromide, 7=9628
Vȳsotskii, G.L., Inopin, E.V. and Kresnin, A.A. Scattering of neutrons by oriented nonspherical nuclei, 9=13694
Vȳsotskiĭ, G.L., Kresnin, A.A. and Rozentsveĭg, L.N. Bremsstrahlung of polarized electrons, 8=1726
Vzorov, I.K. See Azhgireĭ, L.S., 8=6300, 8245; Bogachev, N.P., 7=7970; Meshcheryakov, M.G., 7=703,* 1598, 1650, 6282

Waals, J.H. van der. See van der Waals, J.H.

Waard, H.de. See de Waard, H.

Waché, X. See Guiot-Guillain, G., 6=475, 5460

Wachendorf, F. The determination of an optimum lens system, 5=7815, 8580

Wachtel, E. See Scheil, E., 9=13419

Wachtel, M.M. See Jack, K.H., 7=6187; Sternglass, E.J., 9=2399

Wachtell, G.P. and Carfagno, S.P. Supersonic flow in a tube with longitudinal slots, 9=13080

Wächter, F. See Badareu, E., 8=8011

Wachter, J. Measurement of strain on rotating parts. The influence of slip-ring collectors, 6=7172

Wächter, M. See Erdös, P., 5=1207

Wachters, L.H.J. See Prins, J.A., 8=3473

Wachtman, J.B., Jr. and Tefft, W.E. Effect of suspension position on apparent values of internal friction determined by Forster's method, 9=875

Wacker, P.F. See Birnbaum, G., 5=188

Wackerle, J. and Stump, R. Annihilation of positrons in liquid helium, 7=5605

Wada, A. Dielectric properties of polypeptide solutions. I. The electric dipole moment of α helix in dioxane, 9=1411; II. Relation between the electric dipole moment and the molecular weight of α helix, 9=6878; III. Elucidation of the critical frequency of dielectric dispersion from the molecular shape of the α helix, 9=6879; IV. Several problems on the electric dipole moment of the α-helix, 9=10198; See also Rice, S.A., 8=9099

Wada, M. Logarithmic representation of cosmic-ray intensity, 8=2382. See also Kawasaki, S., 9=9734; Kodama, M., 9=9737; Maeda, K., 5=1957; Miyazaki, Y., 9=380; Sekido, Y., 6=7507; Yoshida, S., 9=8273

Wada, M. and Kudo, S. The relation between cosmic-ray intensities and heights of isobar levels. II. On the positive temperature effect, 5=6262. A statistical investigation for the atmospheric temperature effect on cosmic-ray intensity, 9=9742

Wada, W. See Brueckner, K.A., 6=8587; Kroll, N.M., 5=7346

Wada, W.W. Self-energy of the longitudinal neutrino, 9=4889. See also Block, M.M., 5=2852

Wada, Y. On the relation between sound velocity and intermolecular free length of liquids, 5=802. Pressure dependence of sound velocity in organic liquids, 7=7681. Attenuation of ultrasonic waves in suspensions of viscoelastic spheres, 9=11943. See also Yamamoto, K., 4=7556

Wada, Y. and Yamamoto, K. Temperature dependence of velocity and attenuation of ultrasonic waves in high polymers, 6=8628

Waddell, C. See Cohen, D., 5=1160

Waddell, J. A nomographic method for determining the scattering and absorption coefficients from solar-line profiles, 9=11745

Waddell, J.H. See Underhill, A.B., 9=9403

Waddell, J.H., III. Study of solar turbulence based on profiles of weak Fraunhofer lines, 9=7739

Waddell, R.C. See also Pohm, A.V., 5=3060, 6=3150

Waddell, R.C. and Jensen, E.N. Decay scheme of Br^{82}, 6=4608

Waddington, C.J. The alpha-particle component of the cosmic radiation, 5=1020. The interactions of cosmic ray alpha-particles, 6=2990. Observations on the multiply charged particles of the cosmic radiation, 6=5192. The charge distribution of multiply charged nuclei in the primary cosmic radiation. I. The light and medium nuclei, 7=8699. Observation on the energy spectra of multiply charged nuclei in the cosmic radiation, 7=9254.* A correction to previously quoted cosmic ray flux values, 8=2375. See also Aly, H.H., 7=8697; Dahanayake, C., 5=6517, 9144, 7=6592; Fowler, P.H., 7=2376, 4509, 4695, 9=7699; Freier, P.S., 9=7132, 7136; Hillier, R.R., 8=217; Rajopadhye, V.Y., 8=1263

Waddington, G. See Douslin, D.R., 6=3055

Waddington, J. See Dilworth, C.C., 5=6482

Waddington, T.C. See Compton, D.M.J., 7=3293, 9696, 8=7011; Lipsett, F.R., 7=7773; Schneider, W.G., 6=8799

Wade, A.L. See Gerrard, J.A.F., 7=8306

Wade, B. See Rothwell, P., 7=2375

Wade, C., Jr. See Abramowitz, M., 9=6822

Wade, E.J. and Stone, R.S. An improved d-c amplifier for reactor control, 5=8263

Wade, F. Preliminary investigations of scintillation counter techniques for the measurement of radio-activity from the human body, 7=4947. See also Abson, W., 6=2959, 8252

Wade, G. See also Heffner, H., 8=7203, 8940

Wade, G. and Heffner, H. Gain, bandwidth and noise in a cavity-type parametric amplifier using an electron beam, 9=2535

Wade, W.H., Gonzalez-Vidal, J., Glass, R.A. and Seaborg, G.T. Spallation–fission competition in heaviest elements: triton production, 8=6304

Wadhwa, Y.D. Boundary layer growth on a spinning body: accelerated motion, 8=911

Wadia, B.H. Calculation of electron-beam divergence at medium gas pressures, 9=12369

Wadsley, A.D. The crystal structure of $Na_{2-x}V_6O_{15}$, 6=4109

Wadsworth, N. See Thompson, N., 6=2483

Wadsworth, N.J. See Thompson, N., 8=2691, 3527

Wadsworth, P.A. See Wagner, C.D., 8=6473

Waechter, K.H. See Sommermeyer, K., 6=4611, 7=2591

Waelbroeck, F. and Bauer, S.H. Intense Schumann-Runge source, 9=9392

Waelbroeck, F., Lafleur, S. and Prigogine, I. Thermal conductivity of real gases, 5=9598

Waelbroeck, F.G. Virial coefficients of benzene-cyclohexane mixtures, and theories of liquid solutions, 5=5926

Waelbroeck, F.G. and Zuckerbrodt, P. Thermal conductivities [λ] of gases at low pressures. I. Monatomic gases helium and argon, 8=8721; II. Rotational relaxation times in hydrogen and oxygen, 8=8722

Waerden, B.L. van der. See van der Waerden, B.L.

Wäffler, H. See Gribi, M., 9=13406; Heinrich, F., 6=5392

Wafik, M. See El-Nadi, M., 9=2703

Wagai, T. See Kikuchi, Y., 8=2083

Wagenbreth, H. The Benedicks effect in mercury, 8=196. On the black body temperature of an immersion radiator at the gold-point, 9=6852

Wagener, J.C.S. Reduction of alkaline earth oxides by methane, 5=3855

Wagener, J.S. and Marth, P.T. Analysis of gases at very low pressures by using the omegatron spectrometer, 8=443

Wagener, S. The production of very high vacua by means of getter substances, 5=1589

Wageningen, R. van. See van Wageningen, R.

Waggener, W.C. Technique for liquid spectrophotometry at elevated temperatures and pressures, 9=12059

Waggener, W.C. and Tripp, A.M. Reliable optical window for cells subjected to widely cycling temperatures and pressures, 9=10770

Waggoner, J. See Hanson, H., 7=7734; Jackson, H.E., 9=4732

Waggoner, M.A. See Nathan, O., 7=8127; Neilsen, K.O., 7=7352

Wagh, R.V. On some spherically symmetrical models in relativity, 7=3943. On some isotropic solutions for the case of fluid sphere in relativity, 9=2125

Wagman, D.D. See Evans, W.H., 6=3699

Wagman, I.H. See Battersby, W.S., 9=10454

Wagner, C. Passivity during the oxidation of silicon at elevated temperatures, 9=4085. See also Ilschner, B.R., 9=9593; Kobayashi, H., 7=8236; Lorenz, G., 7=7916; Wagner, J.B., 7=7914-15

Wagner, C.D. See also Campanile, V.A., 9=12370

Wagner-cooled X-ray target produces up to 10^8 r/hr, 9=12341

Wagner, C.D. and Guinn, V.P. For low specific activity: use scintillation counting, 6=2962

Wagner, C.D., Wadsworth, P.A. and Stevenson, D.P. On the reaction of CH_4^+ with CH_4, 8=6473

Wagner, E.B. and Hurst, G.S. Advances in the standard proportional counter method of fast neutron dosimetry, 8=6091

Wagner, E.H. The diffraction of parallel beams of light by travelling ultrasonic waves. I, 6=267; II, 6=268; The diffraction of light by travelling ultrasonic waves. III. The rigorous solution of the diffraction problem for divergent bundles of light (cylindrical waves), 6=2010; IV. The diffraction field at a great distance from the cell, with a diverging primary beam, 6=2011. On the Bragg reflection of light by ultrasonic waves, 6=7320. Group velocity, energy flow density and energy density in the X-ray (or light) optics of crystals, 9=5471. Group velocity and energy (or particle) flow density of waves in a periodic medium, 9=11977. See also Niehrs, H., 6=2921

Wagner, E.L. See Frasco, D.L., 9=6728; Martinez, J.V., 8=386; Scott, T.A., Jr, 9=3295; Vuagnat, A.M., 7=3144

Wagner, F. See Höcker, K.H., 8=7418

Wagner, F., Jr. See Freedman, M.S., 7=455, 8=8291; Magnusson, L.B., 6=6109; Novey, T.B., 6=8351; Porter, F.T., 5=7326, 6=8350, 7=8131

Wagner, G.D. and Wiig, E.O. Reactions of cobalt with protons at 60, 100, 170, and 240 MeV, 5=1186

Wagner, H. Anomalous attenuation of X-rays in the case of Bragg reflection, 7=1747. See also Borrmann, G. 5=5093, 6=1747; Hettner, G., 9=11157

Wagner, H.G. Some observations relating to detonations of carbon monoxide-oxygen mixtures, 6=2491. See also Franze, C., 7=817

Wagner, J. See Grümm, H., 5=3819

Wagner, J.B. and Wagner, C. Electrical conductivity measurements on cuprous halides, 7=7914. Investigations on cuprous sulfide, 7=7915

Wagner, J.J. See Carter, R.E., 9=4891

Wagner, K. Dimensional alterations as a consequence of cold-work, 9=13862. See also Schwabe, K., 8=4509

Wagner, M. Exact calculation of Franck–Condon integrals, 9=8822

Wagner, M.D. See Marton, L., 9=522

Wagner, P. See also Driesner, A.R., 9=890

Wagner, P. and Driesner, A.R. High-temperature mechanical properties of graphite. I. Creep in compression, 9=7557

Wagner, P., Driesner, A.R. and Haskin, L.A. High-temperature properties of graphite. II. Creep in tension, 9=7558

Wagner, P. and Duncan, A.B.F. The vacuum ultraviolet absorption spectrum of difluoromethane, 5=6010

Wagner, P.E. Electrostatic charge separation at metal–insulator contacts, 7=1247. See also Chester, P.F., 8=5139

Wagner, R. and Bleichert, A., On the frequency variation of the pupillary light reflex, 7=8329

Wagner, R, Fine, J., Simmons, J.W. and Goldstein, J.H. Microwave spectrum, structure, and dipole moment of s-trans acrolein, 7=5537

Wagner, R. and Huber, P. The Be^9(n, 2n) reaction at a neutron energy of 3.7 MeV, 9=10129

Wagner, R.S. Production of dislocations in germanium by thermal shock, 9=5154

Wagner, R.S. and Dailey, B.P. Proof of the staggered configuration of ethyl chloride, 5=8979. Microwave spectrum of ethyl chloride, 7=7761

Wagner, R.S., Dailey, B.P. and Solimene, N. Microwave spectrum of ethyl bromide, 7=7762

Wagner, R.S., Solimene, N. and Dailey, B.P. Microwave spectrum of ethyl bromide, 5=4538

Wagner, R.T. and Hereford, F.L. Temperature effects in the annihilation of positrons, 5=9062

Wagner, S. On the isotopic shift in the Cu I-spectrum, 5=6899

Wagner, W.U. Phase correlation of sound pressure and sonoluminescence, 9=2233

Wagoner, G. See Dresselhaus, G., 5=6308, 6=1223; Kip, A.F., 8=394

Wahab, M.A. El. See El Wahab, M.A.

Wahl, A.C. Fission of U^{235} by 14-MeV neutrons: nuclear charge distribution and yield fine structure, 5=8262

Wahl, F. See Fues, E., 9=6267

Wahl, H. Loci of several elementary transcendental functions, 5=2354, 4282

Wahlborn, S. Levels in Bi^{206}, 8=2530

Wahler, B.E. See Thom, H.E., 9=5918

Wahlgren, M.A. and Meinke, W.W. Molecular sieves adsorb iodine-131 from air, 8=5511. Isomeric state of platinum-199, 9=12635

Wahlig, M.A. See Burrowes, H.C., 9=6027; Hyman, L.G., 9=13532

Wahr, J.C. See also Evans, J.C., 9=12052

Wahr, J.C., McCormick, W.W. and Sawyer, R.A. Emission characteristics of vacuum spark discharges. III. Aluminium and carbon spectra in the visible region, 5=7826

Wahrhaftig, A.L. See Rosenstock, H.M., 6=2207

Waibel, E. On the excitation efficiency for red and green luminescence of cadmium sulphide crystals, 6=6535

Waibel, E. and Seiwert, R. The quantum yield of the red luminescence of cadmium sulphide at room temperature and for excitation with u.v. light, 6=8113

Waidelich, D.L. See Marks, G.W., 7=2174

Waidelich, W. X-ray measurement of the lattice spacing of AgBr in photographic emulsion with a latent image, 5747. On the question of a AgBr structure alteration on the formation of the latent image, 7=5784. Relation between the structure of silver bromide grains and the sensitivity of photographic emulsions, 9=6431. See also Maier, G., 9=5150

Wainfan, N. Photolytic behavior of AgCl, 7=4837. See also Brown, F.C., 7=4836; Walker, W.C., 6=368

Wainfan, N., Scott, N.J. and Parratt, L.G. Density measurements of some thin copper films, 9=13827

Wainfan, N., Walker, W.C. and Weissler, G.L. Photoionization efficiencies and cross sections in O$_2$, N$_2$, CO$_2$, A, H$_2$O, H$_2$, and CH$_4$, 5=8052

Wainwright, T. and Alder, B.J. Molecular dynamics computations for the hard sphere system, 9=10625

Wainwright, T.E. See Alder, B.J., 8=5699, 9=10207

Wainwright, W.N. Comparison of hearing thresholds in air and in water, 9=4185

Wait, J.R. Mutual coupling of loops lying on the ground, 5=1373. On the relation between telluric currents and the earth's magnetic field, 5=1378. Scattering of a plane wave from a circular dielectric cylinder at oblique incidence, 5=5525. Field produced by an arbitrary slot on an elliptic cylinder, 5=5532. Theory of electromagnetic surface waves over geological conductors, 5=5536. Scattering of electromagnetic waves from a "lossy" strip on a conducting plane, 5=8935. Radiation resistance of dipoles in an interface between two dielectrics, 6=2260. Transient fields of vertical dipole over a homogeneous curved ground, 6=3870. Shielding of a transient electromagnetic dipole field by a conductive sheet, 6=7544. On the scattering of spherical waves by a cylindrical object, 7=1146. Reflection at arbitrary incidence from a parallel wire grid, 7=1464. The mode theory of v.l.f. ionospheric propagation for finite ground conductivity, 7=8032. Diffraction of a spherical wave pulse by a half-plane screen, 7=9117. On the theory of propagation of electromagnetic waves along a curved surface, 8=4181. An extension to the mode theory of v.l.f. ionospheric propagation, 8=6084. A phenomenological theory of induced electrical polarization, 9=2298. Transmission and reflection of electromagnetic waves in the presence of stratified media, 9=2538. Earth currents near a monopole antenna with symmetrical top loading, 9=11293. See also Froese, C., 5=2028

Wait, J.R. and Froese, C. Reflection of a transient electromagnetic wave at a conducting surface, 5=4813

Wait, J.R. and Kahana, S. Calculated patterns of circumferential slots on a circular conducting cylinder, 5=3905

Wait, J.R. and Murphy, A. Multiple reflections between the earth and the ionosphere in v.l.f. propagation, 8=8178

Wait, J.R. and Perry, L.B. Calculations of ionospheric reflection coefficients at very low radio frequencies, 8=4189

Wait, S.C., Jr. See also Janz, G.J., 6=753, 7=9147

Wait, S.C., Jr and Janz, G.J. Vibrational spectra and molecular structure of some halogenated methyl cyanides, 7=7755

Waite, J.H. See Sager, N., 7=2881

Waite, R.J. See Anderson, A.R., 6=2048

Waite, R.W. See Olsen, L.O., 5=9393

Waite, T.R. Theoretical treatment of the kinetics of diffusion-limited reactions, 8=2048. General theory of bimolecular reaction rates in solids and liquids, 8=2049. Diffusion-limited annealing of radiation damage in germanium, 8=2671. See also Aven, M.H., 6=5823; Brown, W.L., 9=10277

Waite, T.R., Wallace, W.E. and Craig, R.S. Structures and phase relationships in the tantalum-hydrogen system between –145 and 70°C, 6=5439. Heat capacity of tungsten between 4 and 15°K, 7=2145

Wajda, E.S. See Huntingon, H.B., 5=9237

Wakano, M. See Ford, K.W., 9=10606; Kita, H., 8=6356

Wakasa, A. See Furuichi, S., 7=6600, 9907, 8=6184; Hori, S., 7=8385; Oneda, S., 6=7974, 7=745-7

Wakatsuki, T. See also Hirao, Y., 9=10030; Kikuchi, S., 9=352; Miura, I., 9=13662; Okada, E., 9=10106

Wakatsuki, T., Hirao, Y., Okada, E. and Miura, I. Gamma rays from the excited states of ^{16}O, 9=8521

Wakefield, J. See Bullough, R., 9=846, 4017

Wakefield, K.E. See Burnett, C.R., 9=2375

Wakelin, J.H., Voong, E.T.L., Montgomery, D.J. and Dusenbury, J.H. Vibroscope measurements of the elastic moduli of nylon 66 and dacron filaments of various draw ratios, 5=8316

Wakelin, J.H. See Levy, J.B., 9=3416; Whitwell, J.C., 9=3026

Wakelin, R.J. Temperature distribution throughout a stack of electrical sheet steel during annealing, 9=1359. See also Brown, J.R., 5=3277

Wakely, P.G. See McCarroll, R.J., 6=8652

Wakeshima, H. Time lag in the self-nucleation, 5=2441,* 6081.* Development of emulsions due to self nucleation, 5=3232. Spontaneous condensation in a supersonic flow of humid air, 5=3498

Wakeshima, H. and Takada, K. On the limit of superheat, 8=6905, 9=10910

Wakita, H. Some remarks on the applicability of the field theory from the standpoint of the distribution analysis, 7=85

Wakiya, S. Viscous flows past a spheroid, 8=3755

Waku, S. See Toyoda, H., 9=13256

Wakuda, Y. See Nonaka, I., 6=1576

Walch, H. See Noddack, W., 9=10982

Walcher, W. See Fischer, W., 6=1267; Hofmann, R., 5=7308; Huster, E., 5=4723; Popp, G., 9=347

Walchli, H.E. and Rowland, T.J. Nuclear magnetic resonance measurements of the isotopes barium-135 and barium-137, 6=6081

Wald, H.E., Garbe, S. and Ney, P. The isotopic composition of strontium from sea-water and rubidium-free minerals, 6=8335

Waldegrave, M. See Holmes, J.E.R., 8=6342

Walder, D.N. See Molyneux, L., 8=6564

Waldeskog, B. A delayed disintegration of a heavy nucleus, 5=2203

Waldman, B. See Connors, D.R., 6=6134; Kepes, J.J., 9=4896; Spiegel, V., Jr, 9=4894-5

Waldman, M.H. Study of absorption, at kilometre wavelengths, of gases adsorbed on silica gel or titanium oxide, 7=1255

Waldman, M.H. and McIntosh, R. An apparatus for the measurement of dielectric constants of adsorbed gases at frequencies up to 100 Mc./sec, 5=5061

Waldmann, L. The Boltzmann equations for gases with rotating molecules, 9=1169. The Boltzmann equation for gases consisting of particles with spin, 9=1171. See also Mattauch, J., 7=1528

Waldmeir, M. Simultaneous determination of electron density and temperature in the solar corona, 5=1463. The variation of solar radio-frequency radiation on $\lambda = 10.7$ cm in the 11-year solar cycle, 5=6693. The magnetic field of the sun, 5=7645. The structure of the solar corona at [sunspot] minimum, 5=9376. Polar faculae, 6=19. What do we see of the corona in front of the solar disk ?, 6=5617. Synoptic charts of the solar corona, 6=5635. The aspect of the corona in front of the sun's disk, 6=6316. Analysis of a coronal condensation, 7=37. A new chromospheric eruption effect, 8=16. Solar eruption in integrated light, 8=5588. The polar prominence zone, 9=5321. Rotation of the sun from observations of high latitude sunspots, 9=6455. Motions of solar prominences. I. Ascending polar filaments, 9=6463. Results of the 1958 Zürich solar eclipse expedition. Photometry of the aerial photographs of the corona, 9=11741

Waldmeier, M., Arber, H. and Bachmann, H. The total solar eclipse and corona of 20 June 1955, 9=6464

Waldmeier, M. and Bachmann, H. Statistics of solar flares from 1945 to 1954, 9=4225

Waldner, M. Measurement of minority carrier diffusion length and lifetime by means of the photovoltaic effect, 9=9606

Waldorf, S.K. See Swengel, R.C., 5=7737

Waldorf, W.F. and Wall, N.S. Elastic scattering of 7.5-MeV protons, 7=9875

Waldron, J.R. See Tellex, P.A., 5=1710

Waldron, R.A. Ferrites in resonant cavities, 6=5218

Waldron, R.D. Infrared spectra of ferrites, 6=231. Infrared spectra of HDO in water and ionic solutions, 7=5187. Intensity and damping dependence of various parameters describing spectral-line shapes, 9=7220. See also Badger, R.M., 7=5194; Balkanski, M., 9=4029

Walecka, D. See Bowcock, J., 9=11846; Gomez, R., 7=2609

Walecka, J.D. Spectral functions in the static theory, 9=6523. See also Gomes, L.C., 8=4258

Walen, R.J. Magnetic semicircular spectrography of radioactive sources of low specific activity, 5=7135. See also Bastin-Scoffier, G., 9=8545

Walen, R.J. and Bastin-Scoffier, G. α-Spectrum of bismuth 212 (ThC), 7=9355

Wales, M. See Kyner, W.T., 9=6341

Wales, W.D. See Naugebauer, G., 9=11390

Wali, K.C. See Enoch, J., 8=1190

Walker, C.B. X-ray Compton scattering for aluminium, 6=7454. X-ray study of lattice vibrations in aluminium, 6=7811

Walker, C.T. and Adams, C.E. Thermal effects of acoustic streaming near a cylindrical obstacle, 9=7905

Walker, D. See Booth, N.E., 7=3647; Stephens, K.G., 5=5465, 6239

Walker, D.M.C. See King-Hele, D.G., 9=6473

Walker, G.L. See Shipley, T., 7=2094

Walker, G.O. See Kellermann, E.W., 8=1755

Walker, H.L. and Bhattacharya, D.L. Stored energy and recrystallization, 9=777

Walker, J. See also Cox, R.J., 6=3248, 8397; Dunworth, J.V. 9=10139; Hadley, D.W., 7=7182

Walker, J., Tagliaferri, G., Bower, J.C. and Hadley, D.W. A simple fast-recycling cloud chamber, 6=2971

Walker, J.A. See Reitzel, J., 8=2043

Walker, L. See Leibowitz, H., 6=3410

Walker, L.R. Power flow in electron beams, 5=8006. Generalizations of Brillouin flow, 5=8738. Magnetostatic modes in ferromagnetic resonance, 7=3431. Orthogonality relation for gyrotropic wave guides, 7=7245. Resonant modes of ferromagnetic spheroids, 8=8863. See also Clogston, A.M., 6=2996; Pierce, J.R., 6=3039, 7=1248

Walker, M.J. Representation of rotations in three-space by complex 2 × 2 matrices, 6=4189. Quaternions as 4-vectors, 7=2907. Graphic aids for teaching coriolis force, 9=72

Walker, P.A. See Jones, G.O., 7=2146

Walker, R.C. Relating basic core parameters, 9=12715

Walker, R.E. Method of increasing the sensitivity and stability of thermistor thermal-conductivity gas analyzers, 9=8981. See also Westenberg, A.A., 7=8454

Walker, R.E. and Westenberg, A.A. Absolute low speed anemometer, 7=1122. Precision thermal-conductivity gas analyzer using thermistors, 8=2701. Molecular diffusion studies in gases at high temperature. I. The "point source" technique, 9=4350; II. Interpretation of results on the $He-N_2$ and Co_2-N_2 systems, 9=4351; III. Results and interpretation of the He-A system, 9=11915

Walker, R.F. and Bauer, S.G. Two resistance-type hot-pressing furnaces for laboratory use, 7=9999

Walker, R.L. See also Brody, H.M., 8=7285; Dixon, F.P., 8=8993, 9=3787; Donoho, P.L., 8=289, 9=3797; Neugebauer, G., 9=11390; Oakley, D.C., 5=4066; Watson, K.M., 6=2450

Walker, R.L., Oakley, D.C. and Tollestrup, A.V. Photoproduction of neutral pions in hydrogen: p-γ coincidences, 5=4065

Walker, R.L., Teasdale, J.G., Peterson, V.Z. and Vette, J.I. Photoproduction of positive pions in hydrogen–magnetic spectrometer method, 5=8291

Walker, R.M. X-ray beam measurement of distortion in a magnet cloud chamber, 5=6245. See also Anderson, A.G., 6=4587; Corbett, J.W., 7=4315, 8=6427, 8451, 9=11577-8, 12806; Watkins, G.D., 9=11243

Walker, R.M., Preston, R.S., Fowler, E.C. and Kraybill, H.L. Production of neutral V-events by cosmotron neutrons, 5=4101

Walker, W.C. See also Wainfan, N., 5=8052

Walker, W.C. and Lambert, E.Y. Ohmic and rectifying contacts to semiconducting CdS crystals, 8=187

Walker, W.C., Rustgi, O.P. and Weissler, G.L. Optical transmission of evaporated In, Sn, and Bi films in the vacuum ultraviolet, 9=7986. Optical and photoelectric properties of thin metallic films in the vacuum ultraviolet, 9=6777. Walker, W.C., Samson, J.A.R. and Rustgi, O.P. Optical properties of Al for $h\nu$ between 10 and 26 eV, 8=2999

Walker, W.C., Wainfan, N. and Weissler, G.L. Photoelectric yields in the vacuum ultra-violet, 6=368

Walker, W.C. and Weissler, G.L. Energy distributions of photoelectrons from Au and Ge in the far ultraviolet, 5=4671. Photoionization efficiencies and cross sections in NH_3, 5=8609. Preliminary data on photoionization efficiencies and cross sections in C_2H_4 and C_2H_2, 5=9564. Photoionization efficiencies and cross sections in N_2O and NO, 6=1325

Walker, W.D. Λ^0- θ^0 production in π^--P collisions at 1 BeV, 5=7394. π^-–Nucleon interactions at 4.5 BeV, 8=698. See also Crittenden, R.R., 9=4943; Hill, R.D., 6=2388

Walker, W.D. and Crussard, J. π^--Nucleon collisions at 1.5 BeV, 5=7355

Walker, W.D., Hushfar, F. and Shephard, W.D. π^-–p Interactions in the 1.0-BeV region, 7=2622

Walker, W.D. and Shephard, W.D. Angular correlations in associated production, 6=4008

Walkinshaw, W. Preliminary design parameters for the 6.5 GeV S/R synchrotron, 7=3363. See also Bell, M., 5=6227;

Burren, J.W., 9=3589; King, N.M., 8=5974; Taylor, R., 8=5978

Walkinshaw, W. and King, N.M. Linear dynamics in spiral ridge cyclotron design, 7=7166

Walkley, S. and Hildebrand, J.H. Partial vapor pressure and entropy of solution of iodine, 9=10918

Wall, F.T. and Berkowitz, J. Numerical solution to the Poisson–Boltzmann equation for spherical polyelectrolyte molecules, 7=4018

Wall, F.T. and Erpenbeck, J.J. New method for the statistical computation of polymer dimensions, 9=7479. Statistical computation of radii of gyration and mean internal dimensions of polymer molecules, 9=7480

Wall, F.T. and Gill, S.J. Conduction of polyelectrolytes under pressure, 5=1315. Transference numbers of electrolytes under pressure, 5=5039

Wall, F.T., Hiller, L.A., Jr and Atchison, W.F. Statistical computation of mean dimensions of macromolecules. II, 5=6375; III, 6=3909. Statistical computation of mean dimensions of polymer molecules. IV, 7=8084

Wall, F.T., Hiller, L.A., Jr and Mazur, J. Statistical computation of reaction probabilities, 9=894

Wall, F.T., Rubin, R.J. and Isaacson, L.M. Improved statistical method for computing mean dimensions of polymer molecules, 7=8085

Wall, F.T. and Wendt, R.C. Determination of differential diffusion coefficients, 9=7840

Wall, L.A. See also Simha, R., 9=6340

Wall, L.A., Brown, D.W. and Florin, R.E. Electron spin resonance spectra from gamma-irradiated solid nitrogen, 9=7180

Wall, N.S. Proton angular distributions from deuteron bombardment of Bi^{209}, Pb^{207}, and Y^{89}, 5=1193. Neutron binding energies from (d, p) Q values, 5=1203. See also Bromley, D.A., 6=646, 6153; Hunting, C.E., 8=2569; Rasmussen, V.K., 5=2149; Swenson, L.W., 8=6208; Waldorf, W.F., 7=9875

Wall, N.S., Rees, J.R. and Ford, K.W. Elastic scattering of 22-MeV alpha particles, 5=3089

Wall, R.A. See Sauer, J.A., 9=4030; Woodward, A.E., 9=7474

Wallace, A.A. See Cooper, R., 7=2166, 4302

Wallace, C.S. See also Brennan, M.H., 9=2462-4; O'Brien, B.J., 6=6663, 9=301

Wallace, C.S., Winn, M.M. and Ogilvie, K.W. Dependence of the nucleonic component of cosmic ray air showers on radius, 9=3615

Wallace, J. See Page, L.A., 5=7343

Wallace, J.B.G. See Martin, V.M., 9=1812

Wallace, J.D., Brown, J.R., Jr, Lewis, D.H. and Deitz, G.W. Acoustic mapping within the heart, 7=4925

Wallace, J.D., Brown, J.R., Jr, Lewis, D.H., Deitz, G.W., III, and Ertugrul, A. Intracardiac acoustics, 9=7898

Wallace, L.V. and Nicholls, R.W. The interpretation of intensity distributions in the N_2 second positive and N_2^+ first negative band systems, 5=9551

Wallace, P.R. Annihilation of positrons in condensed materials, 6=636. A modification of the one-particle formula for nuclear gamma-radiation, 6=2366

Wallace, R. See Brabant, J.M., 6=3785, 5977, 7=8140; Hess, W.N., 7=9733

Wallace, R.W. See Atkinson, J.H., 9=6138; Brabant, J.M., 7=8811

Wallace, W.A. See Fox, F.E., 5=1621

Wallace, W.E. Bonding in the zinc family metals, 6=1413. See also Aven, M.H., 6=5823, 8153; Bergenlid, U.M., 7=7070; Brotherton, T.D., 7=4271; Waite, T.R., 6=5439, 7=2145

Wallach, M.L. See Heller, W., 9=5595

Wallauschek, E. On unipolar conductivity at the junction semiconductor-metal. (Conductivity measurements on silver iodide,) 6=361

Walle, R. Van de. See Van de Walle, R.

Wallenmeyer, W.A. Meson production in n-p collisions at cosmotron energies, 7=3733. See also Kerst, D.W., 9=11148

Waller, C. Photographic emulsions for nuclear research 6=9164. See also Swinnerton, A.J., 9=14005

Waller, M.D. Powder ridges in a sound field, 5=143. Vibrating plate method of producing powder ridges in a sound field, 5=799. Symmetry of vibrating square membrane, 5=1602. Note on surface vibrations of a circumscribed liquid, 5=1603. Critical review of earlier Chladni figures, 5=3500. A study of powder and granular ridges in a sound field, 5=7791. Air circulations about a vibrating plate, 5=9488. On powder striations produced by electric sparks, 6=6467. Interpreting Chladni figures, 7=5934

Wallick, G.C. and Jenkins, R. Analysis of short-time tracer injection in underground formations, 5=2326

Wallin, L.E. and Lundén, A. Self diffusion of zinc in molten zinc bromide, 9=11901

Wallin, W. Wave synthesizing light chopper, 5=4583

Walling, J.F. and Halsey, G.D., Jr. Exact lattice-cluster expansion for the frost points of argon–krypton gas mixtures, 9=6842

Wallis, G. Optical and electrical measurements on caesium-antimony films of differing composition, 6=7296. Calculation of the centre–edge variations and of the one-dimensional intensity profiles at $\lambda = 20$ cm and $\lambda = 60$ cm for a rotation-symmetrical constant-temperature corona model, 9=5309. See also Clerc, H.G., 7=9182, 9=3456; Wang, S., 7=4339, 8=3111, 9=6950

Wallis, G. and Farnsworth, H.E. Effect of strain on the work function of polycrystalline silver, 6=5139

Wallis, G. and Wang, S. Effect of various etches on recombination centers at germanium surfaces, 9=5697

Wallis, M.C. See Herman, R., 6=6255

Wallis, R.F. Molecular orbitals for the hydrogen molecule ground state, 5=8143. Effect of free ends on the vibration frequencies of one-dimensional lattices, 7=4865. Theory of cyclotron-resonance absorption by conduction electrons in indium antimonide, 8=5892. See also Burstein, E., 9=4570, 5677; Herman, R., 5=5317, 8395, 6=3903, 6255; Mador, I.L., 5=627; Teitler, S., 9=1095

Wallis, R.F. and Bowlden, H.J. Theory of the Zeeman effect in the photo-ionization of impurities, 9=6935. Theory of impurity photo-ionization spectrum of semiconductors in magnetic fields, 9=7946

Wallmann, J.C. See Abraham, M., 7=9334, 9=3817; See Conway, J.G., 8=6875

Walls, G.L. and Heath, G.G. Neutral points in 138 protanopes and deuteranopes, 6=7909

Walmsley, R.H. See also Blakewood, C.H., 7=2135; Donnelly, R.J., 6=3684

Walmsley, R.H. and Lane, C.T. Angular momentum of liquid helium, 9=2278

Walnut, T.H. Theoretical investigation of vibrational frequency distributions for molecular crystals having the cyanogen iodide structure, 7=3490. On the use of harmonic oscillator wave functions in the treatment of anharmonic crystals, 9=10249

Waloschek, P. See Bhowmik, B., 7=8866; Biswas, N.N., 6=5407, 57722;* 7=741, 3722, 8873; Borelli, V., 9=2556; Eisler, F., 8=1208, 1212,* 9=2662, 2667; Gottstein, K., 6=4657; Lohrmann, E., 8=1199

Walraven, P.L. Recognition of light signals, 7=973. See also Bouman, M.A., 8=1391

Walraven, P.L., Leebeek, H.J. and Bouman, M.A. Some measurements about the fusion frequency of colours, 9=7701

Walsh, A. See Andrews, E.H., 8=5502; Booker, C.J.L., 5=9176, 7=9427

Walsh, D. The measurement of space charge wavelength in an electron beam, 7=4432. See Spitzer, W.G., 9=4449

Walsh, D. and Brown, R.H. A radio survey of the great loop in Cygnus, 5=5825

Walsh, D.E. See Bozorth, R.M., 6=7518, 8=236, 9=8291

Walsh, J.L. See Haskins, J.F., 8=2882

Walsh, J.M. See also Rice, M.H., 7=5290

Walsh, J.M. and Christian, R.H. Equation of state of metals from shock wave measurements, 5=4999

Walsh, J.M. and Rice, M.H. Dynamic compression of liquids from measurements on strong shock waves, 7=5099

Walsh, J.M., Rice, M.H., McQueen, R.G. and Yarger, F.L. Shock-wave compressions of twenty-seven metals. Equations of state of metals, 8=6744

Walsh, J.R. See Craig, D.P., 5=178, 6=3616, 7=5986; Stroud, W.G., 5=6643

Walsh, P.J. Diffusion of light in frosted and silica-coated incandescent lamps, 7=1189. Imprisonment of resonance radiation in a gaseous discharge, 8=563. See also Steele, H.L., Jr., 5=2777

Walsh, P.N. See White, D., 8=6820

Walsh, T.R. The optical design of beam matching systems, 9=3590

Walsh, V. See Kouts, H., 7=739

Walsh, W.M., Jr. Stress and temperature dependence of the para-magnetic resonance spectrum of nickel fluosilicate, 9=11247. Pressure dependence of the paramagnetic resonance spectra of two dilute chromium salts, 9=12470

Walsh, W.M., Jr and Bloembergen, N. Paramagnetic resonance of nickel fluosilicate under high hydrostatic pressure, 8=409

Walsh, W.P. See Gilman, J.J., 8=9119

Walshaw, C.D. Line widths in the $9.6\ \mu$ band of ozone, 5=5999. Integrated absorption by the $9.6\ \mu$ band of ozone, 8=2965

Walshaw, C.D. and Goody, R.M. An experimental investigation of the $9.6\ \mu$ band of ozone in the solar spectrum, 7=939

Walske, M.C. Stopping power of L-electrons, 6=2195

Walt, M. See also Beyster, J.R., 7=2675; Imhof, W.L., 9=10131; Thomas, R.G., 6=1593

Walt, M. and Beyster, J.R. Interaction of 4.1-MeV neutrons with nuclei, 5=5643

Walt, N.T. van der. See van der Walt, N.T.

Walt, R. Van Der. See Van Der Walt, R.

Walter, A.J. See Hall, G.R., 7=1387

Walter, H. Scattered light intensities from large spherical particles, 7=6072. Theoretical explanation of gegenschein due to light scattering by spherical particles, 8=7656. Scattered light intensity of large spherical particles. II, 9=10878

Walter, J.L. See also Dunn, C.G., 9=8876

Walter, J.L., Hibbard, W.R., Fieldler, H.C., Grenoble, H.E., Pry, R.H. and Frischmann, P.G. Magnetic properties of cube textured silicon-iron magnetic sheet, 8=8894

Walter, M. See Gribi, M., 9=13406; Heinrich, F., 6=5392

Walter, N.M. See Keith, H.D., 9=13957

Walter, R.I. See also Gilliam, O.R., 6=481

Walter, R.I., Codrington, R.S., D'Adamo, A.F., Jr and Torrey, H.C. Influence of molecular structure on paramagnetic resonance line widths, 6=7532

Walter, W. Grey. Colour illusions and aberrations during stimulation by flickering light, 6=5575

Walters, A.E. See Fenstermacher, C.A., 8=4301

Walters, G.K. See also Fairbank, W.M., 9=5943

Walters, G.K. and Fairbank, W.M. Phase separation in He^3-He^4 solutions, 6=8737. Nuclear resonance experiments on pure He^3 under pressure, 6=8738

Walters, R. See Hopkins, R.E., 5=5969

Walther, A. See van Heel, A.C.S., 9=5590

Walther, G. See Seith, W., 6=1640

Walther, H. Condensation of mercury vapour on cooled surfaces, 8=8729. See also Hohmann, H., 9=12706

Walther, K. Electrical analogues of acoustic relaxation phenomena, 9=1188. Polarization dependence and angular distribution of the reflection coefficient of absorbers for electromagnetic centimetre waves, 9=7214

Walton, A.K. and Moss, T.S. The theory of electrical and photoelectric effects for three carriers in a magnetic field, 9=7009. Free-carrier Faraday effect in n-type germanium 9=10996. The influence of fast holes on the photoelectromagnetic effect in germanium, 9=12307

Walton, E.T.S. High-order focusing by a uniform magnetic field with straight-line boundaries, 5=3829

Walton, G.F. Atmospheric scattering and absorption of ultraviolet sunlight, 5=4235. The relation between an umkehr curve and the vertical distribution of atmospheric ozone, 7=8310

Walton, J.R. See Ghiorso, A., 8=6236-7; Rosenstock, H.M., 6=2520

Walton, R.B. See also Allen, R.C., 7=2669; Darden, S.E., 6=1600; Thomas, R.G., 6=1593

Walton, R.B., Clement, J.D. and Boreli, F. Interaction of neutrons with oxygen and a study of the $C^{13}(\alpha, n)O^{16}$ reaction, 8=344

Walton, S. See Lees, J., 6=2097, 3733

Walton, W.H. Theory of size classification of airborne dust clouds by elutriation, 5=1260. Survey of the automatic counting and sizing of particles, 5=1266. See also Hamilton, R.J., 5=1269

Walz, K. See Kossel, W., 5=8377

Wanchoo, V.N. See Katti, P.K., 5=6056

Wandel, C.F. See Lane, A.M., 5=8987

Wanders, G. Nonrelativistic limit of a Bethe-Salpeter equation, 7=1927, 9521. See also Stueckelberg, E.C.G., 5=1513, 6740, 9439

Wanders, G. and Ruegg, H. Charge distribution of a bound state in the Bethe-Salpeter formalism, 8=6637

Wang, C.-M. See Kê, T.-S., 7=1683; Wu, T.-L., 9=5196

Wang, H.E. See Kestin, J., 8=6717

Wang, I.-T. and Wu, T.-Y. Note on time-dependent perturbation theory, 9=3137

Wang, J.H. Effect of ions on the self-diffusion and structure of water in aqueous electrolytic solutions, 5=786. Theory of the self-diffusion of water in protein solutions. A new method for studying the hydration and shape of protein molecules, 5=1585. See also Corbett, J.W., 6=8027

Wang, K.-C. See Cheng, J.-C., 9=3798

Wang, P. Etching of germanium and silicon, 9=927

Wang, S. See also Wallis, G., 9=5697

Wang, S. and Wallis, G. Field effect on an illuminated Ge surface and investigation of the surface recombination process, 7=4339. Recombination centers and fast states on unstable germanium surfaces, 8=3111. Recombination centers on ion-bombarded and vacuum heat-treated germanium surfaces, 9=6950

Wang, S.C. See Fricker, S.J., 8=5556

Wang, T.-C. Pure nuclear quadrupole spectra of chlorine and antimony isotopes in solids, 5=8134. See also Shimoda, K., 6=1082, 5768

Wang, T.M., Hsu, H.C. and Chang, T.S. A new approximate method of constructing configurational partition functions of cooperative assemblies, 8=6441

Wang, W.S-Y. See also Peterson, G.E., 9=1217

Wang, W.S.-Y. and Peterson, G.E. Segment inventory for speech synthesis, 9=1218

Wang, Y. Wave functions and polarization states of a two-photon system, 9=9943. See also Green, L.C., 9=6158

Wang Shou Feng. See Barashenkov, V.S., 9=3886

Wangsness, R.K. Possibility of the observation of exchange resonance near a ferrimagnetic compensation point, 5=3878. Magnetic resonance for arbitrary field strengths, 5=7178. Ferrimagnetic resonance and some related effects, 6=1365. Magnetic resonance and the principle of minimum entropy production, 6=2993. Magnetic resonance and minimum entropy production. Macroscopic equations of motion, 7=2459. Effective parameters in ferrimagnetic resonance, 9=3627. Effective ferrimagnetic resonance parameters with Gilbert-type relaxation terms, 9=5904. See also Eskowitz, A., 8=650

Wanic, A. See Budzanowski, A., 7=9297

Waniek, L. The influence of pressure on the sensitivity of a photographic emulsion, 6=9161

Waniek, R.W. See Beghian, L.E., 8=7298; Culler, V., 5=8259; Furth, H.P., 6=4143, 6789, 7=1288, 8=6058; Matitsch, T., 9=3588; Silver, E.G., 5=1434

Wänke, H. Scandium-45 as a reaction product of high-energy particles in iron meteorites. I, 9=4213. See also Ebert, K.H., 9=5314, 6354

Hernegger, F., 9=5313

Wänke, H. and Hintenberger, H. Helium and neon as reaction products of high energy particles in iron meteorites, 9=5315

Wänke, H. and Monse, E.U. Scintillation counting of the (n, α) or (n, f) reaction for the isotopic analysis of lithium, boron and uranium, 6=1499

Wanklyn, J.N. Use of capacity measurements for the study of oxide films on metals, 6=6212

Wanless, R.K. and Thode, H.G. The fission yields of isotopes of xenon and krypton in the neutron fission of U^{235} and U^{238}, 5=9110

Wanmaker, W.L. Contribution to the chemistry of calcium halophosphates, 7=4183

Wanmaker, W.L., Hoekstra, A.H. and Tak, M.G.A. The preparation of calcium halophosphate, 5=3625

Wanner, M. Steady unidimensional flow properties of any gas in a blast pipe (tuyère), of variable cross-section or not, with exchange of heat and dissipation of energy due to viscosity, 7=5117

Wannier, G.H. Threshold law for multiple ionization, 6=440. Possibility of a Zener effect, 6=2269

Wansinki, D.H.N. Calculation of thermodynamic quantities of ^{3}He-^{4}He mixtures from the vapour pressure at temperatures between 1.2 and 1.9°K, 7=8561. The phase separation of ^{3}He-^{4}He mixtures, 8=5844. See also Dokoupil, Z., 5=2679; Taconis, K.W., 9=2276

Wansinki, D.H.N. and Taconis, K.W. The osmotic pressure of liquid ^{3}He-^{4}He mixtures at temperatures below the lambda-point, 7=8560. The flow properties of pure ^{4}He and of ^{3}He-^{4}He mixtures at temperatures below the lambda-

point, 7=8567.

Wansinki, D.H.N., Taconis, K.W. and Staas, F.A. The distribution coefficient of ^{3}He-^{4}He mixtures of low concentration at temperatures between 1.2 and 2°K, 6=5818

Wansinki, D.H.N., Taconis, K.W., Staas, F.A. and Reuss, J. Flow of helium II through narrow slits, 5=8707

Wantosch, H. See Böer, K.W., 9=11038

Wapstra, A.H. Isotopic masses. I. $A < 34$, 5=6404; II. $33 < A < 202$, 5=6405; Shape factors for first forbidden non-unique beta transitions, 9=8536. See also Andersson, G. 5=4009; Aten, A.H.W. Jr., 6=3936; Bergkvist, K.E., 5=4008; Bergström, I., 5=4007; Boehm, F., 8=748-50, 5314; Kohman, T.P., 8=4366, 7429; Konijn, J., 9=3859; Nijgh, G.J., 9=8555, 8558; Nordling, C., 7=4668; Nussbaum, R.H., 5=478, 4912; 6=3143; Sterk, M.J., 5=6429; van Nooijen, B., 7=9370 8=3329, 4304

Wapstra, A.H. and Nijgh, G.J. The ratio of gravitational to kinetic mass for the constituents of matter, 6=3459. Indications for a strong influence of the nuclear size of magnetic dipole conversion coefficients, 6=8362

Wapstra, A.H., Nijgh, G.J., Salomons-Grobben, N. and Ornstein, L.T.M. Conversion coefficients of gamma transitions in Hg^{198}, 9=8556

Wapstra, A.H. and van der Eijk, W. The decay of ^{109}Cd, ^{109}Ag and ^{109}Pd, 8=5302

Warburton, B. See Corran, P.G., 8=2006

Warburton, E.K. Gamma-transitions in self-conjugate nuclei, 8=7352. Inhibition of magnetic dipole radiation and the identification of $T = 1$ states in light, self-conjugate nuclei, 9=4975. See also McGruer, J.N., 6=1571; Rose, H.J., 8=1912

Warburton, E.K. and McGruer, J.N. Deuteron-induced reactions from N^{14}, N^{15}, and He^4, 7=3653

Warburton, E.K. and Rose, H.J. Gamma rays from C^{13} + d and the excited states of C^{14}, 8=8304

Warburton, E.K., Rose, H.J. and Hatch, E.N. C^{13}(p, γ)N^{14} 1.47 and 2.11 MeV resonances and the odd-parity levels of mass 14, 9=7342

Warburton, J.A. See Christiansen, W.N., 5=6695, 6=4777, 8=4631

Ward, A. See also Robertson, J.C., 9=9898; Storey, R.S., 8=4892

Ward, A. and Grant, P.J. The reaction ^{11}B(d, n)^{12}C, 5=8245

Ward, A.F.H. and Lord, P. A new self-recording rheogoniometer, 7=9027

Ward, A.G. The problem of flux instability in large power reactors, 7=7403

Ward, A.L. Effect of space charge in cold-cathode gas discharges, 9=4657

Ward, A.L. and Krumbein, A.D. Some characteristics of chlorine quenched Geiger-Mueller counters, 5=5468

Ward, I.M. Nuclear magnetic relaxation in polyethylene deuteroterephthalate, 9=13479. See also Griffiths, J.H.E. 5=5710; Owen, J., 6=5314

Ward, J.C. Measurements on ultra-violet dichroism, 5=2616. See also Montroll, E.W., 8=5665, 9=3162; Potts, R.B., 5=10065; Salam, A., 9=5358

Ward, J.O. See Carrison, W.M., 8=2698

Ward, L. The variation with temperature of the spectral emissivities of iron, nickel and cobalt, 6=4967. The temperature coefficient of reflectivity of nickel, 7=8537

Ward, R.L. Electron spin resonance of nitrobenzene negative ion, 9=7448. See also Tuttle, T.R., Jr, 6=8904

Ward, R.L. and Klein, M.P. Electron spin resonance of N^{15}-nitrobenzene negative ion, 8=2615

Ward, S. See Thonemann, P.C., 8=773

Ward, S.G. See Gurel, S., 5=3479; Higginbotham, G.H., 9=80; Rose, G.S., 7=7077

Ward, S.H. Unique determination of conductivity, susceptibility, size, and depth in multifrequency electromagnetic exploration, 9=11641

Ward, T.J. See Mihelich, J.W., 6=8947

Ward, W.D. Tonal monaural diplacusis, 5=4259. Method of "single descent" in group audiometry, 7=5780. Hearing of Naval aircraft maintenance personnel, 8=1400

Ward, W.D., Glorig, A. and Sklar, D.L. Dependence of temporary threshold shift at 4 kc on intensity and time, 9=4175. Temporary threshold shift from octave-band noise: applications to damage-risk criteria, 9=7711. Relation between recovery from temporary threshold shift and duration of exposure, 9=7712. Temporary threshold shift produced by intermittent exposure to noise, 9=10473. Susceptibility and sex, 9=11689

Ward, W.H. Two portable thermistor radiometers, 7=9473

Ward, W.M. See White, J.U., 9=1276, 9411

Wardakee, A.K. New lines in the spectrum of neutral titanium (Ti I), 5=5985

Wardle, G. See Thomson, S.J., 5=1285

Wardzyński, W. The influence of ultra-violet irradiation on the absorption in the infra-red region of KBr and KI crystals with anionic impurities, 5=8392

Ware, A.A. New investigations with Sceptre III. Positive ion heating mechanism in Sceptre III, 9=3950. Sceptre IIIA, 9=5083. See also Allen, N.L., 8=775

Warekois, E.P. and Metzger, P.H. X-ray method for the differentiation of {111} surfaces in A^{iii}B^{v} semiconducting compounds, 9=9033

Warf, J.C. See Korst, W.L., 7=900

Warga, J. and Lifson, S. Screened interactions of neighbor ions and symmetry properties of titration curves in polyelectrolytes, 8=8622

Wargo, P., Haxby, B.V. and Shepherd, W.G. Preparation and properties of thin film MgO secondary emitters, 7=1377

Wargo, P. and Shepherd, W.G. Electron-bombardment-induced dissociation of alkaline earth oxides, 7=6668

Warhanek, H., The 4.77 MeV level in boron 10, 7=8779. See also Matitsch, T., 9=3588; Weinzierl, P., 9=3705

Waring, C.E. See Slowinski, E.J., Jr, 8=67

Waring, R.K. See Jarrett, H.S., 9=2499

Waring, R.K., Jr. Helium film transfer rate from 0.14 to 2.19°K, 6=293

Waring, S. See Green, G.W., 7=3425

Waring, W. New solutions to the diffusion equation, 9=12812. See also Wolsky, S.P., 7=9185

Waring, W., Pitman, D.T. and Steele, S.R. Germanium arsenide as diffusion surface compound, 8=8455

Wark, D.Q. A determination of the line width of the λ 6300 line of oxygen in the twilight sky, 7=2872

Wark, D.Q. and Stone, J.M. Measurement of the Doppler width of the λ 5577 line in the night sky, 5=4238

Warke, C.S. See also Abraham, G., 9=1724

Warke, C.S. and Abraham, G. Holes in the 1p shell in the unified model, 9=8499

Warmoltz, N. See also Bouwmeester, E., 6=126; Opstelten, J.J., 5=7728, 7=1097; van Wieringen, A., 7=8903

Warmoltz, N. and Schampers, P.P.M. A pocket dosemeter, with built-in charger, for X-radiation and gamma radiation, 5=5473

Warneck, P. See Beckey, H.D., 5=4885; Kistiakowsky, G.B., 8=6809

Warnecke, R. See also Leboutet, H., 8=4059

Warnecke, R., Leboutet, H. and Vincent, G. On travelling-wave electron accelerators incorporating their own high-frequency energy source, 8=4058

Warnecke, R.J., Jr. The Omegatron and its applications, 7=8662

Warnecke, R.R. and Dolique, J.M. On the equations of two-body collisions, 8=4740

Warner, A.G. See Kuhn, H.G., 8=4862

Warner, A.W. See Bömmel, H.E., 6=4091

Warner, A.W., Jr. See Bömmel, H.E., 6=797

Warner, C., III. Strong interactions and associated production, 9=538

Warner, R.E. and Alford, W.P. Polarization of 6- and 7-MeV protons elastically scattered by nuclei, 9=10097

Warns, O. The intelligibility of synthetic language, 7=8487

Warren, B. See Knight, J.D., 9=1782

Warren, B.E. A generalized treatment of cold work in powder patterns, 5=9269. Powder pattern diffuse intensities from multiple scattering, 9=9019. See also Authier, A., 7=2841; Borie, B., 7=3758; Despujols, J., 9=1909; Guentert, O.J., 9=865; Houska, C.R., 5=1366

Warren, C.W. See Royer, G.L., 5=6887

Warren, G.W. See Fink, R.W., 6=6875

Warren, J. See Chackett, G.A., 6=2401; Symonds, J.L., 8=757

Warren, J.B. See also Chadwick, G.B., 6=3965; Griffiths, G.M., 5=9076, 9=9895; James, D.B., 5=5470; Singh, P.P., 9=10104; Jones, G., 7=459, 3386; Neilson, G.C., 7=1601; Sample, J.T., 5=7404, 6=1538

Warren, J.B., Alexander, T.K. and Chadwick, G.B. Reaction Li^6(p, γ)Be^7, 6=3201

Warren, J.B. and Argyle, P.E. The integrating exposure meter

of the Dominion Astrophysical Observatory, 8=6576
Warren, J.L. See Haddad, E., 9=11339
Warren, R. Field measurements in glow discharges with a refined electron beam probe and automatic recording, 5=7087. Interpretation of field measurements in the cathode region of glow discharges, 5=7088
Warren, R.F. See Thorne, R.P., 8=3881
Warren, R.M. and Warren, R.P. Basis for judgments of relative brightness, 8=5563
Warren, R.P. See Warren, R.M., 8=5563
Warren, R.W. Measurement of electric fields as applied to glow discharges, 5=9687
Warschauer, D.M. See also Paul, W., 9=208-9, 7964
Warschauer, D.M., and Paul, W. High-pressure techniques, 9=1915
Warshaw, S.D. Formation of positronium in solids, 7=1576. Angular correlation of positron annihilation in Teflon, 8=8217. See also Rosenfeld, A.H., 6=6901. Telegdi, V.L., 7=2615
Wartburg, R. von. See von Wartburg, R.
Wartenberg, H. v. See v. Wartenberg, H.
Warwick, C.S. Flare height and association with SID's, 5=4301
Warwick, J.W. Magnetic intensification and the sunspot curve of growth, 5=3401. Heights of solar flares, 5=4300. Formation of absorption lines, 5=5314. Absorption of cosmic radio noise during the great aurora of 11 February 1958, 8=4635. Flare-connected prominences, 8=4656. Formation of absorption lines in a sunspot, 8=4663
Warwick, J.W. and Zirin, H. Rocket observation of X-ray emission in a solar flare, 8=15
Warzée, J. The integral equation of darkening from the centre to the limb of the sun, 5=6698. The integro-exponential functions and the integral equation of centre-limb darkening of the sun, 5=9367. Contribution to Milne's problem in the case of a grey body, 7=2951
Waser, J. Fourier transforms and scattering intensities of tubular objects, 5=4198. Symmetry relations between structure factors, 6=814. The anisotropic temperature factor in triclinic coordinates, 6=4101. See also Schomaker, V., 9=13917
Washburn, J. and Nadeau, J. On the formation of dislocation substructure during growth of a crystal from its melt, 9=11550
Washburn, W.H. and Mahoney, M.J. Near infrared spectra with sodium chloride optics, 9=1257
Washer, F.E. Instrument for measuring the marginal power of spectacle lenses, 5=8682. Optical T-bench method of measuring longitudinal spherical aberration, 9=3262
Washer, F.E. and Darling, W.R. Marginal performance of corrected ophthalmic lenses, 9=2195. Factors affecting the accuracy of distortion measurements made on the nodal slide optical bench, 9=6685
Washer, F.E., Tayman, W.P. and Darling, W.R. Evaluation of lens distortion by visual and photographic methods, 9=5488
Washtell, C.C.H. See Perry, K.E.G., 6=8360
Wasilik, J.H. Anisotropic relaxation peak in the internal friction of crystalline quartz, 7=4809. See also Cook, R.K., 6=7753
Wasilik, J.H. and Flippen, R.B. Piezoelectric effect in indium antimonide, 9=284
Wassberg, G. and Siegbahn, K. Small-angle scattering of X-rays, 9=8199
Wasscher, J.D. See van der Marel, L.C., 6=3000. Wucher, J., 5=2686
Wassef, E.G.T. Application of the binocular matching method to the study of the subjective appearance of surface colours, 6=277
Wassenaar, T. See Michels, A., 5=3703, 6=3697, 7=8570
Wasserburg, G.J. See also Wetherill, G.W., 6=8344
Wasserburg, G.J. and Hayden, R.J. Age of meteorites by the A^{40}-K^{40} method, 5=2327. Time interval between nucleogenesis and the formation of meteorites, 5=8448
Wasserman, E. and Davis, R.E. On the identity of the green forms of bianthrone, 9=8755
Wasserrab, T. The positive column in discharges carrying varying currents, 5=7081
Wataghin, A. On the anelasticity of cosmic ray jets, 7=523. See also Lannutti, J.E., 9=552
Wataghin, A., Alexander, G. and Johnston, R.H.W. A search for the existence of asymmetries in positive K-meson decay, 8=5237
Wataghin, G. On non-local fields, 5=35. On the quantum theory of non-local interactions, 5=5220. On a non-local relativistic quantum theory of fields. I, 7=7576. Causality, complementarity and S-matrix formalism in 4 non-local relativistic theories of fields, 8=7688. See also Colombino, P., 5=2209; 6265; Debenedetti, A., 5=2841; 6=5196
Wataghin, V. See Erdös, P., 5=1207; Fubini, S., 8=6174
Watanabe, D. Electron diffraction study on thin alloy films of aluminium-silver system, 7=3760. On the superstructure of the ordered alloy Cu_2Pd. III. High temperature electron diffraction study, 9=11593. On the superstructure of the alloy Au_3 Mn, 9=11638. See also Fujita, F.E., 6=5450; Fujiwara, K., 9=9026; Ogawa, S., 5=7420, 9=8906
Watanabe, D. and Ogawa, S. On the superstructure of the ordered alloy Cu_3Pd. 1. Electron diffraction study, 6=4112
Watanabe, H. Energy losses of electrons passing through an MgO foil, 5=328. Collective electron ferromagnetism and the paramagnetism of cobalt alloys, 5=1981. On the velocity analysis of electrons scattered by thin foils, 5=2789 Multiple lines in the energy spectrum of electrons passing through an Mg foil, 5=6215. Energy analysis of electron diffraction patterns, 5=7109. The temperature dependence of susceptibilities of ferrites on the basis of the theory of ferrimagnetism, 5=9391. Energy analysis of Kikuchi lines, 6=1754. Experimental evidence for the collective nature of the characteristic energy loss of electrons in solids—studies on the dispersion relation of plasma frequency, 6=2177. Magnetic properties of perovskites containing strontium. I. Strontium-rich ferrites and cobaltites, 8=8129. Thermo-remanent magnetism in the systems La_2O_3-Fe_2O_3 and Nd_2O_3-Fe_2O_3, 9=12463. See also Marton, L., 9=522; Ueta, M., 9=10240; Yuzuri, M., 8=6039
Watanabe, H. and Morito, N. The measurement of the chromatic aberration constant of magnetic lenses, 5=7104
Watanabe, I. On the renormalization of Heisenberg treatment, 6=6391
Watanabe, K. Ionization potentials of some molecules, 7=5418. See also Higashi, S., 5=2845, 7=3422, 7201, 8703-4, 9=12424; Lowrey, A., III, 8=8696; Nakayama, T., 9=7118; Sakai, H., 7=7189
Watanabe, K. and Marmo, F.F. Photoionization and total absorption cross section of gases. II. O_2 and N_2 in the region 850-1500 A, 7=4488
Watanabe, K., Marmo, F.F. and Pressman, J. Formation of the lower ionosphere, 8=4565
Watanabe, K. and Mottl, J.R. Ionization potentials of ammonia and some amines, 7=9247
Watanabe, K. and Nakayama, T. Absorption and photoionization coefficients of furan vapor, 9=206
Watanabe, K. and Namioka, T. Ionization potential of propyne, 6=5184
Watanabe, M. Submicroscopic topography of oxidized surface of stibnite and etched surface of zincblende, 9=8918. See also Yamashita, J., 5=3722
Watanabe, S. Symmetry of physical laws. I. Symmetry in space-time and balance theorems, 5=3407; II. Q-number theory of space-time inversions and charge conjugation, 5=3408; III. Prediction and retrodiction, 5=5848. Mass reversal and space time inversions, 7=80. Symmetry in time and Tanikawa's method of superquantization in regard to negative energy fields, 7=5828. Chirality of K particle, 7=7409. Polarization of H particles of spin and elastic scattering on spin-zero nuclei at low energies, 7=7612. "Handed" particle of spin ½ with finite mass, 7=8391. On a determination of the characteristic parameters of a nuclear resonance level. I, 7=9323. High energy scattering of deuterons by complex nuclei, 9=1688. Geometrical generalization of γ_5-invariance, 9=10574. See also de Toledo, P.S., 9=644; Horie, T., 9=12743; Odajima, A., 9=9838; Sawicki, J., 9=7256; Tanikawa, Y., 8=6624, 9=5359
Watanabe, S. and Oleson, N.L. Traveling density waves in positive columns, 6=4522
Watanabe, T. Input limit of anticathode-material in X-ray tube, 9=3545. A remark on the chemical kinetics in polymers during irradiation, 9=5226. Diffusion processes in polymers under irradiation; polyvinyl alcohol and CCl_4 system, 9=11585 See also Inokuti, M., 9=5168; Kato, Y., 9=4123; Parratt, L.G., 9=8197
Watanabe, T. and Haseda, T. Anomalous magnetic behaviour in a single crystal of $Cu(NH_3)_4SO_4.H_2O$ at liquid helium temperatures, 9=8280
Watanabe, Y. On the analysis for the proper field of a nucleon, 6=6367. On the electron diffraction patterns from the oriented silver films, 6=7752. A classical theory of the

collective description, 7=5888. Constraint in a quantum system, 7=5889. Electron multiplication in germanium and silicon, 8=1055. See also Ito, D., 6=6366
Watanabe, Y. and Kobayashi, H. On the ion sheath in plasma of an appreciably high pressure, 5=1875
Watanabe, Y., Kobayashi, H. and Mitsui, K. Measurement of ion sheath in mercury vapor discharge at various pressures, 5=9678
Watari, T. See Kurata, M., 5=6589
Watari, W. See Iwadare, J., 7=108, 2991, 6896-8; Kajikawa, R., 7=6554; Matsumoto, M., 5=3442; Suekane, S., 7=608; Tani, S., 6=6374
Watase, Y. See also Fukui, S., 9=4927; Higashi, S., 7=3422, 7201, 8703-4, 9=12424
Watase, Y., Fukui, S., Higashino, I., Suga, K., Hinotani, K., Mitani, S., Murata, Y., Tanaka, Y. and Miyamoto, S. Research on cosmic rays—history and results of research on cosmic rays at the cosmic ray laboratory at Osaka University, 8=1747
Watase, Y., Suga, K., Tanaka, Y. and Mitani, S. On the production of mesons in hydrogen and carbon above 10 GeV, 6=3287
Waterhouse, R.V. Interference patterns in reverberant sound fields, 5=4485. On standard methods of measurement in architectural acoustics, 7=9051. Output of a sound source in a reverberation chamber and other reflecting environments, 8=3824. See also Cook, R.K., 6=1008; Ingard, K.U., 9=2186
Waterhouse, R.V. and Berendt, R.D. Reverberation chamber study of the sound power output of subsonic air jets, 8=2918
Waterhouse, R.V. and Cook, R.K. New method of recording the sound transmission loss of walls as a continuous function of frequency, 5=9520
Waterhouse, R.V., Cook, R.K. and Berendt, R.D. Measurement on sound absorbers for jet-engine test cells, 6=7241
Waterman, H.H. and Volkoff, G.M. Nuclear magnetic resonance spectrum of B^{11} in kernite, 5=5740
Waterman, H.I. and Wolfs, P.M.J. Accurate measuring of the density of solids, using helium as a gaseous medium, 7=6925
Waterman, P.C. Orientation dependent of ultrasonic attenuation in zinc, 9=148. Orientation dependence of elastic waves in single crystals, 9=5433. See also Espinola, R.P., 8=3807
Waterman, P.C. and Stern, S.A. Separation of gas mixtures in a supersonic jet, 9=10217
Waterman, P.C. and Teutonico, L.J. Ultrasonic double refraction in single crystals, 7=3099
Waterman, T.E. See also Brabets, R.I., 9=270
Waterman, T.E., Kirsh, D.P. and Brabets, R.I. Thermal conductivity of liquid ozone, 9=1362
Watermeier, L.A. Influence of hydrogen and deuterium on flame velocities of dry carbon monoxide-oxygen mixtures, 8=3940
Waters, D.G. See Jones, W.M., 8=9201
Waters, D.N. See Woodward, L.A., 7=7780
Waters, G.S. A measurement of the earth's magnetic field by nuclear induction, 6=3384
Waters, G.S. and Francis, P.D. A nuclear magnetometer, 8=3218
Waters, J.R. Photoproduction of charged π mesons from nuclei, 9=6126. See also Evans, J.E., 9=2824
Waters, J.R., Evans, J.E., Kinsey, B.B. and Williams, G.H. Spins and radiation widths of the low energy neutron resonances in tungsten, 9=13691
Waters, P.L. New types of recording differential thermobalances, 8=3550
Waters, P.M. Kinetic ejection of electrons from tungsten by cesium ions, 8=2362. Kinetic ejection of electrons from tungsten by cesium and lithium ions, 9=3565
Waters, W.E. Rippling of thin electron ribbons, 8=8026. Concerning the nature of the aberrations in electron sheet beams, 9=3567. Azimuthal electron flow in a spherical diode, 9=7071
Waterstrat, R.M. See Kasper, J.S., 6=7746, 8=2407
Waterton, P.J. See Gallop, J.W., 7=3364, 8661
Wathen-Dunn, W. and Lipke, D.W. On the power gained by clipping speech in the audio band, 8=8659
Watkins, C.D. Fluxgate recording of the transient variations in the geomagnetic field at Jodrell Bank (geomagnetic latitude 56.0°N), 9=12887. See also Dagg, M., 7=8307; Harrison, D.P., 8=9187
Watkins, D.A. Noise at the potential minimum in the high-frequency diode, 5=6248. See also Siegman, A.E., 8=7081
Watkins, G.D. Sign of the cubic field splitting for Mn^{++} in ZnS, 8=7456. Electron spin resonance of Mn^{++} in alkali chlorides: association with vacancies and impurities, 9=4823. Motion of Mn^{++}-cation vacancy pairs in NaCl: study by electron spin resonance and dielectric loss, 9=4824
Watkins, G.D., Corbett, J.W. and Walker, R.M. Spin resonance in electron irradiated silicon, 9=11243
Watkins, J. See Lynch, A.C., (Conf. rep.). 6=6762; Tombs, N.C., 7=1445, 4541
Watkins, J.M. Elastic compliance of polymethyl methacrylate, 7=797
Watkins, J.M., Spangler, R.D. and McKannan, E.C. Stress relaxation in concentrated solutions of polymethyl methacrylate: molecular weight dependence, 6=6969
Watkins, M.T. See Bishop, J.F.W., 8=3520
Watkins, T.B. Slow relaxation phenomena in junction diodes, 7=2242. 1/f noise in germanium devices, 9=2327. See also Beale, J.R.A., 9=4599
Watson, C.D. See Bresee, J.C., 7=3745
Watson, E.E. Constant current supply for the potentiometer, 9=12230
Watson, F.G. Role of science in the secondary school, 5=8459
Watson, G.S. The distribution of the ratio of two quadratic forms, 6=2609
Watson, H.H. The sampling efficiency of the thermal precipitator, 8=6431
Watson, H.H. and Mulford, D.F. A particle-profile test strip for assessing the accuracy of sizing irregularly shaped particles with a microscope, 5=1272
Watson, J.D. See Gall, D.C., 6=6763
Watson, J.H.L. Magnetic alignment of single iron particles, 8=654
Watson, J.H.L., Arrott, A. and Freeman, M.W. Effects of magnetic fields upon anisotropic iron crystals, 8=8926
Watson, J.T. See Macdonald, D.E., 6=7923
Watson, K.M. Use of the Boltzmann equation for the study of ionized gases of low density. I, 6=3555. Multiple scattering by quantum-mechanical systems, 7=3969. Applications of scattering theory to quantum statistical mechanics, 6=6387. Implications of the direct-interaction model for nuclear structure, 9=580. See also Brueckner, K.A., 6=3556; Chandrasekhar, S., 8=1784, 5068, 9=473; Elmore, W.C., 9=8249; Frank, R.M., 6=926; Glassgold, A.E., 9=4970; Karplus, R., 7=9549, 8=4225; Kraus, L., 9=2441; Mittleman, M.H., 9=5106; Riesenfeld, W.B., 6=6151, 7=1084, 8=70; Takeda, G., 5=3450
Watson, K.M., Keck, J.C., Tollestrup, A.V. and Walker, R.L. Partial wave analysis of the experimental photomeson cross sections, 6=2450
Watson, K.M. and Zemach, C. The kinematics of meson interactions within nuclei, 9=2628
Watson, L.R. and Scott, A.B. Determination of calcium in alkali halide crystals, 6=5509. Effect of divalent cations on the coagulation of F-centers in potassium chloride, 9=7518
Watson, M.B. See Eberhard, P., 9=12592
Watson, M.T., Kennedy, W.D. and Armstrong, G.M. Short-time stress relaxation behavior of plastics, 5=7439
Watson, P.G. See Dols, C.G., 8=4114
Watson, R.B. See Cho, A.C.F., 9=13127; Grannemann, W.W., 5=5527
Watson, R.E. Analytic Hartree–Fock solutions for $O^{=}$, 9=4037. See also Nesbet, R.K., 8=5428
Watson, W.K.R. See Karzas, W.J., 9=517; Norton, R.E., 8=7270
Watson, W.W. See Blais, N.C., 7=1603; Corbett, J.W., 6=1894, 8260; Moran, T.I., 8=2179, 9=2863; Schwartz, R.B., 6=3188
Watt, D.A. A.C. liquid metal pumps for laboratory use, 8=5689
Watt, D.E. See Glover, R.N., 7=4669, 9350, 9361
Watt, L.A.K. See Fowler, I.L., 9=12518; Morrish, A.H., 7=4554, 9=437
Watt, R.D. See Hernandez, H.P., 7=7983
Watt, W. See Brown, A.R.G., 6=2028
Wattenberg, A. See also Christie, E.R., 6=4028; Feld, B.T., 5=1242, 6=1624; Guernsey, J.B., 6=3237; Odian, A.C., 6=4647; Osborne, L.S., 5=3133; Weinstein, R.M., 6=662
Wattenberg, A., Odian, A.C., Stein, P.C., Wilson, H. and Weinstein, R. Momentum of nucleons in various nuclei from the high-energy photoeffect, 7=4612
Watters, B.G. Transmission loss of some masonry walls, 9=9361. See also Allen, C.H., 9=4400, 6651; Galloway, W.J., 5=4483; Kurtze, G., 9=7913
Watters, B.G., Labate, S. and Beranek, L.L. Acoustical behavior of some engine test cell structures, 5=6858
Watters, H.J. Elastic and inelastic scattering of 31.5-MeV alpha particles by light nuclei, 7=1587
Watters, R.L. See also Ludwig, G.W., 6=3732

Watters, R.L. and Ludwig, G.W. Measurement of minority carrier lifetime in silicon, 6=4402
Watts, B.N. See Cayless, M.A., 7=498; Harmer, J.D., 5=5374
Watts, H., Alder, B.J. and Hildebrand, J.H. Self-diffusion of carbon tetrachloride, isobars and isochores, 5=5264
Watts, H.V. See Reiffel, L., 5=4554
Watts, J.M. An observation of audio-frequency electromagnetic noise during a period of solar disturbance, 8=4543. Complete night of vertical-incidence ionosphere soundings covering frequency range from 50 kc/s to 25 Mc/s, 8=6541. The interpretation of night-time low-frequency ionograms, 9=3676
Watts, R.E. See Glueckauf, E., 8=5835
Wauchope, K.L. and Baird, J. The preparation of a large plutonium-beryllium neutron source, 9=12561
Waugh, D.F. Proteins and their interactions, 9=8776. Blood coagulation—a study in homeostasis, 9=10445
Waugh, J.S. Self-diffusion in solid methane, 7=6633. See also Cotton, F.A., 8=9094; 9=12753; Fessenden, R.W., 9=8367; Graham, D.M., 8=3425; Murray, G.R., Jr, 9=1831
Wax, N. Signal to noise improvement and the statistics of track populations, 5=7611. A note on design considerations for a proposed auroral radar, 7=9474. On the ring current hypothesis, 9=9099
Waxler, R.M. See also Hamilton, E.H., 9=6299
Waxler, R.M. and Napolitano, A. Relative stress-optical coefficients of some National Bureau of Standards optical glasses, 8=3007
Wayland, H. Streaming birefringence as a hydrodynamic research tool—applied to a rotating cylinder apparatus above the transition velocity, 6=953
Wayland, J.H. Flow birefringence as a technique for the study of hydrodynamic fields, 5=5909
Waylonis, J.E. See Cox, J.T., 9=9509
Wayman, P.A. Velocity ellipsoids and the gravitational potential of the galaxy, 9=6443
Waymouth, J.F. Pulse technique for probe measurements in gas discharges, 9=12318. See also Bitter, F., 7=428; Butler, K.H., 5=3604
Waymouth, J.F. and Bitter, F. Analysis of the plasma of fluorescent lamps, 6=3760. Field-induced color shift in electroluminescent zinc sulfide, 6=5798. Electroluminescence in zinc sulphide, 7=1208
Waynick, A.H. The lowest ionosphere, 5=5764. See also Gibbons, J.J., 9=7676
Weale, J.W. Alpha-gamma angular correlations and internal conversion measurements in ThCC^{11} and ThC^{1}D, 5=2134. A double γ-ray spectrometer for coincidence counting of positrons, 8=7355. See also Hyder, H.R.McK., 8=6343
Weale, R.A. Congenital achromatopsia, 5=4256. Stereoscopic acuity and convergence, 7=2899. Retinal summation and human visual thresholds, 8=1395
Weast, R.C. See Hodgman, C.D.[Eds], 6=4794
Weatherly, T.L. See also Clayton, L., 9=7467; Eagle, D.F., 9=6743
Weatherly, T.L. and Williams, Q. Microwave spectrum and molecular constants of nitrosyl bromide, 7=759
Weaver, C. See also Hill, R.M., 9=221, 6309
Weaver, C. and Benjamin, P. Measurement of the thickness of thin films by multiple-beam interference, 6=8708. Errors in the measurement of film thickness by multiple-beam interferometry, 9=1335
Weaver, C. and Hill, R.M. Ageing of evaporated aluminium films, 7=2731. Adhesion of evaporated aluminium films, 9=13829
Weaver, C., Hill, R.M. and Macleod, J.E.S. Phase changes on reflection from evaporated chromium films, 9=12146
Weaver, C.V., Smith, C.K. and Chastain, J.W. Development of a thermal-neutron flux-measuring instrument, 8=275
Weaver, E.R., Hughes, E.E. and Diniak, A.W. Determination of water vapor from the change in electrical resistance of a hydroscopic film, 8=7750
Weaver, H.E. See also Bumiller, F., 6=5380; Hornig, A.W., 5=2006, 9=1423, 7187; Piette, L.H., 8=8391, 9=9813; Rempel, R.C., 8=406
Weaver, H.E., Tolbert, B.M. and La Force, R. Observation of chemical shifts of o^{17} nuclei in various chemical environments, 6=1440
Weaver, H.E., Jr. See McConnell, H.M., 6=7784
Weaver, H.F. The K-effect in stellar motions, 7=5004
Weaver, J.L. See Engstrom, R.W., 9=11316
Weaver, J.R., Heitsch, C.W. and Parry, R.W. Dipole moment of tetraborane, 9=8761
Weaver, J.R., Shore, S.G. and Parry, R.W. Dipole moment of ammonia-borane, 9=1843
Weaver, R.S. See De Mille, G.R., 9=12624
Weaver, J.T. See Currie, B.W., 6=842
Weaver, L.A., Jr. See Harker, G.S., 6=2705
Webb, C.G. and Rajaratnam, A. A water vapour recorder for equatorial use, 6=3546
Webb, D.P.D. See Sumner, F.H., 7=7974
Webb, E.K. See Deacon, E.L., 7=5766
Webb, F.H. See also Chupp, W.W., 5=9123
Webb, F.H., Chupp, W.W., Goldhaber, G. and Goldhaber, S. Ratio of K$^-$ mass to K$^+$ mass, 6=4010
Webb, F.H., Iloff, E.L., Featherston, F.H., Chupp, W.W., Goldhaber, G. and Goldhaber, S. Properties of negative K-mesons, 8=7279
Webb, F.J. See also Butterworth, I., 7=8900
Webb, F.J. and Wilks, J. The measurement of lattice specific heats at low temperatures using a heat switch, 5=6994
Webb, J. Thermal conductivity of soil, 6=7339
Webb, J.H. Some theoretical considerations on photographic graininess and granularity, 5=7589. Ultrashort light and voltage pulses applied to silver halide crystals by turbine-driven mirror and spark-gap switch, 6=1203. See also Tyler, R.W., 5=3706
Webb, L.A. See Alger, R.S., 9=7521
Webb, M.B. See also Price, P.B., 9=10360
Webb, M.B. and Beeman, W.W. Double Bragg scattering in cold-worked metals, 9=6372
Webb, M.S.W. See Garton, W.R.S., 8=3551
Webb, P. and Neugebauer, M.K. Recording dielectric hygrometer for expired air, 5=2349
Webb, T.S. See also Hagedorn, F.B., 7=3642
Webb, T.S., Hagedorn, F.B., Fowler, W.A. and Lauritsen, C.C. Elastic scattering of protons by F^{19}, 5=8234
Webb, W. See Cutler, W.G., 6=1183, 9=1121; Griest, E.M., 9=1123; Lowitz, D.A., 9=5395
Webb, W.H. See also Halbert, M.L., 7=5615
Webb, W.H., Reynolds, H.L. and Zucker, A. Nitrogen-induced nuclear reactions in aluminum, 6=4636
Webb, W.L. and Gunn, R. The net electrification of natural cloud droplets at the earth's surface, 5=9306
Webb, W.W. See also Dragsdorf, R.D., 9=793
Webb, W.W., Dragsdorf, R.D. and Forgeng, W.D. Dislocations in whiskers, 8=403
Webb, W.W. and Forgeng, W.D. Growth and defect structure of sapphire microcrystals, 8=7594
Webb, W.W. and Riebling, E.F. On the growth of metal whiskers by hydrogen reduction of halides, 8=7596
Webb, W.W. and Stern, M. Effect of surface films on the strength of metal whiskers, 9=12839
Webber, A.C. Method for the measurement of transparency of sheet materials, 8=973
Webber, D.S. See Baker, A.N., 7=9617
Webber, R.T. Resistance minimum in magnesium: Magnetoresistance, 7=4319. See also Spohr, D.A., 7=4316
Webber, R.T. and Spohr, D.A. Thermal conductivities of pure metals at low temperatures Mercury, 7=7048
Webber, W.R. New determination of the intensities of primary cosmic ray alpha particles and Li, Be, B nuclei at λ=41.5° using a Čerenkov detector, 7=3407. See also McDonald, F.B., 9=12434
Webber, W.R. and McDonald, F.B. Determination of the intensities of low-Z components of the primary cosmic radiation at λ=41° using a Čherenkov detector, 6=1344
Webeler, R. See Allen, G., 5=8198; Barile, S., 5=1152
Webeler, R.W. See Cooper, H., 6=4417
Weber, A. See also Ferigle, S.M., 5=1722; Krupp, R.H., 6=3080; Miller, S.I., 5=2598
Weber, A. and Ferigle, S.M. Normal coordinate treatment of dimethyldiacetylene, 5=4837. Calculation of depolarization factors of the Raman lines of CCl$_3$X molecules, 6=1109
Weber, A.H. See Breen, R.J., 7=3762; Deshotels, W.J., 6=1854; O'Friel, Z., 6=1546
Weber, D. Spectral emissivity of solids in the infrared at low temperatures, 9=9367. See also Hooker, W., 7=3122
Weber, D. and Penner, S.S. Absolute intensities for the ultraviolet γ bands of NO, 7=5176
Weber, G. Photoelectric method for the measurement of the polarization of the fluorescence of solutions, 7=1200. Energy spectrum of alpha particles from Li^7 + d at

$E_d = 1.0$ MeV, 8=9053. Study of the relations between accommodation, convergence and fusion, 9=1971. See also Marion, J.B., 6=6158, 6904, 8954, 7=2641

Weber, G., Davis, L.W. and Marion, J.B. (p, d) and (p, α) reactions in Be^9, 7=2640

Weber, G. and Teale, F.W.J. Determination of the absolute quantum yield of fluorescent solutions, 7=6032

Weber, H.A. See Bryant, P.J., 5=567

Weber, J. Phase, group, and signal velocity, 5=1067. Vacuum fluctuation noise and dissipation, 5=3909. Fluctuation dissipation theorem, 6=4181. Exact quantum theory solution for the damped harmonic oscillator, 6=4808. Maser noise considerations, 8=2434. Masers, 9=13459. See also Marshall, S.A., 7=3137, 4606; Rossel, J., 9=7363

Weber, J. and Wheeler, J.A. Reality of the cylindrical gravitational waves of Einstein and Rosen, 8=2757

Weber, K. and v. Fragstein, C. The transparency of the supporting films to the electron beam in the electron microscope, 5=1296

Weber, K.H. Investigation of the proton magnetic resonances in the liquid crystal 4, 4^1-dipropoxyazoxybenzene, 9=9310. Nuclear resonance investigations in liquid crystals: On the question of the state of molecular order in magnetically ordered liquid crystal phases of the smectic type, 9=9311. Nuclear resonance investigations in liquid crystals: on the question of molecular rotation in the smectic phase, 9=12486. See also Lippmann, H., 9=9309

Weber, O. Generation and detection of the H$^-$-continuum in a shock-wave tube, 9=7890

Weber, R. See Genzel, L., 8=8711, 9=4439-40; Happ, H., 9=3492

Weber, R.L. Summer institutes for high school science teachers, 6=4168

Weber, S. See Kluge, W., 5=6145, 6868

Weber, W. The temperature-dependence of the viscosity of water between 0° and 40°C, 5=4402

Weber, W., Johnstone, C.W. and Cranberg, L. Time-to-pulse-height converter for measurement of millimicrosecond time intervals, 6=8256

Webley, R.S. Thin magnetic films, 9=7165

Webster, H.C. See McNicol, R.W.E., 6=7080-1

Webster, H.F. Breakup of hollow electron beams, 6=5140. Structure in magnetically confined electron beams, 8=5041. Calculation of the performance of a high-vacuum thermionic energy converter, 9=7075

Webster, H.R. See Thiessen, G.J., 8=1384

Webster, J.C. Hearing losses of aircraft repair shop personnel, 5=1419. Ear defenders: Measurement methods and comparative results, 6=5585. See also Beitscher, H.R., 6=6475; Bertsch, W.F., 6=6471; See also Spieth, W., 5=9513

Webster, J.C., Klumpp, R.G. and Witchey, A.L. Evaluation of a modulated air-flow loudspeaker, 9=7899

Webster, J.C. and Schubert, E.D. Pitch shifts accompanying certain auditory threshold shifts, 5=672

Webster, J.C. and Sharpe, L. Improvements in message reception resulting from "sequencing" competing messages, 6=162

Webster, J.C. and Solomon, L.N. Measurements of hearing acuity among submariners and noise levels in working compartments, 5=6851. Effects of response complexity upon listening to competing messages, 6=1013. Reply to comments on "The relations of hearing loss to noise exposure", 6=7234

Webster, J.C. and Thompson, P.O. Recorded group audiometer test comparisons at the 1956 Southern California exposition, 7=9586

Webster, J.C., Thompson, P.O. and Beitscher, H.R. Noise bands versus pure tones as stimuli in measuring the acoustic attenuation of ear protective devices, 6=7917

Webster, W.M. See Moore, A.R., 5=3734, 6140

Wechsler, M.S. See also Lieberman, D.S., 5=5700, 8=6438; Sturm, W.J., 8=2296

Wechsler, M.S., Coltman, R.R., Kernohan, R.H. and Wittels, M.C. Use of a radiation-calorimeter in measurement of stored energy in irradiated graphite, 9=5633

Wechsler, M.S. and Kernohan, R.H. Neutron-irradiation effects on copper-aluminum alloys, 9=8085

Wechsler, M.S. and Read, T.A. Effect of quenching on the resistivity of Au-Cd, 6=6620

Wecken, F. See Schall, R., 8=5842

Wedaa, H.W. See Bennett, A.L., 5=7778

Weddell, J. See Jennings, B., 5=5639

Weddell, J.B. Scattering of 4.4-MeV neutrons by aluminum, calcium, chromium, and bismuth, 7=2674

Weddle, O. See Whalen, W.J., 8=9189

Wedepohl, P.T. Electrical and optical properties of type IIb diamonds, 7=4334. See also Dyer, H.B., 6=5867; Mitchell, E.W.J., 7=7101, 9=6291

Wedler, G. See Suhrmann, R., 9=4687

Weech, M. See Ohlgren, H.A., 5=5648

Weekes, K. Some observations of the lower ionosphere during the solar eclipse of 30 June 1954, 6=7059. See also Belrose, J.S., 7=949; Clemmow, P.C., 5=8422; Gnanalingam, S., 5=6327

Weeks, B.M. See Garrison, W.M., 5=7470, 6=5479, 7=1710, 8=2698

Weeks, C.L. See Knoll, H.A., 7=4927

Weeks, G.C. See Meads, R.E., 6=7734; Moffatt, J., 8=1822, 9=9941

Weeks, J.J. See Hoffman, J.D., 9=13895

Weeks, J.O. See Kornelsen, E.V., 9=7862

Weeks, R.A. Paramagnetic resonance of lattice defects in irradiated quartz, 7=2807. See also Wertz, J.E., 8=5485

Weeks, R.F. Simple wide range specular reflectometer, 9=2235. Simple pulsed ultraviolet light source, 9=6776

Weertman, J. Internal friction of metal single crystals, 5=3205. Theory of steady-state creep based on dislocation climb, 6=742. Mason's dislocation relaxation mechanism, 6=4045. Creep of aluminum single crystals, 6=6982. Compressional creep of tin single crystals, 7=3775. Dislocation damping at high temperatures, 7=5678. Steady-state creep through dislocation climb, 7=5691. Helical dislocations, 7=9977. Creation of dislocations in LiF at low stresses, 8=401. Steady-state creep of crystals, 8=428. Dislocation model of low-temperature creep, 9=5155

Weertman, J. and Breen, J.E. Creep of tin single crystals, 7=1693

Weertman, J. and Salkovitz, E.I. Dislocation damping, 7=1682

Weertman, J.R. and Rado, G.T. Low-temperature spin-wave resonance at 3000 and 4000 Mc/sec in a Permalloy having nearly zero magnetocrystalline anisotropy, 9=422

Weesakul, B. See Bokhari, M.S., 8=5361

Wegener, H. Quantitative investigation of the surface diffusion of potassium on quartz, 5=2234. Adsorption of potassium on quartz surfaces, 5=7897. Efficiency of condensation nuclei (potassium on quartz), 5=7898. Determination of the surface tension of rubidium from surface diffusion, 6=954. Mott-scattering on scattering layers of finite thickness, 8=8208. See also Bienlein, H., 8=9033, 9=4713, 9938; Fleischmann, R., 5=8680; Lohmann, A., 6=1946

Wegener, H., Bienlein, H. and v. Issendorff, H. Polarization of RaE electrons, 9=5008

Wegener, H.A.R. See Mataré, H.F., 7=8927; Shattes, W.J., 8=5899

Wegener, P.P. Water vapor condensation process in supersonic nozzles, 5=894. Measurement of rate constants of fast reactions in a supersonic $[M = 2]$ nozzle, 8=6475. Supersonic nozzle flow with a reacting gas mixture, 9=7865

Weger, M. and Low, W. Paramagnetic resonance spectrum of gadolinium in hydrated lanthanum trichloride, 9=4820

Wegmann, L. See Gribi, M., 9=4708

Wegner, H.E. See also Eisberg, R.M., 5=4749, 6=641, 3184; Igo, G., 6=3190, 6143; Muehlhause, C.O., 6=7735

Wegner, H.E., Eisberg, R.M. and Igo, G. Electric scattering of 40-MeV alpha particles from heavy elements, 5=9049

Wegner, H.E. and Hall, W.S. He^3 recirculation and purification system for a cyclotron ion source, 9=4718

Wegstedt, L. Some characteristics of an improved version of the iron-jacketed intermediate-image beta-ray spectrometer, 8=4073

Wehlau, W. See Brannen, E., 9=164

Wehner, G. See Laegreid, N., 9=7540

Wehner, G.K. Sputtering of metal single crystals by ion bombardment, 6=718. Controlled sputtering of metals by low-energy Hg ions, 6=6210. Controlled sputtering of single crystals, 7=4805. Sputtering yields for normally incident Hg$^+$-ion bombardment at low ion energy, 8=7540. Etching of germanium crystals by ion bombardment, 9=924. Low-energy sputtering yields in Hg, 9=7541. Velocities of sputtered atoms, 9=10163

Wehner, J.F. See Griffing, V., 5=6346; Krauss, M., 9=6179
Wehrenberg, J. See Nachtrieb, N.H., 7=3752
Wei, C.C. Relativistic hydrodynamics for a charged nonviscous fluid, 9=6500
Wei, C.T. Zone reflection camera for studying crystal imperfections by the Schulz technique, 6=7024. Bending of small zinc single crystals, 9=13853
Wei, C.T. and Beck, P.A. Structure of bent zinc crystals, 7=3814
Wei, C.-T, Cheng, C.-H. and Beck, P.A. Specific heat of a face-centred cubic Mn–Fe alloy at liquid helium temperatures, 9=4532. Low-temperature specific heats of body-centered cubic Cr–Fe and Cr–Mn alloys, 9=4535
Wei, C.T., Parthasarathi, M.N. and Beck, P.A. X-ray study of polygonization in copper single crystals, 8=9125
Wei, Y.T. Theory of attenuation of sound in foggy air due to evaporation and condensation processes, 5=5809. Calculation of sound transmission through walls by means of matrix theory, 9=13100
Weibel, E.S. On Webster's horn equation, 5=7766. Vowel synthesis by means of resonant circuits, 5=8517. A note on the confinement of a plasma by r.f. fields, 9=3595. On the confinement of plasma by magnetostatic fields, 9=3600. Stable orbits of charged particles in an oscillating electromagnetic field, 9=7094. Spontaneously growing transverse waves in a plasma due to an anisotropic velocity distribution, 9=7112
Weichman, F. See Frerichs, R., 8=8817
Weidel, R.A. See Kreidl, N.J., 7=7806
Weidemann, V. The abundance of metals, structure of densities, and collision damping in the solar atmosphere, 5=5190. See also Unsöld, A., 7=1029
Weidenmüller, H.A. Comparison of localized functions and plane waves for electrons with interaction, 6=6041. Nucleon polarization in stripping reactions, 8=7375. Polarization of nucleons and residual (product) nuclei in stripping reactions, 9=10093. See also Eichler, J., 9=6003
Weidinger, H. See Lange, E., 9=4089
Weidlich, W. Model of a field with inner coordinates, 7=5875. Hamiltonian formalism and energy-momentum tensor with differential conservation law for non-local field theories, 7=6868. On the construction of quantum field theory without Lagrange formalism, 8=7693
Weidner, J. On a refinement of the theory of the propagation of long electric waves round the earth, 5=4821
Weiffenbach, G.C. See Guier, W.H., 8=5594
Weigang, O.E., Jr and Robertson, W.W. Vibration perturbations in electronically excited molecules, 9=7429
Weigl, J.W. Spectroscopic properties of organic photoconductors. I. Absorption spectra of cationic dye films, 6=1972; II. Specular reflection spectra of cationic dye films, 6=4302; III. Action spectra for the photoconduction of cationic dye films, 6=4303
Weik, H. Whisker structure and tensile strength, 9=8940
Weil, J.A. Mobile electron model in a magnetic field, 9=1052. See also Anderson, J.H., 9=10238; Pastor, R.C., 6=5243
Weil, J.A. and Anderson, J.H. Determination of the g tensor in paramagnetic resonance, 8=4440
Weil, J.L. See also Jones, K.W., 7=6555, 9=3889
Weil, J.L. and Jones, K.W. Total neutron cross sections of Mg, Al, Fe, Cu, Zn, Mo, and Pb from 4 to 8 MeV, 8=4322. N^{14}(d, n)O^{15} and N^{15}(d, n)O^{16} reactions, 9=3899
Weil, J.L., Jones, K.W. and Lidofsky, L.J. Excited states in O^{16} near 11 MeV, 8=726
Weil, J.W. Void-induced power distortion in boiling-water reactors, 8=9066
Weil, L. The coercive force of nickel powder at low temperatures, 6=468. See also Doulat, J., 8=3506; * Goodman, B.B., 9=8052
Weil, L., Gruner, L. and Deschamps, A. Orientation of cobalt precipitates in CuCo alloys, 7=7230
Weil, L. and Reichel, K. Magnetostriction of iron, 5=2870
Weil, R. Rothmans, J. and Lloyd, L.T. Preparation of diffusion couples by cathodic sputtering, 9=10292
Weiland, S. See Stroud, W.G., 5=6643
Weiler, M. See Luyckx, A., 7=4236
Weill, G. Local study of the electromagnetic field at the junction of three dielectric media, 6=504. See also Barbier, D., 9=1960; Benoit, H., 7=5255; Delannoy, J., 9=1959; Loucheux, C., 9=4492
Weill, J. Recent progress in the control of reactors, 6=6180. French reactor instrumentation, 8=4345. See also Brière, M., 6=1187; Pelchowitch, I, 5=2817
Weill, J. and Braffort, P. Adoption of a single [ionization] chamber for the measurement of a wide range of power-levels in a nuclear reactor, 5=3994
Weill, R. A new method for the measurement of relative multiple scattering on high energy electron pairs, 9=7253. Direct production of electron pairs by high-energy electrons, 9=7254. See also Fatzer, G.D., 9=13992; Gaillond, M., 5=1431, 3380; Rosselet, P., 6=6202
Weill, R., Gailloud, M. and Rosselet, P. Measurement of energy of electron pairs greater than 1 GeV in nuclear emulsions, 8=5183. Direct production of electron pairs by high-energy electrons. Model for the formation of the initial track of electron pairs. Elimination of false tridents, 8=5184
Weill, R., Gailloud, M., Rosselet, P. and Haenny, C. The formation of tracks and the measurement of the energy of electron pairs, 9=12545
Weill, R., Joseph, C., Gailloud, M. and Rosselet, P. Gap measurement: apparatus for the semi-automatic measurement of mean lengths and length distribution of gaps in nuclear emulsions, 9=13991
Weill-Marchand, A. Raman spectrum of the water of crystallization of lithium sulphate monohydrate Li$_2$SO$_4$H$_2$O at low temperature, 6=2799. Weil-Marchand, A. Raman spectra of water in some hydrated crystals, 7=7020. Researches on the Raman scattering spectrum of water in hydrated crystals, 8=2244
Weimer, D. See Jahn, R.G., 8=6753; Skulski, R.W., 6=128
Weimer, U. Experimental investigations on the ambipolar effusion from the positive column, 9=5769. See also Pahl, M., 9=5755, 5766, 5768, 11156
Wein, C.G. See Mahan, A.I., 9=6790
Weinard, J. The construction of a combination grating spectrograph of high dispersion, 6=4293
Weinberg, F.J. The significance of reactions of low activation energies to the mechanism of combustion, 5=7451. The shadowgraph of a flat flame, 6=5815
Weinberg, I. See also Corio, P.L., 9=11533
Weinberg, I. and Zimmerman, J.R. Concentration dependence of chemical exchange and NMR multiplet structure in water-ethanol mixtures, 5=7251
Weinberg, I.G. and Cohen, E.R. Neutron-flux distribution from a thermal-column face, 5=9937
Weinberg, S. N-V potential in the Lee Model, 6=4200. Role of strong interactions in decay processes, 7=7586. Time-reversal invariance and θ_2^0 decay, 8=6183. Charge symmetry of weak interactions, 9=2060. Nature of the vector interaction in μ^--absorption, 9=11383. See also Okubo, S., 9=4946
Weinberg, S. and Feinberg, G. Electromagnetic transitions between μ meson and electron, 9=13560
Weinberg, S., Marshak, R.E., Okubo, S.O., Sudarshan, E.C.G. and Teutsch, W.B. Divergenceless currents and K-meson decay, 8=7282
Weinberger, F. See Müller, H., 7=6249
Weiner, D. See Massalski, T.B., 9=13421; Meyer, L., 8=7165
Weiner, J.H. Transient heat conduction in multiphase media, 5=9599. Thermoelastic dissipation due to high-speed dislocations, 9=794. See also Chao, C.C., 7=304; Freudenthal, A.M., 6=1664
Weiner, N. See Siegel, A., 6=2694
Weiner, R. Nuclear isomeric shift on spectral lines, 7=3132. Charge distribution of excited isomeric nuclei and atomic spectra (the nuclear isomeric shift), 9=7309
Weiner, S. See White, J.U., 8=5775, 9=1276
Weingart, R. See Button, J., 8=7256
Weinhold, H. On the sensitivity of the autodyne method for the observation of nuclear magnetic resonance, 9=9829
Weinig, S. High-vacuum torsion pendulum for anelastic studies, 5=4128
Weinig, S. and Machlin, E.S. Strain-amplitude dependent internal friction studies of dilute alloys of copper, 6=6953
Weinman, J.A. See also Windham, P.M., 8=8844
Weinman, J.A. and Cameron, J.R. Negative hydrogen ion source, 6=5163
Weinman, J.A. and Silverstein, E.A. Elastic scattering of alpha particles by carbon-14, 8=6313
Weinmann, A. Inequalities for molecular integrals, 6=3900. Phenomenological theory of ultrasonic vibration potentials

in liquids and electrolytes, 9=6643

Weinreb, A. Discrimination between "radiative" and "nonradiative" transfer of molecular excitation energy in liquid systems, 8=984. Transfer of molecular energy between solutes in liquids, 8=6868. See also Avivi, P., 7=7977, 9633; Bar, V., 9=1308; Cohen, S.G., 6=7198

Weinreich, G. Acoustodynamic effects in semiconductors, 7=1276. Ultrasonic attenuation by free carriers in germanium, 7=9578. Chemical shift of donor states in germanium, 9=6961

Weinreich, G., Boyle, W.S., White, H.G. and Rodgers, K.F. Valley-orbit splitting of arsenic donor ground state in germanium, 9=6240

Weinreich, G., Sanders, T.M., Jr. and White, H.G. Acoustoelectric effect in n-type germanium, 9=6969

Weinreich, G. and White, H.G. Observation of the acoustoelectric effect, 7=8608

Weinreich, O.A. See Mataré, H.F., 9=9620; Reed, B., 9=4584; Schwuttke, G.H., 9=3357

Weinrich, M. See Berley, D., 7=7415; Garwin, R.L., 7=5642, 8=1864

Weinstein, B.K. See Vaĭnshteĭn, B.K.

Weinstein, E.E. See Vaĭnshteĭn, É.E.

Weinstein, L.A. See under Vaĭnshteĭn, L.A.

Weinstein, M. and Von Foerster, H.M. Space charge effects in dense, velocity-modulated electron beams, 6=6693

Weinstein, R. Empirical gravitational equation, 9=7752. See also Odian, A.C., 6=4647; Wattenberg, A., 7=4612

Weinstein, R.M., Odian, A., Stein, P.C. and Wattenberg, A. Photoproton-proton coincidences from various nuclei, 6=662

Weinstein, W. Astigmatism of skew pencils in optical systems containing toric surfaces, 5=7816. Images of incoherently illuminated bright and opaque disks, 6=266. Computations in thin film optics, 7=283. See also Dobrowolski, J.A., 5=5970, 7=2101; Richards, E.W.T., 7=8506; Slater, P.N., 8=1584

Weinstock, B. See also Abraham, B.M., 5=6083; Claassen, H.H., 6=8700; 8=3870; Gruen, D.M., 6=5230; Malm, J.G., 6=1068

Weinstock, B., Abraham, B.M. and Osborne, D.W. Some properties of liquid ^{3}He, 9=2275

Weinstock, B. and Claassen, H.H. Jahn–Teller effect in the vibrational spectra of hexafluorides, 9=10763

Weinstock, B. and Malm, J.G. Magnetic susceptibility of NpF$_6$, 7=9755

Weinstock, E.G. and Halpern, J. Bremsstrahlung spectrum from the internal target of a 22-MeV betatron, 6=1296

Weinstock, H. See Sproull, R.L., 9=6823

Weinzierl, P. New timing method for scintillation events in fast coincidence experiments, 6=7485. On the choice of resolving time and source strength in coincidence experiments, 7=6482. Investigation into the decay of RaC"(Tl^{210}), 9=3874. See also Tisljar-Lentulis, G., 7=4449

Weinzierl, P., Patzelt, R. and Warhanek, H. A coincidence spectrometer for nuclear physics research, 9=3705

Weinzierl, P. and Tisljar-Lentulis, G. Two-crystal-Compton-spectrometer with improved geometrical efficiency, 9=11338

Weir, A., Jr. See also Churchill, S.W., 8=1020

Weir, A., A., Jr, Churchill, S.W., Ornella, L.F. and Gluckstein, M.E. Emission spectra of propane–air flames irradiated with a 1000 curie gold source, 8=1021

Weir, C., Spinner, S., Malitson, I. and Rodney, W. Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, 7=5970

Weir, C.E. Lattice energies of ionic cubic crystals, 8=800. See also Lippincott, E.R., 9=2209

Weir, C.E., Lippincott, E.R., Van Valkenburg, A. and Bunting, E.N. Infrared studies in the 1- to 15-micron region to 30 000 atmospheres, 9=13168

Weir, R.J. See Brown, J.F., 6=5510

Weisbaum, S., Beers, Y. and Herrmann, G. Low-frequency rotational spectrum of HDO, 5=9569

Weisbaum, S. and Boyet, H. Broad-band nonreciprocal phase shifts—analysis of two ferrite slabs in rectangular guide, 6=6810

Weisberg, L.R. See also Nowick, A.S., 8=3480

Weisberg, L.R. and Quimby, S.L. Ordering and disordering processes in Cu$_3$Au. I, 9=857

Weisberg, L.R., Woolston, J.R. and Glicksman, M. Electron mobilities in gallium arsenide, 9=8127

Weiser, K. Effect of annealing in various gases on the bulk lifetime of germanium, 7=3272. Decomposition method for producing p–n junctions in InP, 8=4989. Theoretical calculation of distribution coefficients of impurities in germanium and silicon, heats of solid solution, 9=4034. See also Glicksman, M., 9=3475*

Weisfeld, M. See Blitzer, L., 7=1036

Weiss, A., Heldt, L. and Moore, W.J. Sputtering of silver by neutral beams of hydrogen and helium, 9=1542

Weiss, A.A. Radio echo observations of meteors in the southern hemisphere, 5=5828. Diffusion coefficients from the rate of decay of meteor trails, 5=8447. The distribution of the orbits of sporadic meteors, 7=5806. The incidence of meteor particles upon the earth, 8=4647. The 1956 Phoenicid meteor shower, 8=4648. Meteor activity in the southern hemisphere, 8=4649

Weiss, G. and Maradudin, A.A. Thermodynamic properties of a disordered lattice, 9=8798

Weiss, G.H. See also Domb, C., 9=7492, 12776-7; Maradudin, A.A., 8=8416, 9106, 9=5240

Weiss, G.H. and Maradudin, A.A. On an asymptotic expansion occurring in the evaluation of a lattice sum, 9=11619

Weiss, G.P. See Smith, D.O., 8=8856

Weiss, H. The determination of the effective masses in InSb and InAs from measurements of the differential thermo-E.M.F. 6=4401. On the electrical properties of mixed crystals of the form In(As$_y$P$_{1-y}$), 6=8196. The magnetoresistance of InAs, 7=9690. The Hall-generator with feedback, 9=3443. Thermal conductivity of InSb, 9=12167. Thermoelectric power and heat conduction of III-V compounds and their mixed crystals, 9=12314. See also Folberth, O.G., 5=3768, 6=347, 8199; Rupprecht, H., 9=12309

Weiss, H.G. See Lehmann, W.J., 9=6738-9

Weiss, H.M. Neutron production due to penetrating cosmic rays in heavy material behind carbon, 5=4774

Weiss, J. Chemical effects due to excitation by secondary electrons from ionizing radiations, 6=5489. See also Lindqvist, I., 9=10386

Weiss, J. and Bernstein, W. Energy required to produce one ion pair for several gases, 5=7153. Energy required to produce one ion pair in several noble gases, 6=8842

Weiss, M.S. See Fuller, E.G., 9=3916, 5054

Weiss, M.T. Microwave and low-frequency oscillation due to resonance instabilities in ferrites, 9=2527

Weiss, M.T. and Anderson, P.W. Ferromagnetic resonance in Ferroxdure, 5=6296

Weiss, P. Cellular dynamics, 9=9107. Interactions between cells, 9=11663

Weiss, P.R. See also Silverman, B.D., 9=10261; Slonczewski, J.C., 8=804

Weiss, P.R. and Abrahams, E. Correlation of electron amplitudes in impure metals, 9=1863

Weiss, R. See Stroke, H.H., 7=3555

Weiss, R.A. See Hoxton, L.G., 6=1175

Weiss, R.J. See also Antal, J.J., 5=9279; Chandrasekhar, S., 9=7657; Paskin, A., 7=5668; Tauer, K.J., 6=1354

Weiss, R.J. and DeMarco, J.J. X-ray determination of the number of 3d electrons in Cu, Ni, Co, Fe, and Cr, 8=3583. X-ray measurement of the distribution of electrons in iron and copper, 9=7651

Weiss, R.J., DeMarco, J.J. and Weremchuk, G. Conversion of Norelco fluorescent spectrograph to an X-ray diffractometer, 5=628

Weiss, R.J., DeMarco, J.J., Weremchuk, G., Corliss, L. and Hastings, J. An apparent anisotropic Debye–Waller factor in cubic crystals, 6=7831

Weiss, R.J. and Marotta, A.S. Spin-dependence of the resistivity of magnetic metals, 9=8089

Weiss, R.J. and Tauer, K.J. Components of the thermodynamic functions of iron, 6=5827. Thermodynamics and magnetic structures of the allotropic modifications of manganese, 8=5853. Thermodynamics of the Au-Pt system, 9=3413

Weiss, W. See Gobrecht, H., 5=4545

Weissberg, H.L. Laminar flow in the entrance region of a porous pipe, 9=13058

Weisse, J. See Sauter, F., 5=4719

Weissenberg, A.O. See also Vaĭsenberg, A.O.

Weissenberg, A.O. and Smirnitsky, V.A. Investigation of asymmetry of $\pi^+ \to \mu^+ \to e^+$ decays in photographic emulsions, 8=6163

Weisshaar, E. Magnetic barrier layers in germanium II, 5=8762

Weisskopf, V.F. Nuclear physics, 7=8087. The problem of an

effective mass in nuclear matter, 7=9313. The formation of the compound nucleus, 8=1948
Weisskopf, V.F. See also de-Shalit, A., 9=1727; Feshbach, H., 5=524; Gomes, L.C., 8=4258; Margolis, B., 7=9320; Rodberg, L.S., 7=5033
Weissler, G.L. See also Ehler, A.W., 6=1087; Po Lee, 5=7840; Sun, H., 5=5997, 8627, 9563; Wainfan, N., 5=8052; Walker, W.C., 5=4671, 8609, 9564, 6=368, 1325, 9=6777, 7986
Weissler, G.L., Samson, J.A.R., Ogawa, M. and Cook, G.R. Photoionization analysis by mass spectroscopy, 9=7126
Weissman, H.B., Bernstein, R.B., Rosser, S.E., Meister, A.G. and Cleveland, F.F. Substituted methanes. XXIII. Infrared spectral data, rotational constants, normal coordinate treatments, and thermodynamic properties for CD_3Br and CH_3Br, 5=5557
Weissman, H.B., Meister, A.G. and Cleveland, F.F. Substituted methanes. XXVIII. Infrared spectral data and assignments for $CHCl_2F$ and $CHClF_2$ and potential energy constants and calculated thermodynamic properties for $CHCl_2F$, $CDCl_2F$, $CHClF_2$ and $CDClF_2$, 9=730
Weissman, S.I. Isotropic hyperfine interactions in aromatic free radicals, 7=2467. On detection of triplet molecules in solution by electron spin resonance, 9=3982. See also Bruce, C.R., 6=3894; Hirshberg, Y., 8=8506; Reitz, D.C., 8=2614; Tuttle, T.R., Jr. 6=8904-5
Weissman, S.I. and Cohn, M. Spin density in octocyanomolybdate (V), 8=7454
Weissman, S.I., de Boer, E. and Conradi, J.J. On the interpretation of the electron spin resonance spectra of solutions of hydrocarbons in sulfuric acid, 7=6662
Weissman, S.I., Tuttle, T.R., Jr. and de Boer, E. Electron spin resonance and the structure of free radicals, 7=5514
Weissmann, A. On the anisotropic character of the general relativistic space, 9=3101
Weissmann, I.A. See under Vaĭsman, I.A.
Weissmann, S. Method for the study of lattice inhomogeneities combining X-ray microscopy and diffraction analysis, 6=4104. Quantitative study of substructure characteristics and correlation to tensile-property of nickel and nickel alloy, 7=1680. See also Intrater, J., 5=1358
Weissmann, S. and Evans, D.L. An X-ray study of the substructure of fine-grained aluminum, 5=1365
Weisz, P.B. Bridges of physics and chemistry across the semiconductor surface, 7=7874. See also Kingston, R.H. (Ed.), 7=8601
Weisz, P.B., Prater, C.D. and Rittenhouse, K.D. Electrical conductivity of hydrocarbon cracking catalyst, 6=1235
Weisz, P.B. and Swegler, E.W. Catalytic activity induced by neutron irradiation of inert silica, 5=10031
Weisz, R.S. Magnetic anisotropy constants of ferromagnetic spinels, 5=1051
Weisz, S.Z. See Alexander, E., 7=4202
Weiszburg, J. See Szigeti, G., 5=218
Weiszmantel, C. See Schwabe, K., 8=4509
Weitbrecht, R.H. Continuous-balance photoelectric guider, 7=3897. Current integrator for astronomical photoelectric photometry, 8=5578
Weitsch, W. Compensation of the chromatic field aberration in the electrostatic electron microscope, 9=1528. See also Rang, O., 6=5923
Weitzel, D.H. and Park, O.E. Iron catalyst for production of liquid para-hydrogen, 7=1233
Weitzel, D.H. and White, L.E. Continuous analysis of ortho-parahydrogen mixtures, 5=5064
Weitzner, H. Fundamental interactions and hyperfragments, 8=6625. See also Brueckner, K.A., 8=4261
Weizel, W. See also Ecker, G., 6=4425, 9=7120-1
Weizel, W. and Hornberg, H. Investigation on the anode region of glow discharges, 7=9221
Weizel, W. and Meister, G. The measurement of spectral (line) structures from observations of interference contrast, 6=2778. Spectral analysis by measurement of interference contrast, 7=7787
Weizel, W. and Müller, G. The distribution of the current density over the cathode of a glow discharge, 7=6223
Weizer, V.G. See Damask, A.C., 9=6275; Girifalco, L.A., 9=8792
Weizsäcker, C.F. v. See v. Weizsäcker, C.F.
Welander, P. A theoretical power-law for the size distribution of small particles or drops falling through the atmosphere, 9=11891
Welber, B. See also Rosenbaum, B.M., 6=3693
Welber, B. and Quimby, S.L. Measurement of the product of viscosity and density of liquid helium with a torsional crystal, 8=152. Adiabatic Young's modulus and internal friction of superconducting lead and tin, 8=4471
Welch, A.J.E. The chemistry and crystal structure of ferrites and other magnetic oxides, 7=5715. See also Carter, A.E., 7=5463
Welch, F.H. See Swanson, J.L., 8=4347
Welch, J.A., Jr. See Hess, W.N., 9=11935
Welch, J.H. A simple microscope attachment for observing high-temperature phenomena, 5=884
Weldon, A.S. See Nordman, C.E., 5=8403
Weldon, R.G. See Ashburn, E.V., 6=2790, 7087
Welge, K.H. See Groth, W., 8=1286
Welker, H. Semiconducting intermetallic compounds, 5=3743. Optical and electrical properties of GaAs, InP and GaP, 6=1216. See also Folberth, O.G., 9=6936; Gremmelmaier, R., 6=7418, 9=12563; Madelung, O., 5=8761
Welker, J.P. See also Perlman, M.L., 6=606, 9=615; Schardt, A.W., 5=9001
Welker, J.P. and Perlman, M.L. K-capture-positron ratios for the first-forbidden transitions of Rb^{84} and the relative probabilities of L- and K-electron capture, 6=617
Welkowitz, W. Programming a digital computer for cell counting and sizing, 5=1572. Mechanical mechanism of destructive effects of sound on tissue, 6=846. Directional circular arrays of point sources, 6=4930
Weller, C.E. and Grosskreutz, J.C. Gamma rays from the proton bombardment of separated copper isotopes, 6=6127
Weller, R.I. Graduate schools for physicists, 9=6477
Weller, S. See Manes, M., 5=581
Weller, W. On the diffusion of antimony into silver, 9=1888
Wellmann, P. On the thermal deformation of a mirror, 5=1446. The intensity of emission lines in stellar spectra, 7=5009
Wells, A.F. The geometrical basis of crystal chemistry, III, 5=4166; IV, 5=4167; V, 5=4213; VI, 6=8461
Wells, D.O. See Horen, D.J., 9=6073
Wells, F.H. and Page, J.G. A 1000-channel neutron-velocity spectrometer using ferrite data storage, 7=7180
Wells, G.F. See also Melton, C.E., 8=4087
Wells, G.F. and Melton, C.E. Mass spectrometer for the study of ion–molecule collision processes, 8=1731
Wells, H.W. Flux measurements of Cassiopeia A and Cygnus A between 18.5 Mc and 107 Mc, 8=1444. Flux measurements of discrete radio sources at frequencies below 30 megacycles, 8=3644. See also Chivers, H.J.A., 9=9070
Wells, M. See Forsyth, J.B., 9=12874
Wells, R.J. Apparatus noise measurement, 6=4959
Wells, W.H. Maser oscillator with one beam through two cavities, 8=4176
Welman, W.L. Modifications in the omnidirectional ionization anemometer, 5=4432
Welsby, V.G. See Tucker, D.G., 8=7780
Welsh, H.K. Relationship between O–H bond length and O. . . O distance in hydrogen bonds, 7=5708
Welsh, H.L. See also Allin, E.J., 7=279, 9=6725; Cho, C.W., 6=8670; Feldman, T., 5=3642, 6=8124, 7=3156; Galt, J.A., 7=3134-5; Gush, H.P., 7=7745, 7748; Hare, W.F.J., 6=229, 9=200; Kiss, Z.J., 9=7962; Krause, L., 7=3157; Mathai, P.M., 7=3154; May, A.D., 9=9442; Romanko, J., 6=249
Welsh, H.L., Stansbury, E.J., Romanko, J. and Feldman, T. Raman spectroscopy of gases, 5=6046
Welsh, H.W. See Kiss, Z.J., 9=5523
Welsh, N.C. Frictional heating and its influence on the wear of steel, 8=6469. See also Phillips, R., 9=926
Welti, G.R. See Logan, B.F., 5=7107
Weltner, W., Jr. Rotational magnetic moment and diamagnetic susceptibility of methane, 6=4574. Paramagnetism in diamagnetic molecules, 9=388. Polytypism and the origin of the potential barrier hindering internal rotation in molecules, 9=10258
Welton, T.A. See Blosser, H.G., 9=1545; Galonsky, A., 9=11404
Wempe, J. The influence of spectral resolution on the apparent distribution of intensity in the continuous spectrum, 8=4681
Wende, H. Lens equation and image curve of a cylindrical condenser when the entry and exit of an ion beam is oblique at field boundaries, 9=2417. See also Everling, F., 9=2419; Hintenberger, H., 5=7134, 6=1305
Wendel, G. The preparation of electroluminescence phos-

phors, 9=1322
Wendel, G. and Richter, G. On the photoconductivity of boric acid, 7=407
Wendling, R. See Perakis, N., 8=7176
Wendt, R.C. See Wall, F.T., 9=7840
Weneck, E.J. See Bateman, J.B., 9=8974
Weneser, J. Antineutrino disintegration of the deuteron, 7=4691. See also Bincer, A., 9=622; Church, E.L., 6=1534, 8318, 7=2614, 9=639; Scharff-Goldhaber, G., 5=6390
Weng, C.C. See Straumanis, M.E., 6=3376
Weniger, S. Researches upon the emission of a number of gases under high pressure, 8=112. See also Herman, R., 7=7131, 7190; Rakotoarijimy, D., 8=6813; Rosen, B., 0=10760
Weniger, S. and Herman, R. Broadening of the lines of Na I under the influence of the intermolecular Stark effect, 5=6906. The contour of sodium arc lines broadened by intermolecular stark effect, 6=4299. Extension of the A $^3\Pi_i - X^3\Sigma^-$ system of OH$^+$, 9=5507
Wenk, F. Motion and accumulation of ions and other suspended particles in turbulent flows, 8=7736
Wenking, H. The application of magnetic rotary power in photoelectric polarimeters, 9=6808
Wenny, D.H. and Olsen, K.M. Casting of Alnico VII with improved physical properties, 9=975
Went, J.J. and de Bruyn, H. Fluidized—and liquid-fuel reactors with uranium oxides, 5=530
Wentink, T., Jr. Triatomic linear molecules containing carbon and oxygen, sulphur, selenium or tellurium. I. Vibrational spectra of CS$_2$, CSe$_2$, SCSe, and SCTe, 9=1821; II. Potential constants, 9=3977; See also Keck, J.C., 9=9405
Wentink, T., Jr. and Bauer, S.H. Triatomic linear molecules containing carbon and oxygen, sulfur, selenium or tellurium. III. Absolute intensity of the σ_3 band of CSe$_2$, 9=12748
Wentink, T., Jr., Planet, W., Hammerling, P. and Kivel, B. Infrared continuum radiation from high-temperature air, 8=6819
Wentink, T., Jr., Sullivan, J.O. and Wray, K.L. Nitrogen atomic recombination at room temperature, 8=8501
Wentink, T., Jr. and Tiensuu, V.U. Vibrational spectra of BBr$_3$ and BI$_3$, 8=3871
Wentorf, R.H., Jr. Isotherms in the critical regions of carbon dioxide and sulfur hexafluoride, 6=4252. Cubic form of boron nitride, 7=6744
Wentworth, R.C. See also Singer, S.F., 8=4560
Wentworth, R.C., MacDonald, W.M. and Singer, S.F. Lifetimes of trapped radiation belt particles determined by Coulomb scattering, 9=13538
Wentworth-Jessop, J. and Vigoureux, P. Comparison of threshold of hearing for bands of noise and for pure tones, 7=6798
Wentzel, D.G. Motion of charged particles in a force-free magnetic field, 8=5592. On the spectrum of turbulence, 8=7734
Wentzel, G. Recoil effects in the strong coupling theory, 5=9391. Summary of recent experimental work on the pion-nucleon scattering, 5=9391. Branching ratios in hyperon and heavy-meson decays, 6=2438. Ω^0 binding in light nuclei, 6=3495. Heavy-meson decays and the selection rule, 6=4003. A hyperon model, 7=8848. Diamagnetism of a dense electron gas, 8=5102. Meissner effect, 9=1484. Problem of gauge invariance in the theory of the Meissner effect, 9=3511
Wenzel, A. On the absorption of nitrobenzene, 5=183. Empirical regularities in the spectra of compounds containing chromophoric groups. I, 8=961
Wenzel, P. See Albold, E., 9=4815
Wenzel, W. See Cork, B., 7=6603
Wenzel, W.A. See Brabant, J.M., 6=3785, 5977; Cool, R.L., 9=11400; Coombes, C.A., 8=1194, 9=6005; Cork, B., 7=4790, 8667, 8812
Werbrouck, A.E. See Bowen, T., 8=8258
Weremchuk, G. See Weiss, R.J., 5=628, 6=7831
Werfeli, A. A Petzval objective of great light grasp for miniature film projection, 5=5971
Wergeland, H. Fluctuations in the external reactions of a thermodynamical system, 7=6140. See also Hemmer, P.C., 9=68, 1107; Johansen, A., 7=5944; Olsen, H., 5=340, 7=5401, 7538, 8=2924, 9=156, 159
Wergeland, H. and Överaas, H. Curvature correction to the sagitta distribution of ionization tracks, 7=1835
Werle, J. The problem of "equivalent" potentials in classical equations of motion, 5=30. An application of a new approximation method to quantum calculations in the meson theory of nuclear forces, 5=52. The influence of non-static terms on nuclear potentials, 5=5213. Present state of the theory of nuclear forces, 5=5213. Singular potentials in relativistic equations of motion, 5=5222. "Equivalent" potentials for the motion of the nucleon in pseudoscalar fields, 5=6756. Singular potentials in relativistic equations of motion, 6=2658. Kinematic depolarization of μ-mesons emitted in π-meson decays, 8=1863. Polarisation of μ-mesons and electrons in K-meson decays, 8=4244; A correction, 8=6178. Dependence of μ-meson and electron polarization on correlation parameters in K$_{\mu 3}$ and Ke$_3$ decays, 8=6179. Phenomenological theory of the S-matrix and T, C and P invariance, 9=54; II, 2077. Kinematic depolarization of μ-mesons emitted in π-meson decays, 9=542. See also Verle, I.I.
Werle, J. and Wrzecionko, J. Čerenkov radiation of polarized electrons, 8=7234
Werme, J.V. See Stergis, C.G., 5=6655
Werner, A. Interpretation of (d, t) angular distributions, 6=3216
Werner, E. Hyperfine structure and structure of the nucleon, 9=6000. The solution of the Bethe–Goldstone equation for non-zero centre-of-mass momentum, 9=6535. See also Bopp, F., 8=7484
Werner, F.D. See Leadon, B.M., 5=1732
Werner, F.G. and Wheeler, J.A. Superheavy nuclei, 8=716
Werner, G.K., Smith, D.D., Ovenshine, S.J., Rudolph, O.B. and McNally, J.R., Jr. Further investigations in the spectroisotopic assay technique for lithium, 5=3248
Werner, H. Tschebyscheff [Chebyshev] approximations for Bessel functions, 9=1996
Werner, K. The influence of hydrostatic pressures on the Curie point of a Ni-Zn ferrite, 9=11215
Werner, R.E. Effect of a negative impedance source on loudspeaker performance, 7=8475
Wernick, J.H. Determination of diffusivities in liquid metals by means of temperature-gradient zone melting, 6=7190. See also Lovell, L.C., 9=7507, 7509, 12767; Nesbitt, E.A., 9=7171; Pfann, W.G., 7=8618
Wernick, J.H. and Davis, H.M. Preparation and inspection of high-purity copper single crystals, 6=2534
Wernick, J.H. and Geller, S. Transition element—rare earth compounds with the Cu$_5$Ca structure, 9=13927
Wernick, J.H., Geller, S. and Benson, K.E. New semiconductors, 8=5880. Constitution of the AgSbSe$_2$-AgSbTe$_2$-AgBiSe$_2$-AgBiTe$_2$ system, 9=3457
Wernick, J.H., Hobstetter, J.N., Lovell, L.C. and Dorsi, D. Dislocation etch pits in antimony, 9=806
Wert, C. Internal friction of an alloy of 16 per cent aluminium in iron, 5=6561. See also Kerr, J., 5=8903; Vook, R., 8=2673
Wert, C.A. See Tyndall, E.P.T., 5=4136
Wertheim, G.K. Carrier lifetime in indium antimonide, 7=2227. Energy levels in electron-bombardment silicon, 7=4350. Electron-bombardment damage in silicon, 8=4991. Transient recombination of excess carriers in semiconductors, 8=7924. Neutron-bombardment damage in silicon, 9=4046. Recombination properties of bombardment defects in semiconductors, 9=10978. Recombination properties of nickel in germanium, 9=12262. Temperature-dependent defect production in bombardment in semiconductors, 9=13803. See also Pound, R.V., 6=3964
Wertheim, G.K. and Augustyniak, W.M. Measurement of short carrier lifetimes, 7=4331
Wertheim, G.K. and Buchanan, D.N.E. Electron-bombardment damage in oxygen-free silicon, 9=13799
Wertheim, G.K. and Pearson, G.L. Recombination in plastically deformed germanium, 7=8621
Wertheim, G.K. and Pound, R.V. Time-dependent directional correlation of 1.1-hr Pb 204, 6=3963
Wertheim, M.S., Hull, M.H., Jr and Saperstein, A.M. High-energy proton-proton scattering and the Lévy potential, 7=2333
Wertheim, M.S. and Igo, G. Isotope shift in the X-ray spectra of heavy elements, 5=4709
Wertheimer, R. Absorption spectrum of formic acid vapour near 3 mm wavelength, 6=3627. Study of the rotation spectrum and the moments of inertia of the molecule of formic acid, 6=5300. On the study with millimetre waves of the rotation spectrum of formic acid, 8=580
Wertz, J.E. Hydration effects in chlorine-35 nuclear spin resonance, 6=3073. Bonding inferences from nuclear spin

resonance, 7=5565

Wertz, J.E. and Auzins, P. Crystal vacancy evidence from electron spin resonance, 7=6717

Wertz, J.E., Auzins, P., Weeks, R.A. and Silsbee, R.H. Electron spin resonance of F centers in magnesium oxide; confirmation of the spin of magnesium-25, 8=5485

Wertz, J.E., Koelsch, C.F. and Vivo, J.L. Re-examination of two free radicals, 6=1383

Wertz, J.E., Jain, P.L. and Batdorf, R.L. Multiple thermal relaxation times and nuclear spin energy transfer in liquids, 6=5308

Wertz, J.E. and Jardetzky, O. Nuclear spin resonance of aqueous sodium ion, 7=2771

Wertz, J.E. and Vivo, J.L. Multiple thio-radicals in sulfuric acid solution, 6=1382. Electron spin resonance of semiquinones, 6=1385. Electron spin resonance of 1, 4-naphthosemiquinone ion, 6=3024

Wesemeyer, H. See also Daniels, J.M., 8=2264, 5120

Wesemeyer, H. and Daniels, J.M. The effect of saturation of the paramagnetic resonance absorption of the [optical] Faraday effect, 9=4496

Wesołowski, J. An immersion beta-ray G.M. counter, 7=478

Wesp, A. On a viscosimetric method for the formation of the products of two measured values with progressive time summation, 6=5713

Wessel, W. On the theory of the electron. IV, 5=4363

Wesson, J.A. See Allen, N.L., 8=775

West, C.D. Crystallographic formalism 1B: Reply to Nowacki's letter "The number of X-ray diffraction groups", 5=7520

West, D. Measurements of the energy loss distribution for minimum ionizing electrons in a proportional counter, 5=3837. Mesonic atoms, 8=6360

West, D., Batchelor, R. and Bradley, E.F. The detection of mesic X-rays with pressurized proportional counters using cosmic ray μ-mesons stopped in carbon, 5=8851

West, D. and Bradley, E.F. Proportional counter measurements of n-mesonic X-rays from beryllium, 6=4017. Proportional counter measurements of π-mesonic X-rays, 7=8654

West, D.C. Electrical phenomena in adhesion. I. Electron atmospheres in dielectrics, 5=272. See also Bagley, E.B., 8=3514, 9=9279

West, E.D. and Ginnings, D.C. Automatic temperature regulation and recording in precision adiabatic calorimetry, 8=1661. An adiabatic calorimeter for the range 30° to 500°C, 8=3955

West, E.J. Technique for optical measurement at liquid nitrogen temperature, 8=938. See also Lambe, J., 8=8443; Liebson, S.H., 5=6033

West, E.J. and Compton, W.D. Luminescence of Z centres in KCl: Sr crystals, 8=2249

West, F.G. Temperature dependence of the absorption of ultrasound in a nickel single crystal from 77° to 650°K, 9=2168

West, G.W. Nuclear magnetic resonance in β-brass, 9=2928. See also Clarebrough, L.M., 5=10008, 6=8436, 8=3523

West, H.I., Jr. Measurement of low-energy gamma-ray pair cross sections in scintillators using a scintillation pair spectrometer, 6=1548. See also Meyerhof, W.E., 5=1939

West, H.I., Jr, Mann, L.G. and Iddings, G.M. Decay of Nb^{92}, 9=6074

West, J.M. and Roy, G.M. Analysis of EBWR performance clarifies the future of boiling-water reactors, 9=12707

West, R. See Plessner, K.W., 6=3709

West, W. See also Luckey, G.W., 6=3713

West, W. and Carroll, B.H. The effect of impurities on the optical sensitization of the photographic emulsion, 5=675

Westberg, R.G. Nature and role of ionizing potential space waves in glow-to-arc transitions, 9=7025

Westcott, C.H. The specification of neutron flux and nuclear cross-sections in reactor calculations, 5=9936. Effective cross sections for thermal spectra, 9=3920

Westenberg, A.A. See also Walker, R.E., 7=1122, 8=2701, 9=4350-1, 11915

Westenberg, A.A. and Walker, R.E. New method of measuring diffusion coefficients of gases, 7=8454

Westerboer, I. See Bittel, H., 9=12350

Westendorp, W.F. See Baldwin, G.C., 5=2783

Westerfield, E.C. See Stewart, J.L., 9=7914

Westerhof, T.J. See Bril, A., 9=3333

Westerhout, G. Relative intensities of four principal radio sources observed on a wavelength of 22 cm; a note on the radio source of Sagittarius A, 8=9

Westerlund, H. See Lagerqvist, A., 9=5504

Westervelt, P.J. Acoustic streaming near a small obstacle, 5=4471. Scattering of sound by sound, 7=4084, 8479. Acoustic radiation pressure, 7=4086.* See also Dyer, I., 9=1219; Maidanik, G., 7=9584; Olsen, H., 9=159; Raney, W.P., 5=1609

Westfold, K.C. Magnetohydrodynamic shock waves in the solar corona, with applications to bursts of radio-frequency radiation, 8=859. New analysis of the polarization of radiation and Faraday effect in terms of complex vectors, 9=8007. The polarization of synchrotron radiation, 9=11128

Westheimer, G. Effect of binocular magnification devices on stereoscopic depth resolution, 6=3408. Spherical aberration of the eye, 6=3412. Accommodation measurements in empty visual fields, 7=9480. Kinematics of the eye, 7=9997. Retinal light distribution for circular apertures in Maxwellian view, 9=1973. See also Campbell, F.W., 9=1972, 7704

Westheimer, G. and Tanzman, I.J. Qualitative depth localization with diplopic images, 6=3407

Westmacott, K.H. See Atkinson, H.H., 9=7044; Hirsch, P.B., 9=1873; Smallman, R.E., 7=8906, 9=7510

Westmeyer, H. See von Ardenne, M., 9=4700, 9542

Weston, D.E. Guided propagation in a slowly varying medium, 9=6629

Weston, E.B. and Aller, L.H. Short-period changes in the spectrum of T Tauri, 6=1791

Weston, M.K. An improved probe assembly for use with an electrolytic tank, 6=890

Weston, R.E., Jr, Tritium isotope effect in the isomerization of cyclopropane, 5=7456. Infrared spectrum of $N^{15}O_2$ and force constants of NO_2, 7=5996. Effect of pressure on the isotope effect in a unimolecular gaseous reaction: tritium and carbon-13 effects in the isomerization of cyclopropane, 7=6659. See also Bigeleisen, J., 9=7572

Weston, R.E., Jr and Brodasky, T.F. Infrared spectrum and force constants of the nitrite ion, 7=9615

Weston, V.H. Toroidal wave functions, 9=1112

Westpfahl, K. The cross-section and "collecting efficiency" of a potential shell in a particle stream, 5=6187. On rigorous theory of diffraction of electromagnetic waves on plane screens, 6=506

Westphal, W. On the sound radiation of a partition excited to flexural vibrations, 5=1624

Westphal, W.B. See Miles, P.A., 8=3065

Westphal, W.C. See Haynes, J.R., 6=3731

Westrum, E.F., Jr. See also Grimes, D.M., 7=7218, 8=8900; Grøvold, F., 9=5639

Westrum, E.F., Jr, Chou, C. and Grønvold, F. Heat capacities and thermodynamic properties of the iron tellurides $Fe_{1.11}Te$ and $FeTe_2$ from 5 to 350°K, 9=6854

Westrum, E.F., Jr, Chou, C., Machol, R.E. and Grønvold, F. Thermodynamics of nonstoichiometric nickel tellurides. I. Heat capacity and thermodynamic functions of the δ phase from 5 to 350°K, 8=8740

Westrum, E.F., Jr and Grimes, D.M. Low-temperature heat capacities and thermodynamic properties of zinc ferrites. II. Effect of thermal history and metallic additives, 9=9568

Westrum, E.F., Jr and Machol, R.E. Thermodynamics of nonstoichiometric nickel tellurides. II. Dissociation pressures and phase relations of tellurium-rich compositions, 9=5637

Wetherell, A.M. See Brody, H.M., 8=7285; Burkhardt, G.H., 8=6165; Cassels, J.M., 7=7431, 9906, 8=279

Wetherill, G.W. Variations in the isotopic abundances of neon and argon extracted from radioactive minerals, 5=1133. See also Aldrich, L.T., 6=8945

Wetherill, G.W., Wasserburg, G.J., Aldrich, L.T., Tilton, G.R. and Hayden, R.J. Decay constants of K^{40} as determined by the radiogenic argon content of potassium minerals, 6=8344

Wette, F. de. See de Wette, F.

Wette, F.W. de. See de Wette, F.W.

Wetzger, J. Relations between the Laplace transformation and infinite series, 8=4618

Wever, E.G. and Lawrence, M. Patterns of injury produced by overstimulation of the ear, 5=10153

Wever, H. See Feller, H.G., 9=6348; Seith, W., 5=3223

Weyerer, H. Non-superconductors at low temperatures, 9=2312. Superconductivity and electron-pair model, 9=2355

Wexler, A. Electric hygrometers, 8=3777. See also Corak, W.S., 5=3791, 6995, 6=4372; Hasegawa, S., 6=967

Wexler, A., Garfinkel, S.B., Jones, F.E., Hasegawa, A. and Krinsky, A. A fast responding electric hygrometer, 6=3545

Wexler, H. Transport problems in the atmosphere, 5=2340

Wexler, R., Atlas, D. and Mason, B.J. Factors influencing radar-echo intensities in the melting layer, 7=3849

Wexler, S. Deposition of atomic beams, 8=9075. See also Goodman, L.S., 5=3002, 8164, 8=1902

Weyerer, H. Equator marks for X-ray powder cameras, 5=2310. A vacuum thermostat for X-ray fine-structure (diffraction) cameras, 6=2552. Structure investigations on flat specimens in a small cylindrical camera, 6=4738. Precision determination of lattice constants, 6=6258, 7843. Consideration of systematic errors from the error-pattern of measurements, 7=5816. Heating of powder specimens due to X-ray irradiation in crystal analysis, 7=6729. Precision determination of lattice constants. III-V, 8=452. See also Hoffrogge, C., 5=1882

Weyl, P.K. On the second-order decay of the thermoluminescence of polycrystalline materials, 7=5233

Weyl, W.A. Atomistic interpretation of the melting of simple compounds, 5=3677. See also Marboe, E.C., 5=5664

Weyl, W.A. and Marboe, E.C. Formation of amorphous solids and characterization of their structures by energy profiles, 9=11580

Weymann, R. Inhomogeneous stellar models. VI. An improved solar model with the carbon cycle included, 7=8362

Weymann, R. and Howard, R. Note on hydromagnetic waves passing through an atmosphere with a density gradient, 8=8935

Weymouth, J.W. and Bauer, N. Bent mica focusing X-ray spectrograph for a course in atomic physics, 6=391

Weyssenhoff, J. The question of an elementary length in physics, 5=5213

Whale, H.A. Determination of electron densities in the ionosphere from experimental (h′, f,) curves, 5=3317. Widespread diurnal variations of effective slope of the ionosphere, 5=5135. Effective tilts on the ionosphere at places about 1000 km apart, 6=5558

Whale, H.A. and Ross, W.J. An automatic direction finder for recording rapid fluctuations of the bearing of short radio waves, 6=5262

Whalen, J.F. See LaBerge, W.B., 5=2832

Whalen, W.J. and DeHaan, R.L. Cantilever pneumograph, 6=3397

Whalen, W.J. and Weddle, O. Device for measuring isotonic or isometric contractions of heart muscle, 8=9189

Whaley, R.M. Three-semester introductory course for engineers and science majors, 8=25. See also Tatro, C.A., 9=5062

Whalin, E.A., Schriever, B.D. and Hanson, A.O. Photodisintegration of deuterium by 60- to 250-MeV X-rays, 6=3225

Whalin, E.A. Jr and Reitz, R.A. A liquid hydrogen, deuterium, and helium target for use with high-energy machines, 5=2164

Whaling, W. See Bader, M., 6=6723. Van Patter, D.M., 5=2099, 8=3363

Whalley, E. Thermodynamic properties of argon in the temperature range –100 to +600°C and pressure range 0 to 80 atmospheres, 5=4611. The difference in the intermolecular forces of H_2O and D_2O, 8=4404. The thermal conductivity of associating gases, 8=4914. Zero-point energy: a contribution to intermolecular forces, 9=6211. Intermolecular forces and crystal properties of methane, 9=13783

Whalley, E., Lupien, Y. and Schneider, W.G. The compressibility of gases at high temperatures. X. Xenon in the temperature range 0° to 700°C and the pressure range 8 to 50 atmospheres, 5=5265

Whalley, E. and Schneider, W.G. Intermolecular potentials of argon, krypton, and xenon, 5=9795

Whapham, A.D. Propagation of dislocations in electron irradiated lithium fluoride, 8=2663

Whapham, A.D. and Wilman, H. Flexural rotational slip as the main deformation process in the torsion of zinc crystals, 6=734. The fundamental slip process in the torsion of a crystal having a single active slip plane, 7=3769

Wheatley, G.H. See Hrostowski, H.J., 5=196, 6=2108; Whelan, J.M., 9=8993

Wheatley, J.C. See also Estle, T.L., 9=5949; Griffing, D.F., 7=2549

Wheatley, J.C. and Estle, T.L. Rotation cooling in cerium magnesium nitrate, 7=2429

Wheatley, J.C., Griffing, D.F. and Estle, T.L. Thermal contact and insulation below 1°K, 7=4277

Wheatley, J.C., Griffing, D.F., and Hill, R.D. Ratio of magnetic moments of Co^{58} and Co^{60}, 5=9007

Wheatley, J.C., Huiskamp, W.J., Diddens, A.N., Steenland, M.J. and Tolhoek, H.A. Circular polarization of gamma radiation emitted by oriented ^{60}Co nuclei, 6=3156

Wheatley, P.J. See Atoji, M., 5=8145, 7=8294; Dickerson, R.E., 7=6743, 8295; Gay, P. (Conf. rep.), 8=1368

Wheeler, C. See Roberts, J.P., 7=9422

Wheeler, D.B., Jr. See Emrich, R.J., 8=5726

Wheeler, D.E. See Glorig, A., 7=3871

Wheeler, J. See Davidson, D.W., 9=8077

Wheeler, J.A. Geons, 5=2395. Survey of nuclear models, 5=6380. Collective model for nuclei, 5=9391. The origin of cosmic rays, 5=9391. On the nature of quantum geometrodynamics, 8=1469. Fission, 8=1983. Assessment of Everett's "relative state" formulation of quantum theory, 8=2164. See also Brill, D.R., 8=1825; Euwema, R.N., 6=7122; Ford, K.W., 9=10606-8; Griffin, J.J., 8=713; Klauder, J., 8=1511; Lindquist, R.W., 8=2755; Misner, C.W., 8=1468; Power, E.A., 8=1483; Regge, T., 8=6617; Weber, J., 8=2757; Werner, F.G., 8=716

Wheeler, R.G. Multiplet structure of excitons in CdS, 9=10774

Wheeler, R.G., Blakewood, C.H. and Lane, C.T. Second sound attenuation in rotating helium II, 6=296

Wheelon, A.D. Spectrum of turbulent fluctuations produced by convective mixing of gradients, 7=4005. Radio frequency and scattering angle dependence of ionospheric scatter propagation at VHF, 8=4190. Diurnal variations of signal level and scattering heights for v.h.f. propagation, 8=4191. Refractive corrections to scatter propagation, 8=5153. Relation of radio measurements to the spectrum of tropospheric dielectric fluctuations, 8=6531. On the spectrum of a passive scalar mixed by turbulence, 9=11883. A summary of the turbulent mixing dilemma, 9=11885. See also Blitzer, L., 7=1036, 3031, 5016; Münch, G., 9=2127

Whelan, J.M. See also Bateman, T.B., 9=7551; Fuller, C.S., 9=8881; Spitzer, W.G., 9=6948; Theuerer, H.C., 8=3121

Whelan, J.M. and Wheatley, G.H. The preparation and properties of gallium arsenide single crystals, 9=8993

Whelan, M.J. See also Hirsch, P.B., 7=2819

Whelan, M.J. and Hirsch, P.B. Electron diffraction from crystals containing stacking faults. I, 7=8950. II, 8=1371

Wheland, G.W. Modified valence-bond treatment of unsaturated and aromatic compounds, 5=2969

Wheland, G.W. and Chen, P.S.K. Some semiempirical quantum-mechanical calculations for ammonia and for diimide, 6=1453

Wherry, T.C. and Karasek, F.W. Performance of the nonmagnetic radio-frequency mass spectrometer tube, 5=7136

Whetstone, A., Millimicrosecond light source, 9=8021

Whetstone, A., Allison, B., Muirhead, E.G. and Halpern, J. Photoproton scintillation spectrometer, 8=8959

Whetstone, A. and Halpern, J. Angular distribution of photoprotons from deuterium from 9 to 23 MeV, 8=2575

Whetstone, S.L., Jr. Prompt-neutron emission from single fission fragments, 9=8643. See also Stein, W.E., 9=701

Whetstone, S.L., Jr. and Stork, D.H. Scattering of 22-MeV positive pions by protons, 6=4015

Whetten, N.R. and Laponsky, A.B. Secondary electron emission of single crystals of MgO, 7=7962. Energy distribution of secondary electrons from MgO single crystals, 7=9724. Mechanism of secondary electron emission from MgO single crystals, 8=8818. Secondary electron emission from MgO thin films, 9=7068

Whetten, N.R. and Young, J.R. Use of a silver tube to admit oxygen to a vacuum system, 9=7863

Whiffen, D.H. The force field, vibration frequencies, normal coordinates, infra-red and Raman intensities for benzene, 5=7233. [Conf. rep.] Microwave and radio-frequency spectroscopy, 5=7846. Intensities in the Raman spectrum of benzene, 6=6537. Absolute Raman intensities, 7=9621. Atomic polarization and infra-red absorption, 8=3433. See also Abraham, R.J., 9=741, 829; Spedding, H., 7=5200; Steele, D., 9=3293

Whipple, E.B., Goldstein, J.H. and Mandell, L. Proton magnetic resonance in haloallenes, 9=9833

Whipple, F.L. Evidence for winds in the outer atmosphere, 5=2342. The physical theory of meteors. VII. On meteor luminosity and ionization, 5=5178. A comet model. III. The zodiacal light, 5=5829. On the origin of the zodiacal particles, 6=872.* The sunward tail of comet Arend-Roland, 7=8359
Whipple, F.L. and Hawkins, G.S. On meteors and rainfall, 6=9118
Whipple, R.T.P. Concentration contours in grain boundary diffusion, 5=1287. See also Roberts, S.J., 7=1343
Whippler, C. See Marchal, J., 6=2307
Whitbread, E.G. See Cachia, G.P., 8=7580
Whitby, F.J. See Archer, M.S., 5=1997
Whitby, H.C. Compact d.c. power supplies in the 100 kV region, 6=5945
White, A.D. New hollow cathode glow discharge, 5=7031
White, A.G. A calorimetric method of determining the energy output of radioactive materials, 6=5341. See also Hutchinson, W.P., 5=904, 7920, 7=1540
White, A.V. See Bueche, A.M., 6=8978
White, C.G. and Helf, S. Suspension counting in scintillating gels, 7=3575
White, C.T. See Ford, A., 9=4171; Hedlun, J.M., 9=10451
White, D. See also Chou, C., 8=8787; Varnerin, L.J., Jr., 5=117
White, D., Chou, C. and Johnston, H.L. Heat capacity in the normal and superconducting states and critical field of tantalum, 8=8788
White, D. and Haubach, W.J. Separation of the hydrogen isotopes by preferential adsorption at 20.4°K, 9=8685
White, D. and Hilsenrath, J. Pressure-sensitive diaphragm-type null detector, 9=1119
White, D., Walsh, P.N. and Mann, D.E. Infrared emission spectra of B_2O_3(g) and B_2O_2(g), 8=6820
White, D.H. See Booth, N.E., 7=3647, 8=5199, 9=8538; Law, M.E., 9=8586
White, D.L. High Q quartz crystals at low temperatures, 8=8754. β-quartz as high-temperature piezoelectric material, 9=6901
White, D.R. See Alpher, R.A. 9=2440, 7932-3
White, E.A.D. See Lewis, B., 6=8168; Tomlinson, T.B., 7=6028
White, F.A. See also Collins, T.L., 7=3569; Rourke, F.M., 9=8784; Sheffield, J.C., 8=5060
White, F.A. and Collins, T.L. A two-stage magnetic analyzer for isotopic ratio determinations of 10^4 to 1 or greater, 5=5456
White, F.A., Collins, T.L. and Rourke, F.M. Search for possible naturally occurring isotopes of low abundance, 6=3929
White, F.A., Collins, T.L., Jr. and Rourke, F.M. New naturally occurring isotope of tantalum, 5=3987
White, F.A., Rourke, F.M. and Sheffield, J.C. A three stage mass spectrometer, 8=8056
White, F.A., Rourke, F.M., Sheffield, J.C., Schuman, R.P. and Huizenga, J.R. Absolute energy measurement of alpha particles from Po^{210}, 8=3335
White, F.A. and Sheffield, J.C. Three-channel alpha-fission counter, 8=4199
White, G.K. The electrical resistance of dilute copper alloys at very low temperatures, 5=3717. Conductivity of metals at low temperatures, 7=9654. See also Fischer, G., 7=6093; Harper, A.F.A., 7=8550; Kemp, W.R.G., 5=7891, 6=3670, 6555; MacDonald, D.K.C., 6=4355
White, G.K. and Woods, S.B. The lattice thermal conductivity of dilute copper alloys at low temperatures, 5=1754. Thermal and electrical conductivities of solids at low temperatures, 5=2657. Thermal conductivity of solid argon at low temperatures, 6=5812. Thermal conductivity of germanium and silicon at low temperatures, 6=8143. Conductivity of α-manganese, 7=7813. Electrical and thermal magnetoresistance in thin rods of pure sodium, 7=3188. Low temperature resistivity of the transition elements: cobalt, tungsten, and rhenium, 7=7857. Vanadium, niobium, and hafnium, 7=9655. Indium resistance thermometer; 4 to 300°K, 7=9661. The thermal and electrical resistivity of bismuth and antimony at low temperatures, 8=3019. Thermal conductivity of the solidified inert gases: argon, neon and krypton, 9=248. Low temperature resistivity of the transition elements: ruthenium and osmium, 9=287. Electrical and thermal resistivity of the transition elements at low temperatures, 9=3437
White, G.K., Woods, S.B. and Elford, M.T. Thermal conductivity of selenium at low temperatures, 9=1358
White, G.M. Zeros of Gaussian noise, 8=4765. Thermal and electrical conductivity of rhodium, iridium, and platinum, 7=7812. Electronic probability generator, 9=11712
White, G.W.T. On the use of matrices for solving periodic heat flow problems, 7=7046
White, H. See Agnew, L., 8=6142
White, H.C. Atomic force constants of copper from Feynman's theorem, 9=6227
White, H.G. See Weinreich, G., 7=8608, 9=6240, 6969
White, H.J., Jr. Thermodynamics of sorption by solids under finite strain with particular reference to fibers, 5=8540
White, H.S. See Agnew, L.E., Jr., 8=7249
White, J.A. See Drake, C.W., 9=3959
White, J.E. Acoustic filter for classroom use, 5=9507. Spherical waves coupled to a one-dimensional wave guide, 8=4797
White, J.E. and Angona, F.A. Elastic wave velocities in laminated media, 5=4448
White, J.E. and Frost, H.H. Unexpected waves observed in fluid-filled bore holes, 7=169
White, J.G. See Baltzer, P.K., 9=432; Ellis, S.G., 8=3140; Spicer, W.E., 9=12258
White, J.N.T. See Poole, J.H.J., 5=9985
White, J.R. Diffusion coefficients of fatty acids and monobasic phosphoric acids in n-decane, 6=960. Diffusion coefficient measurements with glass diaphragm cells, 6=3538. Entropy efficiency in thermal diffusion, 8=74. See also Johnston, H.S., 5=2271
White, J.U. and Alpert, N.L. Wide range infrared absorption cell, 8=4869
White, J.U., Alpert, N.L. and DeBell, A.G. Photoelectric Raman spectrometer, 5=2560
White, J.U., Alpert, N.L., DeBell, A.G. and Chapman, R.M. Infrared grating spectrophotometer, 7=5981
White, J.U., Alpert, N.L., Ward, W.M. and Gallaway, W.S. Microgas cell for infrared spectroscopy, 9=9411
White, J.U., Alpert, N.L. and Weiner, S. Small infrared spectrometer, 8=5775
White, J.U. and Howard, J.N. Widths of infrared absorption bands in liquids and solids, 6=8675
White, J.U., Weiner, S., Alpert, N.L. and Ward, W.M. Microsampling for small infrared spectrophotometers, 9=1276
White, J.W. See Lyons, L.E., 8=7834
White, L.D. See Gordon, J.P., 8=8941
White, L.E. See Weitzel, D.H., 5=5064
White, M.L. Extension of the Sen–White paper on atmospheric oscillations, 8=4581. Gravitational and thermal oscillations in the earth's upper atmosphere, 8=4582. On the atmospheric dynamo theory, 8=7638. See also Sen, H.K., 6=2577, 8=4580
White, P. See also Benson, G.C. 9=8874
White, P. and Benson, G.C. Ultrasonic absorption in [pure] butyric acid, 9=145
White, P.H. See Cohen, A.V., 6=3233, 7=724
White, R. See Henke, B.L., 7=4422
White, R.B. See Munro, G.H., 8=1466
White, R.E. See also Farley, F.J.M., 8=3370
White, R.E., Chisholm, A. and Brown, D. Polarization in the elastic scattering of 2-3 MeV neutrons by deuterons, 8=6146
White, R.E. and Farley, F.J.M. Polarisation in the elastic scattering of neutrons by helium, 7=8899
White, R.F.M. See Gillespie, R.J., 9=3417
White, R.H. Topsy, a remotely controlled critical assembly machine, 9=13714
White, R.L. Nuclear quadrupole interaction in HCN and DCN in the bending vibrational mode, 5=2950. Quadrupole coupling of the deuteron in DCCCl and DCN, 5=2951. Magnetic hyperfine structure due to rotation in $^1\Sigma$ molecules, 6=526. Ferrimagnetic resonance line widths and g-factors in ferrites, 9=9797. See also Solt, I.H., Jr., 8=8870
White, R.L. and Solt, I.H., Jr. Multiple ferromagnetic resonance in ferrite spheres, 7=1448
White, R.M. Radiation impedance of a cylindrical bore in a solid, 8=1568. Self-reciprocity transducer calibration in a solid medium, 8=2912. Elastic wave scattering at a cylindrical discontinuity in a solid, 9=133
White, R.S. See Freden, S.C., 9=1681, 12903; Gilbert, F.C., 6=6921; 7=751, 8185, 9921, 8=8998; Iloff, E.L., 6=5410
White, W. See DeMille, G.R., 9=12624
White, W.B. See also Kallmann, H.K., 8=4555-6
White, W.B., Johnson, S.M. and Dantzig, G.B. Chemical equilibrium in complex mixtures, 8=4503
White, W.C. Suppression of AlO in the wake of ultraspeed pellets, 5=5300. A new electrical hygrometer, 6=124.

Ablation from aluminum ultraspeed pellets, 6=5709. See also Koehler, W.F., 6=263, 1133, 9=3339
White, W.E. and MacAdam, D.L. Universal, digital tristimulus integrator, 7=7800
Whited, C.R. See Partridge, W.S., 9=3175
Whiteford, J.E. See Boggs, J.E., 9=8068
Whitehead, A.B. and Foster, J.S Activation cross sections for $C^{12}(p, pn)C^{11}$, $O^{16}(p, \alpha)N^{13}$, and $F^{19}(p, pn)F^{18}$, 9=2776
Whitehead, C. See also Hillman, P., 6=6943; Hird, B., 5=1180; Stafford, G.H., 1064-42, 7=8202, 8898
Whitehead, C., McMurray, W.R., Aitken, M.J., Middlemas, N. and Collie, C.H. Ejection of photoprotons from light elements by 45-110 MeV bremsstrahlung, 8=9057
Whitehead, C.S. The magnetic properties of some superconducting mercury colloids, 7=6337
Whitehead, M.N. See Birge, R.W., 5=9122, 6=1622, 7=3708; Stork, D.H., 7=2152
Whitehead, S. The orientation of fibres in an electric field, 7=1260
Whitehead, W.D. See Aull, L.B., 8=5377; Berko, S., 8=6209
Whitehouse, D.R. and Replogle, F.S., Jr. Acoustic ionization detector, 8=1144
Whitehurst, R.N. See also Mitchell, H., 5=7710
Whitehurst, R.N., Copeland, J. and Mitchell, F.H. Solar radiation and atmospheric attenuation at 6 millimeter wavelength, 7=5757
Whiteman, J.H.M. Relativistic aberration formula, 8=3677
Whiteway, S.G. and Masson, C.R. Rate of association of n-propyl radicals, 6=8450
Whitfield, D.G. Theory of electron–phonon interactions, 9=12785
Whitfield, G. and Redfield, A.G. Paramagnetic resonance detection along the polarizing field direction, 7=7224
Whitfield, G.R. See also Elsmore, B., 6=878
Whitfield, G.R. and Högbom, J. Radio observations of the comet Arend–Roland, 8=12
Whitham, G.B. See Jones, D.S., 8=6079*
Whitham, K. The relationships between the secular change and the non-dipole fields, 9=3001. See also Serson, P.H., 8=2707
Whiting, M.C. See Nayler, P., 5=2593
Whitley, S. See Benzie, R.J., 5=9618; Cooke, A.H., 5=8084
Whitlock, W.S. See also Mapleson, W.W., 5=10098
Whitlock, W.S. and Chalmers, J.A. Short-period variations in the atmospheric electric potential gradient, 7=963
Whitmarsh, D.C., Skudrzyk, E. and Urick, R.J. Forward scattering of sound in the sea and its correlation with the temperature microstructure, 8=2922
Whitmer, R.F. Investigation of nonrotationally symmetrical electrostatic electron optical lenses, 6=6697. Microwave studies of the electron loss processes in gaseous discharges, 7=2273
Whitmore, B.G. See Evans, J.E., 9=8515
Whitmore, G.F. See Cormack, D.V., 6=8815
Whitmore, R.L. The sedimentation of supensions of spheres, 5=8537. See also Gurel, S., 5=3479; Maude, A.D., 6=3519
Whitney, C. Comet outbursts, 5=7639. Recent work on Cepheid atmospheres, 5=7660. Stellar pulsation. I. Momentum transfer by compression waves of finite amplitude, 7=2941. Granulation and oscillations of the solar atmosphere, 9=4214. See also Cox, J.P., 9=11754
Whitney, D.B. Derivation of a formula for the specification of the reciprocal relative dispersion of opthalmic multifocal segment glasses, 9=9543
Whitney, I. See Dudley, M.D., 7=7042
Whitney, R.B. and Calvin, M. Chemical and photochemical studies on 6, 8-thioctic acid and 1, 2-dithiolane (trimethylene disulfide), 6=761
Whitney, W.M. Absorption of sound in liquid helium II, 7=3209
Whitrow, G.J. On the interpretation of the extragalactic redshifts, 5=689
Whittaker, A.G. Magnetic susceptibility study of the liquid phase equilibrium $N_2O_4 = 2NO_2$ in pure nitrogen tetroxide, 6=4061. Apparatus for the measurement of vapor pressure and ignition or decomposition temperature at pressures above atmospheric, 7=6110. See also Happe, J.A. 9=5939; Hildenbrand, D.L., 5=3688; Kaufman, M.H., 7=317; Steese, C.M., 6=4060
Whittaker, A.G. and Moore, D.W. Observation of thermal isomerization by N.M.R. spectroscopy, 6=9022
Whittaker, A.G., Williams, H. and Rust, P.M. Burning-rate studies. A negative pressure exponent in the consumption-rate equation for a liquid system, 7=5699
Whittaker, D. See also Edels, H., 5=4278, 7=6212
Whittaker, D. and Edels, H. Determination of arc temperatures using shock waves, 6=5122
Whittaker, E.J.W. The diffraction of X-rays by a cylindrical lattice. I, 5=4184; II, 5=5743; III, 5=5744; IV, 6=3364
Whittaker, F. See Allen, K.R., 7=8149
Whittemore, W. See Andresen, A., 8=2642
Whittemore, W.L. See also Abashian, A., 7=6605; Block, M.M., 5=8295, 7=700; Bolze, E.M., 8=3278; Cool, R.L., 8=8255; Eisberg, L.M., 5=3085; Fowler, W.B., 5=351, 4976, 7=699, 701; Pelah, I., 9=6133
Whittemore, W.L. and McReynolds, A.W. Effects of chemical binding on the neutron cross section of hydrogen, 9=6134
Whitten, R.C. and Block, M.M. π^--p Interactions at 1.85 BeV/c, 9=3777
Whittenbury, C.G., Huber, E.A. and Newell, G.S. Instrument for measuring water waves, 9=10670
Whittle, C. See Gallaher, L.J., 5=3972
Whittle, E. See also Dows, D.A., 5=4519, 8620, 9561
Whittle, E., Dows, D.A. and Pimentel, G.C. Matrix isolation method for the experimental study of unstable species, 5=2581
Whittle, H.R. See Mitchell, J.T.D., 9=5086
Whitton, W.I. See Everett, D.H., 5=6586
Whitwell, J.C. See also Cram, K.H., 5=5912
Whitwell, J.C. and Wakelin, J.H. Moments of distributions and their interrelation, 9=3026
Whitworth, R.W. Experiments on the flow of heat in liquid helium below 0.7°K, 8=6922
Whoriskey, P.J., Two chemical stains for marking p-n junctions in silicon, 8=5905
Whyard, R.E. See Cooke-Yarborough, E.H., 5=1275; Veall, N., 5=2816
Whyte, G.N. Measurements of spectral and angular distributions of secondary gamma-rays in matter, 5=3074. See also Geiger, K.W., 9=8464; Michel, W.S., 5=9032
Whyte, L.L. Chirality, 9=31
Whyte, L.L., Richards, D.L. and Gabor, D. Velocity of electron pulses, 5=985
Whytlaw-Gray, R. See also Reeves, C.G., 5=9486
Whytlaw-Gray, R. and Bottomley, G.A. A significant error in the determination at low pressures of the virial coefficients of vapours, 8=3789
Wiberg, K.B. See Kasai, P.H., 9=3300; Rabinovitch, B.S., 8=7575
Wiberley, S.E. See Bauer, W.H., 9=4335
Wiblin, E.R. See Booker, D.V., 7=1625; Rae, E.R., 8=6328
Wichert, G. The efficiency of the bismuth bolometer, 9=1371
Wichmann, E. and Kroll, N.M. Vacuum polarization in a strong Coulomb field, 5=1509
Wichmann, E.H. See also Karplus, R., 9=3152, 6538; Suura, H., 7=5646
Wichmann, E.H. and Kroll, N.M. Vacuum polarization in a strong Coulomb field, 6=906
Wick, G.C. Properties of Bethe-Salpeter wave functions, 5=750. Introduction to some recent work in meson theory, 6=4208. See also Cutkosky, R.E., 6=4846; Jacob, M., 9=12531
Wicke, E. See Eigen, M., 5=1322
Wickersham, A.F., Jr. Interactions of 28 MeV protons with helium-4, 8=328. Anomalous dispersion in artificial dielectrics, 9=2299. Stokes' equations and their application to the refractivity of thin films, 9=5489
Wickersheim, K.A. Preparation of thin crystalline samples of the alkali hydroxides for infrared absorption studies, 9=2210. See also Cladis, J.B., 6=2822
Wickham, D.G. See also Goodenough, J.B., 8=8899, 9=1582
Wickham, D.G. and Croft, W.J. Crystallographic and magnetic properties of several spinels containing trivalent JA-1044 manganese, 9=8323
Wickham, R. See Marshall, K.H.J.C., 8=3569
Widder, F. and Huber, P. Pressure dependence of the saturation charge of polonium alpha-particles in CO_2, and in $A-CO_2$ and $A-CH_4$ mixtures, 9=7116
Widdoes, L.C. See Luckow, W.K., 6=3994; Mesler, R.B., 5=533
Widdowson, A.E. A simple tensile testing machine for very fine wires, 8=2830
Widgoff, M. See also Fournet, D.M., 6=5428; Hill, R.D., 5=549, 8293, 6=2388; Iloff, E.L., 6=5410; Ritson, D.M., 6=2439
Widgoff, M., Shapiro, A.M., Schluter, R., Ritson, D.M., Pevsner, A.

and Henri, V.P. Scattering of K^+ particles, 7=2697

Widgoff, M., Pevsner, A., Davis, D.F., Ritson, D.M., Schluter, R. and Henri, V.P. Energy dependence of the K^+-meson interaction cross section, 7=9924

Widmaier, W. Status of multiplier-phototube development for scintillation counters, 9=5798

Widom, B. On the structure of the configuration integral in the statistical mechanics of pure fluids, 5=4390. On the energy dependence of inelastic molecular collision probabilities, 6=3054. Statistical mechanics of liquid-vapor equilibrium, 7=5272. Inelastic molecular collisions with a Maxwellian interaction energy, 8=365. Relaxation of the string oscillator, 8=8597. One-dimensional inelastic collisions with impulsive interactions, 9=6209. See also Drauglis, E., 8=8595

Widom, B. and Rice, O.K. Critical isotherm and the equation of state of liquid-vapor systems, 5=7903

Wiebe, R. See Kretschmer, C.B., 5=263

Wiebenga, E.H. See Vos, A., 6=8486

Wiebes, J. See also Kramers, H.C., 5=1769

Wiebes, J., Niels-Hakkenberg, C.G. and Kramers, H.C. New experiments on the specific heat of liquid ^{4}He below 0.7°K, 7=8562

Wiedemann, W. Electric and magnetic behaviour of Nb_3Sn in the superconducting transition region, 8=7984

Wiedenbeck, M.L. See Arns, R.G., 9=2756, 3877, 6098, 8532; Funk, E.G., Jr, 8=9037, 9=2767; Hickman, G.D., 9=1746; Kelly, W.H., 6=6129; Lide, R.W., 9=6095; Lu, D.C., 5=2147; Scharenberg, R.P., 6=2367; Slattery, R.E., 5=481; Stewart, M.G., 5=8216

Wieder, H.H. Electrical behavior of barium titanate single crystals at low temperatures, 5=8732. Ferroelectric hysteresis in barium titanate single crystals, 6=1195. Retarded polarization phenomena in $BaTiO_3$ crystals, 6=6605. Activation field and coercivity of ferroelectric barium titanate, 8=1675. Ferroelectric polarization reversal in Rochelle salt, 8=8747. Ferroelectric properties of colemanite, 9=8069

Wieder, I. and Lamb, W.E., Jr. Fine structure of the 2 ^{3}P and 3 ^{3}P states in helium, 7=8111

Wiederhielm, C.A. Ultrasonic intensity meter, 6=6468

Wiederhorn, S. See also Suchan, H.L., 9=10784

Wiederhorn, S. and Drickamer, H.G. The effect of pressure on the near-ultra-violet spectra of some fused-ring aromatic crystals, 9=7957

Wiederkehr, R.R. and Drickamer, H.G. Effect of pressure in cyanide and carbonyl spectra in solution, 8=3872

Wiedersich, H. See Cochardt, A.W., 5=9225

Wiedling, T. See Åkerlind, L., 5=5602; Asplund, I., 9=11428; Bergkvist, K.E., 5=4008; Hartmann, B., 6=547, 7=3532

Wiegand, C. See Agnew, L., 8=6142; Agnew, L.E., 8=8975; Agnew, L.E., Jr, 8=7249; Baldwin, J., 7=708; Button, J., 8=7256; Chamberlain, O., 5=336, 1919, 6=1298, 2183, 3787, 4637, 5830, 5955, 6145, 6186, 7=3371; Ypsilantis, T., 5=6236

Wiegand, C.E. Cerenkov counters in high energy physics, 9=4871

Wiegand, D.A. Low-temperature luminescence and photoconductivity of AgCl, 9=4463. Wiegand, D.A. and Smoluchowski, R. Evidence for interstitials in low-temperature X-ray irradiated LiF, 8=7525

Wiehl, H.E. See Maier, W., 5=2702

Wiehl, K. See Kuhrt, F., 9=11059

Wiekhorst, F. Absorption of electromagnetic waves with the help of loaded resonant slots, 8=8950

Wieland, J. See Müller, K.A., 5=2855

Wieland, W. A new method of condensation nucleus counting, 5=8418

Wielgoz, K. See also Sugarman, N., 6=3203

Wielgoz, K. and Sugarman, N. Recoil studies of high-energy proton reactions in bismuth, 6=3203

Wielowiejska, M. See Niewodniczański, H., 5=492, 518

Wien, J. See Schedling, J.A., 7=6681

Wienecke, R. On the behaviour of interrupted high-current arcs, 6=1262. On the "velocity field" of high-current carbon arcs, 6=1265. On an experimental and theoretical determination of the thermal conductivity of the plasmas of high current carbon arcs, 7=425. The appearance of vapour beams in carbon arcs at high current strengths. I, 8=7999; II, 8000

Wiener, B., Groetzinger, G. and McCollum, R. Specification of thermally and mechanically induced nonequilibrium states in AuCu by the resistivity and magnetoresistivity, 5=9186

Wiener, B., Schwed, P. and Groetzinger, G. Variation of magnetoresistivity of AuCu with degree of order, 5=6159

Wiener, F.M., Goff, K.W. and Keast, D.N. Instrumentation for study of propagation of sound over ground, 9=2158

Wiener, F.M. and Keast, D.N. Experimental study of the propagation of sound over ground, 9=7879

Wiener, G. See also Hoskins, R., 5=1052

Wiener, G., Albert, P.A., Trapp, R.H. and Littmann, M.F. Cube texture in body centered magnetic alloys, 8=8895

Wiener, N. and Siegel, A. The differential-space theory of quantum systems, 6=350

Wiener, N. and Wintner, A. Random Time, 8=3730

Wiener, R. See Goldring, G., 8=7303; Ofer, S., 7=9844

Wiener, R.N. and Nixon, E.R. Infrared spectrum of solid sulfur dioxide, 6=8676. Infrared spectrum of dinitrogen tetroxide, 7=5189

Wienke, K. See Kroepelin, H., 9=5756

Wienke, R.E. Empirical derivation of the C.I.E. luminosity curve from color mixture data, 7=7802

Wieringen, A. van. See van Wieringen, A.

Wieringen, J.S. van. See van Wieringen, J.S.

Wiese, W. See Mastrup, F., 9=5503

Wiesendanger, H.U.D., Jones, W.H. and Garner, C.S. Exchange of ammonia between metal-ammine cations and solvent in liquid ammonia, 8=3531

Wiesner, R. See also Groschwitz, E., 6=8773

Wiesner, R. and Groschwitz, E. Temperature dependence of photo-currents in p-n junctions, 6=4407

Wigartz, K. See Lagerqvist, A., 8=7440

Wiggins, A.M. Unidirectional microphone utilizing a variable distance between the front and back of the diaphragm, 5=136

Wiggins, C.S. See Holt, D.A., 8=1622

Wiggins, J.S. See Forster, H.H., 6=3946

Wiggins, T.A. See also Guenther, A.H., 8=3440; Jaffe, J.H., 5=6908, 7819, 7871; Rank, D.H., 7=1482, 2011, 4111; 7790, 8519, 9065, 9=185
Saksena, G.D., 9=12745; Shearer, J.N., 5=4507, 7=584

Wiggins, T.A. and Saksena, G.D. Dispersion of a double-pass spectrograph, 8=6797

Wight, H.M. Vibrational relaxation in N_2O-H_2O and N_2O-D_2O mixtures, 6=4915

Wightman, A. See Källén, G., 9=32

Wightman, A.S. Quantum field theory in terms of vacuum expectation values, 6=901. See also Hall, D., 8=2158

Wightman, A.S. and Schweber, S.S. Configuration space methods in relativistic quantum field theory. I, 5=5860

Wignall, J.W.G. Excitation studies of reactions occurring in the proton bombardment of ^{10}B, 6=645. See also Chadwick, G.B., 7=8862, 9=6042

Wigner, E. Relativistic invariance of quantum-mechanical equations, 7=6909

Wigner, E.P. Derivations of Onsager's reciprocal relations, 5=911. Lower limit for the energy derivative of the scattering phase shift, 5=4376. On the development of the compound nucleus model, 5=8996. Note on the beta-decay, 5=9391. Qualitative theory of the cohesion in metals, 5=9391. Relativistic invariance in quantum mechanics, 6=4841. Relativistic invariance and quantum phenomena, 8=2133. Aims and problems of reactors, 9=704. See also Creutz, E., 5=4110, 4112, 4113; Lane, A.M., 5=6392; Salecker, H., 8=8577

Wigner, E.P., Creutz, E., Jupnik, H. and Snyder, T. Resonance absorption of neutrons by spheres, 5=4111

Wihlm, H. A comparison of the different mirror mountings used in spectrophotometry, 5=7823

Wiig, E.O. See Caretto, A.A., Jr, 6=6898; Haldar, B.C., 7=4661; Heininger, C.G., 6=1566; Wagner, G.D., 5=1186

Wijk, W.R. van. See van Wijk, W.R.

Wijn, H.P.J. See also Jonker, G.H., 7=5466; Stuijts, A.L., 9=2509

Wijn, H.P.J., van der Heide, H. and Fast, J.F. Ordering in cobalt-ferrous ferrites, 7=7233

Wijnberg, L. Peak pulse brightness photometer, 6=2766

Wijnen, M.H.J. Photolysis of mixtures of acetone-*d* and diethyl ketone, 5=593. Reaction of methyl radicals with methane and ethane, 5=9206. Photolysis of ethane at 1470 A, 6=4065. Reactions of alkoxy radicals. I. Photolysis of methyl acetate, 8=1361; III. Photolysis of methyl-d_3 acetate below 100°C, 8=1362; IV. Photolysis of methyl-d_3

acetate at high temperatures, 8=9168

Wikner, E.G. and Das, T.P. Variational calculations of dipole polarizabilities of helium-like ions, 8=1282. Antishielding of nuclear quadrupole moments in heavy ions, 8=9072

Wiktor, S. The energetic part of the gamma-ray spectrum of ThD determined with the aid of a diffusion cloud chamber, 6=621

Wilbanks, W.A. See Blodgett, H.C., 6=7916

Wilburn, F.W. A differential thermal analysis apparatus, 9=2983

Wilchinsky, Z.W. On crystal orientation in polycrystalline materials, 9=9020

Wilcock, W.L. See Geake, J.E., 7=4974, 8=848; Lissberger, P.H., 9=5586

Wilcox, J.M. See also Allen, T.K., 9=12412; Ehlers, K.W., 9=1535

Wilcox, J.M. and Moyer, B.J. Nuclear internal momentum distributions, 5=8995

Wilcox, W.R. Friction factors for axial non-Newtonian annular flow, 9=2126

Wilcoxon, F. See Litchfield, J.T. Jr, 5=6674

Wilczewski, J.W. See Hughes, H.K., 5=5065

Wild, H. and Huber, O. High resolution beta spectrometer of new type, 7=8656

Wild, J.P. Solar radio noise and the study of corpuscular streams from the sun, 6=6301. Outbursts of radio noise from the Sun, 7=3905. See also Bolton, J.G., 7=6821; Smerd, S.F., 7=3903

Wild, J.P., Murray, J.D. and Rowe, W.C. Harmonics in the spectra of solar radio disturbances, 5=15

Wild, J.P. and Roberts, J.A. The spectrum of radio-star scintillations and the nature of irregularities in the ionosphere, 6=8505. Regions of the ionosphere responsible for radio star scintillations, 7=955

Wild, J.P. and Sheridan, K.V. A swept-frequency interferometer for the study of high-intensity solar radiation at meter wavelengths, 8=1438

Wild, J.P. and Zirin, H. On the association of solar radio emission and solar prominences, 7=2925

Wild, J.W. and Stranathan, J.D. Influence of external treatments on electret behavior, 8=3977

Wild, R.L. See Ogier, W.T., 9=7554

Wild, W. Non-stationary diffusion in stratified media, 8=7532. See also Mang, H.J., 9=4960

Wild, W. and Wildermuth, K. Nuclear binding energies and two-body forces, 5=2070

Wilde, H. Measurements of the reversible permeability and their theoretical interpretation, 6=1392

Wilde, K.A. Improved approximate solutions of flame equations for flames governed by simple chemical reactions, 5=585 Condensation in nozzles, 9=6838

Wildermuth, K. On the proton distribution in heavy nuclei, 5=2993. On the physical interpretation of electron self-acceleration, 5=8724. On the explanation of the width of nuclear γ-resonances, 5=9818. Nuclear properties and two-body forces. II, 9=561. See also Florian, A., 5=2069; von Kenschitzki, C.H., 9=3807; Wild, W., 5=2070

Wildermuth, K. and Baumann, K. Some remarks on self-acceleration and similar effects in quantum field theory, 8=3700

Wildermuth, K. and Kanellopoulos, T. The "cluster model" of the atomic nuclei, 8=6205. On the structure of rotational levels of atomic nuclei, 9=8518

Wildermuth, K. and Wittern, H. Nuclear hydrodynamics and the significance of the energy width of the nuclear γ-resonance, 8=727

Wildhack, W.A., Review of some methods of flow measurement, 5=104

Wildt, A. See Kroepelin, H., 9=5756

Wildt, R. Radiative transfer and thermodynamics, 6=5607

Wildy, P.C. See Garton, W.R.S., 8=3551

Wiles, D.M., Petruska, J.A. and Tomlinson, R.H. Some cumulative yields of isotopes formed in the thermal neutron fission of Pu^{239}, 7=729

Wiles, D.M. and Tomlinson, R.H. The half-life of Sr^{90}, 5=4001. Half-life of Cs^{137}, 5=8185

Wiles, D.R. Primary fission-yield fine structure as caused by nuclear closed shells, 5=2194

Wiles, D.R. and Coryell, C.D. Fission yield fine structure in the mass region 99=106, 5=1218

Wiles, G.G. The effect of discontinuous space charge on rectifier characteristics, 5=4668

Wilessow, F. and Terenin, A. Photoelectronic emission from the surface of semiconductor catalysts, 9=13367

Wilets, L. Excitation of nuclear rotational states in μ-mesonic atoms, 5=4878. Neutron and proton densities in nuclei, 6=3914. Theories of the nuclear surface, 9=577. Shape of the nucleus, 9=4958. See also Berg, R., 5=3985; Berg, R.A., 6=3087; Chase, D.M., 6=1528, 8=5390; Frisch, D.H., 7=3458; Jean, M., 6=2311; Rotenberg, M., 8=5263

Wilets, L. and Chase, D.M. Angular distribution of fission fragments at threshold according to the Bohr model 6=8962

Wilets, L. and Cherry, I.J. Lower bound to the ground-state energy and mass polarization in helium-like atoms, 6=6093

Wilets, L. and Jean, M. Surface oscillations in even–even nuclei, 6=4580

Wiley, W.C. and McLaren, I.H. Time-of-flight mass spectrometer with improved resolution, 6=1307

Wilf, H.S. The transmission of neutrons in multilayered slab geometry, 9=9956

Wilgain, S. See Debeauvais, M., 8=2446; Picciotto, E., 7=5584

Wilhelm, J. A note on the constant longitudinal field in the positive column of a glow discharge, 5=4701. On the theory of the cathode fall in glow discharges, 6=5127. On the plasma–[probe] space charge sheath transition region, 7=6303. On the diffusion theory of the positive column in electronegative gases, 9=2451

Wilhelm, R.H. See Deisler, P.F., Jr., 6=776; Prausnitz, J.M., 7=1944

Wilhelmi, Z. Cross-sections of atomic nuclei for the (n, p) reaction, 5=4068

Wilhelmi, Z. and Piogov, N.I. The ^{121}Sb(n, p)^{121}Sn reaction, 7=8836

Wilhelmsson, H. The interaction between an obliquely incident plane electromagnetic wave and an electron beam. I, 5=4812; II, 8=5145. On the reflection of electromagnetic waves from a dielectric cylinder, 9=476. The interaction between an obliquely incident plane electromagnetic wave and an electron beam. III, 9=9873. On the properties of the electron beam in the presence of an axial magnetic field of arbitrary strength, 9=12366. See also Rydbeck, O.E.H., 5=3312

Wilhelmsson, H. and Nilsson, M. An alpha-particle model for the nuclear photodisintegration of O^{16}, 8=3378

Wilhelmsson, H. and Zielinski, P. Derivation of the $\Lambda^0-\alpha$ potential from the $^5He_\Lambda$ and $^9Be_\Lambda$ hyperfragment binding energies, 8=6194

Wilhelmy, W. A new determination of the gyromagnetic ratio of the proton, 7=9148. See also Kirchner, F., 5=9833, 6=2317

Wilhoit, E.D. See Sears, P.G., 5=8346

Wilke, C.R. See also Chang, P., 5=9470; Powers, J.E., 8=2859

Wilke, C.R., Prausnitz, J.M. and Acrivos, A. Mass transfer, 9=5408

Wilke, G. See Teltow, J., 5=2711

Wilke, K.T. Oriented Ag_2S overgrowths on silver-activated CdS single crystal, 6=1723. The activation of CdS crystals, 7=270. Luminescence in the stannate groups, 9=3322

Wilke, K.T. and Kotschy, H. Luminescence and incorporation of fluorine in vanadium phosphors, 9=1304

Wilke, K.T. and Mannheim, R. Luminescence in the aluminium fluoride group, 8=7840

Wilke, W. See Fitzky, H.G., 8=6849

Wilkens, M. On the influence of asymmetric distribution functions on precision lattice constant measurements, 9=6376. See also Schubert, K., 5=2232

Wilkerson, T.D. See Charatis, G., 8=5773

Wilkes, A. The mechanism of uniform field breakdown in hydrogen, 7=7936. See also Hopwood, W., 6=4468

Wilkes, A., Hopwood, W. and Peacock, N.J. Mechanism of uniform field breakdown in hydrogen, 6=1327

Wilkes, J.G. The growing of 5 kg single crystals of germanium, 9=7595

Wilkie, D.R. See Downing, A.C., 7=9438

Wilkie, M.J. A recording water velocity meter, 5=8536

Wilkins, J.E., Jr. Note on the Selwyn function with imperfect imagery, 8=1404. The behavior of a reactor at prompt critical when the reactivity is a linear function of time, 9=8662

Wilkins, J.J. Design notes on resonators for proton linear accelerators, 6=415. See also Goward, F.K., 5=3108

Wilkins, R.L. and Altman, R.L. Thermodynamic properties of some boron–oxygen–hydrogen compounds, 9=10937

Wilkinson, D.H. The giant resonances of nuclear photodisintegration and the shell model, 5=6463. Lowest state of surface oscillation of O^{16} at 14.7 MeV, 5=9824. Reactions C^{12} (d, n) $N^{13}{}_{\text{ground state}}$ and C^{12}(d, t)C^{11} up to E_d = 20 MeV, 6=656. Radiative transitions in light elements. II, 6=2369. Isotopic spin selection rules. VII. Breakdown of the rules and the situation in ^{16}O, 6=6843. First excited state of B^{11}: possibility of spin-flip stripping, 7=3529. Low-lying states of N^{16}, 7=3536. Isotopic spin selection rules. VIII. Charge independence and the comparison of isobaric triplets, 7=3545; XII. The mirror reactions ^{6}Li(d, n)^{7}Be and ^{6}Li(d, p)^{7}Li, 7=5557. The $\pi-\mu-e$ asymmetry, 8=694. Nuclear photodisintegration, 8=1973. Do the "constants of nature" change with time? 8=3669. The giant photonuclear resonance in the rare earth region, 8=4317. Parity conservation in strong interactions: Introduction and the reaction $He^4(d, \gamma)Li^6$, 9=1757; Reactions $B^{11}(p, p')B^{11*}{}_{2.14}$ and $F^{19}(p, \alpha)O^{16*}{}_{7.12}$, 9=1758; Reaction $Li^7(p, p')Li^{7*}{}_{0.477}$, 9=1759. The Weisskopf units, 9=3846. See also Alburger, D.E., 9=10049; Baker, A.R.. 8=4234; Bloom, S.D., 7=3592, 5554; Chadwick, G.B., 7=8862, 9=6042; Clegg, A.B., 5=7364; James, D.B., 7=2630; Jones, G.A., 5=2071; 5=4047; Mann, A.K., 5=4937; Segel, R.E., 8=1978; Toppel, B.J., 6=3208, 7=5555
Wilkinson, D.H. and Alburger, D.E. Beta decay of Be^{11}, 9=5016
Wilkinson, D.H. and Bloom, S.D. Reaction $N^{15}(p, \gamma)O^{16}$, 7=3645. Isotopic spin selection rules. XI. The 8.06 and 6.23 MeV states of ^{14}N, 7=5556
Wilkinson, D.H. and Clegg, A.B. Isotopic spin selection rules. VI. The 6.88 MeV state of ^{10}B, 6=5307
Wilkinson, G. See Sharp, R.A., 6=3209
Wilkinson, G.R. See also Ford, M.A., 8=2236, 2945
Wilkinson, G.R. and Wilson, M.K. Tin–hydrogen bond distance, 7=2513
Wilkinson, J.H. Electronic computing machines and their uses, 6=2607
Wilkinson, J.R. See also Sheline, R.K., 5=8188, 6=587
Wilkinson, J.R. and Sheline, R.K. New isotope manganese-53, 5=9044
Wilkinson, K.L. See Dawton, R.H.V.M., 7=316
Wilkinson, M.K. See also Gersch, H.A., 6=7527; Koehler, W.C., 9=450; Shull, C.G., 5=2878; Wollan, E.O., 8=6041, 9=5899
Wilkinson, M.K., Cable, J.W., Wollan, E.O. and Koehler, W.C. Neutron diffraction investigations of the magnetic ordering in $FeBr_2$, $CoBr_2$, $FeCl_2$, and $CoCl_2$, 9=4784
Wilkinson, M.K. and Shull, C.G. Neutron diffraction studies on iron at high temperatures, 6=7526
Wilkinson, M.K., Shull, C.G., Roberts, L.D. and Bernstein, S. Neutron diffraction observations on the superconducting state, 5=3793
Wilkinson, P.G. Provisional wavelength standards in the vacuum ultraviolet, 5=9541. New krypton light source for the vacuum ultraviolet, 6=196. The far ultraviolet (C-X) bands of $N_2{}^{+1}$, 6=3608. Absorption spectra and ionization potentials of benzene and benzene-d_6, 6=4993. Absorption spectra of benzene and benzene-d_6 in the vacuum ultraviolet, 6=5772. Absorption spectra of ethylene and ethylene-d_4 in the vacuum ultraviolet. II, 6=8095. Provisional wavelength standards in the vacuum ultraviolet. II. Spectra of Cu II and Fe II, 7=4123. High-resolution absorption spectra of nitrogen in the vacuum ultraviolet, 8=4877. Forbidden band systems in nitrogen. I. The Vegard–Kaplan system in absorption, 9=6720. See also Meissner, K.W., 9=3273
Wilkinson, P.G. and Houk, N.B. Emission spectra of nitrogen in the vacuum ultraviolet, 6=4296
Wilkinson, P.G. and Mulliken, R.S. Far ultraviolet absorption spectra of ethylene and ethylene-d_4, 6=3615. Dissociation processes in oxygen above 1750 A, 8=5443. An electric quadrupole electronic band system in molecular nitrogen, 8=5446. Forbidden band systems in nitrogen. II. The $a'\,{}^1\Sigma_u{}^- \leftarrow X^1\Sigma_g{}^+$ system in absorption, 9=12035
Wilkinson, P.G. and Tanaka, Y. A new xenon-light source for the vacuum ultraviolet, 5=6073
Wilkinson, R.G. See Bolotin, H.H., 5=8152; Cressman, P.J., 8=1940; Pruett, C.H., 5=1148
Wilkinson, R.W. See also Burns, W.G., 8=7727
Wilkinson, R.W. and Williams, T.F. A partial study of the decomposition by radiolysis of monoalkyl phosphates in aqueous solution, 6=5496
Wilkinson, W.D. See Kelman, L.R., 6=5586, 6280-1
Wilkowa, T. See Derén, J., 9=11028
Wilks, E.M. See Frank, F.C., 9=6369
Wilks, J. The theory of liquid ^{4}He, 8=1024. The thermal conductivity of condensed helium, 9=2269. See also Dransfeld, K., 8=596; Fairbank, H.A., 5=8709; Hercus, G.R., 5=908; Newell, J.A., 7=328; Niblett, D.H., 6=8434, 8=1345, 9=2974; Webb, F.J., 5=6994
Will, G. See Griessbach, D., 9=3286
Willard, H.B. See also Bair, J.K., 6=647, 7=3639; Biedenharn, L.C., 9=1760; Galonsky, A., 9=11404; Johnson, C.H., 5=1213; Kington, J.D., 5=9914; Willis, J.E., Jr, 8=8345
Willard, H.B., Bair, J.K., Cohn, H.O. and Kington, J.D. Radiative proton capture by C^{13}, 7=3640
Willard, H.B., Bair, J.K. and Kington, J.D. Polarization of fast neutrons from nuclear reactions, 5=507. Elastic scattering angular distributions of fast neutrons on light nuclei, 5=5642
Willard, H.B., Bair, J.K., Kington, J.D. and Cohn, H.O. Elastic scattering of neutrons by Li^6 and Li^7, 6=2416
Willard, J.E. See Chien, J.C.W., 5=10035; Harris, G.M., 5=1330; Jones, T.O., 7=4143; Levey, G., 7=4838; Luebbe, R.H., 9=1924; Strong, R.L., 7=8243
Willardson, R.K. Transport properties in silicon and gallium arsenide, 9=11022. See also Bate, R.T., 9=8168; Beer, A.C., 8=8762; Moody, J.W., 9=3698; Reid, F.J., 8=6993
Willardson, R.K., Harman, T.C. and Beer, A.C. Transverse Hall and magnetoresistance effects in *p*-type germanium, 5=1819
Wille, R.G. and Fink, R.W. Two new promethium isotopes; cross sections of some samarium isotopes for 14.8 MeV neutrons, 9=5067
Willenbrink, J. See Kimbel, K.H., 9=5971
Willi, A.V. The kinetic isotope effect in the de-carboxylation of 2,4-dihydroxybenzoic acid in D_2O solution, 9=6343
Williams, A. See Bates, D.R., 7=5428; Dalgarno, A., 8=1738, 8073
Williams, A.E. See Beynon, J.H., 8=3191
Williams, A.H. See Hagerman, D.C., 9=4654
Williams, A.J. See Bozorth, R.M., 6=498, 8=236
Williams, A.P. The growth of lead nitrate crystals from aqueous solution, 7=4855. A study of the growth of crystals from solution when subjected to local deformation, 7=8928. See also Tolansky, S., 5=9193
Williams, B.E. Electron microscope and diffraction studies of 7% chromium–molybdenum steels, 7=7455; Gillham, E.J., 5=9645
Williams, B.J. See Holland, L., 5=7867
Williams, C., See Green, D.M., 9=13124
Williams, D. See Brown, L.C., 6=4562; Burch, D.E., 6=5783; Elleman, D.D., 7=903; Gilfert, J.C., 9=2213, 3290; Hockenberry, J.H., Jr, 8=4445; Howard, J.N., 6=3391, 5563-5; Sloan, R., 5=6652, 6=6271; Yu Ting, 5=429, 3889
Williams, D.B., Haskin, D.M., Koshiba, M. and Schein, M. Capture of K^--meson with emission of high-energy electron as the only visible prong, 6=1626
Williams, D.E. See Atoji, M., 9=10401; Miller, R.C., 7=9152
Williams, D.G., Person, W.B. and Crawford, B., Jr. Vibrational intensities. IV. Bond moments in C_2F_6, 5=2940
Williams, D.N. See Bartlett, E.S., 8=4515; Pettit, H.B., 5=5147; St. Amand, R., 5=5796
Williams, D.R.W. See also Davies, R.D., 5=7631
Williams, D.R.W. and Davies, R.D. The measurement of the distance of radio sources by interstellar neutral hydrogen absorption, 7=1855
Williams, D.T. Radiation counter for beta particles, 6=429
Williams, D.T. and Williams, J.R. Precision of the Geodimeter as affected by the speed of light in air, 7=5097
Williams, E.H.B. A general theory of the surface friction of solids, 7=5692
Williams, E.J.A. See Dalgarno, A., 7=580
Williams, E.S. Directional scintillation counters of improved sensitivity, 5=2818
Williams, F. See Nachbar, W., 9=6617
Williams, F.A. Elementary derivation of the multicomponent diffusion equation, 9=1153. Spray combustion and atomization, 9=4338. Apparent order of heterogeneous spray reactions, 9=8953
Williams, F.E. Theory of activator systems in luminescent solids, 5=3616. Theoretical basis for light-amplifying phosphors, 5=5343. Nature of luminescent centers in alkali halide and zinc sulfide phosphors, 7=9635. See also Apple, E.F., 9=5558; Cusano, D.A., 7=4232; Johnson, P.D., 6=6541; Piper, W.W., 5=3605, 6953; Prener, J.S.,

6=3636, 7=272, 4190, 9096, 9=6920
Williams, F.E. and Johnson, P.D. Configuration coordinate model for KCl:Tl including spin-orbit interaction, 9=5912
Williams, F.E., Segall, B. and Johnson, P.D. Oscillator strengths for luminescent transitions in KCl:Tl and KCl:In, 8=2981
Williams, G. The evaluation of dielectric data for liquids and solutions, 9=6870. The measurement of dielectric constant and loss factor of liquids and solutions between 250 and 920 Mc/sec by means of coaxial transmission line, 9=6872
Williams, G.A. See also Gutowsky, H.S., 7=3825
Williams, G.A. and Gutowsky, H.S. Sample spinning and field modulation effects in nuclear magnetic resonance, 7=1516. Determination of the signs of nuclear spin-spin indirect coupling constants, 7=3544. Electron coupling of nuclear spins. II. Molecular orbital interpretation of coupling constants observed in fluorobenzenes, 9=7454
Williams, G.C. See Townsend, W.G., 9=2377
Williams, G.H. See Evans, J.E., 9=2824; Hey, D.H., 5=5683; Waters, J.R., 9=13691
Williams, G I. See Hatt, B.A., 9=13925
Williams, G.P., Jr. and Slifkin, L. Diffusion along dislocations, 9=1892
Williams, G.T. See Edwards, D.H., 8=922
Williams, H. See Whittaker, A.G., 7=5699
Williams, H.B. Three-dimensional potential well, 8=205. See also Hatch, A.J., 9=5763
Williams, H.J. See also Bozorth, R.M., 6=7518; Ellis, W.C., 8=229, 8928; Nesbitt, E.A., 6=786; Sherwood, R.C., 9=7161
Williams, H.J., Heidenreich, R.D. and Nesbitt, E.A. Mechanism by which cobalt ferrite heat treats in a magnetic field, 6=6774
Williams, H.J. and Sherwood, R.C. Magnetic domain patterns on thin films, 8=3239
Williams, H.J., Sherwood, R.C. and Boothby, O.L. Magnetostriction and magnetic anisotropy of MnBi, 7=6358
Williams, H.J., Sherwood, R.C., Foster, F.G. and Kelley, E.M. Magnetic writing on thin films of MnBi, 8=8126
Williams, H.J., Sherwood, R.C. and Remeika, J.P. Magnetic domains in α-Fe_2O_3, 9=9778
Williams, I. See James, J.A., 7=7882; Morris, D.P., 9=7152, 8312
Williams, I.B. See Isaac, P.J., 9=6613
Williams, I.R. See also Johns, M.W., 6=2347-8
Williams, I.R. and Johns, M.W. The decay of ^{185}W, 7=8796
Williams, J. See also Baker, T.W., 6=3377; Scott, R., 9=10328
Williams, J. and Lamb, J. On the measurement of ultrasonic velocity in solids, 8=2209
Williams, J.H. See also Brussel, M.K., 7=5622, 9=8590; Day, E.A., 8=5984
Williams, J.H. and Brussel, M.K. Elastic scattering of 40 MeV protons by deuterons, 8=8222
Williams, J.H. and Rasmussen, S.W. Elastic scattering of 9.76-MeV protons by helium, 5=4738
Williams, J.L. and Eveson, G.F. A vibrating condenser manometer, 8=2832
Williams, J.R. See Williams, D.T., 7=5097
Williams, J.W. See also Swanson, D.L., 5=8327
Williams, J.W., Saunders, W.M. and Cicirelli, J.S. Size distribution analysis in plasma extender systems. I. Gelatin, 5=1340
Williams, M. See Brannon, H.R., 5=5129
Williams, M.C. See Mador, I.L., 5=578, 627
Williams, M.L. Free volume approach to polystyrene melt viscosity, 9=2118. See also Ferry, J.D., 5=3242, 5676
Williams, M.L. and Ferry, J.D. Dynamic mechanical properties of polyvinyl acetate, 5=2240
Williams, M.L., Landel, R.F. and Ferry, J.D. The temperature dependence of relaxation mechanisms in amorphous polymers and other glass-forming liquids, 5=10019
Williams, N., Jr. See Cook, L.F., Jr, 9=1572
Williams, P.R. See Alston, M.H., 7=1647, 8681, 8854
Williams, Q. See Clayton, L., 9=7467; Eagle, D.F., 9=6743; Weatherly, T.L., 7=579
Williams, R. Observation of the relative polarizations of electronic transitions, 7=7772. Delayed fluorescence of complex molecules in the vapor phase, 8=2976. Polarization of the phosphorescence of naphthalene and phenanthrene, 9=3315. See also Kistiakowsky, G.B., 5=5010
Williams, R., Rainwater, J. and Pevsner, A. 78-MeV π^+ -meson scattering from lithium, 6=3279
Williams, R.B. See Bird, G.R., 8=9091
Williams, R.C. Radiation due to adhesive breaks between high polymers and glass, 8=8707. Replication of nucleic acids, 9=9109. See also Dousmanis, G.C., 9=2319
Williams, R.C. and Roulston, K.I. Gamma-gamma angular correlation in W^{182}, 7=2594
Williams, R.E. See also Baker, W.F., 9=3928; Pevsner, A., 6=3275
Williams, R.E., Baker, W.F. and Rainwater, J. Elastic scattering of 78-MeV pions from copper, 7=3718
Williams, R.E., Gibbins, S.G. and Shapiro, I. Nuclear magnetic resonance spectra of hexaborane, 9=7464
Williams, R.L. Infrared spectrum of methyl isocyanide, 7=253. Ionic mobilities in argon and helium liquids, 7=3202. Properties of cadmium sulphide photoconductive cells, 9=1472. Modification of PbS noise spectra by radiation, 9=9648. See also Frank, R.C., 9=851
Williams, R.L. and Stacey, F.D. Ionization currents in argon and helium liquids, 7=9746
Williams, R.O. See Jetter, L.K., 6=4103
Williams, R.R., Jr. Chemical effects of low energy electrons, 9-8969. See Meisels, G.G., 7=2776; Zubler, E.G., 5=8051
Williams, R.V. See Allen, N.L., 8=775; Kaufman, S., 9=2379
Williams, R.W. High-energy cross sections. I. The size of the nucleus, 5=7378; II. Nucleon-nucleon cross section at cosmic-ray energies, 5=7379. See also Brenner, A.E., 7=7361; Palmeira, R.A.R., 8=4111; Parker, G.M., 5=8440; Pless, I.A., 8=690
Williams, S.E. See Fisher, P., 9=5774
Williams, S.L. See Verkamp, J.P., 6=7704
Williams, T.F. See also Amphlett, C.B., 6=1703; Burns, W.G., 5=8394; Wilkinson, R.W., 6=5496
Williams, T.F. and Dole, M. Irradiation of polyethylene. III. Influence of temperature and phase, 9=10272
Williams, T.I. Elements of chromatography, 5=613
Wilkinson, D.H., Toppel, B.J. and Alburger, D.E. 2-state at 8.87 MeV in O^{16}, 6=2312
Williams, T.R. See also Thomas, J B., 9=6662
Williams, T.R. and Thomas, J.B. Current noise and nonlinearity in pyrolytic carbon films, 9=9595
Williams, W. Some adiabatic and isothermal effects in bismuth telluride, 9=7010. See also Hough, P.V.C., 9=11327; Mansfield, R., 9=1449
Williams, W.E. Diffraction by a cylinder of finite length, 6=8065. Diffraction by an imperfectly conducting right-angled wedge, 9=4849. See also Karp, S.N., 8=4816
Williams, W.S.C. See also Griffith, T.C., 8=1848
Williams, W.S.C. and Caplan, H.S. A lead fluoride total-absorption spectrometer for high-energy electrons and photons, 7=9714
Williams, W.S.C., Crowe, K.M. and Friedman, R.M. Z dependence of positive photopion production, 7=4787
Williamson, C. Two-fluid barometer as a student project, 6=969. Fitch's thermal conductivity apparatus, 6=2823
Williamson, C.F., Hudspeth, E.L., Morgan, I.L. and Moore, R.G. Activation cross section for the reaction $Na^{23}(n, p)Ne^{23}$, 8=8348
Williamson, E.M. See Flint, H.T., 5=5849, 6=4817, 7=1934, 8=5603
Williamson, G.K. and Moore, A. A precision high-temperature specimen chamber for an X-ray diffractometer, 6=3368
Williamson, G.K. and Smallman, R.E. X-ray extinction of cold work on intensities, 5=9253. Dislocation densities in some annealed and cold-worked metals from measurements on the X-ray Debye-Scherrer spectrum, 6=2548
Williamson, J.B.P. See also Bowden, F.P., 5=1857, 8=5003; Greenwood, J.A., 8=5004
Williamson, J.B.P., Greenwood, J.A. and Harris, J. The influence of dust particles on the contact of solids, 7=3777
Williamson, K.D. and Harrison, R.H. Heats of vaporization of 1, 1, 2-trichloroethane, 1-propanol and 2-propanol; vapor heat capacity of 1, 1, 2-trichloroethane, 7=7837
Williamson, K.I. and Taylor, W.B. The analysis of particle counts by the spray-drop method, 8=6445
Williamson, P.M. See Harter, H.L., 6=983
Williamson, R.M. See Cox, S.A., 7=5625; Goldburg, W.I., 7=6521; Meier, O., Jr., 9=4726; Newson, H.W., 6=6170, 7=3667, 8=1256; Parks, P.B., 9=2412
Willis, B.T.M. An optical method of studying the diffraction from imperfect crystals. I. Modulated structures, 7=6721; II. Crystals with dislocations, 7=6722. The effect of segregation on the diffraction from a face-centred cubic alloy with deformation faults, 9=13912. See also Smallman, R.E., 7=8938; Suzuki, T., 6=5534

Willis, H.H. See Cuninghame, J.G., 5=9718
Willis, J.B. See Bullough, R., 9=4017
Willis, J.E., Jr, Bair, J.K., Cohn, H.O. and Willard, H.B. Scattering of fast neutrons from C^{12} and F^{19}, 8=8345
Willis, K. See Series, G.W., 8=1598
Willis, W.J. See also Abashian, A., 7=6605
Willis, W.J., Fowler, E.C. and Rahm, D.C. Bubble density in a propane bubble chamber, 8=1801
Willmarth, W.W. Wall pressure fluctuations in a turbulent boundary layer, 7=4044. Small barium titanate transducer for aerodynamic or acoustic pressure measurements, 8=8606
Willmore, A.P. A new method of tracking artificial earth satellites, 9=3074
Willmott, J.C. See Broude, C., 6=2404, 7=6520, 9817, 9=3831-3; Green, L.L., 5=5628, 9002, 6=5384
Willoughby, A.B. See Broido, A., 8=3026
Willoughby, D.S. Interactions of 380-MeV alpha particles in nuclear track emulsion, 6=3187
Wilson, A.J. See Clemmow, P.C., 6=8287, 7=9040; Dungey, J.W., 8=4566
Wilman, H. The temperatures attained at the surfaces of growing deposits, and the origin of stress in deposits, 5=9228. See also Kerr, I.S., 6=8988; Matthews, H.I., 5=8314; Whapham, A.D., 6=734, 7=3769
Wilmot, P.D. See Baxter, S., 6=6591
Wilmotte, R.M. See Greenspan, M., 8=8658
Wilmshurst, B.R. See Carson, A.S., 8=3938
Wilmshurst, J.K. Vibrational assignment for sodium acetate, 6=2279. Vibrational assignment in monomeric formic acid, 6=8896. Infrared investigation of acetic acid and acetic acid-d vapors and a vibrational assignment for the monomeric acids, 7=4581. "Sensitive" methyl vibrational frequencies—their relation to electronegativity and the inductive effect, 7=4584. Electronegativity of radicals. A method of calculation, 8=3430. Sensitive vibrational frequencies. III. Empirical relation for electronegativity applicable to the calculation of group electronegativities, 8=7448. Empirical expression for ionic character and the determination of s hybridization from nuclear quadrupole coupling constants, 9=6203. Estimation of s-electron promotional energies and the dependence of orbital hybridization on ionicity, 9=7455
Wilmshurst, J.K. and Bernstein, H.J. Infrared and Raman spectra of phosphorus pentachloride, 7=9616
Wilmshurst, K.J. See Wilmshurst, J.K.
Wilsdorf, H. and Kuhlmann-Wilsdorf, D. Direct evidence for dislocation in aluminium-copper alloys. 5=623. An experimental study of dislocations in a luminium-copper alloys by means of precipitation, 5=5716
Wilsdorf, H.G.F. Nature of radiation damage in nickel, 9=12808
Wilsdorf, H.G.F. and Kuhlmann-Wilsdorf, D. Considerations of the interactions between thermal vacancies and dislocations, 9=12771
Wilsey, R.B., Splettstosser, H.R. and Strangways, D.H. Experiments in the photographic monitoring of stray X-rays. II. The characteristics of the stray radiations, and the choice of film-calibrating radiations in diagnostic radiology, 7=1355
Wilsey, R.B., Strangways, D.H. and Corney, G.M. Experiments in the photographic monitoring of stray X-rays. I. General considerations. The choice of film calibrating radiations in roentgen therapy at 220 kVP and 1000 kVP, 7=1354
Wilson, A.J.C. The effects of dislocations on X-ray diffraction, 5=4201. The probability distribution of X-ray intensities. VII. Some sesquisymmetric distributions, 6=8481. Effect of absorption on mean wavelength of X-ray emission lines, 9=5784. See also Hughes, J.W., 6=4094, 7=7504; Peiser, H.S. [Eds], 5=5741; Pike, E.R., 9=4111; Rogers, D., 5=9263
Wilson, A.T. See Bainbridge, A.E., 8=9073
Wilson, B.G. A study of μ-meons incident at large zenith angles, 9=2459. See also Fenton, A.G., 9=7138, 12437; McCormack, P.D., 6=2979; McCusker, C.B.A., 5=8066, 6=2978, 3810
Wilson, B.J. Cherenkov radiation and its practical applications, 9=3724
Wilson, B.L.H. See Roberts, D.H., 8=5911, 9=8115
Wilson, C.G. The crystal structure of $ZrAl_2$, 9=13926
Wilson, C.O., Jr. See Lehmann, W.J., 8=4377-8
Wilson, C.T.R. A theory of thundercloud electricity, 6=7901
Wilson, C.W., III and Pake, G.E. Nuclear magnetic relaxation in polytetrafluoroethylene and polyethylene, 8=407
Wilson, D.C. See Elliott, K.W.T., 7=9024
Wilson, D.J. See Johnston, H.S., 7=7469
Wilson, D.K. See Feher, G., 9=13456
Wilson, E.B., Jr. Analysis of spin—spin interaction in the nuclear magnetic resonance spectra of symmetrical molecules, 7=8069. See also Kilb, R.W., 7=8045; Kurland, R.J., 8=126; Naylor, R.E., Jr., 7=6010; Verdier, P.H., 9=1290, 8703
Wilson, E.B., Jr, Chun Chia Lin and Lide, D.R., Jr. Calculation of energy levels for internal torsion and over-all rotation. I. CH_3BF_2 type molecules, 5=2938
Wilson, E.J. Ionization chamber measurements with tritium, 5=5472
Wilson, E.J., Dibbs, H.P., Richards, S. and Eakins, J.D. Preparation of xenon-133 radiography sources from spent fuel, 8=6282
Wilson, F.C. and Shoemaker, D.P. Molecular structure of bis-[cyclopentadienyl molybdenum tricarbonyl], 7=9805
Wilson, H. See Wattenberg, A., 7=4612
Wilson, H.W. See McNair, A., 5=8184, 6=2339
Wilson, I.L. See Duret, M.F., 7=7401
Wilson, J.E. See Stewardson, E.A., 6=2914
Wilson, J.G. See Eyeions, D.A., 5=9143; Marsden, P.L., 7=515*; Owen, B.G., 5=5499
Wilson, J.M. Transistor technology. The preparation of very high purity silicon, 8=1701
Wilson, J.T. Origin of the earth's crust, 7=6759
Wilson, L.F. See Catterall, J.A., 9=2386
Wilson, L.G. The thermal expansion of a grossularite garnet, 7=7056
Wilson, M. See Helson, H., 6=8138
Wilson, M.D. See Sillitto, R.M., 8=7849
Wilson, M.H. and Brocklebank, R.W. Complementary hues of after-images, 5=4251
Wilson, M.K. See Bethke, G.W., 7=7260-1; Lindeman, L.P., 5=423, 6=4315; Meal, J.H., 6=1980; Newman, C., 7=2514; O'Loane, J.K., 5=7844; Polo, S.R., 6=1049*; Ryason, R., 5=1696; Wilkinson, G.R., 7=2513
Wilson, M.R. and Hiemenz, R.J. High-speed multiple-spark light source, 9=4507
Wilson, O.B., Jr. See Bies, D.A., 7=9579
Wilson, O.C. The new Cassegrain spectrograph for the Mount Wilson 60-inch telescope, 7=2917. Limitations on physical theories of H and K emission lines, 9=11746. See also Hoyle, F., 9=4235; Minkowski, R., 6=4789
Wilson, P.R. See Hebbard, D.F., 5=6209; McDonell, J.A., 5=6210
Wilson, R. Fatigue of photomultipliers under pulsed operation, 5=5424. Polarization in nucleon scattering at various energies, 5=8241. The nuclear radius and potential from neutron diffraction scattering, 7=2525. Fine structure in the nuclear photoeffect, 7=2662. Nuclear parameters in the scattering of nucleons by carbon, 9=7343. See also Carpenter, S.G., 9=6109, 8628; Cormack, A.M., 9=13551; Hwang, C.F., 9=11366; Moffatt, J., 8=1822; Palmieri, J.N., 9=1661; Thresher, J.J., 5=5658, 6=1320; Van Zyl, C.P., 7=2667; Voss, R.G.P., 5=9821, 6=2455, 6912-13
Wilson, R.N. Precision measurement of small radii of curvature, 7=3035
Wilson, R.R. Photodisintegration of the deuteron by meson reabsorption, 7=1614. Atmospheric signals caused by cosmic-ray showers, 8=1119. Possible new isobaric state of the proton, 8=7245. See also Heinberg, M., 8=6173; McDaniel, B.D., 8=9000; Silverman, A., 8=290
Wilson, R.W. The contact resistance and mechanical properties of surface films on metals, 5=9198
Wilson, S. See Cox, R.A., 6=1701
Wilson, T.R. Special power excursion reactor test III, 8=4346. See also Nyer, W.E., 6=8394
Wilson, V.C. Conversion of heat to electricity by thermionic emission, 9=7073
Wilson, W. Speed of sound in distilled water as a function of temperature and pressure, 9=10708
Wilson, W. and Stone, N.W.B. A precision bath thermostat, 7=9662
Wilson, W.H. See Simons, J.H., 5=5246
Wilson, W.P. See Head, J.W., 6=5596, 7100
Wiltse, J.C., Trammell, A. and Leight, J.W. Technique for photographing falling objects, 7=10001
Wilzbach, K.E. See Kaplan, L., 5=4163
Wimett, T.F. See Keepin, G.R., 8=5399, 9=3940
Wimmel, H.K. Asymptotic development of the partial function of a rigid symmetrical top, 9=13744. See also Maier, W.,

9=8753-4

Wimmel, H.K. and Maier, W. On the dielectric orientation polarization of gases, 9=5667

Winand, L. See Mahaux, C., 9=12654; Morand, M., 5=3869, 7=8001; Robinet, Y., 7=4676

Winans, J.G. See St John, R.M., 5=7079

Winch, A.R. Theoretical analysis of rate of liquid absorption by capillary absorbing media, 9=5405

Winch, G.T. See Leeds, R.E., 6=2765

Winchell, P. Internal energy–compressibility–temperature equation for air in dissociative and ionic equilibrium, 9=5642

Winchester, J.W. See Schindewolf, U.L., 7=4672

Winckel, F. Acoustical criteria of outstanding old and new concert halls, 8=3837

Winckler, J.R. Cosmic-ray increase at high altitude on February 23, 1956, 7=1432. See also Elsasser, W., 7=2854; Kellogg, P.J., 9=7686; Ney, E.P., 9=13407; Peterson, L., 9=1002

Winckler, J.R. and Anderson, K.A. High-altitude cosmic-ray latitude effect from 51° to 65°N geomagnetic latitude, 8=649

Winckler, J.R., Mitchell, E.N., Anderson, K.A. and Peterson, L. Measurement of the Cerenkov radiation from positive and negative pi-mesons, 5=7127

Winckler, J.R. and Peterson, L. Cosmic rays and the sunspot cycle. A large cosmic-ray decrease accompanying the solar maximum of 1957, 8=1409. Large auroral effect on cosmic-ray detectors observed at 8 g/cm^2 atmospheric depth, 8=5085

Winckler, J.R., Peterson, L., Arnold, Y.R. and Hoffman, R. X-rays from visible aurorae at Mineapolis, 8=6560

Wind, G. and Schérer, M. Magnetic field coils for a Wilson cloud chamber, 5=3848

Winde, B. The cathode and anode falls in wall stabilized argon arcs, 6=5120. See Hayess, E., 9=5442; Kümmel, F., 7=9209; Lehmann, K., 7=426

Winder, D.R. and Smith, C.S. Single-crystal elastic constants of indium, 8=6449

Windham, P.M. See also Gossett, C.R., 6=650

Windham, P.M., Gossett, C.R., Phillips, G.C. and Schiffer, J.P. Inelastic scattering of protons from isotopes of Sc, Mn, Fe, Ni, and Cu, 7=696

Windham, P.M., Joseph, P.J. and Weinman, J.A. Negative helium ions, 8=8844

Windthorst, E. Deformations and quadrupole moments of light nuclei, 9=11423

Windle, J.J. and Shaw, T.M. Dielectric properties of wool-water systems at 3000 and 9300 megacycles, 5=278. Dielectric properties of wool-water systems. II. 26 000 megacycles, 7=2163

Windle, J.J. and Thurston, W.H. Electron spin resonance in a stable phenoxy radical, 8=7453

Winegard, W.C. See Holmes, E.L., 8=4792, 9=8999, 11581

Wing, C. See Lauroesch, T.J., 9=9381

Wing, G.M. See Bellman, R., 8=273

Wing, J. See also Huizenga, J.R., 6=5350, 7=5583; Ramler, W.J., 9=7351

Wing, J., Ramler, W.J., Harkness, A.L. and Huizenga, J.R. Excitation functions of U^{235} and U^{238} bombarded with helium and deuterium ions, 9=7352

Wing, J., Stevens, C.M. and Huizenga, J.R. Radioactivity of lead-205, 9=2733

Wingate, C., Gross, W. and Failla, G. Collection of ions produced by alpha particles in air, 7=4501. Relative beta-ray energy loss per ion pair produced in water vapor and in air, 9=4754

Wingfield, E.C. and Straley, J.W. Intensity of the bending mode in carbonyl sulphide, 5=2935. Measurement of bond moments in C_2H_2 and C_2D_2 from infrared intensities, 5=5559

Winhold, E.J. See also Burkhardt, J.L., 6=667; Cohen, L., 7=1612; Hartley, W.H., 7=2658; Stephens, W.E., 5=6467; Verbinski, V.V., 8=7389

Winhold, E.J. and Halpern, I. Anisotropic photofission, 6=8380

Winick, H. See Sachs, A.M., 9=545, 695

Winkel, P. Some calculations with the two-fluid model, concerning the flow of liquid helium II, 5=5367. See also van Geel, W.C., 8=5917

Winkel, P., Broese van Groenou, A. and Gorter, C.J. On the heat conduction in liquid helium II, 5=6089

Winkel, P. and de Groot, D.G. Impedance of dielectric layers, 9=3418

Winkel, P., Delsing, A.M.G. and Gorter, C.J. Further experiments on mutual friction in liquid helium II, 5=5366

Winkel, P., Debing, A.M.G. and Poll, J.D. On the existence of critical velocities in liquid helium II, 5=5368

Winkel, P., Pistorius, C.A. and van Geel, W.C. On the relation between current and field during anodic oxidation, 8=6479

Winkel, P. and Verkerk, B. On the mechanism of electrolytic rectification, 9=3489

Winkelmann, A. On the ageing of aluminium-silver alloys in thin sheets, 5=3191. On the temperature rise of the object in an electron beam (in the problem of the hardening process in thin films), 5=7424. Measurement of the temperature rise of specimens in electron diffraction, 6=5941

Winkenbach, H. The L-fluorescence yield of Tl and Bi in the Th(B-C-C") decay, 9=6067

Winkle, M. van See Van Winkle, M.

Winkler, E.H. See Smiley, E.F., 5=2496

Winkler, G. On the theory of the propagation of plane waves in homogeneous plasmas, 6=510

Winkler, G.M.R. See Essen, L., 8=7664

Winkler, H. Spin echoes. I. The basis of nuclear magnetic resonance, 9=5926. N.M.R. of water solved on Al_2O_3, 9=12495. See also Bumiller, F., 6=414; Frei, C.J., 9=5997; Pfeifer, H., 5=3976, 9=1708

Winkler, R. See Krebs, K., 6=4686, 9=1330, 1804

Winkler, U. The electrical properties of the intermetallic compounds Mg_2Si, Mg_2Ge, Mg_2Sn and Mg_2Pb, 6=3729

Winkler, U.E. The electrical properties of the intermetallic compounds Mg_2Si, Mg_2Ge, Mg_2Sn, and Mg_2Pb, 7=5334

Winkler, W. On the high energy nuclear collision of α-particles of the cosmic radiation, 7=687. See also Engler, A., 5=2211

Winn, M.M. The reaction ^{9}Be(d, ^{3}He)^8 Li, 5=513. Short-lived alpha emitters produced by ^{3}He and heavy ion bombardments, 5=516. See also Wallace, C.S., 9=3615

Winning, C.H. Enhanced initiating effect of multiple shock intersections, 6=2497. The underwater shock-wave initiation of cast pentolite, 8=7580

Winny, H.F. See Piercy, N.A.V., 6=8146

Winocur, J.O. See Hubbs, J.C., 9=8508

Winogradoff, N.N. Problems of adhesion, 6=745

Winogradzki, J. On the λ-transformations of the Einstein-Schrödinger unified theory, 5=1494. On the generalized field equations of Einstein and Schrödinger, 5=4338. The relativistic group of the Einstein-Schrödinger unified theory, 5=8469. On the "Bianchi identities" of the Einstein-Schrödinger unified theory, 6=3456. On the metrical energy momentum tensor and Noether's theorem, 5=5672. On Dirac spinors with invariant components, 7=6880. Second rank spinors with invariant components and spinor formalism including parity, 7=8392. On space, time and world reversals in the theory of Dirac spinors. I. Definition and fundamental properties of normal representations. II. Particular normal representations. The six fundamental representations, 8=1505; III. Choice of fundamental representations determined by the nature of the spinor, 8=2776. The spinor representation of the general Lorentz group, 9=4260. On charge conjugation and two analogous transformations, 9=7785

Winslow, D.K. See Chodorow, M., 9=2390

Winslow, G.H. See Ackermann, R.J., 9=13161

Winslow, J.W. Jr, Good, R.J. and Berghausen, P.E. Dielectric dispersion in viscous polar liquids, 8=1032

Windsor, M.W. See also Porter, G., 5=5030, 8=3864

Windsor, M.W., Davidson, N. and Taylor, R. Measurement of vibrational relaxation time of CO behind a shock wave by infrared emission, 7=9777

Winsberg, L. A negative muon beam and its analysis by a radiochemical method, 5=2213. The detection of chlorine-39 in rain water, 7=1772

Winsbury, G.J. Machine for the production of microelectrodes, 6=6994

Winslow, E.H. See Dewhurst, H.A., 7=6667

Winslow. G.H. Alpha-decay theory and a surface well potential, 5=1151. See also Thorn, R.J., 5=8694, 6=8703, 7=3197

Winsor, L.P. and Lee, T.H. Properties of a d.c. arc in a magnetic field, 6=7442

Winsor, P.A. Electrical-optical effects in liquid crystalline solutions containing amphiphilic salts, 5=4423

Winstel, G. See Zerbst, M., 9=13285

Winston, A. See Osborne, L.S., 5=3133

Winston, H. See Firle, T.E., 5=7949
Winter, A. Glass formers, 5=3155. The limits of glass formation, 5=7408. Glass-forming materials, 5=9164. On the structure of vitreous silica, 5=9165. The role of viscosity in the formation of the glassy state, 6=2460. Certain aspects of dispersion in silica glasses, 6-3600. On the refractive indices of binary oxide glasses, 6=7259. Certain optical constants of basic glasses made from oxides, sulphides, selenides and tellurides, 6=7260. Refractive indices $[n]$ and dispersions $[\partial]$ of glasses based on sulphides, selenides and tellurides, 7=7037
Winter, D.F. See Hawkins, G.S., 8=10
Winter, E. See Kroepelin, H., 9=12195
Winter, E.F. and Deterding, J.H. Apparatus and techniques for the application of a water flow system to the study of aerodynamic systems, 6=6412
Winter, E.O. See Suhrmann, R., 6=2707
Winter, F.R. and Drickamer, H.G. Thermal diffusion in single crystals of zinc, 6=3304. Thermal diffusion in liquid metals, 6=7192
Winter, J. Considerations on the theory of liquids, 5=2465. Study of transitions jumping several quanta between two atomic levels, 6=567. Calculation of the transition probabilities between two atomic levels when several quanta are involved, 6=8940. See also Brossel, J., 6=8939
Winter, J., Salmon, J., Manus, C., Béné, G., Denis, P. and Extermann, R. Observation of proton resonance between 10 and 50 kc/s, 5=1121
Winter, J.M. See Abragam, A., 9=1534, 5920; Barrat, J.P., 7=5568; Blamont, J.E., 7=5567
Winter, K. See also Remy, E., 8=5382, 9=681; Torki, B., 8=7387
Winter, K., Torki, B. and Remy, E. On the mechanism of the (n, 2n) reaction at 14 MeV neutron energy. II, 9=3921
Winter, M. See Brossel, J., 6=207
Winter, R.G. Search for double beta decay in cadmium and molybdenum, 5=8208. Double K capture and single K capture with positron emission, 6=618. Classical model of K capture inner bremsstrahlung, 7=3603. Detection of particles inside potential barriers, 8=1153. Klein paradox for the Klein–Gordon equation, 9=6522. See also Blanchard, C.H., 8=3315
Winterberg, F. Verification of the general theory of relativity by means of earth satellites, 8=3685. Shell model and properties of some light nuclei between A = 16 and A = 41, 9=3819. On a gas-cooled nuclear reactor of high thermal efficiency, 9=7384. Unsymmetric distribution of fuel material in reactors to produce constant power density per unit volume, 9=8661
Winterbottom, A.B. Optical studies of metal surfaces. Especially on the use of the reflected-polarized-light method in investigating surface films. 7=6054
Winterhalter, D. See Juric, M., 9=14014
Winternitz, J. See Barrow, R.F., 8=954
Winters, B. See Feeny, H., 8=387
Winters, P.N. See Damon, P.E., 5=2821
Wintersteiger, V.Z. Life-time of the first excited state of Ni^{60}, Ba^{134}, Pd^{106} and Re^{185}, 5=5612. See also Milojević, A.B., 5=7342
Winther, A. Recent research on the radioactivity of A^{37}, 5=9864. See also Alder, K., 5=2167, 9440, 7=1502, 6435, 8802, 8=2090; Kofoed-Hansen, A., 9=5004; Weiner, N., 8=3730
Winwood, J.M. Comment on magnetic forces and relativistic speeds in stationary electron beams, 9=333. Magnetic forces between moving charges leading to a limitation in beam diameters, 9=11114
Winzeler, H. Angular correlation in the decay of τ-mesons, 5=9960. Ionization measurements on steep tracks in nuclear emulsion, 6=4141. See Eisenberg, Y., 8=6177, 9=2644, 6041; Hänni, F., 6=6193; Hänni, F.D., 7=3415; Lohrmann, E., 5=9965, 8=1199; Teucher, M., 5=6497, 6=5062
Winzeler, H., Teucher, M. and Lohrmann, E. Heavy mesons and hyperons in nuclear emulsion, 6=6182
Wippler, C. Scattering of light by macromolecular solutions. I. Theoretical study of the effect of an orienting electric field, 6=5032; II. Experimental study of the effect of an electric field on rigid particles, 6=5033; III. Experimental study of an electric field on chain molecules, 6=5034
Wiren, J. and Stubbs, H.L. Electronic binary selection system for phoneme classification, 7=4093
Wirth, H.J. See Keary, T.J., 8=5583
Wise, H. See also Lorell, J., 6=752, 7780; Rosser, W.A., Jr, 6=4056, 7=3783, 5698; Sancier, K.M., 9=7972; Wood, B.J., 5=5685, 7=9942; 8=595
Wise, H. and Ablow, C.M. Burning of a liquid droplet. III. Conductive heat transfer within the condensed phase during combustion, 7=9941. Diffusion and heterogeneous reaction. I. The dynamics of radical reactions, 8=9173
Wise, H.E. Critique of teaching objectives in secondary schools, 5=9392
Wise, H.S. See Bovey, L.F.H., 7=2010
Wise, J.H. and Vander Sluis, K.L. Preliminary report on the isotopic structure of the cadmium primary standard of wavelength, 6=7268
Wise, R.B. See Pontarelli, D.A., 8=6793
Wiseman, G.G. See also Baumann, N.P., 5=1797
Wiseman, G.G. and Feaster, G.R. Experiments on the polarization and decay of electrets, 7=5305
Wiseman, W.A. Effect of carrier gas on katharometer response, 9=12164
Wiser, H.L. and Krumbein, A.D. Mechanism of the termination of the Geiger plateau region, 5=5469
Wish, L. Counting efficiency for Np^{239} beta rays, 6=7651
Wiskott, D. On the theory of the "Auflicht" reflection electron microscope, 7=2296, 5387
Wisner, A. See Legouix, J.P., 6=3414
Wisner, R.J. See Green, L.C., 9=6158
Wisniewski, F.J. Magnetic moments of light nuclei, 6=1474
Wiśniewski, R. See Szymanowski, W., 8=6845
Wissbrun, K.F., French, D.M. and Patterson, A., Jr, The true ionization constant of carbonic acid in aqueous solution from 5 to 45°, 5=1321
Wisseman, W.R. See Moak, C.D., 6=3193; Meier, O., Jr, 9=4726
Wiswall, R.H., Jr. See Egan, J.J., 8=4344
Wit, M de. See de Wit, M.
Witchey, A.L. See Webster, J.C., 9=7899
Witherspoon, A.E. See Eméleus, K.G., 6=7447
Witherspoon, R.R. See Zeffert, B.M., 7=3301
Witkowski, A. Theoretical considerations on the possibility of a new method for separating mixtures and isotopes, 9=11517
Witt, F.E.L. See Mapother, D.E., 5=9615
Witte, A.J. de. See de Witte, A.J.
Witte, H. and Wölfel, E. Electron distributions in NaCl, LiF, CaF_2, and Al, 8=2638
Witte, L. de. See de Witte, L.
Witte, R.S. See Martz, D.E., 7=2230
Wittekind, D. See Haselmann, H., 9=3366
Wittels, M.C. Expansions in reactor irradiated germanium and silicon, 8=413. Structural behaviour of neutron irradiated quartz, 8=2670. See also Sherrill, F.A., 8=3556; Wechsler, M.S., 9=5633
Wittels, M.C. and Sherrill, F.A. Fast neutron effects in tetragonal barium titanate, 8=6419. Fission fragments damage in zirconia, 9=12809
Witteman, W.G. See Pidd, R.W., 9=13366
Witten, L. Invariants of general relativity and the classification of spaces, 9=4263. Geometry of gravitation and electromagnetism, 9=11784. See also Aranow, R.H., 8=1549; Bass, R.W., 8=2756
Wittenborn, A.F. Analysis of a logarithmic solion acoustic pressure detector, 9=6655
Wittern, H. On the interpretation of α-α scattering, 9=13584. See also Wildermuth, K., 8=727
Wittig, F.E. and Gehring, E. The heats of mixing in the system antimony-bismuth at 700°C, 9=13238
Wittig, F.E. and Schmatz, W. A high-temperature calorimeter for the accurate measurement of the heats of reactance of gas-like substances, 9=12188
Wittke, H. On the correction to the elementary calculation of the eigenfrequency of the vibrations of a cylindrical rod, 5=5943
Wittke, J.P. Molecular amplification and generation of microwaves, 7=5483. See also Gerritsen, H.J., 9=5917
Wittke, J.P. and Dicke, R.H. Redetermination of the hyperfine splitting in the ground state of atomic hydrogen, 5=850, 6=7633
Redetermination of the hyperfine splitting in the ground state of atomic hydrogen, 6=7633
Wittles, M.C. and Sherrill, F.A. Irradiation-induced phase transformation in zirconia, 6=6249
Wittry, D.B. Resolution of electron probe microanalyzers, 9=4701

Wittwer, G. See Amsel, O., 6=4362

Witzell, O.W. See Jefferson, T.B., 9=1364

Witzmann, H. and Gegner, E. Strontium cerate with emission in the visible, 9=2218

Witzmann, H. and Köhler, H. The emission of activated alkaline earth meta-antimonates, 9=2231

Witzmann, H. and Malur, J. Thallium-activated alkaline earth borates with u.v. emission, 9=2221

Witzmann, H., Müller, R. and Semisch, G. Borate phosphors with ultraviolet emission, 7=6018. New u.v. phosphors, 9=1306

Witzmann, H. and Müller-Buschbaum, H. The emission characteristics of cerium-samarium activated borate phosphors, 9=13179

Witzmann, H. and Plamann, W. Tungstate-silicate mixed phosphors, 7=6019. The light emission of mixed tungstate phosphors, 8=6866

Wlérick, G. Electronic equilibrium of an illuminated semiconductor, 5=1810. Optical variation of the contact potential of cadmium sulphide, 5=3750. On the photoelectric properties of cadmium sulphide, 6=8208. See also Lallemand, A., 8=6603

Wlérick, G. and Axtell, J. Construction of a K-coronameter for measuring the brightness of the polarized (K) component of the corona. First observations, 7=6810. A new instrument for observing the electron corona, 8=4621

Wlérick, G. and Prégermain, F. Study of the physical properties of thin-layer photo-elements of cadmium sulphide, 5=2761

Woelk, H. See Schaaffs, W., 9=5695

Woelke, C.D. See Sihvonen, Y.T., 9=5561

Woerner, S. See Magun, S., 8=8798

Woessner, D.E. See also Bernheim, R.A., 9=8362; Buchta, J.C., 8=1807; Gutowsky, H.S., 7=1954, 8=408, 7521; Stejskal, E.O., 9=8366

Woessner, D.E. and Gutowsky, H.S. Cl^{35} pure quadrupole resonance studies of relaxation times in solid solutions of p-dichlorobenzene, 8=3463. Spin exchange and spin-lattice relaxation induced by mechanical rotation of solids, 9=5935

Woessner, R.H., Cobb, W.E. and Gunn, R. Simultaneous measurements of the positive and negative light-ion conductivities to 26 kilometers, 8=5553

Woeste, K. Nuclear fission on the basis of the collective model, I, 6=1550; II, 6=1551

Wöhle, W. On the sound level of noise in corners, at the edges and on the walls of closed rooms, 6=5744

Wöhle, W. and Salbert, E. A standard (din) noise meter covering the range 23-123 phons, 6=1017

Wohlfarth, E.P. Remanence curve of single-domain ferromagnetic particles. Application to the coatings of sound-recording tapes, 5=8896. The effect of particle interaction on the coercive force of ferromagnetic micropowders, 5=9761. The remanent magnetization of haematite powders, 6=3029. Antiferromagnetism in the system Ti-H, 6=4504. Magnetic properties of fine particles, 7=6338. The anhysteretic magnetization of permanent magnet alloys, 7=8722. Relations between different modes of acquisition of the remanent magnetization of ferromagnetic particles, 8=3222. Hard magnetic materials, 9=8284. Coercivity of γ-Fe_2O_3 powders, 9=13434. See also Tonge, D.G., 8=4118

Wohlfarth, E.P. and Tonge, D.G. The remanent magnetization of single domain ferromagnetic particles, 8=1134

Wohlleben, K. See Backenstoss, G., 5=9057

Wojacvek, K. See Rademacher, K., 6=5909, 6677

Wojaczek, K. On artificial production of moving striations in the argon low pressure discharge, 9=4647. A simplified theory of moving striations, 9=11076. See also Rademacher, K., 9=4646

Wojaczek, K. and Rademacher, K. On the mobility of electrons in non-isothermal plasmas, 7=6308

Wójcicki, S. Flame stabilization in the boundary layer, 7=5273

Wojcicki, S.G. See Alvarez, L.W., 9=12601

Wojciechowski, J. Preparation of transparent semiconductor layers on glass by the hydrolysis of activated $SnCl_4$, 9=5185

Wojciechowski, K.F. Theory of order in ternary alloys. I, 8=6436. Theory of order in Fe_3Al alloy, 9=8891. See also Swierczkowski, S., 9=8892

Wojda, Ł. See Meclewski, R., 6=8989, 9=11095

Wojtowicz, P.J. Application of the Ising-Bethe theory to the susceptibilities of the polymorphic forms of MnS, 8=655. See also Salsburg, Z.W., 7=7656

Wojtowicz, P.J., Salsburg, Z.W. and Kirkwood, J.G. Theory of multi-component fluid mixtures. II. A corresponding states treatment, 8=76

Wolbach, J.G. See Menzel, D.H., 6=2572, 7071

Wolcott, N.M. The atomic heats of titanium, zirconium and hafnium, 8=1027. Deby θ of hexagonal crystals at 0°K, 9=10932. See also Hein, R.A., 7=9698; Smith, P.L., 7=2142

Wolcott, N.M. and Hein, R.A. Superconductivity of thorium below 1°K, 8=3947

Wold, A. and Arnott, R.J. Preparation and crystallographic properties of the systems $LaMn_{1-x}Mn_xO_{3+\lambda}$ and $LaMn_{1-x}Ni_xO_{3+\lambda}$ JA-1106, 9=9001

Wold, A., Arnott, R.J. and Goodenough, J.B. Some magnetic and crystallographic properties of the system $LaMn_{1-x}Ni_xO_{3+\lambda}$, 9=428

Wold, D.C. See Fry, W.F., 7=2692, 3698, 8195

Wolf, E. Optics in terms of observable quantities, 5=1653. A macroscopic theory of interference and diffraction of light from finite sources. II. Fields with a spectral range of arbitrary width, 5=6051. Microwave optics. III. Recent researches on the foundations of geometric optics and related investigations in electro-magnetic theory, 6=8876. Intensity fluctuations in stationary optical fields, 7=5152. Reciprocity inequalities, coherence time and bandwidth in signal analysis and optics, 8=931. See also Linfoot, E.H., 7=1163, 2086; Richards, B., 7=1166; Thompson, B.J., 7=9643

Wolf, E. and Zigler, M.J. Location of the break in the dark adaptation curve in relation to pre-exposure brightness and pre-exposure time, 5=667. Course of dark adaptation under various conditions of pre-exposure and testing, 5=9318. Uniocular and binocular scotopic responsiveness of the peripheral retina, 9=6417

Wolf, E. de. See de Wolf, E.

Wolf, E.A. Gamma rays from inelastic neutron scattering in sodium and iodine, 6=3158

Wolf, F. Hail growth as a source of the thunderstorm electricity, 6=3394

Wolf, H. See Seeger, A., 9=8816

Wolf, H.C. Sensitized fluorescence in organic mixed crystals, 5=1714. The vibrational structure of the naphthalene fluorescence spectrum in solution and for crystals, 5=4555. The vibration structure of the naphthalene fluorescence spectrum. II. Naphthalane in durol, 5=5339. On the spectroscopic behaviour of methyl derivatives of naphthalene and on the problem whether position isomers of derivatives of aromatic hydrocarbons can be analysed spectroscopically, 5=6910. Fluorescence and absorption spectrum of 1, 8-dimethylnaphthalene, 6=1108. On the band width in fluorescence spectra of organic molecular crystals. Investigations on naphthalene mixed crystals, 6=1994. On the mechanism of energy transfer for sensitized fluorescence in mixed organic crystals, 6=5791. The molecular amplifier, 9=2532. A simple theory of the lowest optical excited states of molecular crystals, 9=3287. The lowest electronic excited states of the anthracene crystal, 9=5147. The first electronic excited state of the phenanthrene crystal, 9=5148. The lowest optical excited state of hexamethyl benzol crystals, 9=5538. See also Griessbach, D., 5=7880, 9=3286

Wolf, H.C. and Griessbach, D. The quartz prism spectrograph as analyser for polarized light, 5=7878

Wolf, K.L. See Cuny, K.H., 6=4866

Wolf, P. The imaging of molecular objects with the field-emission electron microscope, 5=1894

Wolf, W.P. Effect of crystalline electric fields on ferromagnetic anisotropy, 8=1764. Force on an anisotropic paramagnetic crystal in an inhomogeneous magnetic field, 8=8859. See also Cooke, A.H., 5=8084, 6=3682, 7=6134-5, 8559; Jones, R.V., 9=431; McKim, F.R., 7=2426, 4522; Rodrigue, G.P., 9=424

Wolf, W.P. and Rodrigue, G.P. Preparation of polycrystalline ferrimagnetic garnet materials for microwave applications, 9=1990

Wolfe, B. Predicting reactivity at high burnup. 8=7406. Easy computation of adjoint fluxes [in nuclear reactors], 8=7407. Criteria for test reactors, 9=3944. See also Dempsey, R.H., 7=9897

Wolfe, B., Silverman, A., and DeWire, J.W. Identification of charged particles with a crystal telescope, 5=8180. Elastic photoproduction of π^0 mesons from deuterium, 5=8253

Wolfe, H. B. See Steinberger, J., 6=2446*

Wolfe, P.N. Microwave spectrum of chloroform, 7=2049
Wolfe, R. The theory of the reflectivity of metals, 5=2630. See also Austin, I.G., 6=5092; Drabble, J.R., 7=2202, 9175, 8=1685
Wolfe, R. and Woods, J. Electroluminescence of semiconducting diamonds, 7=3163
Wolfe, R.N. Detail rendition by photographic systems as a function of exposure time, 9=6430. See also Higgins, G.C., 5=3372, 6=7924; Lamberts, R.L., 8=4846
Wolfe, R.N., Morrison, C.A. and Condit, H.R. Experimental technique for studying atmospheric turbulence, 9=10421
Wolfe, W. R., Chessin, H., Yeager, E. and Hovorka, F. The effect of ultrasonic waves on the electrodeposition of copper, 5=7466
Wölfel, E. See Witte, H., 8=2638
Wolfendale, A.W. Experiments on μ-mesons at Manchester and Ceylon, 5=539. See also Ashton, F., 8=6100; Barron, W.C., 7=7535; Fowler, G.N., 7=8884; Gardener, M., 7=7179; Lloyd, J.L., 6=2442, 3254, 7=7429; Lloyd, J.L., 9=2606
Wolfendale, E. See Trier, P.E., 5=559
Wolfenstein, L. Possible triple-scattering experiments, 5=3090*. Polarization effects in the reaction $p + p \rightarrow \pi^+ + d$, 5=6516. Charge independence and polarization experiments, 6=2950. Determination of the coupling constants in $\mu^- + p \rightarrow n + \nu$, 8=2484. Virtual pion effects in μ-meson capture, 8=6160. Theoretical calculations on $\mu^- + {}^{12}C \rightarrow {}^{12}B + \nu$, 9=12569. See also Überall, H., 9=2609
Wolff, C. See Meyer, A.J.P., 8=4137
Wolff, G.A., Adams, I. and Mellichamp, J.W. Electroluminescence of AlN, 9=10854
Wolff, G.A., Hebert, R.A. and Broder, J.D. Electroluminescence of GaP, 6=255. Recent investigations on the electroluminescence of gallium phosphide, 9=10851
Wolff, G.A., Toman, L., Jr, Field, N.J. and Clark, J.C. Relationship of hardness, energy gap and melting point of diamond type and related structures, 9=11545
Wolff, J.R. See Hutchison, D.A., 5=1930
Wolff, M.M. and Stephens, W.E. Gamma-ray absorption in carbon, 9=5055
Wolff, O. See Ruska, E., 6=5927
Wolff, P.A. Theory of plasma resonance, 6=7549. Theory of plasma resonance in solids, 9=1859
Wolf, P.M. de See de Wolff, P.M.
Wolff, U.E. Dislocation etch pits in tungsten, 9=12766
Wolfgang, R. See also Johnson, N.R., 6=4600; Rowland, F.S., 7=3580
Wolfgang, R., Baker, E.W., Caretto, A.A., Cumming, J.B., Friedlander, G. and Hudis, J. Radiochemical studies of the interaction of lead with protons in the energy range 0.6 to 3.0 BeV, 6=7677
Wolfgang, R. and Mackay, C. F. New proportional counters for gases and vapors, 9=3685
Wolfgang, R., Rowland, F.S. and Turton, C.N. Production of radioactive organic compounds with recoil tritons, 5=9902
Wolfgang, R.L. See also Currie, L.A., 6=3983; Friedlander, G. 5=8237; Rowland, F.S., 8=9046, 9048
Wolfgang, R.L., Anderson, R.C. and Dodson, R.W. Bond rupture and nonrupture in the beta decay of carbon-14 studied by double isotopic labeling, 6=2513
Wolfhard, H.G. See also Diederichsen, J., 6=6508; Skirrow, G., 5=9611
Wolfhard, H.G. and Strasser, A. Spontaneous ignition temperature of fuel–nitric oxide mixtures, 8=7583
Wolfs, P.M.J. See Waterman, H.I., 7=6925
Wolfsberg, M. Orbital electron excitation associated with electron capture in A^{37}, 5=3062. Dipole velocity and dipole length matrix elements in π electron systems and configuration interaction, 5=6364. Excitation and dissociation of molecules due to β decay of a constituent atom, 6=2514. See also Bigeleisen, J., 5=8966, 9=7572; Friedman, L., 7=5420*, 9739, 9=8983, 12395; Helmholz, L., 5=6357; Perlman, M.L., 9=615
Wolfsberg, M. and Perlman, M.L. Multiple electron excitation in Auger processes, 6=631
Wolfson, J.L. A note on evidence for a 2.158 MeV level in Ni^{60}, 6=1521. High-energy forbidden β-ray transitions from Cs^{134} (2.3 yr.), Co^{60} (5.3 yr.), Sc^{46} (84 d.), and Hg^{203} (47.9 d.), 6=3151. See also Elliott, L.G., 6=1481
Wolfson, J.L. and Gellman, H.S. Five figure tables for the conversion of electron momentum to electron kinetic energy from 100 to 20 000 gauss-cm, 7=4431
Wolfson, Y. See Goldring, G., 8=7303
Wolfstirn, K. and Fuller, C.S. Comparison of radio-copper and hole concentrations in germanium, 9=3467
Wolga, G.J. See also Strandberg, M.W.P., 8=8161
Wolga, G.J. and Strandberg, M.W.P. Hyperfine interactions in F-center paramagnetic-resonance spectra in LiF and NaF, 9=8859
Wolicki, E.A. See also Fagg, L.W., 6=1609, 7=2531; Geer, E.H., 6=1559; Holmgren, H.D., 7=5613, 9=10116; Illsley, E.G., 7=8151; Johnston, R.L., 8=1967
Wolicki, E.A., Fagg, L.W. and Geer, E.H. Coulomb excitation of bromine and rhenium, 7=3633
Wolke, R.L. and Bonner, N.A. Yields and excitation curves for the high-energy photospallation of cobalt, 6=4646
Wolke, R.L. and Gutmann, J.R. Angular distribution of fragments from the fission of bismuth by 450-MeV protons, 7=8844
Wolkers, G.J. See Michels, A., 5=3703, 6=3697, 9=3407
Woll, J.W., Jr. See Green, L.C., 5=463
Wollan, E.O. Correlations suggesting the d-shell configuration and a magnetic exchange mechanism in iron group metals, 8=7162. See also Good, W.M., 6=3241; Koehler, W.C., 5=5123, 9=450; Wilkinson, M.K., 9=4784
Wollan, E.O., Child, H.R., Koehler, W.C. and Wilkinson, M.K. Antiferromagnetic properties of the iron group trifluorides, 9=5899
Wollan, E.O. and Koehler, W.C. Neutron diffraction study of the magnetic properties of the series of perovskite-type compounds, (1-x) La, xCa Mno$_3$, 6=2563
Wollan, E.O., Koehler, W.C. and Wilkinson, M.K. Neutron diffraction study of the magnetic properties of $MnBr_2$, 8=6041
Wollenberger, J.H. See Kussmann, A., 6=6014
Wollentin, R. W. Lead- and manganese-activated cadmium fluorophosphate phosphors, 6=2793
Wolley, E.D. See Babcock, R.V., 9=12524; Ruby, S.L., 9=4045
Wolock, I. See Newman, S.B., 9=831
Woloschek, P. See Waloschek, P.
Wolovsky, R. See Fischer, E., 5=8354
Wolska, A. Photoconductive and photovoltaic thallous sulphide layers, 5=297
Wolsky, S.P. Preparation and regeneration of clean germanium surfaces, 8=5882. Positive-ion bombardment of germanium and silicon, 8=8462. Germanium and silicon surfaces, 9=7522. See also Papazian, H.A., 7=3809
Wolsky, S.P., Rodriguez, P.M. and Waring, W. Adsorption of sodium ions by germanium surfaces, 7=9185
Wolstenholme, B. See Todhunter, K.H., 5=1578
Wolter, H. Phase and amplitude measurements through elliptical analysis of a phase-contrast image, 5=3662. Interferometer for phase and amplitude measurements, 5=8651. Measurement of physical quantities by means of colours, 6=7333. The measurement of the thickness and the optical constants of very thin metal films. 7=5969. On the principal errors of measurement in schlieren and interference methods. 7=6060. On the application of the basic theorem of information theory to optics, 8=5747. Results of the calculation of the propagation of errors in the solution of Faltung integral equations, and their nature, 9=6553
Wolter, W. See also Benisz, J., 9=7244; Ciok, P., 8=1117; Jurak, A., 7=2374; Międowicz, M., 7=7198, 8=267
Wolter, W. and Międowicz, M. Ionization at the origin of an electron pair of very high energy, 7=6615
Wolters, G.F. See Rietjens, L.H.T., 5=4039
Woltjer, L. On hydromagnetic equilibrium, 9=1599; II. Stability in the variational formulation, 9=11278; III. Axisymmetric incompressible media, 9=13493; IV. Axisymmetric compressible media, 9=13494. The stability of force-free magnetic fields, 9=8376
Womersley, J.R. Oscillatory motion of a viscous liquid in a thin-walled elastic tube. I. The linear approximation for long waves, 5=2462
Wong, C. See Anderson, J.D., 8=9061, 9=691; Nakada, M.P., 8=5353, 5392
Wong, C.-H. and Schomaker, V. Electron diffraction study of lead tetramethyl, 8=7466. Electron diffraction study of trifluoromethyl iodide, 8=7467
Wong, D.Y. Dispersion relation for nonrelativistic particles, 7=7595. One-meson contribution to the deuteron quadrupole moment, 9=12603. See also Noyes, H.P., 9=12551
Wong, D.Y. and Toll, J.S. Causality and the dispersion relation: S-matrix for the Maxwell field, 7=9005

Wong, E. See Dorain, P.B., 7=4628; Hutchison, C.A.Jr., 6=6080, 9=1883; Judd, B.R., 8=7184; Thomas, J.B., 9=3538
Wong, J.B., Ranz, W.E. and Johnstone, H.F. Inertial impaction of aerosol particles on cylinders, 5=3233. Collection efficiency of Aerosol particles and resistance to flow through fiber mats, 6=1707
Wong, J.Y. Measured self-impedance of a dipole antenna near a conducting cylinder of elliptical cross section, 8=7211.
Wong, P.K. See Armstrong, G.T. 9=9562
Wood, A.B. Model experiments on sound propagation in shallow seas, 9=13089
Wood, A.F. See Tolarsky, S., 8=5810
Wood, A.J. See Smales, A.A., 7=9957.
Wood, B.J. and Wise, H. Measurement of the burning constant of a fuel drop, 8=595. Acid catalysis in the thermal decomposition of ammonium nitrate 5=5685
Wood, B.J., Wise, H. and Rosser, W.A. Burning of a liquid droplet. IV. Combustion inhibition in a fuel–oxidizer system, 7=9942
Wood, C. Some observations on the theory of photoconductivity in the lead sulphide group of compounds, 6=6647
Wood, C.L., III. See Jeffress, L.A., 6=4761, 8=8562
Wood, D.E. See Singletary, J.B., 9=11484
Wood, D.J.C. See Benbow, J.J., 9=6318
Wood, D.L. Infrared absorption bands in α-quartz, 8=5782. See also Sutherland, G.B.B.M., 5=639
Wood, D.L. and Mitra, S.S. Effect of convergence on the infrared spectra of anisotropic substances, 9=191
Wood, E. See Das Gupta, K., 5=1879; Randle, T.C., 7=1659; Rose, B., 8=6345; Taylor, A.E., 7=2336
Wood, E.H. Physical response requirements of pressure transducers for the reproduction of physiological phenomena, 6=6275
Wood, J.A., Jr. The destructive effect of solar corpuscular radiation on small particles, 8=5585
Wood, J.G. See Tolmon, F.R., 6=5029
Wood, J.H. See Freeman, A.J., 9=5101
Wood, J.H. and Pratt, G.W., Jr. Wave functions and energy levels for Fe as found by the unrestricted Hartree–Fock method, 7=9834
Wood, J.K. See Broadbent, T.E., 5=9676; Bueche, F., 6=5721
Wood, J.L. See Booker, C.J.L., 5=9176, 7=9427; Cutting, C.L., 6=2720, 7863; Danti, A., 9=3296; Jason, A.C., 6=2112
Wood, J.M., Jr. See Bender, P., 5=7862
Wood, L.A. The elasticity of rubber, 8=3508
Wood, M.B. A study of magnetic maps of the sun, 7=38
Wood, P.J. See also Rushbrooke, G.S., 6=2224, 9=13423
Wood, P.J. and Rushbrooke, G.S. On the high temperature susceptibility for the Heisenberg model of a ferromagnetic, 8=1768
Wood, R.C. Improved infrared absorption spectra hygrometer, 8=4551
Wood, R.E. Slow-neutron resonance scattering in Ag, Au, and Ta, 7=2676. See also Sailor, V.L., 6=1637
Wood, R.E., Landon, H.H. and Sailor, V.L. Parameters for the neutron resonance in gold, 5=5640
Wood, S.E. Phenomenological relations of electro-osmosis in paper electrochromatography, 6=386
Wood, T.H. Satisfying "thick lens" experiment, 7=5954. Some aspects of cellular radiobiology, 9=11679
Wood, W.A. Strain-hardening of a metal by laminar or turbulent flow, 6=743. Formation of fatigue cracks, 8=6462
Wood, W.A. and Segall, R.L. Annealed metals under alternating plastic strain, 8=3523
Wood, W.W. See also Fickett, W., 8=3535, 9=4384; Kirkwood, J.G., 5=803; Salsburg, Z.W., 9=3156
Wood, W.W. and Jacobson, J.D. Preliminary results from a recalculation of the Monte Carlo equation of state of hard spheres, 8=5698
Wood, W.W. and Kirkwood, J.G. Diameter effect in condensed explosives. The relation between velocity and radius of curvature of the detonation wave, 5=804. On the existence of steady-state detonations supported by a single chemical reaction, 7=4828. Hydrodynamics of a reacting and relaxing fluid, 7=5909
Wood, W.W. and Parker, F.R. Monte Carlo equation of state of molecules interacting with the Lennard-Jones potential. I. A supercritical isotherm at about twice the critical temperature, 7=9668. Structure of a centered rarefaction wave in a relaxing gas, 8=6740
Wood, W.W., Parker, F.R. and Jacobson, J.D. Recent Monte Carlo calculations of the equation of state of Lennard-Jones and hard sphere molecules, 9=10626
Woodbridge, D.D. Numerical integration applied to the galvanometer equation, 9=4248. See also Macdonald, N.J., 9=6384
Woodbury, H.H. See also Ludwig, G.W., 9=570, 5913, 7186; Newman, R., 6=4411; Tyler, W.W., 5=943, 2747, 5410, 6=4396
Woodbury, H.H. and Ludwig, G.W. Spin of Ni^{61}, 8=6212
Woodbury, H.H. and Tyler, W.W. Properties of germanium doped with manganese, 6=341. Triple acceptors in germanium, 7=3273
Woodcock, R. See Barnes, G., 8=3756
Woodford, H.J. and Gardner, J.H. Method of eliminating omegatron radial field errors or for direct measurement of mass ratios, 6=7477
Woodgate, G.K. and Hellwarth, R.W. Nuclear spin and hyperfine structure of radioactive silver, $^{111}_{47}$Ag, 6=546. Hyperfine structure of radioactive silver $^{111}_{47}$Ag, 7=609. Shape of resonance curves in atomic beam experiments, 7=630
Woodgate, G.K. and Martin, J.S. Hyperfine structure in manganese $^{55}_{25}$Mn, 7=7305
Woodgate, G.K. and Sandars, P.G.H. Measurement of nuclear magnetic moments in atomic beams, 8=7300
Woodgate, L. See Stuart, J.T., 5=1604
Woodhead, D.W. Advance detonation in a tubular charge of explosive, 9=13874
Woodhead, M.M. Effect of brief loud noise on decision making, 9=13980
Wooding, E.R. Concentration changes in an aerosol, 7=3068. See also Lintin, D.R., 9=8041; Richardson, J.F., 7=8922, 8=826
Wooding, R.A. An approximate joint probability distribution for wave amplitude and frequency in random noise, 5=9353. Approximate joint probability distribution for wave amplitude and frequency in random noise, 6=3506
Woodrow, J. Flow of a compressible coolant through a channel, 5=9478
Woodruff, A.E. Proton–proton scattering with parity and time-reversal noninvariance, 9=8454
Woodruff, R.W. and Givens, M.P. Soft X-ray absorption of evaporated thin films of tellurium, 5=1881
Woodruff, T.O. Solution of the Hartree-Fock-Slater equations for silicon crystal by the method of orthogonalized plane waves, 5=7226. Application of orthogonalized plane-wave method to silicon crystal, 6=9035. See also Castner, T.G., 9=812; Cohen, M.H., 8=1314; Känzig, W., 8=2654, 9=8858
Woodruff, T.O. and Känzig, W. Paramagnetic resonance absorption of a V center in LiF, 9=8341
Woods, A.D.B. and Hallett, A.C.H. The viscosity of liquid helium between 0. 78°K and 1. 1°K, 8=3943. The kinematic viscosity of liquid hellium II, 8=8734
Woods, D.E. See Roberts, J.E., 7=4819
Woods, D.W. Effects of crystallization on the glass-rubber transition in polyethylene terephthalate filaments, 5=2288
Woods, E.J. See O'Neill, G.K., 9=13384
Woods, H.J. See Terry, N.B., 5=5275, 9180
Woods, J. Changes in conductivity resulting from breakdown in cadmium sulphide single crystals, 7=2215. Disruptive discharge in CdS single crystals, 7=4419. Thermal and electrolytic activation of photoconductivity in CdS crystals, 7=8634. Some effects of electric fields on the luminescence of ZnS single crystals, 8=5795. Photochemical effects and the effect of oxygen on photoconducting cadmium sulphide crystals, 9=1473. See also Wolfe, R., 7=3163
Woods, J. and Wright, D.A. Field enhanced cathode-luminescence in magnesium oxide, 5=8643
Woods, J.F. Investigation of the photoconductive effect in lead sulfide films using Hall and resistivity measurements, 7=5349. Hall effect and resistivity measurements on photoconductive lead sulfide films under illumination, 7=7924
Woods, R.D. See Berman, S., 6=3049; Callaway, J., 7=9771; Melkanoff, M.A., 7=6285
Woods, R.M., Jr. See Cork, J.M., 9=599
Woods, R.W. Thermistor electronic thermometer, 5=5375
Woods, S.B. The conductivity of sodium at low temperatures, 6=2857. See also Dauphinee, T.M., 5=7917; Fischer, G., 7=6093; MacDonald, D.K.C., 6=4355; Mooser, E., 5=4686; White, G.K., 5=1754, 2657, 6=5812, 8143, 7=3188, 7812-3, 7857, 9655, 9661, 8=3019, 9=248, 287, 1358, 3437
Woods, W.M. and Bharaucha-Reid, A.T. Age-dependent branching stochastic processes in cascade theory. II, 9=2559
Woodside, W. Deviations from one-dimensional heat flow in guarded hot-plate measurements, 8=4913. Calculation of

the thermal conductivity of porous media, 8=7858. Water vapour permeability of porous media, 9=7848

Woodward, A.E. See also Deeley, C.W., 8=6448, 9=5190; Sauer, J.A., 9=4030, 13220

Woodward, A.E., Sauer, J.A. and Wall, R.A. Segmental motion in polybutene-1, 9=7474

Woodward, E.C. and Speck, D.R. Isotope shift in λ4415 Cd II, 5=1680

Woodward, I. See Gallagher, K., 5=10068

Woodward, J.B. See Brenner, S., 5=2155; Brown, G.E., 5=2154

Woodward, L.A. See also Matterson, A.H.S., 5=8641

Woodward, L.A. and Waters, D.N. A water-cooled mercury arc lamp for the excitation of Raman spectra, 7=7780

Woodward, W.M. See Heinberg, M., 8=6173; Panofsky, W.K.H., 6=6203; Silverman, A., 8=290

Woodyard, J.R. See Alvarez, L.W., 5=4732

Woolard, E.W. Inequalities in mean solar time from tidal variations in the rotations of the earth, 9=10550

Woolfson, M.M. Sign determination for *pgg*, *p4g* and certain other space groups, 5=1361. An improvement of the "heavy-atom" method of solving crystal structures, 9=7628. An efficient process for solving crystal structures by sign relationships, 9=7630. The critical examination of a weak sign relationship between structure factors, 9=7641. See also Cochran, W., 5=4190

Woollett, A.H. See Nielsen, J.R., 6=1075, 7=7751

Woolley, H.W. Calculation of thermodynamic functions for polyatomic molecules, 6=6578. Thermodynamic properties of gases at high temperature. I. Chemical equilibrium among molecules, atoms, and atomic ions considered as clusters, 9=5640. See also Hilsenrath, J., 8=3913

Woolley, J.C. See also Phillips, J.H., 5=7183; Street, R., 7=2425

Woolley, J.C., and Smith, B.A. Solid solution in the GaAs-InAs system, 7=5671. Solid solution in $A^{III}B^{V}$ compounds, 8=9141. Solid solution in zinc blende type $A_2{}^{III}B_3{}^{VI}$ compounds, 9=2954

Woolley, J.C., Smith, B.A. and Lees, D.G. Solid solution in the GaSb-InSb system, 7=3756

Woolley, R.L. Thermoelectric power and the Bauschinger effect, 5=305

Woolley, R.v.d.R. A study of the equilibrium of globular clusters, 5=698. Monochromatic magnitudes, 7=1028

Woolner, J.W. See Glaister, R.M., 9=13252

Woolston, J.R. See Weisberg, L.R., 9=8127

Woonton, G.A. See Buchsbaum, S.J., 5=8098

Wooster, W.A. An automatic recording microdensitometer, 6=1944. See also Hoerni, J.A., 5=5108; Joel, N., 8=1343, 9=2968; Prasad, S.C., 5=8413, 9181, 10076, 6=3316, 7756-7, 7838, 7845; Sándor, E., 9=5189; Vuster, V.A.

Wooster, W.A. and Fasham, J.A.L. Studies in microdenistrometry, 8=3579

Wooster, W.A. and Joel, N. Elastic constants of diamond, 9=2969

Wooten, B.A. See Sachs, A.M., 9=545, 695

Wooten, L.A. See also Moore, G.E., 5=8061

Wooten, L.A., Moore, G.E. and Guldner, W.G. Measurement of excess Ba in practical oxide coated cathodes, 5=8060

Wooten, L.A., Ruehle, A.E. and Moore, G.E. Evaporation of barium and strontium from oxide-coated cathodes, 5=3856

Worcester, J.L. See Brink, G.O., 7=8108; Hubbs, J.C., 7=6449, 8=1994, 4267

Worden, D.G. and Danielson, G.C. Electrical resistivity of thin films of potassium at 100°K, 9=8087

Wordsworth, D.V. Laminar free convection between heat-producing vertical plates in a liquid, 5=9604. An analysis of power, temperature and reactivity transients in B.E.P.O., 7=3681

Work, R.N. On the discontinuity in the temperature coefficient of the velocity of ultrasonic waves in polymeric materials, 6=994. Three-terminal dielectric cell with a floating micrometer electrode, 6=2850. A convenient new form on Onsager's equation for the dielectric constant of polar solutions, 9=6869

Work, R.N. and Tréhu, Y.M. Detailed structure of copolymers from dielectric measurements, 6=8917

Works, C.N. and Lindsay, E.W. Electrical breakdown of gases and vapors of chloro-fluoro-hydrocarbons, 9=7019

Worley, R.D., Zemansky, M.W. and Boorse, H.A. Heat capacities of vanadium and tantalum in the normal and superconducting phases, 5=7979

Worley, W.J. Third "resonant" frequency for a two degree of freedom system with Coulomb damping, 9=4398

Worlock, R.M. See Smythe, R., 9=549; Tollestrup, A.V., 5=8292

Wormald, J.R. See Burkhardt, G.H., 8=6165; Cassels, J.M., 7=7431, 9906, 8=279, 9=1669

Wormell, T.W. "Electrification processes associated with precipitations", 8=460

Wormser, E.M. See Astheimer, R.W., 9=5472-3

Worrell, F.T. Some suggestions for a laboratory practical in electrical measurements, 5=8462. An experiment in electrical measurements which teaches several valuable lessons, 6=320

Worrell, F.T. and Correll, M. Elementary experiment in deriving an empirical relationship, 9=3088

Worsham, R.E. See Blosser, H.G., 9=1545

Worsley, B.H. Solutions of a nonlinear differential equation arising in the theory of diffusion flames, 7=6808. The self-consistent field with exchange for neon by FERUT program, 8=1989. Scattering factors for some of the heavier atoms, 9=13357. See also Hart, J.F., 9=13725

Worthington, A.E., Marx, P.C. and Dole, M. Calorimetry of high polymers. III. A new type of adiabatic jacket and calorimeter, 5=8712

Worthington, C.R. Small angle X-ray diffraction unit, 6=2557. See also Tulinsky, A., 9=13934-5

Worthington, C.R. and Tomlin, S.G. The intensity of emission of characteristic X-radiation, 6=6686

Worthley, B., Thompson, A.M. and Tooze, M.J. Precision charge comparison for the standardization of X-ray dosemeters, 8=1718

Wortman, R. See also Gomer, R., 6=769, 7=6671

Wortman, R. Gomer, R and R. Lundy. Surface diffusion of hydrogen and oxygen on tungsten, 6=5501. Surface diffusion of hydrogen on nickel, 7=7480. Adsorption and diffusion of hydrogen on nickel, 8=5510

Wotruba, K. Isotropic magnetostriction of small iron samples, 5=4791. Apparatus for the measurement of magnetostriction by means of a variable capacity, 5=5506. The apparatus used in the original experiments on the Barkhausen effect and the question of the reproducibility of the effect, 5=6284. Influence of plastic deformation on the Barkhausen effect, 5=7196. On the quantitative measurement of Barkhausen discontinuities, 5=7197. The influence of plastic deformation on the Barkhausen effect, 7=4551. The connection between the coercive force and the initial susceptibility of plastically deformed ferromagnets, 9=8296. A new law in the field of plastic deformation, 9=12455

Wouthuysen, S.A. On fermions and reflections, 8=2779

Woyk-Chvojková, E. Determination of radio-propagation elements due to an artificial earth satellite, 8=3639. Investigation of the ionosphere using signals from earth satellites, 9=4856. See also Chvojková, E.

Wray, J.L. See Zeller, E.J., 6=1116

Wray, J.R. See Beuche, F., 6=5721

Wray, K.L. See Wentink, T., Jr, 8=8501

Wray, K.L. and Hornig, D.F. Dissociation energy of fluorine, 6=7574. Dissociation of energy of fluorine, 7=1480

Wriedt, H.A. and Swartz, J.C. The binding energy of nitrogen in a dislocation, 9=4022

Wright, B.T. On the acceleration of negative ions in a cyclotron, 7=7165. See also Chow, R.H., 7=3636; Kelly, E.L., 6=8818; Royden, H.N., 9=4911; Ruby, L., 6=7472; Sun, C.R., 8=1919

Wright, C. See Duffus, H.J., 8=4544

Wright, C.V. See Lagerqvist, A., 9=5504

Wright, D.A. Thermoelectric properties of bismuth telluride and its alloys, 8=3149. Photoconductivity, 8=7010. Some physical properties of bismuth telluride, 9=10985. See also Goldsmid, H.J., 9=1491, 7014; Pengelly, A.E., 5=1016; Woods, J., 5=8643

Wright, D.B. See Moore, A., 8=8524

Wright, D.J. Hysteresis of the angle of contact of mercury against steel, 5=5255

Wright, E.P.G. The application of square-loop ferrite material in data-processing systems, 7=1407, 7181

Wright, G.A. See Turney, T.A., 8=7814

Wright, G.F. See Meredith, G.F. See Meredith, C.C., 5=7000

Wright, G.T. Scintillation response of phosphors at low particle energies, 5=207. Low energy measurements with the photomultiplier scintillation counter, 5=1007. Absolute quantum efficiency of photofluorescence of anthracene

crystals, 5=4552. Fluorescence excitation spectra and quantum efficiencies of organic crystals, 6=245. Fluorescence excitation spectrum of anthracene, 6=1106. Scintillation response of anthracene crystals to short range electrons, 6=1107. Absolute scintillation efficiency of anthracene crystals, 6=2002. Scintillation decay times of organic crystals, 6=5012. Space-charge limited currents in insulating materials, 9=1451
Wright, H. On the relative spectral energy distribution of CIE standard source A, 9=11981
Wright, H.C. See Brice, J.C., 8=1692
Wright, H.N. Auditory adaptation in noise, 9=10469
Wright, H.R. See Duff, R.E., 5=583
Wright, I.F. See also Ophel, T.R., 8=1975; Reid, J.M., 5=4897
Wright, I.F., Morrison, D.R.O., Reid, J.M. and Atkinson, J.R. The photodisintegration of nitrogen, 6=3991
Wright, J.H., Taback, L. and Skramstad, H.K. A high-speed computer for predicting radioactive fallout, 7=4964
Wright, J.K., Eeles, W.T. and Herbert, J.D. Some experiments with an electrodeless discharge, 9=12329
Wright, J.R. See Nicksic, S.W., 6=2337
Wright, K.A. See Gross, B., 9=9707
Wright, K.H.R. See Grunberg, L., 5=624, 6=3305, 7=6245
Wright, K.O. Revised curves of growth for alpha Persei, and epsilon Aurigae; and a discussion of the solar curve of growth, 5=7654
Wright, M.R. See Porter, G., 9=1303
Wright, N. See Herscher, L.W., 8=959
Wright, P. and Goddard, K.F. The resistivity of ordered Au_3Cu, 8=2298
Wright, P. and Thomas, K. Pulse-annealing technique for metals and alloys, 8=9200
Wright, P.G., Ashmore, P.G. and Kemball, C. Dissociative adsorption of methane and ethane on evaporated metal films, 9=6312
Wright, R.E. See Anderson, O.A., 8=2596, 9=4744
Wright, R.J. See Metcalfe, K.A., 6=4766
Wright, R.W. See also Bastin, J.A., 5=4647, 8=4971; Elliott, J.B., 5=8046; Fowler, W.B., 6=3290, 6937; Lyon, A.J., 8=7627; Maenchen, G., 6=2387, 8=697; Skinner, N.J., 5=1389, 5788, 6=828, 9079, 7=8951, 9=4138
Wright, R.W. and Bastin, J.A. The characteristic temperature and effective electron mass for conduction processes in cadmium oxide, 8=1050
Wright, R.W., Koster, J.R. and Skinner, N.J. Spread F-layer echoes and radio-star scintillation, 6=8511
Wrights, S.B. See Champion, F.C., 9=7225
Wright, S.C. Phase shift formulas for nucleon–nucleon scattering, 5=8511. See also Schluter, R.A., 6=437
Wright, W.D. Physiological optics and colour television; a survey, 9=6408. Color standards in commerce and industry, 9=6814
Wright, W.F. Comparison type nephelometer, 7=3178
Wrinch, D. Vector distributions and crystalline proteins, 5=9264
Wróblewski, A. See Bogdanowicz, J., 9=10000; Filipkowski, A., 9=2713
Wroe, H. Vacuum arcs on tungsten cathodes, 8=8012
Wrubel, M.H. [Ed]. Stellar atmospheres, 5=7656
Wrzecionko, J. Character of the interaction potential between electron and photon, 7=5046. Beta-decays and time reversal, 9=621. See also Werle, J., 8=7234
Wrzesińska, A. Impurity-activated crystalline phosphors. Their production and thermoluminescence curves, 7=5210. Some observations of the effect of ageing in sulphide phosphors, 8=2990
Wu, C.S. The interaction in β-decay, 5=6434. Parity experiments in beta decays, 9=11800. See also Ambler, E., 7=9849; Benczer, N., 6=1516; Benczer-Koller, N., 8=8295, 9=12643; Farrelly, B., 5=9858; Hughes, V.W., 5=7348, 7=7308; Koerts, L., 5=7319; Lindqvist, T., 6=625; Marder, S., 6=8949; Sayres, A., 8=1798; Schwarzschild, A., 7=657; van Lieshout, R., 6=608
Wu, C.S., Ambler, E., Hayward, R.W., Hoppes, D.D. and Hudson, R.P. Experimental test of parity conservation in beta decay, 7=5593
Wu Mỹ-Cheng. Investigation of fifth-order aberration in electron optical systems of axial symmetry, 8=3181
Wu Ta-You. Note on the He–He interaction potential and its determination from Amdur's scattering measurements, 8=6368
Wu, Tai Tsun. High-energy potential scattering, 8=54
Wu Ting Tsuan. See Tsuan Wu Ting.
Wu, T.-L. Wang, C.-M. Mechanism of carbon diffusion peak in f.c.c. iron-nickel alloys, 9=5196
Wu, T.T. See Rubinow, S.I., 6=8877
Wu Tai Tsun. See Tai Tsun Wu, 7=2446
Wu Ting, T. See Tsuan Wu Ting.
Wu, T-Y. A suggested method for studying the mechanism of energy transfer in collisions, 5=5551. Electron affinity of boron, carbon, nitrogen, and oxygen atoms, 6=563. Scattering of an electron by an atom and rearrangement collisions, 6=2175. On the coupling between electronic and nuclear motion and Vand Der Waals' interaction between helium atoms, 6=3878. Laws of conservation: parity and time reversal, 9=1042. See also Bauer, E., 7=2119, 4499; Bernstein, J., 9=12728; Parkin, B.R., 6=2711; Tauber, G.E., 7=5544; Wang, I.-T., 9=3137
Wu, T.-Y. and Bhatia, A.B. On the coupling between electronic and nuclear motions in molecules, 6=2293
Wu, T.-Y. and Tauber, G.E. "Contact interaction" in the relativistic energy of two-electron atoms, 6=2328
Wu, T. Y.-T. Two-dimensional sink flow of a viscous, heat-conducting, compressible fluid; cylindrical shock waves, 7=1121
Wu Ta-You, See Nigam, B.P., 9=13016
Wucher, J. Attempt at interpreting the high temperature magnetic properties of the rhombohedral sesquioxides of titanium vanadium, chromium and iron (Ti_2O_3, V_2O_3, Cr_2O_3, Fe_2O_3), 5=8911. Super-exchange and the magnetic properties of palladium between 80 and 1600°K, 6=4484. See also Burger, J.P., 8=1776; Cohen, J., 7=5456; Foex, G., 5=8910, 7=1451; Perakis, N., 6=4491, 8=7176, 9=8285
Wucher, J. and Wasscher, J.D. Spin coupling and specific heat anomalies at liquid helium and hydrogen temperatures of the complex acetate $[Cr_3(CH_3COO)_6(OH)_2]Cl \cdot 8H_2O$, 5=2686
Wuensch, B.J., Heuter, T.F. and Cohen, M.S. Ultrasonic absorption in castor oil: deviations from classical behaviour, 6=4914
Wuerker, R.F., Goldenberg, H.M. and Langmuir, R.V. Electrodynamic containment or charged particles by three-phase coltages, 9=13492
Wuerker, R.F., Shelton, H. and Langumuir, R.V. Electrodynamic containment of charged particles, 9=7095
Wuest, W. See Scheibe, K., 9=6569
Wul, B.M. On the breakdown in p-n transitions in germanium, 9=13296
Wulf, O.R. See Nicholson, S.B., 9=4119
Wulfeck, J.W. Infrared photography of the so-called third Purkinje image, 5=10136. See also Johannsen, D.E., 6=854, 5577
Wulff, H. Spectral line profiles in thermally excited helium, 8=8677
Wulfman, C.E. Semiquantitative united-atom treatment and the shape of triatomic molecules, 9=10192. See also Dewar, M.J.S., 9=1827
Wullkopf, H. The determination of the characteristic constants of SO_2 for the separation tube process, 7=1531
Wunderer, P. Determination of the neutron emission of a neutron source, 9=7265
Wunderlich, B. Theory of cold crystallization of high polymers, 9=6263
Wunderlich, H. See Asmus, E., 6=178
Wundheiler, A.W. Irreversible systems, entropy, and Riemann spaces, 5=3702
Würger, E. See also Huber, P., 6=612
Würger, E., Meyer, K.P. and Huber, P. Lifetime and decay scheme of U^{235}, 7=8794
Wurm, K. Dye filters for nebular work, 6=872*
Wurst, E.C., Jr. See Lasser, M.E., 8=5916
Wurst, E.C., Jr. and Borneman, E.H. Rectification properties of metal-silicon contacts, 7=4354
Wüstenhagen, J. On the electron emission from evaporated metal layers, 7=9716
Wüster, H.O. See Sauter, F., 5=7329
Wurster, W.H. See also Glick, H.S., 8=2234, 2630
Wurster, W.H. and Glick, H.S. Ultraviolet spectrum of air at 5750°K, 8=2234
Wurster, W.H., Treanor, C.E. and Glick, H.S. Schumann–Runge oxygen absorption in shock-heated air, 8=8697
Wurzburg, F.L., Jr, DiBernardo, A. and Cleary, J.R. Calculation of small colour differences, 9=12159
Wuschke, D. See Roy, J.C., 9=2822

Wuschke, E.E. See Roalsvig, J.P., 9=8625
Wuttke, H.G. See Suhrmann, R., 5=9646
Wutz, M. Extraction measurements and beam guidance with an arc source, 8=7118. Energy and power relations in the linear accelerator, 8=8809
Wyatt, D.G. A heart pulse amplifier and ratemeter, 7=2880
Wyatt, P.J. Possible existence of anti-matter in bulk, 8=4193
Wyatt, R.M.H., Moore, P.W.J., Adams, G.K. and Sumner, J.F. The ignition of primary explosives by electric discharges, 8=7580
Wyatt, S.P., Jr. See King, I.R., 8=1460
Wyckoff, H.O. and Kirn, F.S. Standard ionization-chamber requirements for 250- to 500-kilovolt X-rays, 7=5370
Wyckoff, H.W. See Keith, H.D., 9=13957; Klug, A., 9=7609
Wyckoff, H.W., Bear, R.S., Morgan, R.S. and Carlstrom, D. Optical diffractometer for facilitation of X-ray diffraction studies of macromolecular structures, 8=6511
Wyckoff, J.M. See Koch, H.W., 6=8226, 9=4880
Wyckoff, R.W.G. Trends in electron microscopy in the United States, 5=2787. See also Labaw, L.W., 7=6757
Wykoff, W.R. See Bidwell, R.M., 6=8999
Wyk, C.B. van. See van Wyk, C.B.
Wyld, H.W. See Arnold, W.H., Jr, 6=3257
Wyld, H.W., Jr. Fourth order corrections to meson-nucleon scattering in pseudoscalar meson theory, 5=1535. Dynamic stability of a self-pinched discharge, 9=3533. See also Frauenfelder, H., 8=4298; Jackson, J.D., 7=6508, 9911, 8=3350, 7716, 9=2649, 11394-5; Treiman, S.B., 5=9956, 6=1619, 3264, 7=7418
Wyld, H.W., Jr and Treiman, S.B. Charge asymmetries in the decay of long-lived neutral K mesons, 7=6594*
Wylen, G.J. Van. See Van Wylen, G.J.
Wylie, R.G. A new absolute method of hygrometry. I. The general principles of the method, 8=5706; II. The properties of potassium chloride crystal elements, 8=5707. See also Caw, W.A., 9=85
Wyller, A.A. Vibrational transition probabilities for the (8, 8) matrix of the CN $(A^2\Pi_i - X^2\Sigma^+)$ band system, 9=8705
Wyllie, H.A. A mercury-in-glass gas burette, 8=1555
Wyllie, M.R.J., Gregory, A.R. and Gardner, G.H.F. An experimental investigation of factors affecting elastic wave velocities in porous media, 9=7660
Wyluda, B.J. See Shulman, R.G., 6=5871, 7=384, 8=177, 9=814, 2955, 7197
Wyly, L.D. See Patronis, E.T., Jr, 7=4425; Reynolds, H.L., 5=6228, 7159; Shiel, V., 7=4671
Wyman, G.M. Measurement of solid samples on the Cary spectrophotometer, 6=200
Wyman, J.H. See Gordy, W., 6=877
Wyman, M. See Betts, D.D., 7=1733
Wyman, M. and Zassenhaus, H. Zero curvature tensor in Einstein's unified field theory, 8=2754
Wyman, M.E. See also Carter, R.E., 9=4891
Wyman, M.E., Fryer, E.M. and Thorpe, M.M. (n, t) Cross sections for B^{10}, B^{11} and Be^9, 9=2827
Wynn, N.R. Maximum sensitivity in pneumatic gauging, 5=4397
Wynne, C.G. New lens systems, 6=8645. Lens designing by electronic digital computer. I, 9=6693
Wynne-Jones, W.F.K. See Bates, R.G., 6=9013; Sanghi, I., 8=3545
Wyon, G. and Lacombe, P. The influence of dislocations and impurities on the distribution and size of etch-figures on pure aluminium, 5=6603
Wyon, G. and Marchin, J.M. Formation of etch pits on slip lines in aluminium, 6=1657
Wyrwich, H. and Lenze, F. Calculations of the differential cross-section for the scattering of medium-velocity electrons at atoms from Hartree functions, 9=5103
Wysocki, C. See Lasser, M., 7=3276, 7871; Vollmer, J., 6=2045
Wyszecki, G. A graphical interpretation of a three-components theory of chromatic adaptation in terms of the CIE chromaticity diagram, 5=665. On projective transformations of the CIE-chromaticity diagram, 7=1218. Theoretical investigation of colored lenses for snow goggles, 7=2898. Evaluation of metameric colours, 8=5823. Propagation of errors in colorimetric transformations, 9=6810. A measure for the total difference of two sets of color-mixture functions, 9=9537. See also Bedford, R.E., 7=8331; Judd, D.B., 6=3661; Middleton, W.E.K., 8=5804; Sanders, C.L., 7=6080, 8=6890
Wyszecki, G. and Sanders, C.L. Correlate for lightness in terms of CIE-Tristimulus values. II, 7=9647
Wyszecki, G.W. See Bedford, R.E., 8=1390, 5559

Xuân Yêm Pham. See Pham Xuân Yêm.

Yabe, M. See Sakurai, T., 9=9048
Yabumoto, T. Electrical and optical properties of GeS, 9=11013. Hall effect in oxide cathodes, 9=11056. Some electrical and optical properties of tin monosulphide, 9=13323. See also Takayama, K., 5=1863
Yabumoto, T. and Yamada, S. Photoelectric emission of oxide coated cathodes, 9=9693
Yada, B. The effect of two-photon emission on the radiation field of planetary nebulae. I, 5=1477; II, 5=4317
Yada, K. See Hibi, T., 9=12799
Yadav, H.N. The nuclear scattering of electrons by uranium, 5=5446
Yadav, H.N. and Singh, L.S. High energy neutron-proton scattering with spin-orbit interaction, 9=11371
Yadavalli, S.V. Focusing in high-voltage beam-type electron devices, 8=7106
Yadrova, I.M. See Mikhaĭlov, G.D., 6=8059
Yafet, Y. The g value in conduction electron spin resonance, 7=7088
Yaffe, L. See also Bell, R.E., 5=9103; Foster, J.S., 9=2721; McMullen, C.C., 7=3589; Pate, B.D., 5=3839, 5593, 6412, 7=1533-4, 9=1784, 10046; Roy, L.P., 7=721-2, 4733
Yaffe, L., Thode, H.G., Merritt, W.F., Hawkings, R.C., Brown, F. and Bartholomew, R.M. Determination of the absolute fission yield of Ba^{140} in thermal neutron fission U^{235}, 5=1217
Yager, W.A. See Bozorth, R.M., 6=1366; Fletcher, R.C., 6=330; Galt, J.K., 6=1212, 7=2190, 9=11564-5
Yager, W.A., Galt, J.K. and Merritt, F.R. Ferromagnetic resonance in two nickel-iron ferrites, 5=8902
Yagi, H. On the absorption of light by colour-centres in the region between F-band and M-band, 6=5529. Transformations of various centres among each other in coloured alkali-halide cyrstals, 6=7821
Yagi, T. Intensity problem in the deflection of cosmic rays in the solar magnetic field, 9=996
Yagi, T. and Ueno, H. Diurnal variation of vertical cosmic rays—narrow total and high energy components, 9=382
Yagoda, H. Isothermal processing of thick nuclear emulsions, 5=4275. Mesonic decay of an ejected triton, 5=4972. Pion-pair production in a nuclear emulsion, 5=4975. Observationson stars and heavy primaries recorded in emulsions flown in Viking Rocket No. 9, 6=2218. Anomalous heavy primary cascades recorded on Viking 10 rocket flight, 8=644. Energy spectrum of π mesons produced by interaction of cosmic radiation with emulsion nuclei, 9=3624. Emulsion containers for cosmic ray research in high-altitude rockets, 9=13404. An improved isothermal method for the processing of thick nuclear emulsion pellicles, 9=14011
Yagudaev, M.D. See Nosenko, B.M., 9=10849
Yahia, J. and Marcus, J.A. Galvanomagentic properties of gallium at low temperatures, 9=4631
Yaichnitsӯn, V.G. Static solution of a non-linear meson equation, 7=3977
Yajima, N. See Nozawa, M. 9=12671
Yajima, T. Emitter current noise in junction transistor, 7=4360
Yajima, T. and Esaki, L. Excess noise in narrow germanium p-n junctions, 9=12276
Yakel, H.L., Jr. On the structure of some compounds of the perovskite type, 5=9274
Yakobson, A.M. Internal Compton effect, 6=1547
Yakobson, M.A. See Gross, E.F., 7=2814, 8516, 8=6842
Yakovenko, V.L. See Veinberg, V.B., 9=9526
Yakovlev, E.N. Calculation of the magnetization of a uniaxial ferrite at low temperatures, 8=3257
Yakovlev, G.N. See also Manenkov, A.A., 7=6448
Yakovlev, G.N., Chulkov, P.M., Dedov, V.B., Kosyakov, V.N. and Sobolev, Y.P. The preparation of thin films of plutonium, americium and curium by an electrolytic method, 8=3542
Yakovlev, I.A. See also Shal'nikova, N.A., 7=8298
Yakovlev, I.A., Mikheeva, L.F. and Velichkina, T.S. Molecular scattering of light and the $\alpha \rightleftarrows \beta$ transition in quartz, 7=7791
Yakovlev, I.A., Velichkina, T.S. and Baranskiĭ, K.N. Sound absorption on phase transition in Rochelle salt, 7=8474. Influence of electrostatic field on the absorption of sound in Rochelle salt, 8=8651
Yakovlev, I.A., Velichkina, T.S. and Mikheeva, L.F. The opalescence phenomenon associated with phase transformation in quartz, 6=8712
Yakovlev, K.I. See Loginov, YuE., 9=11459
Yakovlev, L.G. The velocity of the wave front in nonlinear electrodynamics, 5=7204. Multiple production of mesons in collisions of particles. 6=6204. On theories of multiple meson production, 7=1655
Yakovlev, V.A. See Bannik, B.P., 8=3387; Bugorkov, S.S., 8=4196; Gusev, I.A., 8=1943
Yakovlev, V.F. See Koshkin, N.I., 6=8054
Yakovlev, V.I. See Dobrovol'skiĭ, S.P., 7=3419
Yakovlev, Yu.P. See Ostroumov, V.I., 9=12673
Yakovleva, A.V. See Ivanova, M.K., 9=9512
Yakovleva, I.V. On depolarization of μ^+-mesons in metals, 9=2611
Yakunin, M.I. See Bugorkov, S.S., 8=4196
Yakushevskaya, K.E. See Dmitrev, A.A., 8=3031
Yakutovich, M.V. See Rӯbalko, F.P., 9=8937
Yamabe, S. Angular distribution of protons inelastically scattered from Mg^{24}, 9=10101. See also Kikuchi, S., 9=352; Kondo, M., 9=10096; Takeda, M., 7=8819, 9868
Yamabe, S., Kondo, M., Yamazaki, T. and Toi, A. Angular distribution of protons inelastically scattered from Si^{28} and Mg^{24}, 9=13658
Yamada, E. See Marumori, T., 7=605
Yamada, K. See Kasuya, T., 9=12232
Yamada, K. and Oka, S. On the mechanism of the negative effect in the photoelectric conduction process of silver bromide, 6=5885
Yamada, M. On the electron-neutron interaction, 6=920. See also Fujita, J.-I., 8=1249*; Iwamoto, F., 9=11852; Kikuta, T., 6=3092, 8322; Morita, M., 6=2353, 8=6265; Ohmura, T., 9=11514
Yamada, N., Ikeda, Y. and Iida, Y. The firing time of the anode of an ignitron, 6=6674
Yamada, O. Irreversible magnetic after-effect and its influence on the course of the magnetization curve, 6=465. See also Kussman, A., 6=7534*
Yamada. O. and Hahlbohm, H.D. Methods of determining the constant S$_v$ of the irreversible magnetic after-effect, 6=4502
Yamada, R. On the radio wave propagation in a stratified atmosphere, 5=2906. On the radio wave propagation in a stratified atmosphere. II, 8=8177. Asymptotic expansions of Weber functions, 9=10492
Yamada, S. See Yabumoto, T., 9=9693
Yamada, S., Nakahara, A. and Tsuchida, R. Dichroism of the crystal of dicyclopentadienyl-iron, 5=418
Yamada, S. and Tsuchida, R. Dichroism of the crystal of diformylhydrazine, 5=640
Yamada, T. See Tanada, S., 5=1002
Yamada, Y. See Harrison, G.R., 9=3355; Nishiyama, Z., 9=11592; Yoshinaga, H., 8=2288
Yamagata, Y. See Itoh, J., 6=5289, 9=5945, 9843
Yamaguchi, A., Ichishima, I., Shimanouchi, T. and Mizushima, S. Far infrared spectrum of hydrazine, 9=13153
Yamaguchi, J. On the blocking layer of selenium rectifier. II, 5=4665
Yamaguchi, J. and Hamakawa, Y. High electric field effects in germanium p-n junction, 9=12277
Yamaguchi, J., Kanazawa, T., Matozaki, T. and Hirai, K. On the blocking layer of selenium rectifier, I, 5=4664
Yamaguchi, S. Protective films on magnesium observed by electron diffraction and microscopy, 5=3176. Analysis of diffraction pattern observed by [electron] microscopy, 5=4215. On the estimation of the thickness of the Beilby layer, 5=9173, Temperature rise of specimens in the electron beam, 6=5942. Investigation of a Cu–MgO mixture with the help of electron diffraction, 6=6214. On electron diffraction with different wavelengths, 7=5750. Combined catalysts as revealed by electron diffraction, 8=437. A polarization process for free electrons, 8=1723. An experiment for polarization of free electrons, 8=2356. Magnetic analysis of alloys by electron diffraction, 8=6038. The measurement of the remanent magnetism of thin films, 8=7196. The use of electron diffraction for magnetic analysis, 8=8477. Spontaneous magnetization of a thin film measured by electron diffraction, 9=1584. Magnetic perturbation of cathode rays, 9=2395. On the polarization of free electrons, 9=2578*. Magnetic analysis with electron beams, 9=5882. Possibility of polarization microscopy with electron beams, 9=7082. Magnetic and crystallographic analysis by electron diffraction, 9=8288. On the Stern-Gerlach's experiment for free electrons, 9=9699. On the

conducting skin of titanium dioxide, 9=11596. Study of magnetic oxides by cathode rays, 9=12454. The measurement of lattice spacings from an electron-diffraction picture, 9=13962. See also Kikuchi, S., 9=352

Yamaguchi, T. and Takei, T. Kinetic studies on zinc ferrite formation, 9=12866

Yamaguchi, Y. On the annihilation cross-section of the antinucleon, 9=12550. See also Hayashi, C., 9=12699; Minami, S., 9=11347; Petermann, A., 9=11381; Suekane, S., 9=11420-1

Yamaguchi, Yor. See Yamaguchi, Yos., 5=67, 4940

Yamaguchi, Yos. and Yamaguchi, Yor. Two-nucleon problem when the potential is non-local but separable. II., 5=67. Photodisintegration of the deuteron, 5=4940

Yamaguchi, Yoshio. Elastic production of neutral photo-pions in helium, 6=4672

Yamaguti, T. On a sodium nitrate polarization prism and a polarization plate of a scattering type, 5=3656. Experimental studies on the initiation of electric arcs, 8=7998. On a sodium nitrate polarization plate of scattering type, 6=5036

Yamaguti, T., Makino, I., Shinoda, S. and Kuroha, I. Spectropolarization characteristics of the sodium nitrate polarizer, 9=9534

Yamaji, Y. See Nagai, H., 9=13605

Yamaka, E. Afterglow of magnesium oxide single crystals. 5=206

Yamaka, E. and Sawamoto, K. Electrical conductivity and thermoelectric motive force in MgO single crystal, 5=3720. Photoinduced hall effect in MgO, 6=1233. Photo-induced hall effect of V-center in Kl, 6=3740. Electrical conductivity of NiO near the Curie temperature, 9=4590

Yamakawa, H. Theory of dilute polymer solutions. II. Osmotic pressure, 9=7844. See also Kurata, M., 8=3775, 8620; Theory of dilute polymer solutions. I. Chain configuration and light scattering, 9=7843; III. Intrinsic viscosity, 9=7845

Yamaki, H. See Hirone, T., 9=10289

Yamamoto, A. See Marumori, T., 7=6427-8, 6430

Yamamoto, H. See Sugimoto, K., 9=13603

Yamamoto, K. See also Hasebe, K., 5=8791; Hattori, S., 8=2216; Okuda, T., 6=3762, 8=4082, 9=11149, 12406; Wada, Y., 6=8628

Yamamoto, K. and Okuda, T. On the floating probe method for the measurement of ionized gas, 6=1324. On the electrical discharge in d.c. and high frequency fields simultaneously, 7=1341

Yamamoto, K. and Wada, Y. An investigation of the dynamic mechanical properties of glassy polymers by the composite oscillator method, 8=7556

Yamamoto, M. The ΔE-effect, Young's modulus, and magnetic properties in ferromagnetic nickel-copper alloys, 5=1986. On an empirical formula for the ferromagnetic anisotropy constant in cubic crystals, 5=9770. The visco-elastic properties of network structure. I. General formalism, 6=5459. Theory of the Wiedemann effect, 8=3258. The visco-elastic properties of network structure. II. Structural viscosity, 8=8488. The visco-elastic properties of ne work structure. III. Normal stress effect (Weissenberg effect), 9=11604. A note on the formation of etch pits on crystals, 9=11625. Phenomenological theory of [nonlinear] viscoelasticity of three dimensional bodies, 9=13854. See also Aoyagi, K., 9=13426; Fujita, F.E., 6=5450; Onishi, T., 9=11607; Suzuki, T., 9=10331; Taniguchi, S., 5=2016, 6=6008

Yamamoto, M. and Nakamichi, T. Magnetostriction constants of nickel–copper and nickel–cobalt alloys, 9=4786. Magnetostriction constants of face-centred cubic nickel–copper and nickel–cobalt alloys, 9=11216

Yamamoto, M., Taniguchi, S. and K. Aoyagi. Domain structure as affected by the uniaxial ferromagnetic anisotropy induced in cubic solid solutions, 6=6011

Yamamoto, N. New method of determining ultrasonic wavelength in liquid, 5=147

Yamamoto, S. Solid solutions of lead-sulphide, -selenide and -telluride, 8=2678

Yamamoto, T. Statistical mechanics of irreversible phenomena, 5=9391. An example of five-dimensional field, 6=55

Yamamoto, T. and Matsuda, H. On the grand canonical distribution method of statistical mechanics, 7=6919

Yamamoto, T., Tani, K. and Okada, K. On the energy dissipation of conduction electrons undergoing elastic scattering by impurities, 7=356

Yamanaka, C. Electret, 5=924

Yamanaka, C., Sakai, H. and Suita, T. Electron bombardment conductivity in silver bromide single crystal. II, 6=6623

Yamanaka, C. and Suita, T. Electron bombardment conductivity in alkali halide crystals. I, 5=4641. Multiplication of charge carriers and breakdown in Ge p–n junction. I, 7=8627. Electric breakdown of germanium p–n junctions, 9=3491

Yamanaka, S. See Asai, K., 5=9626; Kato, Y., 5=984

Yamano, M. Precise measurement of frequency shift of ammonia inversion spectrum, 9=10787. Center frequency of ammonia inversion spectrum in low pressure region, 9=10788. See also Takahashi, I., 7=1038, 6007

Yamanouchi, C. See Fukuroi, T., 7=9687, 8=184

Yamanouchi, H. See Minakawa, O., 9=12425

Yamanouchi, T. and Fukuda, N. The D-wave contribution to pion-nucleon scattering, 6=80

Yamartino, E.J. See Lever, R.C., 8=8885

Yamasaki, R.S. See Cornwell, C.D., 8=2619

Yamasaki, R.S. and Cornwell, C.D. Nuclear quadrupole coupling in the alkali chloroiodides. II. Iodine resonances, 9=8733

Yamashita, H. and Ibuki, S. Crystal growth of CdS by vacuum sealed method, 9=2988

Yamashita, J. The theory of the dielectric constant of ionic crystals. II. Effect of temperature, 5=3707. A note on superexchange interaction, 5=8072. The quantum theory of dielectrics, 5=9391. Theory of electron multiplication in silicon, 6=8203. Oxygen band in magnesium oxide, 9=2908. Conductivity of nonpolar crystals in strong electric field. II, 9=3441

Yamashita, J. and Kondo, J. Superexchange interaction, 8=2387

Yamashita, J. and Kurosawa, T. Formation energy of lattice defect in simple oxide crystals, 5=3266. The theory of the dielectric constant of ionic crystals. III, 5=9625. On electronic current in NiO, 9=285

Yamashita, J. and Watanabe, M. On the conductivity of non-polar crystals in the strong electric field. I, 5=3722

Yamashita, S. See Hagihara, H., 9=13910; Ishiwari, R., 6=5161; Kimura, K., 8=1729; Kokame, J., 6=5156

Yamashita, T. and Tatsumoto, E. Magnetic anisotropy in connection with rolling in the course of producing single crystals of silicon steel, 8=4153

Yamauchi, H. See Feshbach, H., 9=13717

Yamazaki, H. See also Shida, S., 8=8508

Yamazaki, H. and Shida, S. Mercury photosensitized reaction of cyclo-octatetraene, 6=7789. Collisional deactivation of excited cyclooctatetraene molecule, 8=7472

Yamazaki, K. On the field theory in functional form, 6=7951. On the Feynman theory of polarons, 7=860. See also Dürr, H.P., 9=11822; Katayama, Y., 6=2639; Lieb, E.H., 9=1866; Tani, S., 5=5874

Yamazaki, M. Electronic structure of ferrocene, 6=6059. Electronic band structure in graphite, 7=5496. Group-theoretical treatment of the energy bands in metal borides MeB$_6$, 7=5725. Electronic band structure of boron carbide, 7=9770. Electronic structure of diborane, 8=1291. The electronic structure of the protonated methane CH$_5^+$, 9=12752. See also Brion, H., 9=7440; Chiba, S., 5=5878

Yamazaki, T. See also Kondo, M., 9=10096, 13657; Takeda, M., 7=9868; Yamabe, S., 9=13658

Yamazaki, T., Ikegami, H. and Sakai, M. Sector type double focusing beta ray spectrometer. II. Twin setting measurement of the weak higher component of Cs^{137}, 9=7324

Yamomoto, M. See Sumino, K., 7=783

Yampol'skiĭ, B. Ya. and Amfiteatrova, T.A. An investigation of the deformation of metals under small stresses. I. Some regularities of the creep of copper and aluminium, 8=4489

Yampol'skii, B.Ya. See also Ostrovskii, V.S., 9=13867

Yampol'skiĭ, P.A. See Leĭpunskiĭ, O.I., 7=1537*, 8122

Yampol'skiĭ, V.G. Oblique incidence of a plane wave on a wire lattice, 6=3868

Yanagawa, S. Orbit-orbit interactions in atomic 1^n configurations, 6=1496. The orbit–orbit interaction, 6=8331. On the low lying levels of Mn^{55}, 9=10029. II, 9=13614. See also Obi, S.-Y., 5=4283

Yanagawa, T. See Nakanishi, S., 9=3182

Yanase, Y. See Kimura, Y., 9=3780

Yanchevskaya, I.S. See Grigor'ev, E.P., 8=5334;

Ioffe, V.A., 9=4556
Yanenko, N.N. See Arsenin, V.Ya., 7=3072
Yang, C.N. Recent experimental results at Brookhaven, 5=9391. Report on cosmotron experiments, 5=9391. Present knowledge about the new particles, 7=7598. See also Lee, T.D., 5=6748; Bernstein, J., 8=6359; Case, K.M., 6=1851, 3250; 7=8395; Goldhaber, M., 9=2654; Huang, K., 7=3008-9, 8=2486; Lee, T.D., 6=4813, 7=2681, 3956, 5050, 5079, 5596, 6893, 9529, 8=1860, 5244, 9=554, 4300, 5385, 6537
Yang, H.-T. Second approximations for the stress tensor and the heat flux in a gas, 9=10901
Yang, J.T. Factors affecting the non-Newtonian viscosity of rigid particles, 9=11877
Yang, L. Validity of Nernst–Einstein and Stokes–Einstein relationships in molten $NaNO_3$, 7=9564. See also Bitler, W.R., 8=197
Yang, L. and Simnad, M. Self-diffusion of ions in molten electrolyte under the influence of an electric field, 5=9213
Yang Ling. See Ling Yang., 9=8885
Yang, L.M.- Orbital angular momentum distribution in nuclei and nuclear density, 5=3959
Yang, T.-C. See Nakai, J., 5=7168
Yanitskaya, M.E. See Zhukovitsiĭ, A.A., 6=716
Yan'kov, G.B. See Baev, B.V., 5=7129
Yankov, V.V. On the ponderomotive forces in localized plasma in the electromagnetic field of a plane wave, 7=9708. The behaviour of a [infinitely] conducting [homogeneous] gaseous sphere in a quasistationary electromagnetic field, 9=11281
Yankwich, P.E. Chemical effects of the nuclear transformation N^{14} (n, p) C^{14}, 7=832
Yankwich, P.E. and Buddemeier, R.W. Large reverse carbon isotope effect, 9=7580
Yano, K. and Ohgane, M. On six-dimensional unified field theories, 5=6719
Yano, S. See also Sidei, T., 6=1426, 9=8747
Yano, S., Sasaki, S. and Sidei, T. Asymmetry of proton resonance signals in some hydrates of iron group salts, 9=5940
Yanoshi, L. [Jánossy, L.] Investigation of the theory of cascades, I, 5=367; II, 368. Generalized formulation of the diffusion equation for a single particle, 6=4852. Statistical problems of an electron multiplier, 6=5601. Further considerations concerning the physical interpretation of the Lorentz transformations, 7=8976
Yanoukh, F. Probability of double β-decay, 9=10067
Yanson, Yu.Ya. Multi-component organic electrets, 9=12224
Yantis, P.A. See Lawrence, M., 7=977, 4944, 8965
Yao, Fu-Den. The aberration of axially symmetrical electron-optical system in presence of space charges, 8=8042
Yao, Y.L. See Reekie, J., 6=5231
Yaplee, B.S. See Roman, N.G., 8=1440
Yappa, Yu.A. In connection with the article of V.I. Karpman "On the question of a connection between the method of regularization and theories of particles with arbitrary spin," 5=3436. "Schrödinger form" of relativistically invariant equations, 7=1922
Yaramis, B. The relative stopping power of several gases for Po-α particles, 7=1556
Yarger, F.L. See Christian, R.H., 6=134-5; Walsh, J.M., 8=6744
Yariv, A. and Clapp, F.D. Experimental procedure for the determination of cavity parameters, 9=11284
Yariv, A., Singer, J.R. and Kemp, J. Radiation damping effects in two level maser oscillators, 9=8344
Yarkho, I.S. See Reĭtlinger, S.A., 7=4802
Yarmus, L. Hyperfine structure in the l-type doubling spectrum of HCN, 7=1184. Direct l-type doubling transitions in ClCN, 7=4587
Yarnell, J.L. See also Bendt, P.J., 9=6847
Yarnell, J.L., Arnold, G.P., Bendt, P.J. and Kerr, E.C. Energy vs. momentum relations for excitations in liquid helium, 8=6924 Excitations in liquid helium: neutron scattering measurements, 9=6846
Yaroslavskiĭ, M.I. and Vasin, I.G. Resonators of quartz plates twinned according to the Brazil law, 7=7691
Yaroslavskiĭ, M.I., Lyutenberg, R.M. and Chernȳshov, V.N, An instrument for the analysis of the piezoelectric properties of crystals, 6=7389
Yaroslavskiĭ, N.G. Method and apparatus for long-wave infrared spectroscopy, 8=4870
Yaroslavskii, N.G. and Stanevich, A.E. Rotational spectrum of H_2O in the long-wavelength infrared region 50-1500 μ (200-7 cm^{-1}), 9=10781
Yarwood, J. Ultra-high vacua, 7=9036. See also Chomet, S., 5=9974
Yasaitis, E.L. See Smaller, B., 5=2886
Yasaki, T. See Inoki, M., 7=5442
Yashin, D.A. See Komar, A.P., 6=8837
Yashin, N.M. Determination of the quadrupole interaction constants for the U^{233} isotope by optical atomic spectroscopy, 7=9606. See also Korostȳleva, L.A., 5=6896; Zimin, A.G., 7=620
Yashukov, V.P. Multiple electron capture in the betatron regime, 9=4731
Yasin, M. See Dahanayake, C., 5=6517, 9144, 7=6592
Yaskołko, V.Ya. See Nosenko, B.M., 7=2592, 9=10856
Yasnopol'skii, N.L. and Shabel'nikova, A.E. The problem of the depth of secondary electron formation in dielectrics, 9=9696
Yasuda, I. See Fakada, E., 8=4944
Yasuhara, M. On the hypersonic viscous flow past slender bodies of revolution, 6=8623. Asymptotic behaviour of the laminar compressible boundary layer over a circular cylinder with uniform suction, 7=5118. On the hypersonic viscous flow past a flat plate with suction or injection, 8=3784
Yasumi, S. Nuclear reactions induced by the 14 MeV neutrons, 8=5384
Yasumori, I. Modified bond-eigenfunction method of calculating potential energy surfaces and its application to the reaction $H + H_2 \rightarrow H_2 + H$, 5=10027
Yasumori, I. and Fueki, K. A quantum-mechanical equation of reaction rates, 5=587*
Yasumori, I. and Sato, S. Some remarks to Golden's rate theory, 5=3216
Yasuno, M. Rotational excitation with neutron inelastic scattering, 7=6581
Yasuoka, Y. On the space charge affected by the magnetic field, 6=1277. On the space charge affected by the magnetic field. II, 7=7943
Yates, B. The electrical conductivity and Hall coefficient of bismuth telluride, 9=3460. See also Hoare, F.E., 5=7916, 7=6136
Yates, D.J.C. See also Sheppard, N., 7=6669
Yates, D.J.C., Sheppard, N. and Angell, C.L. Infrared spectrum of ammonia adsorbed on porous silica glass, 6=1070
Yates, H.W. See Taylor, J.H., 7=1775, 5760
Yates, J.G. See Pizer, H.I., 7=2
Yates, K.P. and Buhl, R.F. Recording vacuum infrared prism-grating spectrometer, 5=2564
Yatsenko, A.F. The optical transmission spectrum of barium titanate, 9=7961
Yatsiv, S. Role of double-quantum transitions in Masers, 9=7190. Multiple-quantum transitions in nuclear magnetic resonance, 9=7191. See also Fox, D., 6=5298, 8=9115
Yatsunskiĭ, I.M. The effect of geophysical factors upon the motion of a satellite, 8=3666
Yavin, A.I. and Farwell, G.W. Angular distributions for elastic and inelastic scattering of 40 MeV alpha particles by carbon, nitrogen, oxygen, and argon, 9=8612
Yavin, A.I. and Schmidt, F.H. Precision energy measurements of the gamma rays following the decay of Bi^{207}, 6=626
Yavlinskiĭ, N.A. See Bezbatchenko, A.L., 7=4403
Yavnel', A.A., Borovskiĭ, I.B., Il'in, N.P. and Marchukova, I.D. Investigation of the phase composition of iron meteorites by X-ray micro-analysis, 9=6451
Yavor, I.P. Photodisintegration of A^{40}, 8=8339. See also Komar, A.P., 7=2665, 9885
Yavor, I.P. and Komar, A.P. A fast-operated Wilson cloud chamber synchronized with a synchrotron, 8=4201
Yavor, S.Ya. See Kel'man, V.M., 5=9701
Yavorskaya, I.M. The oscillations of an infinite cylinder of gas with intrinsic gravitation in a magnetic field, 8=63
Yavorskaya, T.V. See Spivak, G.V., 8=213
Yavorskiĭ, B.M. See Vaĭnshteĭn, L.A., 5=6354
Yavorskiĭ, I.V. Geometry of the diffraction picture in dynamic interaction of X-rays with crystals, 7=7505. See also Elpat'evskaya, O.D., 7=4906*
Yeager, E. See also Del Duca, M., 8=2700; Penn, R., 9=13115; Saunders, F., 5=6847; Wolfe, W.R., 5=7466
Yeager, E., Booker, J. and Hovorka, F. Ultrasonic vibration potentials in non-ionic liquids, 9=11962
Yeaman, M.D. See Opler, A., 7=4254
Yearian, H.J. See Derbyshire, W.D., 9=4115; Kleitman, D., 8=2672

Yearian, M.R. See also Hofstadter, R., 9=573

Yearian, M.R. and Hofstadter, R. Magnetic form factor of the neutron, 8=8977. Magnetic form factor of the neutron at 600 MeV, 9=2598

Yeater, M.L. See also Baldwin, G.C., 7=3737

Yeater, M.L., Gaerttner, E.R. and Baldwin, G.C. High resolution neutron velocity spectrometer with betatron source, 7=8204

Yeater, M.L., Mills, W.R. and Gaerttner, E.R. Fission cross section of U^{235} from 6 to 2000 eV, 7=1624

Yeatts, L.B., Jr. Fractionation of nitrogen and oxygen isotopes between gaseous NO and liquid NOCl, 8=8493

Yegorov, Yu.S. See Sergeyev, A.G., 9=8554

Yeh, C. Note on positive ion transit time in glow discharge tubes, 6=2908

Yeh, G.C.K. and Martinek, J. Disturbance of a many-dimensional field satisfying the Helmholtz equation due to the presence of a hyperplane boundary, 8=5576

Yeivin, Y. Charge and isotopic-spin conservation in multiple meson production, 5=4100. The positive–negative difference of cosmic-ray muons, 6=446. See also Eisenberg, Y., 6=5405

Yeivein, Y. and De Shalit, A. Statistical weights in many-particle systems, 5=6775

Yekutieli, G. Ionization at the origin of high energy electron positron pairs, 7=8857. See also Abrahamson, P., 9=7279; Cester, R., 6=7712*; Hoang, T.F., 6=5408, 6190, 7=3712; Kaplon, M.F., 5=9959; Lipkin, H.J., 6=2684; Rosendorf, S., 5=4968, 7598

Yekutieli, G., Kaplon, M.F. and Hoang, T.F. Nature of the neutral particles in the $K\mu_3$-decay, 6=3261

Yel'yashevich, M.A. Contemporary state of radio-spectroscopy, 5=6925

Yêm Pham Xuân. See Pham Xuân Yêm.

Yemm, H. See Baker, D., 7=9435

Yen, J.L. See Leonard, D.J., 8=5148

Yen, J.T. See Chang, C.C., 9=9866

Yennie, D.R. See also Dalitz, R.H., 7=4778; Downs, B.W., 7=7152; Foldy, L.L., 9=6119; Fried, H.M., 9=6154; Gasiorowicz, S.G., 9=11808; Heims, S.P., 7=3355; Ravenhall, D.G., 5=1898, 8=1164

Yennie, D.R. and Gartenhaus, S. Convergence of the S-matrix, 9=53

Yennie, D.R., Lévy, M.M. and Ravehall, D.G. Electromagnetic structure of nucleons, 7=5857

Yennie, D.R. and Suura, H. Higher order radiative corrections to electron scattering, 7=4454

Yeremenko, V.V. The luminescence of CdS crystals, 8=6872. See also Broude, V.L., 8=6841

Yerg, D.G. The applicability of continuous-fluid theory in the higher atmosphere, 5=1387. Notes on correlation methods for evaluating ionispheric winds from radio fading records, 5=9288. Observations and analysis of ionospheric drift, 6=8512. An analysis of drifts of the signal pattern associated with ionospheric reflections, 9=4853

Yergin, P.F. Photoneutron yields from natural magnesium, 7=2661. See also Nathans, R., 5=7372; Novick, R., 6=201

Yergin, P.F. and Fabricand, B.P. (γ, n) Cross sections of nuclides near neutron number 50, 7=2660

Yermolenko, N.F. Sedimentation thixotropy and laminar coagulation: separate forms of bulk phase and surface coagulation, 5=9217

Yermolových, Yu.V. See Habových, M.D., 8=8826

Yeung, T.H.Y. Recombination coefficients for positive and negative ions, 8=1741. Recombination between positive ions of caesium and negative ions of iodine in the after glow, 9=1563. Charge exchange in the afterglow of an iodine discharge, 9=1564

Yeung, T.H.Y. and Sayers, J. An r.f. probe technique for the measurement of plasma electron concentrations in the presence of negative ions, 7=7191

Yevick, G.J. See also Percus, J.K., 6=1847, 7=7583, 8379, 8=2817

Yevick, G.J. and Percus, J.K. New approach to the many-body problem, 6=1846

Yevick, M.L. Probability and determinism, 8=3670

Yi Ch'en Shang. See Shang Yi Ch'en, 9=177

Yĭglane, Kh. One possibility of baryon classification, 9=3710. Wave equation for a free nucleon, 9=5379. On a systematic classification of mesons and baryons, 9=9963*

Yih, C.-S. Thermal instability of viscous fluids, 9=6830. Inhibition of hydrodynamic instability by an electric current, 9=8387. Effects of gravitational or electromagnetic fields on fluid motion, 9=8388

Yih, C.-S. and Sangster, W.M. Stability of laminar flow in curved channels, 7=4004

Yilmaz, F. Observations of sunspots in 1955, 7=3913

Yilmaz, H. Wave functions and transition probabilties for light atoms, 6=1495. New approach to general relativity, 9=1026

Ying, C.F. and Truell, R. Scattering of a plane longitudinal wave by a spherical obstacle in an isotropically elastic solid, 7=173

Yingst, H.E. See Lockward, J.A., 6=6759, 7=3421

y Jorba, J. Perez. See Perez y Jorba, J.

y Marcos Mazari, A. Fernández. See Fernández y Marcos Mazari, A.

Yntema, J.L. Elastic scattering of 21.6 MeV deutrons, 9=5048. Elastic scattering of 21.6 MeV deuterons by separated isotopes of nickel and copper, 9=8608. See also Bayard, R.T., 5=2793; Schiffer, J.P., 8=7374; Zeidman, B., 9=11471

Yntema, J.L. and Zeidman, B. Inelastic scattering of 21.6 MeV deuterons, 9=8607. Inelastic deuteron scattering from Cu^{63} and Cu^{65}, 9=11469

Yoccoz, J. Shell model and collective motions, 7=1497. On the moments of inertia of nuclei, 7=6426. On magnetic and quadrupole moments and electromagnetic transitions in the collective model, 7=7285. The decoupling factor and the collective model, 8=300. The three α-disintegration of C^{12}, 9=10094. See also Peierls, R.E., 7=6425

Yockey, H.P. Use of thermocouples in a radiation field, 6=3753. See also Jeppson, M.R., 5=5679; Sartain, C.C., 8=8735

Yockey, H.P., Andrew, A., Fillmore, F.L., Glasgow, L.E., Hunt, C. d'A. and Pepper, J.H. Cyclotron techniques for radiation damage studies, 5=605

Yocom, W.H. See Cook, J.S., 8=8811

Yoda, E. See Asai, K., 5=9626; Hashimoto, H., 6=5541

Yoder, P.R.Jr. Study of light deviation errors in triple mirrors and tetrahedral prisms, 8=5746. Further analysis of the "lower" test for high-speed parabolic mirrors, 9=6819

Yoder, P.R., Jr. and Hollis, W.W. Design of a compact wide aperture Fizeau interferometer, 7=9645

Yoder, P.R., Jr, Patrick, F.B. and Gee, A.E. Application of the Rayleigh criterion to the null test of Dall-Kirkham primary mirrors, 5=9533

Yodh, G.B. Production of charged pions in N–P collisions, 5=7381. See also Panofsky, W.K.H., 5=6515, 6=6203

Yodh, G.B. and Panofksy, W.K.H. Pion production by inelastic scattering of electrons in hydrogen, 7=3731

Yoffe, A.D. The growth of explosion in solids, 8=7580. See also Evans, B.L., 9=8854

Yoffe, E.H. The centre of dislocation. I, 8=1318; II. The dilated slit, 8=1319

Yokobori, T. The theory of fatigue fracture of metals, 5=6557. On the frequency dependence of the fatigue of metals, 6=6980

Yokorbori, T., and Ohara, H. Statistical aspect in accelerating creep and creep fracture of O.F.H.C. copper, 9=10330

Yokoi, K. See Ono, K., 6=3292

Yokota, M. A note on the paramagnetic relaxation, 5=9774. See also Kubo, R., 9=7812

Yokota, M. and Koide, S. The exchange effects on the absorption spectrum by the paramagnetic crystal with anisotropic g-factors, 5=2892

Yokotà, M., Nagatani, M. and Nonaka, I. A mass spectrometer of second order focusing, 9=3581

Yokota, R. Color centers in alkali-silicate glasses containing alkaline earth ions, 6=1089

Yokota, R. and Shimizu, K. Absorption band due to colloidal silver, 8=3880

Yokota, T. See Matsubara, T., 5=9391

Yokoya, S. See Hasimoto, K., 9=4592

Yokoyama, I. Supplementary notes on anomalous behavior of transient changes in geomagnetic Z-component as observed in central Japan, 7=921. See also Nagata, T., 6=7871

Yokozawa, Y. The paramagnetic resonance absorption of some free radicals in sulfuric acid solution, 9=9818. See also Tatsuzaki, I., 8=8396

Yokozawa, Y. and Miyashita, I. Electron spin resonance absorption of perylene in sulfuric acid solution, 7=2500. Temperature dependence of electron spin resonance absorption of thiophenol in sulfuric acid, 7=4593

Yokozawa, Y. and Tatsuzaki, I. Paramagnetic resonance absorption of violanthrone and violanthrene, 5=2883

Yomosa, S. Theory of the susceptibility and specific heat of He^3, 9=10925

Yomosa, S. and Nagamiya, T. Diffuse scattering of X-rays by a point-imperfection in diamond lattice, 8=8528

Yoneda, Y., Kohra, K. and Futagami, T. The design and operation of an X-ray diffraction apparatus with a Geiger counter, 5=9256

Yonemitsu, K. and Sato, T. Variation of the Hall coefficient of Mg–Cd superlattice alloys with degree of order, 9=8084. Variation of Hall coefficient of some non-ferromagnetic superlattice alloys, 9=11057

Yonemitsu, M. See Berman, M., 5=7995

Yonemura, D. and Nango, R. Studies of rod-process to suprathreshold light stimuli with a direct current method, 8=1393

Yonezawa, M. Remarks on the decay interactions in the Ke$_3$ process, 9=13572. See also Furuichi, S., 7=6600, 9907, 8=1182, 2487, 6184, 9=3788; Ouchi, T., 6=7962, 8574, 8=5621

Yonezawa, T. An analysis of electron density variations in the F$_2$-layer after sunset, 5=3302. A new theory of formation of the F2 layer, 9=9068; II. The effect of the vertical movement of electrons and ions on the electron density distribution, 9=9069. On the influence of electron-ion diffusion exerted upon the formation of the F2 layer, 9=11645. See also Fukfui, K., 9=10186; Fukui, K., 7=5532, 8=3431; Nakata, Y., 6=7046

Yonezawa, T. and Arima, Y. On the semi-diurnal lunar variations in the critical frequency, semi-thickness and height of maximum ionization of the F2 layer in the daytime, 9=11648

Yonezawa, T., Takahashi, H. and Arima, Y. A theoretical consideration of the electron and ion density distributions in the lower portion of the F region, 9=11649

Yonts, O.C. and Morgan, H.W. Versatile glass-to-metal vacuum seal, 5=7754

Yoon, T.S. See Ascoli, G., 8=1883, 9=2645; Young, O. B., 8=2380

York, C., March, R., Kernan, W. and Fischer, J. Study of neutral pion production in proton–proton collisions, 9=6036

York, C.M., Jr. Čerenkov radiation detector for the selection of slow particles, 5=1956

York, W.C. See Tyler, R.W., 5=3706

Yos, J.M. Specificity of charge fluctuation forces. II, 9=765. See also Jehle, H., 9=764

Yoshida, E. See Sasaki, W., 8=3109

Yoshida, I. See also Sawada, S., 9=276

Yoshida, I., Nomura, S. and Sawada, S. Thermal conductivity of BaTiO$_3$ ceramics, 9=13209

Yoshida, S. Electron diffraction by electropolished surfaces and mean inner potentials of silver and copper, 5=642. Reduced widths on collective model, 5=2068. Electron diffraction and microscope study of the surface structure of copper single crystals, 6=2476. The inelastic scattering of nucleons by the surface interaction, 7=1396. Anisotropy of cosmic rays during the cosmic-ray storms, 7=2383. See also Arima, A., 9=11414; Hayakawa, S., 5=9906, 6=6914; Morita, M., 5=6461*; Sano, M., 8=6285; Sekido, Y., 5=373, 6=1804, 9=5857

Yoshida, S. and Ikeda, T. Effect of electron bombardment on sodium chloride, 9=8866, 12805

Yoshida, S. and Kondo, I. On the 27-day recurrence of the cosmic-ray diurnal variation, 5=372

Yoshida, S., Shibata, N., Igarashi, Y. and Arata, H. The use of radioactive isotopes in a study of evolution of strontium oxide under electron bombardment, 5=988, 5449. Radioactive isotope study of the dissociation of barium oxide under electron bombardment, 6=6714

Yoshida, S. and Tsuya, Y. The temperature dependence of the electrical resistivity of the β-phase titanium–molybdenum alloys, 7=7858

Yoshida, S. and Wada, M. Storm-time increase of cosmic-ray intensity, 9=8273

Yoshida, T. See Fukiki, Y., 9=13822

Yoshida, U. and Suzuki, A. The surface potential of selenium and its relation to the rectification and the photovoltaic effects, 8=7949

Yoshié, K. and Ooba, N. Secondary standard of spectral distribution in the visible spectrum, 9=6673

Yoshikawa, H.H., Swartz, G.A., MacWaters, J.T. and Fite, W.L. Electrostatic particle size analyzer, 6=6999

Yoshikawa, S. and Hasebe, T. Further comments on the proposed mass spectrum, 5=49. An empirical "charge dependence" relation to the rest-masses of elementary particles, 5=4357

Yoshimatsu, S. See also Ibuki, S., 5=7968

Yoshimatsu, S., Kanzaki, C., Ibuki, S. and Murai, N. Influence of infrared rays on the photoconductivity of the polycrystalline CdS, 5=7965

Yoshimori, A. and Kitano, Y. Theory of the lattice vibration of graphite, 6=5523

Yoshimoto, H. See also Mura, T., 9=1116

Yoshimoto, H., Sato, M. and Nakao, Y. Moving striations in arc discharge, 9=11077. Moving striations due to space charge waves, 9=11078

Yoshimura, H. See Fukada, K., 9=13399

Yoshimura, T. On the consistency of the quantum field theory based on the renormalization hypothesis, 6=56. A remark on the interaction of the second kind, 6=4206

Yoshinaga, H. Absorption bands of CCl$_4$ in the far infrared region, 6=1071. Reflectivity of several crystals in the far infrared region between 20 and 200 microns, 6=2005. See also Mitsuishi, A., 9=4452-3, 13187

Yoshinaga, H., Fujita, S., Minami, S., Mitsuishi, A., Oetjen, R.A. and Yamada, Y. Far infrared spectrograph for use from the prism spectral region to about 1 mm wavelength, 8=2228

Yoshinaga, H. and Oetjen, R.A. Sampling technique for transmission measurements in the far infrared region, 6=1088. Optical properties of indium antimonide in the region from 20 to 200 microns, 6=2808

Yoshinaka, Y. See Koga, I., 9=134

Yoshino, T. Infrared study of the adsorption on silica gel, 6=788. Dynamic equilibrium of inverted isomers in a crystalline phase, 6=1715. Infrared studies on the solvent-solute interactions, 6=1892

Yoshino, T. and Berstein, H.J. Intensity in the Raman effect. VI. The photo-electrically recorded Raman spectra of some gases, 9=6748

Yoshioka, H. Effect of inelastic waves on electron diffraction, 8=7613

Yoshizawa, Y. Beta and gamma ray spectroscopy of Cs^{137}, 8=6248. See also Kamada, K., 9=11441; Katoh, T., 8=745, 9=10079; Kikuchi, S., 9=352; Miyatake, O., 7=4616

Yoshizumi, H. See also Itoh, T., 5=2857, 3948

Yoshizumi, H. and Itoh, T. Applications of the alternant molecular orbital method to six- and four-electron systems, 5=3947

Yosida, K. Magnetic properties of Cu–Mn alloys, 7=7220. Anomalous electrical resistivity and magneto-resistance due to an s–d interaction in Cu–Mn alloys, 8=607. Paramagnetic susceptibility in superconductors, 8=7031. Remarks on the theory of superconductivity, 9=1485. See also Kanamori, J., 6=6769; Nagamiya, T., 5=1039

Yosida, K. and Moriya, T. The origin of the anistropy energy of CuCl$_2$. 2H$_2$O, 5=9391. The effects of covalency on the nuclear magnetic resonance in ionic crystals, 6=1444

Yosida, K. and Tachiki, M. On the origin of the magnetic anisotropy energy of ferrites, 9=11203

Yosihara, K. An investigation of the properties of bolometers made by vacuum evaporation, 9=4518. See also Suga, T., 6=7929

Yosimura, H. and Fukuda, K. Feed-back resonance amplifier for the infrared spectrometry. III, 5=2562

Yosioka, K. and Kawasima, Y. Acoustic radiation pressure on a compressible sphere, 5=9509

Yosioka, K., Kawasima, Y. and Hirano, H. Acoustic radiation pressure on bubbles and their logarithmic decrement, 5=9510

Yost, D.M. See Cole, T., 7=9754; Ramsey, W.J., 6=756

Yotsumoto, H. See Hashimoto, H., 9=7545; Kanaya, K., 9=340; Uyeda, R., 9=10307

Youden, W.J. Instrumental drift, 5=1488. See also Connor, W.S., 5=3992; Loftus, T.P., 7=6486; Mann, W.B., 9=5030

Youden, W.J. and Connor, W.S. New experimental designs for paired observations, 5=704

Young, A.C. See Scher, A.M., 5=8426

Young, A.P. Crystallites and twinning in cold-rolled nickel, 8=6514

Young, A.P. and Clegg, B.H. Replica method for examining surface profiles, 9=10485

Young, A.S. Photoconductive detectors for infra-red spectroscopy, 5=4673. See also Lawson, W.D., 9=8104

Young, B.M. and Cooper, L.P. Measurement of low light levels by the photon counting method, 9=5478

Young, D.A. See Tompkins, F.C., 6=7020; Bartlett, B.E., 8=7580

Young, D.J. See Satten, R.A., 5=3954

Young, D.M. See Dacey, J.R., 5=8353

Young, D.R. See Drougard, M.E., 5=279, 6112; Huibregtse, E.J., 7=319; Landauer, R., 6=6600

Young, E.M., Jr. See Gruntfest, I.J., 8=6459

Young, F.A. See Polinsky, D.M., 6=3405

Young, F.W., Jr. Spirals developed on single crystals of copper by heating to high temperatures in high vacuums, 7=844. Polygonization of copper, 8=9124

Young, F.W., Jr. and Cabrera, N. Partial polygonization in impure copper crystals, 8=9123

Young, I.R. See Jones, R.V., 6=1875

Young, J.A. See Mathot, V., 5=9468

Young, J.D. See Burcham, W.E., 6=2400; Chambré, P.L., 8=5685; Symonds, J.L., 8=757

Young, J.E. Propagation of sound over single absorptive strips in ducts, 5=123. Correlation functions for noise fields, 5=150. Propagation of sound in thin elastic shells, 6=138. Heat conduction losses in the acoustic boundary layer, 6=158. Perturbation expansions in the formal theory of scattering, 8=2792. See also Lukasik, S.J., 8=3412

Young, J.E. and Mawardi, O.K. Molecular absorption of sound in gases at high temperatures, 7=183

Young, J.E.R. See Bitter, F., 5=1681

Young, J.M. and Petrauskas, A.A. Ultrasonic studies of saturated hydrocarbons at low temperatures, 7=1978

Young, J.R. Deterioration of luminescent phosphors under positive ion bombardment, 6=252. Penetration of electrons and ions in aluminium, 6=1291. Penetration of electrons in aluminium oxide films, 6=6709. Electrical cleanup of gases in an ionization gauge, 6=7202. Dissipation of energy by 2.5-10 keV electrons in Al_2O_3, 7=7957. Some observations on transmisson secondary emission, 7=7961. Cleaning techniques for rubber O-rings used in vacuum systems, 9=11911. See also Whetten, N.R., 9=7863

Young, L. The determination of the thickness, dielectric constant, and other properties of anodic oxide films on tantalum from the interference colours, 8=4464. The contribution of microfissures to the dielectric losses of anodic oxide films on tantalum and zirconium and their role in electrolytic rectification, 9=6894. See also Bockris, J.O'M., 7=2773, 4834; Bray, A.R., 8=2053

Young, L.A. See Gordon, G.D., 8=8238; Pless, I.A., 8=690

Young, M.E., Alexander, W.M. and Schwetman, H.D. Rotating-disc function generator for analog computers, 9=9130.

Young, M.R.P. See Knott, R.D., 5=3763

Young, N.O. Technique for measuring small differences in surface tension, 5=7738. Novel interferometer construction, 7=2082

Young, N.O. and Kowal, J. Optically active fluorite films, 9=12158

Young, O.B. and Ballowe, W.C. Criteria for the consistent counting of delta rays on heavy nuclear tracks in emulsion plates, 6=3433

Young, O.B. and Harvey, F.E. Charge spectrum, mean free paths, and flux of heavy primary cosmic rays at the top of the atmosphere, 8=8083

Young, O.B. and Yoon, T.S. Rare high-energy photon jet in cosmic rays, 8=2380

Young, R.C. Conversion electron angular correlations: general K-shell formulation and threshold limit, 9=13650

Young, R.C., Biedenharn, L.C. and Feenberg, E. Continued fraction approximants to the Brillouin–Wigner perturbation series, 7=6912

Young, R.D. Theoretical total-energy distribution of field-emitted electrons, 9=4680

Young, R.D. and Müller, E.W. Experimental measurement of the total-energy distribution of field-emitted electrons, 9=4681

Young, R.M. See Lambert, J.D., 5=8552

Young, R.W. Twenty-five years of musical acoustics, 5=1633. Why an international standard tuning frequency?, 5=4465. On reference quantities for levels, 6=5741. Preferred frequencies for acoustics, 8=2205. Simplified noise reporting, 8=2929. Status of international standards on sound level meters, 8=4832. Sound absorption in air in rooms, 9=1199. Sabine reverberation equation and sound power calculation, 9=9359

Young, R.W. and Dunn, H.K. On the interpretation of certain sound spectra of musical instruments, 8=1573

Young, S.A. See Preston, G., 5=1195

Young, T.E. See also Schiffer, J.P., 6=6154; Spencer, R.R., 8=331

Young, T.E., Phillips, G.C. and Spencer, R.R. Nuclear energy levels in O^{16}, O^{18}, and F^{19}, 8=329

Young, T.F. and Smith, M.B. Thermodynamic properties of mixtures of electrolytes in aqueous solutions, 5=1323

Young, W.H. See also March, N.H., 8=7703, 9=10614

Young, W.H. and March, N.H. Perturbation theory in wave mechanics, 8=2161

Youngblood, J.F. See Oriani, R.A., 7=9830

Youngquist, M. See Mills, I.M., 5=9559

Youngquist, M.J. See Overend, J., 9=3979

Youngs, E.G. See O'Donnell, T., 8=2831

Youngs, E.G.D. An optical system for the study of ultrasonic waves, 8=6895

Yourgrau, W. See Raw, C.J.G., 7=2769

Yousef, Y.L., Girgis, R.K. and Mikhail, H. Measurement of the magnetic susceptibility of manganese nitride Mn_5N_2 by a microvibration method, 5=6304

Yousef, Y.L. and Mikhail, H. An electrodynamic magnetic field gradiometer employing a microvibration technique, 9=1574. Magnetic field exploration by a microvibration method, 9=5865

Yousef, H. See Mokhtar, M., 6=7231, 9=146

Yovanovitch, D.D. See Lundy, R.A., 8=7261, 8984; Sens, J.C., 8=278, 693, 1856; Swanson, R.A., 9=9969; Telegdi, V.L., 7=2615

Yovanovitch, D.K. On the interaction between the α-particle and the proton in the $Po^{210}H_2$ molecule, 8=6243

Yovits, M.C. See Jackson, J.L., 5=1064

Ypsilantis, T. See also Agnew, L., 8=6142; Agnew, L.E., Jr, 8=7249; Baldwin, J., 7=708; Button, J., 8=7256; Chamberlain, O., 5=1919, 6=1298, 2183, 5955, 6145, 7=3371, 8=8227

Ypsilantis, T., Wiegand, C., Tripp, R., Segrè, E. and Chamberlain, O. Rotation of polarization vector and depolarization in p-p scattering, 5=6236

Ypsilantis, T.J. See Stapp, H.P., 7=3372

Ythier, C., Girgis, R.K., Ricci, R.A. and van Lieshout, R. The decay of ^{73}Ga, 9=1729

Ythier, C. and Herrmann, G. On heavy isotopes of arsenic, 5=3049

Yu, S.P. See also Morrish, A.H., 5=8900, 6=6009

Yu, S.P. and Morrish, A.H. Torsion balance for a single microscopic magnetic particle, 6=946

Yu Min, The anomalous magnetic moments of nucleons, 5=9432. On the energy levels of nuclei in the neighbourhood of Pb^{208}, 9=3834

Yu Ting, Farringer, L.D. and Williams, D. Paramagnetic resonance absorption in chromic chloride, 5=3889

Yu, Ting, Manring, E.R. and Williams, D. Zeeman effects in the chlorine nuclear quadrupole resonance in sodium chlorate, 5=429

Yuan, L.C.L. See also Lindenbaum, S.J., 6=638, 7=6616, 9=3770

Yuan, L.C.L. and Lindenbaum, S.J. Pion production in H and Be by 1.0- and 2.3-BeV protons, 6=7727

Yuan, S.W. Further investigation of laminar flow in channels with porous walls, 6=6409

Yuasa, K. Differential elastic scattering of 14 MeV neutrons in aluminium, iron, lead and bismuth for large angles, 9=11475. See also Ishiwari, R., 6=5161

Yuasa, T. See also Feuvrais, L., 5=3059; Langevin, M., 5=3071; Nahmias, M.E., 6=7654, 7=1561

Yuasa, T. and Laberrigue-Frolow, J. A note on the disintegration of Tl^{204}_{81}, 5=4895

Yuasa, T., Laberrigue-Frolow, J. and Feuvrais, L. Study of the disintegration of $_{81}Tl^{204}$, 5=4006. The $0_+ \to 0^+$ transition in Zr^{60}, 6=6133. On the transition $0^+ \to 0^+$ in Zr^{90}, 7=1565. Internal pair production in the electric monopole $0^+ \to 0^+$ transition in Zr^{90}, 7=6525

Yuasa, T., Nahmias, M.E. and Vivargent, M. The disintegration of Cu^{59} and the stability of the X_Z^{2Z+1} nuclei, 6=1517

Yuasa, T. and Renard, G.A. On the possibility of disintegration by K-capture in Cu^{59}, 6=1520

Yudaev, G.A. See Lepeshinskaya, V.N., 8=5920

Yudin, A.A. The electrical conductivity of ferromagnetic semiconductors (ferrites), 8=4963

Yudin, E.Ya. The acoustic power of the noise created by the elements of air humidifiers, 6=4954. See also Munin, A.G., 8=4839

Yudovich, V.I. See Vorovich, I.I., 9=7828

Yuill, A.M. See Evans, J.I., 8=7580

Yukawa, H. An attempt at a unified theory of elementary particles, 5=9391. Special theory of relativity and the structure of elementary particles, 7=5856. Introductory remarks on meson theory, 7=7610

Yukawa, J. The theory of radiative K-capture. I, 7=6505. See also Marumori, T., 6=3082

Yukhnovskiĭ, I.R. The binary distribution function for a system of charged interacting particles. I, 5=6776. Application of collective variables and inclusion of short-range forces in the theory of a system of charged particles, 8=6649. Free energy of a system of charged particles, 9=13036

Yukitoshi, T., Suga, H., Seki, S. and Itoh, J. Nuclear magnetic resonance experiment on solid hexamethyldisilane, 8=7459

Yuldashev, A. See Azimov, S.A., 7=4700

Yumoto, H. Interpretation of chain-ring equilibria in the polymerization of substituted ϵ-caprolactam, 9=6337

Yun', P.-T. and Ke, T.-S. Investigation of internal adsorption of carbon in α-iron by the study of internal friction, 9=6302

Yunas, M. See Chaudhri, R.M., 7=8672

Yunovich, A.E. On determining the relaxation times of surface states in germanium, 8=7925. Frequency dependence on the field effect in semiconductors, 8=7926

Yunta, J. See Otero, J.M., 5=3342

Yurasova, V.E. Formation of oriented figures by ionic bombardment of metals, 8=6507. Contemporary theories of cathodic sputtering and the microrelief of the eroded metal surface, 9=4061

Yur'ev, B.A. See Teplov, I.B., 7=6568, 8=6308, 8326

Yur'ev, V.G. See Kolenko, E.A., 9=7860, 9559

Yur'ev, V.V. See Reut, A.A., 5=9037

Yurin, V.A. The question of anomalous polarization of Rochelle salt crystals, 7=7848. See also Konstantinova, V.P., 8=3071, 9=13258

Yurin, V.A. and Zheludev, I.S. Influence of conditioning temperature on the electrical properties of Rochelle salt containing impurities, 9=13260

Yurkov, B.Ya. The penetration of electrons into germanium and silicon [and indium and anitmony], 8=8050. On the theory of semiconductor energy convertors, 9=3444

Yurkov, V.A. and Alekseeva, N.E. Thermoelectric properties of Cd-Sb alloys, 7=1316

Yurov, C.G. See Khazanov, V.S., 7=406

Yurov, S.G. The calculation of equivalent brightness, 5=8578. Spectral sensitivity of the eye in conditions of twilight adaptation, 5=9316

Yushkevich, G.F. See Dzhelepov, B.S., 9=12657

Yuster, P.H. See Delbecq, C.J., 5=8027, 7=2808, 2829, 9=3303; Primak, W., 5=9246

Yustova, E.N. Whiteness and methods of its measurement, 7=5259

Yuta, H. See Kimura, M., 9=9931

Yutlandov, I.A. Spallation of the separated isotopes of copper by 660 MeV protons, 9=8574

Yutsis, A.P. See also Glembotskiĭ, I.I., 6=1491; Kavetskis, V.I., 5=455; Kibartas, V.V., 5=456, 6=2325; Tsyunaĭtis, G.K., 5=4875, 7298, 7=633; Vizbaraĭte, Ya.I., 7=634, 4641-2

Yutsis, A.P., Kibartas, V.V. and Glebotskiĭ, I.I. Solution of simplified Fock equations in the two-configurational approximation for atoms of the type of beryllium, 5=2081

Yutsis, A.P., Nakonechnyĭ, A.S. and Tsyunaĭtis, G.K. Theoretical determination of the isotope shift in the spectrum of the carbon atom, 5=4521

Yuyl, H.H.Van. See Van Yuyl, H.H.

Yuzefovich, A.A., Mirshanov, T.N. and Yu.A. Dunaev, Visualization of aerodynamic patterns of flow past axisymmetric bodies with the aid of a plane layer of coloured gas, 6=7206

Yuzefovich, N.A. See Vereshchagin, L.F., 9=5443

Yuzhakov, V.M. The measurement of the specific charge of conduction electrons, 6=7392

Yuzhakov, V.M. and Deĭneka, P.G. The influence of an electric field on the additive colouring of rock salt crystals, 7=2825

Yuzuri, M., Hirone, T., Watanable, H., Nagasaki, S. and Maeda, S. On the magnetic properties of chromium sulfides, 8=6039

Yvon, J. A method for study of correlations in quantum fluids in equilibrium, 8=2850. The scattering of a particle by a complex bound system, 8=5660. A study of the generalization of the Boltzmann equation to quantal conditions, 8=6665. Note on the correlations in a quantum fluid in equilibrium, 9=2135. Correlations in a plasma in equilibrium, 9=4738. Note on a perturbation calculation in statistical mechanics, 9=10622. See also Delcroix, J.L., 6=4032

Zaalberg van Zalst, J.J. See Jansen, C.G.J., 5=5493; Opstelten, J.J., 7=1097
Zababakhin, E.I. and Nechaev, M.N. Field shock waves and their cumulation, 8=1562
Zabala, I.E. See Baro, G.B., 5=5609
Zabetakis, M.G., Craig, R.S. and Sterret, K.F. Automatic adiabatic calorimeter shield control, 7=7830
Zacharias, J.R. See Haun, R.D., 7=8109
Zachariasen, F. Photodisintegration of the deuteron, 6=3224. Proton charge density, 6=4831. Decay of K mesons as a test of the universal Fermi interaction, 8=7281. See also Chew, G.F., 8=2785; Cutkosky, R.E., 6=7728; Drell, S.D., 7=1907, 5048, 9=2051; Karzas, W.J., 9=517
Zachariasen, W.H. Crystal chemical studies of the 5*f*-series of elements. XX. The crystal structure of tri-potassium uranyl fluoride, 5=4209; XXI. The crystal structure of magnesium orthouranate, 5=4210; XXII. The crystal structure of K_3UF_7, 5=4211; XXIII. On the crystal chemistry of uranyl compounds and of related compounds of transuranic elements, 5=4168. See also Matthias, B.T., 9=3507, 11045
Zachariasen, W.H. and Ellinger, F. Crystal structure of alpha-plutonium metal, 7=9982. Unit cell and thermal expansion of β-plutonium metal, 9=7649
Zachariasen, W.H. and Plettinger, H.A. Crystal chemical studies of the 5f-series of elements. XXV. The crystal structure of sodium uranyl acetate, 9=9043
Zachoval, L. See Vacek, K., 5=5812
Zacutti, A. See Bertanza, L., 5=9729
Zadeh, L.A. See Miller, K.S., 6=2603
Zadumkin, S.N. Surface tension and heat of vaporization of mercury, antimony, bismuth and arsenic, 5=5919. Surface tension and heat of sublimation of silicon, germanium, 9=11890
Zaffarano, D.J. See Bureau, A.J., 5=4714; Kline, R.M., 5=2123
Zafra, R.L.de. See de Zafra, R.L.
Zăgăgescu, M. On hereditary electrodynamics, 7=9765. The hodograph for the motion of a material point in relativistic mechanics, 9=19. See also Sălceanu, C., 6=6981, 8=6737, 9=1189
Zăgănesco, M. Equation of the $\pi\pm$ trajectory in the electromagnetic field, 8=7267
Zagar, F. Anisotropic models in Newtonian cosmology. I, 6=5; II, 6=871; III, 6=4774
Zaglio, E. High sensitivity transistor pulse trigger circuit, 8=675
Zago, G. See Baldo-Ceolin, M., 7=8880; Cresti, M., 7=3627; Deutschmann, M., 6=3998, 5411; Loria, A., 9=7226
Zahlan, A.B. See also Burtt, B.P., 7=6666*
Zahlan, A.B. and Burtt, B.P. Proton transfer in the radiation chemistry of gaseous ammonia, 6=3342
Zahn, C.T. and Schweitzer, W.G., Jr. Excitation and separation of pure high-order modes in large high-Q cavities, 6=8289
Zahn, U.von. See von Zahn, U.
Zahn, W. See Goetz, H., 8=7894
Zähringer, J. See Fireman, E.L., 8=8313; Gentner, W., 5=8449, 9=12890; Schaeffer, O.A., 9=5098, 6113; Smits, F., 5=8839
Zaidel', A.N. On determination of the isotopic composition from absorption spectra, 9=7402. See also Borgest, V.A., 9=6756; Zhiglinskiĭ, A.G., 8=7430
Zaĭdel', A.N., Kaliteevskiĭ, N.I., Lipis, L.V. and Tarakanov, V.M. Spectral analysis by an evaporation method. V. Analysis of plutonium by the method of evaporation in vacuo, 8=5513
Zaĭdel', A.N. and Petrov, A.A. Isotope-cum-spectrum [method of] determination of hydrogen in metals, 8=827
Zaĭdes, A.L. and Stoyanova, I.G. Some pecularities of the electrographic (electron-diffraction) investigation of high polymers, 6=7751
Zaidi, M.H. and Lomon, E.L. Negative pion scattering and the dispersion relations, 8=1189
Zaikin, D.A. Nucleon energy levels in spheroidal nuclei, 8=8262. The deviation of the equilibrium shape of atomic nuclei from axial symmetry, 9=13610. See also Davȳdov, A.S., 9=12613
Zaĭkov, R. Symmetric form of the nucleon equations, 7=5845. Symmetrical form of electron quantum mechanics, 7=7592. Isotopic bi-space theory. I. Representation of the wave-functions, 9=9199; II. Stronger interactions, 9=9200. Quantum mechanical characteristics and elementary particles, 9=9219. A symmetrical form of the nucleon equation, 9=9221
Zaĭonchkovskiĭ, A.D. See Voyutskiĭ, S.S., 7=2786
Zaĭtsev, A.A. and Mitsuk, V.E. Formation of the plasma structure during the development of a discharge, 8=8016
Zaitsev, A.A. and Vasil'eva, M. Ya. Study of the formation of travelling layers by perturbation methods, 9=13398
Zaĭtsev, B.M. See Tavger, B.A., 6=7004
Zaĭtsev, G.A. On a clear ['anschaulich'] representation of the state of a particle with spin $\frac{1}{2}$ in non-relativistic quantum mechanics, 5=2410. Real spinors in the four-dimensional Minkowski space, 5=2411. The use of real spinors for the description of the electromagnetic field, 5=4364. Relativistically invariant equations for the electron, replacing the system of equations of Dirac, 5=7693. Tensors, characterized by two real spinors, 6=67. On the question of interpretation of Dirac's equation for the electron, 6=68. Description of the electromagnetic field by means of matrices, 6=4519. Real spinors in curvilinear coordinates and pseudo-Riemannian space, 6=6357. On the problem of a fundamental relativistically invariant equation for spin $\frac{1}{2}$ particles, 7=8398. Displacement of energy levels of spin $\frac{1}{2}$ particle in a Coulomb field, 7=8390
Zaĭtsev, G.A. and Neporent, B.C. Anisotropy of the absorption of gypsum crystals in the infrared region, 6=8678
Zaĭtsev, G.P. On the problem of the status of the constants of plasticity and strength of metals, 8=4478
Zaĭtsev, V.M. On the influence of short-range order on the specific heat near a phase-transition point of the second kind, 8=7876
Zaĭtsev, V.P., Motulevich, G.P. and Fabelinskiĭ, I.L. Design and absolute calibration of a magneto-electric acoustic radiator, 8=6765
Zaitseva, M.A. See Belov, K.P., 9=13442
Zaitov, F.N. Thermo-optical liberation of electrons from trapping levels in alkali-halide phosphors, 9=10832. See also Lushchik, Ch.B., 6=7021
Zajac, A. Thermal motion in ice and heavy ice, 9=6262
Zajaczkowska, A. Experimental test of Luneburg's theory. Horopter and alley experiments, 6=6278
Zajdel, A.N., Zhiglinski, A.G. and Čajko, J. Spectral method of determining the isotropic composition of lead. I, 9=11617
Zamchalova, E.A. See Gramenitskiĭ, I.M., 5=8227
Zakharchenko, V.F. See Stepanov, V.G., 8=5072
Zakharchenya, B.P. See Gross, E.F., 6=7819, 7=4135, 5985, 8=3456, 9=5541, 6253
Zakhar'ev, B.N. See Belyaev, V.B., 9=2612, 5011
Zakharov, A.I. The action of radiation on the physical properties and structure of a solid body, 6=4679
Zakharova, M.I. and Soboleva, I.N. Decomposition of solid solutions in thin layers, 7=786
Zakhartchenia, B.P. See Gross, E.F., 9=9460; Zakharchenya, B.P.
Zakhavaeva, N.N. See Deryaguin, B.V., 8=4498
Zakirova, I.R. See also Shul'man, A.R., 8=7105, 9=4695
Zakirova, I.R. and Fridrikhov, S.A. The kinetics of the charge accumulation by the surface of dielectrics during irradiation by an electron beam, 9=11129
Zakovsky, J. See Braunbeck, J., 6=1227
Zakrzewski, J. See Bogdanowicz, J., 9=10000
Zalkin, A. See also Sands, D.E., 9=13930
Zalkin, A., Sands, D.E. and Krikorian, O.H., The crystal structure of Nb_2Be_{17}, 9=13929
Zalm, P. On the electroluminescence of zinc sulphide (Destriau effect), 7=4238. The electroluminescence of ZnS type phosphors, 7=6044. See also Diemer, G., 6=8218; Scheer, J.J., 9=9041
Zalm, P., Diemer, G. and Klasens, H.A. Some aspects of the voltage and frequency dependence of electroluminescent zinc sulphide, 6=2000
Zalubas, R. An investigation of faint lines in the solar spectrum between 5000 and 6000, 6=5738
Zambrow, J.L. See Hauser, H.H., 9=13985
Zamchalova, E.A. See also Azimov, S.A., 7=4700; Gramenitskiĭ, I.M., 6=7731, 7=9866; Varfolomeev, A.A., 7=1431; Zhdanov, G.B., 8=7153
Zamchalova, E.A., Karpova, V.I. and Tret'yakova, M.I. Nuclear capture of a negative heavy meson, 6=700
Zamorzaev, A.M. and Sokolov, E.I. Symmetry and different kinds of antisymmetry of finite figures, 8=445
Zandberg, É.Ya. Surface ionization of potassium atoms and KCl and CsCl molecules on tungsten filaments in electric fields up to 2 MV/cm, 9=5855. Surface ionization of molecules of NaCl and LiCl on tungsten in electric fields up to 1.3×10^6 V/cm, 9=9708

Zandberg, E.Ya. and Ionov, N.I. Surface ionization of atoms of lithium on polycrystalline tungsten in electric fields up to 1.3×10^6 V/cm, 9=9709
Zandbergen, P. See Coremans, J.M.J., 8=6716, 9=13072
Zangger, C. See also Astbury, A., 9=1671
Zangger, C. and Rossel, J. The study of nuclear evaporation in Ag and Pt by means of sandwich emulsions, 5=9047. Study of nuclear evaporation in Ag and Pt by means of emulsion sandwiches, 9=6144
Zankel, K.L. The effect of a progressive ultrasonic wave on a light beam of finite width, 9=5593. See also Hargrove, L.E., 9=13114
Zankel, K.L. and Heidemann, E.A. The diffraction of light by progressive waves of finite amplitude, 8=3902. Simple demonstration of the presence of second harmonic in progressive ultrasonic waves of finite amplitude, 8=6775. Measurements of finite amplitude distortion of progressive ultrasonic waves at moderate intensities, 9=1183. Diffraction of light by ultrasonic waves progressing with finite but moderate amplitudes in liquids, 9=3223
Zanker, V. and Miethke, E. Spectroscopically detectable electron states of stable and metastable molecular forms of some acridine dyestuffs and fluorescein cations, 9=5569
Zanker, V., Rammensee, H. and Haibach, T. Relative luminescence quantum efficiency measurements on acridine and fluorescein dyes, 8=7832
Zannetti, R. See also Bellon, P., 7=890; Scatturin, V., 6=800
Zannetti, R. and Bellon, P. X-ray setting of single crystals in a cylindrical chamber goniometer, 8=6512
Zanotti, L. See Vialli, M., 8=5742
Zanstra, H. On the formation of condesations in a gaseous nebula, 7=3925
Zantema, J.T. See van den Berg, J., 8=466
Zapas, L.J. See Morrisson, T.E., 5=6551
Zappa, L. See Asdente, M., 6=7693; Bisi, A., 5=485, 4012, 5599, 7335, 9053, 9886, 6=2957, 3139, 3149, 5968, 6105, 7649-50, 8345, 7=3343, 3534, 4657, 9358, 8=2532, 6224, 9=2568, 2732, 7326, 8444, 11351; Bolla, G., 5=1895
Zareba, A. Electron bombardment induced conductivity in Ge, 9=11005. See Buras, B., 7=394
Zarem, A.M., Marshal, F.R. and Hauser, S.M. Millimicrosecond Kerr cell camera shutter, 9=4196
Zarembo, L.K. The problem of temperature dependence of the absorption of waves of finite amplitude in viscous liquids, 8=3812. See also Krassilnikov, V.A., 7=9574
Zarembo, L.K., Krasil'nikov, V.A. and Shklovskaya-Kordi, V.V. Distortion in the form of ultrasonic waves of finite amplitude in liquids, 7=1130. The absorption of ultrasonic waves of finite amplitudes in liquids, 7=1140. Propagation of ultrasonic waves of finite amplitude in liquids, 8=544
Zarembo, L.K. and Shklovskaya-Kordi, V.V. A method of visualization of acoustic streaming at the boundary of two nonmiscible liquids, 8=3829
Zaretskiĭ, D.F. On the theory of nuclear magnetic moments, 9=10022. See also Shut'ko, A.V., 6=3232*
Zaretskiĭ, D.F. and Shut'ko, A.V. Excitation of collective levels of heavy neuclei by neutrons, 6=5396. Quasimagnetic interaction of the nucleon spin with the nuclear rotation, 7=8106
Zaripov, M.M. See also Garif'yanov, N.S., 6=6021, 7=8782
Zaripov, M.M. and Shamonin, Yu.Ya. Paramagnetic resonance in synthetic ruby, 6=5245
Zaromb, S. and Brill, R. Solid solutions of ice and NH_4F and their dielectric properties, 6=5440
Zaromb, S. On the average dielectric relaxation time obtained by means of Cole plots, 7=347. Proton jumps and the electrical behavior of ice and ice–NH_4F solutions, 7=2184. An analysis of diffusion in semiconductors, 7=8603
Zarzycki, J. X-ray diffraction camera for the study of molten salts at high temperatures, 6=6257. On the lacuna structure of liquid fluorides, 7=6931
Zarzycki, J.(G.) X-ray diffraction camera for studying liquids at high temperatures, 6=1744
Zaslavs'ka, I.H. Calculation of the specific heat of the Na Cl crystal, 8=7482. See also Tolpy̆go, K.B., 8=7481
Zaslavskaya, I.G. See Dy̆kman, I.M., 9=8848; Tolpy̆go, K.B., 7=1300
Zaslavskiĭ, A.I. and Rogachev, D.L. Determination of the Laue class and orientation of a crystal without faces, from one photograph of a stationary crystal in polychromatic radiation, 7=6732
Zassenhaus, H. See Wyman, M., 8=2754
Zastavenko, L.G. See also Chzhou, Guan-Chzhao., 9=10620
Zastavenko, L.G., Liubimov, A.L., Ogievitsky, V.I. and Podgoretsky, M.I. On a possibility of K-meson investigation, 8=3309
Zastavenko, L.G., Ryndin, R.M. and Chou, K.-C. On non-uniqueness of nucleon–nucleon scattering phase shifts, 9=3739
Zastavenko, L.G., Ry̆ndin, R.M. and Chzhou Guan-chzhao. The non-uniqueness of phases in the scattering of nucleons by nucleons, 9=9950
Zastenker, G.N. See Solntsev, G.S., 9=7022
Zatkis, H. Model of a linear harmonic oscillator in the general theory of relativity, 9=11789. See also Penfield, R.H., 6=5677
Zatsepin, G.T. See also Antonov, Yu.N., 7=6318; See Guseva, V.V., 9=2469; Guzhavina, O.A., 7=3410; Guzhavin, V.V., 7=8708; Vernov, S.N., 9=12431
Zatsepin, G.T., Krugovy̆kh, V.V., Murzina, E.A. and Nikol'skiĭ, S.I. Study of high-energy nuclear-active particles with an ionization chamber, 8=8104
Zatsepin, G.T. and Rozental', I.L. On the general theory of the nuclear cascade process, 7=7199
Zatsepin, G.T. and Sary̆cheva, L.I. On the dependence of extensive air showers on the altitude, 7=6313
Zatsepin, N.N. Experimental investigation of the topography of the magnetic field of natural surface defects in ferromagnetic solids, 5=6292. On a non-linear theory of transition processes in a ferromagnetic plate, magnetized by a longitudinal alternating field, 8=4143. On the non-linear surface effect in a ferromagnetic cylinder magnetized circularly, 8=4144. On linear transition processes taking place in a ferromagnetic under the influence of aperiodic, pulsed and periodic magnetic fields, 8=4149. An experimental study of the topography of the magnetic field due to artificially produced surface defects in ferromagnetic materials, 8=6031
Zatsepin, V. See Dovzhenko, O., 8=4098
Zatsepin, V.I. Analysis of the properties of the electron–photon component of extensive atmospheric showers in the lower third of the atmosphere, 8=4100. See also Abrosimov, A.T., 6=7502
Zatsepina, G.N. See also Valuev, B.N., 6=1586
Zatsepina, G.N., Lazareva, L.E. and Pospelov, A.N. Angular and energy distribution of photoneutrons from Bi, 7=5630
Zatzick, M.R. See Eubank, H.P., 9=8638; Friedland, S.S., 8=4554
Zatzkis, H. Thomson atom, 9=2855. See also Penfield, R., 8=6679; Penfield, R.H., 7=5824, 5879, 8=2146
Zauberis, D.D. See Sidhu, S.S., 6=8984, 7=908
Zavadovskaya, E.K. See Vorob'ev, A.A., 5-7001
Zavaritskiĭ, N.V. An investigation of the thermal properties of superconeductors. I. Tin (down to 0.15°K), 8=3923; II, 9=1360. See also Abaulina, É.I., 5=7491
Zavaritskiĭ, N.V. and Zel'dovich, A.G. Thermal conductivity of engineering materials at low temperatures, 7=2112
Zavattini, E. See Alexander, G., 6=687; Ballario, C., 8=1210
Zavel'skiĭ, F.S. A study of the dependence of the dielectric permittivity of barium titanate on the duration of the action of the potential, 5=280
Závěta, K. The magnetization curves of thin iron films, 7=4552. See also Broz. J., 9=8315; Krupička, S., 9=12237
Závětová, M. On photoconductivity of photographic emulsions, 9=8148. The interference of two beams of light passing through oppositely rotating [optically active] media, 9=12140
Zavoĭskiĭ, E.K. On a possible method of polarizing proton beams, 7=7972. A source of polarized nuclei for accelerators, 8=5059. See also Butslov, M.M., 9=10499
Zavoĭskiĭ, E.K., But-slov, M.M. and Smolkin, G.E. The limiting factor and intrinsic noise of electron-optical photomultipliers, 7=4374
Zavoĭskiĭ, E.K. and Fanchenko, S.D. Investigation of very fast light processes, 5=9344. The physical bases of an electron-optical chronograph, 7=3037
Zavoĭskiĭ, E.K. and Smolkin, G.E. On the intermolecular transfer of excitation energy in crystals, 7=4225
Zavoĭskiĭ, E.K., Smolkin, G.E., Plakhov, A.G. and Bu̇t-slov, M.M. Luminescent camera, 5=9726
Zawadzki, A. The density spectrum of cosmic-ray extensive air showers at 230 m altitude, 7=8700. See also Michalak, S., 7=476
Zdanis, R. See Meissner, H., 8=8786, 9=7005
Zedler, R.E. See Abele, R.K., 5=8038
Zeeman, P.B. See Barrow, R.F., 6=2277, 7=3129, 8=954, 2612

Zeender, J.R. See Schlömann, E., 8=8868
Zeffert, B.M. and Witherspoon, R.R. A thermistor temperature recorder, 7=3301
Zega, B. See Guillaud, C., 6=6005
Zegers, R.T. See Dillon, D.J., 9=4164
Zeggeren, F. van. See van Zeggeren, F.
Zegler, S.T. See Nevitt, M.V., 9=10298
Zehler, V. Ferromagnetic resonance in wire shaped specimens, 9=4809. The damping of ferromagnetic resonance in Ni-Fe wires, 9=4810. The magnetistrictive displacement of the ferromagnetic resonance in Ni–Fe wires, 9=5903
Zeidman, B. See also Schiffer, J.P., 8=7374, 9=13617; Yntema, J.L., 9=8607, 11469
Zeidman, B. and Fowler, J.M. Angular distributions from deuteron bombardment of beryllium and boron, 9=3900
Zeidman, B. and Yntema, J.L. (α, d) reactions on N^{14} and Li^6, 9=11471
Zeiger, H.J. See also Dexter, R.N., 7=2221; Gordon, J.P., 5=8607; Lax, B., 5=2740, 6=5252, 7=4335
Zeiger, H.J., Lax, B. and Dexter, R.N. Classical Boltzmann theory of cyclotron resonance for warped surfaces, 7=2198
Zeiger, H.J., Rauch, C.J. and Behrndt, M.E. Observation of microwave cyclotron resonance by cross modulation, 8=6969. Cross modulation of d.c. resistance by microwave cyclotron resonance, 9=8135
Zeigler, R.K. See Keepin, G.R., 8=5399
Zeil, W. The microwave spectrum of 1, 1, 1-trichlorethane, 7=254
Zeil, W. See also Günther, P., 9=1325, 2232
Zeil, W. and Schmitt, A. The nuclear quadrupole resonance spectra of bromobenzene and of 1, 2-dibromoethane, 9=5956
Zeitler, E. The correction for the influence of finite slit-width on photometer measurements, 7=5154. See also Scheer, M., 5=8832
Zeitler, E. and Bahr, G.F. Contributions to quantitative electron microscopy, 9=8915
Zeitler, G. See Noddack, W., 5=3297
Żelazny, R. On the derivation of hydrodynamical equations for the classical systems of diatomic molecules, 8=6664
Zeldes, H. and Livingston, R. Environmental effect on atomic hydrogen hyperfine structure in acids, 5=2891. Paramagnetic resonance study of irradiated glasses of methanol and ethanol, 9=4817. Zeeman effect on the quadrupole spectra of sodium, potassium, and barium chlorates, 7=7501. See also Livingston, R., 6=2247, 3026, 7=5515; Trammel, G.T., 8=5122
Zeldes, N. The competition between nuclear shells in Mayer's model, 7=6423. Nuclear energies and the shell model, 8=5261
Zel'dovich, A.G. See Zavaritskiĭ, N.V., 7=2112
Zel'dovich, Ya, B. Present state of the theory of β-decay, 6=2358. The motion of a gas under the action of a momentary pressure (impact), 6=6431. The magnetic field in a conducting turbulent liquid in two-dimensional motion, 7=1461. The decay and difference in mass of heavy neutral mesons, 7=1644. Development of the theory of the antiparticles, charges of elementary particles and the properties of heavy neutral mesons, 7=2986. Perturbation theory for a one-dimensional problem of quantum mechanics and the method of Lagrange, 7=5082. Reaction induced by μ-mesons in hydrogen, 7=6614*. Cylindrical self-similar [avtomodel'nye] acoustic waves, 8=1563. Investigation of the equation of state by means of mechanical measurements, 8=1666. On the possible effectiveness of mesonic catalysis of nuclear reactions, 8=1988. Shock waves of large amplitude in air, 8=2195. On nuclear reactions in very dense cold hydrogen, 8=5400. Relation between decay asymmetry and the dipole moment of fundamental particles, 8=5642. A variant of the theory of hyperons, 8=7286. A heavy neutral meson: decay and method of detection, 8=8994. Electromagnetic interaction with parity violation, 9=5353. On the annihilation of $\mu^+ \mu^-$ and the decay of neutral mesons, 9=9968. Converging cylindrical detonation wave, 9=11939. Non-conservation of parity in the first order of the weak-interaction coupling constant in electron scattering and in other effects, 9=12990. See also Gershtein, S.S., 6=2357
Zel'dovich, Ya.B. and Gershteĭn, S.S. Formation of hydrogen mesic molecules, 9=2892
Zel'dovich, Ya.B., Kogarko, S.M. and Simonov, N.N. Experimental study of spherical gas detonation, 7=1702
Zel'dovich, Ya.B., Kompaneets, A.S., and Raĭzer, Yu.P. On radiation cooling of air. I. General description of the phenomenon and a weak cooling wave, 8=7861; II. A strong cooling wave, 8=7862
Zel'dovich, Ya.B., Kormer, S.B., Sinitsyn, M.V. and Kuryapin, A.I. Temperature and heat capacity of "plexiglass" $(C_5H_8O_2)_n$ compressed by a shock wave, 9=5444
Zel'dovich, Ya.B., Luk'yanov, S.Yu. and Smorodinskiĭ, Ya.A. Properties of the neutrino and double β-disintegration, 5=6432
Zel'dovich, Ya. B. and Raĭzer, Yu.P. Physical phenomena observed during the expansion in vacuum of bodies compressed by strong shock waves, 9=11938
Zel'dovich, Ya. B. and Sakharov, A.D. On reactions catalysed by μ-mesons in hydrogen, 8=334
Zelikman, M.Kh. See Gringauz, K.I., 8=6557
Zelikoff, M. See also Marmo, F.F., 6=9130; Pressman, J., 6=9128
Zelikoff, M. and Aschenbrand, L.M. Vacuum ultraviolet photochemistry, I. Nitrous oxide at 1470 Å, 5=594; II. Nitrous oxide at 1849 Å, 5=595; Vacuum ultraviolet photochemistry. IV. NO at 1236 A, 7=826; V. Nitrous oxide at 1236 A, 7=8245. Vacuum ultraviolet photochemistry. III. Acetylene at 1849 A, 6=4722
Zelinskiĭ, V.V. and Kolobkov, B.P. Temperature dependence of the fluorescent and phosphorescent yields of pthalimide derivatives, 6=6531
Zelinskiĭ, V.V. and Kolobkov, V.P. The relationship between the quantum yields of phosphorescence and fluorescence and the fluorescence spectrum position, 8=5790
Zelinskiĭ, V.V., Kolobkov, V.P. and Kondaraki, N.I. Relationship between the efficiency of some quenchers of fluorescence and the position of the fluorescence spectrum, 8=2984
Zelinskii, V.V., Kolobkov, V.P. and Krasnitskaya, N.D. Temperature quenching of fluorescence, 9=13180
Zelinskiĭ, V.V., Kolobkov, V.P. and Pikulik, L.G. Spectral relationships of luminescent outputs, 7=4220
Zeller, E.J., Wray, J.L. and Daniels, F. Thermoluminescence induced by pressure and by crystallization, 6=1116
Zel'manov, A.L. Chronometric invariants and rest systems in the general theory of relativity, 6=6333. Towards the formulation of the dispensability of an expanding universe on the basis of the general theory of relativity, 9=9133
Zelst, J.J. Zaalberg van. See Zaalberg van Zelst, J.J.
Zeltmann, A.H. See Friedman, H.L., 8=9169
Zel'tser, G.I. Fractional parentage coefficients for the wavefunction of four particles, 8=8259
Zel'tser, G.I. and Kartuzhanskii, A.L. On the theory of fluctuations of the sensitivity of the crystals of nuclear photographic emulsions, 9=13990
Zemach, A.C. Proton structure and the hyperfine shift in hydrogen, 7=2983. See also Mazo, R.M., 8=2476; Moellering, W.M., 6=1485
Zemach, A.C. and Glauber, R.J. Dynamics of neutrons scattering by molecules, 6=3300. Neutron diffraction by gases, 6=3301
Zemach, C. See also Klein, A., 8=40, 9=11829; Watson, K.M., 9=2628
Zemach, C. and Klein, A. The Born expansion in non-relativistic quantum theory, 9=5369
Zemansky, M.W. Fashions in thermodynamics, 7=9145. See also Berman, A., 8=7874; Worley, R.D., 5=7979
Zemel, J. Surface ionization phenomena on polycrystalline tungsten, 8=8851
Zemel, J.N. and Petritz, R.L. Magneto-surface experiments on germanium, 8=4955
Zemany, P.D. Use of Fe^{55} for measuring titanium coating thickness, 9=13047. See also Grubb, W.T., 5=8807; Liebhafsky, H.A., 6=7171
Zemany, P.D. and Liebhafsky, H.A. Plating thickness by the attenuation of characteristic X-rays, 6=8608
Zemel, J.N. Surface transport theory, 9=4575
Zemel, J.N. and Petritz, R.L. Magneto-surface properties of near intrinsic germanium, 9=6957
Zemskov, E.M. and Veselago, V.G. The Stark effect in the rotational spectra of asymmetrical-top molecules in the presence of a quadrupole bond (the $\mu\epsilon \approx eQq$ case), 9=9434
Zendle, B. See McElhinney, J., 6=6687
Zener, C. Classical theory of the temperature dependence of magnetic anisotropy energy, 5=1980. Anelasticity of metals, 9=870. D-band and mixed-valency semiconduc-

tors, 9=5675
Zengin, N. See Fischer, E., 7=6936
Zen'iti, K., Husimi, K. and Kataoka, K. Polarization reversal in triglycine sulphate crystal, 9=13255
Zerbe, J.E. See Jacobi, W.M., 9=10142
Zerbst, M. See also Heywang, W., 6=5863, 7=6169, 9=13280; Ziegler, G., 9=11023
Zerbst, M. and Heywang, W. The drift mobility of the charge carriers in very pure silicon, 6=8789. Experimental investigation of trapping centres in silicon, 9=13281
Zerbst, M. and Winstel, G. The determination of doping gradients from photo-e.m.f. and photoconductivity in semiconductors, 9=13285
Zerfoss, S. and Davisson, J.W. Orientation of single-crystal silver halides by epitaxy, 5=9229
Zernik, W. The dust-free space surrounding hot bodies, 7=7052
Zernik, W., Rustgi, M.L. and Breit, G. Note on the photodisintegration of the deuteron, 9=10124
Zernike, F. Latest wave in physical optics, 7=6056
Zettlemoyer, A.C. See Myers, R.R., 6=4861, 9=9301
Zetterstrom, R.B. See Morrison, J., 5=5268
Zeuli, T. Magnetohydrodynamic oscillations in a rotating, electrically conducting, ellipsoidal liquid mass, 6=2255. On circular cylindrical vortices in magnetohydrodynamics, 8=8148. Influence of a slow rotation on the relative equilibrium of a gaseous stellar mass, 9=1007. The motion around the sun of a planet of relativistic energy subject to a generalized force of attraction. Advance of the perinelion, 9=12952
Zevin, L.S. See Kheĭker, D.M., 7=8282
Zevin, V.Ya. The spin Hamiltonian for interaction of a localized electron in a crystal with nuclear magnetic moments, 9=10255. Frequency spectrum of double spin-resonance at coloration centres in alkali-halide crystals, 9=12800. See also Deigen, M.F., 8=8448
Zhabotinskiĭ, M.E. On fluctuations in a generator with non-linear inertia properties, 5=931
Zhabotinskiĭ, M.E., Zolin, V.F. and Sverdlov, Yu.L. Reducing the Doppler width of spectral lines, 9=1274
Zhakobi, Zh.A. See Kolesnikov, N.N., 9=2575
Zharinov, A. Study of the transverse motion of ions in a discharge in a strong longitudinal magnetic field, 9=1499
Zharkov, G.F. On the magnetic moment of the neutrino, 5=554. Scattering of π-mesons on nucleons in the theory of damping, 5=1244. Scattering of nucleons by nucleons in the theory of damping, 5=8503. On the theory of ferromagnetic superconductors, 8=7041. Semi-phenomenological theory of nucleon–nucleon interaction, 9=563
Zharkov, V.A. See Tumanyan, V.A., 9=13543
Zharkov, V.N. The influence of an admixture of He^3 on the viscosity of helium II, 8=4929. See also Khalatnikov, I.M., 8=2279
Zharkovskiĭ, A.G. and Todes, O.M. Reflection of waves from an isotropic inhomogeneous layer, 7=4564
Zhdanov, A.P. See also Degtyarev, Yu.G., 7=2686
Zhdanov, A.P. and Fedotov, P.I. Transition effect and angular distribution of the individual cosmic particles, 5=8883
Zhdanov, A.P., Berkovich, I.B., Ermakova, K.I., Lepekhin, F.G., Skirda, N.V. and Khokhlova, Z.S. Interaction of high-energy particles with nuclei, 8=3376
Zhdanov, G.B. Generation of the π-meson of cosmic radiation by nuclear-active particles of moderate energies, 5=6277. The hodoscope delayed-coincidence method and its application for the investigation of slow-meson formation in cosmic rays, 6=6753. On the relationship between the angular and energy distributions of particles emitted in high-energy nuclear interactions, 8=8311*. Some interesting problems of technique in the investigations of processes at high and very high energies with stripped nuclear emulsions, 9=14009. See also Birger, N.G., 6=7730, 7=3623; Gol'danskiĭ, V.I., 5=377; Gramenitskiĭ, I.M., 7=9866, 8=2381
Zhdanov, G.B. and Khaĭdarov, A.A. Investigation of the penetrating component of electron–nuclear showers by the delayed coincidence method in conjunction with a hodoscope, 8=5092
Zhdanov, G.B., Zamchalova, E.A., Tret'yakova, M.I. and Shcherbakova, M.N. Nuclear interaction in a photographic emulsion accompanied by a large transfer of energy to the electron–photon component, 8=7153
Zhdanov, G.S. See also Alekseevskiĭ, N.E., 5=6155; Ezhkova, Z.I., 9=13218; Glagoleva, V.P., 6=5112; Kuz'min, R.N., 7=9932; Venevtsev, Yu.N., 7=8215, 9=10952, 8=3070; Verbitskaya, T.N., 9=12819; Vlasenko, V.I., 8=3578; Zhuravlev, N.N., 5=7974, 7=6636, 8=8529
Zhdanov, G.S., Solov'ev, S.P. and Venevtsev, Yu.N. Structural coefficient of the internal field in ferroelectrics having the perovskite structure, 8=5859
Zhdanov, G.S., Zhuravlev, N.N., Stepanova, A.A. and Umanskiĭ, M.M. Crystal chemistry of metallic hexaborides, 8=3558
Zhdanova, N.F. Temperature dependence of viscosity of liquefied nitrogen at constant density, 7=1098. Temperature dependence of the viscosity of liquid argon, 7=3999
Zhdanova, N.G., Kalashnikov, S.G. and Morozov, A.I. The effect of temperature on the rate of recombination of electrons and holes on copper atoms in germanium, 9=13298
Zheleznyakov, V.V. On the theory of sporadic radio emission of Jupiter, 8=7651. See also Ginzburg, V.L., 9=12950
Zheludev, I.S. Excitation of flexural vibrations of metallic plates with the aid of polycrystalline barium titanate, 5=2494. Dielectric ellipsoids and surfaces of dielectric permittivity, 7=7080. Symmetry and piezoelectric properties of crystals and textures, 8=3552, Symmetry of scalars, vectors and second rank tensors, 8=3554. Symmetry of homogeneous continuous isotropic bodies in tensor, vector and scalar fields, 8=3555. Point groups of crystal symmetry and their interpretation, 8=5515. See also Igras, É., 9=13264; Fridkin, V.M., 8=3075; Shubnikov, A.V., 9=9592; Shuvalov, L.A., 9=13259; Spivak, G.V., 9=4550, 13265; Yurin, V.A., 9=13260
Zheludev, I.S. and Fridkin, V.M. Two limiting point groups of symmetry of polycrystalline photo-electrets, 8=5862. Production of pictures on the surface of photoelectrets, 9=10956. Anisotropic polarization of photoelectrets from single crystal sulphur, 9=12226
Zheludev, I.S. and Makarov, V.M. Measurement of the pressure of explosions in gaseous mixtures with the aid of a piezo-electric device, 7=6926
Zheludev, I.S. and Parvov, V.F. Phase transitions and domain structures in barium titanate at 120 and 5°C, 7=7824
Zheludev, I.S. and Shuvalov, L.A. Ferroelectric phase transitions and crystal symmetry, 7=8254. Orientation of domains and macrosymmetry of the characteristics of ferroelectric monocrystals, 8=3070
Zheludev, I.S. and Sit'ko, R.Ya. Behaviour of the domains of Rochelle salt in alternating electric fields, 7=7847. Character of the change of the domain structure of Seignette salt in alternating electric fields, 8=3070
Zheludeva, G.A. The work function of antimony–caesium cathodes 9=3548
Zheludeva, G.A. and Akhmotova, N.A. The energy distribution of photo-electrons from antimony–caesium cathodes at various stages of their formation, 9=4686
Zherebtsova, I.I. See Nemilov, Yu.A., 6=8377
Zherebtsova, K.I., Makarova, T.P., Nemilov, Yu.A. and Funstein, B.L. On the ratio between the isomeric and ground state yields of Zn^{69} produced in various nuclear reactions, 9=12681
Zhevakin, S.A. and Faĭn, V.M. On the theory of non-linear effects in the ionosphere, 6=7085
Zhernovoĭ, A.I., Krisyuk, É.M., Latȳshev, G.D., Remennȳĭ, A.S., Sergeev, A.G. and Fadeev, V.I. Internal conversion electron spectrum of radiothorium. II, 8=7359
Zhevandrov, N.D. and Nikolaev, V.P. Determination of molecular volumes in solutions by polarization luminescence, 7=9032
Zhidikhanov, R.A. See Metsik, M.S., 9=12881
Zhidkov, V.A. and Lashkarev, V.E. Diffusion and electrical state of thermal acceptors in germanium, 8=4009
Zhidkova, Z.V. Reflection spectra of coloured light-scattering objects. I, 5=6025
Zhiglinskiĭ, A.G. Isotopic spectral analysis of lead by a photoelectric method, 8=5436. See also Zajdel, A.N., 9=11617
Zhiglinskiĭ, A.G., Zaĭdel', A.N. and Chaĭko, Yu. On the spectral determination of the isotopic composition of lead, 8=7430
Zhigulev, V.N. Theory of the magnetic boundary layer, 9=8381. The appearance of magnetic "squeezing-out" of flow in a conducting medium, 9=11275. Theory of electric discharge in a moving, conducting medium, 9=13338
Zhigulev, V.N. and Romishevskii, E.A. On the interaction of conductive particle streams with the earth's magnetic field, 9=13499
Zhil'tsova, L.Ya. See Medvedev, M.N., 9=10846

Zhirnov, V.A. Raĭskiĭ's (Rayski's) theory of bilocal fields, 6=5681. Contribution to the theory of domain walls in ferroelectrics, 9=2306. On the problem of quasiclassical single-electron functions, 8=788. On quasiclassical single-electron functions. I. Bound states, 9=11508; II. Continuous spectrum states, 9=11509

Zhirnov, V.A. and Shirokov, Yu.M. Possible states of a two-graviton system, 6=8601

Zhislin, G.M. On the spectrum of the Schrödinger operator, 9=7808

Zhitnikov, R.A. An optical method for investigating the averaged strained states of fine grained polycrystals. IV. The action of a concentrated force on anisotropic (textured) polycrystalline plates, 9=8009; V. Strains in the free outlines of anisotropic (textured) polycrystalline plates, 9=8010

Zhitnikov, R.A. and Stepanov, A.V. An optical method of determination of averages of stressed states in fine-grain polycrystals, I-III, 7=5092. Comparison with theory of the experimental results given by an optical method of investigating strained states in polycrystals, 9=8011. Investigation of linearly strained states in polycrystalline silver chloride by an optical method, 9=8012

Zhivopistsev, F.A., Perelomov, A.M. and Shirokov, Yu.M. Relativistic corrections to the phenomenological theory of levels of light nuclei, 9=12632

Zhoukhovitzky, A.A. Use of radioactive isotopes in investigations of the diffusion and thermodynamic characteristics of solid solutions, 9=8889

Zhuchikhin, V.I. See Al'tshuler, L.V., 8=7478

Zhukov, A.I. and Kazhdan, Ya. M. The motion of a gas under the action of a short-duration pulse, 7=3084

Zhukov, V.A. See Balandin, M.P., 6=4021

Zhukova, L.N. See Tatarskii, V.I., 9=12964

Zhukova, N.V. Investigation of the origin of levels of electron localization in zinc sulphide phosphors, 6=8686

Zhukovitskiĭ, A.A., Kryukov, S.N., Yanitskaya, M.E. and Golitsȳn, A.G. A diffusion method of determining the thermodynamic characteristics of solid solutions, 6=716

Zhukhovitskii, A.A. See also Bokshtein, S.Z., 9=10287

Zhukhovitskiĭ, E.M. See Gershuni, G.Z., 8=7859-60, 9=5200

Zhukovsky, N.N. See Dželepow, B.S., 8=6272, 9=1744; Dzhelepov, B.S., 7=6510

Zhurakovskii, E.A. See Vainshtein, É.E., 9=9682

Zhuravlev, N.N. Structure of superconductors. X. Thermal microscopic and X-ray investigation of the bismuth–palladium system, 8=1712. XIII. Investigation of bismuth–caesium alloys, 8=8530. See also Alekseevskiĭ, N.E., 5=302, 6155; Kuz'min, R.N., 7=9932; Stepanova, A.A., 9=10379; Zhdanov, G.S., 8=3558

Zhuravlev, N.N. and Kertes, L. Structure of superconductors. XI. Investigation of platinum, ruthenium, osmium and iridium alloys of bismuth, 8=1713

Zhuravlev, N.N., Mingazin, T.A. and Zhdanov, G.S. Structure of superconductors. XII. Investigation of bismuth–rubidium alloys, 8=8529

Zhuravlev, N.N. and Stepanova, A.A. X-ray determination of the structure of ScB$_2$, 9=10378

Zhuravlev, N.N. and Zhdanov, G.S. The structures of superconductors. VIII. X-ray and metallographic investigations of the system bismuth-rhodium, 5=7974. Metallographic and X-ray investigation of alloys of the germanium-rhodium system, 7=6636

Zhuravlev, V.A. See also Andrievskiĭ, A.I., 6=8798

Zhuravlev, V.A. and Kozak, M.I. The conductivity of semiconductors in an ultrasonic field, 9=9598

Zhurkov, S.N. and Sanfirova, T.P. The connection between the durability (i.e. time to rupture) and creep of metals and alloys, 9=4077

Zhurkov, S.N. and Slutsker, A.I. X-ray scattering by submicroscopic defects at extremely small angles, 8=5524

Zhurkov, S.N. and Tomashevskiĭ, É.E. Microscopic investigation of crack propagation on rupture, 9=8898

Zhuze, V.P. See also Amirkhanov, K.I., 5=7036

Zhuze, V.P. and Kontorova, T.A. Regarding correlation between hardness and thermal conductivity of nonmetallic crystals, 9=10334

Zhuze, V.P., Pikus, G.E. and Sorokin, O.V. The influence of the applied electrostatic field on the rate of surface recombination in germanium, 7=7909. A method for measuring the rate of surface recombination in accordance with the variation of the resistance of a semiconductor in a magnetic field, 9=5687

Zhuze, V.P. and Regel', A.R. Electrical properties of alloys of the system NiTe—NiTe$_2$, 7=2188

Zhuze, V.P., Sergeeva, V.M. and Shtrum, E.L. New semiconducting compounds, 8=4969. Semiconducting compounds with the general formula ABX$_2$, 9=3458

Zhuze, V.P. and Tsidil'kovskii, I.M. Thermomagnetic effects in indium antimonide, 9=9625

Zhuze, V.P., Tsidil'kovskiĭ, I.M. and Bartnitskaya, T.S. Thermomagnetic phenomena in silver telluride, 9=6941

Zhvanko, Yu.N. See also Shamovskiĭ, L.M., 8=979, 9=9467

Zhvanko, Yu.N., Morgenshtern, Z.L. and Shamovskiĭ, L.M. An investigation of the properties of phosphors KI : In and KI : Ga, 8=983

Zhȳdkov, V.A. and Khomenko, L.O. Occurrence of dislocations in germanium, 8=7510

Zichichi, A. See Alexander, G., 6=687, 9=1686; Ballario, C., 8=1210; Cooper, W.A., 7=3700, 8852, 8=5246; Salmeron, R.A., 9=9997

Zickendraht, W. Double Coulomb excitation in the scattering of nuclei by nuclei, 7=9321. See also Flügge, S., 6=2324

Zidarov, D. An electromagnetic model for the solution of the problem of the gravitational (or magnetic) force due to three-dimensional bodies of homogeneous density (or magnetization), 6=1874. Experimental continuation of harmonic functions and its geophysical application, 8=7645. Determination of the magnetic moment of beds of ferrous ores, 9=934. Experimental solution of Dirichlet's problem for the half-space Z $>$ 0, 9=10493. Experimental solution of Neumann's problem for the half-space Z $>$ 0, 9=10494

Zięba, A. See Urbanik, K., 6=7943

Ziebland, H. and Burton, J.T.A. The thermal conductivity of liquid and gaseous oxygen, 6=2031. The thermal conductivity of nitrogen and argon in the liquid and gaseous states, 8=3024

Ziegler, A. Analytical solution of the multiple-group theory in reactor calculations and an example for two groups, 8=7417. A new method of plasma generation for use in ion sources, 9=2415. Investigation of fuel changing in a reactor and its effect on burn-up, 9=11503

Ziegler, B. Energy loss and scattering of fast electrons in Be, C and Al, 8=8815. Nuclear absorption cross-sections for γ-rays between 10 and 30 MeV, 9=5061. A pair spectrometer for the measurement of a 30 MeV bremsstrahlung spectrum 9=5982. See also Kiefer, H., 5=4401; Ulmer, K., 6=4619

Ziegler, C.A. See also Brinkerhoff, J., 9=12519; Seliger, H.H., 6=1992, 5974, 7=5214

Ziegler, C.A. and Seliger, H.H. Hysteresis effect in multiplier phototube noise, 6=369

Ziegler, C.A., Seliger, H.H. and Jaffe, I. Three ways to increase efficiency of liquid scintillators, 6=5975

Ziegler, E. See Huster, E., 7=2347, 8=6090

Ziegler, G. See also Bass, R., 8=1346; Kneser, H.O., 6=159

Ziegler, G. and Zerbst, M. On the influence of annealing on the carrier lifetime of silicon, 9=11023

Ziegler, H. An attempt to generalize Onsager's principle, and its significance for rheological problems, 8=7569

Ziegler, M.A. Calculation of pairing energy by means of the eigenfunctions of Yukawa potential, 5=7270. Thermal expansion coefficient of nuclei, 7=610. See also Szamosi, G., 7=7288

Ziegler, M.A. and Szamosi, G. Relativistic effects in the theory of the α-particle, 6=7986

Ziegler, W. Concerning a simple reactor analogue, 9=2852

Ziel, A.van der. See van der Ziel, A.

Zielasek, G. Growth phenomena in Ge crystals, 9=8988. See also Pröpstl, G., 8=9142

Zieliński, M. See Złotowski, I., 9=11434

Zieliński, P. Note on the angular correlation in the decays of hyperfragments, 6=7715. A note on nuclear isomerism, 7=5560. See also Filipkowski, A., 9=11431; Wilhelmsson, H., 8=6194

Zieman, C.M. See Hirshfield, J.L., 5=3899

Ziemba, F.P. See also Fuls, E.N., 7=8687; Jones, P.R., 9=4752

Ziemba, F.P. and Everhart, E. Resonance phenomena in large-angle helium ion-helium atom collisions, 9=11523

Ziemer, R.W. and Bush, W.B. Magnetic field effects on bow shock stand-off distance, 8=6748

Zienau, S. On the motion of slow electrons in polar materials, 5=5083. See also Aub, M.R., 7=7319; Power, E.A.,

7=8117, 8=3405

Ziering, S. See Gross, E.P., 6=3437, 7=9039, 8=6725

Zieten, W. Macroscopic expansion and defects of silver bromide, 6=6254. Macroscopic expansion and defects of silver chloride, 7=6724

Zietlow, J.P., Cleveland, F.F. and Meister, A.G. Substituted ethanes. IV. The rotational isomers of 1, 1, 2, 2-tetrachloroethane: Assignments to the normal vibrations, 6=3062

Zigan, F. See Becker, E.W., 9=6603

Zigler, M.J. See Wolf, E., 5=667, 9318, 9=6417

Zigman, P.E. See Bryan, G.M., 8=8604

Zijlstra, H. Maximum energy product of crystal-oriented polycrystalline Ticonal G (Alnico 5) magnet steel, 7=2416

Zijlstra, R.J.J. and Alkemade, C.T.J. Flicker noise in vacuum photoelectric diodes, 7=397

Zijnen, B.G. van der Hegge. See van der Hegge Zijnen, B.G.

Zijp, W.L. See also Ong Ping Hok., 6=3148

Zijp, W.L., Tom, S. and Sizoo, G.J. The γ-β branching ratio of UX_2. The half-life of UZ, 5=2108

Zikmunda, O. See Brandejs, S., 5=5145

Zil'berman, G.E. On some properties of a slightly non-ideal electron gas, 5=7222. On the theory of a polar model of a metal in a magnetic field, 5=7229. Thermal and galvanometric effects in strong fields at low temperatures, 6=8808. Energy spectrum of an electron in a crystal in a magnetic field, 6=8891. Behaviour of an electron in a periodic electric and uniform magnetic field, 7=6704. Electron in a periodic electric and a uniform magnetic field. II, 8=2029. Theory of de Haas-van Alphen effect for open isoenergy surfaces, 8=8144. On the problem of the energy spectrum of an electron on open periodical trajectories, 9=5991. Motion of electron along self-intersecting trajectories, 9=9702

Zil'berman, G.E. and Aĭzenberg, Ya.E. On the possible shape of the surface of constant electron energy in the periodic field of the lattice, 8=4415

Zil'berman, G.E. and Itskovich, F.I. Temperature dependence of the magnetic susceptibility of the electrons in a metal, 7=6333

Zilberstein, R.M. Notes on magnetic pen kymograph, 9=10553

Zilova, T.K., Demina, N.I. and Fridman, Ya.B. Study of nonuniformity of plastic deformation [of steel] in torsion by the method of milled-on grids, 9=8938

Zilverschoon, C.J. See Schutten, J., 5=1135

Ziman, J.M. The electrical and thermal conductivities of monovalent metals, 5=1076. The electron-phonon interaction, according to the adiabatic approximation, 6=513. The effect of free electrons on lattice conduction, 6=2029. The general variational principle of transport theory, 8=397. Transport properties of solids, 9=771. See also Berman, R., 5=7889, 7=6094; Carruthers, J.A., 7=5264

Zimányi, J. Angular correlation between recoil nucleus and gamma quantum in electron capture, 8=6256. Circular polarization of gamma rays following the emission of polarized heavy particles, 9=7242. See also Keszthelyi, L., 9=3858, 12665; Nagy, K., 9=5014

Zimelev, A.G. See Reĭkhrudel', É.M., 5=6173, 7=4503

Zimen, K.E. and Dahl, L. Diffusion of the fission xenon from metallic uranium, 9=3935

Zimen, K.E. and Schmeling, P. Diffusion of rare-gas fission products in uranium, 5=3123

Zimerman, A.H. See Joos, H., 7=7307, 7581; Leal Ferreira, J., 9=3124; Prakash, P., 9=9998

Zimin, A.G. Use of the correlation of polarization in the phase [shift] analysis of p-p scattering, 8=684. Polarization correlation in nucleon-nucleon scattering, 8=2474. Measurement of polarization quantities, 9=5984

Zimin, A.G. and Yashin, N.M. Quadrupole moment of the U^{233} nucleus, 7=620

Zimm, B.H. Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence and dielectric loss, 6=1882. Photoelectric flow birefringence instrument of high sensitivity, 8=3907. Concentrated macromolecular solutions, 9=9306. See also Price, F.P., 5=4567

Zimm, B.H. and Bragg, J.K. Theory of the one-dimensional phase transition in polypeptide chains, 8=8618. Theory of the phase transition between helix and random coil in polypeptide chains, 9=10216

Zimm, B.J., Roe, G.M. and Epstein, L.F. Solution of a characteristic value problem from the theory of chain molecules, 6=4070

Zimmer, E. See Armbruster, P., 9=13141; Bisi, A., 5=9886, 6=7650

Zimmer, K.G. See Rozman, I.M., 8=987, 1917; Tsimmer, K.G., 7=7782

Zimmerman, E.J. Numerical coincidences in microphysics and cosmology, 5=4327. Scintillation response of anthracene to low-energy protons and helium ions, 5=8645. See also Lorents, D.C., 9=5818

Zimmerman, E.J., Kerman, R.O., Singer, S., Kruger, P.G. and Jentschke, W. Proton-proton scattering at 5.77 MeV, 5=996

Zimmerman, F.J. Total emissivities and absorptivities of some commercial surfaces at room and liquid-nitrogen temperatures, 6=1020

Zimmerman, G. Photochemical decomposition of aqueous permanganate ion, 5=6576

Zimmerman, J. See Bennett, R.G., 8=8509

Zimmerman, J.E. See Hoare, F.E., 9=4529; See Howling, D.H., 5=4606

Zimmerman, J.R. See Weinberg, I., 5=7251

Zimmerman, M.R. See Lohse, J.M., 9=13348

Zimmerman, R.L. See Palevksy, H., 7=482; Fox, J.D., 8=8263; Hughes, D.J., 9=3823, 12626; Seth, K.K., 8=5272

Zimmerman, S.A. and Sapon, S.M. Note on vowel duration seen cross-linguistically, 8=2928

Zimmerman, S.F. See Browne, C.P., 5=1184

Zimmerman, O. On the theory of the polarization of starlight by interstellar dust, 9=4205

Zimmermann, W. One particle singularities of Green functions in quantum field theory, 9=11826. On the bound state problem in quantum field theory, 9=2038. See also Glaser, V., 8=874; Lehmann, H., 5=1510, 9411, 7=8376

Zimmermann, W., Jr. N^{15}(d, p)N^{16} reaction and the low excited states of N^{16}, 7=1605. Experiments concerning the low-energy states of the O^{19} nucleus, 9=10034. Lifetime of the 0.119 MeV state of the N^{16} nucleus, 9=10036

Zin, G. Maxwellian electrodynamics and Huyghen's principle, 8=3260

Zingerman, A.S. The spreading of a discharge channel, 7=1329. Relation between the pressure at front of the shock wave and the steepness of the front of the energy pulse in an electric discharge in a liquid, 7=2284. The effect of heat conduction on electrical erosion of metals, 7=4393*

Zingerman, A.S. and Kaplan, D.A. Fluctuations in a discharge channel, 9=3539

Zinherman, Ya.P. The thermal conductivity of an oxide cathode, 8=7141. On certain processes occurring in an oxide thermocathode during prolonged operation, 8=7143. The anomalous emission saturation of effective thermocathodes, 8=8081

Zink, J. See van Itterbeek, A., 8=3808

Zink, J.W. and Delsasso, L.P. Attenuation and dispersion of sound by solid particles suspended in a gas, 9=1191

Zinke, O.H. Auger electrons in the secondary electron spectrum in magnesium, 7=7160

Zinman, W.G. See Kistiakowsky, G.B., 6=1165

Zinn, A. See Sheer, C., 6=4225

Zinn, R. See Signell, P.S., 9=2679

Zinn, W.H. Fermi and atomic energy, 5=8458

Zinnes, I.I. Hidden variables in quantum mechanics, 8=3693. Two theorems on scattering, 9=13015. See also Jauch, J.M., 9=5370

Zinov, V.G. and Korenchenko, S.M. Elastic scattering of 307 MeV π^--mesons on hydrogen, 8=1871

Zinov, V.G. and Korenchenko, S.M. π-Meson production by π^--mesons on hydrogen near the threshold, 8=7278. Scattering of 333 MeV negative π-mesons by hydrogen, 9=6028. Scattering of 307 MeV negative π-mesons by hydrogen with charge exchange, 9=6029. Scattering of π^--mesons in hydrogen at energies 240 MeV, 270 MeV, 9=12583

Zinov'eva, K.N. Surface tension of liquid He^3 in the range of 0.93-3.34°K, 5=6086. Extinction of second sound in helium II, 5=6988. The coefficient of volume absorption of second sound and the viscosity of the normal component of helium II down to 0.83°K, 7=329. The surface tension of liquid He^3 in the region of very low temperatures (1.0 - 0.35°K), 7=1947. Viscosity of liquid He^3 between 0.35 and 3.2°K, and of He^4 above the λ-point, 8=7868. See also Peshkov, V.P., 8=597, 9=6849

Zinsser, H.H. See Lamport, H., 9=6646

Zinszer, H.J. On the dark- and photoconductivity of anthracene, 7=401

Ziock, K. The determination of the oscillator strength of the

iron line 3720 Å from the decay time of the resonance radiation, 7=6983. See also Freytag, D., 9=2582; Osberghaus, O., 9=3276
Zipf, T.F. See also Davis, H.F., 9=11379
Zipf, T.F. and Perl, M.L. Study of τ^--meson decay in a propane bubble chamber, 8=6186
Zipoy, D., Freier, G. and Famularo, K. $C^{13}(p, p)C^{13}$: Experiment and analysis, 7=6545
Zipoy, D.M. 9.51 MeV level in N^{14}, 8=7305. See also Freier, G.D., 8=4311; Heinberg, M., 8=6173
Zirin, H. Spin-orbit parameters for the p^2 configuration with special reference to the yellow coronal line, 5=4314. Wave functions, spin-orbit, and spin-spin parameters for the $1s^22s^22p^4$ isoelectronic sequence, 5=8168. The helium equilibrium in prominences and the chromosphere, 6=5633. The temperature and equilibrium of hydrogen in solar prominences, 7=46. On the enhancement of certain helium lines in the limb flare on June 24, 1956, 8=4671. Physical conditions in limb flares and active prominences. II. A remarkable limb flare, December 18, 1956, 9=10534. The calculation of opacities for stellar interiors, 9=12967. See also Layzer, D., 5=7296; Schwartz, S., 9=12958; Schwartz, S.B., 8=8255; Tandberg-Hanssen, E., 9=10533; Warwick, J.W., 8=15; Wild, J.P., 7=2925
Zirinsky, S. See Lieberman, D.S., 7=795
Zirker, J.B. The high-temperature excitation of ionized helium, 9=10538. The metallic chromosphere at the Khartoum eclipse, 9=11747
Zirkle, R.E. General features of radiobiological actions, 9=11677
Zisman, W.A. See Bernett, M.K., 9=11892; Hare, E.F., 5=5695
Zítka, B. See Hermoch, V., 5=4690
Zitter, R. See Adams, E.N., II, 5=1998.
Zitter, R.N. Role of traps in the photoelectromagnetic and photoconductive effects, 9=4602. See also Kurnick, S.W., 6=2891, 7=7924
Zitter, R.N., Strauss, A.J. and Attard, A.E. Recombination processes in p-type indium antimonide, 9=13305
Živojinov, J.M. Relation between the pressure and boiling point temperature and determination of the molecular entropy of boiling, 6=1160
Zlatev, I. The distribution of heat in a rod consisting of two similar parts of variable length, boundary conditions being linear, 6=283
Zlatev, I.S. See Isaev, P.S., 9=9929
Zlateva, A. See Andrejtschin, R., 9=9649; Borisov, M., 7=7765
Zlotnick, M. See Bauer, E., 9=256, 12177
Złotowski, I. and Zieliński, M. Estimation of C^{14} in the gas phase in a Geiger-Müller counter filled with a mixture of Co_2 or Co and a heavy saturated hydrocarbon, 9=11434
Zmerli, A. Luminescence of benzene and hexadeutero-benzene at 20°K, 8=140. See also Pesteil, P., 5=8632, 6=2796, 5009, 7=5215
Zmerli, A. and Pesteil, P. Luminescence of crystals at low temperatures. VIII. $T \to S$ transitions of hexachlorobenzene at 90°K, 6=7858. Traps in organic luminescence, 7=4173. Luminescence of crystals at low temperatures. Naphthalene at 20°K, 6=1995
Zmerli, A., Pesteil, L. and Pesteil, P. Phosphorescence of crystalline naphthalene at 20°K, 6=7311. Phosphorescence spectra of organic crystals at 20°K, 7=5220
Zmerli, A. and Poulet, H. Excitons in benzene and naphthalene crystals at 20°K, 9=2923
Zmerli, A., Poulet, H. and Pesteil, P. Absorption and luminescence of benzene and deuterobenzene crystals at 20°K, 7=9080
Zmuda, A.J. Note on the components of magnetic intensity at inverse points relative to a spherical boundary, 6=9053. A method for analysing values of the scalar magnetic intensity, 9=1943
Zmysłowski, A. Temperature calculations in heterogeneous thermal reactors, 9=11499
Zmysłowska, S. Analysis of the radioactivity of minerals produced at the contact of a granitic vein with layers of chalk, 6=4743
Znamenskaya, M.A. See Rautian, G.N., 6=8139
Zneimer, J.E. See Sirvetz, M.H., 9=430
Zobac, L. Contribution to the theory of diffusion pumps, 6=971
Zobel, K.F. See Landwehr, G., 8=898
Zobel, W. See Steffen, R.M., 5=5586, 6=6848
Zobnina, V.N. See Alekseeva, V.G., 7=9457
Zoboli, V. See Borelli, V., 9=2556; Eisler, F., 8=1208, 1212, * 9=2662, 2667
Zocher, H. Considerations of spatial and temporal asymmetry in physics, especially crystal physics, 5=1490
Zocher, H. and Török, C. Optical asymmetries, 6=1023
Zoellner, W.G. See Rohrbaugh, J.H., 8=8715
Zoli, M.T. The approximate representation of certain aberrations by binomial series, 6=4972. An asymptotic expression for the spherical aberration for large refractive indices, 8=5753. Concentric systems for two [different] glasses, 9=6689. See also Ronchi, L., 5=7573, 6=5578, 7=3863-4; Toraldo di Francia, G., 5=1662, 8=7789
Zolin, V.F. See Zhabotinskiĭ, M.E., 9=1274
Zollfrank, G. See Krautz, E., 9=3336
Zöllner, W., Chrustalow, O., Serebrjakow, W. and Lesnow, W. Dispersion relations for the $\pi + N \to \pi' + \pi'' + N'$ process in the fixed-nucleon approximation, 9=4936
Zollweg, R.J. Structure in optical absorption of barium oxide films, 5=2613. X-ray lattice constant of barium oxide, 6=819. Optical absorption and photoemission of barium and strontium oxides, sulfides, selenides and tellurides, 8=8700
Zolotavin, A.V. See Abotina, M.P., 8=6246; Grigor'ev, E.P., 8=739, 5334, 9=10075, 12727; Grigor'yev, E.P., 9=10062
Zolotov, A.V. See Troitskiĭ, V.S., 5=284
Zombovskiĭ, S.M. See Selektor, Ya.M., 7=6283
Zombkovskij, S.M., See Nikitin, S.J., 6=2947
Zonn, Z.N. See Ioffe, V.A., 9=4549
Zoonen, D.van. See van Zoonen, D.
Zorin, V.S. See Palatnik, L.S., 9=9576
Zorll, U. Regularities in electron diffraction photographs of antimony layers with texture, 5=3169. Lattice constants and texture of thin indium layers, 5=3170. Two-material films. VI. Electron diffraction investigations on diffusion phenomena in thin silver selenium sheets, 5=9168; VII. Interaction of residual mercury vapour on the diffusion of silver in thin sheets of tellurium or selenium, 5=9169
Zorn, B.S. and Zorn, G.T. Nuclear interaction of 140 to 218 MeV K^+ mesons, 8=1200
Zorn, G.T. Microscope for large nuclear plates, 6=8141. See also Àlles, W., 9=3800, 7284; Baldo, M., 5=4960, 8280, 9117; Ceccarelli, M., 5=5504; Dilworth, C.C., 5=6482; Grilli, M., 5=6524; Hornbostel, J., 8=705, 9=2652; Kalberg, I., 9=1643; Quareni, G., 5=8229; Ritson, D.M., 6=2439; Zorn, B.S., 8=1200
Zorzoli, G.B. On the decay of ^{141}Ce, 7=9354
Zouckermann, R. Elastic scattering of electrons, 7=6267
Zozulya, Yu.I. See Klinger, M.I., 8=2310
Zrelov, V.P. See also Azhgireĭ, L.S., 8=6300, 8245; Meshcheryakov, M.G., 7=703*, 1598, 1650
Zrelov, V.P. and Stoletov, G.D. Energy-range relation of 660 MeV protons, 9=13380
Zrelov, V.P., Tyapkin, A.A. and Farago, P.S. Measurement of the mass of 660 MeV protons, 8=8221
Zschaeck, H. See Foitzik, L., 9=4601
Zschörner, H. See also Paetzold, H.K., 8=4669, 9=4143
Zschörner, H. and Paetzold, H.K. Measurement of the temperature of atmospheric ozone by means of the Huggins bands, 9=941
Zubarev, D.N. On a new method in the theory of interacting Fermi-particles, 5=754. Generalization of the method of supplementary variables, 7=115. Distribution function of a non-ideal Bose gas at the temperature of absolute zero, 7=167. Evaluation of configuration integrals for a system of particles with Coulomb interaction, 7=4961. Virial expansion theory for imperfect gases, 8=3787. See also Bogolyubov, N.N., 5=5898, 8=3029
Zubarev, D.N. and Tserkovnikov, Yu.A. On the theory of the phase transition in a non-ideal Bose-gas, 8=6666. The thermodynamics of superconductors, 9=8164
Zubenko, V.V., Kvitka, S.S. and Umanskii, M.M. High-temperature X-ray camera RKVT-1200, 9=13908
Zubenko, V.V. and Umanskiĭ, M.M. X-ray determination of the thermal expansion coefficient of polycrystalline substances in the interval —50 to +100°C, 7=7818. X-ray determination of the thermal expansion of single crystals, 8=3930
Zubenok, L.I. Water balance of continents and oceans, 7=929
Zuber, K. Frequency alteration of a thick X-cut quartz crystal, produced by neutron bombardment, 9=3221
Zubkov, V.I. Vaporization of solid bodies [in the form of] spheres [suspended] in a stream of gas, 9=12178
Zubler, E.G., Hamill, W.H. and Williams, R.R., Jr. Ion pair yields

in the X-ray decomposition of hydrogen bromide in rare gas atmospheres, 6=8051

Zubov, V.G. On the temperature variation of the elastic constants of quartz, 6=6971

Zubov, V.G. and Firsova, M.M. The elastic properties of high temperature β-quartz, 7=1685. On some characteristics of the diffraction of light by ultrasonic waves in quartz, 7=7789. On the measurement and a new calculation of the dynamic elastic constants of quartz, 7=8221

Zubova, E.V. See Vereshchagin, L.F., 8=4473

Zuchelli, A.J. See Aron, W., 7=5570; Berko, S., 6=6138; Landes, H.S., 6=8754

Zucker, A. Protons and alpha-particles from the nitrogen bombardment of aluminium, 8=5396. See also Cohen, B.L., 5=2176; Fisher, D.E., 9=5049; Halbert, M.L., 7=1586, 5615, 8=325, 9=7355; Reynolds, H.L., 5=341, 2168, 6228, 7159, 6=423, 1555, 3175, 4635*, 6144; Webb, W.H., 6=4636

Zucker, C. Elastic constants of aluminium from 20°C to 400°C, 5=4997. Ultrasonic absorption in metals at elevated temperatures, 6=7220. Simple analog computer, 7=2910

Zucker, I.J. Intermolecular potentials of the inert gases from solid state data, 7=2464. Anharmonic effects in the theory of solid argon, 8=8411. See also Domb, C., 7=2457

Zucker, M.S. Fast-neutron cross sections of Ge, As, Se and Br, 7=2672

Zuckerbrodt, P. See Waelbroeck, F.G., 8=8721-2

Zückler, K. On the mode of action of voltage-dependent silicon carbide resistances, 6=5099

Zückler, T.F. Some observations on the modulation of the visual sensation by strong alternating magnetic fields, 5=3345

Zuev, K.P. Electrical conductivity in Cu_2O in air in the region of its stabilization (1020-1070°C). I, 9=13294. Electrical conductivity of Cu_2O in its dissociation region (1070-1250°C). II, 9=13295

Zuhrt, H. A derivation of Maxwell's equations for the vacuum with the help of a model energy quantum, 5=3536. The representation of the electromagnetic field of arbitrary frequency with the help of the model energy quantum, 5=5294. The derivation of the relativistic electrodynamics of the vacuum from the model energy quantum, 5=6736. The calculation of the electric elementary charge from the energy quanta model, 5=8723

Zuk, W. See Alväger, T., 9=3849; Johansson, B., 9=6068

Zuleeg, R. Micropyramids on germanium formed during microalloying, 9=13889. See also Lehovec, K., 8=2300

Zumino, B. Some questions in relativistic hydromagnetics, 8=1787. Formal solution of the equations of statistical equilibrium, 9=3168. See also Keller, J.B., 9=7476; Lüders, G., 8=4737

Zunick, M.J. See Laird, H.R., 6=5965

Zupančič, C. See Jamnik, D., 9=4664

Zurmühle, R. See Colli, L., 8=8343

Zussman, J. See Chapman, J.A., 9=9050

Zutrauen, H.A. and Ter Minassian-Saraga, L. Application of Gibb's equation to ionized substances, 5=7926

Zutshi, P.K. See Goel, P.S., 9=7695; Lal, D., 7=8325; Rama Thor, 8=4589

Zverev, G.M., Kornienko, L.S., Manenkov, A.A. and Prokhorov, A.M. A paramagnetic amplifier and generator using chromium corundum, 9=2536

Zverev, G.M. and Prokhorov, A.M. The fine and hyperfine structure of the spectrum of paramagnetic resonance of Cr^{3+} in corundum, 9=4828. Electron paramagnetic resonance of Co^{++} in corundum, 9=12475

Zverev, V.A. A modulation method of measuring dispersions of ultrasound, 6=8049. The possibility of an absolute calibration of the radiators and the receivers of sound with respect to the radiation pressure without using a radiometer, 7=4069. The effect of the directivity of a receiver device on the mean intensity of a signal received as the result of scattering, 8=4810. See also Gorelik, A.G., 6=4906

Zverev, V.A., Bokov, V.M. and Lur'e, N.E. A capacitative analyser of a sound field, 6=4921

Zverev, V.A. and Kalachev, A.I. Measurement of the interaction of sound waves in liquids, 9=5461

Zvereva, T.A. See Pil'shchikov, A.I., 7=4536

Zvonkova, Z.V. Use of direct methods of X-ray structural analysis in crystallochemical investigations, 7=8284

Zvyagina, A.P. See also Iveronova, V.I., 8=3584

Zvyagina, A.P. and Iveronova, V.I. A method for determining the amplitude of thermal vibrations of different kinds of atoms in solid solution, 8=6398

Zwanzig, R.W. High-temperature equation of state by a perturbation method. II. Polar gases, 6=984. Virial coefficients of "parallel square" and "parallel cube" gases, 6=3554. Influence of molecular electric quadrupole moments on dielectric constants, 6=7371. Transition from quantum to "classical" partition function, 7=5081. Electric quadrupole moments and dielectric constants, 7=9672. Brownian motion and chemical kinetics, 8=8499. Contribution to the theory of Brownian motion, 9=3167. See also Kirkwood, J.G. 5=3489; Rice, S.A., 9=11864

Zwanzig, W. See Brauer, K.H., 9=10396

Zweifel, P.F. Capture-positron branching ratios, 5=2142*. Allowed capture-positron branching ratios, 7=9854. See also de Coulon, G., 9=11372; Hurwitz, H., Jr., 5=8298

Zweig, H.J. Autocorrelation and granularity. I. Theory, 7=993; II. Results on flashed black-and-white emulsions, 7=994*; Autocorrelation and granularity. III. Spatial frequency response of the scanning system and granularity correlation effects beyond the aperture, 9=6432. See also Stultz, K.F., 9=10489

Zweig, H.J., Higgins, G.C. and MacAdam, D.L. On the information-detecting capacity of photographic emulsions, 9=6434

Zwerdling, S. See also Button, K.J., 9=6254; Keyes, R.J., 7=2211; Lax, B., 9=12016; Roth, L.M., 9=6971

Zwerdling, S. and Halford, R.S. Motions of molecules in condensed systems. IX. Infrared absorption anisotropy and induced molecular motion in a single crystal of benzene, 6=1080. Direct production of spectroscopic specimens from single crystals by controlled growth from a vapor, 6=2535

Zwerdling, S., Keyes, R.J., Foner, S., Kolm, H.H. and Lax, B. Magneto-band effects in InAs and InSb in d.c. and high pulsed magnetic fields, 7=2229

Zwerdling, S. and Lax, B. Oscillatory magneto-absorption of the direct transition in germanium, 7=5326

Zwerdling, S., Lax, B., Button, K.J. and Roth, L.M. Oscillatory magneto-absorption in gallium antimonide JA-1149, 9=7947

Zwerdling, S., Lax, B. and Roth, L.M. Oscillatory magneto-absorption in semiconductors, 8=8761. Direct transition exciton and fine structure of the magneto-absorption spectrum in germanium, 8=6852. The direct and indirect transition excitons in germanium, 9=8134

Zwerdling, S., Lax, B., Roth, L.M. and Button, K.J. Exciton and magneto-absorption of the direct and indirect transitions in germanium, 9=6970

Zwick, S.A. and Plesset, M.S. On the dynamics of small vapor bubbles in liquids, 5=5913

Zwicker, E. The unusual amplitude dependence of the ear's nonlinear distortion, 5=7578. See also Feldtkeller, R., 6=6279, 9=11971

Zwicker, E. and Feldtkeller, R. On the loudness level of uniform noises, 6=7242

Zwicker, E., Flottorp, G. and Stevens, S.S. Critical band width in loudness summation, 7=8493

Zwicker, E. and Heinz, W. On the frequency distribution of the human audibility threshold, 5=7576

Zwicker, H. A study of the radial emission of thermal radiation in modulated mercury arcs at very high pressures, 8=207

Zwicky, F. Methods for determining the absolute values of extragalactic distances, 5=6. Red-shift and line width in the spectra of extra-galactic nebulae, 5=1452. Aerial blobs, 5=9295

Zwislocki, J. Factors determining the sound attenuation produced by the earphone sockets, 5=2535. The development of a semiplastic earphone socket, 5=2536. Semiplastic earplugs, 5=6859. Design and testing of earmuffs, 6=167. Some measurements of the impedance at the eardrum, 7=5778. In search of the bone-conduction threshold in a free sound field, 7=8961. Some impedance measurements on normal and pathological ears, 8=1403. On the propagation velocity of sound in the human skull, 8=2894. Effect of the transmission characteristic of the ear on the threshold of audibility, 9=967

Zwislocki, J. and Feldman, R.S. Just noticeable differences in dichotic phase, 7=979

Zwislocki, J., Maire, F., Feldman, A.S. and Rubin, H. On the effect of practice and motivation on the threshold of audibility, 8=2722

Zwislocki, J., Pirodda, E. and Rubin, H. On some poststimulatory effects at the threshold of audibility, 9=4189

Zwolenik, J.J., Lind, J.E., Jr and Fuoss, R.M. Thermostat control

by resistance thermometer, 9=9564
Zwolinski, B.J. See Duvall, G.E., 6=148
Zyazev, V.L. and Esin, O.A. Concerning the influence of short-range order on the type of conductivity, 8=6959
Zyczkowski, M. Application of the method of "assuming an exact equation" in some problems of elastoplastic stability, 7=2746. See also Olszak, W., 7=2737
Zy̆kov, G.A. and Nakhodkin, N.G. The effect of certain gases on the emission of an oxide cathode, 9=7063
Zyl, C.P.van. See van Zyl, C.P.
Zyle, C.P.van. See Van Zyle, C.P.
Zy̆ryanov, P.S. The excitation spectrum of an electron plasma in a periodic field of ions, 5=394. On a theory of the electrical conductivity of metals, 6=6617. Relaxation fluctuations in condensed systems, 6=6618. On the theory of the surface tension of liquid metals, 8=7737. Generalized equations with a self-consistent field, 9=2087. On the effect of Coulomb correlations on the oscillation spectrum of an electron plasma, 9=4750. Collective motion in a system of quasiparticles, 9=9210. See also Eleonskiĭ, V.M. 8=1537, 4755, 9=9256; Giterman, M.Sh., 9=10248; Skrotskii, G.V., 9=12157
Zy̆ryanov, P.S. and Eleonskiĭ, V.M. Linearization of the Hartree equations, 6=6395
Zy̆ryanov, P.S. and Skrotskiĭ, G.V. On the influence of electric polarization on the magnetic properties of ferrites, 9=4814
Zy̆ryanov, P.S. and Talutz, G.G. On acoustic-electrical phenomena in a degenerate electron-ion plasma, 9=12413
Zy̆sina-Molozhen, L.M. and Shapiro, I.G. Interferometric investigation of flow past turbine blade cascades, 5=3496